NASA

PATENT ABSTRACTS BIBLIOGRAPHY

A CONTINUING BIBLIOGRAPHY

Section 2 • Indexes

JANUARY 1989

(NASA-SP-7039(34)-Sect-2) PATENT ABSTRACTS BIBLIOGRAPHY: A CONTINUING BIBLIOGRAPHY. SECTION 2: INDEXES (SUPPLEMENT 34) (NASA) 507 p

N89-24219

CSCL 05B

Unclas

00/82 0192771

ACCESSION NUMBER RANGES

Bibliography Number	*STAR Accession Numbers*
NASA SP-7039(04) SEC 1	N69-20701 - N73-33931
NASA SP-7039(12) SEC 1	N74-10001 - N77-34042
NASA SP-7039(13) SEC 1	N78-10001 - N78-22018
NASA SP-7039(14) SEC 1	N78-22019 - N78-34034
NASA SP-7039(15) SEC 1	N79-10001 - N79-21993
NASA SP-7039(16) SEC 1	N79-21994 - N79-34158
NASA SP-7039(17) SEC 1	N80-10001 - N80-22254
NASA SP-7039(18) SEC 1	N80-22255 - N80-34339
NASA SP-7039(19) SEC 1	N81-10001 - N81-21997
NASA SP-7039(20) SEC 1	N81-21998 - N81-34139
NASA SP-7039(21) SEC 1	N82-10001 - N82-22140
NASA SP-7039(22) SEC 1	N82-22141 - N82-34341
NASA SP-7039(23) SEC 1	N83-10001 - N83-23266
NASA SP-7039(24) SEC 1	N83-23267 - N83-37053
NASA SP-7039(25) SEC 1	N84-10001 - N84-22526
NASA SP-7039(26) SEC 1	N84-22527 - N84-35284
NASA SP-7039(27) SEC 1	N85-10001 - N85-22341
NASA SP-7039(28) SEC 1	N85-22342 - N85-36162
NASA SP-7039(29) SEC 1	N86-10001 - N86-22536
NASA SP-7039(30) SEC 1	N86-22537 - N86-33262
NASA SP-7039(31) SEC 1	N87-10001 - N87-20170
NASA SP-7039(32) SEC 1	N87-20171 - N87-30248
NASA SP-7039(33) SEC 1	N88-10001 - N88-20253
NASA SP-7039(34) SEC 1	N88-20254 - N88-30583

This bibliography was prepared by the NASA Scientific and Technical Information Facility operated for the National Aeronautics and Space Administration by RMS Associates.

NASA SP-7039(34)
Section 2
Indexes

NASA

PATENT ABSTRACTS BIBLIOGRAPHY

A CONTINUING BIBLIOGRAPHY

Section 2 • Indexes

Indexes for the annotated references to NASA-owned inventions covered by U.S. patents and applications for patent that were announced in *Scientific and Technical Aerospace Reports (STAR)* between May 1969 and December 1988. This issue supersedes all previous Index Sections

Scientific and Technical Information Division 1989
National Aeronautics and Space Administration
Washington, DC

This supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22161, price code A22.

INTRODUCTION

Several thousand inventions result each year from the aeronautical and space research supported by the National Aeronautics and Space Administration. The inventions having important use in government programs or significant commercial potential are usually patented by NASA. These inventions cover practically all fields of technology and include many that have useful and valuable commercial application.

NASA inventions best serve the interests of the United States when their benefits are available to the public. In many instances, the granting of nonexclusive or exclusive licenses for the practice of these inventions may assist in the accomplishment of this objective. This bibliography is published as a service to companies, firms, and individuals seeking new, licensable products for the commercial market.

The *NASA Patent Abstracts Bibliography (NASA PAB)* is a semiannual NASA publication containing comprehensive abstracts and indexes of NASA-owned inventions covered by U.S. patents and applications for patent. The citations included in *NASA PAB* were originally published in NASA's *Scientific and Technical Aerospace Reports (STAR)* and cover *STAR* announcements made since May 1969.

For the convenience of the user, each issue of *NASA PAB* has a separately bound Abstract Section (Section 1) and Index Section (Section 2). Although each Abstract Section covers only the indicated six-month period, the Index Section is cumulative covering all NASA-owned inventions announced in *STAR* since 1969. Thus a complete set of *NASA PAB* would consist of the Abstract Sections of Issue 04 (January 1974) and Issue 12 (January 1978) and the Abstract Section for all subsequent issues and the Index Section for the most recent issue.

The 124 citations published in this issue of the Abstract Section cover the period July 1988 through December 1988. The Index Section references over 4600 citations covering the period May 1969 through December 1988.

ABSTRACT SECTION (SECTION 1)

This *PAB* issue includes 10 major subject divisions separated into 76 specific categories and one general category/division. (See Table of Contents for the scope note of each category, under which are grouped appropriate NASA inventions.) This scheme was devised in 1975 and revised in 1987 in lieu of the 34 category divisions which were utilized in *PAB* supplements (01) through (06) covering *STAR* abstracts from May 1969 through January 1974. Each entry in the Abstract Section consists of a *STAR* citation accompanied by an abstract and, when appropriate, a key illustration taken from the patent or application for patent. Entries are arranged by subject category in order of the ascending NASA Accession Number originally assigned for *STAR* to the invention. The range of NASA Accession Numbers within each issue is printed on the inside front cover.

Abstract Citation Data Elements: Each of the abstract citations has several data elements useful for identification and indexing purposes, as follows:

NASA Accession Number
NASA Case Number
Inventor's Name
Title of Invention
U.S. Patent Application Serial Number
U.S. Patent Number (for issued patents only)
U.S. Patent Office Classification Number(s)
(for issued patents only)

These data elements are identified in the Typical Citation and Abstract and in the indexes.

INDEX SECTION (SECTION 2)

The Index Section is divided into five indexes. These indexes are cross-indexed and are used to locate a single invention or groups of inventions.

Subject Index: Lists all inventions according to appropriate alphabetized technical term and indicates the related NASA Case Number, the Subject Category Number, and the Accession Number.

Inventor Index: Lists all inventions according to alphabetized names of inventors and indicates the related NASA Case Number, the Subject Category Number, and the Accession Number.

Source Index: Lists all inventions according to alphabetized source of invention (i.e., name of contractor or government installation where invention was made) and indicates the related NASA Case Number, the Subject Category Number, and the Accession Number.

Number Index: Lists inventions in order of ascending (1) NASA Case Number, (2) U.S. Patent Application Serial Number, (3) U.S. Patent Classification Number, and (4) U.S. Patent Number and indicates the related Subject Category Number and the Accession Number.

Accession Number Index: Lists all inventions in order of ascending Accession Number and indicates the related Subject Category Number, the NASA Case Number, the U.S. Patent Application Serial Number, the U.S. Patent Classification Number, and the U.S. Patent Number.

HOW TO USE THIS PUBLICATION TO IDENTIFY NASA INVENTIONS

To identify one or more NASA inventions within a specific technical field or subject, several techniques are possible with the flexibility incorporated into the *NASA PAB*.

(1) *Using Subject Category:* To identify all NASA inventions in any one of the subject categories in this issue of *NASA PAB*, select the desired Subject Category in the Abstract Section (Section 1) and find the inventions abstracted thereunder.

(2) *Using Subject Index:* To identify all NASA inventions listed under a desired technical subject index term, (A) turn to the cumulative Subject Index in the Index Section and find the invention(s) listed under the desired technical subject term. (B) Note the indicated Accession Number and the Subject Category Number. (C) Using the indicated Accession Number, turn to the inside front cover of the Index Section to determine which issue of the Abstract Section includes the Accession Number desired. (D) To find the abstract of the particular invention in the issue of the Abstract Section selected, (1) use the Subject Category Number to locate the Subject Category and (2) use the Accession Number to locate the desired invention within the Subject Category listing.

(3) *Using Patent Classification Index:* To identify all inventions covered by issued NASA patents (not including applications for patent) within a desired Patent Classification, (A) turn to the Patent Classification Number in the Number Index of Section 2 and find the associated invention(s), and (B) follow the instructions outlined in (2)(B), and (D) above.

TYPICAL CITATION AND ABSTRACT

NASA SPONSORED

ACCESSION NUMBER → **N88-23809*** National Aeronautics and Space Administration. Langley Research Center, Hampton, Va. ← CORPORATE SOURCE

TITLE → **HELICOPTER ANTI-TORQUE SYSTEM USING FUSELAGE STRAKES Patent**

INVENTORS → HENRY L. KELLEY, inventor (to NASA) and JOHN C. WILSON, inventor (to NASA) 24 Nov. 1987 9 p Filed 30 Jan. 1987 Supersedes N87-23630 (25 - 17, p 2287)

NASA CASE NUMBER → (NASA-CASE-LAR-13630-1; US-PATENT-4,708,305;

US PATENT APPLICATIONS SERIAL NUMBER → US-PATENT-APPL-SN-008895; US-PATENT-CLASS-244-17.19; US-PATENT-CLASS-244-91) Avail: US Patent and Trademark Office ← AVAILABILITY SOURCE


COSATI CODE → CSCL 01C

The improvement of the helicopter torque control system is discussed. At low to medium forward speeds helicopter performance is limited by the effectiveness of the means for counteracting main rotor torque and controlling sideslip airloads. These problems may be overcome by mounting strakes on the aft fuselage section. For single rotor helicopters whose main rotor rotates counter-clockwise as viewed from above, one of the strakes would be mounted in the upper lefthand quadrant and the second in the lower left hand quadrant. The strakes alter the air flow around the fuselage by separating the flow so as to produce lateral airloads on the tail boom which oppose main-rotor torque. The upper strake operates in a right crosswind to oppose main rotor torque, and the lower strake has effect in left crosswinds. The novelty of this invention resides in the simple and economical manner in which the helicopter tail boom may be modified by the addition of strakes in order to increase torque control, and reduce the need for supplemental mechanical means of torque control.

Official Gazette of the U.S. Patent and Trademark Office

ABSTRACT ←

KEY ILLUSTRATION ←



Subject Categories

(1969 – 1973)

01 Aerodynamics
Includes aerodynamics of bodies, combinations, internal flow in ducts and turbomachinery; wings, rotors, and control surfaces. For applications see: 02 Aircraft and 32 Space Vehicles. For related information see also: 12 Fluid Mechanics; and 33 Thermodynamics and Combustion.

02 Aircraft
Includes fixed-wing airplanes, helicopters, gliders, balloons, ornithopters, etc.; and specific types of complete aircraft (e.g., ground effect machines, STOL, and VTOL); flight tests; operating problems (e.g., sonic boom); safety and safety devices; economics; and stability and control. For basic research see: 01 Aerodynamics. For related information see also: 31 Space Vehicles; and 32 Structural Mechanics.

03 Auxiliary Systems
Includes fuel cells, energy conversion cells, and solar cells; auxiliary gas turbines; hydraulic, pneumatic and electrical systems; actuators; and inverters. For related information see also: 09 Electronic Equipment; 22 Nuclear Engineering; and 28 Propulsion Systems.

04 Biosciences
Includes aerospace medicine, exobiology, radiation effects on biological systems; physiological and psychological factors. For related information see also: 05 Biotechnology.

05 Biotechnology
Includes life support systems, human engineering; protective clothing and equipment; crew training and evaluation, and piloting. For related information see also: 04 Biosciences.

06 Chemistry
Includes chemical analysis and identification (e.g., spectroscopy). For applications see: 17 Materials, Metallic; 18 Materials, Nonmetallic; and 27 Propellants.

07 Communications
Includes communications equipment and techniques; noise; radio and communications blackout; modulation telemetry; tracking radar and optical observation; and wave propagation. For basic research see: 23 Physics, General; and 21 Navigation.

08 Computers
Includes computer operation and programming; and data processing. For applications, see specific categories. For related information see also: 19 Mathematics.

09 Electronic Equipment
Includes electronic test equipment and maintainability; component parts, e.g., electron tubes, tunnel diodes, transistors, integrated circuitry; microminiaturization. For basic research see: 10 Electronics. For related information see also: 07 Communications and 21 Navigation.

10 Electronics
Includes circuit theory; and feedback and control theory. For applications see: 09 Electronic Equipment. For related information see specific Physics categories.

11 Facilities, Research and Support
Includes airports; lunar and planetary bases including associated vehicles; ground support systems; related logistics; simulators; test facilities (e.g., rocket engine test stands, shock tubes, and wind tunnels); test ranges; and tracking stations.

12 Fluid Mechanics
Includes boundary-layer flow; compressible flow; gas dynamics; hydrodynamics; and turbulence. For related information see also: 01 Aerodynamics; and 33 Thermodynamics and Combustion.

13 Geophysics
Includes aeronomy; upper and lower atmosphere studies; oceanography; cartography; and geodesy. For related information see also: 20 Meteorology; 29 Space Radiation; and 30 Space Sciences.

14 Instrumentation and Photography
Includes design, installation, and testing of instrumentation systems; gyroscopes; measuring instruments and gages; recorders, transducers; aerial photography; and telescopes and cameras.

15 Machine Elements and Processes
Includes bearings, seals, pumps, and other mechanical equipment; lubrication, friction, and wear; manufacturing processes and quality control; reliability; drafting; and materials fabrication, handling, and inspection.

16 Masers
Includes applications of masers and lasers. For basic research see: 26 Physics, Solid-State.

17 Materials, Metallic
Includes cermets; corrosion; physical and mechanical properties of materials; metallurgy; and applications as structural materials. For basic research see: 06 Chemistry. For related information see also: 18 Materials, Nonmetallic; and 32 Structural Mechanics.

18 Materials, Nonmetallic
Includes corrosion; physical and mechanical properties of materials (e.g., plastics); and elastomers, hydraulic fluids, etc. For basic research see: 06 Chemistry. For related information see also: 17 Materials, Metallic; 27 Propellants; and 32 Structural Mechanics.

19 Mathematics
Includes calculation methods and theory; and numerical analysis. For applications see specific categories. For related information see also: 08 Computers.

20 Meteorology
Includes climatology; weather forecasting; and visibility studies. For related information see also: 13 Geophysics; and 30 Space Sciences.

21 Navigation
Includes guidance; autopilots; star and planet tracking; inertial platforms; and air traffic control. For related information see also: 07 Communications.

22 Nuclear Engineering
Includes nuclear reactors and nuclear heat sources used for propulsion and auxiliary power. For basic research see: 24 Physics, Atomic, Molecular, and Nuclear. For related information see also: 03 Auxiliary Systems; and 28 Propulsion Systems.

23 Physics, General
Includes acoustics, cryogenics, mechanics, and optics. For astrophysics see: 30 Space Sciences. For geophysics and related information see also: 13 Geophysics, 20 Meteorology, and 29 Space Radiation.

24 Physics, Atomic, Molecular, and Nuclear
Includes atomic, molecular and nuclear physics. For applications see: 22 Nuclear Engineering. For related information see also: 29 Space Radiation.

25 Physics, Plasma
Includes magnetohydrodynamics. For applications see: 28 Propulsion Systems.

26 Physics, Solid-State
Includes semiconductor theory; and superconductivity. For applications see: 16 Masers. For related information see also: 10 Electronics.

27 Propellants
Includes fuels; igniters; and oxidizers. For basic research see: 06 Chemistry; and 33 Thermodynamics and Combustion. For related information see also 28 Propulsion Systems.

28 Propulsion Systems
Includes air breathing, electric, liquid, solid, and magnetohydrodynamic propulsion. For nuclear propulsion see: 22 Nuclear Engineering. For basic research see: 23 Physics, General; and 33 Thermodynamics and Combustion. For applications see: 31 Space Vehicles. For related information see also: 27 Propellants.

29 Space Radiation
Includes cosmic radiation; solar flares; solar radiation; and Van Allen radiation belts. For related information see also: 13 Geophysics, and 24 Physics, Atomic, Molecular, and Nuclear.

30 Space Sciences
Includes astronomy and astrophysics; cosmology; lunar and planetary flight and exploration; and theoretical analysis of orbits and trajectories. For related information see also: 11 Facilities, Research and Support; and 31 Space Vehicles.

31 Space Vehicles
Includes launch vehicles; manned space capsules; clustered and multistage rockets; satellites; sounding rockets and probes; and operating problems. For basic research see: 30 Space Sciences. For related information see also: 28 Propulsion Systems; and 32 Structural Mechanics.

32 Structural Mechanics
Includes structural element design and weight analysis; fatigue; thermal stress; impact phenomena; vibration; flutter; inflatable structures; and structural tests. For related information see also: 17 Materials, Metallic; and 18 Materials, Nonmetallic.

33 Thermodynamics and Combustion
Includes ablation, cooling, heating, heat transfer, thermal balance, and other thermal effects; and combustion theory. For related information see also: 12 Fluid Mechanics; and 27 Propellants.

34 General
Includes information of a broad nature related to industrial applications and technology, and to basic research; defense aspects; information retrieval; management; law and related legal matters; and legislative hearings and documents.

TABLE OF CONTENTS

Revised Subject Categories

(Includes 1974 and 1987 revisions)

AERONAUTICS

Includes aeronautics (general); aerodynamics; air transportation and safety; aircraft communications and navigation; aircraft design, testing and performance; aircraft instrumentation; aircraft propulsion and power; aircraft stability and control; and research and support facilities (air).

For related information see also *Astronautics.*

01 AERONAUTICS (GENERAL)

02 AERODYNAMICS

Includes aerodynamics of bodies, combinations, wings, rotors, and control surfaces; and internal flow in ducts and turbomachinery.

For related information see also *34 Fluid Mechanics and Heat Transfer*

03 AIR TRANSPORTATION AND SAFETY

Includes passenger and cargo air transport operations; and aircraft accidents.

For related information see also *16 Space Transportation* and *85 Urban Technology and Transportation.*

04 AIRCRAFT COMMUNICATIONS AND NAVIGATION

Includes digital and voice communication with aircraft; air navigation systems (satellite and ground based); and air traffic control.

For related information see also *17 Space Communications, Spacecraft Communications, Command and Tracking* and *32 Communications and Radar.*

05 AIRCRAFT DESIGN, TESTING AND PERFORMANCE

Includes aircraft simulation technology.

For related information see also *18 Spacecraft Design, Testing and Performance* and *39 Structural Mechanics.* For land transportation vehicles see *85 Urban Technology and Transportation.*

06 AIRCRAFT INSTRUMENTATION

Includes cockpit and cabin display devices; and flight instruments.

For related information see also *19 Spacecraft Instrumentation* and *35 Instrumentation and Photography.*

07 AIRCRAFT PROPULSION AND POWER

Includes prime propulsion systems and systems components, e.g., gas turbine engines and compressors; and onboard auxiliary power plants for aircraft.

For related information see also *20 Spacecraft Propulsion and Power, 28 Propellants and Fuels,* and *44 Energy Production and Conversion.*

08 AIRCRAFT STABILITY AND CONTROL

Includes aircraft handling qualities; piloting; flight controls; and autopilots.

For related information see also *05 Aircraft Design, Testing and Performance.*

09 RESEARCH AND SUPPORT FACILITIES (AIR)

Includes airports, hangars and runways; aircraft repa and overhaul facilities; wind tunnels; shock tubes; ai aircraft engine test stands.

For related information see also *14 Ground Suppo Systems and Facilities (Space).*

ASTRONAUTICS

Includes astronautics (general); astrodynamic ground support systems and facilities (space); launch v hicles and space vehicles; space transportation; spac communications, spacecraft communications, commar and tracking; spacecraft design, testing and performanc spacecraft instrumentation; and spacecraft propulsion ar power.

For related information see also *Aeronautics*

12 ASTRONAUTICS (GENERAL)

For extraterrestrial exploration see *91 Lunar and Pla etary Exploration.*

13 ASTRODYNAMICS

Includes powered and free-flight trajectories; and orb tal and launching dynamics.

14 GROUND SUPPORT SYSTEMS AND FACILITIES (SPACE)

Includes launch complexes, research and productio facilities; ground support equipment, e.g., mobile tran porters; and simulators.

For related information see also *09 Research and Su port Facilities (Air).*

15 LAUNCH VEHICLES AND SPACE VEHICLES

Includes boosters; operating problems of launch/spac vehicle systems; and reusable vehicles.

For related information see also *20 Spacecraft Propu sion and Power.*

16 SPACE TRANSPORTATION

Includes passenger and cargo space transportatio e.g., shuttle operations; and space rescue techniques.

For related information see also *03 Air Transportatio and Safety* and *18 Spacecraft Design, Testing and Perfo mance.* For space suits see *54 Man/System Technolog and Life Support.*

17 SPACE COMMUNICATIONS, SPACECRAFT COMMUNICATIONS, COMMAND AND TRACKING

Includes telemetry; space communications networks astronavigation and guidance; and radio blackout.

For related information see also *04 Aircraft Commun cations and Navigation* and *32 Communications an Radar.*

18 SPACECRAFT DESIGN, TESTING AND PERFORMANCE

Includes satellites; space platforms; space stations; spacecraft systems and components such as thermal and environmental controls; and attitude controls.

For life support systems see *54 Man/System Technology and Life Support.* For related information see also *05 Aircraft Design, Testing and Performance, 39 Structural Mechanics,* and *16 Space Transportation.*

19 SPACECRAFT INSTRUMENTATION

For related information see also *06 Aircraft Instrumentation* and *35 Instrumentation and Photography.*

20 SPACECRAFT PROPULSION AND POWER

Includes main propulsion systems and components, e.g. rocket engines; and spacecraft auxiliary power sources.

For related information see also *07 Aircraft Propulsion and Power, 28 Propellants and Fuels, 44 Energy Production and Conversion,* and *15 Launch Vehicles and Space Vehicles.*

CHEMISTRY AND MATERIALS

Includes chemistry and materials (general); composite materials; inorganic and physical chemistry; metallic materials; nonmetallic materials; propellants and fuels; and materials processing.

23 CHEMISTRY AND MATERIALS (GENERAL)

24 COMPOSITE MATERIALS

Includes physical, chemical, and mechanical properties of laminates and other composite materials.

For ceramic materials see *27 Nonmetallic Materials.*

25 INORGANIC AND PHYSICAL CHEMISTRY

Includes chemical analysis, e.g., chromatography; combustion theory; electrochemistry; and photochemistry.

For related information see also *77 Thermodynamics and Statistical Physics.*

26 METALLIC MATERIALS

Includes physical, chemical, and mechanical properties of metals, e.g., corrosion; and metallurgy.

27 NONMETALLIC MATERIALS

Includes physical, chemical, and mechanical properties of plastics, elastomers, lubricants, polymers, textiles, adhesives, and ceramic materials.

For composite materials see *24 Composite Materials.*

28 PROPELLANTS AND FUELS

Includes rocket propellants, igniters and oxidizers; their storage and handling procedures; and aircraft fuels.

For related information see also *07 Aircraft Propulsion and Power, 20 Spacecraft Propulsion and Power,* and *44 Energy Production and Conversion.*

29 MATERIALS PROCESSING

Includes space-based development of products and processes for commercial application.

For biological materials see *55 Space Biology.*

ENGINEERING

Includes engineering (general); communications and radar; electronics and electrical engineering; fluid mechanics and heat transfer; instrumentation and photography; lasers and masers; mechanical engineering; quality assurance and reliability; and structural mechanics.

For related information see also *Physics.*

31 ENGINEERING (GENERAL)

Includes vacuum technology; control engineering; display engineering; cryogenics; and fire prevention.

32 COMMUNICATIONS AND RADAR

Includes radar; land and global communications; communications theory; and optical communications.

For related information see also *04 Aircraft Communications and Navigation* and *17 Space Communications, Spacecraft Communications, Command and Tracking.* For search and rescue see *03 Air Transportation and Safety,* and *16 Space Transportation.*

33 ELECTRONICS AND ELECTRICAL ENGINEERING

Includes test equipment and maintainability; components, e.g., tunnel diodes and transistors; microminiaturization; and integrated circuitry.

For related information see also *60 Computer Operations and Hardware* and *76 Solid-State Physics.*

34 FLUID MECHANICS AND HEAT TRANSFER

Includes boundary layers; hydrodynamics; fluidics; mass transfer and ablation cooling.

For related information see also *02 Aerodynamics* and *77 Thermodynamics and Statistical Physics.*

35 INSTRUMENTATION AND PHOTOGRAPHY

Includes remote sensors; measuring instruments and gages; detectors; cameras and photographic supplies; and holography.

For aerial photography see *43 Earth Resources and Remote Sensing.* For related information see also *06 Aircraft Instrumentation* and *19 Spacecraft Instrumentation.*

36 LASERS AND MASERS

Includes parametric amplifiers.

For related information see also *76 Solid-State Physics.*

37 MECHANICAL ENGINEERING

Includes auxiliary systems (nonpower); machine elements and processes; and mechanical equipment.

38 QUALITY ASSURANCE AND RELIABILITY

Includes product sampling procedures and techniques; and quality control.

39 STRUCTURAL MECHANICS

Includes structural element design and weight analysis; fatigue; and thermal stress.

For applications see *05 Aircraft Design, Testing and Performance* and *18 Spacecraft Design, Testing and Performance.*

GEOSCIENCES

Includes geosciences (general); earth resources and remote sensing; energy production and conversion; environment pollution; geophysics; meteorology and climatology; and oceanography.

For related information see also *Space Sciences.*

42 GEOSCIENCES (GENERAL)

43 EARTH RESOURCES AND REMOTE SENSING

Includes remote sensing of earth resources by aircraft and spacecraft; photogrammetry; and aerial photography.

For instrumentation see *35 Instrumentation and Photography.*

44 ENERGY PRODUCTION AND CONVERSION

Includes specific energy conversion systems, e.g., fuel cells; global sources of energy; geophysical conversion; and windpower.

For related information see also *07 Aircraft Propulsion and Power, 20 Spacecraft Propulsion and Power,* and *28 Propellants and Fuels.*

45 ENVIRONMENT POLLUTION

Includes atmospheric, noise, thermal, and water pollution.

46 GEOPHYSICS

Includes aeronomy; upper and lower atmosphere studies; ionospheric and magnetospheric physics; and geomagnetism.

For space radiation see *93 Space Radiation.*

47 METEOROLOGY AND CLIMATOLOGY

Includes weather forecasting and modification.

48 OCEANOGRAPHY

Includes biological, dynamic, and physical oceanography; and marine resources.

For related information see also *43 Earth Resources and Remote Sensing.*

LIFE SCIENCES

Includes life sciences (general); aerospace medicine; behavioral sciences; man/system technology and life support; and space biology.

51 LIFE SCIENCES (GENERAL)

52 AEROSPACE MEDICINE

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

53 BEHAVIORAL SCIENCES

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

54 MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human engineering; biotechnology; and space suits and protective clothing.

For related information see also *16 Space Transportation.*

55 SPACE BIOLOGY

Includes exobiology; planetary biology; and extrate restrial life.

MATHEMATICAL AND COMPUTER SCIENCES

Includes mathematical and computer sciences (ger eral); computer operations and hardware; computer pr gramming and software; computer systems; cybernetic numerical analysis; statistics and probability; system analysis; and theoretical mathematics.

59 MATHEMATICAL AND COMPUTER SCIENCES (GENERAL)

60 COMPUTER OPERATIONS AND HARDWARE

Includes hardware for computer graphics, firmwar and data processing.

For components see *33 Electronics and Electrical E gineering.*

61 COMPUTER PROGRAMMING AND SOFTWARE

Includes computer programs, routines, algorithms, a specific applications, e.g., CAD/CAM.

62 COMPUTER SYSTEMS

Includes computer networks and special applicati computer systems.

63 CYBERNETICS

Includes feedback and control theory, artificial int gence, robotics and expert systems.

For related information see also *54 Man/Syst Technology and Life Support.*

64 NUMERICAL ANALYSIS

Includes iteration, difference equations, and numeri approximation.

65 STATISTICS AND PROBABILITY

Includes data sampling and smoothing; Monte C method; and stochastic processes.

66 SYSTEMS ANALYSIS

Includes mathematical modeling; network analy and operations research.

67 THEORETICAL MATHEMATICS

Includes topology and number theory.

PHYSICS

Includes physics (general); acoustics; atomic molecular physics; nuclear and high-energy physics tics; plasma physics; solid-state physics; and modynamics and statistical physics.

For related information see also *Engineering.*

70 PHYSICS (GENERAL)

For precision time and time interval (PTTI) se *Instrumentation and Photography;* for geophysics trophysics or solar physics see *46 Geophysics, 9 trophysics,* or *92 Solar Physics.*

71 ACOUSTICS
Includes sound generation, transmission, and attenuation.
For noise pollution see *45 Environment Pollution.*

72 ATOMIC AND MOLECULAR PHYSICS
Includes atomic structure, electron properties, and molecular spectra.

73 NUCLEAR AND HIGH-ENERGY PHYSICS
Includes elementary and nuclear particles; and reactor theory.
For space radiation see *93 Space Radiation.*

74 OPTICS
Includes light phenomena and optical devices.
For lasers see *36 Lasers and Masers.*

75 PLASMA PHYSICS
Includes magnetohydrodynamics and plasma fusion.
For ionospheric plasmas see *46 Geophysics.* For space plasmas see *90 Astrophysics.*

76 SOLID-STATE PHYSICS
Includes superconductivity.
For related information see also *33 Electronics and Electrical Engineering* and *36 Lasers and Masers.*

77 THERMODYNAMICS AND STATISTICAL PHYSICS
Includes quantum mechanics; theoretical physics; and Bose and Fermi statistics.
For related information see also *25 Inorganic and Physical Chemistry* and *34 Fluid Mechanics and Heat Transfer.*

SOCIAL SCIENCES

Includes social sciences (general); administration and management; documentation and information science; economics and cost analysis; law, political science, and space policy; and urban technology and transportation.

80 SOCIAL SCIENCES (GENERAL)
Includes educational matters.

81 ADMINISTRATION AND MANAGEMENT
Includes management planning and research.

82 DOCUMENTATION AND INFORMATION SCIENCE
Includes information management; information storage and retrieval technology; technical writing; graphic arts; and micrography.
For computer documentation see *61 Computer Programming and Software.*

83 ECONOMICS AND COST ANALYSIS
Includes cost effectiveness studies.

84 LAW, POLITICAL SCIENCE AND SPACE POLICY
Includes NASA appropriation hearings; aviation law; space law and policy; international law; international cooperation; and patent policy.

85 URBAN TECHNOLOGY AND TRANSPORTATION
Includes applications of space technology to urban problems; technology transfer; technology assessment; and surface and mass transportation.
For related information see *03 Air Transportation and Safety, 16 Space Transportation,* and *44 Energy Production and Conversion.*

SPACE SCIENCES

Includes space sciences (general); astronomy; astrophysics; lunar and planetary exploration; solar physics; and space radiation.
For related information see also *Geosciences.*

88 SPACE SCIENCES (GENERAL)

89 ASTRONOMY
Includes radio, gamma-ray, and infrared astronomy; and astrometry.

90 ASTROPHYSICS
Includes cosmology; celestial mechanics; space plasmas; and interstellar and interplanetary gases and dust.
For related information see also *75 Plasma Physics.*

91 LUNAR AND PLANETARY EXPLORATION
Includes planetology; and manned and unmanned flights.
For spacecraft design or space stations see *18 Spacecraft Design, Testing and Performance.*

92 SOLAR PHYSICS
Includes solar activity, solar flares, solar radiation and sunspots.
For related information see *93 Space Radiation.*

93 SPACE RADIATION
Includes cosmic radiation; and inner and outer earth's radiation belts.
For biological effects of radiation see *52 Aerospace Medicine.* For theory see *73 Nuclear and High-Energy Physics.*

GENERAL


Includes aeronautical, astronautical, and space science related histories, biographies, and pertinent reports too broad for categorization; histories or broad overviews of NASA programs.

99 GENERAL

Section 2 • Indexes

SUBJECT INDEX A-1
INVENTOR INDEX B-1
SOURCE INDEX C-1
CONTRACT NUMBER INDEX D-1
NUMBER INDEX E-1
ACCESSION NUMBER INDEX F-1

Typical Subject Index Listing



The subject heading is a key to the subject content of the document. A brief description of the document, e.g., title, title plus a title extension, or Notation of Content (NOC), is included for each subject entry to indicate the subject heading context; these descriptions are arranged under each subject heading in ascending accession number order. The NASA Case Number serves as the prime access number to the patent documents. The Subject Category Number indicates the category in Section 1 (Abstracts) in which the patent citation and abstract are located. The NASA accession number denotes the number by which the citation is identified within the subject category.

A

ABERRATION
High speed multi focal plane optical system
[NASA-CASE-GSC-12683-1] c 74 N83-36898

ABILITIES
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c 39 N83-20280

ABLATION
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XMS-02677] c 31 N70-42075
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c 11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c 11 N71-21475
Ablation sensor Patent
[NASA-CASE-XLA-01794] c 33 N71-21586
Ablation sensor Patent
[NASA-CASE-XLA-01791] c 14 N71-22991
Ablative system
[NASA-CASE-LEW-10359] c 33 N72-25911

ABLATIVE MATERIALS
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c 15 N69-24322
Ablation sensor
[NASA-CASE-XLA-01781] c 14 N69-39975
Method for molding compounds Patent
[NASA-CASE-XLA-01091] c 15 N71-10672
Ablative resin Patent
[NASA-CASE-XLE-05913] c 33 N71-14032
Ablation structures Patent
[NASA-CASE-XMS-01816] c 33 N71-15623
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c 33 N71-20834
Thermal protection ablation spray system Patent
[NASA-CASE-XLA-04251] c 18 N71-26100
Stand-off type ablative heat shield
[NASA-CASE-MSC-12143-1] c 33 N72-17947
Ablative system
[NASA-CASE-LEW-10359] c 33 N72-25911
Ablative system
[NASA-CASE-LEW-10359-2] c 33 N73-25952
Ablation article and method
[NASA-CASE-LAR-10439-1] c 33 N73-27796
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c 34 N74-15652
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c 24 N78-27180
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c 24 N80-26388
Controlled overspray spray nozzle
[NASA-CASE-MFS-25139-1] c 34 N82-13376

ABORT APPARATUS
Coupling for linear shaped charge Patent
[NASA-CASE-XLA-00189] c 33 N70-36846

ABRASION
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-3] c 37 N82-19540

ABRASION RESISTANCE
Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c 18 N72-23581
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c 74 N78-32854
Sandblasting nozzle
[NASA-CASE-NPO-13823-1] c 37 N81-25371
Heat sealable, flame and abrasion resistant coated fabric --- clothing and containers for space exploration
[NASA-CASE-MSC-18382-1] c 27 N82-16238
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-2] c 27 N84-14324

ABRASIVES
Method for machining holes in composite materials
[NASA-CASE-MFS-28044-1] c 31 N87-25491

ABSORBENTS
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c 05 N70-41297
Fluid flow control value Patent
[NASA-CASE-XLE-00703] c 15 N71-15967
Noncontaminating swabs
[NASA-CASE-MFS-18100] c 15 N72-11390
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c 06 N73-27086
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c 27 N77-31308
Absorbent product and articles made therefrom
[NASA-CASE-MSC-18223-2] c 54 N84-11758

ABSORBERS (EQUIPMENT)
Absorbent product to absorb fluids --- for collection of human wastes
[NASA-CASE-MSC-18223-1] c 24 N82-29362
Variable response load limiting device
[NASA-CASE-LAR-12801-1] c 37 N88-23982

ABSORBERS (MATERIALS)
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c 07 N69-27462
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c 06 N71-13461
Filter system for control of outgas contamination in vacuum Patent
[NASA-CASE-MFS-14711] c 15 N71-26185
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c 33 N71-29051
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c 27 N77-30236
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c 32 N80-14281
Water-absorbing capacitor system for measuring relative humidity
[NASA-CASE-NPO-16544-1-CU] c 35 N87-22953

ABSORPTION
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c 74 N78-17867
Nebulization reflux concentrator
[NASA-CASE-LAR-13254-1CU] c 35 N86-29174

ABSORPTION COOLING
Ten degree Kelvin hydride refrigerator
[NASA-CASE-NPO-16393-1-CU] c 31 N87-21159

ABSORPTION CROSS SECTIONS
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c 27 N71-16348

ABSORPTION SPECTRA
Stark effect spectrophone for continuous absorption spectra monitoring --- a technique for gas analysis
[NASA-CASE-NPO-15102-1] c 25 N81-25159
Method and apparatus for enhancing laser absorption sensitivity
[NASA-CASE-NPO-16567-1-CU] c 36 N87-28006

ABSORPTION SPECTROSCOPY
Digital control of diode laser for atmospheric spectroscopy
[NASA-CASE-NPO-16000-1] c 36 N85-29264

ABSORPTIVITY
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c 35 N76-29551
Heat exchanger for electrothermal devices
[NASA-CASE-LEW-14037-1] c 20 N87-16875

AC GENERATORS
Signal generator
[NASA-CASE-XNP-05612] c 09 N69-21468
Superconducting alternator
[NASA-CASE-XLE-02824] c 03 N69-39890
Superconducting alternator Patent
[NASA-CASE-XLE-02823] c 09 N71-23443
Electrical power generating system
[NASA-CASE-MFS-25302-1] c 33 N83-28319
Coupling an induction motor type generator to ac power lines --- making windmill generators compatible with public power lines
[NASA-CASE-MFS-25302-2] c 33 N84-33660

ACCELERATION
Single grid accelerator for an ion thrustor
[NASA-CASE-XLE-10453-2] c 28 N73-27699

ACCELERATION (PHYSICS)
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c 11 N70-34815
Gravity device Patent
[NASA-CASE-XMF-00424] c 11 N70-38196
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c 31 N71-21881
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c 15 N71-27169
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c 09 N74-30597
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c 35 N75-29381
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c 54 N81-27806

ACCELERATION PROTECTION
Universal pilot restraint suit and body support therefor Patent
[NASA-CASE-XAC-00405] c 05 N70-41819
G conditioning suit Patent
[NASA-CASE-XLA-02898] c 05 N71-20268

ACCELERATION STRESSES (PHYSIOLOGY)
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c 31 N71-21881

ACCELERATION TOLERANCE
Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c 14 N71-27185

ACCELERATORS
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c 09 N77-10071
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c 35 N77-18417

ACCELEROMETERS
Superconductive accelerometer Patent
[NASA-CASE-XMF-01099] c 14 N71-15969

ACCEPTABILITY

Apparatus for controlling the velocity of an electromechanical drive for interferometers and the like Patent
[NASA-CASE-XGS-03532] c 14 N71-17627
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c 14 N71-30265
Angular velocity and acceleration measuring apparatus
[NASA-CASE-ERC-10292] c 14 N72-25410
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c 35 N74-15094
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c 17 N76-29347

ACCEPTABILITY

Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c 38 N78-17395

ACCEPTOR MATERIALS

III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c 33 N76-31409

ACCIDENT PREVENTION

CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c 06 N83-10040

ACCOMMODATION

Visual accommodation trainer-tester
[NASA-CASE-ARC-11426-1] c 09 N84-12193

ACCUMULATORS

Direct radiation cooling of the collector of linear beam tubes
[NASA-CASE-XNP-09227] c 15 N69-24319
Small rocket engine Patent
[NASA-CASE-XLE-00685] c 28 N70-41992
Small plasma probe Patent
[NASA-CASE-XLE-02578] c 25 N71-20747
Electrostatic collector for charged particles
[NASA-CASE-LEW-11192-1] c 09 N73-13208
Accumulator
[NASA-CASE-MFS-19287-1] c 34 N77-30399
Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c 44 N79-18444
Urine collection device
[NASA-CASE-MSC-16433-1] c 52 N81-24711
Urine collection apparatus --- feminine hygiene
[NASA-CASE-MSC-18381-1] c 52 N81-28740
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c 52 N81-29763
Multistage depressed collector for dual mode operation --- for microwave transmitting tubes
[NASA-CASE-LEW-13282-1] c 33 N82-24415
Multistage spent particle collector and a method for making same
[NASA-CASE-LEW-13914-1] c 37 N85-33489

ACETALS

Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c 06 N71-11243

ACETATES

Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c 27 N78-33228

ACETYL COMPOUNDS

Phenoxy resins containing pendent ethynyl groups and cured resins obtained therefrom
[NASA-CASE-LAR-13262-1] c 23 N85-28973

ACETYLENE

Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c 06 N71-23500
Polyphenylquinoxalines containing pendant phenylethynyl and ethynyl groups --- for thermoplastic resins
[NASA-CASE-LAR-12838-1] c 27 N83-34040
Acetylene (ethynyl) terminated polyimide siloxane and process for preparation thereof
[NASA-CASE-LAR-13318-1] c 27 N87-14516
Ethynyl terminated ester oligomers and polymers therefrom
[NASA-CASE-LAR-13118-2] c 27 N87-16907

ACOUSTIC ATTENUATION

Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c 35 N76-15432
Acoustic guide for noise-transmission testing of aircraft
[NASA-CASE-LAR-13111-1-CU] c 71 N87-21652

ACOUSTIC DUCTS

Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c 07 N74-32418

ACOUSTIC EMISSION

Acoustic emission frequency discrimination
[NASA-CASE-MSC-20467-1] c 35 N88-23966

ACOUSTIC EXCITATION

Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104

ACOUSTIC IMPEDANCE

Method for detecting hydrogen gas
[NASA-CASE-XMF-03873] c 06 N69-39733
Acoustic ground impedance meter
[NASA-CASE-LAR-12995-1] c 35 N84-22933
Reactanceless synthesized impedance bandpass amplifier
[NASA-CASE-GSC-12788-1] c 33 N85-29145
Method for thermal monitoring subcutaneous tissue
[NASA-CASE-LAR-13028-1] c 52 N85-30618

ACOUSTIC LEVITATION

Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c 71 N81-15767
Acoustic levitation methods and apparatus
[NASA-CASE-NPO-15562-1] c 71 N82-27086
Acoustic system for material transport
[NASA-CASE-NPO-15453-1] c 71 N83-32515
System for controlled acoustic rotation of objects
[NASA-CASE-NPO-15522-1] c 71 N83-32516
Acoustic suspension system
[NASA-CASE-NPO-15435-1] c 71 N83-36846
Contactless pellet fabrication
[NASA-CASE-NPO-15592-1] c 71 N84-16940
Acoustic rotation control
[NASA-CASE-NPO-15689-1] c 71 N84-23233
Sonic levitation apparatus
[NASA-CASE-MFS-25828-1] c 71 N84-28568
High temperature acoustic levitator
[NASA-CASE-NPO-16022-1] c 71 N85-22105
Gravity enhanced acoustic levitation method and apparatus
[NASA-CASE-NPO-16147-1-CU] c 71 N85-29693
Vibrating-chamber levitation systems
[NASA-CASE-NPO-16142-1-CU] c 35 N86-20752
Containerless high purity pulling process and apparatus for glass fiber
[NASA-CASE-MFS-25905-2] c 31 N86-21718
Apparatus for production of ultrapure amorphous metals utilizing acoustic cooling
[NASA-CASE-NPO-15658-1] c 26 N86-32551
Single mode levitation and translation
[NASA-CASE-NPO-16675-1-CU] c 71 N88-24241

ACOUSTIC MEASUREMENT

Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c 07 N76-27232
Differential sound level meter
[NASA-CASE-LAR-12106-1] c 71 N78-14867
Pseudo continuous wave instrument --- ultrasonics
[NASA-CASE-LAR-12260-1] c 35 N79-10390
System for monitoring physical characteristics of fluids
[NASA-CASE-NPO-15400-1] c 34 N83-31993
Acoustic ground impedance meter
[NASA-CASE-LAR-12995-1] c 35 N84-22933
Rapid quantification of an internal property --- ultrasonic determination of bladder urine quantity
[NASA-CASE-LAR-13689-1-NP] c 35 N87-23941

ACOUSTIC PROPAGATION

Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c 12 N75-24774
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c 71 N79-23753

ACOUSTIC PROPERTIES

Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c 11 N71-28779
Acoustical transducer calibrating system and apparatus
[NASA-CASE-FRC-10060-1] c 14 N73-27379
Pseudo continuous wave instrument --- ultrasonics
[NASA-CASE-LAR-12260-1] c 35 N79-10390
Acoustic radiation stress measurement
[NASA-CASE-LAR-13440-1] c 71 N87-21653

ACOUSTICAL HOLOGRAPHY

Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c 38 N78-32447

ACOUSTICS

Image readout device with electronically variable spatial resolution
[NASA-CASE-LAR-12633-1] c 33 N82-24416
Acoustic rotation control
[NASA-CASE-NPO-15689-1] c 71 N84-23233
Acoustic particle separation
[NASA-CASE-NPO-15559-1] c 71 N85-30765
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818

ACOUSTO-OPTICS

Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c 14 N72-17325

Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c 35 N77-14411
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c 74 N78-17867
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c 25 N81-14015
Stark effect spectrophone for continuous absorption spectra monitoring --- a technique for gas analysis
[NASA-CASE-NPO-15102-1] c 25 N81-25159
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c 36 N82-29589

ACRYLATES

Ablative resin Patent
[NASA-CASE-XLE-05913] c 33 N71-14032

ACRYLONITRILES

Method of carbonizing polyacrylonitrile fibers
[NASA-CASE-ARC-11261-1] c 24 N83-25789

ACTIVATED CARBON

Sewage sludge additive
[NASA-CASE-NPO-13877-1] c 45 N82-11634

ACTIVATION ENERGY

Heat activated cell Patent
[NASA-CASE-LEW-11359] c 03 N71-28579
Method of making emf cell
[NASA-CASE-LEW-11359-2] c 03 N72-20034

ACTUATION

Magentically actuated compressor
[NASA-CASE-GSC-12799-1] c 31 N85-21404

ACTUATOR DISKS

Cryogenic gyroscope housing --- with annular disks for gas spin-up
[NASA-CASE-MFS-21136-1] c 35 N74-18323

ACTUATORS

Electromechanical actuator
[NASA-CASE-XNP-05975] c 15 N69-23185
Bimetallic power controlled actuator
[NASA-CASE-XNP-09776] c 09 N69-39929
Gas actuated bolt disconnect Patent
[NASA-CASE-XLA-00326] c 03 N70-34667
Hermetically sealed explosive release mechanism Patent
[NASA-CASE-XGS-00824] c 15 N71-16078
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c 11 N71-17600
Controllers Patent
[NASA-CASE-XMS-07487] c 15 N71-23255
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c 15 N71-24045
Radiator deployment actuator Patent
[NASA-CASE-MSC-11817-1] c 15 N71-26611
Electromechanical control actuator system Patent
[NASA-CASE-ERC-10022] c 15 N71-26635
Energy limiter for hydraulic actuators Patent
[NASA-CASE-ARC-10131-1] c 15 N71-27754
Telemetry actuated switch
[NASA-CASE-ARC-10105] c 09 N72-17153
Mechanically actuated triggered hand
[NASA-CASE-MFS-20413] c 15 N72-21463
Hermetically sealed elbow actuator
[NASA-CASE-MFS-14710] c 09 N72-22195
Ball screw linear actuator
[NASA-CASE-NPO-11222] c 15 N72-25456
Rotary actuator
[NASA-CASE-NPO-10244] c 15 N72-26371
Gas operated actuator
[NASA-CASE-NPO-11340] c 15 N72-33477
Redundant hydraulic control system for actuators
[NASA-CASE-MFS-20944] c 15 N73-13466
Electrolytic gas operated actuator
[NASA-CASE-NPO-11369] c 15 N73-13467
Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c 37 N74-18127
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c 37 N74-21060
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c 07 N77-14025
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c 52 N77-14735
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c 37 N77-19450
Actuator mechanism
[NASA-CASE-GSC-11883-2] c 37 N78-31420
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c 20 N80-18090
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c 37 N81-17430
Electrical servo actuator bracket --- fuel control valve on jet engines
[NASA-CASE-FRC-11044-1] c 37 N81-33480
Hydraulic actuator mechanism to control aircraft spoile movements through dual input commands
[NASA-CASE-LAR-12412-1] c 08 N82-24200
Tubing and cable cutting tool
[NASA-CASE-LAR-12786-1] c 37 N84-28080

Slow opening valve --- valve design for shuttle portable oxygen system
[NASA-CASE-MSC-20112-1] c 37 N85-20338
Solar powered actuator with continuously variable auxiliary power control
[NASA-CASE-MFS-25637-1] c 44 N85-21769
Memory metal actuator
[NASA-CASE-NPO-15960-1] c 37 N86-19604
Thumb-actuated two-axis controller
[NASA-CASE-ARC-11372-1] c 08 N86-27288
Rotary stepping device with memory metal actuator
[NASA-CASE-NPO-15482-1] c 37 N87-23970
Fully redundant mechanical release actuator
[NASA-CASE-LAR-13198-1] c 37 N87-23983
Linear force device
[NASA-CASE-MSC-20549-2] c 35 N88-24927
Toggle release
[NASA-CASE-MSC-21354-1] c 37 N88-24969
Thermocouple for heating and cooling of memory metal actuators
[NASA-CASE-NPO-17068-1-CU] c 35 N88-29151

ADAPTATION
Method and apparatus for telemetry adaptive bandwidth compression
[NASA-CASE-MSC-20821-1] c 17 N87-25348

ADAPTERS
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c 14 N71-26474
Self indexing latch system
[NASA-CASE-MFS-25956-1] c 37 N87-21333

ADAPTIVE CONTROL
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c 08 N71-24633
Synchronous dc direct drive system Patent
[NASA-CASE-GSC-10065-1] c 10 N71-27136
Ergometer
[NASA-CASE-MFS-21109-1] c 05 N73-27941
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c 62 N74-14920
Adaptive polarization separation
[NASA-CASE-LAR-12196-1] c 33 N81-26358
Apparatus for damping operator induced oscillations of a controlled system --- flight control
[NASA-CASE-FRC-11041-1] c 33 N82-18493
Adaptive reference voltage generator for firing angle control of line-commutated inverters
[NASA-CASE-MFS-25215-1] c 33 N83-31953
Adaptive control system for line-commutated inverters
[NASA-CASE-MFS-25209-1] c 33 N83-35227

ADAPTIVE FILTERS
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c 10 N71-22986
Apparatus for damping operator induced oscillations of a controlled system --- flight control
[NASA-CASE-FRC-11041-1] c 33 N82-18493

ADAPTIVE OPTICS
Fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c 74 N81-24900

ADDING CIRCUITS
Full binary adder Patent
[NASA-CASE-XGS-00689] c 08 N70-34787
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c 09 N71-18843

ADDITION RESINS
Tackifier for addition polyimides containing monoethylphthalate
[NASA-CASE-LAR-12642-1] c 27 N81-29229

ADDITIVES
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c 27 N71-14090
Sewage sludge additive
[NASA-CASE-NPO-13877-1] c 45 N82-11634
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-2] c 27 N86-27451
Improved properties of SiGe/GaP alloys
[NASA-CASE-NPO-17259-1-CU] c 76 N88-25358

ADDRESSING
Automatic multi-banking of memory for microprocessors
[NASA-CASE-NPO-15295-1] c 60 N85-21992

ADENOSINE TRIPHOSPHATE
Use of the enzyme hexokinase for the reduction of inherent light levels
[NASA-CASE-XGS-05533] c 04 N69-27487
Light detection instrument Patent
[NASA-CASE-XGS-05534] c 23 N71-16355
Lyophilized reaction mixtures Patent
[NASA-CASE-XGS-05532] c 06 N71-17705
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c 05 N73-32011
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c 51 N77-22794
Rapid, quantitative determination of bacteria in water --- adenosine triphosphate
[NASA-CASE-GSC-12158-1] c 51 N83-27569

ADHESION
Stud-bonding gun
[NASA-CASE-MFS-20299] c 15 N72-11392
Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c 26 N81-16209
Refractory coatings
[NASA-CASE-LEW-13169-2] c 26 N82-30371

ADHESION TESTS
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c 15 N71-18132

ADHESIVE BONDING
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c 03 N71-20895
Honeycomb panel and method of making same Patent
[NASA-CASE-XMF-01402] c 18 N71-21651
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c 17 N71-23828
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c 05 N71-26293
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c 37 N75-15992
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c 37 N77-11397
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c 27 N78-17215
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c 34 N78-18355
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c 27 N79-12221
Surface finishing
[NASA-CASE-MSC-12631-3] c 27 N81-14077
Method of bonding plasticized elastomer to metal and articles produced thereby
[NASA-CASE-MFS-25181-1] c 27 N82-24340
Thermal barrier coating system having improved adhesion
[NASA-CASE-LEW-1335901] c 27 N83-31855
Impacting device for testing insulation
[NASA-CASE-MFS-25862-2] c 37 N84-33807
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
High temperature polyimide film laminates and process for preparation thereof
[NASA-CASE-LAR-13384-1] c 27 N86-20561
Method of attaching strain gauges to various materials
[NASA-CASE-LAR-13797-1] c 35 N88-30108

ADHESIVES
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c 27 N75-29263
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c 27 N78-17205
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flame retardation
[NASA-CASE-LAR-12099-1] c 27 N80-16158
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c 27 N82-11206
Elastomer toughened polyimide adhesives
[NASA-CASE-LAR-12775-1] c 27 N83-28240
Hot melt recharge system --- repairing damaged or missing tiles on space shuttle orbiter
[NASA-CASE-LAR-12881-1] c 27 N84-14323
Elastomer toughened polyimide adhesives --- bonding metal and composite material structures for aircraft and spacecraft
[NASA-CASE-LAR-12775-2] c 27 N85-21349

ADJUSTING
Instrument support with precise lateral adjustment Patent
[NASA-CASE-XMF-00480] c 14 N70-39898
Fine adjustment mount
[NASA-CASE-MFS-20249] c 15 N72-11386
Adjustable support
[NASA-CASE-NPO-10721] c 15 N72-27484
Clock setter
[NASA-CASE-LAR-11458-1] c 35 N76-16392
Adjustable mount for electro-optic transducers in an evacuated cryogenic system
[NASA-CASE-LAR-13100-1] c 37 N87-23982

AERIAL RUDDERS
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c 08 N81-19130

AEROACOUSTICS
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c 05 N80-14107

AERODYNAMIC BALANCE
Airplane automatic control force trimming device for asymmetric engine failures
[NASA-CASE-LAR-13280-1] c 08 N87-20999

AERODYNAMIC BRAKES
Annular supersonic decelerator or drogue Patent
[NASA-CASE-XLE-00222] c 02 N70-37939
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] c 02 N74-10034

AERODYNAMIC CHARACTERISTICS
Variable sweep wing aircraft Patent
[NASA-CASE-XLA-00221] c 02 N70-33266
Flight craft Patent
[NASA-CASE-XAC-02058] c 02 N71-16087
Space shuttle vehicle and system
[NASA-CASE-MSC-12433] c 31 N73-14854
Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c 02 N76-22154
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c 07 N81-14999

AERODYNAMIC CONFIGURATIONS
Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c 02 N70-34178
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c 02 N70-34858
Space capsule Patent
[NASA-CASE-XLA-00149] c 31 N70-37938
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c 31 N70-41631
Translating horizontal tail Patent
[NASA-CASE-XLA-08801-1] c 02 N71-11043
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c 31 N71-15674
Nacelle afterbody for jet engines Patent
[NASA-CASE-XLA-10450] c 28 N71-21493
Variable geometry rotor system
[NASA-CASE-LAR-10557] c 02 N72-11018
Ferry system
[NASA-CASE-LAR-10574-1] c 11 N73-13257
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c 05 N74-10907
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c 07 N74-28226
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c 05 N79-12061
Multi-body aircraft with an all-movable center fuselage actively controlling fuselage pressure drag
[NASA-CASE-LAR-13511-1] c 05 N88-23765
Actuated forebody strakes
[NASA-CASE-LAR-13983-1] c 05 N88-24628

AERODYNAMIC DRAG
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c 06 N81-17057

AERODYNAMIC HEATING
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c 33 N71-17897
Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c 33 N71-23085
Stand-off type ablative heat shield
[NASA-CASE-MSC-12143-1] c 33 N72-17947

AERODYNAMIC INTERFERENCE
Over-the-wing propeller
[NASA-CASE-LAR-13134-2] c 07 N87-16828
Multi-body aircraft with an all-movable center fuselage actively controlling fuselage pressure drag
[NASA-CASE-LAR-13511-1] c 05 N88-23765

AERODYNAMIC LOADS
Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c 02 N70-34856
Means for controlling aerodynamically induced twist
[NASA-CASE-LAR-12175-1] c 05 N82-28279
Over-the-wing propeller
[NASA-CASE-LAR-13134-2] c 07 N87-16828

AERODYNAMIC NOISE
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c 09 N76-23273
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c 05 N80-14107
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c 07 N81-14999

AERODYNAMIC STABILITY
Meteorological balloon Patent
[NASA-CASE-XMF-04163] c 02 N71-23007
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c 12 N71-26387

Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c 31 N72-18859
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c 05 N75-25914
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c 05 N77-17029
Annular wing
[NASA-CASE-FRC-11007-2] c 05 N82-26277
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12720-1] c 44 N83-21504
Over-the-wing propeller
[NASA-CASE-LAR-13134-2] c 07 N87-16828
Actuated forebody strakes
[NASA-CASE-LAR-13983-1] c 05 N88-24628

AERODYNAMIC STALLING
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c 02 N81-14968

AEROELASTICITY
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12458-1] c 44 N83-21503
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12720-1] c 44 N83-21504

AERONAUTICAL ENGINEERING
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c 14 N70-34816

AEROSOLS
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c 12 N72-21310
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c 35 N76-22509
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c 25 N78-15210
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184
Liquid seeding atomizer
[NASA-CASE-ARC-11631-1] c 34 N87-21255

AEROSPACE ENGINEERING
Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c 03 N71-11049
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c 15 N71-24046
Soldering device Patent
[NASA-CASE-XLA-08911] c 15 N71-27214
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c 37 N81-14317

AEROSPACE ENVIRONMENTS
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c 28 N71-10574
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c 18 N71-10772
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c 15 N71-21403
Particle detection apparatus including a ballistic pendulum Patent
[NASA-CASE-XMS-04201] c 14 N71-22990
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c 15 N71-23810
Method and apparatus for varying thermal conductivity Patent
[NASA-CASE-XNP-05524] c 33 N71-24876
Space simulator Patent
[NASA-CASE-NPO-10141] c 11 N71-24964
Cyclic switch Patent
[NASA-CASE-LEW-10155-1] c 09 N71-29035
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c 54 N76-14804
Wabble gear drive mechanism --- for aerospace environments
[NASA-CASE-WOO-00625] c 37 N78-17385
Plasma cleaning device --- designed for high vacuum environments
[NASA-CASE-MFS-22906-1] c 75 N78-27913
Process for spinning flame retardant elastomeric compositions --- fabricating synthetic fibers for high oxygen environments
[NASA-CASE-MSC-14331-3] c 27 N78-32262
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c 12 N79-26075
Spray applicator for spraying coatings and other fluids in space
[NASA-CASE-MSC-18852-1] c 37 N85-29283
Space ultra-vacuum facility and method of operation
[NASA-CASE-MFS-28139-1] c 29 N87-18679
Method of making a flexible diaphragm
[NASA-CASE-MSC-20797-1] c 37 N87-23981
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828

AEROSPACE MEDICINE
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c 05 N70-41329
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c 54 N78-32721

AEROSPACE PLANES
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c 05 N74-10907

AEROSPACE VEHICLES
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c 02 N70-33286
Landing pad assembly for aerospace vehicles Patent
[NASA-CASE-XMF-02853] c 31 N70-36654
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c 31 N70-38010
Flexibly connected support and skin Patent
[NASA-CASE-XLA-01027] c 31 N71-24035
Nondestructive spot test method for titanium and titanium alloys
[NASA-CASE-LAR-10539-1] c 17 N73-12547
Aerospace vehicle
[NASA-CASE-LAR-13155-1] c 05 N86-19310

AFTERBODIES
Nacelle afterbody for jet engines Patent
[NASA-CASE-XLA-10450] c 28 N71-21493
Missile rolling tail brake torque system --- simulating bearing friction on canard controlled missiles
[NASA-CASE-LAR-12751-1] c 15 N84-16231

AFTERBURNING
Nozzle Patent
[NASA-CASE-XLA-00154] c 28 N70-33374

AGGLOMERATION
Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104

AGING (MATERIALS)
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c 26 N75-29236

AGRICULTURE
Solar-powered pump
[NASA-CASE-NPO-13567-1] c 44 N76-29701

AILERONS
Control device Patent
[NASA-CASE-XAC-10019] c 15 N71-23809

AIR
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c 05 N71-23080
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c 26 N73-28710
Solid sorbent air sampler
[NASA-CASE-MSC-20653-1] c 35 N86-26595

AIR BREATHING ENGINES
Multiple pure tone elimination strut assembly --- air breathing engines
[NASA-CASE-FRC-11062-1] c 71 N82-16800

AIR CONDITIONING
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c 31 N80-32583
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183-1] c 44 N82-26776
Air modulation apparatus
[NASA-CASE-LEW-13524-1] c 07 N84-33410

AIR CONDITIONING EQUIPMENT
Portable superclean air column device Patent
[NASA-CASE-XMF-03212] c 15 N71-22721
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c 31 N74-27902

AIR COOLING
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c 15 N70-33264
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818

AIR FILTERS
Gas filter mounting structure
[NASA-CASE-MSC-12297] c 14 N72-23457

AIR FLOW
Wind tunnel airstream oscillating apparatus Patent
[NASA-CASE-XLA-00112] c 11 N70-33287
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c 14 N70-41366
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c 28 N71-28915
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c 12 N73-28144
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c 31 N74-27902
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c 20 N76-14190
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c 37 N76-18456
Smoke generator
[NASA-CASE-ARC-10905-1] c 37 N77-13418
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c 37 N78-17384
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c 07 N78-25089
Active clearance control system for a turbomachine
[NASA-CASE-LEW-12938-1] c 07 N82-32366
Vapor fragrancer
[NASA-CASE-LAR-13680-1] c 35 N87-25561
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818

AIR INTAKES
Aeroflexible structures
[NASA-CASE-XLA-06095] c 01 N69-39981
Reversed cowl flap inlet thrust augmentor --- with adjustable airfoil
[NASA-CASE-ARC-10754-1] c 07 N75-24736
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c 05 N79-24976
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c 07 N81-14999
Control means for a gas turbine engine
[NASA-CASE-LEW-14586-1] c 07 N83-31603

AIR LOCKS
Spacecraft airlock Patent
[NASA-CASE-XLA-02050] c 31 N71-22968
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c 28 N71-27095
An airlock
[NASA-CASE-MFS-20922] c 31 N72-20840
Airlock
[NASA-CASE-MFS-20922-1] c 18 N74-22136
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c 31 N74-27900

AIR NAVIGATION
Autonomous navigation system --- gyroscopic pendulum for air navigation
[NASA-CASE-ARC-11257-1] c 04 N81-21047
Magnetic heading reference
[NASA-CASE-LAR-12638-1] c 04 N84-14132

AIR POLLUTION
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c 06 N71-13461
Separation nut Patent
[NASA-CASE-XGS-01971] c 15 N71-15922
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c 35 N74-11284
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c 45 N75-27585
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c 45 N76-17656
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c 45 N76-21742
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c 45 N76-31714
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c 37 N77-31497
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c 44 N78-31527

AIR PURIFICATION
High pressure gas filter system Patent
[NASA-CASE-MFS-12806] c 14 N71-17588
Portable superclean air column device Patent
[NASA-CASE-XMF-03212] c 15 N71-22721
Cell and method for electrolysis of water and anode
[NASA-CASE-MSC-16394-1] c 28 N81-24280

AIR QUALITY
Vapor fragrancer
[NASA-CASE-LAR-13680-1] c 35 N87-25561

AIR SAMPLING
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c 14 N70-36824
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c 35 N76-18401
Automated syringe sampler --- remote sampling of air and water
[NASA-CASE-LAR-12308-1] c 35 N81-29407
Mobile sampler for use in acquiring samples of terrestrial atmospheric gases
[NASA-CASE-NPO-15220-1] c 45 N83-25217

AIR START
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c 33 N80-26599

AIR TRAFFIC CONTROL
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c 02 N71-19287
Satellite aided vehicle avoidance system Patent
[NASA-CASE-ERC-10090] c 21 N71-24948

Position location system and method
[NASA-CASE-GSC-10087-3] c 07 N72-12080
Video processor for air traffic control beacon system
[NASA-CASE-KSC-11155-1] c 04 N86-19304
AIR TRANSPORTATION
Segmented tubular cushion springs and spring assembly
[NASA-CASE-ARC-11349-1] c 37 N86-20797
AIRBORNE EQUIPMENT
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c 07 N70-40063
Airborne tracking sunphotometer apparatus and system
[NASA-CASE-ARC-11622-1] c 44 N88-14492
AIRBORNE/SPACEBORNE COMPUTERS
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c 08 N71-18602
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c 60 N76-21914
AIRCRAFT
System for indicating direction of intruder aircraft
[NASA-CASE-ERC-10226-1] c 14 N73-16483
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c 32 N78-24391
System for indicating fuel-efficient aircraft altitude
[NASA-CASE-NPO-15351-2] c 06 N84-34443
AIRCRAFT ACCIDENTS
Satellite aided vehicle avoidance system Patent
[NASA-CASE-ERC-10090] c 21 N71-24948
AIRCRAFT ANTENNAS
Spiral slotted phased antenna array
[NASA-CASE-MSC-18532-1] c 32 N82-27558
AIRCRAFT COMPARTMENTS
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c 24 N78-27184
AIRCRAFT CONFIGURATIONS
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c 02 N70-33255
Television simulation for aircraft and space flight Patent
[NASA-CASE-XFR-03107] c 09 N71-19449
Dual-fuselage aircraft having yawable wing and horizontal stabilizer
[NASA-CASE-ARC-10470-1] c 02 N73-26005
Family of airfoil shapes for rotating blades --- for increased power efficiency and blade stability
[NASA-CASE-LAR-12843-1] c 02 N84-11136
Actuated forebody strakes
[NASA-CASE-LAR-13983-1] c 05 N88-24628
AIRCRAFT CONSTRUCTION MATERIALS
Fuselage structure using advanced technology fiber reinforced composites
[NASA-CASE-LAR-11688-1] c 24 N82-26384
Curved cap corrugated sheet
[NASA-CASE-LAR-12884-1] c 18 N84-33450
Aluminum alloy
[NASA-CASE-LAR-13924-1-CU] c 26 N88-24753
AIRCRAFT CONTROL
Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c 02 N71-11038
Attitude controls for VTOL aircraft Patent
[NASA-CASE-XAC-08972] c 02 N71-20570
Control device Patent
[NASA-CASE-XAC-10019] c 15 N71-23809
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c 02 N71-26110
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c 02 N71-27088
Mechanically limited, electrically operated hydraulic valve system for aircraft controls Patent
[NASA-CASE-XAC-00048] c 02 N71-29128
Flight control system
[NASA-CASE-MSC-13397-1] c 21 N72-25595
Aircraft control system
[NASA-CASE-ERC-10439] c 02 N73-19004
Display system
[NASA-CASE-ERC-10350] c 14 N73-20474
Suppression of flutter
[NASA-CASE-LAR-10682-1] c 02 N73-26004
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c 05 N75-12930
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c 05 N75-25914
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c 08 N79-23097
Velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c 08 N81-24106
Pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c 08 N81-26152
Leading edge flap system for aircraft control augmentation
[NASA-CASE-LAR-12787-2] c 08 N85-19985
Airplane automatic control force trimming device for asymmetric engine failures
[NASA-CASE-LAR-13280-1] c 08 N87-20999
Aircraft control position indicator
[NASA-CASE-LAR-12984-1] c 06 N87-22678
Actuated forebody strakes
[NASA-CASE-LAR-13983-1] c 05 N88-24628
High performance forward swept wing aircraft
[NASA-CASE-ARC-11636-1] c 05 N88-28914
AIRCRAFT DESIGN
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c 02 N71-12243
Dual-fuselage aircraft having yawable wing and horizontal stabilizer
[NASA-CASE-ARC-10470-1] c 02 N73-26005
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c 05 N74-10907
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c 05 N75-25914
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c 05 N76-29217
Supersonic transport --- using canard surfaces
[NASA-CASE-LAR-11932-1] c 05 N78-32086
Shapes for rotating airfoils
[NASA-CASE-LAR-12396-1] c 02 N84-28732
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793
Multi-body aircraft with an all-movable center fuselage actively controlling fuselage pressure drag
[NASA-CASE-LAR-13511-1] c 05 N88-23765
Compression pylon
[NASA-CASE-LAR-13777-1] c 05 N88-29789
AIRCRAFT DETECTION
Altitude measuring system
[NASA-CASE-ERC-10412-1] c 09 N73-12211
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c 35 N79-18296
AIRCRAFT ENGINES
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c 07 N74-32418
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c 07 N77-28118
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c 33 N80-26599
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c 07 N80-32392
Diesel engine catalytic combustor system --- aircraft engines
[NASA-CASE-LEW-12995-1] c 37 N84-33808
Elevated temperature aluminum alloys
[NASA-CASE-LAR-13632-1] c 26 N87-29650
AIRCRAFT EQUIPMENT
Clear air turbulence detector
[NASA-CASE-ERC-10081] c 14 N72-28437
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c 06 N80-18036
Cooling system for high speed aircraft
[NASA-CASE-LAR-12406-1] c 05 N81-26114
System for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c 06 N82-16075
Piezoelectric deicing device
[NASA-CASE-LEW-13773-2] c 33 N86-20671
Fire resistant polyamide based on 1-(diorganooxyphosphonyl)methyl-2,4- and -2,6diamino benzene
[NASA-CASE-ARC-11512-2] c 27 N86-32568
Lightning discharge protection rod
[NASA-CASE-LAR-13470-1] c 03 N88-14083
AIRCRAFT FUEL SYSTEMS
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c 37 N78-10467
AIRCRAFT GUIDANCE
Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-FRC-10049-1] c 04 N74-13420
Sun sensing guidance system for high altitude aircraft
[NASA-CASE-FRC-11052-1] c 04 N82-23231
AIRCRAFT HAZARDS
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c 28 N70-34788
AIRCRAFT HYDRAULIC SYSTEMS
Gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c 28 N73-19793
Hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c 08 N82-24205
AIRCRAFT INSTRUMENTS
Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c 14 N70-36807
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c 14 N70-36824
Aircraft instrument Patent
[NASA-CASE-XLA-00487] c 14 N70-40157
Optical projector system Patent
[NASA-CASE-XNP-03853] c 23 N71-21882
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c 14 N71-23268
Head-up attitude display
[NASA-CASE-ERC-10392] c 21 N73-14692
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c 35 N75-29381
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c 04 N76-20114
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c 03 N76-32140
Heads up display
[NASA-CASE-LAR-12630-1] c 06 N84-27733
System for indicating fuel-efficient aircraft altitude
[NASA-CASE-NPO-15351-2] c 06 N84-34443
AIRCRAFT LANDING
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c 02 N70-34858
Magnetic position detection method and apparatus
[NASA-CASE-ARC-10179-1] c 21 N72-22619
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c 05 N75-12930
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c 09 N76-24280
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c 09 N78-18083
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c 09 N82-24212
AIRCRAFT LAUNCHING DEVICES
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c 09 N77-19076
AIRCRAFT MANEUVERS
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c 35 N75-29381
AIRCRAFT MODELS
Test unit free-flight suspension system Patent
[NASA-CASE-XLA-00939] c 11 N71-15926
Variable geometry wind tunnels
[NASA-CASE-XLA-07430] c 11 N72-22246
Deploy/release system --- model aircraft flight control
[NASA-CASE-LAR-11575-1] c 02 N76-16014
AIRCRAFT NOISE
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c 07 N76-27232
Acoustic guide for noise-transmission testing of aircraft
[NASA-CASE-LAR-13111-1-CU] c 71 N87-21652
AIRCRAFT PERFORMANCE
Ferry system
[NASA-CASE-LAR-10574-1] c 11 N73-13257
Airplane runway performance monitoring system
[NASA-CASE-LAR-13854-1-CU] c 04 N88-24621
High performance forward swept wing aircraft
[NASA-CASE-ARC-11636-1] c 05 N88-28914
AIRCRAFT PILOTS
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c 09 N74-30597
AIRCRAFT SAFETY
Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c 14 N70-36807
Display research collision warning system
[NASA-CASE-HQN-10703] c 21 N73-13643
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c 08 N74-30421
Fire blocking systems for aircraft seat cushions
[NASA-CASE-ARC-11423-1] c 03 N84-33394
Variable response load limiting device
[NASA-CASE-LAR-12801-1] c 37 N88-23982
AIRCRAFT SPIN
Extended moment arm anti-spin device
[NASA-CASE-LAR-12979-1] c 05 N85-21147
Dual towline spin-recovery device
[NASA-CASE-LAR-13076-1] c 08 N85-35200
AIRCRAFT STABILITY
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c 02 N71-13422
Suppression of flutter
[NASA-CASE-LAR-10682-1] c 02 N73-26004

High performance forward swept wing aircraft
[NASA-CASE-ARC-11636-1] c 05 N88-28914

AIRCRAFT STRUCTURES

Fatigue testing device Patent
[NASA-CASE-XLA-02131] c 32 N70-42003
Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c 33 N71-23085
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c 35 N74-13129
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c 27 N76-16230
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c 02 N77-10001
Aircraft canopy lock
[NASA-CASE-FRC-11065-1] c 05 N83-19737
Metal matrix composite structural panel construction
[NASA-CASE-LAR-12807-1] c 24 N84-11214
Elastomer toughened polyimide adhesives --- bonding metal and composite material structures for aircraft and spacecraft
[NASA-CASE-LAR-12775-2] c 27 N85-21349
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630
Fire resistant polyamide based on 1-(diorganooxyphosphonyl)methyl-2,4- and -2,6diamino benzene
[NASA-CASE-ARC-11512-2] c 27 N86-32568
The 1-((diorganooxy phosphonyl) methyl)-2,4- and -2,6-diamino benzenes and their derivatives
[NASA-CASE-ARC-11425-2] c 23 N87-28605
Elevated temperature aluminum alloys
[NASA-CASE-LAR-13632-1] c 26 N87-29650

AIRCRAFT TIRES

Tire/wheel concept
[NASA-CASE-LAR-11695-2] c 37 N81-24443

AIRCRAFT WAKES

System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c 02 N80-28300

AIRFOIL PROFILES

Family of airfoil shapes for rotating blades --- for increased power efficiency and blade stability
[NASA-CASE-LAR-12843-1] c 02 N84-11136

AIRFOILS

Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-00755] c 01 N71-13410
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-05828] c 01 N71-13411
Wind tunnel
[NASA-CASE-LAR-10135-1] c 09 N79-21083
Surface finishing
[NASA-CASE-MSC-12631-3] c 27 N81-14077
Aircraft rotor blade with passive tuned tab
[NASA-CASE-ARC-11444-1] c 05 N85-29947
High lift, low pitching moment airfoils
[NASA-CASE-LAR-13215-1] c 02 N87-14282
Airfoil flutter model suspension system
[NASA-CASE-LAR-13522-1-SB] c 09 N87-25334

AIRFRAMES

Dual-fuselage aircraft having yawable wing and horizontal stabilizer
[NASA-CASE-ARC-10470-1] c 02 N73-26005
Cooling system for high speed aircraft
[NASA-CASE-LAR-12406-1] c 05 N81-26114
Explosively activated egress area
[NASA-CASE-LAR-12624-1] c 01 N83-35992

AIRSPEED

Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c 02 N70-34858
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c 35 N79-18296
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c 06 N80-18036
Miniature electrooptical air flow sensor
[NASA-CASE-LAR-13065-1] c 35 N85-20295

ALCOHOLS

Trifunctional alcohol
[NASA-CASE-NPO-10714] c 06 N69-31244
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c 16 N72-12440
Alkaline battery containing a separator of a cross-linked copolymer of vinyl alcohol and unsaturated carboxylic acid
[NASA-CASE-LEW-13102-1] c 33 N85-29144

ALDEHYDES

Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c 06 N71-11239
Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c 06 N71-11242
Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c 06 N71-24740
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c 27 N78-17214
Polyvinyl alcohol cross-linked with two aldehydes
[NASA-CASE-LEW-13504-1] c 25 N83-13188

ALGORITHMS

Systolic VLSI array for implementing the Kalman filter Algorithm
[NASA-CASE-NPO-17108-1-CU] c 33 N87-27926

ALIGNMENT

Instrument support with precise lateral adjustment Patent
[NASA-CASE-XMF-00480] c 14 N70-39898
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c 15 N70-41371
Optical alignment system Patent
[NASA-CASE-XNP-02029] c 14 N70-41955
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c 21 N71-21688
Aligning and positioning device Patent
[NASA-CASE-XMS-04178] c 15 N71-22798
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c 23 N71-29125
Roll alignment detector
[NASA-CASE-GSC-10514-1] c 14 N72-20379
Zero gravity shadow shield aligner
[NASA-CASE-KSC-10622-1] c 31 N72-21893
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c 16 N73-33397
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c 18 N76-14186
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c 20 N76-21276
Optical alignment device
[NASA-CASE-ARC-10932-1] c 74 N76-22993
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c 37 N77-14478
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c 37 N77-19457
Rotary target V-block
[NASA-CASE-LAR-12007-3] c 35 N84-16523
Ingot slicing machine and method
[NASA-CASE-NPO-15483-1] c 37 N85-21650
X-ray determination of parts alignment
[NASA-CASE-MSC-20418-1] c 74 N86-20126
Simulator scene display evaluation device
[NASA-CASE-ARC-11504-1] c 09 N86-32447
Adjustable mount for electro-optic transducers in an evacuated cryogenic system
[NASA-CASE-LAR-13100-1] c 37 N87-23982
Alignment and assembly tool for very large diameter cylinders
[NASA-CASE-MFS-28001-2] c 37 N88-14360
Thermal compensating mount
[NASA-CASE-LAR-13794-1] c 35 N88-24942

ALKALI HALIDES

Fire extinguishant materials
[NASA-CASE-ARC-11252-1] c 25 N83-36118

ALKALI METALS

Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c 18 N69-39979
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c 06 N71-23527
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c 18 N71-24183
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c 03 N71-26084
Preparation of alkali metal dispersions
[NASA-CASE-XNP-08876] c 17 N73-28573
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c 26 N78-32229
Alkali-metal silicate binders and methods of manufacture
[NASA-CASE-GSC-12303-1] c 24 N79-31347
Heat pipes containing alkali metal working fluid
[NASA-CASE-LEW-12253-1] c 74 N83-19596
Fire extinguishant materials
[NASA-CASE-ARC-11252-1] c 25 N83-36118

ALKALINE BATTERIES

Method for determining the state of charge of batteries by the use of tracers Patent
[NASA-CASE-XNP-01464] c 03 N71-10728
Electrochemical coulometer and method of forming same Patent
[NASA-CASE-XGS-05434] c 03 N71-20491
Electrocatalyst for oxygen reduction
[NASA-CASE-HQN-10537-1] c 06 N72-10138
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c 44 N78-25530
Polyvinyl alcohol battery separator containing inert filler --- alkaline batteries
[NASA-CASE-LEW-13556-1] c 44 N81-27615
Process of treating cellulosic membrane and alkaline with membrane separator
[NASA-CASE-GSC-10019-1] c 44 N82-24641
Separator for alkaline batteries and method of making same
[NASA-CASE-GSC-10350-1] c 44 N82-24642
Separator for alkaline electric cells and method of making
[NASA-CASE-GSC-10017-1] c 44 N82-24643
Separator for alkaline electric batteries and method of making
[NASA-CASE-GSC-10018-1] c 44 N82-24644
Aqueous alkali metal hydroxide insoluble cellulose ether membrane
[NASA-CASE-XGS-05584-1] c 25 N82-29370
Advanced inorganic separators for alkaline batteries
[NASA-CASE-LEW-13171-1] c 44 N82-29708
Advanced inorganic separators for alkaline batteries and method of making the same
[NASA-CASE-LEW-13171-2] c 44 N83-32176
Additive for zinc electrodes --- electric automobiles
[NASA-CASE-LEW-13286-1] c 33 N84-14422
Alkaline battery containing a separator of a cross-linked copolymer of vinyl alcohol and unsaturated carboxylic acid
[NASA-CASE-LEW-13102-1] c 33 N85-29144

ALKALINE EARTH OXIDES

Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c 26 N78-32229

ALKYL COMPOUNDS

Fluorohydroxy ethers
[NASA-CASE-MFS-10507] c 06 N73-30101
Process for preparing perfluorotriazine elastomers and precursors thereof
[NASA-CASE-ARC-11402-1] c 27 N84-22744

ALKYNES

High performance channel injection sealant invention abstract
[NASA-CASE-ARC-14408-1] c 27 N82-33523

ALLOYS

Brazing alloy Patent
[NASA-CASE-XNP-03063] c 17 N71-23365
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c 15 N71-23810
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c 15 N71-24875
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c 23 N71-29123
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c 15 N73-32358
Brazing alloy binder
[NASA-CASE-XMF-05868] c 26 N75-27125
Brazing alloy
[NASA-CASE-XNP-03878] c 26 N75-27127

ALPHA PARTICLES

Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c 25 N80-20334

ALPHANUMERIC CHARACTERS

X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c 33 N75-19517

ALTERNATING CURRENT

Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c 09 N70-34559
Frequency control network for a current feedback oscillator Patent
[NASA-CASE-GSC-10041-1] c 10 N71-19418
Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent
[NASA-CASE-XMS-06061] c 05 N71-23317
Switching circuit Patent
[NASA-CASE-XNP-06505] c 10 N71-24799
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c 10 N71-25139
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c 10 N71-25950
A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c 09 N72-25253
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c 33 N74-14956
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c 44 N81-12542

Power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c 33 N81-27395
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c 33 N82-24422
Motor power control circuit for ac induction motors
[NASA-CASE-MFS-25323-1] c 33 N84-22886
Coupling an induction motor type generator to ac power lines --- making windmill generators compatible with public power lines
[NASA-CASE-MFS-25302-2] c 33 N84-33660
Three-phase power factor controller with induced EMF sensing
[NASA-CASE-MFS-25852-1] c 33 N84-33661
Power control for ac motor
[NASA-CASE-MFS-25861-1] c 33 N85-22877
Induction heating gun
[NASA-CASE-LAR-13181-1] c 31 N85-29083

ALTIMETERS
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c 32 N82-23376

ALTITUDE
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c 14 N71-23268

ALTITUDE CONTROL
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c 15 N70-37925

ALUMINUM
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c 15 N71-20443
Thermal control coating Patent
[NASA-CASE-XLA-01995] c 18 N71-23047
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c 17 N71-23828
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c 17 N71-24142
Plating nickel on aluminum castings Patent
[NASA-CASE-XNP-04148] c 17 N71-24830
Method of plating copper on aluminum Patent
[NASA-CASE-XLA-08966-1] c 17 N71-25903
Heat activated cell Patent
[NASA-CASE-LEW-11359] c 03 N71-28579
Method of making emf cell
[NASA-CASE-LEW-11359-2] c 03 N72-20034
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c 24 N75-28135
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c 37 N76-18455
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c 44 N79-11469
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c 28 N81-15119
Variable anodic thermal control coating
[NASA-CASE-LAR-12719-1] c 44 N83-34449
Oxygen diffusion barrier coating
[NASA-CASE-LAR-13474-1-SB] c 26 N87-25455

ALUMINUM ALLOYS
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c 17 N71-20743
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c 17 N71-23828
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c 26 N78-24333
Nicral ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c 26 N82-31505
Metal matrix composite structural panel construction
[NASA-CASE-LAR-12807-1] c 24 N84-11214
Elevated temperature aluminum alloys
[NASA-CASE-LAR-13632-1] c 26 N87-29650
Aluminum alloy
[NASA-CASE-LAR-13924-1-CU] c 26 N88-24753

ALUMINUM COATINGS
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c 17 N73-32414
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c 28 N74-33209
Method of protecting the surface of a substrate --- by applying aluminide coating
[NASA-CASE-LEW-11696-1] c 37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c 26 N75-19408
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c 35 N75-33367
Method of protecting a surface with a silicon-slurry/aluminide coating --- coatings for gas turbine engine blades and vanes
[NASA-CASE-LEW-13343-1] c 27 N82-28441
Silicon-slurry/aluminide coating --- protecting gas turbine engine vanes and blades
[NASA-CASE-LEW-13343] c 26 N83-31795

ALUMINUM COMPOUNDS
Synthesis of dawsonites --- for use in fire extinguishing operations
[NASA-CASE-ARC-11326-1] c 25 N83-33977
Fire extinguishant materials
[NASA-CASE-ARC-11252-1] c 25 N83-36118

ALUMINUM OXIDES
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c 37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c 24 N79-25143
Method and technique for installing light-weight, fragile, high-temperature fiber insulation
[NASA-CASE-MSC-16934-3] c 24 N84-16262

ALUMINUM SILICATES
Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c 18 N71-24184

AMBIENT TEMPERATURE
High stability amplifier
[NASA-CASE-GSC-12646-1] c 33 N83-34191

AMIDES
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c 27 N79-22300
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c 27 N81-14078

AMINES
Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c 06 N71-11239
Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c 06 N71-11243
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c 27 N74-12812
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c 25 N75-12086
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c 23 N82-28353
Method of neutralizing the corrosive surface of amine-cured epoxy resins
[NASA-CASE-GSC-12686-1] c 27 N83-34039
Metal (2) 4,4',4',4'' phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281
Laminate comprising fibers embedded in cured amine terminated bis-imide
[NASA-CASE-ARC-11421-3] c 24 N86-25416
Amine terminated bisaspartimide polymer
[NASA-CASE-ARC-11421-2] c 27 N86-31726
Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates, adhesives and structures thereof
[NASA-CASE-ARC-11548-1] c 27 N87-25469
Aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-3] c 23 N88-24692

AMINO ACIDS
Amino acid analysis
[NASA-CASE-NPO-12130-1] c 25 N75-14844

AMMONIA
Solid state chemical source for ammonia beam maser Patent
[NASA-CASE-XGS-01504] c 16 N70-41578

AMMONIUM NITRATES
High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c 28 N79-28342

AMMONIUM PERCHLORATES
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c 27 N71-14090
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c 28 N80-23471

AMORPHOUS MATERIALS
Corrosion resistant coating
[NASA-CASE-NPO-15928-1] c 26 N85-29005
Apparatus for production of ultrapure amorphous metals utilizing acoustic cooling
[NASA-CASE-NPO-15658-1] c 26 N86-32551
Oxygen diffusion barrier coating
[NASA-CASE-LAR-13474-1-SB] c 26 N87-25455

AMPLIFICATION
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c 09 N69-39986
Amplifier clamping circuit for horizon scanner Patent
[NASA-CASE-XGS-01784] c 10 N71-20782
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c 10 N71-20841
Active RC networks
[NASA-CASE-ARC-10042-2] c 10 N72-11256
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c 09 N72-17155
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c 36 N78-18410
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c 32 N81-15179
Automatic level control circuit
[NASA-CASE-KSC-11170-1] c 33 N83-36356

AMPLIFIER DESIGN
Automatic gain control system
[NASA-CASE-XMS-05307] c 09 N69-24330
Bio-isolated dc operational amplifier --- for bioelectric measurements
[NASA-CASE-ARC-10596-1] c 33 N74-21851
High power metallic halide laser --- amplifying a copper chloride laser
[NASA-CASE-NPO-14782-1] c 36 N82-28616
Reactanceless synthesized impedance bandpass amplifier
[NASA-CASE-GSC-12788-1] c 33 N85-29145
Amplifier for measuring low-level signals in the presence of high common mode voltage
[NASA-CASE-MFS-25868-1] c 33 N86-20670
Low phase noise oscillator using two parallel connected amplifiers
[NASA-CASE-GSC-13018-1] c 33 N87-21232

AMPLIFIERS
Stable amplifier having a stable quiescent point Patent
[NASA-CASE-XGS-02812] c 09 N71-19466
Method and apparatus for continuously monitoring blood oxygenation, blood pressure, pulse rate and the pressure pulse curve utilizing an ear oximeter as transducer Patent
[NASA-CASE-XAC-05422] c 04 N71-23185
High-gain, broadband traveling wave maser Patent
[NASA-CASE-NPO-10548] c 16 N71-24831
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c 05 N71-27234
Transient augmentation circuit for pulse amplifiers Patent
[NASA-CASE-XNP-01068] c 10 N71-28739
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c 10 N72-17171
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c 33 N74-14939
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c 35 N75-15014
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c 36 N76-31512
High stability amplifier
[NASA-CASE-GSC-12646-1] c 33 N83-34191
Low noise tuned amplifier
[NASA-CASE-GSC-12567-1] c 33 N84-22887
Low phase noise oscillator using two parallel connected amplifiers
[NASA-CASE-GSC-13018-1] c 33 N87-21232
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895
Integrated photo-responsive metal oxide semiconductor circuit
[NASA-CASE-GSC-12782-1] c 33 N88-14271

AMPLITUDE DISTRIBUTION ANALYSIS
System for monitoring signal amplitude ranges
[NASA-CASE-XMS-04061-1] c 09 N69-39885
Single or joint amplitude distribution analyzer Patent
[NASA-CASE-XNP-01383] c 09 N71-10659
Analog-to-digital converter
[NASA-CASE-XNP-00477] c 08 N73-28045

AMPLITUDE MODULATION
Signal generator
[NASA-CASE-XNP-05612] c 09 N69-21468
Demodulation system Patent
[NASA-CASE-XAC-04030] c 10 N71-19472
Amplitude modulated laser transmitter Patent
[NASA-CASE-XMS-04269] c 16 N71-22895
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c 09 N71-23021
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c 10 N71-26142
Signal path series step biased multidevice high efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c 07 N71-28430
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c 32 N74-19788
Amplitude steered array
[NASA-CASE-GSC-11446-1] c 33 N74-20860
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c 36 N76-18427

Adaptive reference voltage generator for firing angle control of line-commutated inverters
[NASA-CASE-MFS-25215-1] c 33 N83-31953

AMPLITUDES
Noise limiter Patent
[NASA-CASE-NPO-10169] c 10 N71-24844
Acoustic rotation control
[NASA-CASE-NPO-15689-1] c 71 N84-23233
High voltage power supply
[NASA-CASE-GSC-12818-1] c 33 N85-29147

AMPOULES
Ampoule sealing apparatus and process --- for housing a semiconductor growth charge under vacuum
[NASA-CASE-LAR-12847-1] c 33 N83-16633
Apparatus and method for heating a material in a transparent ampoule --- crystal growth
[NASA-CASE-MFS-25436-1] c 27 N83-36220
Reusable thermal cycling clamp
[NASA-CASE-LAR-12868-1] c 37 N85-21651

ANALGESIA
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c 52 N81-14613
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c 52 N81-29764

ANALOG CIRCUITS
Condition and condition duration indicator Patent
[NASA-CASE-XMF-01097] c 10 N71-16058
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c 07 N71-19433
Electronic divider and multiplier using photocells Patent
[NASA-CASE-XFR-05637] c 09 N71-19480
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c 60 N75-13539
Electronic analog divider
[NASA-CASE-LEW-11881-1] c 33 N77-17354
Tuned analog network
[NASA-CASE-GSC-12650-1] c 33 N84-14421

ANALOG COMPUTERS
Analog spatial maneuver computer
[NASA-CASE-GSC-10880-1] c 08 N72-11172

ANALOG DATA
Data compression processor Patent
[NASA-CASE-NPO-10068] c 08 N71-19288
Wide range data compression system Patent
[NASA-CASE-XGS-02612] c 08 N71-19435
Analog Signal to Discrete Time Interval Converter (ASDTIC)
[NASA-CASE-ERC-10048] c 09 N72-25251
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c 62 N76-31946
Velocity measurement system
[NASA-CASE-MFS-23363-1] c 35 N78-32396

ANALOG SIMULATION
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c 74 N76-18913

ANALOG TO DIGITAL CONVERTERS
Analog-to-digital conversion system Patent
[NASA-CASE-XAC-00404] c 08 N70-40125
Analog to digital converter Patent
[NASA-CASE-XLA-00670] c 08 N71-12501
Nonlinear analog-to-digital converter Patent
[NASA-CASE-XAC-04031] c 08 N71-18594
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c 08 N71-19687
Pneumatic oscillator Patent
[NASA-CASE-LEW-10345-1] c 10 N71-25899
Analog signal integration and reconstruction system Patent
[NASA-CASE-NPO-10344] c 10 N71-26544
Analog to digital converter tester Patent
[NASA-CASE-XLA-06713] c 14 N71-28991
Wide range analog-to-digital converter with a variable gain amplifier
[NASA-CASE-NPO-11018] c 08 N72-21200
Analog-to-digital converter
[NASA-CASE-MSC-13110-1] c 08 N72-22163
Analog-to-digital converter analyzing system
[NASA-CASE-NPO-10560] c 08 N72-22166
Digital control and information system
[NASA-CASE-NPO-11016] c 08 N72-31226
Counting digital filters
[NASA-CASE-NPO-11821-1] c 08 N73-26175
Analog-to-digital converter
[NASA-CASE-XNP-00477] c 08 N73-28045
Analog to digital converter
[NASA-CASE-NPO-13385-1] c 33 N76-18345
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c 60 N77-32731
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c 25 N79-24073
Heads up display
[NASA-CASE-LAR-12630-1] c 06 N84-27733
Method of and apparatus for generating an interstitial point in a data stream having an even number of data points
[NASA-CASE-MFS-25319-1] c 60 N85-33701
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761
A digitally controlled system for effecting and presenting a selected electrical resistance
[NASA-CASE-MFS-29149-1] c 33 N87-29737

ANALYZERS
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c 14 N71-26199
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c 06 N71-26754
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c 14 N73-20477
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c 35 N75-30502
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c 35 N76-15431
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c 35 N78-13400

ANCHORS (FASTENERS)
Daze fasteners
[NASA-CASE-LAR-13009-2] c 37 N87-22976

ANECHOIC CHAMBERS
Almond test body --- for microwave anechoic chambers
[NASA-CASE-LAR-13747-1] c 32 N88-24845

ANEMOMETERS
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c 14 N71-23726
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c 14 N73-25460
Radionuclide counting technique for measuring wind velocity and direction
[NASA-CASE-LAR-12971-1] c 47 N84-28292
Thermal remote anemometer system
[NASA-CASE-LAR-13508-1] c 35 N88-23962

ANGIOGRAPHY
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c 52 N79-10724

ANGLE OF ATTACK
Angle detector
[NASA-CASE-ARC-11036-1] c 35 N78-32395
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c 02 N81-14968

ANGLES (GEOMETRY)
Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c 14 N71-24693
Method for generating ultra-precise angles Patent
[NASA-CASE-XGS-04173] c 19 N71-26674
Rotating raster generator
[NASA-CASE-FRC-10071-1] c 32 N74-20813
Angular measurement system
[NASA-CASE-MFS-25825-1] c 31 N86-29055
Universal precision sine bar attachment
[NASA-CASE-MFS-28253-1] c 37 N88-24971

ANGULAR ACCELERATION
Angular accelerometer Patent
[NASA-CASE-XMS-05936] c 14 N70-41682

ANGULAR CORRELATION
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c 14 N73-28490

ANGULAR DISTRIBUTION
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c 74 N80-21138

ANGULAR MOMENTUM
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c 30 N70-40016
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c 18 N81-29152

ANGULAR RESOLUTION
Angular measurement system Patent
[NASA-CASE-XMF-00447] c 14 N70-33179

ANGULAR VELOCITY
Angular position and velocity sensing apparatus Patent
[NASA-CASE-XGS-05680] c 14 N71-17585
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c 37 N81-15364
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c 74 N83-32577
Fluidic angular velocity sensor
[NASA-CASE-NPO-16479-ICU] c 35 N86-32695

ANHYDRIDES
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c 23 N75-30256
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c 25 N80-16116
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c 27 N80-32515
Maleimido substituted aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-1] c 23 N86-19376

ANILINE
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XMF-06409] c 06 N71-23230

ANIMALS
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c 51 N74-15778
Tread drum for animals --- having an electrical shock station
[NASA-CASE-ARC-10917-1] c 51 N78-27733

ANISOTROPIC MEDIA
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c 24 N77-27188

ANNEALING
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c 03 N72-11062
CDS solid state phase insensitive ultrasonic transducer --- annealing dadmium sulfide crystals
[NASA-CASE-LAR-12304-1] c 35 N80-20559

ANNULAR NOZZLES
Rocket thrust chamber Patent
[NASA-CASE-XLE-00145] c 28 N70-36806
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c 28 N71-25213

ANNULAR PLATES
Annular supersonic decelerator or drogue Patent
[NASA-CASE-XLE-00222] c 02 N70-37939
Multiple plate hydrostatic viscous damper
[NASA-CASE-LEW-12445-1] c 37 N81-22360

ANNULI
Shaft transducer having dc output proportional to angular velocity
[NASA-CASE-NPO-15706-1] c 35 N84-28017

ANODES
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c 03 N71-26084
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c 44 N74-19693
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c 33 N76-27473
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c 44 N76-29699
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c 33 N77-22386
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c 33 N80-14330
Ion sputter textured graphite --- anode collector plates in electron tube devices
[NASA-CASE-LEW-12919-1] c 24 N83-10117
Method and apparatus for rebalancing a REDOX flow cell system
[NASA-CASE-LEW-14127-1] c 33 N86-20680

ANODIC COATINGS
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c 33 N71-29151
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c 20 N77-20162
Variable anodic thermal control coating
[NASA-CASE-LAR-12719-1] c 44 N83-34449

ANOMALIES
Aircraft liftmeter
[NASA-CASE-LAR-12518-1] c 06 N86-27280

ANTENNA ARRAYS
Antenna system using parasitic elements and two driven elements at 90 deg angle fed 180 deg out of phase Patent
[NASA-CASE-XLA-00414] c 07 N70-38200
Multiple input radio receiver Patent
[NASA-CASE-XLA-00901] c 07 N71-10775
Horn feed having overlapping apertures Patent
[NASA-CASE-GSC-10452] c 07 N71-12396
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c 07 N71-19854
Radar antenna system for acquisition and tracking Patent
[NASA-CASE-XMS-09610] c 07 N71-24625
Antenna array phase quadrature tracking system Patent
[NASA-CASE-MSC-12205-1] c 07 N71-27056

Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c 07 N71-27233
Triaxial antenna Patent
[NASA-CASE-XGS-02290] c 07 N71-28809
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c 07 N72-11148
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c 09 N72-21244
Circularly polarized antenna
[NASA-CASE-ERC-10214] c 09 N72-31235
Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c 10 N73-16206
Plural beam antenna
[NASA-CASE-GSC-11013-1] c 09 N73-19234
Amplitude steered array
[NASA-CASE-GSC-11446-1] c 33 N74-20860
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c 17 N76-21250
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c 32 N78-24391
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c 44 N78-28594
Phased array antenna control
[NASA-CASE-MSC-14939-1] c 32 N79-11264
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c 32 N79-24210
Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c 32 N80-28578
Frequency translating phase conjugation circuit for active retrodirective antenna array --- microwave transmission
[NASA-CASE-NPO-14536-1] c 32 N81-14185
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c 32 N81-14187
Baseband signal combiner for large aperture antenna array
[NASA-CASE-NPO-14641-1] c 32 N81-29308
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c 32 N82-11336
Spiral slotted phased antenna array
[NASA-CASE-MSC-18532-1] c 32 N82-27558
Method and apparatus for self-calibration and phasing of array antenna
[NASA-CASE-NPO-15920-1] c 33 N85-21493
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390

ANTENNA COMPONENTS

Digital servo controller --- for rotating antenna shaft
[NASA-CASE-KSC-10769-1] c 33 N74-29556
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c 35 N82-15381
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390

ANTENNA COUPLERS

Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c 32 N80-23524

ANTENNA DESIGN

Low noise single aperture multimode monopulse antenna feed system Patent
[NASA-CASE-XNP-01735] c 07 N71-22750
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c 07 N71-22984
Antenna array phase quadrature tracking system Patent
[NASA-CASE-MSC-12205-1] c 07 N71-27056
Unfurlable structure including coiled strips thrust launched upon tension release Patent
[NASA-CASE-HQN-00937] c 07 N71-28979
Antenna design for surface wave suppression Patent
[NASA-CASE-XLA-10772] c 07 N71-28980
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c 10 N72-22235
Collapsible high gain antenna
[NASA-CASE-KSC-10392] c 07 N73-26117
Dish antenna having switchable beamwidth --- with truncated concave ellipsoid subreflector
[NASA-CASE-GSC-11760-1] c 33 N75-19516
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c 32 N76-15330
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c 32 N76-21365
Furlable antenna --- antenna design
[NASA-CASE-NPO-13553-1] c 33 N76-32457
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c 32 N80-29539
Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c 32 N80-32604
Spiral slotted phased antenna array
[NASA-CASE-MSC-18532-1] c 32 N82-27558
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390

ANTENNA FEEDS

Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c 07 N71-11285
Horn feed having overlapping apertures Patent
[NASA-CASE-GSC-10452] c 07 N71-12396
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c 10 N72-22235
Composite antenna feed
[NASA-CASE-GSC-11046-1] c 07 N73-28013
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c 32 N74-11000
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c 32 N74-20863
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c 32 N76-15329
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c 32 N78-31321
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c 32 N80-16261
Multifrequency broadband polarized horn antenna
[NASA-CASE-NPO-14588-1] c 32 N81-25278
Microwave switching power divider --- antenna feeds
[NASA-CASE-GSC-12420-1] c 33 N82-16340
Focal axis resolver for offset reflector antennas
[NASA-CASE-GSC-12630-1] c 33 N83-36355
Beam forming network
[NASA-CASE-NPO-15743-1] c 32 N85-29118

ANTENNA RADIATION PATTERNS

Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c 07 N69-27462
Dual mode horn antenna Patent
[NASA-CASE-XNP-01057] c 07 N71-15907
Electronic scanning of 2-channel monopulse patterns Patent
[NASA-CASE-GSC-10299-1] c 09 N71-24804
High impact antenna Patent
[NASA-CASE-NPO-10231] c 07 N71-26101
Triaxial antenna Patent
[NASA-CASE-XGS-02290] c 07 N71-28809
Lightning tracking system
[NASA-CASE-KSC-10729-1] c 09 N73-32110
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c 32 N76-21365
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c 32 N81-14187
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390

ANTENNAS

Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c 31 N71-16102
High impact antenna Patent
[NASA-CASE-NPO-10231] c 07 N71-26101
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c 07 N71-27191
Conical reflector antenna
[NASA-CASE-NPO-10303] c 07 N72-22127
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c 33 N82-26568
Antenna grout replacement system
[NASA-CASE-NPO-15202-1] c 27 N83-34043
Measurement apparatus and procedure for the determination of surface emissivities
[NASA-CASE-LAR-13455-1] c 32 N87-21206

ANTIBIOTICS

Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750

ANTIFRICTION BEARINGS

Hybrid lubrication system and bearing Patent
[NASA-CASE-XNP-01641] c 15 N71-22997
Rolling element bearings Patent
[NASA-CASE-XLE-09527-2] c 15 N71-26189
High speed hybrid bearing comprising a fluid bearing and a rolling bearing convected in series
[NASA-CASE-LEW-11152-1] c 15 N73-32359
Production of hollow components for rolling element bearings by diffusion welding
[NASA-CASE-LEW-11026-1] c 15 N73-33383
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c 24 N79-17916
Method of making bearing material
[NASA-CASE-LEW-11930-3] c 24 N80-33482

ANTIGRAVITY

Anti-gravity device
[NASA-CASE-MFS-22758-1] c 70 N75-26789

ANTIHISTAMINICS

Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c 52 N81-14613
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c 52 N81-29764

ANTIREFLECTION COATINGS

Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c 44 N77-14580
Broadband optical radiation detector
[US-PATENT-4,262,198] c 74 N83-19597

ANVILS

Apparatus for making diamonds
[NASA-CASE-MFS-20698] c 15 N72-20446

APERTURES

Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c 09 N71-10618
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c 15 N71-23254
On-film optical recording of camera lens settings
[NASA-CASE-MSC-12363-1] c 14 N73-26431
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c 74 N75-12732
Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c 37 N76-23570
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c 35 N77-14408

APOLLO PROJECT

Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012

APOLLO SPACECRAFT

Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c 15 N70-35679
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c 15 N72-17450

APPLICATIONS OF MATHEMATICS

Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c 08 N71-19437

APPROACH

Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c 04 N82-16059

AQUATIC PLANTS

Method for treating wastewater using microorganisms and vascular aquatic plants
[NASA-CASE-NSTL-10] c 45 N84-12654

AQUEOUS SOLUTIONS

Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields
[NASA-CASE-MSC-13530-2] c 23 N75-14834
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c 25 N76-18245
Method for separating biological cells --- suspended in aqueous polymer systems
[NASA-CASE-MFS-23883-1] c 51 N80-16715
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c 27 N80-32516
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c 25 N82-12166
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c 37 N82-12441
Coal desulfurization by aqueous chlorination
[NASA-CASE-NPO-14902-1] c 25 N82-29371
Hydrodesulfurization of chlorinized coal
[NASA-CASE-NPO-15304-1] c 25 N83-31743

ARC DISCHARGES

Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c 15 N71-19486
Self-repeating plasma generator having communicating annular and linear arc discharge passages Patent
[NASA-CASE-XLA-03103] c 25 N71-21693
Method and apparatus for nondestructive testing --- using high frequency arc discharges
[NASA-CASE-MFS-21233-1] c 38 N74-15395
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c 33 N77-28385

ARC HEATING

Electric-arc heater Patent
[NASA-CASE-XLA-00330] c 33 N70-34540
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c 25 N70-41628
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c 09 N77-10071

ARC JET ENGINES
Magneto-plasma-dynamic arc thruster
[NASA-CASE-LEW-11180-1] c 25 N73-25760
Arcjet power supply and start circuit
[NASA-CASE-LEW-14374-1] c 09 N88-28939
ARC LAMPS
Starting circuit for vapor lamps and the like Patent
[NASA-CASE-XNP-01058] c 09 N71-12540
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c 33 N77-21315
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c 33 N77-21316
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c 33 N77-22386
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c 31 N78-17238
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c 33 N80-14330
Self-clamping arc light reflector for welding torch
[NASA-CASE-MFS-29207-1] c 74 N87-25843
Arc lamp power supply using a voltage multiplier
[NASA-CASE-LAR-13202-1] c 33 N88-23942
ARC SPRAYING
Arc spray fabrication of metal matrix composite monotape
[NASA-CASE-LEW-13828-1] c 24 N85-30027
ARC WELDING
Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XMF-02039] c 15 N71-15871
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c 07 N71-19433
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c 15 N71-19486
Welding skate with computerized control Patent
[NASA-CASE-XMF-07069] c 15 N71-23815
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c 37 N75-19683
Self-clamping arc light reflector for welding torch
[NASA-CASE-MFS-29207-1] c 74 N87-25843
Welding torch gas cup extension
[NASA-CASE-MFS-29252-1] c 37 N88-23980
Trailer shield assembly for a welding torch
[NASA-CASE-MFS-29260-1] c 37 N88-24972
ARC length control for plasma welding
[NASA-CASE-MSC-20900-1] c 37 N88-30131
ARCHITECTURE
Foldable construction block
[NASA-CASE-MSC-12233-2] c 32 N73-13921
ARCHITECTURE (COMPUTERS)
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c 60 N83-25378
Distributed multiport memory architecture
[NASA-CASE-NPO-15342-1] c 60 N83-32342
High dynamic global positioning system receiver
[NASA-CASE-NPO-16171-1CU] c 04 N86-27270
Method for Veterbi decoding of large constraint length convolutional codes
[NASA-CASE-NPO-17310-1-CU] c 17 N88-28946
Nanosequencer digital logic controller
[NASA-CASE-NPO-16116-2] c 60 N88-29310
ARGON
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826
ARM (ANATOMY)
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c 09 N74-30597
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c 54 N75-12616
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c 37 N79-28551
ARMATURES
Direct current motor with stationary armature and field Patent
[NASA-CASE-XGS-05290] c 09 N71-25999
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c 15 N72-20442
Electric motive machine including magnetic bearing
[NASA-CASE-XGS-07805] c 15 N72-33476
Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c 44 N80-29834
AROMATIC COMPOUNDS
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c 27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c 27 N76-32315
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c 27 N78-31232
Process for preparing thermoplastic aromatic polyimides
[NASA-CASE-LAR-11828-1] c 27 N78-32261
Curing agent for polyepoxides and epoxy resins and composites cured therewith --- preventing carbon fiber release
[NASA-CASE-LEW-13226-1] c 27 N81-17260
The 1,1,1-triaryl-2,2,2-trifluoroethanes and process for their synthesis
[NASA-CASE-ARC-11097-1] c 25 N82-24312
ARRAYS
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c 32 N80-18253
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c 35 N82-31659
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-2] c 33 N83-24763
ARTERIES
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c 52 N74-27566
ARTIFICIAL CLOUDS
Barium release system
[NASA-CASE-LAR-10670-1] c 06 N73-30097
ARTIFICIAL GRAVITY
Rotating space station simulator Patent
[NASA-CASE-XLA-03127] c 11 N71-10776
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c 31 N71-21881
Space vehicle with artificial gravity and earth-like environment
[NASA-CASE-LEW-11101-1] c 31 N73-32750
ARTIFICIAL SATELLITES
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c 07 N71-24621
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c 21 N71-27324
ASBESTOS
Reconstituted asbestos matrix --- for use in fuel or electrolysis cells
[NASA-CASE-MSC-12568-1] c 24 N76-14204
ASHES
Energy efficient continuous flow ash lockhopper
[NASA-CASE-NPO-16985-1-CU] c 31 N88-24814
ASPECT RATIO
Variable sweep wing aircraft Patent
[NASA-CASE-XLA-00221] c 02 N70-33266
Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c 02 N70-34178
Variable sweep aircraft wing Patent
[NASA-CASE-XLA-00350] c 02 N70-38011
ASPHALT
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c 27 N78-33228
ASSAYING
Rapid, quantitative determination of bacteria in water --- adenosine triphosphate
[NASA-CASE-GSC-12158-1] c 51 N83-27569
ASSEMBLIES
Multiple Belleville spring assembly Patent
[NASA-CASE-XNP-00840] c 15 N70-38225
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c 37 N77-32501
Foldable beam
[NASA-CASE-LAR-12077-1] c 31 N81-25259
Resilient seal ring assembly with spring means applying force to wedge member --- cryogenic applications
[NASA-CASE-MFS-25678-1] c 37 N84-11497
Self-locking mechanical center joint
[NASA-CASE-LAR-12864-1] c 37 N85-30336
X-ray determination of parts alignment
[NASA-CASE-MSC-20418-1] c 74 N86-20126
Emitted vibration measurement device and method
[NASA-CASE-MFS-25981-1] c 35 N87-14670
Fully redundant mechanical release actuator
[NASA-CASE-LAR-13198-1] c 37 N87-23983
ASSEMBLY
Alignment and assembly tool for very large diameter cylinders
[NASA-CASE-MFS-28001-2] c 37 N88-14360
ASSOCIATIVE PROCESSING (COMPUTERS)
Hybrid analog-digital associative neural network
[NASA-CASE-NPO-17058-1-CU] c 62 N87-25803
ASTRONAUT LOCOMOTION
Rotating space station simulator Patent
[NASA-CASE-XLA-03127] c 11 N71-10776
Space suit pressure stabilizer Patent
[NASA-CASE-XLA-05332] c 05 N71-11194
Equipotential space suit Patent
[NASA-CASE-LAR-10007-1] c 05 N71-11195
Hard space suit Patent
[NASA-CASE-XAC-07043] c 05 N71-23161
Foreshortened convolute section for a pressurized suit Patent
[NASA-CASE-XMS-09637-1] c 05 N71-24730
Locomotion and restraint aid Patent
[NASA-CASE-ARC-10153] c 05 N71-28619
Walking boot assembly
[NASA-CASE-ARC-11101-1] c 54 N78-17675
Spacesuit mobility knee joints
[NASA-CASE-ARC-11058-2] c 54 N79-24651
ASTRONAUT MANEUVERING EQUIPMENT
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c 05 N71-12330
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c 11 N71-18779
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c 28 N71-27589
ASTRONAUT PERFORMANCE
Locomotion and restraint aid Patent
[NASA-CASE-ARC-10153] c 05 N71-28619
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c 54 N78-31737
ASTRONAUT TRAINING
Training vehicle for controlling attitude Patent
[NASA-CASE-XMS-02977] c 11 N71-10747
Mechanical simulator of low gravity conditions Patent
[NASA-CASE-MFS-10555] c 11 N71-19499
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c 11 N71-21477
ASTRONAUTS
Emergency lunar communications system
[NASA-CASE-MFS-21042] c 07 N72-25177
Manual actuator --- for spacecraft exercising machine
[NASA-CASE-MFS-21481-1] c 37 N74-18127
Bi-stem gripping apparatus
[NASA-CASE-MFS-28185-1] c 37 N88-23977
ASTRONAVIGATION
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c 14 N71-15627
ASTRONOMICAL PHOTOGRAPHY
Apparatus for photographing meteors
[NASA-CASE-LAR-10226-1] c 14 N73-19417
ASYMMETRY
Method for the preparation of thin-skinned asymmetr reverse osmosis membranes and products thereof
[NASA-CASE-ARC-11359-1] c 51 N84-28367
ATMOSPHERIC COMPOSITION
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c 13 N72-25327
Apparatus for sampling particulates in gases
[NASA-CASE-HQN-10037-1] c 14 N73-27377
Monitoring atmospheric pollutants with a heterodyn radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c 35 N74-11287
Chelate-modified polymers for atmospheric g chromatography
[NASA-CASE-ARC-11154-1] c 25 N80-23307
Mobile sampler for use in acquiring samples of terrestr atmospheric gases
[NASA-CASE-NPO-15220-1] c 45 N83-25277
ATMOSPHERIC DENSITY
System for indicating fuel-efficient aircraft altitude
[NASA-CASE-NPO-15351-2] c 06 N84-34477
ATMOSPHERIC ENTRY
Flight craft Patent
[NASA-CASE-XAC-02058] c 02 N71-16077
Means for measuring the electron density gradients the plasma sheath formed around a space vehi Patent
[NASA-CASE-XLA-06232] c 25 N71-20577
Orbital and entry tracking accessory for globes --- provide range requirements for reentry vehicles to a landing site
[NASA-CASE-LAR-10626-1] c 19 N74-21077
ATMOSPHERIC ENTRY SIMULATION
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c 25 N70-33277
Flow field simulation Patent
[NASA-CASE-LAR-11138] c 12 N71-20477
ATMOSPHERIC MOISTURE
Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-2] c 36 N83-29077
ATMOSPHERIC PHYSICS
Rocket borne instrument to measure electric fields ins electrified clouds
[NASA-CASE-KSC-10730-1] c 14 N73-32477
ATMOSPHERIC PRESSURE
Method of purifying metallurgical grade silicon emplo reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c 26 N80-14477
Method of and apparatus for measuring temperature pressure --- atmospheric sounding
[NASA-CASE-GSC-12558-1] c 36 N85-21777
ATMOSPHERIC RADIATION
Method and apparatus for measuring solar activity atmospheric radiation effects
[NASA-CASE-ERC-10276] c 14 N73-26477
ATMOSPHERIC REFRACTION
Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-1] c 36 N81-22777

ATMOSPHERIC SCATTERING
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
ATMOSPHERIC SOUNDING
Microwave limb sounder --- measuring trace gases in the upper atmosphere
[NASA-CASE-NPO-14544-1] c 46 N82-12685
ATMOSPHERIC TEMPERATURE
System for indicating fuel-efficient aircraft altitude
[NASA-CASE-NPO-15351-2] c 06 N84-34443
Method of and apparatus for measuring temperature and pressure --- atmospheric sounding
[NASA-CASE-GSC-12558-1] c 36 N85-21639
ATMOSPHERIC TURBULENCE
Passive optical wind and turbulence detection system Patent
[NASA-CASE-XMF-14032] c 20 N71-16340
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
ATOMIC BEAMS
Variable energy, high flux, ground-state atomic oxygen source
[NASA-CASE-NPO-16640-1-CU] c 72 N87-21661
ATOMIC EXCITATIONS
Double photon excitation of high-Rydberg atoms as a long-lived submillimeter detector
[NASA-CASE-NPO-16372-1] c 72 N86-33127
ATOMIZERS
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c 23 N71-26654
Constant-output atomizer --- Inhalation therapy and aerosol research
[NASA-CASE-MFS-25631-1] c 34 N84-12406
Liquid seeding atomizer
[NASA-CASE-ARC-11631-1] c 34 N87-21255
ATS
Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c 07 N69-39978
ATTACHMENT
Wide temperature range electronic device with lead attachment
[NASA-CASE-ERC-10224-2] c 09 N73-27150
ATTENUATORS
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c 14 N73-13420
Pulse transducer with artifact signal attenuator --- heart rate sensors
[NASA-CASE-FRC-11012-1] c 52 N80-23969
ATTITUDE (INCLINATION)
Analog spatial maneuver computer
[NASA-CASE-GSC-10880-1] c 08 N72-11172
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c 21 N73-30640
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c 35 N78-18391
ATTITUDE CONTROL
Visual target for retrofire attitude control
[NASA-CASE-XMS-12158-1] c 31 N69-27499
Three axis controller Patent
[NASA-CASE-XFR-00181] c 21 N70-33279
Method and apparatus for determining satellite orientation utilizing spatial energy sources Patent
[NASA-CASE-XGS-00466] c 21 N70-34297
Attitude and propellant flow control system and method Patent
[NASA-CASE-XMF-00185] c 21 N70-34539
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c 21 N70-35395
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c 21 N70-36938
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c 21 N70-36943
Ejection unit Patent
[NASA-CASE-XNP-00676] c 15 N70-38996
Three-axis controller Patent
[NASA-CASE-XAC-01404] c 05 N70-41581
Training vehicle for controlling attitude Patent
[NASA-CASE-XMS-02977] c 11 N71-10746
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c 21 N71-10771
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c 10 N71-13545
Spacecraft experiment pointing and attitude control system Patent
[NASA-CASE-XLA-05464] c 21 N71-14132
Attitude control system Patent
[NASA-CASE-XGS-04393] c 21 N71-14159
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c 21 N71-15582
Reactance control system Patent
[NASA-CASE-XMF-01598] c 21 N71-15583
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c 21 N71-15642
Three-axis finger tip controller for switches Patent
[NASA-CASE-XAC-02405] c 09 N71-16089
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c 31 N71-17629
Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c 21 N71-22880
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c 31 N71-24750
Voice operated controller Patent
[NASA-CASE-XLA-04063] c 31 N71-33160
Attitude sensor
[NASA-CASE-LAR-10586-1] c 19 N74-15089
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c 35 N74-15094
Sun direction detection system
[NASA-CASE-NPO-13722-1] c 74 N77-22951
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c 08 N81-19130
Programmable scan/read circuitry for charge coupled device imaging detectors --- spcecraft attitude control and star trackers
[NASA-CASE-NPO-15345-1] c 74 N84-23247
Propulsion apparatus and method using boil-off gas from a cryogenic liquid
[NASA-CASE-MFS-25946-1] c 20 N86-26368
Emitted vibration measurement device and method
[NASA-CASE-MFS-25981-1] c 35 N87-14670
Aircraft control position indicator
[NASA-CASE-LAR-12984-1] c 06 N87-22678
Three axis attitude control system
[NASA-CASE-GSC-12970-1] c 08 N88-23808
ATTITUDE GYROS
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c 21 N70-35395
Attitude control system
[NASA-CASE-MFS-22787-1] c 15 N77-10113
ATTITUDE INDICATORS
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c 21 N70-35089
Controllers Patent
[NASA-CASE-XMS-07487] c 15 N71-23255
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c 14 N71-23268
Head-up attitude display
[NASA-CASE-ERC-10392] c 21 N73-14692
Attitude sensor
[NASA-CASE-LAR-10586-1] c 19 N74-15089
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c 19 N76-22284
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c 06 N80-18036
Aircraft body-axis rotation measurement system
[NASA-CASE-FRC-11043-1] c 06 N83-33882
ATTITUDE STABILITY
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c 21 N70-34295
Apparatus for automatically stabilizing the attitude of a nonguided vehicle
[NASA-CASE-ARC-10134] c 30 N72-17873
Method of damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c 18 N83-28064
AUDIO EQUIPMENT
Audio system with means for reducing noise effects
[NASA-CASE-NPO-11631] c 10 N73-12244
AUDIO FREQUENCIES
Signal path series step biased multidevice high efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c 07 N71-28430
Audio frequency marker system
[NASA-CASE-NPO-11147] c 14 N72-27408
AUDIO SIGNALS
Method and apparatus for operating on companded PCM voice data
[NASA-CASE-KSC-11285-1] c 32 N86-27513
AUDITORY DEFECTS
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c 33 N78-10375
AUDITORY PERCEPTION
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c 71 N74-21014
AUDITORY SIGNALS
Audio signal processor Patent
[NASA-CASE-MSC-12223-1] c 07 N71-26181
Audio system with means for reducing noise effects
[NASA-CASE-NPO-11631] c 10 N73-12244
AUDITORY STIMULI
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c 71 N74-21014
AUGER EFFECT
Apparatus for accurately preloading auger attachment means for frangible protective material
[NASA-CASE-MSC-18791-1] c 37 N83-36482
AUSTENITIC STAINLESS STEELS
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c 17 N73-32414
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c 26 N76-18257
AUTOCLAVES
System for sterilizing objects --- cleaning space vehicle systems
[NASA-CASE-KSC-11085-1] c 54 N81-24724
AUTOCORRELATION
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c 08 N71-12503
Correlation function apparatus Patent
[NASA-CASE-XNP-00746] c 07 N71-21476
AUTOMATIC CONTROL
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-XMS-04215-1] c 09 N69-39987
Optical alignment system Patent
[NASA-CASE-XNP-02029] c 14 N70-41955
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c 03 N71-11057
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c 10 N71-13545
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c 15 N71-15607
Leak detector Patent
[NASA-CASE-LAR-10323-1] c 12 N71-17573
Solar optical telescope dome control system Patent
[NASA-CASE-MSC-10966] c 14 N71-19568
Automatic welding speed controller Patent
[NASA-CASE-XMF-01730] c 15 N71-23050
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c 09 N71-23548
Automatic pump Patent
[NASA-CASE-XNP-04731] c 15 N71-24042
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c 33 N71-24276
Automatic battery charger Patent
[NASA-CASE-XNP-04758] c 03 N71-24605
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c 10 N71-24861
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent
[NASA-CASE-NPO-10625] c 09 N71-26182
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c 14 N71-26244
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c 06 N71-26754
Automatic control of liquid cooling garment by cutaneous and external auditory meatus temperatures
[NASA-CASE-MSC-13917-1] c 05 N72-15098
Optimal control system for an electric motor driven vehicle
[NASA-CASE-NPO-11210] c 11 N72-20244
Automated equipotential plotter
[NASA-CASE-NPO-11134] c 09 N72-21246
Ion thruster magnetic field control
[NASA-CASE-LEW-10835-1] c 28 N72-22771
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c 05 N73-26071
Redundant speed control for brushless Hall effect motor
[NASA-CASE-MFS-20207-1] c 09 N73-32107
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c 52 N74-22771
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c 09 N75-12968
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c 35 N75-15014
Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c 66 N76-19888
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c 38 N78-17396
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c 35 N78-19466
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c 44 N78-25529
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c 33 N79-24257

Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c 44 N80-14474
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c 76 N80-32245
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c 07 N81-19116
Solar energy control system --- temperature measurement
[NASA-CASE-MFS-25287-1] c 44 N82-18686
Hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c 08 N82-24205
Automatic weld torch guidance control system
[NASA-CASE-MFS-25807] c 37 N83-20154
Automatic thermal switch --- spacecraft applications
[NASA-CASE-GSC-12553-1] c 34 N83-28356
Linear magnetic bearings
[NASA-CASE-GSC-12582-2] c 37 N85-20337
Jet pump-drive system for heat removal
[NASA-CASE-NPO-16494-1-CU] c 34 N85-29182
Automatic oscillator frequency control system
[NASA-CASE-GSC-12804-1] c 33 N86-20668
Automated weld torch guidance control system
[NASA-CASE-MFS-25807-2] c 37 N86-21850
Airplane automatic control force trimming device for asymmetric engine failures
[NASA-CASE-LAR-13280-1] c 08 N87-20999
Self indexing latch system
[NASA-CASE-MFS-25956-1] c 37 N87-21333

AUTOMATIC CONTROL VALVES
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c 15 N70-37925
Metal valve pintle with encapsulated elastomeric body Patent
[NASA-CASE-MSC-12116-1] c 15 N71-17648
Semitoroidal diaphragm cavitating valve Patent
[NASA-CASE-XNP-09704] c 12 N71-18615
Valving device for automatic refilling in cryogenic liquid systems
[NASA-CASE-NPO-11177] c 15 N72-17453
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c 37 N75-15050
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c 54 N78-14784
Automatic compression adjusting mechanism for internal combustion engines
[NASA-CASE-MSC-18807-1] c 37 N83-36483

AUTOMATIC FREQUENCY CONTROL
Automatic acquisition system for phase-lock loop
[NASA-CASE-XGS-04994] c 09 N69-21543
Audio signal processor Patent
[NASA-CASE-MSC-12223-1] c 07 N71-26181
Automatic frequency control loop including synchronous switching circuits
[NASA-CASE-KSC-10393] c 09 N72-21247
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c 09 N73-20231
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895

AUTOMATIC GAIN CONTROL
Automatic gain control system
[NASA-CASE-XMS-05307] c 09 N69-24330
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c 09 N69-39986
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c 09 N73-20231
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c 33 N79-22373
Automatic level control circuit
[NASA-CASE-KSC-11170-1] c 33 N83-36356
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761

AUTOMATIC TEST EQUIPMENT
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c 05 N73-26072
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c 35 N75-27330
Visual examination apparatus
[US-PATENT-RE-28,921] c 52 N76-30793
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c 52 N79-12694
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c 34 N81-26402
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c 54 N82-26987

AUTOMATION
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c 37 N77-22480

AUTOMOBILE ENGINES
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c 37 N78-24545
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c 33 N81-20352

AUTOMOBILE FUELS
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c 44 N76-29700

AUTOMOBILES
Navigation system for land vehicles
[NASA-CASE-LAR-13322-1] c 04 N88-24620

AUTONOMOUS NAVIGATION
Autonomous navigation system --- gyroscopic pendulum for air navigation
[NASA-CASE-ARC-11257-1] c 04 N81-21047

AUXILIARY POWER SOURCES
Independent power generator
[NASA-CASE-LAR-11208-1] c 44 N78-32539
Electrical power generating system
[NASA-CASE-MFS-25302-1] c 33 N83-28319

AVERAGE
Method of and apparatus for generating an interstitial point in a data stream having an even number of data points
[NASA-CASE-MFS-25319-1] c 60 N85-33701

AVIONICS
Aircraft control position indicator
[NASA-CASE-LAR-12984-1] c 06 N87-22678

AXES (REFERENCE LINES)
Moment of inertia test fixture Patent
[NASA-CASE-XGS-01023] c 14 N71-22992
Universal restrainer and joint Patent
[NASA-CASE-XNP-02278] c 15 N71-28951
Focal axis resolver for offset reflector antennas
[NASA-CASE-GSC-12630-1] c 33 N83-36355

AXES OF ROTATION
Three axis controller Patent
[NASA-CASE-XFR-00181] c 21 N70-33279
Proportional controller Patent
[NASA-CASE-XAC-03392] c 03 N70-41954
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c 21 N71-21688
Controllers Patent
[NASA-CASE-XMS-07487] c 15 N71-23255
Aircraft body-axis rotation measurement system
[NASA-CASE-FRC-11043-1] c 06 N83-33882
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-2] c 37 N84-28081
Shoulder and hip joint for hard space suits
[NASA-CASE-ARC-11543-1] c 54 N86-28620

AXIAL COMPRESSION LOADS
Impact monitoring apparatus
[NASA-CASE-MSC-15626-1] c 14 N72-25411
Compression test apparatus
[NASA-CASE-MSC-18723-1] c 35 N83-21312

AXIAL FLOW
Monogroove heat pipe design: Insulated liquid channel with bridging wick
[NASA-CASE-MSC-20497-1] c 34 N85-29180
Wingtip vortex propeller
[NASA-CASE-LAR-13019-1] c 07 N85-35194

AXIAL FLOW PUMPS
Dual motion valve with single motion input
[NASA-CASE-MFS-28058-1] c 37 N87-21332
Rotor self-lubricating axial stop
[NASA-CASE-MFS-28273-1] c 37 N88-23974

AXIAL FLOW TURBINES
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c 15 N70-36412
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c 28 N70-39895
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c 34 N79-20335

AXIAL LOADS
Locking device with rolling detents Patent
[NASA-CASE-XMF-01371] c 15 N70-41829
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c 39 N77-28511

AXIAL STRESS
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c 37 N76-18459
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c 39 N77-28511

AZIMUTH
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c 14 N71-26627
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c 36 N74-21091
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c 04 N77-19056
Aircraft body-axis rotation measurement system
[NASA-CASE-FRC-11043-1] c 06 N83-33882

AZINES
Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c 06 N71-11242
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c 27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c 27 N76-32315
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c 27 N79-28307
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c 25 N81-14016
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c 27 N81-17259

AZO COMPOUNDS
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c 31 N74-13177

AZOLES
Vinyl stilbazoles
[NASA-CASE-ARC-11429-3CU] c 27 N87-16908

B

BACK INJURIES
Spine immobilization apparatus
[NASA-CASE-ARC-11167-1] c 52 N81-25662

BACKGROUND NOISE
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c 07 N69-39980

BACKGROUND RADIATION
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c 35 N77-14411

BACKSCATTERING
Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent
[NASA-CASE-XGS-02608] c 07 N70-41678
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c 35 N74-15091

BACKUPS
Flexible back-up bar Patent
[NASA-CASE-XMF-00722] c 15 N70-40204
Inherent redundacy electric heater
[NASA-CASE-MFS-21462-1] c 33 N74-14935

BACKWARD WAVES
Ladder supported ring bar circuit
[NASA-CASE-LEW-13570-1] c 33 N84-16452
Dielectric based submillimeter backward wave oscillator circuit
[NASA-CASE-LEW-13736-1] c 33 N84-27974

BACTERIA
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c 06 N71-23499
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c 14 N72-25413
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c 04 N73-27052
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c 37 N74-13178
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c 51 N76-29891
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c 51 N80-16714
Rapid, quantitative determination of bacteria in water --- adenosine triphosphate
[NASA-CASE-GSC-12158-1] c 51 N83-27569

BACTERIOLOGY
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c 14 N73-13435
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c 51 N77-22794
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c 51 N77-27677

BAFFLES
Light radiation direction indicator with a baffle of two parallel grids
[NASA-CASE-XNP-03930] c 14 N69-24331
Anti-glare improvement for optical imaging systems Patent
[NASA-CASE-NPO-10337] c 14 N71-15604
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c 32 N71-16103

Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c 32 N71-16106
Floating baffle to improve efficiency of liquid transfer from tanks
[NASA-CASE-KSC-10639] c 15 N73-26472
System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c 74 N79-11865
Pressure letdown method and device for coal conversion systems
[NASA-CASE-NPO-15100-1] c 44 N84-14583
Optical system with reflective baffles
[NASA-CASE-ARC-11502-1] c 74 N86-20125

BAGS
Relief container
[NASA-CASE-XMS-06761] c 05 N69-23192
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c 52 N79-14749

BAKING
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c 35 N79-33450
A method and technique for installing light-weight fragile, high-temperature fiber insulation
[NASA-CASE-MSC-18934-3] c 24 N82-26387

BALANCE
Thermo-protective device for balances Patent
[NASA-CASE-XAC-00648] c 14 N70-40400
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c 35 N74-26945

BALANCING
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c 10 N71-13545
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c 15 N71-27432
Lift balancing device
[NASA-CASE-LAR-10348-1] c 11 N73-12264
Method and apparatus for rebalancing a REDOX flow cell system
[NASA-CASE-LEW-14127-1] c 33 N86-20680

BALL BEARINGS
Two component bearing Patent
[NASA-CASE-XLA-00013] c 15 N71-29136
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c 15 N72-22490
Low mass rolling element for bearings
[NASA-CASE-LEW-11087-1] c 15 N73-30458
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c 37 N74-21064
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c 37 N75-31446
Spherical bearing --- to reduce vibration effects
[NASA-CASE-MFS-23447-1] c 37 N79-11404
Apparatus and method for inspecting a bearing ball
[NASA-CASE-MFS-25833-1] c 35 N86-32698

BALLAST (MASS)
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c 02 N73-26006

BALLASTS (IMPEDANCES)
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c 09 N69-24318
Direct current ballast circuit for metal halide lamp
[NASA-CASE-MSC-18407-1] c 33 N82-24427

BALLISTICS
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c 27 N76-15310

BALLOON SOUNDING
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c 34 N74-23039

BALLOONS
Hot air ballon deceleration and recovery system Patent
[NASA-CASE-XLA-06824-2] c 02 N71-11037
Inflation system for balloon type satellites Patent
[NASA-CASE-XGS-03351] c 31 N71-16081
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c 02 N73-13008

BALLS
Two-axis controller Patent
[NASA-CASE-XFR-04104] c 03 N70-42073
Quartz ball value
[NASA-CASE-NPO-14473-1] c 37 N80-23654

BANDPASS FILTERS
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c 07 N69-24323
Compensating bandwidth switching transients in an amplifier circuit Patent
[NASA-CASE-XNP-01107] c 10 N71-28859
Signal-to-noise ratio determination circuit
[NASA-CASE-GSC-11239-1] c 10 N73-25241
High-Q bandpass resonators utilizing bandstop resonator pairs
[NASA-CASE-GSC-10990-1] c 09 N73-26195
Dichroic plate --- as bandpass filters
[NASA-CASE-NPO-13506-1] c 35 N76-15435
Notch filter
[NASA-CASE-MFS-23303-1] c 32 N77-18307
Adaptive polarization separation
[NASA-CASE-LAR-12196-1] c 33 N81-26358
Smoothing filter for digital to analog conversion
[NASA-CASE-FRC-11025-1] c 33 N82-24417
Tuned analog network
[NASA-CASE-GSC-12650-1] c 33 N84-14421
Low noise tuned amplifier
[NASA-CASE-GSC-12567-1] c 33 N84-22887
Reactanceless synthesized impedance bandpass amplifier
[NASA-CASE-GSC-12788-1] c 33 N85-29145
Multispectral linear array multiband selection device
[NASA-CASE-GSC-12911-1] c 74 N86-29650

BANDWIDTH
Narrow bandwidth video Patent
[NASA-CASE-XMS-06740-1] c 07 N71-26579
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c 09 N73-20231
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c 33 N76-14372
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c 36 N78-18410
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c 32 N80-23524
Method and apparatus for telemetry adaptive bandwidth compression
[NASA-CASE-MSC-20821-1] c 17 N87-25348

BARIUM
Barium release system
[NASA-CASE-LAR-10670-1] c 06 N73-30097

BARIUM COMPOUNDS
Ion thrustor cathode
[NASA-CASE-XLE-07087] c 06 N69-39889

BARIUM FLUORIDES
Method of making self lubricating fluoride- metal composite materials Patent
[NASA-CASE-XLE-08511-2] c 18 N71-16105

BARIUM ION CLOUDS
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c 15 N74-27360

BARIUM TITANATES
Semiconductor-ferroelectric memory device
[NASA-CASE-ERC-10307] c 08 N72-21198

BARRIER LAYERS
Schottky barrier solar cell
[NASA-CASE-NPO-13689-2] c 44 N81-29525
Method of measuring field funneling and range straggling in semiconductor charge-collecting junctions
[NASA-CASE-NPO-16584-1-CU] c 76 N86-25269

BARRIERS
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c 36 N74-15145

BARS
Satellite retrieval system
[NASA-CASE-MFS-25403-1] c 18 N83-29303

BASES (CHEMICAL)
Thermal control coating Patent
[NASA-CASE-XLA-01995] c 18 N71-23047

BATTERY CHARGERS
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c 03 N71-19438
Electrochemical coulometer and method of forming same Patent
[NASA-CASE-XGS-05434] c 03 N71-20491
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c 03 N71-24719
Method and apparatus for conditioning of nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c 44 N78-25531

BAYARD-ALPERT IONIZATION GAGES
Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c 14 N71-18482

BAYS (STRUCTURAL UNITS)
Deployable geodesic truss structure
[NASA-CASE-LAR-13113-1] c 31 N87-25492

BEADS
Rotary bead dropper and selector for testing micrometeorite detectors Patent
[NASA-CASE-XGS-03304] c 09 N71-22988
Method for thermal monitoring subcutaneous tissue
[NASA-CASE-LAR-13028-1] c 52 N85-30618

BEAM LEADS
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c 33 N74-12951

BEAM SPLITTERS
Optical range finder having nonoverlapping complete images
[NASA-CASE-MSC-12105-1] c 14 N72-21409
Laser extensometer
[NASA-CASE-MFS-19259-1] c 36 N78-14380
Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c 35 N78-18395
Method and apparatus for splitting a beam of energy --- optical communication
[NASA-CASE-GSC-12083-1] c 73 N78-32848
Interferometer
[NASA-CASE-NPO-14502-1] c 74 N81-17888
Collimated beam manifold with the number of output beams variable at a given output angle
[NASA-CASE-MFS-25312-1] c 74 N83-17305
Dual-beam skin friction interferometer
[NASA-CASE-ARC-11354-1] c 74 N83-21949
High speed multi focal plane optical system
[NASA-CASE-GSC-12683-1] c 74 N83-36898
Projection lens scanning laser velocimeter system
[NASA-CASE-ARC-11547-1] c 36 N87-17026

BEAM SWITCHING
Electronic beam switching commutator Patent
[NASA-CASE-XGS-01451] c 09 N71-10677
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c 07 N71-27233
Dish antenna having switchable beamwidth --- with truncated concave ellipsoid subreflector
[NASA-CASE-GSC-11760-1] c 33 N75-19516
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c 32 N76-15329
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c 33 N76-27472

BEAM WAVEGUIDES
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c 15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c 16 N71-27183
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c 23 N71-29125
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c 33 N80-18287
Multiprism collimator
[NASA-CASE-GSC-12608-1] c 74 N83-10900

BEAMS (RADIATION)
Method and means for recording and reconstructing holograms without use of a reference beam Patent
[NASA-CASE-ERC-10020] c 16 N71-26154
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c 23 N72-23695
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510
Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c 32 N80-28578
Method for shaping and aiming narrow beams --- sonar mapping and target identification
[NASA-CASE-NPO-14632-1] c 32 N82-18443
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c 74 N82-24072
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c 36 N83-34304
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c 36 N84-28065
Beam forming network
[NASA-CASE-NPO-15743-1] c 32 N85-29118
Means for phase locking the outputs of a surface emitting laser diode array
[NASA-CASE-NPO-16542-1-CU] c 36 N87-23960

BEAMS (SUPPORTS)
Foldable beam
[NASA-CASE-LAR-12077-1] c 31 N81-25259
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c 31 N83-31895
Sequentially deployable maneuverable tetrahedral beam
[NASA-CASE-LAR-13098-1] c 31 N86-19479
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19605
Synchronously deployable double fold beam and planar truss structure
[NASA-CASE-LAR-13490-1] c 18 N87-14413
Bi-stem gripping apparatus
[NASA-CASE-MFS-28185-1] c 37 N88-23979

Mobile remote manipulator system for a tetrahedral truss
[NASA-CASE-MSC-20985-1] c 18 N88-26398

BEARING
Emitted vibration measurement device and method
[NASA-CASE-MFS-25981-1] c 35 N87-14670

BEARING (DIRECTION)
Light radiation direction indicator with a baffle of two parallel grids
[NASA-CASE-XNP-03930] c 14 N69-24331
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c 14 N70-40239
Interferometer direction sensor Patent
[NASA-CASE-NPO-10320] c 14 N71-17655
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c 14 N71-30265
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c 04 N77-19056
Direction sensitive laser velocimeter --- determining the direction of particles using a helium-neon laser
[NASA-CASE-LAR-12177-1] c 36 N81-24422
System for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c 06 N82-16075

BEARINGS
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c 15 N71-23810
Bearing and gimbal lock mechanism and spiral flex lead module Patent
[NASA-CASE-GSC-10556-1] c 31 N71-26537
Device for measuring bearing preload
[NASA-CASE-MFS-20434] c 11 N72-25288
Magnetic bearing --- for supplying magnetic fluxes
[NASA-CASE-GSC-11079-1] c 37 N75-18574
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c 37 N77-17464
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c 37 N77-28486
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c 37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c 37 N77-32501
Method of making bearing material
[NASA-CASE-LEW-11930-3] c 24 N80-33482
Suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c 37 N82-21587
Antenna grout replacement system
[NASA-CASE-NPO-15202-1] c 27 N83-34043
Magnetic bearing and motor
[NASA-CASE-GSC-12726-1] c 37 N83-34323
Unidirectional flexural pivot
[NASA-CASE-GSC-12622-1] c 37 N84-12492
Portable 90 degree proof loading device
[NASA-CASE-MSC-20250-1] c 35 N86-19581

BEDS (PROCESS ENGINEERING)
Catalyst bed removing tool Patent
[NASA-CASE-XFR-00811] c 15 N70-36901
Solar heated oil shale pyrolysis process
[NASA-CASE-NPO-16392-1] c 25 N86-25428

BEER LAW
A multichannel photoionization chamber for absorption analysis Patent
[NASA-CASE-ERC-10044-1] c 14 N71-27090

BEES
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c 06 N71-23499

BELLOWS
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c 05 N69-21473
Printed circuit board with bellows rivet connection Patent
[NASA-CASE-XNP-05082] c 15 N70-41960
Spherical shield Patent
[NASA-CASE-XNP-01855] c 15 N71-28937
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c 37 N75-19686
Protective telescoping shield for solar concentrator
[NASA-CASE-NPO-16236-1] c 44 N86-27706

BELTS
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c 31 N74-32917

BENDING
Radio frequency shielded enclosure Patent
[NASA-CASE-XMF-09422] c 07 N71-19436
Means for suppressing or attenuating bending motion of elastic bodies Patent
[NASA-CASE-XAC-05632] c 32 N71-23971
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c 15 N71-24679
Forming tool for ribbon or wire
[NASA-CASE-XLA-05966] c 15 N72-12408

BENDING DIAGRAMS
Electrostatic charged particle analyzer having deflection members shaped according to the periodic voltage applied thereto Patent
[NASA-CASE-XAC-05506-1] c 24 N71-16095

BENDING FATIGUE
Apparatus for positioning and loading a test specimen Patent
[NASA-CASE-XLE-01300] c 15 N70-41993
Low temperature flexure fatigue cryostat Patent
[NASA-CASE-XMF-02964] c 14 N71-17659

BENDING MOMENTS
Missile launch release system Patent
[NASA-CASE-XMF-03198] c 30 N70-40353
Compliant hydrodynamic fluid journal bearing
[NASA-CASE-LEW-13670-1] c 37 N86-19606

BENDING VIBRATION
Viscous pendulum damper Patent
[NASA-CASE-LAR-10274-1] c 14 N71-17626

BENZENE
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c 18 N73-26572
Polymer of phosphonylmethyl-2,4- and -2,6-diamino benzene and polyfunctional monomer
[NASA-CASE-ARC-11506-2] c 23 N86-32525
Fire and heat resistant laminating resins based on maleimido and citraconimido substituted 1-(diorgano oxyphosphonyl) methyl -2,4- and -2,6- diaminobenzenes
[NASA-CASE-ARC-11533-3] c 27 N87-24564

BERYLLIUM ALLOYS
Corrosion resistant beryllium Patent
[NASA-CASE-LEW-10327] c 17 N71-33408
Thin film strain transducer
[NASA-CASE-WLP-10055-1] c 35 N84-28015

BERYLLIUM HYDRIDES
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c 28 N79-14228

BERYLLIUM OXIDES
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c 33 N76-15373
High modulus invert analog glass compositions containing beryllia
[NASA-CASE-HQN-10931-2] c 27 N82-29452
High modulus rare earth and beryllium containing silicate glass compositions --- for glass reinforcing fibers
[NASA-CASE-HQN-10595-1] c 27 N82-29455

BIMETALS
Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c 09 N69-21313
Thermostatic actuator
[NASA-CASE-NPO-10637] c 15 N72-12409
Thermal motor
[NASA-CASE-NPO-11283] c 09 N72-25260
Thermal compensating structural member
[NASA-CASE-MFS-20433] c 15 N72-28496
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c 35 N74-15126
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c 35 N77-32454

BINARY CODES
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c 07 N71-19773
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c 10 N71-26103
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c 10 N71-33407
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c 08 N72-25209
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c 60 N76-23850
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c 32 N77-20289
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c 32 N77-30308
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c 60 N78-17691
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c 33 N79-11313

BINARY DATA
Binary magnetic memory device Patent
[NASA-CASE-XGS-00174] c 08 N70-34743
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c 08 N71-18602
Computing apparatus Patent
[NASA-CASE-XGS-04765] c 08 N71-18693
Digital synchronizer Patent
[NASA-CASE-NPO-10851] c 07 N71-246
Differential phase shift keyed communication syste
[NASA-CASE-MSC-14065-1] c 32 N74-266
Modulator for tone and binary signals --- phase modulation of tone and binary signals on carrier wav in communication systems
[NASA-CASE-GSC-11743-1] c 32 N75-249
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c 60 N78-176

BINARY DIGITS
Logarithmic converter Patent
[NASA-CASE-XLA-00471] c 08 N70-347
Full binary adder Patent
[NASA-CASE-XGS-00689] c 08 N70-347
Binary number sorter Patent
[NASA-CASE-NPO-10112] c 08 N71-125
Binary sequence detector Patent
[NASA-CASE-XNP-05415] c 08 N71-125
Display for binary characters Patent
[NASA-CASE-XGS-04987] c 08 N71-205
Comparator for the comparison of two binary numbe Patent
[NASA-CASE-XNP-04819] c 08 N71-232
High speed direct binary to binary coded decim converter and scaler
[NASA-CASE-KSC-10595] c 08 N73-121
A m-ary linear feedback shift register with binary log
[NASA-CASE-NPO-11868] c 10 N73-202
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c 60 N76-238

BINARY FLUIDS
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c 35 N75-305

BINARY TO DECIMAL CONVERTERS
Binary to binary-coded-decimal converter Patent
[NASA-CASE-XNP-00432] c 08 N70-354
High speed binary to decimal conversion syste Patent
[NASA-CASE-XGS-01230] c 08 N71-195
BCD to decimal decoder Patent
[NASA-CASE-XKS-06167] c 08 N71-248
High speed direct binary-to-binary coded decim converter
[NASA-CASE-KSC-10326] c 08 N72-211
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c 60 N78-176

BINDERS (MATERIALS)
Bonded solid lubricant coating Patent
[NASA-CASE-XMS-00259] c 18 N70-364
Brazing alloy binder
[NASA-CASE-XMF-05868] c 26 N75-271
Alkali-metal silicate binders and methods manufacture
[NASA-CASE-GSC-12303-1] c 24 N79-313

BINOCULARS
Binocular device for displaying numerical information field of view
[NASA-CASE-LAR-11782-1] c 74 N77-208

BIOASSAY
Apparatus for producing three-dimensional recordin of flourescence spectra Patent
[NASA-CASE-XGS-01231] c 14 N70-416
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c 06 N72-251
Method of detecting and counting bacteria in bo fluids
[NASA-CASE-GSC-11092-2] c 04 N73-270
Amino acid analysis
[NASA-CASE-NPO-12130-1] c 25 N75-148
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c 35 N75-251
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c 51 N76-298
Automated clinical system for chromosome analy
[NASA-CASE-NPO-13913-1] c 52 N79-126
Determination of antimicrobial susceptibilities infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-147
Method and apparatus for eliminating lumi interference material
[NASA-CASE-MSC-16260-1] c 51 N80-167

BIODEGRADATION
Method for treating wastewater using microorganis and vascular aquatic plants
[NASA-CASE-NSTL-10] c 45 N84-126

BIODYNAMICS
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c 52 N79-267
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c 39 N83-202

BIOELECTRIC POTENTIAL
Electrode for biological recording
[NASA-CASE-XMS-02872] c 05 N69-219

Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c 05 N72-25120
Process for control of cell division
[NASA-CASE-LAR-10773-3] c 51 N77-25769

BIOELECTRICITY
Plated electrodes Patent
[NASA-CASE-XMS-04213-1] c 09 N71-26002
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c 51 N81-28698

BIOENGINEERING
Bio-isolated dc operational amplifier --- for bioelectric measurements
[NASA-CASE-ARC-10596-1] c 33 N74-21851
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c 52 N77-14735
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c 52 N77-14738
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c 52 N79-26772
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c 52 N81-14612
Urine collection device
[NASA-CASE-MSC-16433-1] c 52 N81-24711
Bio-medical flow sensor --- intrvenous procedures
[NASA-CASE-MSC-18761-1] c 52 N83-27577
Prosthetic occlusive device for an internal passageway
[NASA-CASE-MFS-25740-1] c 52 N84-11744
Medical clip
[NASA-CASE-LAR-12650-1] c 52 N84-28388

BIOINSTRUMENTATION
Temperature compensated solid state differential amplifier Patent
[NASA-CASE-XAC-00435] c 09 N70-35440
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c 05 N71-11193
Pressed disc type sensing electrodes with ion- screening means Patent
[NASA-CASE-XMS-04212-1] c 05 N71-12346
EEG sleep analyzer and method of operation Patent
[NASA-CASE-MSC-13282-1] c 05 N71-24729
Plated electrodes Patent
[NASA-CASE-XMS-04213-1] c 09 N71-26002
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c 52 N74-20726
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c 33 N75-31329
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c 52 N76-29896
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c 52 N76-33835
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c 52 N77-10780
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c 52 N77-25772
Corneal seal device
[NASA-CASE-LEW-12258-1] c 52 N77-28716
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c 52 N77-28717
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c 52 N79-18580
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c 52 N80-18691
Pulse transducer with artifact signal attenuator --- heart rate sensors
[NASA-CASE-FRC-11012-1] c 52 N80-23969
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c 51 N80-27067
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c 52 N80-27072
Logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c 52 N82-11770
Implantable electrical device
[NASA-CASE-GSC-12560-1] c 52 N82-29863

BIOLUMINESCENCE
Light detection instrument Patent
[NASA-CASE-XGS-05534] c 23 N71-16355
Lyophilized reaction mixtures Patent
[NASA-CASE-XGS-05532] c 06 N71-17705
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c 51 N77-22794
Rapid, quantitative determination of bacteria in water --- adenosine triphosphate
[NASA-CASE-GSC-12158-1] c 51 N83-27569

BIOMEDICAL DATA
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c 05 N71-19440
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-2] c 52 N79-26771

BIOMETRICS
Pressed disc type sensing electrodes with ion- screening means Patent
[NASA-CASE-XMS-04212-1] c 05 N71-12346
Compressible biomedical electrode
[NASA-CASE-MSC-13648] c 05 N72-27103
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c 52 N74-20726
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c 52 N74-27566
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c 52 N76-33835
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c 52 N79-18580
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-2] c 52 N79-26771
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c 52 N80-27072
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c 52 N81-20703
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c 52 N81-29763
Rapid quantification of an internal property --- ultrasonic determination of bladder urine quantity
[NASA-CASE-LAR-13689-1-NP] c 35 N87-23941

BIOTELEMETRY
Telemeter adaptable for implanting in an animal Patent
[NASA-CASE-XAC-05706] c 05 N71-12342
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c 52 N74-26625
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c 17 N76-29347
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c 52 N76-29894

BIPOLAR TRANSISTORS
Voltage regulator for battery power source --- using a bipolar transistor
[NASA-CASE-FRC-10116-1] c 33 N79-23345
Power converter
[NASA-CASE-FRC-11014-1] c 33 N82-18494

BIREFRINGENCE
Polarimeter for transient measurement Patent
[NASA-CASE-XNP-08883] c 23 N71-16101

BISMALEIMIDE
Amine terminated bisaspartimide polymer
[NASA-CASE-ARC-11421-2] c 27 N86-31726
Process for curing bismaleimide resins
[NASA-CASE-ARC-11429-4CU] c 27 N87-15304
Vinyl stilbazoles
[NASA-CASE-ARC-11429-3CU] c 27 N87-16908

BISMUTH
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c 76 N79-16678

BISMUTH COMPOUNDS
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c 35 N75-13213

BISTABLE CIRCUITS
AC logic flip-flop circuits Patent
[NASA-CASE-XGS-00823] c 10 N71-15910

BIT SYNCHRONIZATION
Telemetry word forming unit
[NASA-CASE-XNP-09225] c 09 N69-24333
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c 07 N72-20140
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c 07 N73-13149
Method and apparatus for a single channel digital communications system --- synchronization of received PCM signal by digital correlation with reference signal
[NASA-CASE-NPO-11302-2] c 32 N74-10132

BITERNARY CODE
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c 10 N71-25917

BITS
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c 10 N71-26103
MOD 2 sequential function generator for multibit binary sequence
[NASA-CASE-NPO-10636] c 08 N72-25210
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c 32 N79-10263

BITUMENS
Oil shale extraction using super-critical extraction
[NASA-CASE-NPO-15656-1] c 43 N84-23012

BLACK BODY RADIATION
Black-body furnace Patent
[NASA-CASE-XLE-01399] c 33 N71-15625
Cavity radiometer Patent
[NASA-CASE-XNP-08961] c 14 N71-24809
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c 14 N71-26475
Black body cavity radiometer Patent
[NASA-CASE-NPO-10810] c 14 N71-27323
Stable density stratification solar pond
[NASA-CASE-NPO-15419-2] c 44 N85-30474

BLADDER
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c 52 N81-25660
Rapid quantification of an internal property --- ultrasonic determination of bladder urine quantity
[NASA-CASE-LAR-13689-1-NP] c 35 N87-23941

BLADE TIPS
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c 15 N70-33264
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560

BLADES
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c 37 N78-10468

BLADES (CUTTERS)
Line cutter Patent
[NASA-CASE-XMS-04072] c 15 N70-42017
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c 52 N78-14773
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c 37 N82-32730

BLAST LOADS
Linear explosive comparison
[NASA-CASE-LAR-10800-1] c 33 N72-27959

BLOOD
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c 52 N75-15270
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c 52 N79-14749
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c 52 N80-14687

BLOOD FLOW
Logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c 52 N82-11770

BLOOD PRESSURE
Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent
[NASA-CASE-XMS-06061] c 05 N71-23317
Apparatus and method for processing Korotkov sounds --- for blood pressure measurement
[NASA-CASE-MSC-13999-1] c 52 N74-26626
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c 52 N74-27566
Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c 54 N75-13531

BLOOD VESSELS
Non-invasive method and apparatus for measuring pressure within a pliable vessel
[NASA-CASE-ARC-11264-2] c 52 N83-29991

BLUFF BODIES
Annular supersonic decelerator or drogue Patent
[NASA-CASE-XLE-00222] c 02 N70-37939

BLUNT BODIES
Flow field simulation Patent
[NASA-CASE-LAR-11138] c 12 N71-20436

BODIES OF REVOLUTION
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c 15 N71-22705
Moment of inertia test fixture Patent
[NASA-CASE-XGS-01023] c 14 N71-22992

BODY FLUIDS
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c 52 N74-22771
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c 51 N76-29891
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c 51 N81-14605

BODY KINEMATICS
Space suit having improved waist and torso movement
[NASA-CASE-ARC-10275-1] c 05 N72-22092
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c 37 N79-28551
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c 39 N83-20280

BODY MEASUREMENT (BIOLOGY)
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c 52 N76-33835
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c 52 N79-18580
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c 39 N83-20280
Apparatus for determining changes in limb volume
[NASA-CASE-MSC-18759-1] c 52 N83-27578
BODY TEMPERATURE
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c 05 N71-24147
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c 52 N76-29894
Method for thermal monitoring subcutaneous tissue
[NASA-CASE-LAR-13028-1] c 52 N85-30618
BODY VOLUME (BIOLOGY)
Whole body measurement systems --- for weightlessness simulation
[NASA-CASE-MSC-13972-1] c 52 N74-10975
Apparatus for determining changes in limb volume
[NASA-CASE-MSC-18759-1] c 52 N83-27578
BODY-WING CONFIGURATIONS
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c 05 N79-12061
Means for controlling aerodynamically induced twist
[NASA-CASE-LAR-12175-1] c 05 N82-28279
BOILERS
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c 33 N71-16104
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c 33 N72-20915
Carbon granule probe microphone for leak detection --- recovery boilers
[NASA-CASE-NPO-16027-1] c 35 N85-21597
BOLOMETERS
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-XNP-01193] c 10 N71-16057
Thin film capacitive bolometer and temperature sensor Patent
[NASA-CASE-NPO-10607] c 09 N71-27232
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c 35 N79-33449
BOLTED JOINTS
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630
Device for measuring hole elongation in a bolted joint
[NASA-CASE-LAR-13453-1] c 37 N88-14361
Clevis joint for deployable space structures
[NASA-CASE-LAR-13898-1] c 37 N88-30130
BOLTS
Gas actuated bolt disconnect Patent
[NASA-CASE-XLA-00326] c 03 N70-34667
Despin weight release Patent
[NASA-CASE-XLA-00679] c 15 N70-38601
Inspection gage for boss Patent
[NASA-CASE-XMF-04966] c 14 N71-17658
Split nut separation system Patent
[NASA-CASE-XNP-06914] c 15 N71-21489
Fastener stretcher
[NASA-CASE-GSC-11149-1] c 15 N73-30457
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630
Bearing-bypass material system test
[NASA-CASE-LAR-13458-1] c 35 N88-23967
BONDING
Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c 15 N69-39735
Bonded joint and method --- for reducing peak shear stress in adhesive bonds
[NASA-CASE-LAR-10900-1] c 37 N74-23064
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c 24 N75-30260
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c 27 N76-14264
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c 24 N79-25143
Method of making a partial interlaminar separation composite system
[NASA-CASE-LAR-12065-2] c 24 N81-33235
Attachment system for silica tiles --- thermal protection for space shuttle orbiter
[NASA-CASE-MSC-18741-1] c 27 N82-29456
Surface texturing of fluoropolymers
[NASA-CASE-LEW-13028-1] c 27 N82-33521
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-2] c 27 N84-14324
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126
Cryogenic insulation strength and bond tester
[NASA-CASE-MFS-25910-1] c 39 N86-20841
Method for forming hermetic seals
[NASA-CASE-NPO-16423-1-CU] c 37 N87-21334
Tool and process for miniature explosive joining of tubes
[NASA-CASE-LAR-13662-1] c 37 N88-14359
Method for maintaining precise suction strip porosities
[NASA-CASE-LAR-13638-1] c 31 N88-29051
BONES
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c 35 N75-12271
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c 52 N77-14737
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c 27 N78-17215
BOOMS (EQUIPMENT)
Folding boom assembly Patent
[NASA-CASE-XGS-00938] c 32 N70-41367
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c 07 N71-27191
Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c 15 N72-18477
Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c 03 N72-25021
Extended moment arm anti-spin device
[NASA-CASE-LAR-12979-1] c 05 N85-21147
BOOSTER RECOVERY
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c 31 N70-34176
Recoverable single stage spacecraft booster Patent
[NASA-CASE-XMF-01973] c 31 N70-41588
Oribter/launch system
[NASA-CASE-LAR-12250-1] c 14 N81-26161
BOOSTER ROCKET ENGINES
Segmented back-up bar Patent
[NASA-CASE-XMF-00640] c 15 N70-39924
Recoverable single stage spacecraft booster Patent
[NASA-CASE-XMF-01973] c 31 N70-41588
Space Shuttle with rail system and aft thrust structure securing solid rocket boosters to external tank
[NASA-CASE-MFS-25853-1] c 16 N84-27784
Earth-to-orbit vehicle providing a reusable orbital stage and method of utilizing same
[NASA-CASE-LAR-13486-1] c 16 N87-29582
BOOTS (FOOTWEAR)
Walking boot assembly
[NASA-CASE-ARC-11101-1] c 54 N78-17675
BOREHOLES
Method for machining holes in composite materials
[NASA-CASE-MFS-28044-1] c 31 N87-25491
BORIDES
Method of making a light weight battery plaque
[NASA-CASE-LEW-13349-1] c 26 N84-22734
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040
BORING MACHINES
Boring bar drive mechanism Patent
[NASA-CASE-XLA-03661] c 15 N71-33518
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c 46 N80-10709
BORON
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c 76 N74-20329
BORON CARBIDES
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XHQ-03903] c 15 N69-21922
BORON CHLORIDES
Preparation of B-trichloroborazine
[NASA-CASE-ARC-11643-1-SB] c 23 N87-23698
BORON COMPOUNDS
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040
BORON FLUORIDES
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c 27 N78-31233
BOROSILICATE GLASS
Method for repair of thin glass coatings --- on space shuttle orbiter tiles
[NASA-CASE-KSC-11097-1] c 27 N82-33520
BOULES
Ingot slicing machine and method
[NASA-CASE-NPO-15483-1] c 37 N85-21650
BOUNDARY LAYER CONTROL
Double hinged flap Patent
[NASA-CASE-XLA-01290] c 02 N70-42016
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c 02 N81-14968
Active control of boundary layer transition and turbulence
[NASA-CASE-LAR-13532-1] c 34 N86-26575
BOUNDARY LAYER FLOW
Combined riblet and lebu drag reduction system
[NASA-CASE-LAR-13286-1] c 02 N88-14071
BOUNDARY LAYER SEPARATION
Tertiary flow injection thrust vectoring system Patent
[NASA-CASE-MFS-20831] c 28 N71-29153
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c 20 N76-14190
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c 05 N79-24976
BOUNDARY LAYER TRANSITION
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface --- using an accelerometer to measure pressure levels during wind tunnel tests
[NASA-CASE-LAR-12261-1] c 02 N80-20224
Active control of boundary layer transition and turbulence
[NASA-CASE-LAR-13532-1] c 34 N86-26575
Crossflow vorticity sensor
[NASA-CASE-LAR-13436-1-CU] c 02 N88-23759
BOUNDARY LAYERS
Traversing probe Patent
[NASA-CASE-XFR-02007] c 12 N71-24692
Apparatus for sensing temperature
[NASA-CASE-XLE-05230] c 14 N72-27410
BOXES (CONTAINERS)
Storage container for electronic devices Patent
[NASA-CASE-MFS-20075] c 09 N71-26133
Double window viewing chamber assembly
[NASA-CASE-MFS-28057-1] c 09 N87-14355
BRACKETS
Electrical servo actuator bracket --- fuel control valves on jet engines
[NASA-CASE-FRC-11044-1] c 37 N81-33483
Airfoil flutter model suspension system
[NASA-CASE-LAR-13522-1-SB] c 09 N87-25334
Locking hinge
[NASA-CASE-MSC-21056-1] c 18 N88-23827
BRAILLE
Braille reading system
[NASA-CASE-LAR-13306-1] c 82 N87-29372
BRAKES
Preloaded brake disc
[NASA-CASE-MSC-21132-1] c 37 N88-29181
BRAKES (FOR ARRESTING MOTION)
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c 15 N70-34850
Emergency escape system Patent
[NASA-CASE-XKS-07814] c 15 N71-27067
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c 37 N74-26976
Reel safety brake
[NASA-CASE-GSC-11960-1] c 37 N77-14479
Motion restraining device
[NASA-CASE-NPO-13619-1] c 37 N78-16369
Moving body velocity arresting line --- stainless steel cables with energy absorbing sleeves
[NASA-CASE-LAR-12372-1] c 37 N82-18601
BRAKING
Regenerative braking system Patent
[NASA-CASE-XMF-01096] c 10 N71-16030
Linear magnetic brake with two windings Patent
[NASA-CASE-XLE-05079] c 15 N71-17652
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c 14 N71-23726
BRAZING
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c 15 N69-21471
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c 15 N70-33311
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c 15 N71-20443
Brazing alloy Patent
[NASA-CASE-XNP-03063] c 17 N71-23365
Brazing alloy binder
[NASA-CASE-XMF-05868] c 26 N75-27125
Brazing alloy composition
[NASA-CASE-XMF-06053] c 26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c 26 N75-27127
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c 37 N76-18455
BREATHING APPARATUS
Transfer valve Patent
[NASA-CASE-XAC-01158] c 15 N71-23051

Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c 54 N76-24900
Portable breathing system --- a breathing apparatus using a rebreathing system of heat exchangers for carbon dioxide removal
[NASA-CASE-MSC-16182-1] c 54 N80-10799

BRICKS
Foldable construction block
[NASA-CASE-MSC-12233-2] c 32 N73-13921

BRIDGMAN METHOD
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713

BRIGHTNESS
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c 09 N71-19479

BRIGHTNESS DISCRIMINATION
Television signal processing system Patent
[NASA-CASE-NPO-10140] c 07 N71-24742
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c 05 N73-26072
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c 74 N79-12890

BRITTLENESS
Rock sampling --- apparatus for controlling particle size
[NASA-CASE-XNP-10007-1] c 46 N74-23068
Rock sampling --- method for controlling particle size distribution
[NASA-CASE-XNP-09755] c 46 N74-23069
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900

BROADBAND
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c 07 N69-27462
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c 09 N71-18720
Broadband frequency discriminator Patent
[NASA-CASE-NPO-10096] c 07 N71-24583
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c 09 N71-24808
High-gain, broadband traveling wave maser Patent
[NASA-CASE-NPO-10548] c 16 N71-24831
Wideband VCO with high phase stability Patent
[NASA-CASE-XLA-03893] c 10 N71-27271
Composite antenna feed
[NASA-CASE-GSC-11046-1] c 07 N73-28013
Multifrequency broadband polarized horn antenna
[NASA-CASE-NPO-14588-1] c 32 N81-25278
Broadband optical radiation detector
[US-PATENT-4,262,198] c 74 N83-19597
Method of measuring sea surface water temperature with a satellite including wideband passive synthetic-aperture multichannel receiver
[NASA-CASE-NPO-15651-1] c 43 N85-21723

BROADBAND AMPLIFIERS
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c 10 N71-26331
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c 10 N71-26415

BROADCASTING
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c 32 N75-26194

BROMINATION
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-1] c 24 N86-19380
Brominated graphite fibers and method of producing the same
[NASA-CASE-LEW-14698-1] c 24 N88-29888

BROMINE
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c 44 N76-18641

BROMINE COMPOUNDS
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-2] c 27 N86-27451

BRONZES
Thin wire pointing method
[NASA-CASE-NPO-15789-1] c 31 N83-19947

BRUSHES
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c 26 N71-17818

BRUSHES (ELECTRICAL CONTACTS)
Shaft transducer having dc output proportional to angular velocity
[NASA-CASE-NPO-15706-1] c 35 N84-28017

BUBBLES
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c 27 N82-28442
Acoustic bubble removal method
[NASA-CASE-NPO-15334-1] c 71 N83-35781

BUCKLING
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c 15 N70-40156
Compression test assembly
[NASA-CASE-LAR-10440-1] c 14 N73-32323

BUFFER STORAGE
Data handling system based on source significance, storage availability and data received from the source Patent Application
[NASA-CASE-XNP-04162-1] c 08 N70-34675
Data transfer system Patent
[NASA-CASE-NPO-12107] c 08 N71-27255
Buffered analog converter
[NASA-CASE-KSC-10397] c 08 N72-25206
Common data buffer system --- communication with computational equipment utilized in spacecraft operations
[NASA-CASE-KSC-11048-1] c 62 N81-24779
Braille reading system
[NASA-CASE-LAR-13306-1] c 82 N87-29372

BUFFERS (CHEMISTRY)
Static continuous electrophoresis device
[NASA-CASE-MFS-25306-1] c 25 N83-13187

BUILDINGS
Foldable construction block
[NASA-CASE-MSC-12233-1] c 15 N72-25454

BULBS
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c 36 N79-14362

BULKHEADS
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c 31 N70-41948
Tube coupling device
[NASA-CASE-MFS-25964-2] c 37 N87-22977

BUOYANCY
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c 07 N70-40063

BURNERS
Micronized coal burner facility
[NASA-CASE-LEW-13426-1] c 25 N84-16276

BURNING RATE
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c 27 N71-21819
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c 33 N72-25913
Nitramine propellants --- gun propellant burning rate
[NASA-CASE-NPO-14103-1] c 28 N78-31255

BURNOUT
Spherically-shaped rocket motor Patent
[NASA-CASE-XHQ-01897] c 28 N70-35381

BURNS (INJURIES)
Medical diagnosis system and method with multispectral imaging --- depth of burns and optical density of the skin
[NASA-CASE-NPO-14402-1] c 52 N81-27783

BUS CONDUCTORS
Test apparatus for locating shorts during assembly of electrical buses
[NASA-CASE-ARC-11116-1] c 33 N82-24420

BUTANES
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227

BUTT JOINTS
Channel-type shell construction for rocket engines and the like Patent
[NASA-CASE-XLE-00144] c 28 N70-34860
Segmented back-up bar Patent
[NASA-CASE-XMF-00640] c 15 N70-39924
Apparatus for welding sheet material --- butt joints
[NASA-CASE-XMS-01330] c 37 N75-27376

BUTTERFLY VALVES
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c 15 N70-33376

BUTYRIC ACID
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227

BYPASSES
Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c 09 N69-24317
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c 07 N69-24323
Current regulating voltage divider
[NASA-CASE-MFS-20935] c 09 N71-34212
Use of unilluminated solar cells as shunt diodes for a solar array
[NASA-CASE-GSC-10344-1] c 03 N72-27053
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c 33 N78-17296
Thrust reverser for a long duct fan engine --- for turbofan engines
[NASA-CASE-LEW-13199-1] c 07 N82-26293
Method of making an ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-2] c 52 N84-23095

C

CABLE FORCE RECORDERS
Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c 15 N71-24599

CABLES
Cable restraint
[NASA-CASE-LAR-10129-1] c 15 N73-25512
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c 37 N76-22540

CABLES (ROPES)
High-voltage cable Patent
[NASA-CASE-XNP-00738] c 09 N70-38201
Cable arrangement for rigid tethering Patent
[NASA-CASE-XLA-02332] c 32 N71-17609
Extensible cable support Patent
[NASA-CASE-XMF-07587] c 15 N71-18701
Satellite appendage tie down cord Patent
[NASA-CASE-XGS-02554] c 31 N71-21064
Quick attach mechanism Patent
[NASA-CASE-XFR-05421] c 15 N71-22994
Flexible/rigidifiable cable assembly
[NASA-CASE-MSC-13512-1] c 15 N72-22485
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c 15 N72-25453
Reefing system
[NASA-CASE-LAR-10129-2] c 37 N74-20063
Emergency descent device
[NASA-CASE-MFS-23074-1] c 54 N77-21844
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c 37 N80-32717
Moving body velocity arresting line --- stainless steel cables with energy absorbing sleeves
[NASA-CASE-LAR-12372-1] c 37 N82-18601

CADMIUM SULFIDES
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c 35 N74-18088
CDS solid state phase insensitive ultrasonic transducer --- annealing dadmium sulfide crystals
[NASA-CASE-LAR-12304-1] c 35 N80-20559
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826

CALCIUM
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c 35 N75-12271

CALCIUM FLUORIDES
Bonded solid lubricant coating Patent
[NASA-CASE-XMS-00259] c 18 N70-36400
Method of making self lubricating fluoride- metal composite materials Patent
[NASA-CASE-XLE-08511-2] c 18 N71-16105

CALCIUM OXIDES
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c 25 N79-10162

CALCIUM PHOSPHATES
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c 04 N72-33072

CALCULATORS
Sun angle calculator
[NASA-CASE-MSC-12617-1] c 35 N76-29552

CALCULI
Apparatus for disintegrating kidney stones
[NASA-CASE-GSC-12652-1] c 52 N84-34913

CALIBRATING
Self-calibrating displacement transducer Patent
[NASA-CASE-XLA-00781] c 09 N71-22999
Pressure transducer calibrator Patent
[NASA-CASE-XNP-01660] c 14 N71-23036
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c 14 N71-23755
Phonocardiogram simulator Patent
[NASA-CASE-XKS-10804] c 05 N71-24606
Laser calibrator Patent
[NASA-CASE-XLA-03410] c 16 N71-25914
Radar calibration sphere
[NASA-CASE-XLA-11154] c 07 N72-21117
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c 14 N73-30390
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c 35 N74-13132
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c 35 N74-15092

Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-MFS-21045-1] c 35 N75-15932
Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c 35 N76-15432
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c 35 N76-24523
Electronically scanned pressure sensor module with in SITU calibration capability
[NASA-CASE-LAR-12230-1] c 35 N79-14347
Calibrating pressure switch
[NASA-CASE-XMF-04494-1] c 33 N79-33392
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c 32 N80-14281
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c 34 N81-26402
Method and apparatus for precision control of radiometer
[NASA-CASE-NPO-15398-1] c 35 N84-22931
Strain gage calibration
[NASA-CASE-LAR-12743-1] c 35 N84-28019
Means and method for calibrating a photon detector utilizing electron-photon coincidence
[NASA-CASE-NPO-15644-1] c 35 N84-33767
Method and apparatus for self-calibration and phasing of array antenna
[NASA-CASE-NPO-15920-1] c 33 N85-21493
Ultrasonic angle beam standard reflector --- ultrasonic nondestructive inspection
[NASA-CASE-LAR-13153-1] c 71 N86-21276
Simulator scene display evaluation device
[NASA-CASE-ARC-11504-1] c 09 N86-32447
Spinning disk calibration method and apparatus for laser Doppler velocimeter
[NASA-CASE-ARC-11510-1] c 35 N86-32697
Antimultipath communication by injecting tone into null in signal spectrum
[NASA-CASE-NPO-16414-1-CU] c 32 N87-25511
Miniature remote dead weight calibrator
[NASA-CASE-LAR-13564-1] c 35 N87-25558
Depolarization measurement method and device
[NASA-CASE-LAR-13621-1] c 70 N87-25822

CALORIMETERS
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c 33 N71-29051
Heat flow calorimeter --- measures output of Ni-Cd batteries
[NASA-CASE-GSC-11434-1] c 34 N74-27859
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c 35 N81-19426

CAMERA SHUTTERS
Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c 14 N70-40273
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c 15 N71-21060
Cyclically operable optical shutter
[NASA-CASE-NPO-10758] c 14 N73-14427
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly --- for use with cameras mounted in satellites
[NASA-CASE-GSC-11560-1] c 33 N74-20861

CAMERAS
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c 23 N71-23976
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c 14 N71-26474
Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c 14 N71-28935
Laser camera and diffusion filter therefore Patent
[NASA-CASE-NPO-10417] c 16 N71-33410
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c 14 N72-22441
On-film optical recording of camera lens settings
[NASA-CASE-MSC-12363-1] c 14 N73-26431
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c 14 N73-32322
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c 35 N74-17153
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c 35 N75-15014
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c 35 N75-19613
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c 35 N75-27328
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c 35 N76-18402

CAMS
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c 37 N77-27400
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c 07 N79-14095
CAM controlled retractable door latch
[NASA-CASE-MSC-20304-1] c 37 N82-31690

CANARD CONFIGURATIONS
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c 31 N71-17629
Supersonic transport --- using canard surfaces
[NASA-CASE-LAR-11932-1] c 05 N78-32086
Missile rolling tail brake torque system --- simulating bearing friction on canard controlled missiles
[NASA-CASE-LAR-12751-1] c 15 N84-16231

CANCER
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c 52 N79-14751
Hyperthermia heating apparatus --- cancer therapy
[NASA-CASE-NPO-14549-2] c 52 N82-33996

CANOPIES
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c 27 N76-16230
Method for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c 09 N82-29330
Aircraft canopy lock
[NASA-CASE-FRC-11065-1] c 05 N83-19737

CANS
Canister closing device Patent
[NASA-CASE-XLA-01446] c 15 N71-21528
Extrusion can
[NASA-CASE-NPO-10812] c 15 N73-13464

CANTILEVER BEAMS
Inflatable support structure Patent
[NASA-CASE-XLA-01731] c 32 N71-21045
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c 37 N79-10418

CANTILEVER MEMBERS
Deployable solar cell array
[NASA-CASE-NPO-10883] c 31 N72-22874
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c 35 N77-14407

CAPACITANCE
Device for determining the accuracy of the flare on a flared tube
[NASA-CASE-XKS-03495] c 14 N69-39785
Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c 14 N71-23790
Thin film capacitive bolometer and temperature sensor Patent
[NASA-CASE-NPO-10607] c 09 N71-27232
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c 14 N72-22442
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c 33 N74-32712
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c 35 N77-32455
Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c 33 N79-21265
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895
Ice detector
[NASA-CASE-LAR-13776-1] c 35 N88-29149

CAPACITANCE SWITCHES
Electrical discharge apparatus for forming Patent
[NASA-CASE-XMF-00375] c 15 N70-34249
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c 09 N70-34819
Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c 10 N71-23669

CAPACITORS
Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c 14 N69-39937
Space vehicle electrical system Patent
[NASA-CASE-XMF-00517] c 03 N70-34157
Apparatus having coaxial capacitor structure for measuring fluid density Patent
[NASA-CASE-XLE-00143] c 14 N70-36618
Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors Patent
[NASA-CASE-XLE-01246] c 14 N71-10797
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c 09 N71-13522
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c 23 N71-23976
Ripple indicator
[NASA-CASE-KSC-10162] c 09 N72-11225
Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c 14 N72-24477
Screened circuit capacitors
[NASA-CASE-LAR-10294-1] c 26 N72-28762
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c 14 N73-20477
Insulated electrocardiographic electrodes --- without paste electrolyte
[NASA-CASE-MSC-14339-1] c 05 N75-24716
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c 33 N76-15373
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c 44 N78-24608
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c 33 N78-32341
Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c 33 N79-21265
Laser activated MTOS microwave device
[NASA-CASE-NPO-16112-1] c 33 N86-19516
Water-absorbing capacitor system for measuring relative humidity
[NASA-CASE-NPO-16544-1-CU] c 35 N87-22953

CAPILLARY FLOW
Capillary radiator Patent
[NASA-CASE-XLE-03307] c 33 N71-14035
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c 15 N71-23048
Soldering device Patent
[NASA-CASE-XLA-08911] c 15 N71-27214
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c 37 N76-27568
Polymeric heat pipe wick
[NASA-CASE-GSC-13019-1] c 34 N88-29133

CAPILLARY TUBES
Fluid flow restrictor Patent
[NASA-CASE-NPO-10117] c 15 N71-15608
Water separating system Patent
[NASA-CASE-XMS-13052] c 14 N71-20427
Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c 12 N71-20896
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c 36 N76-18428

CARBAZOLES
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c 03 N71-18698

CARBIDES
Absorbable-susceptor joining of ceramic surfaces
[NASA-CASE-NPO-15640-1] c 27 N84-22748
Carbide-fluoride-silver self-lubricating composite
[NASA-CASE-LEW-14196-2] c 37 N87-25585

CARBOHYDRATES
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c 06 N71-23499

CARBON
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c 24 N78-27184
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c 25 N82-12166
Apparatus and method for destructive removal of particles contained in flowing fluid
[NASA-CASE-NPO-15426-1] c 35 N84-17555
Chromium electrodes for REDOX cells
[NASA-CASE-LEW-13653-1] c 44 N84-28205
Deposition of diamondlike carbon films
[NASA-CASE-LEW-14080-1] c 31 N85-20153
Carbon granule probe microphone for leak detection --- recovery boilers
[NASA-CASE-NPO-16027-1] c 35 N85-21597
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587
Krypton based adsorption type cryogenic refrigerator
[NASA-CASE-NPO-17334-1-CU] c 31 N88-23917
Cryogenic regenerator including saran-carbon heat conduction matrix
[NASA-CASE-NPO-17291-1-CU] c 34 N88-23946

CARBON ARCS
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c 15 N69-24266
Diamondlike flakes
[NASA-CASE-LEW-13837-2] c 24 N85-21267

CARBON COMPOUNDS
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c 15 N71-16075
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c 25 N79-11152
Diamondlike flake composites
[NASA-CASE-LEW-13837-1] c 24 N84-22695

CARBON DIOXIDE
Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c 31 N70-42015

Miniature carbon dioxide sensor and methods
[NASA-CASE-MSC-13332-1] c 14 N72-21408
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c 52 N79-21750

CARBON DIOXIDE LASERS
Repetitively pulsed, wavelength selective laser Patent
[NASA-CASE-ERC-10178] c 16 N71-24832
Power supply for carbon dioxide lasers
[NASA-CASE-GSC-11222-1] c 16 N73-32391
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c 36 N76-18427
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540

CARBON DIOXIDE REMOVAL
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c 25 N74-12813
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c 54 N77-32722
Portable breathing system --- a breathing apparatus using a rebreathing system of heat exchangers for carbon dioxide removal
[NASA-CASE-MSC-16182-1] c 54 N80-10799

CARBON FIBER REINFORCED PLASTICS
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c 24 N79-16915
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c 37 N80-28711
Curing agent for polyepoxides and epoxy resins and composites cured therewith --- preventing carbon fiber release
[NASA-CASE-LEW-13226-1] c 27 N81-17260

CARBON FIBERS
Method and device for detection of a substance --- determining carbon fiber release in fire situations
[NASA-CASE-NPO-14940-1] c 33 N83-31954
Mixed polyvalent-monovalent metal coating for carbon-graphite fibers
[NASA-CASE-NPO-14987-1] c 24 N83-33950
High resistance and raised modulus carbon fibers
[NASA-TM-76884] c 24 N85-25436
Brominated graphite fibers and method of producing the same
[NASA-CASE-LEW-14698-1] c 24 N88-29888

CARBON MONOXIDE
Carbon monoxide monitor --- using real time operation
[NASA-CASE-MFS-22060-1] c 35 N75-29380

CARBON-CARBON COMPOSITES
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267
Lightweight piston
[NASA-CASE-LAR-13150-1] c 24 N87-27742
Composite piston
[NASA-CASE-LAR-13435-1] c 37 N88-23981

CARBONACEOUS MATERIALS
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253

CARBONATES
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c 06 N73-30099
Synthesis of dawsonites --- for use in fire extinguishing operations
[NASA-CASE-ARC-11326-1] c 25 N83-33977

CARBONIZATION
Method of carbonizing polyacrylonitrile fibers
[NASA-CASE-ARC-11261-1] c 24 N83-25789

CARBONYL COMPOUNDS
Coal desulfurization --- using iron pentacarbonyl
[NASA-CASE-NPO-14272-1] c 25 N81-33246
Polyimides containing carbonyl and ether connecting groups
[NASA-CASE-LAR-13633-1] c 27 N87-24575

CARBORANE
Process for the preparation of polycarboranylphosphazenes --- thermal insulation
[NASA-CASE-ARC-11176-2] c 27 N81-27271
Carboranylcyclotriphosphazenes and their polymers --- thermal insulation
[NASA-CASE-ARC-11176-1] c 27 N82-18389
Carboranylmethylene substituted phosphazenes and polymers thereof
[NASA-CASE-ARC-11370-1] c 27 N84-22750

CARBOXYL GROUP
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c 06 N71-25929

CARBOXYLIC ACIDS
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c 06 N73-27980
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c 06 N73-30098
Metal phthalocyanine polymers
[NASA-CASE-ARC-11405-1] c 27 N84-27884
Alkaline battery containing a separator of a cross-linked copolymer of vinyl alcohol and unsaturated carboxylic acid
[NASA-CASE-LEW-13102-1] c 33 N85-29144
Metal phthalocyanine intermediates for the preparation of polymers
[NASA-CASE-ARC-11405-2] c 27 N86-19455

CARCINOGENS
Apparatus for producing three-dimensional recordings of flourescence spectra Patent
[NASA-CASE-XGS-01231] c 14 N70-41676

CARDIAC VENTRICLES
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c 52 N79-10724

CARDIOGRAPHY
Digital cardiotachometer system Patent
[NASA-CASE-XMS-02399] c 05 N71-22896
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c 54 N75-27760

CARDIOLOGY
Ratemeter
[NASA-CASE-MFS-20418] c 14 N73-24473
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c 52 N76-29895

CARDIOTACHOMETERS
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c 52 N74-12778

CARDIOVASCULAR SYSTEM
G conditioning suit Patent
[NASA-CASE-XLA-02898] c 05 N71-20268
Method and apparatus for continuously monitoring blood oxygenation, blood pressure, pulse rate and the pressure pulse curve utilizing an ear oximeter as transducer Patent
[NASA-CASE-XAC-05422] c 04 N71-23185
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c 52 N76-29896
Medical clip
[NASA-CASE-LAR-12650-1] c 52 N84-28388

CARGO
Portable pallet weighing apparatus
[NASA-CASE-GSC-12789-1] c 35 N85-20294

CARRIER FREQUENCIES
Bi-carrier demodulator with modulation Patent
[NASA-CASE-XMF-01160] c 07 N71-11298
Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c 07 N73-30113
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c 33 N74-17930
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c 32 N74-20811
Discriminator aided phase lock acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c 33 N82-29539

CARRIER LIFETIME
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
Method and apparatus for measuring minority carrier lifetime in a direct band-gap semiconductor
[NASA-CASE-NPO-16337-1-CU] c 33 N87-22894

CARRIER WAVES
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c 09 N71-28810
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c 32 N75-24981

CARRIERS
Storage container for electronic devices Patent
[NASA-CASE-MFS-20075] c 09 N71-26133
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c 34 N74-27744

CARTESIAN COORDINATES
Random function tracer Patent
[NASA-CASE-XLA-01401] c 15 N71-21179

CARTRIDGES
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c 14 N70-41647
Endless tape transport mechanism Patent
[NASA-CASE-XGS-01223] c 07 N71-10609
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c 25 N74-12813

CASCADE CONTROL
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c 09 N71-10673
Synchronous dc direct drive system Patent
[NASA-CASE-GSC-10065-1] c 10 N71-27136
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c 09 N72-21245

CASCADE FLOW
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c 07 N76-18117
Thrust reverser for a long duct fan engine --- for turbofan engines
[NASA-CASE-LEW-13199-1] c 07 N82-26293
Degassifying and mixing apparatus for liquids --- potable water for spacecraft
[NASA-CASE-MSC-18936-1] c 35 N83-29652

CASE BONDED PROPELLANTS
Solid propellant motor
[NASA-CASE-NPO-11458A] c 20 N78-32179

CASES (CONTAINERS)
Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c 03 N71-11053
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c 73 N75-30876
Portable heatable container
[NASA-CASE-NPO-14237-1] c 44 N80-20808
Low temperature storage container for transporting perishables to space station
[NASA-CASE-MFS-28248-1] c 31 N88-24817

CASSEGRAIN ANTENNAS
Cassegrainian antenna subflector flange for suppressing ground noise Patent
[NASA-CASE-XNP-00683] c 09 N70-35425
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c 07 N71-11285
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c 30 N71-23723
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c 09 N73-12214
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c 32 N74-11000

CASTING
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c 06 N71-22975
Texturing polymer surfaces by transfer casting --- cardiovascular prosthesis
[NASA-CASE-LEW-13120-1] c 27 N82-28440
High intensity casting system
[NASA-CASE-NPO-16901-1-CU] c 31 N87-15327

CASTINGS
Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c 37 N76-23570

CATALYSIS
Decomposition unit Patent
[NASA-CASE-XMS-00583] c 28 N70-38504
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c 25 N77-32255
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c 28 N80-10374

CATALYSTS
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XHQ-03903] c 15 N69-21922
Catalyst bed removing tool Patent
[NASA-CASE-XFR-00811] c 15 N70-36901
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c 28 N70-41311
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c 14 N71-20442
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c 25 N74-12813
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c 25 N80-16116
Mixed polyvalent-monovalent metal coating for carbon-graphite fibers
[NASA-CASE-NPO-14987-1] c 24 N83-33950
Photoelectrochemical electrodes
[NASA-CASE-NPO-15458-1] c 25 N84-12262
Negative electrode catalyst for the iron chromium redox energy storage system
[NASA-CASE-LEW-14028-1] c 44 N86-19721
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540

CATALYTIC ACTIVITY
Diesel engine catalytic combustor system --- aircraft engines
[NASA-CASE-LEW-12995-1] c 37 N84-33808

CATHETERIZATION
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c 09 N71-24597
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c 52 N76-29896
Ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-1] c 52 N83-21785

Method of making an ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-2] c 52 N84-23095

CATHODE RAY TUBES
Single or joint amplitude distribution analyzer Patent
[NASA-CASE-XNP-01383] c 09 N71-10659
Display for binary characters Patent
[NASA-CASE-XGS-04987] c 08 N71-20571
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent
[NASA-CASE-NPO-10625] c 09 N71-26182
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c 09 N71-28618
High contrast cathode ray tube
[NASA-CASE-ERC-10468] c 09 N72-20206
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c 09 N72-25248
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c 10 N72-31273
Display system
[NASA-CASE-ERC-10350] c 14 N73-20474
Very high intensity light source using a cathode ray tube --- electron beams
[NASA-CASE-XNP-01296] c 33 N75-27250

CATHODES
Ion thruster cathode Patent Application
[NASA-CASE-LEW-10814-1] c 28 N70-35422
Electronic cathode having a brush-like structure and a relatively thick oxide emissive coating Patent
[NASA-CASE-XLE-04501] c 09 N71-23190
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c 03 N71-26084
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c 28 N73-24783
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c 44 N74-19693
Method and apparatus for rebalancing a REDOX flow cell system
[NASA-CASE-LEW-14127-1] c 33 N86-20680
Apparatus for mounting a field emission cathode
[NASA-CASE-LEW-14108-1] c 33 N87-28832

CATIONS
Ionene membrane separator
[NASA-CASE-NPO-11091] c 18 N72-22567
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c 27 N81-15104
Procedure to prepare transparent silica gels
[NASA-CASE-LAR-13476-1-CU] c 76 N87-29360

CAVITATION FLOW
Semitoroidal diaphragm cavitating valve Patent
[NASA-CASE-XNP-09704] c 12 N71-18615

CAVITIES
Black body cavity radiometer Patent
[NASA-CASE-NPO-10810] c 14 N71-27323
Method of coating through-holes Patent
[NASA-CASE-XMF-05999] c 15 N71-29032
Burrowing apparatus
[NASA-CASE-XNP-07169] c 15 N73-32362
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c 20 N76-21276
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c 37 N76-31524
Method and apparatus for producing concentric hollow spheres --- inertial confinement fusion targets
[NASA-CASE-NPO-14596-1] c 31 N81-33319
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c 32 N82-11336
High performance channel injection sealant invention abstract
[NASA-CASE-ARC-14408-1] c 27 N82-33523
Maser cavity servo-tuning system
[NASA-CASE-NPO-15890-1-CU] c 33 N85-29143

CAVITY RESONATORS
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c 07 N69-24323
System for improving signal-to-noise ratio of a communication signal Patent Application
[NASA-CASE-MSC-12259-1] c 07 N70-12616
Temperature-compensating means for cavity resonator of amplifier Patent
[NASA-CASE-XNP-00449] c 14 N70-35220
Holder for crystal resonators Patent
[NASA-CASE-XNP-03637] c 15 N71-21311
System for improving signal-to-noise ratio of a communication signal
[NASA-CASE-MSC-12259-2] c 07 N72-33146
Infrared tunable laser
[NASA-CASE-ARC-10463-1] c 09 N73-32111
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c 36 N74-11313
Laser apparatus
[NASA-CASE-GSC-12237-1] c 36 N80-14384
Laser Resonator
[NASA-CASE-GSC-12565-1] c 36 N84-14509
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c 36 N84-28065
Maser cavity servo-tuning system
[NASA-CASE-NPO-15890-1-CU] c 33 N85-29143

CELESTIAL BODIES
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c 14 N73-28490
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c 17 N76-21250

CELESTIAL NAVIGATION
Radiant energy intensity measurement system Patent
[NASA-CASE-XNP-06510] c 14 N71-23797

CELL ANODES
Heat activated cell Patent
[NASA-CASE-LEW-11359] c 03 N71-28579
Method of making emf cell
[NASA-CASE-LEW-11359-2] c 03 N72-20034
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c 44 N77-14581

CELL DIVISION
Process for control of cell division
[NASA-CASE-LAR-10773-3] c 51 N77-25769

CELLS
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c 18 N71-20742

CELLS (BIOLOGY)
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c 51 N79-10694
Method for separating biological cells --- suspended in aqueous polymer systems
[NASA-CASE-MFS-23883-1] c 51 N80-16715
Electrophoresis device
[NASA-CASE-MFS-25426-1] c 25 N83-10126

CELLULOSE
Process of treating cellulosic membrane and alkaline with membrane separator
[NASA-CASE-GSC-10019-1] c 44 N82-24641
Separator for alkaline electric cells and method of making
[NASA-CASE-GSC-10017-1] c 44 N82-24643
Alkaline electrochemical cells and method of making
[NASA-CASE-GSC-10349-1] c 44 N82-24645
Aqueous alkali metal hydroxide insoluble cellulose ether membrane
[NASA-CASE-XGS-05584-1] c 25 N82-29370

CELLULOSE NITRATE
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267

CENTERBODIES
Multi-body aircraft with an all-movable center fuselage actively controlling fuselage pressure drag
[NASA-CASE-LAR-13511-1] c 05 N88-23765

CENTRAL PROCESSING UNITS
Pipelined digital SAR azimuth correlator using hybrid FFT-transversal filter
[NASA-CASE-NPO-15519-1] c 32 N84-34651

CENTRIFUGAL COMPRESSORS
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-2] c 37 N84-28081

CENTRIFUGAL FORCE
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c 07 N78-25090

CENTRIFUGES
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c 11 N70-34815
Separator Patent
[NASA-CASE-XLA-00415] c 15 N71-16079
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c 34 N74-30608
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c 34 N75-26282
Biocentrifuge system capable of exchanging specimen cages while in operational mode
[NASA-CASE-MFS-23825-1] c 51 N81-32829

CERAMIC BONDING
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c 15 N71-15610
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c 15 N71-26312
Composite piston
[NASA-CASE-LAR-13435-1] c 37 N88-23981

CERAMIC COATINGS
Evaporant holder
[NASA-CASE-XLA-03105] c 15 N69-27483
Unfired-ceramic flame-resistant insulation and method of making the same Patent
[NASA-CASE-XMF-01030] c 18 N70-41583
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c 33 N71-24858
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c 18 N71-28729
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c 27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c 27 N76-23426
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c 37 N82-24492
Laser surface fusion of plasma sprayed ceramic turbine seals
[NASA-CASE-LEW-13269-1] c 18 N83-20996
Thermal barrier coating system having improved adhesion
[NASA-CASE-LEW-1335901] c 27 N83-31855
Thermal barrier coating system
[NASA-CASE-LEW-13324-2] c 24 N85-21266
Ceramic-ceramic shell tile thermal protection system and method thereof
[NASA-CASE-ARC-11641-1] c 24 N88-18628

CERAMIC HONEYCOMBS
Ceramic honeycomb structures and the method thereof
[NASA-CASE-ARC-11652-1] c 27 N87-23737

CERAMIC MATRIX COMPOSITES
Fiber reinforced ceramic material
[NASA-CASE-LEW-14392-2] c 27 N87-27810
Method of preparing fiber reinforced ceramic material
[NASA-CASE-LEW-14392-1] c 27 N87-28656

CERAMIC NUCLEAR FUELS
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c 18 N71-28729

CERAMICS
Transpiration cooled turbine blade manufactured from wires Patent
[NASA-CASE-XLE-00020] c 15 N70-33226
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c 18 N71-22998
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c 18 N71-23088
Method of coating through-holes Patent
[NASA-CASE-XMF-05999] c 15 N71-29032
Extrusion can
[NASA-CASE-NPO-10812] c 15 N73-13464
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c 18 N73-14584
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c 27 N78-17206
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c 27 N78-19302
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c 27 N79-12221
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c 27 N79-14213
Sandblasting nozzle
[NASA-CASE-NPO-13823-1] c 37 N81-25371
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-2] c 37 N82-26674
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c 27 N82-29453
Absorbable-susceptor joining of ceramic surfaces
[NASA-CASE-NPO-15640-1] c 27 N84-22748
Method of fabricating an abradable gas path seal
[NASA-CASE-LEW-13269-2] c 37 N84-22957
Shell tile thermal protection system
[NASA-CASE-LAR-12862-1] c 27 N84-27886
Fiber reinforced ceramic material
[NASA-CASE-LEW-14392-2] c 27 N87-27810
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040

CEREBROSPINAL FLUID
Ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-1] c 52 N83-21785
Method of making an ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-2] c 52 N84-23095

CERMETS
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c 15 N71-16076

Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c 18 N71-28729
Cermet composition and method of fabrication --- heat resistant alloys and powders
[NASA-CASE-NPO-13120-1] c 27 N76-15311
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c 27 N77-13217
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c 27 N78-19302
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c 27 N79-14213
Coating with overlay metallic-cermet alloy systems
[NASA-CASE-LEW-13639-2] c 26 N84-27855
Overlay metallic-cermet alloy coating systems
[NASA-CASE-LEW-13639-1] c 26 N84-33555

CESIUM
Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c 17 N71-26773
Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c 25 N76-27383

CESIUM DIODES
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c 03 N70-34646
Cavity emitter for thermionic converter Patent
[NASA-CASE-NPO-10412] c 09 N71-28421
Thermionic energy converters
[NASA-CASE-LEW-12443-1] c 44 N83-32175

CESIUM ENGINES
Variable thrust ion engine utilizing thermally decomposable solid fuel Patent
[NASA-CASE-XMF-00923] c 28 N70-36802
Method of producing porous tungsten ionizers for ion rocket engines Patent
[NASA-CASE-XLE-00455] c 28 N70-38197

CESIUM VAPOR
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c 36 N75-30524

CHALCOGENIDES
Photoelectrochemical cells including chalcogenophosphate photoelectrodes
[NASA-CASE-LAR-12958-1] c 44 N84-23019

CHAMBERS
Diffuser/ejector system for a very high vacuum environment
[NASA-CASE-MFS-25791-1] c 09 N84-27749

CHANGE DETECTION
Real-time image difference detection using a polarization rotation spacial light modulator
[NASA-CASE-NPO-17144-1-CU] c 74 N88-25305

CHANNEL FLOW
Method of making a regeneratively cooled combustion chamber Patent
[NASA-CASE-XLE-00150] c 28 N70-41818
Heated element fluid flow sensor Patent
[NASA-CASE-MSC-12084-1] c 12 N71-17569
Multicolor printing plate joining
[NASA-CASE-LEW-13598-1] c 35 N84-22930

CHANNELS (DATA TRANSMISSION)
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c 09 N71-18843
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c 09 N72-11224
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c 32 N75-26195
High-speed data link for moderate distances and noisy environments
[NASA-CASE-NPO-14152-1] c 32 N80-18252

CHARACTER RECOGNITION
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c 33 N76-18353
System and method for character recognition
[NASA-CASE-NPO-11337-1] c 74 N81-19896

CHARGE COUPLED DEVICES
Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-13691-1] c 43 N79-17288
CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c 33 N81-27396
Programmable scan/read circuitry for charge coupled device imaging detectors --- spcecraft attitude control and star trackers
[NASA-CASE-NPO-15345-1] c 74 N84-23247
Laser pulse detection method and apparatus
[NASA-CASE-NPO-16030-1] c 36 N84-25037

CHARGE DISTRIBUTION
Method of erasing target material of a vidicon tube or the like Patent
[NASA-CASE-XNP-06028] c 09 N71-23189
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c 33 N77-21314

CHARGE EFFICIENCY
State-of-charge coulometer
[NASA-CASE-NPO-15759-1] c 35 N85-21596
Method for determining the point of zero zeta potential of semiconductor
[NASA-CASE-LAR-12893-1] c 76 N85-30923

CHARGE EXCHANGE
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c 20 N77-10148

CHARGE TRANSFER
Magnetic counter Patent
[NASA-CASE-XNP-08836] c 09 N71-12515
Pressure transducer --- using a monomeric charge transfer complex sensor
[NASA-CASE-NPO-11150] c 35 N78-17359
Process for preparing highly optically transparent/colorless aromatic polyimide film
[NASA-CASE-LAR-13351-1] c 27 N86-31727

CHARGE TRANSFER DEVICES
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c 36 N78-27402
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c 33 N81-33403
Image readout device with electronically variable spatial resolution
[NASA-CASE-LAR-12633-1] c 33 N82-24416

CHARGED PARTICLES
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c 24 N71-10560
Electrostatic charged particle analyzer having deflection members shaped according to the periodic voltage applied thereto Patent
[NASA-CASE-XAC-05506-1] c 24 N71-16095
Electrostatic collector for charged particles
[NASA-CASE-LEW-11192-1] c 09 N73-13208
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c 33 N77-10429
Apparatus for measuring charged particle beam
[NASA-CASE-MFS-25641-1] c 72 N84-28575
Multistage spent particle collector and a method for making same
[NASA-CASE-LEW-13914-1] c 37 N85-33489

CHARGING
Synchronous orbit battery cycler
[NASA-CASE-GSC-11211-1] c 03 N72-25020

CHARRING
Ablation sensor
[NASA-CASE-XLA-01781] c 14 N69-39975
Ablation sensor Patent
[NASA-CASE-XLA-01794] c 33 N71-21586

CHASSIS
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c 37 N79-33467
Articulated suspension system
[NASA-CASE-NPO-17354-1-CU] c 37 N88-24973

CHECKOUT
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c 31 N71-15566
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c 44 N76-14601
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c 33 N81-26359

CHELATES
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c 27 N71-14090
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c 25 N80-23383

CHEMICAL ANALYSIS
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c 06 N71-23527
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c 06 N71-26754
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c 06 N72-17095
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c 14 N73-20477
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials
[NASA-CASE-ARC-10633-1] c 25 N74-26947
Amino acid analysis
[NASA-CASE-NPO-12130-1] c 25 N75-14844
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c 35 N75-26334
Alkaline electrochemical cells and method of making
[NASA-CASE-GSC-10349-1] c 44 N82-24645
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184
System for monitoring physical characteristics of fluids
[NASA-CASE-NPO-15400-1] c 34 N83-31993
Method and apparatus for mapping the distribution of chemical elements in an extended medium
[NASA-CASE-GSC-12808-1] c 25 N85-21279

CHEMICAL AUXILIARY POWER UNITS
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c 03 N71-29044

CHEMICAL BONDS
Fluorine-containing polyformals
[NASA-CASE-XMF-06900-1] c 27 N79-21191
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c 25 N81-14016
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c 23 N82-28353

CHEMICAL COMPOSITION
Phototropic composition of matter
[NASA-CASE-XGS-03736] c 14 N72-22443
Nitramine propellants --- gun propellant burning rate
[NASA-CASE-NPO-14103-1] c 28 N78-31255
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c 27 N81-19296
Non-toxic invert analog glass compositions of high modulus
[NASA-CASE-HQN-10328-2] c 27 N82-29454
High modulus rare earth and beryllium containing silicate glass compositions --- for glass reinforcing fibers
[NASA-CASE-HQN-10595-1] c 27 N82-29455
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-2] c 27 N83-29392
Acetylene (ethynyl) terminated polyimide siloxane and process for preparation thereof
[NASA-CASE-LAR-13318-1] c 27 N87-14516

CHEMICAL COMPOUNDS
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c 14 N72-25428

CHEMICAL ELEMENTS
Apparatus for remote handling of materials --- mixing or analyzing dangerous chemicals
[NASA-CASE-LAR-10634-1] c 37 N74-18123

CHEMICAL ENGINEERING
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c 25 N79-10162

CHEMICAL EXPLOSIONS
Hypervelocity gun --- using both electric and chemical energy for projectile propulsion
[NASA-CASE-XLE-03186-1] c 09 N79-21084

CHEMICAL INDICATORS
Self-contained, single-use hose and tubing cleaning module
[NASA-CASE-MSC-20857-1] c 37 N87-17035

CHEMICAL MACHINING
Masking device Patent
[NASA-CASE-XNP-02092] c 15 N70-42033

CHEMICAL PROPERTIES
Method of producing alternating ether siloxane copolymers Patent
[NASA-CASE-XMF-02584] c 06 N71-20905
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c 06 N73-30099
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c 06 N73-33076
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c 37 N74-21058

CHEMICAL REACTIONS
Process for interfacial polymerization of pyromellitic dianhydride and 1,2,4, 5-tetraamino-benzene Patent
[NASA-CASE-XLA-03104] c 06 N71-11235
Synthesis of polymeric schiff bases by schiff-base exchange reactions Patent
[NASA-CASE-XMF-08651] c 06 N71-11236
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XMF-10753] c 06 N71-11237
Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c 06 N71-11238
High resolution developing of photosensitive resists Patent
[NASA-CASE-XGS-04993] c 14 N71-17574
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c 15 N71-21403
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XMF-06409] c 06 N71-23230

Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c 06 N71-24740
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c 06 N71-27254
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c 06 N71-27363
Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c 15 N71-27372
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c 06 N71-28620
Process for preparation of high-molecular- weight polyaryloxysilanes Patent
[NASA-CASE-XMF-08674] c 06 N71-28807
Trialkyl-dihalotantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c 06 N71-28808
Method of making foamed materials in zero gravity
[NASA-CASE-XMF-09902] c 15 N72-11387
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c 06 N72-17093
Firefly pump-metering system
[NASA-CASE-GSC-10218-1] c 15 N72-21465
Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c 17 N72-28535
Nondestructive spot test method for titanium and titanium alloys
[NASA-CASE-LAR-10539-1] c 17 N73-12547
Self-cycling fluid heater
[NASA-CASE-MSC-15567-1] c 33 N73-16918
Method of forming difunctional polyisobutylene
[NASA-CASE-NPO-10893] c 27 N73-22710
Polyurethanes from fluoroalkyl propyleneglycol polyethers
[NASA-CASE-MFS-10506] c 06 N73-30100
Fluorine containing polyurethane
[NASA-CASE-MFS-10509] c 06 N73-30103
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c 06 N73-32029
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c 27 N74-12812
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c 27 N74-27037
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c 25 N75-26043
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c 27 N76-16228
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c 45 N76-31714
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c 26 N78-32229
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c 27 N81-14078
The 1,1,1-triaryl-2,2,2-trifluoroethanes and process for their synthesis
[NASA-CASE-ARC-11097-1] c 25 N82-24312
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c 23 N82-28353
Process for producing tris s(n-methylamino) methylsilane
[NASA-CASE-MFS-25721-1] c 25 N85-21280
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-5] c 27 N85-21352
Fire-resistant phosphorus containing polyimides and copolyimides
[NASA-CASE-ARC-11522-2] c 27 N85-34280
Sulfone-ester polymers containing pendent ethynl groups
[NASA-CASE-LAR-13316-1] c 27 N86-27450
Preparation of B-trichloroborazine
[NASA-CASE-ARC-11643-1-SB] c 23 N87-23698
The 1-((diorganooxy phosphonyl) methyl)-2,4- and -2,6-diamino benzenes and their derivatives
[NASA-CASE-ARC-11425-2] c 23 N87-28605
Method of dispensing reagent chemicals in space
[NASA-CASE-LAR-13607-1-CU] c 29 N88-29048

CHEMICAL REACTORS
Chemical vapor deposition reactor --- providing uniform film thickness
[NASA-CASE-NPO-13650-1] c 25 N79-28253
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c 37 N80-10494
Method of producing silicon --- gas phase reactor multiple injector liquid feed system
[NASA-CASE-NPO-14382-1] c 31 N80-18231
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c 25 N82-11144
Solar heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c 44 N82-16475
Thermal reactor --- liquid silicon production from silane gas
[NASA-CASE-NPO-14369-1] c 44 N83-10501
Pressure letdown method and device for coal conversion systems
[NASA-CASE-NPO-15100-1] c 44 N84-14583
Apparatus and method to keep the walls of a free-space reactor free from deposits of solid materials
[NASA-CASE-NPO-15851-1] c 37 N85-21652
Remotely controllable mixing system
[NASA-CASE-MFS-28153-1] c 31 N86-32589

CHEMICAL TESTS
Nondestructive spot test method for titanium and titanium alloys
[NASA-CASE-LAR-10539-1] c 17 N73-12547
Nondestructive spot test method for magnesium and magnesium alloys
[NASA-CASE-LAR-10953-1] c 17 N73-27446
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-6] c 25 N85-30039

CHEMILUMINESCENCE
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c 51 N80-16714

CHEMISORPTION
Oxygen chemisorption cryogenic refrigerator
[NASA-CASE-NPO-16734-1-CU] c 31 N88-14223

CHEMOTHERAPY
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c 52 N81-14613

CHIPS (ELECTRONICS)
Head for high speed spinner having a vacuum chuck --- holding silicon dioxide chips for etching
[NASA-CASE-NPO-15227-1] c 37 N81-33482
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c 37 N82-12441

CHIRP SIGNALS
Method for shaping and aiming narrow beams --- sonar mapping and target identification
[NASA-CASE-NPO-14632-1] c 32 N82-18443

CHLORIDES
The 5-(4-Ethynylophenoxy) isophthalic chloride
[NASA-CASE-LAR-13316-2] c 27 N87-14515

CHLORINATION
Specialized halogen generator for purification of water Patent
[NASA-CASE-XLA-08913] c 14 N71-28933
Coal desulfurization by aqueous chlorination
[NASA-CASE-NPO-14902-1] c 25 N82-29371
Hydrodesulfurization of chlorinized coal
[NASA-CASE-NPO-15304-1] c 25 N83-31743

CHLORINE
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253

CHLOROPRENE RESINS
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c 27 N74-12814

CHOKES
Current dependent filter inductance
[NASA-CASE-ERC-10139] c 09 N72-17154

CHOKES (RESTRICTIONS)
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c 07 N74-31270

CHOLESTEROL
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c 52 N75-15270

CHROMATOGRAPHY
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials
[NASA-CASE-ARC-10633-1] c 25 N74-26947
Modulated voltage metastable ionization detector
[NASA-CASE-ARC-11503-1] c 35 N85-34374

CHROMIUM
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c 44 N78-19599
Efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c 44 N82-26777
Process for improving moisture resistance of epoxy resins by addition of chromium ions
[NASA-CASE-LAR-13226-1] c 27 N85-34282
Negative electrode catalyst for the iron chromium redox energy storage system
[NASA-CASE-LEW-14028-1] c 44 N86-19721

CHROMIUM ALLOYS
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c 26 N75-29236
Nicral ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c 26 N82-31505

CHROMIUM COMPOUNDS
Chromium electrodes for REDOX cells
[NASA-CASE-LEW-13653-1] c 44 N84-28205

CHROMOSOMES
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c 52 N79-12694

CINEMATOGRAPHY
High speed photo-optical time recording
[NASA-CASE-KSC-10294] c 14 N72-18411
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c 35 N76-18402

CIRCUIT BOARDS
Electrical feed-through connection for printed circuit boards and printed cable
[NASA-CASE-XMF-01483] c 14 N69-27431
Printed cable connector Patent
[NASA-CASE-XMF-00369] c 09 N70-36494
Printed circuit board with bellows rivet connection Patent
[NASA-CASE-XNP-05082] c 15 N70-41960
Electrical spot terminal assembly Patent
[NASA-CASE-NPO-10034] c 15 N71-17685
Polyimide resin-fiberglass cloth laminates for printed circuit boards
[NASA-CASE-MFS-20408] c 18 N73-12604
Circuit board package with wedge shaped covers
[NASA-CASE-MFS-21919-1] c 10 N73-25243
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c 37 N74-32918
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c 37 N75-18573
Connector --- for connecting circuits on different layers of multilayer printed circuit boards
[NASA-CASE-LAR-11709-1] c 37 N76-27567
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c 33 N79-10339
High stability amplifier
[NASA-CASE-GSC-12646-1] c 33 N83-34191
Beam forming network
[NASA-CASE-NPO-15743-1] c 32 N85-29118

CIRCUIT BREAKERS
Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c 12 N71-20896
Diode and protection fuse unit Patent
[NASA-CASE-XKS-03381] c 09 N71-22796
Separation simulator Patent
[NASA-CASE-XKS-04631] c 10 N71-23663
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c 15 N71-24695
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c 09 N71-29008
Multiple circuit protector device
[NASA-CASE-XMS-02744] c 33 N75-27249
Solar concentrator protective system
[NASA-CASE-NPO-15662-1] c 44 N84-28204

CIRCUIT DIAGRAMS
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c 09 N69-24329
Signal multiplexer
[NASA-CASE-XGS-01110] c 07 N69-24334
Ring counter
[NASA-CASE-XGS-03095] c 09 N69-27463
Solid state switch
[NASA-CASE-XNP-09228] c 09 N69-27500
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c 09 N70-34819
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c 07 N71-11282
Difference circuit Patent
[NASA-CASE-XNP-08274] c 10 N71-13537
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c 09 N71-19516
Weld control system using thermocouple wire Patent
[NASA-CASE-MFS-06074] c 15 N71-20393
Correlation function apparatus Patent
[NASA-CASE-XNP-00746] c 07 N71-21476
Diode and protection fuse unit Patent
[NASA-CASE-XKS-03381] c 09 N71-22796
Buck boost voltage regulation circuit Patent
[NASA-CASE-GSC-10735-1] c 10 N71-26085
Active RC networks
[NASA-CASE-ARC-10042-2] c 10 N72-11256
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c 15 N72-27485
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c 77 N75-20140

Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c 33 N75-31330
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c 33 N76-21390
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c 33 N77-13315

CIRCUIT PROTECTION
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c 03 N69-25146
Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c 09 N69-39897
Electrical load protection device Patent
[NASA-CASE-MSC-12135-1] c 09 N71-12526
Apparatus for overcurrent protection of a push-pull amplifier Patent
[NASA-CASE-MSC-12033-1] c 09 N71-13531
Method of coating circuit paths on printed circuit boards with solder Patent
[NASA-CASE-XMF-01599] c 09 N71-20705
Power supply circuit Patent
[NASA-CASE-XMS-00913] c 10 N71-23543
Selective plating of etched circuits without removing previous plating Patent
[NASA-CASE-XGS-03120] c 15 N71-24047
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c 10 N71-27366
Power responsive overload sensing circuit Patent
[NASA-CASE-GSC-10667-1] c 10 N71-33129
Saturation current protection apparatus for saturable core transformers
[NASA-CASE-ERC-10075-2] c 09 N72-22196
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c 15 N72-25447
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c 33 N74-14956
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c 33 N74-17929
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c 37 N75-18573
Multiple circuit protector device
[NASA-CASE-XMS-02744] c 33 N75-27249
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c 44 N78-14625
Fused switch
[NASA-CASE-XMS-01244-1] c 33 N79-33393
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c 33 N81-14220
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c 33 N81-27397
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c 33 N81-33404

CIRCUIT RELIABILITY
Split-cross-bridge resistor for testing for proper fabrication of integrated circuits
[NASA-CASE-NPO-16021-1] c 33 N85-30187
Cross-contact chain
[NASA-CASE-NPO-16784-1] c 33 N87-10231

CIRCUITS
Connector - Electrical
[NASA-CASE-XLA-01288] c 09 N69-21470
Binary magnetic memory device Patent
[NASA-CASE-XGS-00174] c 08 N70-34743
Electronic motor control system Patent
[NASA-CASE-XMF-01129] c 09 N70-38712
Starting circuit for vapor lamps and the like Patent
[NASA-CASE-XNP-01058] c 09 N71-12540
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c 08 N71-19687
High voltage divider system Patent
[NASA-CASE-XLE-02008] c 09 N71-21583
Solar cell and circuit array and process for nullifying magnetic fields Patent
[NASA-CASE-XGS-03390] c 03 N71-23187
Dual polarity full wave dc motor drive Patent
[NASA-CASE-XNP-07477] c 09 N71-26092
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c 14 N71-28958
Pulse generating circuit employing switch means on ends of delay line for alternately charging and discharging same Patent
[NASA-CASE-XNP-00745] c 10 N71-28960
Digital pulse width selection circuit Patent
[NASA-CASE-XLA-07788] c 09 N71-29139
Power responsive overload sensing circuit Patent
[NASA-CASE-GSC-10667-1] c 10 N71-33129
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c 09 N72-22200
Thermal to electrical power conversion system with solid-state switches with Seebeck effect compensation
[NASA-CASE-NPO-11388] c 03 N72-23048
Controllable load insensitive power converters
[NASA-CASE-ERC-10268] c 09 N72-25252
Failsafe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c 09 N72-25262
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c 15 N72-27485
Infinite range electronics gain control circuit
[NASA-CASE-GSC-10786-1] c 10 N72-28241
Active tuned circuit
[NASA-CASE-GSC-11340-1] c 10 N72-33230
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-1] c 14 N73-14428
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c 09 N73-30181
Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c 54 N75-13531
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c 33 N75-18479
High voltage distributor
[NASA-CASE-GSC-11849-1] c 33 N76-16332
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c 33 N79-24257
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c 44 N81-14389
Control system for an induction motor with energy recovery
[NASA-CASE-MFS-25477-1] c 33 N84-14424
Ladder supported ring bar circuit
[NASA-CASE-LEW-13570-1] c 33 N84-16452
Programmable scan/read circuitry for charge coupled device imaging detectors --- spcecraft attitude control and star trackers
[NASA-CASE-NPO-15345-1] c 74 N84-23247
Dielectric based submillimeter backward wave oscillator circuit
[NASA-CASE-LEW-13736-1] c 33 N84-27974
High voltage power supply
[NASA-CASE-GSC-12818-1] c 33 N85-29147
Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333
Amplifier for measuring low-level signals in the presence of high common mode voltage
[NASA-CASE-MFS-25868-1] c 33 N86-20670
Processing circuit with asymmetry corrector and convolutional encoder for digital data
[NASA-CASE-MSC-20187-1] c 33 N87-25531
Arcjet power supply and start circuit
[NASA-CASE-LEW-14374-1] c 09 N88-28939
Power supply conditioning circuit
[NASA-CASE-NPO-17233-1-CU] c 33 N88-29095

CIRCULAR CONES
Optical inspection apparatus Patent
[NASA-CASE-XMF-00462] c 14 N70-34298

CIRCULAR CYLINDERS
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c 09 N71-19479

CIRCULAR POLARIZATION
Electromagnetic polarization systems and methods Patent
[NASA-CASE-GSC-10021-1] c 09 N71-24595
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c 07 N72-11148
Circularly polarized antenna
[NASA-CASE-ERC-10214] c 09 N72-31235

CIRCULAR TUBES
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c 31 N74-14133
Segmented tubular cushion springs and spring assembly
[NASA-CASE-ARC-11349-1] c 37 N86-20797

CIRCULATION CONTROL AIRFOILS
Helicopter anti-torque system using strakes
[NASA-CASE-LAR-13233-1] c 05 N84-33400

CIRCULATORS (PHASE SHIFT CIRCUITS)
Circulator having quarter wavelength resonant post and parametric amplifier circuits utilizing the same Patent
[NASA-CASE-XNP-02140] c 09 N71-23097
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c 36 N80-18372

CLADDING
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613

CLAMPING CIRCUITS
Amplifier clamping circuit for horizon scanner Patent
[NASA-CASE-XGS-01784] c 10 N71-20782

CLAMPS
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c 15 N70-41371
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c 15 N71-17696
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c 15 N71-20813
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c 15 N71-21531
Quick attach mechanism Patent
[NASA-CASE-XFR-05421] c 15 N71-22994
Prosthetic occlusive device for an internal passageway
[NASA-CASE-MFS-25740-1] c 52 N84-11744
Clamp-mount device
[NASA-CASE-MFS-25510-1] c 37 N84-16560
Reusable thermal cycling clamp
[NASA-CASE-LAR-12868-1] c 37 N85-21651
Self-clamping arc light reflector for welding torch
[NASA-CASE-MFS-29207-1] c 74 N87-25843

CLAYS
Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c 18 N71-24184

CLEAN ROOMS
Air conditioned suit
[NASA-CASE-LAR-10076-1] c 05 N73-20137

CLEANERS
Purge device for thrust engines Patent
[NASA-CASE-XMS-04826] c 28 N71-28849
Noncontaminating swabs
[NASA-CASE-MFS-18100] c 15 N72-11390
Apparatus and method to keep the walls of a free-space reactor free from deposits of solid materials
[NASA-CASE-NPO-15851-1] c 37 N85-21652

CLEANING
Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c 15 N70-26819
System for sterilizing objects --- cleaning space vehicle systems
[NASA-CASE-KSC-11085-1] c 54 N81-24724
Apparatus and method to keep the walls of a free-space reactor free from deposits of solid materials
[NASA-CASE-NPO-15851-1] c 37 N85-21652
Self-contained, single-use hose and tubing cleaning module
[NASA-CASE-MSC-20857-1] c 37 N87-17035

CLEAR AIR TURBULENCE
Clear air turbulence detector
[NASA-CASE-ERC-10081] c 14 N72-28437
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c 06 N83-10040

CLEARANCES
Active clearance control system for a turbomachine
[NASA-CASE-LEW-12938-1] c 07 N82-32366
Control means for a gas turbine engine
[NASA-CASE-LEW-14586-1] c 07 N83-31603

CLEAVAGE
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c 37 N82-32730
Workpiece positioning vise
[NASA-CASE-GSC-12762-1] c 37 N84-28083

CLIMBING FLIGHT
Aircraft instrument Patent
[NASA-CASE-XLA-00487] c 14 N70-40157

CLINICAL MEDICINE
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c 04 N72-33072
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c 35 N75-33368
Production of I-123
[NASA-CASE-LEW-11390-3] c 25 N76-29379
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c 52 N79-12694
Medical diagnosis system and method with multispectral imaging --- depth of burns and optical density of the skin
[NASA-CASE-NPO-14402-1] c 52 N81-27783
Process of making medical clip
[NASA-CASE-LAR-12650-2] c 52 N84-28389

CLIPS
Medical clip
[NASA-CASE-LAR-12650-1] c 52 N84-28388
Process of making medical clip
[NASA-CASE-LAR-12650-2] c 52 N84-28389

CLOCKS
Time synchronization system utilizing moon reflected coded signals Patent
[NASA-CASE-NPO-10143] c 10 N71-26326
Counter Patent
[NASA-CASE-XNP-06234] c 10 N71-27137
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c 35 N75-30504
Clock setter
[NASA-CASE-LAR-11458-1] c 35 N76-16392

CLOSED CIRCUIT TELEVISION
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c 18 N76-14186

CLOSED CYCLES
Closed loop ranging system Patent
[NASA-CASE-XNP-01501] c 21 N70-41930
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c 33 N75-25040
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c 44 N76-27664

CLOSED ECOLOGICAL SYSTEMS
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c 05 N71-11207
Space vehicle with artificial gravity and earth-like environment
[NASA-CASE-LEW-11101-1] c 31 N73-32750
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c 54 N77-32722
Cell and method for electrolysis of water and anode
[NASA-CASE-MSC-16394-1] c 28 N81-24280

CLOSTRIDIUM
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227

CLOSURES
Canister closing device Patent
[NASA-CASE-XLA-01446] c 15 N71-21528
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c 54 N78-31736

CLOUD CHAMBERS
Heat transfer device
[NASA-CASE-MFS-22938-1] c 34 N76-18374

CLOUD COVER
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c 47 N83-32232

CLOUDS (METEOROLOGY)
Rocket borne instrument to measure electric fields inside electrified clouds
[NASA-CASE-KSC-10730-1] c 14 N73-32318
Electric field measuring and display system --- for cloud formations
[NASA-CASE-KSC-10731-1] c 33 N74-27862

CLUTCHES
Directional gear ratio transmissions
[NASA-CASE-LAR-12644-1] c 37 N84-28084
Non-backdriveable free wheeling coupling
[NASA-CASE-MSC-20475-1] c 37 N87-17037
Rotary stepping device with memory metal actuator
[NASA-CASE-NPO-15482-1] c 37 N87-23970

CLUTTER
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c 32 N83-19968
Method and apparatus for measuring distance
[NASA-CASE-MSC-20912-1] c 32 N88-26568

CMOS
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c 33 N79-12321

COAL
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c 43 N79-25443
Thickness measurement system
[NASA-CASE-MFS-23721-1] c 31 N79-28370
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c 43 N79-31706
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c 43 N80-14423
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c 43 N80-23711
Coal desulfurization --- using iron pentacarbonyl
[NASA-CASE-NPO-14272-1] c 25 N81-33246
Coal desulfurization by aqueous chlorination
[NASA-CASE-NPO-14902-1] c 25 N82-29371
Hydrodesulfurization of chlorinized coal
[NASA-CASE-NPO-15304-1] c 25 N83-31743
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255
Supercritical solvent coal extraction
[NASA-CASE-NPO-15210-1] c 25 N84-22709
Longwall shearer tracking system
[NASA-CASE-MFS-25717-1] c 35 N84-33768
Shuttle car loading system
[NASA-CASE-NPO-15949-1] c 85 N85-34722
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253

COAL GASIFICATION
Solar heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c 44 N82-16475
Pressure letdown method and device for coal conversion systems
[NASA-CASE-NPO-15100-1] c 44 N84-14583
Micronized coal burner facility
[NASA-CASE-LEW-13426-1] c 25 N84-16276
Liquid hydrogen polygeneration system and process
[NASA-CASE-KSC-11304-2] c 28 N86-23744

COAL LIQUEFACTION
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c 25 N79-11152

COAL UTILIZATION
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c 44 N78-31527
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c 31 N81-15154
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c 25 N82-11144

COATING
Method of coating circuit paths on printed circuit boards with solder Patent
[NASA-CASE-XMF-01599] c 09 N71-20705
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c 15 N71-24875
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c 37 N78-13436
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c 44 N78-19599
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c 27 N78-31233
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c 74 N78-32854
Contactless pellet fabrication
[NASA-CASE-NPO-15592-1] c 71 N84-16940
Corrosion resistant coating
[NASA-CASE-NPO-15928-1] c 26 N85-29005
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587

COATINGS
Bonded solid lubricant coating Patent
[NASA-CASE-XMS-00259] c 18 N70-36400
High contrast cathode ray tube
[NASA-CASE-ERC-10468] c 09 N72-20206
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c 27 N78-14164
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c 31 N79-21227
Advanced inorganic separators for alkaline batteries and method of making the same
[NASA-CASE-LEW-13171-2] c 44 N83-32176
Diamondlike flake composites
[NASA-CASE-LEW-13837-1] c 24 N84-22695
Diamondlike flakes
[NASA-CASE-LEW-13837-2] c 24 N85-21267

COAXIAL CABLES
Transmission line thermal short Patent
[NASA-CASE-XNP-09775] c 09 N71-20445
Coaxial cable connector Patent
[NASA-CASE-XNP-04732] c 09 N71-20851
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c 09 N71-24597
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c 07 N71-27191
Vibration isolation system using compression springs
[NASA-CASE-NPO-11012] c 15 N72-11391
Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c 15 N73-14469
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c 33 N74-17927
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c 33 N75-30430
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c 33 N80-18285
Coaxial tube tether/transmission line for manned nuclear space power
[NASA-CASE-LEW-14338-1] c 20 N87-10174
Coaxial cable connector
[NASA-CASE-NPO-16764-1-CU] c 33 N88-14270

COAXIAL PLASMA ACCELERATORS
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c 75 N76-17951

COBALT
Process for improving mechanical properties of epoxy resins by addition of cobalt ions
[NASA-CASE-LAR-13230-1] c 24 N84-34571
Metal (2) 4,4',4',4'' phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281

COBALT ALLOYS
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c 17 N71-15644
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c 17 N71-16025
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c 17 N71-23248
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c 17 N73-32415

COBALT OXIDES
High contrast cathode ray tube
[NASA-CASE-ERC-10468] c 09 N72-20206

COCKPIT SIMULATORS
Controlled visibility device for an aircraft Patent
[NASA-CASE-XFR-04147] c 11 N71-10748

COCKPITS
Aircraft canopy lock
[NASA-CASE-FRC-11065-1] c 05 N83-19737

CODERS
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c 10 N71-33407
Modular encoder
[NASA-CASE-NPO-10629] c 08 N72-18184
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c 32 N74-32598
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c 62 N76-31946
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c 33 N77-31404

CODING
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c 08 N71-22749
Rate data encoder
[NASA-CASE-LAR-10128-1] c 08 N73-20217
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c 60 N76-23850
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c 32 N77-12239
Automatic multi-banking of memory for microprocessors
[NASA-CASE-NPO-15295-1] c 60 N85-21992
A VLSI single-chip (225,223) Reed-Solomon encoder with interleaver
[NASA-CASE-NPO-17280-1-CU] c 17 N88-27220
Method for Veterbi decoding of large constraint length convolutional codes
[NASA-CASE-NPO-17310-1-CU] c 17 N88-28946

COEFFICIENT OF FRICTION
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c 35 N76-31489
Locking redundant link
[NASA-CASE-LAR-11900-1] c 37 N79-14382

COENZYMES
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c 06 N72-25149

COHERENT ELECTROMAGNETIC RADIATION
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c 16 N71-15550
Focused image holography with extended sources Patent
[NASA-CASE-ERC-10019] c 16 N71-15551
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c 36 N84-28065

COHERENT LIGHT
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c 16 N71-15565
Amplitude modulated laser transmitter Patent
[NASA-CASE-XMS-04269] c 16 N71-22895
Device for measuring light scattering wherein the measuring beam is successively reflected between a pair of parallel reflectors Patent
[NASA-CASE-XER-11203] c 14 N71-28994

COHERENT RADIATION
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c 16 N73-16536
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c 35 N74-11284
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c 36 N74-20009
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c 28 N74-27425
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c 36 N76-29575
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c 36 N82-29589

COINCIDENCE CIRCUITS
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c 33 N76-16331

COLD CATHODES
Meteoroid detector
[NASA-CASE-LAR-10483-1] c 14 N73-32327

COLD GAS
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c 09 N77-10071
COLD WELDING
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c 37 N81-19455
COLD WORKING
Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c 15 N71-26346
COLLAPSE
Collapsible pistons
[NASA-CASE-MSC-13789-1] c 11 N73-32152
COLLECTION
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c 35 N75-19611
Absorbent product to absorb fluids --- for collection of human wastes
[NASA-CASE-MSC-18223-1] c 24 N82-29362
Improved method and apparatus for waste collection and storage
[NASA-CASE-MSC-21025-1] c 31 N87-25495
COLLIMATION
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c 36 N74-21091
Optical alignment device
[NASA-CASE-ARC-10932-1] c 74 N76-22993
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c 36 N77-32478
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c 35 N80-28686
Method for shaping and aiming narrow beams --- sonar mapping and target identification
[NASA-CASE-NPO-14632-1] c 32 N82-18443
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c 36 N83-29680
Ion beam accelerator system
[NASA-CASE-NPO-15547-1] c 72 N84-16959
Sonic levitation apparatus
[NASA-CASE-MFS-25828-1] c 71 N84-28568
Laser schlieren crystal monitor
[NASA-CASE-MFS-28060-1] c 76 N87-25862
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253
COLLIMATORS
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c 14 N70-40240
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c 14 N73-30389
Multiplate focusing collimator --- for scanning small near radiation sources
[NASA-CASE-MFS-20932-1] c 35 N75-19616
Method for shaping and aiming narrow beams --- sonar mapping and target identification
[NASA-CASE-NPO-14632-1] c 32 N82-18443
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c 74 N82-24072
Multiprism collimator
[NASA-CASE-GSC-12608-1] c 74 N83-10900
COLLISION AVOIDANCE
Cooperative Doppler radar system Patent
[NASA-CASE-LAR-10403] c 21 N71-11766
Satellite aided vehicle avoidance system Patent
[NASA-CASE-ERC-10090] c 21 N71-24948
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c 09 N72-21244
Display research collision warning system
[NASA-CASE-HQN-10703] c 21 N73-13643
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c 21 N73-30641
Satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419-1] c 03 N75-30132
COLLISIONS
Tool and process for miniature explosive joining of tubes
[NASA-CASE-LAR-13662-1] c 37 N88-14359
COLLOIDAL GENERATORS
Colloid propulsion method and apparatus Patent
[NASA-CASE-XLE-00817] c 28 N70-33265
COLLOIDAL PROPELLANTS
Colloid propulsion method and apparatus Patent
[NASA-CASE-XLE-00817] c 28 N70-33265
Low viscosity magnetic fluid obtained by the colloidal suspension of magnetic particles Patent
[NASA-CASE-XLE-01512] c 12 N70-40124
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c 28 N71-25213
COLLOIDS
The 2 deg/90 deg laboratory scattering photometer --- particulate refractivity in hydrosols
[NASA-CASE-GSC-12088-1] c 74 N78-13874
COLOR
Nondestructive spot test method for magnesium and magnesium alloys
[NASA-CASE-LAR-10953-1] c 17 N73-27446
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c 04 N82-16059
COLOR PHOTOGRAPHY
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c 12 N71-20815
Method for retarding dye fading during archival storage of developed color photographic film --- inert atmosphere
[NASA-CASE-MFS-23250-1] c 35 N82-11432
COLOR TELEVISION
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c 09 N71-28618
Color television system
[NASA-CASE-MSC-12146-1] c 07 N72-17109
Scan converting video tape recorder
[NASA-CASE-NPO-10166-1] c 07 N73-22076
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c 35 N76-16391
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c 74 N77-18893
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c 09 N78-18083
COLOR VISION
Color perception tester
[NASA-CASE-KSC-10278] c 05 N72-16015
COLUMNS
Lightweight structural columns --- space erectable trusses
[NASA-CASE-LAR-12095-1] c 31 N81-25258
COLUMNS (PROCESS ENGINEERING)
Micropacked column for a chromatographic system
[NASA-CASE-XNP-04816] c 06 N69-39936
COLUMNS (SUPPORTS)
Telescoping columns --- parabolic antenna support
[NASA-CASE-LAR-12195-1] c 31 N81-27324
COMBINATORIAL ANALYSIS
Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c 08 N71-19437
COMBUSTION
Combustion detector
[NASA-CASE-LAR-10739-1] c 14 N73-16484
A system for controlling the oxygen content of a gas produced by combustion
[NASA-CASE-LAR-13257-1] c 25 N84-32447
COMBUSTION CHAMBERS
Rocket chamber leak test fixture
[NASA-CASE-XFR-09479] c 14 N69-27503
Rocket propellant injector Patent
[NASA-CASE-XLE-00103] c 28 N70-33241
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c 15 N70-36411
Injector-valve device Patent
[NASA-CASE-XLE-00303] c 15 N70-36535
Ignition system for monopropellant combustion devices Patent
[NASA-CASE-XNP-00249] c 28 N70-38249
Method of making a regeneratively cooled combustion chamber Patent
[NASA-CASE-XLE-00150] c 28 N70-41818
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c 33 N71-21507
Combustion chamber Patent
[NASA-CASE-XLE-04857] c 28 N71-23968
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c 28 N71-24736
Coaxial injector for reaction motors
[NASA-CASE-NPO-11095] c 15 N72-25455
Swirl can primary combustor
[NASA-CASE-LEW-11326-1] c 23 N73-30665
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c 20 N74-32919
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c 20 N76-14190
Fuel combustor
[NASA-CASE-LEW-12137-1] c 25 N78-10224
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c 34 N78-27357
Combuster --- low nitrogen oxide formation
[NASA-CASE-NPO-13958-1] c 25 N79-11151
Heat exchanger --- rocket combustion chambers and cooling systems
[NASA-CASE-LEW-12252-1] c 34 N79-13288
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c 12 N79-26075
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c 07 N80-26298
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c 25 N82-11144
Steam cooled rich-burn combustor liner
[NASA-CASE-LEW-13609-1] c 25 N83-17628
Micronized coal burner facility
[NASA-CASE-LEW-13426-1] c 25 N84-16276
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c 37 N84-22958
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577
A system for controlling the oxygen content of a gas produced by combustion
[NASA-CASE-LAR-13257-1] c 25 N84-32447
Diesel engine catalytic combustor system --- aircraft engines
[NASA-CASE-LEW-12995-1] c 37 N84-33808
Flow modifying device
[NASA-CASE-LEW-13562-2] c 07 N85-35195
Low loss injector for liquid propellant rocket engines
[NASA-CASE-MFS-25989-1] c 20 N87-14420
COMBUSTION CONTROL
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c 27 N71-21819
COMBUSTION EFFICIENCY
Rocket engine injector Patent
[NASA-CASE-XLE-00111] c 28 N70-38199
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c 37 N84-22958
COMBUSTION PHYSICS
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c 28 N73-24784
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c 37 N79-11405
COMBUSTION PRODUCTS
Separation nut Patent
[NASA-CASE-XGS-01971] c 15 N71-15922
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c 14 N72-10375
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c 37 N76-18457
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c 44 N78-31527
Combuster --- low nitrogen oxide formation
[NASA-CASE-NPO-13958-1] c 25 N79-11151
A system for controlling the oxygen content of a gas produced by combustion
[NASA-CASE-LAR-13257-1] c 25 N84-32447
COMBUSTION STABILITY
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c 33 N71-21507
Low loss injector for liquid propellant rocket engines
[NASA-CASE-MFS-25989-1] c 20 N87-14420
COMET TAILS
Ion mass spectrometer
[NASA-CASE-NPO-15423-1] c 35 N84-28016
COMFORT
Ride quality meter
[NASA-CASE-LAR-12882-1] c 35 N84-12445
COMMAND AND CONTROL
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c 32 N77-20289
Common data buffer system --- communication with computational equipment utilized in spacecraft operations
[NASA-CASE-KSC-11048-1] c 62 N81-24779
COMMAND MODULES
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c 15 N72-17450
COMMUNICATING
Communications link for computers
[NASA-CASE-NPO-11161] c 08 N72-25207
COMMUNICATION
Correlation function apparatus Patent
[NASA-CASE-XNP-00746] c 07 N71-21476
System for improving signal-to-noise ratio of a communication signal
[NASA-CASE-MSC-12259-2] c 07 N72-33146
COMMUNICATION CABLES
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c 15 N71-15986
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c 09 N73-28083
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c 36 N76-24553
High-speed data link for moderate distances and noisy environments
[NASA-CASE-NPO-14152-1] c 32 N80-18252
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c 15 N82-24272
Rotatable electric cable connecting system
[NASA-CASE-GSC-12899-1] c 33 N86-20669

COMMUNICATION EQUIPMENT
Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c 07 N71-20814
Decoder system Patent
[NASA-CASE-NPO-10118] c 07 N71-24741
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c 10 N73-16205
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c 07 N73-20174
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c 32 N74-26654
Doppler-corrected differential detection system
[NASA-CASE-NPO-16987-1-CU] c 32 N88-30001
COMMUNICATION SATELLITES
Passive communication satellite Patent
[NASA-CASE-XLA-00210] c 30 N70-40309
Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite Patent
[NASA-CASE-XGS-02607] c 31 N71-23009
Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c 31 N71-24813
Satellite communication system Patent
[NASA-CASE-XNP-02389] c 07 N71-28900
Satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419-1] c 03 N75-30132
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c 32 N78-15323
COMMUTATION
High speed low level electrical stepping switch Patent
[NASA-CASE-XAC-00060] c 09 N70-39915
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c 33 N81-19393
COMMUTATORS
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c 14 N69-27432
Current steering commutator
[NASA-CASE-NPO-10743] c 08 N72-21199
COMPARATOR CIRCUITS
Digital frequency discriminator Patent
[NASA-CASE-MFS-14322] c 08 N71-18692
Pulsed differential comparator circuit Patent
[NASA-CASE-XLE-03804] c 10 N71-19471
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c 44 N78-14625
Window comparator
[NASA-CASE-FRC-10090-1] c 33 N78-18308
COMPARATORS
Fluid flow meter with comparator reference means Patent
[NASA-CASE-XGS-01331] c 14 N71-22996
Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c 08 N71-23295
High stability buffered phase comparator
[NASA-CASE-GSC-12645-1] c 33 N84-16454
Neighborhood comparison operator
[NASA-CASE-NPO-16464-1CU] c 60 N86-24224
Comparator with noise suppression
[NASA-CASE-LAR-13151-1] c 33 N87-21235
COMPENSATORS
Star image motion compensator
[NASA-CASE-LAR-10523-1] c 14 N72-22444
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c 31 N79-17029
Apparatus for and method of compensating dynamic unbalance
[NASA-CASE-GSC-12550-1] c 37 N84-28082
Compensation for primary reflector wavefront error
[NASA-CASE-NPO-16869-1CU] c 74 N86-33138
COMPLEX COMPOUNDS
Synthesis of polyformals
[NASA-CASE-ARC-11244-1] c 23 N82-16174
COMPONENT RELIABILITY
Acoustic guide for noise-transmission testing of aircraft
[NASA-CASE-LAR-13111-1-CU] c 71 N87-21652
COMPOSITE MATERIALS
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c 17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c 17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c 17 N70-38490
Unfired-ceramic flame-resistant insulation and method of making the same Patent
[NASA-CASE-XMF-01030] c 18 N70-41583
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c 15 N71-16076
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c 18 N71-16124
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c 18 N71-16210
Low temperature flexure fatigue cryostat Patent
[NASA-CASE-XMF-02964] c 14 N71-17659
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c 18 N71-22894
Solar cell matrix
[NASA-CASE-NPO-11190] c 03 N71-34044
Method of forming shapes from planar sheets of thermosetting materials
[NASA-CASE-NPO-11036] c 15 N72-24522
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c 18 N72-25539
Thermal compensating structural member
[NASA-CASE-MFS-20433] c 15 N72-28496
Bearing material --- composite material with low friction surface for rolling or sliding contact
[NASA-CASE-LEW-11930-1] c 24 N76-22309
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c 37 N76-22541
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c 27 N76-24405
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c 24 N77-27187
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c 24 N77-27188
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c 24 N78-15180
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c 27 N78-19302
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c 20 N78-24275
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c 28 N78-24365
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c 24 N79-17916
Composite seal for turbomachinery --- backings for turbine engine shrouds
[NASA-CASE-LEW-12131-1] c 37 N79-18318
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flame retardation
[NASA-CASE-LAR-12099-1] c 27 N80-16158
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c 24 N80-26388
Method of making bearing material
[NASA-CASE-LEW-11930-3] c 24 N80-33482
Tackifier for addition polyimides containing monoethylphthalate
[NASA-CASE-LAR-12642-1] c 27 N81-29229
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900
Piezoelectric composite materials
[NASA-CASE-LEW-12582-1] c 76 N83-34796
Pre-stressed thermal protection systems
[NASA-CASE-MSC-20254-1] c 16 N84-22601
Diamondlike flake composites
[NASA-CASE-LEW-13837-1] c 24 N84-22695
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-3] c 27 N85-21350
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-4] c 27 N85-21351
Process for improving moisture resistance of epoxy resins by addition of chromium ions
[NASA-CASE-LAR-13226-1] c 27 N85-34282
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-1] c 24 N86-19380
Carbide-fluoride-silver self-lubricating composite
[NASA-CASE-LEW-14196-2] c 37 N87-25585
Fiber reinforced ceramic material
[NASA-CASE-LEW-14392-2] c 27 N87-27810
Cryogenic regenerator including saran-carbon heat conduction matrix
[NASA-CASE-NPO-17291-1-CU] c 34 N88-23946
COMPOSITE PROPELLANTS
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c 27 N71-14090
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c 28 N80-28536
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c 28 N81-15119
COMPOSITE STRUCTURES
Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c 32 N70-36536
Composite powerplant and shroud therefor Patent
[NASA-CASE-XLA-01043] c 28 N71-10780
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c 24 N75-30260
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c 24 N77-19170
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c 24 N78-10214
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c 24 N78-17149
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c 24 N78-27184
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c 44 N80-16452
Lightweight structural columns --- space erectable trusses
[NASA-CASE-LAR-12095-1] c 31 N81-25258
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630
Light weight fire resistant graphite composites
[US-PATENT-4,598,007] c 24 N86-28131
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613
Ceramic honeycomb structures and the method thereof
[NASA-CASE-ARC-11652-1] c 27 N87-23737
Composite piston
[NASA-CASE-LAR-13435-1] c 37 N88-23981
COMPOSITION (PROPERTY)
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c 35 N76-16393
COMPRESSED AIR
Valve actuator Patent
[NASA-CASE-XHQ-01208] c 15 N70-35409
COMPRESSIBILITY
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c 31 N79-11246
Compression pylon
[NASA-CASE-LAR-13777-1] c 05 N88-29789
COMPRESSIBLE FLUIDS
Apparatus having coaxial capacitor structure for measuring fluid density Patent
[NASA-CASE-XLE-00143] c 14 N70-36618
Apparatus for tensile testing Patent
[NASA-CASE-XKS-06250] c 14 N71-15600
COMPRESSING
Refrigeration apparatus Patent
[NASA-CASE-XNP-08877] c 15 N71-23025
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c 31 N74-18124
Dynamic range compression/expansion of light beams by photorefractive crystals
[NASA-CASE-NPO-17140-1-CU] c 74 N88-24506
COMPRESSION LOADS
Pressure transducer
[NASA-CASE-NPO-10832] c 14 N72-21405
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c 44 N74-33379
Locking redundant link
[NASA-CASE-LAR-11900-1] c 37 N79-14382
Fixture for environmental exposure of structural materials under compression load
[NASA-CASE-LAR-12602-1] c 39 N83-3208
Deployable M-braced truss structure
[NASA-CASE-LAR-13081-1] c 37 N86-3273
COMPRESSION RATIO
Automatic compression adjusting mechanism for internal combustion engines
[NASA-CASE-MSC-18807-1] c 37 N83-3648
COMPRESSION TESTS
Compression test assembly
[NASA-CASE-LAR-10440-1] c 14 N73-3232

Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c 09 N74-19528
Compression test apparatus
[NASA-CASE-MSC-18723-1] c 35 N83-21312
Bearing-bypass material system test
[NASA-CASE-LAR-13458-1] c 35 N88-23967

COMPRESSOR BLADES
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c 15 N73-28515
Control means for a gas turbine engine
[NASA-CASE-LEW-14586-1] c 07 N83-31603

COMPRESSOR ROTORS
Active clearance control system for a turbomachine
[NASA-CASE-LEW-12938-1] c 07 N82-32366

COMPRESSORS
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c 33 N71-17610
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c 75 N76-17951
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c 35 N78-10428
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c 37 N80-26658
Cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c 31 N83-31897
Magentically actuated compressor
[NASA-CASE-GSC-12799-1] c 31 N85-21404
Oxygen chemisorption cryogenic refrigerator
[NASA-CASE-NPO-16734-1-CU] c 31 N88-14223

COMPUTATION
Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c 08 N71-19437
Ruler for making navigational computations
[NASA-CASE-XNP-01458] c 04 N78-17031

COMPUTER COMPONENTS
Counter and shift register Patent
[NASA-CASE-XNP-01753] c 08 N71-22897
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c 60 N78-17691
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c 60 N82-24839
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c 33 N82-29538
Neighborhood comparison operator
[NASA-CASE-NPO-16464-1CU] c 60 N86-24224
Real time pipelined system for forming the sum of products in the processing of video data
[NASA-CASE-NPO-16462-1-CU] c 60 N88-24169

COMPUTER DESIGN
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c 60 N77-14751
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c 60 N83-25378
Distributed multiport memory architecture
[NASA-CASE-NPO-15342-1] c 60 N83-32342
Automatic multi-banking of memory for microprocessors
[NASA-CASE-NPO-15295-1] c 60 N85-21992

COMPUTER GRAPHICS
System for quantizing graphic displays
[NASA-CASE-NPO-10745] c 08 N72-22164
Airplane runway performance monitoring system
[NASA-CASE-LAR-13854-1-CU] c 04 N88-24621

COMPUTER NETWORKS
High-speed data link for moderate distances and noisy environments
[NASA-CASE-NPO-14152-1] c 32 N80-18252
Common data buffer system --- communication with computational equipment utilized in spacecraft operations
[NASA-CASE-KSC-11048-1] c 62 N81-24779
Multicomputer communication system
[NASA-CASE-NPO-15433-1] c 32 N85-21428

COMPUTER PROGRAMMING
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c 10 N71-25917
Priority interrupt system --- comprised of four registers
[NASA-CASE-NPO-13067-1] c 60 N76-18800

COMPUTER PROGRAMS
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c 08 N71-24633
Program for computer aided reliability estimation
[NASA-CASE-NPO-13086-1] c 15 N73-12495
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c 08 N73-25206
Local area network with fault-checking, priorities and redundant backup
[NASA-CASE-NPO-16949-1-CU] c 62 N87-19021

COMPUTER STORAGE DEVICES
Magnetic matrix memory system Patent
[NASA-CASE-XMF-05835] c 08 N71-12504
Binary sequence detector Patent
[NASA-CASE-XNP-05415] c 08 N71-12505
Pulse-type magnetic core memory element circuit with blocking oscillator feedback Patent
[NASA-CASE-XGS-03303] c 08 N71-18595
Drive circuit utilizing two cores Patent
[NASA-CASE-XNP-01318] c 10 N71-23033
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c 07 N71-24624
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c 08 N71-24650
Digital memory in which the driving of each word location is controlled by a switch core Patent
[NASA-CASE-XNP-01466] c 10 N71-26434
Redundant memory organization Patent
[NASA-CASE-GSC-10564] c 10 N71-29135
Semiconductor-ferroelectric memory device
[NASA-CASE-ERC-10307] c 08 N72-21198
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c 60 N76-21914
Distributed multiport memory architecture
[NASA-CASE-NPO-15342-1] c 60 N83-32342
Method of and apparatus for generating an interstitial point in a data stream having an even number of data points
[NASA-CASE-MFS-25319-1] c 60 N85-33701

COMPUTER SYSTEMS DESIGN
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c 62 N74-14920
Computer interface system
[NASA-CASE-NPO-13428-1] c 60 N77-12721
Local area network with fault-checking, priorities and redundant backup
[NASA-CASE-NPO-16949-1-CU] c 62 N87-19021

COMPUTER TECHNIQUES
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c 25 N76-18245
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c 09 N77-27131
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c 37 N79-10421
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c 34 N81-26402
Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333
Auto covariance computer
[NASA-CASE-LAR-12968-1] c 60 N86-21154

COMPUTERIZED SIMULATION
Integrated time shared instrumentation display Patent
[NASA-CASE-XLA-01952] c 08 N71-12507
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c 35 N78-28411
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c 74 N79-13855
Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333

COMPUTERS
Telemetry word forming unit
[NASA-CASE-XNP-09225] c 09 N69-24333
Data compression processor Patent
[NASA-CASE-NPO-10068] c 08 N71-19288
Communications link for computers
[NASA-CASE-NPO-11161] c 08 N72-25207
Digital interface for bi-directional communication between a computer and a peripheral device
[NASA-CASE-MSC-20258-1] c 60 N84-28492
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629
Auto covariance computer
[NASA-CASE-LAR-12968-1] c 60 N86-21154

CONCAVITY
Concave grating spectrometer Patent
[NASA-CASE-XGS-01036] c 14 N70-40003

CONCENTRATORS
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c 09 N70-40234
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c 44 N76-14602
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c 44 N77-32583
Non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c 44 N79-11471
Solar cell module
[NASA-CASE-NPO-14467-1] c 44 N79-31753
Solar concentrator
[NASA-CASE-MFS-23727-1] c 44 N80-14473
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c 44 N81-17518
Nebulization reflux concentrator
[NASA-CASE-LAR-13254-1CU] c 35 N86-29174

CONCENTRIC CYLINDERS
Flow resistivity instrument
[NASA-CASE-LAR-13053-1] c 43 N83-29783

CONCENTRIC SPHERES
Method and apparatus for producing concentric hollow spheres --- inertial confinement fusion targets
[NASA-CASE-NPO-14596-1] c 31 N81-33319
Method and apparatus for producing gas-filled hollow spheres --- target pellets for inertial confinement fusion
[NASA-CASE-NPO-14596-3] c 31 N83-31896

CONDENSATES
Apparatus for testing polymeric materials Patent
[NASA-CASE-XNP-09699] c 06 N71-24607
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c 77 N75-20139
Method of evaporation
[NASA-CASE-NPO-15609-2] c 25 N88-23846

CONDENSERS (LIQUEFIERS)
Condenser - Separator
[NASA-CASE-XLA-08645] c 15 N69-21465
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c 77 N75-20139
Tower evaporator
[NASA-CASE-NPO-15609-2] c 31 N88-24815

CONDENSING
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c 27 N79-22300

CONDUCTING FLUIDS
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c 15 N71-27084
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c 37 N75-19686

CONDUCTIVE HEAT TRANSFER
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c 14 N70-34156
Space suit heat exchanger Patent
[NASA-CASE-XMS-09571] c 05 N71-19439
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c 36 N77-25502
Automatic thermal switch
[NASA-CASE-GSC-12415-1] c 33 N82-24419

CONDUCTORS
Extensible cable support Patent
[NASA-CASE-XMF-07587] c 15 N71-18701
Method for making conductors for ferrite memory arrays --- from pre-formed metal conductors
[NASA-CASE-LAR-10994-1] c 24 N75-13032

CONES
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c 14 N71-26475

CONFIGURATION MANAGEMENT
Reconfigurable work station for a video display unit and keyboard
[NASA-CASE-MFS-26009-1-SB] c 54 N88-24163

CONFINEMENT
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c 11 N73-12265

CONICAL BODIES
Conical valve plug Patent
[NASA-CASE-XLE-00715] c 15 N70-34859
Conical reflector antenna
[NASA-CASE-NPO-10303] c 07 N72-22127
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c 07 N73-14130
Almond test body --- for microwave anechoic chambers
[NASA-CASE-LAR-13747-1] c 32 N88-24845

CONICAL SCANNING
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c 32 N79-13214

CONICAL SHELLS
Device for determining the accuracy of the flare on a flared tube
[NASA-CASE-XKS-03495] c 14 N69-39785
Foldable solar concentrator Patent
[NASA-CASE-XLA-04622] c 03 N70-41580
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c 15 N71-22722

CONJUGATES
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c 32 N79-24210

CONNECTORS
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c 03 N69-21539
Quick release connector Patent
[NASA-CASE-XLA-01141] c 15 N71-13789
Flared tube strainer
[NASA-CASE-XLA-05056] c 15 N72-11389
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c 09 N73-28083
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c 31 N79-21225
Clamp-mount device
[NASA-CASE-MFS-25510-1] c 37 N84-16560
Apparatus for releasably connecting first and second objects in predetermined space relationship
[NASA-CASE-MSC-18969-1] c 18 N84-22605
Connection system --- insuring against loss of a tool component without using multiple tethers
[NASA-CASE-MSC-20319-1] c 37 N85-21649
Toggle release
[NASA-CASE-MSC-21354-1] c 37 N88-24969
Collet lock joint for space station truss
[NASA-CASE-MSC-21207-1] c 37 N88-29180

CONSCIOUSNESS
EEG sleep analyzer and method of operation Patent
[NASA-CASE-MSC-13282-1] c 05 N71-24729

CONSISTENCY
Constant-output atomizer --- Inhalation therapy and aerosol research
[NASA-CASE-MFS-25631-1] c 34 N84-12406

CONSOLES
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c 32 N79-23310

CONSTANTS
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c 35 N77-18417

CONSTRAINTS
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c 15 N71-24694
Cable restraint
[NASA-CASE-LAR-10129-1] c 15 N73-25512
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c 14 N73-27377
Reefing system
[NASA-CASE-LAR-10129-2] c 37 N74-20063
Restraining mechanism
[NASA-CASE-MSC-13054] c 54 N78-17677
Spine immobilization apparatus
[NASA-CASE-ARC-11167-1] c 52 N81-25662

CONSTRUCTION MATERIALS
Foldable construction block
[NASA-CASE-MSC-12233-1] c 15 N72-25454
Foldable construction block
[NASA-CASE-MSC-12233-2] c 32 N73-13921
Structural panels
[NASA-CASE-ARC-11429-2-CU] c 27 N87-22845

CONTACT POTENTIALS
Ionospheric battery Patent
[NASA-CASE-XGS-01593] c 03 N70-35408

CONTAINERLESS MELTS
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c 76 N77-32919
Gas levitator having fixed levitation node for containerless processing
[NASA-CASE-MFS-25509-1] c 35 N83-24828
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650
Apparatus for production of ultrapure amorphous metals utilizing acoustic cooling
[NASA-CASE-NPO-15658-1] c 26 N86-32551
Quasi-containerless glass formation method and apparatus
[NASA-CASE-MFS-28090-1] c 27 N87-21111
Apparatus ad method for quiescent containerless processing of high temperature metals and alloys in low gravity
[NASA-CASE-MFS-28087-1] c 35 N87-23944
Sample levitation and melt in microgravity
[NASA-CASE-NPO-17022-1-CU] c 29 N87-25489

CONTAINERS
Fluid containers and resealable septum therefor Patent
[NASA-CASE-NPO-10123] c 15 N71-24835
Method for detecting leaks in hermetically sealed containers Patent
[NASA-CASE-ERC-10045] c 15 N71-24910
Apparatus for detecting the amount of material in a resonant cavity container Patent
[NASA-CASE-XNP-02500] c 18 N71-27397

CONTAINMENT
Hemispherical latching apparatus
[NASA-CASE-MFS-25837-1] c 18 N85-29991

CONTAMINANTS
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c 12 N71-21089
Method and apparatus for mapping the distribution of chemical elements in an extended medium
[NASA-CASE-GSC-12808-1] c 25 N85-21279

CONTAMINATION
Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XMF-02039] c 15 N71-15871
Separation nut Patent
[NASA-CASE-XGS-01971] c 15 N71-15922
Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c 15 N71-27372
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c 14 N72-25413
Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c 35 N79-28527

CONTINUOUS RADIATION
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c 39 N78-15512
Pseudo continuous wave instrument --- ultrasonics
[NASA-CASE-LAR-12260-1] c 35 N79-10390
Low-frequency radio navigation system
[NASA-CASE-NPO-15264-1] c 04 N84-27713

CONTINUOUS WAVE LASERS
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c 36 N75-27364
Continuous plasma laser --- method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c 36 N77-19416
Stark effect spectrophone for continuous absorption spectra monitoring --- a technique for gas analysis
[NASA-CASE-NPO-15102-1] c 25 N81-25159
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c 36 N82-29589
Spectrophone stabilized laser with line center offset frequency control
[NASA-CASE-NPO-15516-1] c 36 N84-22943

CONTINUOUS WAVE RADAR
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c 07 N70-41680
FM/CW radar system
[NASA-CASE-MFS-22234-1] c 32 N79-10264
Method and apparatus for measuring distance
[NASA-CASE-MSC-20912-1] c 32 N88-26568

CONTINUUM FLOW
Energy efficient continuous flow ash lockhopper
[NASA-CASE-NPO-16985-1-CU] c 31 N88-24814

CONTOURS
Contour surveying system Patent
[NASA-CASE-XLA-08646] c 14 N71-17586
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c 10 N72-20225
Variable contour securing system
[NASA-CASE-MSC-16270-1] c 37 N78-27423
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c 74 N78-27904
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c 52 N79-10724
Contour measurement system
[NASA-CASE-MFS-23726-1] c 43 N79-26439
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c 24 N80-26388
Surface conforming thermal/pressure seal --- tail assemblies of space shuttle orbiters
[NASA-CASE-MSC-18422-1] c 37 N82-16408
Method and apparatus for contour mapping using synthetic aperture radar
[NASA-CASE-NPO-15939-1] c 43 N86-19711

CONTROL
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c 09 N71-23191
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c 14 N71-23755
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c 04 N76-26175
Power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c 33 N81-27395
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c 33 N82-29538
Television camera video level control system
[NASA-CASE-MSC-18578-1] c 32 N85-21427
A digitally controlled system for effecting and presenting a selected electrical resistance
[NASA-CASE-MFS-29149-1] c 33 N87-29737

CONTROL BOARDS
Pressure monitoring with a plurality of ionization gauges controlled at a central location Patent
[NASA-CASE-XLE-00787] c 14 N71-21090

CONTROL DATA (COMPUTERS)
Computer interface system
[NASA-CASE-NPO-13428-1] c 60 N77-12721

CONTROL EQUIPMENT
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c 10 N71-18772
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c 08 N71-19687
Attitude controls for VTOL aircraft Patent
[NASA-CASE-XAC-08972] c 02 N71-20570
Control device Patent
[NASA-CASE-XAC-10019] c 15 N71-23809
Controlled release device Patent
[NASA-CASE-XKS-03338] c 15 N71-24043
Dual polarity full wave dc motor drive Patent
[NASA-CASE-XNP-07477] c 09 N71-26092
Digital memory in which the driving of each word location is controlled by a switch core Patent
[NASA-CASE-XNP-01466] c 10 N71-26434
Fluid jet amplifier Patent
[NASA-CASE-XLE-09341] c 12 N71-28741
System for controlling the operation of a variable signal device
[NASA-CASE-NPO-11064] c 07 N72-11150
Solid state remote circuit selector switch
[NASA-CASE-LEW-10387] c 09 N72-22201
Synchronous orbit battery cycler
[NASA-CASE-GSC-11211-1] c 03 N72-25020
Infinite range electronics gain control circuit
[NASA-CASE-GSC-10786-1] c 10 N72-28241
Interferometric rotation sensor
[NASA-CASE-ARC-10278-1] c 14 N73-25463
Digital controller for a Baum folding machine --- providing automatic counting and machine shutoff
[NASA-CASE-LAR-10688-1] c 37 N74-21056
Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c 37 N74-21065
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c 18 N75-27041
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c 54 N77-32721
Power factor control system for AC induction motors
[NASA-CASE-MFS-23280-1] c 33 N78-10376
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c 37 N78-17384
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c 73 N78-28913
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c 74 N79-12890
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c 35 N80-28686
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c 54 N81-26718
Means for controlling aerodynamically induced twist
[NASA-CASE-LAR-12175-1] c 05 N82-28279
Electronic system for high power load control --- solar arrays
[NASA-CASE-NPO-15358-1] c 33 N83-27126
Pulsed thyristor trigger control circuit
[NASA-CASE-MFS-25616-1] c 33 N84-16455
Magnetic spin reduction system for free spinning objects
[NASA-CASE-MFS-25966-1] c 16 N86-26352
Apparatus and method of capturing an orbiting spacecraft
[NASA-CASE-MSC-20979-1] c 37 N87-22985
Auxiliary data input device
[NASA-CASE-LAR-13626-1] c 37 N87-25584

CONTROL ROCKETS
Decomposition unit Patent
[NASA-CASE-XMS-00583] c 28 N70-38504

CONTROL RODS
Null device for hand controller Patent
[NASA-CASE-XLA-01808] c 15 N71-20740

CONTROL SIMULATION
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c 54 N81-27806

CONTROL STABILITY
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c 07 N81-19115
Apparatus for damping operator induced oscillations of a controlled system --- flight control
[NASA-CASE-FRC-11041-1] c 33 N82-18493

CONTROL SURFACES
Conical valve plug Patent
[NASA-CASE-XLE-00715] c 15 N70-34859
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c 31 N70-41855
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c 08 N79-14108
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c 02 N81-14968
Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c 37 N81-15363
CONTROL SYSTEMS DESIGN
Reactant pressure differential control for fuel cell gases
[NASA-CASE-MSC-20127-2] c 37 N85-34403
Brushless DC motor control system responsive to control signals generated by a computer or the like
[NASA-CASE-NPO-16420-1] c 33 N86-20681
ARC length control for plasma welding
[NASA-CASE-MSC-20900-1] c 37 N88-30131
CONTROL UNITS (COMPUTERS)
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c 08 N71-24633
CONTROL VALVES
Electromechanical actuator
[NASA-CASE-XNP-05975] c 15 N69-23185
Full flow with shut off and selective drainage control valve Patent application
[NASA-CASE-ERC-10208] c 15 N70-10867
Conical valve plug Patent
[NASA-CASE-XLE-00715] c 15 N70-34859
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c 15 N71-17654
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c 12 N71-27332
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c 15 N71-27432
Dual stage check valve
[NASA-CASE-MSC-13587-1] c 15 N73-30459
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c 02 N74-20646
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c 37 N75-25185
Pressure modulating value
[NASA-CASE-MSC-14905-1] c 37 N77-28487
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c 37 N78-25426
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c 37 N79-33468
Quartz ball value
[NASA-CASE-NPO-14473-1] c 37 N80-23654
Pressure control valve --- inflating flexible bladders
[NASA-CASE-ARC-11251-1] c 37 N81-17433
Electrical servo actuator bracket --- fuel control valves on jet engines
[NASA-CASE-FRC-11044-1] c 37 N81-33483
Control means for a gas turbine engine
[NASA-CASE-LEW-14586-1] c 07 N83-31603
Slow opening valve --- valve design for shuttle portable oxygen system
[NASA-CASE-MSC-20112-1] c 37 N85-20338
Remotely controllable mixing system
[NASA-CASE-MFS-28153-1] c 31 N86-32589
Dual motion valve with single motion input
[NASA-CASE-MFS-28058-1] c 37 N87-21332
Monogroove cold plate
[NASA-CASE-MSC-20946-1] c 34 N87-28867
CONTROLLED ATMOSPHERES
Electrical connector Patent Application
[NASA-CASE-MFS-14741] c 09 N70-20737
High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c 09 N71-13518
Exposure system for animals Patent
[NASA-CASE-XAC-05333] c 11 N71-22875
Space station architecture, module, berthing hub, shell assembly, berthing mechanism and utility connection channel
[NASA-CASE-ARC-11505-1] c 18 N84-22612
CONTROLLERS
Three axis controller Patent
[NASA-CASE-XFR-00181] c 21 N70-33279
Two-axis controller Patent
[NASA-CASE-XFR-04104] c 03 N70-42073
Controllers Patent
[NASA-CASE-XMS-07487] c 15 N71-23255
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c 08 N74-10942
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c 33 N78-32340
Active nutation controller
[NASA-CASE-GSC-12273-1] c 35 N80-21719
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c 37 N81-17432
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c 33 N81-20352
Motor power factor controller with a reduced voltage starter
[NASA-CASE-MFS-25586-1] c 33 N82-11360
Phase detector for three-phase power factor controller
[NASA-CASE-MFS-25854-1] c 33 N84-27975
Three-phase power factor controller with induced EMF sensing
[NASA-CASE-MFS-25852-1] c 33 N84-33661
Thumb-actuated two-axis controller
[NASA-CASE-ARC-11372-1] c 08 N86-27288
Reconfigurable work station for a video display unit and keyboard
[NASA-CASE-MFS-26009-1-SB] c 54 N88-24163
A universal computer control system for motors
[NASA-CASE-NPO-17134-1-CU] c 33 N88-24864
Nanosequencer digital logic controller
[NASA-CASE-NPO-16116-2] c 60 N88-29310
CONVECTION
Method and apparatus for minimizing convection during crystal growth from solution
[NASA-CASE-NPO-15811-1] c 76 N84-12968
CONVECTIVE FLOW
Geysering inhibitor for vertical cryogenic transfer pipe
[NASA-CASE-KSC-10615] c 15 N73-12486
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c 36 N83-10417
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818
CONVECTIVE HEAT TRANSFER
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c 35 N74-22095
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818
CONVERGENCE
Shock wave convergence apparatus
[NASA-CASE-MFS-20890] c 14 N72-22439
CONVERGENT NOZZLES
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c 31 N79-11246
CONVERGENT-DIVERGENT NOZZLES
Gimbaled, partially submerged rocket nozzle Patent
[NASA-CASE-XMF-01544] c 28 N70-34162
Combustion chamber Patent
[NASA-CASE-XLE-04857] c 28 N71-23968
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c 07 N80-32392
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c 09 N82-11088
Nozzle fabrication technique
[NASA-CASE-MSC-21299-1] c 20 N88-24684
CONVERSION
Technique for measuring gas conversion factors
[NASA-CASE-LAR-13220-1] c 34 N86-12547
CONVERTERS
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c 35 N76-16391
CONVEYORS
System and method for refurbishing and processing parachutes --- monorial conveyor system
[NASA-CASE-KSC-11042-2] c 02 N81-26073
Method for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c 09 N82-29330
Static continuous electrophoresis device
[NASA-CASE-MFS-25306-1] c 25 N83-13187
Acoustic system for material transport
[NASA-CASE-NPO-15453-1] c 71 N83-32515
Shuttle car loading system
[NASA-CASE-NPO-15949-1] c 85 N85-34722
CONVOLUTION INTEGRALS
Real time pipelined system for forming the sum of products in the processing of video data
[NASA-CASE-NPO-16462-1-CU] c 60 N88-24169
COOLANTS
Jet pump-drive system for heat removal
[NASA-CASE-NPO-16494-1-CU] c 34 N85-29182
COOLING
Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c 09 N71-13486
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c 10 N71-26626
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c 16 N72-12440
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c 36 N77-25502
Steam cooled rich-burn combustor liner
[NASA-CASE-LEW-13609-1] c 25 N83-17628
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c 34 N83-34221
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577
Air modulation apparatus
[NASA-CASE-LEW-13524-1] c 07 N84-33410
Heat pipe cooled probe
[NASA-CASE-LAR-12588-1] c 34 N85-21568
High temperature electric arc furnace
[NASA-CASE-MFS-28281-1] c 09 N88-28938
Surface Tension Confined Liquid Cryogen Cooler (STCLCC)
[NASA-CASE-GSC-13112-1] c 31 N88-29050
Thermocouple for heating and cooling of memory metal actuators
[NASA-CASE-NPO-17068-1-CU] c 35 N88-29151
COOLING SYSTEMS
Automatic thermal switch Patent
[NASA-CASE-XNP-03796] c 23 N71-15467
Differential temperature transducer Patent
[NASA-CASE-XAC-00812] c 14 N71-15598
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114-2] c 09 N71-24807
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c 23 N71-26654
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c 33 N71-29046
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c 33 N71-29052
Method and device for cooling Patent
[NASA-CASE-HQN-00938] c 33 N71-29053
Liquid spray cooling method Patent
[NASA-CASE-XLE-00027] c 33 N71-29152
Radial heat flux transformer
[NASA-CASE-NPO-10828] c 33 N72-17948
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c 34 N74-23066
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c 33 N75-30430
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c 20 N76-14191
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c 34 N77-19353
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c 33 N77-22386
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c 07 N77-23106
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c 37 N78-10467
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c 31 N78-17237
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c 31 N78-25256
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c 54 N78-32721
Heat exchanger --- rocket combustion chambers and cooling systems
[NASA-CASE-LEW-12252-1] c 34 N79-13288
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c 34 N79-20336
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c 45 N80-14579
Heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c 44 N81-24519
Cooling system for high speed aircraft
[NASA-CASE-LAR-12406-1] c 05 N81-26114
Waveguide cooling system
[NASA-CASE-NPO-15401-1] c 32 N83-27085
Cooling by conversion of para to ortho-hydrogen
[NASA-CASE-GSC-12770-1] c 25 N83-29324
Radiative cooler --- spacecraft radiators
[NASA-CASE-NPO-15465-1] c 34 N84-22903
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577
High thermal power density heat transfer apparatus providing electrical isolation at high temperature using heat pipes
[NASA-CASE-LEW-12950-2] c 34 N85-29179
Jet pump-drive system for heat removal
[NASA-CASE-NPO-16494-1-CU] c 34 N85-29182
Precision manipulator heating and cooling apparatus for use in UHV systems with sample transfer capability
[NASA-CASE-LAR-13040-1] c 37 N85-29286
Vortex generating flow passage design for increased film cooling effectiveness
[NASA-CASE-LEW-14039-1] c 34 N85-33433

Monogroove cold plate
[NASA-CASE-MSC-20946-1] c 34 N87-28867
COORDINATES
Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c 14 N70-36907
Lightning tracking system
[NASA-CASE-KSC-10729-1] c 09 N73-32110
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c 04 N77-19056
COPOLYMERIZATION
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-1] c 27 N84-27885
Chemical control of nadimide cure temperature and rate
[NASA-CASE-LEW-13770-2] c 25 N85-28982
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560
Process for curing bismaleimide resins
[NASA-CASE-ARC-11429-4CU] c 27 N87-15304
Polyether-polyester graft copolymer
[NASA-CASE-LAR-13447-1] c 27 N88-18725
COPOLYMERS
Method of producing alternating ether siloxane copolymers Patent
[NASA-CASE-XMF-02584] c 06 N71-20905
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c 06 N71-23500
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c 27 N80-24438
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c 25 N81-17187
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-3] c 27 N85-21350
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-4] c 27 N85-21351
Alkaline battery containing a separator of a cross-linked copolymer of vinyl alcohol and unsaturated carboxylic acid
[NASA-CASE-LEW-13102-1] c 33 N85-29144
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-1] c 24 N86-19380
Poly(carbonate-mide) polymer
[NASA-CASE-LAR-13292-1] c 27 N86-24841
Polyarylene ethers with improved properties
[NASA-CASE-LAR-13555-1] c 23 N86-32526
Polyether-polyester graft copolymer
[NASA-CASE-LAR-13447-1] c 27 N88-18725
COPPER
Method for etching copper Patent
[NASA-CASE-XGS-06306] c 17 N71-16044
Method of plating copper on aluminum Patent
[NASA-CASE-XLA-08966-1] c 17 N71-25903
Brazing alloy composition
[NASA-CASE-XMF-06053] c 26 N75-27126
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c 44 N79-11469
Metal (2) 4,4',4',4'' phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281
COPPER ALLOYS
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c 26 N77-20201
Thin film strain transducer
[NASA-CASE-WLP-10055-1] c 35 N84-28015
Aluminum alloy
[NASA-CASE-LAR-13924-1-CU] c 26 N88-24753
COPPER COMPOUNDS
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c 09 N71-23027
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c 16 N72-12440
Brazing alloy
[NASA-CASE-XNP-03878] c 26 N75-27127
COPPER FLUORIDES
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c 06 N72-17093
COPPER OXIDES
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587
CORDAGE
Method of forming a root cord restrained convolute section
[NASA-CASE-MSC-12398] c 05 N72-20098
CORE STORAGE
Semiconductor-ferroelectric memory device
[NASA-CASE-ERC-10307] c 08 N72-21198
CORES
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c 37 N74-15128
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c 35 N77-21392
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c 24 N82-24296
Low power consumption current transducer
[NASA-CASE-NPO-16888-1-CU] c 33 N88-23937
CORK (MATERIALS)
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c 24 N80-26388
CORRECTION
Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c 07 N69-39978
CORRELATION
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c 32 N83-19968
CORRELATION DETECTION
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c 33 N75-26243
Interferometric locating system
[NASA-CASE-NPO-14173-1] c 04 N80-32359
CORRELATORS
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c 30 N71-23723
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c 32 N79-14267
Baseband signal combiner for large aperture antenna array
[NASA-CASE-NPO-14641-1] c 32 N81-29308
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c 32 N83-13323
CORROSION
Method of neutralizing the corrosive surface of amine-cured epoxy resins
[NASA-CASE-GSC-12686-1] c 27 N83-34039
CORROSION PREVENTION
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c 15 N71-16075
Method of inhibiting stress corrosion cracks in titanium alloys Patent
[NASA-CASE-NPO-10271] c 17 N71-16393
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c 15 N71-18616
Corrosion resistant beryllium Patent
[NASA-CASE-LEW-10327] c 17 N71-33408
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c 24 N76-14203
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c 45 N80-14579
Method of protecting a surface with a silicon-slurry/aluminide coating --- coatings for gas turbine engine blades and vanes
[NASA-CASE-LEW-13343-1] c 27 N82-28441
Heat pipes containing alkali metal working fluid
[NASA-CASE-LEW-12253-1] c 74 N83-19596
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736
CORROSION RESISTANCE
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c 17 N71-15644
Solder flux which leaves corrosion-resistant coating Patent
[NASA-CASE-XNP-03459-2] c 18 N71-15688
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c 17 N71-16025
Soldering with solder flux which leaves corrosion resistant coating Patent
[NASA-CASE-XNP-03459] c 15 N71-21078
Method of making bearing material
[NASA-CASE-LEW-11930-3] c 24 N80-33482
Corrosion resistant thermal barrier coating --- protecting gas turbines and other engine parts
[NASA-CASE-LEW-13088-1] c 26 N81-25188
Sandblasting nozzle
[NASA-CASE-NPO-13823-1] c 37 N81-25371
Covering solid, film cooled surfaces with a duplex thermal barrier coating
[NASA-CASE-LEW-13450-1] c 31 N83-35177
Carbon granule probe microphone for leak detection --- recovery boilers
[NASA-CASE-NPO-16027-1] c 35 N85-21597
Corrosion resistant coating
[NASA-CASE-NPO-15928-1] c 26 N85-29005
CORRUGATED PLATES
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c 24 N82-24296
Stiffened titanium panels
[NASA-CASE-LAR-13814-1] c 31 N88-24816
CORRUGATING
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c 32 N80-29539
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c 24 N82-24296
Curved cap corrugated sheet
[NASA-CASE-LAR-12884-1] c 18 N84-33450
COSINE SERIES
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c 09 N72-21248
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c 10 N73-20253
COSMIC DUST
Cosmic dust sensor
[NASA-CASE-GSC-10503-1] c 14 N72-20381
Cosmic dust or other similar outer space particles impact location detector
[NASA-CASE-GSC-11291-1] c 25 N72-33696
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c 35 N75-27331
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c 35 N76-15431
COST ANALYSIS
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c 44 N78-17460
COST EFFECTIVENESS
Glass heating panels and method for preparing the same from architectural reflective glass
[NASA-CASE-NPO-15753-1] c 27 N84-33589
COUCHES
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c 05 N70-35152
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c 15 N70-35679
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c 05 N71-12343
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c 05 N72-11085
COULOMETERS
Electrochemical coulometer and method of forming same Patent
[NASA-CASE-XGS-05434] c 03 N71-20491
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c 03 N71-24719
State-of-charge coulometer
[NASA-CASE-NPO-15759-1] c 35 N85-21596
COUNTERBALANCES
Load positioning system with gravity compensation
[NASA-CASE-ARC-11525-1] c 37 N86-27629
COUNTERS
Counter Patent
[NASA-CASE-XNP-06234] c 10 N71-27137
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c 32 N73-26910
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c 25 N79-24073
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c 60 N81-15706
Film advance indicator
[NASA-CASE-LAR-12474-1] c 35 N82-26628
Apparatus and process for microbial detection and enumeration
[NASA-CASE-LAR-12709-1] c 35 N82-28604
COUNTING CIRCUITS
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c 14 N69-27432
Ring counter
[NASA-CASE-XGS-03095] c 09 N69-27463
Relay binary circuit Patent
[NASA-CASE-XMF-00421] c 09 N70-34502
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c 09 N71-10673
Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors Patent
[NASA-CASE-XLE-01246] c 14 N71-10797
Magnetic counter Patent
[NASA-CASE-XNP-08836] c 09 N71-12515
Synchronous counter Patent
[NASA-CASE-XGS-02440] c 08 N71-19432
Digital cardiotachometer system Patent
[NASA-CASE-XMS-02399] c 05 N71-22896
Counter and shift register Patent
[NASA-CASE-XNP-01753] c 08 N71-22897

Noninterruptable digital counting system Patent
[NASA-CASE-XNP-09759] c 08 N71-24891
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c 33 N76-16331
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c 60 N81-15706

COUPLING
Coupling for linear shaped charge Patent
[NASA-CASE-XLA-00189] c 33 N70-36846
Expansible support means
[NASA-CASE-NPO-11059] c 15 N72-17454
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c 33 N82-26568
Electrical power generating system
[NASA-CASE-MFS-25302-1] c 33 N83-28319
Coupling an induction motor type generator to ac power lines --- making windmill generators compatible with public power lines
[NASA-CASE-MFS-25302-2] c 33 N84-33660
Magnetic drive coupling
[NASA-CASE-MSC-21171-1] c 37 N88-23973
Optical pressure sealing couping (light joint)
[NASA-CASE-MFS-29348-1] c 74 N88-25303

COUPLING CIRCUITS
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c 10 N71-19547
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c 07 N71-27233
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c 07 N71-28429
Signal path series step biased multidevice high efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c 07 N71-28430
Automatic quadrature control and measuring system --- using optical coupling circuitry
[NASA-CASE-MFS-21660-1] c 35 N74-21017
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c 33 N75-19520
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c 33 N82-24422

COUPLINGS
Coupling device
[NASA-CASE-XMS-07846-1] c 09 N69-21927
Tubular coupling having frangible connecting means
[NASA-CASE-XLA-02854] c 15 N69-27490
Quick release separation mechanism Patent
[NASA-CASE-XLA-01441] c 15 N70-41679
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c 15 N70-41808
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c 15 N71-10782
Ratchet mechanism Patent
[NASA-CASE-MFS-12805] c 15 N71-17805
Split nut separation system Patent
[NASA-CASE-XNP-06914] c 15 N71-21489
Duct coupling for single-handed operation Patent
[NASA-CASE-MFS-20395] c 15 N71-24903
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c 15 N72-22482
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c 33 N75-30430
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c 35 N77-27366
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c 52 N79-26772
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c 37 N80-14398
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c 37 N81-14320
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c 51 N81-14605
Reusable captive blind fastener
[NASA-CASE-MSC-18742-1] c 37 N82-26673
Apparatus for releasably connecting first and second objects in predetermined space relationship
[NASA-CASE-MSC-18969-1] c 18 N84-22605
Connection system --- insuring against loss of a tool component without using multiple tethers
[NASA-CASE-MSC-20319-1] c 37 N85-21649
Non-backdriveable free wheeling coupling
[NASA-CASE-MSC-20475-1] c 37 N87-17037
Tube coupling device
[NASA-CASE-MFS-25964-2] c 37 N87-22977
Preloaded space structural coupling joints
[NASA-CASE-LAR-13489-1] c 18 N87-27713

COVARIANCE
Auto covariance computer
[NASA-CASE-LAR-12968-1] c 60 N86-21154

COVERINGS
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c 15 N69-27502
Fire blocking systems for aircraft seat cushions
[NASA-CASE-ARC-11423-1] c 03 N84-33394
Hatch cover
[NASA-CASE-MSC-21356-1] c 18 N88-24671

COWLINGS
Thrust reverser for a long duct fan engine --- for turbofan engines
[NASA-CASE-LEW-13199-1] c 07 N82-26293

CRACK OPENING DISPLACEMENT
Ultrasonic method and apparatus for determining crack opening load
[NASA-CASE-LAR-13889-1] c 39 N88-30160

CRACKING (FRACTURING)
Method of inhibiting stress corrosion cracks in titanium alloys Patent
[NASA-CASE-NPO-10271] c 17 N71-16393
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c 39 N78-16387

CRACKS
Method of repairing hidden leaks in tubes
[NASA-CASE-MFS-19796-1] c 37 N86-32736

CRANES
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828

CRASH LANDING
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c 03 N76-32140

CREEP RUPTURE STRENGTH
Nickel-base alloy containing Mo-W-Al-Cr- Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c 17 N71-16026
Heat treatment for superalloy
[NASA-CASE-LEW-14262-1] c 26 N87-28647

CREEP TESTS
Tensile testing apparatus
[NASA-CASE-LAR-13243-1] c 35 N85-34375

CRITICAL EXPERIMENTS
Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c 15 N71-27372

CRITICAL TEMPERATURE
Stable superconducting magnet --- high current levels below critical temperature
[NASA-CASE-XMF-05373-1] c 33 N79-21264

CROSS CORRELATION
Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c 38 N78-17395
Method and apparatus for calibrating the ionosphere and application to surveillance of geophysical events
[NASA-CASE-NPO-15430-1] c 46 N85-21846

CROSS FLOW
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c 02 N81-14968
Wingtip vortex propeller
[NASA-CASE-LAR-13019-1] c 07 N85-35194
Crossflow vorticity sensor
[NASA-CASE-LAR-13436-1-CU] c 02 N88-23759

CROSS POLARIZATION
Adaptive polarization separation
[NASA-CASE-LAR-12196-1] c 33 N81-26358

CROSSED FIELDS
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c 25 N70-33267
Energy conversion apparatus Patent
[NASA-CASE-XLE-00212] c 03 N70-34134
Crossed-field MHD plasma generator/ accelerator Patent
[NASA-CASE-XLA-03374] c 25 N71-15562

CROSSLINKING
Trifunctional alcohol
[NASA-CASE-NPO-10714] c 06 N69-31244
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c 27 N78-15276
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c 27 N78-31232
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c 44 N79-25481
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c 27 N79-28307
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c 27 N80-32516
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c 27 N81-17259
The 1,2,4-oxadiazole elastomers --- heat resistant polymers
[NASA-CASE-ARC-11253-1] c 27 N81-17262
In-situ cross linking of polyvinyl alcohol --- application to battery separator films
[NASA-CASE-LEW-13135-2] c 27 N81-24257
Cross-linked polyvinyl alcohol and method of making same
[NASA-CASE-LEW-13101-2] c 23 N81-29160
Polyvinyl alcohol cross-linked with two aldehydes
[NASA-CASE-LEW-13504-1] c 25 N83-13188
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-2] c 27 N83-29392
Mixed polyvalent-monovalent metal coating for carbon-graphite fibers
[NASA-CASE-NPO-14987-1] c 24 N83-33950
Polyphenylquinoxalines containing pendant phenylethynyl and ethynyl groups --- for thermoplastic resins
[NASA-CASE-LAR-12838-1] c 27 N83-34040
Process for preparing perfluorotriazine elastomers and precursors thereof
[NASA-CASE-ARC-11402-1] c 27 N84-22744
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-1] c 27 N84-22747
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-1] c 27 N85-20123
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-5] c 27 N85-21352
Chemical control of nadimide cure temperature and rate
[NASA-CASE-LEW-13770-2] c 25 N85-28982
Process for crosslinking methylene-containing aromatic polymers with ionizing radiation
[NASA-CASE-LAR-13448-1] c 27 N86-24840
Laminate comprising fibers embedded in cured amine terminated bis-imide
[NASA-CASE-ARC-11421-3] c 24 N86-25416
Process for crosslinking and extending conjugated diene-containing polymers
[NASA-CASE-LAR-13452-1] c 27 N87-22848
Semi-2-interpenetrating networks of high temperature systems
[NASA-CASE-LAR-13450-1] c 27 N87-28657
Polyether-polyester graft copolymer
[NASA-CASE-LAR-13447-1] c 27 N88-18725

CRUCIBLES
Evaporant holder
[NASA-CASE-XLA-03105] c 15 N69-27483

CRUCIFORM WINGS
Solar powered aircraft
[NASA-CASE-LAR-12615-1] c 05 N84-12154

CRUDE OIL
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c 06 N71-23499
Crude oil desulfurization
[NASA-CASE-NPO-14542-1] c 25 N82-23282

CRUSTAL FRACTURES
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c 46 N80-14603

CRYOGENIC COOLING
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c 32 N80-32605
Low cost cryostat
[NASA-CASE-NPO-14513-1] c 35 N81-14287
Stirling cycle cryogenic cooler
[US-PATENT-4,389,849] c 44 N83-28574
Oxygen chemisorption cryogenic refrigerator
[NASA-CASE-NPO-16734-1-CU] c 31 N88-14223
Krypton based adsorption type cryogenic refrigerator
[NASA-CASE-NPO-17334-1-CU] c 31 N88-23917
Cryogenic regenerator including saran-carbon heat conduction matrix
[NASA-CASE-NPO-17291-1-CU] c 34 N88-23946

CRYOGENIC EQUIPMENT
Refrigeration apparatus
[NASA-CASE-NPO-10309] c 15 N69-23190
Piping arrangement through a double chamber structure
[NASA-CASE-XNP-08882] c 15 N69-39935
Method and apparatus for cryogenic wire stripping Patent
[NASA-CASE-MFS-10340] c 15 N71-17628
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c 23 N71-24725
Valving device for automatic refilling in cryogenic liquid systems
[NASA-CASE-NPO-11177] c 15 N72-17453
Dual stage check valve
[NASA-CASE-MSC-13587-1] c 15 N73-30459

Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c 20 N75-24837
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c 31 N77-10229
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c 35 N77-22450
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c 31 N78-25256
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c 51 N79-10694
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c 37 N79-28549
Low temperature latching solenoid
[NASA-CASE-MSC-18106-1] c 33 N82-11357
Resilient seal ring assembly with spring means applying force to wedge member --- cryogenic applications
[NASA-CASE-MFS-25678-1] c 37 N84-11497
Magentically actuated compressor
[NASA-CASE-GSC-12799-1] c 31 N85-21404
Propulsion apparatus and method using boil-off gas from a cryogenic liquid
[NASA-CASE-MFS-25946-1] c 20 N86-26368
Low temperature storage container for transporting perishables to space station
[NASA-CASE-MFS-28248-1] c 31 N88-24817
Surface Tension Confined Liquid Cryogen Cooler (STCLCC)
[NASA-CASE-GSC-13112-1] c 31 N88-29050

CRYOGENIC FLUID STORAGE
Apparatus for transferring cryogenic liquids Patent
[NASA-CASE-XLE-00345] c 15 N70-38020
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c 31 N70-41871
Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c 31 N70-42015
Method of making a filament-wound container Patent
[NASA-CASE-XLE-03803-2] c 15 N71-17651
Cryogenic insulation system Patent
[NASA-CASE-XLE-04222] c 23 N71-22881
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c 33 N71-25351
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c 33 N71-28892
Zero gravity shadow shield aligner
[NASA-CASE-KSC-10622-1] c 31 N72-21893
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c 35 N74-15093
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c 31 N79-21225
Cryogenic container compound suspension strap
[NASA-CASE-ARC-11157-1] c 37 N80-18393
Cryogenic insulation strength and bond tester
[NASA-CASE-MFS-25910-1] c 39 N86-20841

CRYOGENIC FLUIDS
Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c 14 N69-27423
Venting vapor apparatus Patent
[NASA-CASE-XLE-00288] c 15 N70-34247
Conical valve plug Patent
[NASA-CASE-XLE-00715] c 15 N70-34859
Fluid coupling Patent
[NASA-CASE-XLE-00397] c 15 N70-36492
Densitometer Patent
[NASA-CASE-XLE-00688] c 14 N70-41330
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c 15 N70-41629
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c 14 N70-42074
Automatic thermal switch Patent
[NASA-CASE-XNP-03796] c 23 N71-15467
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c 15 N71-15968
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c 14 N71-15992
Process of forming particles in a cryogenic path Patent
[NASA-CASE-NPO-10250] c 23 N71-16212
Superconducting alternator Patent
[NASA-CASE-XLE-02823] c 09 N71-23443
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c 14 N71-24864
Geysering inhibitor for vertical cryogenic transfer pipe
[NASA-CASE-KSC-10615] c 15 N73-12486
Magnetocaloric pump --- for cryogenic fluids
[NASA-CASE-LEW-11672-1] c 37 N74-27904
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c 35 N77-21393

CRYOGENIC GYROSCOPES
Cryogenic gyroscope housing --- with annular disks for gas spin-up
[NASA-CASE-MFS-21136-1] c 35 N74-18323

CRYOGENIC MAGNETS
Superconducting alternator
[NASA-CASE-XLE-02824] c 03 N69-39890

CRYOGENIC ROCKET PROPELLANTS
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c 15 N71-10782
Hot wire liquid level detector for cryogenic fluids Patent
[NASA-CASE-XLE-00454] c 23 N71-17802
Automatic pump Patent
[NASA-CASE-XNP-04731] c 15 N71-24042

CRYOGENIC STORAGE
Insulation system Patent
[NASA-CASE-XLE-02647] c 18 N71-23658
Filament wound container Patent
[NASA-CASE-XLE-03803] c 15 N71-23816

CRYOGENIC TEMPERATURE
Low noise cryogenic dielectric resonator oscillator
[NASA-CASE-NPO-17157-1-CU] c 33 N88-26596

CRYOGENIC WIND TUNNELS
Continuous self-locking spiral wound seal --- for maintaining pressure between chambers in cryogenic wind tunnels
[NASA-CASE-LAR-12315-1] c 37 N82-24490
Miniature remote dead weight calibrator
[NASA-CASE-LAR-13564-1] c 35 N87-25558
Method of forming a multiple layer dielectric and a hot film sensor therewith
[NASA-CASE-LAR-13678-1] c 76 N88-25355

CRYOGENICS
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c 17 N71-20743
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c 23 N71-26654
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c 33 N78-13320
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c 36 N80-18372
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c 26 N80-32484
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c 74 N80-33210
Polymeric compositions and their method of manufacture --- forming filled polymer systems using cryogenics
[NASA-CASE-NPO-10424-1] c 27 N81-24258

CRYOLITE
Ultraviolet filter
[NASA-CASE-XNP-02340] c 23 N69-24332

CRYOSTATS
Low temperature flexure fatigue cryostat Patent
[NASA-CASE-XMF-02964] c 14 N71-17659
Horizontal cryostat for fatigue testing Patent
[NASA-CASE-XMF-10968] c 14 N71-24234
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c 35 N74-15093
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c 31 N77-10229
Low cost cryostat
[NASA-CASE-NPO-14513-1] c 35 N81-14287

CRYOTRAPPING
Atomic hydrogen storage --- cryotrapping and magnetic field strength
[NASA-CASE-LEW-12081-2] c 28 N80-20402

CRYSTAL DEFECTS
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c 76 N79-11920
Method for growing low defect, high purity crystalline layers utilizing lateral overgrowth of a patterned mask
[NASA-CASE-NPO-15813-2] c 76 N87-15882

CRYSTAL FILTERS
Infrared tunable laser
[NASA-CASE-ARC-10463-1] c 09 N73-32111
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c 74 N79-14891

CRYSTAL GROWTH
Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c 26 N70-40015
Method of producing crystalline materials
[NASA-CASE-NPO-10440] c 15 N72-21466
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c 25 N75-26043
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c 76 N76-25049
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c 76 N77-32919
Pressure transducer --- using a monomeric charge transfer complex sensor
[NASA-CASE-NPO-11150] c 35 N78-17359
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c 76 N79-11920
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c 76 N79-23798
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c 44 N80-24741
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c 76 N80-32244
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c 76 N80-32245
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c 33 N81-19389
Ampoule sealing apparatus and process --- for housing a semiconductor growth charge under vacuum
[NASA-CASE-LAR-12847-1] c 33 N83-16633
Controlled in situ etch-back
[NASA-CASE-NPO-15625-1] c 76 N83-20789
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650
Method and apparatus for minimizing convection during crystal growth from solution
[NASA-CASE-NPO-15811-1] c 76 N84-12968
Process and apparatus for growing a crystal ribbon
[NASA-CASE-NPO-15629-1] c 76 N84-35113
Method for growth of crystals by pressure reduction of supercritical or subcritical solution
[NASA-CASE-NPO-15772-1] c 76 N85-29800
Low defect, high purity crystalline layers grown by selective deposition
[NASA-CASE-NPO-15813-1] c 76 N85-30922
Planar oscillatory stirring apparatus
[NASA-CASE-MFS-26002-1-CU] c 35 N86-26598
Method for growing low defect, high purity crystalline layers utilizing lateral overgrowth of a patterned mask
[NASA-CASE-NPO-15813-2] c 76 N87-15882
Total immersion crystal growth
[NASA-CASE-NPO-15800-2] c 76 N87-23286
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713
Liquid encapsulated crystal growth
[NASA-CASE-NPO-16808-1-CU] c 76 N87-25868
Procedure to prepare transparent silica gels
[NASA-CASE-LAR-13476-1-CU] c 76 N87-29360
Method for investigating the formation of crystals in a transparent material
[NASA-CASE-MFS-26008-1-CU] c 76 N88-14835
Method and apparatus for growing crystals
[NASA-CASE-MFS-28137-1] c 76 N88-24544
Liquid encapsulated float zone process and apparatus
[NASA-CASE-MFS-28144-1] c 76 N88-24545
Hanging drop crystal growth apparatus and method
[NASA-CASE-MFS-28206-1-SB] c 76 N88-25356
Crystal growth apparatus
[NASA-CASE-MFS-28182-1] c 76 N88-25357
High temperature electric arc furnace
[NASA-CASE-MFS-28281-1] c 09 N88-28938

CRYSTAL LATTICES
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c 76 N78-24950
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c 37 N82-32730

CRYSTAL OPTICS
Optical crystal temperature gauge with fiber optic connections
[NASA-CASE-MSC-18627-1] c 74 N82-30070

CRYSTAL OSCILLATORS
Microbalance including crystal oscillators for measuring contaminates in a gas system Patent
[NASA-CASE-NPO-10144] c 14 N71-17700
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c 33 N80-23550
Automatic oscillator frequency control system
[NASA-CASE-GSC-12804-1] c 33 N86-20660

CRYSTAL RECTIFIERS
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c 10 N71-26530

CRYSTAL STRUCTURE
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c 24 N77-27180

CRYSTALLINITY
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flame retardation
[NASA-CASE-LAR-12099-1] c 27 N80-16158
Method for growing low defect, high purity crystalline layers utilizing lateral overgrowth of a patterned mask
[NASA-CASE-NPO-15813-2] c 76 N87-15882
Process for developing crystallinity in linear aromatic polyimides
[NASA-CASE-LAR-13732-1] c 27 N87-25474
CRYSTALLIZATION
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c 76 N77-32919
Total immersion crystal growth
[NASA-CASE-NPO-15800-2] c 76 N87-23286
CRYSTALS
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c 09 N71-24904
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c 76 N80-18951
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c 37 N82-32730
Workpiece positioning vise
[NASA-CASE-GSC-12762-1] c 37 N84-28083
Dynamic range compression/expansion of light beams by photorefractive crystals
[NASA-CASE-NPO-17140-1-CU] c 74 N88-24508
CUBIC LATTICES
Stabilized lanthanum sulphur compounds --- thermoelectric materials
[NASA-CASE-NPO-16135-1] c 25 N83-24572
CUES
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c 54 N81-27806
CUFFS
Logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c 52 N82-11770
Prosthetic occlusive device for an internal passageway
[NASA-CASE-MFS-25740-1] c 52 N84-11744
CULTURE TECHNIQUES
Variable angle tube holder
[NASA-CASE-LAR-10507-1] c 11 N72-25284
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c 51 N75-13502
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c 35 N75-27330
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c 25 N79-24073
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c 51 N81-28698
Enhancement of in vitro guayule propagation
[NASA-CASE-NPO-15213-1] c 51 N83-17045
Method for detecting coliform organisms
[NASA-CASE-ARC-11322-1] c 51 N83-28849
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227
CURIE TEMPERATURE
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c 76 N79-16678
CURING
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c 27 N78-32260
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c 27 N79-11215
Curing agent for polyepoxides and epoxy resins and composites cured therewith --- preventing carbon fiber release
[NASA-CASE-LEW-13226-1] c 27 N81-17260
Method of neutralizing the corrosive surface of amine-cured epoxy resins
[NASA-CASE-GSC-12686-1] c 27 N83-34039
Fluoroether modified epoxy composites
[NASA-CASE-ARC-11418-1] c 24 N84-11213
Method and technique for installing light-weight, fragile, high-temperature fiber insulation
[NASA-CASE-MSC-16934-3] c 24 N84-16262
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-1] c 27 N84-27885
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-3] c 27 N85-21350
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-4] c 27 N85-21351
Chemical control of nadimide cure temperature and rate
[NASA-CASE-LEW-13770-2] c 25 N85-28982
Metal (2) 4,4',4',4'' phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-1] c 24 N86-19380
High performance mixed bisimide resins and composites based thereon
[NASA-CASE-ARC-11538-1SB] c 24 N86-21590
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-2] c 27 N86-21675
Process for curing bismaleimide resins
[NASA-CASE-ARC-11429-4CU] c 27 N87-15304
Method of controlling a resin curing process --- for fiber reinforced composites
[NASA-CASE-MSC-21169-1] c 27 N87-25473
Cellular thermosetting fluoropolymers and process for making them
[NASA-CASE-GSC-13008-1] c 27 N88-23894
CURRENT AMPLIFIERS
Multi-channel temperature measurement amplification system --- solar heating systems
[NASA-CASE-MFS-23775-1] c 44 N82-16474
Tuned analog network
[NASA-CASE-GSC-12650-1] c 33 N84-14421
A dc to dc converter
[NASA-CASE-MFS-25430-1] c 33 N84-16453
CURRENT DENSITY
Solid state switch
[NASA-CASE-XNP-09228] c 09 N69-27500
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c 17 N73-24569
Stable superconducting magnet --- high current levels below critical temperature
[NASA-CASE-XMF-05373-1] c 33 N79-21264
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c 44 N81-29524
CURRENT DISTRIBUTION
Connector - Electrical
[NASA-CASE-XLA-01288] c 09 N69-21470
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c 28 N71-15661
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c 10 N71-18724
Polarity sensitive circuit Patent
[NASA-CASE-XNP-00952] c 10 N71-23271
Load insensitive electrical device --- power converters for supplying direct current at one voltage from a source at another voltage
[NASA-CASE-XER-11046-2] c 33 N74-22864
CURRENT REGULATORS
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c 09 N69-24318
Baseline stabilization system for ionization detector Patent
[NASA-CASE-XNP-03128] c 10 N70-41991
Magnetic core current steering commutator Patent
[NASA-CASE-NPO-10201] c 08 N71-18694
Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c 09 N71-23316
Saturation current protection apparatus for saturable core transformers Patent
[NASA-CASE-ERC-10075] c 09 N71-24800
Drive circuit for minimizing power consumption in inductive load Patent
[NASA-CASE-NPO-10716] c 09 N71-24892
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c 10 N71-26531
Current regulating voltage divider
[NASA-CASE-MFS-20935] c 09 N71-34212
Ripple indicator
[NASA-CASE-KSC-10162] c 09 N72-11225
Inrush current limiter
[NASA-CASE-GSC-11789-1] c 33 N77-14333
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c 33 N79-24257
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c 33 N81-12330
Motor power factor controller with a reduced voltage starter
[NASA-CASE-MFS-25586-1] c 33 N82-11360
Electronic system for high power load control --- solar arrays
[NASA-CASE-NPO-15358-1] c 33 N83-27126
CURVATURE
Spin forming tubular elbows Patent
[NASA-CASE-XMF-01083] c 15 N71-22723
Two degree inverted flexure
[NASA-CASE-ARC-10345-1] c 15 N73-12488
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959
CURVE FITTING
Voltage-current characteristic simulator Patent
[NASA-CASE-XMS-01554] c 10 N71-10578
CURVED PANELS
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c 15 N71-15597
Radio frequency shielded enclosure Patent
[NASA-CASE-XMF-09422] c 07 N71-19436
Roll-up solar array Patent
[NASA-CASE-NPO-10188] c 03 N71-20273
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c 15 N71-24836
Variable contour securing system
[NASA-CASE-MSC-16270-1] c 37 N78-27423
CUSHIONS
Seat cushion to provide realistic acceleration cues to aircraft simulator pilot
[NASA-CASE-LAR-12149-2] c 09 N79-31228
Fire blocking systems for aircraft seat cushions
[NASA-CASE-ARC-11423-1] c 03 N84-33394
CUTTERS
Aligning and positioning device Patent
[NASA-CASE-XMS-04178] c 15 N71-22798
Weld preparation machine Patent
[NASA-CASE-XKS-07953] c 15 N71-26134
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c 15 N72-27485
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c 37 N74-25968
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c 37 N74-27905
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c 52 N75-33640
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c 43 N79-25443
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c 37 N80-29703
Open ended tubing cutters
[NASA-CASE-MSC-18538-1] c 37 N82-26672
Tubing and cable cutting tool
[NASA-CASE-LAR-12786-1] c 37 N84-28085
Cutting head for ultrasonic lithotripsy
[NASA-CASE-GSC-12944-1] c 52 N86-19885
CUTTING
Ellipsograph for pantograph Patent
[NASA-CASE-XLA-03102] c 14 N71-21079
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c 37 N77-14478
Explosively activated egress area
[NASA-CASE-LAR-12624-1] c 01 N83-35992
Tubing and cable cutting tool
[NASA-CASE-LAR-12786-1] c 37 N84-28085
CYANATES
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c 25 N80-16116
CYCLES
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c 03 N69-21469
Feedback shift register with states decomposed into cycles of equal length
[NASA-CASE-NPO-11082] c 08 N72-22167
CYCLIC ACCELERATORS
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c 37 N77-19458
CYCLIC COMPOUNDS
Carboranylcyclotriphosphazenes and their polymers --- thermal insulation
[NASA-CASE-ARC-11176-1] c 27 N82-18389
Maleimido substituted aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-1] c 23 N86-19376
Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates, adhesives and structures thereof
[NASA-CASE-ARC-11548-1] c 27 N87-25469
Aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-3] c 23 N88-24692
CYCLIC HYDROCARBONS
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c 18 N73-26572
Synthesis of 2,4,8,10-tetroxaspiro5,5undecane
[NASA-CASE-ARC-11243-2] c 23 N85-33187
CYCLIC LOADS
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c 33 N71-24276
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c 32 N72-25877
Material fatigue testing system
[NASA-CASE-MFS-20673] c 14 N73-20476

Fatigue testing a plurality of test specimens and method
[NASA-CASE-MFS-28118-1] c 39 N87-25601

CYCLOTRON RADIATION
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c 25 N78-27226

CYCLOTRON RESONANCE
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c 72 N80-27163

CYCLOTRON RESONANCE DEVICES
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c 72 N80-27163
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c 33 N83-31952

CYLINDRICAL ANTENNAS
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c 32 N76-18295

CYLINDRICAL BODIES
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c 36 N74-20009
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c 02 N81-14968
Alignment and assembly tool for very large diameter cylinders
[NASA-CASE-MFS-28001-2] c 37 N88-14360
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959

CYLINDRICAL CHAMBERS
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c 37 N83-19091

CYLINDRICAL SHELLS
Segmented tubular cushion springs and spring assembly
[NASA-CASE-ARC-11349-1] c 37 N86-20797

CYSTS
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c 52 N79-14751

CZOCHRALSKI METHOD
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c 76 N82-30105

D

DAMAGE
Method of repairing surface damage to porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18736-1] c 24 N83-13172

DAMPERS (VALVES)
Dual clearance squeeze film damper
[NASA-CASE-LEW-13506-1] c 37 N85-33490

DAMPING
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c 21 N70-34295
Slosh suppressing device and method Patent
[NASA-CASE-XMF-00658] c 12 N70-38997
Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c 21 N71-21708
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c 15 N71-24694
Nutation damper
[NASA-CASE-GSC-11205-1] c 15 N73-25513
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c 10 N73-26228
Apparatus for disintegrating kidney stones
[NASA-CASE-GSC-12652-1] c 52 N84-34913
Arrangement for damping the resonance in a laser diode
[NASA-CASE-NPO-15980-1] c 36 N85-30305
Damping seal for turbomachinery
[NASA-CASE-MFS-25842-2] c 37 N86-20788

DATA ACQUISITION
Analog-to-digital conversion system Patent
[NASA-CASE-XAC-00404] c 08 N70-40125
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c 30 N71-16090
Analog signal integration and reconstruction system Patent
[NASA-CASE-NPO-10344] c 10 N71-26544
Data transfer system Patent
[NASA-CASE-NPO-12107] c 08 N71-27255
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c 32 N75-15854
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c 52 N79-10724
Adaptive data acquisition multiplexing system and method
[NASA-CASE-MSC-21170-1] c 17 N88-24662

DATA COLLECTION PLATFORMS
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c 15 N75-13007

DATA COMPRESSION
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c 08 N71-12506
Data compression processor Patent
[NASA-CASE-NPO-10068] c 08 N71-19288
Wide range data compression system Patent
[NASA-CASE-XGS-02612] c 08 N71-19435
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c 08 N72-11171
Data compression system
[NASA-CASE-NPO-11243] c 07 N72-20154
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c 32 N74-19788
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c 32 N77-12240
Sampling video compression system
[NASA-CASE-ARC-10984-1] c 32 N77-24328

DATA CONVERTERS
Logarithmic converter Patent
[NASA-CASE-XLA-00471] c 08 N70-34778
Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c 14 N70-36907
Analog Signal to Discrete Time Interval Converter (ASDTIC)
[NASA-CASE-ERC-10048] c 09 N72-25251
High speed direct binary to binary coded decimal converter and scaler
[NASA-CASE-KSC-10595] c 08 N73-12176
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c 35 N74-11283
Electronic analog divider
[NASA-CASE-LEW-11881-1] c 33 N77-17354
Digital demodulator
[NASA-CASE-LAR-12659-1] c 33 N82-26570

DATA CORRELATION
Instrument for determining coincidence and elapse time between independent sources of random sequential events
[NASA-CASE-LAR-12531-1] c 35 N83-29651
Auto covariance computer
[NASA-CASE-LAR-12968-1] c 60 N86-21154

DATA LINKS
Multichannel telemetry system
[NASA-CASE-NPO-11572] c 07 N73-16121
Automated attendance accounting system
[NASA-CASE-NPO-11456] c 08 N73-26176
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c 60 N76-14818
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c 74 N76-18913

DATA MANAGEMENT
Selective data segment monitoring system --- using shift registers
[NASA-CASE-ARC-10899-1] c 60 N77-19760

DATA PROCESSING
Energy management system for glider type vehicle Patent
[NASA-CASE-XFR-00756] c 02 N71-13421
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c 10 N71-25917
Data transfer system Patent
[NASA-CASE-NPO-12107] c 08 N71-27255
Transient augmentation circuit for pulse amplifiers Patent
[NASA-CASE-XNP-01068] c 10 N71-28739
Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator
[NASA-CASE-XNP-03623] c 09 N73-28084
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c 35 N74-11283
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c 32 N77-32342
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c 32 N79-20297
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c 60 N81-27814
LDV multiplexer interface
[NASA-CASE-ARC-11536-1] c 33 N85-30202
Real-time garbage collection for list processing
[NASA-CASE-MSC-20964-1] c 60 N87-14863
Processing circuit with asymmetry corrector and convolutional encoder for digital data
[NASA-CASE-MSC-20187-1] c 33 N87-25531

DATA PROCESSING EQUIPMENT
Data processor having multiple sections activated at different times by selective power coupling to the sections Patent
[NASA-CASE-XGS-04767] c 08 N71-12494
Demodulation system Patent
[NASA-CASE-XAC-04030] c 10 N71-19472
Rate augmented digital to analog converter Patent
[NASA-CASE-XLA-07828] c 08 N71-27057
Variable digital processor including a register for shifting and rotating bits in either direction Patent
[NASA-CASE-GSC-10186] c 08 N71-33110
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c 07 N72-25172
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c 08 N73-12177
Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c 08 N73-13187
Automated attendance accounting system
[NASA-CASE-NPO-11456] c 08 N73-26176
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c 32 N77-12240
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c 60 N81-27814
Digital interface for bi-directional communication between a computer and a peripheral device
[NASA-CASE-MSC-20258-1] c 60 N84-28492
Neighborhood comparison operator
[NASA-CASE-NPO-16464-1CU] c 60 N86-24224
Real time pipelined system for forming the sum of products in the processing of video data
[NASA-CASE-NPO-16462-1-CU] c 60 N88-24169

DATA PROCESSING TERMINALS
Adaptive data acquisition multiplexing system and method
[NASA-CASE-MSC-21170-1] c 17 N88-24662

DATA RECORDERS
Data compressor Patent
[NASA-CASE-XNP-04067] c 08 N71-22707
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c 07 N72-21119
Recorder/processor apparatus --- for optical data processing
[NASA-CASE-GSC-11553-1] c 35 N74-15831

DATA RECORDING
System for recording and reproducing pulse code modulated data Patent
[NASA-CASE-XGS-01021] c 08 N71-21042
Data compressor Patent
[NASA-CASE-XNP-04067] c 08 N71-22707
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c 08 N71-22710
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c 09 N71-25866
On-film optical recording of camera lens settings
[NASA-CASE-MSC-12363-1] c 14 N73-26431
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c 35 N74-11283
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c 35 N74-26946

DATA REDUCTION
Data compression system
[NASA-CASE-XNP-09785] c 08 N69-21928
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c 05 N71-11202
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c 08 N71-12506
Data compression processor Patent
[NASA-CASE-NPO-10068] c 08 N71-19288
Wide range data compression system Patent
[NASA-CASE-XGS-02612] c 08 N71-19435
Data compressor Patent
[NASA-CASE-XNP-04067] c 08 N71-22707
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c 08 N72-11171
Data compression system
[NASA-CASE-NPO-11243] c 07 N72-20154
Digital slope threshold data compressor
[NASA-CASE-NPO-11630] c 08 N72-33172
Data volume reduction for imaging radar polarimetry
[NASA-CASE-NPO-17184-1-CU] c 32 N88-26541

DATA RETRIEVAL
Magnetic matrix memory system Patent
[NASA-CASE-XMF-05835] c 08 N71-12504
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c 32 N75-26195
DATA SAMPLING
Reduced bandwidth video communication system utilizing sampling techniques Patent
[NASA-CASE-XNP-02791] c 07 N71-23026
Signal processing apparatus for multiplex transmission Patent
[NASA-CASE-NPO-10388] c 07 N71-24622
Television signal processing system Patent
[NASA-CASE-NPO-10140] c 07 N71-24742
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c 08 N72-11171
Sampling video compression system
[NASA-CASE-ARC-10984-1] c 32 N77-24328
CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c 33 N81-27396
DATA SMOOTHING
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c 10 N70-41964
Smoothing filter for digital to analog conversion
[NASA-CASE-FRC-11025-1] c 33 N82-24417
DATA STORAGE
Data handling system based on source significance, storage availability and data received from the source Patent Application
[NASA-CASE-XNP-04162-1] c 08 N70-34675
Magnetic matrix memory system Patent
[NASA-CASE-XMF-05835] c 08 N71-12504
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c 08 N71-19420
Event recorder Patent
[NASA-CASE-XLA-01832] c 14 N71-21006
System for recording and reproducing pulse code modulated data Patent
[NASA-CASE-XGS-01021] c 08 N71-21042
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c 08 N71-22710
Multiple hologram recording and readout system Patent
[NASA-CASE-ERC-10151] c 16 N71-29131
Dual purpose momentum wheels for spacecraft with magnetic recording
[NASA-CASE-NPO-11481] c 21 N73-13644
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c 60 N74-12888
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c 33 N79-10337
DATA STRUCTURES
Real-time garbage collection for list processing
[NASA-CASE-MSC-20964-1] c 60 N87-14863
DATA SYSTEMS
Data handling system based on source significance, storage availability and data received from the source Patent Application
[NASA-CASE-XNP-04162-1] c 08 N70-34675
Rate augmented digital to analog converter Patent
[NASA-CASE-XLA-07828] c 08 N71-27057
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c 32 N74-32598
DATA TRANSFER (COMPUTERS)
Data transfer system Patent
[NASA-CASE-NPO-12107] c 08 N71-27255
DATA TRANSMISSION
Telemetry word forming unit
[NASA-CASE-XNP-09225] c 09 N69-24333
Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent
[NASA-CASE-XNP-00911] c 08 N70-41961
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c 08 N71-12506
Data compression processor Patent
[NASA-CASE-NPO-10068] c 08 N71-19288
Wide range data compression system Patent
[NASA-CASE-XGS-02612] c 08 N71-19435
Phase quadrature-plural channel data transmission system Patent
[NASA-CASE-XAC-06302] c 08 N71-19763
Reduced bandwidth video communication system utilizing sampling techniques Patent
[NASA-CASE-XNP-02791] c 07 N71-23026
Frequency shift keying apparatus Patent
[NASA-CASE-XGS-01537] c 07 N71-23405
Decoder system Patent
[NASA-CASE-NPO-10118] c 07 N71-24741
Data compression system
[NASA-CASE-NPO-11243] c 07 N72-20154
Multichannel telemetry system
[NASA-CASE-NPO-11572] c 07 N73-16121
Automated attendance accounting system
[NASA-CASE-NPO-11456] c 08 N73-26176
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c 33 N75-19519
Sampling video compression system
[NASA-CASE-ARC-10984-1] c 32 N77-24328
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c 32 N77-30308
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c 74 N79-34011
System for a displaying at a remote station data generated at a central station and for powering the remote station from the central station
[NASA-CASE-GSC-12411-1] c 33 N81-14221
Digital interface for bi-directional communication between a computer and a peripheral device
[NASA-CASE-MSC-20258-1] c 60 N84-28492
Single frequency multitransmitter telemetry
[NASA-CASE-LAR-13006-1] c 17 N87-16863
Auxiliary data input device
[NASA-CASE-LAR-13626-1] c 37 N87-25584
A VLSI single-chip (225,223) Reed-Solomon encoder with interleaver
[NASA-CASE-NPO-17280-1-CU] c 17 N88-27220
DAWSONITE
Synthesis of dawsonites --- for use in fire extinguishing operations
[NASA-CASE-ARC-11326-1] c 25 N83-33977
DEBRIS
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c 07 N78-25090
DECAY RATES
Solar sensor having coarse and fine sensing with matched preirradiated cells and method of selecting cells Patent
[NASA-CASE-XLA-01584] c 14 N71-23269
DECELERATION
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c 31 N70-36410
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c 14 N70-41812
Hot air ballon deceleration and recovery system Patent
[NASA-CASE-XLA-06824-2] c 02 N71-11037
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c 14 N71-23227
DECIMALS
High speed direct binary to binary coded decimal converter and scaler
[NASA-CASE-KSC-10595] c 08 N73-12176
DECISION MAKING
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c 32 N74-32598
Method for Veterbi decoding of large constraint length convolutional codes
[NASA-CASE-NPO-17310-1-CU] c 17 N88-28946
DECODERS
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c 08 N71-24650
BCD to decimal decoder Patent
[NASA-CASE-XKS-06167] c 08 N71-24890
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c 10 N71-33407
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c 33 N76-14371
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c 32 N76-16249
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c 33 N77-26386
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c 33 N81-26359
Reed-Solomon decoder
[NASA-CASE-NPO-15982-1] c 60 N87-21591
DECODING
Decoder system Patent
[NASA-CASE-NPO-10118] c 07 N71-24741
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c 08 N73-12177
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c 32 N74-32598
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c 32 N77-12239
Method for Veterbi decoding of large constraint length convolutional codes
[NASA-CASE-NPO-17310-1-CU] c 17 N88-28946
DECOMMUTATORS
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c 33 N81-26359
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-2] c 60 N84-28491
DECONTAMINATION
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c 06 N71-23499
Helium refrigerator and method for decontaminating the refrigerator
[NASA-CASE-NPO-10634] c 23 N72-25619
Plasma cleaning device --- designed for high vacuum environments
[NASA-CASE-MFS-22906-1] c 75 N78-27913
DEEP SPACE NETWORK
Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c 10 N73-26229
DEFECTS
Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c 38 N78-32447
DEFLECTION
Bipropellant injector
[NASA-CASE-XNP-09461] c 28 N72-23809
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c 74 N80-21138
DEFLECTORS
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c 28 N70-34788
Aircraft wheel spray drag alleviator Patent
[NASA-CASE-XLA-01583] c 02 N70-36825
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c 28 N71-26173
Exhaust flow deflector --- for ducted gas flow
[NASA-CASE-LAR-11570-1] c 34 N76-18364
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c 31 N81-19343
DEFOCUSING
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c 14 N71-15605
DEFORMATION
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c 32 N71-26681
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c 32 N72-25877
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c 37 N77-32500
DEGASSING
Degassifying and mixing apparatus for liquids --- potable water for spacecraft
[NASA-CASE-MSC-18936-1] c 35 N83-29652
DEGREES OF FREEDOM
Training vehicle for controlling attitude Patent
[NASA-CASE-XMS-02977] c 11 N71-10746
Dynamic vibration absorber Patent
[NASA-CASE-LAR-10083-1] c 15 N71-27006
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c 09 N75-15662
DEHUMIDIFICATION
Condenser - Separator
[NASA-CASE-XLA-08645] c 15 N69-21465
DEHYDRATED FOOD
Modification of the physical properties of freeze-dried rice
[NASA-CASE-MSC-13540-1] c 05 N72-33096
DEHYDRATION
Process for developing crystallinity in linear aromatic polyimides
[NASA-CASE-LAR-13732-1] c 27 N87-25474
DEICERS
Piezoelectric deicing device
[NASA-CASE-LEW-13773-2] c 33 N86-20671
Electro-expulsive separation system
[NASA-CASE-ARC-11613-1] c 33 N87-28833
DELAY CIRCUITS
Pulsed differential comparator circuit Patent
[NASA-CASE-XLE-03804] c 10 N71-19471
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c 10 N71-26418
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c 17 N76-22245
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c 33 N78-25319
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c 32 N81-15179
DELAY LINES
A solid state acoustic variable time delay line Patent
[NASA-CASE-ERC-10032] c 10 N71-25900

DELTA MODULATION
Multifunction audio digitizer --- producing direct delta and pulse code modulation
[NASA-CASE-MSC-13855-1] c 35 N74-17885
DELTA WINGS
Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c 31 N70-37986
DEMAGNETIZATION
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c 15 N69-21472
DEMODULATION
Phase quadrature-plural channel data transmission system Patent
[NASA-CASE-XAC-06302] c 08 N71-19763
Facsimile video remodulation network
[NASA-CASE-GSC-10185-1] c 07 N72-12081
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c 33 N78-32338
Navigation system and method
[NASA-CASE-GSC-12508-1] c 04 N84-22546
DEMODULATORS
Telemetry word forming unit
[NASA-CASE-XNP-09225] c 09 N69-24333
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c 07 N71-11282
Bi-carrier demodulator with modulation Patent
[NASA-CASE-XMF-01160] c 07 N71-11298
Demodulation system Patent
[NASA-CASE-XAC-04030] c 10 N71-19472
Laser calibrator Patent
[NASA-CASE-XLA-03410] c 16 N71-25914
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c 07 N71-33696
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c 33 N74-14939
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c 32 N77-24331
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c 32 N79-14267
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c 35 N81-19427
Digital demodulator
[NASA-CASE-LAR-12659-1] c 33 N82-26570
DENDRITIC CRYSTALS
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
DENSIFICATION
Densification of porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18737-1] c 24 N83-13171
DENSITOMETERS
Apparatus having coaxial capacitor structure for measuring fluid density Patent
[NASA-CASE-XLE-00143] c 14 N70-36618
Densitometer Patent
[NASA-CASE-XLE-00688] c 14 N70-41330
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c 35 N75-12271
DENSITY (MASS/VOLUME)
Non-toxic invert analog glass compositions of high modulus
[NASA-CASE-HQN-10328-2] c 27 N82-29454
Method and apparatus for minimizing convection during crystal growth from solution
[NASA-CASE-NPO-15811-1] c 76 N84-12968
DENSITY DISTRIBUTION
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c 28 N70-41576
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector --- for determining density of gas
[NASA-CASE-ARC-10631-1] c 74 N76-20958
DENSITY MEASUREMENT
Apparatus having coaxial capacitor structure for measuring fluid density Patent
[NASA-CASE-XLE-00143] c 14 N70-36618
Densitometer Patent
[NASA-CASE-XLE-00688] c 14 N70-41330
Determining particle density using known material Hugeniot curves
[NASA-CASE-LAR-11059-1] c 76 N75-12810
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c 35 N78-15461
Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-2] c 36 N83-29681
Device for determining frost depth and density
[NASA-CASE-MFS-25754-1] c 35 N84-28018
DENTISTRY
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c 04 N72-33072
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c 52 N82-29862
DEOXYGENATION
Electrocatalyst for oxygen reduction
[NASA-CASE-HQN-10537-1] c 06 N72-10138
DEPLOYMENT
Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c 15 N72-18477
Deployable solar cell array
[NASA-CASE-NPO-10883] c 31 N72-22874
Antenna deployment mechanism for use with a spacecraft --- extensible and retractable telescopic antenna mast
[NASA-CASE-GSC-12331-1] c 18 N80-14183
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c 15 N82-24272
Sequentially deployable maneuverable tetrahedral beam
[NASA-CASE-LAR-13098-1] c 31 N86-19479
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19605
Latching mechanism for deployable/re-stowable columns useful in satellite construction
[NASA-CASE-LAR-13169-1] c 37 N86-25791
Payload deployment method and system
[NASA-CASE-MSC-21330-1] c 16 N88-24660
DEPOLARIZATION
Depolarization measurement method and device
[NASA-CASE-LAR-13621-1] c 70 N87-25822
DEPOSITION
Means and methods of depositing thin films on substrates Patent
[NASA-CASE-XNP-00595] c 15 N70-34967
Monitoring deposition of films
[NASA-CASE-MFS-20675] c 26 N73-26751
Production of pure metals
[NASA-CASE-LEW-10906-1] c 25 N74-30502
Diamondlike flake composites
[NASA-CASE-LEW-13837-1] c 24 N84-22695
Deposition of diamondlike carbon films
[NASA-CASE-LEW-14080-1] c 31 N85-20153
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550
DEPOSITS
Apparatus and method to keep the walls of a free-space reactor free from deposits of solid materials
[NASA-CASE-NPO-15851-1] c 37 N85-21652
DEPTH
Television monitor field shifter and an opto-electronic method for obtaining a stereo image of optimal depth resolution and reduced depth distrotion on a single screen
[NASA-CASE-NPO-17249-1-CU] c 32 N88-23924
DEPTH MEASUREMENT
Device for determining frost depth and density
[NASA-CASE-MFS-25754-1] c 35 N84-28018
Mining volume measurement system
[NASA-CASE-LAR-13519-1] c 35 N88-23963
DESCENT
Emergency descent device
[NASA-CASE-MFS-23074-1] c 54 N77-21844
DESIGN ANALYSIS
Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c 02 N76-22154
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c 52 N77-28717
DESTRUCTIVE TESTS
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12458-1] c 44 N83-21503
DESULFURIZING
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c 44 N78-31527
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c 31 N81-15154
Coal desulfurization --- using iron pentacarbonyl
[NASA-CASE-NPO-14272-1] c 25 N81-33246
Crude oil desulfurization
[NASA-CASE-NPO-14542-1] c 25 N82-23282
Coal desulfurization by aqueous chlorination
[NASA-CASE-NPO-14902-1] c 25 N82-29371
Hydrodesulfurization of chlorinized coal
[NASA-CASE-NPO-15304-1] c 25 N83-31743
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253
DETECTION
Heated element fluid flow sensor Patent
[NASA-CASE-MSC-12084-1] c 12 N71-17569
Leak detector Patent
[NASA-CASE-LAR-10323-1] c 12 N71-17573
Metallic intrusion detector system
[NASA-CASE-ARC-10265-1] c 10 N72-28240
Cosmic dust or other similar outer space particles impact location detector
[NASA-CASE-GSC-11291-1] c 25 N72-33696
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c 14 N73-13435
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c 36 N74-15145
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c 35 N75-19612
Photoelectric detection system --- manufacturing automation
[NASA-CASE-MFS-23776-1] c 33 N82-28545
Apparatus and process for microbial detection and enumeration
[NASA-CASE-LAR-12709-1] c 35 N82-28604
Focal plane array optical proximity sensor
[NASA-CASE-NPO-15155-1] c 74 N85-22139
Dual differential interferometer
[NASA-CASE-LAR-12966-1] c 35 N85-30282
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373
Modulated voltage metastable ionization detector
[NASA-CASE-ARC-11503-1] c 35 N85-34374
Spillage detector for liquid chromatography systems
[NASA-CASE-MSC-20206-1] c 25 N86-27431
Dynamic range compression/expansion of light beams by photorefractive crystals
[NASA-CASE-NPO-17140-1-CU] c 74 N88-24508
DETECTORS
Pressurized cell micrometeoroid detector Patent
[NASA-CASE-XLA-00936] c 14 N71-14996
Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c 31 N71-16221
Pulse activated polarographic hydrogen detector Patent
[NASA-CASE-XMF-06531] c 14 N71-17575
Light position locating system Patent
[NASA-CASE-XNP-01059] c 23 N71-21821
Method for detecting leaks in hermetically sealed containers Patent
[NASA-CASE-ERC-10045] c 15 N71-24910
Precipitation detector Patent
[NASA-CASE-XLA-02619] c 10 N71-26334
Hydrogen fire blink detector
[NASA-CASE-MFS-15063] c 14 N72-25412
Combustion detector
[NASA-CASE-LAR-10739-1] c 14 N73-16484
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c 23 N73-20741
Meteoroid detector
[NASA-CASE-LAR-10483-1] c 14 N73-32327
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c 35 N74-21062
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c 35 N76-18403
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c 43 N79-31706
Means and method for calibrating a photon detector utilizing electron-photon coincidence
[NASA-CASE-NPO-15644-1] c 35 N84-33767
DETERGENTS
Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields
[NASA-CASE-MSC-13530-2] c 23 N75-14834
Self-contained, single-use hose and tubing cleaning module
[NASA-CASE-MSC-20857-1] c 37 N87-17035
DETONATION
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c 28 N74-27425
Timing control system
[NASA-CASE-NPO-16882-1-CU] c 33 N88-24863
DETONATION WAVES
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c 28 N71-22983
DEUTERIUM
Analysis of hydrogen-deuterium mixtures
[NASA-CASE-NPO-11322] c 06 N72-25146
Deuterium pass through target --- neutron emitting target
[NASA-CASE-LEW-11866-1] c 72 N76-15860
DEW POINT
Instrumentation for sensing moisture content of materia using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373
DIAGNOSIS
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c 52 N79-1475
Medical diagnosis system and method with multispectra imaging --- depth of burns and optical density of the ski
[NASA-CASE-NPO-14402-1] c 52 N81-2778

DIAGRAMS
Phototransistor
[NASA-CASE-MFS-20407] c 09 N73-19235
DIALYSIS
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c 52 N80-14687
DIAMETERS
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959
DIAMINES
Elastomeric silazane polymers and process for preparing the same Patent
[NASA-CASE-XMF-04133] c 06 N71-20717
Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c 06 N71-24740
Siloxane containing epoxide compounds
[NASA-CASE-MFS-13994-2] c 06 N72-25148
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c 06 N73-27980
Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c 27 N79-33316
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c 27 N81-14078
Amine terminated bisaspartimide polymer
[NASA-CASE-ARC-11421-2] c 27 N86-31726
Process for preparing highly optically transparent/colorless aromatic polyimide film
[NASA-CASE-LAR-13351-1] c 27 N86-31727
Polyenamines from aromatic diacetylenic diketones and diamines
[NASA-CASE-LAR-13444-1-CU] c 27 N87-22847
Fire and heat resistant laminating resins based on maleimido and citraconimido substituted 1-(diorgano oxyphosphonyl) methyl -2,4- and -2,6- diaminobenzenes
[NASA-CASE-ARC-11533-3] c 27 N87-24564
DIAMONDS
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c 15 N72-20446
Process for making diamonds
[NASA-CASE-MFS-20698-2] c 15 N73-19457
Diamondlike flakes
[NASA-CASE-LEW-13837-2] c 24 N85-21267
DIAPHRAGMS (MECHANICS)
Measuring device Patent
[NASA-CASE-XMS-01546] c 14 N70-40233
Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c 32 N70-41370
Self-sealing, unbonded, rocket motor nozzle closure Patent
[NASA-CASE-XLA-02651] c 28 N70-41967
Means for controlling rupture of shock tube diaphragms Patent
[NASA-CASE-XAC-00731] c 11 N71-15960
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c 15 N71-21060
Inertia diaphragm pressure transducer Patent
[NASA-CASE-XAC-02981] c 14 N71-21072
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c 15 N71-23811
Differential pressure control
[NASA-CASE-MFS-14216] c 14 N73-13418
Fluid flow meter for measuring the rate of fluid flow in a conduit
[NASA-CASE-MFS-28030-1] c 35 N86-25752
Method of making a flexible diaphragm
[NASA-CASE-MSC-20797-1] c 37 N87-23981
DIATOMIC GASES
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c 36 N75-31426
DICHROISM
Dichroic plate --- as bandpass filters
[NASA-CASE-NPO-13506-1] c 35 N76-15435
Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c 33 N79-28416
DICKE RADIOMETERS
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c 35 N80-18359
DIDYMIUM
Didymium hydrate additive to nickel hydroxide electrodes Patent
[NASA-CASE-XGS-03505] c 03 N71-10608
DIELECTRIC PROPERTIES
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c 14 N72-22442
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c 35 N79-17192
Low noise cryogenic dielectric resonator oscillator
[NASA-CASE-NPO-17157-1-CU] c 33 N88-26596
DIELECTRICS
Method for producing a solar cell having an integral protective covering
[NASA-CASE-XGS-04531] c 03 N69-24267
Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c 14 N69-39937
Space vehicle electrical system Patent
[NASA-CASE-XMF-00517] c 03 N70-34157
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c 07 N71-22984
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c 09 N71-24808
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c 15 N71-27135
Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c 07 N71-29065
Method of manufacturing semiconductor devices using refractory dielectrics
[NASA-CASE-XER-08476-1] c 26 N72-17820
Screened circuit capacitors
[NASA-CASE-LAR-10294-1] c 26 N72-28762
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c 32 N74-11000
Electrostatic measurement system --- for contact-electrifying a dielectric
[NASA-CASE-MFS-22129-1] c 33 N75-18477
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c 76 N76-20994
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c 27 N79-14214
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c 36 N80-18372
Method and apparatus for making an optical element having a dielectric film
[NASA-CASE-ARC-11611-1] c 74 N87-28416
Method of forming a multiple layer dielectric and a hot film sensor therewith
[NASA-CASE-LAR-13678-1] c 76 N88-25355
DIELS-ALDER REACTIONS
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-6] c 25 N85-30039
Process for crosslinking and extending conjugated diene-containing polymers
[NASA-CASE-LAR-13452-1] c 27 N87-22848
DIENES
Process for crosslinking and extending conjugated diene-containing polymers
[NASA-CASE-LAR-13452-1] c 27 N87-22848
DIES
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c 15 N71-23811
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c 15 N71-23817
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c 37 N84-12491
Ultrasonic angle beam standard reflector --- ultrasonic nondestructive inspection
[NASA-CASE-LAR-13153-1] c 71 N86-21276
DIESEL ENGINES
Apparatus and method for destructive removal of particles contained in flowing fluid
[NASA-CASE-NPO-15426-1] c 35 N84-17555
Diesel engine catalytic combustor system --- aircraft engines
[NASA-CASE-LEW-12995-1] c 37 N84-33808
DIETS
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c 52 N75-15270
DIFFERENCES
Retinally stabilized differential resolution television display
[NASA-CASE-NPO-15432-1] c 32 N85-29117
DIFFERENTIAL AMPLIFIERS
Temperature compensated solid state differential amplifier Patent
[NASA-CASE-XAC-00435] c 09 N70-35440
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c 10 N71-18772
Multi-channel temperature measurement amplification system --- solar heating systems
[NASA-CASE-MFS-23775-1] c 44 N82-16474
Amplifier for measuring low-level signals in the presence of high common mode voltage
[NASA-CASE-MFS-25868-1] c 33 N86-20670
DIFFERENTIAL INTERFEROMETRY
Gravimeter Patent
[NASA-CASE-XMF-05844] c 14 N71-17587
DIFFERENTIAL PRESSURE
Relief valve
[NASA-CASE-XMS-05894-1] c 15 N69-21924
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c 15 N69-27502
Differential sound level meter
[NASA-CASE-LAR-12106-1] c 71 N78-14867
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c 74 N78-17867
System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c 02 N80-28300
DIFFERENTIATORS
Window comparator
[NASA-CASE-FRC-10090-1] c 33 N78-18308
DIFFRACTION
Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c 23 N71-24868
DIFFRACTION PATTERNS
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c 14 N71-27215
DIFFRACTOMETERS
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c 14 N73-28491
DIFFUSE RADIATION
Transmitting and reflecting diffuser --- using ultraviolet grade fused silica coatings
[NASA-CASE-LAR-10385-3] c 74 N78-15879
DIFFUSERS
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c 44 N79-11468
Diffuser/ejector system for a very high vacuum environment
[NASA-CASE-MFS-25791-1] c 09 N84-27749
DIFFUSION
A method for selective gold diffusion of monolithic silicon devices and/or circuits Patent application
[NASA-CASE-ERC-10072] c 09 N70-11148
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c 15 N71-24046
Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c 70 N74-13436
DIFFUSION PUMPS
Trap for preventing diffusion pump backstreaming
[NASA-CASE-GSC-10518-1] c 15 N72-22489
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c 52 N74-22771
DIFFUSION WELDING
Thermal compression bonding of interconnectors
[NASA-CASE-GSC-10303] c 15 N72-22487
Bonding of reinforced Teflon to metals
[NASA-CASE-MFS-20482] c 15 N72-22492
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c 15 N73-32358
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c 37 N76-18455
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c 24 N82-24296
DIFFUSIVITY
Diffusely reflecting paints including polytetrafluoroethylene and method of manufacture
[NASA-CASE-GSC-12883-1] c 27 N85-29044
DIGITAL COMMAND SYSTEMS
Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c 09 N71-23525
System for maintaining a motor at a predetermined speed utilizing digital feedback means Patent
[NASA-CASE-XMF-06892] c 09 N71-24805
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c 08 N71-29034
DIGITAL COMPUTERS
Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c 15 N70-26819
Binary number sorter Patent
[NASA-CASE-NPO-10112] c 08 N71-12502
Binary sequence detector Patent
[NASA-CASE-XNP-05415] c 08 N71-12505
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c 31 N71-15566
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c 08 N71-22749
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c 08 N71-24650
Digital memory sense amplifying means Patent
[NASA-CASE-XNP-01012] c 08 N71-28925
Redundant memory organization Patent
[NASA-CASE-GSC-10564] c 10 N71-29135

High speed direct binary to binary coded decimal converter and scaler
[NASA-CASE-KSC-10595] c 08 N73-12176
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c 35 N75-30504
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c 60 N77-14751
Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c 60 N78-10709
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c 09 N82-24212
Multicomputer communication system
[NASA-CASE-NPO-15433-1] c 32 N85-21428
Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333

DIGITAL DATA
Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent
[NASA-CASE-XNP-00911] c 08 N70-41961
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c 08 N71-19420
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c 07 N71-23001
Transient augmentation circuit for pulse amplifiers Patent
[NASA-CASE-XNP-01068] c 10 N71-28739
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c 07 N72-20140
Digital control and information system
[NASA-CASE-NPO-11016] c 08 N72-31226
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c 62 N76-31946
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c 60 N79-20751
Heads up display
[NASA-CASE-LAR-12630-1] c 06 N84-27733
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-2] c 60 N84-28491

DIGITAL FILTERS
Signal detection and tracking apparatus Patent
[NASA-CASE-XGS-03502] c 10 N71-20852
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c 08 N71-29034
Counting digital filters
[NASA-CASE-NPO-11821-1] c 08 N73-26175
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c 32 N76-21366
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761

DIGITAL INTEGRATORS
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c 33 N79-22373

DIGITAL RADAR SYSTEMS
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c 32 N82-12297

DIGITAL SPACECRAFT TELEVISION
Digital television camera control system Patent
[NASA-CASE-XNP-01472] c 14 N70-41807

DIGITAL SYSTEMS
Light sensitive digital aspect sensor Patent
[NASA-CASE-XGS-00359] c 14 N70-34158
Full binary adder Patent
[NASA-CASE-XGS-00689] c 08 N70-34787
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c 07 N71-23001
Drive circuit utilizing two cores Patent
[NASA-CASE-XNP-01318] c 10 N71-23033
Noninterruptable digital counting system Patent
[NASA-CASE-XNP-09759] c 08 N71-24891
Digital memory in which the driving of each word location is controlled by a switch core Patent
[NASA-CASE-XNP-01466] c 10 N71-26434
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c 08 N72-20176
Digital function generator
[NASA-CASE-NPO-11104] c 08 N72-22165
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c 09 N72-25248
Digital slope threshold data compressor
[NASA-CASE-NPO-11630] c 08 N72-33172
Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c 08 N73-13187
Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c 10 N73-26229
Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator
[NASA-CASE-XNP-03623] c 09 N73-28084
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c 33 N74-12887
Digital controller for a Baum folding machine --- providing automatic counting and machine shutoff
[NASA-CASE-LAR-10688-1] c 37 N74-21056
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c 32 N75-21486
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c 33 N76-18353
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c 32 N77-10392
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c 32 N77-20289
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c 33 N77-24375
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c 32 N79-10263
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c 33 N79-11313
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c 32 N79-14267
Memory-based frame synchronizer --- for digital communication systems
[NASA-CASE-GSC-12430-1] c 60 N82-16747
Digital demodulator
[NASA-CASE-LAR-12659-1] c 33 N82-26570
Random digital encryption secure communication system
[NASA-CASE-MSC-16462-1] c 32 N82-31583
Error correction method and apparatus for electronic timepieces
[NASA-CASE-LAR-12654-1] c 33 N83-36357
Digital control of diode laser for atmospheric spectroscopy
[NASA-CASE-NPO-16000-1] c 36 N85-29264
Antimultipath communication by injecting tone into null in signal spectrum
[NASA-CASE-NPO-16414-1-CU] c 32 N87-25511
Digital phase-lock loop having an estimator and predictor of error
[NASA-CASE-NPO-17196-1-CU] c 32 N88-29076

DIGITAL TECHNIQUES
Digital frequency discriminator Patent
[NASA-CASE-MFS-14322] c 08 N71-18692
Exclusive-Or digital logic module Patent
[NASA-CASE-XLA-07732] c 08 N71-18751
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06957] c 14 N71-21088
Digital cardiotachometer system Patent
[NASA-CASE-XMS-02399] c 05 N71-22896
Digital synchronizer Patent
[NASA-CASE-NPO-10851] c 07 N71-24613
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c 14 N71-27215
Rate data encoder
[NASA-CASE-LAR-10128-1] c 08 N73-20217
Digital communication system
[NASA-CASE-MSC-13912-1] c 32 N74-30524
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c 33 N75-25040
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c 33 N81-17349
Random digital encryption secure communication system
[NASA-CASE-MSC-16462-1] c 32 N82-31583
Pipelined digital SAR azimuth correlator using hybrid FFT-transversal filter
[NASA-CASE-NPO-15519-1] c 32 N84-34651
Brushless DC motor control system responsive to control signals generated by a computer or the like
[NASA-CASE-NPO-16420-1] c 33 N86-20681
Nanosequencer digital logic controller
[NASA-CASE-NPO-16116-2] c 60 N88-29310

DIGITAL TO ANALOG CONVERTERS
Rate augmented digital to analog converter Patent
[NASA-CASE-XLA-07828] c 08 N71-27057
Buffered analog converter
[NASA-CASE-KSC-10397] c 08 N72-25206
Digital to analog conversion apparatus
[NASA-CASE-MSC-12458-1] c 08 N73-32081
Smoothing filter for digital to analog conversion
[NASA-CASE-FRC-11025-1] c 33 N82-24417
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-2] c 60 N84-28491
Method and apparatus for operating on companded PCM voice data
[NASA-CASE-KSC-11285-1] c 32 N86-27513

DIGITAL TRANSDUCERS
Digital to analog conversion apparatus
[NASA-CASE-MSC-12458-1] c 08 N73-32081
Angle detector
[NASA-CASE-ARC-11036-1] c 35 N78-32395

DIISOCYANATES
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c 06 N73-30099
Polyurethanes from fluoroalkyl propyleneglycol polyethers
[NASA-CASE-MFS-10506] c 06 N73-30100
Fluorine containing polyurethane
[NASA-CASE-MFS-10509] c 06 N73-30103

DIMENSIONAL MEASUREMENT
Cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c 52 N82-22875

DIMENSIONS
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c 35 N78-17357

DIODES
Diode and protection fuse unit Patent
[NASA-CASE-XKS-03381] c 09 N71-22796
Protection of serially connected solar cells against open circuits by the use of shunting diode Patent
[NASA-CASE-XLE-04535] c 03 N71-23354
Shielded cathode mode bulk effect devices
[NASA-CASE-ERC-10119] c 26 N72-21701
Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c 10 N72-22236
Method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c 15 N72-25457
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c 09 N73-14214
Wide temperature range electronic device with lead attachment
[NASA-CASE-ERC-10224-2] c 09 N73-27150
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c 33 N74-22814
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c 33 N78-32339
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c 33 N78-32341
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c 31 N79-17029
Digital control of diode laser for atmospheric spectroscopy
[NASA-CASE-NPO-16000-1] c 36 N85-29264
Arrangement for damping the resonance in a laser diode
[NASA-CASE-NPO-15980-1] c 36 N85-30305

DIPHENYL COMPOUNDS
Poly(carbonate-mide) polymer
[NASA-CASE-LAR-13292-1] c 27 N86-24841
Amine terminated bisaspartimide polymer
[NASA-CASE-ARC-11421-2] c 27 N86-31726
Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates, adhesives and structures thereof
[NASA-CASE-ARC-11548-1] c 27 N87-25469

DIPOLE ANTENNAS
Circularly polarized antenna
[NASA-CASE-ERC-10214] c 09 N72-31235
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c 32 N82-11336

DIRECT CURRENT
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c 03 N69-21330
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-XMS-04215-1] c 09 N69-39987
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c 03 N71-12255
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c 10 N71-18723
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c 10 N71-18772
Frequency control network for a current feedback oscillator Patent
[NASA-CASE-GSC-10041-1] c 10 N71-19418
Self-repeating plasma generator having communicating annular and linear arc discharge passages Patent
[NASA-CASE-XLA-03103] c 25 N71-21693
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c 09 N71-23188
Positive dc to negative dc converter Patent
[NASA-CASE-XMF-08217] c 03 N71-23239

Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent
[NASA-CASE-XMS-06061] c 05 N71-23317
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c 09 N71-23573
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c 09 N71-24904
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c 10 N71-25950
Dual polarity full wave dc motor drive Patent
[NASA-CASE-XNP-07477] c 09 N71-26092
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c 09 N71-28886
Cyclic switch Patent
[NASA-CASE-LEW-10155-1] c 09 N71-29035
Load-insensitive electrical device
[NASA-CASE-XER-11046] c 09 N72-22203
A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c 09 N72-25253
Electric motive machine including magnetic bearing
[NASA-CASE-XGS-07805] c 15 N72-33476
Powerplexer
[NASA-CASE-MSC-12396-1] c 03 N73-31988
Bio-isolated dc operational amplifier --- for bioelectric measurements
[NASA-CASE-ARC-10596-1] c 33 N74-21851
Load insensitive electrical device --- power converters for supplying direct current at one voltage from a source at another voltage
[NASA-CASE-XER-11046-2] c 33 N74-22864
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c 32 N77-12239
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c 33 N77-26386
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c 33 N79-10338
Direct current transformer
[NASA-CASE-MFS-23659-1] c 33 N79-17133
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c 33 N81-19393
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c 33 N81-20352
Direct current ballast circuit for metal halide lamp
[NASA-CASE-MSC-18407-1] c 33 N82-24427
Brushless DC motor control system responsive to control signals generated by a computer or the like
[NASA-CASE-NPO-16420-1] c 33 N86-20681
Four quadrant control circuit for a brushless three-phase dc motor
[NASA-CASE-MFS-28080-1] c 33 N87-21233
Arcjet power supply and start circuit
[NASA-CASE-LEW-14374-1] c 09 N88-28939

DIRECT LIFT CONTROLS

Velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c 08 N81-24106

DIRECT POWER GENERATORS

Energy conversion apparatus Patent
[NASA-CASE-XLE-00212] c 03 N70-34134
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c 33 N71-17610
Positive dc to negative dc converter Patent
[NASA-CASE-XMF-08217] c 03 N71-23239
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c 09 N71-24893
Load insensitive electrical device --- power converters for supplying direct current at one voltage from a source at another voltage
[NASA-CASE-XER-11046-2] c 33 N74-22864
Bidirectional control system for energy flow in solar powered flywheel
[NASA-CASE-MFS-25978-1] c 44 N87-21410

DIRECTIONAL ANTENNAS

Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c 14 N70-36907
Weatherproof helix antenna Patent
[NASA-CASE-XKS-08485] c 07 N71-19493
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c 07 N71-19854
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c 15 N71-24696
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c 32 N76-18295
Suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c 37 N82-21587

DIRECTIONAL CONTROL

Gimbaled, partially submerged rocket nozzle Patent
[NASA-CASE-XMF-01544] c 28 N70-34162
Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c 37 N74-18125
Velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c 08 N81-24106
Magnetic heading reference
[NASA-CASE-LAR-12638-1] c 04 N84-14132

DIRECTIONAL SOLIDIFICATION (CRYSTALS)

Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c 26 N80-23419
High gradient directional solidification furnace
[NASA-CASE-MFS-25963-1] c 35 N86-20750

DIRECTIONAL STABILITY

Nose gear steering system for vehicle with main skids Patent
[NASA-CASE-XLA-01804] c 02 N70-34160
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c 20 N76-21275

DIRECTIVITY

Multiprism collimator
[NASA-CASE-GSC-12608-1] c 74 N83-10900

DISCONNECT DEVICES

Gas actuated bolt disconnect Patent
[NASA-CASE-XLA-00326] c 03 N70-34667
Umbilical disconnect Patent
[NASA-CASE-XLA-00711] c 03 N71-12258
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c 03 N71-12259
Quick release connector Patent
[NASA-CASE-XLA-01141] c 15 N71-13789
Split nut separation system Patent
[NASA-CASE-XNP-06914] c 15 N71-21489
Separation simulator Patent
[NASA-CASE-XKS-04631] c 10 N71-23663
Duct coupling for single-handed operation Patent
[NASA-CASE-MFS-20395] c 15 N71-24903
Breakaway connector
[NASA-CASE-NPO-11140] c 15 N72-17455
Torsional disconnect unit
[NASA-CASE-NPO-10704] c 15 N72-20445
Frangible link
[NASA-CASE-MSC-11849-1] c 15 N72-22488
Quick disconnect coupling
[NASA-CASE-NPO-11202] c 15 N72-25450
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c 37 N76-14463
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c 37 N79-11402
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-15429-1] c 18 N84-22609
Slide release mechanism --- for space shuttle orbiter/external tank connection device
[NASA-CASE-MSC-20080-1] c 37 N85-30334
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-25429-1] c 18 N86-20469
Self-locking double retention redundant full pin release
[NASA-CASE-NPO-16233-1] c 37 N86-20801
Preloadable vector sensitive latch
[NASA-CASE-MSC-20910-1] c 37 N87-25582
Toggle release
[NASA-CASE-MSC-21354-1] c 37 N88-24969

DISCONTINUITY

Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c 32 N71-25360

DISCRIMINATORS

Phase detector assembly Patent
[NASA-CASE-XMF-00701] c 09 N70-40272
Difference circuit Patent
[NASA-CASE-XNP-08274] c 10 N71-13537
Digital frequency discriminator Patent
[NASA-CASE-MFS-14322] c 08 N71-18692
Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c 08 N71-23295
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c 33 N75-19520
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c 33 N75-25041
Discriminator aided phase lock acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c 33 N82-29539

DISPENSERS

Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c 12 N72-21310
Potable water dispenser
[NASA-CASE-MFS-21115-1] c 54 N74-12779
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c 37 N74-13178
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c 54 N74-17853
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c 35 N78-19466
Method of dispensing reagent chemicals in space
[NASA-CASE-LAR-13607-1-CU] c 29 N88-29048

DISPERSING

Shock tube powder dispersing apparatus Patent
[NASA-CASE-XLE-04946] c 17 N71-24911
Powder fed sheared dispersal particle generator
[NASA-CASE-LAR-12785-1] c 37 N84-16561

DISPERSIONS

Preparation of alkali metal dispersions
[NASA-CASE-XNP-08876] c 17 N73-28573

DISPLACEMENT

Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c 35 N74-15126

DISPLACEMENT MEASUREMENT

Null-type vacuum microbalance Patent
[NASA-CASE-XAC-00472] c 15 N70-40180
Self-calibrating displacement transducer Patent
[NASA-CASE-XLA-00781] c 09 N71-22999
Angular displacement indicating gas bearing support system Patent
[NASA-CASE-XLA-09346] c 15 N71-28740
Apparatus for remote measurement of displacement of marks on a specimen undergoing a tensile test
[NASA-CASE-NPO-10778] c 14 N72-11364
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c 33 N76-19338
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c 52 N80-27072
Device for measuring hole elongation in a bolted joint
[NASA-CASE-LAR-13453-1] c 37 N88-14361

DISPLAY DEVICES

Integrated time shared instrumentation display Patent
[NASA-CASE-XLA-01952] c 08 N71-12507
Energy management system for glider type vehicle Patent
[NASA-CASE-XFR-00756] c 02 N71-13421
Fluidic-thermochromic display device Patent
[NASA-CASE-ERC-10031] c 12 N71-18603
Display for binary characters Patent
[NASA-CASE-XGS-04987] c 08 N71-20571
Optical projector system Patent
[NASA-CASE-XNP-03853] c 23 N71-21882
Optical monitor panel Patent
[NASA-CASE-XKS-03509] c 14 N71-23175
BCD to decimal decoder Patent
[NASA-CASE-XKS-06167] c 08 N71-24890
Noninterruptable digital counting system Patent
[NASA-CASE-XNP-09759] c 08 N71-24891
Analog signal integration and reconstruction system Patent
[NASA-CASE-NPO-10344] c 10 N71-26544
Plasma fluidic hybrid display Patent
[NASA-CASE-ERC-10100] c 09 N71-33519
System for quantizing graphic displays
[NASA-CASE-NPO-10745] c 08 N72-22164
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c 09 N72-25248
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c 31 N72-25842
Display system
[NASA-CASE-ERC-10350] c 14 N73-20474
Transparent switchboard
[NASA-CASE-MSC-13746-1] c 10 N73-32143
Recorder/processor apparatus --- for optical data processing
[NASA-CASE-GSC-11553-1] c 35 N74-15831
Rotating raster generator
[NASA-CASE-FRC-10071-1] c 32 N74-20813
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c 33 N75-19517
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c 74 N77-20882
Particle parameter analyzing system --- x-y plotter circuits and display
[NASA-CASE-XLE-06094] c 33 N78-17293
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c 35 N78-17357
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c 09 N78-18083
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c 52 N79-18580
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c 74 N79-20856
Chromatically corrected virtual image visual display --- reducing eye strain in flight simulators
[NASA-CASE-LAR-12251-1] c 74 N80-27185

System for a displaying at a remote station data generated at a central station and for powering the remote station from the central station
[NASA-CASE-GSC-12411-1] c 33 N81-14221
System for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c 06 N82-16075
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c 09 N82-24212
Synchronized voltage contrast display analysis system
[NASA-CASE-NPO-14567-1] c 33 N83-18996
Real-time 3-D X-ray and gamma-ray viewer
[NASA-CASE-GSC-12640-1] c 74 N84-11920
Retinally stabilized differential resolution television display
[NASA-CASE-NPO-15432-1] c 32 N85-29117
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373
Aircraft liftmeter
[NASA-CASE-LAR-12518-1] c 06 N86-27280
Simulator scene display evaluation device
[NASA-CASE-ARC-11504-1] c 09 N86-32447
Large TV display system
[NASA-CASE-NPO-16932-1CU] c 33 N87-15413
Aircraft control position indicator
[NASA-CASE-LAR-12984-1] c 06 N87-22678
Flat-panel, full-color, electroluminescent display
[NASA-CASE-LAR-13407-1] c 33 N87-28831
Braille reading system
[NASA-CASE-LAR-13306-1] c 82 N87-29372

DISSIPATION
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c 10 N71-26626
Warm fog dissipation using large volume water sprays
[NASA-CASE-MFS-25962-1] c 09 N84-32398

DISSOCIATION
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c 44 N77-22607

DISSOLVING
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c 15 N73-19458

DISTANCE MEASURING EQUIPMENT
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c 08 N72-25209
Determining distance to lightning strokes from a single station
[NASA-CASE-KSC-10698] c 07 N73-20175
Terminal guidance sensor system --- space shuttle coupling to orbiting satellites
[NASA-CASE-NPO-14521-1] c 37 N81-27519
Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-2] c 36 N83-29681
Rotary target V-block
[NASA-CASE-LAR-12007-3] c 35 N84-16523
Method and apparatus for measuring distance
[NASA-CASE-MSC-20912-1] c 32 N88-26568

DISTILLATION EQUIPMENT
Compact solar still Patent
[NASA-CASE-XMS-04533] c 15 N71-23086
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c 15 N71-27184
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c 06 N73-13129

DISTRIBUTED AMPLIFIERS
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c 10 N71-26415

DISTRIBUTED PROCESSING
Distributed multiport memory architecture
[NASA-CASE-NPO-15342-1] c 60 N83-32342

DISTRIBUTION (PROPERTY)
Thermionic energy converters
[NASA-CASE-LEW-12443-1] c 44 N83-32175

DISTRIBUTORS
High voltage distributor
[NASA-CASE-GSC-11849-1] c 33 N76-16332

DIVERGENT NOZZLES
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c 07 N74-27490

DIVERTERS
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c 37 N79-33468

DIVIDERS
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c 60 N74-20836

DOCUMENT STORAGE
File card marker Patent
[NASA-CASE-XLA-02705] c 08 N71-15908

DOMES (STRUCTURAL FORMS)
Airborne tracking sunphotometer apparatus and system
[NASA-CASE-ARC-11622-1] c 44 N88-14492

DOORS
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c 05 N71-12345
CAM controlled retractable door latch
[NASA-CASE-MSC-20304-1] c 37 N82-31690

DOPES
Lithium counterdoped silicon solar cell
[NASA-CASE-LEW-14177-1] c 44 N86-32875

DOPPLER EFFECT
Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c 07 N69-39978
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c 21 N71-19212
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c 07 N73-20174
Doppler shift system --- system for measuring velocities of radiating particles
[NASA-CASE-HQN-10740-1] c 72 N74-19310
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510
Servomechanism for Doppler shift compensation in optical correlator for synthetic aperture radar
[NASA-CASE-NPO-14998-1] c 32 N83-18975
Vibration-free Raman Doppler velocimeter
[NASA-CASE-LAR-13268-1] c 35 N87-14669
Doppler-corrected differential detection system
[NASA-CASE-NPO-16987-1-CU] c 32 N88-30001

DOPPLER RADAR
Cooperative Doppler radar system Patent
[NASA-CASE-LAR-10403] c 21 N71-11766
Doppler radar having phase modulation of both transmitted and reflected return signals
[NASA-CASE-MSC-18675-1] c 32 N84-22820
Doppler radar with multiphase modulation of transmitted and reflected signal
[NASA-CASE-MSC-18808-1] c 32 N88-23923

DOSIMETERS
Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c 14 N71-20430
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c 35 N83-21311

DOWNLINKING
A VLSI single-chip (225,223) Reed-Solomon encoder with interleaver
[NASA-CASE-NPO-17280-1-CU] c 17 N88-27220

DRAG CHUTES
Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c 02 N70-41863
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] c 02 N74-10034
Extended moment arm anti-spin device
[NASA-CASE-LAR-12979-1] c 05 N85-21147

DRAG MEASUREMENT
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c 14 N70-33386
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-00755] c 01 N71-13410
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-05828] c 01 N71-13411
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c 14 N71-23092
System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c 02 N80-28300
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c 06 N81-17057

DRAG REDUCTION
Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c 02 N70-34856
Aircraft wheel spray drag alleviator Patent
[NASA-CASE-XLA-01583] c 02 N70-36825
Low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c 85 N82-33288
Wingtip vortex propeller
[NASA-CASE-LAR-13019-1] c 07 N85-35194
Active control of boundary layer transition and turbulence
[NASA-CASE-LAR-13532-1] c 34 N86-26575
Combined riblet and lebu drag reduction system
[NASA-CASE-LAR-13286-1] c 02 N88-14071
Compression pylon
[NASA-CASE-LAR-13777-1] c 05 N88-29789

DRIFT (INSTRUMENTATION)
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c 09 N69-39986
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c 14 N70-40239
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c 04 N76-26175

DRILL BITS
Sample collecting impact bit Patent
[NASA-CASE-XNP-01412] c 15 N70-42034
Hole cutter --- drill bits and rotating shaft
[NASA-CASE-MFS-22649-1] c 37 N75-25186

DRILLING
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c 31 N83-27058
Method for machining holes in composite materials
[NASA-CASE-MFS-28044-1] c 31 N87-25491

DRILLS
Rock drill for recovering samples
[NASA-CASE-XNP-07478] c 14 N69-21923
Soil penetrometer
[NASA-CASE-XNP-05530] c 14 N73-32321

DRIVES
Transistor drive regulator Patent
[NASA-CASE-LEW-10233] c 10 N71-27126

DROP TOWERS
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c 27 N82-28442
Sphere forming method and apparatus
[NASA-CASE-NPO-15070-1] c 31 N83-35176

DROPS (LIQUIDS)
Droplet monitoring probe
[NASA-CASE-NPO-10985] c 14 N73-20478
Method of evaporation
[NASA-CASE-NPO-15609-2] c 25 N88-23846
Tower evaporator
[NASA-CASE-NPO-15609-2] c 31 N88-24815
Hanging drop crystal growth apparatus and method
[NASA-CASE-MFS-28206-1-SB] c 76 N88-25356
Crystal growth apparatus
[NASA-CASE-MFS-28182-1] c 76 N88-25357

DRUGS
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c 25 N75-12086

DRYING
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c 14 N73-28489
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NASA-CASE-NPO-15494-1] c 35 N82-25484

DRYING APPARATUS
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c 05 N71-23080

DUCTED FANS
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c 07 N79-14095

DUCTILITY
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-3] c 37 N82-19540

DUCTS
Duct coupling for single-handed operation Patent
[NASA-CASE-MFS-20395] c 15 N71-24903
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c 37 N76-14460
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c 31 N80-32583
Multi-path peristaltic pump
[NASA-CASE-MSC-20907-1] c 37 N87-18818

DURABILITY
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c 37 N80-32717

DUST COLLECTORS
Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c 15 N70-26819
Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104

DYE LASERS
Infrared tunable laser
[NASA-CASE-ARC-10463-1] c 09 N73-32111
Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp
[NASA-CASE-LAR-11341-1] c 36 N75-19655

DYES
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c 18 N71-27170
Method for retarding dye fading during archival storage of developed color photographic film --- inert atmosphere
[NASA-CASE-MFS-23250-1] c 35 N82-11432

DYNAMIC CHARACTERISTICS
Dynamic sensor Patent
[NASA-CASE-XAC-02877] c 14 N70-41681
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c 16 N73-33397

Apparatus for and method of compensating dynamic unbalance
[NASA-CASE-GSC-12550-1] c 37 N84-28082
DYNAMIC CONTROL
Motion restraining device
[NASA-CASE-NPO-13619-1] c 37 N78-16369
System for controlled acoustic rotation of objects
[NASA-CASE-NPO-15522-1] c 71 N83-32516
DYNAMIC LOADS
Multilegged support system Patent
[NASA-CASE-XLA-01326] c 11 N71-21481
Tension measurement device Patent
[NASA-CASE-XMS-04545] c 15 N71-22878
Impact monitoring apparatus
[NASA-CASE-MSC-15626-1] c 14 N72-25411
Ultrasonic method and apparatus for determining crack opening load
[NASA-CASE-LAR-13889-1] c 39 N88-30160
DYNAMIC MODULUS OF ELASTICITY
Apparatus for positioning and loading a test specimen Patent
[NASA-CASE-XLE-01300] c 15 N70-41993
DYNAMIC RESPONSE
Impact simulator Patent
[NASA-CASE-XLA-00493] c 11 N70-34786
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c 12 N71-26387
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c 14 N71-29134
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c 07 N79-14095
DYNAMIC STRUCTURAL ANALYSIS
Method and apparatus for measuring the damping characteristics of a structure
[NASA-CASE-ARC-10154-1] c 14 N72-22440
DYNAMIC TESTS
Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c 11 N70-41677
Hydraulic support for dynamic testing Patent
[NASA-CASE-XMF-03248] c 11 N71-10604
DYNAMICAL SYSTEMS
Dynamic range compression/expansion of light beams by photorefractive crystals
[NASA-CASE-NPO-17140-1-CU] c 74 N88-24508
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-3] c 31 N88-29052
DYNAMOMETERS
Thrust dynamometer Patent
[NASA-CASE-XLE-00702] c 14 N70-40203
Thrust dynamometer Patent
[NASA-CASE-XLE-05260] c 14 N71-20429

E

EAR
Method and apparatus for continuously monitoring blood oxygenation, blood pressure, pulse rate and the pressure pulse curve utilizing an ear oximeter as transducer Patent
[NASA-CASE-XAC-05422] c 04 N71-23185
EARPHONES
Multi-adjustable headband --- for headsets
[NASA-CASE-KSC-11322-1] c 54 N87-25765
EARTH ATMOSPHERE
Ablation sensor Patent
[NASA-CASE-XLA-01791] c 14 N71-22991
EARTH CRUST
Seismic vibration source
[NASA-CASE-NPO-14112-1] c 46 N79-22679
EARTH IONOSPHERE
Ionospheric battery Patent
[NASA-CASE-XGS-01593] c 03 N70-35408
EARTH ORBITS
High temperature furnace for melting materials in space
[NASA-CASE-MFS-20710] c 11 N72-23215
A method of delivering a vehicle to earth orbit and returning the reusable portion thereof to earth
[NASA-CASE-MSC-12391] c 30 N73-12884
ECCENTRICS
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c 37 N81-25370
ECHELLE GRATINGS
Cooled echelle grating spectrometer --- for space telescope applications
[NASA-CASE-NPO-14372-1] c 35 N80-26635
ECHOES
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c 52 N79-18580
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c 32 N82-23376
EDDY CURRENTS
Apparatus and method for inspecting a bearing ball
[NASA-CASE-MFS-25833-1] c 35 N86-32698
EDGES
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c 74 N80-24149
EFFICIENCY
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c 03 N72-11062
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c 32 N74-20863
EFFLUENTS
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c 34 N77-24423
Fluid sample collection and distribution system --- qualitative analysis of aqueous samples from several points
[NASA-CASE-MSC-16841-1] c 34 N79-24285
EGRESS
Explosively activated egress area
[NASA-CASE-LAR-12624-1] c 01 N83-35992
EJECTION
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c 15 N69-27502
EJECTION SEATS
Device for separating occupant from an ejection seat Patent
[NASA-CASE-XMS-04625] c 05 N71-20718
EJECTORS
Ejection unit Patent
[NASA-CASE-XNP-00676] c 15 N70-38996
Device for separating occupant from an ejection seat Patent
[NASA-CASE-XMS-04625] c 05 N71-20718
Latch/ejector unit Patent
[NASA-CASE-XLA-03538] c 15 N71-24897
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-15429-1] c 18 N84-22609
Diffuser/ejector system for a very high vacuum environment
[NASA-CASE-MFS-25791-1] c 09 N84-27749
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-25429-1] c 18 N86-20469
ELASTIC BODIES
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c 15 N69-27504
Means for suppressing or attenuating bending motion of elastic bodies Patent
[NASA-CASE-XAC-05632] c 32 N71-23971
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c 35 N74-27865
ELASTIC DEFORMATION
Instrument for measuring torsional creep and recovery Patent
[NASA-CASE-XLE-01481] c 14 N71-10781
Means for suppressing or attenuating bending motion of elastic bodies Patent
[NASA-CASE-XAC-05632] c 32 N71-23971
ELASTIC MEDIA
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c 15 N70-40156
ELASTIC PROPERTIES
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c 15 N70-36947
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c 31 N71-18611
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c 15 N71-23254
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c 06 N73-33076
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c 35 N75-19615
ELASTIC SHEETS
Method for forming plastic materials Patent
[NASA-CASE-XMS-05516] c 15 N71-17803
ELASTOMERS
Metal valve pintle with encapsulated elastomeric body Patent
[NASA-CASE-MSC-12116-1] c 15 N71-17648
Extensometer Patent
[NASA-CASE-XMF-04680] c 15 N71-19489
Elastomeric silazane polymers and process for preparing the same Patent
[NASA-CASE-XMF-04133] c 06 N71-20717
Bonded elastomeric seal for electrochemical cells Patent
[NASA-CASE-XGS-02631] c 03 N71-23006
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c 52 N74-27864
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c 37 N76-24575
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c 37 N76-31524
Process for spinning flame retardant elastomeric compositions --- fabricating synthetic fibers for high oxygen environments
[NASA-CASE-MSC-14331-3] c 27 N78-32262
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c 27 N80-32514
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c 27 N80-32515
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c 27 N81-15104
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c 27 N81-17259
The 1,2,4-oxadiazole elastomers --- heat resistant polymers
[NASA-CASE-ARC-11253-1] c 27 N81-17262
Bifunctional monomers having terminal oxime and cyano or amidine groups
[NASA-CASE-ARC-11253-3] c 27 N81-24256
Circumferential shaft seal
[NASA-CASE-LEW-12119-2] c 37 N81-26447
Heat sealable, flame and abrasion resistant coated fabric --- clothing and containers for space exploration
[NASA-CASE-MSC-18382-1] c 27 N82-16238
Preparation of crosslinked 1,2,4-oxadiazole polymer
[NASA-CASE-ARC-11253-2] c 27 N82-24338
Method of bonding plasticized elastomer to metal and articles produced thereby
[NASA-CASE-MFS-25181-1] c 27 N82-24340
Elastomer toughened polyimide adhesives
[NASA-CASE-LAR-12775-1] c 27 N83-28240
Elastomer-modified phosphorus-containing imide resins
[NASA-CASE-ARC-11400-1] c 27 N84-14322
Process for preparing perfluorotriazine elastomers and precursors thereof
[NASA-CASE-ARC-11402-1] c 27 N84-22744
Elastomer toughened polyimide adhesives --- bonding metal and composite material structures for aircraft and spacecraft
[NASA-CASE-LAR-12775-2] c 27 N85-21349
Perfluoro (Imidoylamidine) diamidines
[NASA-CASE-ARC-11402-3] c 23 N86-21582
Electro-expulsive separation system
[NASA-CASE-ARC-11613-1] c 33 N87-28833
Coaxial cable connector
[NASA-CASE-NPO-16764-1-CU] c 33 N88-14270
ELBOW (ANATOMY)
Elbow and knee joint for hard space suits
[NASA-CASE-ARC-11610-1] c 54 N86-28619
ELECTRIC ARCS
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c 33 N70-34540
Electric arc welding Patent
[NASA-CASE-XMF-00392] c 15 N70-34814
Electric arc driven wind tunnel Patent
[NASA-CASE-XMF-00411] c 11 N70-36913
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c 25 N70-41628
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c 09 N71-20816
Arc electrode of graphite with ball tip Patent
[NASA-CASE-XLE-04788] c 09 N71-22987
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c 33 N74-12913
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c 33 N75-29318
Welding torch with arc light reflector
[NASA-CASE-MFS-29134-1] c 74 N87-17493
Welding torch gas cup extension
[NASA-CASE-MFS-29252-1] c 37 N88-23980
ELECTRIC AUTOMOBILES
Additive for zinc electrodes --- electric automobiles
[NASA-CASE-LEW-13286-1] c 33 N84-14422
ELECTRIC BATTERIES
Spacecraft battery seals
[NASA-CASE-XGS-03864] c 15 N69-24320
Sealed battery gas manifold construction Patent
[NASA-CASE-XNP-03378] c 03 N71-11051
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c 03 N71-19438
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c 03 N71-24719
Heat activated cell Patent
[NASA-CASE-LEW-11359] c 03 N71-28579
Synchronous orbit battery cycler
[NASA-CASE-GSC-11211-1] c 03 N72-25020

Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c 44 N74-19693
Battery testing device --- for testing cells of multiple-cell battery
[NASA-CASE-MFS-20761-1] c 44 N74-27519
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c 44 N76-14601
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c 44 N76-18643
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c 44 N76-27664
Voltage regulator for battery power source --- using a bipolar transistor
[NASA-CASE-FRC-10116-1] c 33 N79-23345
In-situ cross linking of polyvinyl alcohol --- application to battery separator films
[NASA-CASE-LEW-13135-2] c 27 N81-24257
State-of-charge coulometer
[NASA-CASE-NPO-15759-1] c 35 N85-21596

ELECTRIC BRIDGES

Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c 09 N72-22200
Infinite range electronics gain control circuit
[NASA-CASE-GSC-10786-1] c 10 N72-28241
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c 33 N75-25041
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c 33 N78-13320
Power converter
[NASA-CASE-FRC-11014-1] c 33 N82-18494

ELECTRIC CELLS

Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c 03 N69-21539
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c 03 N71-26084
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c 03 N71-29044

ELECTRIC CHARGE

Method and device for determining battery state of charge Patent
[NASA-CASE-NPO-10194] c 03 N71-20407
Automatic battery charger Patent
[NASA-CASE-XNP-04758] c 03 N71-24605
FET charge sensor and voltage probe
[NASA-CASE-NPO-16045-1] c 76 N87-13313

ELECTRIC CHOPPERS

Monostable multivibrator
[NASA-CASE-GSC-10082-1] c 10 N72-20221
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c 33 N78-17295

ELECTRIC COILS

Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c 07 N69-27462
Shaft transducer having dc output proportional to angular velocity
[NASA-CASE-NPO-15706-1] c 35 N84-28017
Phase sensitive guidance sensor for wire-following vehicles
[NASA-CASE-NPO-15341-1] c 35 N84-33769

ELECTRIC CONDUCTORS

Electrode and insulator with shielded dielectric junction
[NASA-CASE-XLE-03778] c 09 N69-21542
Solar cell matrix Patent
[NASA-CASE-NPO-10821] c 03 N71-19545
Electrical switching device Patent
[NASA-CASE-NPO-10037] c 09 N71-19610
Flexible conductive disc electrode Patent
[NASA-CASE-FRC-10029] c 09 N71-24618
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c 15 N72-25447
Injector for use in high voltage isolators for liquid feed lines
[NASA-CASE-NPO-11377] c 15 N73-27406
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c 44 N76-31666
Velocity measurement system
[NASA-CASE-MFS-23363-1] c 35 N78-32396
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c 33 N81-27397

ELECTRIC CONNECTORS

Connector - Electrical
[NASA-CASE-XLA-01288] c 09 N69-21470
Test fixture for pellet-like electrical elements
[NASA-CASE-XNP-06032] c 09 N69-21926
Coupling device
[NASA-CASE-XMS-07846-1] c 09 N69-21927
Electrical feed-through connection for printed circuit boards and printed cable
[NASA-CASE-XMF-01483] c 14 N69-27431
Electrical connector pin with wiping action
[NASA-CASE-XMF-04238] c 09 N69-39734
Electrical connector Patent Application
[NASA-CASE-MFS-14741] c 09 N70-20737
Electrical connector for flat cables Patent
[NASA-CASE-XMF-00324] c 09 N70-34596
Printed cable connector Patent
[NASA-CASE-XMF-00369] c 09 N70-36494
Printed circuit board with bellows rivet connection Patent
[NASA-CASE-XNP-05082] c 15 N70-41960
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c 15 N71-15986
Coaxial cable connector Patent
[NASA-CASE-XNP-04732] c 09 N71-20851
Connector internal force gauge Patent
[NASA-CASE-XNP-03918] c 14 N71-23087
Protection of serially connected solar cells against open circuits by the use of shunting diode Patent
[NASA-CASE-XLE-04535] c 03 N71-23354
Microelectronic module package Patent
[NASA-CASE-XMS-02182] c 10 N71-28783
Breakaway connector
[NASA-CASE-NPO-11140] c 15 N72-17455
Electrical connector
[NASA-CASE-NPO-10694] c 09 N72-20200
Radio frequency filter device
[NASA-CASE-XLA-02609] c 09 N72-25256
Use of unilluminated solar cells as shunt diodes for a solar array
[NASA-CASE-GSC-10344-1] c 03 N72-27053
Electrical connector
[NASA-CASE-MFS-20757] c 09 N72-28225
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c 33 N74-26977
Connector --- for connecting circuits on different layers of multilayer printed circuit boards
[NASA-CASE-LAR-11709-1] c 37 N76-27567
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c 52 N77-14738
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c 52 N77-25772
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c 33 N81-26359
Electrical self-aligning connector --- orbital servicer vehicles
[NASA-CASE-MFS-25211-2] c 33 N84-14423
Four-terminal electrical testing device --- initiator bridgewire resistance
[NASA-CASE-MSC-21166-1] c 35 N87-25555
Coaxial cable connector
[NASA-CASE-NPO-16764-1-CU] c 33 N88-14270

ELECTRIC CONTACTS

Solid state switch
[NASA-CASE-XNP-09228] c 09 N69-27500
Deflective rod switch with elastic support and sealing means Patent
[NASA-CASE-XNP-09808] c 09 N71-12518
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c 03 N71-20492
Continuous turning slip ring assembly Patent
[NASA-CASE-XMF-01049] c 15 N71-23049
Electrical connector
[NASA-CASE-MFS-20757] c 09 N72-28225
Electrostatic measurement system --- for contact-electrifying a dielectric
[NASA-CASE-MFS-22129-1] c 33 N75-18477
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c 33 N77-26385
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c 33 N82-24422
Solar cell having improved back surface reflector
[NASA-CASE-LEW-13620-1] c 44 N83-13579
Screen printed interdigitated back contact solar cell
[NASA-CASE-LEW-13414-1] c 44 N85-20530
Cross-contact chain
[NASA-CASE-NPO-16784-1] c 33 N87-10231

ELECTRIC CONTROL

Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c 09 N71-23316
Adjustable indicating device for load position
[NASA-CASE-MFS-28008-1] c 35 N85-20300

ELECTRIC CURRENT

Didymium hydrate additive to nickel hydroxide electrodes Patent
[NASA-CASE-XGS-03505] c 03 N71-10608
Electrical load protection device Patent
[NASA-CASE-MSC-12135-1] c 09 N71-12526
Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent
[NASA-CASE-XNP-00384] c 09 N71-13530
Connector internal force gauge Patent
[NASA-CASE-XNP-03918] c 14 N71-23087
Pulse modulator providing fast rise and fall times Patent
[NASA-CASE-XMS-04919] c 09 N71-23270
Polarity sensitive circuit Patent
[NASA-CASE-XNP-00952] c 10 N71-23271
Protection of serially connected solar cells against open circuits by the use of shunting diode Patent
[NASA-CASE-XLE-04535] c 03 N71-23354
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c 09 N71-28618
Current dependent filter inductance
[NASA-CASE-ERC-10139] c 09 N72-17154
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c 09 N72-17155
Current steering commutator
[NASA-CASE-NPO-10743] c 08 N72-21199
Saturation current protection apparatus for saturable core transformers
[NASA-CASE-ERC-10075-2] c 09 N72-22196
Thermal to electrical power conversion system with solid-state switches with Seebeck effect compensation
[NASA-CASE-NPO-11388] c 03 N72-23048
Load current sensor for a series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c 09 N72-25249
Method and apparatus for limiting field emission current
[NASA-CASE-ERC-10015-2] c 10 N72-27246
Deposition apparatus
[NASA-CASE-LAR-10541-1] c 15 N72-32487
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c 33 N75-26246
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c 33 N78-10377
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c 33 N78-17296
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c 33 N79-10337
Electroexplosive device
[NASA-CASE-NPO-13858-1] c 28 N79-11231
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c 33 N79-11315
Lightning current detector
[NASA-CASE-KSC-11057-1] c 33 N79-14305
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c 44 N80-18551
Electrical power generating system --- for windpowered generation
[NASA-CASE-MFS-24368-3] c 33 N81-22280
Trace water sensor
[NASA-CASE-NPO-15722-1] c 35 N85-29212
Magnetic spin reduction system for free spinning objects
[NASA-CASE-MFS-25966-1] c 16 N86-26352
Four quadrant control circuit for a brushless three-phase dc motor
[NASA-CASE-MFS-28080-1] c 33 N87-21233
Electro-expulsive separation system
[NASA-CASE-ARC-11613-1] c 33 N87-28833

ELECTRIC DISCHARGES

Electrical discharge apparatus for forming Patent
[NASA-CASE-XMF-00375] c 15 N70-34249
High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c 09 N71-13518
Pulse generating circuit employing switch means on ends of delay line for alternately charging and discharging same Patent
[NASA-CASE-XNP-00745] c 10 N71-28960
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c 33 N74-20859
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c 33 N80-18286
Electrostatic discharge test apparatus
[NASA-CASE-MSC-21094-1] c 35 N88-24941

ELECTRIC ENERGY STORAGE

Apparatus for measuring current flow Patent
[NASA-CASE-XGS-02439] c 14 N71-19431
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c 44 N76-27664
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c 44 N77-14581
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c 44 N77-22606
Electrochemical cell for rebalancing REDOX flow system
[NASA-CASE-LEW-13150-1] c 44 N79-26474
Toroidal cell and battery --- storage battery for high amp-hour load applications
[NASA-CASE-LEW-12918-1] c 44 N81-24521

ELECTRIC EQUIPMENT
Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c 09 N70-34559
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c 09 N71-20446
High impedance measuring apparatus Patent
[NASA-CASE-XMS-08589-1] c 09 N71-20569
Regulated power supply Patent
[NASA-CASE-XMS-01991] c 09 N71-21449
Method for improving the signal-to-noise ratio of the Wheatstone bridge type bolometer Patent
[NASA-CASE-XLA-02810] c 14 N71-25901
Buck boost voltage regulation circuit Patent
[NASA-CASE-GSC-10735-1] c 10 N71-26085
Electronically resettable fuse Patent
[NASA-CASE-XGS-11177] c 09 N71-27001
Voltage regulator Patent
[NASA-CASE-ERC-10113] c 09 N71-27053
Digital pulse width selection circuit Patent
[NASA-CASE-XLA-07788] c 09 N71-29139
Solar energy powered heliotrope
[NASA-CASE-GSC-10945-1] c 21 N72-31637
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c 09 N73-14214
Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c 15 N73-14469
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c 33 N74-17929
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c 37 N74-26976
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c 37 N75-18573
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c 77 N75-20140

ELECTRIC EQUIPMENT TESTS
Test fixture for pellet-like electrical elements
[NASA-CASE-XNP-06032] c 09 N69-21926
Pulse amplitude and width detector Patent
[NASA-CASE-XMF-06519] c 09 N71-12519
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c 09 N71-20842

ELECTRIC FIELD STRENGTH
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c 14 N71-16014
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c 09 N71-16086
Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c 14 N71-23790
Apparatus for determining the deflection of an electron beam impinging on a target Patent
[NASA-CASE-XMF-06617] c 09 N71-24843

ELECTRIC FIELDS
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-00755] c 01 N71-13410
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-05828] c 01 N71-13411
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c 10 N71-19421
Electron beam instrument for measuring electric fields Patent
[NASA-CASE-XMF-10289] c 14 N71-23699
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c 09 N71-26678
Determining distance to lightning strokes from a single station
[NASA-CASE-KSC-10698] c 07 N73-20175
Rocket borne instrument to measure electric fields inside electrified clouds
[NASA-CASE-KSC-10730-1] c 14 N73-32318
Electric field measuring and display system --- for cloud formations
[NASA-CASE-KSC-10731-1] c 33 N74-27862
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c 47 N82-24779
Maser cavity servo-tuning system
[NASA-CASE-NPO-15890-1-CU] c 33 N85-29143
Method of measuring field funneling and range straggling in semiconductor charge-collecting junctions
[NASA-CASE-NPO-16584-1-CU] c 76 N86-25269

ELECTRIC FILTERS
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c 08 N71-18752
Remodulator filter Patent
[NASA-CASE-NPO-10198] c 09 N71-24806
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c 10 N72-17171
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c 09 N72-21245
Radio frequency filter device
[NASA-CASE-XLA-02609] c 09 N72-25256
Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c 10 N73-27171

ELECTRIC FURNACES
High gradient directional solidification furnace
[NASA-CASE-MFS-25963-1] c 35 N86-20750

ELECTRIC FUSES
Electrical load protection device Patent
[NASA-CASE-MSC-12135-1] c 09 N71-12526
Diode and protection fuse unit Patent
[NASA-CASE-XKS-03381] c 09 N71-22796
Fused switch
[NASA-CASE-XMS-01244-1] c 33 N79-33393

ELECTRIC GENERATORS
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c 03 N69-21330
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c 09 N71-20446
Solid state pulse generator with constant output width, for variable input width, in nanosecond range Patent
[NASA-CASE-XGS-03427] c 10 N71-23029
Continuous turning slip ring assembly Patent
[NASA-CASE-XMF-01049] c 15 N71-23049
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c 09 N71-23188
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c 17 N71-23248
Variable width pulse integrator Patent
[NASA-CASE-XLA-03356] c 10 N71-23315
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114-2] c 09 N71-24807
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c 10 N71-24863
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c 10 N71-25139
Multiple varactor frequency doubler Patent
[NASA-CASE-XMF-04958-1] c 10 N71-26414
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c 10 N71-27366
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114] c 33 N71-27862
Load-insensitive electrical device
[NASA-CASE-XER-11046] c 09 N72-22203
Controllable load insensitive power converters
[NASA-CASE-ERC-10268] c 09 N72-25252
A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c 09 N72-25253
Electromagnetic wave energy converter
[NASA-CASE-GSC-11394-1] c 09 N73-32109
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c 20 N75-24837
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c 36 N75-30524
Smoke generator
[NASA-CASE-ARC-10905-1] c 37 N77-13418
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c 33 N77-26387
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c 44 N80-21828
Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c 44 N80-29834
Electrical power generating system --- for windpowered generation
[NASA-CASE-MFS-24368-3] c 33 N81-22280
Linear magnetic motor/generator --- to generate electric energy using magnetic flux for spacecraft power supply
[NASA-CASE-GSC-12518-1] c 33 N82-24421
Electrical power generating system
[NASA-CASE-MFS-25302-1] c 33 N83-28319
Control system for an induction motor with energy recovery
[NASA-CASE-MFS-25477-1] c 33 N84-14424
Solar powered actuator with continuously variable auxiliary power control
[NASA-CASE-MFS-25637-1] c 44 N85-21769
Liquid hydrogen polygeneration system and process
[NASA-CASE-KSC-11304-2] c 28 N86-23744

ELECTRIC IGNITION
Method of making a solid propellant rocket motor Patent
[NASA-CASE-XLA-04126] c 28 N71-26779

ELECTRIC MOTOR VEHICLES
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183-1] c 44 N82-26776

ELECTRIC MOTORS
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-XMS-04215-1] c 09 N69-39987
Electronic motor control system Patent
[NASA-CASE-XMF-01129] c 09 N70-38712
Electronic beam switching commutator Patent
[NASA-CASE-XGS-01451] c 09 N71-10677
Regenerative braking system Patent
[NASA-CASE-XMF-01096] c 10 N71-16030
Angular position and velocity sensing apparatus Patent
[NASA-CASE-XGS-05680] c 14 N71-17585
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c 10 N71-18724
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c 10 N71-18772
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c 15 N71-24695
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c 10 N71-24861
Velocity limiting safety system Patent
[NASA-CASE-XLA-07473] c 15 N71-24895
Direct current motor with stationary armature and field Patent
[NASA-CASE-XGS-05290] c 09 N71-25999
Dual polarity full wave dc motor drive Patent
[NASA-CASE-XNP-07477] c 09 N71-26092
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c 10 N71-26418
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c 09 N71-28886
Optimal control system for an electric motor driven vehicle
[NASA-CASE-NPO-11210] c 11 N72-20244
Electric motive machine including magnetic bearing
[NASA-CASE-XGS-07805] c 15 N72-33476
Redundant speed control for brushless Hall effect motor
[NASA-CASE-MFS-20207-1] c 09 N73-32107
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c 33 N77-26386
Rotary electric device
[NASA-CASE-GSC-12138-1] c 33 N79-20314
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c 33 N81-20352
Linear magnetic motor/generator --- to generate electric energy using magnetic flux for spacecraft power supply
[NASA-CASE-GSC-12518-1] c 33 N82-24421
Four quadrant control circuit for a brushless three-phase dc motor
[NASA-CASE-MFS-28080-1] c 33 N87-21233
Reciprocating linear motor
[NASA-CASE-GSC-12773-2] c 33 N87-23904

ELECTRIC NETWORKS
Condition and condition duration indicator Patent
[NASA-CASE-XMF-01097] c 10 N71-16058
Solid state pulse generator with constant output width, for variable input width, in nanosecond range Patent
[NASA-CASE-XGS-03427] c 10 N71-23029
Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c 09 N71-23316
Broadband frequency discriminator Patent
[NASA-CASE-NPO-10096] c 07 N71-24583
Test apparatus for locating shorts during assembly of electrical buses
[NASA-CASE-ARC-11116-1] c 33 N82-24420

ELECTRIC POTENTIAL
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c 03 N71-19438
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c 09 N71-23188
Variable width pulse integrator Patent
[NASA-CASE-XLA-03356] c 10 N71-23315
Voltage dropout sensor Patent
[NASA-CASE-KSC-10020] c 10 N71-27338
Automated equipotential plotter
[NASA-CASE-NPO-11134] c 09 N72-21246
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c 09 N72-22200
Load-insensitive electrical device
[NASA-CASE-XER-11046] c 09 N72-22203
Continuously variable voltage controlled phase shifter
[NASA-CASE-NPO-11129] c 09 N72-33204
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c 35 N78-10429
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c 35 N78-28411

Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c 44 N80-18551
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c 33 N81-17348
Synchronized voltage contrast display analysis system
[NASA-CASE-NPO-14567-1] c 33 N83-18996
Method for detecting coliform organisms
[NASA-CASE-ARC-11322-1] c 51 N83-28849
Phase detector for three-phase power factor controller
[NASA-CASE-MFS-25854-1] c 33 N84-27975
Simplified dc to dc converter
[NASA-CASE-LEW-13495-1] c 33 N84-33663
High voltage power supply
[NASA-CASE-GSC-12818-1] c 33 N85-29147
Modulated voltage metastable ionization detector
[NASA-CASE-ARC-11503-1] c 35 N85-34374
Angular measurement system
[NASA-CASE-MFS-25825-1] c 31 N86-29055
FET charge sensor and voltage probe
[NASA-CASE-NPO-16045-1] c 76 N87-13313

ELECTRIC POWER
Switching circuit employing regeneratively connected complementary transistors Patent
[NASA-CASE-XNP-02654] c 10 N70-42032
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c 09 N71-20842
Power factor control system for AC induction motors
[NASA-CASE-MFS-23280-1] c 33 N78-10376
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c 33 N78-17296
Electrical power generating system --- for windpowered generation
[NASA-CASE-MFS-24368-3] c 33 N81-22280

ELECTRIC POWER PLANTS
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c 44 N78-32542
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018

ELECTRIC POWER SUPPLIES
Current dependent filter inductance
[NASA-CASE-ERC-10139] c 09 N72-17154
Thermal to electrical power conversion system with solid-state switches with Seebeck effect compensation
[NASA-CASE-NPO-11388] c 03 N72-23048
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c 10 N73-26228
Powerplexer
[NASA-CASE-MSC-12396-1] c 03 N73-31988
Inherent redundacy electric heater
[NASA-CASE-MFS-21462-1] c 33 N74-14935
Temperature compensated current source
[NASA-CASE-MSC-11235] c 33 N78-17294
High voltage power supply
[NASA-CASE-GSC-12818-1] c 33 N85-29147
Arc lamp power supply using a voltage multiplier
[NASA-CASE-LAR-13202-1] c 33 N88-23942
Magnetically switched power supply system for lasers
[NASA-CASE-NPO-16402-2] c 33 N88-24862

ELECTRIC POWER TRANSMISSION
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c 09 N71-24803
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c 10 N71-27366
Powerplexer
[NASA-CASE-MSC-12396-1] c 03 N73-31988
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c 44 N74-19870
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c 07 N83-20944

ELECTRIC PROPULSION
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c 11 N70-34844

ELECTRIC PULSES
Pulse counting circuit which simultaneously indicates the occurrence of the nth pulse Patent
[NASA-CASE-XMF-00906] c 09 N70-41655
Variable pulse width multiplier Patent
[NASA-CASE-XLA-02850] c 09 N71-20447
Phonocardiograph transducer Patent
[NASA-CASE-XMS-05365] c 14 N71-22993
Solid state pulse generator with constant output width, for variable input width, in nanosecond range Patent
[NASA-CASE-XGS-03427] c 10 N71-23029
Variable width pulse integrator Patent
[NASA-CASE-XLA-03356] c 10 N71-23315
Pulse rise time and amplitude detector Patent
[NASA-CASE-XMF-08804] c 09 N71-24717
Counter Patent
[NASA-CASE-XNP-06234] c 10 N71-27137
Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c 09 N71-33109
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c 32 N77-14292
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c 32 N79-23310
Active lamp pulse driver circuit --- optical pumping of laser media
[NASA-CASE-GSC-12566-1] c 33 N83-34189

ELECTRIC RELAYS
Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c 09 N69-39897
Time-division multiplexer Patent
[NASA-CASE-XNP-00431] c 09 N70-38998
Out of tolerance warning alarm system for plurality of monitored circuits Patent
[NASA-CASE-XMS-10984-1] c 10 N71-19417
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c 07 N71-19773
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c 09 N71-29008
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c 44 N78-14625

ELECTRIC ROCKET ENGINES
Electron bombardment ion engine Patent
[NASA-CASE-XNP-04124] c 28 N71-21822

ELECTRIC SPARKS
Method and device for detection of a substance --- determining carbon fiber release in fire situations
[NASA-CASE-NPO-14940-1] c 33 N83-31954

ELECTRIC STIMULI
Tread drum for animals --- having an electrical shock station
[NASA-CASE-ARC-10917-1] c 51 N78-27733

ELECTRIC SWITCHES
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c 03 N71-12255
Deflective rod switch with elastic support and sealing means Patent
[NASA-CASE-XNP-09808] c 09 N71-12518
Electrical switching device Patent
[NASA-CASE-NPO-10037] c 09 N71-19610
Plural position switch status and operativeness checker Patent
[NASA-CASE-XLA-08799] c 10 N71-27272
Pulse generating circuit employing switch means on ends of delay line for alternately charging and discharging same Patent
[NASA-CASE-XNP-00745] c 10 N71-28960
Cyclic switch Patent
[NASA-CASE-LEW-10155-1] c 09 N71-29035
Telemetry actuated switch
[NASA-CASE-ARC-10105] c 09 N72-17153
Differential pressure control
[NASA-CASE-MFS-14216] c 14 N73-13418
Fused switch
[NASA-CASE-XMS-01244-1] c 33 N79-33393
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c 33 N82-24418
Automatic thermal switch --- spacecraft applications
[NASA-CASE-GSC-12553-1] c 34 N83-28356
Four quadrant control circuit for a brushless three-phase dc motor
[NASA-CASE-MFS-28080-1] c 33 N87-21233

ELECTRIC TERMINALS
Electrical connector pin with wiping action
[NASA-CASE-XMF-04238] c 09 N69-39734
Electrical connector for flat cables Patent
[NASA-CASE-XMF-00324] c 09 N70-34596
Tool attachment for spreading loose elements away from work Patent
[NASA-CASE-XMF-02107] c 15 N71-10809
Electrical spot terminal assembly Patent
[NASA-CASE-NPO-10034] c 15 N71-17685
Resistance soldering apparatus
[NASA-CASE-GSC-10913] c 15 N72-22491
Radio frequency filter device
[NASA-CASE-XLA-02609] c 09 N72-25256
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c 33 N74-26977

ELECTRIC WELDING
Electric welding torch Patent
[NASA-CASE-XMF-02330] c 15 N71-23798
Butt welder for fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c 15 N73-14468
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c 15 N73-28515

ELECTRIC WIRE
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c 15 N70-33330
Weld control system using thermocouple wire Patent
[NASA-CASE-MFS-06074] c 15 N71-20393
Ablation sensor Patent
[NASA-CASE-XLA-01794] c 33 N71-21586
Resistance soldering apparatus
[NASA-CASE-GSC-10913] c 15 N72-22491
Lead attachment to high temperature devices
[NASA-CASE-ERC-10224] c 09 N72-25261
Means for accommodating large overstrain in lead wires --- by storing extra length of wire in stretchable loop
[NASA-CASE-LAR-10168-1] c 33 N74-22865
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c 33 N74-26977
High current electrical lead --- for thermionic converters
[NASA-CASE-LEW-10950-1] c 33 N74-27683
Wire stripper
[NASA-CASE-FRC-10111-1] c 37 N79-10419
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c 31 N79-21226
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c 31 N79-21227
Thin wire pointing method
[NASA-CASE-NPO-15789-1] c 31 N83-19947

ELECTRICAL ENGINEERING
Relay binary circuit Patent
[NASA-CASE-XMF-00421] c 09 N70-34502
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c 09 N71-23021

ELECTRICAL FAULTS
Apparatus for overcurrent protection of a push-pull amplifier Patent
[NASA-CASE-MSC-12033-1] c 09 N71-13531
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c 10 N71-27366
Solar cell assembly test method
[NASA-CASE-NPO-10401] c 03 N72-20033
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c 60 N76-21914
Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333

ELECTRICAL IMPEDANCE
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c 09 N71-19516
High impedance measuring apparatus Patent
[NASA-CASE-XMS-08589-1] c 09 N71-20569
Multialarm summary alarm Patent
[NASA-CASE-XLE-03061-1] c 10 N71-24798
Signal conditioning circuit apparatus --- with constant input impedance
[NASA-CASE-ARC-10348-1] c 33 N75-19518
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c 35 N76-24525
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c 33 N77-14335

ELECTRICAL INSULATION
Solenoid construction Patent
[NASA-CASE-XNP-01951] c 09 N70-41929
Method and apparatus for cryogenic wire stripping Patent
[NASA-CASE-MFS-10340] c 15 N71-17628
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c 25 N71-21694
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c 28 N71-26781
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c 15 N72-25447
Bio-isolated dc operational amplifier --- for bioelectric measurements
[NASA-CASE-ARC-10596-1] c 33 N74-21851
Stored charge transistor
[NASA-CASE-NPO-11156-2] c 33 N75-31331
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c 24 N75-33181
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c 36 N78-17366
Wire stripper
[NASA-CASE-FRC-10111-1] c 37 N79-10419
Coaxial cable connector
[NASA-CASE-NPO-16764-1-CU] c 33 N88-14270

ELECTRICAL MEASUREMENT
Device for determining the accuracy of the flare on a flared tube
[NASA-CASE-XKS-03495] c 14 N69-39785
Bootstrap unloader Patent
[NASA-CASE-XNP-09768] c 09 N71-12516

Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent
[NASA-CASE-XNP-00384] c 09 N71-13530
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c 14 N71-16014
Apparatus for measuring current flow Patent
[NASA-CASE-XGS-02439] c 14 N71-19431
High voltage divider system Patent
[NASA-CASE-XLE-02008] c 09 N71-21583
Ablation sensor Patent
[NASA-CASE-XLA-01794] c 33 N71-21586
Hall current measuring apparatus having a series resistor for temperature compensation Patent
[NASA-CASE-XAC-01662] c 14 N71-23037
Connector internal force gauge Patent
[NASA-CASE-XNP-03918] c 14 N71-23087
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c 14 N71-26244
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c 33 N75-26246
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c 44 N76-14601
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c 33 N76-19339
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c 33 N76-21390
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c 35 N76-24525
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c 33 N80-32650
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c 47 N82-24779
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c 35 N82-31659
Four-terminal electrical testing device --- initiator bridgewire resistance
[NASA-CASE-MSC-21166-1] c 35 N87-25555

ELECTRICAL PROPERTIES

Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c 08 N71-19687
Electronically resettable fuse Patent
[NASA-CASE-XGS-11177] c 09 N71-27001
Voltage regulator Patent
[NASA-CASE-ERC-10113] c 09 N71-27053
Radiometric temperature reference Patent
[NASA-CASE-MSC-13276-1] c 14 N71-27058
Solar cell matrix
[NASA-CASE-NPO-11190] c 03 N71-34044
Storage battery comprising negative plates of a wedge shaped configuration --- for preventing shape change induced malfunctions
[NASA-CASE-NPO-11806-1] c 44 N74-19693
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c 35 N76-15434
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c 27 N80-24437

ELECTRICAL RESISTANCE

Positive contact resistance soldering unit
[NASA-CASE-KSC-10242] c 15 N72-23497
RF-source resistance meters
[NASA-CASE-NPO-11291-1] c 14 N73-30388
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c 33 N80-32650
Tensile testing apparatus
[NASA-CASE-LAR-13243-1] c 35 N85-34375
Four-terminal electrical testing device --- initiator bridgewire resistance
[NASA-CASE-MSC-21166-1] c 35 N87-25555
A digitally controlled system for effecting and presenting a selected electrical resistance
[NASA-CASE-MFS-29149-1] c 33 N87-29737

ELECTRICAL RESISTIVITY

GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c 26 N71-18064
Thermopile vacuum gage tube simulator Patent
[NASA-CASE-XLA-02758] c 14 N71-18481
Electrically conductive fluorocarbon polymer
[NASA-CASE-XLE-06774-2] c 06 N72-25150
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c 33 N76-19339
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c 27 N78-14164
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c 33 N79-11315
Lightweight electrically-powered flexible thermal laminate --- made of metal and nonconductive yarns
[NASA-CASE-MSC-12662-1] c 33 N79-12331
Electrically conductive thermal control coatings
[NASA-CASE-GSC-12207-1] c 24 N79-14156
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c 25 N82-26396
Method of making a high voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c 44 N82-29709
Method and device for detection of a substance --- determining carbon fiber release in fire situations
[NASA-CASE-NPO-14940-1] c 33 N83-31954
Piezoelectric composite materials
[NASA-CASE-LEW-12582-1] c 76 N83-34796
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373
High temperature electric arc furnace
[NASA-CASE-MFS-28281-1] c 09 N88-28938

ELECTRICITY

Thermionic converter with current augmented by self induced magnetic field Patent
[NASA-CASE-XLE-01903] c 22 N71-23599
Heat exchanger for electrothermal devices
[NASA-CASE-LEW-14037-1] c 20 N87-16875

ELECTRO-OPTICS

Electro-optical scanning apparatus Patent Application
[NASA-CASE-NPO-11106] c 14 N70-34697
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c 14 N70-40238
Polarimeter for transient measurement Patent
[NASA-CASE-XNP-08883] c 23 N71-16101
Light direction sensor
[NASA-CASE-NPO-11201] c 14 N72-27409
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c 14 N72-27411
Optical conversion method --- for spacecraft television
[NASA-CASE-MSC-12618-1] c 74 N78-17865
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c 74 N80-21138
Miniature electrooptical air flow sensor
[NASA-CASE-LAR-13065-1] c 35 N85-20295
Adjustable mount for electro-optic transducers in an evacuated cryogenic system
[NASA-CASE-LAR-13100-1] c 37 N87-23982
Photorefractor ocular screening system
[NASA-CASE-MFS-26011-1-SB] c 52 N87-24874

ELECTROACOUSTIC TRANSDUCERS

Respiration monitor
[NASA-CASE-FRC-10012] c 14 N72-17329
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c 12 N75-24774
CDS solid state phase insensitive ultrasonic transducer --- annealing dadmium sulfide crystals
[NASA-CASE-LAR-12304-1] c 35 N80-20559

ELECTROACOUSTIC WAVES

Phonocardiogram simulator Patent
[NASA-CASE-XKS-10804] c 05 N71-24606

ELECTROCARDIOGRAPHY

Phonocardiogram simulator Patent
[NASA-CASE-XKS-10804] c 05 N71-24606
Ratemeter
[NASA-CASE-MFS-20418] c 14 N73-24473
Insulated electrocardiographic electrodes --- without paste electrolyte
[NASA-CASE-MSC-14339-1] c 05 N75-24716
Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c 52 N80-33081
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c 52 N81-14612

ELECTROCATALYSTS

Electrocatalyst for oxygen reduction
[NASA-CASE-HQN-10537-1] c 06 N72-10138
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c 33 N80-20487
Zirconium carbide as an electrocatalyst for the chromous-chromic redox couple
[NASA-CASE-LEW-13246-1] c 44 N83-27344

ELECTROCHEMICAL CELLS

Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03865] c 14 N69-21363
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c 03 N70-41864
Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c 03 N71-11053
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c 03 N71-22974
Sealed electrochemical cell provided with a flexible casing Patent
[NASA-CASE-XGS-01513] c 03 N71-23336
Electric battery and method for operating same Patent
[NASA-CASE-XGS-01674] c 03 N71-29129
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c 03 N72-15986
Porus electrode comprising a bonded stack of pieces of corrugated metal foil
[NASA-CASE-GSC-11368-1] c 09 N73-32108
Battery testing device --- for testing cells of multiple-cell battery
[NASA-CASE-MFS-20761-1] c 44 N74-27519
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c 33 N76-19339
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c 44 N78-14625
Method and device for the detection of phenol and related compounds --- in an electrochemical cell
[NASA-CASE-LEW-12513-1] c 25 N79-22235
Electrochemical cell for rebalancing REDOX flow system
[NASA-CASE-LEW-13150-1] c 44 N79-26474
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c 33 N80-20487
Alkaline electrochemical cells and method of making
[NASA-CASE-GSC-10349-1] c 44 N82-24645
Method for determining the point of zero zeta potential of semiconductor
[NASA-CASE-LAR-12893-1] c 76 N85-30923
Method and apparatus for rebalancing a REDOX flow cell system
[NASA-CASE-LEW-14127-1] c 33 N86-20680

ELECTROCHEMICAL MACHINING

Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c 37 N80-14395

ELECTROCHEMICAL OXIDATION

Method and device for the detection of phenol and related compounds --- in an electrochemical cell
[NASA-CASE-LEW-12513-1] c 25 N79-22235
Epitaxial thinning process
[NASA-CASE-NPO-15786-1] c 76 N84-35112

ELECTROCHEMISTRY

Electrode for biological recording
[NASA-CASE-XMS-02872] c 05 N69-21925
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c 25 N79-24073

ELECTRODE FILM BARRIERS

Formulated plastic separators for soluble electrode cells --- rubber-ion transport membranes
[NASA-CASE-LEW-12358-1] c 44 N79-17313

ELECTRODEPOSITION

Method of electrolytically binding a layer of semiconductors together Patent
[NASA-CASE-XNP-01959] c 26 N71-23043
Method of producing crystalline materials
[NASA-CASE-NPO-10440] c 15 N72-21466
Electrophoretic sample insertion --- device for uniformly distributing samples in flow path
[NASA-CASE-MFS-21395-1] c 25 N74-26948
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c 37 N75-19684
Method and device for the detection of phenol and related compounds --- in an electrochemical cell
[NASA-CASE-LEW-12513-1] c 25 N79-22235

ELECTRODES

Electrode and insulator with shielded dielectric junction
[NASA-CASE-XLE-03778] c 09 N69-21542
Electrode for biological recording
[NASA-CASE-XMS-02872] c 05 N69-21925
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c 15 N69-39786
Ionization vacuum gauge Patent
[NASA-CASE-XNP-00646] c 14 N70-35666
Double optic system for ion engine Patent
[NASA-CASE-XNP-02839] c 28 N70-41922
Didymium hydrate additive to nickel hydroxide electrodes Patent
[NASA-CASE-XGS-03505] c 03 N71-10608
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c 09 N71-10618
Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c 05 N71-11189
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c 05 N71-11193
Pressed disc type sensing electrodes with ion- screening means Patent
[NASA-CASE-XMS-04212-1] c 05 N71-12346
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c 03 N71-20492

Arc electrode of graphite with ball tip Patent
[NASA-CASE-XLE-04788] c 09 N71-22987
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c 15 N71-23022
Automatic recording McLeod gauge Patent
[NASA-CASE-XLE-03280] c 14 N71-23093
Flexible conductive disc electrode Patent
[NASA-CASE-FRC-10029] c 09 N71-24618
Plated electrodes Patent
[NASA-CASE-XMS-04213-1] c 09 N71-26002
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c 05 N71-26293
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c 09 N71-26678
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c 05 N72-25120
Method of making dry electrodes
[NASA-CASE-FRC-10029-2] c 05 N72-25121
Compressible biomedical electrode
[NASA-CASE-MSC-13648] c 05 N72-27103
Method and apparatus for limiting field emission current
[NASA-CASE-ERC-10015-2] c 10 N72-27246
Coaxial high density, hypervelocity plasma generator and accelerator with ionizable metal disc
[NASA-CASE-MFS-20589] c 25 N72-32688
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c 28 N73-24783
Wide temperature range electronic device with lead attachment
[NASA-CASE-ERC-10224-2] c 09 N73-27150
Porus electrode comprising a bonded stack of pieces of corrugated metal foil
[NASA-CASE-GSC-11368-1] c 09 N73-32108
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c 33 N74-12913
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c 44 N74-19692
Insulated electrocardiographic electrodes --- without paste electrolyte
[NASA-CASE-MSC-14339-1] c 05 N75-24716
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c 35 N76-24525
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c 44 N77-22606
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c 52 N77-28717
Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c 37 N80-14395
Toroidal cell and battery --- storage battery for high amp-hour load applications
[NASA-CASE-LEW-12918-1] c 44 N81-24521
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c 44 N81-29524
Method of making formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c 25 N82-21268
Multistage depressed collector for dual mode operation --- for microwave transmitting tubes
[NASA-CASE-LEW-13282-1] c 33 N82-24415
Alkaline electrochemical cells and method of making
[NASA-CASE-GSC-10349-1] c 44 N82-24645
Thermionic energy converters
[NASA-CASE-LEW-12443-1] c 44 N83-32175
Photoelectrochemical electrodes
[NASA-CASE-NPO-15458-1] c 25 N84-12262
Electrodes for solid state devices
[NASA-CASE-NPO-15161-1] c 33 N84-16456
Method of making a light weight battery plaque
[NASA-CASE-LEW-13349-1] c 26 N84-22734
Chromium electrodes for REDOX cells
[NASA-CASE-LEW-13653-1] c 44 N84-28205
Ion sputter textured graphite electrode plates
[NASA-CASE-LEW-12919-2] c 70 N84-28565
Trace water sensor
[NASA-CASE-NPO-15722-1] c 35 N85-29212
Negative electrode catalyst for the iron chromium redox energy storage system
[NASA-CASE-LEW-14028-1] c 44 N86-19721
Discharge cell for optogalvanic spectroscopy having orthogonal relationship between the probe laser and discharge axis
[NASA-CASE-NPO-16271-1] c 35 N86-25753
Spillage detector for liquid chromatography systems
[NASA-CASE-MSC-20206-1] c 25 N86-27431

ELECTRODIALYSIS
Aqueous alkali metal hydroxide insoluble cellulose ether membrane
[NASA-CASE-XGS-05584-1] c 25 N82-29370

ELECTROFORMING
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c 20 N74-32919

ELECTROHYDRAULIC FORMING
Electrical discharge apparatus for forming Patent
[NASA-CASE-XMF-00375] c 15 N70-34249

ELECTROHYDRODYNAMICS
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c 12 N71-27332

ELECTROKINETICS
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c 14 N71-23226

ELECTROLUMINESCENCE
Flat-panel, full-color, electroluminescent display
[NASA-CASE-LAR-13407-1] c 33 N87-28831

ELECTROLYSIS
Passively regulated water electrolysis rocket engine Patent
[NASA-CASE-XGS-08729] c 28 N71-14044
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-XLE-01645] c 03 N71-20904
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c 35 N78-25391

ELECTROLYTES
Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03865] c 14 N69-21363
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c 03 N71-11052
Sealed electrochemical cell provided with a flexible casing Patent
[NASA-CASE-XGS-01513] c 03 N71-23336
Compressible biomedical electrode
[NASA-CASE-MSC-13648] c 05 N72-27103
Solid electrolyte cell
[NASA-CASE-NPO-15269-1] c 44 N82-29710
Chromium electrodes for REDOX cells
[NASA-CASE-LEW-13653-1] c 44 N84-28205
Trace water sensor
[NASA-CASE-NPO-15722-1] c 35 N85-29212

ELECTROLYTIC CELLS
Method of making emf cell
[NASA-CASE-LEW-11359-2] c 03 N72-20034
Electrolytic gas operated actuator
[NASA-CASE-NPO-11369] c 15 N73-13467
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c 33 N75-27252
Reconstituted asbestos matrix --- for use in fuel or electrolysis cells
[NASA-CASE-MSC-12568-1] c 24 N76-14204
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c 33 N80-20487
Cell and method for electrolysis of water and anode
[NASA-CASE-MSC-16394-1] c 28 N81-24280
Toroidal cell and battery --- storage battery for high amp-hour load applications
[NASA-CASE-LEW-12918-1] c 44 N81-24521
Solid electrolyte cell
[NASA-CASE-NPO-15269-1] c 44 N82-29710
State-of-charge coulometer
[NASA-CASE-NPO-15759-1] c 35 N85-21596

ELECTROMAGNETIC ABSORPTION
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c 23 N73-20741
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c 35 N77-14411
Electromagnetic radiation energy arrangement --- coatings for solar energy absorption and infrared reflection
[NASA-CASE-WOO-00428-1] c 32 N79-19186
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c 32 N80-14281

ELECTROMAGNETIC FIELDS
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c 15 N69-21472
Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c 09 N71-26701
Metallic intrusion detector system
[NASA-CASE-ARC-10265-1] c 10 N72-28240
Low power electromagnetic flowmeter providing accurate zero set
[NASA-CASE-ARC-10362-1] c 14 N73-32326
Electromagnetic flow rate meter --- for liquid metals
[NASA-CASE-LEW-10981-1] c 35 N74-21018
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c 35 N78-28411

ELECTROMAGNETIC HAMMERS
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c 15 N71-17650
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c 15 N71-24833

ELECTROMAGNETIC INTERFERENCE
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c 09 N71-18600
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c 27 N77-32308
Method and apparatus for enhancing laser absorption sensitivity
[NASA-CASE-NPO-16567-1-CU] c 36 N87-28006

ELECTROMAGNETIC MEASUREMENT
Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent
[NASA-CASE-XGS-02608] c 07 N70-41678
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c 35 N78-28411
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c 47 N82-24779

ELECTROMAGNETIC NOISE
Parametric amplifiers with idler circuit feedback
[NASA-CASE-LAR-10253-1] c 09 N72-25258
Audio system with means for reducing noise effects
[NASA-CASE-NPO-11631] c 10 N73-12244
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c 32 N76-21366

ELECTROMAGNETIC PROPERTIES
Measurement apparatus and procedure for the determination of surface emissivities
[NASA-CASE-LAR-13455-1] c 32 N87-21206

ELECTROMAGNETIC PROPULSION
Hypervelocity gun --- using both electric and chemical energy for projectile propulsion
[NASA-CASE-XLE-03186-1] c 09 N79-21084

ELECTROMAGNETIC PULSES
Laser pulse detection method and apparatus
[NASA-CASE-NPO-16030-1] c 36 N84-25037

ELECTROMAGNETIC PUMPS
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c 15 N71-27084

ELECTROMAGNETIC RADIATION
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c 07 N70-40063
Circulator having quarter wavelength resonant post and parametric amplifier circuits utilizing the same Patent
[NASA-CASE-XNP-02140] c 09 N71-23097
Electromagnetic polarization systems and methods Patent
[NASA-CASE-GSC-10021-1] c 09 N71-24595
Antenna design for surface wave suppression Patent
[NASA-CASE-XLA-10772] c 07 N71-28980
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c 07 N73-14130
Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c 14 N73-28480
Hyperthermia heating apparatus --- cancer therapy
[NASA-CASE-NPO-14549-2] c 52 N82-33990
Method and apparatus for measuring distance
[NASA-CASE-MSC-20912-1] c 32 N88-26560

ELECTROMAGNETIC SHIELDING
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c 09 N71-28690
Wire stripper
[NASA-CASE-FRC-10111-1] c 37 N79-10410
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c 33 N81-27390

ELECTROMAGNETIC WAVE FILTERS
Laser camera and diffusion filter therefore Patent
[NASA-CASE-NPO-10417] c 16 N71-33410

ELECTROMAGNETIC WAVE TRANSMISSION
Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent
[NASA-CASE-XGS-02608] c 07 N70-41678
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c 33 N83-31950

ELECTROMAGNETISM
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c 15 N71-24600
Linear magnetic bearing
[NASA-CASE-GSC-12517-1] c 37 N83-32000
Linear magnetic bearings
[NASA-CASE-GSC-12582-2] c 37 N85-20300

ELECTROMAGNETS
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c 14 N69-27400
Solenoid construction Patent
[NASA-CASE-XNP-01951] c 09 N70-41900

Position sensing device employing misaligned magnetic field generating and detecting apparatus Patent
[NASA-CASE-XGS-07514] c 23 N71-16099
Safe-arm initiator Patent
[NASA-CASE-LAR-10372] c 09 N71-18599
Magnetic bearing --- for supplying magnetic fluxes
[NASA-CASE-GSC-11079-1] c 37 N75-18574
Magnetic spin reduction system for free spinning objects
[NASA-CASE-MFS-25966-1] c 16 N86-26352

ELECTROMECHANICAL DEVICES
Electromechanical actuator
[NASA-CASE-XNP-05975] c 15 N69-23185
Bimetallic power controlled actuator
[NASA-CASE-XNP-09776] c 09 N69-39929
Apparatus for coupling a plurality of ungrounded circuits to a grounded circuit Patent
[NASA-CASE-XAC-00086] c 09 N70-33182
Apparatus for controlling the velocity of an electromechanical drive for interferometers and the like Patent
[NASA-CASE-XGS-03532] c 14 N71-17627
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c 15 N71-24045
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c 26 N71-25490
Electromechanical control actuator system Patent
[NASA-CASE-ERC-10022] c 15 N71-26635
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c 14 N71-27334
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c 09 N72-21248
Ferrofluidic solenoid
[NASA-CASE-NPO-11738-1] c 09 N73-30185
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c 33 N77-26387
Rotary electric device
[NASA-CASE-GSC-12138-1] c 33 N79-20314
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c 43 N80-14423
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c 43 N80-23711
Magnetic field control --- electromechanical torquing device
[NASA-CASE-MFS-23828-1] c 33 N82-26569
Piezoelectric composite materials
[NASA-CASE-LEW-12582-1] c 76 N83-34796
Two-dimensional scanner apparatus --- flaw detector in small flat plates
[NASA-CASE-MFS-25687-1] c 35 N84-22928
Memory metal actuator
[NASA-CASE-NPO-15960-1] c 37 N86-19604
Electro-expulsive separation system
[NASA-CASE-ARC-11613-1] c 33 N87-28833

ELECTROMETERS
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c 09 N71-23021
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c 35 N82-31659

ELECTROMIGRATION
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c 76 N82-30105

ELECTROMOTIVE FORCES
Heat activated cell Patent
[NASA-CASE-LEW-11359] c 03 N71-28579
Three-phase power factor controller with induced EMF sensing
[NASA-CASE-MFS-25852-1] c 33 N84-33661

ELECTRON ATTACHMENT
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c 72 N80-14877

ELECTRON BEAM WELDING
Split welding chamber Patent
[NASA-CASE-LEW-11531] c 15 N71-14932
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c 15 N71-19486

ELECTRON BEAMS
Electronic beam switching commutator Patent
[NASA-CASE-XGS-01451] c 09 N71-10677
Method and means for an improved electron beam scanning system Patent
[NASA-CASE-ERC-10552] c 09 N71-12539
Electron beam instrument for measuring electric fields Patent
[NASA-CASE-XMF-10289] c 14 N71-23699
Apparatus for determining the deflection of an electron beam impinging on a target Patent
[NASA-CASE-XMF-06617] c 09 N71-24843
Infrared detectors
[NASA-CASE-LAR-10728-1] c 14 N73-12445
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c 33 N74-10195
Image tube --- deriving electron beam replica of image
[NASA-CASE-GSC-11602-1] c 33 N74-21850
Very high intensity light source using a cathode ray tube --- electron beams
[NASA-CASE-XNP-01296] c 33 N75-27250
Low energy electron magnetometer using a monoenergetic electron beam
[NASA-CASE-LAR-12706-1] c 35 N84-12444
Isotope separation using tuned laser and electron beam
[NASA-CASE-NPO-16907-1-CU] c 25 N88-24732
Trochoidal analysis of scattered electrons in a merged electron-ion beam
[NASA-CASE-NPO-16789-1-CU] c 72 N88-25281

ELECTRON BOMBARDMENT
Ion thrustor cathode
[NASA-CASE-XLE-07087] c 06 N69-39889
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c 14 N69-39982
Electron bombardment ion engine Patent
[NASA-CASE-XNP-04124] c 28 N71-21822
Electronic cathode having a brush-like structure and a relatively thick oxide emissive coating Patent
[NASA-CASE-XLE-04501] c 09 N71-23190
Single grid accelerator for an ion thrustor
[NASA-CASE-XLE-10453-2] c 28 N73-27699
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c 35 N81-19426
Mechanical bonding of metal method
[NASA-CASE-LEW-12941-1] c 26 N83-10170
Diamondlike flake composites
[NASA-CASE-LEW-13837-1] c 24 N84-22695
Ion sputter textured graphite electrode plates
[NASA-CASE-LEW-12919-2] c 70 N84-28565
Apparatus ad method for quiescent containerless processing of high temperature metals and alloys in low gravity
[NASA-CASE-MFS-28087-1] c 35 N87-23944

ELECTRON CAPTURE
Multistage depressed collector for dual mode operation --- for microwave transmitting tubes
[NASA-CASE-LEW-13282-1] c 33 N82-24415

ELECTRON DISTRIBUTION
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c 75 N74-30156

ELECTRON EMISSION
Triode thermionic energy converter
[NASA-CASE-XLE-01015] c 03 N69-39898
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587

ELECTRON ENERGY
Low energy electron magnetometer using a monoenergetic electron beam
[NASA-CASE-LAR-12706-1] c 35 N84-12444

ELECTRON FLUX DENSITY
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c 14 N69-39982

ELECTRON GUNS
Induction heating gun
[NASA-CASE-LAR-13181-1] c 31 N85-29083
Generation of intense negative ion beams
[NASA-CASE-NPO-16061-1-CU] c 72 N87-21660

ELECTRON IRRADIATION
Ion rocket Patent
[NASA-CASE-XLE-00376] c 28 N70-37245

ELECTRON MICROSCOPES
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c 14 N69-39982
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c 74 N75-12732
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c 35 N77-14408

ELECTRON MICROSCOPY
Synchronized voltage contrast display analysis system
[NASA-CASE-NPO-14567-1] c 33 N83-18996

ELECTRON OSCILLATIONS
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895

ELECTRON PHOTON CASCADES
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c 33 N76-27473

ELECTRON PLASMA
Method and apparatus for producing a plasma Patent
[NASA-CASE-XLA-00147] c 25 N70-34661

ELECTRON SCATTERING
Trochoidal analysis of scattered electrons in a merged electron-ion beam
[NASA-CASE-NPO-16789-1-CU] c 72 N88-25281

ELECTRON SOURCES
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c 35 N77-14408

ELECTRON TRANSFER
Process for reducing secondary electron emission Patent
[NASA-CASE-XNP-09469] c 24 N71-25555

ELECTRON TRANSITIONS
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c 36 N75-31426

ELECTRON TUBES
Direct radiation cooling of the collector of linear beam tubes
[NASA-CASE-XNP-09227] c 15 N69-24319
Radiant heater having formed filaments Patent
[NASA-CASE-XLE-00387] c 33 N70-34812
Ion sputter textured graphite --- anode collector plates in electron tube devices
[NASA-CASE-LEW-12919-1] c 24 N83-10117
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c 33 N83-31952

ELECTRON TUNNELING
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c 33 N75-31332
Inelastic tunnel diodes
[NASA-CASE-LEW-13833-1] c 33 N85-21492

ELECTRONIC CONTROL
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c 07 N69-27460
Electronic motor control system Patent
[NASA-CASE-XMF-01129] c 09 N70-38712
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c 10 N71-26142
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c 28 N71-26173
Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c 14 N71-27185
Digital control and information system
[NASA-CASE-NPO-11016] c 08 N72-31226
Electronic system for high power load control --- solar arrays
[NASA-CASE-NPO-15358-1] c 33 N83-27126
Closed loop electrostatic levitation system
[NASA-CASE-NPO-15553-1] c 33 N85-29142

ELECTRONIC EQUIPMENT
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c 07 N69-27460
Pulse activated polarographic hydrogen detector Patent
[NASA-CASE-XMF-06531] c 14 N71-17575
Stable amplifier having a stable quiescent point Patent
[NASA-CASE-XGS-02812] c 09 N71-19466
Static inverter Patent
[NASA-CASE-XGS-05289] c 09 N71-19470
Circulator having quarter wavelength resonant post and parametric amplifier circuits utilizing the same Patent
[NASA-CASE-XNP-02140] c 09 N71-23097
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c 07 N71-23098
Electronic cathode having a brush-like structure and a relatively thick oxide emissive coating Patent
[NASA-CASE-XLE-04501] c 09 N71-23190
Method and apparatus for varying thermal conductivity Patent
[NASA-CASE-XNP-05524] c 33 N71-24876
A solid state acoustic variable time delay line Patent
[NASA-CASE-ERC-10032] c 10 N71-25900
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c 14 N71-26244
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c 14 N71-27215
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c 14 N71-28958
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c 08 N72-11171
Universal environment package with sectional component housing
[NASA-CASE-KSC-10031] c 15 N72-22486
Lead attachment to high temperature devices
[NASA-CASE-ERC-10224] c 09 N72-25261
Method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c 15 N72-25457
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c 08 N73-12177

Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c 08 N73-13187
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-1] c 14 N73-14428
Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c 10 N73-16206
Junction range finder
[NASA-CASE-KSC-10108] c 14 N73-25461
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c 32 N73-26910
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c 32 N74-12912
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c 35 N75-15014
Electronic analog divider
[NASA-CASE-LEW-11881-1] c 33 N77-17354
Moisture content and gas sampling device
[NASA-CASE-MSC-18866-1] c 35 N85-29213

ELECTRONIC EQUIPMENT TESTS
Analog to digital converter tester Patent
[NASA-CASE-XLA-06713] c 14 N71-28991
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c 35 N75-12270
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c 33 N81-26359
Synchronized voltage contrast display analysis system
[NASA-CASE-NPO-14567-1] c 33 N83-18996
Cross-contact chain
[NASA-CASE-NPO-16784-1] c 33 N87-10231

ELECTRONIC FILTERS
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c 09 N73-20231
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c 33 N74-32712
Notch filter
[NASA-CASE-MFS-23303-1] c 32 N77-18307

ELECTRONIC MODULES
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c 09 N70-41717
Solar cell submodule Patent
[NASA-CASE-XNP-05821] c 03 N71-11056
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c 33 N71-29052
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c 37 N74-32918
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c 33 N77-30365
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c 44 N78-25528
Electronically scanned pressure sensor module with in SITU calibration capability
[NASA-CASE-LAR-12230-1] c 35 N79-14347
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-NPO-14000-1] c 33 N79-24254
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c 33 N79-24257
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c 44 N81-14389
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c 60 N81-15706

ELECTRONIC PACKAGING
Electrical feed-through connection for printed circuit boards and printed cable
[NASA-CASE-XMF-01483] c 14 N69-27431
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c 09 N71-13522
Method of evaluating moisture barrier properties of encapsulating materials Patent
[NASA-CASE-NPO-10051] c 18 N71-24934
Microelectronic module package Patent
[NASA-CASE-XMS-02182] c 10 N71-28783
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c 03 N72-15986
Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c 15 N73-14469
Circuit board package with wedge shaped covers
[NASA-CASE-MFS-21919-1] c 10 N73-25243
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c 33 N74-12951
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c 37 N74-32918
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c 37 N79-33467
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c 60 N82-24839
Electronic scanning pressure measuring system and transducer package
[NASA-CASE-ARC-11361-1] c 35 N84-22934
Hermetically sealable package for hybrid solid-state electronic devices and the like
[NASA-CASE-MSC-20181-1] c 33 N88-23941

ELECTRONIC RECORDING SYSTEMS
Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c 10 N71-26339

ELECTRONIC TRANSDUCERS
Fiber optic vibration transducer and analyzer Patent
[NASA-CASE-XMF-02433] c 14 N71-10616
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c 09 N71-24597
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c 10 N71-27366
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c 35 N77-21392
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c 35 N80-18359
Electronic scanning pressure measuring system and transducer package
[NASA-CASE-ARC-11361-1] c 35 N84-22934

ELECTRONS
Means and method for calibrating a photon detector utilizing electron-photon coincidence
[NASA-CASE-NPO-15644-1] c 35 N84-33767
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253

ELECTROPHORESIS
Electrophoretic sample insertion --- device for uniformly distributing samples in flow path
[NASA-CASE-MFS-21395-1] c 25 N74-26948
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c 34 N74-27744
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c 25 N78-14104
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c 25 N79-10163
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c 25 N79-14169
Electrophoretic fractional elution apparatus employing a rotational seal fraction collector
[NASA-CASE-MFS-23284-1] c 37 N80-14397
Method for separating biological cells --- suspended in aqueous polymer systems
[NASA-CASE-MFS-23883-1] c 51 N80-16715
Electrophoresis device
[NASA-CASE-MFS-25426-1] c 25 N83-10126
Static continuous electrophoresis device
[NASA-CASE-MFS-25306-1] c 25 N83-13187
Moving wall, continuous flow electronphoresis apparatus
[NASA-CASE-MFS-28142-1] c 25 N88-23845

ELECTROPHOTOMETERS
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c 14 N71-28993

ELECTROPHYSIOLOGY
Flexible conductive disc electrode Patent
[NASA-CASE-FRC-10029] c 09 N71-24618

ELECTROPLATING
Method of plating copper on aluminum Patent
[NASA-CASE-XLA-08966-1] c 17 N71-25903
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c 09 N71-28691
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c 17 N73-24569
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c 44 N81-29524
Method of forming oxide coatings --- for solar collector heating panels
[NASA-CASE-LEW-13132-1] c 27 N83-29388

ELECTROSTATIC CHARGE
Electrostatic charged particle analyzer having deflection members shaped according to the periodic voltage applied thereto Patent
[NASA-CASE-XAC-05506-1] c 24 N71-16095
Electrostatic measurement system --- for contact-electrifying a dielectric
[NASA-CASE-MFS-22129-1] c 33 N75-18477
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c 28 N82-18401
Lightning discharge protection rod
[NASA-CASE-LAR-13470-1] c 03 N88-14083

ELECTROSTATIC ENGINES
Colloid propulsion method and apparatus Patent
[NASA-CASE-XLE-00817] c 28 N70-33265
Ion thruster cathode Patent Application
[NASA-CASE-LEW-10814-1] c 28 N70-35422
Ion rocket Patent
[NASA-CASE-XLE-00376] c 28 N70-37245
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c 28 N71-15661
Precision tunable resonant microwave cavity
[NASA-CASE-LEW-13935-1] c 33 N87-21234

ELECTROSTATIC GENERATORS
Electrostatic plasma modulator for space vehicle re-entry communication Patent
[NASA-CASE-XLA-01400] c 07 N70-41331
Closed loop electrostatic levitation system
[NASA-CASE-NPO-15553-1] c 33 N85-29142

ELECTROSTATIC PRECIPITATORS
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c 35 N79-17192
Small conductive particle sensor --- microfiber size determination
[NASA-CASE-LAR-12552-1] c 35 N82-11431

ELECTROSTATIC PROBES
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c 14 N71-16014
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c 33 N82-26572

ELECTROSTATIC PROPULSION
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c 28 N71-10574
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c 28 N71-25213

ELECTROSTATIC SHIELDING
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c 20 N77-10148
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c 33 N81-27397
High voltage isolation transformer
[NASA-CASE-GSC-12817-1] c 33 N85-29146

ELECTROSTATICS
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c 33 N75-19522
Electrostatic discharge test apparatus
[NASA-CASE-MSC-21094-1] c 35 N88-24941

ELECTROTHERMAL ENGINES
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c 28 N70-33356
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c 28 N70-34175
Heat exchanger for electrothermal devices
[NASA-CASE-LEW-14037-1] c 20 N87-16875

ELEVATION
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c 14 N71-26627
Emergency escape system Patent
[NASA-CASE-XKS-07814] c 15 N71-27067
Elevated waterproof access floor system and method of making the same
[NASA-CASE-ARC-11363-1] c 31 N87-16918

ELEVATORS (LIFTS)
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c 11 N70-34815
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c 15 N72-25453

ELEVONS
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c 02 N71-27088

ELLIPSES
Ellipsograph for pantograph Patent
[NASA-CASE-XLA-03102] c 14 N71-21079

ELLIPSOMETERS
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c 43 N78-10525

ELONGATION
Strain gauge measuring techniques Patent
[NASA-CASE-XGS-04478] c 14 N71-24233
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c 35 N77-2244

ELUTION
Amino acid analysis
[NASA-CASE-NPO-12130-1] c 25 N75-1484
Electrophoretic fractional elution apparatus employin a rotational seal fraction collector
[NASA-CASE-MFS-23284-1] c 37 N80-1439

EMBRITTLEMENT
Method and apparatus for non-destructive testing temper embrittlement in steels
[NASA-CASE-LAR-13817-1] c 26 N88-2901

EMERGENCIES
Silent emergency alarm system for schools and th like
[NASA-CASE-NPO-11307-1] c 10 N73-3020

Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c 54 N78-18761
EMERGENCY BREATHING TECHNIQUES
Resuscitation apparatus Patent
[NASA-CASE-XMS-01115] c 05 N70-39922
EMERGENCY LIFE SUSTAINING SYSTEMS
Orbital escape device Patent
[NASA-CASE-XMS-06162] c 31 N71-28851
Emergency lunar communications system
[NASA-CASE-MFS-21042] c 07 N72-25171
Emergency descent device
[NASA-CASE-MFS-23074-1] c 54 N77-21844
Personnel emergency carrier vehicle
[NASA-CASE-KSC-11282-1] c 85 N87-21755
EMERGENCY LOCATOR TRANSMITTERS
Improved legislated emergency locating transmitters and emergency position indicating radio beacons
[NASA-CASE-GSC-12892-1] c 32 N85-20226
EMISSION SPECTRA
Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XMF-02039] c 15 N71-15871
EMITTANCE
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c 15 N71-24875
EMITTERS
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c 09 N73-32112
EMULSIONS
Apparatus for obtaining isotropic irradiation of a specimen
[NASA-CASE-MFS-20095] c 24 N72-11595
ENAMELS
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c 27 N75-27160
ENCAPSULATING
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c 18 N71-16046
Flexible, repairable, pottable material for electrical connectors Patent
[NASA-CASE-XGS-05180] c 18 N71-25881
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c 14 N71-28992
Solar cell matrix
[NASA-CASE-NPO-11190] c 03 N71-34044
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c 44 N78-25528
Liquid encapsulated crystal growth
[NASA-CASE-NPO-16808-1-CU] c 76 N87-25868
Liquid encapsulated float zone process and apparatus
[NASA-CASE-MFS-28144-1] c 76 N88-24545
ENCLOSURES
Radio frequency shielded enclosure Patent
[NASA-CASE-XMF-09422] c 07 N71-19436
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c 37 N79-13364
Moisture content and gas sampling device
[NASA-CASE-MSC-18866-1] c 35 N85-29213
END EFFECTORS
Apparatus for adapting an end effector device remotely controlled manipulator arm
[NASA-CASE-MFS-25949-1] c 37 N86-19603
Self-locking telescoping manipulator arm
[NASA-CASE-MFS-25906-1] c 37 N86-20789
ENDOSCOPES
Borescope with variable angle scope
[NASA-CASE-MFS-15162] c 14 N72-32452
Apparatus for endoscopic examination --- analysis of the propulsion system configuration and transmitter
[NASA-CASE-NPO-14092-1] c 52 N80-16725
ENDOTHERMIC REACTIONS
Ablation sensor
[NASA-CASE-XLA-01781] c 14 N69-39975
ENEMY PERSONNEL
Intruder detection system
[NASA-CASE-ARC-10097-2] c 07 N73-25160
ENERGY ABSORPTION
Non-reusuable kinetic energy absorber Patent
[NASA-CASE-XLE-00810] c 15 N70-34861
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c 15 N70-35679
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c 14 N70-40201
Shock absorber Patent
[NASA-CASE-XMS-03722] c 15 N71-21530
Energy absorbing device Patent
[NASA-CASE-XMF-10040] c 15 N71-22877
Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c 15 N71-27146
Energy absorption device Patent
[NASA-CASE-XNP-01848] c 15 N71-28959
Impact energy absorbing system utilizing fracturable material
[NASA-CASE-NPO-10671] c 15 N72-20443
Docking structure for spacecraft
[NASA-CASE-MFS-20863] c 31 N73-26876
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c 15 N73-30460
ENERGY BANDS
Tailorable infrared sensing device with strain layer superlattice structure
[NASA-CASE-NPO-16607-1-CU] c 76 N88-14836
ENERGY CONSERVATION
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c 15 N75-13007
Three axis attitude control system
[NASA-CASE-GSC-12970-1] c 08 N88-23808
ENERGY CONSUMPTION
Supercritical solvent coal extraction
[NASA-CASE-NPO-15210-1] c 25 N84-22709
ENERGY CONVERSION
Two-fluid magnetohydrodynamic system and method for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c 03 N70-36803
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c 09 N70-40234
Electromagnetic wave energy converter
[NASA-CASE-GSC-11394-1] c 09 N73-32109
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c 36 N75-30524
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c 37 N77-12402
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c 44 N77-32581
Solar energy collection system
[NASA-CASE-NPO-13810-1] c 44 N77-32582
ENERGY CONVERSION EFFICIENCY
Triode thermionic energy converter
[NASA-CASE-XLE-01015] c 03 N69-39898
Energy conversion apparatus Patent
[NASA-CASE-XLE-00212] c 03 N70-34134
Electronic amplifier with power supply switching Patent
[NASA-CASE-XMS-00945] c 09 N71-10798
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c 44 N78-24608
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c 44 N79-26475
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c 44 N80-14472
Efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c 44 N82-26777
Thermionic energy converters
[NASA-CASE-LEW-12443-1] c 44 N83-32175
Bidirectional control system for energy flow in solar powered flywheel
[NASA-CASE-MFS-25978-1] c 44 N87-21410
ENERGY DISSIPATION
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c 15 N70-34850
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c 02 N77-10001
Motion restraining device
[NASA-CASE-NPO-13619-1] c 37 N78-16369
ENERGY DISTRIBUTION
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c 76 N76-20994
ENERGY GAPS (SOLID STATE)
High band gap 2-6 and 3-5 tunneling junctions for silicon multijunction solar cells
[NASA-CASE-NPO-16526-1CU] c 44 N87-17399
Method and apparatus for measuring minority carrier lifetime in a direct band-gap semiconductor
[NASA-CASE-NPO-16337-1-CU] c 33 N87-22894
ENERGY LEVELS
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c 72 N80-14877
Low energy electron magnetometer using a monoenergetic electron beam
[NASA-CASE-LAR-12706-1] c 35 N84-12444
ENERGY POLICY
Solar energy power system
[NASA-CASE-MFS-21628-2] c 44 N76-23675
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c 44 N76-31667
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c 35 N77-20401
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c 74 N77-28933
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c 44 N77-32580
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c 44 N78-19599
Solar pond
[NASA-CASE-NPO-13581-2] c 44 N78-31525
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c 44 N78-31526
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c 44 N78-31527
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c 44 N79-14529
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c 44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c 44 N79-24433
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c 44 N80-20810
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c 44 N80-21828
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c 44 N80-29835
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c 44 N81-17518
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c 44 N81-19558
Solar heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c 44 N82-16475
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255
ENERGY SOURCES
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c 09 N71-23311
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c 33 N75-19522
ENERGY STORAGE
Switching mechanism with energy storage means Patent
[NASA-CASE-XGS-00473] c 03 N70-38713
Stored charge transistor
[NASA-CASE-NPO-11156-2] c 33 N75-31331
Mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c 52 N78-10686
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c 44 N78-24608
Rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c 37 N79-10422
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c 44 N80-20810
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c 28 N81-14103
Negative electrode catalyst for the iron chromium redox energy storage system
[NASA-CASE-LEW-14028-1] c 44 N86-19721
ENERGY TECHNOLOGY
Solar energy collection system
[NASA-CASE-NPO-13810-1] c 44 N77-32582
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c 44 N78-25529
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c 44 N78-33526
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c 25 N79-11152
Back wall solar cell
[NASA-CASE-LEW-12236-2] c 44 N79-14528
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c 44 N79-19447
Solar energy collection system
[NASA-CASE-NPO-13579-2] c 44 N79-24433
Solar concentrator
[NASA-CASE-MFS-23727-1] c 44 N80-14473
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c 44 N80-14474
ENERGY TRANSFER
Solar energy absorber
[NASA-CASE-MFS-22743-1] c 44 N76-22657
ENGINE ANALYZERS
Indicated mean-effective pressure instrument
[NASA-CASE-LEW-12662-1] c 35 N79-14345
ENGINE CONTROL
Regenerative braking system Patent
[NASA-CASE-XMF-01096] c 10 N71-16030
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c 05 N75-12930
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c 37 N81-14318

ENGINE COOLANTS

Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c 07 N81-19115
Control means for a gas turbine engine
[NASA-CASE-LEW-14586-1] c 07 N83-31603
Brushless DC motor control system responsive to control signals generated by a computer or the like
[NASA-CASE-NPO-16420-1] c 33 N86-20681

ENGINE COOLANTS
Injector-valve device Patent
[NASA-CASE-XLE-00303] c 15 N70-36535
Injector for bipropellant rocket engines Patent
[NASA-CASE-XMF-00148] c 28 N70-38710

ENGINE DESIGN
Gas turbine combustion apparatus Patent
[NASA-CASE-XLE-103477-1] c 28 N71-20330
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c 28 N71-23081
Space vehicle system
[NASA-CASE-MSC-12561-1] c 18 N76-17185
Solid propellant motor
[NASA-CASE-NPO-11458A] c 20 N78-32179
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c 44 N78-33526
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c 07 N80-18039
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c 37 N80-31790
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c 37 N81-17432
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c 37 N81-25370
Solar engine
[NASA-CASE-LAR-12148-1] c 44 N82-24640

ENGINE FAILURE
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c 24 N71-20518
Airplane automatic control force trimming device for asymmetric engine failures
[NASA-CASE-LAR-13280-1] c 08 N87-20999

ENGINE INLETS
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c 07 N74-31270
The engine air intake system
[NASA-CASE-ARC-10761-1] c 07 N77-18154
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c 05 N79-24976

ENGINE MONITORING INSTRUMENTS
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c 24 N71-20518

ENGINE NOISE
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c 07 N74-31270
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c 07 N78-17055
Multiple pure tone elimination strut assembly --- air breathing engines
[NASA-CASE-FRC-11062-1] c 71 N82-16800
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c 07 N83-33884

ENGINE PARTS
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c 07 N78-17056
Gas path seal
[NASA-CASE-NPO-12131-3] c 37 N80-18400
Method of protecting a surface with a silicon-slurry/aluminide coating --- coatings for gas turbine engine blades and vanes
[NASA-CASE-LEW-13343-1] c 27 N82-28441
Thermal stress minimized, two component, turbine shroud seal
[NASA-CASE-LEW-14212-1] c 37 N88-23978
Composite piston
[NASA-CASE-LAR-13435-1] c 37 N88-23981

ENGINE STARTERS
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c 33 N80-26599

ENGINE TESTS
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c 11 N70-34844

ENGINEERING DRAWINGS
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c 15 N70-34817
Lifting body Patent Application
[NASA-CASE-FRC-10063] c 01 N71-12217
Optical communications system Patent
[NASA-CASE-XLA-01090] c 07 N71-12389
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c 15 N71-15986

ENTHALPY
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c 14 N70-34156

ENTRAINMENT
Water separator
[NASA-CASE-XMS-01295-1] c 37 N79-21345

ENUMERATION
Apparatus and process for microbial detection and enumeration
[NASA-CASE-LAR-12709-1] c 35 N82-28604

ENVIRONMENT SIMULATION
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c 05 N71-24738
Locomotion and restraint aid Patent
[NASA-CASE-ARC-10153] c 05 N71-28619

ENVIRONMENT SIMULATORS
Space simulator Patent
[NASA-CASE-NPO-10141] c 11 N71-24964

ENVIRONMENTAL CONTROL
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c 05 N71-11203
Portable superclean air column device Patent
[NASA-CASE-XMF-03212] c 15 N71-22721
Thermal control panel Patent
[NASA-CASE-XLA-07728] c 33 N71-22890
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c 23 N71-24725
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c 15 N71-27169
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c 11 N71-28629
Universal environment package with sectional component housing
[NASA-CASE-KSC-10031] c 15 N72-22486
Air conditioned suit
[NASA-CASE-LAR-10076-1] c 05 N73-20137
Dual stage check valve
[NASA-CASE-MSC-13587-1] c 15 N73-30459
Space vehicle with artificial gravity and earth-like environment
[NASA-CASE-LEW-11101-1] c 31 N73-32750

ENVIRONMENTAL ENGINEERING
Thermal control wall panel Patent
[NASA-CASE-XLA-01243] c 33 N71-22792

ENVIRONMENTAL MONITORING
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c 46 N80-14603
Vapor fragrancer
[NASA-CASE-LAR-13680-1] c 35 N87-25561

ENVIRONMENTAL TESTS
Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent
[NASA-CASE-XMS-02930] c 11 N71-23042
Hard space suit Patent
[NASA-CASE-XAC-07043] c 05 N71-23161
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c 11 N71-24985
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c 14 N73-19421
Fixture for environmental exposure of structural materials under compression load
[NASA-CASE-LAR-12602-1] c 39 N83-32081

ENVIRONMENTS
Hermetically sealed elbow actuator
[NASA-CASE-MFS-14710] c 09 N72-22195

ENZYME ACTIVITY
Use of the enzyme hexokinase for the reduction of inherent light levels
[NASA-CASE-XGS-05533] c 04 N69-27487
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c 04 N73-27052

ENZYMES
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c 06 N73-27086

EPICYCLOIDS
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c 37 N79-20377

EPITAXY
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c 76 N79-21910
Epitaxial thinning process
[NASA-CASE-NPO-15786-1] c 76 N84-35112
Method of making macrocrystalline or single crystal semiconductor material
[NASA-CASE-NPO-15904-1] c 76 N86-28760
Floating emitter solar cell
[NASA-CASE-NPO-16467-1-CU] c 33 N87-23879

EPOXY COMPOUNDS
Synthesis of siloxane-containing epoxy polymers Patent
[NASA-CASE-MFS-13994-1] c 06 N71-11240
Siloxane containing epoxide compounds
[NASA-CASE-MFS-13994-2] c 06 N72-25148
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c 15 N79-26100
Antenna grout replacement system
[NASA-CASE-NPO-15202-1] c 27 N83-34043

EPOXY MATRIX COMPOSITES
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-2] c 27 N86-27451

EPOXY RESINS
Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c 03 N71-11053
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c 03 N71-22974
Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c 15 N71-26346
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c 14 N71-27334
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c 06 N71-28620
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c 24 N74-30001
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c 27 N76-16230
Curing agent for polyepoxides and epoxy resins and composites cured therewith --- preventing carbon fiber release
[NASA-CASE-LEW-13226-1] c 27 N81-17260
Method of neutralizing the corrosive surface of amine-cured epoxy resins
[NASA-CASE-GSC-12686-1] c 27 N83-34039
Fluoroether modified epoxy composites
[NASA-CASE-ARC-11418-1] c 24 N84-11213
Process for improving mechanical properties of epoxy resins by addition of cobalt ions
[NASA-CASE-LAR-13230-1] c 24 N84-34571
Metal (2) 4,4',4',4'' phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281
Process for improving moisture resistance of epoxy resins by addition of chromium ions
[NASA-CASE-LAR-13226-1] c 27 N85-34282
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-1] c 24 N86-19380
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613
Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates, adhesives and structures thereof
[NASA-CASE-ARC-11548-1] c 27 N87-25469

EQUATIONS OF MOTION
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c 39 N83-20280

EQUIPMENT
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c 35 N74-15126
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c 31 N80-32583

EQUIPMENT SPECIFICATIONS
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c 14 N70-34816
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c 15 N70-34817
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c 14 N70-34818
Magnetically centered liquid column float Patent
[NASA-CASE-XAC-00030] c 14 N70-34820
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c 11 N70-34844
Channel-type shell construction for rocket engines and the like Patent
[NASA-CASE-XLE-00144] c 28 N70-34866
Non-reusable kinetic energy absorber Patent
[NASA-CASE-XLE-00810] c 15 N70-34867
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c 15 N70-38624
Optical communications system Patent
[NASA-CASE-XLA-01090] c 07 N71-12389
Stretcher Patent
[NASA-CASE-XMF-06589] c 05 N71-23107
Rocket thrust throttling system
[NASA-CASE-LEW-10374-1] c 28 N73-13707
Process for making diamonds
[NASA-CASE-MFS-20698-2] c 15 N73-19407

Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c 09 N74-19528
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c 34 N74-27744
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c 35 N76-15434
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c 33 N78-27326
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c 74 N82-24072
Remotely controlled spray gun
[NASA-CASE-MFS-28110-1] c 37 N87-24689
Improved method and apparatus for waste collection and storage
[NASA-CASE-MSC-21025-1] c 31 N87-25495
Tower evaporator
[NASA-CASE-NPO-15609-2] c 31 N88-24815
Electrostatic discharge test apparatus
[NASA-CASE-MSC-21094-1] c 35 N88-24941

EQUIPOTENTIALS
Equipotential space suit Patent
[NASA-CASE-LAR-10007-1] c 05 N71-11195
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c 10 N71-19421

ERGOMETERS
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c 14 N73-27377
Ergometer
[NASA-CASE-MFS-21109-1] c 05 N73-27941
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c 05 N73-30078
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c 05 N73-32014
Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-MFS-21045-1] c 35 N75-15932

EROSION
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c 27 N78-17206

ERROR ANALYSIS
Program for computer aided reliability estimation
[NASA-CASE-NPO-13086-1] c 15 N73-12495
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c 32 N79-10263
Digital phase-lock loop having an estimator and predictor of error
[NASA-CASE-NPO-17196-1-CU] c 32 N88-29076

ERROR CORRECTING CODES
Error correction method and apparatus for electronic timepieces
[NASA-CASE-LAR-12654-1] c 33 N83-36357
Self-correcting electronically scanned pressure sensor
[NASA-CASE-LAR-12686-1] c 35 N84-14491
Local area network with fault-checking, priorities and redundant backup
[NASA-CASE-NPO-16949-1-CU] c 62 N87-19021
Reed-Solomon decoder
[NASA-CASE-NPO-15982-1] c 60 N87-21591
Processing circuit with asymmetry corrector and convolutional encoder for digital data
[NASA-CASE-MSC-20187-1] c 33 N87-25531

ERROR CORRECTING DEVICES
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c 09 N71-18843
Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c 07 N71-20814
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c 08 N71-22749
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c 04 N76-26175
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c 37 N77-19457

ERROR DETECTION CODES
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c 08 N71-24633
Local area network with fault-checking, priorities and redundant backup
[NASA-CASE-NPO-16949-1-CU] c 62 N87-19021

ERROR SIGNALS
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c 09 N71-18843
Sampled data controller Patent
[NASA-CASE-GSC-10554-1] c 08 N71-29033
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c 32 N79-10263
Triac failure detector
[NASA-CASE-MFS-25607-1] c 33 N83-34190
Automated weld torch guidance control system
[NASA-CASE-MFS-25807-2] c 37 N86-21850
Comparator with noise suppression
[NASA-CASE-LAR-13151-1] c 33 N87-21235

ERRORS
Analog-to-digital converter
[NASA-CASE-MSC-13110-1] c 08 N72-22163
Compensation for primary reflector wavefront error
[NASA-CASE-NPO-16869-1CU] c 74 N86-33138
A VLSI single-chip (225,223) Reed-Solomon encoder with interleaver
[NASA-CASE-NPO-17280-1-CU] c 17 N88-27220

ESCAPE CAPSULES
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c 03 N70-33343
Emergency escape system Patent
[NASA-CASE-XKS-02342] c 05 N71-11199
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c 31 N72-18859

ESCAPE SYSTEMS
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c 05 N71-12345
Emergency escape system Patent
[NASA-CASE-XKS-07814] c 15 N71-27067
Explosively activated egress area
[NASA-CASE-LAR-12624-1] c 01 N83-35992

ESCHERICHIA
Method for detecting coliform organisms
[NASA-CASE-ARC-11322-1] c 51 N83-28849

ESTERS
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c 06 N73-30098

ESTIMATING
Digital phase-lock loop having an estimator and predictor of error
[NASA-CASE-NPO-17196-1-CU] c 32 N88-29076

ETCHING
Masking device Patent
[NASA-CASE-XNP-02092] c 15 N70-42033
Method for etching copper Patent
[NASA-CASE-XGS-06306] c 17 N71-16044
High resolution developing of photosensitive resists Patent
[NASA-CASE-XGS-04993] c 14 N71-17574
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c 17 N71-23828
Selective plating of etched circuits without removing previous plating Patent
[NASA-CASE-XGS-03120] c 15 N71-24047
Plating nickel on aluminum castings Patent
[NASA-CASE-XNP-04148] c 17 N71-24830
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c 31 N74-23065
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c 27 N81-25209
Method of making V-MOS field effect transistors utilizing a two-step anisotropic etching and ion implantation
[NASA-CASE-GSC-12515-1] c 33 N81-26360
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c 37 N82-12441
Controlled in situ etch-back
[NASA-CASE-NPO-15625-1] c 76 N83-20789
Method of making an ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-2] c 52 N84-23095
Ion beam sputter etching
[NASA-CASE-LEW-13899-1] c 31 N87-21160

ETHANE
The 1,1,1-triaryl-2,2,2-trifluoroethanes and process for their synthesis
[NASA-CASE-ARC-11097-1] c 25 N82-24312

ETHERS
Method of producing alternating ether siloxane copolymers Patent
[NASA-CASE-XMF-02584] c 06 N71-20905
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c 06 N71-27254
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c 06 N72-27144
Process of treating cellulosic membrane and alkaline with membrane separator
[NASA-CASE-GSC-10019-1] c 44 N82-24641
Separator for alkaline electric cells and method of making
[NASA-CASE-GSC-10017-1] c 44 N82-24643
Perfluoro (Imidoylamidine) diamidines
[NASA-CASE-ARC-11402-3] c 23 N86-21582
Polyarylene ethers with improved properties
[NASA-CASE-LAR-13555-1] c 23 N86-32526

ETHYL COMPOUNDS
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c 37 N82-24491
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-1] c 27 N84-22747
The 5-(4-Ethynylophenoxy) isophthalic chloride
[NASA-CASE-LAR-13316-2] c 27 N87-14515

ETHYLENE OXIDE
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c 27 N70-41897
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c 14 N71-20461
System for sterilizing objects --- cleaning space vehicle systems
[NASA-CASE-KSC-11085-1] c 54 N81-24724

EUTECTIC ALLOYS
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c 37 N75-15992
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c 24 N77-27187
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c 26 N77-32279
Directionally solidified eutectic gamma-gamma nickel-base superalloys
[NASA-CASE-LEW-12905-1] c 26 N78-18183
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c 24 N79-25143

EVACUATING (VACUUM)
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c 15 N69-24322
Evacuation port seal Patent
[NASA-CASE-XMF-03290] c 15 N71-23256
Leak detector wherein a probe is monitored with ultraviolet radiation Patent
[NASA-CASE-ERC-10034] c 15 N71-24896
Evacuated, displacement compression mold --- of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c 31 N75-13111

EVAPORATION
Evaporant holder
[NASA-CASE-XLA-03105] c 15 N69-27483
Method of evaporation
[NASA-CASE-NPO-15609-2] c 25 N88-23846

EVAPORATIVE COOLING
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c 34 N77-19353

EVAPORATORS
Evaporant source for vapor deposition Patent
[NASA-CASE-XMF-06065] c 15 N71-20395
Deposition apparatus
[NASA-CASE-LAR-10541-1] c 15 N72-32487
Thermal control system --- removing waste heat from industrial process spacecraft
[NASA-CASE-GSC-12771-1] c 34 N84-14461
Multi-leg heat pipe evaporator
[NASA-CASE-MSC-20812-1] c 34 N86-27593
Tower evaporator
[NASA-CASE-NPO-15609-2] c 31 N88-24815

EXAMINATION
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c 76 N78-24950
Method of examining microcircuit patterns
[NASA-CASE-NPO-16299-1] c 33 N87-14594

EXCHANGING
Procedure to prepare transparent silica gels
[NASA-CASE-LAR-13476-1-CU] c 76 N87-29360

EXCITATION
Trochoidal analysis of scattered electrons in a merged electron-ion beam
[NASA-CASE-NPO-16789-1-CU] c 72 N88-25281

EXCLUSION
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c 07 N78-25090

EXHAUST EMISSION
Apparatus and method for destructive removal of particles contained in flowing fluid
[NASA-CASE-NPO-15426-1] c 35 N84-17555

EXHAUST GASES
Device for suppressing sound and heat produced by high-velocity exhaust jets Patent
[NASA-CASE-XMF-01813] c 28 N70-41582
Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c 07 N74-15453

Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c 07 N74-33218
Exhaust flow deflector --- for ducted gas flow
[NASA-CASE-LAR-11570-1] c 34 N76-18364
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c 07 N78-25089
High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c 28 N79-28342
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c 07 N81-29129

EXHAUST NOZZLES
Annular rocket motor and nozzle configuration Patent
[NASA-CASE-XLE-00078] c 28 N70-33284
Nozzle Patent
[NASA-CASE-XLA-00154] c 28 N70-33374
Penshape exhaust nozzle for supersonic engine Patent
[NASA-CASE-XLE-00057] c 28 N70-38711
Ejection unit Patent
[NASA-CASE-XNP-00676] c 15 N70-38996
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c 07 N78-27121
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c 07 N79-14097
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c 07 N83-33884
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-2] c 71 N84-14873

EXOTHERMIC REACTIONS
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c 27 N79-11215
Exothermic furnace module
[NASA-CASE-MFS-25707-1] c 35 N82-26631
Thermal control system --- removing waste heat from industrial process spacecraft
[NASA-CASE-GSC-12771-1] c 34 N84-14461

EXPANDABLE STRUCTURES
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c 03 N69-21539
Reflector space satellite Patent
[NASA-CASE-XLA-00138] c 31 N70-37981
Foldable conduit Patent
[NASA-CASE-XLE-00620] c 32 N70-41579
Collapsible high gain antenna
[NASA-CASE-KSC-10392] c 07 N73-26117
Expandable space frames
[NASA-CASE-ERC-10365-1] c 31 N73-32749
Means for accommodating large overstrain in lead wires --- by storing extra length of wire in stretchable loop
[NASA-CASE-LAR-10168-1] c 33 N74-22865
Antenna deployment mechanism for use with a spacecraft --- extensible and retractable telescopic antenna mast
[NASA-CASE-GSC-12331-1] c 18 N80-14183
Synchronously deployable truss structure
[NASA-CASE-LAR-13117-1] c 37 N86-25789
Protective telescoping shield for solar concentrator
[NASA-CASE-NPO-16236-1] c 44 N86-27706
Deployable geodesic truss structure
[NASA-CASE-LAR-13113-1] c 31 N87-25492

EXPANSION
Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03865] c 14 N69-21363
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-2] c 24 N81-26179
Dynamic range compression/expansion of light beams by photorefractive crystals
[NASA-CASE-NPO-17140-1-CU] c 74 N88-24508

EXPERIMENT DESIGN
Hydrofoil Patent
[NASA-CASE-XLA-00229] c 12 N70-33305
Sealed battery gas manifold construction Patent
[NASA-CASE-XNP-03378] c 03 N71-11051
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c 05 N71-11193
G conditioning suit Patent
[NASA-CASE-XLA-02898] c 05 N71-20268
Hard space suit Patent
[NASA-CASE-XAC-07043] c 05 N71-23161

EXPIRED AIR
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c 52 N79-21750

EXPLOSIONS
Combustion detector
[NASA-CASE-LAR-10739-1] c 14 N73-16484

EXPLOSIVE DEVICES
Tubular coupling having frangible connecting means
[NASA-CASE-XLA-02854] c 15 N69-27490
Hermetically sealed explosive release mechanism Patent
[NASA-CASE-XGS-00824] c 15 N71-16078
Nonmagnetic, explosive actuated indexing device Patent
[NASA-CASE-XGS-02422] c 15 N71-21529
Linear explosive comparison
[NASA-CASE-LAR-10800-1] c 33 N72-27959
Disconnect unit
[NASA-CASE-NPO-11330] c 33 N73-26958
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c 20 N80-18097
Toggle release
[NASA-CASE-MSC-21354-1] c 37 N88-24969

EXPLOSIVE FORMING
Electrical discharge apparatus for forming Patent
[NASA-CASE-XMF-00375] c 15 N70-34249

EXPLOSIVE WELDING
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c 37 N74-21057
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c 37 N75-12326
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c 37 N79-13364
Tool and process for miniature explosive joining of tubes
[NASA-CASE-LAR-13662-1] c 37 N88-14359

EXPLOSIVES
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c 18 N73-32437
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c 28 N74-27425
Electroexplosive device
[NASA-CASE-NPO-13858-1] c 28 N79-11231

EXPONENTIAL FUNCTIONS
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c 08 N72-20176

EXPOSURE
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c 14 N73-32322
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c 35 N78-15461
Fixture for environmental exposure of structural materials under compression load
[NASA-CASE-LAR-12602-1] c 39 N83-32081

EXPULSION
Electro-expulsive separation system
[NASA-CASE-ARC-11613-1] c 33 N87-28833

EXPULSION BLADDERS
Expulsion bladder-equipped storage tank structure Patent
[NASA-CASE-XNP-00612] c 11 N70-38182

EXTENSIONS
Extensible cable support Patent
[NASA-CASE-XMF-07587] c 15 N71-18701

EXTENSOMETERS
Extensometer frame
[NASA-CASE-XLA-10322] c 15 N72-17452
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c 52 N74-27864
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c 35 N77-22449
Laser extensometer
[NASA-CASE-MFS-19259-1] c 36 N78-14380
Tensile testing apparatus
[NASA-CASE-LAR-13243-1] c 35 N85-34375

EXTERNAL COMBUSTION ENGINES
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c 37 N81-25370

EXTERNAL STORE SEPARATION
Slide release mechanism --- for space shuttle orbiter/external tank connection device
[NASA-CASE-MSC-20080-1] c 37 N85-30334
Remote pivot decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-13173-1] c 05 N87-14314

EXTERNAL STORES
Decoupler pylon: wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c 08 N82-32373

EXTERNAL TANKS
Space Shuttle with rail system and aft thrust structure securing solid rocket boosters to external tank
[NASA-CASE-MFS-25853-1] c 16 N84-27784
Slide release mechanism --- for space shuttle orbiter/external tank connection device
[NASA-CASE-MSC-20080-1] c 37 N85-30334

EXTRACTION
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c 15 N70-40062
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c 37 N79-33467
Supercritical solvent coal extraction
[NASA-CASE-NPO-15210-1] c 25 N84-22709

EXTRAVEHICULAR ACTIVITY
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c 05 N71-11203
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c 05 N71-12336
Serpentuator Patent
[NASA-CASE-XMF-05344] c 31 N71-16345
Fastener apparatus Patent
[NASA-CASE-ARC-10140-1] c 15 N71-17653
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c 05 N71-24728
Life support system
[NASA-CASE-MSC-12411-1] c 05 N72-20096
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012
Absorbent product and articles made therefrom
[NASA-CASE-MSC-18223-2] c 54 N84-11758

EXTREMELY LOW RADIO FREQUENCIES
VHF/UHF parasitic probe antenna Patent
[NASA-CASE-XKS-09340] c 07 N71-24614

EXTRUDING
Extrusion can
[NASA-CASE-NPO-10812] c 15 N73-13464
Brazing alloy binder
[NASA-CASE-XMF-05868] c 26 N75-27125
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c 31 N81-15154

EYE (ANATOMY)
Sight switch using an infrared source and sensor Patent
[NASA-CASE-XMF-03934] c 09 N71-22985
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c 05 N73-27062
Corneal seal device
[NASA-CASE-LEW-12258-1] c 52 N77-28716
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c 52 N80-18690
Chromatically corrected virtual image visual display --- reducing eye strain in flight simulators
[NASA-CASE-LAR-12251-1] c 74 N80-27185
Photorefractor ocular screening system
[NASA-CASE-MFS-26011-1-SB] c 52 N87-24874

EYE DISEASES
Photorefractor ocular screening system
[NASA-CASE-MFS-26011-1-SB] c 52 N87-24874

EYE EXAMINATIONS
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c 05 N73-26072
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c 54 N75-27759
Visual examination apparatus
[US-PATENT-RE-28,921] c 52 N76-30793

EYEPIECES
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c 23 N71-24857

F

FABRICATION
Pressure variable capacitor
[NASA-CASE-XNP-09752] c 14 N69-21541
Method of making a regeneratively cooled combustion chamber Patent
[NASA-CASE-XLE-00150] c 28 N70-41818
Solar cell submodule Patent
[NASA-CASE-XNP-05821] c 03 N71-11056
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c 09 N71-13522
Solar panel fabrication Patent
[NASA-CASE-XNP-03413] c 03 N71-26726
Method of forming a root cord restrained convolute section
[NASA-CASE-MSC-12398] c 05 N72-20098
Method of removing insulated material from insulated wires
[NASA-CASE-FRC-10038] c 15 N72-20444
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c 26 N72-28766
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c 44 N76-28634
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c 74 N77-28934
Process for spinning flame retardant elastomer compositions --- fabricating synthetic fibers for high oxygen environments
[NASA-CASE-MSC-14331-3] c 27 N78-32266
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c 44 N79-17316
Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c 44 N79-18446

Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c 44 N80-14474
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c 44 N80-29835
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c 44 N81-19558
Heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c 44 N81-24519
Photoelectric detection system --- manufacturing automation
[NASA-CASE-MFS-23776-1] c 33 N82-28545
Method of Fabricating Schottky Barrier solar cell
[NASA-CASE-NPO-13689-4] c 44 N82-28780
Advanced inorganic separators for alkaline batteries
[NASA-CASE-LEW-13171-1] c 44 N82-29708
Method of making a high voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c 44 N82-29709
Advanced inorganic separators for alkaline batteries and method of making the same
[NASA-CASE-LEW-13171-2] c 44 N83-32176
Resonant isolator for maser amplifier
[NASA-CASE-NPO-15201-1] c 36 N83-35350
Contactless pellet fabrication
[NASA-CASE-NPO-15592-1] c 71 N84-16940
Method of making a light weight battery plaque
[NASA-CASE-LEW-13349-1] c 26 N84-22734
High resistance and raised modulus carbon fibers
[NASA-TM-76884] c 24 N85-25436
GaAs Schottky barrier photo-responsive device and method of fabrication
[NASA-CASE-GSC-12816-1] c 76 N86-20150
Method of fabricating an imaging X-ray spectrometer
[NASA-CASE-GSC-12956-1] c 35 N87-14671
Miniature traveling wave tube and method of making
[NASA-CASE-LEW-14520-1] c 33 N88-23936
Nozzle fabrication technique
[NASA-CASE-MSC-21299-1] c 20 N88-24684
Method for Veterbi decoding of large constraint length convolutional codes
[NASA-CASE-NPO-17310-1-CU] c 17 N88-28946

FABRICS
Method of forming a root cord restrained convolute section
[NASA-CASE-MSC-12398] c 05 N72-20098
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c 35 N77-22449
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c 31 N79-11246
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c 27 N81-19296
Heat sealable, flame and abrasion resistant coated fabric --- clothing and containers for space exploration
[NASA-CASE-MSC-18382-1] c 27 N82-16238
Adjustable high emittance gap filler --- reentry shielding for space shuttle vehicles
[NASA-CASE-ARC-11310-1] c 27 N82-24339
Absorbent product to absorb fluids --- for collection of human wastes
[NASA-CASE-MSC-18223-1] c 24 N82-29362
High temperature silicon carbide impregnated insulating fabrics
[NASA-CASE-MSC-18832-1] c 27 N83-18908
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-2] c 27 N84-14324
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
Tapered, tubular polyester fabric
[NASA-CASE-MSC-21082-1] c 27 N87-29672

FABRY-PEROT INTERFEROMETERS
Retrodirective optical system
[NASA-CASE-XGS-04480] c 16 N69-27491

FACSIMILE COMMUNICATION
Facsimile video remodulation network
[NASA-CASE-GSC-10185-1] c 07 N72-12081
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c 35 N75-19613

FACTORIAL DESIGN
Space suit pressure stabilizer Patent
[NASA-CASE-XLA-05332] c 05 N71-11194
Equipotential space suit Patent
[NASA-CASE-LAR-10007-1] c 05 N71-11195

FAIL-SAFE SYSTEMS
Failsafe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c 09 N72-25262
Latch mechanism
[NASA-CASE-MSC-12549-1] c 37 N74-27903
Safety flywheel --- using flexible materials energy storage
[NASA-CASE-HQN-10888-1] c 44 N79-14527
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-NPO-14000-1] c 33 N79-24254
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c 07 N81-19115
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c 60 N82-29013

FAILURE ANALYSIS
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c 39 N79-22537
Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333

FAILURE MODES
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c 15 N72-22490
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c 35 N74-18090

FAIRINGS
Method and system for ejecting fairing sections from a rocket vehicle
[NASA-CASE-GSC-10590-1] c 31 N73-14853
Low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c 85 N82-33288

FALLING SPHERES
Gravimeter Patent
[NASA-CASE-XMF-05844] c 14 N71-17587

FAR INFRARED RADIATION
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c 14 N73-30389
Method and means for generation of tunable laser sidebands in the far-infrared region
[NASA-CASE-NPO-16497-1-CU] c 36 N87-25567

FAR ULTRAVIOLET RADIATION
Transient heat transfer gauge Patent
[NASA-CASE-XNP-09802] c 33 N71-15641

FARADAY EFFECT
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c 35 N82-15381

FAST FOURIER TRANSFORMATIONS
Pipelined digital SAR azimuth correlator using hybrid FFT-transversal filter
[NASA-CASE-NPO-15519-1] c 32 N84-34651

FASTENERS
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c 14 N70-34705
Life preserver Patent
[NASA-CASE-XMS-00864] c 05 N70-36493
All-directional fastener Patent
[NASA-CASE-XLA-01807] c 15 N71-10799
Fastener apparatus Patent
[NASA-CASE-ARC-10140-1] c 15 N71-17653
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c 15 N71-17686
Coaxial cable connector Patent
[NASA-CASE-XNP-04732] c 09 N71-20851
Latching mechanism Patent
[NASA-CASE-XMS-03745] c 15 N71-21076
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c 15 N71-21531
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c 15 N71-23254
Flexibly connected support and skin Patent
[NASA-CASE-XLA-01027] c 31 N71-24035
Quick release hook tape Patent
[NASA-CASE-XMS-10660-1] c 15 N71-25975
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c 54 N78-17678
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c 37 N79-33467
One-step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c 33 N82-26571
Reusable captive blind fastener
[NASA-CASE-MSC-18742-1] c 37 N82-26673
Daze fasteners
[NASA-CASE-LAR-13009-1] c 37 N85-29285
Mechanical fastener
[NASA-CASE-LAR-12738-2] c 37 N85-30335
Daze fasteners
[NASA-CASE-LAR-13009-2] c 37 N87-22976
Toggle release
[NASA-CASE-MSC-21354-1] c 37 N88-24969

FATIGUE (MATERIALS)
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c 32 N71-25360
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c 39 N78-16387

FATIGUE LIFE
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c 15 N69-27505
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c 15 N71-16052
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c 15 N72-22490
High speed hybrid bearing comprising a fluid bearing and a rolling bearing convected in series
[NASA-CASE-LEW-11152-1] c 15 N73-32359
Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c 39 N78-10493

FATIGUE TESTING MACHINES
Horizontal cryostat for fatigue testing Patent
[NASA-CASE-XMF-10968] c 14 N71-24234
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c 14 N71-26136
Fatigue testing a plurality of test specimens and method
[NASA-CASE-MFS-28118-1] c 39 N87-25601

FATIGUE TESTS
Fatigue testing device Patent
[NASA-CASE-XLA-02131] c 32 N70-42003
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c 39 N79-22537
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c 34 N83-34221

FATS
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c 27 N77-31308

FAULT TOLERANCE
Toggle release
[NASA-CASE-MSC-21354-1] c 37 N88-24969

FECES
Relief container
[NASA-CASE-XMS-06761] c 05 N69-23192
Improved method and apparatus for waste collection and storage
[NASA-CASE-MSC-21025-1] c 31 N87-25495

FEED SYSTEMS
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c 25 N71-21694
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c 27 N71-28929
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c 05 N72-27102
Pressurized lighting system
[NASA-CASE-KSC-10644] c 09 N72-27227
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c 09 N73-12214
Injector for use in high voltage isolators for liquid feed lines
[NASA-CASE-NPO-11377] c 15 N73-27406
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c 20 N80-14188
Method of producing silicon --- gas phase reactor multiple injector liquid feed system
[NASA-CASE-NPO-14382-1] c 31 N80-18231
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c 31 N81-15154
Constant-output atomizer --- Inhalation therapy and aerosol research
[NASA-CASE-MFS-25631-1] c 34 N84-12406

FEEDBACK
Active RC networks
[NASA-CASE-ARC-10020] c 10 N72-17172
Feedback shift register with states decomposed into cycles of equal length
[NASA-CASE-NPO-11082] c 08 N72-22167
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c 09 N72-25254

FEEDBACK AMPLIFIERS
Radiometric temperature reference Patent
[NASA-CASE-MSC-13276-1] c 14 N71-27058
Compensating bandwidth switching transients in an amplifier circuit Patent
[NASA-CASE-XNP-01107] c 10 N71-28859
Monostable multivibrator with complementary NOR gates Patent
[NASA-CASE-MSC-13492-1] c 10 N71-28860

FEEDBACK CIRCUITS
Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c 09 N69-24317
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c 08 N71-12503
Frequency control network for a current feedback oscillator Patent
[NASA-CASE-GSC-10041-1] c 10 N71-19418
Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c 10 N71-23669
Parametric amplifiers with idler circuit feedback
[NASA-CASE-LAR-10253-1] c 09 N72-25258
Pseudonoise sequence generators with three tap linear feedback shift registers
[NASA-CASE-NPO-11406] c 08 N73-12175

Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c 33 N78-32339
Automatic level control circuit
[NASA-CASE-KSC-11170-1] c 33 N83-36356
FEEDBACK CONTROL
Nonlinear analog-to-digital converter Patent
[NASA-CASE-XAC-04031] c 08 N71-18594
Pulse-type magnetic core memory element circuit with blocking oscillator feedback Patent
[NASA-CASE-XGS-03303] c 08 N71-18595
BCD to decimal decoder Patent
[NASA-CASE-XKS-06167] c 08 N71-24890
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c 09 N71-28886
Sampled data controller Patent
[NASA-CASE-GSC-10554-1] c 08 N71-29033
A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c 07 N71-33613
Suppression of flutter
[NASA-CASE-LAR-10682-1] c 02 N73-26004
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c 33 N74-11049
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c 36 N76-18428
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c 33 N77-10428
System and method for tracking a signal source --- employing feedback control
[NASA-CASE-HQN-10880-1] c 17 N78-17140
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c 31 N78-17237
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c 33 N78-32340
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c 33 N80-29583
Variable speed drive
[NASA-CASE-GSC-12643-1] c 37 N83-26078
Tuned analog network
[NASA-CASE-GSC-12650-1] c 33 N84-14421
Three phase power factor controller
[NASA-CASE-MFS-25535-2] c 33 N84-22885
Three-phase power factor controller with induced EMF sensing
[NASA-CASE-MFS-25852-1] c 33 N84-33661
Closed loop electrostatic levitation system
[NASA-CASE-NPO-15553-1] c 33 N85-29142
Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333
Closed loop fiber optic rotation sensor
[NASA-CASE-NPO-16558-1-CU] c 74 N87-23259
FEEDBACK FREQUENCY MODULATION
Means for communicating through a layer of ionized gases Patent
[NASA-CASE-XLA-01127] c 07 N70-41372
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c 10 N73-16205
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c 33 N77-14334
FEEDERS
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c 51 N74-15778
FEET (ANATOMY)
Drop foot corrective device
[NASA-CASE-LAR-12259-2] c 54 N86-22112
FELTS
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c 27 N79-12221
FEMALES
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c 52 N77-14736
Urine collection apparatus --- feminine hygiene
[NASA-CASE-MSC-18381-1] c 52 N81-28740
FERMENTATION
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227
FERRITES
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c 08 N71-27210
Method for making conductors for ferrite memory arrays --- from pre-formed metal conductors
[NASA-CASE-LAR-10994-1] c 24 N75-13032
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c 26 N76-18257
FERROFLUIDS
Linear motion valve
[NASA-CASE-MSC-20148-1] c 37 N85-29284
FERROMAGNETIC MATERIALS
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c 34 N78-17335
FERROMAGNETISM
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c 17 N71-23248
FIBER COMPOSITES
Fibrous refractory composite insulation --- shielding reusable spacecraft
[NASA-CASE-ARC-11169-1] c 24 N79-24062
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c 27 N81-19296
Fuselage structure using advanced technology fiber reinforced composites
[NASA-CASE-LAR-11688-1] c 24 N82-26384
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-2] c 27 N83-29392
Mixed polyvalent-monovalent metal coating for carbon-graphite fibers
[NASA-CASE-NPO-14987-1] c 24 N83-33950
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-3] c 27 N84-22745
Method and apparatus for gripping uniaxial fibrous composite materials
[NASA-CASE-LEW-13758-1] c 24 N84-27829
Curved cap corrugated sheet
[NASA-CASE-LAR-12884-1] c 18 N84-33450
Arc spray fabrication of metal matrix composite monotape
[NASA-CASE-LEW-13828-1] c 24 N85-30027
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-2] c 27 N86-27451
Light weight fire resistant graphite composites
[US-PATENT-4,598,007] c 24 N86-28131
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613
Method of controlling a resin curing process --- for fiber reinforced composites
[NASA-CASE-MSC-21169-1] c 27 N87-25473
Method of preparing fiber reinforced ceramic material
[NASA-CASE-LEW-14392-1] c 27 N87-28656
FIBER OPTICS
Fiber optic vibration transducer and analyzer Patent
[NASA-CASE-XMF-02433] c 14 N71-10616
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c 36 N76-24553
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c 74 N78-14889
Low intensity X-ray and gamma-ray imaging device --- fiber optics
[NASA-CASE-GSC-12263-1] c 74 N79-20857
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c 32 N81-14186
Interleaving device
[NASA-CASE-GSC-12111-2] c 33 N81-29342
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c 35 N81-33448
Fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c 74 N82-19029
Optical crystal temperature gauge with fiber optic connections
[NASA-CASE-MSC-18627-1] c 74 N82-30071
Low intensity X-ray and gamma-ray spectrometer
[NASA-CASE-GSC-12587-1] c 35 N82-32659
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c 74 N83-29032
Optical fiber tactile sensor
[NASA-CASE-NPO-15375-1] c 74 N84-11921
Laser pulse detection method and apparatus
[NASA-CASE-NPO-16030-1] c 36 N84-25037
Optical fiber coupling method and apparatus
[NASA-CASE-NPO-15464-1] c 74 N85-29749
Closed loop fiber optic rotation sensor
[NASA-CASE-NPO-16558-1-CU] c 74 N87-23259
Optical data transfer system for crossing a rotary joint
[NASA-CASE-LAR-13613-1-SB] c 74 N87-24984
Optical pressure sealing couping (light joint)
[NASA-CASE-MFS-29348-1] c 74 N88-25303
Low-loss, high-isolation, fiber-optic isolator
[NASA-CASE-NPO-17207-1-CU] c 74 N88-25304
FIBER RELEASE
Curing agent for polyepoxides and epoxy resins and composites cured therewith --- preventing carbon fiber release
[NASA-CASE-LEW-13226-1] c 27 N81-17260
Method and device for detection of a substance --- determining carbon fiber release in fire situations
[NASA-CASE-NPO-14940-1] c 33 N83-31954
FIBER STRENGTH
High resistance and raised modulus carbon fibers
[NASA-TM-76884] c 24 N85-25436
FIBERS
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c 18 N71-23088
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c 37 N76-18456
Composite lamination method
[NASA-CASE-LAR-12019-1] c 24 N78-17150
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c 44 N79-10513
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c 25 N81-19244
A method and technique for installing light-weight fragile, high-temperature fiber insulation
[NASA-CASE-MSC-18934-3] c 24 N82-26387
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-3] c 27 N84-22745
FIELD EFFECT TRANSISTORS
Frequency to analog converter Patent
[NASA-CASE-XNP-07040] c 08 N71-12500
Voltage to frequency converter Patent
[NASA-CASE-GSC-10022-1] c 10 N71-25882
Broadband video process with very high input impedance
[NASA-CASE-NPO-10199] c 09 N72-17156
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c 08 N72-22162
Integrated circuit including field effect transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c 09 N72-33205
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c 76 N74-20329
Stored charge transistor
[NASA-CASE-NPO-11156-2] c 33 N75-31331
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c 33 N78-27326
Method of making V-MOS field effect transistors utilizing a two-step anisotropic etching and ion implantation
[NASA-CASE-GSC-12515-1] c 33 N81-26360
CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c 33 N81-27396
Electronic system for high power load control --- solar arrays
[NASA-CASE-NPO-15358-1] c 33 N83-27126
JFET reflection oscillator
[NASA-CASE-GSC-12555-1] c 33 N86-19515
Hybrid power semiconductor
[NASA-CASE-LEW-13922-1] c 33 N86-20672
FET charge sensor and voltage probe
[NASA-CASE-NPO-16045-1] c 76 N87-13313
FIELD EMISSION
Method and apparatus for limiting field emission current
[NASA-CASE-ERC-10015-2] c 10 N72-27246
Apparatus for mounting a field emission cathode
[NASA-CASE-LEW-14108-1] c 33 N87-28832
FIELD OF VIEW
Scanner --- photography from a spin stabilized synchronous satellite
[NASA-CASE-GSC-12032-2] c 43 N82-13465
Focal plane array optical proximity sensor
[NASA-CASE-NPO-15155-1] c 74 N85-22139
FILAMENT WINDING
Tool attachment for spreading loose elements away from work Patent
[NASA-CASE-XMF-02107] c 15 N71-10809
Method of making a filament-wound container Patent
[NASA-CASE-XLE-03803-2] c 15 N71-17651
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c 26 N73-32571
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c 24 N77-19171
FILAMENTS
Radiant heater having formed filaments Patent
[NASA-CASE-XLE-00387] c 33 N70-34812
Twisted multifilament superconductor
[NASA-CASE-LEW-11726-1] c 26 N73-26752
FILLERS
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c 15 N69-24322
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c 24 N78-27180

Polymeric compositions and their method of manufacture --- forming filled polymer systems using cryogenics
[NASA-CASE-NPO-10424-1] c 27 N81-24258
Polyvinyl alcohol battery separator containing inert filler --- alkaline batteries
[NASA-CASE-LEW-13556-1] c 44 N81-27615
Adjustable high emittance gap filler --- reentry shielding for space shuttle vehicles
[NASA-CASE-ARC-11310-1] c 27 N82-24339

FILM COOLING
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c 28 N71-20942
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c 34 N83-27144
Covering solid, film cooled surfaces with a duplex thermal barrier coating
[NASA-CASE-LEW-13450-1] c 31 N83-35177
Vortex generating flow passage design for increased film cooling effectiveness
[NASA-CASE-LEW-14039-1] c 34 N85-33433

FILM THICKNESS
Chemical vapor deposition reactor --- providing uniform film thickness
[NASA-CASE-NPO-13650-1] c 25 N79-28253
Dual-beam skin friction interferometer
[NASA-CASE-ARC-11354-1] c 74 N83-21949
Degassifying and mixing apparatus for liquids --- potable water for spacecraft
[NASA-CASE-MSC-18936-1] c 35 N83-29652
Epitaxial thinning process
[NASA-CASE-NPO-15786-1] c 76 N84-35112

FILMS
Apparatus for obtaining isotropic irradiation of a specimen
[NASA-CASE-MFS-20095] c 24 N72-11595
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c 76 N76-20994

FILTERS
Filter system for control of outgas contamination in vacuum Patent
[NASA-CASE-MFS-14711] c 15 N71-26185
Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c 17 N71-26773
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c 34 N74-30608

FILTRATION
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c 28 N81-15119
Method for treating wastewater using microorganisms and vascular aquatic plants
[NASA-CASE-NSTL-10] c 45 N84-12654
Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104
Infusion extractor
[NASA-CASE-MSC-20761-1] c 37 N87-15465

FINS
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c 31 N71-17629
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c 08 N74-30421

FIRE EXTINGUISHERS
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c 31 N81-14137
Synthesis of dawsonites --- for use in fire extinguishing operations
[NASA-CASE-ARC-11326-1] c 25 N83-33977
Fire extinguishant materials
[NASA-CASE-ARC-11252-1] c 25 N83-36118

FIRE PREVENTION
Hydrogen fire blink detector
[NASA-CASE-MFS-15063] c 14 N72-25412
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c 35 N74-21019
Fire resistant polyamide based on 1-(diorganooxyphosphonyl)methyl-2,4- and -2,6diamino benzene
[NASA-CASE-ARC-11512-2] c 27 N86-32568

FIREPROOFING
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c 18 N71-14014
Intumescent paint containing nitrile rubber
[NASA-CASE-ARC-10196-1] c 18 N73-13562
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c 18 N73-26572
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c 27 N74-12814
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c 27 N76-24405
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c 27 N78-17213
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c 15 N79-26100

FIRES
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c 14 N72-10375
Hydrogen fire detection system with logic circuit to analyze the spectrum of temporal variations of the optical spectrum
[NASA-CASE-MFS-13130] c 10 N72-17173

FIRING (IGNITING)
Separation nut Patent
[NASA-CASE-XGS-01971] c 15 N71-15922

FITTINGS
Quick release connector Patent
[NASA-CASE-XLA-01141] c 15 N71-13789
Flared tube strainer
[NASA-CASE-XLA-05056] c 15 N72-11389
Apparatus for adapting an end effector device remotely controlled manipulator arm
[NASA-CASE-MFS-25949-1] c 37 N86-19603
Self indexing latch system
[NASA-CASE-MFS-25956-1] c 37 N87-21333
Expandable pallet for space station interface attachments
[NASA-CASE-MSC-21117-1] c 18 N88-28958

FIXED WINGS
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c 02 N71-12243

FIXTURES
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c 37 N74-32918
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c 37 N76-21554
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c 26 N80-28492
Fixture for environmental exposure of structural materials under compression load
[NASA-CASE-LAR-12602-1] c 39 N83-32081

FLAME PROBES
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c 19 N74-29410

FLAME RETARDANTS
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c 27 N78-17213
Process for spinning flame retardant elastomeric compositions --- fabricating synthetic fibers for high oxygen environments
[NASA-CASE-MSC-14331-3] c 27 N78-32262
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c 25 N80-16116
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flame retardation
[NASA-CASE-LAR-12099-1] c 27 N80-16158
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c 27 N80-24438
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c 24 N81-13999
Heat sealable, flame and abrasion resistant coated fabric --- clothing and containers for space exploration
[NASA-CASE-MSC-18382-1] c 27 N82-16238
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-1] c 27 N83-31854
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-2] c 27 N84-14324
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-3] c 27 N84-22745
Fire blocking systems for aircraft seat cushions
[NASA-CASE-ARC-11423-1] c 03 N84-33394
Segmented tubular cushion springs and spring assembly
[NASA-CASE-ARC-11349-1] c 37 N86-20797
Polymer of phosphonylmethyl-2,4- and -2,6-diamino benzene and polyfunctional monomer
[NASA-CASE-ARC-11506-2] c 23 N86-32525
Fire and heat resistant laminating resins based on maleimido and citraconimido substituted 1-(diorgano oxyphosphonyl) methyl -2,4- and -2,6- diaminobenzenes
[NASA-CASE-ARC-11533-3] c 27 N87-24564
The 1-((diorganooxy phosphonyl) methyl)-2,4- and -2,6-diamino benzenes and their derivatives
[NASA-CASE-ARC-11425-2] c 23 N87-28605

FLAME SPRAYING
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c 15 N71-16077
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c 06 N71-24739
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c 37 N74-11301
Thermal barrier coating system
[NASA-CASE-LEW-14057-1] c 24 N85-35233

FLAME TEMPERATURE
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c 34 N78-27357

FLAMES
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c 33 N71-29151
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c 35 N76-18403

FLAMMABILITY
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c 11 N71-24985
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c 33 N72-25913
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c 27 N80-10358
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments
[NASA-CASE-MSC-16074-1] c 27 N80-26446
Light weight fire resistant graphite composites
[US-PATENT-4,598,007] c 24 N86-28131
Fire and heat resistant laminating resins based on maleimido substituted aromatic cyclotriphosphazene polymer
[NASA-CASE-ARC-11428-2] c 27 N87-16909

FLANGES
Cassegrainian antenna subflector flange for suppressing ground noise Patent
[NASA-CASE-XNP-00683] c 09 N70-35425
Anti-glare improvement for optical imaging systems Patent
[NASA-CASE-NPO-10337] c 14 N71-15604
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c 39 N76-31562

FLAPS (CONTROL SURFACES)
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c 02 N70-33332
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c 31 N70-36410
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c 02 N71-26110
Reversed cowl flap inlet thrust augmentor --- with adjustable airfoil
[NASA-CASE-ARC-10754-1] c 07 N75-24736

FLARED BODIES
Flared tube strainer
[NASA-CASE-XLA-05056] c 15 N72-11389

FLASH LAMPS
Active lamp pulse driver circuit --- optical pumping of laser media
[NASA-CASE-GSC-12566-1] c 33 N83-34189

FLAT CONDUCTORS
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c 15 N71-15986
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c 09 N71-28691
Shielded flat cable
[NASA-CASE-MFS-13687-2] c 09 N72-22198
Electrical connector
[NASA-CASE-MFS-20757] c 09 N72-28225
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c 31 N79-21226
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c 31 N79-21227

FLAT PLATES
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c 12 N69-39988
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c 15 N72-20446
Heat transfer device
[NASA-CASE-MFS-22938-1] c 34 N76-18374
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c 34 N77-32413
Solar engine
[NASA-CASE-LAR-12148-1] c 44 N82-24640
Two-dimensional scanner apparatus --- flaw detector in small flat plates
[NASA-CASE-MFS-25687-1] c 35 N84-22928

FLEXIBILITY
Weatherproof helix antenna Patent
[NASA-CASE-XKS-08485] c 07 N71-19493
Spherical shield Patent
[NASA-CASE-XNP-01855] c 15 N71-28937

Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c 54 N74-32546
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c 31 N79-11246
Safety flywheel --- using flexible materials energy storage
[NASA-CASE-HQN-10888-1] c 44 N79-14527
Sun shield
[NASA-CASE-MSC-20162-1] c 37 N87-17036
Method of making a flexible diaphragm
[NASA-CASE-MSC-20797-1] c 37 N87-23981

FLEXIBLE BODIES
Flexible back-up bar Patent
[NASA-CASE-XMF-00722] c 15 N70-40204
Deflective rod switch with elastic support and sealing means Patent
[NASA-CASE-XNP-09808] c 09 N71-12518
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c 18 N71-16210
Self supporting space vehicle Patent
[NASA-CASE-XLA-00117] c 31 N71-17680
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c 05 N71-24728
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c 15 N71-27169
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c 17 N71-28747
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c 32 N72-25877
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c 08 N74-30421
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c 37 N75-19686
Strong thin membrane structure --- solar sails
[NASA-CASE-NPO-14021-2] c 27 N80-16163
Synchronously deployable double fold beam and planar truss structure
[NASA-CASE-LAR-13490-1] c 18 N87-14413

FLEXIBLE WINGS
Aeroflexible structures
[NASA-CASE-XLA-06095] c 01 N69-39981
Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c 02 N70-41863
Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c 02 N71-11038

FLEXING
Two degree inverted flexure
[NASA-CASE-ARC-10345-1] c 15 N73-12488
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c 54 N82-26987
Unidirectional flexural pivot
[NASA-CASE-GSC-12622-1] c 37 N84-12492

FLIGHT
Traversing probe Patent
[NASA-CASE-XFR-02007] c 12 N71-24692

FLIGHT ALTITUDE
Altitude measuring system
[NASA-CASE-ERC-10412-1] c 09 N73-12211
Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-FRC-10049-1] c 04 N74-13420
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c 35 N79-18296
System for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c 06 N82-16075
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c 06 N83-10040
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c 36 N83-34304
System for indicating fuel-efficient aircraft altitude
[NASA-CASE-NPO-15351-2] c 06 N84-34443

FLIGHT CLOTHING
Absorbent product and articles made therefrom
[NASA-CASE-MSC-18223-2] c 54 N84-11758

FLIGHT CONTROL
Aircraft instrument Patent
[NASA-CASE-XLA-00487] c 14 N70-40157
Two-axis controller Patent
[NASA-CASE-XFR-04104] c 03 N70-42073
Mechanically limited, electrically operated hydraulic valve system for aircraft controls Patent
[NASA-CASE-XAC-00048] c 02 N71-29128
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c 08 N73-25206
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c 08 N74-10942
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c 05 N75-12930
Deploy/release system --- model aircraft flight control
[NASA-CASE-LAR-11575-1] c 02 N76-16014
Apparatus for damping operator induced oscillations of a controlled system --- flight control
[NASA-CASE-FRC-11041-1] c 33 N82-18493
Aircraft body-axis rotation measurement system
[NASA-CASE-FRC-11043-1] c 06 N83-33882
Aircraft control position indicator
[NASA-CASE-LAR-12984-1] c 06 N87-22678

FLIGHT CREWS
Survival couch Patent
[NASA-CASE-XLA-00118] c 05 N70-33285

FLIGHT INSTRUMENTS
Heads up display
[NASA-CASE-LAR-12630-1] c 06 N84-27733
Aircraft control position indicator
[NASA-CASE-LAR-12984-1] c 06 N87-22678

FLIGHT RECORDERS
Event recorder Patent
[NASA-CASE-XLA-01832] c 14 N71-21006

FLIGHT SAFETY
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c 03 N70-33343
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c 21 N73-30641

FLIGHT SIMULATION
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c 31 N70-34966
Television simulation for aircraft and space flight Patent
[NASA-CASE-XFR-03107] c 09 N71-19449
Separation simulator Patent
[NASA-CASE-XKS-04631] c 10 N71-23663

FLIGHT SIMULATORS
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c 11 N70-34815
Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury Patent
[NASA-CASE-XNP-00708] c 14 N70-35394
Wind tunnel test section
[NASA-CASE-MFS-20509] c 11 N72-17183
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c 08 N73-25206
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c 09 N74-30597
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c 09 N76-24280
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c 09 N78-18083
Seat cushion to provide realistic acceleration cues to aircraft simulator pilot
[NASA-CASE-LAR-12149-2] c 09 N79-31228
Chromatically corrected virtual image visual display --- reducing eye strain in flight simulators
[NASA-CASE-LAR-12251-1] c 74 N80-27185
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c 54 N81-27806
Biocentrifuge system capable of exchanging specimen cages while in operational mode
[NASA-CASE-MFS-23825-1] c 51 N81-32829
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c 09 N82-24212
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c 36 N83-34304
Inflight IFR procedures simulator
[NASA-CASE-KSC-11218-1] c 09 N85-19990
Simulator scene display evaluation device
[NASA-CASE-ARC-11504-1] c 09 N86-32447

FLIGHT TESTS
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c 14 N70-33386

FLIGHT TRAINING
Inflight IFR procedures simulator
[NASA-CASE-KSC-11218-1] c 09 N85-19990

FLIGHT VEHICLES
Leading edge curvature based on convective heating Patent
[NASA-CASE-XLA-01486] c 01 N71-23497
Altitude sensing device
[NASA-CASE-XMS-01994-1] c 14 N72-17326

FLIP-FLOPS
AC logic flip-flop circuits Patent
[NASA-CASE-XGS-00823] c 10 N71-15910
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c 10 N71-18772
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c 10 N71-19547

FLOAT ZONES
Floating emitter solar cell
[NASA-CASE-NPO-16467-1-CU] c 33 N87-23879
Liquid encapsulated float zone process and apparatus
[NASA-CASE-MFS-28144-1] c 76 N88-24545

FLOATING
Floating baffle to improve efficiency of liquid transfer from tanks
[NASA-CASE-KSC-10639] c 15 N73-26472
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c 54 N74-14845
Floating nut retention system
[NASA-CASE-MSC-16938-1] c 37 N80-23653

FLOATS
Magnetically centered liquid column float Patent
[NASA-CASE-XAC-00030] c 14 N70-34820

FLOORS
Elevated waterproof access floor system and method of making the same
[NASA-CASE-ARC-11363-1] c 31 N87-16918

FLOTATION
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c 05 N71-22748

FLOW CHAMBERS
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c 34 N78-17337
Jet pump-drive system for heat removal
[NASA-CASE-NPO-16494-1-CU] c 34 N85-29182
Moving wall, continuous flow electronphoresis apparatus
[NASA-CASE-MFS-28142-1] c 25 N88-23845

FLOW DIRECTION INDICATORS
Polarity sensitive circuit Patent
[NASA-CASE-XNP-00952] c 10 N71-23271
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c 14 N71-24864
Miniature electrooptical air flow sensor
[NASA-CASE-LAR-13065-1] c 35 N85-20295

FLOW DISTORTION
Moving wall, continuous flow electronphoresis apparatus
[NASA-CASE-MFS-28142-1] c 25 N88-23845

FLOW DISTRIBUTION
Full flow with shut off and selective drainage control valve Patent application
[NASA-CASE-ERC-10208] c 15 N70-10867
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c 14 N70-41366
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c 12 N71-20815
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c 35 N75-16783
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c 20 N76-14190
Static continuous electrophoresis device
[NASA-CASE-MFS-25306-1] c 25 N83-13187
Method and apparatus for rebalancing a REDOX flow cell system
[NASA-CASE-LEW-14127-1] c 33 N86-20680
Self-compensating solenoid valve
[NASA-CASE-ARC-11620-1] c 37 N87-25573
High effectiveness contour matching contact heat exchanger
[NASA-CASE-MSC-20840-1] c 34 N88-29132

FLOW MEASUREMENT
Flow test device
[NASA-CASE-XMS-04917] c 14 N69-24257
Nuclear mass flowmeter
[NASA-CASE-MFS-20485] c 14 N72-11365
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c 14 N73-13415
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c 35 N75-30503
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c 35 N77-24454
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c 34 N79-12359
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c 34 N81-26402
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12720-1] c 44 N83-21504
Bio-medical flow sensor --- intrvenous procedures
[NASA-CASE-MSC-18761-1] c 52 N83-27577
Miniature electrooptical air flow sensor
[NASA-CASE-LAR-13065-1] c 35 N85-20295
Auto covariance computer
[NASA-CASE-LAR-12968-1] c 60 N86-21154
Fluid flow meter for measuring the rate of fluid flow in a conduit
[NASA-CASE-MFS-28030-1] c 35 N86-25752
Spinning disk calibration method and apparatus for laser Doppler velocimeter
[NASA-CASE-ARC-11510-1] c 35 N86-32697
Vibration-free Raman Doppler velocimeter
[NASA-CASE-LAR-13268-1] c 35 N87-14669

Dual mode laser velocimeter
[NASA-CASE-ARC-11634-1] c 36 N88-14350
Crossflow vorticity sensor
[NASA-CASE-LAR-13436-1-CU] c 02 N88-23759
Method of forming a multiple layer dielectric and a hot film sensor therewith
[NASA-CASE-LAR-13678-1] c 76 N88-25355

FLOW REGULATORS

Anti-backlash circuit for hydraulic drive system Patent
[NASA-CASE-XNP-01020] c 03 N71-12260
Fluid flow restrictor Patent
[NASA-CASE-NPO-10117] c 15 N71-15608
Fluid flow control value Patent
[NASA-CASE-XLE-00703] c 15 N71-15967
Gas regulator Patent
[NASA-CASE-NPO-10298] c 12 N71-17661
Semitoroidal diaphragm cavitating valve Patent
[NASA-CASE-XNP-09704] c 12 N71-18615
Temperature sensitive flow regulator Patent
[NASA-CASE-MFS-14259] c 15 N71-19213
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c 15 N71-27147
Gas flow control device
[NASA-CASE-NPO-11479] c 15 N73-13462
Pressure modulating value
[NASA-CASE-MSC-14905-1] c 37 N77-28487
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c 37 N78-24545
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c 37 N79-33468
Automatic thermal switch
[NASA-CASE-GSC-12415-1] c 33 N82-24419
Bio-medical flow sensor --- intrvenous procedures
[NASA-CASE-MSC-18761-1] c 52 N83-27577
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253
Combined riblet and lebu drag reduction system
[NASA-CASE-LAR-13286-1] c 02 N88-14071
Moving wall, continuous flow electronphoresis apparatus
[NASA-CASE-MFS-28142-1] c 25 N88-23845
Energy efficient continuous flow ash lockhopper
[NASA-CASE-NPO-16985-1-CU] c 31 N88-24814

FLOW RESISTANCE

Flow resistivity instrument
[NASA-CASE-LAR-13053-1] c 43 N83-29783

FLOW STABILITY

Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c 28 N71-22983
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c 34 N74-27730
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12720-1] c 44 N83-21504

FLOW VELOCITY

Method for continuous variation of propellant flow and thrust in propulsive devices Patent
[NASA-CASE-XLE-00177] c 28 N70-40367
Densitometer Patent
[NASA-CASE-XLE-00688] c 14 N70-41330
Device for suppressing sound and heat produced by high-velocity exhaust jets Patent
[NASA-CASE-XMF-01813] c 28 N70-41582
Positive displacement flowmeter Patent
[NASA-CASE-XMF-02822] c 14 N70-41994
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c 14 N71-23226
Method for measuring the characteristics of a gas Patent
[NASA-CASE-XLA-03375] c 16 N71-24074
Laser fluid velocity detector Patent
[NASA-CASE-XAC-10770-1] c 16 N71-24828
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c 12 N71-26546
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c 15 N71-27432
Flow rate switch
[NASA-CASE-NPO-10722] c 09 N72-20199
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c 14 N73-13415
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c 34 N74-27730
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c 09 N75-12969
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c 36 N76-14447
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c 34 N77-27345
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c 34 N79-12359
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c 09 N82-11088
Flow modifying device
[NASA-CASE-LEW-13562-2] c 07 N85-35195

FLOW VISUALIZATION

Shock-layer radiation measurement
[NASA-CASE-XAC-02970] c 14 N69-39896
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c 12 N71-20815
Continuous laminar smoke generator
[NASA-CASE-LAR-13014-1] c 09 N85-21178
Dual wavelength holographic interferometry system
[NASA-CASE-MFS-28242-1] c 35 N88-23960

FLOWMETERS

Flow test device
[NASA-CASE-XMS-04917] c 14 N69-24257
Positive displacement flowmeter Patent
[NASA-CASE-XMF-02822] c 14 N70-41994
Heated element fluid flow sensor Patent
[NASA-CASE-MSC-12084-1] c 12 N71-17569
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c 21 N71-19212
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c 14 N71-23226
Traversing probe Patent
[NASA-CASE-XFR-02007] c 12 N71-24692
Laser fluid velocity detector Patent
[NASA-CASE-XAC-10770-1] c 16 N71-24828
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c 12 N71-26546
Nuclear mass flowmeter
[NASA-CASE-MFS-20485] c 14 N72-11365
Respiratory analysis system and method
[NASA-CASE-MSC-13436-1] c 05 N73-32015
Low power electromagnetic flowmeter providing accurate zero set
[NASA-CASE-ARC-10362-1] c 14 N73-32326
Electromagnetic flow rate meter --- for liquid metals
[NASA-CASE-LEW-10981-1] c 35 N74-21018
Leak detector
[NASA-CASE-MFS-21761-1] c 35 N75-15931
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c 34 N77-27345
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c 34 N81-26402
Miniature electrooptical air flow sensor
[NASA-CASE-LAR-13065-1] c 35 N85-20295
State-of-charge coulometer
[NASA-CASE-NPO-15759-1] c 35 N85-21596
Technique for measuring gas conversion factors
[NASA-CASE-LAR-13220-1] c 34 N86-12547
Fluid flow meter for measuring the rate of fluid flow in a conduit
[NASA-CASE-MFS-28030-1] c 35 N86-25752
Crossflow vorticity sensor
[NASA-CASE-LAR-13436-1-CU] c 02 N88-23759

FLUID AMPLIFIERS

Fluid jet amplifier
[NASA-CASE-XLE-03512] c 12 N69-21466
Multiway vortex valve system Patent
[NASA-CASE-XMF-04709] c 15 N71-15609
Shear modulated fluid amplifier Patent
[NASA-CASE-MFS-10412] c 12 N71-17578
Rocket thrust throttling system
[NASA-CASE-LEW-10374-1] c 28 N73-13773
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c 33 N74-11050
Fluid thrust control system --- for liquid propellant rocket engines
[NASA-CASE-XMF-05964-1] c 20 N79-21124

FLUID DYNAMICS

Degassifying and mixing apparatus for liquids --- potable water for spacecraft
[NASA-CASE-MSC-18936-1] c 35 N83-29652

FLUID FILLED SHELLS

Method and apparatus for producing gas-filled hollow spheres --- target pellets for inertial confinement fusion
[NASA-CASE-NPO-14596-3] c 31 N83-31896

FLUID FILMS

Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c 37 N74-21061
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c 37 N76-15461
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c 37 N76-22541

FLUID FILTERS

Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c 05 N70-41297
High pressure filter Patent
[NASA-CASE-XNP-00732] c 28 N70-41447
Water separating system Patent
[NASA-CASE-XMS-13052] c 14 N71-20427
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c 34 N75-26282
Filter regeneration systems --- a system for regenerating a system filter in a fluid flow line
[NASA-CASE-MSC-14273-1] c 34 N75-33342
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c 37 N76-14463
Fluid sample collection and distribution system --- qualitative analysis of aqueous samples from several points
[NASA-CASE-MSC-16841-1] c 34 N79-24285
Air removal device --- life support systems
[NASA-CASE-XLA-08914-2] c 25 N82-21269
Rapid, quantitative determination of bacteria in water --- adenosine triphosphate
[NASA-CASE-GSC-12158-1] c 51 N83-27569

FLUID FLOW

Fluid jet amplifier
[NASA-CASE-XLE-03512] c 12 N69-21466
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c 03 N69-21469
Full flow with shut off and selective drainage control valve Patent application
[NASA-CASE-ERC-10208] c 15 N70-10867
Conical valve plug Patent
[NASA-CASE-XLE-00715] c 15 N70-34859
Pressure regulating system Patent
[NASA-CASE-XNP-00450] c 15 N70-38603
Antiflutter ball check valve Patent
[NASA-CASE-XNP-01152] c 15 N70-41811
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c 14 N71-10500
Multiway vortex valve system Patent
[NASA-CASE-XMF-04709] c 15 N71-15609
Heated element fluid flow sensor Patent
[NASA-CASE-MSC-12084-1] c 12 N71-17569
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c 15 N71-18580
Fluid flow meter with comparator reference means Patent
[NASA-CASE-XGS-01331] c 14 N71-22996
Pressure transducer calibrator Patent
[NASA-CASE-XNP-01660] c 14 N71-23036
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c 09 N71-23191
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c 12 N71-26546
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c 12 N71-27332
Fluid jet amplifier Patent
[NASA-CASE-XLE-09341] c 12 N71-28741
Nuclear mass flowmeter
[NASA-CASE-MFS-20485] c 14 N72-11365
Flow rate switch
[NASA-CASE-NPO-10722] c 09 N72-20199
Torsional disconnect unit
[NASA-CASE-NPO-10704] c 15 N72-20445
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c 14 N72-22442
Cryogenic feedthrough
[NASA-CASE-LAR-10031] c 15 N72-22484
Geysering inhibitor for vertical cryogenic transfer pipe
[NASA-CASE-KSC-10615] c 15 N73-12486
Pump for delivering heated fluids
[NASA-CASE-NPO-11417] c 15 N73-24513
Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c 37 N74-21065
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c 34 N74-27730
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c 37 N75-19686
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c 35 N75-30503
Filter regeneration systems --- a system for regenerating a system filter in a fluid flow line
[NASA-CASE-MSC-14273-1] c 34 N75-33342
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c 36 N76-14447
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c 37 N76-14460
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c 34 N77-24423
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c 36 N77-25501

Accumulator
[NASA-CASE-MFS-19287-1] c 34 N77-30399
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c 35 N78-19465
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c 34 N78-25351
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c 37 N78-25426
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c 37 N79-11402
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c 34 N79-12359
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c 35 N82-24470
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c 36 N83-29680
Flow modifying device
[NASA-CASE-LEW-13562-2] c 07 N85-35195
Fluid leak indicator
[NASA-CASE-MSC-20783-1] c 35 N86-20756
Fluid flow meter for measuring the rate of fluid flow in a conduit
[NASA-CASE-MFS-28030-1] c 35 N86-25752
Two-axis, self-nulling skin friction balance
[NASA-CASE-LAR-13294-1] c 35 N86-32696
Multi-path peristaltic pump
[NASA-CASE-MSC-20907-1] c 37 N87-18818
Dual motion valve with single motion input
[NASA-CASE-MFS-28058-1] c 37 N87-21332
Dual wavelength holographic interferometry system
[NASA-CASE-MFS-28242-1] c 35 N88-23960
Pressure measuring probe
[NASA-CASE-LAR-13853-1] c 35 N88-23961

FLUID INJECTION
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c 28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c 27 N71-15634
Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c 31 N71-15647
Process of forming particles in a cryogenic path Patent
[NASA-CASE-NPO-10250] c 23 N71-16212
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c 12 N71-21089
Tertiary flow injection thrust vectoring system Patent
[NASA-CASE-MFS-20831] c 28 N71-29153
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c 52 N74-22771

FLUID JETS
Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c 02 N70-34856

FLUID LOGIC
Logic AND gate for fluid circuits Patent
[NASA-CASE-XLA-07391] c 12 N71-17579

FLUID MECHANICS
Leak detector Patent
[NASA-CASE-LAR-10323-1] c 12 N71-17573
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c 14 N73-14429
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c 37 N82-12442

FLUID POWER
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c 12 N71-16031
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c 15 N71-28465

FLUID PRESSURE
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c 34 N78-25351
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c 37 N81-24442
Pressure letdown method and device for coal conversion systems
[NASA-CASE-NPO-15100-1] c 44 N84-14583
Damping seal for turbomachinery
[NASA-CASE-MFS-25842-2] c 37 N86-20788

FLUID ROTOR GYROSCOPES
Piezoelectric pump Patent
[NASA-CASE-XNP-05429] c 26 N71-21824

FLUID SWITCHING ELEMENTS
Booster tank system Patent
[NASA-CASE-MSC-12390] c 27 N71-29155

FLUID TRANSMISSION LINES
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c 31 N79-21225

FLUIDIC CIRCUITS
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c 15 N72-16329
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c 35 N75-30503

FLUIDICS
Fluidic-thermochromic display device Patent
[NASA-CASE-ERC-10031] c 12 N71-18603
Plasma fluidic hybrid display Patent
[NASA-CASE-ERC-10100] c 09 N71-33519
Fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c 28 N72-22769
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c 33 N74-11050
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c 37 N78-25426
Fluidic angular velocity sensor
[NASA-CASE-NPO-16479-ICU] c 35 N86-32695

FLUIDIZED BED PROCESSORS
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c 31 N81-15154
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c 25 N82-11144
Solar heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c 44 N82-16475
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c 28 N82-18401
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253

FLUIDS
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c 06 N71-26754
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c 14 N73-13435
Low outgassing polydimethylsiloxane material and preparation thereof
[NASA-CASE-GSC-11358-1] c 06 N73-26100
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c 35 N77-19385
Self-charging metering and dispensing device for fluids
[NASA-CASE-MSC-20275-1] c 35 N85-21595

FLUORESCENCE
Apparatus for producing three-dimensional recordings of flourescence spectra Patent
[NASA-CASE-XGS-01231] c 14 N70-41676
Internal work light Patent
[NASA-CASE-XKS-05932] c 09 N71-26787
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials
[NASA-CASE-ARC-10633-1] c 25 N74-26947
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c 45 N75-27585
Fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c 74 N81-24900
Optical multiple sample vacuum integrating sphere
[NASA-CASE-GSC-12849-1] c 74 N86-26190

FLUORIDES
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c 18 N71-23710
Corrosion resistant beryllium Patent
[NASA-CASE-LEW-10327] c 17 N71-33408
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c 06 N72-20121
Carbide-fluoride-silver self-lubricating composite
[NASA-CASE-LEW-14196-2] c 37 N87-25585

FLUORINATION
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c 06 N72-27151
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c 06 N73-30098

FLUORINE
Reaction of fluorine with polyperfluoropolyenes
[NASA-CASE-NPO-10862] c 06 N72-22107
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c 27 N81-17259

FLUORINE COMPOUNDS
Fluorine-containing polyformals
[NASA-CASE-XMF-06900-1] c 27 N79-21191
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c 37 N82-24491

FLUORO COMPOUNDS
New polymers of perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c 06 N70-11251
Method of polymerizing perfluorobutadiene Patent application
[NASA-CASE-NPO-10447] c 06 N70-11252
Fluorohydroxy ethers
[NASA-CASE-MFS-10507] c 06 N73-30101
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c 06 N73-30102
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c 06 N73-33076
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c 27 N76-16228
The 1,1,1-triaryl-2,2,2-trifluoroethanes and process for their synthesis
[NASA-CASE-ARC-11097-1] c 25 N82-24312

FLUOROCARBONS
Electrically conductive fluorocarbon polymer
[NASA-CASE-XLE-06774-2] c 06 N72-25150
Substituted 1,1,1-Triaryl-2,2,2-Trifluoroethanes and processes for their synthesis
[NASA-CASE-LEW-14345-1] c 23 N88-26404

FLUOROHYDROCARBONS
New condensation polyimides containing 1,1,1-triaryl-2,2,2-trifluoroethane structures
[NASA-CASE-LEW-14346-1] c 23 N87-14433

FLUOROPOLYMERS
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c 25 N81-14016
Texturing polymer surfaces by transfer casting --- cardiovascular prosthesis
[NASA-CASE-LEW-13120-1] c 27 N82-28440
Surface texturing of fluoropolymers
[NASA-CASE-LEW-13028-1] c 27 N82-33521
New condensation polyimides containing 1,1,1-triaryl-2,2,2-trifluoroethane structures
[NASA-CASE-LEW-14346-1] c 23 N87-14433
Cellular thermosetting fluoropolymers and process for making them
[NASA-CASE-GSC-13008-1] c 27 N88-23894
Substituted 1,1,1-Triaryl-2,2,2-Trifluoroethanes and processes for their synthesis
[NASA-CASE-LEW-14345-1] c 23 N88-26404

FLUTTER
Antiflutter ball check valve Patent
[NASA-CASE-XNP-01152] c 15 N70-41811
Suppression of flutter
[NASA-CASE-LAR-10682-1] c 02 N73-26004
Decoupler pylon: wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c 08 N82-32373
Remote pivot decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-13173-1] c 05 N87-14314
Airfoil flutter model suspension system
[NASA-CASE-LAR-13522-1-SB] c 09 N87-25334

FLUTTER ANALYSIS
Model mount system for testing flutter
[NASA-CASE-LAR-12950-1] c 09 N84-34448

FLUX (RATE)
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c 14 N71-27325
Apparatus for measuring charged particle beam
[NASA-CASE-MFS-25641-1] c 72 N84-28575

FLUX DENSITY
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c 14 N70-38602
Apparatus for measuring charged particle beam
[NASA-CASE-MFS-25641-1] c 72 N84-28575

FLUXES
Solder flux which leaves corrosion-resistant coating Patent
[NASA-CASE-XNP-03459-2] c 18 N71-15688
Soldering with solder flux which leaves corrosion resistant coating Patent
[NASA-CASE-XNP-03459] c 15 N71-21078

FLYWHEELS
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c 44 N78-24608
Rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c 37 N79-10422
Safety flywheel --- using flexible materials energy storage
[NASA-CASE-HQN-10888-1] c 44 N79-14527
Method of manufacture of bonded fiber flywheel --- fiberglass-epoxy
[NASA-CASE-MFS-23674-1] c 24 N81-29163
Bidirectional control system for energy flow in solar powered flywheel
[NASA-CASE-MFS-25978-1] c 44 N87-21410
Three axis attitude control system
[NASA-CASE-GSC-12970-1] c 08 N88-23808

FOAMS
Foam generator Patent
[NASA-CASE-XLA-00838] c 03 N70-36778
Method for continuous variation of propellant flow and thrust in propulsive devices Patent
[NASA-CASE-XLE-00177] c 28 N70-40367
Filament wound container Patent
[NASA-CASE-XLE-03803] c 15 N71-23816
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c 06 N71-25929

Thermally activated foaming compositions Patent
[NASA-CASE-LAR-10373-1] c 18 N71-26155
Method of making a solid propellant rocket motor Patent
[NASA-CASE-XLA-04126] c 28 N71-26779
Thickness measuring and injection device Patent
[NASA-CASE-MFS-20261] c 14 N71-27005
Method of making foamed materials in zero gravity
[NASA-CASE-XMF-09902] c 15 N72-11387
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c 27 N74-12812
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c 27 N74-27037
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c 27 N78-31232
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c 27 N79-11215
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c 25 N80-16116
Impacting device for testing insulation
[NASA-CASE-MFS-25862-2] c 37 N84-33807
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126
Cryogenic insulation strength and bond tester
[NASA-CASE-MFS-25910-1] c 39 N86-20841
Cellular thermosetting fluoropolymers and process for making them
[NASA-CASE-GSC-13008-1] c 27 N88-23894

FOCAL PLANE DEVICES
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c 07 N71-27233
High speed multi focal plane optical system
[NASA-CASE-GSC-12683-1] c 74 N83-36898
Focal plane array optical proximity sensor
[NASA-CASE-NPO-15155-1] c 74 N85-22139
Projection lens scanning laser velocimeter system
[NASA-CASE-ARC-11547-1] c 36 N87-17026

FOCI
High speed multi focal plane optical system
[NASA-CASE-GSC-12683-1] c 74 N83-36898

FOCUSING
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c 14 N70-40240
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c 09 N71-10618
Petzval type objective including field shaping lens Patent
[NASA-CASE-GSC-10700] c 23 N71-30027
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c 14 N72-22445
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c 33 N74-10195
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c 35 N75-15014
Multiplate focusing collimator --- for scanning small near radiation sources
[NASA-CASE-MFS-20932-1] c 35 N75-19616
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c 44 N78-28594
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c 36 N82-32712
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c 33 N83-31952
Dual mode laser velocimeter
[NASA-CASE-ARC-11634-1] c 36 N88-14350

FOG
Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields
[NASA-CASE-MSC-13530-2] c 23 N75-14834
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c 09 N82-24212
Warm fog dissipation using large volume water sprays
[NASA-CASE-MFS-25962-1] c 09 N84-32398

FOILS (MATERIALS)
Foil seal
[NASA-CASE-XLE-05130] c 15 N69-21362
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c 24 N75-33181
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c 24 N81-14000
Method of making a partial interlaminar separation composite system
[NASA-CASE-LAR-12065-2] c 24 N81-33235
Oxygen diffusion barrier coating
[NASA-CASE-LAR-13474-1-SB] c 26 N87-25455

FOLDING
Folding apparatus Patent
[NASA-CASE-XLA-00137] c 15 N70-33180

FOLDING STRUCTURES
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c 31 N70-37924
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c 07 N70-40202
Folding boom assembly Patent
[NASA-CASE-XGS-00938] c 32 N70-41367
Foldable conduit Patent
[NASA-CASE-XLE-00620] c 32 N70-41579
Foldable solar concentrator Patent
[NASA-CASE-XLA-04622] c 03 N70-41580
Wing deployment method and apparatus Patent
[NASA-CASE-XMS-00907] c 02 N70-41630
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c 02 N71-11041
Radiator deployment actuator Patent
[NASA-CASE-MSC-11817-1] c 15 N71-26611
Foldable construction block
[NASA-CASE-MSC-12233-1] c 15 N72-25454
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c 18 N75-27040
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c 32 N80-29539
Foldable beam
[NASA-CASE-LAR-12077-1] c 31 N81-25259
Telescoping columns --- parabolic antenna support
[NASA-CASE-LAR-12195-1] c 31 N81-27324
Sequentially deployable maneuverable tetrahedral beam
[NASA-CASE-LAR-13098-1] c 31 N86-19479
Self-locking telescoping manipulator arm
[NASA-CASE-MFS-25906-1] c 37 N86-20789
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
Synchronously deployable truss structure
[NASA-CASE-LAR-13117-1] c 37 N86-25789
Protective telescoping shield for solar concentrator
[NASA-CASE-NPO-16236-1] c 44 N86-27706
Deployable M-braced truss structure
[NASA-CASE-LAR-13081-1] c 37 N86-32737
Foldable self-erecting joint
[NASA-CASE-MSC-20635-1] c 18 N87-14373
Sun shield
[NASA-CASE-MSC-20162-1] c 37 N87-17036
Deployable geodesic truss structure
[NASA-CASE-LAR-13113-1] c 31 N87-25492

FOOD
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c 14 N73-13435

FOOTPRINTS
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c 32 N83-31918

FORCE
Ferrofluidic solenoid
[NASA-CASE-NPO-11738-1] c 09 N73-30185

FORCE DISTRIBUTION
Device for handling heavy loads
[NASA-CASE-XNP-04969] c 11 N69-27466
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c 14 N71-20439
Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c 15 N71-24834
Impact monitoring apparatus
[NASA-CASE-MSC-15626-1] c 14 N72-25411
Variable direction force coupler
[NASA-CASE-MFS-20317] c 15 N73-13463
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c 33 N75-31329
Device for quick changeover between wind tunnel force and pressure testing
[NASA-CASE-LAR-13512-1] c 35 N87-28884
Linear force device
[NASA-CASE-MSC-20549-2] c 35 N88-24927

FORCED VIBRATION
Seismic vibration source
[NASA-CASE-NPO-14112-1] c 46 N79-22679

FOREBODIES
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c 02 N81-14968
Actuated forebody strakes
[NASA-CASE-LAR-13983-1] c 05 N88-24628

FORMALDEHYDE
Synthesis of polyformals
[NASA-CASE-ARC-11244-1] c 23 N82-16174
Synthesis of 2,4,8,10-tetroxaspiro5,5undecane
[NASA-CASE-ARC-11243-2] c 23 N85-33187

FORMAT
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c 60 N79-20751

FORMATES
Fluorine containing polyurethane
[NASA-CASE-MFS-10509] c 06 N73-30103

FORMING TECHNIQUES
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c 15 N70-33330
Method for forming plastic materials Patent
[NASA-CASE-XMS-05516] c 15 N71-17803
Method of making tubes Patent
[NASA-CASE-XGS-04175] c 15 N71-18579
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c 15 N71-24833
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c 15 N71-24836
Method of forming shapes from planar sheets of thermosetting materials
[NASA-CASE-NPO-11036] c 15 N72-24522
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c 26 N74-10521
Molding apparatus --- for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c 31 N74-32920
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c 37 N75-26371
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c 37 N75-31446
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c 37 N76-14461
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c 71 N78-10837
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c 37 N78-13436
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c 26 N78-24333
Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c 44 N79-31752
Method and apparatus for producing concentric hollow spheres --- inertial confinement fusion targets
[NASA-CASE-NPO-14596-1] c 31 N81-33319
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c 37 N82-24491
Sphere forming method and apparatus
[NASA-CASE-NPO-15070-1] c 31 N83-35176

FOSSIL FUELS
Supercritical solvent coal extraction
[NASA-CASE-NPO-15210-1] c 25 N84-22709

FOUNDATIONS
Expansible support means
[NASA-CASE-NPO-11059] c 15 N72-17454
Adjustable securing base
[NASA-CASE-MSC-19666-1] c 37 N78-17383

FOURIER TRANSFORMATION
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c 60 N75-13539

FRACTIONATION
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c 15 N71-27184
Electrophoretic fractional elution apparatus employing a rotational seal fraction collector
[NASA-CASE-MFS-23284-1] c 37 N80-14397
Electrophoresis device
[NASA-CASE-MFS-25426-1] c 25 N83-10126
Spillage detector for liquid chromatography systems
[NASA-CASE-MSC-20206-1] c 25 N86-27431

FRACTURE MECHANICS
Apparatus for positioning and loading a test specimen Patent
[NASA-CASE-XLE-01300] c 15 N70-41993

FRACTURE STRENGTH
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c 26 N79-22271
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c 26 N80-32484
Method of making a partial interlaminar separation composite system
[NASA-CASE-LAR-12065-2] c 24 N81-33235
Process of end-capping a polyimide system
[NASA-CASE-LAR-13135-1] c 27 N86-19456
Polyimides containing carbonyl and ether connecting groups
[NASA-CASE-LAR-13633-1] c 27 N87-24575

FRAMES
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c 05 N71-12343
Soft frame adjustable eyeglasses Patent
[NASA-CASE-XMS-06064] c 05 N71-23096
Expandable space frames
[NASA-CASE-ERC-10365-1] c 31 N73-32749

Laser measuring system for incremental assemblies --- measuring wire-wrapped frame assemblies in spark chambers
[NASA-CASE-GSC-12321-1] c 36 N82-16396
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c 35 N82-24471

FRAMING CAMERAS
High speed photo-optical time recording
[NASA-CASE-KSC-10294] c 14 N72-18411

FREE FLIGHT TEST APPARATUS
Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c 11 N70-41677
Hydraulic support for dynamic testing Patent
[NASA-CASE-XMF-03248] c 11 N71-10604
Test unit free-flight suspension system Patent
[NASA-CASE-XLA-00939] c 11 N71-15926

FREE WING AIRCRAFT
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c 05 N79-12061

FREEZE DRYING
Modification of the physical properties of freeze-dried rice
[NASA-CASE-MSC-13540-1] c 05 N72-33096

FREEZING
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c 51 N79-10694
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c 27 N82-28442

FREON
Solar energy power system --- using Freon
[NASA-CASE-MFS-21628-1] c 44 N75-32581

FREQUENCIES
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c 33 N74-10194
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c 32 N74-20863

FREQUENCY ANALYZERS
Digital frequency discriminator Patent
[NASA-CASE-MFS-14322] c 08 N71-18692
Broadband frequency discriminator Patent
[NASA-CASE-NPO-10096] c 07 N71-24583
Audio frequency marker system
[NASA-CASE-NPO-11147] c 14 N72-27408
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c 60 N75-13539
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c 33 N77-13315

FREQUENCY CONTROL
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-XMS-04215-1] c 09 N69-39987
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c 09 N70-38604
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c 09 N70-38995
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XMF-08665] c 10 N71-19467
Linear accelerator frequency control system Patent
[NASA-CASE-XGS-05441] c 10 N71-22962
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c 09 N71-24841
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c 32 N74-11000
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c 32 N74-19790
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c 36 N75-31427
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c 32 N78-31321
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c 07 N79-14095
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c 33 N81-17349
High stability buffered phase comparator
[NASA-CASE-GSC-12645-1] c 33 N84-16454
Spectrophone stabilized laser with line center offset frequency control
[NASA-CASE-NPO-15516-1] c 36 N84-22943
Automatic oscillator frequency control system
[NASA-CASE-GSC-12804-1] c 33 N86-20668

FREQUENCY CONVERTERS
Frequency to analog converter Patent
[NASA-CASE-XNP-07040] c 08 N71-12500
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c 08 N71-18752
Voltage to frequency converter Patent
[NASA-CASE-GSC-10022-1] c 10 N71-25882
Family of frequency to amplitude converters
[NASA-CASE-MSC-12395] c 09 N72-25257
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c 33 N75-15874

FREQUENCY DISCRIMINATORS
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c 33 N81-33405
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895
Acoustic emission frequency discrimination
[NASA-CASE-MSC-20467-1] c 35 N88-23966

FREQUENCY DISTRIBUTION
Antenna system using parasitic elements and two driven elements at 90 deg angle fed 180 deg out of phase Patent
[NASA-CASE-XLA-00414] c 07 N70-38200
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c 09 N71-28810
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c 32 N78-15323

FREQUENCY DIVIDERS
Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c 10 N73-26229
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c 33 N74-10223
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c 33 N75-31330
Electronic analog divider
[NASA-CASE-LEW-11881-1] c 33 N77-17354

FREQUENCY DIVISION MULTIPLEXING
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c 07 N71-24621
Frequency division multiplex technique
[NASA-CASE-KSC-10521] c 07 N73-20176

FREQUENCY MEASUREMENT
Measurement system
[NASA-CASE-MFS-20658-1] c 14 N73-30386
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c 33 N76-16331
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c 33 N79-10338
Method and apparatus for measuring frequency and phase difference
[NASA-CASE-MSC-20865-1] c 32 N87-18692
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761
Apparatus for using a time interval counter to measure frequency stability
[NASA-CASE-NPO-17325-1-CU] c 32 N88-24846

FREQUENCY MODULATION
Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c 14 N70-34799
Means for generating a sync signal in an FM communication system Patent
[NASA-CASE-XNP-10830] c 07 N71-11281
Bi-carrier demodulator with modulation Patent
[NASA-CASE-XMF-01160] c 07 N71-11298
Optical tracker having overlapping reticles on parallel axes Patent
[NASA-CASE-XGS-05715] c 23 N71-16100
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c 16 N73-13489
Junction range finder
[NASA-CASE-KSC-10108] c 14 N73-25461
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c 32 N74-19790
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c 33 N75-31330
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c 33 N77-17351
FM/CW radar system
[NASA-CASE-MFS-22234-1] c 32 N79-10264
Thickness measurement system
[NASA-CASE-MFS-23721-1] c 31 N79-28370
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510
Adaptive control system for line-commutated inverters
[NASA-CASE-MFS-25209-1] c 33 N83-35227

FREQUENCY MULTIPLIERS
Multiple varactor frequency doubler Patent
[NASA-CASE-XMF-04958-1] c 10 N71-26414
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c 33 N77-24375

FREQUENCY RANGES
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c 10 N70-41964
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c 14 N71-26266
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c 33 N74-10223
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c 32 N76-14321
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c 32 N77-20289
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c 32 N79-19195

FREQUENCY SCANNING
Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c 32 N79-10262
Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c 35 N80-18364
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c 32 N81-27341

FREQUENCY SHIFT
Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c 07 N69-39978
Serrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c 07 N71-16088
Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c 07 N71-20814
Laser fluid velocity detector Patent
[NASA-CASE-XAC-10770-1] c 16 N71-24828
Laser Doppler velocity simulator --- to induce frequency shift
[NASA-CASE-LAR-12176-1] c 36 N80-16321

FREQUENCY SHIFT KEYING
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c 07 N71-11282
Frequency shift keying apparatus Patent
[NASA-CASE-XGS-01537] c 07 N71-23405
Single frequency multitransmitter telemetry
[NASA-CASE-LAR-13006-1] c 17 N87-16863

FREQUENCY STABILITY
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c 16 N71-18614
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c 10 N71-26331
Low phase noise oscillator using two parallel connected amplifiers
[NASA-CASE-GSC-13018-1] c 33 N87-21232
Apparatus for using a time interval counter to measure frequency stability
[NASA-CASE-NPO-17325-1-CU] c 32 N88-24846

FREQUENCY STANDARDS
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c 10 N71-23099
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c 35 N76-15436
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c 32 N78-15323
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c 36 N79-14362
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c 32 N81-14186

FREQUENCY SYNCHRONIZATION
Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator
[NASA-CASE-XNP-03623] c 09 N73-28084
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c 32 N78-15323
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c 32 N79-20296

FREQUENCY SYNTHESIZERS
Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c 09 N71-23525
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c 32 N79-20296
Method for shaping and aiming narrow beams --- sonar mapping and target identification
[NASA-CASE-NPO-14632-1] c 32 N82-18443
Reactanceless synthesized impedance bandpass amplifier
[NASA-CASE-GSC-12788-1] c 33 N85-29145
JFET reflection oscillator
[NASA-CASE-GSC-12555-1] c 33 N86-19515

FRICTION
Refractory coatings
[NASA-CASE-LEW-13169-2] c 26 N82-30371
Missile rolling tail brake torque system --- simulating bearing friction on canard controlled missiles
[NASA-CASE-LAR-12751-1] c 15 N84-16231

Thumb-actuated two-axis controller
[NASA-CASE-ARC-11372-1] c 08 N86-27288

FRICTION DRAG
Active control of boundary layer transition and turbulence
[NASA-CASE-LAR-13532-1] c 34 N86-26575
Combined riblet and lebu drag reduction system
[NASA-CASE-LAR-13286-1] c 02 N88-14071

FRICTION FACTOR
Self-lubricating gears and other mechanical parts Patent
[NASA-CASE-MFS-14971] c 15 N71-24984
Unidirectional flexural pivot
[NASA-CASE-GSC-12622-1] c 37 N84-12492

FRICTION MEASUREMENT
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c 14 N71-22995
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c 35 N76-31489
Two-axis, self-nulling skin friction balance
[NASA-CASE-LAR-13294-1] c 35 N86-32696

FRICTION REDUCTION
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c 23 N71-15978
Production of hollow components for rolling element bearings by diffusion welding
[NASA-CASE-LEW-11026-1] c 15 N73-33383

FRICTIONLESS ENVIRONMENTS
Air bearing Patent
[NASA-CASE-XMF-01887] c 15 N71-10617
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c 31 N71-15689
Method and apparatus of simulating zero gravity conditions Patent
[NASA-CASE-MFS-12750] c 27 N71-16223

FROST
Insulating structure Patent
[NASA-CASE-XMF-00341] c 15 N70-33323
Device for determining frost depth and density
[NASA-CASE-MFS-25754-1] c 35 N84-28018

FROZEN FOODS
Low temperature storage container for transporting perishables to space station
[NASA-CASE-MFS-28248-1] c 31 N88-24817

FUEL CAPSULES
Acoustic suspension system
[NASA-CASE-NPO-15435-1] c 71 N83-36846

FUEL CELL POWER PLANTS
Reactant pressure differential control for fuel cell gases
[NASA-CASE-MSC-20127-2] c 37 N85-34403

FUEL CELLS
Method of making membranes
[NASA-CASE-XNP-04264] c 03 N69-21337
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-XLE-01645] c 03 N71-20904
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c 15 N71-23022
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c 03 N71-29044
Reconstituted asbestos matrix --- for use in fuel or electrolysis cells
[NASA-CASE-MSC-12568-1] c 24 N76-14204
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c 44 N79-10513
Method of making a light weight battery plaque
[NASA-CASE-LEW-13349-1] c 26 N84-22734
Reactant pressure differential control for fuel cell gases
[NASA-CASE-MSC-20127-2] c 37 N85-34403

FUEL COMBUSTION
Fuel combustor
[NASA-CASE-LEW-12137-1] c 25 N78-10224
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c 37 N84-22958

FUEL CONSUMPTION
Method for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-2] c 07 N86-20389

FUEL CONTROL
Attitude and propellant flow control system and method Patent
[NASA-CASE-XMF-00185] c 21 N70-34539
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c 32 N71-16103
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c 32 N71-16106
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c 15 N71-17654
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c 15 N71-27432
Gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c 28 N73-19793
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c 37 N78-24545
Electrical servo actuator bracket --- fuel control valves on jet engines
[NASA-CASE-FRC-11044-1] c 37 N81-33483
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c 37 N84-22958

FUEL FLOW
System for preconditioning a combustible vapor
[NASA-CASE-NPO-12072] c 28 N72-22772

FUEL FLOW REGULATORS
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c 15 N70-22192
Passively regulated water electrolysis rocket engine Patent
[NASA-CASE-XGS-08729] c 28 N71-14044
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c 07 N77-23106

FUEL GAGES
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c 14 N71-29134

FUEL INJECTION
Injector-valve device Patent
[NASA-CASE-XLE-00303] c 15 N70-36535
Rocket engine injector Patent
[NASA-CASE-XLE-00111] c 28 N70-38199
Injector assembly for liquid fueled rocket engines Patent
[NASA-CASE-XMF-00968] c 28 N71-15660
Injection head for delivering liquid fuel and oxidizers
[NASA-CASE-NPO-10046] c 28 N72-17843
Injector for use in high voltage isolators for liquid feed lines
[NASA-CASE-NPO-11377] c 15 N73-27406
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c 07 N81-29129
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-2] c 20 N82-18314
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c 37 N84-22958
Low loss injector for liquid propellant rocket engines
[NASA-CASE-MFS-25989-1] c 20 N87-14420

FUEL OILS
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c 07 N77-23106

FUEL PUMPS
Fuel injection pump for internal combustion engines Patent
[NASA-CASE-MSC-12139-1] c 28 N71-14058

FUEL SYSTEMS
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c 28 N71-26781
System for preconditioning a combustible vapor
[NASA-CASE-NPO-12072] c 28 N72-22772
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c 20 N74-13502
Fuel combustor
[NASA-CASE-LEW-12137-1] c 25 N78-10224
Fuel delivery system including heat exchanger means
[NASA-CASE-LEW-12793-1] c 37 N79-11403
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c 07 N81-29129
Apparatus for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-1] c 07 N83-36029
Method for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-2] c 07 N86-20389

FUEL TANK PRESSURIZATION
Venting vapor apparatus Patent
[NASA-CASE-XLE-00288] c 15 N70-34247
Automatic pump Patent
[NASA-CASE-XNP-04731] c 15 N71-24042
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c 27 N71-28929

FUEL TANKS
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c 12 N69-39988
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c 32 N71-16103
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c 32 N71-16106
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c 12 N71-26387
Electrical apparatus for detection of thermal decomposition of insulation Patent
[NASA-CASE-XMF-03968] c 14 N71-27186
High performance channel injection sealant invention abstract
[NASA-CASE-ARC-14408-1] c 27 N82-33523
Tanker orbit transfer vehicle and method
[NASA-CASE-MSC-20543-1] c 18 N84-22610
Cryogenic insulation strength and bond tester
[NASA-CASE-MFS-25910-1] c 39 N86-20841

FUEL VALVES
Injector-valve device Patent
[NASA-CASE-XLE-00303] c 15 N70-36535
Semitoroidal diaphragm cavitating valve Patent
[NASA-CASE-XNP-09704] c 12 N71-18615
Filler valve Patent
[NASA-CASE-XNP-01747] c 15 N71-23024
Combination automatic-starting electrical plasma torch and gas shutoff valve --- for satellite attitude control
[NASA-CASE-XLE-10717] c 37 N75-29426

FUEL-AIR RATIO
Flow modifying device
[NASA-CASE-LEW-13562-2] c 07 N85-35195

FUELS
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c 28 N81-14103

FUNCTION GENERATORS
Line following servosystem Patent
[NASA-CASE-XAC-00001] c 15 N71-28952
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c 08 N72-20176
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c 09 N72-21248
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c 10 N73-20253
Derivation of a tangent function using an integrated circuit four-quadrant multiplier
[NASA-CASE-MSC-13907-1] c 10 N73-26230

FURLABLE ANTENNAS
Unfurlable structure including coiled strips thrust launched upon tension release Patent
[NASA-CASE-HQN-00937] c 07 N71-28979
Singly-curved reflector for use in high-gain antennas
[NASA-CASE-NPO-11361] c 07 N72-32169
Furlable antenna --- antenna design
[NASA-CASE-NPO-13553-1] c 33 N76-32457

FURNACES
High-speed infrared furnace
[NASA-CASE-XLE-10466] c 17 N69-25147
Black-body furnace Patent
[NASA-CASE-XLE-01399] c 33 N71-15625
Induction furnace with perforated tungsten foil shielding Patent
[NASA-CASE-XLE-04026] c 14 N71-23267
High temperature furnace for melting materials in space
[NASA-CASE-MFS-20710] c 11 N72-23215
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c 35 N76-24523
Exothermic furnace module
[NASA-CASE-MFS-25707-1] c 35 N82-26631
Apparatus and method for heating a material in a transparent ampoule --- crystal growth
[NASA-CASE-MFS-25436-1] c 27 N83-36220
Apparatus ad method for quiescent containerless processing of high temperature metals and alloys in low gravity
[NASA-CASE-MFS-28087-1] c 35 N87-23944

FUSELAGES
Fuselage structure using advanced technology fiber reinforced composites
[NASA-CASE-LAR-11688-1] c 24 N82-26384
Adapter for mounting a microphone flush with the external surface of the skin of a pressurized aircraft
[NASA-CASE-FRC-11072-1] c 05 N83-27975
Helicopter anti-torque system using strakes
[NASA-CASE-LAR-13233-1] c 05 N84-33400
Multi-body aircraft with an all-movable center fuselage actively controlling fuselage pressure drag
[NASA-CASE-LAR-13511-1] c 05 N88-23765
Helicopter anti-torque system using fuselage strakes
[NASA-CASE-LAR-13630-1] c 08 N88-23809

FUSION (MELTING)
Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c 15 N69-39735
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c 18 N71-23088
One-step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c 33 N82-26571
Absorbable-susceptor joining of ceramic surfaces
[NASA-CASE-NPO-15640-1] c 27 N84-22748
Multicolor printing plate joining
[NASA-CASE-LEW-13598-1] c 35 N84-22930
Induction heating gun
[NASA-CASE-LAR-13181-1] c 31 N85-29083

FUSION WELDING
Method for producing a solar cell having an integral protective covering
[NASA-CASE-XGS-04531] c 03 N69-24267
Weld control system using thermocouple wire Patent
[NASA-CASE-MFS-06074] c 15 N71-20393

Butt welder for fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c 15 N73-14468
Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c 37 N74-18128

G

GADOLINIUM
Method of making a silicon semiconductor device Patent
[NASA-CASE-XLE-02792] c 26 N71-10607
Gd or Sm doped silicon semiconductor composition Patent
[NASA-CASE-XLE-10715] c 26 N71-23292
GALILEO PROJECT
Reed-Solomon decoder
[NASA-CASE-NPO-15982-1] c 60 N87-21591
GALLIUM
Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c 14 N71-23790
GALLIUM ARSENIDES
GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c 26 N71-18064
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c 09 N71-23027
Method of changing the conductivity of vapor deposited gallium arsenide by the introduction of water into the vapor deposition atmosphere Patent
[NASA-CASE-XNP-01961] c 26 N71-29156
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c 25 N75-26043
Vapor deposition apparatus --- semiconductors and gallium arsenides
[NASA-CASE-HQN-10462] c 25 N75-29192
GaAs Schottky barrier photo-responsive device and method of fabrication
[NASA-CASE-GSC-12816-1] c 76 N86-20150
Liquid encapsulated crystal growth
[NASA-CASE-NPO-16808-1-CU] c 76 N87-25868
GALLIUM PHOSPHIDES
Liquid encapsulated crystal growth
[NASA-CASE-NPO-16808-1-CU] c 76 N87-25868
Improved properties of SiGe/GaP alloys
[NASA-CASE-NPO-17259-1-CU] c 76 N88-25358
GALVANIC SKIN RESPONSE
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c 05 N71-26293
GAMMA RAY SPECTROMETERS
Low intensity X-ray and gamma-ray spectrometer
[NASA-CASE-GSC-12587-1] c 35 N82-32659
Method and apparatus for mapping the distribution of chemical elements in an extended medium
[NASA-CASE-GSC-12808-1] c 25 N85-21279
GAMMA RAYS
Compton scatter attenuation gamma ray spectrometer
[NASA-CASE-MFS-21441-1] c 14 N73-30392
Low intensity X-ray and gamma-ray imaging device --- fiber optics
[NASA-CASE-GSC-12263-1] c 74 N79-20857
Real-time 3-D X-ray and gamma-ray viewer
[NASA-CASE-GSC-12640-1] c 74 N84-11920
Three-dimensional and tomographic imaging device for X-ray and gamma-ray emitting objects
[NASA-CASE-GSC-12851-1] c 35 N85-30281
GANTRY CRANES
Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c 03 N72-25021
GAPS
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c 35 N77-21392
Method of making a high voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c 44 N82-29709
GARMENTS
Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c 05 N71-11189
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c 54 N74-32546
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c 54 N78-31736
Urine collection apparatus --- feminine hygiene
[NASA-CASE-MSC-18381-1] c 52 N81-28740
Thermal garment
[NASA-CASE-XMS-03694-1] c 54 N82-29002
GAS ANALYSIS
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c 14 N71-10774
Microbalance including crystal oscillators for measuring contaminates in a gas system Patent
[NASA-CASE-NPO-10144] c 14 N71-17701
Time of flight mass spectrometer with feedback means from the detector to the low source and a specific counter Patent
[NASA-CASE-XNP-01056] c 14 N71-23041
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c 14 N71-26137
Ion microprobe mass spectrometer for analyzing fluid materials Patent
[NASA-CASE-ERC-10014] c 14 N71-28863
Nondispersive gas analyzing method and apparatus wherein radiation is serially passed through a reference and unknown gas
[NASA-CASE-ARC-10308-1] c 06 N72-31141
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c 14 N73-12444
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c 35 N74-26949
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c 35 N74-34857
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c 35 N75-30502
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c 45 N76-17656
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c 25 N76-22323
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c 23 N77-17161
Fluid sampling device
[NASA-CASE-GSC-12143-1] c 35 N77-32456
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c 25 N81-14015
Stark effect spectrophone for continuous absorption spectra monitoring --- a technique for gas analysis
[NASA-CASE-NPO-15102-1] c 25 N81-25159
Method and device for determining heats of combustion of gaseous hydrocarbons
[NASA-CASE-LAR-13528-1] c 25 N88-29002
GAS BAGS
Omnidirectional multiple impact landing system Patent
[NASA-CASE-XLA-09881] c 31 N71-16085
GAS BEARINGS
Externally pressurized fluid bearing Patent
[NASA-CASE-XMF-00515] c 15 N70-34664
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c 15 N70-38620
Air bearing Patent
[NASA-CASE-XMF-00339] c 15 N70-39896
Air bearing Patent
[NASA-CASE-XMF-01887] c 15 N71-10617
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c 12 N71-16031
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c 15 N71-20739
Swivel support for gas bearings Patent
[NASA-CASE-XMF-07808] c 15 N71-23812
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c 15 N71-28465
Angular displacement indicating gas bearing support system Patent
[NASA-CASE-XLA-09346] c 15 N71-28740
Air bearing assembly for curved surfaces
[NASA-CASE-MFS-20423] c 15 N72-11388
Air bearing
[NASA-CASE-WLP-10002] c 15 N72-17451
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c 37 N76-18459
Thrust bearing
[NASA-CASE-LEW-11949-1] c 37 N76-29588
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c 37 N79-10418
Compliant hydrodynamic fluid journal bearing
[NASA-CASE-LEW-13670-1] c 37 N86-19606
GAS CHROMATOGRAPHY
Micropacked column for a chromatographic system
[NASA-CASE-XNP-04816] c 06 N69-39936
Baseline stabilization system for ionization detector Patent
[NASA-CASE-XNP-03128] c 10 N70-41991
Procedure and apparatus for determination of water in nitrogen tetroxide
[NASA-CASE-NPO-10234] c 06 N72-17094
Analysis of hydrogen-deuterium mixtures
[NASA-CASE-NPO-11322] c 06 N72-25146
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c 14 N72-25428
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c 14 N73-12444
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c 35 N75-26334
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c 25 N80-23383
GAS COMPOSITION
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c 25 N80-20334
Microwave limb sounder --- measuring trace gases in the upper atmosphere
[NASA-CASE-NPO-14544-1] c 46 N82-12685
Mobile sampler for use in acquiring samples of terrestrial atmospheric gases
[NASA-CASE-NPO-15220-1] c 45 N83-25217
Moisture content and gas sampling device
[NASA-CASE-MSC-18866-1] c 35 N85-29213
GAS COOLED REACTORS
Gas core nuclear reactor Patent
[NASA-CASE-LEW-10250-1] c 22 N71-28759
GAS COOLING
Refrigeration apparatus
[NASA-CASE-NPO-10309] c 15 N69-23190
Gas cooled high temperature thermocouple Patent
[NASA-CASE-XLE-09475-1] c 33 N71-15568
Apparatus and method for heating a material in a transparent ampoule --- crystal growth
[NASA-CASE-MFS-25436-1] c 27 N83-36220
GAS DENSITY
Dynamic sensor Patent
[NASA-CASE-XAC-02877] c 14 N70-41681
Method for measuring the characteristics of a gas Patent
[NASA-CASE-XLA-03375] c 16 N71-24074
Device for measuring light scattering wherein the measuring beam is successively reflected between a pair of parallel reflectors Patent
[NASA-CASE-XER-11203] c 14 N71-28994
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c 22 N72-20597
Method of producing crystalline materials
[NASA-CASE-NPO-10440] c 15 N72-21466
Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c 14 N72-22438
Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c 14 N73-30394
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector --- for determining density of gas
[NASA-CASE-ARC-10631-1] c 74 N76-20958
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c 36 N83-10417
GAS DETECTORS
Method for detecting hydrogen gas
[NASA-CASE-XMF-03873] c 06 N69-39733
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c 14 N71-2044
Leak detector wherein a probe is monitored wit ultraviolet radiation Patent
[NASA-CASE-ERC-10034] c 15 N71-2489
Miniature carbon dioxide sensor and methods
[NASA-CASE-MSC-13332-1] c 14 N72-2140
Fluorescence detector for monitoring atmospher pollutants
[NASA-CASE-NPO-13231-1] c 45 N75-2758
Carbon monoxide monitor --- using real time operatic
[NASA-CASE-MFS-22060-1] c 35 N75-2938
Method and apparatus for compensating reflectic losses in a path length modulated absorption-absorptic trace gas detector --- for determining density of gas
[NASA-CASE-ARC-10631-1] c 74 N76-2095
Indicator providing continuous indication of the presen of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c 45 N76-217
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c 35 N76-225
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c 35 N77-213
Optically selective, acoustically resonant gas detecti transducer
[NASA-CASE-ARC-10639-1] c 35 N78-134
Stark cell optoacoustic detection of constituent gas in sample
[NASA-CASE-NPO-14143-1] c 25 N81-140
Stark effect spectrophone for continuous absorpt spectra monitoring --- a technique for gas analysis
[NASA-CASE-NPO-15102-1] c 25 N81-251
Portable remote laser sensor for methane le detection
[NASA-CASE-NPO-15790-1] c 36 N85-216

GAS DISCHARGE TUBES
Self-repeating plasma generator having communicating annular and linear arc discharge passages Patent
[NASA-CASE-XLA-03103] c 25 N71-21693
GAS DISCHARGES
Parametric microwave noise generator Patent
[NASA-CASE-XER-11019] c 09 N71-23598
Multiplex electric discharge gas laser system
[NASA-CASE-NPO-16433-1] c 36 N87-23961
GAS EVOLUTION
Filter system for control of outgas contamination in vacuum Patent
[NASA-CASE-MFS-14711] c 15 N71-26185
GAS EXPANSION
Sealed battery gas manifold construction Patent
[NASA-CASE-XNP-03378] c 03 N71-11051
Refrigeration apparatus Patent
[NASA-CASE-XNP-08877] c 15 N71-23025
Gas operated actuator
[NASA-CASE-NPO-11340] c 15 N72-33477
GAS FLOW
Fluid flow restrictor Patent
[NASA-CASE-NPO-10117] c 15 N71-15608
High pressure gas filter system Patent
[NASA-CASE-MFS-12806] c 14 N71-17588
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c 11 N71-17600
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c 12 N71-20815
Respiration monitor
[NASA-CASE-FRC-10012] c 14 N72-17329
Shock tube bypass piston tunnel
[NASA-CASE-NPO-12109] c 11 N72-22245
Fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c 28 N72-22769
Gas filter mounting structure
[NASA-CASE-MSC-12297] c 14 N72-23457
Pressurized lighting system
[NASA-CASE-KSC-10644] c 09 N72-27227
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c 03 N72-28025
Gas flow control device
[NASA-CASE-NPO-11479] c 15 N73-13462
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c 35 N74-15127
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c 34 N74-27730
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c 77 N75-20139
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c 35 N75-30503
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c 35 N78-10428
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c 37 N78-17384
Covering solid, film cooled surfaces with a duplex thermal barrier coating
[NASA-CASE-LEW-13450-1] c 31 N83-35177
Apparatus and method for destructive removal of particles contained in flowing fluid
[NASA-CASE-NPO-15426-1] c 35 N84-17555
Vortex generating flow passage design for increased film cooling effectiveness
[NASA-CASE-LEW-14039-1] c 34 N85-33433
Technique for measuring gas conversion factors
[NASA-CASE-LAR-13220-1] c 34 N86-12547
Low noise lead screw positioner
[NASA-CASE-NPO-15617-1] c 35 N87-21304
GAS GENERATORS
Specialized halogen generator for purification of water Patent
[NASA-CASE-XLA-08913] c 14 N71-28933
Quick disconnect coupling
[NASA-CASE-NPO-11202] c 15 N72-25450
Electrolytic gas operated actuator
[NASA-CASE-NPO-11369] c 15 N73-13467
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c 31 N73-13898
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c 37 N76-16446
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c 44 N76-18642
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c 44 N76-29700
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c 44 N76-29704
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c 44 N77-10636
GAS GUNS
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c 25 N70-41628
GAS HEATING
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c 35 N74-15126
GAS INJECTION
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c 27 N71-21819
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c 35 N74-15127
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c 35 N75-26334
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c 43 N78-14452
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c 07 N78-25089
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c 45 N80-14579
Solid sorbent air sampler
[NASA-CASE-MSC-20653-1] c 35 N86-26595
GAS IONIZATION
Electrostatic plasma modulator for space vehicle re-entry communication Patent
[NASA-CASE-XLA-01400] c 07 N70-41331
A multichannel photoionization chamber for absorption analysis Patent
[NASA-CASE-ERC-10044-1] c 14 N71-27090
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c 35 N76-18403
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c 36 N78-17366
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c 36 N78-27402
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c 72 N80-33186
GAS JETS
Apparatus and method to keep the walls of a free-space reactor free from deposits of solid materials
[NASA-CASE-NPO-15851-1] c 37 N85-21652
GAS LASERS
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c 16 N71-18614
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c 36 N75-32441
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c 36 N76-18428
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c 36 N78-17366
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c 36 N78-27402
Solar pumped laser
[NASA-CASE-LAR-12870-1] c 36 N84-16542
Spectrophone stabilized laser with line center offset frequency control
[NASA-CASE-NPO-15516-1] c 36 N84-22943
Long gain length solar pumped box laser
[NASA-CASE-LAR-13256-1] c 36 N86-29204
GAS LUBRICANTS
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c 18 N70-39897
Thrust bearing
[NASA-CASE-LEW-11949-1] c 37 N76-29588
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c 37 N79-10418
Dual clearance squeeze film damper
[NASA-CASE-LEW-13506-1] c 37 N85-33490
GAS MASERS
Solid state chemical source for ammonia beam maser Patent
[NASA-CASE-XGS-01504] c 16 N70-41578
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c 16 N73-13489
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c 36 N75-15029
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c 35 N76-15436
GAS MIXTURES
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c 14 N71-10774
Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c 14 N71-20741
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c 18 N71-20742
Analysis of hydrogen-deuterium mixtures
[NASA-CASE-NPO-11322] c 06 N72-25146
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c 44 N76-29700
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c 44 N77-10636
Chemical vapor deposition reactor --- providing uniform film thickness
[NASA-CASE-NPO-13650-1] c 25 N79-28253
GAS PIPES
Fluid flow restrictor Patent
[NASA-CASE-NPO-10117] c 15 N71-15608
Trailer shield assembly for a welding torch
[NASA-CASE-MFS-29260-1] c 37 N88-24972
GAS PRESSURE
Measuring device Patent
[NASA-CASE-XMS-01546] c 14 N70-40233
Dynamic sensor Patent
[NASA-CASE-XAC-02877] c 14 N70-41681
Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c 14 N72-22438
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c 35 N75-33368
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c 33 N77-21316
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c 20 N80-18097
Method and apparatus for producing gas-filled hollow spheres --- target pellets for inertial confinement fusion
[NASA-CASE-NPO-14596-3] c 31 N83-31896
GAS STREAMS
Method for measuring the characteristics of a gas Patent
[NASA-CASE-XLA-03375] c 16 N71-24074
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c 35 N74-32878
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c 07 N78-18067
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c 45 N79-12584
Gas levitator having fixed levitation node for containerless processing
[NASA-CASE-MFS-25509-1] c 35 N83-24828
GAS TEMPERATURE
Method for measuring the characteristics of a gas Patent
[NASA-CASE-XLA-03375] c 16 N71-24074
GAS TRANSPORT
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c 31 N78-17238
GAS TUBES
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c 37 N79-28550
GAS TURBINE ENGINES
Gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c 28 N73-19793
Swirl can primary combustor
[NASA-CASE-LEW-11326-1] c 23 N73-30665
Controlled separation combustor --- airflow distribution in gas turbine engines
[NASA-CASE-LEW-11593-1] c 20 N76-14190
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c 27 N76-16229
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c 07 N77-14025
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c 07 N77-23106
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c 07 N77-27116
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c 26 N77-32280
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c 37 N77-32501
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c 37 N78-10467
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c 37 N78-17384
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c 07 N78-18066
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c 07 N78-18067
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c 37 N78-24545
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c 07 N78-25089
Independent power generator
[NASA-CASE-LAR-11208-1] c 44 N78-32539
Redundant disc
[NASA-CASE-LEW-12496-1] c 07 N78-33101
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c 07 N79-14096
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c 07 N79-14097
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c 37 N81-14318
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c 07 N81-14999

GAS TURBINES

Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c 07 N81-19115
Active clearance control system for a turbomachine
[NASA-CASE-LEW-12938-1] c 07 N82-32366
Control means for a gas turbine engine
[NASA-CASE-LEW-14586-1] c 07 N83-31603
Silicon-slurry/aluminide coating --- protecting gas turbine engine vanes and blades
[NASA-CASE-LEW-13343] c 26 N83-31795
Apparatus for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-1] c 07 N83-36029
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577
Air modulation apparatus
[NASA-CASE-LEW-13524-1] c 07 N84-33410
Dual clearance squeeze film damper
[NASA-CASE-LEW-13506-1] c 37 N85-33490
Compliant hydrodynamic fluid journal bearing
[NASA-CASE-LEW-13670-1] c 37 N86-19606
Method for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-2] c 07 N86-20389
Thermal stress minimized, two component, turbine shroud seal
[NASA-CASE-LEW-14212-1] c 37 N88-23978

GAS TURBINES

Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c 28 N71-28915
Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c 07 N74-15453
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c 07 N78-17056
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c 07 N78-25090
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c 34 N78-27357
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c 07 N79-10057
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c 34 N79-20335
Corrosion resistant thermal barrier coating --- protecting gas turbines and other engine parts
[NASA-CASE-LEW-13088-1] c 26 N81-25188

GAS VALVES

High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c 15 N70-34817
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c 15 N70-35087
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c 15 N70-35407
Transfer valve Patent
[NASA-CASE-XAC-01158] c 15 N71-23051
Slow opening valve --- valve design for shuttle portable oxygen system
[NASA-CASE-MSC-20112-1] c 37 N85-20338

GAS WELDING

Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XMF-02039] c 15 N71-15871
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c 37 N75-19683

GAS-LIQUID INTERACTIONS

Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c 34 N75-26282

GAS-METAL INTERACTIONS

Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c 26 N81-16209
Refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c 26 N82-29415

GASDYNAMIC LASERS

Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c 36 N75-31426

GASEOUS DIFFUSION

Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c 05 N71-23080
Gas core nuclear reactor Patent
[NASA-CASE-LEW-10250-1] c 22 N71-28759
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c 52 N79-14749

GASEOUS FISSION REACTORS

Gas core nuclear reactor Patent
[NASA-CASE-LEW-10250-1] c 22 N71-28759

GASEOUS ROCKET PROPELLANTS

Ion rocket Patent
[NASA-CASE-XLE-00376] c 28 N70-37245
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c 28 N71-22983

GASES

Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c 15 N71-27372
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c 11 N73-12265
Combustion detector
[NASA-CASE-LAR-10739-1] c 14 N73-16484
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c 35 N78-12390
Water separator
[NASA-CASE-XMS-01295-1] c 37 N79-21345

GASIFICATION

Mixed polyvalent-monovalent metal coating for carbon-graphite fibers
[NASA-CASE-NPO-14987-1] c 24 N83-33950

GASKETS

Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c 15 N70-41629
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c 37 N74-18126
Process for preparing perfluorotriazine elastomers and precursors thereof
[NASA-CASE-ARC-11402-1] c 27 N84-22744

GATES (CIRCUITS)

Flux sensing device using a tubular core with toroidal gating coil and solenoidal output coil wound thereon Patent
[NASA-CASE-XGS-01881] c 09 N70-40123
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c 09 N71-12514
Logic AND gate for fluid circuits Patent
[NASA-CASE-XLA-07391] c 12 N71-17579
Synchronous counter Patent
[NASA-CASE-XGS-02440] c 08 N71-19432
Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c 09 N71-23316
Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c 60 N78-10709
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c 33 N78-17295
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c 33 N81-20352
Combinational logic for generating gate drive signals for phase control rectifiers
[NASA-CASE-MFS-25208-1] c 33 N83-10345
Pulsed phase locked loop strain monitor --- voltage controlled oscillators
[NASA-CASE-LAR-12772-1] c 33 N83-16626
FET charge sensor and voltage probe
[NASA-CASE-NPO-16045-1] c 76 N87-13313

GATES (OPENINGS)

Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c 14 N71-28935

GAW-1 AIRFOIL

Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c 02 N76-22154

GEAR TEETH

Wabble gear drive mechanism --- for aerospace environments
[NASA-CASE-WOO-00625] c 37 N78-17385
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c 37 N80-32717

GEARS

Precision stepping drive Patent
[NASA-CASE-MFS-14772] c 15 N71-17692
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c 15 N71-21744
Self-lubricating gears and other mechanical parts Patent
[NASA-CASE-MFS-14971] c 15 N71-24984
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c 37 N74-27901
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c 37 N79-20377
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c 37 N81-14318
Clutchless multiple drive source for output shaft
[NASA-CASE-ARC-11325-1] c 37 N82-22496
Directional gear ratio transmissions
[NASA-CASE-LAR-12644-1] c 37 N84-28084
Linear force device
[NASA-CASE-MSC-20549-2] c 35 N88-24927

GELATION

Method of controlling a resin curing process --- for fiber reinforced composites
[NASA-CASE-MSC-21169-1] c 27 N87-25473

GELLED ROCKET PROPELLANTS

Process of forming particles in a cryogenic path Patent
[NASA-CASE-NPO-10250] c 23 N71-16212

GELS

Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c 15 N71-15906
Cellular thermosetting fluoropolymers and process for making them
[NASA-CASE-GSC-13008-1] c 27 N88-23894
Method of dispensing reagent chemicals in space
[NASA-CASE-LAR-13607-1-CU] c 29 N88-29048

GENERAL AVIATION AIRCRAFT

Explosively activated egress area
[NASA-CASE-LAR-12624-1] c 01 N83-35992

GENERATORS

Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c 34 N74-27730
Continuous laminar smoke generator
[NASA-CASE-LAR-13014-1] c 09 N85-21178
A digitally controlled system for effecting and presenting a selected electrical resistance
[NASA-CASE-MFS-29149-1] c 33 N87-29737

GEODESY

Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-2] c 36 N83-29681

GEODETIC SURVEYS

Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-1] c 36 N81-22344

GEODIMETERS

Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-1] c 36 N81-22344

GEOLOGICAL SURVEYS

Borehole geological assessment
[NASA-CASE-NPO-14231-1] c 46 N80-10709
Geological assessment probe
[NASA-CASE-NPO-14558-1] c 46 N80-24906

GEOMETRY

Space station architecture, module, berthing hub, shell assembly, berthing mechanism and utility connection channel
[NASA-CASE-ARC-11505-1] c 18 N84-22612
Ice detector
[NASA-CASE-LAR-13776-1] c 35 N88-29149

GERMANIUM

Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c 33 N78-13320

GERMANIUM ALLOYS

Improved properties of SiGe/GaP alloys
[NASA-CASE-NPO-17259-1-CU] c 76 N88-25358

GIMBALS

Gimbaled, partially submerged rocket nozzle Patent
[NASA-CASE-XMF-01544] c 28 N70-34162
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c 21 N71-23289
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c 15 N71-24694
Hermetic sealed vibration damper Patent
[NASA-CASE-MSC-10959] c 15 N71-26243
Bearing and gimbal lock mechanism and spiral flex lead module Patent
[NASA-CASE-GSC-10556-1] c 31 N71-26537
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c 04 N76-26175
Autonomous navigation system --- gyroscopic pendulum for air navigation
[NASA-CASE-ARC-11257-1] c 04 N81-21047
Aircraft body-axis rotation measurement system
[NASA-CASE-FRC-11043-1] c 06 N83-33882

GLANDS (SEALS)

Spiral groove seal
[NASA-CASE-XLE-10326-2] c 15 N72-29485
Circumferential shaft seal
[NASA-CASE-LEW-12119-2] c 37 N81-26447

GLASS

Method for producing a solar cell having an integra protective covering
[NASA-CASE-XGS-04531] c 03 N69-2426
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c 12 N69-3998
Silicon solar cell with cover glass bonded to cell by meta pattern Patent
[NASA-CASE-XLE-08569] c 03 N71-2344
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c 03 N72-2501
Glass-to-metal seals comprising relatively hig expansion metals
[NASA-CASE-LEW-10698-1] c 37 N74-2106

Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c 44 N76-14600
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c 74 N77-10899
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c 37 N77-23482
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c 27 N78-32260
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c 27 N82-28442
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c 31 N83-27058
Acoustic bubble removal method
[NASA-CASE-NPO-15334-1] c 71 N83-35781
Glass heating panels and method for preparing the same from architectural reflective glass
[NASA-CASE-NPO-15753-1] c 27 N84-33589

GLASS COATINGS
Method of attaching a cover glass to a silicon solar cell Patent
[NASA-CASE-XLE-08569-2] c 03 N71-24681
Process for glass coating an ion accelerator grid Patent
[NASA-CASE-LEW-10278-1] c 15 N71-28582
Method of coating solar cell with borosilicate glass and resultant product
[NASA-CASE-GSC-11514-1] c 03 N72-24037
Transmitting and reflecting diffuser --- using ultraviolet grade fused silica coatings
[NASA-CASE-LAR-10385-3] c 74 N78-15879
Method for repair of thin glass coatings --- on space shuttle orbiter tiles
[NASA-CASE-KSC-11097-1] c 27 N82-33520
High temperature glass thermal control structure and coating --- for application to spacecraft reusable heat shielding
[NASA-CASE-ARC-11164-1] c 44 N83-34448

GLASS ELECTRODES
Liquid junction and method of fabricating the same Patent Application
[NASA-CASE-NPO-10682] c 15 N70-34699
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c 52 N79-27836

GLASS FIBER REINFORCED PLASTICS
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c 24 N79-16915
Method of manufacture of bonded fiber flywheel --- fiberglass-epoxy
[NASA-CASE-MFS-23674-1] c 24 N81-29163

GLASS FIBERS
Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c 03 N71-11053
Lathe tool bit and holder for machining fiberglass materials
[NASA-CASE-XLA-10470] c 15 N72-21489
Polyimide resin-fiberglass cloth laminates for printed circuit boards
[NASA-CASE-MFS-20408] c 18 N73-12604
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c 24 N74-30001
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c 27 N76-15310
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c 37 N76-24575
Glass compositions with a high modulus of elasticity --- nontoxic glass fibers
[NASA-CASE-HQN-10274-1] c 27 N82-29451
High modulus invert analog glass compositions containing beryllia
[NASA-CASE-HQN-10931-2] c 27 N82-29452
Method and technique for installing light-weight, fragile, high-temperature fiber insulation
[NASA-CASE-MSC-16934-3] c 24 N84-16262
Containerless high purity pulling process and apparatus for glass fiber
[NASA-CASE-MFS-25905-2] c 31 N86-21718
Quasi-containerless glass formation method and apparatus
[NASA-CASE-MFS-28090-1] c 27 N87-21111

GLASSWARE
Laboratory glassware rack for seismic safety
[NASA-CASE-ARC-11422-1] c 35 N86-20751

GLAUCOMA
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c 52 N80-14684

GLIDE PATHS
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c 05 N75-12930

GLOBAL POSITIONING SYSTEM
Navigation system and method
[NASA-CASE-GSC-12508-1] c 04 N84-22546
High dynamic global positioning system receiver
[NASA-CASE-NPO-16171-1CU] c 04 N86-27270

GLOBES
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c 19 N74-21015

GLOVES
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c 05 N71-23080
Restraining mechanism
[NASA-CASE-MSC-13054] c 54 N78-17677
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-2] c 54 N84-23113
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-1] c 54 N84-28484

GLOW DISCHARGES
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c 27 N74-13270
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c 27 N78-31233
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c 33 N79-15245
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c 28 N82-18401

GLUCOSE
Use of the enzyme hexokinase for the reduction of inherent light levels
[NASA-CASE-XGS-05533] c 04 N69-27487

GLYCOLS
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043

GOLD COATINGS
Thin window, drifted silicon, charged particle detector
[NASA-CASE-XLE-10529] c 14 N69-23191
Chromium electrodes for REDOX cells
[NASA-CASE-LEW-13653-1] c 44 N84-28205

GONDOLAS
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c 02 N73-13008

GRANULAR MATERIALS
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNP-09770] c 15 N71-20440
Carbon granule probe microphone for leak detection --- recovery boilers
[NASA-CASE-NPO-16027-1] c 35 N85-21597

GRAPHITE
Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c 15 N69-39735
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c 24 N75-28135
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c 27 N78-17215
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c 28 N81-14103
Mixed polyvalent-monovalent metal coating for carbon-graphite fibers
[NASA-CASE-NPO-14987-1] c 24 N83-33950
Multistage spent particle collector and a method for making same
[NASA-CASE-LEW-13914-1] c 37 N85-33489
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267
Light weight fire resistant graphite composites
[US-PATENT-4,598,007] c 24 N86-28131

GRAPHITE-EPOXY COMPOSITES
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c 24 N81-14000
Method and device for detection of a substance --- determining carbon fiber release in fire situations
[NASA-CASE-NPO-14940-1] c 33 N83-31954
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613
Method for machining holes in composite materials
[NASA-CASE-MFS-28044-1] c 31 N87-25491

GRAPHITIZATION
Brominated graphite fibers and method of producing the same
[NASA-CASE-LEW-14698-1] c 24 N88-29888

GRATINGS (SPECTRA)
Concave grating spectrometer Patent
[NASA-CASE-XGS-01036] c 14 N70-40003
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c 74 N80-21140
Solar energy converter using surface plasma waves
[NASA-CASE-LEW-13827-1] c 44 N85-21768

GRAVIMETERS
Gravimeter Patent
[NASA-CASE-XMF-05844] c 14 N71-17587

GRAVITATION
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c 16 N73-33397
Anti-gravity device
[NASA-CASE-MFS-22758-1] c 70 N75-26789

GRAVITATIONAL CONSTANT
Gravity device Patent
[NASA-CASE-XMF-00424] c 11 N70-38196

GRAVITATIONAL EFFECTS
Locomotion and restraint aid Patent
[NASA-CASE-ARC-10153] c 05 N71-28619
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c 51 N75-25503
Method and apparatus for simulating gravitational forces on a living organism
[NASA-CASE-MSC-20202-1] c 54 N84-16803
Load positioning system with gravity compensation
[NASA-CASE-ARC-11525-1] c 37 N86-27629

GRAVITATIONAL FIELDS
Difference circuit Patent
[NASA-CASE-XNP-08274] c 10 N71-13537
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c 25 N81-19242

GRAVITY GRADIENT SATELLITES
Stabilization of gravity oriented satellites Patent
[NASA-CASE-XAC-01591] c 31 N71-17729
Station keeping of a gravity gradient stabilized satellite Patent
[NASA-CASE-XLA-03132] c 31 N71-22969

GRAVITY GRADIOMETERS
Gravity device Patent
[NASA-CASE-XMF-00424] c 11 N70-38196
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c 21 N71-27324

GRAZING INCIDENCE
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c 74 N80-21140
Multispectral glancing incidence X-ray telescope
[NASA-CASE-MFS-28013-1] c 89 N86-22459

GRAZING INCIDENCE TELESCOPES
Multispectral glancing incidence X-ray telescope
[NASA-CASE-MFS-28013-1] c 89 N86-22459

GRIDS
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c 20 N75-18310
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c 37 N76-14461
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c 20 N76-21276
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c 44 N76-31666

GRINDING (MATERIAL REMOVAL)
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c 16 N71-20400
Method for producing dispersion strengthened alloys by converting metal to a halide, comminuting, reducing the metal halide to the metal and sintering
[NASA-CASE-LEW-10450-1] c 15 N72-25448
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c 74 N80-24149

GRINDING MACHINES
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c 37 N74-27905

GROOVES
Energy absorbing device Patent
[NASA-CASE-XMF-10040] c 15 N71-22877
Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c 37 N74-10474
Spiral groove seal --- for rotating shaft
[NASA-CASE-XLE-10326-4] c 37 N74-15125
Monogroove heat pipe design: Insulated liquid channel with bridging wick
[NASA-CASE-MSC-20497-1] c 34 N85-29180

GROUND EFFECT (COMMUNICATIONS)
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390

GROUND EFFECT MACHINES
Gravity stabilized flying vehicle Patent
[NASA-CASE-MSC-12111-1] c 02 N71-11039
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c 31 N71-15689
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c 85 N74-34672

GROUND HANDLING
Supporting and protecting device Patent
[NASA-CASE-XMF-00580] c 11 N70-35383
GROUND STATIONS
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c 02 N71-19287
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c 07 N72-21118
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c 32 N78-15323
GROUND SUPPORT EQUIPMENT
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c 07 N71-12391
Controlled release device Patent
[NASA-CASE-XKS-03338] c 15 N71-24043
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c 35 N79-18296
GROUND-AIR-GROUND COMMUNICATION
Retrodirective optical system
[NASA-CASE-XGS-04480] c 16 N69-27491
Closed loop ranging system Patent
[NASA-CASE-XNP-01501] c 21 N70-41930
Location identification system
[NASA-CASE-ERC-10324] c 07 N72-25173
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c 32 N80-20448
GROUT
Antenna grout replacement system
[NASA-CASE-NPO-15202-1] c 27 N83-34043
GUARDS (SHIELDS)
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c 31 N81-19343
Trailer shield assembly for a welding torch
[NASA-CASE-MFS-29260-1] c 37 N88-24972
GUIDANCE (MOTION)
Gravity stabilized flying vehicle Patent
[NASA-CASE-MSC-12111-1] c 02 N71-11039
Adjustable attitude guide device Patent
[NASA-CASE-XLA-07911] c 15 N71-15571
Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c 14 N71-28935
Two component bearing Patent
[NASA-CASE-XLA-00013] c 15 N71-29136
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c 15 N72-25453
Thumb-actuated two-axis controller
[NASA-CASE-ARC-11372-1] c 08 N86-27288
GUIDANCE SENSORS
Light sensitive digital aspect sensor Patent
[NASA-CASE-XGS-00359] c 14 N70-34158
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c 14 N71-15621
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c 15 N71-26673
Light sensor
[NASA-CASE-NPO-11311] c 14 N72-25414
Sun direction detection system
[NASA-CASE-NPO-13722-1] c 74 N77-22951
Sun sensing guidance system for high altitude aircraft
[NASA-CASE-FRC-11052-1] c 04 N82-23231
Phase sensitive guidance sensor for wire-following vehicles
[NASA-CASE-NPO-15341-1] c 35 N84-33769
GUN LAUNCHERS
Self-obturating, gas operated launcher
[NASA-CASE-NPO-11013] c 11 N72-22247
GUN PROPELLANTS
Nitramine propellants --- gun propellant burning rate
[NASA-CASE-NPO-14103-1] c 28 N78-31255
Hypervelocity gun --- using both electric and chemical energy for projectile propulsion
[NASA-CASE-XLE-03186-1] c 09 N79-21084
GUNN EFFECT
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c 09 N71-18721
Shielded cathode mode bulk effect devices
[NASA-CASE-ERC-10119] c 26 N72-21701
Gunn-type solid state devices
[NASA-CASE-XER-07895] c 26 N72-25679
Magnetically actuated tuning method for Gunn oscillators
[NASA-CASE-NPO-12106] c 09 N73-15235
GUNS
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c 37 N76-18454
GYNECOLOGY
Cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c 52 N82-22875
GYRATORS
Gyrator type circuit Patent
[NASA-CASE-XAC-10608-1] c 09 N71-12517
Gyrator employing field effect transistors
[NASA-CASE-MFS-21433] c 09 N73-20232
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c 33 N74-34638
Integrable power gyrator --- with Z-matrix design using parallel transistors
[NASA-CASE-MFS-22342-1] c 33 N75-30428
GYROSCOPES
Externally pressurized fluid bearing Patent
[NASA-CASE-XMF-00515] c 15 N70-34664
Air bearing Patent
[NASA-CASE-XMF-00339] c 15 N70-39896
Spacecraft experiment pointing and attitude control system Patent
[NASA-CASE-XLA-05464] c 21 N71-14132
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c 35 N74-15094
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c 35 N77-20399
GYROSCOPIC PENDULUMS
Autonomous navigation system --- gyroscopic pendulum for air navigation
[NASA-CASE-ARC-11257-1] c 04 N81-21047
GYROSTABILIZERS
Passive dual spin misalignment compensators --- gyrostabilized device
[NASA-CASE-GSC-11479-1] c 35 N74-28097
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c 15 N76-14158
Aircraft body-axis rotation measurement system
[NASA-CASE-FRC-11043-1] c 06 N83-33882

H

HAFNIUM
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c 18 N73-14584
HALIDES
Method for producing dispersion strengthened alloys by converting metal to a halide, comminuting, reducing the metal halide to the metal and sintering
[NASA-CASE-LEW-10450-1] c 15 N72-25448
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c 44 N76-18643
HALL EFFECT
Hall current measuring apparatus having a series resistor for temperature compensation Patent
[NASA-CASE-XAC-01662] c 14 N71-23037
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c 09 N71-24904
Hall effect transducer
[NASA-CASE-LAR-10620-1] c 09 N72-25255
Redundant speed control for brushless Hall effect motor
[NASA-CASE-MFS-20207-1] c 09 N73-32107
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c 35 N75-13213
Magnetic field control --- electromechanical torquing device
[NASA-CASE-MFS-23828-1] c 33 N82-26569
HALL GENERATORS
Hall current measuring apparatus having a series resistor for temperature compensation Patent
[NASA-CASE-XAC-01662] c 14 N71-23037
HALOGENS
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c 06 N71-24739
HAMMERS
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c 15 N72-20446
HAND (ANATOMY)
Mechanically actuated triggered hand
[NASA-CASE-MFS-20413] c 15 N72-21463
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c 52 N76-19785
Compact artificial hand
[NASA-CASE-NPO-13906-1] c 54 N79-24652
HANDLING EQUIPMENT
Supporting and protecting device Patent
[NASA-CASE-XMF-00580] c 11 N70-35383
Device for handling printed circuit cards Patent
[NASA-CASE-MFS-20453] c 15 N71-29133
HARDENING (MATERIALS)
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c 26 N75-29236
HARDNESS
Deposition of diamondlike carbon films
[NASA-CASE-LEW-14080-1] c 31 N85-20153
HARMONIC GENERATORS
Wide band doubler and sine wave quadrature generator
[NASA-CASE-NPO-11133] c 10 N72-20223
HARNESSES
Pressure suit tie-down mechanism Patent
[NASA-CASE-XMS-00784] c 05 N71-12335
One hand backpack harness
[NASA-CASE-LAR-10102-1] c 05 N72-23085
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c 05 N75-25915
HATCHES
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c 05 N71-12345
Hatch cover
[NASA-CASE-MSC-21356-1] c 18 N88-24671
HEAD-UP DISPLAYS
Heads up display
[NASA-CASE-LAR-12630-1] c 06 N84-27733
HEART FUNCTION
Ratemeter
[NASA-CASE-MFS-20418] c 14 N73-24473
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c 52 N74-20726
HEART RATE
Digital cardiotachometer system Patent
[NASA-CASE-XMS-02399] c 05 N71-22896
Ratemeter
[NASA-CASE-MFS-20418] c 14 N73-24473
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c 52 N74-12778
Pulse transducer with artifact signal attenuator --- heart rate sensors
[NASA-CASE-FRC-11012-1] c 52 N80-23969
HEAT
Thermionic converter with current augmented by self induced magnetic field Patent
[NASA-CASE-XLE-01903] c 22 N71-23599
HEAT EXCHANGERS
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c 28 N70-33356
Space suit heat exchanger Patent
[NASA-CASE-XMS-09571] c 05 N71-19439
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c 23 N71-24725
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c 33 N72-20915
Helium refrigerator and method for decontaminating the refrigerator
[NASA-CASE-NPO-10634] c 23 N72-25619
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c 77 N75-20139
Heat exchanger system and method
[NASA-CASE-LAR-10799-2] c 34 N76-17317
Heat transfer device
[NASA-CASE-MFS-22938-1] c 34 N76-18374
Heat exchanger
[NASA-CASE-MFS-22991-1] c 34 N77-10463
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c 34 N77-32413
Combuster --- low nitrogen oxide formation
[NASA-CASE-NPO-13958-1] c 25 N79-11151
Fuel delivery system including heat exchanger means
[NASA-CASE-LEW-12793-1] c 37 N79-11403
Heat exchanger --- rocket combustion chambers and cooling systems
[NASA-CASE-LEW-12252-1] c 34 N79-13288
Heat exchanger and method of making --- bonding rocket chambers with a porous metal matrix
[NASA-CASE-LEW-12441-1] c 34 N79-13289
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c 44 N79-18443
Portable breathing system --- a breathing apparatus using a rebreathing system of heat exchangers for carbon dioxide removal
[NASA-CASE-MSC-16182-1] c 54 N80-10799
Heat exchanger and method of making --- rocket lining
[NASA-CASE-LEW-12441-2] c 34 N80-24573
Heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c 44 N81-24519
Cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c 31 N83-31897
Reciprocating magnetic refrigerator employing tandem porous matrices within a reciprocating displacer
[NASA-CASE-NPO-16257-1] c 31 N85-29082
Heat exchanger for electrothermal devices
[NASA-CASE-LEW-14037-1] c 20 N87-16875
Monogroove cold plate
[NASA-CASE-MSC-20946-1] c 34 N87-28867
High effectiveness contour matching contact heat exchanger
[NASA-CASE-MSC-20840-1] c 34 N88-29137
HEAT FLUX
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c 14 N69-27457
Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c 33 N71-23087

Radial heat flux transformer
[NASA-CASE-NPO-10828] c 33 N72-17948

HEAT MEASUREMENT
Thermal detector of electromagnetic energy by means of a vibrating electrode Patent
[NASA-CASE-XAC-10768] c 09 N71-18830
Specific wavelength colorimeter --- for measuring given solute concentration in test sample
[NASA-CASE-MSC-14081-1] c 35 N74-27860
Method and device for determining heats of combustion of gaseous hydrocarbons
[NASA-CASE-LAR-13528-1] c 25 N88-29002

HEAT OF COMBUSTION
Method and device for determining heats of combustion of gaseous hydrocarbons
[NASA-CASE-LAR-13528-1] c 25 N88-29002

HEAT OF VAPORIZATION
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-1] c 34 N87-22950

HEAT PIPES
Heat pipe thermionic diode power system Patent
[NASA-CASE-XMF-05843] c 03 N71-11055
Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c 09 N71-13486
Isothermal cover with thermal reservoirs Patent
[NASA-CASE-MFS-20355] c 33 N71-25353
Structural heat pipe --- for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c 34 N75-12222
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c 34 N76-27515
Production of I-123
[NASA-CASE-LEW-11390-3] c 25 N76-29379
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c 34 N78-17336
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c 34 N78-17337
Thermal control canister
[NASA-CASE-GSC-12253-1] c 34 N79-31523
High thermal power density heat transfer --- thermionic converters
[NASA-CASE-LEW-12950-1] c 34 N82-11399
Heat pipes containing alkali metal working fluid
[NASA-CASE-LEW-12253-1] c 74 N83-19596
Heat pipe thermal switch
[NASA-CASE-GSC-12812-1] c 34 N83-35307
Thermal control system --- removing waste heat from industrial process spacecraft
[NASA-CASE-GSC-12771-1] c 34 N84-14461
Heat pipe cooled probe
[NASA-CASE-LAR-12588-1] c 34 N85-21568
High thermal power density heat transfer apparatus providing electrical isolation at high temperature using heat pipes
[NASA-CASE-LEW-12950-2] c 34 N85-29179
Multi-leg heat pipe evaporator
[NASA-CASE-MSC-20812-1] c 34 N86-27593
Monogroove cold plate
[NASA-CASE-MSC-20946-1] c 34 N87-28867
Space vehicle thermal rejection system
[NASA-CASE-LAR-13738-1] c 18 N87-29586
Polymeric heat pipe wick
[NASA-CASE-GSC-13019-1] c 34 N88-29133

HEAT PUMPS
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c 33 N71-17610
Manually actuated heat pump
[NASA-CASE-NPO-10677] c 05 N72-11084
Pump for delivering heated fluids
[NASA-CASE-NPO-11417] c 15 N73-24513
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c 34 N78-17335
Cooling system for high speed aircraft
[NASA-CASE-LAR-12406-1] c 05 N81-26114
Magnetic heat pumping
[NASA-CASE-LEW-12508-3] c 34 N83-29625

HEAT RADIATORS
Capillary radiator Patent
[NASA-CASE-XLE-03307] c 33 N71-14035
Radiator deployment actuator Patent
[NASA-CASE-MSC-11817-1] c 15 N71-26611
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c 14 N71-30026
Space vehicle thermal rejection system
[NASA-CASE-LAR-13738-1] c 18 N87-29586

HEAT RESISTANT ALLOYS
High temperature nickel-base alloy Patent
[NASA-CASE-XLE-00151] c 17 N70-33283
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c 17 N70-36616
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c 17 N71-16025
Brazing alloy Patent
[NASA-CASE-XNP-03063] c 17 N71-23365
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c 15 N73-13465
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c 37 N74-11301
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c 37 N74-13179
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c 27 N75-27160
Cermet composition and method of fabrication --- heat resistant alloys and powders
[NASA-CASE-NPO-13120-1] c 27 N76-15311
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c 35 N77-20400
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c 24 N77-27187
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c 26 N77-32279
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c 26 N77-32280
Directionally solidified eutectic gamma-gamma nickel-base superalloys
[NASA-CASE-LEW-12905-1] c 26 N78-18183
Coating with overlay metallic-cermet alloy systems
[NASA-CASE-LEW-13639-2] c 26 N84-27855
Heat treatment for superalloy
[NASA-CASE-LEW-14262-1] c 26 N87-28647
Elevated temperature aluminum alloys
[NASA-CASE-LAR-13632-1] c 26 N87-29650

HEAT SHIELDING
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c 14 N69-27459
Heat shield oven
[NASA-CASE-XMS-04318] c 15 N69-27871
Heat shield Patent
[NASA-CASE-XMS-00486] c 33 N70-33344
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c 33 N70-37979
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c 31 N70-41631
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XMS-02677] c 31 N70-42075
Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c 06 N71-11242
Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c 06 N71-11243
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c 18 N71-16124
Thermal radiation shielding Patent
[NASA-CASE-XLE-03432] c 33 N71-24145
Spacecraft Patent
[NASA-CASE-MSC-13047-1] c 31 N71-25434
Fabric for micrometeoroid protection garment Patent
[NASA-CASE-MSC-12109] c 18 N71-26285
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c 27 N79-12221
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c 24 N79-25142
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c 37 N81-14317
Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c 37 N81-15363
Multiwall thermal protection system
[NASA-CASE-LAR-12620-1] c 24 N82-32417
High temperature silicon carbide impregnated insulating fabrics
[NASA-CASE-MSC-18832-1] c 27 N83-18908
Mechanical fastener
[NASA-CASE-LAR-12738-2] c 37 N85-30335

HEAT SINKS
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c 09 N70-41717
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c 33 N71-29051
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c 34 N77-19353
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c 36 N77-25502
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c 15 N78-32168
Electroexplosive device
[NASA-CASE-NPO-13858-1] c 28 N79-11231
Thermal control canister
[NASA-CASE-GSC-12253-1] c 34 N79-31523
Heat pipe thermal switch
[NASA-CASE-GSC-12812-1] c 34 N83-35307

HEAT SOURCES
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c 14 N71-26475
Thermally cascaded thermoelectric generator
[NASA-CASE-NPO-10753] c 03 N72-26031
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c 73 N75-30876
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c 25 N79-10163
Low gravity exothermic heating/cooling apparatus
[NASA-CASE-MSC-25707-1] c 35 N85-29214
High temperature electric arc furnace
[NASA-CASE-MFS-28281-1] c 09 N88-28938

HEAT STORAGE
Solar energy trap
[NASA-CASE-MFS-22744-1] c 44 N76-24696
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c 44 N76-31667
Saltless solar pond
[NASA-CASE-NPO-15808-1] c 44 N84-34792
Stable density stratification solar pond
[NASA-CASE-NPO-15419-2] c 44 N85-30474

HEAT TRANSFER
Thermal switch Patent
[NASA-CASE-XNP-00463] c 33 N70-36847
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c 33 N70-37979
Apparatus for transferring cryogenic liquids Patent
[NASA-CASE-XLE-00345] c 15 N70-38020
Method of improving heat transfer characteristics in a nucleate boiling process Patent
[NASA-CASE-XMS-04268] c 33 N71-16277
Transmission line thermal short Patent
[NASA-CASE-XNP-09775] c 09 N71-20445
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c 14 N71-22989
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c 14 N71-26199
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c 33 N71-29052
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c 14 N71-30026
Manually actuated heat pump
[NASA-CASE-NPO-10677] c 05 N72-11084
High intensity radiant energy pulse source having means for opening shutter when light flux has reached a desired level
[NASA-CASE-ARC-10178-1] c 09 N72-17152
Apparatus for sensing temperature
[NASA-CASE-XLE-05230] c 14 N72-27410
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c 31 N73-30829
Thermal flux transfer system
[NASA-CASE-NPO-12070-1] c 28 N73-32606
Electrostatically controlled heat shutter
[NASA-CASE-NPO-11942-1] c 33 N73-32818
Heat transfer device
[NASA-CASE-NPO-11120-1] c 34 N74-18552
Heat exchanger
[NASA-CASE-MFS-22991-1] c 34 N77-10463
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c 34 N78-17336
Low cost cryostat
[NASA-CASE-NPO-14513-1] c 35 N81-14287
Heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c 44 N81-24519
Thermochemical generation of hydrogen
[NASA-CASE-NPO-15015-1] c 25 N82-28368
Heat pipes containing alkali metal working fluid
[NASA-CASE-LEW-12253-1] c 74 N83-19596
Automatic thermal switch --- spacecraft applications
[NASA-CASE-GSC-12553-1] c 34 N83-28356
Heat pipe thermal switch
[NASA-CASE-GSC-12812-1] c 34 N83-35307
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c 37 N84-22958
High thermal power density heat transfer apparatus providing electrical isolation at high temperature using heat pipes
[NASA-CASE-LEW-12950-2] c 34 N85-29179
Monogroove heat pipe design: Insulated liquid channel with bridging wick
[NASA-CASE-MSC-20497-1] c 34 N85-29180

Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-1] c 34 N87-22950
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-2] c 34 N88-23958
Method and apparatus for growing crystals
[NASA-CASE-MFS-28137-1] c 76 N88-24544

HEAT TRANSMISSION
Heat flow calorimeter --- measures output of Ni-Cd batteries
[NASA-CASE-GSC-11434-1] c 34 N74-27859
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c 73 N75-30876
Heat transparent high intensity high efficiency solar cell
[NASA-CASE-LEW-12892-1] c 44 N83-14692

HEAT TREATMENT
High-speed infrared furnace
[NASA-CASE-XLE-10466] c 17 N69-25147
Heat shield oven
[NASA-CASE-XMS-04318] c 15 N69-27871
Method for molding compounds Patent
[NASA-CASE-XLA-01091] c 15 N71-10672
Method of producing refractory bodies having controlled porosity Patent
[NASA-CASE-LEW-10393-1] c 17 N71-15468
Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c 18 N71-24184
Thermal compression bonding of interconnectors
[NASA-CASE-GSC-10303] c 15 N72-22487
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c 26 N74-10521
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c 37 N74-21055
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c 54 N75-27761
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c 26 N75-29236
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c 45 N76-31714
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c 26 N78-24333
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c 35 N79-33450
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c 26 N80-28492
Active hold-down for heat treating
[NASA-CASE-NPO-16892-1-CU] c 37 N87-14704
Heat treatment for superalloy
[NASA-CASE-LEW-14262-1] c 26 N87-28647
Method of preparing fiber reinforced ceramic material
[NASA-CASE-LEW-14392-1] c 27 N87-28656
Cellular thermosetting fluoropolymers and process for making them
[NASA-CASE-GSC-13008-1] c 27 N88-23894

HEATERS
Inherent redundacy electric heater
[NASA-CASE-MFS-21462-1] c 33 N74-14935

HEATING
System for preconditioning a combustible vapor
[NASA-CASE-NPO-12072] c 28 N72-22772
Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c 37 N74-18128
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c 34 N83-34221
Low gravity exothermic heating/cooling apparatus
[NASA-CASE-MSC-25707-1] c 35 N85-29214
Method for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-2] c 07 N86-20389
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818
Thermocouple for heating and cooling of memory metal actuators
[NASA-CASE-NPO-17068-1-CU] c 35 N88-29151

HEATING EQUIPMENT
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XMF-04237] c 33 N71-16278
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c 09 N71-20816
Radial heat flux transformer
[NASA-CASE-NPO-10828] c 33 N72-17948
Self-cycling fluid heater
[NASA-CASE-MSC-15567-1] c 33 N73-16918
Portable heatable container
[NASA-CASE-NPO-14237-1] c 44 N80-20808
Glass heating panels and method for preparing the same from architectural reflective glass
[NASA-CASE-NPO-15753-1] c 27 N84-33589
Precision manipulator heating and cooling apparatus for use in UHV systems with sample transfer capability
[NASA-CASE-LAR-13040-1] c 37 N85-29286
Active control of boundary layer transition and turbulence
[NASA-CASE-LAR-13532-1] c 34 N86-26575

HEIGHT
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c 36 N83-34304

HELICAL ANTENNAS
Weatherproof helix antenna Patent
[NASA-CASE-XKS-08485] c 07 N71-19493
Collapsible high gain antenna
[NASA-CASE-KSC-10392] c 07 N73-26117

HELICOPTER CONTROL
Helicopter anti-torque system using fuselage strakes
[NASA-CASE-LAR-13630-1] c 08 N88-23809

HELICOPTER DESIGN
Helicopter anti-torque system using fuselage strakes
[NASA-CASE-LAR-13630-1] c 08 N88-23809
Structurally tailorable non-linear snap-through spring system
[NASA-CASE-LAR-13729-1] c 37 N88-24970

HELICOPTER WAKES
Variable geometry rotor system
[NASA-CASE-LAR-10557] c 02 N72-11018

HELICOPTERS
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c 05 N77-17029
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c 35 N78-24515
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c 05 N79-17847
Shapes for rotating airfoils
[NASA-CASE-LAR-12396-1] c 02 N84-28732
Helicopter anti-torque system using strakes
[NASA-CASE-LAR-13233-1] c 05 N84-33400
High lift, low pitching moment airfoils
[NASA-CASE-LAR-13215-1] c 02 N87-14282
Swashplate control system
[NASA-CASE-ARC-11633-1] c 08 N87-23631

HELIOSTATS
Solar tracking system
[NASA-CASE-MFS-23999-1] c 44 N81-24520

HELIUM
Helium refining by superfluidity Patent
[NASA-CASE-XNP-00733] c 06 N70-34946
High pressure helium purifier Patent
[NASA-CASE-XMF-06888] c 15 N71-24044
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c 36 N76-29575
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c 31 N77-10229
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c 31 N79-17029
Reciprocating magnetic refrigerator employing tandem porous matrices within a reciprocating displacer
[NASA-CASE-NPO-16257-1] c 31 N85-29082

HELIUM HYDROGEN ATMOSPHERES
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c 25 N80-20334

HELIUM IONS
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c 36 N78-27402

HELIUM-NEON LASERS
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c 16 N73-16536
Direction sensitive laser velocimeter --- determining the direction of particles using a helium-neon laser
[NASA-CASE-LAR-12177-1] c 36 N81-24422

HELMETS
Helmet assembly and latch means therefor Patent
[NASA-CASE-XMS-04935] c 05 N71-11190
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c 05 N71-11193
Venting device for pressurized space suit helmet Patent
[NASA-CASE-XMS-09652-1] c 05 N71-26333
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c 54 N78-17678
Protective garment ventilation system
[NASA-CASE-XMS-04928] c 54 N78-17679
Helmet feedport
[NASA-CASE-XMS-09653] c 54 N78-17680
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c 54 N78-18761
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c 54 N81-27806

HELMHOLTZ RESONATORS
Acoustic ground impedance meter
[NASA-CASE-LAR-12995-1] c 35 N84-22933

HEMISPHERICAL SHELLS
Anti-glare improvement for optical imaging systems Patent
[NASA-CASE-NPO-10337] c 14 N71-15604

HERMETIC SEALS
Line cutter Patent
[NASA-CASE-XMS-04072] c 15 N70-42017
Hermetically sealed explosive release mechanism Patent
[NASA-CASE-XGS-00824] c 15 N71-16078
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c 15 N71-24164
Method for detecting leaks in hermetically sealed containers Patent
[NASA-CASE-ERC-10045] c 15 N71-24910
Hermetic sealed vibration damper Patent
[NASA-CASE-MSC-10959] c 15 N71-26243
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c 15 N71-26312
Pressure seal Patent
[NASA-CASE-NPO-10796] c 15 N71-27068
Tube sealing device Patent
[NASA-CASE-NPO-10431] c 15 N71-29132
Hermetically sealed elbow actuator
[NASA-CASE-MFS-14710] c 09 N72-22195
Heat transfer device
[NASA-CASE-NPO-11120-1] c 34 N74-18552
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c 35 N77-22450
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c 54 N78-32721
Hermetic seal for a shaft
[NASA-CASE-NPO-15115-1] c 37 N82-24493
Method for forming hermetic seals
[NASA-CASE-NPO-16423-1-CU] c 37 N87-21334
Hermetically sealable package for hybrid solid-state electronic devices and the like
[NASA-CASE-MSC-20181-1] c 33 N88-23941

HEXAGONS
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c 44 N78-27515

HEXAMETHYLENETETRAMINE
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c 24 N81-13999

HEXOKINASE
Use of the enzyme hexokinase for the reduction of inherent light levels
[NASA-CASE-XGS-05533] c 04 N69-27487

HIGH ACCELERATION
Universal pilot restraint suit and body support therefor Patent
[NASA-CASE-XAC-00405] c 05 N70-41819
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c 15 N82-24272

HIGH ALTITUDE
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c 05 N69-21473
Sun sensing guidance system for high altitude aircraft
[NASA-CASE-FRC-11052-1] c 04 N82-23231

HIGH ALTITUDE BALLOONS
Thin film strain transducer
[NASA-CASE-WLP-10055-1] c 35 N84-28015
Thin film strain transducer --- suitable for in-fligh measurement of scientific balloon strain
[NASA-CASE-WLP-10055-2] c 35 N85-21596

HIGH ALTITUDE ENVIRONMENTS
Method of making a solid propellant rocket moto Patent
[NASA-CASE-XLA-04126] c 28 N71-2677

HIGH ASPECT RATIO
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c 02 N70-3328
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c 02 N70-3485
Means for controlling aerodynamically induced twis
[NASA-CASE-LAR-12175-1] c 05 N82-2827

HIGH FREQUENCIES
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c 09 N69-2431
Holder for crystal resonators Patent
[NASA-CASE-XNP-03637] c 15 N71-2131
Multiple varactor frequency doubler Patent
[NASA-CASE-XMF-04958-1] c 10 N71-2641
Filtering technique based on high-frequency pla modeling for high-gain control
[NASA-CASE-LAR-12215-1] c 08 N79-2309
Method of and apparatus for double-exposu holographic interferometry
[NASA-CASE-MFS-25405-1] c 35 N84-229

JFET reflection oscillator
[NASA-CASE-GSC-12555-1] c 33 N86-19515

HIGH GAIN
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c 08 N79-23097

HIGH PASS FILTERS
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c 09 N71-23573

HIGH POLYMERS
Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c 14 N69-27486

HIGH POWER LASERS
Large volume multiple-path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c 36 N82-13415
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c 33 N82-24418
High power metallic halide laser --- amplifying a copper chloride laser
[NASA-CASE-NPO-14782-1] c 36 N82-28616
Solar pumped laser
[NASA-CASE-LAR-12870-1] c 36 N84-16542
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540

HIGH PRESSURE
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c 15 N70-34817
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c 15 N70-36908
High pressure filter Patent
[NASA-CASE-XNP-00732] c 28 N70-41447
Antiflutter ball check valve Patent
[NASA-CASE-XNP-01152] c 15 N70-41811
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c 14 N70-42074
High pressure regulator valve Patent
[NASA-CASE-XNP-00710] c 15 N71-10778
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c 11 N71-15925
High pressure air valve Patent
[NASA-CASE-MSC-11010] c 15 N71-19485
Valve seat with resilient support member Patent
[NASA-CASE-XKS-02582] c 15 N71-21234
High pressure helium purifier Patent
[NASA-CASE-XMF-06888] c 15 N71-24044
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c 12 N72-21310
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c 35 N78-10428
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c 31 N78-17238
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c 37 N79-22475
Surface conforming thermal/pressure seal --- tail assemblies of space shuttle orbiters
[NASA-CASE-MSC-18422-1] c 37 N82-16408
Damping seal for turbomachinery
[NASA-CASE-MFS-25842-2] c 37 N86-20788
High-temperature, high-pressure optical cell
[NASA-CASE-MFS-26000-1] c 74 N87-14971

HIGH RESOLUTION
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c 07 N73-26119
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c 35 N76-31490
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c 72 N80-14877
Interferometer --- high resolution
[NASA-CASE-NPO-14448-1] c 74 N81-29963
High speed multi focal plane optical system
[NASA-CASE-GSC-12683-1] c 74 N83-36898
Correlation spectrometer having high resolution and multiplexing capability
[NASA-CASE-NPO-15558-1] c 35 N84-34705

HIGH SPEED
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c 05 N69-21473
High speed low level electrical stepping switch Patent
[NASA-CASE-XAC-00060] c 09 N70-39915
Impact testing machine Patent
[NASA-CASE-XNP-04817] c 14 N71-23225
Traversing probe Patent
[NASA-CASE-XFR-02007] c 12 N71-24692
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c 15 N72-22490
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c 75 N76-14931
Selective data segment monitoring system --- using shift registers
[NASA-CASE-ARC-10899-1] c 60 N77-19760
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c 37 N79-22475
High speed multi focal plane optical system
[NASA-CASE-GSC-12683-1] c 74 N83-36898
Pressure measuring probe
[NASA-CASE-LAR-13853-1] c 35 N88-23961

HIGH SPEED CAMERAS
Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c 14 N70-40273

HIGH STRENGTH
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c 18 N72-25539
High resistance and raised modulus carbon fibers
[NASA-TM-76884] c 24 N85-25436

HIGH STRENGTH ALLOYS
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c 17 N71-15644
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c 17 N71-20743
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c 18 N71-26153
Nickel bas alloy
[NASA-CASE-LEW-10874-1] c 17 N72-22535
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c 17 N73-32415
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c 26 N80-32484

HIGH STRENGTH STEELS
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c 24 N76-14203
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c 26 N79-22271

HIGH TEMPERATURE
High temperature heat source Patent
[NASA-CASE-XLE-00490] c 33 N70-34545
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c 03 N71-12255
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c 11 N71-15925
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c 18 N71-23088
Induction furnace with perforated tungsten foil shielding Patent
[NASA-CASE-XLE-04026] c 14 N71-23267
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c 15 N71-26312
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c 18 N72-25539
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c 15 N73-13465
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c 33 N76-15373
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c 44 N77-32581
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c 35 N79-14346
High thermal power density heat transfer --- thermionic converters
[NASA-CASE-LEW-12950-1] c 34 N82-11399
Overlay metallic-cermet alloy coating systems
[NASA-CASE-LEW-13639-1] c 26 N84-33555
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-5] c 27 N85-21352
Multistage spent particle collector and a method for making same
[NASA-CASE-LEW-13914-1] c 37 N85-33489
Negative electrode catalyst for the iron chromium redox energy storage system
[NASA-CASE-LEW-14028-1] c 44 N86-19721
High-temperature, high-pressure optical cell
[NASA-CASE-MFS-26000-1] c 74 N87-14971
Method of making a flexible diaphragm
[NASA-CASE-MSC-20797-1] c 37 N87-23981

HIGH TEMPERATURE AIR
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c 12 N73-28144

HIGH TEMPERATURE ENVIRONMENTS
High-speed infrared furnace
[NASA-CASE-XLE-10466] c 17 N69-25147
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c 17 N70-36616
Strain sensor for high temperatures Patent
[NASA-CASE-XNP-09205] c 14 N71-17657
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c 33 N76-21390
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c 31 N76-31365
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c 37 N81-14317
Corrosion resistant thermal barrier coating --- protecting gas turbines and other engine parts
[NASA-CASE-LEW-13088-1] c 26 N81-25188
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c 37 N82-24494
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c 27 N82-29453
Heat pipe cooled probe
[NASA-CASE-LAR-12588-1] c 34 N85-21568
Thermal barrier coating system
[NASA-CASE-LEW-14057-1] c 24 N85-35233

HIGH TEMPERATURE FLUIDS
Self-cycling fluid heater
[NASA-CASE-MSC-15567-1] c 33 N73-16918
High-temperature microphone system --- for measuring pressure fluctuations in gases at high temperature
[NASA-CASE-LAR-12375-1] c 32 N79-24203

HIGH TEMPERATURE GASES
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c 14 N70-41946
Ablative resin Patent
[NASA-CASE-XLE-05913] c 33 N71-14032
Transient heat transfer gauge Patent
[NASA-CASE-XNP-09802] c 33 N71-15641
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c 12 N73-25262
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c 36 N77-26477
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c 28 N80-10374
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c 37 N80-31790
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c 37 N81-25370
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c 34 N83-27144

HIGH TEMPERATURE LUBRICANTS
Method of making self lubricating fluoride- metal composite materials Patent
[NASA-CASE-XLE-08511-2] c 18 N71-16105
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c 18 N71-23710
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c 24 N79-17916

HIGH TEMPERATURE PLASMAS
Method and apparatus for producing a plasma Patent
[NASA-CASE-XLA-00147] c 25 N70-34661

HIGH TEMPERATURE PROPELLANTS
Feed system for an ion thruster
[NASA-CASE-NPO-10737] c 28 N72-11709

HIGH TEMPERATURE RESEARCH
Gas cooled high temperature thermocouple Patent
[NASA-CASE-XLE-09475-1] c 33 N71-15568
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c 14 N71-26136
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c 27 N77-13217

HIGH TEMPERATURE TESTS
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c 15 N70-34817
High temperature testing apparatus Patent
[NASA-CASE-XLE-00335] c 14 N70-35368
Apparatus for positioning and loading a test specimen Patent
[NASA-CASE-XLE-01300] c 15 N70-41993
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c 35 N81-19426
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c 34 N83-34221

HIGH VACUUM
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c 03 N71-22974
Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c 09 N71-26701
Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c 14 N73-30394
Plasma cleaning device --- designed for high vacuum environments
[NASA-CASE-MFS-22906-1] c 75 N78-27913

HIGH VACUUM ORBITAL SIMULATOR
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c 11 N71-18773
HIGH VOLTAGES
Electrode and insulator with shielded dielectric junction
[NASA-CASE-XLE-03778] c 09 N69-21542
High-voltage cable Patent
[NASA-CASE-XNP-00738] c 09 N70-38201
High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c 09 N71-13518
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c 09 N71-19516
High voltage divider system Patent
[NASA-CASE-XLE-02008] c 09 N71-21583
High voltage distributor
[NASA-CASE-GSC-11849-1] c 33 N76-16332
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c 33 N77-28385
High voltage planar multijunction solar cell
[NASA-CASE-LEW-13400-1] c 44 N82-31764
Electronic system for high power load control --- solar arrays
[NASA-CASE-NPO-15358-1] c 33 N83-27126
High voltage v-groove solar cell
[NASA-CASE-LEW-13401-2] c 44 N83-32177
High voltage isolation transformer
[NASA-CASE-GSC-12817-1] c 33 N85-29146
High voltage power supply
[NASA-CASE-GSC-12818-1] c 33 N85-29147
Coaxial tube tether/transmission line for manned nuclear space power
[NASA-CASE-LEW-14338-1] c 20 N87-10174
HIGHWAYS
Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c 66 N76-19888
HINGES
Foldable beam
[NASA-CASE-LAR-12077-1] c 31 N81-25259
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19605
Synchronously deployable double fold beam and planar truss structure
[NASA-CASE-LAR-13490-1] c 18 N87-14413
Locking hinge
[NASA-CASE-MSC-21056-1] c 18 N88-23827
Payload deployment method and system
[NASA-CASE-MSC-21330-1] c 16 N88-24660
HISTOGRAMS
Data compression system
[NASA-CASE-XNP-09785] c 08 N69-21928
HOLDERS
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c 15 N69-24266
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c 15 N71-17649
Holder for crystal resonators Patent
[NASA-CASE-XNP-03637] c 15 N71-21311
Adjustable force probe
[NASA-CASE-MFS-20760] c 14 N72-33377
Fifth wheel
[NASA-CASE-FRC-10081-1] c 37 N77-14477
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c 37 N77-23483
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c 74 N78-33913
Method and apparatus for holding two separate metal pieces together for welding
[NASA-CASE-GSC-12318-1] c 37 N80-23655
Head for high speed spinner having a vacuum chuck --- holding silicon dioxide chips for etching
[NASA-CASE-NPO-15227-1] c 37 N81-33482
Scriber for silicon wafers
[NASA-CASE-NPO-15539-1] c 37 N82-11469
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c 37 N82-12441
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c 37 N82-24492
Compression test apparatus
[NASA-CASE-MSC-18723-1] c 35 N83-21312
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c 37 N84-12491
Hot melt recharge system --- repairing damaged or missing tiles on space shuttle orbiter
[NASA-CASE-LAR-12881-1] c 27 N84-14323
Method and apparatus for gripping uniaxial fibrous composite materials
[NASA-CASE-LEW-13758-1] c 24 N84-27829
Laboratory glassware rack for seismic safety
[NASA-CASE-ARC-11422-1] c 35 N86-20751
Apparatus and method for inspecting a bearing ball
[NASA-CASE-MFS-25833-1] c 35 N86-32698
Active hold-down for heat treating
[NASA-CASE-NPO-16892-1-CU] c 37 N87-14704
Apparatus for mounting a field emission cathode
[NASA-CASE-LEW-14108-1] c 33 N87-28832
HOLE DISTRIBUTION (MECHANICS)
Thermocouple installation
[NASA-CASE-NPO-13540-1] c 35 N77-14409
HOLE GEOMETRY (MECHANICS)
Device for measuring hole elongation in a bolted joint
[NASA-CASE-LAR-13453-1] c 37 N88-14361
HOLE MOBILITY
Depositing semiconductor films utilizing a thermal gradient
[NASA-CASE-XKS-04614] c 15 N69-21460
HOLES (MECHANICS)
Hole cutter --- drill bits and rotating shaft
[NASA-CASE-MFS-22649-1] c 37 N75-25186
HOLLOW
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c 44 N79-10513
HOLLOW CATHODES
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c 72 N80-33186
Hollow cathode apparatus
[NASA-CASE-NPO-15560-1] c 33 N85-21491
HOLOGRAPHIC INTERFEROMETRY
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c 74 N83-32577
Method of and apparatus for double-exposure holographic interferometry
[NASA-CASE-MFS-25405-1] c 35 N84-22929
Dual wavelength holographic interferometry system
[NASA-CASE-MFS-28242-1] c 35 N88-23960
HOLOGRAPHY
Focused image holography with extended sources Patent
[NASA-CASE-ERC-10019] c 16 N71-15551
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c 16 N71-15565
Recording and reconstructing focused image holograms Patent
[NASA-CASE-ERC-10017] c 16 N71-15567
Method and means for recording and reconstructing holograms without use of a reference beam Patent
[NASA-CASE-ERC-10020] c 16 N71-26154
Multiple image storing system for high speed projectile holography
[NASA-CASE-MFS-20596] c 14 N72-17324
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c 16 N73-30476
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c 35 N74-15146
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c 35 N74-17153
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c 35 N74-26946
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c 35 N75-25124
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c 35 N75-27328
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c 35 N76-18402
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c 43 N77-10584
HOMING DEVICES
Location identification system
[NASA-CASE-ERC-10324] c 07 N72-25173
HONEYCOMB CORES
Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c 15 N71-22713
Method of forming shapes from planar sheets of thermosetting materials
[NASA-CASE-NPO-11036] c 15 N72-24522
Honeycomb core structures of minimal surface tubule sections
[NASA-CASE-ERC-10363] c 18 N72-25541
HONEYCOMB STRUCTURES
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c 15 N69-24322
Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c 32 N70-36536
Fluid flow control value Patent
[NASA-CASE-XLE-00703] c 15 N71-15967
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c 33 N71-20834
Honeycomb panel and method of making same Patent
[NASA-CASE-XMF-01402] c 18 N71-21651
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c 33 N71-28892
Honeycomb panels formed of minimal surface periodic tubule layers
[NASA-CASE-ERC-10364] c 18 N72-25540
Bonding or repairing process
[NASA-CASE-MSC-12357] c 15 N73-12489
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c 37 N74-25968
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c 37 N76-24575
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c 24 N78-15180
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c 24 N78-17149
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c 24 N79-16915
Ceramic honeycomb structures and the method thereof
[NASA-CASE-ARC-11652-1] c 27 N87-23737
HOOP COLUMN ANTENNAS
Latching mechanism for deployable/re-stowable columns useful in satellite construction
[NASA-CASE-LAR-13169-1] c 37 N86-25791
HOPPERS
Energy efficient continuous flow ash lockhopper
[NASA-CASE-NPO-16985-1-CU] c 31 N88-24814
HORIZON SCANNERS
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c 14 N69-27461
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c 21 N70-35427
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c 21 N70-36943
Amplifier clamping circuit for horizon scanner Patent
[NASA-CASE-XGS-01784] c 10 N71-20782
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06957] c 14 N71-21088
Infrared horizon locator
[NASA-CASE-LAR-10726-1] c 14 N73-20475
HORIZONTAL SPACECRAFT LANDING
Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c 31 N70-37986
HORIZONTAL TAIL SURFACES
Translating horizontal tail Patent
[NASA-CASE-XLA-08801-1] c 02 N71-11043
HORN ANTENNAS
Antenna beam-shaping apparatus Patent
[NASA-CASE-XNP-00611] c 09 N70-35219
Parabolic reflector horn feed with spillover correction Patent
[NASA-CASE-XNP-00540] c 09 N70-35382
Horn feed having overlapping apertures Patent
[NASA-CASE-GSC-10452] c 07 N71-12396
Dual mode horn antenna Patent
[NASA-CASE-XNP-01057] c 07 N71-15907
Multi-purpose antenna employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c 07 N72-25174
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c 32 N76-15330
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c 32 N76-21365
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c 32 N78-31321
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c 32 N80-23524
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c 32 N80-29539
Multifrequency broadband polarized horn antenna
[NASA-CASE-NPO-14588-1] c 32 N81-25278
HOSES
Self-contained, single-use hose and tubing cleaning module
[NASA-CASE-MSC-20857-1] c 37 N87-17035
HOT CATHODES
Ion thrustor cathode
[NASA-CASE-XLE-07087] c 06 N69-39889
HOT PRESSING
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c 18 N71-28729
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c 37 N84-12491
HOT WORKING
Method for forming plastic materials Patent
[NASA-CASE-XMS-05516] c 15 N71-17803

HOT-FILM ANEMOMETERS
Crossflow vorticity sensor
[NASA-CASE-LAR-13436-1-CU] c 02 N88-23759
Method of forming a multiple layer dielectric and a hot film sensor therewith
[NASA-CASE-LAR-13678-1] c 76 N88-25355
HOT-WIRE ANEMOMETERS
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c 35 N77-20400
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c 35 N77-24454
HOT-WIRE FLOWMETERS
Hot wire liquid level detector for cryogenic fluids Patent
[NASA-CASE-XLE-00454] c 23 N71-17802
Flow separation detector
[NASA-CASE-ARC-11046-1] c 35 N78-14364
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c 35 N82-24470
HOUSINGS
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c 09 N71-18600
Open type urine receptacle
[NASA-CASE-MSC-12324-1] c 05 N72-22093
Universal environment package with sectional component housing
[NASA-CASE-KSC-10031] c 15 N72-22486
Gas flow control device
[NASA-CASE-NPO-11479] c 15 N73-13462
Cryogenic gyroscope housing --- with annular disks for gas spin-up
[NASA-CASE-MFS-21136-1] c 35 N74-18323
Heat transfer device
[NASA-CASE-NPO-11120-1] c 34 N74-18552
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c 37 N77-32500
Preloadable vector sensitive latch
[NASA-CASE-MSC-20910-1] c 37 N87-25582
HOVERING
Gravity stabilized flying vehicle Patent
[NASA-CASE-MSC-12111-1] c 02 N71-11039
HUBBLE SPACE TELESCOPE
System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c 74 N79-11865
Orbital maneuvering end effectors
[NASA-CASE-MFS-28161-1] c 37 N87-18817
HUBS
Self-locking mechanical center joint
[NASA-CASE-LAR-12864-1] c 37 N85-30336
HUGONIOT EQUATION OF STATE
Determining particle density using known material Hugeniot curves
[NASA-CASE-LAR-11059-1] c 76 N75-12810
HULLS (STRUCTURES)
Hydrofoil Patent
[NASA-CASE-XLA-00229] c 12 N70-33305
HUMAN BEINGS
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c 05 N71-24738
Emergency escape system Patent
[NASA-CASE-XKS-07814] c 15 N71-27067
HUMAN BODY
Mass measuring system Patent
[NASA-CASE-XMS-03371] c 05 N70-42000
Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c 05 N71-11189
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c 05 N71-24147
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c 05 N73-30078
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c 52 N77-14737
HUMAN FACTORS ENGINEERING
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c 05 N70-35152
Harness assembly Patent
[NASA-CASE-MFS-14671] c 05 N71-12341
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c 10 N71-15909
Three-axis finger tip controller for switches Patent
[NASA-CASE-XAC-02405] c 09 N71-16089
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c 05 N71-24728
EEG sleep analyzer and method of operation Patent
[NASA-CASE-MSC-13282-1] c 05 N71-24729
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c 54 N78-31735
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c 54 N78-31736
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c 52 N79-27836
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c 52 N81-25661
Urine collection apparatus --- feminine hygiene
[NASA-CASE-MSC-18381-1] c 52 N81-28740
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c 04 N82-16059
Thermal garment
[NASA-CASE-XMS-03694-1] c 54 N82-29002
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c 39 N83-20280
Torso sizing ring construction for hard space suit
[NASA-CASE-ARC-11616-1] c 54 N86-28618
Shoulder and hip joint for hard space suits
[NASA-CASE-ARC-11543-1] c 54 N86-28620
Multi-adjustable headband --- for headsets
[NASA-CASE-KSC-11322-1] c 54 N87-25765
HUMAN PERFORMANCE
Color perception tester
[NASA-CASE-KSC-10278] c 05 N72-16015
HUMAN REACTIONS
Reaction tester
[NASA-CASE-MSC-13604-1] c 05 N73-13114
HUMAN WASTES
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c 54 N74-20725
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c 54 N76-14804
Absorbent product to absorb fluids --- for collection of human wastes
[NASA-CASE-MSC-18223-1] c 24 N82-29362
Absorbent product and articles made therefrom
[NASA-CASE-MSC-18223-2] c 54 N84-11758
HUMIDITY
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c 33 N80-23559
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c 31 N80-32583
HUMIDITY MEASUREMENT
Water-absorbing capacitor system for measuring relative humidity
[NASA-CASE-NPO-16544-1-CU] c 35 N87-22953
HYBRID CIRCUITS
Integrating IR detector imaging systems
[NASA-CASE-NPO-15805-1] c 74 N84-28590
Hybrid power semiconductor
[NASA-CASE-LEW-13922-1] c 33 N86-20672
Hermetically sealable package for hybrid solid-state electronic devices and the like
[NASA-CASE-MSC-20181-1] c 33 N88-23941
HYBRID COMPUTERS
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c 62 N74-14920
HYBRID PROPELLANTS
Solid propellant liner Patent
[NASA-CASE-XNP-09744] c 27 N71-16392
HYDRAULIC CONTROL
Shear modulated fluid amplifier Patent
[NASA-CASE-MFS-10412] c 12 N71-17578
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c 15 N71-18580
Fluidic-thermochromic display device Patent
[NASA-CASE-ERC-10031] c 12 N71-18603
Hydraulic transformer Patent
[NASA-CASE-MFS-20830] c 15 N71-30028
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c 37 N77-22479
HYDRAULIC EQUIPMENT
Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c 11 N70-41677
Hydraulic support for dynamic testing Patent
[NASA-CASE-XMF-03248] c 11 N71-10604
Hydraulic drive mechanism Patent
[NASA-CASE-XMS-03252] c 15 N71-10658
Anti-backlash circuit for hydraulic drive system Patent
[NASA-CASE-XNP-01020] c 03 N71-12260
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c 15 N71-17696
Shock absorber Patent
[NASA-CASE-XMS-03722] c 15 N71-21530
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c 06 N71-22975
Energy limiter for hydraulic actuators Patent
[NASA-CASE-ARC-10131-1] c 15 N71-27754
Mechanically limited, electrically operated hydraulic valve system for aircraft controls Patent
[NASA-CASE-XAC-00048] c 02 N71-29128
Hydraulic transformer Patent
[NASA-CASE-MFS-20830] c 15 N71-30028
Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c 03 N72-25021
Geysering inhibitor for vertical cryogenic transfer pipe
[NASA-CASE-KSC-10615] c 15 N73-12486
Redundant hydraulic control system for actuators
[NASA-CASE-MFS-20944] c 15 N73-13466
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c 37 N75-15050
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c 37 N75-25185
Filter regeneration systems --- a system for regenerating a system filter in a fluid flow line
[NASA-CASE-MSC-14273-1] c 34 N75-33342
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c 37 N76-14463
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c 52 N77-14735
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c 37 N81-17432
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c 43 N81-26509
Gas-to-hydraulic power converter
[NASA-CASE-MSC-18794-1] c 44 N83-14693
Tubing and cable cutting tool
[NASA-CASE-LAR-12786-1] c 37 N84-28085
Personnel emergency carrier vehicle
[NASA-CASE-KSC-11282-1] c 85 N87-21755
Fatigue testing a plurality of test specimens and method
[NASA-CASE-MFS-28118-1] c 39 N87-25601
HYDRAULIC FLUIDS
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c 37 N80-31790
HYDRAULIC JETS
Warm fog dissipation using large volume water sprays
[NASA-CASE-MFS-25962-1] c 09 N84-32398
HYDRAZINE ENGINES
Reciprocating engines
[NASA-CASE-MSC-16239-1] c 37 N81-32510
HYDRAZINE NITROFORM
Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c 27 N73-16764
HYDRAZINES
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c 28 N70-41311
Solder flux which leaves corrosion-resistant coating Patent
[NASA-CASE-XNP-03459-2] c 18 N71-15688
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c 24 N76-14203
HYDRIDES
Ten degree Kelvin hydride refrigerator
[NASA-CASE-NPO-16393-1-CU] c 31 N87-21159
HYDROCARBON COMBUSTION
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c 43 N78-14452
HYDROCARBON FUEL PRODUCTION
Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c 27 N81-17261
HYDROCARBON FUELS
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c 15 N70-33382
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c 44 N76-29700
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c 44 N76-29704
Dual-fuel, dual-mode rocket engine
[NASA-CASE-LAR-13773-1] c 20 N88-24685
HYDROCARBONS
Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c 27 N73-16764
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c 37 N76-16446
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c 37 N77-31497
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c 27 N80-32514
Technique for measuring gas conversion factors
[NASA-CASE-LAR-13220-1] c 34 N86-12547
Method and device for determining heats of combustion of gaseous hydrocarbons
[NASA-CASE-LAR-13528-1] c 25 N88-29002
HYDROCHLORIC ACID
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c 45 N76-21742
HYDROCHLORIDES
Method and apparatus for rebalancing a REDOX flow cell system
[NASA-CASE-LEW-14127-1] c 33 N86-20680

HYDRODYNAMICS
Dual clearance squeeze film damper
[NASA-CASE-LEW-13506-1] c 37 N85-33490
HYDROFOILS
Hydrofoil Patent
[NASA-CASE-XLA-00229] c 12 N70-33305
HYDROFORMING
Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c 15 N71-26346
HYDROGEN
Method for detecting hydrogen gas
[NASA-CASE-XMF-03873] c 06 N69-39733
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c 03 N70-41864
Pulse activated polarographic hydrogen detector Patent
[NASA-CASE-XMF-06531] c 14 N71-17575
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c 14 N71-20442
Analysis of hydrogen-deuterium mixtures
[NASA-CASE-NPO-11322] c 06 N72-25146
Hydrogen fire blink detector
[NASA-CASE-MFS-15063] c 14 N72-25412
Process for separation of dissolved hydrogen from water by use of palladium and process for coating palladium with palladium black
[NASA-CASE-MSC-13335-1] c 06 N72-31140
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c 16 N73-13489
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c 36 N75-15029
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c 35 N76-15436
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c 37 N76-16446
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c 44 N76-18641
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c 44 N76-18642
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c 44 N77-22607
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c 44 N77-32580
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c 51 N80-27067
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c 27 N80-32516
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253
HYDROGEN ATOMS
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c 28 N78-24365
Atomic hydrogen storage --- cryotrapping and magnetic field strength
[NASA-CASE-LEW-12081-2] c 28 N80-20402
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c 28 N81-14103
HYDROGEN EMBRITTLEMENT
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions --- by adding potassium hydroxide to hydrazine
[NASA-CASE-NPO-12122-1] c 24 N76-14203
HYDROGEN ENGINES
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c 44 N78-33526
HYDROGEN FUELS
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c 44 N76-29700
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c 44 N76-29704
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c 44 N77-10636
Dual-fuel, dual-mode rocket engine
[NASA-CASE-LAR-13773-1] c 20 N88-24685
HYDROGEN IONS
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c 72 N80-33186
HYDROGEN OXYGEN FUEL CELLS
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c 03 N71-11052
Passively regulated water electrolysis rocket engine Patent
[NASA-CASE-XGS-08729] c 28 N71-14044
HYDROGEN PEROXIDE
Decomposition unit Patent
[NASA-CASE-XMS-00583] c 28 N70-38504
HYDROGEN PRODUCTION
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c 28 N80-10374
Thermochemical generation of hydrogen
[NASA-CASE-NPO-15015-1] c 25 N82-28368
Liquid hydrogen polygeneration system and process
[NASA-CASE-KSC-11304-2] c 28 N86-23744
HYDROGENATION
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c 26 N70-36805
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c 35 N74-15127
HYDROLOGY
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c 43 N80-18498
HYDROLYSIS
Hydrodesulfurization of chlorinized coal
[NASA-CASE-NPO-15304-1] c 25 N83-31743
HYDROSTATIC PRESSURE
Method and apparatus for simulating gravitational forces on a living organism
[NASA-CASE-MSC-20202-1] c 54 N84-16803
HYDROSTATICS
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c 37 N77-28486
HYDROXIDES
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c 06 N72-17095
Separator for alkaline electric batteries and method of making
[NASA-CASE-GSC-10018-1] c 44 N82-24644
Synthesis of dawsonites --- for use in fire extinguishing operations
[NASA-CASE-ARC-11326-1] c 25 N83-33977
HYDROXYL COMPOUNDS
Synthesis of polyformals
[NASA-CASE-ARC-11244-1] c 23 N82-16174
HYGIENE
Urine collection apparatus --- feminine hygiene
[NASA-CASE-MSC-18381-1] c 52 N81-28740
HYGROMETERS
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c 35 N78-25391
Trace water sensor
[NASA-CASE-NPO-15722-1] c 35 N85-29212
HYGROSCOPICITY
Method of evaluating moisture barrier properties of encapsulating materials Patent
[NASA-CASE-NPO-10051] c 18 N71-24934
HYPERFINE STRUCTURE
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c 17 N71-24142
HYPERGOLIC ROCKET PROPELLANTS
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c 28 N70-33375
Small rocket engine Patent
[NASA-CASE-XLE-00685] c 28 N70-41992
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c 27 N71-15634
HYPERSONIC AIRCRAFT
Multistage aerospace craft --- perspective drawings of conceptual design
[NASA-CASE-XMF-02263] c 05 N74-10907
HYPERSONIC FLIGHT
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c 15 N78-32168
HYPERSONIC FLOW
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c 11 N71-21475
HYPERSONIC SPEED
Reentry vehicle leading edge Patent
[NASA-CASE-XLA-00165] c 31 N70-33242
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c 31 N70-38010
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c 31 N71-15674
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c 02 N71-27088
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c 12 N73-25262
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c 12 N73-28144
HYPERSONIC VEHICLES
Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c 31 N70-42015
HYPERSONIC WIND TUNNELS
Sound shield
[NASA-CASE-LAR-12883-1] c 71 N83-17235
Quantitative surface temperature measurement using two-color thermographic phosphors and video equipment
[NASA-CASE-LAR-13740-1] c 35 N88-30105
HYPERTHERMIA
Hyperthermia heating apparatus --- cancer therapy
[NASA-CASE-NPO-14549-2] c 52 N82-33996
HYPERVELOCITY GUNS
Dust particle injector for hypervelocity accelerators Patent
[NASA-CASE-XGS-06628] c 24 N71-16213
Hypervelocity gun Patent
[NASA-CASE-XAC-05902] c 11 N71-18578
Collapsible pistons
[NASA-CASE-MSC-13789-1] c 11 N73-32152
Hypervelocity gun --- using both electric and chemical energy for projectile propulsion
[NASA-CASE-XLE-03186-1] c 09 N79-21084
HYPERVELOCITY IMPACT
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c 91 N74-13130
HYPERVELOCITY PROJECTILES
Impact measuring technique
[NASA-CASE-LAR-10913] c 14 N72-16282
Multiple image storing system for high speed projectile holography
[NASA-CASE-MFS-20596] c 14 N72-17324
HYPERVELOCITY WIND TUNNELS
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c 11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c 11 N71-21475
HYSTERESIS
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c 15 N69-27504

I

ICE
Ice detector
[NASA-CASE-LAR-13776-1] c 35 N88-29149
IDENTIFYING
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c 47 N82-24779
IGNITERS
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c 28 N73-24784
Remote fire stack igniter --- with solenoid-controlled valve
[NASA-CASE-MFS-21675-1] c 25 N74-33378
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c 20 N78-24275
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c 37 N79-11405
Hollow cathode apparatus
[NASA-CASE-NPO-15560-1] c 33 N85-21491
Low gravity exothermic heating/cooling apparatus
[NASA-CASE-MSC-25707-1] c 35 N85-29214
IGNITION
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c 25 N71-29184
Device and method for frictionally testing materials for ignitability
[NASA-CASE-MSC-20622-1] c 25 N86-19413
IGNITION LIMITS
High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c 09 N71-13518
IGNITION SYSTEMS
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c 28 N70-33375
Ignition system for monopropellant combustion devices Patent
[NASA-CASE-XNP-00249] c 28 N70-38249
Rocket motor system Patent
[NASA-CASE-XLE-00323] c 28 N70-38505
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c 28 N70-41311
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c 33 N77-28385
IGNITION TEMPERATURE
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c 11 N71-28629
ILLUMINATORS
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c 14 N71-26474
Illumination system including a virtual light source Patent
[NASA-CASE-HQN-10781] c 23 N71-30292
IMAGE ANALYSIS
Real-time image difference detection using a polarization rotation spacial light modulator
[NASA-CASE-NPO-17144-1-CU] c 74 N88-25305
IMAGE CONTRAST
Video signal enhancement system with dynamic range compression and modulation index expansion Patent
[NASA-CASE-NPO-10343] c 07 N71-27341

Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c 74 N77-28932

IMAGE CONVERTERS

Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c 36 N75-19652
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c 33 N76-27473
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c 35 N79-33449
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c 44 N82-32841

IMAGE CORRELATORS

Multiple hologram recording and readout system Patent
[NASA-CASE-ERC-10151] c 16 N71-29131
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c 35 N75-15014
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c 32 N79-14268
Servomechanism for Doppler shift compensation in optical correlator for synthetic aperture radar
[NASA-CASE-NPO-14998-1] c 32 N83-18975
Optical stereo video signal processor
[NASA-CASE-MFS-25752-1] c 74 N86-21348

IMAGE DISSECTOR TUBES

Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c 33 N75-26244
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c 74 N76-19935

IMAGE ENHANCEMENT

Method and means for an improved electron beam scanning system Patent
[NASA-CASE-ERC-10552] c 09 N71-12539
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c 74 N75-25706
Method of obtaining intensified image from developed photographic films and plates
[NASA-CASE-MFS-23461-1] c 35 N79-10389
Dynamic range compression/expansion of light beams by photorefractive crystals
[NASA-CASE-NPO-17140-1-CU] c 74 N88-24508

IMAGE FILTERS

Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c 14 N70-33254
Compact spectroradiometer
[NASA-CASE-HQN-10683] c 14 N71-34389
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c 74 N75-25706

IMAGE INTENSIFIERS

Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c 74 N78-18905
Method of obtaining intensified image from developed photographic films and plates
[NASA-CASE-MFS-23461-1] c 35 N79-10389

IMAGE PROCESSING

Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c 32 N79-14268
Interleaving device
[NASA-CASE-GSC-12111-2] c 33 N81-29342
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c 32 N83-19968
Longwall shearer tracking system
[NASA-CASE-MFS-25717-1] c 35 N84-33768
Programmable pipelined image processor
[NASA-CASE-NPO-16461-1CU] c 60 N86-23283
Data volume reduction for imaging radar polarimetry
[NASA-CASE-NPO-17184-1-CU] c 32 N88-26541

IMAGE RESOLUTION

Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c 74 N82-24072

IMAGE ROTATION

Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c 74 N83-13978

IMAGE TUBES

Image tube --- deriving electron beam replica of image
[NASA-CASE-GSC-11602-1] c 33 N74-21850
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c 74 N77-18893

IMAGERY

Television monitor field shifter and an opto-electronic method for obtaining a stereo image of optimal depth resolution and reduced depth distrotion on a single screen
[NASA-CASE-NPO-17249-1-CU] c 32 N88-23924
Atmospheric autorotating imaging device
[NASA-CASE-NPO-17390-1-CU] c 35 N88-24944

IMAGES

Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c 14 N71-26474
Stereoscopic television system and apparatus
[NASA-CASE-ARC-10160-1] c 23 N72-27728
Wide-angle flat field telescope
[NASA-CASE-GSC-12825-1] c 74 N86-28732

IMAGING RADAR

Data volume reduction for imaging radar polarimetry
[NASA-CASE-NPO-17184-1-CU] c 32 N88-26541

IMAGING TECHNIQUES

Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c 23 N71-24868
Method and apparatus for eliminating coherent noise in a coherent energy imaging system without destroying spatial coherence
[NASA-CASE-GSC-11133-1] c 23 N72-11568
Phototransistor imaging system
[NASA-CASE-MFS-20809] c 23 N73-13660
Multispectral imaging system
[NASA-CASE-MSC-12404-1] c 23 N73-13661
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c 23 N73-20741
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c 14 N73-30393
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c 60 N74-12888
Optical instruments
[NASA-CASE-MSC-14096-1] c 74 N74-15095
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c 35 N77-14408
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c 74 N77-28932
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c 09 N78-18083
Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-13691-1] c 43 N79-17288
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c 74 N79-20856
Low intensity X-ray and gamma-ray imaging device --- fiber optics
[NASA-CASE-GSC-12263-1] c 74 N79-20857
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c 74 N80-21140
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c 74 N80-33210
System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c 74 N81-17886
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c 33 N81-33403
Image readout device with electronically variable spatial resolution
[NASA-CASE-LAR-12633-1] c 33 N82-24416
Low intensity X-ray and gamma-ray spectrometer
[NASA-CASE-GSC-12587-1] c 35 N82-32659
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c 32 N83-31918
High speed multi focal plane optical system
[NASA-CASE-GSC-12683-1] c 74 N83-36898
Real-time 3-D X-ray and gamma-ray viewer
[NASA-CASE-GSC-12640-1] c 74 N84-11920
Longwall shearer tracking system
[NASA-CASE-MFS-25717-1] c 35 N84-33768
Optical system
[NASA-CASE-NPO-15801-1] c 74 N85-23396
Three-dimensional and tomographic imaging device for X-ray and gamma-ray emitting objects
[NASA-CASE-GSC-12851-1] c 35 N85-30281
Method and apparatus for Delta Kappa synthetic aperture radar measurement of ocean current
[NASA-CASE-NPO-15704-1] c 32 N85-34327
Multispectral linear array multiband selection device
[NASA-CASE-GSC-12911-1] c 74 N86-29650
Optical scanner
[NASA-CASE-GSC-12897-1] c 74 N87-21679
Quantitative surface temperature measurement using two-color thermographic phosphors and video equipment
[NASA-CASE-LAR-13740-1] c 35 N88-30105

IMIDES

Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c 06 N71-11238
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c 31 N74-13177
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-1] c 27 N83-31854
Polyphenylene ethers with imide linking groups
[NASA-CASE-LAR-12980-1] c 27 N84-22749
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-2] c 27 N85-21347
High performance mixed bisimide resins and composites based thereon
[NASA-CASE-ARC-11538-1SB] c 24 N86-21590
Fire and heat resistant laminating resins based on maleimido substituted aromatic cyclotriphosphazene polymer
[NASA-CASE-ARC-11428-2] c 27 N87-16909
Process for preparing phthalocyanine polymer from imide containing bisphthalonitrile
[NASA-CASE-ARC-11511-2] c 27 N87-21112
Fire and heat resistant laminating resins based on maleimido and citraconimido substituted 1-(diorgano oxyphosphonyl) methyl -2,4- and -2,6- diaminobenzenes
[NASA-CASE-ARC-11533-3] c 27 N87-24564
Aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-3] c 23 N88-24692

IMINES

Synthesis of polymeric schiff bases by schiff-base exchange reactions Patent
[NASA-CASE-XMF-08651] c 06 N71-11236
Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c 06 N71-11239
Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c 06 N71-11243
Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c 06 N71-24740

IMMOBILIZATION

Stretcher Patent
[NASA-CASE-XMF-06589] c 05 N71-23159
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c 14 N72-22445
Spine immobilization apparatus
[NASA-CASE-ARC-11167-1] c 52 N81-25662
Active hold-down for heat treating
[NASA-CASE-NPO-16892-1-CU] c 37 N87-14704

IMPACT

Impact energy absorbing system utilizing fr. sturable material
[NASA-CASE-NPO-10671] c 15 N72-20443
Cosmic dust or other similar outer space particles impact location detector
[NASA-CASE-GSC-11291-1] c 25 N72-33696
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c 35 N75-27331

IMPACT ACCELERATION

Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c 15 N71-27146

IMPACT DAMAGE

Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c 14 N71-23240
Curved cap corrugated sheet
[NASA-CASE-LAR-12884-1] c 18 N84-33450

IMPACT LOADS

Force transducer Patent
[NASA-CASE-XAC-01101] c 14 N70-41957
Impact testing machine Patent
[NASA-CASE-XNP-04817] c 14 N71-23225

IMPACT RESISTANCE

Electric storage battery
[NASA-CASE-NPO-11021] c 03 N72-20032
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c 24 N77-27188

IMPACT STRENGTH

High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c 14 N71-18625

IMPACT TESTING MACHINES

Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c 14 N71-22765
Impact testing machine Patent
[NASA-CASE-XNP-04817] c 14 N71-23225
Impacting device for testing insulation
[NASA-CASE-MFS-25862-2] c 37 N84-33807

IMPACT TESTS

Impacting device for testing insulation
[NASA-CASE-MFS-25862-2] c 37 N84-33807

IMPACT TOLERANCES

High impact antenna Patent
[NASA-CASE-NPO-10231] c 07 N71-26101
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c 37 N79-10420

IMPEDANCE

Low noise tuned amplifier
[NASA-CASE-GSC-12567-1] c 33 N84-22887
Power supply conditioning circuit
[NASA-CASE-NPO-17233-1-CU] c 33 N88-29095

IMPEDANCE MATCHING

Signal multiplexer
[NASA-CASE-XGS-01110] c 07 N69-24334
Reflectometer for receiver input impedance match measurement Patent
[NASA-CASE-XNP-10843] c 07 N71-11267

Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c 09 N71-23573
Triaxial antenna Patent
[NASA-CASE-XGS-02290] c 07 N71-28809

IMPEDANCE MEASUREMENT
High impedance measuring apparatus Patent
[NASA-CASE-XMS-08589-1] c 09 N71-20569
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c 33 N80-32650

IMPLANTATION
Telemeter adaptable for implanting in an animal Patent
[NASA-CASE-XAC-05706] c 05 N71-12342
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c 52 N77-25772
Prosthetic occlusive device for an internal passageway
[NASA-CASE-MFS-25740-1] c 52 N84-11744

IMPLANTED ELECTRODES (BIOLOGY)
Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c 52 N80-33081
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c 52 N81-14612
Implantable electrical device
[NASA-CASE-GSC-12560-1] c 52 N82-29863

IMPLOSIONS
Hypervelocity gun Patent
[NASA-CASE-XAC-05902] c 11 N71-18578

IMPREGNATING
Composite lamination method
[NASA-CASE-LAR-12019-1] c 24 N78-17150
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c 25 N81-17187
High temperature silicon carbide impregnated insulating fabrics
[NASA-CASE-MSC-18832-1] c 27 N83-18908

IMPULSE GENERATORS
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c 52 N77-14738

IMPURITIES
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c 26 N71-17818
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c 44 N80-24741
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c 76 N82-30105

IN-FLIGHT MONITORING
System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c 02 N80-28300

INCIDENCE
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c 74 N78-15880

INCIDENT RADIATION
Solar cell assembly --- for use under high intensity illumination
[NASA-CASE-LEW-11549-1] c 44 N77-19571

INCLINATION
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c 05 N77-17029

INCOHERENT SCATTERING
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c 33 N74-20859

INDICATING INSTRUMENTS
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c 03 N70-39930
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c 14 N71-10500
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c 15 N71-18132
Hydrogen fire detection system with logic circuit to analyze the spectrum of temporal variations of the optical spectrum
[NASA-CASE-MFS-13130] c 10 N72-17173
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c 39 N79-22537
System for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c 06 N82-16075
Film advance indicator
[NASA-CASE-LAR-12474-1] c 35 N82-26628
Adjustable indicating device for load position
[NASA-CASE-MFS-28008-1] c 35 N85-20300
Fluid leak indicator
[NASA-CASE-MSC-20783-1] c 35 N86-20756

INDIUM ALLOYS
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c 26 N77-29260
Solar cell collector
[NASA-CASE-LEW-12552-1] c 44 N78-25527
Aluminum alloy
[NASA-CASE-LAR-13924-1-CU] c 26 N88-24753

INDIUM COMPOUNDS
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826

INDUCTANCE
Current dependent filter inductance
[NASA-CASE-ERC-10139] c 09 N72-17154
Inductance device with vacuum insulation
[NASA-CASE-LEW-10330-1] c 09 N72-27226
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c 35 N77-32455

INDUCTION HEATING
Induction furnace with perforated tungsten foil shielding Patent
[NASA-CASE-XLE-04026] c 14 N71-23267
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c 33 N81-19389
One-step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c 33 N82-26571
Induction heating gun
[NASA-CASE-LAR-13181-1] c 31 N85-29083

INDUCTION MOTORS
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c 10 N73-32145
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c 33 N75-15874
Power factor control system for AC induction motors
[NASA-CASE-MFS-23280-1] c 33 N78-10376
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c 33 N81-12330
Power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c 33 N81-27395
Motor power factor controller with a reduced voltage starter
[NASA-CASE-MFS-25586-1] c 33 N82-11360
Magnetic field control --- electromechanical torquing device
[NASA-CASE-MFS-23828-1] c 33 N82-26569
Electrical power generating system
[NASA-CASE-MFS-25302-1] c 33 N83-28319
Triac failure detector
[NASA-CASE-MFS-25607-1] c 33 N83-34190
Control system for an induction motor with energy recovery
[NASA-CASE-MFS-25477-1] c 33 N84-14424
Three phase power factor controller
[NASA-CASE-MFS-25535-2] c 33 N84-22885
Motor power control circuit for ac induction motors
[NASA-CASE-MFS-25323-1] c 33 N84-22886
Coupling an induction motor type generator to ac power lines --- making windmill generators compatible with public power lines
[NASA-CASE-MFS-25302-2] c 33 N84-33660
Three-phase power factor controller with induced EMF sensing
[NASA-CASE-MFS-25852-1] c 33 N84-33661
Solar powered actuator with continuously variable auxiliary power control
[NASA-CASE-MFS-25637-1] c 44 N85-21769
Power control for ac motor
[NASA-CASE-MFS-25861-1] c 33 N85-22877

INDUCTORS
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c 14 N71-10500
Vacuum deposition apparatus Patent
[NASA-CASE-XMF-01667] c 15 N71-17647
Constant frequency output two stage induction machine systems Patent
[NASA-CASE-ERC-10065] c 09 N71-27364
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c 33 N81-19393

INDUSTRIAL PLANTS
Process for making diamonds
[NASA-CASE-MFS-20698-2] c 15 N73-19457

INDUSTRIAL WASTES
Process of forming catalytic surfaces for wet oxidation reactions
[NASA-CASE-MSC-14831-1] c 25 N78-10225
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c 85 N79-17747

INERT ATMOSPHERE
Method for retarding dye fading during archival storage of developed color photographic film --- inert atmosphere
[NASA-CASE-MFS-23250-1] c 35 N82-11432

INERTIA
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c 15 N71-21744

INERTIAL CONFINEMENT FUSION
Method and apparatus for producing gas-filled hollow spheres --- target pellets for inertial confinement fusion
[NASA-CASE-NPO-14596-3] c 31 N83-31896
Contactless pellet fabrication
[NASA-CASE-NPO-15592-1] c 71 N84-16940

INERTIAL GUIDANCE
Hermetic sealed vibration damper Patent
[NASA-CASE-MSC-10959] c 15 N71-26243

INERTIAL NAVIGATION
Autonomous navigation system --- gyroscopic pendulum for air navigation
[NASA-CASE-ARC-11257-1] c 04 N81-21047

INERTIAL PLATFORMS
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c 15 N71-20813
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c 21 N71-23289
Temperature compensated digital inertial sensor --- circuit for maintaining inertial element of gyroscope or accelerometer at constant position
[NASA-CASE-NPO-13044-1] c 35 N74-15094
Attitude control system
[NASA-CASE-MFS-22787-1] c 15 N77-10113
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c 18 N81-29152

INERTIAL REFERENCE SYSTEMS
Attitude control system Patent
[NASA-CASE-XGS-04393] c 21 N71-14159
Inertial reference apparatus Patent
[NASA-CASE-XAC-03107] c 23 N71-16098

INFLATABLE SPACECRAFT
Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c 33 N70-36617
Passive communication satellite Patent
[NASA-CASE-XLA-00210] c 30 N70-40309
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c 15 N71-17687
Method of making an inflatable panel Patent
[NASA-CASE-XLA-03497] c 15 N71-23052
Orbital escape device Patent
[NASA-CASE-XMS-06162] c 31 N71-28851

INFLATABLE STRUCTURES
Aeroflexible structures
[NASA-CASE-XLA-06095] c 01 N69-39981
Life raft Patent
[NASA-CASE-XMS-00863] c 05 N70-34857
Life preserver Patent
[NASA-CASE-XMS-00864] c 05 N70-36493
Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c 32 N70-36536
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c 07 N70-40063
Excessive temperature warning system Patent
[NASA-CASE-XLA-01926] c 14 N71-15620
Inflation system for balloon type satellites Patent
[NASA-CASE-XGS-03351] c 31 N71-16081
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c 31 N71-17679
Self supporting space vehicle Patent
[NASA-CASE-XLA-00117] c 31 N71-17680
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c 15 N71-22705
Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c 15 N71-22713
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c 07 N71-27191
Inflatable tether Patent
[NASA-CASE-XMS-10993] c 15 N71-28936
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c 28 N72-11708
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c 54 N74-14845
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c 54 N78-18761
Pressure control valve --- inflating flexible bladders
[NASA-CASE-ARC-11251-1] c 37 N81-17433
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c 54 N81-26718
Inflatable device for installing strain gage bridges
[NASA-CASE-FRC-11068-1] c 35 N84-12443

INFORMATION RETRIEVAL
Multiple hologram recording and readout system Patent
[NASA-CASE-ERC-10151] c 16 N71-29131
INFRARED DETECTORS
Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c 14 N69-39937
Sight switch using an infrared source and sensor Patent
[NASA-CASE-XMF-03934] c 09 N71-22985
Infrared detectors
[NASA-CASE-LAR-10728-1] c 14 N73-12445
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c 33 N75-31332
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c 74 N80-33210
Broadband optical radiation detector
[US-PATENT-4,262,198] c 74 N83-19597
Integrating IR detector imaging systems
[NASA-CASE-NPO-15805-1] c 74 N84-28590
Integrated photo-responsive metal oxide semiconductor circuit
[NASA-CASE-GSC-12782-1] c 33 N88-14271
INFRARED INSTRUMENTS
Infrared scanner Patent
[NASA-CASE-XLA-00120] c 21 N70-33181
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373
INFRARED INTERFEROMETERS
Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c 35 N78-18395
INFRARED LASERS
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c 35 N74-11284
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c 74 N77-26942
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c 31 N79-17029
INFRARED PHOTOMETRY
Tailorable infrared sensing device with strain layer superlattice structure
[NASA-CASE-NPO-16607-1-CU] c 76 N88-14836
INFRARED RADIATION
High-speed infrared furnace
[NASA-CASE-XLE-10466] c 17 N69-25147
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c 35 N74-18088
Double photon excitation of high-Rydberg atoms as a long-lived submillimeter detector
[NASA-CASE-NPO-16372-1] c 72 N86-33127
INFRARED REFLECTION
Electromagnetic radiation energy arrangement --- coatings for solar energy absorption and infrared reflection
[NASA-CASE-WOO-00428-1] c 32 N79-19186
INFRARED SCANNERS
Infrared scanner Patent
[NASA-CASE-XLA-00120] c 21 N70-33181
Infrared horizon locator
[NASA-CASE-LAR-10726-1] c 14 N73-20475
INFRARED SPECTRA
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c 36 N75-31426
INFRARED SPECTROMETERS
Telespectrograph Patent
[NASA-CASE-XLA-03273] c 14 N71-18699
Cooled echelle grating spectrometer --- for space telescope applications
[NASA-CASE-NPO-14372-1] c 35 N80-26635
INFRARED SPECTROSCOPY
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c 35 N79-14348
INFRARED TELESCOPES
Optical system with reflective baffles
[NASA-CASE-ARC-11502-1] c 74 N86-20125
INFRASONIC FREQUENCIES
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c 14 N72-11363
INHIBITORS
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c 28 N79-14228
INITIATORS (EXPLOSIVES)
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c 03 N70-39930
Safe-arm initiator Patent
[NASA-CASE-LAR-10372] c 09 N71-18599
Electroexplosive device
[NASA-CASE-NPO-13858-1] c 28 N79-11231
Four-terminal electrical testing device --- initiator bridgewire resistance
[NASA-CASE-MSC-21166-1] c 35 N87-25555
INJECTION
Thickness measuring and injection device Patent
[NASA-CASE-MFS-20261] c 14 N71-27005
High performance channel injection sealant invention abstract
[NASA-CASE-ARC-14408-1] c 27 N82-33523
INJECTION LASERS
Arrangement for damping the resonance in a laser diode
[NASA-CASE-NPO-15980-1] c 36 N85-30305
INJECTORS
Rocket propellant injector Patent
[NASA-CASE-XLE-00103] c 28 N70-33241
Rocket engine injector Patent
[NASA-CASE-XLE-00111] c 28 N70-38199
Injector for bipropellant rocket engines Patent
[NASA-CASE-XMF-00148] c 28 N70-38710
Dust particle injector for hypervelocity accelerators Patent
[NASA-CASE-XGS-06628] c 24 N71-16213
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c 15 N71-17654
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c 28 N71-24736
Bipropellant injector
[NASA-CASE-XNP-09461] c 28 N72-23809
Coaxial injector for reaction motors
[NASA-CASE-NPO-11095] c 15 N72-25455
Injector for use in high voltage isolators for liquid feed lines
[NASA-CASE-NPO-11377] c 15 N73-27406
Rocket injector head
[NASA-CASE-XMF-04592-1] c 20 N79-21125
INKS
Multicolor printing plate joining
[NASA-CASE-LEW-13598-1] c 35 N84-22930
INLET FLOW
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c 15 N70-36908
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c 28 N71-28915
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c 02 N74-20646
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c 07 N74-31270
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c 35 N76-14431
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c 35 N77-24455
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c 07 N78-25089
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c 05 N79-24976
INLET NOZZLES
Rocket injector head
[NASA-CASE-XMF-04592-1] c 20 N79-21125
INLET PRESSURE
Fluid jet amplifier
[NASA-CASE-XLE-03512] c 12 N69-21466
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c 35 N76-14431
INOCULATION
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c 51 N75-13502
INORGANIC COATINGS
Diffuse reflective coating
[NASA-CASE-GSC-11214-1] c 06 N73-13128
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c 27 N78-31233
INORGANIC COMPOUNDS
Method of making membranes
[NASA-CASE-XNP-04264] c 03 N69-21337
inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c 15 N71-21403
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c 06 N71-24739
Inorganic thermal control coatings
[NASA-CASE-MFS-20011] c 18 N72-22566
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c 44 N78-25530
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c 76 N79-21910
INORGANIC PEROXIDES
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c 26 N78-32229
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c 25 N79-10162
INPUT
Remodulator filter Patent
[NASA-CASE-NPO-10198] c 09 N71-24806
Active RC networks
[NASA-CASE-ARC-10020] c 10 N72-17172
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c 60 N81-27814
INPUT/OUTPUT ROUTINES
Analog to digital converter
[NASA-CASE-NPO-13385-1] c 33 N76-18345
INSERTION
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c 52 N79-27836
INSERTION LOSS
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-XNP-01193] c 10 N71-16057
INSERTS
Method of repairing hidden leaks in tubes
[NASA-CASE-MFS-19796-1] c 37 N86-32736
INSPECTION
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c 38 N78-17396
Method for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c 09 N82-29330
Apparatus and method for inspecting a bearing ball
[NASA-CASE-MFS-25833-1] c 35 N86-32698
Method of radiographic inspection of wooden members
[NASA-CASE-LAR-13724-1] c 38 N88-23983
INSTALLING
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c 20 N76-22296
Thermocouple installation
[NASA-CASE-NPO-13540-1] c 35 N77-14409
A method and technique for installing light-weight fragile, high-temperature fiber insulation
[NASA-CASE-MSC-18934-3] c 24 N82-26387
Inflatable device for installing strain gage bridges
[NASA-CASE-FRC-11068-1] c 35 N84-12443
INSTRUMENT COMPENSATION
Compensation for primary reflector wavefront error
[NASA-CASE-NPO-16869-1CU] c 74 N86-33138
INSTRUMENT ERRORS
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c 14 N70-40239
INSTRUMENT FLIGHT RULES
Controlled visibility device for an aircraft Patent
[NASA-CASE-XFR-04147] c 11 N71-10748
INSTRUMENT ORIENTATION
Plurality of photosensitive cells on a pyramidical base for planetary trackers
[NASA-CASE-XNP-04180] c 07 N69-39736
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c 21 N71-23289
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c 15 N71-26673
Solar energy powered heliotrope
[NASA-CASE-GSC-10945-1] c 21 N72-31637
INSTRUMENT PACKAGES
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c 15 N69-27502
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c 15 N70-36409
Foam generator Patent
[NASA-CASE-XLA-00838] c 03 N70-36778
Velocity package Patent
[NASA-CASE-XLA-01339] c 31 N71-15692
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c 14 N71-20461
Thermal control canister
[NASA-CASE-GSC-12253-1] c 34 N79-31523
INSTRUMENTS
Radio frequency shielded enclosure Patent
[NASA-CASE-XMF-09422] c 07 N71-19436
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c 14 N71-22752
Precision thrust gage Patent
[NASA-CASE-XGS-02319] c 14 N71-22965
Self-calibrating displacement transducer Patent
[NASA-CASE-XLA-00781] c 09 N71-22999
Sensing probe
[NASA-CASE-LEW-10281-1] c 14 N72-17327
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c 31 N72-25842

Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c 37 N78-27424
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c 37 N78-27425

INSULATED STRUCTURES
Piping arrangement through a double chamber structure
[NASA-CASE-XNP-08882] c 15 N69-39935

INSULATION
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c 05 N71-11193
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c 18 N71-22998
Method of removing insulated material from insulated wires
[NASA-CASE-FRC-10038] c 15 N72-20444
Inductance device with vacuum insulation
[NASA-CASE-LEW-10330-1] c 09 N72-27226
Insulated electrocardiographic electrodes --- without paste electrolyte
[NASA-CASE-MSC-14339-1] c 05 N75-24716
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c 27 N76-22376
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c 27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c 27 N76-23426
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c 33 N78-27326
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c 24 N80-26388
Impacting device for testing insulation
[NASA-CASE-MFS-25862-2] c 37 N84-33807

INSULATORS
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c 28 N71-10574
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c 27 N78-19302
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-2] c 33 N83-24763

INTAKE SYSTEMS
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c 28 N70-34788
The engine air intake system
[NASA-CASE-ARC-10761-1] c 07 N77-18154
Fluid sampling device
[NASA-CASE-GSC-12143-1] c 35 N77-32456
Passive propellant system
[NASA-CASE-MFS-23642-1] c 20 N80-10278
Reciprocating engines
[NASA-CASE-MSC-16239-1] c 37 N81-32510
Continuous laminar smoke generator
[NASA-CASE-LAR-13014-1] c 09 N85-21178
Solid sorbent air sampler
[NASA-CASE-MSC-20653-1] c 35 N86-26595

INTEGRATED CIRCUITS
Counter and shift register Patent
[NASA-CASE-XNP-01753] c 08 N71-22897
Pulse rise time and amplitude detector Patent
[NASA-CASE-XMF-08804] c 09 N71-24717
Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c 15 N72-21464
Integrated circuit including field effect transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c 09 N72-33205
Derivation of a tangent function using an integrated circuit four-quadrant multiplier
[NASA-CASE-MSC-13907-1] c 10 N73-26230
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c 09 N73-32112
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c 33 N74-12951
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c 33 N74-34638
Four phase logic systems --- including integrated microcircuits
[NASA-CASE-MSC-14240-1] c 33 N75-14957
Integrable power gyrator --- with Z-matrix design using parallel transistors
[NASA-CASE-MFS-22342-1] c 33 N75-30428
Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c 38 N78-17395
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c 33 N79-12321
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c 33 N80-14332
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c 44 N81-12542
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c 33 N81-17348
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-256704-1] c 33 N84-22884
Split-cross-bridge resistor for testing for proper fabrication of integrated circuits
[NASA-CASE-NPO-16021-1] c 33 N85-30187
Cross-contact chain
[NASA-CASE-NPO-16784-1] c 33 N87-10231
Method of examining microcircuit patterns
[NASA-CASE-NPO-16299-1] c 33 N87-14594
Ion beam sputter etching
[NASA-CASE-LEW-13899-1] c 31 N87-21160
Integrated photo-responsive metal oxide semiconductor circuit
[NASA-CASE-GSC-12782-1] c 33 N88-14271

INTEGRATORS
Operational integrator Patent
[NASA-CASE-NPO-10230] c 09 N71-12520
Variable duration pulse integrator Patent
[NASA-CASE-XLA-01219] c 10 N71-23084
Variable width pulse integrator Patent
[NASA-CASE-XLA-03356] c 10 N71-23315
Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c 10 N71-23669
High speed phase detector Patent
[NASA-CASE-XNP-01306-2] c 09 N71-24596
Adaptive control system for line-commutated inverters
[NASA-CASE-MFS-25209-1] c 33 N83-35227

INTERFACES
LDV multiplexer interface
[NASA-CASE-ARC-11536-1] c 33 N85-30202
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793
Expandable pallet for space station interface attachments
[NASA-CASE-MSC-21117-1] c 18 N88-28958

INTERFACIAL TENSION
Passive propellant system
[NASA-CASE-MFS-23642-1] c 20 N80-10278
Sphere forming method and apparatus
[NASA-CASE-NPO-15070-1] c 31 N83-35176
Surface Tension Confined Liquid Cryogen Cooler (STCLCC)
[NASA-CASE-GSC-13112-1] c 31 N88-29050

INTERFEROMETERS
Apparatus for controlling the velocity of an electromechanical drive for interferometers and the like Patent
[NASA-CASE-XGS-03532] c 14 N71-17627
Incremental motion drive system Patent
[NASA-CASE-XNP-08897] c 15 N71-17694
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c 16 N71-24170
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c 14 N71-27215
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c 14 N73-12446
Interferometric rotation sensor
[NASA-CASE-ARC-10278-1] c 14 N73-25463
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c 35 N76-31490
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c 35 N79-14348
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c 35 N80-20563
Interferometer
[NASA-CASE-NPO-14502-1] c 74 N81-17888
Interferometer --- high resolution
[NASA-CASE-NPO-14448-1] c 74 N81-29963
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c 35 N81-33448
Dual-beam skin friction interferometer
[NASA-CASE-ARC-11354-1] c 74 N83-21949
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c 74 N83-32577
Low noise lead screw positioner
[NASA-CASE-NPO-15617-1] c 35 N87-21304

INTERFEROMETRY
Surface roughness measuring system --- synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c 35 N79-10391
Interferometric locating system
[NASA-CASE-NPO-14173-1] c 04 N80-32359
Dual differential interferometer
[NASA-CASE-LAR-12966-1] c 35 N85-30282
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629

INTERLAYERS
Method of making a partial interlaminar separation composite system
[NASA-CASE-LAR-12065-2] c 24 N81-33235

INTERMEDIATE FREQUENCY AMPLIFIERS
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c 32 N76-14321

INTERMETALLICS
Twisted multifilament superconductor
[NASA-CASE-LEW-11726-1] c 26 N73-26752
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c 18 N73-32437
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267
Nickel base coating alloy
[NASA-CASE-LEW-13834-1] c 26 N87-14482

INTERNAL COMBUSTION ENGINES
Fuel injection pump for internal combustion engines Patent
[NASA-CASE-MSC-12139-1] c 28 N71-14058
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c 28 N71-22983
System for preconditioning a combustible vapor
[NASA-CASE-NPO-12072] c 28 N72-22772
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c 37 N76-18457
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c 37 N77-31497
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c 44 N78-33526
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c 37 N79-11405
Indicated mean-effective pressure instrument
[NASA-CASE-LEW-12661-1] c 35 N79-14345
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c 28 N80-10374
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c 07 N81-29129
Automatic compression adjusting mechanism for internal combustion engines
[NASA-CASE-MSC-18807-1] c 37 N83-36483
Real time pressure signal system for a rotary engine
[NASA-CASE-LEW-13622-1] c 07 N84-22559
Composite piston
[NASA-CASE-LAR-13435-1] c 37 N88-23981

INTERPLANETARY SPACE
Heat shield Patent
[NASA-CASE-XMS-00486] c 33 N70-33344
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c 10 N72-17171

INTERPLANETARY SPACECRAFT
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XMS-02677] c 31 N70-42075

INTERPLANETARY TRAJECTORIES
Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury Patent
[NASA-CASE-XNP-00708] c 14 N70-35394

INTRACRANIAL PRESSURE
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c 52 N80-18691

INTRAOCULAR PRESSURE
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c 52 N80-14684
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c 52 N80-18690

INTRAVEHICULAR ACTIVITY
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012

INTRAVENOUS PROCEDURES
Bio-medical flow sensor --- intrvenous procedures
[NASA-CASE-MSC-18761-1] c 52 N83-27577

INTRUSION
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c 33 N80-23559

INVENTIONS
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c 33 N80-29583
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c 25 N81-19244

INVERTED CONVERTERS (DC TO AC)
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c 35 N74-18090
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c 33 N75-15874

Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c 44 N81-12542
Power converter
[NASA-CASE-FRC-11014-1] c 33 N82-18494

INVERTERS
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c 09 N69-39984
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c 09 N72-25254
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c 33 N78-10377
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-NPO-14000-1] c 33 N79-24254
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c 33 N81-14220
Adaptive reference voltage generator for firing angle control of line-commutated inverters
[NASA-CASE-MFS-25215-1] c 33 N83-31953
Adaptive control system for line-commutated inverters
[NASA-CASE-MFS-25209-1] c 33 N83-35227

INVESTIGATION
Method for investigating the formation of crystals in a transparent material
[NASA-CASE-MFS-26008-1-CU] c 76 N88-14835

IODINE
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c 03 N71-18698
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c 09 N71-23027
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c 54 N78-14784

IODINE COMPOUNDS
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c 25 N81-14016

IODINE ISOTOPES
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c 24 N72-33681
Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c 25 N76-27383
Production of I-123
[NASA-CASE-LEW-11390-3] c 25 N76-29379

ION ACCELERATORS
Process for glass coating an ion accelerator grid Patent
[NASA-CASE-LEW-10278-1] c 15 N71-28582
Ion beam accelerator system
[NASA-CASE-NPO-15547-1] c 72 N84-16959

ION BEAMS
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c 28 N71-26173
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c 73 N74-26767
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c 20 N74-31269
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c 20 N76-21276
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c 20 N77-10148
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c 25 N78-27226
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c 37 N81-19455
Ion beam accelerator system
[NASA-CASE-NPO-15547-1] c 72 N84-16959
Method of making an ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-2] c 52 N84-23095
Ion sputter textured graphite electrode plates
[NASA-CASE-LEW-12919-2] c 70 N84-28565
Deposition of diamondlike carbon films
[NASA-CASE-LEW-14080-1] c 31 N85-20153
Diamondlike flakes
[NASA-CASE-LEW-13837-2] c 24 N85-21267
Heat exchanger for electrothermal devices
[NASA-CASE-LEW-14037-1] c 20 N87-16875
Ion beam sputter etching
[NASA-CASE-LEW-13899-1] c 31 N87-21160
Generation of intense negative ion beams
[NASA-CASE-NPO-16061-1-CU] c 72 N87-21660
Ion-beam nitriding of steels
[NASA-CASE-LEW-14104-2] c 26 N88-14179
Trochoidal analysis of scattered electrons in a merged electron-ion beam
[NASA-CASE-NPO-16789-1-CU] c 72 N88-25281

ION CHARGE
Quadrupole mass filter with means to generate a noise spectrum exclusive of the resonant frequency of the desired ions to deflect stable ions
[NASA-CASE-XNP-04231] c 14 N73-32325

ION CONCENTRATION
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c 27 N74-13270

ION CURRENTS
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c 24 N71-20518

ION CYCLOTRON RADIATION
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c 35 N77-10492

ION DENSITY (CONCENTRATION)
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c 76 N76-20994

ION ENGINES
Ion thrustor cathode
[NASA-CASE-XLE-07087] c 06 N69-39889
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c 11 N70-33278
Ion thruster cathode Patent Application
[NASA-CASE-LEW-10814-1] c 28 N70-35422
Ion rocket Patent
[NASA-CASE-XLE-00376] c 28 N70-37245
Rocket engine Patent
[NASA-CASE-XLE-00342] c 28 N70-37980
Thrust dynamometer Patent
[NASA-CASE-XLE-00702] c 14 N70-40203
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c 28 N70-41576
Double optic system for ion engine Patent
[NASA-CASE-XNP-02839] c 28 N70-41922
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c 28 N71-14043
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c 28 N71-15661
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c 24 N71-20518
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c 28 N71-23081
Electronic cathode having a brush-like structure and a relatively thick oxide emissive coating Patent
[NASA-CASE-XLE-04501] c 09 N71-23190
Ion engine casing construction and method of making same Patent
[NASA-CASE-XNP-06942] c 28 N71-23293
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c 28 N71-26642
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c 28 N71-26781
High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c 28 N71-28850
Feed system for an ion thruster
[NASA-CASE-NPO-10737] c 28 N72-11709
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c 28 N73-24783
Single grid accelerator for an ion thrustor
[NASA-CASE-XLE-10453-2] c 28 N73-27699
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c 20 N75-18310
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c 20 N76-21276
Precision tunable resonant microwave cavity
[NASA-CASE-LEW-13935-1] c 33 N87-21234

ION EXCHANGE MEMBRANE ELECTROLYTES
Method of making membranes
[NASA-CASE-XNP-04264] c 03 N69-21337
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c 03 N71-29044
Formulated plastic separators for soluble electrode cells --- rubber-ion transport membranes
[NASA-CASE-LEW-12358-1] c 44 N79-17313
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c 25 N81-17187
Method of making formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c 25 N82-21268
Method and apparatus for rebalancing a REDOX flow cell system
[NASA-CASE-LEW-14127-1] c 33 N86-20680

ION EXCHANGE RESINS
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c 44 N78-25530
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c 52 N80-14687
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c 27 N81-14076

ION EXCHANGING
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c 27 N81-14076
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c 25 N81-19244

ION EXTRACTION
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c 25 N78-25148
Ion beam accelerator system
[NASA-CASE-NPO-15547-1] c 72 N84-16959
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253

ION IMPLANTATION
Method of making V-MOS field effect transistors utilizing a two-step anisotropic etching and ion implantation
[NASA-CASE-GSC-12515-1] c 33 N81-26360

ION IRRADIATION
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c 27 N80-24437
Ion-beam nitriding of steels
[NASA-CASE-LEW-14104-2] c 26 N88-14179

ION MOTION
Ion mass spectrometer
[NASA-CASE-NPO-15423-1] c 35 N84-28016

ION PLATING
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c 44 N81-29524
Diamondlike flake composites
[NASA-CASE-LEW-13837-1] c 24 N84-22695

ION PROBES
Ion microprobe mass spectrometer for analyzing fluid materials Patent
[NASA-CASE-ERC-10014] c 14 N71-28863

ION PROPULSION
Variable thrust ion engine utilizing thermally decomposable solid fuel Patent
[NASA-CASE-XMF-00923] c 28 N70-36802
Ion rocket Patent
[NASA-CASE-XLE-00376] c 28 N70-37245
Rocket engine Patent
[NASA-CASE-XLE-00342] c 28 N70-37980
Method of producing porous tungsten ionizers for ion rocket engines Patent
[NASA-CASE-XLE-00455] c 28 N70-38197
Double optic system for ion engine Patent
[NASA-CASE-XNP-02839] c 28 N70-41922
Electron bombardment ion engine Patent
[NASA-CASE-XNP-04124] c 28 N71-21822
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c 28 N71-26173
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c 28 N71-26642
Feed system for an ion thruster
[NASA-CASE-NPO-10737] c 28 N72-11709
Ion thruster
[NASA-CASE-LEW-10770-1] c 28 N72-22770
Ion thruster magnetic field control
[NASA-CASE-LEW-10835-1] c 28 N72-22771
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c 20 N75-18310
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c 37 N76-14461
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c 20 N77-20162
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c 20 N79-20179
A dc to dc converter
[NASA-CASE-MFS-25430-1] c 33 N84-16453
Ring-cusp ion thruster with shell anode
[NASA-CASE-LEW-13881-1] c 20 N85-21256

ION PUMPS
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c 35 N77-14406

ION SOURCES
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c 09 N71-10618
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c 17 N71-23046
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c 28 N71-26642
High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c 28 N71-28850

Apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c 14 N72-29464
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c 20 N74-31269
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c 37 N75-19684
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c 72 N80-27163
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c 72 N80-33186

ION TRAPS (INSTRUMENTATION)
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c 76 N76-20994

IONIC MOBILITY
Solid electrolyte cell
[NASA-CASE-NPO-15269-1] c 44 N82-29710

IONIZATION
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253

IONIZATION CHAMBERS
Baseline stabilization system for ionization detector Patent
[NASA-CASE-XNP-03128] c 10 N70-41991
Electron bombardment ion engine Patent
[NASA-CASE-XNP-04124] c 28 N71-21822
A multichannel photoionization chamber for absorption analysis Patent
[NASA-CASE-ERC-10044-1] c 14 N71-27090
Apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c 14 N72-29464

IONIZATION CROSS SECTIONS
Trochoidal analysis of scattered electrons in a merged electron-ion beam
[NASA-CASE-NPO-16789-1-CU] c 72 N88-25281

IONIZATION GAGES
Ionization vacuum gauge Patent
[NASA-CASE-XNP-00646] c 14 N70-35666
Pressure monitoring with a plurality of ionization gauges controlled at a central location Patent
[NASA-CASE-XLE-00787] c 14 N71-21090
Apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c 14 N72-29464
Ultrahigh vacuum measuring ionization gauge
[NASA-CASE-XLA-05087] c 14 N73-30391

IONIZATION POTENTIALS
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c 09 N71-26678
Modulated voltage metastable ionization detector
[NASA-CASE-ARC-11503-1] c 35 N85-34374

IONIZED GASES
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c 25 N69-39884
Transient heat transfer gauge Patent
[NASA-CASE-XNP-09802] c 33 N71-15641
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c 25 N78-25148
Hollow cathode apparatus
[NASA-CASE-NPO-15560-1] c 33 N85-21491

IONIZERS
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c 03 N71-24718
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c 20 N75-18310
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184

IONIZING RADIATION
High-voltage cable Patent
[NASA-CASE-XNP-00738] c 09 N70-38201
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c 37 N74-18126
Process for crosslinking methylene-containing aromatic polymers with ionizing radiation
[NASA-CASE-LAR-13448-1] c 27 N86-24840

IONOSPHERIC DISTURBANCES
Method and apparatus for calibrating the ionosphere and application to surveillance of geophysical events
[NASA-CASE-NPO-15430-1] c 46 N85-21846

IONOSPHERIC ELECTRON DENSITY
Method and apparatus for calibrating the ionosphere and application to surveillance of geophysical events
[NASA-CASE-NPO-15430-1] c 46 N85-21846

IONOSPHERIC SOUNDING
Method and apparatus for calibrating the ionosphere and application to surveillance of geophysical events
[NASA-CASE-NPO-15430-1] c 46 N85-21846

IONS
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c 14 N73-20477

IRIDIUM
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c 35 N79-14346

IRISES (MECHANICAL APERTURES)
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c 07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c 09 N72-29172

IRON
Negative electrode catalyst for the iron chromium redox energy storage system
[NASA-CASE-LEW-14028-1] c 44 N86-19721

IRON ALLOYS
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c 26 N78-18182
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c 26 N79-22271
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c 26 N80-32484
Thermal barrier coating system
[NASA-CASE-LEW-14057-1] c 24 N85-35233

IRON CHLORIDES
Chromium electrodes for REDOX cells
[NASA-CASE-LEW-13653-1] c 44 N84-28205

IRON COMPOUNDS
Coal desulfurization --- using iron pentacarbonyl
[NASA-CASE-NPO-14272-1] c 25 N81-33246

IRRADIATION
Solar sensor having coarse and fine sensing with matched preirradiated cells and method of selecting cells Patent
[NASA-CASE-XLA-01584] c 14 N71-23269
Apparatus for obtaining isotropic irradiation of a specimen
[NASA-CASE-MFS-20095] c 24 N72-11595
Production of pure metals
[NASA-CASE-LEW-10906-1] c 25 N74-30502
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c 33 N80-14332
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments
[NASA-CASE-MSC-16074-1] c 27 N80-26446
Method of measuring field funneling and range straggling in semiconductor charge-collecting junctions
[NASA-CASE-NPO-16584-1-CU] c 76 N86-25269

IRRIGATION
Solar-powered pump
[NASA-CASE-NPO-13567-1] c 44 N76-29701

ISOLATION
High voltage isolation transformer
[NASA-CASE-GSC-12817-1] c 33 N85-29146

ISOLATORS
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c 28 N71-26781
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c 37 N79-11402
Resonant isolator for maser amplifier
[NASA-CASE-NPO-15201-1] c 36 N83-35350
Low-loss, high-isolation, fiber-optic isolator
[NASA-CASE-NPO-17207-1-CU] c 74 N88-25304

ISOPROPYL ALCOHOL
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c 06 N73-30102

ISOTHERMAL LAYERS
Isothermal cover with thermal reservoirs Patent
[NASA-CASE-MFS-20355] c 33 N71-25353

ISOTHERMAL PROCESSES
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c 35 N77-27366

ISOTOPE SEPARATION
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c 36 N77-26477
Isotope separation using tuned laser and electron beam
[NASA-CASE-NPO-16907-1-CU] c 25 N88-24732

J

JET AIRCRAFT
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c 28 N70-34788
Multiple pure tone elimination strut assembly --- air breathing engines
[NASA-CASE-FRC-11062-1] c 71 N82-16800

JET AIRCRAFT NOISE
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c 02 N70-33332
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c 07 N74-32418
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c 07 N74-33218
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c 35 N75-19614
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c 07 N76-18117
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c 07 N83-33884
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-2] c 71 N84-14873

JET AMPLIFIERS
Fluid jet amplifier
[NASA-CASE-XLE-03512] c 12 N69-21466
Fluid jet amplifier Patent
[NASA-CASE-XLE-09341] c 12 N71-28741

JET BLAST EFFECTS
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c 15 N71-22874

JET CONTROL
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c 21 N70-36938

JET ENGINES
Absorptive splitter for closely spaced supersonic engine air inlets Patent
[NASA-CASE-XLA-02865] c 28 N71-15563
Thrust dynamometer Patent
[NASA-CASE-XLE-05260] c 14 N71-20429
Nacelle afterbody for jet engines Patent
[NASA-CASE-XLA-10450] c 28 N71-21493
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c 15 N73-28515
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c 07 N74-31270
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c 07 N76-18117
The engine air intake system
[NASA-CASE-ARC-10761-1] c 07 N77-18154
Stator rotor tools
[NASA-CASE-MSC-16000-1] c 37 N78-24544
Electrical servo actuator bracket --- fuel control valves on jet engines
[NASA-CASE-FRC-11044-1] c 37 N81-33483
Diffuser/ejector system for a very high vacuum environment
[NASA-CASE-MFS-25791-1] c 09 N84-27745

JET EXHAUST
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c 07 N74-27490
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c 07 N78-25085
Reduction of nitric oxide emissions from a combustc
[NASA-CASE-ARC-10814-2] c 07 N80-26295

JET FLAPS
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c 02 N70-33332

JET FLOW
Two phase flow system with discrete impingin two-phase jets
[NASA-CASE-NPO-11556] c 12 N72-25295

JET MIXING FLOW
Rocket engine injector Patent
[NASA-CASE-XLE-00111] c 28 N70-38195

JET NOZZLES
Fluid jet amplifier
[NASA-CASE-XLE-03512] c 12 N69-21466
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c 31 N71-17625
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c 35 N74-15095

JET PROPULSION
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c 07 N78-27135

JET PUMPS
Jet pump-drive system for heat removal
[NASA-CASE-NPO-16494-1-CU] c 34 N85-29155

JET THRUST
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c 21 N71-15525
Reactance control system Patent
[NASA-CASE-XMF-01598] c 21 N71-15525
Method and apparatus for rapid thrust increases in turbofan engine
[NASA-CASE-LEW-12971-1] c 07 N80-18045

JETTISON SYSTEMS
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c 31 N71-15625
Method and system for ejecting fairing sections from rocket vehicle
[NASA-CASE-GSC-10590-1] c 31 N73-14855

Explosively activated egress area
[NASA-CASE-LAR-12624-1] c 01 N83-35992

JIGS
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c 37 N76-21554
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c 44 N79-19447

JOINING
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c 07 N79-14096

JOINTS (ANATOMY)
Space suit pressure stabilizer Patent
[NASA-CASE-XLA-05332] c 05 N71-11194
Equipotential space suit Patent
[NASA-CASE-LAR-10007-1] c 05 N71-11195
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c 05 N71-24623
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c 54 N75-12616
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c 54 N77-30749
Spacesuit mobility knee joints
[NASA-CASE-ARC-11058-2] c 54 N79-24651

JOINTS (JUNCTIONS)
Electrode and insulator with shielded dielectric junction
[NASA-CASE-XLE-03778] c 09 N69-21542
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c 15 N70-36947
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c 15 N70-41371
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c 05 N71-12344
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c 15 N71-24679
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c 15 N71-26148
Frictionless universal joint Patent
[NASA-CASE-NPO-10646] c 15 N71-28467
Spherical shield Patent
[NASA-CASE-XNP-01855] c 15 N71-28937
Universal restrainer and joint Patent
[NASA-CASE-XNP-02278] c 15 N71-28951
Diffusion welding in air --- solid state welding of butt joint by fusion welding, surface cleaning, and heating
[NASA-CASE-LEW-11387-1] c 37 N74-18128
Bonded joint and method --- for reducing peak shear stress in adhesive bonds
[NASA-CASE-LAR-10900-1] c 37 N74-23064
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c 54 N74-32546
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c 37 N75-12326
Latching device
[NASA-CASE-MFS-21606-1] c 37 N75-19685
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c 37 N75-26372
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c 37 N76-14460
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c 54 N78-17676
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c 54 N78-31735
Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c 37 N81-15363
Reusable captive blind fastener
[NASA-CASE-MSC-18742-1] c 37 N82-26673
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c 54 N82-26987
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c 37 N82-32732
Automatic weld torch guidance control system
[NASA-CASE-MFS-25807] c 37 N83-20154
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c 07 N83-20944
Self-locking mechanical center joint
[NASA-CASE-LAR-12864-1] c 37 N85-30336
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19605
Fluid leak indicator
[NASA-CASE-MSC-20783-1] c 35 N86-20756
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630
Elbow and knee joint for hard space suits
[NASA-CASE-ARC-11610-1] c 54 N86-28619
Shoulder and hip joint for hard space suits
[NASA-CASE-ARC-11543-1] c 54 N86-28620
Shoulder and hip joints for hard space suits and the like
[NASA-CASE-ARC-11534-1] c 54 N86-29507
Foldable self-erecting joint
[NASA-CASE-MSC-20635-1] c 18 N87-14373
Preloaded space structural coupling joints
[NASA-CASE-LAR-13489-1] c 18 N87-27713
Bearing-bypass material system test
[NASA-CASE-LAR-13458-1] c 35 N88-23967

JOSEPHSON JUNCTIONS
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c 33 N75-31332
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c 33 N81-17348
Planar thin film SQUID with integral flux concentrator
[NASA-CASE-MFS-28282-1] c 76 N88-29602

JOULE-THOMSON EFFECT
Refrigeration apparatus
[NASA-CASE-NPO-10309] c 15 N69-23190
Cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c 31 N83-31897

JOURNAL BEARINGS
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c 15 N70-38620
Air bearing assembly for curved surfaces
[NASA-CASE-MFS-20423] c 15 N72-11388
Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c 37 N74-21061
Journal Bearings
[NASA-CASE-LEW-11076-2] c 37 N74-32921
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c 37 N75-30562
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c 37 N76-15461
Compliant hydrodynamic fluid journal bearing
[NASA-CASE-LEW-13670-1] c 37 N86-19606

JUNCTION DIODES
Phototransistor
[NASA-CASE-MFS-20407] c 09 N73-19235
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c 33 N75-25041
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c 33 N77-21314
Integrating IR detector imaging systems
[NASA-CASE-NPO-15805-1] c 74 N84-28590
High band gap 2-6 and 3-5 tunneling junctions for silicon multijunction solar cells
[NASA-CASE-NPO-16526-1CU] c 44 N87-17399

JUNCTION TRANSISTORS
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c 09 N69-24318
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c 14 N72-31446
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c 37 N75-26372
Floating emitter solar cell
[NASA-CASE-NPO-16467-1-CU] c 33 N87-23879

K

KALMAN FILTERS
Systolic VLSI array for implementing the Kalman filter Algorithm
[NASA-CASE-NPO-17108-1-CU] c 33 N87-27926

KETONES
Polyenamines from aromatic diacetylenic diketones and diamines
[NASA-CASE-LAR-13444-1-CU] c 27 N87-22847

KEYING
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c 60 N81-27814
Reconfigurable work station for a video display unit and keyboard
[NASA-CASE-MFS-26009-1-SB] c 54 N88-24163

KIDNEY DISEASES
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c 27 N77-30236

KIDNEYS
Apparatus for disintegrating kidney stones
[NASA-CASE-GSC-12652-1] c 52 N84-34913

KINETIC ENERGY
Non-reusuable kinetic energy absorber Patent
[NASA-CASE-XLE-00810] c 15 N70-34861
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c 34 N79-20335

KINETIC FRICTION
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c 14 N71-22995
Device and method for frictionally testing materials for ignitability
[NASA-CASE-MSC-20622-1] c 25 N86-19413

KINETICS
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c 14 N73-20477

KNEE (ANATOMY)
Elbow and knee joint for hard space suits
[NASA-CASE-ARC-11610-1] c 54 N86-28619

KRAFT PROCESS (WOODPULP)
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c 85 N79-17747

KRYPTON
Krypton based adsorption type cryogenic refrigerator
[NASA-CASE-NPO-17334-1-CU] c 31 N88-23917

L

LABORATORY EQUIPMENT
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c 15 N71-21177
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c 05 N71-23080
Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c 15 N71-27372
Variable angle tube holder
[NASA-CASE-LAR-10507-1] c 11 N72-25284
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c 03 N72-28025
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c 15 N73-19458
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c 51 N74-15778
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c 51 N77-27677
Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c 39 N78-10493
The 2 deg/90 deg laboratory scattering photometer --- particulate refractivity in hydrosols
[NASA-CASE-GSC-12088-1] c 74 N78-13874
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c 25 N78-14104
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c 25 N79-14169
Electrophoresis device
[NASA-CASE-MFS-25426-1] c 25 N83-10126
Laboratory glassware rack for seismic safety
[NASA-CASE-ARC-11422-1] c 35 N86-20751
Multi-path peristaltic pump
[NASA-CASE-MSC-20907-1] c 37 N87-18818
Hanging drop crystal growth apparatus and method
[NASA-CASE-MFS-28206-1-SB] c 76 N88-25356

LACQUERS
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c 27 N81-25209
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267

LADDERS
Dielectric based submillimeter backward wave oscillator circuit
[NASA-CASE-LEW-13736-1] c 33 N84-27974

LAMINAR FLOW
Laminar flow enhancement Patent
[NASA-CASE-NPO-10122] c 12 N71-17631
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface --- using an accelerometer to measure pressure levels during wind tunnel tests
[NASA-CASE-LAR-12261-1] c 02 N80-20224
Continuous laminar smoke generator
[NASA-CASE-LAR-13014-1] c 09 N85-21178
Method and apparatus for detecting laminar flow separation and reattachment
[NASA-CASE-LAR-13952-1-SB] c 34 N88-24910
Method of forming a multiple layer dielectric and a hot film sensor therewith
[NASA-CASE-LAR-13678-1] c 76 N88-25355

LAMINAR FLOW AIRFOILS
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793

LAMINATES
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c 17 N71-23046
Polyimide resin-fiberglass cloth laminates for printed circuit boards
[NASA-CASE-MFS-20408] c 18 N73-12604
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c 37 N74-18126

Method of laminating structural members
[NASA-CASE-XLA-11028-1] c 24 N74-27035
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c 24 N75-30260
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c 27 N76-16230
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c 24 N77-19170
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c 24 N77-27188
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c 24 N78-15180
Composite lamination method
[NASA-CASE-LAR-12019-1] c 24 N78-17150
Lightweight electrically-powered flexible thermal laminate --- made of metal and nonconductive yarns
[NASA-CASE-MSC-12662-1] c 33 N79-12331
Method for alleviating thermal stress damage in laminates --- metal matrix composites
[NASA-CASE-LEW-12493-1] c 24 N81-17170
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-2] c 24 N81-26179
Method of making a partial interlaminar separation composite system
[NASA-CASE-LAR-12065-2] c 24 N81-33235
Fuselage structure using advanced technology fiber reinforced composites
[NASA-CASE-LAR-11688-1] c 24 N82-26384
Method of tracing contour patterns for use in making gradual contour resin matrix composites
[NASA-CASE-ARC-11246-1] c 31 N83-34073
Piezoelectric composite materials
[NASA-CASE-LEW-12582-1] c 76 N83-34796
High temperature polyimide film laminates and process for preparation thereof
[NASA-CASE-LAR-13384-1] c 27 N86-20561
Laminate comprising fibers embedded in cured amine terminated bis-imide
[NASA-CASE-ARC-11421-3] c 24 N86-25416
Fire and heat resistant laminating resins based on malemeido and citraconimido substituted 1 -2,4- and -2,6-diaminobenzenes
[NASA-CASE-ARC-11533-1] c 27 N87-23751
Method of forming a multiple layer dielectric and a hot film sensor therewith
[NASA-CASE-LAR-13678-1] c 76 N88-25355

LANDFORMS
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c 43 N81-17499

LANDING AIDS
Altitude sensing device
[NASA-CASE-XMS-01994-1] c 14 N72-17326
Magnetic position detection method and apparatus
[NASA-CASE-ARC-10179-1] c 21 N72-22619
Full color hybrid display for aircraft simulators --- landing aids
[NASA-CASE-ARC-10903-1] c 09 N78-18083

LANDING GEAR
Pivotal shock absorbing pad assembly Patent
[NASA-CASE-XMF-03856] c 31 N70-34159
Nose gear steering system for vehicle with main skids Patent
[NASA-CASE-XLA-01804] c 02 N70-34160
Landing pad assembly for aerospace vehicles Patent
[NASA-CASE-XMF-02853] c 31 N70-36654
Aircraft wheel spray drag alleviator Patent
[NASA-CASE-XLA-01583] c 02 N70-36825
Space craft soft landing system Patent
[NASA-CASE-XMF-02108] c 31 N70-36845
Double-acting shock absorber Patent
[NASA-CASE-XMF-01045] c 15 N70-40354
Landing gear Patent
[NASA-CASE-XMF-01174] c 02 N70-41589
Tire/wheel concept
[NASA-CASE-LAR-11695-2] c 37 N81-24443

LANDING MODULES
Double-acting shock absorber Patent
[NASA-CASE-XMF-01045] c 15 N70-40354

LANDING SIMULATION
Impact simulator Patent
[NASA-CASE-XLA-00493] c 11 N70-34786

LANTHANUM COMPOUNDS
Stabilized lanthanum sulphur compounds --- thermoelectric materials
[NASA-CASE-NPO-16135-1] c 25 N83-24572

LAP JOINTS
Device for measuring hole elongation in a bolted joint
[NASA-CASE-LAR-13453-1] c 37 N88-14361

LARGE SCALE INTEGRATION
Combinational logic for generating gate drive signals for phase control rectifiers
[NASA-CASE-MFS-25208-1] c 33 N83-10345
Method of examining microcircuit patterns
[NASA-CASE-NPO-16299-1] c 33 N87-14594

LARGE SPACE STRUCTURES
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c 31 N81-27323
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c 07 N83-20944
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c 31 N83-31895
Self-locking mechanical center joint
[NASA-CASE-LAR-12864-1] c 37 N85-30336
Synchronously deployable truss structure
[NASA-CASE-LAR-13117-1] c 37 N86-25789
Latching mechanism for deployable/re-stowable columns useful in satellite construction
[NASA-CASE-LAR-13169-1] c 37 N86-25791
Synchronously deployable double fold beam and planar truss structure
[NASA-CASE-LAR-13490-1] c 18 N87-14413
Measurement apparatus and procedure for the determination of surface emissivities
[NASA-CASE-LAR-13455-1] c 32 N87-21206
Deployable geodesic truss structure
[NASA-CASE-LAR-13113-1] c 31 N87-25492
Preloaded space structural coupling joints
[NASA-CASE-LAR-13489-1] c 18 N87-27713
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828
Mobile remote manipulator system for a tetrahedral truss
[NASA-CASE-MSC-20985-1] c 18 N88-26398
Clevis joint for deployable space structures
[NASA-CASE-LAR-13898-1] c 37 N88-30130

LASER ALTIMETERS
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c 36 N83-34304

LASER APPLICATIONS
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c 36 N75-27364
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c 36 N76-24553
Wind measurement system
[NASA-CASE-MFS-23362-1] c 47 N77-10753
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c 36 N77-25501
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c 36 N77-25502
Laser extensometer
[NASA-CASE-MFS-19259-1] c 36 N78-14380
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c 25 N78-25148
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c 36 N79-18307
Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c 74 N83-13978
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c 36 N83-29680
Portable remote laser sensor for methane leak detection
[NASA-CASE-NPO-15790-1] c 36 N85-21631
Method of and apparatus for measuring temperature and pressure --- atmospheric sounding
[NASA-CASE-GSC-12558-1] c 36 N85-21639
Laser activated MTOS microwave device
[NASA-CASE-NPO-16112-1] c 33 N86-19516
Discharge cell for optogalvanic spectroscopy having orthogonal relationship between the probe laser and discharge axis
[NASA-CASE-NPO-16271-1] c 35 N86-25753
High-temperature, high-pressure optical cell
[NASA-CASE-MFS-26000-1] c 74 N87-14971
Multiplex electric discharge gas laser system
[NASA-CASE-NPO-16433-1] c 36 N87-23961
Laser schlieren crystal monitor
[NASA-CASE-MFS-28060-1] c 76 N87-25862
Isotope separation using tuned laser and electron beam
[NASA-CASE-NPO-16907-1-CU] c 25 N88-24732

LASER CAVITIES
Laser apparatus
[NASA-CASE-GSC-12237-1] c 36 N80-14384
Laser Resonator
[NASA-CASE-GSC-12565-1] c 36 N84-14509
Long gain length solar pumped box laser
[NASA-CASE-LAR-13256-1] c 36 N86-29204

LASER DOPPLER VELOCIMETERS
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c 35 N75-16783
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c 36 N76-14447
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c 36 N77-25501
Optical scanner --- laser doppler velocimeters
[NASA-CASE-LAR-11711-1] c 74 N78-17866
Versatile LDV burst simulator
[NASA-CASE-LAR-11859-1] c 35 N79-14349
Laser Doppler velocity simulator --- to induce frequency shift
[NASA-CASE-LAR-12176-1] c 36 N80-16321
Direction sensitive laser velocimeter --- determining the direction of particles using a helium-neon laser
[NASA-CASE-LAR-12177-1] c 36 N81-24422
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c 36 N82-32712
Powder fed sheared dispersal particle generator
[NASA-CASE-LAR-12785-1] c 37 N84-16561
LDV multiplexer interface
[NASA-CASE-ARC-11536-1] c 33 N85-30202
Auto covariance computer
[NASA-CASE-LAR-12968-1] c 60 N86-21154
Spinning disk calibration method and apparatus for laser Doppler velocimeter
[NASA-CASE-ARC-11510-1] c 35 N86-32697
Vibration-free Raman Doppler velocimeter
[NASA-CASE-LAR-13268-1] c 35 N87-14669
Projection lens scanning laser velocimeter system
[NASA-CASE-ARC-11547-1] c 36 N87-17026
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761
Dual mode laser velocimeter
[NASA-CASE-ARC-11634-1] c 36 N88-14350

LASER DRILLING
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c 43 N78-14452

LASER FUSION
Laser surface fusion of plasma sprayed ceramic turbine seals
[NASA-CASE-LEW-13269-1] c 18 N83-20996

LASER GUIDANCE
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c 36 N82-32712

LASER GYROSCOPES
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c 35 N81-33448
Laser pulse detection method and apparatus
[NASA-CASE-NPO-16030-1] c 36 N84-25037

LASER HEATING
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c 36 N75-30524
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c 71 N81-15767

LASER INTERFEROMETRY
Dual-beam skin friction interferometer
[NASA-CASE-ARC-11354-1] c 74 N83-21949

LASER MATERIALS
Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp
[NASA-CASE-LAR-11341-1] c 36 N75-19655
Solar pumped laser
[NASA-CASE-LAR-12870-1] c 36 N84-16542
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540

LASER MODE LOCKING
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c 36 N75-19653
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c 36 N75-19654
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c 36 N77-25499
Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-2] c 36 N83-29681

LASER MODES
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c 16 N72-25485
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c 36 N75-31427

LASER OUTPUTS
Method and apparatus for wavelength tuning of liquic lasers
[NASA-CASE-ERC-10187] c 16 N69-31343
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c 21 N71-19212
Amplitude modulated laser transmitter Patent
[NASA-CASE-XMS-04269] c 16 N71-22895

Laser fluid velocity detector Patent
[NASA-CASE-XAC-10770-1] c 16 N71-24828
Laser calibrator Patent
[NASA-CASE-XLA-03410] c 16 N71-25914
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c 23 N71-26722
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c 15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c 16 N71-27183
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c 16 N73-16536
Power supply for carbon dioxide lasers
[NASA-CASE-GSC-11222-1] c 16 N73-32391
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c 36 N74-13205
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c 36 N74-20009
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c 28 N74-27425
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c 36 N75-19654
Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp
[NASA-CASE-LAR-11341-1] c 36 N75-19655
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c 36 N75-31427
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c 74 N76-31998
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c 36 N77-25499
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c 25 N77-32255
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510
High power metallic halide laser --- amplifying a copper chloride laser
[NASA-CASE-NPO-14782-1] c 36 N82-28616
Collimated beam manifold with the number of output beams variable at a given output angle
[NASA-CASE-MFS-25312-1] c 74 N83-17305
Method of and apparatus for double-exposure holographic interferometry
[NASA-CASE-MFS-25405-1] c 35 N84-22929
Method and apparatus for coating substrates using a laser
[NASA-CASE-LEW-13526-1] c 36 N84-22944
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629
Projection lens scanning laser velocimeter system
[NASA-CASE-ARC-11547-1] c 36 N87-17026
Multiplex electric discharge gas laser system
[NASA-CASE-NPO-16433-1] c 36 N87-23961
Magnetically switched power supply system for lasers
[NASA-CASE-NPO-16402-2] c 33 N88-24862

LASER PLASMAS
Continuous plasma laser --- method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c 36 N77-19416

LASER PUMPING
Laser apparatus
[NASA-CASE-GSC-12237-1] c 36 N80-14384
Large volume multiple-path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c 36 N82-13415
Solar pumped laser
[NASA-CASE-LAR-12870-1] c 36 N84-16542

LASER RANGE FINDERS
Laser measuring system for incremental assemblies --- measuring wire-wrapped frame assemblies in spark chambers
[NASA-CASE-GSC-12321-1] c 36 N82-16396
Range and range rate system
[NASA-CASE-MSC-20867-1] c 36 N88-24958

LASER RANGER/TRACKER
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c 23 N71-29125

LASER SPECTROMETERS
Method and apparatus for enhancing laser absorption sensitivity
[NASA-CASE-NPO-16567-1-CU] c 36 N87-28006

LASER SPECTROSCOPY
Stark effect spectrophone for continuous absorption spectra monitoring --- a technique for gas analysis
[NASA-CASE-NPO-15102-1] c 25 N81-25159

LASER WINDOWS
Optical scanner --- laser doppler velocimeters
[NASA-CASE-LAR-11711-1] c 74 N78-17866

LASERS
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c 16 N71-20400
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c 16 N71-24170
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c 07 N71-26291
Laser camera and diffusion filter therefore Patent
[NASA-CASE-NPO-10417] c 16 N71-33410
Optical probing of supersonic flows with statistical correlation
[NASA-CASE-MFS-20642] c 14 N72-21407
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c 16 N72-22520
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c 16 N73-33397
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c 36 N74-11313
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c 36 N74-15145
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c 36 N74-21091
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c 36 N75-19652
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c 36 N75-19653
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c 36 N75-31427
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c 36 N76-29575
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c 74 N76-30053
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c 74 N77-26942
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346
Method and apparatus for splitting a beam of energy --- optical communication
[NASA-CASE-GSC-12083-1] c 73 N78-32848
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c 37 N79-28549
Method of and apparatus for double-exposure holographic interferometry
[NASA-CASE-MFS-25405-1] c 35 N84-22929
Method and apparatus for coating substrates using a laser
[NASA-CASE-LEW-13526-1] c 36 N84-22944
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c 36 N84-28065
Means for phase locking the outputs of a surface emitting laser diode array
[NASA-CASE-NPO-16542-1-CU] c 36 N87-23960
Magnetically switched power supply system for lasers
[NASA-CASE-NPO-16402-2] c 33 N88-24862

LASING
Long gain length solar pumped box laser
[NASA-CASE-LAR-13256-1] c 36 N86-29204
Isotope separation using tuned laser and electron beam
[NASA-CASE-NPO-16907-1-CU] c 25 N88-24732

LATCHES
Despin weight release Patent
[NASA-CASE-XLA-00679] c 15 N70-38601
Helmet assembly and latch means therefor Patent
[NASA-CASE-XMS-04935] c 05 N71-11190
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c 15 N71-17649
Latching mechanism Patent
[NASA-CASE-XMS-03745] c 15 N71-21076
Latch/ejector unit Patent
[NASA-CASE-XLA-03538] c 15 N71-24897
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c 15 N71-26162
Latch mechanism
[NASA-CASE-MSC-12549-1] c 37 N74-27903
Latching device
[NASA-CASE-MFS-21606-1] c 37 N75-19685
Load regulating latch
[NASA-CASE-MSC-19535-1] c 37 N77-32499
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c 54 N78-17678
Low temperature latching solenoid
[NASA-CASE-MSC-18106-1] c 33 N82-11357
CAM controlled retractable door latch
[NASA-CASE-MSC-20304-1] c 37 N82-31690
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c 37 N82-32732
Hemispherical latching apparatus
[NASA-CASE-MFS-25837-1] c 18 N85-29991
Latching mechanism for deployable/re-stowable columns useful in satellite construction
[NASA-CASE-LAR-13169-1] c 37 N86-25791
Self indexing latch system
[NASA-CASE-MFS-25956-1] c 37 N87-21333
Preloadable vector sensitive latch
[NASA-CASE-MSC-20910-1] c 37 N87-25582
Toggle release
[NASA-CASE-MSC-21354-1] c 37 N88-24969

LATERAL CONTROL
Three-axis controller Patent
[NASA-CASE-XAC-01404] c 05 N70-41581
Roll attitude star sensor system Patent
[NASA-CASE-XNP-01307] c 21 N70-41856
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c 02 N71-27088
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c 08 N79-14108
Leading edge flap system for aircraft control augmentation
[NASA-CASE-LAR-12787-2] c 08 N85-19985
Swashplate control system
[NASA-CASE-ARC-11633-1] c 08 N87-23631

LATERAL STABILITY
Annular wing
[NASA-CASE-FRC-11007-2] c 05 N82-26277

LATEX
Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c 27 N81-17261
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c 25 N81-19242

LATHES
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c 15 N71-22722
Lathe tool bit and holder for machining fiberglass materials
[NASA-CASE-XLA-10470] c 15 N72-21489
Universal precision sine bar attachment
[NASA-CASE-MFS-28253-1] c 37 N88-24971

LAUNCH ESCAPE SYSTEMS
Emergency escape system Patent
[NASA-CASE-XKS-02342] c 05 N71-11199
Device for separating occupant from an ejection seat Patent
[NASA-CASE-XMS-04625] c 05 N71-20718

LAUNCH VEHICLE CONFIGURATIONS
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c 09 N77-19076

LAUNCH VEHICLES
A support technique for vertically oriented launch vehicles
[NASA-CASE-XLA-02704] c 11 N69-21540
Method and apparatus for detection and location of microleaks Patent
[NASA-CASE-XMF-02307] c 14 N71-10779
Three stage rocket vehicle with parallel staging
[NASA-CASE-MFS-25878-1] c 18 N84-27787
Earth-to-orbit vehicle providing a reusable orbital stage and method of utilizing same
[NASA-CASE-LAR-13486-1] c 16 N87-29582

LAUNCHERS
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-15429-1] c 18 N84-22609
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-25429-1] c 18 N86-20469

LAUNCHING PADS
Missile launch release system Patent
[NASA-CASE-XMF-03198] c 30 N70-40353
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c 03 N71-12259
Validation device for spacecraft checkout equipment Patent
[NASA-CASE-XKS-10543] c 07 N71-26292

LAY-UP
Method of making a partial interlaminar separation composite system
[NASA-CASE-LAR-12065-2] c 24 N81-33235

LAYERS
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c 28 N78-24365

LEACHING
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c 28 N80-23471

Infusion extractor
[NASA-CASE-MSC-20761-1] c 37 N87-15465

LEAD (METAL)
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c 44 N76-27664
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c 44 N81-29524
Joining lead wires to thin platinum alloy films
[NASA-CASE-LEW-13934-1] c 35 N83-35338

LEAD SULFIDES
Integrated photo-responsive metal oxide semiconductor circuit
[NASA-CASE-GSC-12782-1] c 33 N88-14271

LEAD TELLURIDES
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c 15 N69-39786
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c 26 N71-16037

LEADING EDGE FLAPS
Leading edge flap system for aircraft control augmentation
[NASA-CASE-LAR-12787-2] c 08 N85-19985

LEADING EDGES
Reentry vehicle leading edge Patent
[NASA-CASE-XLA-00165] c 31 N70-33242
Leading edge curvature based on convective heating Patent
[NASA-CASE-XLA-01486] c 01 N71-23497
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c 24 N77-19170
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793

LEAKAGE
Rocket chamber leak test fixture
[NASA-CASE-XFR-09479] c 14 N69-27503
Method and apparatus for detection and location of microleaks Patent
[NASA-CASE-XMF-02307] c 14 N71-10779
Leak detector Patent
[NASA-CASE-LAR-10323-1] c 12 N71-17573
Hard space suit Patent
[NASA-CASE-XAC-07043] c 05 N71-23161
Method for leakage testing of tanks Patent
[NASA-CASE-XMF-02392] c 32 N71-24285
Leak detector wherein a probe is monitored with ultraviolet radiation Patent
[NASA-CASE-ERC-10034] c 15 N71-24896
Method for detecting leaks in hermetically sealed containers Patent
[NASA-CASE-ERC-10045] c 15 N71-24910
Method and apparatus for detecting gross leaks Patent
[NASA-CASE-ERC-10033] c 14 N71-26672
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c 14 N71-28992
Leak detector
[NASA-CASE-MFS-21761-1] c 35 N75-15931
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c 35 N75-19612
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c 31 N79-21225
Carbon granule probe microphone for leak detection --- recovery boilers
[NASA-CASE-NPO-16027-1] c 35 N85-21597
Portable remote laser sensor for methane leak detection
[NASA-CASE-NPO-15790-1] c 36 N85-21631
Fluid leak indicator
[NASA-CASE-MSC-20783-1] c 35 N86-20756
Method of repairing hidden leaks in tubes
[NASA-CASE-MFS-19796-1] c 37 N86-32736
Self-compensating solenoid valve
[NASA-CASE-ARC-11620-1] c 37 N87-25573

LEG (ANATOMY)
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c 52 N77-14735
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c 54 N77-30749
Mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c 52 N78-10686
Drop foot corrective device
[NASA-CASE-LAR-12259-2] c 54 N86-22112

LENSES
High temperature lens construction Patent
[NASA-CASE-XNP-04111] c 14 N71-15622
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c 14 N71-26474
Petzval type objective including field shaping lens Patent
[NASA-CASE-GSC-10700] c 23 N71-30027
Method and apparatus for eliminating coherent noise in a coherent energy imaging system without destroying spatial coherence
[NASA-CASE-GSC-11133-1] c 23 N72-11568
Plural beam antenna
[NASA-CASE-GSC-11013-1] c 09 N73-19234
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c 36 N77-32478
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c 74 N78-32854
Chromatically corrected virtual image visual display --- reducing eye strain in flight simulators
[NASA-CASE-LAR-12251-1] c 74 N80-27185
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c 74 N82-24072
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c 36 N82-32712
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c 74 N83-32577
Projection lens scanning laser velocimeter system
[NASA-CASE-ARC-11547-1] c 36 N87-17026
Dual mode laser velocimeter
[NASA-CASE-ARC-11634-1] c 36 N88-14350

LENTICULAR BODIES
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c 31 N70-37924

LEVEL (HORIZONTAL)
Hot wire liquid level detector for cryogenic fluids Patent
[NASA-CASE-XLE-00454] c 23 N71-17802
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c 37 N78-27425

LEVEL (QUANTITY)
Spherical tank gauge Patent
[NASA-CASE-XMS-06236] c 14 N71-21007
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c 09 N71-23188

LEVELING
Adjustable attitude guide device Patent
[NASA-CASE-XLA-07911] c 15 N71-15571
Electrical switching device Patent
[NASA-CASE-NPO-10037] c 09 N71-19610
Adjustable support
[NASA-CASE-NPO-10721] c 15 N72-27484
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c 09 N75-12968

LEVITATION
Gas levitator having fixed levitation node for containerless processing
[NASA-CASE-MFS-25509-1] c 35 N83-24828
Closed loop electrostatic levitation system
[NASA-CASE-NPO-15553-1] c 33 N85-29142

LEVITATION MELTING
High temperature acoustic levitator
[NASA-CASE-NPO-16022-1] c 71 N85-22105
Sample levitation and melt in microgravity
[NASA-CASE-NPO-17022-1-CU] c 29 N87-25489

LIFE (DURABILITY)
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c 37 N74-21064
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
Apparatus for disintegrating kidney stones
[NASA-CASE-GSC-12652-1] c 52 N84-34913
Method and apparatus for measuring minority carrier lifetime in a direct band-gap semiconductor
[NASA-CASE-NPO-16337-1-CU] c 33 N87-22894

LIFE DETECTORS
Use of the enzyme hexokinase for the reduction of inherent light levels
[NASA-CASE-XGS-05533] c 04 N69-27487
Lyophilized reaction mixtures Patent
[NASA-CASE-XGS-05532] c 06 N71-17705

LIFE RAFTS
Life raft Patent
[NASA-CASE-XMS-00863] c 05 N70-34857
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c 02 N73-26006
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c 54 N74-14845

LIFE SUPPORT SYSTEMS
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c 05 N70-35152
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c 05 N71-11203
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c 05 N71-24728
Foreshortened convolute section for a pressurized suit Patent
[NASA-CASE-XMS-09637-1] c 05 N71-24730
Orbital escape device Patent
[NASA-CASE-XMS-06162] c 31 N71-28851
Specialized halogen generator for purification of water Patent
[NASA-CASE-XLA-08913] c 14 N71-28933
Life support system
[NASA-CASE-MSC-12411-1] c 05 N72-20096
Air removal device
[NASA-CASE-XLA-08914] c 15 N73-12492
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c 25 N74-12813
Helmet feedport
[NASA-CASE-XMS-09653] c 54 N78-17680
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c 54 N78-32721
Air removal device --- life support systems
[NASA-CASE-XLA-08914-2] c 25 N82-21269

LIFT DEVICES
Device for handling heavy loads
[NASA-CASE-XNP-04969] c 11 N69-27466
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c 31 N70-34176
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c 02 N71-26110
Ferry system
[NASA-CASE-LAR-10574-1] c 11 N73-13257
High lift aircraft --- with improved stability, control, performance, and noise characteristics
[NASA-CASE-LAR-11252-1] c 05 N75-25914
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c 20 N76-22296
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c 08 N79-14108

LIFT DRAG RATIO
Ring wing tension vehicle Patent
[NASA-CASE-XLA-04901] c 31 N71-24315
Annular wing
[NASA-CASE-FRC-11007-2] c 05 N82-26277
Slotted variable camber flap
[NASA-CASE-LAR-12541-1] c 05 N84-22551
Over-the-wing propeller
[NASA-CASE-LAR-13134-2] c 07 N87-16828

LIFTING BODIES
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c 31 N70-34176
Lifting body Patent Application
[NASA-CASE-FRC-10063] c 01 N71-12217
Lift balancing device
[NASA-CASE-LAR-10348-1] c 11 N73-12264

LIFTING REENTRY VEHICLES
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c 31 N70-37924
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c 31 N71-15674
Flight craft Patent
[NASA-CASE-XAC-02058] c 02 N71-16087

LIFTING ROTORS
High lift, low pitching moment airfoils
[NASA-CASE-LAR-13215-1] c 02 N87-14282

LIGANDS
Carboranylmethylene-substituted phosphazenes and polymers thereof
[NASA-CASE-ARC-11370-1] c 27 N84-22750

LIGHT (VISIBLE RADIATION)
Anti-glare improvement for optical imaging systems Patent
[NASA-CASE-NPO-10337] c 14 N71-15604
Maksutov spectrograph Patent
[NASA-CASE-XLA-10402] c 14 N71-29041
Combustion detector
[NASA-CASE-LAR-10739-1] c 14 N73-16484
Optical fiber tactile sensor
[NASA-CASE-NPO-15375-1] c 74 N84-11921
Light transmitting window assembly
[NASA-CASE-MSC-18417-1] c 74 N85-29750
Depolarization measurement method and device
[NASA-CASE-LAR-13621-1] c 70 N87-25822

LIGHT AIRCRAFT
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c 02 N71-26110

LIGHT BEAMS
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c 23 N71-26206
Multiple hologram recording and readout system Patent
[NASA-CASE-ERC-10151] c 16 N71-29131
Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c 74 N83-13978
Collimated beam manifold with the number of output beams variable at a given output angle
[NASA-CASE-MFS-25312-1] c 74 N83-17305

Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629
Double window viewing chamber assembly
[NASA-CASE-MFS-28057-1] c 09 N87-14355
Laser schlieren crystal monitor
[NASA-CASE-MFS-28060-1] c 76 N87-25862

LIGHT EMITTING DIODES
Photoelectric detection system --- manufacturing automation
[NASA-CASE-MFS-23776-1] c 33 N82-28545
Heads up display
[NASA-CASE-LAR-12630-1] c 06 N84-27733
Focal plane array optical proximity sensor
[NASA-CASE-NPO-15155-1] c 74 N85-22139
Means for phase locking the outputs of a surface emitting laser diode array
[NASA-CASE-NPO-16542-1-CU] c 36 N87-23960

LIGHT GAS GUNS
Hypervelocity gun Patent
[NASA-CASE-XAC-05902] c 11 N71-18578

LIGHT MODULATION
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c 14 N71-15605
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c 09 N71-19479
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c 23 N71-26722
Lamp modulator
[NASA-CASE-KSC-10565] c 09 N72-25250
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c 74 N76-30053
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510
Fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c 74 N81-24900

LIGHT SCATTERING
The 2 deg/90 deg laboratory scattering photometer --- particulate refractivity in hydrosols
[NASA-CASE-GSC-12088-1] c 74 N78-13874

LIGHT SCATTERING METERS
System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c 74 N79-11865

LIGHT SOURCES
Light radiation direction indicator with a baffle of two parallel grids
[NASA-CASE-XNP-03930] c 14 N69-24331
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c 09 N70-33312
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c 21 N70-35089
Light position locating system Patent
[NASA-CASE-XNP-01059] c 23 N71-21821
Optical systems having spatially invariant outputs
[NASA-CASE-ERC-10248] c 14 N72-17323
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c 14 N72-27411
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c 09 N73-14214
Interferometric rotation sensor
[NASA-CASE-ARC-10278-1] c 14 N73-25463
Attitude sensor
[NASA-CASE-LAR-10586-1] c 19 N74-15089
Very high intensity light source using a cathode ray tube --- electron beams
[NASA-CASE-XNP-01296] c 33 N75-27250
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c 33 N75-29318
Uniform variable light source
[NASA-CASE-NPO-11429-1] c 74 N77-21941

LIGHT TRANSMISSION
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c 16 N71-15565
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c 23 N71-16365
Optical monitor panel Patent
[NASA-CASE-XKS-03509] c 14 N71-23175
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c 03 N72-22042
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c 23 N72-23695
Light regulator
[NASA-CASE-LAR-10836-1] c 26 N72-27784
Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c 70 N74-13436
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c 74 N77-22950
Transmitting and reflecting diffuser --- using ultraviolet grade fused silica coatings
[NASA-CASE-LAR-10385-3] c 74 N78-15879
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c 74 N82-24072
Light transmitting window assembly
[NASA-CASE-MSC-18417-1] c 74 N85-29750
Low-loss, high-isolation, fiber-optic isolator
[NASA-CASE-NPO-17207-1-CU] c 74 N88-25304

LIGHT VALVES
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826
Wind dynamic range video camera
[NASA-CASE-MFS-25750-1] c 32 N86-20647

LIGHTING EQUIPMENT
Internal work light Patent
[NASA-CASE-XKS-05932] c 09 N71-26787
Pressurized lighting system
[NASA-CASE-KSC-10644] c 09 N72-27227
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c 33 N79-11315

LIGHTNING
Determining distance to lightning strokes from a single station
[NASA-CASE-KSC-10698] c 07 N73-20175
Lightning tracking system
[NASA-CASE-KSC-10729-1] c 09 N73-32110
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c 14 N73-32319
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c 33 N75-26246
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c 33 N79-10337
Lightning current detector
[NASA-CASE-KSC-11057-1] c 33 N79-14305
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c 47 N82-24779
Lightning discharge protection rod
[NASA-CASE-LAR-13470-1] c 03 N88-14083

LIMBS (ANATOMY)
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c 52 N79-26772
Apparatus for determining changes in limb volume
[NASA-CASE-MSC-18759-1] c 52 N83-27578

LIMITER CIRCUITS
Variable duration pulse integrator Patent
[NASA-CASE-XLA-01219] c 10 N71-23084
Noise limiter Patent
[NASA-CASE-NPO-10169] c 10 N71-24844
Velocity limiting safety system Patent
[NASA-CASE-XLA-07473] c 15 N71-24895
Low level signal limiter
[NASA-CASE-XLE-04791] c 32 N74-22096
Inrush current limiter
[NASA-CASE-GSC-11789-1] c 33 N77-14333

LINE SPECTRA
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c 25 N81-14015
Optical scanner
[NASA-CASE-GSC-12897-1] c 74 N87-21679

LINEAR ACCELERATORS
Linear accelerator frequency control system Patent
[NASA-CASE-XGS-05441] c 10 N71-22962

LINEAR ARRAYS
Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-13691-1] c 43 N79-17288
Means for phase locking the outputs of a surface emitting laser diode array
[NASA-CASE-NPO-16542-1-CU] c 36 N87-23960

LINEAR CIRCUITS
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895

LINEAR INTEGRATED CIRCUITS
Integrating IR detector imaging systems
[NASA-CASE-NPO-15805-1] c 74 N84-28590

LINEAR POLARIZATION
Wind dynamic range video camera
[NASA-CASE-MFS-25750-1] c 32 N86-20647

LINEAR PROGRAMMING
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895

LINEAR RECEIVERS
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c 07 N71-27233

LINEAR SYSTEMS
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c 08 N71-12503
A m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c 10 N73-20254
Linear magnetic bearings
[NASA-CASE-GSC-12582-2] c 37 N85-20337

LINEARITY
Semi-linear ball bearing Patent
[NASA-CASE-XLA-02809] c 15 N71-22982
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c 15 N71-24045
Linear magnetic bearing
[NASA-CASE-GSC-12517-1] c 37 N83-32067
Linear motion valve
[NASA-CASE-MSC-20148-1] c 37 N85-29284
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373
Linearized traveling wave amplifier with hard limiter characteristics
[NASA-CASE-LEW-13981-2] c 33 N86-21742
Reciprocating linear motor
[NASA-CASE-GSC-12773-2] c 33 N87-23904
Semi-2-interpenetrating networks of high temperature systems
[NASA-CASE-LAR-13450-1] c 27 N87-28657

LININGS
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c 27 N82-29453
Steam cooled rich-burn combustor liner
[NASA-CASE-LEW-13609-1] c 25 N83-17628
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577
Multi-path peristaltic pump
[NASA-CASE-MSC-20907-1] c 37 N87-18818
Tapered, tubular polyester fabric
[NASA-CASE-MSC-21082-1] c 27 N87-29672

LINKAGES
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c 28 N71-16224
Adjustable force probe
[NASA-CASE-MFS-20760] c 14 N72-33377
Locking redundant link
[NASA-CASE-LAR-11900-1] c 37 N79-14382
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c 05 N81-19087
Preloadable vector sensitive latch
[NASA-CASE-MSC-20910-1] c 37 N87-25582
Payload deployment method and system
[NASA-CASE-MSC-21330-1] c 16 N88-24660
Skin friction balance
[NASA-CASE-LAR-13710-1] c 35 N88-29145

LIQUEFACTION
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c 52 N75-33640

LIQUID ATOMIZATION
Constant-output atomizer --- inhalation therapy and aerosol research
[NASA-CASE-MFS-25631-1] c 34 N84-12406

LIQUID BEARINGS
High speed hybrid bearing comprising a fluid bearing and a rolling bearing convected in series
[NASA-CASE-LEW-11152-1] c 15 N73-32359

LIQUID CHROMATOGRAPHY
Spillage detector for liquid chromatography systems
[NASA-CASE-MSC-20206-1] c 25 N86-27431

LIQUID COOLING
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c 15 N69-24266
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c 28 N70-33372
Solenoid construction Patent
[NASA-CASE-XNP-01951] c 09 N70-41929
Laminar flow enhancement Patent
[NASA-CASE-NPO-10122] c 12 N71-17631
Space suit heat exchanger Patent
[NASA-CASE-XMS-09571] c 05 N71-19439
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114-2] c 09 N71-24807
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114] c 33 N71-27862
Liquid spray cooling method Patent
[NASA-CASE-XLE-00027] c 33 N71-29152
Automatic control of liquid cooling garment by cutaneous and external auditory meatus temperatures
[NASA-CASE-MSC-13917-1] c 05 N72-15098
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c 05 N73-26071
Heat exchanger system and method
[NASA-CASE-LAR-10799-2] c 34 N76-17317
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c 52 N77-14736

Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c 31 N78-17237
Low gravity exothermic heating/cooling apparatus
[NASA-CASE-MSC-25707-1] c 35 N85-29214

LIQUID CRYSTALS
Angular velocity and acceleration measuring apparatus
[NASA-CASE-ERC-10292] c 14 N72-25410
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c 26 N72-25680
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826

LIQUID FILLED SHELLS
Liquid rocket system Patent
[NASA-CASE-XNP-00610] c 28 N70-36910
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c 14 N71-20435
Fluid containers and resealable septum therefor Patent
[NASA-CASE-NPO-10123] c 15 N71-24835
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c 14 N71-30265

LIQUID FLOW
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c 12 N69-39988
Liquid junction and method of fabricating the same Patent Application
[NASA-CASE-NPO-10682] c 15 N70-34699
Valve actuator Patent
[NASA-CASE-XHQ-01208] c 15 N70-35409
Fluid coupling Patent
[NASA-CASE-XLE-00397] c 15 N70-36492
Positive displacement flowmeter Patent
[NASA-CASE-XMF-02822] c 14 N70-41994
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c 14 N70-42074
Ablative system
[NASA-CASE-LEW-10359-2] c 33 N73-25952
Zero gravity liquid transfer screen
[NASA-CASE-KSC-10626] c 14 N73-27378
System for measuring Reynolds in a turbulently flowing fluid --- signal processing
[NASA-CASE-ARC-10755-2] c 34 N76-27517
Degassifying and mixing apparatus for liquids --- potable water for spacecraft
[NASA-CASE-MSC-18936-1] c 35 N83-29652
Multicolor printing plate joining
[NASA-CASE-LEW-13598-1] c 35 N84-22930

LIQUID HELIUM
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c 20 N75-24837
Helium refrigerator
[NASA-CASE-NPO-13435-1] c 31 N76-14284
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c 31 N77-10229
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c 31 N78-25256
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c 72 N79-13826
Low cost cryostat
[NASA-CASE-NPO-14513-1] c 35 N81-14287

LIQUID HYDROGEN
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c 33 N71-28892
Reinforced polyquinoxaline gasket and method of preparing the same --- resistant to ionizing radiation and liquid hydrogen temperatures
[NASA-CASE-MFS-21364-1] c 37 N74-18126
Liquid hydrogen polygeneration system and process
[NASA-CASE-KSC-11304-2] c 28 N86-23744
Ten degree Kelvin hydride refrigerator
[NASA-CASE-NPO-16393-1-CU] c 31 N87-21159
Rotor self-lubricating axial stop
[NASA-CASE-MFS-28273-1] c 37 N88-23974

LIQUID INJECTION
Thrust vector control apparatus Patent
[NASA-CASE-XLE-00208] c 28 N70-34294
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c 21 N71-15582
Injector assembly for liquid fueled rocket engines Patent
[NASA-CASE-XMF-00968] c 28 N71-15660
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c 37 N80-10494
Method of producing silicon --- gas phase reactor multiple injector liquid feed system
[NASA-CASE-NPO-14382-1] c 31 N80-18231
Vortex generating flow passage design for increased film cooling effectiveness
[NASA-CASE-LEW-14039-1] c 34 N85-33433

LIQUID LASERS
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c 16 N69-31343

LIQUID LEVELS
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c 14 N71-10500

LIQUID METALS
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c 03 N69-39983
Two-fluid magnetohydrodynamic system and method for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c 03 N70-36803
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c 06 N71-23527
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114] c 33 N71-27862
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c 17 N71-28747
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c 33 N72-20915
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c 06 N73-13129
Electromagnetic flow rate meter --- for liquid metals
[NASA-CASE-LEW-10981-1] c 35 N74-21018
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c 33 N77-26385
Solar driven liquid metal MHD power generator
[NASA-CASE-LAR-12495-1] c 44 N83-28573
Arc spray fabrication of metal matrix composite monotape
[NASA-CASE-LEW-13828-1] c 24 N85-30027

LIQUID NITROGEN
Cryogenic feedthrough
[NASA-CASE-LAR-10031] c 15 N72-22484

LIQUID OXYGEN
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c 18 N71-27170
Low loss injector for liquid propellant rocket engines
[NASA-CASE-MFS-25989-1] c 20 N87-14420
Oxygen chemisorption cryogenic refrigerator
[NASA-CASE-NPO-16734-1-CU] c 31 N88-14223
Rotor self-lubricating axial stop
[NASA-CASE-MFS-28273-1] c 37 N88-23974

LIQUID PHASES
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c 27 N71-15635
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c 06 N71-22975
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c 14 N71-26199
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c 35 N77-21393
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-1] c 34 N87-22950

LIQUID PROPELLANT ROCKET ENGINES
Annular rocket motor and nozzle configuration Patent
[NASA-CASE-XLE-00078] c 28 N70-33284
Attitude and propellant flow control system and method Patent
[NASA-CASE-XMF-00185] c 21 N70-34539
Injector for bipropellant rocket engines Patent
[NASA-CASE-XMF-00148] c 28 N70-38710
Zero gravity starting means for liquid propellant motors Patent
[NASA-CASE-XNP-01390] c 28 N70-41275
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c 20 N74-13502
Space vehicle
[NASA-CASE-MFS-22734-1] c 18 N75-19329
Fluid thrust control system --- for liquid propellant rocket engines
[NASA-CASE-XMF-05964-1] c 20 N79-21124
Rocket injector head
[NASA-CASE-XMF-04592-1] c 20 N79-21125
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-2] c 20 N82-18314

LIQUID ROCKET PROPELLANTS
Rocket propellant injector Patent
[NASA-CASE-XLE-00103] c 28 N70-33241
Liquid rocket system Patent
[NASA-CASE-XNP-00610] c 28 N70-36910
Rocket motor system Patent
[NASA-CASE-XLE-00323] c 28 N70-38505
High temperature spark plug Patent
[NASA-CASE-XLE-00660] c 28 N70-39925
High pressure filter Patent
[NASA-CASE-XNP-00732] c 28 N70-41447
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c 15 N70-41646
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c 31 N70-41948
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c 27 N71-15635
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c 15 N71-17654
Slosh alleviator Patent
[NASA-CASE-XLA-05749] c 15 N71-19569
Filler valve Patent
[NASA-CASE-XNP-01747] c 15 N71-23024
Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c 10 N71-26339
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c 17 N71-28747
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c 14 N71-29134
Passive propellant system
[NASA-CASE-MFS-23642-1] c 20 N80-10278
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c 20 N80-14188
Low loss injector for liquid propellant rocket engines
[NASA-CASE-MFS-25989-1] c 20 N87-14420

LIQUID SLOSHING
Slosh suppressing device and method Patent
[NASA-CASE-XMF-00658] c 12 N70-38997
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c 32 N71-16103
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c 32 N71-16106
Hot wire liquid level detector for cryogenic fluids Patent
[NASA-CASE-XLE-00454] c 23 N71-17802
Slosh alleviator Patent
[NASA-CASE-XLA-05749] c 15 N71-19569
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c 12 N71-26387

LIQUID SODIUM
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c 37 N80-10494

LIQUID-GAS MIXTURES
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c 15 N70-40062
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c 05 N70-41297
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c 15 N70-41646
Separator Patent
[NASA-CASE-XLA-00415] c 15 N71-16079
Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c 15 N71-23023
Air removal device --- life support systems
[NASA-CASE-XLA-08914-2] c 25 N82-21269

LIQUID-SOLID INTERFACES
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713

LIQUID-VAPOR INTERFACES
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c 15 N71-15968
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c 15 N71-26294
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c 14 N71-29134
Acoustic bubble removal method
[NASA-CASE-NPO-15334-1] c 71 N83-35781

LIQUIDS
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c 15 N70-40062
Electrical switching device Patent
[NASA-CASE-NPO-10037] c 09 N71-19610
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c 15 N71-27184
Apparatus for detecting the amount of material in a resonant cavity container Patent
[NASA-CASE-XNP-02500] c 18 N71-27397
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c 14 N72-11363
Ablative system
[NASA-CASE-LEW-10359] c 33 N72-25911
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c 05 N72-27102
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c 15 N73-19455
Bimetallic fluid displacement apparatus --- for stirring and heating stored gases and liquids
[NASA-CASE-ARC-10441-1] c 35 N74-15121
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c 35 N74-32871

Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c 35 N75-19611
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c 44 N76-31667
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c 35 N78-12390
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c 35 N78-19466
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c 33 N82-26572
System for monitoring physical characteristics of fluids
[NASA-CASE-NPO-15400-1] c 34 N83-31993
Liquid thickness gauge
[NASA-CASE-LAR-13826-1] c 35 N88-29150

LITHIUM
Lithium counterdoped silicon solar cell
[NASA-CASE-LEW-14177-1] c 44 N86-32875

LITHIUM ALLOYS
Elevated temperature aluminum alloys
[NASA-CASE-LAR-13632-1] c 26 N87-29650
Aluminum alloy
[NASA-CASE-LAR-13924-1-CU] c 26 N88-24753

LITHIUM COMPOUNDS
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c 06 N73-32029

LOAD DISTRIBUTION (FORCES)
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c 14 N70-34705
Multiple Belleville spring assembly Patent
[NASA-CASE-XNP-00840] c 15 N70-38225
Device for use in loading tension members --- characterized by elongated elastic body
[NASA-CASE-MFS-21488-1] c 14 N75-24794
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c 37 N75-32465
Load positioning system with gravity compensation
[NASA-CASE-ARC-11525-1] c 37 N86-27629

LOAD TESTING MACHINES
Load cell protection device Patent
[NASA-CASE-XMS-06782] c 32 N71-15974
Load relieving device Patent
[NASA-CASE-XMS-06329-1] c 15 N71-20441
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c 35 N76-18400
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c 39 N79-22537
Portable 90 degree proof loading device
[NASA-CASE-MSC-20250-1] c 35 N86-19581
Cryogenic insulation strength and bond tester
[NASA-CASE-MFS-25910-1] c 39 N86-20841
Device for measuring hole elongation in a bolted joint
[NASA-CASE-LAR-13453-1] c 37 N88-14361
Bearing-bypass material system test
[NASA-CASE-LAR-13458-1] c 35 N88-23967

LOAD TESTS
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c 14 N70-34816
Fatigue testing a plurality of test specimens and method
[NASA-CASE-MFS-28118-1] c 39 N87-25601

LOADING OPERATIONS
Air bearing Patent
[NASA-CASE-XMF-01887] c 15 N71-10617
Shuttle car loading system
[NASA-CASE-NPO-15949-1] c 85 N85-34722

LOADS (FORCES)
Device for handling heavy loads
[NASA-CASE-XNP-04969] c 11 N69-27466
Two-plane balance Patent
[NASA-CASE-XAC-00073] c 14 N70-34813
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c 15 N71-16052
Load relieving device Patent
[NASA-CASE-XMS-06329-1] c 15 N71-20441
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c 09 N71-23191
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c 26 N71-25490
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c 10 N71-26531
Synchronous dc direct drive system Patent
[NASA-CASE-GSC-10065-1] c 10 N71-27136
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c 15 N71-27432
Energy absorption device Patent
[NASA-CASE-XNP-01848] c 15 N71-28959
Air bearing
[NASA-CASE-WLP-10002] c 15 N72-17451
Device for measuring bearing preload
[NASA-CASE-MFS-20434] c 11 N72-25288
Variable direction force coupler
[NASA-CASE-MFS-20317] c 15 N73-13463
Ergometer
[NASA-CASE-MFS-21109-1] c 05 N73-27941
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c 35 N74-13129
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c 35 N77-18417
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c 35 N77-27367
Load regulating latch
[NASA-CASE-MSC-19535-1] c 37 N77-32499
Adjustable indicating device for load position
[NASA-CASE-MFS-28008-1] c 35 N85-20300
Aircraft rotor blade with passive tuned tab
[NASA-CASE-ARC-11444-1] c 05 N85-29947
Tensile testing apparatus
[NASA-CASE-LAR-13243-1] c 35 N85-34375
Dual motion valve with single motion input
[NASA-CASE-MFS-28058-1] c 37 N87-21332

LOCAL AREA NETWORKS
Local area network with fault-checking, priorities and redundant backup
[NASA-CASE-NPO-16949-1-CU] c 62 N87-19021

LOCATES SYSTEM
Lightning tracking system
[NASA-CASE-KSC-10729-1] c 09 N73-32110
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c 17 N76-21250

LOCKING
Coupling device
[NASA-CASE-XMS-07846-1] c 09 N69-21927
Self-locking mechanical center joint
[NASA-CASE-LAR-12864-1] c 37 N85-30336
Variable length strut with longitudinal compliance and locking capability
[NASA-CASE-MFS-25907-1] c 37 N85-34401
Self-locking telescoping manipulator arm
[NASA-CASE-MFS-25906-1] c 37 N86-20789
Elbow and knee joint for hard space suits
[NASA-CASE-ARC-11610-1] c 54 N86-28619
Locking hinge
[NASA-CASE-MSC-21056-1] c 18 N88-23827

LOCKS (FASTENERS)
Locking device with rolling detents Patent
[NASA-CASE-XMF-01371] c 15 N70-41829
Bearing and gimbal lock mechanism and spiral flex lead module Patent
[NASA-CASE-GSC-10556-1] c 31 N71-26537
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c 28 N71-28928
Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c 14 N71-28935
Safety-type locking pin
[NASA-CASE-MFS-18495] c 15 N72-11385
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c 54 N76-22914
Portable appliance security apparatus
[NASA-CASE-GSC-12399-1] c 33 N81-25299
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c 52 N81-25661
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c 37 N82-24494
Aircraft canopy lock
[NASA-CASE-FRC-11065-1] c 05 N83-19737
Collet lock joint for space station truss
[NASA-CASE-MSC-21207-1] c 37 N88-29180

LOCOMOTION
Jet shoes
[NASA-CASE-XLA-08491] c 05 N69-21380
Training vehicle for controlling attitude Patent
[NASA-CASE-XMS-02977] c 11 N71-10746
Restraint torso for a pressurized suit
[NASA-CASE-MSC-12397-1] c 05 N72-25119
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c 39 N83-20280

LOGARITHMIC RECEIVERS
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c 33 N78-32339

LOGARITHMS
Logarithmic function generator utilizing an exponentially varying signal in an inverse manner
[NASA-CASE-ERC-10267] c 09 N72-23173

LOGIC CIRCUITS
A method for selective gold diffusion of monolithic silicon devices and/or circuits Patent application
[NASA-CASE-ERC-10072] c 09 N70-11148
Relay binary circuit Patent
[NASA-CASE-XMF-00421] c 09 N70-34502
Binary to binary-coded-decimal converter Patent
[NASA-CASE-XNP-00432] c 08 N70-35423
Analog-to-digital conversion system Patent
[NASA-CASE-XAC-00404] c 08 N70-40125
Data processor having multiple sections activated at different times by selective power coupling to the sections Patent
[NASA-CASE-XGS-04767] c 08 N71-12494
Binary sequence detector Patent
[NASA-CASE-XNP-05415] c 08 N71-12505
AC logic flip-flop circuits Patent
[NASA-CASE-XGS-00823] c 10 N71-15910
Logic AND gate for fluid circuits Patent
[NASA-CASE-XLA-07391] c 12 N71-17579
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c 08 N71-18602
Exclusive-Or digital logic module Patent
[NASA-CASE-XLA-07732] c 08 N71-18751
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c 10 N71-18772
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c 08 N71-24650
BCD to decimal decoder Patent
[NASA-CASE-XKS-06167] c 08 N71-24890
Current steering switch Patent
[NASA-CASE-XNP-08567] c 09 N71-26000
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c 10 N71-26103
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c 10 N71-26374
Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c 10 N72-22236
Logical function generator
[NASA-CASE-XLA-05099] c 09 N73-13209
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c 60 N74-20836
Four phase logic systems --- including integrated microcircuits
[NASA-CASE-MSC-14240-1] c 33 N75-14957
Interleaving device
[NASA-CASE-GSC-12111-2] c 33 N81-29342
Logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c 52 N82-11770
Combinational logic for generating gate drive signals for phase control rectifiers
[NASA-CASE-MFS-25208-1] c 33 N83-10345
Adaptive reference voltage generator for firing angle control of line-commutated inverters
[NASA-CASE-MFS-25215-1] c 33 N83-31953
Adaptive control system for line-commutated inverters
[NASA-CASE-MFS-25209-1] c 33 N83-35227
Video processor for air traffic control beacon system
[NASA-CASE-KSC-11155-1] c 04 N86-19304
Braille reading system
[NASA-CASE-LAR-13306-1] c 82 N87-29372
Nanosequencer digital logic controller
[NASA-CASE-NPO-16116-2] c 60 N88-29310

LONGERONS
Latching mechanism for deployable/re-stowable columns useful in satellite construction
[NASA-CASE-LAR-13169-1] c 37 N86-25791
Magnetic spin reduction system for free spinning objects
[NASA-CASE-MFS-25966-1] c 16 N86-26352
Deployable geodesic truss structure
[NASA-CASE-LAR-13113-1] c 31 N87-25492

LONGITUDINAL CONTROL
Three-axis controller Patent
[NASA-CASE-XAC-01404] c 05 N70-41581
Pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c 08 N81-26152
Remote pivot decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-13173-1] c 05 N87-14314
Swashplate control system
[NASA-CASE-ARC-11633-1] c 08 N87-23631

LONGITUDINAL STABILITY
Annular wing
[NASA-CASE-FRC-11007-2] c 05 N82-26277

LOOK ANGLES (ELECTRONICS)
Method and apparatus for contour mapping using synthetic aperture radar
[NASA-CASE-NPO-15939-1] c 43 N86-19711

LOOP ANTENNAS
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c 07 N70-40202
Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c 07 N73-30113

LOOPS
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c 14 N70-41647
Endless tape transport mechanism Patent
[NASA-CASE-XGS-01223] c 07 N71-10609
Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c 10 N73-27171

High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c 70 N74-21300
Means for accommodating large overstrain in lead wires --- by storing extra length of wire in stretchable loop
[NASA-CASE-LAR-10168-1] c 33 N74-22865
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c 34 N79-20336
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c 32 N81-15179
Pulsed phase locked loop strain monitor --- voltage controlled oscillators
[NASA-CASE-LAR-12772-1] c 33 N83-16626
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-1] c 34 N87-22950
Phase length optical phase-locked-loop sensor
[NASA-CASE-LAR-13387-1] c 74 N88-25302
Polymeric heat pipe wick
[NASA-CASE-GSC-13019-1] c 34 N88-29133

LOUVERS
Solar concentrator protective system
[NASA-CASE-NPO-15662-1] c 44 N84-28204

LOW ASPECT RATIO
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c 02 N70-33286
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c 02 N70-34858

LOW COST
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c 44 N76-28635
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c 44 N78-24609
Large TV display system
[NASA-CASE-NPO-16932-1CU] c 33 N87-15413

LOW CURRENTS
Low current linearization of magnetic amplifier for dc transducer
[NASA-CASE-NPO-14617-1] c 33 N81-24338

LOW DENSITY MATERIALS
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c 14 N71-28993
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c 27 N74-27037
Mixing insert for foam dispensing apparatus
[NASA-CASE-MFS-20607-1] c 37 N76-19436
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c 24 N78-27184
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c 24 N79-16915
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c 25 N80-16116
Elevated temperature aluminum alloys
[NASA-CASE-LAR-13632-1] c 26 N87-29650

LOW FREQUENCIES
Seismic displacement transducer Patent
[NASA-CASE-XMF-00479] c 14 N70-34794
Low-frequency radio navigation system
[NASA-CASE-NPO-15264-1] c 04 N84-27713

LOW GRAVITY MANUFACTURING
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c 12 N76-15189
Gas levitator having fixed levitation node for containerless processing
[NASA-CASE-MFS-25509-1] c 35 N83-24828
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650
Apparatus ad method for quiescent containerless processing of high temperature metals and alloys in low gravity
[NASA-CASE-MFS-28087-1] c 35 N87-23944
Sample levitation and melt in microgravity
[NASA-CASE-NPO-17022-1-CU] c 29 N87-25489

LOW MOLECULAR WEIGHTS
Process for preparation of high-molecular- weight polyaryloxysilanes Patent
[NASA-CASE-XMF-08674] c 06 N71-28807

LOW NOISE
Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c 10 N73-26229
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c 36 N76-31512
Low noise tuned amplifier
[NASA-CASE-GSC-12567-1] c 33 N84-22887
Low noise cryogenic dielectric resonator oscillator
[NASA-CASE-NPO-17157-1-CU] c 33 N88-26596

LOW PASS FILTERS
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c 08 N79-23097
Smoothing filter for digital to analog conversion
[NASA-CASE-FRC-11025-1] c 33 N82-24417
Discriminator aided phase lock acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c 33 N82-29539

LOW PRESSURE
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c 12 N71-26546
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c 35 N79-33450

LOW SPEED
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c 31 N71-15674
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c 10 N71-24863

LOW TEMPERATURE
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c 28 N81-14103
Cellular thermosetting fluoropolymers and process for making them
[NASA-CASE-GSC-13008-1] c 27 N88-23894

LOW TEMPERATURE ENVIRONMENTS
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c 03 N72-15986

LOW TEMPERATURE TESTS
Low temperature flexure fatigue cryostat Patent
[NASA-CASE-XMF-02964] c 14 N71-17659
Horizontal cryostat for fatigue testing Patent
[NASA-CASE-XMF-10968] c 14 N71-24234
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c 34 N83-34221

LOW THRUST
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-2] c 20 N82-18314

LOW VACUUM
Vibration damping system Patent
[NASA-CASE-XMS-01620] c 23 N71-15673

LOW VOLTAGE
High speed low level electrical stepping switch Patent
[NASA-CASE-XAC-00060] c 09 N70-39915
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c 09 N71-18720
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c 10 N71-27366

LOWER BODY NEGATIVE PRESSURE
Method and apparatus for simulating gravitational forces on a living organism
[NASA-CASE-MSC-20202-1] c 54 N84-16803

LUBRICANTS
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c 18 N71-10772
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c 15 N71-24046
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c 06 N73-30098
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c 37 N74-21058
Journal bearings --- for lubricant films
[NASA-CASE-LEW-11076-1] c 37 N74-21061
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c 31 N83-27058

LUBRICATING OILS
Foil seal Patent
[NASA-CASE-XLE-05130-2] c 15 N71-19570

LUBRICATION
Production of hollow components for rolling element bearings by diffusion welding
[NASA-CASE-LEW-11026-1] c 15 N73-33383
Variable resistance constant tension and lubrication device --- using oil-saturated leather wiper
[NASA-CASE-KSC-10723-1] c 37 N75-13265
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c 37 N76-15461

LUBRICATION SYSTEMS
Hybrid lubrication system and bearing Patent
[NASA-CASE-XNP-01641] c 15 N71-22997
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c 15 N71-23048
Journal Bearings
[NASA-CASE-LEW-11076-2] c 37 N74-32921
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c 37 N78-10467

LUMINAIRES
Visual target for retrofire attitude control
[NASA-CASE-XMS-12158-1] c 31 N69-27499
Ultraviolet resonance lamp Patent
[NASA-CASE-ARC-10030] c 09 N71-12521
Lamp modulator
[NASA-CASE-KSC-10565] c 09 N72-25250
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c 09 N73-30181
Uniform variable light source
[NASA-CASE-NPO-11429-1] c 74 N77-21941
Direct current ballast circuit for metal halide lamp
[NASA-CASE-MSC-18407-1] c 33 N82-24427

LUMINANCE
Television camera video level control system
[NASA-CASE-MSC-18578-1] c 32 N85-21427

LUMINOSITY
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c 23 N71-23976

LUMINOUS INTENSITY
Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c 14 N70-33254
Radiant energy intensity measurement system Patent
[NASA-CASE-XNP-06510] c 14 N71-23797
Continuous plasma laser --- method and apparatus for producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c 36 N77-19416
Solar cell assembly --- for use under high intensity illumination
[NASA-CASE-LEW-11549-1] c 44 N77-19571
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c 33 N77-21315
System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c 74 N79-11865
Wind dynamic range video camera
[NASA-CASE-MFS-25750-1] c 32 N86-20647

LUMPING
Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104

LUNAR BASES
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c 33 N71-29046

LUNAR COMMUNICATION
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c 07 N71-11300
Emergency lunar communications system
[NASA-CASE-MFS-21042] c 07 N72-25171

LUNAR COMPOSITION
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c 14 N71-22765

LUNAR EXPLORATION
Backpack carrier Patent
[NASA-CASE-LAR-10056] c 05 N71-12351
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c 14 N71-22765
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c 28 N71-27585
Emergency lunar communications system
[NASA-CASE-MFS-21042] c 07 N72-25171

LUNAR GRAVITATION
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c 11 N71-21474

LUNAR GRAVITY SIMULATOR
Impact simulator Patent
[NASA-CASE-XLA-00493] c 11 N70-34786

LUNAR LANDING
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c 31 N70-34966

LUNAR LOGISTICS
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c 28 N71-27585

LUNAR ROCKS
Sample collecting impact bit Patent
[NASA-CASE-XNP-01412] c 15 N70-42034

LUNAR SOIL
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNP-09770] c 15 N71-20440
Material handling device Patent
[NASA-CASE-XNP-09770-3] c 11 N71-27036
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c 14 N73-19420
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c 46 N74-13011

LUNAR SURFACE VEHICLES
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c 31 N71-18611
Resilient wheel Patent
[NASA-CASE-MFS-13929] c 15 N71-27091

LUNGS
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c 05 N70-41329

M

MACH NUMBER
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c 09 N82-11088
MACHINE TOOLS
Rock drill for recovering samples
[NASA-CASE-XNP-07478] c 14 N69-21923
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c 15 N71-22797
Aligning and positioning device Patent
[NASA-CASE-XMS-04178] c 15 N71-22798
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c 15 N71-23817
Layout tool Patent
[NASA-CASE-FRC-10005] c 15 N71-26145
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c 15 N71-26673
Caterpillar micro positioner
[NASA-CASE-GSC-10780-1] c 14 N72-16283
Geneva mechanism --- including star wheel and driver
[NASA-CASE-NPO-13281-1] c 37 N75-13266
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c 37 N76-20480
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c 37 N77-14478
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c 37 N79-28550
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c 37 N81-14319
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c 37 N82-32730
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c 37 N84-12491
Alignment and assembly tool for very large diameter cylinders
[NASA-CASE-MFS-28001-2] c 37 N88-14360
MACHINERY
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c 15 N71-21177
Precipitation detector Patent
[NASA-CASE-XLA-02619] c 10 N71-26334
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c 31 N74-32917
MACHINING
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c 15 N71-27135
Lathe tool bit and holder for machining fiberglass materials
[NASA-CASE-XLA-10470] c 15 N72-21489
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c 37 N75-31446
MAGNESIUM
Nondestructive spot test method for magnesium and magnesium alloys
[NASA-CASE-LAR-10953-1] c 17 N73-27446
MAGNESIUM ALLOYS
Method and apparatus for bonding a plastics sleeve onto a metallic body Patent
[NASA-CASE-XLA-01262] c 15 N71-21404
Nondestructive spot test method for magnesium and magnesium alloys
[NASA-CASE-LAR-10953-1] c 17 N73-27446
MAGNESIUM OXIDES
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c 06 N72-17095
MAGNET COILS
Superconducting alternator
[NASA-CASE-XLE-02824] c 03 N69-39890
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c 09 N71-29008
MAGNETIC AMPLIFIERS
Low current linearization of magnetic amplifier for dc transducer
[NASA-CASE-NPO-14617-1] c 33 N81-24338
MAGNETIC BEARINGS
Linear magnetic bearing
[NASA-CASE-GSC-12517-1] c 37 N83-32067
Linear magnetic bearings
[NASA-CASE-GSC-12582-2] c 37 N85-20337
Radial and torsionally controlled magnetic bearing
[NASA-CASE-GSC-12957-1] c 37 N87-17038
MAGNETIC CHARGE DENSITY
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c 28 N71-14043
MAGNETIC CIRCUITS
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c 28 N71-14043
MAGNETIC COILS
Time-division multiplexer Patent
[NASA-CASE-XNP-00431] c 09 N70-38998
Linear magnetic brake with two windings Patent
[NASA-CASE-XLE-05079] c 15 N71-17652
Safe-arm initiator Patent
[NASA-CASE-LAR-10372] c 09 N71-18599
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c 74 N78-18905
Radial and torsionally controlled magnetic bearing
[NASA-CASE-GSC-12957-1] c 37 N87-17038
MAGNETIC CONTROL
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c 15 N71-21060
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c 25 N71-29184
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c 37 N76-18459
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c 37 N77-17464
Low temperature latching solenoid
[NASA-CASE-MSC-18106-1] c 33 N82-11357
MAGNETIC CORES
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c 09 N70-38604
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c 09 N70-38995
Magnetic counter Patent
[NASA-CASE-XNP-08836] c 09 N71-12515
Pulse-type magnetic core memory element circuit with blocking oscillator feedback Patent
[NASA-CASE-XGS-03303] c 08 N71-18595
Magnetic core current steering commutator Patent
[NASA-CASE-NPO-10201] c 08 N71-18694
Drive circuit utilizing two cores Patent
[NASA-CASE-XNP-01318] c 10 N71-23033
Saturation current protection apparatus for saturable core transformers Patent
[NASA-CASE-ERC-10075] c 09 N71-24800
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c 09 N71-24803
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c 09 N71-24893
Thermally cycled magnetometer Patent
[NASA-CASE-XAC-03740] c 14 N71-26135
Digital memory sense amplifying means Patent
[NASA-CASE-XNP-01012] c 08 N71-28925
Method of detecting impending saturation of magnetic cores
[NASA-CASE-ERC-10089] c 23 N72-17747
Current steering commutator
[NASA-CASE-NPO-10743] c 08 N72-21199
Banded transformer cores
[NASA-CASE-NPO-11966-1] c 33 N74-17928
MAGNETIC DIPOLES
Balance torquemeter Patent
[NASA-CASE-XGS-01013] c 14 N71-23725
MAGNETIC DISKS
Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c 15 N70-26819
MAGNETIC FIELD CONFIGURATIONS
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c 35 N77-14406
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c 74 N78-18905
MAGNETIC FIELDS
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c 33 N70-34540
Means for communicating through a layer of ionized gases Patent
[NASA-CASE-XLA-01127] c 07 N70-41372
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c 15 N70-41646
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c 28 N71-14043
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c 14 N71-15962
Position sensing device empioying misaligned magnetic field generating and detecting apparatus Patent
[NASA-CASE-XGS-07514] c 23 N71-16099
Nonmagnetic, explosive actuated indexing device Patent
[NASA-CASE-XGS-02422] c 15 N71-21529
Solar cell and circuit array and process for nullifying magnetic fields Patent
[NASA-CASE-XGS-03390] c 03 N71-23187
Balance torquemeter Patent
[NASA-CASE-XGS-01013] c 14 N71-23725
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c 14 N71-27325
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c 16 N71-28554
Magnetic position detection method and apparatus
[NASA-CASE-ARC-10179-1] c 21 N72-22619
Ion thruster
[NASA-CASE-LEW-10770-1] c 28 N72-22770
Ion thruster magnetic field control
[NASA-CASE-LEW-10835-1] c 28 N72-22771
Determining distance to lightning strokes from a single station
[NASA-CASE-KSC-10698] c 07 N73-20175
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c 26 N73-28710
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c 33 N74-10195
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c 35 N76-16390
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c 33 N77-21315
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c 34 N78-17335
Atomic hydrogen storage --- cryotrapping and magnetic field strength
[NASA-CASE-LEW-12081-2] c 28 N80-20402
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c 28 N81-14103
Magnetic field control --- electromechanical torquing device
[NASA-CASE-MFS-23828-1] c 33 N82-26569
Magnetic heading reference
[NASA-CASE-LAR-12638-1] c 04 N84-14132
Magentically actuated compressor
[NASA-CASE-GSC-12799-1] c 31 N85-21404
Reciprocating magnetic refrigerator employing tandem porous matrices within a reciprocating displacer
[NASA-CASE-NPO-16257-1] c 31 N85-29082
Maser cavity servo-tuning system
[NASA-CASE-NPO-15890-1-CU] c 33 N85-29143
Magnetic drive coupling
[NASA-CASE-MSC-21171-1] c 37 N88-23973
MAGNETIC FILMS
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c 76 N79-16678
MAGNETIC FLUX
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c 09 N69-24329
Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c 14 N69-27423
Flux sensing device using a tubular core with toroidal gating coil and solenoidal output coil wound thereon Patent
[NASA-CASE-XGS-01881] c 09 N70-40123
Hybrid lubrication system and bearing Patent
[NASA-CASE-XNP-01641] c 15 N71-22997
Saturation current protection apparatus for saturable core transformers Patent
[NASA-CASE-ERC-10075] c 09 N71-24800
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c 15 N73-28516
Magnetic-flux pump
[NASA-CASE-XNP-01188] c 15 N73-32361
Magnetic bearing --- for supplying magnetic fluxes
[NASA-CASE-GSC-11079-1] c 37 N75-18574
Linear magnetic motor/generator --- to generate electric energy using magnetic flux for spacecraft power supply
[NASA-CASE-GSC-12518-1] c 33 N82-24421
Linear magnetic bearing
[NASA-CASE-GSC-12517-1] c 37 N83-32067
Induction heating gun
[NASA-CASE-LAR-13181-1] c 31 N85-29083
Radial and torsionally controlled magnetic bearing
[NASA-CASE-GSC-12957-1] c 37 N87-17038
MAGNETIC FORMING
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c 15 N71-24833
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c 15 N71-24865
MAGNETIC INDUCTION
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c 25 N70-36946
Drive circuit for minimizing power consumption in inductive load Patent
[NASA-CASE-NPO-10716] c 09 N71-24892
Constant frequency output two stage induction machine systems Patent
[NASA-CASE-ERC-10065] c 09 N71-27364

Magnetically actuated tuning method for Gunn oscillators
[NASA-CASE-NPO-12106] c 09 N73-15235
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c 70 N74-21300
Magnetic drive coupling
[NASA-CASE-MSC-21171-1] c 37 N88-23973

MAGNETIC LENSES
Quadrupole mass filter with means to generate a noise spectrum exclusive of the resonant frequency of the desired ions to deflect stable ions
[NASA-CASE-XNP-04231] c 14 N73-32325

MAGNETIC MATERIALS
Low viscosity magnetic fluid obtained by the colloidal suspension of magnetic particles Patent
[NASA-CASE-XLE-01512] c 12 N70-40124

MAGNETIC MEASUREMENT
Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c 14 N69-27423
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c 14 N71-15962
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c 10 N72-17171
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c 35 N76-16390

MAGNETIC PERMEABILITY
Linear motion valve
[NASA-CASE-MSC-20148-1] c 37 N85-29284

MAGNETIC POLES
Magnetohydrodynamic induction machine
[NASA-CASE-XNP-07481] c 25 N69-21929
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c 35 N77-14406

MAGNETIC PUMPING
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c 15 N73-28516
Magnetic-flux pump
[NASA-CASE-XNP-01188] c 15 N73-32361
Magnetocaloric pump --- for cryogenic fluids
[NASA-CASE-LEW-11672-1] c 37 N74-27904
Magnetic heat pumping
[NASA-CASE-LEW-12508-3] c 34 N83-29625

MAGNETIC RECORDING
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c 08 N71-22710
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c 08 N71-27210
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c 35 N79-16246
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c 76 N79-16678

MAGNETIC SIGNALS
Plural recorder system
[NASA-CASE-XMS-06949] c 09 N69-21467

MAGNETIC STORAGE
Binary magnetic memory device Patent
[NASA-CASE-XGS-00174] c 08 N70-34743
Magnetic matrix memory system Patent
[NASA-CASE-XMF-05835] c 08 N71-12504
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c 10 N71-26418
Redundant memory organization Patent
[NASA-CASE-GSC-10564] c 10 N71-29135
Dual purpose momentum wheels for spacecraft with magnetic recording
[NASA-CASE-NPO-11481] c 21 N73-13644
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c 28 N78-24365

MAGNETIC SUSPENSION
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c 37 N78-27424
Magnetic suspension and pointing system --- on a carrier vehicle
[NASA-CASE-LAR-11889-1] c 35 N79-26372
Magnetic bearing and motor
[NASA-CASE-GSC-12726-1] c 37 N83-34323

MAGNETIC SWITCHING
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c 09 N71-24803
Current steering switch Patent
[NASA-CASE-XNP-08567] c 09 N71-26000
Magnetically switched power supply system for lasers
[NASA-CASE-NPO-16402-2] c 33 N88-24862

MAGNETIC TAPE TRANSPORTS
Reel safety brake
[NASA-CASE-GSC-11960-1] c 37 N77-14479

MAGNETIC TAPES
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c 14 N70-41647
Endless tape transport mechanism Patent
[NASA-CASE-XGS-01223] c 07 N71-10609
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c 23 N71-15978
System for recording and reproducing pulse code modulated data Patent
[NASA-CASE-XGS-01021] c 08 N71-21042
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c 14 N71-22995
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c 32 N74-27612
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c 33 N76-18353
Braille reading system
[NASA-CASE-LAR-13306-1] c 82 N87-29372

MAGNETIC TRANSDUCERS
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c 35 N78-32397

MAGNETIZATION
Ion engine casing construction and method of making same Patent
[NASA-CASE-XNP-06942] c 28 N71-23293

MAGNETO-OPTICS
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c 36 N74-13205

MAGNETOACOUSTIC WAVES
Method and apparatus for non-destructive testing of temper embrittlement in steels
[NASA-CASE-LAR-13817-1] c 26 N88-29012

MAGNETOHYDRODYNAMIC FLOW
Magneto-plasma-dynamic arc thruster
[NASA-CASE-LEW-11180-1] c 25 N73-25760

MAGNETOHYDRODYNAMIC GENERATORS
Magnetohydrodynamic induction machine
[NASA-CASE-XNP-07481] c 25 N69-21929
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c 03 N69-39983
Two-fluid magnetohydrodynamic system and method for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c 03 N70-36803
Crossed-field MHD plasma generator/ accelerator Patent
[NASA-CASE-XLA-03374] c 25 N71-15562
Solar driven liquid metal MHD power generator
[NASA-CASE-LAR-12495-1] c 44 N83-28573

MAGNETOMETERS
Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c 09 N69-21313
Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c 14 N69-27423
Flux sensing device using a tubular core with toroidal gating coil and solenoidal output coil wound thereon Patent
[NASA-CASE-XGS-01881] c 09 N70-40123
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c 14 N71-15962
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-XGS-04879] c 14 N71-20428
Thermally cycled magnetometer Patent
[NASA-CASE-XAC-03740] c 14 N71-26135
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c 14 N71-27325
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c 35 N75-13213
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c 35 N76-16390
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c 04 N76-20114
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c 04 N77-19056
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c 35 N78-32397
Low energy electron magnetometer using a monoenergetic electron beam
[NASA-CASE-LAR-12706-1] c 35 N84-12444

MAGNETRON SPUTTERING
Method of producing high T(subc) superconducting NBN films
[NASA-CASE-NPO-16681-1-CU] c 76 N88-24543

MAGNETRONS
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c 09 N71-24841

MAGNETS
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c 52 N77-25772
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c 72 N80-27163
Linear magnetic bearing
[NASA-CASE-GSC-12517-1] c 37 N83-32067
Shaft transducer having dc output proportional to angular velocity
[NASA-CASE-NPO-15706-1] c 35 N84-28017
Linear motion valve
[NASA-CASE-MSC-20148-1] c 37 N85-29284

MAGNIFICATION
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c 14 N71-26474
Magnifying scratch gage force transducer
[NASA-CASE-LAR-10496-1] c 14 N72-22437
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c 74 N78-18905
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c 74 N82-24072
Spectral slicing X-ray telescope with variable magnification
[NASA-CASE-MFS-25942-1] c 74 N86-20124

MAGNITUDE
Balance torquemeter Patent
[NASA-CASE-XGS-01013] c 14 N71-23725

MAINTENANCE
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c 08 N71-24633
Bonding or repairing process
[NASA-CASE-MSC-12357] c 15 N73-12489
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c 24 N74-30001
System and method for refurbishing and processing parachutes --- monorial conveyor system
[NASA-CASE-KSC-11042-2] c 02 N81-26073
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c 60 N82-24839
Method for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c 09 N82-29330
Method for repair of thin glass coatings --- on space shuttle orbiter tiles
[NASA-CASE-KSC-11097-1] c 27 N82-33520
Method of repairing surface damage to porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18736-1] c 24 N83-13172
Method of repairing hidden leaks in tubes
[NASA-CASE-MFS-19796-1] c 37 N86-32736

MALEATES
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043
Maleimido substituted aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-1] c 23 N86-19376
Fire and heat resistant laminating resins based on maleimido substituted aromatic cyclotriphosphazene polymer
[NASA-CASE-ARC-11428-2] c 27 N87-16909

MALFUNCTIONS
Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c 14 N70-36807

MANDRELS
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c 27 N70-34783
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c 15 N71-17687
Method of making a solid propellant rocket motor Patent
[NASA-CASE-XLA-04126] c 28 N71-26779

MANEUVERABILITY
Sequentially deployable maneuverable tetrahedral beam
[NASA-CASE-LAR-13098-1] c 31 N86-19479

MANGANESE
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c 76 N79-16678

MANIFOLDS
Injector for bipropellant rocket engines Patent
[NASA-CASE-XMF-00148] c 28 N70-38710
Active clearance control system for a turbomachine
[NASA-CASE-LEW-12938-1] c 07 N82-32366
Collimated beam manifold with the number of output beams variable at a given output angle
[NASA-CASE-MFS-25312-1] c 74 N83-17305

MANIPULATORS
Remote control manipulator for zero gravity environment
[NASA-CASE-MFS-14405] c 15 N72-28495
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c 54 N75-12616

Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c 18 N75-27041
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c 54 N75-27758
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c 37 N76-15457
Remote manipulator system
[NASA-CASE-MFS-22022-1] c 37 N76-15460
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c 54 N77-32721
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c 54 N78-17676
Compact artificial hand
[NASA-CASE-NPO-13906-1] c 54 N79-24652
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c 37 N79-28551
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c 37 N81-14320
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c 54 N81-26718
Terminal guidance sensor system --- space shuttle coupling to orbiting satellites
[NASA-CASE-NPO-14521-1] c 37 N81-27519
Apparatus for sequentially transporting containers
[NASA-CASE-MFS-23846-1] c 37 N82-32731
Precision manipulator heating and cooling apparatus for use in UHV systems with sample transfer capability
[NASA-CASE-LAR-13040-1] c 37 N85-29286
Sequentially deployable maneuverable tetrahedral beam
[NASA-CASE-LAR-13098-1] c 31 N86-19479
Apparatus for adapting an end effector device remotely controlled manipulator arm
[NASA-CASE-MFS-25949-1] c 37 N86-19603
Self-locking telescoping manipulator arm
[NASA-CASE-MFS-25906-1] c 37 N86-20789
Magnetic spin reduction system for free spinning objects
[NASA-CASE-MFS-25966-1] c 16 N86-26352
Orbital maneuvering end effectors
[NASA-CASE-MFS-28161-1] c 37 N87-18817
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828
Mobile remote manipulator system for a tetrahedral truss
[NASA-CASE-MSC-20985-1] c 18 N88-26398

MANNED ORBITAL LABORATORIES
Erectable modular space station Patent
[NASA-CASE-XLA-00678] c 31 N70-34296
Radial module space station Patent
[NASA-CASE-XMS-01906] c 31 N70-41373
Rotating space station simulator Patent
[NASA-CASE-XLA-03127] c 11 N71-10776

MANNED SPACE FLIGHT
Transfer valve Patent
[NASA-CASE-XAC-01158] c 15 N71-23051
Air removal device
[NASA-CASE-XLA-08914] c 15 N73-12492

MANNED SPACECRAFT
Space capsule Patent
[NASA-CASE-XLA-00149] c 31 N70-37938
Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c 31 N70-37986
Vehicle parachute and equipment jettison system Patent
[NASA-CASE-XLA-00195] c 02 N70-38009
Space capsule Patent
[NASA-CASE-XLA-01332] c 31 N71-15664
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c 31 N71-21881
Specialized halogen generator for purification of water Patent
[NASA-CASE-XLA-08913] c 14 N71-28933
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c 05 N72-11085
Space vehicle with artificial gravity and earth-like environment
[NASA-CASE-LEW-11101-1] c 31 N73-32750
Hatch cover
[NASA-CASE-MSC-21356-1] c 18 N88-24671

MANOMETERS
Magnetically centered liquid column float Patent
[NASA-CASE-XAC-00030] c 14 N70-34820
Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c 14 N73-30394

MANUAL CONTROL
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c 10 N71-15909
Null device for hand controller Patent
[NASA-CASE-XLA-01808] c 15 N71-20740
Manually actuated heat pump
[NASA-CASE-NPO-10677] c 05 N72-11084
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c 08 N73-25206
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c 08 N74-10942
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c 35 N75-29381
Hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c 08 N82-24205

MANUFACTURING
A method for selective gold diffusion of monolithic silicon devices and/or circuits Patent application
[NASA-CASE-ERC-10072] c 09 N70-11148
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c 15 N70-41808
Method of making screen by casting Patent
[NASA-CASE-XLE-00953] c 15 N71-15966
Space manufacturing machine Patent
[NASA-CASE-MFS-20410] c 15 N71-19214
Fluid containers and resealable septum therefor Patent
[NASA-CASE-NPO-10123] c 15 N71-24835
Method of making a solid propellant rocket motor Patent
[NASA-CASE-XLA-04126] c 28 N71-26779
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c 09 N71-28691
Fabrication of controlled-porosity metals Patent
[NASA-CASE-XNP-04339] c 17 N71-29137
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c 44 N74-19692
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c 31 N74-32917
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c 24 N75-30260
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c 76 N76-25049
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c 44 N77-22607
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c 37 N77-23482
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c 35 N77-24454
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c 44 N80-16452
Polymeric compositions and their method of manufacture --- forming filled polymer systems using cryogenics
[NASA-CASE-NPO-10424-1] c 27 N81-24258
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c 35 N82-24471
Photoelectric detection system --- manufacturing automation
[NASA-CASE-MFS-23776-1] c 33 N82-28545
Glass heating panels and method for preparing the same from architectural reflective glass
[NASA-CASE-NPO-15753-1] c 27 N84-33589
The 1-((diorganooxy phosphonyl) methyl)-2,4- and -2,6-diamino benzenes and their derivatives
[NASA-CASE-ARC-11425-2] c 23 N87-28605

MAPPING
Random function tracer Patent
[NASA-CASE-XLA-01401] c 15 N71-21179
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c 07 N72-21118
Seismic vibration source
[NASA-CASE-NPO-14112-1] c 46 N79-22679
Dual aperture multispectral Schmidt objective
[NASA-CASE-GSC-12756-1] c 74 N84-23248
Method and apparatus for contour mapping using synthetic aperture radar
[NASA-CASE-NPO-15939-1] c 43 N86-19711

MAPS
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c 19 N74-21015
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c 43 N77-10584

MASERS
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c 16 N71-28554
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c 16 N72-28521
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c 36 N76-31512
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c 31 N78-25256
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c 36 N79-14362
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c 36 N80-18372
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c 32 N81-14186
Resonant isolator for maser amplifier
[NASA-CASE-NPO-15201-1] c 36 N83-35350
Maser cavity servo-tuning system
[NASA-CASE-NPO-15890-1-CU] c 33 N85-29143

MASKING
Masking device Patent
[NASA-CASE-XNP-02092] c 15 N70-42033
High resolution developing of photosensitive resists Patent
[NASA-CASE-XGS-04993] c 14 N71-17574
Low defect, high purity crystalline layers grown by selective deposition
[NASA-CASE-NPO-15813-1] c 76 N85-30922

MASKS
Ion beam sputter etching
[NASA-CASE-LEW-13899-1] c 31 N87-21160

MASS
Mass measuring system Patent
[NASA-CASE-XMS-03371] c 05 N70-42000
Dynamic vibration absorber Patent
[NASA-CASE-LAR-10083-1] c 15 N71-27006
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c 35 N77-19385

MASS BALANCE
Two-plane balance Patent
[NASA-CASE-XAC-00073] c 14 N70-34813
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c 14 N71-23755

MASS DISTRIBUTION
Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c 10 N71-26339

MASS FLOW
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c 28 N71-24736
Nuclear mass flowmeter
[NASA-CASE-MFS-20485] c 14 N72-11365
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c 12 N73-25262

MASS SPECTROMETERS
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c 06 N71-13461
Time of flight mass spectrometer with feedback means from the detector to the low source and a specific counter Patent
[NASA-CASE-XNP-01056] c 14 N71-23041
Ion microprobe mass spectrometer for analyzing fluid materials Patent
[NASA-CASE-ERC-10014] c 14 N71-28863
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c 14 N71-28992
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c 14 N73-12444
Quadrupole mass filter with means to generate a noise spectrum exclusive of the resonant frequency of the desired ions to deflect stable ions
[NASA-CASE-XNP-04231] c 14 N73-32325
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c 35 N74-34857
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c 35 N77-14406
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c 35 N77-24455
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c 35 N80-28686
Ion mass spectrometer
[NASA-CASE-NPO-15423-1] c 35 N84-28016

MASS SPECTROSCOPY
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c 35 N76-16393
Fluid sampling device
[NASA-CASE-GSC-12143-1] c 35 N77-32456
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184

MATERIAL ABSORPTION
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c 14 N71-18483

MATERIALS
Low gravity exothermic heating/cooling apparatus
[NASA-CASE-MSC-25707-1] c 35 N85-29214

MATERIALS HANDLING
Fluid coupling Patent
[NASA-CASE-XLE-00397] c 15 N70-36492
Catalyst bed removing tool Patent
[NASA-CASE-XFR-00811] c 15 N70-36901
Air bearing Patent
[NASA-CASE-XMF-01887] c 15 N71-10617
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c 15 N71-10782
Method and apparatus for cryogenic wire stripping Patent
[NASA-CASE-MFS-10340] c 15 N71-17628
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c 12 N71-21089
Method of making foamed materials in zero gravity
[NASA-CASE-XMF-09902] c 15 N72-11387
Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c 03 N72-25021
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c 15 N73-20514
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c 15 N73-27405
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c 31 N74-27900
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c 37 N76-22540
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c 37 N82-12441
Acoustic system for material transport
[NASA-CASE-NPO-15453-1] c 71 N83-32515
Space ultra-vacuum facility and method of operation
[NASA-CASE-MFS-28139-1] c 29 N87-18679

MATERIALS RECOVERY
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c 25 N76-18245
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c 28 N80-23471
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c 28 N81-15119

MATERIALS SCIENCE
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c 11 N71-24985
Apparatus and method for measuring the Seebeck coefficient and resistivity of materials
[NASA-CASE-NPO-11749] c 14 N73-28486

MATERIALS TESTS
Thermal shock apparatus Patent
[NASA-CASE-XLE-02024] c 14 N71-22964
Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent
[NASA-CASE-XMS-02930] c 11 N71-23042
Resilience testing device Patent
[NASA-CASE-XLA-08254] c 14 N71-26161
Tube sealing device Patent
[NASA-CASE-NPO-10431] c 15 N71-29132
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c 33 N72-25913
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c 14 N73-19421
Material fatigue testing system
[NASA-CASE-MFS-20673] c 14 N73-20476

MATHEMATICAL LOGIC
Logical function generator
[NASA-CASE-XLA-05099] c 09 N73-13209

MATRICES (CIRCUITS)
Solar cell submodule Patent
[NASA-CASE-XNP-05821] c 03 N71-11056
Magnetic matrix memory system Patent
[NASA-CASE-XMF-05835] c 08 N71-12504
Solar cell matrix Patent
[NASA-CASE-NPO-10821] c 03 N71-19545
Drive circuit utilizing two cores Patent
[NASA-CASE-XNP-01318] c 10 N71-23033
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c 08 N71-24650
Solid state matrices
[NASA-CASE-NPO-10591] c 03 N72-22041

MATRIX MATERIALS
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-3] c 27 N85-21350
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-4] c 27 N85-21351
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-6] c 25 N85-30039
Polyarylene ethers with improved properties
[NASA-CASE-LAR-13555-1] c 23 N86-32526

MCLEOD GAGES
Automatic recording McLeod gauge Patent
[NASA-CASE-XLE-03280] c 14 N71-23093
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c 35 N79-33450

MEASURING INSTRUMENTS
Device for determining the accuracy of the flare on a flared tube
[NASA-CASE-XKS-03495] c 14 N69-39785
Angular measurement system Patent
[NASA-CASE-XMF-00447] c 14 N70-33179
Two-plane balance Patent
[NASA-CASE-XAC-00073] c 14 N70-34813
Parallel motion suspension device Patent
[NASA-CASE-XNP-01567] c 15 N70-41310
Vibrating structure displacement measuring instrument Patent
[NASA-CASE-XLA-03135] c 32 N71-16428
Inspection gage for boss Patent
[NASA-CASE-XMF-04966] c 14 N71-17658
Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c 14 N71-20741
Spherical tank gauge Patent
[NASA-CASE-XMS-06236] c 14 N71-21007
Energy absorbing device Patent
[NASA-CASE-XMF-10040] c 15 N71-22877
Ablation sensor Patent
[NASA-CASE-XLA-01791] c 14 N71-22991
Moment of inertia test fixture Patent
[NASA-CASE-XGS-01023] c 14 N71-22992
Electron beam instrument for measuring electric fields Patent
[NASA-CASE-XMF-10289] c 14 N71-23699
Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c 14 N71-23790
Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c 14 N71-24693
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c 10 N71-24863
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c 26 N71-25490
Layout tool Patent
[NASA-CASE-FRC-10005] c 15 N71-26145
Method and apparatus for detecting gross leaks Patent
[NASA-CASE-ERC-10033] c 14 N71-26672
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c 32 N71-26681
Thickness measuring and injection device Patent
[NASA-CASE-MFS-20261] c 14 N71-27005
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c 14 N72-11363
Roll alignment detector
[NASA-CASE-GSC-10514-1] c 14 N72-20379
Cosmic dust sensor
[NASA-CASE-GSC-10503-1] c 14 N72-20381
Firefly pump-metering system
[NASA-CASE-GSC-10218-1] c 15 N72-21465
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c 14 N72-22442
Spherical measurement device
[NASA-CASE-XLA-06683] c 14 N72-28436
Altitude measuring system
[NASA-CASE-ERC-10412-1] c 09 N73-12211
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c 14 N73-13415
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c 14 N73-19421
Material fatigue testing system
[NASA-CASE-MFS-20673] c 14 N73-20476
Droplet monitoring probe
[NASA-CASE-NPO-10985] c 14 N73-20478
Apparatus and method for measuring the Seebeck coefficient and resistivity of materials
[NASA-CASE-NPO-11749] c 14 N73-28486
RF-source resistance meters
[NASA-CASE-NPO-11291-1] c 14 N73-30388
Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c 14 N73-30394
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c 16 N73-30476
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c 35 N74-13129
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c 35 N74-22095
Apparatus and method for processing Korotkov sounds --- for blood pressure measurement
[NASA-CASE-MSC-13999-1] c 52 N74-26626
Electric field measuring and display system --- for cloud formations
[NASA-CASE-KSC-10731-1] c 33 N74-27862
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c 35 N74-27865
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c 35 N74-32877
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c 35 N75-19615
Thrust measurement
[NASA-CASE-XMS-05731] c 35 N75-29382
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c 38 N77-17495
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c 74 N77-22950
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c 35 N77-32455
Ruler for making navigational computations
[NASA-CASE-XNP-01458] c 04 N78-17031
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c 37 N78-17386
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c 35 N78-19465
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c 54 N78-32720
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c 33 N79-10337
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c 33 N79-10338
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c 34 N79-12359
Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c 44 N79-12541
Lightning current detector
[NASA-CASE-KSC-11057-1] c 33 N79-14305
Contour measurement system
[NASA-CASE-MFS-23726-1] c 43 N79-26439
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c 46 N80-10709
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c 35 N80-14371
Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c 35 N80-18357
Geological assessment probe
[NASA-CASE-NPO-14558-1] c 46 N80-24906
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c 51 N80-27067
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c 06 N81-17057
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c 35 N82-15381
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c 47 N82-24779
Flow resistivity instrument
[NASA-CASE-LAR-13053-1] c 43 N83-29783
Non-invasive method and apparatus for measuring pressure within a pliable vessel
[NASA-CASE-ARC-11264-2] c 52 N83-29991
Visual accommodation trainer-tester
[NASA-CASE-ARC-11426-1] c 09 N84-12193
Electronic scanning pressure measuring system and transducer package
[NASA-CASE-ARC-11361-1] c 35 N84-22934
Apparatus for measuring charged particle beam
[NASA-CASE-MFS-25641-1] c 72 N84-28575
Self-charging metering and dispensing device for fluids
[NASA-CASE-MSC-20275-1] c 35 N85-21595
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373
Temperature averaging thermal probe
[NASA-CASE-GSC-12795-1] c 35 N86-19580
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959
Electrostatic discharge test apparatus
[NASA-CASE-MSC-21094-1] c 35 N88-24941
Universal precision sine bar attachment
[NASA-CASE-MFS-28253-1] c 37 N88-24971
Skin friction balance
[NASA-CASE-LAR-13710-1] c 35 N88-29145
Ice detector
[NASA-CASE-LAR-13776-1] c 35 N88-29149
Liquid thickness gauge
[NASA-CASE-LAR-13826-1] c 35 N88-29150

MECHANICAL DEVICES
Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c 14 N70-36907

Load cell protection device Patent
[NASA-CASE-XMS-06782] c 32 N71-15974
Satellite despin device Patent
[NASA-CASE-XMF-08523] c 31 N71-20396
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c 14 N71-20439
Latching mechanism Patent
[NASA-CASE-XMS-03745] c 15 N71-21076
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c 15 N71-21177
Random function tracer Patent
[NASA-CASE-XLA-01401] c 15 N71-21179
Canister closing device Patent
[NASA-CASE-XLA-01446] c 15 N71-21528
Nonmagnetic, explosive actuated indexing device Patent
[NASA-CASE-XGS-02422] c 15 N71-21529
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c 15 N71-21531
Controllers Patent
[NASA-CASE-XMS-07487] c 15 N71-23255
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c 15 N71-23810
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c 15 N71-24045
Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c 15 N71-24599
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c 15 N71-24600
Shock tube powder dispersing apparatus Patent
[NASA-CASE-XLE-04946] c 17 N71-24911
Self-lubricating gears and other mechanical parts Patent
[NASA-CASE-MFS-14971] c 15 N71-24984
Layout tool Patent
[NASA-CASE-FRC-10005] c 15 N71-26145
Thermostatic actuator
[NASA-CASE-NPO-10637] c 15 N72-12409
Ball screw linear actuator
[NASA-CASE-NPO-11222] c 15 N72-25456
Spherical measurement device
[NASA-CASE-XLA-06683] c 14 N72-28436
Thermal compensating structural member
[NASA-CASE-MFS-20433] c 15 N72-28496
Spiral groove seal
[NASA-CASE-XLE-10326-2] c 15 N72-29488
Solar energy powered heliotrope
[NASA-CASE-GSC-10945-1] c 21 N72-31637
Adjustable force probe
[NASA-CASE-MFS-20760] c 14 N72-33377
Rotary actuator
[NASA-CASE-NPO-10680] c 31 N73-14855
Collapsible structure for an antenna reflector
[NASA-CASE-NPO-11751] c 07 N73-24176
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c 05 N73-32014
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c 14 N73-32322
Reefing system
[NASA-CASE-LAR-10129-2] c 37 N74-20063
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c 37 N74-26976
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c 44 N74-33379
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c 51 N75-13502
Clock setter
[NASA-CASE-LAR-11458-1] c 35 N76-16392
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c 37 N76-21554
Reel safety brake
[NASA-CASE-GSC-11960-1] c 37 N77-14479
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c 37 N77-22482
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c 37 N77-23483
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c 54 N78-17676
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c 15 N78-25119
Actuator mechanism
[NASA-CASE-GSC-11883-2] c 37 N78-31426
Quartz ball value
[NASA-CASE-NPO-14473-1] c 37 N80-23654
Method and apparatus for holding two separate metal pieces together for welding
[NASA-CASE-GSC-12318-1] c 37 N80-23655
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c 26 N80-28492
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c 31 N81-14137
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c 37 N81-14320
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c 52 N81-25661
Reusable captive blind fastener
[NASA-CASE-MSC-18742-1] c 37 N82-26673
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c 37 N82-32732
Compression test apparatus
[NASA-CASE-MSC-18723-1] c 35 N83-21312
Apparatus for accurately preloading auger attachment means for frangible protective material
[NASA-CASE-MSC-18791-1] c 37 N83-36482
Clamp-mount device
[NASA-CASE-MFS-25510-1] c 37 N84-16560
Method and apparatus for gripping uniaxial fibrous composite materials
[NASA-CASE-LEW-13758-1] c 24 N84-27829
Extended moment arm anti-spin device
[NASA-CASE-LAR-12979-1] c 05 N85-21147
Connection system --- insuring against loss of a tool component without using multiple tethers
[NASA-CASE-MSC-20319-1] c 37 N85-21649
Self indexing latch system
[NASA-CASE-MFS-25956-1] c 37 N87-21333
Apparatus for mounting a field emission cathode
[NASA-CASE-LEW-14108-1] c 33 N87-28832

MECHANICAL DRIVES

Hydraulic drive mechanism Patent
[NASA-CASE-XMS-03252] c 15 N71-10658
Anti-backlash circuit for hydraulic drive system Patent
[NASA-CASE-XNP-01020] c 03 N71-12260
Precision stepping drive Patent
[NASA-CASE-MFS-14772] c 15 N71-17692
Incremental motion drive system Patent
[NASA-CASE-XNP-08897] c 15 N71-17694
Ratchet mechanism Patent
[NASA-CASE-MFS-12805] c 15 N71-17805
Welding skate with computerized control Patent
[NASA-CASE-XMF-07069] c 15 N71-23815
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c 15 N71-24696
Synchronous dc direct drive system Patent
[NASA-CASE-GSC-10065-1] c 10 N71-27136
Energy absorption device Patent
[NASA-CASE-XNP-01848] c 15 N71-28959
Boring bar drive mechanism Patent
[NASA-CASE-XLA-03661] c 15 N71-33518
Rotary actuator
[NASA-CASE-NPO-10244] c 15 N72-26371
Rotary actuator
[NASA-CASE-NPO-10680] c 31 N73-14855
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c 37 N74-21060
Two speed drive system --- mechanical device for changing speed on rotating vehicle wheel
[NASA-CASE-MFS-20645-1] c 37 N74-23070
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c 37 N74-27901
Geneva mechanism --- including star wheel and driver
[NASA-CASE-NPO-13281-1] c 37 N75-13266
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c 37 N77-12402
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c 35 N77-20401
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c 37 N77-22479
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c 37 N77-22482
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c 07 N78-17056
Wabble gear drive mechanism --- for aerospace environments
[NASA-CASE-WOO-00625] c 37 N78-17385
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c 37 N79-28550
Antenna deployment mechanism for use with a spacecraft --- extensible and retractable telescopic antenna mast
[NASA-CASE-GSC-12331-1] c 18 N80-14183
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c 37 N80-32716
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c 37 N80-32717
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c 33 N81-14220
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c 37 N81-15364
Clutchless multiple drive source for output shaft
[NASA-CASE-ARC-11325-1] c 37 N82-22496
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c 07 N83-20944
Variable speed drive
[NASA-CASE-GSC-12643-1] c 37 N83-26078
Remotely operable peristaltic pump
[NASA-CASE-MFS-28059-1] c 37 N86-32738
Dual motion valve with single motion input
[NASA-CASE-MFS-28058-1] c 37 N87-21332
Mobile remote manipulator vehicle system
[NASA-CASE-LAR-13393-1] c 54 N87-29118

MECHANICAL ENGINEERING

Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c 37 N74-18127
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c 37 N79-22475

MECHANICAL MEASUREMENT

Strain gage Patent Application
[NASA-CASE-FRC-10053] c 14 N70-35587
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c 14 N70-40201
Strain sensor for high temperatures Patent
[NASA-CASE-XNP-09205] c 14 N71-17657
Extensometer Patent
[NASA-CASE-XMF-04680] c 15 N71-19489
Hall effect transducer
[NASA-CASE-LAR-10620-1] c 09 N72-25255
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c 35 N76-14430
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c 39 N81-25400
Cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c 52 N82-22875

MECHANICAL PROPERTIES

High temperature testing apparatus Patent
[NASA-CASE-XLE-00335] c 14 N70-35368
Fluoroether modified epoxy composites
[NASA-CASE-ARC-11418-1] c 24 N84-11213
Process for improving mechanical properties of epoxy resins by addition of cobalt ions
[NASA-CASE-LAR-13230-1] c 24 N84-34571
Elastomer toughened polyimide adhesives --- bonding metal and composite material structures for aircraft and spacecraft
[NASA-CASE-LAR-12775-2] c 27 N85-21349
Containerless high purity pulling process and apparatus for glass fiber
[NASA-CASE-MFS-25905-2] c 31 N86-21718
Polyarylene ethers with improved properties
[NASA-CASE-LAR-13555-1] c 23 N86-32526
Polyphenylquinoxalines containing alkylenedioxy groups
[NASA-CASE-LAR-13601-1-CU] c 27 N87-25475

MECHANICS (PHYSICS)

Gravity stabilized flying vehicle Patent
[NASA-CASE-MSC-12111-1] c 02 N71-11039

MECHANIZATION

Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c 39 N78-10493

MEDICAL ELECTRONICS

Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c 54 N75-13531
Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c 52 N80-33081
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c 52 N81-14612

MEDICAL EQUIPMENT

Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c 05 N71-11189
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c 05 N71-11202
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c 15 N71-27135
Telemetry actuated switch
[NASA-CASE-ARC-10105] c 09 N72-17153
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c 05 N73-30078
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c 05 N73-32011
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c 35 N75-25123
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c 54 N75-27761

Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c 54 N76-22914
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c 35 N76-24525
Corneal seal device
[NASA-CASE-LEW-12258-1] c 52 N77-28716
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c 52 N77-28717
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c 52 N78-14773
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c 34 N78-25351
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c 52 N80-18690
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c 51 N81-14605
Urine collection device
[NASA-CASE-MSC-16433-1] c 52 N81-24711
Spine immobilization apparatus
[NASA-CASE-ARC-11167-1] c 52 N81-25662
Cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c 52 N82-22875
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c 52 N82-29862
Ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-1] c 52 N83-21785
System and method for moving a probe to follow movements of tissue
[NASA-CASE-NPO-15197-1] c 52 N83-25346
Medical clip
[NASA-CASE-LAR-12650-1] c 52 N84-28388
Process of making medical clip
[NASA-CASE-LAR-12650-2] c 52 N84-28389
Drop foot corrective device
[NASA-CASE-LAR-12259-2] c 54 N86-22112

MELTING

Hot melt recharge system --- repairing damaged or missing tiles on space shuttle orbiter
[NASA-CASE-LAR-12881-1] c 27 N84-14323
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125

MELTING POINTS

Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c 27 N79-33316
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-2] c 20 N82-18314

MELTS (CRYSTAL GROWTH)

Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c 76 N79-23798
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c 26 N80-23419
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c 76 N80-32244
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c 33 N81-19389
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c 76 N82-30105
Controlled in situ etch-back
[NASA-CASE-NPO-15625-1] c 76 N83-20789
Apparatus and method for heating a material in a transparent ampoule --- crystal growth
[NASA-CASE-MFS-25436-1] c 27 N83-36220
Process and apparatus for growing a crystal ribbon
[NASA-CASE-NPO-15629-1] c 76 N84-35113
Ribbon growing method and apparatus
[NASA-CASE-NPO-16306-1-CU] c 76 N85-30934
Containerless high purity pulling process and apparatus for glass fiber
[NASA-CASE-MFS-25905-2] c 31 N86-21718
High-temperature, high-pressure optical cell
[NASA-CASE-MFS-26000-1] c 74 N87-14971
Total immersion crystal growth
[NASA-CASE-NPO-15800-2] c 76 N87-23286

MEMBRANE STRUCTURES

Liquid junction and method of fabricating the same Patent Application
[NASA-CASE-NPO-10682] c 15 N70-34699
Measuring device Patent
[NASA-CASE-XMS-01546] c 14 N70-40233
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c 18 N71-16210
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c 17 N71-28747
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c 91 N76-30131
Strong thin membrane structure --- solar sails
[NASA-CASE-NPO-14021-2] c 27 N80-16163
In-situ cross linking of polyvinyl alcohol --- application to battery separator films
[NASA-CASE-LEW-13135-2] c 27 N81-24257
Separator for alkaline batteries and method of making same
[NASA-CASE-GSC-10350-1] c 44 N82-24642
Separator for alkaline electric batteries and method of making
[NASA-CASE-GSC-10018-1] c 44 N82-24644

MEMBRANES

Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03865] c 14 N69-21363
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c 18 N71-20742
Ionene membrane separator
[NASA-CASE-NPO-11091] c 18 N72-22567
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c 44 N79-10513
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c 25 N79-14169
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c 52 N80-14687
Reverse osmosis membrane of high urea rejection properties --- water purification
[NASA-CASE-ARC-10980-1] c 27 N80-23452
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c 27 N81-14076
Air removal device --- life support systems
[NASA-CASE-XLA-08914-2] c 25 N82-21269
Process of treating cellulosic membrane and alkaline with membrane separator
[NASA-CASE-GSC-10019-1] c 44 N82-24641
Aqueous alkali metal hydroxide insoluble cellulose ether membrane
[NASA-CASE-XGS-05584-1] c 25 N82-29370
Optical fiber tactile sensor
[NASA-CASE-NPO-15375-1] c 74 N84-11921
Method for the preparation of thin-skinned asymmetric reverse osmosis membranes and products thereof
[NASA-CASE-ARC-11359-1] c 51 N84-28361
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-3] c 31 N88-29052

MEMORY

Method for making conductors for ferrite memory arrays --- from pre-formed metal conductors
[NASA-CASE-LAR-10994-1] c 24 N75-13032
Thermocouple for heating and cooling of memory metal actuators
[NASA-CASE-NPO-17068-1-CU] c 35 N88-29151

MEMORY (COMPUTERS)

Automatic multi-banking of memory for microprocessors
[NASA-CASE-NPO-15295-1] c 60 N85-21992
Real-time garbage collection for list processing
[NASA-CASE-MSC-20964-1] c 60 N87-14863
Hybrid analog-digital associative neural network
[NASA-CASE-NPO-17058-1-CU] c 62 N87-25803

MERCURY (METAL)

Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c 12 N71-20896
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c 15 N71-26312
Feed system for an ion thruster
[NASA-CASE-NPO-10737] c 28 N72-11709

MERCURY VAPOR

Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c 12 N71-20896
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c 15 N71-26294

MESSAGE PROCESSING

Method for Veterbi decoding of large constraint length convolutional codes
[NASA-CASE-NPO-17310-1-CU] c 17 N88-28946

METABOLIC WASTES

Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c 54 N78-32721
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c 51 N80-27067

METABOLISM

Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c 25 N75-12086
Process for control of cell division
[NASA-CASE-LAR-10773-3] c 51 N77-25769
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c 52 N79-21750

METAL BONDING

Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c 15 N69-39786
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c 15 N71-15610
Metal valve pintle with encapsulated elastomeric body Patent
[NASA-CASE-MSC-12116-1] c 15 N71-17648
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c 15 N71-18132
Soldering with solder flux which leaves corrosion resistant coating Patent
[NASA-CASE-XNP-03459] c 15 N71-21078
Bonded elastomeric seal for electrochemical cells Patent
[NASA-CASE-XGS-02631] c 03 N71-23006
Silicon solar cell with cover glass bonded to cell by metal pattern Patent
[NASA-CASE-XLE-08569] c 03 N71-23449
Positive contact resistance soldering unit
[NASA-CASE-KSC-10242] c 15 N72-23497
Bonding or repairing process
[NASA-CASE-MSC-12357] c 15 N73-12489
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c 37 N74-21057
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c 37 N75-25185
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c 26 N77-28265
Heat exchanger and method of making --- bonding rocket chambers with a porous metal matrix
[NASA-CASE-LEW-12441-1] c 34 N79-13289
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c 37 N79-13364
Method and apparatus for holding two separate metal pieces together for welding
[NASA-CASE-GSC-12318-1] c 37 N80-23655
Heat exchanger and method of making --- rocket lining
[NASA-CASE-LEW-12441-2] c 34 N80-24573
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c 27 N82-11206
Thermal barrier coating system having improved adhesion
[NASA-CASE-LEW-1335901] c 27 N83-31855
Impacting device for testing insulation
[NASA-CASE-MFS-25862-2] c 37 N84-33807
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550
Composite piston
[NASA-CASE-LAR-13435-1] c 37 N88-23981

METAL COATINGS

Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c 15 N71-20443
Soldering with solder flux which leaves corrosion resistant coating Patent
[NASA-CASE-XNP-03459] c 15 N71-21078
Thermal control coating Patent
[NASA-CASE-XLA-01995] c 18 N71-23047
Trialkyl-dihalotantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c 06 N71-28808
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c 18 N71-29040
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c 15 N72-25452
Wide temperature range electronic device with lead attachment
[NASA-CASE-ERC-10224-2] c 09 N73-27150
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c 44 N76-14595
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c 24 N76-24363
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c 35 N77-20400
Solar cell collector
[NASA-CASE-LEW-12552-1] c 44 N78-25527
Electromagnetic radiation energy arrangement --- coatings for solar energy absorption and infrared reflection
[NASA-CASE-WOO-00428-1] c 32 N79-19186
Electrodes for solid state devices
[NASA-CASE-NPO-15161-1] c 33 N84-16456

Corrosion resistant coating
[NASA-CASE-NPO-15928-1] c 26 N85-29005
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550
Nickel base coating alloy
[NASA-CASE-LEW-13834-1] c 26 N87-14482
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613
Method for forming hermetic seals
[NASA-CASE-NPO-16423-1-CU] c 37 N87-21334

METAL COMPOUNDS
Phthalocyanine polymers
[NASA-CASE-ARC-11413-1] c 27 N85-21348

METAL CUTTING
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c 15 N73-30460
Vee-notching device --- with adjustable carriage
[NASA-CASE-MFS-20730-1] c 39 N74-13131
Hole cutter --- drill bits and rotating shaft
[NASA-CASE-MFS-22649-1] c 37 N75-25186
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c 37 N81-14319

METAL FATIGUE
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-2] c 24 N81-26179

METAL FIBERS
Lightweight electrically-powered flexible thermal laminate --- made of metal and nonconductive yarns
[NASA-CASE-MSC-12662-1] c 33 N79-12331

METAL FILMS
Means and methods of depositing thin films on substrates Patent
[NASA-CASE-XNP-00595] c 15 N70-34967
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c 18 N71-10772
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c 15 N71-20739
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c 15 N71-24046
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c 08 N71-27210
Light regulator
[NASA-CASE-LAR-10836-1] c 26 N72-27784
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c 27 N74-13270
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c 37 N75-19684
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c 37 N78-13436
Thin film strain transducer
[NASA-CASE-WLP-10055-1] c 35 N84-28015
Fire blocking systems for aircraft seat cushions
[NASA-CASE-ARC-11423-1] c 03 N84-33394
Glass heating panels and method for preparing the same from architectural reflective glass
[NASA-CASE-NPO-15753-1] c 27 N84-33589
Method for forming hermetic seals
[NASA-CASE-NPO-16423-1-CU] c 37 N87-21334

METAL FINISHING
Selective plating of etched circuits without removing previous plating Patent
[NASA-CASE-XGS-03120] c 15 N71-24047
Surface finishing --- for aircraft wings
[NASA-CASE-MSC-12631-1] c 24 N77-28225

METAL FOILS
Folding apparatus Patent
[NASA-CASE-XLA-00137] c 15 N70-33180
Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c 33 N70-36617
Thermal radiation shielding Patent
[NASA-CASE-XLE-03432] c 33 N71-24145
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c 44 N74-19692
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c 35 N76-18400
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c 35 N82-24470

METAL FUELS
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c 28 N74-33209

METAL HALIDES
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c 37 N76-18458
Direct current ballast circuit for metal halide lamp
[NASA-CASE-MSC-18407-1] c 33 N82-24427
High power metallic halide laser --- amplifying a copper chloride laser
[NASA-CASE-NPO-14782-1] c 36 N82-28616
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c 36 N83-10417

METAL HYDRIDES
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c 37 N78-13436

METAL IONS
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c 06 N71-27363
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c 27 N82-11206
Process for improving mechanical properties of epoxy resins by addition of cobalt ions
[NASA-CASE-LAR-13230-1] c 24 N84-34571

METAL JOINTS
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c 15 N70-41629
Mechanical bonding of metal method
[NASA-CASE-LEW-12941-1] c 26 N83-10170
X-ray determination of parts alignment
[NASA-CASE-MSC-20418-1] c 74 N86-20126

METAL MATRIX COMPOSITES
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c 17 N70-33288
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c 17 N71-24142
Self-lubricating gears and other mechanical parts Patent
[NASA-CASE-MFS-14971] c 15 N71-24984
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c 17 N72-28536
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c 24 N75-28135
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c 24 N77-19171
Heat exchanger and method of making --- bonding rocket chambers with a porous metal matrix
[NASA-CASE-LEW-12441-1] c 34 N79-13289
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c 26 N80-23419
Heat exchanger and method of making --- rocket lining
[NASA-CASE-LEW-12441-2] c 34 N80-24573
Method for alleviating thermal stress damage in laminates --- metal matrix composites
[NASA-CASE-LEW-12493-1] c 24 N81-17170
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-2] c 24 N81-26179
Fuselage structure using advanced technology fiber reinforced composites
[NASA-CASE-LAR-11688-1] c 24 N82-26384
Metal matrix composite structural panel construction
[NASA-CASE-LAR-12807-1] c 24 N84-11214
Arc spray fabrication of metal matrix composite monotape
[NASA-CASE-LEW-13828-1] c 24 N85-30027
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613

METAL OXIDE SEMICONDUCTORS
Gyrator employing field effect transistors
[NASA-CASE-MFS-21433] c 09 N73-20232
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c 76 N74-20329
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c 33 N74-34638
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c 76 N75-25730
Solar cell collector
[NASA-CASE-LEW-12552-1] c 44 N78-25527
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c 76 N79-14906
Method of making V-MOS field effect transistors utilizing a two-step anisotropic etching and ion implantation
[NASA-CASE-GSC-12515-1] c 33 N81-26360
Schottky barrier solar cell
[NASA-CASE-NPO-13689-2] c 44 N81-29525
High voltage v-groove solar cell
[NASA-CASE-LEW-13401-2] c 44 N83-32177
GaAs Schottky barrier photo-responsive device and method of fabrication
[NASA-CASE-GSC-12816-1] c 76 N86-20150
Integrated photo-responsive metal oxide semiconductor circuit
[NASA-CASE-GSC-12782-1] c 33 N88-14271

METAL OXIDES
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c 17 N71-24142
Photoetching of metal-oxide layers
[NASA-CASE-ERC-10108] c 06 N72-21094
Production of metal powders
[NASA-CASE-XLE-06461] c 17 N72-22530
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c 46 N74-13011
Method for depositing an oxide coating
[NASA-CASE-LEW-13131-1] c 44 N83-10494
Method of forming oxide coatings --- for solar collector heating panels
[NASA-CASE-LEW-13132-1] c 27 N83-29388
Absorbable-susceptor joining of ceramic surfaces
[NASA-CASE-NPO-15640-1] c 27 N84-22748
Thermal barrier coating system
[NASA-CASE-LEW-13324-2] c 24 N85-21266
Apparatus for producing oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-2] c 27 N86-32569
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736

METAL PARTICLES
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c 03 N69-39983
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c 18 N71-28729
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c 28 N74-33209

METAL PLATES
Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c 31 N71-16221
Nuclear fuel elements
[NASA-CASE-XLE-00209] c 22 N73-32528
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c 27 N76-14264
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c 26 N80-28492
Multicolor printing plate joining
[NASA-CASE-LEW-13598-1] c 35 N84-22930
High effectiveness contour matching contact heat exchanger
[NASA-CASE-MSC-20840-1] c 34 N88-29132

METAL POWDER
Method of producing refractory bodies having controlled porosity Patent
[NASA-CASE-LEW-10393-1] c 17 N71-15468
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c 15 N71-23022
Shock tube powder dispersing apparatus Patent
[NASA-CASE-XLE-04946] c 17 N71-24911
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c 06 N72-17093
Production of metal powders
[NASA-CASE-XLE-06461] c 17 N72-22530
Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c 17 N72-28535
Peen plating
[NASA-CASE-GSC-11163-1] c 15 N73-32360
Electrodes for solid state devices
[NASA-CASE-NPO-15161-1] c 33 N84-16456

METAL SHEETS
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c 14 N71-26136
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c 37 N74-11301
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c 37 N75-12326
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c 37 N75-26371
Apparatus for welding sheet material --- butt joints
[NASA-CASE-XMS-01330] c 37 N75-27376
Method of bonding plasticized elastomer to metal and articles produced thereby
[NASA-CASE-MFS-25181-1] c 27 N82-24340
Curved cap corrugated sheet
[NASA-CASE-LAR-12884-1] c 18 N84-33450

METAL SHELLS
Shell tile thermal protection system
[NASA-CASE-LAR-12862-1] c 27 N84-27886

METAL SPINNING
Spin forming tubular elbows Patent
[NASA-CASE-XMF-01083] c 15 N71-22723

METAL SPRAYING
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550

METAL STRIPS
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c 15 N70-36411

Interconnection of solar cells Patent
[NASA-CASE-XGS-01475] c 03 N71-11058
Method of making tubes Patent
[NASA-CASE-XGS-04175] c 15 N71-18579
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c 70 N74-21300
Method for maintaining precise suction strip porosities
[NASA-CASE-LAR-13638-1] c 31 N88-29051

METAL SURFACES
Condenser - Separator
[NASA-CASE-XLA-08645] c 15 N69-21465
Plating nickel on aluminum castings Patent
[NASA-CASE-XNP-04148] c 17 N71-24830
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c 15 N71-24875
Process for reducing secondary electron emission Patent
[NASA-CASE-XNP-09469] c 24 N71-25555
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c 15 N71-26312
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c 33 N71-29151
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c 35 N74-22095
Surface finishing
[NASA-CASE-MSC-12631-3] c 27 N81-14077
Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c 26 N81-16209
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c 37 N81-19455
Corrosion resistant thermal barrier coating --- protecting gas turbines and other engine parts
[NASA-CASE-LEW-13088-1] c 26 N81-25188
Coating with overlay metallic-cermet alloy systems
[NASA-CASE-LEW-13639-2] c 26 N84-27855
Method for forming hermetic seals
[NASA-CASE-NPO-16423-1-CU] c 37 N87-21334
Ion-beam nitriding of steels
[NASA-CASE-LEW-14104-2] c 26 N88-14179

METAL VAPOR LASERS
High power metallic halide laser --- amplifying a copper chloride laser
[NASA-CASE-NPO-14782-1] c 36 N82-28616
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c 36 N83-10417

METAL VAPORS
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c 03 N69-39983
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c 15 N70-33382
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c 36 N75-32441
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c 36 N77-26477

METAL WORKING
Electric arc welding Patent
[NASA-CASE-XMF-00392] c 15 N70-34814
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c 15 N71-17650
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c 15 N71-22797
Portable milling tool Patent
[NASA-CASE-XMF-03511] c 15 N71-22799
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c 15 N71-23817
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c 15 N71-24833
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c 15 N71-24865
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c 37 N74-25968
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c 37 N76-14461
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c 37 N84-12491

METAL-METAL BONDING
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c 15 N71-20443
Honeycomb panel and method of making same Patent
[NASA-CASE-XMF-01402] c 18 N71-21651
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c 37 N76-27568
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c 37 N81-19455
Mechanical bonding of metal method
[NASA-CASE-LEW-12941-1] c 26 N83-10170
Joining lead wires to thin platinum alloy films
[NASA-CASE-LEW-13934-1] c 35 N83-35338

METALLIC GLASSES
Glass compositions with a high modulus of elasticity --- nontoxic glass fibers
[NASA-CASE-HQN-10274-1] c 27 N82-29451
High modulus invert analog glass compositions containing beryllia
[NASA-CASE-HQN-10931-2] c 27 N82-29452

METALLIZING
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c 76 N79-14906
Overlay metallic-cermet alloy coating systems
[NASA-CASE-LEW-13639-1] c 26 N84-33555
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550

METALLOGRAPHY
Method for etching copper Patent
[NASA-CASE-XGS-06306] c 17 N71-16044

METALLOSILOXANE POLYMER
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c 37 N74-21058

METALLURGY
Induction furnace with perforated tungsten foil shielding Patent
[NASA-CASE-XLE-04026] c 14 N71-23267
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c 26 N80-14229

METALS
Transpiration cooled turbine blade manufactured from wires Patent
[NASA-CASE-XLE-00020] c 15 N70-33226
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c 18 N71-23710
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c 15 N71-23811
Forming tool for ribbon or wire
[NASA-CASE-XLA-05966] c 15 N72-12408
Peen plating
[NASA-CASE-GSC-11163-1] c 15 N73-32360
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c 37 N74-21063
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c 31 N74-23065
Production of pure metals
[NASA-CASE-LEW-10906-1] c 25 N74-30502
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c 35 N76-15434
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c 37 N77-23482
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c 44 N79-11467
Metal phthalocyanine polymers
[NASA-CASE-ARC-11405-1] c 27 N84-27884
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126
Device and method for frictionally testing materials for ignitability
[NASA-CASE-MSC-20622-1] c 25 N86-19413
Metal phthalocyanine intermediates for the preparation of polymers
[NASA-CASE-ARC-11405-2] c 27 N86-19455
Method and apparatus for rebalancing a REDOX flow cell system
[NASA-CASE-LEW-14127-1] c 33 N86-20680
Thermocouple for heating and cooling of memory metal actuators
[NASA-CASE-NPO-17068-1-CU] c 35 N88-29151

METASTABLE STATE
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c 72 N79-13826
Modulated voltage metastable ionization detector
[NASA-CASE-ARC-11503-1] c 35 N85-34374

METEORITE COLLISIONS
Pressurized panel
[NASA-CASE-XLA-08916-2] c 14 N73-28487
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c 91 N74-13130

METEORITES
Method of making pressurized panel Patent
[NASA-CASE-XLA-08916] c 15 N71-29018

METEORITIC DAMAGE
Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors Patent
[NASA-CASE-XLE-01246] c 14 N71-10797

METEOROID HAZARDS
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c 35 N75-33367

METEOROID PROTECTION
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c 31 N71-17679
Coaxial tube tether/transmission line for manned nuclear space power
[NASA-CASE-LEW-14338-1] c 20 N87-10174

METEOROIDS
Apparatus for photographing meteors
[NASA-CASE-LAR-10226-1] c 14 N73-19419
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c 91 N76-30131

METEOROLOGICAL BALLOONS
Meteorological balloon Patent
[NASA-CASE-XMF-04163] c 02 N71-23007

METHANE
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c 18 N70-39897
Portable remote laser sensor for methane leak detection
[NASA-CASE-NPO-15790-1] c 36 N85-21631

METHYL ALCOHOL
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255

METHYL COMPOUNDS
Process for producing tris s(n-methylamino) methylsilane
[NASA-CASE-MFS-25721-1] c 25 N85-21280
Polymer of phosphonylmethyl-2,4- and -2,6-diamino benzene and polyfunctional monomer
[NASA-CASE-ARC-11506-2] c 23 N86-32525

METHYLENE
Carboranylmethylene-substituted phosphazenes and polymers thereof
[NASA-CASE-ARC-11370-1] c 27 N84-22750
Process for crosslinking methylene-containing aromatic polymers with ionizing radiation
[NASA-CASE-LAR-13448-1] c 27 N86-24840

MICHELSON INTERFEROMETERS
Interferometer direction sensor Patent
[NASA-CASE-NPO-10320] c 14 N71-17655
Interferometer servo system Patent
[NASA-CASE-NPO-10300] c 14 N71-17662
Multispectral imaging system
[NASA-CASE-MSC-12404-1] c 23 N73-13667
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c 35 N78-18391

MICROANALYSIS
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c 74 N78-33913

MICROBALANCES
Null-type vacuum microbalance Patent
[NASA-CASE-XAC-00472] c 15 N70-40187
Microbalance --- for measuring particle mass
[NASA-CASE-MSC-11242] c 35 N78-17357

MICROBALLOONS
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c 27 N82-28447

MICROBIOLOGY
Variable angle tube holder
[NASA-CASE-LAR-10507-1] c 11 N72-25287
Apparatus for microbiological sampling --- including automatic swabbing
[NASA-CASE-LAR-11069-1] c 35 N75-12277
Automatic inoculating apparatus --- includes movable carraige, drive motor, and swabbing motor
[NASA-CASE-LAR-11074-1] c 51 N75-13567
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c 35 N75-27337
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c 51 N77-22777
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c 25 N79-24077
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c 51 N81-28677

MICROCHANNELS
Low intensity X-ray and gamma-ray spectrometer
[NASA-CASE-GSC-12587-1] c 35 N82-32677

MICROCRACKS
System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c 39 N80-10577

Laser surface fusion of plasma sprayed ceramic turbine seals
[NASA-CASE-LEW-13269-1] c 18 N83-20996

MICROELECTRONICS

Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c 26 N71-14354
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c 05 N71-27234
Microelectronic module package Patent
[NASA-CASE-XMS-02182] c 10 N71-28783
Method of coating through-holes Patent
[NASA-CASE-XMF-05999] c 15 N71-29032
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c 15 N72-27485
Screened circuit capacitors
[NASA-CASE-LAR-10294-1] c 26 N72-28762
Active tuned circuit
[NASA-CASE-GSC-11340-1] c 10 N72-33230
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c 38 N78-17396
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c 44 N81-14389
Method of making a high voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c 44 N82-29709
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-15670-1] c 33 N82-33634
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-256704-1] c 33 N84-22884

MICROFIBERS

Small conductive particle sensor --- microfiber size determination
[NASA-CASE-LAR-12552-1] c 35 N82-11431

MICROFILMS

Apparatus for inspecting microfilm Patent
[NASA-CASE-MFS-20240] c 14 N71-26788

MICROINSTRUMENTATION

Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c 37 N78-17386

MICROMETEORITES

Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c 91 N74-13130
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c 35 N76-15433

MICROMETEOROIDS

Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c 14 N70-41332
Force transducer Patent
[NASA-CASE-XAC-01101] c 14 N70-41957
Pressurized cell micrometeoroid detector Patent
[NASA-CASE-XLA-00936] c 14 N71-14996
Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c 31 N71-16221
Rotary bead dropper and selector for testing micrometeorite detectors Patent
[NASA-CASE-XGS-03304] c 09 N71-22988
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c 14 N71-23240
Fabric for micrometeoroid protection garment Patent
[NASA-CASE-MSC-12109] c 18 N71-26285
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c 14 N73-20477
Meteoroid detector
[NASA-CASE-LAR-10483-1] c 14 N73-32327
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c 35 N74-21062
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c 35 N78-18390

MICROMETERS

Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c 37 N78-17386

MICROMINIATURIZATION

Compensating radiometer
[NASA-CASE-XLA-04556] c 14 N69-27484

MICROORGANISMS

Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c 18 N71-16046
Vacuum probe surface sampler
[NASA-CASE-LAR-10623-1] c 14 N73-30395
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c 35 N75-33368
Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c 35 N79-28527
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c 51 N81-28698
Apparatus and process for microbial detection and enumeration
[NASA-CASE-LAR-12709-1] c 35 N82-28604
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227

MICROPARTICLES

Micropacked column for a chromatographic system
[NASA-CASE-XNP-04816] c 06 N69-39936
Powder fed sheared dispersal particle generator
[NASA-CASE-LAR-12785-1] c 37 N84-16561

MICROPHONES

Audio signal processor Patent
[NASA-CASE-MSC-12223-1] c 07 N71-26181
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c 05 N71-27234
Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c 11 N71-28779
High-temperature microphone system --- for measuring pressure fluctuations in gases at high temperature
[NASA-CASE-LAR-12375-1] c 32 N79-24203
Adapter for mounting a microphone flush with the external surface of the skin of a pressurized aircraft
[NASA-CASE-FRC-11072-1] c 05 N83-27975
Carbon granule probe microphone for leak detection --- recovery boilers
[NASA-CASE-NPO-16027-1] c 35 N85-21597

MICROPROCESSORS

Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c 35 N78-28411
Automatic multi-banking of memory for microprocessors
[NASA-CASE-NPO-15295-1] c 60 N85-21992

MICROSCOPES

Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c 14 N72-22445
Hand-held photomicroscope
[NASA-CASE-ARC-10468-1] c 14 N73-33361
Method of examining microcircuit patterns
[NASA-CASE-NPO-16299-1] c 33 N87-14594

MICROSTRIP ANTENNAS

Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c 32 N80-32604
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c 32 N82-11336

MICROSTRIP TRANSMISSION LINES

Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c 32 N78-24391
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c 32 N82-11336

MICROSTRUCTURE

Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c 18 N71-26153
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c 17 N72-28536
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c 37 N74-21055
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c 37 N75-26372
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c 26 N80-23419
Method of making an ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-2] c 52 N84-23095
Ion beam sputter etching
[NASA-CASE-LEW-13899-1] c 31 N87-21160
High temperature electric arc furnace
[NASA-CASE-MFS-28281-1] c 09 N88-28938

MICROTHRUST

Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c 28 N71-25213
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c 28 N72-18766

MICROWAVE AMPLIFIERS

Temperature-compensating means for cavity resonator of amplifier Patent
[NASA-CASE-XNP-00449] c 14 N70-35220
Resonant isolator for maser amplifier
[NASA-CASE-NPO-15201-1] c 36 N83-35350

MICROWAVE ANTENNAS

Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c 09 N71-13486
Low noise single aperture multimode monopulse antenna feed system Patent
[NASA-CASE-XNP-01735] c 07 N71-22750
Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c 09 N71-22888
Validation device for spacecraft checkout equipment Patent
[NASA-CASE-XKS-10543] c 07 N71-26292
Multi-purpose antenna employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c 07 N72-25174
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c 09 N72-25247
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c 07 N73-14130
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c 32 N78-24391
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c 32 N82-11336

MICROWAVE CIRCUITS

Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c 07 N71-29065
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c 33 N81-17348
Laser activated MTOS microwave device
[NASA-CASE-NPO-16112-1] c 33 N86-19516

MICROWAVE COUPLING

Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c 09 N71-23548
Maser cavity servo-tuning system
[NASA-CASE-NPO-15890-1-CU] c 33 N85-29143

MICROWAVE EQUIPMENT

Array phasing device Patent
[NASA-CASE-ERC-10046] c 10 N71-18722
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c 09 N71-24808
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c 09 N73-12214
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c 33 N75-26245
Refrigerated coaxial coupling --- for microwave equipment
[NASA-CASE-NPO-13504-1] c 33 N75-30430
Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c 33 N79-28416
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373

MICROWAVE FILTERS

High power microwave power divider Patent
[NASA-CASE-NPO-11031] c 07 N71-33606
High-Q bandpass resonators utilizing bandstop resonator pairs
[NASA-CASE-GSC-10990-1] c 09 N73-26195

MICROWAVE FREQUENCIES

Varactor high level mixer
[NASA-CASE-XGS-02171] c 09 N69-24324
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c 09 N71-18721
Composite antenna feed
[NASA-CASE-GSC-11046-1] c 07 N73-28013

MICROWAVE OSCILLATORS

Magnetically actuated tuning method for Gunn oscillators
[NASA-CASE-NPO-12106] c 09 N73-15235
Electron beam controller --- using magnetic field to refocus spent electron beam in microwave oscillator tube
[NASA-CASE-LEW-11617-1] c 33 N74-10195
Low noise cryogenic dielectric resonator oscillator
[NASA-CASE-NPO-17157-1-CU] c 33 N88-26596

MICROWAVE RADIOMETERS

Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c 14 N71-26774
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c 32 N80-14281
Microwave limb sounder --- measuring trace gases in the upper atmosphere
[NASA-CASE-NPO-14544-1] c 46 N82-12685
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c 06 N83-10040
System for indicating fuel-efficient aircraft altitude
[NASA-CASE-NPO-15351-2] c 06 N84-34443

MICROWAVE REFLECTOMETERS

Reflectometer for receiver input impedance match measurement Patent
[NASA-CASE-XNP-10843] c 07 N71-11267
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c 15 N71-17822

MICROWAVE RESONANCE

Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c 14 N71-26137

MICROWAVE SCATTERING
Almond test body --- for microwave anechoic chambers
[NASA-CASE-LAR-13747-1] c 32 N88-24845
MICROWAVE SWITCHING
Gyrator type circuit Patent
[NASA-CASE-XAC-10608-1] c 09 N71-12517
Microwave switching power divider --- antenna feeds
[NASA-CASE-GSC-12420-1] c 33 N82-16340
MICROWAVE TRANSMISSION
Frequency translating phase conjugation circuit for active retrodirective antenna array --- microwave transmission
[NASA-CASE-NPO-14536-1] c 32 N81-14185
Waveguide cooling system
[NASA-CASE-NPO-15401-1] c 32 N83-27085
MICROWAVE TUBES
Electrostatic collector for charged particles
[NASA-CASE-LEW-11192-1] c 09 N73-13208
MICROWAVES
Parametric microwave noise generator Patent
[NASA-CASE-XER-11019] c 09 N71-23598
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c 23 N71-26722
Waveguide mixer
[NASA-CASE-ERC-10179] c 07 N72-20141
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c 44 N74-19870
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c 33 N78-32340
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c 33 N80-18287
Doppler radar having phase modulation of both transmitted and reflected return signals
[NASA-CASE-MSC-18675-1] c 32 N84-22820
Beam forming network
[NASA-CASE-NPO-15743-1] c 32 N85-29118
Precision tunable resonant microwave cavity
[NASA-CASE-LEW-13935-1] c 33 N87-21234
MIDAIR COLLISIONS
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c 21 N73-30641
MILLIMETER WAVES
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c 07 N71-28965
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c 33 N74-32660
MILLING (MACHINING)
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c 15 N71-22722
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c 37 N81-14319
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c 31 N83-27058
MILLING MACHINES
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c 14 N70-40238
Portable milling tool Patent
[NASA-CASE-XMF-03511] c 15 N71-22799
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c 37 N74-27905
MINERAL DEPOSITS
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c 43 N81-26509
MINERAL METABOLISM
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c 52 N77-14737
MINES (EXCAVATIONS)
Mining volume measurement system
[NASA-CASE-LAR-13519-1] c 35 N88-23963
MINIATURE ELECTRONIC EQUIPMENT
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c 14 N71-21091
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c 09 N71-24597
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c 07 N71-24612
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c 52 N76-29894
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c 35 N77-14407
Miniature electrooptical air flow sensor
[NASA-CASE-LAR-13065-1] c 35 N85-20295
MINIATURIZATION
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c 15 N70-40156
Counter and shift register Patent
[NASA-CASE-XNP-01753] c 08 N71-22897
Miniature carbon dioxide sensor and methods
[NASA-CASE-MSC-13332-1] c 14 N72-21408
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c 35 N78-32397
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c 72 N80-27163
Thumb-actuated two-axis controller
[NASA-CASE-ARC-11372-1] c 08 N86-27288
Miniature traveling wave tube and method of making
[NASA-CASE-LEW-14520-1] c 33 N88-23936
MINING
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c 43 N80-14423
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c 43 N80-23711
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c 43 N81-26509
Longwall shearer tracking system
[NASA-CASE-MFS-25717-1] c 35 N84-33768
Shuttle car loading system
[NASA-CASE-NPO-15949-1] c 85 N85-34722
MINORITY CARRIERS
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
MIRRORS
Pneumatic mirror support system
[NASA-CASE-XLA-03271] c 11 N69-24321
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c 14 N69-27461
Interferometer servo system Patent
[NASA-CASE-NPO-10300] c 14 N71-17662
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c 16 N71-18614
Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c 23 N71-24868
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c 23 N71-29123
Optical range finder having nonoverlapping complete images
[NASA-CASE-MSC-12105-1] c 14 N72-21409
Optical system support apparatus
[NASA-CASE-XER-07896-2] c 23 N72-22673
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c 35 N75-12273
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c 12 N76-15189
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c 74 N78-15880
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c 35 N78-18391
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c 89 N79-10969
Dual aperture multispectral Schmidt objective
[NASA-CASE-GSC-12756-1] c 74 N84-23248
Spectral slicing X-ray telescope with variable magnification
[NASA-CASE-MFS-25942-1] c 74 N86-20124
Wide-angle flat field telescope
[NASA-CASE-GSC-12625-1] c 74 N86-28732
Compensation for primary reflector wavefront error
[NASA-CASE-NPO-16869-1CU] c 74 N86-33138
Self-clamping arc light reflector for welding torch
[NASA-CASE-MFS-29207-1] c 74 N87-25843
MIS (SEMICONDUCTORS)
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c 44 N82-32841
MISSILE CONTROL
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c 32 N74-20864
MISSILE LAUNCHERS
Missile launch release system Patent
[NASA-CASE-XMF-03198] c 30 N70-40353
Optical monitor panel Patent
[NASA-CASE-XKS-03509] c 14 N71-23175
Controlled release device Patent
[NASA-CASE-XKS-03338] c 15 N71-24043
MISSILE STRUCTURES
Missile rolling tail brake torque system --- simulating bearing friction on canard controlled missiles
[NASA-CASE-LAR-12751-1] c 15 N84-16231
MISSILES
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c 15 N78-32168
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c 15 N79-26100
MITOSIS
Process for control of cell division
[NASA-CASE-LAR-10773-3] c 51 N77-25769
MIXERS
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c 07 N78-18067
Planar oscillatory stirring apparatus
[NASA-CASE-MFS-26002-1-CU] c 35 N86-26598
Remotely controllable mixing system
[NASA-CASE-MFS-28153-1] c 31 N86-32589
Dual-fuel, dual-mode rocket engine
[NASA-CASE-LAR-13773-1] c 20 N88-24685
MIXING
Remotely controllable mixing system
[NASA-CASE-MFS-28153-1] c 31 N86-32589
MIXING CIRCUITS
Varactor high level mixer
[NASA-CASE-XGS-02171] c 09 N69-24324
Waveguide mixer
[NASA-CASE-ERC-10179] c 07 N72-20141
MIXTURES
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c 35 N78-12390
Process for producing tris s(n-methylamino) methylsilane
[NASA-CASE-MFS-25721-1] c 25 N85-21280
MOBILE COMMUNICATION SYSTEMS
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390
MOBILITY
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c 33 N75-27251
Mobile sampler for use in acquiring samples of terrestrial atmospheric gases
[NASA-CASE-NPO-15220-1] c 45 N83-25217
Mobile remote manipulator vehicle system
[NASA-CASE-LAR-13393-1] c 54 N87-29118
MODE TRANSFORMERS
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c 09 N69-39984
Dual waveguide mode source having control means for adjusting the relative amplitude of two modes Patent
[NASA-CASE-XNP-03134] c 07 N71-10676
Direct current transformer
[NASA-CASE-MFS-23659-1] c 33 N79-17133
MODEMS
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c 33 N77-21314
MODES (STANDING WAVES)
Acoustic levitation methods and apparatus
[NASA-CASE-NPO-15562-1] c 71 N82-27086
MODULATION
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c 33 N74-17930
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c 35 N82-15381
Air modulation apparatus
[NASA-CASE-LEW-13524-1] c 07 N84-33410
Modulated voltage metastable ionization detector
[NASA-CASE-ARC-11503-1] c 35 N85-34374
Doppler radar with multiphase modulation of transmitted and reflected signal
[NASA-CASE-MSC-18808-1] c 32 N88-23923
MODULATORS
Retrodirective optical system
[NASA-CASE-XGS-04480] c 16 N69-27491
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c 14 N71-15605
Laser calibrator Patent
[NASA-CASE-XLA-03410] c 16 N71-25914
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c 33 N74-14939
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c 33 N77-21314
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c 36 N82-29589
Navigation system and method
[NASA-CASE-GSC-12508-1] c 04 N84-22546
Solar energy modulator
[NASA-CASE-NPO-15388-1] c 44 N84-28203
MODULES
Modular encoder
[NASA-CASE-NPO-10629] c 08 N72-18184
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c 44 N79-19447
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c 44 N80-18550
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
MODULUS OF ELASTICITY
Glass compositions with a high modulus of elasticity --- nontoxic glass fibers
[NASA-CASE-HQN-10274-1] c 27 N82-29451

High modulus invert analog glass compositions containing beryllia
[NASA-CASE-HQN-10931-2] c 27 N82-29452
Non-toxic invert analog glass compositions of high modulus
[NASA-CASE-HQN-10328-2] c 27 N82-29454
High modulus rare earth and beryllium containing silicate glass compositions --- for glass reinforcing fibers
[NASA-CASE-HQN-10595-1] c 27 N82-29455
High resistance and raised modulus carbon fibers
[NASA-TM-76884] c 24 N85-25436

MOISTURE
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c 05 N71-23080
Trace water sensor
[NASA-CASE-NPO-15722-1] c 35 N85-29212

MOISTURE CONTENT
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NASA-CASE-NPO-15494-1] c 35 N82-25484
Moisture content and gas sampling device
[NASA-CASE-MSC-18866-1] c 35 N85-29213
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373

MOISTURE METERS
Method of evaluating moisture barrier properties of encapsulating materials Patent
[NASA-CASE-NPO-10051] c 18 N71-24934
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NASA-CASE-NPO-15494-1] c 35 N82-25484
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373

MOISTURE RESISTANCE
Process for improving moisture resistance of epoxy resins by addition of chromium ions
[NASA-CASE-LAR-13226-1] c 27 N85-34282

MOLDING MATERIALS
Method for molding compounds Patent
[NASA-CASE-XLA-01091] c 15 N71-10672
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c 15 N71-15986
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c 06 N71-22975
Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c 15 N71-26346
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c 31 N74-13177
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c 31 N74-14133
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c 20 N78-24275
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c 20 N79-21123

MOLDS
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c 15 N71-24836
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c 15 N72-16329
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c 31 N74-14133
Molding apparatus --- for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c 31 N74-32920
Evacuated, displacement compression mold --- of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c 31 N75-13111
Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c 37 N76-23570

MOLECULAR BEAMS
Molecular beam velocity selector Patent
[NASA-CASE-XLE-01533] c 11 N71-10777
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c 20 N74-31269

MOLECULAR CHAINS
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c 27 N81-15104
Novel ladder polymers for use as high temperature stable resins or coatings
[NASA-CASE-LEW-14203-1] c 27 N88-29984

MOLECULAR GASES
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c 35 N74-15127

MOLECULAR PUMPS
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c 30 N71-17788
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c 15 N71-26294

MOLECULAR RELAXATION
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c 74 N81-17887

MOLECULAR ROTATION
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c 36 N75-31426

MOLECULAR SPECTRA
Correlation spectrometer having high resolution and multiplexing capability
[NASA-CASE-NPO-15558-1] c 35 N84-34705

MOLECULAR SPECTROSCOPY
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c 14 N71-26137

MOLECULAR WEIGHT
Process of end-capping a polyimide system
[NASA-CASE-LAR-13135-1] c 27 N86-19456
Process for crosslinking and extending conjugated diene-containing polymers
[NASA-CASE-LAR-13452-1] c 27 N87-22848

MOLECULES
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c 72 N79-13826

MOLTEN SALT ELECTROLYTES
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-XLE-01645] c 03 N71-20904
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c 44 N76-18643

MOLTEN SALTS
Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c 27 N81-17261

MOLYBDENUM
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c 35 N79-14346

MOLYBDENUM CARBIDES
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c 15 N71-16077

MOLYBDENUM DISULFIDES
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c 28 N81-14103

MOMENTS OF INERTIA
Moment of inertia test fixture Patent
[NASA-CASE-XGS-01023] c 14 N71-22992

MOMENTUM
Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c 21 N71-21708
Particle detection apparatus including a ballistic pendulum Patent
[NASA-CASE-XMS-04201] c 14 N71-22990

MONATOMIC GASES
Atomic hydrogen storage --- cryotrapping and magnetic field strength
[NASA-CASE-LEW-12081-2] c 28 N80-20402

MONITORS
Leak detector Patent
[NASA-CASE-LAR-10323-1] c 12 N71-17573
Reduced bandwidth video communication system utilizing sampling techniques Patent
[NASA-CASE-XNP-02791] c 07 N71-23026
Optical monitor panel Patent
[NASA-CASE-XKS-03509] c 14 N71-23175
Peak polarity selector Patent
[NASA-CASE-FRC-10010] c 10 N71-24862
Ripple indicator
[NASA-CASE-KSC-10162] c 09 N72-11225
Droplet monitoring probe
[NASA-CASE-NPO-10985] c 14 N73-20478
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c 14 N73-32319
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c 74 N74-21304
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c 33 N79-11315
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c 33 N79-18193
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c 51 N81-28698
Scanning seismic intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c 35 N83-34272
Focal plane array optical proximity sensor
[NASA-CASE-NPO-15155-1] c 74 N85-22139
Retinally stabilized differential resolution television display
[NASA-CASE-NPO-15432-1] c 32 N85-29117
Optical distance measuring instrument
[NASA-CASE-GSC-12761-1] c 74 N86-32266
Laser schlieren crystal monitor
[NASA-CASE-MFS-28060-1] c 76 N87-25862
Welding monitoring system
[NASA-CASE-MFS-29177-1] c 37 N88-14362
Television monitor field shifter and an opto-electronic method for obtaining a stereo image of optimal depth resolution and reduced depth distrotion on a single screen
[NASA-CASE-NPO-17249-1-CU] c 32 N88-23924
Airplane runway performance monitoring system
[NASA-CASE-LAR-13854-1-CU] c 04 N88-24621
Radio Frequency (RF) strain monitor
[NASA-CASE-LAR-13705-1] c 39 N88-25011

MONOCHROMATIC RADIATION
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c 25 N72-24753
Laser extensometer
[NASA-CASE-MFS-19259-1] c 36 N78-14380
Multiprism collimator
[NASA-CASE-GSC-12608-1] c 74 N83-10900

MONOCHROMATORS
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c 06 N71-13461
Color television system
[NASA-CASE-MSC-12146-1] c 07 N72-17109

MONOMERS
Pressure transducer --- using a monomeric charge transfer complex sensor
[NASA-CASE-NPO-11150] c 35 N78-17359
Bifunctional monomers having terminal oxime and cyano or amidine groups
[NASA-CASE-ARC-11253-3] c 27 N81-24256
Cross-linked polyvinyl alcohol and method of making same
[NASA-CASE-LEW-13101-2] c 23 N81-29160
Preparation of crosslinked 1,2,4-oxadiazole polymer
[NASA-CASE-ARC-11253-2] c 27 N82-24338
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-1] c 27 N83-31854
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-1] c 27 N84-27885
Process for preparing highly optically transparent/colorless aromatic polyimide film
[NASA-CASE-LAR-13351-1] c 27 N86-31727
New condensation polyimides containing 1,1,1-triaryl-2,2,2-trifluoroethane structures
[NASA-CASE-LEW-14346-1] c 23 N87-14433
Ethynyl terminated ester oligomers and polymers therefrom
[NASA-CASE-LAR-13118-2] c 27 N87-16907
Polyphenylquinoxalines containing alkylenedioxy groups
[NASA-CASE-LAR-13601-1-CU] c 27 N87-25475
Substituted 1,1,1-Triaryl-2,2,2-Trifluoroethanes and processes for their synthesis
[NASA-CASE-LEW-14345-1] c 23 N88-26404

MONOPOLE ANTENNAS
Antenna system using parasitic elements and two driven elements at 90 deg angle fed 180 deg out of phase Patent
[NASA-CASE-XLA-00414] c 07 N70-38200
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c 09 N71-18720

MONOPROPELLANTS
Ignition system for monopropellant combustion devices Patent
[NASA-CASE-XNP-00249] c 28 N70-38249
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c 28 N70-41311
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-2] c 20 N82-18314

MONOPULSE ANTENNAS
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c 07 N69-27460
Low noise single aperture multimode monopulse antenna feed system Patent
[NASA-CASE-XNP-01735] c 07 N71-22750
Electronic scanning of 2-channel monopulse patterns Patent
[NASA-CASE-GSC-10299-1] c 09 N71-24804
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c 33 N76-27472

MONOPULSE RADAR
Polarization diversity monopulse tracking receiver Patent
[NASA-CASE-XGS-03501] c 09 N71-20864
Monopulse tracking system Patent
[NASA-CASE-XGS-01155] c 10 N71-21483

MONOSTABLE MULTIVIBRATORS
Resettable monostable pulse generator Patent
[NASA-CASE-GSC-11139] c 09 N71-27016
Monostable multivibrator with complementary NOR gates Patent
[NASA-CASE-MSC-13492-1] c 10 N71-28860
MORPHOLOGY
Method for growth of crystals by pressure reduction of supercritical or subcritical solution
[NASA-CASE-NPO-15772-1] c 76 N85-29800
MOSSBAUER EFFECT
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c 35 N74-15091
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c 35 N75-27329
MOTION
Quick attach mechanism Patent
[NASA-CASE-XFR-05421] c 15 N71-22994
MOTION PICTURES
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c 35 N74-17153
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c 35 N75-27328
MOTION SIMULATORS
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c 09 N75-15662
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c 54 N81-27806
MOTION STABILITY
Hydraulic drive mechanism Patent
[NASA-CASE-XMS-03252] c 15 N71-10658
MOTORS
Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c 09 N69-21313
System for maintaining a motor at a predetermined speed utilizing digital feedback means Patent
[NASA-CASE-XMF-06892] c 09 N71-24805
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c 37 N77-12402
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c 37 N80-32716
A universal computer control system for motors
[NASA-CASE-NPO-17134-1-CU] c 33 N88-24864
MOUNTING
Thermobulb mount Patent
[NASA-CASE-NPO-10158] c 33 N71-16356
Mount for thermal control system Patent
[NASA-CASE-NPO-10138] c 33 N71-16357
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c 15 N71-20813
Circuit board package with wedge shaped covers
[NASA-CASE-MFS-21919-1] c 10 N73-25243
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c 37 N75-30562
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c 19 N76-22284
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c 37 N77-32500
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c 37 N78-10468
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c 35 N80-20560
Adapter for mounting a microphone flush with the external surface of the skin of a pressurized aircraft
[NASA-CASE-FRC-11072-1] c 05 N83-27975
Inflatable device for installing strain gage bridges
[NASA-CASE-FRC-11068-1] c 35 N84-12443
Clamp-mount device
[NASA-CASE-MFS-25510-1] c 37 N84-16560
Model mount system for testing flutter
[NASA-CASE-LAR-12950-1] c 09 N84-34448
Adjustable mount for electro-optic transducers in an evacuated cryogenic system
[NASA-CASE-LAR-13100-1] c 37 N87-23982
Airfoil flutter model suspension system
[NASA-CASE-LAR-13522-1-SB] c 09 N87-25334
Almond test body --- for microwave anechoic chambers
[NASA-CASE-LAR-13747-1] c 32 N88-24845
Thermal compensating mount
[NASA-CASE-LAR-13794-1] c 35 N88-24942
MOVING TARGET INDICATORS
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c 32 N74-12912
Interferometric locating system
[NASA-CASE-NPO-14173-1] c 04 N80-32359
MULTIBEAM ANTENNAS
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c 32 N83-31918
MULTICHANNEL COMMUNICATION
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c 08 N71-19420
Phase quadrature-plural channel data transmission system Patent
[NASA-CASE-XAC-06302] c 08 N71-19763
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c 07 N73-28012
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c 52 N74-26625
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c 74 N79-34011
MULTILAYER INSULATION
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c 15 N71-23022
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c 33 N71-25351
Electrical apparatus for detection of thermal decomposition of insulation Patent
[NASA-CASE-XMF-03968] c 14 N71-27186
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c 24 N75-33181
Multiwall thermal protection system
[NASA-CASE-LAR-12620-1] c 24 N82-32417
MULTIPACTOR DISCHARGES
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c 33 N80-18285
MULTIPATH TRANSMISSION
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c 32 N77-10392
Large volume multiple-path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c 36 N82-13415
MULTIPLE BEAM INTERVAL SCANNERS
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c 07 N71-19854
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c 32 N76-18295
MULTIPLE DOCKING ADAPTERS
Expanding center probe and drogue Patent
[NASA-CASE-XMS-03613] c 31 N71-16346
MULTIPLE OUTPUT PROGRAMS
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c 60 N76-14818
MULTIPLEXING
Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c 07 N69-39978
Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c 07 N71-20814
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c 07 N72-11149
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c 08 N72-11171
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c 08 N72-22162
Television multiplexing system
[NASA-CASE-KSC-10654-1] c 07 N73-30115
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c 32 N75-26195
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c 33 N75-26243
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c 74 N77-18893
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c 74 N78-14889
System for a displaying at a remote station data generated at a central station and for powering the remote station from the central station
[NASA-CASE-GSC-12411-1] c 33 N81-14221
Multifrequency broadband polarized horn antenna
[NASA-CASE-NPO-14588-1] c 32 N81-25278
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c 60 N81-27814
Multi-channel temperature measurement amplification system --- solar heating systems
[NASA-CASE-MFS-23775-1] c 44 N82-16474
Integrating IR detector imaging systems
[NASA-CASE-NPO-15805-1] c 74 N84-28590
Correlation spectrometer having high resolution and multiplexing capability
[NASA-CASE-NPO-15558-1] c 35 N84-34705
LDV multiplexer interface
[NASA-CASE-ARC-11536-1] c 33 N85-30202
Adaptive data acquisition multiplexing system and method
[NASA-CASE-MSC-21170-1] c 17 N88-24662
MULTIPLIERS
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c 07 N71-12390
Variable pulse width multiplier Patent
[NASA-CASE-XLA-02850] c 09 N71-20447
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c 33 N74-32712
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c 33 N78-32341
MULTISPECTRAL BAND SCANNERS
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c 43 N77-10584
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c 32 N79-20297
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c 74 N80-33210
Medical diagnosis system and method with multispectral imaging --- depth of burns and optical density of the skin
[NASA-CASE-NPO-14402-1] c 52 N81-27783
Dual aperture multispectral Schmidt objective
[NASA-CASE-GSC-12756-1] c 74 N84-23248
MULTISPECTRAL LINEAR ARRAYS
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c 33 N81-33403
Multispectral linear array multiband selection device
[NASA-CASE-GSC-12911-1] c 74 N86-29650
MULTISPECTRAL PHOTOGRAPHY
Multispectral imaging system
[NASA-CASE-MSC-12404-1] c 23 N73-13661
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c 43 N77-10584
Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-13691-1] c 43 N79-17288
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c 32 N79-20297
MULTISPECTRAL TRACKING TELESCOPES
Multispectral glancing incidence X-ray telescope
[NASA-CASE-MFS-28013-1] c 89 N86-22459
MULTISTAGE ROCKET VEHICLES
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c 31 N70-34176
Steerable solid propellant rocket motor Patent
[NASA-CASE-XNP-00234] c 28 N70-38645
Multi-mission module Patent
[NASA-CASE-XMF-01543] c 31 N71-17730
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c 15 N71-22874
Lateral displacement system for separated rocket stages Patent
[NASA-CASE-XLA-04804] c 31 N71-23008
Frangible link
[NASA-CASE-MSC-11849-1] c 15 N72-22488
Three stage rocket vehicle with parallel staging
[NASA-CASE-MFS-25878-1] c 18 N84-27787
MULTIVIBRATORS
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c 09 N70-34819
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c 09 N70-38604
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c 09 N70-38995
High efficiency multivibrator Patent
[NASA-CASE-XAC-00942] c 10 N71-16042
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c 10 N71-18723
Multivibrator circuit with means to prevent false triggering from supply voltage fluctuations Patent
[NASA-CASE-ARC-10137-1] c 09 N71-28468
Digital demodulator
[NASA-CASE-LAR-12659-1] c 33 N82-26570
MUSCLES
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c 33 N75-31329
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c 52 N81-20703
MUSCULAR FUNCTION
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c 33 N76-19338
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c 52 N80-27072

MUSCULOSKELETAL SYSTEM
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c 05 N71-24738
MYOCARDIUM
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c 52 N76-29895
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c 52 N80-27072
MYOPIA
Visual accommodation trainer-tester
[NASA-CASE-ARC-11426-1] c 09 N84-12193

N

N-TYPE SEMICONDUCTORS
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c 33 N79-12321
NACELLES
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c 28 N70-34788
Nacelle afterbody for jet engines Patent
[NASA-CASE-XLA-10450] c 28 N71-21493
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c 07 N78-18066
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c 07 N79-14096
NASA PROGRAMS
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c 37 N79-22474
NAVIGATION
Thumb-actuated two-axis controller
[NASA-CASE-ARC-11372-1] c 08 N86-27288
NAVIGATION AIDS
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c 04 N76-20114
Ruler for making navigational computations
[NASA-CASE-XNP-01458] c 04 N78-17031
System for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c 06 N82-16075
Magnetic heading reference
[NASA-CASE-LAR-12638-1] c 04 N84-14132
Low-frequency radio navigation system
[NASA-CASE-NPO-15264-1] c 04 N84-27713
NAVIGATION INSTRUMENTS
Sun angle calculator
[NASA-CASE-MSC-12617-1] c 35 N76-29552
NAVIGATION SATELLITES
Satellite aided vehicle avoidance system Patent
[NASA-CASE-ERC-10090] c 21 N71-24948
NEAR INFRARED RADIATION
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c 14 N73-30389
NEGATIVE FEEDBACK
Complementary regenerative switch Patent
[NASA-CASE-XGS-02751] c 09 N71-23015
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c 33 N77-14335
NEGATIVE IONS
Generation of intense negative ion beams
[NASA-CASE-NPO-16061-1-CU] c 72 N87-21660
NEODYMIUM LASERS
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c 36 N77-25499
NERVES
Implantable electrical device
[NASA-CASE-GSC-12560-1] c 52 N82-29863
NETWORK SYNTHESIS
Electromagnetic polarization systems and methods Patent
[NASA-CASE-GSC-10021-1] c 09 N71-24595
High speed phase detector Patent
[NASA-CASE-XNP-01306-2] c 09 N71-24596
Tuned analog network
[NASA-CASE-GSC-12650-1] c 33 N84-14421
NEURAL NETS
Hybrid analog-digital associative neural network
[NASA-CASE-NPO-17058-1-CU] c 62 N87-25803
NEUROGLIA
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c 52 N77-14738
NEUROLOGY
Implantable electrical device
[NASA-CASE-GSC-12560-1] c 52 N82-29863
NEUTRALIZERS
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c 33 N77-10429
Method of neutralizing the corrosive surface of amine-cured epoxy resins
[NASA-CASE-GSC-12686-1] c 27 N83-34039
NEUTRON EMISSION
Deuterium pass through target --- neutron emitting target
[NASA-CASE-LEW-11866-1] c 72 N76-15860
NICKEL
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c 17 N71-24142
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c 15 N72-25452
Brazing alloy composition
[NASA-CASE-XMF-06053] c 26 N75-27126
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c 24 N77-19171
Directionally solidified eutectic gamma-gamma nickel-base superalloys
[NASA-CASE-LEW-12905-1] c 26 N78-18183
Method of making a light weight battery plaque
[NASA-CASE-LEW-13349-1] c 26 N84-22734
Metal (2) 4,4',4',4'' phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267
NICKEL ALLOYS
High temperature nickel-base alloy Patent
[NASA-CASE-XLE-00151] c 17 N70-33283
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c 17 N70-36616
Nickel-base alloy containing Mo-W-Al-Cr- Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c 17 N71-16026
Nickel bas alloy
[NASA-CASE-LEW-10874-1] c 17 N72-22535
Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c 37 N74-21055
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c 26 N75-29236
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c 26 N77-20201
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c 26 N77-32279
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c 26 N77-32280
Nicral ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c 26 N82-31505
Nickel base coating alloy
[NASA-CASE-LEW-13834-1] c 26 N87-14482
Heat treatment for superalloy
[NASA-CASE-LEW-14262-1] c 26 N87-28647
NICKEL CADMIUM BATTERIES
Heat flow calorimeter --- measures output of Ni-Cd batteries
[NASA-CASE-GSC-11434-1] c 34 N74-27859
Method and apparatus for conditioning of nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c 44 N78-25531
NICKEL COATINGS
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c 17 N73-32414
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c 44 N78-19599
NICKEL COMPOUNDS
Didymium hydrate additive to nickel hydroxide electrodes Patent
[NASA-CASE-XGS-03505] c 03 N71-10608
Brazing alloy
[NASA-CASE-XNP-03878] c 26 N75-27127
NICKEL HYDROGEN BATTERIES
Oxygen recombination in individual pressure vessel nickel-hydrogen batteries
[NASA-CASE-LEW-13822-1] c 44 N86-25874
NICKEL PLATE
Plating nickel on aluminum castings Patent
[NASA-CASE-XNP-04148] c 17 N71-24830
NICKEL ZINC BATTERIES
Additive for zinc electrodes --- electric automobiles
[NASA-CASE-LEW-13286-1] c 33 N84-14422
NIOBIUM
Trialkyl-dihalotantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c 06 N71-28808
NIOBIUM COMPOUNDS
Method of producing high T(subc) superconducting NBN films
[NASA-CASE-NPO-16681-1-CU] c 76 N88-24543
NITRAMINE PROPELLANTS
Nitramine propellants --- gun propellant burning rate
[NASA-CASE-NPO-14103-1] c 28 N78-31255
NITRIC OXIDE
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c 07 N80-26298
NITRIDES
Refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c 26 N82-29415
Method of producing high T(subc) superconducting NBN films
[NASA-CASE-NPO-16681-1-CU] c 76 N88-24543
NITRIDING
Ion-beam nitriding of steels
[NASA-CASE-LEW-14104-2] c 26 N88-14179
NITRILES
Intumescent paint containing nitrile rubber
[NASA-CASE-ARC-10196-1] c 18 N73-13562
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c 27 N78-15276
Process for preparing phthalocyanine polymer from imide containing bisphthalonitrile
[NASA-CASE-ARC-11511-2] c 27 N87-21112
NITRO COMPOUNDS
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c 24 N78-14096
NITROAMINES
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c 18 N71-15469
Polymeric vehicles as carriers for sulfonic acid salt of nitrosubstituted aromatic amines
[NASA-CASE-ARC-10325] c 06 N72-25147
NITROGEN
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c 33 N76-31409
NITROGEN COMPOUNDS
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c 27 N81-14078
NITROGEN OXIDES
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c 37 N77-31497
Combuster --- low nitrogen oxide formation
[NASA-CASE-NPO-13958-1] c 25 N79-11151
NITROGEN TETROXIDE
Procedure and apparatus for determination of water in nitrogen tetroxide
[NASA-CASE-NPO-10234] c 06 N72-17094
NITROGUANIDINE
Hydrazinium nitroformate propellant stabilized with nitroguanidine
[NASA-CASE-NPO-12000] c 27 N72-25699
NOBLE METALS
GaAs Schottky barrier photo-responsive device and method of fabrication
[NASA-CASE-GSC-12816-1] c 76 N86-20150
NODES (STANDING WAVES)
System for controlled acoustic rotation of objects
[NASA-CASE-NPO-15522-1] c 71 N83-32516
NOISE GENERATORS
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c 35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c 35 N77-17426
Active control of boundary layer transition and turbulence
[NASA-CASE-LAR-13532-1] c 34 N86-26575
NOISE METERS
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c 35 N75-19614
Differential sound level meter
[NASA-CASE-LAR-12106-1] c 71 N78-14867
Ride quality meter
[NASA-CASE-LAR-12882-1] c 35 N84-12445
NOISE REDUCTION
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c 02 N70-33332
Cassegrainian antenna subflector flange for suppressing ground noise Patent
[NASA-CASE-XNP-00683] c 09 N70-35425
Device for suppressing sound and heat produced by high-velocity exhaust jets Patent
[NASA-CASE-XMF-01813] c 28 N70-41582
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c 10 N70-41964
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c 07 N71-23001
Audio signal processor Patent
[NASA-CASE-MSC-12223-1] c 07 N71-26181
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c 14 N71-26266

Method and apparatus for eliminating coherent noise in a coherent energy imaging system without destroying spatial coherence
[NASA-CASE-GSC-11133-1] c 23 N72-11568
Audio system with means for reducing noise effects
[NASA-CASE-NPO-11631] c 10 N73-12244
Gas turbine exhaust nozzle --- for noise reduction
[NASA-CASE-LEW-11569-1] c 07 N74-15453
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c 37 N74-21057
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c 07 N74-27490
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c 07 N74-28226
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c 07 N74-31270
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c 07 N74-32418
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c 07 N74-33218
Television noise reduction device
[NASA-CASE-MSC-12607-1] c 32 N75-21485
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c 07 N76-18117
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c 09 N76-23273
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c 74 N76-31998
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c 07 N78-17055
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c 35 N78-29421
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c 37 N79-13364
Sound-suppressing structure with thermal relief
[NASA-CASE-LEW-12658-1] c 71 N79-14871
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c 05 N80-14107
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c 32 N80-32605
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c 07 N81-14999
Multiple pure tone elimination strut assembly --- air breathing engines
[NASA-CASE-FRC-11062-1] c 71 N82-16800
Sound shield
[NASA-CASE-LAR-12883-1] c 71 N83-17235
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c 07 N83-33884
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-2] c 71 N84-14873
Phase sensitive guidance sensor for wire-following vehicles
[NASA-CASE-NPO-15341-1] c 35 N84-33769
Comparator with noise suppression
[NASA-CASE-LAR-13151-1] c 33 N87-21235

NOISE TEMPERATURE
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c 14 N71-26774

NOISE THRESHOLD
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c 07 N71-33696

NONADIABATIC CONDITIONS
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c 34 N78-27357

NONDESTRUCTIVE TESTS
Determination of spot weld quality Patent
[NASA-CASE-XNP-02588] c 15 N71-18613
Space simulator Patent
[NASA-CASE-NPO-10141] c 11 N71-24964
Apparatus for inspecting microfilm Patent
[NASA-CASE-MFS-20240] c 14 N71-26788
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c 18 N71-27170
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c 14 N71-28993
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c 35 N75-25124
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c 38 N76-28563
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c 35 N78-24515
Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c 38 N78-32447
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126
Method and apparatus for mapping the distribution of chemical elements in an extended medium
[NASA-CASE-GSC-12808-1] c 25 N85-21279
Ultrasonic angle beam standard reflector --- ultrasonic nondestructive inspection
[NASA-CASE-LAR-13153-1] c 71 N86-21276
Method and apparatus for measuring minority carrier lifetime in a direct band-gap semiconductor
[NASA-CASE-NPO-16337-1-CU] c 33 N87-22894
Acoustic emission frequency discrimination
[NASA-CASE-MSC-20467-1] c 35 N88-23966
Method of radiographic inspection of wooden members
[NASA-CASE-LAR-13724-1] c 38 N88-23983
Method and apparatus for non-destructive testing of temper embrittlement in steels
[NASA-CASE-LAR-13817-1] c 26 N88-29012

NONEQUILIBRIUM CONDITIONS
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c 54 N78-32720

NONEQUILIBRIUM PLASMAS
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c 25 N69-39884

NONEQUILIBRIUM RADIATION
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c 73 N78-19920

NONFLAMMABLE MATERIALS
Intumescent paint containing nitrile rubber
[NASA-CASE-ARC-10196-1] c 18 N73-13562
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c 27 N76-24405

NONLINEAR FEEDBACK
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c 32 N74-30523
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c 33 N76-14373

NONLINEAR FILTERS
Apparatus for damping operator induced oscillations of a controlled system --- flight control
[NASA-CASE-FRC-11041-1] c 33 N82-18493

NONLINEAR SYSTEMS
Phase detector assembly Patent
[NASA-CASE-XMF-00701] c 09 N70-40272
Nonlinear analog-to-digital converter Patent
[NASA-CASE-XAC-04031] c 08 N71-18594
Split range transducer
[NASA-CASE-XLA-11189] c 10 N72-20222
Contour measurement system
[NASA-CASE-MFS-23726-1] c 43 N79-26439

NORMAL DENSITY FUNCTIONS
Ultrasonic transducer with Gaussian radial pressure distribution
[NASA-CASE-LAR-12967-1] c 35 N84-22932

NOSE CONES
Automatically deploying nozzle exit cone extension Patent
[NASA-CASE-XLE-01640] c 31 N71-15637
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c 07 N71-22984

NOSE WHEELS
Nose gear steering system for vehicle with main skids Patent
[NASA-CASE-XLA-01804] c 02 N70-34160

NOTCH STRENGTH
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c 33 N80-29583

NOTCH TESTS
Vee-notching device --- with adjustable carriage
[NASA-CASE-MFS-20730-1] c 39 N74-13131
Notch filter
[NASA-CASE-MFS-23303-1] c 32 N77-18307

NOTCHES
Notch filter
[NASA-CASE-MFS-23303-1] c 32 N77-18307

NOZZLE DESIGN
Annular rocket motor and nozzle configuration Patent
[NASA-CASE-XLE-00078] c 28 N70-33284
Penshape exhaust nozzle for supersonic engine Patent
[NASA-CASE-XLE-00057] c 28 N70-38711
Telescoping-spike supersonic inlet for aircraft engines Patent
[NASA-CASE-XLE-00005] c 28 N70-39899
Automatically deploying nozzle exit cone extension Patent
[NASA-CASE-XLE-01640] c 31 N71-15637
Injector assembly for liquid fueled rocket engines Patent
[NASA-CASE-XMF-00968] c 28 N71-15660
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c 28 N71-16224
Gas turbine combustion apparatus Patent
[NASA-CASE-XLE-103477-1] c 28 N71-20330
Prestressed refractory structure Patent
[NASA-CASE-XNP-02888] c 18 N71-21068
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c 31 N74-23065
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c 07 N78-17055
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c 07 N79-14097
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c 07 N80-32392
Sandblasting nozzle
[NASA-CASE-NPO-13823-1] c 37 N81-25371
Controlled overspray spray nozzle
[NASA-CASE-MFS-25139-1] c 34 N82-13376

NOZZLE FLOW
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c 21 N71-15582
Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c 31 N71-15647
Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c 10 N71-26339
Tertiary flow injection thrust vectoring system Patent
[NASA-CASE-MFS-20831] c 28 N71-29153
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c 09 N78-31129

NOZZLE GEOMETRY
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c 20 N79-21123
Nozzle fabrication technique
[NASA-CASE-MSC-21299-1] c 20 N88-24684

NOZZLE INSERTS
Self-sealing, unbonded, rocket motor nozzle closure Patent
[NASA-CASE-XLA-02651] c 28 N70-41967
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c 09 N82-11088

NUCLEAR EXPLOSION EFFECT
Method and construction for protecting heat sensitive bodies from thermal radiation and convective heat Patent
[NASA-CASE-XNP-01310] c 33 N71-28852

NUCLEAR FUEL ELEMENTS
Nuclear fuel elements
[NASA-CASE-XLE-00209] c 22 N73-32528

NUCLEAR MAGNETIC RESONANCE
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c 14 N71-26266

NUCLEAR POWER PLANTS
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c 33 N71-29046

NUCLEAR PUMPED LASERS
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c 36 N79-18307

NUCLEAR PUMPING
Large volume multiple-path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c 36 N82-13415

NUCLEAR REACTOR CONTROL
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c 22 N72-20597
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c 73 N78-28913

NUCLEAR REACTORS
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c 73 N77-18891
High thermal power density heat transfer apparatus providing electrical isolation at high temperature using heat pipes
[NASA-CASE-LEW-12950-2] c 34 N85-29179
Jet pump-drive system for heat removal
[NASA-CASE-NPO-16494-1-CU] c 34 N85-29182

NUCLEATE BOILING
Method of improving heat transfer characteristics in a nucleate boiling process Patent
[NASA-CASE-XMS-04268] c 33 N71-16271

NULL ZONES
Null device for hand controller Patent
[NASA-CASE-XLA-01808] c 15 N71-20740

NUMBER THEORY
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c 60 N76-23850
NUMERICAL ANALYSIS
Method of and apparatus for generating an interstitial point in a data stream having an even number of data points
[NASA-CASE-MFS-25319-1] c 60 N85-33701
NUMERICAL CONTROL
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c 14 N71-27215
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c 33 N81-17349
Controller for computer control of brushless dc motors --- automobile engines
[NASA-CASE-NPO-13970-1] c 33 N81-20352
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c 60 N82-29013
Brushless DC motor control system responsive to control signals generated by a computer or the like
[NASA-CASE-NPO-16420-1] c 33 N86-20681
Variable friction secondary seal for face seals
[NASA-CASE-LEW-14170-1] c 37 N86-25790
A universal computer control system for motors
[NASA-CASE-NPO-17134-1-CU] c 33 N88-24864
NUMERICAL INTEGRATION
Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c 08 N71-19437
NUTATION
Method and means for damping nutation in a satellite Patent
[NASA-CASE-XMF-00442] c 31 N71-10747
Nutation damper
[NASA-CASE-GSC-11205-1] c 15 N73-25513
NUTATION DAMPERS
Active nutation controller
[NASA-CASE-GSC-12273-1] c 35 N80-21719
Method of damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c 18 N83-28064
NUTS (FASTENERS)
Separation nut Patent
[NASA-CASE-XGS-01971] c 15 N71-15922
Split nut separation system Patent
[NASA-CASE-XNP-06914] c 15 N71-21489
Fastener stretcher
[NASA-CASE-GSC-11149-1] c 15 N73-30457
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c 37 N79-14383
Floating nut retention system
[NASA-CASE-MSC-16938-1] c 37 N80-23653
Daze fasteners
[NASA-CASE-LAR-13009-2] c 37 N87-22976
Tube coupling device
[NASA-CASE-MFS-25964-2] c 37 N87-22977

O

O RING SEALS
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c 15 N70-36908
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c 37 N81-24442
Circumferential shaft seal
[NASA-CASE-LEW-12119-2] c 37 N81-26447
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c 37 N83-19091
Resilient seal ring assembly with spring means applying force to wedge member --- cryogenic applications
[NASA-CASE-MFS-25678-1] c 37 N84-11497
Variable friction secondary seal for face seals
[NASA-CASE-LEW-14170-1] c 37 N86-25790
OBLIQUE WINGS
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c 05 N76-29217
OBSERVATION
Method for investigating the formation of crystals in a transparent material
[NASA-CASE-MFS-26008-1-CU] c 76 N88-14835
OCCLUSION
Prosthetic occlusive device for an internal passageway
[NASA-CASE-MFS-25740-1] c 52 N84-11744
OCEAN CURRENTS
Method and apparatus for Delta Kappa synthetic aperture radar measurement of ocean current
[NASA-CASE-NPO-15704-1] c 32 N85-34327
OCEAN DATA ACQUISITIONS SYSTEMS
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c 48 N80-18667
Method of measuring sea surface water temperature with a satellite including wideband passive synthetic-aperture multichannel receiver
[NASA-CASE-NPO-15651-1] c 43 N85-21723
OCEAN SURFACE
Surface roughness measuring system --- synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c 35 N79-10391
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c 48 N80-18667
OCEAN THERMAL ENERGY CONVERSION
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c 44 N78-32542
ODORS
Vapor fragrancer
[NASA-CASE-LAR-13680-1] c 35 N87-25561
OFFSHORE PLATFORMS
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c 44 N78-32542
OHMMETERS
Positive contact resistance soldering unit
[NASA-CASE-KSC-10242] c 15 N72-23497
Four-terminal electrical testing device --- initiator bridgewire resistance
[NASA-CASE-MSC-21166-1] c 35 N87-25555
OIL EXPLORATION
Underwater seismic source --- for petroleum exploration
[NASA-CASE-NPO-14255-1] c 46 N79-23555
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c 46 N80-10709
OIL RECOVERY
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c 27 N77-31308
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c 43 N78-14452
Crude oil desulfurization
[NASA-CASE-NPO-14542-1] c 25 N82-23282
Solar heated oil shale pyrolysis process
[NASA-CASE-NPO-16392-1] c 25 N86-25428
OILS
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c 12 N71-20815
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c 27 N77-31308
OMNIDIRECTIONAL ANTENNAS
Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c 09 N71-22888
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c 09 N72-21244
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c 09 N72-25247
ONBOARD EQUIPMENT
Survival couch Patent
[NASA-CASE-XLA-00118] c 05 N70-33285
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c 31 N70-41871
Fiber optic vibration transducer and analyzer Patent
[NASA-CASE-XMF-02433] c 14 N71-10616
Satellite appendage tie down cord Patent
[NASA-CASE-XGS-02554] c 31 N71-21064
Satellite aided vehicle avoidance system Patent
[NASA-CASE-ERC-10090] c 21 N71-24948
A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c 07 N71-33613
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c 05 N72-11085
Monostable multivibrator
[NASA-CASE-GSC-10082-1] c 10 N72-20221
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c 03 N73-20039
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c 32 N73-26910
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c 04 N76-20114
OPEN CHANNEL FLOW
Monogroove heat pipe design: Insulated liquid channel with bridging wick
[NASA-CASE-MSC-20497-1] c 34 N85-29180
OPERATING TEMPERATURE
Solar cell having improved back surface reflector
[NASA-CASE-LEW-13620-1] c 44 N83-13579
OPERATIONAL AMPLIFIERS
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c 33 N79-22373
Automatic level control circuit
[NASA-CASE-KSC-11170-1] c 33 N83-36356
Phase detector for three-phase power factor controller
[NASA-CASE-MFS-25854-1] c 33 N84-27975
Temperature sensitive oscillator
[NASA-CASE-GSC-12958-1] c 33 N86-32624
OPHTHALMOLOGY
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c 05 N73-27062
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c 52 N75-33640
OPTICAL COMMUNICATION
Retrodirective optical system
[NASA-CASE-XGS-04480] c 16 N69-27491
Optical communications system Patent
[NASA-CASE-XLA-01090] c 07 N71-12389
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c 16 N71-27183
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c 07 N73-26119
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c 74 N76-18913
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c 36 N76-24553
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c 74 N76-30053
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c 74 N77-26942
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c 74 N78-14889
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c 74 N83-29032
Synchronization tracking in pulse position modulation receiver
[NASA-CASE-NPO-16256-1] c 32 N87-21207
Optical data transfer system for crossing a rotary joint
[NASA-CASE-LAR-13613-1-SB] c 74 N87-24984
OPTICAL COUPLING
Automatic quadrature control and measuring system --- using optical coupling circuitry
[NASA-CASE-MFS-21660-1] c 35 N74-21017
Optical fiber coupling method and apparatus
[NASA-CASE-NPO-15464-1] c 74 N85-29749
OPTICAL DATA PROCESSING
Optical data processing using paraboloidal mirror segments
[NASA-CASE-GSC-11296-1] c 23 N73-30666
Recorder/processor apparatus --- for optical data processing
[NASA-CASE-GSC-11553-1] c 35 N74-15831
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c 32 N79-19195
Interleaving device
[NASA-CASE-GSC-12111-2] c 33 N81-29342
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c 32 N82-12297
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c 32 N83-31918
Optical stereo video signal processor
[NASA-CASE-MFS-25752-1] c 74 N86-21348
OPTICAL DENSITY
Medical diagnosis system and method with multispectral imaging --- depth of burns and optical density of the skin
[NASA-CASE-NPO-14402-1] c 52 N81-27783
Laser schlieren crystal monitor
[NASA-CASE-MFS-28060-1] c 76 N87-25862
OPTICAL EMISSION SPECTROSCOPY
Maksutov spectrograph Patent
[NASA-CASE-XLA-10402] c 14 N71-29041
OPTICAL EQUIPMENT
Light detection instrument Patent
[NASA-CASE-XGS-05534] c 23 N71-16355
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c 23 N71-16365
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c 14 N71-23268
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c 16 N71-24170
Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c 23 N71-24868
Method for generating ultra-precise angles Patent
[NASA-CASE-XGS-04173] c 19 N71-26674
Petzval type objective including field shaping lens Patent
[NASA-CASE-GSC-10700] c 23 N71-30027
Compact spectroradiometer
[NASA-CASE-HQN-10683] c 14 N71-34389
Fine adjustment mount
[NASA-CASE-MFS-20249] c 15 N72-11386
Method of coating solar cell with borosilicate glass and resultant product
[NASA-CASE-GSC-11514-1] c 03 N72-24037
Light sensor
[NASA-CASE-NPO-11311] c 14 N72-25414
Borescope with variable angle scope
[NASA-CASE-MFS-15162] c 14 N72-32452
Cyclically operable optical shutter
[NASA-CASE-NPO-10758] c 14 N73-14427

Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c 21 N73-19630
Infrared horizon locator
[NASA-CASE-LAR-10726-1] c 14 N73-20475
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c 23 N73-20741
Attitude sensor
[NASA-CASE-LAR-10586-1] c 19 N74-15089
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c 74 N74-20008
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c 74 N74-21304
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c 35 N74-23040
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c 35 N75-12273
Optical alignment device
[NASA-CASE-ARC-10932-1] c 74 N76-22993
Visual examination apparatus
[US-PATENT-RE-28,921] c 52 N76-30793
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c 74 N77-22950
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c 35 N77-27366
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c 74 N77-28932
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c 27 N77-32308
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c 74 N78-32854
Water system virus detection
[NASA-CASE-MSC-16098-1] c 51 N79-10693
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c 74 N80-24149
Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c 74 N83-13978
High speed multi focal plane optical system
[NASA-CASE-GSC-12683-1] c 74 N83-36898
Optical system
[NASA-CASE-NPO-15801-1] c 74 N85-23396
High-temperature, high-pressure optical cell
[NASA-CASE-MFS-26000-1] c 74 N87-14971

OPTICAL FILTERS
High temperature lens construction Patent
[NASA-CASE-XNP-04111] c 14 N71-15622
Method and apparatus for eliminating coherent noise in a coherent energy imaging system without destroying spatial coherence
[NASA-CASE-GSC-11133-1] c 23 N72-11568
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c 74 N76-31998
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c 74 N77-18893
Optical conversion method --- for spacecraft television
[NASA-CASE-MSC-12618-1] c 74 N78-17865
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c 74 N79-14891
Portable reflectance spectrometer
[NASA-CASE-NPO-13556-1] c 35 N84-33766
Multispectral linear array multiband selection device
[NASA-CASE-GSC-12911-1] c 74 N86-29650
Method and apparatus for making an optical element having a dielectric film
[NASA-CASE-ARC-11611-1] c 74 N87-28416

OPTICAL GYROSCOPES
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c 35 N81-33448
Laser pulse detection method and apparatus
[NASA-CASE-NPO-16030-1] c 36 N84-25037
Closed loop fiber optic rotation sensor
[NASA-CASE-NPO-16558-1-CU] c 74 N87-23259

OPTICAL HETERODYNING
Multispectral imaging system
[NASA-CASE-MSC-12404-1] c 23 N73-13661
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c 74 N77-26942
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346

OPTICAL MATERIALS
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c 74 N78-32854
Containerless high purity pulling process and apparatus for glass fiber
[NASA-CASE-MFS-25905-2] c 31 N86-21718

OPTICAL MEASUREMENT
Passive optical wind and turbulence detection system Patent
[NASA-CASE-XMF-14032] c 20 N71-16340
Ellipsoidal mirror reflectometer including means for averaging the radiation reflected from the sample Patent
[NASA-CASE-XGS-05291] c 23 N71-16341
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c 35 N74-23040
Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c 38 N78-32447
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c 74 N78-33913
Film advance indicator
[NASA-CASE-LAR-12474-1] c 35 N82-26628
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c 74 N83-32577
Rotary target V-block
[NASA-CASE-LAR-12007-3] c 35 N84-16523
Portable reflectance spectrometer
[NASA-CASE-NPO-13556-1] c 35 N84-33766
Optical multiple sample vacuum integrating sphere
[NASA-CASE-GSC-12849-1] c 74 N86-26190

OPTICAL MEASURING INSTRUMENTS
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-XGS-04879] c 14 N71-20428
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c 15 N71-26673
Optical systems having spatially invariant outputs
[NASA-CASE-ERC-10248] c 14 N72-17323
Optical probing of supersonic flows with statistical correlation
[NASA-CASE-MFS-20642] c 14 N72-21407
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c 54 N75-27759
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c 74 N80-21138
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c 35 N80-28687
Interferometer
[NASA-CASE-NPO-14502-1] c 74 N81-17888
Optical crystal temperature gauge with fiber optic connections
[NASA-CASE-MSC-18627-1] c 74 N82-30071
Optical fiber tactile sensor
[NASA-CASE-NPO-15375-1] c 74 N84-11921
Optical distance measuring instrument
[NASA-CASE-GSC-12761-1] c 74 N86-32266
Vibration-free Raman Doppler velocimeter
[NASA-CASE-LAR-13268-1] c 35 N87-14669
Phase length optical phase-locked-loop sensor
[NASA-CASE-LAR-13387-1] c 74 N88-25302

OPTICAL PATHS
Optical instruments
[NASA-CASE-MSC-14096-1] c 74 N74-15095
Large volume multiple-path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c 36 N82-13415
Phase length optical phase-locked-loop sensor
[NASA-CASE-LAR-13387-1] c 74 N88-25302

OPTICAL POLARIZATION
Real-time image difference detection using a polarization rotation spacial light modulator
[NASA-CASE-NPO-17144-1-CU] c 74 N88-25305

OPTICAL PROPERTIES
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c 14 N70-34818
Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c 07 N71-29065
Light sensor
[NASA-CASE-NPO-11311] c 14 N72-25414
Light direction sensor
[NASA-CASE-NPO-11201] c 14 N72-27409
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c 23 N73-13662
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c 74 N74-20008
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c 37 N74-21060
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c 27 N80-24437

OPTICAL PUMPING
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c 16 N72-25485
Laser head for simultaneous optical pumping of several dye lasers --- with single flash lamp
[NASA-CASE-LAR-11341-1] c 36 N75-19655
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c 72 N79-13826
Active lamp pulse driver circuit --- optical pumping of laser media
[NASA-CASE-GSC-12566-1] c 33 N83-34189
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c 36 N84-28065

OPTICAL PYROMETERS
Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c 14 N70-33254

OPTICAL RADAR
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c 16 N72-13437

OPTICAL RANGE FINDERS
Altitude sensing device
[NASA-CASE-XMS-01994-1] c 14 N72-17326
Optical range finder having nonoverlapping complete images
[NASA-CASE-MSC-12105-1] c 14 N72-21409

OPTICAL REFLECTION
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c 16 N71-15565
Method for generating ultra-precise angles Patent
[NASA-CASE-XGS-04173] c 19 N71-26674
Illumination system including a virtual light source Patent
[NASA-CASE-HQN-10781] c 23 N71-30292
Diffuse reflective coating
[NASA-CASE-GSC-11214-1] c 06 N73-13128
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c 74 N77-26942
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c 74 N77-28933
Method and apparatus for splitting a beam of energy --- optical communication
[NASA-CASE-GSC-12083-1] c 73 N78-32848
Apparatus for and method of compensating dynamic unbalance
[NASA-CASE-GSC-12550-1] c 37 N84-28082
Phase length optical phase-locked-loop sensor
[NASA-CASE-LAR-13387-1] c 74 N88-25302

OPTICAL RESONANCE
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-XGS-04879] c 14 N71-20428
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c 36 N75-19653

OPTICAL SCANNERS
Optical spin compensator
[NASA-CASE-XGS-02401] c 14 N69-27485
Optical inspection apparatus Patent
[NASA-CASE-XMF-00462] c 14 N70-34298
Electro-optical scanning apparatus Patent Application
[NASA-CASE-NPO-11106] c 14 N70-34697
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c 21 N70-35427
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c 14 N72-22441
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c 21 N73-30640
Optical instruments
[NASA-CASE-MSC-14096-1] c 74 N74-15095
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c 33 N75-30431
Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c 66 N76-19888
Optical scanner --- laser doppler velocimeters
[NASA-CASE-LAR-11711-1] c 74 N78-17866
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c 74 N78-27904
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c 35 N80-20563
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c 76 N80-32245
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c 36 N82-32712
Optical scanner
[NASA-CASE-GSC-12897-1] c 74 N87-21679

OPTICAL TRACKING
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c 21 N71-10678
Optical tracker having overlapping reticles on parallel axes Patent
[NASA-CASE-XGS-05715] c 23 N71-16100
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c 14 N71-26627

Solar tracking system
[NASA-CASE-MFS-23999-1] c 44 N81-24520
Longwall shearer tracking system
[NASA-CASE-MFS-25717-1] c 35 N84-33768
Retinally stabilized differential resolution television display
[NASA-CASE-NPO-15432-1] c 32 N85-29117
Optical stereo video signal processor
[NASA-CASE-MFS-25752-1] c 74 N86-21348
Real-time optical multiple object recognition and tracking system and method
[NASA-CASE-NPO-17139-1-CU] c 74 N88-25301

OPTICAL TRANSFER FUNCTION
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c 74 N76-19935

OPTICAL WAVEGUIDES
Fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c 74 N82-19029

OPTIMIZATION
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c 14 N71-27407

OPTOELECTRONIC DEVICES
Television monitor field shifter and an opto-electronic method for obtaining a stereo image of optimal depth resolution and reduced depth distrotion on a single screen
[NASA-CASE-NPO-17249-1-CU] c 32 N88-23924

OPTOGALVANIC SPECTROSCOPY
Discharge cell for optogalvanic spectroscopy having orthogonal relationship between the probe laser and discharge axis
[NASA-CASE-NPO-16271-1] c 35 N86-25753

ORAL HYGIENE
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c 52 N82-29862

ORBIT TRANSFER VEHICLES
Tanker orbit transfer vehicle and method
[NASA-CASE-MSC-20543-1] c 18 N84-22610

ORBITAL ASSEMBLY
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c 31 N81-27323
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c 31 N83-31895
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828
Bi-stem gripping apparatus
[NASA-CASE-MFS-28185-1] c 37 N88-23979
Mobile remote manipulator system for a tetrahedral truss
[NASA-CASE-MSC-20985-1] c 18 N88-26398

ORBITAL LAUNCHING
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-25429-1] c 18 N86-20469

ORBITAL MANEUVERING VEHICLES
Orbital maneuvering end effectors
[NASA-CASE-MFS-28161-1] c 37 N87-18817
Mobile remote manipulator vehicle system
[NASA-CASE-LAR-13393-1] c 54 N87-29118

ORBITAL MANEUVERS
Passive propellant system
[NASA-CASE-MFS-23642-1] c 20 N80-10278

ORBITAL MECHANICS
A method of delivering a vehicle to earth orbit and returning the reusable portion thereof to earth
[NASA-CASE-MSC-12391] c 30 N73-12884

ORBITAL SERVICING
Electrical self-aligning connector --- orbital servicer vehicles
[NASA-CASE-MFS-25211-2] c 33 N84-14423
Tanker orbit transfer vehicle and method
[NASA-CASE-MSC-20543-1] c 18 N84-22610
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
Mobile remote manipulator vehicle system
[NASA-CASE-LAR-13393-1] c 54 N87-29118

ORDNANCE
Timing control system
[NASA-CASE-NPO-16882-1-CU] c 33 N88-24863

ORGANIC CHEMISTRY
Process for interfacial polymerization of pyromellitic dianhydride and 1,2,4, 5-tetraamino-benzene Patent
[NASA-CASE-XLA-03104] c 06 N71-11235
Amino acid analysis
[NASA-CASE-NPO-12130-1] c 25 N75-14844

ORGANIC COMPOUNDS
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XMF-06409] c 06 N71-23230
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c 06 N71-23500
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c 06 N71-28620
Diffuse reflective coating
[NASA-CASE-GSC-11214-1] c 06 N73-13128
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c 25 N76-18245
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c 23 N77-17161
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c 25 N82-12166
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-2] c 27 N84-22746
Amine terminated bisaspartimide polymer
[NASA-CASE-ARC-11421-2] c 27 N86-31726
The 1-((diorganooxy phosphonyl) methyl)-2,4- and -2,6-diamino benzenes and their derivatives
[NASA-CASE-ARC-11425-2] c 23 N87-28605

ORGANIC MATERIALS
Process for crosslinking methylene-containing aromatic polymers with ionizing radiation
[NASA-CASE-LAR-13448-1] c 27 N86-24840

ORGANIC SILICON COMPOUNDS
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c 27 N79-18052
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040

ORGANIC SULFUR COMPOUNDS
Coal desulfurization --- using iron pentacarbonyl
[NASA-CASE-NPO-14272-1] c 25 N81-33246

ORGANOMETALLIC COMPOUNDS
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c 27 N71-14090
Trialkyl-dihalotantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c 06 N71-28808
Carboranylmethylene-substituted phosphazenes and polymers thereof
[NASA-CASE-ARC-11370-1] c 27 N84-22750
Method for forming hermetic seals
[NASA-CASE-NPO-16423-1-CU] c 37 N87-21334

ORGANOMETALLIC POLYMERS
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c 06 N71-27363
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c 37 N74-21058

ORIFICE FLOW
Relief valve
[NASA-CASE-XMS-05894-1] c 15 N69-21924

ORIFICES
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c 28 N71-24736
Liquid seeding atomizer
[NASA-CASE-ARC-11631-1] c 34 N87-21255

ORTHO HYDROGEN
Cooling by conversion of para to ortho-hydrogen
[NASA-CASE-GSC-12770-1] c 25 N83-29324

ORTHO PARA CONVERSION
Cooling by conversion of para to ortho-hydrogen
[NASA-CASE-GSC-12770-1] c 25 N83-29324

ORTHOGONAL MULTIPLEXING THEORY
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c 10 N71-25917

ORTHOGONALITY
Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c 14 N71-23790
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793

ORTHOPEDICS
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c 54 N76-22914
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c 52 N81-25661

ORTHOTROPIC CYLINDERS
Method of making a rocket motor casing Patent
[NASA-CASE-XLE-00409] c 28 N71-15658
Rocket motor casing Patent
[NASA-CASE-XLE-05689] c 28 N71-15659

OSCILLATION DAMPERS
Viscous-pendulum-damper Patent
[NASA-CASE-XLA-02079] c 12 N71-16894
Stabilization of gravity oriented satellites Patent
[NASA-CASE-XAC-01591] c 31 N71-17729
Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c 15 N71-27146
Wind tunnel model damper Patent
[NASA-CASE-XLA-09480] c 11 N71-33612
Apparatus for damping operator induced oscillations of a controlled system --- flight control
[NASA-CASE-FRC-11041-1] c 33 N82-18493
Method of damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c 18 N83-28064
Variable force, eddy-current or magnetic damper
[NASA-CASE-LEW-13717-1] c 37 N85-30333

OSCILLATIONS
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c 10 N73-26228

OSCILLATORS
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c 14 N69-27461
Frequency control network for a current feedback oscillator Patent
[NASA-CASE-GSC-10041-1] c 10 N71-19418
Static inverter Patent
[NASA-CASE-XGS-05289] c 09 N71-19470
Signal ratio system utilizing voltage controlled oscillators Patent
[NASA-CASE-XMF-04367] c 09 N71-23545
Pneumatic oscillator Patent
[NASA-CASE-LEW-10345-1] c 10 N71-25899
Wideband VCO with high phase stability Patent
[NASA-CASE-XLA-03893] c 10 N71-27271
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c 09 N71-28810
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c 09 N72-25254
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c 33 N74-10194
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c 33 N74-20862
LC-oscillator with automatic stabilized amplitude via bias current control --- power supply circuit for transducers
[NASA-CASE-MFS-21698-1] c 33 N74-26732
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c 33 N77-17351
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c 71 N77-26919
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c 33 N81-17349
Laser Resonator
[NASA-CASE-GSC-12565-1] c 36 N84-14509
Ladder supported ring bar circuit
[NASA-CASE-LEW-13570-1] c 33 N84-16452
Dielectric based submillimeter backward wave oscillator circuit
[NASA-CASE-LEW-13736-1] c 33 N84-27974
JFET reflection oscillator
[NASA-CASE-GSC-12555-1] c 33 N86-19515
Temperature sensitive oscillator
[NASA-CASE-GSC-12958-1] c 33 N86-32624
Low phase noise oscillator using two parallel connected amplifiers
[NASA-CASE-GSC-13018-1] c 33 N87-21232
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895
Water-absorbing capacitor system for measuring relative humidity
[NASA-CASE-NPO-16544-1-CU] c 35 N87-22953

OSCILLOSCOPES
Waveform simulator Patent
[NASA-CASE-NPO-10251] c 10 N71-27365
Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PMT
[NASA-CASE-LAR-10320-1] c 09 N72-23172
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c 14 N73-32322
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c 33 N75-19517

OUTER PLANETS EXPLORERS
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c 35 N75-19613

OUTGASSING
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c 23 N71-16365
Process for glass coating an ion accelerator grid Patent
[NASA-CASE-LEW-10278-1] c 15 N71-28582
Low outgassing polydimethylsiloxane material and preparation thereof
[NASA-CASE-GSC-11358-1] c 06 N73-26100

OUTLET FLOW
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c 44 N82-24639
Continuous laminar smoke generator
[NASA-CASE-LAR-13014-1] c 09 N85-21178

OUTPUT
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c 33 N76-14373
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895
Auxiliary data input device
[NASA-CASE-LAR-13626-1] c 37 N87-25584

OVENS
Heat shield oven
[NASA-CASE-XMS-04318] c 15 N69-27871
Thermocouple, multiple junction reference oven
[NASA-CASE-FRC-10112-1] c 35 N81-26431
OVERPRESSURE
Method and apparatus for suppressing ignition overpressure in solid rocket propulsion systems
[NASA-CASE-MFS-25843-1] c 20 N83-17588
OVERVOLTAGE
Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c 09 N69-39897
Power responsive overload sensing circuit Patent
[NASA-CASE-GSC-10667-1] c 10 N71-33129
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c 33 N74-17929
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c 33 N78-10377
OXAZOLE
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c 27 N79-22300
The 1,2,4-oxadiazole elastomers --- heat resistant polymers
[NASA-CASE-ARC-11253-1] c 27 N81-17262
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c 23 N82-28353
OXIDATION
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c 18 N71-29040
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c 25 N75-12086
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c 44 N76-29704
Process of forming catalytic surfaces for wet oxidation reactions
[NASA-CASE-MSC-14831-1] c 25 N78-10225
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c 27 N80-10358
Overlay metallic-cermet alloy coating systems
[NASA-CASE-LEW-13639-1] c 26 N84-33555
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-1] c 27 N86-19458
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736
OXIDATION RESISTANCE
Nickel-base alloy containing Mo-W-Al-Cr- Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c 17 N71-16026
Method of protecting the surface of a substrate --- by applying aluminide coating
[NASA-CASE-LEW-11696-1] c 37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c 26 N75-19408
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c 27 N77-13217
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c 27 N79-14213
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c 24 N79-17916
Nicral ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c 26 N82-31505
Thermal barrier coating system
[NASA-CASE-LEW-14057-1] c 24 N85-35233
High temperature resistant polyimide from tetra ester, diamine, diester and N-arylnadimide
[NASA-CASE-LEW-13864-1] c 27 N86-19457
Apparatus for producing oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-2] c 27 N86-32569
Nickel base coating alloy
[NASA-CASE-LEW-13834-1] c 26 N87-14482
Oxygen diffusion barrier coating
[NASA-CASE-LAR-13474-1-SB] c 26 N87-25455
OXIDATION-REDUCTION REACTIONS
Electrochemical cell for rebalancing REDOX flow system
[NASA-CASE-LEW-13150-1] c 44 N79-26474
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c 33 N80-20487
Method of making formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c 25 N82-21268
OXIDE FILMS
Method of forming oxide coatings --- for solar collector heating panels
[NASA-CASE-LEW-13132-1] c 27 N83-29388
Thermal barrier coating system
[NASA-CASE-LEW-14057-1] c 24 N85-35233
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-1] c 27 N86-19458
Apparatus for producing oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-2] c 27 N86-32569
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736
OXIDES
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c 06 N73-32029
OXIDIZERS
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c 03 N71-11052
Injection head for delivering liquid fuel and oxidizers
[NASA-CASE-NPO-10046] c 28 N72-17843
Device and method for frictionally testing materials for ignitability
[NASA-CASE-MSC-20622-1] c 25 N86-19413
OXIMETRY
Method and apparatus for continuously monitoring blood oxygenation, blood pressure, pulse rate and the pressure pulse curve utilizing an ear oximeter as transducer Patent
[NASA-CASE-XAC-05422] c 04 N71-23185
OXYGEN
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c 06 N71-23527
Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c 17 N71-26773
Method of detecting oxygen in a gas
[NASA-CASE-LAR-10668-1] c 06 N73-16106
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c 46 N74-13011
Nonflammable coating compositions --- for use in high oxygen environments
[NASA-CASE-MFS-20486-2] c 27 N74-17283
A system for controlling the oxygen content of a gas produced by combustion
[NASA-CASE-LAR-13257-1] c 25 N84-32447
Technique for measuring gas conversion factors
[NASA-CASE-LAR-13220-1] c 34 N86-12547
Oxygen recombination in individual pressure vessel nickel-hydrogen batteries
[NASA-CASE-LEW-13822-1] c 44 N86-25874
OXYGEN ATOMS
Variable energy, high flux, ground-state atomic oxygen source
[NASA-CASE-NPO-16640-1-CU] c 72 N87-21661
OXYGEN CONSUMPTION
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c 05 N71-11202
OXYGEN FLUORIDES
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c 27 N76-16228
OXYGEN ISOTOPES
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540
OXYGEN METABOLISM
Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings
[NASA-CASE-MFS-21415-1] c 52 N74-20728
OXYGEN PLASMA
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c 27 N79-18052
OXYGEN PRODUCTION
Liquid hydrogen polygeneration system and process
[NASA-CASE-KSC-11304-2] c 28 N86-23744
OXYGEN RECOMBINATION
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540
OXYGEN REGULATORS
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c 44 N76-27664
OXYGEN SUPPLY EQUIPMENT
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c 54 N76-24900
Slow opening valve --- valve design for shuttle portable oxygen system
[NASA-CASE-MSC-20112-1] c 37 N85-20338
OZONE
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c 25 N78-15210
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c 45 N80-14579
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c 27 N80-32514

P

P-I-N JUNCTIONS
High voltage v-groove solar cell
[NASA-CASE-LEW-13401-2] c 44 N83-32177
P-N JUNCTIONS
Thin window, drifted silicon, charged particle detector
[NASA-CASE-XLE-10529] c 14 N69-23191
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c 09 N69-27422
Radiation resistant silicon semiconductor devices Patent
[NASA-CASE-XGS-07801] c 09 N71-12513
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c 05 N71-19440
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c 03 N71-20492
Method of changing the conductivity of vapor deposited gallium arsenide by the introduction of water into the vapor deposition atmosphere Patent
[NASA-CASE-XNP-01961] c 26 N71-29156
Method of making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c 14 N72-28438
Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c 18 N73-30532
Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c 44 N79-12541
Back wall solar cell
[NASA-CASE-LEW-12236-2] c 44 N79-14528
P-TYPE SEMICONDUCTORS
Semiconductor material and method of making same Patent
[NASA-CASE-XLE-02798] c 26 N71-23654
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c 33 N74-34638
Method of Fabricating Schottky Barrier solar cell
[NASA-CASE-NPO-13689-4] c 44 N82-28780
PACKAGES
Impact testing machine Patent
[NASA-CASE-XNP-04817] c 14 N71-23225
One hand backpack harness
[NASA-CASE-LAR-10102-1] c 05 N72-23085
PACKAGING
Folding apparatus Patent
[NASA-CASE-XLA-00137] c 15 N70-33180
Reflector space satellite Patent
[NASA-CASE-XLA-00138] c 31 N70-37981
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c 15 N73-27405
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c 44 N79-25482
PACKET TRANSMISSION
Multicomputer communication system
[NASA-CASE-NPO-15433-1] c 32 N85-21428
PACKING DENSITY
Micropacked column for a chromatographic system
[NASA-CASE-XNP-04816] c 06 N69-39936
PACKINGS (SEALS)
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c 37 N76-22541
PAD
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c 37 N75-30562
PAINTS
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c 18 N71-15469
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c 18 N71-24183
Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c 18 N71-24184
Diffusely reflecting paints including polytetrafluoroethylene and method of manufacture
[NASA-CASE-GSC-12883-1] c 27 N85-29044
PALLADIUM
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c 25 N82-26396
PALLADIUM COMPOUNDS
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c 03 N70-41864
Process for separation of dissolved hydrogen from water by use of palladium and process for coating palladium with palladium black
[NASA-CASE-MSC-13335-1] c 06 N72-31140
PANELS
All-directional fastener Patent
[NASA-CASE-XLA-01807] c 15 N71-10799
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c 33 N71-25351

Solar panel fabrication Patent
[NASA-CASE-XNP-03413] c 03 N71-26726
Method of making pressurized panel Patent
[NASA-CASE-XLA-08916] c 15 N71-29018
Honeycomb panels formed of minimal surface periodic tubule layers
[NASA-CASE-ERC-10364] c 18 N72-25540
Pressurized panel
[NASA-CASE-XLA-08916-2] c 14 N73-28487
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c 35 N74-10415
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c 18 N75-27040
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c 24 N78-17149
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c 44 N78-19599
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c 44 N78-27515
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c 44 N80-16452
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c 24 N81-13999
Method of forming oxide coatings --- for solar collector heating panels
[NASA-CASE-LEW-13132-1] c 27 N83-29388
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577
Saltless solar pond
[NASA-CASE-NPO-15808-1] c 44 N84-34792
Structural panels
[NASA-CASE-ARC-11429-2-CU] c 27 N87-22845
Stiffened titanium panels
[NASA-CASE-LAR-13814-1] c 31 N88-24816

PANORAMIC SCANNING
Atmospheric autorotating imaging device
[NASA-CASE-NPO-17390-1-CU] c 35 N88-24944

PAPER (MATERIAL)
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c 85 N79-17747

PAPERS
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c 37 N77-19457

PARA HYDROGEN
Cooling by conversion of para to ortho-hydrogen
[NASA-CASE-GSC-12770-1] c 25 N83-29324

PARABOLIC ANTENNAS
Antenna beam-shaping apparatus Patent
[NASA-CASE-XNP-00611] c 09 N70-35219
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c 15 N71-24696
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c 33 N76-27472
Telescoping columns --- parabolic antenna support
[NASA-CASE-LAR-12195-1] c 31 N81-27324
Focal axis resolver for offset reflector antennas
[NASA-CASE-GSC-12630-1] c 33 N83-36355

PARABOLIC REFLECTORS
Parabolic reflector horn feed with spillover correction Patent
[NASA-CASE-XNP-00540] c 09 N70-35382
Foldable solar concentrator Patent
[NASA-CASE-XLA-04622] c 03 N70-41580
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c 09 N71-20658
Plural beam antenna
[NASA-CASE-GSC-11013-1] c 09 N73-19234
Composite antenna feed
[NASA-CASE-GSC-11046-1] c 07 N73-28013
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c 32 N76-15329
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c 44 N79-14526
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c 44 N79-23481
Solar concentrator
[NASA-CASE-MFS-23727-1] c 44 N80-14473
Apparatus for and method of compensating dynamic unbalance
[NASA-CASE-GSC-12550-1] c 37 N84-28082

PARABOLOID MIRRORS
Optical data processing using paraboloidal mirror segments
[NASA-CASE-GSC-11296-1] c 23 N73-30666
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c 74 N74-27866

PARACHUTE DESCENT
Parachute glider Patent
[NASA-CASE-XLA-00898] c 02 N70-36804
Vehicle parachute and equipment jettison system Patent
[NASA-CASE-XLA-00195] c 02 N70-38009
Line cutter Patent
[NASA-CASE-XMS-04072] c 15 N70-42017
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c 31 N73-13898

PARACHUTE FABRICS
Lightweight, variable solidity knitted parachute fabric --- for aerodynamic decelerators
[NASA-CASE-LAR-10776-1] c 02 N74-10034
Method for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c 09 N82-29330

PARACHUTES
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c 02 N73-13008
Deploy/release system --- model aircraft flight control
[NASA-CASE-LAR-11575-1] c 02 N76-16014
System and method for refurbishing and processing parachutes --- monorial conveyor system
[NASA-CASE-KSC-11042-2] c 02 N81-26073
Method for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c 09 N82-29330
Dual towline spin-recovery device
[NASA-CASE-LAR-13076-1] c 08 N85-35200

PARAGLIDERS
Parachute glider Patent
[NASA-CASE-XLA-00898] c 02 N70-36804

PARALLAX
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c 35 N78-17357
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629

PARALLEL PLATES
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c 14 N71-17584
Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c 33 N79-21265
Multiple plate hydrostatic viscous damper
[NASA-CASE-LEW-12445-1] c 37 N81-22360

PARALLEL PROCESSING (COMPUTERS)
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c 60 N79-20751
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c 60 N83-25378
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-2] c 60 N84-28491

PARAMETRIC AMPLIFIERS
Parametric amplifiers with idler circuit feedback
[NASA-CASE-LAR-10253-1] c 09 N72-25258
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c 33 N74-32660

PARAMETRIC FREQUENCY CONVERTERS
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c 33 N81-15192

PARAWINGS
Wing deployment method and apparatus Patent
[NASA-CASE-XMS-00907] c 02 N70-41630

PARKING
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c 37 N77-22480

PARTIAL PRESSURE
Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c 14 N71-20741

PARTICLE ACCELERATION
Molecular beam velocity selector Patent
[NASA-CASE-XLE-01533] c 11 N71-10777
Dust particle injector for hypervelocity accelerators Patent
[NASA-CASE-XGS-06628] c 24 N71-16213

PARTICLE ACCELERATOR TARGETS
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c 73 N74-26767
Deuterium pass through target --- neutron emitting target
[NASA-CASE-LEW-11866-1] c 72 N76-15860
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c 31 N78-17237

PARTICLE BEAMS
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c 14 N70-38602
Doppler shift system --- system for measuring velocities of radiating particles
[NASA-CASE-HQN-10740-1] c 72 N74-19310
Apparatus for measuring charged particle beam
[NASA-CASE-MFS-25641-1] c 72 N84-28575

PARTICLE COLLISIONS
Particle detection apparatus including a ballistic pendulum Patent
[NASA-CASE-XMS-04201] c 14 N71-22990
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253

PARTICLE DENSITY (CONCENTRATION)
Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c 14 N70-41332

PARTICLE EMISSION
Extended area semiconductor radiation detectors and a novel readout arrangement Patent
[NASA-CASE-XGS-03230] c 14 N71-23401
Coincidence apparatus for detecting particles
[NASA-CASE-XLA-07813] c 14 N72-17328

PARTICLE ENERGY
Particle detection apparatus Patent
[NASA-CASE-XLA-00135] c 14 N70-33322
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c 35 N76-22509

PARTICLE MASS
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c 35 N76-15431
Microbalance --- for measuring particle mass
[NASA-CASE-MSC-11242] c 35 N78-17358

PARTICLE MOTION
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c 35 N76-16393

PARTICLE PRODUCTION
Production of I-123
[NASA-CASE-LEW-11390-3] c 25 N76-29379

PARTICLE SIZE DISTRIBUTION
Micropacked column for a chromatographic system
[NASA-CASE-XNP-04816] c 06 N69-39936
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c 15 N70-33382
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c 18 N71-26153
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c 37 N75-19683
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c 37 N78-17386
Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c 35 N80-18364
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c 25 N81-19242
Polyvinyl alcohol battery separator containing inert filler --- alkaline batteries
[NASA-CASE-LEW-13556-1] c 44 N81-27615
Powder fed sheared dispersal particle generator
[NASA-CASE-LAR-12785-1] c 37 N84-16561
Method of evaporation
[NASA-CASE-NPO-15609-2] c 25 N88-23846

PARTICLE TRAJECTORIES
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c 35 N76-15433
Direction sensitive laser velocimeter --- determining the direction of particles using a helium-neon laser
[NASA-CASE-LAR-12177-1] c 36 N81-24422

PARTICLES
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNP-09770] c 15 N71-20440
Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c 17 N72-28535
Particle parameter analyzing system --- x-y plotter circuits and display
[NASA-CASE-XLE-06094] c 33 N78-17293
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c 25 N79-11152
Acoustic particle separation
[NASA-CASE-NPO-15559-1] c 71 N85-30765
Solar heated oil shale pyrolysis process
[NASA-CASE-NPO-16392-1] c 25 N86-25428

PARTICULATE SAMPLING
Apparatus for sampling particulates in gases
[NASA-CASE-HQN-10037-1] c 14 N73-27376
Electrophoretic sample insertion --- device for uniformly distributing samples in flow path
[NASA-CASE-MFS-21395-1] c 25 N74-26948
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c 35 N76-18401
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c 35 N79-17192
Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c 35 N79-28527
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184

PARTICULATES
Apparatus for sampling particulates in gases
[NASA-CASE-HQN-10037-1] c 14 N73-27376

PASSAGEWAYS
Inflatable tether Patent
[NASA-CASE-XMS-10993] c 15 N71-28936
PASSENGERS
Ride quality meter
[NASA-CASE-LAR-12882-1] c 35 N84-12445
PASSIVE SATELLITES
Passive communication satellite Patent
[NASA-CASE-XLA-00210] c 30 N70-40309
Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent
[NASA-CASE-XGS-02608] c 07 N70-41678
Method of making an inflatable panel Patent
[NASA-CASE-XLA-03497] c 15 N71-23052
PATENTS
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c 74 N82-24072
Method for depositing an oxide coating
[NASA-CASE-LEW-13131-1] c 44 N83-10494
High stability amplifier
[NASA-CASE-GSC-12646-1] c 33 N83-34191
PATIENTS
Stretcher Patent
[NASA-CASE-XMF-06589] c 05 N71-23159
PATTERN RECOGNITION
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c 14 N70-34161
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c 71 N74-21014
Programmable pipelined image processor
[NASA-CASE-NPO-16461-1CU] c 60 N86-23283
Real-time optical multiple object recognition and tracking system and method
[NASA-CASE-NPO-17139-1-CU] c 74 N88-25301
PAYLOAD DELIVERY (STS)
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-25429-1] c 18 N86-20469
PAYLOAD DEPLOYMENT & RETRIEVAL SYSTEM
Payload deployment method and system
[NASA-CASE-MSC-21330-1] c 16 N88-24660
PAYLOAD RETRIEVAL (STS)
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c 74 N79-13855
Satellite retrieval system
[NASA-CASE-MFS-25403-1] c 18 N83-29303
PAYLOADS
Foam generator Patent
[NASA-CASE-XLA-00838] c 03 N70-36778
Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c 31 N71-10582
Payload/burned-out motor case separation system Patent
[NASA-CASE-XLA-05369] c 31 N71-15687
Velocity package Patent
[NASA-CASE-XLA-01339] c 31 N71-15692
Omnidirectional multiple impact landing system Patent
[NASA-CASE-XLA-09881] c 31 N71-16085
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c 14 N71-23227
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-15429-1] c 18 N84-22609
PCM TELEMETRY
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c 10 N70-41964
Data transfer system Patent
[NASA-CASE-NPO-12107] c 08 N71-27255
High speed direct binary-to-binary coded decimal converter
[NASA-CASE-KSC-10326] c 08 N72-21197
PEELING
Wire stripper
[NASA-CASE-FRC-10111-1] c 37 N79-10419
PEENING
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550
PELLETS
Support structure for irradiated elements Patent
[NASA-CASE-XNP-06031] c 15 N71-15606
Contactless pellet fabrication
[NASA-CASE-NPO-15592-1] c 71 N84-16940
PELTIER EFFECTS
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c 03 N69-25146
Memory metal actuator
[NASA-CASE-NPO-15960-1] c 37 N86-19604
PELVIS
Shoulder and hip joints for hard space suits and the like
[NASA-CASE-ARC-11534-1] c 54 N86-29507
PENETRANTS
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c 18 N71-27170
PENETRATION
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c 35 N74-32879
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c 31 N81-14137
PENETROMETERS
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c 14 N71-22765
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c 14 N73-19420
Soil penetrometer
[NASA-CASE-XNP-05530] c 14 N73-32321
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c 35 N77-27367
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c 43 N79-25443
PERCEPTION
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c 05 N72-25122
PERFLUORO COMPOUNDS
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c 06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c 06 N72-20121
Reaction of fluorine with polyperfluoropolyenes
[NASA-CASE-NPO-10862] c 06 N72-22107
Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c 06 N72-25151
Polymers of perfluorobutadiene and method of manufacture
[NASA-CASE-NPO-10863-2] c 06 N72-25152
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c 06 N72-27144
Polymerizable disilanols having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c 06 N73-32030
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c 23 N75-30256
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c 23 N82-28353
High performance channel injection sealant invention abstract
[NASA-CASE-ARC-14408-1] c 27 N82-33523
Fluoroether modified epoxy composites
[NASA-CASE-ARC-11418-1] c 24 N84-11213
Process for preparing perfluorotriazine elastomers and precursors thereof
[NASA-CASE-ARC-11402-1] c 27 N84-22744
Perfluoro (Imidoylamidine) diamidines
[NASA-CASE-ARC-11402-3] c 23 N86-21582
PERFLUOROALKANE
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c 27 N79-22300
PERFORATED PLATES
Process for glass coating an ion accelerator grid Patent
[NASA-CASE-LEW-10278-1] c 15 N71-28582
PERFORATED SHELLS
Method of fabricating an article with cavities --- with thin bottom walls
[NASA-CASE-LAR-10318-1] c 31 N74-18089
PERFORMANCE PREDICTION
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c 04 N76-26175
PERFORMANCE TESTS
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c 03 N72-15986
Solar cell assembly test method
[NASA-CASE-NPO-10401] c 03 N72-20033
Linear explosive comparison
[NASA-CASE-LAR-10800-1] c 33 N72-27959
Split-cross-bridge resistor for testing for proper fabrication of integrated circuits
[NASA-CASE-NPO-16021-1] c 33 N85-30187
PERIODIC VARIATIONS
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c 35 N77-20401
PERIPHERAL EQUIPMENT (COMPUTERS)
Digital interface for bi-directional communication between a computer and a peripheral device
[NASA-CASE-MSC-20258-1] c 60 N84-28492
PERISCOPES
Welding monitoring system
[NASA-CASE-MFS-29177-1] c 37 N88-14362
PERMEABILITY
Ionene membrane separator
[NASA-CASE-NPO-11091] c 18 N72-22567
System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c 39 N80-10507
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c 52 N80-14687
Geological assessment probe
[NASA-CASE-NPO-14558-1] c 46 N80-24906
PEROXIDES
Method of polymerizing perfluorobutadiene Patent application
[NASA-CASE-NPO-10447] c 06 N70-11252
PERSPIRATION
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c 05 N72-25120
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c 52 N81-29763
PERTURBATION
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c 22 N72-20597
PERTURBATION THEORY
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c 35 N75-16783
PH FACTOR
Method for determining the point of zero zeta potential of semiconductor
[NASA-CASE-LAR-12893-1] c 76 N85-30923
PHASE COHERENCE
Signal phase estimator
[NASA-CASE-NPO-11203] c 10 N72-20224
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c 32 N74-30523
PHASE CONTRAST
Laser pulse detection method and apparatus
[NASA-CASE-NPO-16030-1] c 36 N84-25037
PHASE CONTROL
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c 10 N71-26577
Wideband VCO with high phase stability Patent
[NASA-CASE-XLA-03893] c 10 N71-27271
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c 10 N73-32145
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c 33 N75-19519
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c 33 N81-17349
Combinational logic for generating gate drive signals for phase control rectifiers
[NASA-CASE-MFS-25208-1] c 33 N83-10345
System for controlled acoustic rotation of objects
[NASA-CASE-NPO-15522-1] c 71 N83-32516
Method and apparatus for self-calibration and phasing of array antenna
[NASA-CASE-NPO-15920-1] c 33 N85-21493
PHASE DEMODULATORS
Phase demodulation system with two phase locked loops Patent
[NASA-CASE-XNP-00777] c 10 N71-19469
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c 33 N77-14334
PHASE DETECTORS
Phase detector assembly Patent
[NASA-CASE-XMF-00701] c 09 N70-40272
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c 07 N71-12392
High speed phase detector Patent
[NASA-CASE-XNP-01306-2] c 09 N71-24596
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c 33 N74-14956
Low distortion automatic phase control circuit --- voltage controlled phase shifter
[NASA-CASE-MFS-21671-1] c 33 N74-22885
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c 33 N75-26243
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c 35 N75-27331
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c 33 N77-13315
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c 33 N77-30365

Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c 33 N79-11313
High stability buffered phase comparator
[NASA-CASE-GSC-12645-1] c 33 N84-16454
Three phase power factor controller
[NASA-CASE-MFS-25535-2] c 33 N84-22885
Method and apparatus for receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c 32 N84-27952
Phase detector for three-phase power factor controller
[NASA-CASE-MFS-25854-1] c 33 N84-27975
Maser cavity servo-tuning system
[NASA-CASE-NPO-15890-1-CU] c 33 N85-29143
Double reference pulsed phase locked loop
[NASA-CASE-LAR-13310-1] c 32 N87-14559
Method and apparatus for measuring frequency and phase difference
[NASA-CASE-MSC-20865-1] c 32 N87-18692

PHASE DEVIATION
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c 33 N74-17927

PHASE LOCK DEMODULATORS
Compensating bandwidth switching transients in an amplifier circuit Patent
[NASA-CASE-XNP-01107] c 10 N71-28859

PHASE LOCKED SYSTEMS
Automatic acquisition system for phase-lock loop
[NASA-CASE-XGS-04994] c 09 N69-21543
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c 07 N70-41680
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XMF-08665] c 10 N71-19467
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c 10 N71-19468
Phase demodulation system with two phase locked loops Patent
[NASA-CASE-XNP-00777] c 10 N71-19469
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c 10 N71-20841
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c 10 N71-23544
Video sync processor Patent
[NASA-CASE-KSC-10002] c 10 N71-25865
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c 07 N72-20140
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c 10 N73-16205
Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c 10 N73-27171
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c 07 N73-28012
Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c 07 N73-30113
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c 33 N74-12887
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c 33 N75-13139
Low speed phaselock speed control system --- for brushless dc motor
[NASA-CASE-GSC-11127-1] c 09 N75-24758
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c 33 N75-25040
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c 17 N76-22245
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c 33 N77-14334
Frequency translating phase conjugation circuit for active retrodirective antenna array --- microwave transmission
[NASA-CASE-NPO-14536-1] c 32 N81-14185
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c 33 N81-33405
Discriminator aided phase lock acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c 33 N82-29539
Pulsed phase locked loop strain monitor --- voltage controlled oscillators
[NASA-CASE-LAR-12772-1] c 33 N83-16626
Double reference pulsed phase locked loop
[NASA-CASE-LAR-13310-1] c 32 N87-14559
Means for phase locking the outputs of a surface emitting laser diode array
[NASA-CASE-NPO-16542-1-CU] c 36 N87-23960
Processing circuit with asymmetry corrector and convolutional encoder for digital data
[NASA-CASE-MSC-20187-1] c 33 N87-25531
Phase length optical phase-locked-loop sensor
[NASA-CASE-LAR-13387-1] c 74 N88-25302
Digital phase-lock loop having an estimator and predictor of error
[NASA-CASE-NPO-17196-1-CU] c 32 N88-29076

PHASE MODULATION
Phase quadrature-plural channel data transmission system Patent
[NASA-CASE-XAC-06302] c 08 N71-19763
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c 10 N71-22986
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c 10 N71-23544
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c 10 N71-26142
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c 07 N71-28429
Two carrier communication system with single transmitter
[NASA-CASE-NPO-11548] c 07 N73-26118
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c 32 N74-20811
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c 32 N75-24981
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c 32 N77-14292
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c 33 N78-25319
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c 33 N78-32338
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c 20 N79-20179
Baseband signal combiner for large aperture antenna array
[NASA-CASE-NPO-14641-1] c 32 N81-29308
Doppler radar having phase modulation of both transmitted and reflected return signals
[NASA-CASE-MSC-18675-1] c 32 N84-22820
Method and apparatus for receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c 32 N84-27952
Integrating IR detector imaging systems
[NASA-CASE-NPO-15805-1] c 74 N84-28590

PHASE SHIFT
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c 07 N71-12392
Electromagnetic polarization systems and methods Patent
[NASA-CASE-GSC-10021-1] c 09 N71-24595
Method and apparatus for frequency-division multiplex communications by digital phase shift of carrier
[NASA-CASE-NPO-11338] c 08 N72-25208
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c 33 N79-10338
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c 37 N81-17432
JFET reflection oscillator
[NASA-CASE-GSC-12555-1] c 33 N86-19515
Double reference pulsed phase locked loop
[NASA-CASE-LAR-13310-1] c 32 N87-14559
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390
Method and apparatus for measuring minority carrier lifetime in a direct band-gap semiconductor
[NASA-CASE-NPO-16337-1-CU] c 33 N87-22894
Doppler radar with multiphase modulation of transmitted and reflected signal
[NASA-CASE-MSC-18808-1] c 32 N88-23923

PHASE SHIFT CIRCUITS
Gyrator type circuit Patent
[NASA-CASE-XAC-10608-1] c 09 N71-12517
Phase shift circuit apparatus
[NASA-CASE-ARC-10269-1] c 10 N72-16172
Continuously variable voltage controlled phase shifter
[NASA-CASE-NPO-11129] c 09 N72-33204
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c 10 N73-32145
Low distortion automatic phase control circuit --- voltage controlled phase shifter
[NASA-CASE-MFS-21671-1] c 33 N74-22885
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c 32 N81-15179
Fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c 74 N82-19029

PHASE SHIFT KEYING
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c 32 N74-20811
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c 32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c 33 N74-27705
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c 32 N77-24331
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c 33 N81-15192
Digital demodulator
[NASA-CASE-LAR-12659-1] c 33 N82-26570
Doppler-corrected differential detection system
[NASA-CASE-NPO-16987-1-CU] c 32 N88-30001

PHASE SWITCHING INTERFEROMETERS
Radar antenna system for acquisition and tracking Patent
[NASA-CASE-XMS-09610] c 07 N71-24625

PHASE TRANSFORMATIONS
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c 03 N69-39983
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c 27 N71-15635
Ten degree Kelvin hydride refrigerator
[NASA-CASE-NPO-16393-1-CU] c 31 N87-21159

PHASE VELOCITY
Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c 35 N76-15432

PHASED ARRAYS
Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c 10 N73-16206
Phased array antenna control
[NASA-CASE-MSC-14939-1] c 32 N79-11264
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c 32 N79-24210
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c 32 N81-14187
Spiral slotted phased antenna array
[NASA-CASE-MSC-18532-1] c 32 N82-27558
Method and apparatus for self-calibration and phasing of array antenna
[NASA-CASE-NPO-15920-1] c 33 N85-21493
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390

PHENOLIC RESINS
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c 24 N75-30260
Fire and heat resistant laminating resins based on maleimido substituted aromatic cyclotriphosphazene polymer
[NASA-CASE-ARC-11428-2] c 27 N87-16909

PHENOLS
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c 06 N73-32029
Method and device for the detection of phenol and related compounds --- in an electrochemical cell
[NASA-CASE-LEW-12513-1] c 25 N79-22235

PHENYLS
The 1,1,1-triaryl-2,2,2-trifluoroethanes and process for their synthesis
[NASA-CASE-ARC-11097-1] c 25 N82-24312

PHONOCARDIOGRAPHY
Phonocardiogram simulator Patent
[NASA-CASE-XKS-10804] c 05 N71-24606
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c 05 N71-27234

PHOSPHATES
Thermal control coating Patent
[NASA-CASE-XLA-01995] c 18 N71-23047

PHOSPHAZENE
Process for the preparation of polycarboranylphosphazenes --- thermal insulation
[NASA-CASE-ARC-11176-2] c 27 N81-27271
Carboranylcyclotriphosphazenes and their polymers --- thermal insulation
[NASA-CASE-ARC-11176-1] c 27 N82-18389
Carboranylmethylene-substituted phosphazenes and polymers thereof
[NASA-CASE-ARC-11370-1] c 27 N84-22750
Maleimido substituted aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-1] c 23 N86-19376
Fire and heat resistant laminating resins based on maleimido substituted aromatic cyclotriphosphazene polymer
[NASA-CASE-ARC-11428-2] c 27 N87-16909
Aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-3] c 23 N88-24692

PHOSPHINES
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c 27 N78-32256
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c 27 N80-10358
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c 27 N80-24438
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-1] c 27 N83-31854
Elastomer-modified phosphorus-containing imide resins
[NASA-CASE-ARC-11400-1] c 27 N84-14322
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-2] c 27 N85-21347
PHOSPHONITRILES
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c 06 N71-27363
PHOSPHORS
High contrast cathode ray tube
[NASA-CASE-ERC-10468] c 09 N72-20206
Thin wire pointing method
[NASA-CASE-NPO-15789-1] c 31 N83-19947
Flat-panel, full-color, electroluminescent display
[NASA-CASE-LAR-13407-1] c 33 N87-28831
PHOSPHORUS
Photoelectrochemical cells including chalcogenophosphate photoelectrodes
[NASA-CASE-LAR-12958-1] c 44 N84-23019
Fire-resistant phosphorus containing polyimides and copolyimides
[NASA-CASE-ARC-11522-2] c 27 N85-34280
PHOSPHORUS COMPOUNDS
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c 27 N81-27272
Polymer of phosphonylmethyl-2,4- and -2,6-diamino benzene and polyfunctional monomer
[NASA-CASE-ARC-11506-2] c 23 N86-32525
The 1-((diorganooxy phosphonyl) methyl)-2,4- and -2,6-diamino benzenes and their derivatives
[NASA-CASE-ARC-11425-2] c 23 N87-28605
PHOSPHORUS POLYMERS
Process for the preparation of polycarboranylphosphazenes --- thermal insulation
[NASA-CASE-ARC-11176-2] c 27 N81-27271
Carboranylcyclotriphosphazenes and their polymers --- thermal insulation
[NASA-CASE-ARC-11176-1] c 27 N82-18389
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-2] c 27 N85-21347
PHOTOABSORPTION
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c 39 N81-25400
PHOTOCATHODES
Photoelectric energy spectrometer Patent
[NASA-CASE-XNP-04161] c 14 N71-15599
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c 33 N76-31409
PHOTOCHEMICAL REACTIONS
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c 25 N77-32255
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c 25 N78-25148
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments
[NASA-CASE-MSC-16074-1] c 27 N80-26446
PHOTOCONDUCTIVE CELLS
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c 60 N77-14751
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c 74 N78-33913
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c 44 N82-32841
PHOTOCONDUCTIVITY
Photoetching of metal-oxide layers
[NASA-CASE-ERC-10108] c 06 N72-21094
PHOTOCONDUCTORS
Electronic divider and multiplier using photocells Patent
[NASA-CASE-XFR-05637] c 09 N71-19480
PHOTODIODES
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c 37 N79-28549
Focal plane array optical proximity sensor
[NASA-CASE-NPO-15155-1] c 74 N85-22139
PHOTODISSOCIATION
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c 25 N78-25148
PHOTOELECTRIC CELLS
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c 21 N71-10678
Method of and device for determining the characteristics and flux distribution of micrometeorites --- scanning puncture holes in sheet material with photoelectric cell
[NASA-CASE-NPO-12127-1] c 91 N74-13130
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c 74 N80-21138
Photoelectric detection system --- manufacturing automation
[NASA-CASE-MFS-23776-1] c 33 N82-28545
PHOTOELECTRIC EFFECT
Photoelectric energy spectrometer Patent
[NASA-CASE-XNP-04161] c 14 N71-15599
PHOTOELECTRIC EMISSION
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c 72 N80-14877
PHOTOELECTRIC MATERIALS
Light radiation direction indicator with a baffle of two parallel grids
[NASA-CASE-XNP-03930] c 14 N69-24331
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c 35 N74-15090
Photoelectrochemical cells including chalcogenophosphate photoelectrodes
[NASA-CASE-LAR-12958-1] c 44 N84-23019
Increased voltage photovoltaic cell
[NASA-CASE-NPO-16155-1] c 44 N85-30475
PHOTOELECTRICITY
Photoelectrochemical cells including chalcogenophosphate photoelectrodes
[NASA-CASE-LAR-12958-1] c 44 N84-23019
PHOTOELECTROCHEMICAL DEVICES
Photoelectrochemical electrodes
[NASA-CASE-NPO-15458-1] c 25 N84-12262
Method for determining the point of zero zeta potential of semiconductor
[NASA-CASE-LAR-12893-1] c 76 N85-30923
PHOTOELECTRON SPECTROSCOPY
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c 35 N78-10429
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c 72 N80-14877
Low intensity X-ray and gamma-ray spectrometer
[NASA-CASE-GSC-12587-1] c 35 N82-32659
PHOTOGRAPHIC EMULSIONS
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c 27 N81-25209
Method for retarding dye fading during archival storage of developed color photographic film --- inert atmosphere
[NASA-CASE-MFS-23250-1] c 35 N82-11432
PHOTOGRAPHIC EQUIPMENT
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c 14 N71-18465
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c 27 N77-32308
System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c 74 N81-17886
PHOTOGRAPHIC FILM
Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c 14 N71-28935
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c 14 N73-32322
Optical noise suppression device and method --- laser light exposing film
[NASA-CASE-MSC-12640-1] c 74 N76-31998
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c 35 N78-15461
Method for retarding dye fading during archival storage of developed color photographic film --- inert atmosphere
[NASA-CASE-MFS-23250-1] c 35 N82-11432
Method and apparatus for making an optical element having a dielectric film
[NASA-CASE-ARC-11611-1] c 74 N87-28416
PHOTOGRAPHIC MEASUREMENT
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c 32 N71-17645
Impact measuring technique
[NASA-CASE-LAR-10913] c 14 N72-16282
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c 39 N78-16387
PHOTOGRAPHIC PROCESSING
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c 74 N77-28932
Method of obtaining intensified image from developed photographic films and plates
[NASA-CASE-MFS-23461-1] c 35 N79-10389
PHOTOGRAPHIC PROCESSING EQUIPMENT
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c 14 N73-28489
PHOTOGRAPHIC RECORDING
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c 14 N70-41366
Focused image holography with extended sources Patent
[NASA-CASE-ERC-10019] c 16 N71-15551
Recording and reconstructing focused image holograms Patent
[NASA-CASE-ERC-10017] c 16 N71-15567
Method and means for recording and reconstructing holograms without use of a reference beam Patent
[NASA-CASE-ERC-10020] c 16 N71-26154
Multiple image storing system for high speed projectile holography
[NASA-CASE-MFS-20596] c 14 N72-17324
Phototropic composition of matter
[NASA-CASE-XGS-03736] c 14 N72-22443
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c 25 N74-18551
PHOTOGRAPHY
System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c 74 N81-17886
Photorefractor ocular screening system
[NASA-CASE-MFS-26011-1-SB] c 52 N87-24874
PHOTOIONIZATION
A multichannel photoionization chamber for absorption analysis Patent
[NASA-CASE-ERC-10044-1] c 14 N71-27090
PHOTOLYSIS
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c 44 N77-32580
Solar photolysis of water
[NASA-CASE-NPO-14126-1] c 44 N79-11470
PHOTOMAPPING
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c 74 N77-10899
PHOTOMASKS
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c 27 N81-25209
PHOTOMECHANICAL EFFECT
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c 39 N81-25400
PHOTOMETERS
Interferometer direction sensor Patent
[NASA-CASE-NPO-10320] c 14 N71-17655
Method and device for determining battery state of charge Patent
[NASA-CASE-NPO-10194] c 03 N71-20407
Light position locating system Patent
[NASA-CASE-XNP-01059] c 23 N71-21821
Fluid flow meter with comparator reference means Patent
[NASA-CASE-XGS-01331] c 14 N71-22996
Two color horizon sensor
[NASA-CASE-ERC-10174] c 14 N72-25409
Infrared detectors
[NASA-CASE-LAR-10728-1] c 14 N73-12445
Chromato-fluorographic drug detector --- device for detecting and recording fluorescent properties of materials
[NASA-CASE-ARC-10633-1] c 25 N74-26947
The 2 deg/90 deg laboratory scattering photometer --- particulate refractivity in hydrosols
[NASA-CASE-GSC-12088-1] c 74 N78-13874
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c 35 N78-29421
PHOTOMICROGRAPHY
Stereo photomicrography system
[NASA-CASE-LAR-10176-1] c 14 N72-20380
Hand-held photomicroscope
[NASA-CASE-ARC-10468-1] c 14 N73-33361
Method of examining microcircuit patterns
[NASA-CASE-NPO-16299-1] c 33 N87-14594

PHOTOMULTIPLIER TUBES
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c 21 N71-10771
Electronic divider and multiplier using photocells Patent
[NASA-CASE-XFR-05637] c 09 N71-19480
Coincidence apparatus for detecting particles
[NASA-CASE-XLA-07813] c 14 N72-17328
Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PMT
[NASA-CASE-LAR-10320-1] c 09 N72-23172
Light direction sensor
[NASA-CASE-NPO-11201] c 14 N72-27409
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof --- and protection from radiation damage
[NASA-CASE-ARC-10593-1] c 33 N74-27682
PHOTON BEAMS
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c 25 N77-32255
PHOTON-ELECTRON INTERACTION
Means and method for calibrating a photon detector utilizing electron-photon coincidence
[NASA-CASE-NPO-15644-1] c 35 N84-33767
PHOTONS
Solar cell collector
[NASA-CASE-LEW-12552-1] c 44 N78-25527
Means and method for calibrating a photon detector utilizing electron-photon coincidence
[NASA-CASE-NPO-15644-1] c 35 N84-33767
Double photon excitation of high-Rydberg atoms as a long-lived submillimeter detector
[NASA-CASE-NPO-16372-1] c 72 N86-33127
PHOTOSENSITIVITY
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c 21 N70-35089
Solar optical telescope dome control system Patent
[NASA-CASE-MSC-10966] c 14 N71-19568
Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PMT
[NASA-CASE-LAR-10320-1] c 09 N72-23172
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c 35 N74-26946
Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c 33 N75-26244
Photoelectrochemical cells including chalcogenophosphate photoelectrodes
[NASA-CASE-LAR-12958-1] c 44 N84-23019
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826
Dynamic range compression/expansion of light beams by photorefractive crystals
[NASA-CASE-NPO-17140-1-CU] c 74 N88-24508
PHOTOTRANSISTORS
Phototransistor imaging system
[NASA-CASE-MFS-20809] c 23 N73-13660
Phototransistor
[NASA-CASE-MFS-20407] c 09 N73-19235
PHOTOTROPISM
Phototropic composition of matter
[NASA-CASE-XGS-03736] c 14 N72-22443
PHOTOVISCOELASTICITY
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c 32 N71-17645
PHOTOVOLTAIC CELLS
Plurality of photosensitive cells on a pyramidical base for planetary trackers
[NASA-CASE-XNP-04180] c 07 N69-39736
Light sensitive digital aspect sensor Patent
[NASA-CASE-XGS-00359] c 14 N70-34158
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c 03 N71-18698
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c 35 N74-15090
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c 44 N77-10635
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c 44 N79-11467
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c 44 N79-25482
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c 44 N79-26475
Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c 44 N79-31752
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c 44 N80-18550
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c 44 N81-19558
Efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c 44 N82-26777
Method of making a high voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c 44 N82-29709
High voltage planar multijunction solar cell
[NASA-CASE-LEW-13400-1] c 44 N82-31764
Heat transparent high intensity high efficiency solar cell
[NASA-CASE-LEW-12892-1] c 44 N83-14692
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c 35 N83-21311
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c 47 N83-32232
Process and apparatus for growing a crystal ribbon
[NASA-CASE-NPO-15629-1] c 76 N84-35113
Increased voltage photovoltaic cell
[NASA-CASE-NPO-16155-1] c 44 N85-30475
Thermionic photovoltaic energy converter
[NASA-CASE-LEW-14077-1] c 44 N85-34441
GaAs Schottky barrier photo-responsive device and method of fabrication
[NASA-CASE-GSC-12816-1] c 76 N86-20150
Method of making macrocrystalline or single crystal semiconductor material
[NASA-CASE-NPO-15904-1] c 76 N86-28760
PHOTOVOLTAIC CONVERSION
Photoelectrochemical cells including chalcogenophosphate photoelectrodes
[NASA-CASE-LAR-12958-1] c 44 N84-23019
PHOTOVOLTAIC EFFECT
System for improving signal-to-noise ratio of a communication signal Patent Application
[NASA-CASE-MSC-12259-1] c 07 N70-12616
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c 35 N74-15090
Thermionic photovoltaic energy converter
[NASA-CASE-LEW-14077-1] c 44 N85-34441
PHTHALATES
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043
PHTHALOCYANIN
Metal phthalocyanine polymers
[NASA-CASE-ARC-11405-1] c 27 N84-27884
Phthalocyanine polymers
[NASA-CASE-ARC-11413-1] c 27 N85-21348
Metal (2) 4,4',4',4'' phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281
Metal phthalocyanine intermediates for the preparation of polymers
[NASA-CASE-ARC-11405-2] c 27 N86-19455
Process for preparing phthalocyanine polymer from imide containing bisphthalonitrile
[NASA-CASE-ARC-11511-2] c 27 N87-21112
PHYSICAL EXERCISE
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c 14 N73-27377
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c 05 N73-30078
Manual actuator --- for spacecraft exercising machines
[NASA-CASE-MFS-21481-1] c 37 N74-18127
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c 52 N76-19785
PHYSICAL PROPERTIES
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c 06 N73-30099
System for monitoring physical characteristics of fluids
[NASA-CASE-NPO-15400-1] c 34 N83-31993
PHYSIOLOGICAL EFFECTS
Restraint torso for a pressurized suit
[NASA-CASE-MSC-12397-1] c 05 N72-25119
PHYSIOLOGICAL TESTS
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c 05 N71-27234
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
PHYSIOLOGY
Phonocardiograph transducer Patent
[NASA-CASE-XMS-05365] c 14 N71-22993
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c 51 N76-29891
PIERCING
Pressurized cell micrometeoroid detector Patent
[NASA-CASE-XLA-00936] c 14 N71-14996
PIEZOELECTRIC CRYSTALS
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c 14 N71-21091
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c 33 N74-20862
CDS solid state phase insensitive ultrasonic transducer --- annealing dadmium sulfide crystals
[NASA-CASE-LAR-12304-1] c 35 N80-20559
PIEZOELECTRIC TRANSDUCERS
Force transducer Patent
[NASA-CASE-XAC-01101] c 14 N70-41957
Microbalance including crystal oscillators for measuring contaminates in a gas system Patent
[NASA-CASE-NPO-10144] c 14 N71-17701
Phonocardiograph transducer Patent
[NASA-CASE-XMS-05365] c 14 N71-22993
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c 14 N72-31446
Length mode piezoelectric ultrasonic transducer for inspection of solid objects
[NASA-CASE-MSC-19672-1] c 38 N79-14398
Piezoelectric deicing device
[NASA-CASE-LEW-13773-2] c 33 N86-20671
PIEZOELECTRICITY
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c 03 N70-39930
Piezoelectric pump Patent
[NASA-CASE-XNP-05429] c 26 N71-21824
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c 14 N71-27334
Piezoelectric composite materials
[NASA-CASE-LEW-12582-1] c 76 N83-34796
PIEZORESISTIVE TRANSDUCERS
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c 14 N71-21091
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c 26 N71-25490
PIGMENTS
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c 18 N71-26772
PILOT TRAINING
Controlled visibility device for an aircraft Patent
[NASA-CASE-XFR-04147] c 11 N71-10748
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c 09 N75-15662
PILOTS (PERSONNEL)
System for indicating direction of intruder aircraft
[NASA-CASE-ERC-10226-1] c 14 N73-16483
PINCH EFFECT
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c 37 N79-28550
PINHOLE CAMERAS
Three-dimensional and tomographic imaging device for X-ray and gamma-ray emitting objects
[NASA-CASE-GSC-12851-1] c 35 N85-30281
PINS
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c 15 N69-27505
Turbo-machine blade vibration damper Patent
[NASA-CASE-XLE-00155] c 28 N71-29154
Safety-type locking pin
[NASA-CASE-MFS-18495] c 15 N72-11385
Self-locking double retention redundant full pin release
[NASA-CASE-NPO-16233-1] c 37 N86-20801
PINTLES
Metal valve pintle with encapsulated elastomeric body Patent
[NASA-CASE-MSC-12116-1] c 15 N71-17648
PIPE FLOW
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c 34 N77-32413
Monogroove heat pipe design: Insulated liquid channel with bridging wick
[NASA-CASE-MSC-20497-1] c 34 N85-29180
Energy efficient continuous flow ash lockhopper
[NASA-CASE-NPO-16985-1-CU] c 31 N88-24814
PIPELINES
Spherical shield Patent
[NASA-CASE-XNP-01855] c 15 N71-28937
PIPELINING (COMPUTERS)
Pipelined digital SAR azimuth correlator using hybrid FFT-transversal filter
[NASA-CASE-NPO-15519-1] c 32 N84-34651
Programmable pipelined image processor
[NASA-CASE-NPO-16461-1CU] c 60 N86-23283
Neighborhood comparison operator
[NASA-CASE-NPO-16464-1CU] c 60 N86-24224
Real time pipelined system for forming the sum of products in the processing of video data
[NASA-CASE-NPO-16462-1-CU] c 60 N88-24169
PIPES (TUBES)
Device for determining the accuracy of the flare on a flared tube
[NASA-CASE-XKS-03495] c 14 N69-39785
Piping arrangement through a double chamber structure
[NASA-CASE-XNP-08882] c 15 N69-39935
Foldable conduit Patent
[NASA-CASE-XLE-00620] c 32 N70-41579
Thermobulb mount Patent
[NASA-CASE-NPO-10158] c 33 N71-16356
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c 15 N71-17650

Sealed separable connection Patent
[NASA-CASE-NPO-10064] c 15 N71-17693
Electrical switching device Patent
[NASA-CASE-NPO-10037] c 09 N71-19610
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c 15 N71-21536
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c 25 N71-21694
Spin forming tubular elbows Patent
[NASA-CASE-XMF-01083] c 15 N71-22723
Portable milling tool Patent
[NASA-CASE-XMF-03511] c 15 N71-22799
Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c 14 N71-24693
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c 15 N71-24865
Weld preparation machine Patent
[NASA-CASE-XKS-07953] c 15 N71-26134
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c 15 N71-26148
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c 07 N71-27191
Tube fabricating process
[NASA-CASE-LAR-10203-1] c 15 N72-16330
Torsional disconnect unit
[NASA-CASE-NPO-10704] c 15 N72-20445
Open type urine receptacle
[NASA-CASE-MSC-12324-1] c 05 N72-22093
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c 05 N72-25122
Low mass truss structure
[NASA-CASE-LAR-10546-1] c 11 N72-25287
Honeycomb panels formed of minimal surface periodic tubule layers
[NASA-CASE-ERC-10364] c 18 N72-25540
Honeycomb core structures of minimal surface tubule sections
[NASA-CASE-ERC-10363] c 18 N72-25541
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c 06 N73-13129
Cable restraint
[NASA-CASE-LAR-10129-1] c 15 N73-25512
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c 26 N73-32571
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c 85 N74-34672
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c 35 N77-24455
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c 37 N82-24491
Open ended tubing cutters
[NASA-CASE-MSC-18538-1] c 37 N82-26672
Method of making an ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-2] c 52 N84-23095
Tubing and cable cutting tool
[NASA-CASE-LAR-12786-1] c 37 N84-28085
Fluid leak indicator
[NASA-CASE-MSC-20783-1] c 35 N86-20756
Method of repairing hidden leaks in tubes
[NASA-CASE-MFS-19796-1] c 37 N86-32736
Self-contained, single-use hose and tubing cleaning module
[NASA-CASE-MSC-20857-1] c 37 N87-17035
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613
Liquid seeding atomizer
[NASA-CASE-ARC-11631-1] c 34 N87-21255
Tube coupling device
[NASA-CASE-MFS-25964-2] c 37 N87-22977
Tapered, tubular polyester fabric
[NASA-CASE-MSC-21082-1] c 27 N87-29672
Tool and process for miniature explosive joining of tubes
[NASA-CASE-LAR-13662-1] c 37 N88-14359

PISTON ENGINES
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c 37 N76-29590
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c 37 N81-25370
Solar engine
[NASA-CASE-LAR-12148-1] c 44 N82-24640
Stirling cycle cryogenic cooler
[US-PATENT-4,389,849] c 44 N83-28574

PISTONS
Automatic pump Patent
[NASA-CASE-XNP-04731] c 15 N71-24042
Firefly pump-metering system
[NASA-CASE-GSC-10218-1] c 15 N72-21465
Collapsible pistons
[NASA-CASE-MSC-13789-1] c 11 N73-32152
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c 02 N74-20646
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c 37 N80-31790
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c 37 N81-14318
Multiple plate hydrostatic viscous damper
[NASA-CASE-LEW-12445-1] c 37 N81-22360
Gas-to-hydraulic power converter
[NASA-CASE-MSC-18794-1] c 44 N83-14693
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-2] c 37 N84-28081
Lightweight piston
[NASA-CASE-LAR-13150-1] c 24 N87-27742
Composite piston
[NASA-CASE-LAR-13435-1] c 37 N88-23981

PITCH (INCLINATION)
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c 07 N77-17059
Velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c 08 N81-24106
Pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c 08 N81-26152
Swashplate control system
[NASA-CASE-ARC-11633-1] c 08 N87-23631

PITCHING MOMENTS
High lift, low pitching moment airfoils
[NASA-CASE-LAR-13215-1] c 02 N87-14282

PIVOTS
Tension measurement device Patent
[NASA-CASE-XMS-04545] c 15 N71-22878
Unidirectional flexural pivot
[NASA-CASE-GSC-12622-1] c 37 N84-12492
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19605
Thumb-actuated two-axis controller
[NASA-CASE-ARC-11372-1] c 08 N86-27288

PLANAR STRUCTURES
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c 74 N77-10899
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c 31 N79-21226
High voltage planar multijunction solar cell
[NASA-CASE-LEW-13400-1] c 44 N82-31764

PLANE WAVES
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c 07 N73-14130

PLANETARY ATMOSPHERES
Method of planetary atmospheric investigation using a split-trajectory dual flyby mode Patent
[NASA-CASE-XAC-08494] c 30 N71-15990
Flow field simulation Patent
[NASA-CASE-LAR-11138] c 12 N71-20436
Ablation sensor Patent
[NASA-CASE-XLA-01791] c 14 N71-22991

PLANETARY GRAVITATION
Impact simulator Patent
[NASA-CASE-XLA-00493] c 11 N70-34786
Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury Patent
[NASA-CASE-XNP-00708] c 14 N70-35394

PLANETARY LANDING
Parachute glider Patent
[NASA-CASE-XLA-00898] c 02 N70-36804
Omnidirectional multiple impact landing system Patent
[NASA-CASE-XLA-09881] c 31 N71-16085

PLANETARY ORBITS
Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c 31 N70-34135
Erectable modular space station Patent
[NASA-CASE-XLA-00678] c 31 N70-34296

PLANETARY RADIATION
Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c 21 N71-22880

PLANETARY SURFACES
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c 07 N72-21118

PLANTS (BOTANY)
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c 51 N75-25503
Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c 27 N81-17261
Enhancement of in vitro guayule propagation
[NASA-CASE-NPO-15213-1] c 51 N83-17045

PLASMA ACCELERATION
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c 28 N70-41576
Coaxial high density, hypervelocity plasma generator and accelerator with ionizable metal disc
[NASA-CASE-MFS-20589] c 25 N72-32688

PLASMA ACCELERATORS
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c 25 N70-33267
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c 25 N70-36946
Crossed-field MHD plasma generator/ accelerator Patent
[NASA-CASE-XLA-03374] c 25 N71-15562
Self-repeating plasma generator having communicating annular and linear arc discharge passages Patent
[NASA-CASE-XLA-03103] c 25 N71-21693
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c 25 N71-29184
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c 75 N76-14931

PLASMA ARC WELDING
ARC length control for plasma welding
[NASA-CASE-MSC-20900-1] c 37 N88-30131

PLASMA CONTROL
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c 26 N73-28710
Self-energized plasma compressor --- for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MFS-22145-1] c 75 N75-13625

PLASMA CYLINDERS
Plasma fluidic hybrid display Patent
[NASA-CASE-ERC-10100] c 09 N71-33519

PLASMA DENSITY
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c 09 N71-10618
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c 75 N74-30156
Hollow cathode apparatus
[NASA-CASE-NPO-15560-1] c 33 N85-21491

PLASMA DIAGNOSTICS
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c 25 N69-39884
Apparatus for measuring conductivity and velocity of plasma utilizing a plurality of sensing coils positioned in the plasma Patent
[NASA-CASE-XAC-05695] c 25 N71-16073
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c 75 N74-30156
Trochoidal analysis of scattered electrons in a merged electron-ion beam
[NASA-CASE-NPO-16789-1-CU] c 72 N88-25281

PLASMA DYNAMICS
Apparatus for measuring conductivity and velocity of plasma utilizing a plurality of sensing coils positioned in the plasma Patent
[NASA-CASE-XAC-05695] c 25 N71-16073
Self-energized plasma compressor --- for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MFS-22145-1] c 75 N75-13625

PLASMA ENGINES
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c 25 N71-21694

PLASMA GENERATORS
Method and apparatus for producing a plasma Patent
[NASA-CASE-XLA-00147] c 25 N70-34661
Crossed-field MHD plasma generator/ accelerator Patent
[NASA-CASE-XLA-03374] c 25 N71-15562
Coaxial high density, hypervelocity plasma generator and accelerator with ionizable metal disc
[NASA-CASE-MFS-20589] c 25 N72-32688
Self-energized plasma compressor --- for compressing plasma discharged from coaxial plasma generator
[NASA-CASE-MFS-22145-1] c 75 N75-13625
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c 75 N76-17951
Continuous plasma laser --- method and apparatus fo producing intense, coherent, monochromatic light from low temperature plasma
[NASA-CASE-XNP-04167-3] c 36 N77-19416

PLASMA GUNS
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c 15 N71-15610

PLASMA JETS
Method of preparing water purification membranes -- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c 25 N75-12087
Combination automatic-starting electrical plasma torch and gas shutoff valve --- for satellite attitude control
[NASA-CASE-XLE-10717] c 37 N75-29426

Plasma cleaning device --- designed for high vacuum environments
[NASA-CASE-MFS-22906-1] c 75 N78-27913

PLASMA LAYERS
Electrostatic plasma modulator for space vehicle re-entry communication Patent
[NASA-CASE-XLA-01400] c 07 N70-41331
Means for communicating through a layer of ionized gases Patent
[NASA-CASE-XLA-01127] c 07 N70-41372
Reentry communication by material addition Patent
[NASA-CASE-XLA-01552] c 07 N71-11284

PLASMA POTENTIALS
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c 33 N77-10429

PLASMA PROBES
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c 25 N69-39884
Small plasma probe Patent
[NASA-CASE-XLE-02578] c 25 N71-20747

PLASMA PROPULSION
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c 20 N75-18310
Ring-cusp ion thruster with shell anode
[NASA-CASE-LEW-13881-1] c 20 N85-21256

PLASMA RADIATION
Means for measuring the electron density gradients of the plasma sheath formed around a space vehicle Patent
[NASA-CASE-XLA-06232] c 25 N71-20563
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c 25 N72-24753

PLASMA SHEATHS
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c 09 N71-16086
Means for measuring the electron density gradients of the plasma sheath formed around a space vehicle Patent
[NASA-CASE-XLA-06232] c 25 N71-20563

PLASMA SPRAYING
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c 15 N71-16077
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-2] c 37 N82-26674
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c 27 N82-29453
Thermal barrier coating system
[NASA-CASE-LEW-14057-1] c 24 N85-35233

PLASMA TEMPERATURE
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c 75 N74-30156

PLASMA-ELECTROMAGNETIC INTERACTION
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c 37 N79-11405

PLASMAS (PHYSICS)
Apparatus for measuring conductivity and velocity of plasma utilizing a plurality of sensing coils positioned in the plasma Patent
[NASA-CASE-XAC-05695] c 25 N71-16073
Hollow cathode apparatus
[NASA-CASE-NPO-15560-1] c 33 N85-21491

PLASMONS
Inelastic tunnel diodes
[NASA-CASE-LEW-13833-1] c 33 N85-21492
Solar energy converter using surface plasma waves
[NASA-CASE-LEW-13827-1] c 44 N85-21768

PLASTIC COATINGS
Coating process
[NASA-CASE-XNP-06508] c 18 N69-39895
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c 15 N73-27405
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c 44 N77-14580
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c 27 N79-18052
Advanced inorganic separators for alkaline batteries
[NASA-CASE-LEW-13171-1] c 44 N82-29708
Process for preparing highly optically transparent/colorless aromatic polyimide film
[NASA-CASE-LAR-13351-1] c 27 N86-31727

PLASTIC DEFORMATION
Light intensity strain analysis
[NASA-CASE-LAR-10765-1] c 32 N73-20740
Mechanical bonding of metal method
[NASA-CASE-LEW-12941-1] c 26 N83-10170

PLASTIC TAPES
Thermocouple tape
[NASA-CASE-LEW-11072-1] c 14 N73-24472

PLASTICIZERS
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c 44 N78-25530
Tackifier for addition polyimides containing monoethylphthalate
[NASA-CASE-LAR-12642-1] c 27 N81-29229
Method of bonding plasticized elastomer to metal and articles produced thereby
[NASA-CASE-MFS-25181-1] c 27 N82-24340
Advanced inorganic separators for alkaline batteries
[NASA-CASE-LEW-13171-1] c 44 N82-29708

PLASTICS
Method for forming plastic materials Patent
[NASA-CASE-XMS-05516] c 15 N71-17803
Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c 15 N71-22713
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c 15 N71-23022
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c 15 N71-26721
Radar calibration sphere
[NASA-CASE-XLA-11154] c 07 N72-21117
Molding apparatus --- for thermosetting plastic compositions
[NASA-CASE-LAR-10489-2] c 31 N74-32920
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c 27 N76-32315

PLATENS
Compression test apparatus
[NASA-CASE-MSC-18723-1] c 35 N83-21312

PLATES (STRUCTURAL MEMBERS)
Foil seal
[NASA-CASE-XLE-05130] c 15 N69-21362
Fifth wheel
[NASA-CASE-FRC-10081-1] c 37 N77-14477
Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c 33 N79-28416
Floating nut retention system
[NASA-CASE-MSC-16938-1] c 37 N80-23653
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630
Method and apparatus for making an optical element having a dielectric film
[NASA-CASE-ARC-11611-1] c 74 N87-28416

PLATING
Selective plating of etched circuits without removing previous plating Patent
[NASA-CASE-XGS-03120] c 15 N71-24047
Peen plating
[NASA-CASE-GSC-11163-1] c 15 N73-32360
Scanning nozzle plating system --- for etching or plating metals on substrates without masking
[NASA-CASE-NPO-11758-1] c 31 N74-23065
Method for depositing an oxide coating
[NASA-CASE-LEW-13131-1] c 44 N83-10494

PLATINUM
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c 33 N75-27252
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c 35 N77-27368

PLATINUM ALLOYS
Joining lead wires to thin platinum alloy films
[NASA-CASE-LEW-13934-1] c 35 N83-35338

PLAYBACKS
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c 35 N77-17426
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c 35 N79-16246

PLENUM CHAMBERS
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c 31 N71-15689
Gas filter mounting structure
[NASA-CASE-MSC-12297] c 14 N72-23457
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c 51 N81-14605
Sonic levitation apparatus
[NASA-CASE-MFS-25828-1] c 71 N84-28568

PLETHYSMOGRAPHY
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c 35 N76-24525
Apparatus for determining changes in limb volume
[NASA-CASE-MSC-18759-1] c 52 N83-27578

PLOTTERS
Automated equipotential plotter
[NASA-CASE-NPO-11134] c 09 N72-21246
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c 32 N81-27341

PLOTTING
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c 10 N71-19421

PLUG NOZZLES
Cascade plug nozzle --- for jet noise reduction
[NASA-CASE-LAR-11674-1] c 07 N76-18117
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-2] c 71 N84-14873

PLUGS
Rocket chamber leak test fixture
[NASA-CASE-XFR-09479] c 14 N69-27503
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c 15 N69-27505
Gas regulator Patent
[NASA-CASE-NPO-10298] c 12 N71-17661
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c 28 N72-18766
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c 37 N82-24494
Rotor self-lubricating axial stop
[NASA-CASE-MFS-28273-1] c 37 N88-23974

PNEUMATIC CONTROL
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c 03 N69-21469
Pneumatic mirror support system
[NASA-CASE-XLA-03271] c 11 N69-24321
Valve actuator Patent
[NASA-CASE-XHQ-01208] c 15 N70-35409
Quick release hook tape Patent
[NASA-CASE-XMS-10660-1] c 15 N71-25975
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c 05 N73-32014
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c 37 N75-32465

PNEUMATIC EQUIPMENT
High pressure air valve Patent
[NASA-CASE-MSC-11010] c 15 N71-19485
Inflatable support structure Patent
[NASA-CASE-XLA-01731] c 32 N71-21045
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c 12 N71-21089
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c 14 N71-23227
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c 15 N71-27147
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c 02 N73-26006
Airlock
[NASA-CASE-MFS-20922-1] c 18 N74-22136
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c 37 N75-32465
Gas-to-hydraulic power converter
[NASA-CASE-MSC-18794-1] c 44 N83-14693
System and method for moving a probe to follow movements of tissue
[NASA-CASE-NPO-15197-1] c 52 N83-25346
Apparatus for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-1] c 07 N83-36029
Inflatable device for installing strain gage bridges
[NASA-CASE-FRC-11068-1] c 35 N84-12443
Method for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-2] c 07 N86-20389
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-25429-1] c 18 N86-20469

POINT SOURCES
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c 07 N69-39980
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c 14 N70-40240
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c 32 N81-27341

POINTING CONTROL SYSTEMS
Rotable accurate reflector system for telscopes Patent
[NASA-CASE-NPO-10468] c 23 N71-33229
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c 35 N77-20399
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c 37 N78-27424
Magnetic suspension and pointing system --- on a carrier vehicle
[NASA-CASE-LAR-11889-1] c 35 N79-26372
Solar tracking system
[NASA-CASE-MFS-23999-1] c 44 N81-24520

POINTS (MATHEMATICS)
Method of and apparatus for generating an interstitial point in a data stream having an even number of data points
[NASA-CASE-MFS-25319-1] c 60 N85-33701
POLAR ORBITS
Cartwheel satellite synchronization system Patent
[NASA-CASE-XGS-05579] c 31 N71-15676
POLARIMETERS
Polarimeter for transient measurement Patent
[NASA-CASE-XNP-08883] c 23 N71-16101
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c 14 N73-12446
POLARIMETRY
Data volume reduction for imaging radar polarimetry
[NASA-CASE-NPO-17184-1-CU] c 32 N88-26541
POLARITY
Positive dc to negative dc converter Patent
[NASA-CASE-XMF-08217] c 03 N71-23239
Peak polarity selector Patent
[NASA-CASE-FRC-10010] c 10 N71-24862
Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c 09 N71-33109
POLARIZATION (WAVES)
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c 32 N75-24982
Multifrequency broadband polarized horn antenna
[NASA-CASE-NPO-14588-1] c 32 N81-25278
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c 35 N82-15381
POLARIZED ELECTROMAGNETIC RADIATION
Antenna beam-shaping apparatus Patent
[NASA-CASE-XNP-00611] c 09 N70-35219
Parabolic reflector horn feed with spillover correction Patent
[NASA-CASE-XNP-00540] c 09 N70-35382
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c 32 N80-16261
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c 32 N81-14187
Reciprocating linear motor
[NASA-CASE-GSC-12773-2] c 33 N87-23904
POLARIZED LIGHT
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c 74 N76-30053
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c 35 N80-28687
POLARIZED RADIATION
Microwave limb sounder --- measuring trace gases in the upper atmosphere
[NASA-CASE-NPO-14544-1] c 46 N82-12685
POLARIZERS
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c 74 N79-14891
Wind dynamic range video camera
[NASA-CASE-MFS-25750-1] c 32 N86-20647
POLES
Radial and torsionally controlled magnetic bearing
[NASA-CASE-GSC-12957-1] c 37 N87-17038
POLISHING
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c 15 N71-22705
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c 74 N80-24149
POLLUTION CONTROL
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c 37 N76-18457
Combustion engine --- for air pollution control
[NASA-CASE-NPO-13671-1] c 37 N77-31497
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c 07 N81-29129
Apparatus and method for destructive removal of particles contained in flowing fluid
[NASA-CASE-NPO-15426-1] c 35 N84-17555
POLLUTION MONITORING
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c 45 N75-27585
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c 45 N76-17656
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c 45 N76-21742
Method for detecting pollutants --- through chemical reactions and heat treatment
[NASA-CASE-LAR-11405-1] c 45 N76-31714
Automated syringe sampler --- remote sampling of air and water
[NASA-CASE-LAR-12308-1] c 35 N81-29407
POLYAMIDE RESINS
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments
[NASA-CASE-MSC-16074-1] c 27 N80-26446
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-2] c 27 N84-22746
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-1] c 54 N84-28484
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-1] c 27 N85-20123
Process for preparing highly optically transparent/colorless aromatic polyimide film
[NASA-CASE-LAR-13351-1] c 27 N86-31727
Fire and heat resistant laminating resins based on malemeido and citraconimido substituted 1 -2,4- and -2,6-diaminobenzenes
[NASA-CASE-ARC-11533-1] c 27 N87-23751
POLYBENZIMIDAZOLE
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c 27 N78-31232
POLYBUTADIENE
New polymers of perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c 06 N70-11251
Method of polymerizing perfluorobutadiene Patent application
[NASA-CASE-NPO-10447] c 06 N70-11252
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c 28 N79-14228
POLYCARBONATES
Helmet assembly and latch means therefor Patent
[NASA-CASE-XMS-04935] c 05 N71-11190
Poly(carbonate-mide) polymer
[NASA-CASE-LAR-13292-1] c 27 N86-24841
POLYCRYSTALS
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c 44 N76-28635
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c 44 N78-24609
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c 76 N79-21910
Quasi-containerless glass formation method and apparatus
[NASA-CASE-MFS-28090-1] c 27 N87-21111
POLYESTERS
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c 06 N71-25929
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c 31 N74-32917
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043
Sulfone-ester polymers containing pendent ethynl groups
[NASA-CASE-LAR-13316-1] c 27 N86-27450
Ethynyl terminated ester oligomers and polymers therefrom
[NASA-CASE-LAR-13118-2] c 27 N87-16907
Tapered, tubular polyester fabric
[NASA-CASE-MSC-21082-1] c 27 N87-29672
Polyether-polyester graft copolymer
[NASA-CASE-LAR-13447-1] c 27 N88-18725
POLYETHER RESINS
Polyurethanes from fluoroalkyl propyleneglycol polyethers
[NASA-CASE-MFS-10506] c 06 N73-30100
Fluorohydroxy ethers
[NASA-CASE-MFS-10507] c 06 N73-30101
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c 06 N73-30102
Aqueous alkali metal hydroxide insoluble cellulose ether membrane
[NASA-CASE-XGS-05584-1] c 25 N82-29370
Phenoxy resins containing pendent ethynyl groups and cured resins obtained therefrom
[NASA-CASE-LAR-13262-1] c 23 N85-28973
Polyether-polyester graft copolymer
[NASA-CASE-LAR-13447-1] c 27 N88-18725
POLYIMIDE RESINS
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c 27 N75-29263
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c 27 N78-17205
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c 24 N78-27184
Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c 27 N79-33316
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c 27 N81-19296
Tackifier for addition polyimides containing monoethylphthalate
[NASA-CASE-LAR-12642-1] c 27 N81-29229
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-2] c 27 N83-29392
Elastomer-modified phosphorus-containing imide resins
[NASA-CASE-ARC-11400-1] c 27 N84-14322
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-1] c 27 N84-27885
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-2] c 27 N85-21347
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-3] c 27 N85-21350
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-4] c 27 N85-21351
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-5] c 27 N85-21352
Chemical control of nadimide cure temperature and rate
[NASA-CASE-LEW-13770-2] c 25 N85-28982
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-6] c 25 N85-30039
High temperature resistant polyimide from tetra ester diamine, diester and N-arylnadimide
[NASA-CASE-LEW-13864-1] c 27 N86-19457
Process for curing bismaleimide resins
[NASA-CASE-ARC-11429-4CU] c 27 N87-15304
POLYIMIDES
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c 06 N73-27980
Polyimide foam for the thermal insulation and fir protection
[NASA-CASE-ARC-10464-1] c 27 N74-12811
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c 27 N74-23122
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c 23 N76-15262
Process for preparing thermoplastic aromatic polyimides
[NASA-CASE-LAR-11828-1] c 27 N78-32262
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c 27 N79-11211
Catalysts for polyimide foams from aromatic isocyanate and aromatic dianhydrides --- flame retardant foams
[NASA-CASE-ARC-11107-1] c 25 N80-16111
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flam retardation
[NASA-CASE-LAR-12099-1] c 27 N80-16151
Method for preparing addition type polyimide prepreg
[NASA-CASE-LAR-12054-2] c 27 N81-14071
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c 27 N82-11201
Electrically conductive palladium containing polyimic films
[NASA-CASE-LAR-12705-1] c 25 N82-26391
Elastomer toughened polyimide adhesives
[NASA-CASE-LAR-12775-1] c 27 N83-28241
Solvent resistant thermoplastic aroma poly(imidesulfone) and process for preparing same
[NASA-CASE-LAR-12858-1] c 27 N83-34041
Process for preparing solvent resistant, thermoplas aromatic poly(imidesulfone)
[NASA-CASE-LAR-12858-2] c 27 N85-20111
Elastomer toughened polyimide adhesives --- bondi metal and composite material structures for aircraft a spacecraft
[NASA-CASE-LAR-12775-2] c 27 N85-21311
Fire-resistant phosphorus containing polyimides a copolyimides
[NASA-CASE-ARC-11522-2] c 27 N85-34211
Maleimido substituted aromatic cyclotriphosphazen
[NASA-CASE-ARC-11428-1] c 23 N86-19311
Process of end-capping a polyimide system
[NASA-CASE-LAR-13135-1] c 27 N86-19411
High temperature polyimide film laminates and proce for preparation thereof
[NASA-CASE-LAR-13384-1] c 27 N86-20511
Poly(carbonate-mide) polymer
[NASA-CASE-LAR-13292-1] c 27 N86-24811

Laminate comprising fibers embedded in cured amine terminated bis-imide
[NASA-CASE-ARC-11421-3] c 24 N86-25416
Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines
[NASA-CASE-LAR-13353-1] c 27 N86-29039
New condensation polyimides containing 1,1,1-triaryl-2,2,2-trifluoroethane structures
[NASA-CASE-LEW-14346-1] c 23 N87-14433
Acetylene (ethynyl) terminated polyimide siloxane and process for preparation thereof
[NASA-CASE-LAR-13318-1] c 27 N87-14516
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736
Polyimides containing carbonyl and ether connecting groups
[NASA-CASE-LAR-13633-1] c 27 N87-24575
Process for developing crystallinity in linear aromatic polyimides
[NASA-CASE-LAR-13732-1] c 27 N87-25474
Semi-2-interpenetrating networks of high temperature systems
[NASA-CASE-LAR-13450-1] c 27 N87-28657
Substituted 1,1,1-Triaryl-2,2,2-Trifluoroethanes and processes for their synthesis
[NASA-CASE-LEW-14345-1] c 23 N88-26404

POLYISOBUTYLENE
Method of forming difunctional polyisobutylene
[NASA-CASE-NPO-10893] c 27 N73-22710

POLYISOPRENES
Enhancement of in vitro guayule propagation
[NASA-CASE-NPO-15213-1] c 51 N83-17045

POLYMER CHEMISTRY
Trifunctional alcohol
[NASA-CASE-NPO-10714] c 06 N69-31244
Synthesis of siloxane-containing epoxy polymers Patent
[NASA-CASE-MFS-13994-1] c 06 N71-11240
Apparatus for testing polymeric materials Patent
[NASA-CASE-XNP-09699] c 06 N71-24607
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c 27 N75-29263
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c 27 N78-15276
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c 27 N78-17205
Infusible silazane polymer and process for producing same --- protective coatings
[NASA-CASE-XMF-02526-1] c 27 N79-21190
Fluorine-containing polyformals
[NASA-CASE-XMF-06900-1] c 27 N79-21191
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c 44 N79-25481
Bifunctional monomers having terminal oxime and cyano or amidine groups
[NASA-CASE-ARC-11253-3] c 27 N81-24256
In-situ cross linking of polyvinyl alcohol --- application to battery separator films
[NASA-CASE-LEW-13135-2] c 27 N81-24257
Polymeric compositions and their method of manufacture --- forming filled polymer systems using cryogenics
[NASA-CASE-NPO-10424-1] c 27 N81-24258
Process for the preparation of polycarboranylphosphazenes --- thermal insulation
[NASA-CASE-ARC-11176-2] c 27 N81-27271
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c 27 N81-27272
Preparation of crosslinked 1,2,4-oxadiazole polymer
[NASA-CASE-ARC-11253-2] c 27 N82-24338
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c 23 N82-28353
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-6] c 25 N85-30039
Amine terminated bisaspartimide polymer
[NASA-CASE-ARC-11421-2] c 27 N86-31726
New condensation polyimides containing 1,1,1-triaryl-2,2,2-trifluoroethane structures
[NASA-CASE-LEW-14346-1] c 23 N87-14433
Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates, adhesives and structures thereof
[NASA-CASE-ARC-11548-1] c 27 N87-25469
The 1-((diorganooxy phosphonyl) methyl)-2,4- and -2,6-diamino benzenes and their derivatives
[NASA-CASE-ARC-11425-2] c 23 N87-28605
Substituted 1,1,1-Triaryl-2,2,2-Trifluoroethanes and processes for their synthesis
[NASA-CASE-LEW-14345-1] c 23 N88-26404
Novel ladder polymers for use as high temperature stable resins or coatings
[NASA-CASE-LEW-14203-1] c 27 N88-29984

POLYMER MATRIX COMPOSITES
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c 24 N78-27180
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560

POLYMERIC FILMS
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c 14 N71-20461
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c 06 N71-22975
Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c 14 N72-24477
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c 15 N73-27405
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c 44 N76-14600
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c 27 N79-14214
Reverse osmosis membrane of high urea rejection properties --- water purification
[NASA-CASE-ARC-10980-1] c 27 N80-23452
Surface finishing
[NASA-CASE-MSC-12631-3] c 27 N81-14077
Cross-linked polyvinyl alcohol and method of making same
[NASA-CASE-LEW-13101-2] c 23 N81-29160
Separator for alkaline electric cells and method of making
[NASA-CASE-GSC-10017-1] c 44 N82-24643
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c 25 N82-26396
Texturing polymer surfaces by transfer casting --- cardiovascular prosthesis
[NASA-CASE-LEW-13120-1] c 27 N82-28440
Method for the preparation of thin-skinned asymmetric reverse osmosis membranes and products thereof
[NASA-CASE-ARC-11359-1] c 51 N84-28361
Metal phthalocyanine intermediates for the preparation of polymers
[NASA-CASE-ARC-11405-2] c 27 N86-19455
High temperature polyimide film laminates and process for preparation thereof
[NASA-CASE-LAR-13384-1] c 27 N86-20561
Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines
[NASA-CASE-LAR-13353-1] c 27 N86-29039
Process for preparing highly optically transparent/colorless aromatic polyimide film
[NASA-CASE-LAR-13351-1] c 27 N86-31727
Polyenamines from aromatic diacetylenic diketones and diamines
[NASA-CASE-LAR-13444-1-CU] c 27 N87-22847
Water-absorbing capacitor system for measuring relative humidity
[NASA-CASE-NPO-16544-1-CU] c 35 N87-22953
Polymeric heat pipe wick
[NASA-CASE-GSC-13019-1] c 34 N88-29133

POLYMERIZATION
New polymers of perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c 06 N70-11251
Method of polymerizing perfluorobutadiene Patent application
[NASA-CASE-NPO-10447] c 06 N70-11252
Process for interfacial polymerization of pyromellitic dianhydride and 1,2,4, 5-tetraamino-benzene Patent
[NASA-CASE-XLA-03104] c 06 N71-11235
Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c 06 N71-11238
Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c 06 N71-11239
Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c 06 N71-11242
Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c 06 N71-11243
Elastomeric silazane polymers and process for preparing the same Patent
[NASA-CASE-XMF-04133] c 06 N71-20717
Reaction of fluorine with polyperfluoropolyenes
[NASA-CASE-NPO-10862] c 06 N72-22107
Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c 06 N72-25151
Polymers of perfluorobutadiene and method of manufacture
[NASA-CASE-NPO-10863-2] c 06 N72-25152
Fluorohydroxy ethers
[NASA-CASE-MFS-10507] c 06 N73-30101
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c 06 N73-30102
Method of preparing water purification membranes --- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c 25 N75-12087
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c 27 N76-16228
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c 27 N78-17214
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c 27 N78-31232
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c 27 N79-11215
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c 27 N79-22300
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c 27 N79-28307
Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c 27 N79-33316
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c 27 N80-10358
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c 27 N80-24438
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c 25 N81-14016
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c 27 N81-15104
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c 27 N81-17259
The 1,2,4-oxadiazole elastomers --- heat resistant polymers
[NASA-CASE-ARC-11253-1] c 27 N81-17262
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c 25 N81-19242
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c 25 N81-19244
Carboranylcyclotriphosphazenes and their polymers --- thermal insulation
[NASA-CASE-ARC-11176-1] c 27 N82-18389
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c 25 N82-26396
Solvent resistant thermoplastic aromatic poly(imidesulfone) and process for preparing same
[NASA-CASE-LAR-12858-1] c 27 N83-34041
Elastomer-modified phosphorus-containing imide resins
[NASA-CASE-ARC-11400-1] c 27 N84-14322
Supercritical solvent coal extraction
[NASA-CASE-NPO-15210-1] c 25 N84-22709
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-2] c 27 N84-22746
Polyphenylene ethers with imide linking groups
[NASA-CASE-LAR-12980-1] c 27 N84-22749
Carboranylmethylene-substituted phosphazenes and polymers thereof
[NASA-CASE-ARC-11370-1] c 27 N84-22750
Metal phthalocyanine polymers
[NASA-CASE-ARC-11405-1] c 27 N84-27884
Phthalocyanine polymers
[NASA-CASE-ARC-11413-1] c 27 N85-21348
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043
Maleimido substituted aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-1] c 23 N86-19376
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-2] c 27 N86-21675
Process for crosslinking methylene-containing aromatic polymers with ionizing radiation
[NASA-CASE-LAR-13448-1] c 27 N86-24840
Laminate comprising fibers embedded in cured amine terminated bis-imide
[NASA-CASE-ARC-11421-3] c 24 N86-25416
Sulfone-ester polymers containing pendent ethynl groups
[NASA-CASE-LAR-13316-1] c 27 N86-27450
Polymer of phosphonylmethyl-2,4- and -2,6-diamino benzene and polyfunctional monomer
[NASA-CASE-ARC-11506-2] c 23 N86-32525

Polyarylene ethers with improved properties
[NASA-CASE-LAR-13555-1] c 23 N86-32526
New condensation polyimides containing 1,1,1-triaryl-2,2,2-trifluoroethane structures
[NASA-CASE-LEW-14346-1] c 23 N87-14433
The 5-(4-Ethynylophenoxy) isophthalic chloride
[NASA-CASE-LAR-13316-2] c 27 N87-14515
Ethynyl terminated ester oligomers and polymers therefrom
[NASA-CASE-LAR-13118-2] c 27 N87-16907
Process for preparing phthalocyanine polymer from imide containing bisphthalonitrile
[NASA-CASE-ARC-11511-2] c 27 N87-21112
Polyenamines from aromatic diacetylenic diketones and diamines
[NASA-CASE-LAR-13444-1-CU] c 27 N87-22847
Process for crosslinking and extending conjugated diene-containing polymers
[NASA-CASE-LAR-13452-1] c 27 N87-22848
Fire and heat resistant laminating resins based on malemeido and citraconimido substituted 1 -2,4- and -2,6-diaminobenzenes
[NASA-CASE-ARC-11533-1] c 27 N87-23751
Fire and heat resistant laminating resins based on maleimido and citraconimido substituted 1-(diorgano oxyphosphonyl) methyl -2,4- and -2,6- diaminobenzenes
[NASA-CASE-ARC-11533-3] c 27 N87-24564
Polyimides containing carbonyl and ether connecting groups
[NASA-CASE-LAR-13633-1] c 27 N87-24575
Process for developing crystallinity in linear aromatic polyimides
[NASA-CASE-LAR-13732-1] c 27 N87-25474
Semi-2-interpenetrating networks of high temperature systems
[NASA-CASE-LAR-13450-1] c 27 N87-28657
Aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-3] c 23 N88-24692
Novel ladder polymers for use as high temperature stable resins or coatings
[NASA-CASE-LEW-14203-1] c 27 N88-29984

POLYMERS
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XMF-10753] c 06 N71-11237
Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c 06 N71-24740
Resilience testing device Patent
[NASA-CASE-XLA-08254] c 14 N71-26161
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c 06 N71-28620
Solid state thermal control polymer coating Patent
[NASA-CASE-XLA-01745] c 33 N71-28903
Polymeric vehicles as carriers for sulfonic acid salt of nitrosubstituted aromatic amines
[NASA-CASE-ARC-10325] c 06 N72-25147
Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c 27 N73-16764
Method of forming difunctional polyisobutylene
[NASA-CASE-NPO-10893] c 27 N73-22710
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c 06 N73-32029
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c 27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c 27 N76-32315
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c 27 N77-31308
Method for separating biological cells --- suspended in aqueous polymer systems
[NASA-CASE-MFS-23883-1] c 51 N80-16715
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c 25 N80-23383
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c 27 N80-24437
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-3] c 27 N84-22745
Carboranylmethylene-substituted phosphazenes and polymers thereof
[NASA-CASE-ARC-11370-1] c 27 N84-22750
Process for improving moisture resistance of epoxy resins by addition of chromium ions
[NASA-CASE-LAR-13226-1] c 27 N85-34282
Polyarylene ethers with improved properties
[NASA-CASE-LAR-13555-1] c 23 N86-32526
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736

POLYMETHYL METHACRYLATE
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c 27 N78-14164
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c 74 N78-32854

POLYPHENYL ETHER
Polyphenylene ethers with imide linking groups
[NASA-CASE-LAR-12980-1] c 27 N84-22749

POLYPHENYLS
Polyphenylquinoxalines containing pendant phenylethynyl and ethynyl groups --- for thermoplastic resins
[NASA-CASE-LAR-12838-1] c 27 N83-34040
Polyphenylene ethers with imide linking groups
[NASA-CASE-LAR-12980-1] c 27 N84-22749
Polyphenylquinoxalines containing alkylenedioxy groups
[NASA-CASE-LAR-13601-1-CU] c 27 N87-25475

POLYQUINOXALINES
Polyphenylquinoxalines containing alkylenedioxy groups
[NASA-CASE-LAR-13601-1-CU] c 27 N87-25475

POLYSACCHARIDES
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c 27 N77-30236

POLYTETRAFLUOROETHYLENE
Method and apparatus for bonding a plastics sleeve onto a metallic body Patent
[NASA-CASE-XLA-01262] c 15 N71-21404
Diffusely reflecting paints including polytetrafluoroethylene and method of manufacture
[NASA-CASE-GSC-12883-1] c 27 N85-29044

POLYURETHANE FOAM
Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c 31 N70-34135
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c 06 N71-24739
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c 27 N74-12814
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c 27 N76-15310
Mixing insert for foam dispensing apparatus
[NASA-CASE-MFS-20607-1] c 37 N76-19436
Segmented tubular cushion springs and spring assembly
[NASA-CASE-ARC-11349-1] c 37 N86-20797

POLYURETHANE RESINS
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c 06 N71-27254
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c 06 N72-27144
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c 06 N72-27151
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c 06 N73-30099
Polyurethanes from fluoroalkyl propyleneglycol polyethers
[NASA-CASE-MFS-10506] c 06 N73-30100
Fluorine containing polyurethane
[NASA-CASE-MFS-10509] c 06 N73-30103
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c 06 N73-33076
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c 27 N78-17213

POLYVINYL ALCOHOL
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c 44 N79-25481
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c 27 N80-32516
In-situ cross linking of polyvinyl alcohol --- application to battery separator films
[NASA-CASE-LEW-13135-2] c 27 N81-24257
Polyvinyl alcohol battery separator containing inert filler --- alkaline batteries
[NASA-CASE-LEW-13556-1] c 44 N81-27615
Cross-linked polyvinyl alcohol and method of making same
[NASA-CASE-LEW-13101-2] c 23 N81-29160
Polyvinyl alcohol cross-linked with two aldehydes
[NASA-CASE-LEW-13504-1] c 25 N83-13188

PONDS
Stable density stratification solar pond
[NASA-CASE-NPO-15419-2] c 44 N85-30474

PORCELAIN
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c 27 N75-27160

POROSITY
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c 37 N75-26371
Krypton based adsorption type cryogenic refrigerator
[NASA-CASE-NPO-17334-1-CU] c 31 N88-23917
Method for maintaining precise suction strip porosities
[NASA-CASE-LAR-13638-1] c 31 N88-29051

POROUS MATERIALS
Method of producing refractory bodies having controlled porosity Patent
[NASA-CASE-LEW-10393-1] c 17 N71-15468
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c 17 N71-23046
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c 15 N71-23048
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c 14 N71-28993
Fabrication of controlled-porosity metals Patent
[NASA-CASE-XNP-04339] c 17 N71-29137
Compressible biomedical electrode
[NASA-CASE-MSC-13648] c 05 N72-27103
Porus electrode comprising a bonded stack of pieces of corrugated metal foil
[NASA-CASE-GSC-11368-1] c 09 N73-32108
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c 44 N74-19692
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c 37 N78-25426
Heat exchanger and method of making --- bonding rocket chambers with a porous metal matrix
[NASA-CASE-LEW-12441-1] c 34 N79-13289
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-3] c 37 N82-19540
Densification of porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18737-1] c 24 N83-13171
Method of repairing surface damage to porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18736-1] c 24 N83-13172
Advanced inorganic separators for alkaline batteries and method of making the same
[NASA-CASE-LEW-13171-2] c 44 N83-32176
Water-absorbing capacitor system for measuring relative humidity
[NASA-CASE-NPO-16544-1-CU] c 35 N87-22953

POROUS PLATES
Method of producing porous tungsten ionizers for ion rocket engines Patent
[NASA-CASE-XLE-00455] c 28 N70-38197

PORPHYRINS
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c 51 N80-16714

PORTABLE EQUIPMENT
Split welding chamber Patent
[NASA-CASE-LEW-11531] c 15 N71-14932
Portable superclean air column device Patent
[NASA-CASE-XMF-03212] c 15 N71-22721
Weld preparation machine Patent
[NASA-CASE-XKS-07953] c 15 N71-26134
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c 15 N71-26148
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c 23 N71-26654
Boring bar drive mechanism Patent
[NASA-CASE-XLA-03661] c 15 N71-33518
One hand backpack harness
[NASA-CASE-LAR-10102-1] c 05 N72-23085
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c 14 N72-25413
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c 14 N73-19420
Hand-held photomicroscope
[NASA-CASE-ARC-10468-1] c 14 N73-33361
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c 37 N75-33395
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c 37 N76-18454
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c 25 N79-10163
Portable heatable container
[NASA-CASE-NPO-14237-1] c 44 N80-20808
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c 33 N80-26599
Portable appliance security apparatus
[NASA-CASE-GSC-12399-1] c 33 N81-25299
Dual-beam skin friction interferometer
[NASA-CASE-ARC-11354-1] c 74 N83-21949
Two-dimensional scanner apparatus --- flaw detector in small flat plates
[NASA-CASE-MFS-25687-1] c 35 N84-22928
Portable reflectance spectrometer
[NASA-CASE-NPO-13556-1] c 35 N84-33766

Portable pallet weighing apparatus
[NASA-CASE-GSC-12789-1] c 35 N85-20294
Portable remote laser sensor for methane leak detection
[NASA-CASE-NPO-15790-1] c 36 N85-21631
Portable 90 degree proof loading device
[NASA-CASE-MSC-20250-1] c 35 N86-19581
Acoustic guide for noise-transmission testing of aircraft
[NASA-CASE-LAR-13111-1-CU] c 71 N87-21652

PORTABLE LIFE SUPPORT SYSTEMS
Portable breathing system --- a breathing apparatus using a rebreathing system of heat exchangers for carbon dioxide removal
[NASA-CASE-MSC-16182-1] c 54 N80-10799

PORTS (OPENINGS)
Evacuation port seal Patent
[NASA-CASE-XMF-03290] c 15 N71-23256
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c 31 N81-19343

POSITION (LOCATION)
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c 21 N71-13958
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c 30 N71-16090
Emergency escape system Patent
[NASA-CASE-XKS-07814] c 15 N71-27067
Position location system and method
[NASA-CASE-GSC-10087-3] c 07 N72-12080
Location identification system
[NASA-CASE-ERC-10324] c 07 N72-25173
Cosmic dust or other similar outer space particles impact location detector
[NASA-CASE-GSC-11291-1] c 25 N72-33696
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c 14 N73-30389
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c 35 N74-32877
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c 32 N75-26194
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c 35 N75-27331
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c 03 N76-32140
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c 33 N77-31404
X-ray position detector
[NASA-CASE-NPO-12087-1] c 74 N81-19898
Adjustable indicating device for load position
[NASA-CASE-MFS-28008-1] c 35 N85-20300

POSITION INDICATORS
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c 14 N69-27432
Angular measurement system Patent
[NASA-CASE-XMF-00447] c 14 N70-33179
Position sensing device employing misaligned magnetic field generating and detecting apparatus Patent
[NASA-CASE-XGS-07514] c 23 N71-16099
Angular position and velocity sensing apparatus Patent
[NASA-CASE-XGS-05680] c 14 N71-17585
Extended area semiconductor radiation detectors and a novel readout arrangement Patent
[NASA-CASE-XGS-03230] c 14 N71-23401
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c 07 N73-20174
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c 35 N75-33367
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c 17 N76-21250
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c 44 N80-18552
Improved legislated emergency locating transmitters and emergency position indicating radio beacons
[NASA-CASE-GSC-12892-1] c 32 N85-20226
Synchronization tracking in pulse position modulation receiver
[NASA-CASE-NPO-16256-1] c 32 N87-21207
Aircraft control position indicator
[NASA-CASE-LAR-12984-1] c 06 N87-22678

POSITION SENSING
Position sensing device employing misaligned magnetic field generating and detecting apparatus Patent
[NASA-CASE-XGS-07514] c 23 N71-16099

POSITIONING
Instrument support with precise lateral adjustment Patent
[NASA-CASE-XMF-00480] c 14 N70-39898
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c 15 N70-41371
Optical alignment system Patent
[NASA-CASE-XNP-02029] c 14 N70-41955
Null device for hand controller Patent
[NASA-CASE-XLA-01808] c 15 N71-20740
Rotating raster generator
[NASA-CASE-FRC-10071-1] c 32 N74-20813
Low noise lead screw positioner
[NASA-CASE-NPO-15617-1] c 35 N87-21304

POSITIONING DEVICES (MACHINERY)
Swivel support for gas bearings Patent
[NASA-CASE-XMF-07808] c 15 N71-23812
Caterpillar micro positioner
[NASA-CASE-GSC-10780-1] c 14 N72-16283
Positioning mechanism
[NASA-CASE-NPO-10679] c 15 N72-21462
Test stand system for vacuum chambers
[NASA-CASE-MFS-21362] c 11 N73-20267
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c 74 N74-21304
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c 35 N75-15014
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c 54 N75-27760
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c 37 N77-27400
Workpiece positioning vise
[NASA-CASE-GSC-12762-1] c 37 N84-28083
Load positioning system with gravity compensation
[NASA-CASE-ARC-11525-1] c 37 N86-27629

POSITIVE FEEDBACK
Complementary regenerative switch Patent
[NASA-CASE-XGS-02751] c 09 N71-23015

POTABLE WATER
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c 05 N71-11207
Compact solar still Patent
[NASA-CASE-XMS-04533] c 15 N71-23086
Specialized halogen generator for purification of water Patent
[NASA-CASE-XLA-08913] c 14 N71-28933
Potable water dispenser
[NASA-CASE-MFS-21115-1] c 54 N74-12779
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c 54 N74-17853
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c 54 N78-14784
Degassifying and mixing apparatus for liquids --- potable water for spacecraft
[NASA-CASE-MSC-18936-1] c 35 N83-29652

POTASSIUM SILICATES
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c 18 N71-14014

POTENTIOMETERS
Angle detector
[NASA-CASE-ARC-11036-1] c 35 N78-32395

POTENTIOMETERS (INSTRUMENTS)
Two-axis controller Patent
[NASA-CASE-XFR-04104] c 03 N70-42073
Control device Patent
[NASA-CASE-XAC-10019] c 15 N71-23809
Line following servosystem Patent
[NASA-CASE-XAC-00001] c 15 N71-28952
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c 51 N81-28698

POTTING COMPOUNDS
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c 15 N70-36409
Flexible, repairable, pottable material for electrical connectors Patent
[NASA-CASE-XGS-05180] c 18 N71-25881
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c 06 N72-21105

POWDER (PARTICLES)
Method for forming pyrrone molding powders and products of said method
[NASA-CASE-LAR-10423-1] c 23 N82-29358
Powder fed sheared dispersal particle generator
[NASA-CASE-LAR-12785-1] c 37 N84-16561

POWDER METALLURGY
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c 15 N71-16076
Fabrication of controlled-porosity metals Patent
[NASA-CASE-XNP-04339] c 17 N71-29137
Method of making dry electrodes
[NASA-CASE-FRC-10029-2] c 05 N72-25121
Method for producing dispersion strengthened alloys by converting metal to a halide, comminuting, reducing the metal halide to the metal and sintering
[NASA-CASE-LEW-10450-1] c 15 N72-25448
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c 15 N73-13465
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c 26 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c 37 N74-13179
Cermet composition and method of fabrication --- heat resistant alloys and powders
[NASA-CASE-NPO-13120-1] c 27 N76-15311
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550

POWDERED ALUMINUM
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c 27 N82-11206

POWER AMPLIFIERS
Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c 09 N70-34559
Power supply Patent
[NASA-CASE-XMS-02159] c 10 N71-22961
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c 10 N71-26331
Signal path series step biased multidevice high efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c 07 N71-28430
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c 33 N75-30429

POWER CONDITIONING
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-NPO-14000-1] c 33 N79-24254
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c 44 N80-14472
Inelastic tunnel diodes
[NASA-CASE-LEW-13833-1] c 33 N85-21492
Power supply conditioning circuit
[NASA-CASE-NPO-17233-1-CU] c 33 N88-29095

POWER CONVERTERS
Gas-to-hydraulic power converter
[NASA-CASE-MSC-18794-1] c 44 N83-14693

POWER EFFICIENCY
Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c 09 N69-24317
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c 09 N69-24329
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c 28 N70-41576
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c 22 N72-20597
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c 15 N75-13007
Family of airfoil shapes for rotating blades --- for increased power efficiency and blade stability
[NASA-CASE-LAR-12843-1] c 02 N84-11136
Increased voltage photovoltaic cell
[NASA-CASE-NPO-16155-1] c 44 N85-30475
Wingtip vortex propeller
[NASA-CASE-LAR-13019-1] c 07 N85-35194
Linearized traveling wave amplifier with hard limiter characteristics
[NASA-CASE-LEW-13981-2] c 33 N86-21742
Low power consumption current transducer
[NASA-CASE-NPO-16888-1-CU] c 33 N88-23937

POWER FACTOR CONTROLLERS
Triac failure detector
[NASA-CASE-MFS-25607-1] c 33 N83-34190
Control system for an induction motor with energy recovery
[NASA-CASE-MFS-25477-1] c 33 N84-14424
Motor power control circuit for ac induction motors
[NASA-CASE-MFS-25323-1] c 33 N84-22886
Solar powered actuator with continuously variable auxiliary power control
[NASA-CASE-MFS-25637-1] c 44 N85-21769
Power control for ac motor
[NASA-CASE-MFS-25861-1] c 33 N85-22877

POWER GAIN
Serrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c 07 N71-16088
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c 10 N72-31273

POWER LIMITERS
Monostable multivibrator
[NASA-CASE-GSC-10082-1] c 10 N72-20221
POWER LINES
Electrical connector for flat cables Patent
[NASA-CASE-XMF-00324] c 09 N70-34596
Motor run-up system --- power lines
[NASA-CASE-NPO-13374-1] c 33 N75-19524
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c 33 N79-18193
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c 33 N81-27397
Electrical power generating system
[NASA-CASE-MFS-25302-1] c 33 N83-28319
Rotatable electric cable connecting system
[NASA-CASE-GSC-12899-1] c 33 N86-20669
Coaxial tube tether/transmission line for manned nuclear space power
[NASA-CASE-LEW-14338-1] c 20 N87-10174
POWER REACTORS
Low power consumption current transducer
[NASA-CASE-NPO-16888-1-CU] c 33 N88-23937
POWER SERIES
Computing apparatus Patent
[NASA-CASE-XGS-04765] c 08 N71-18693
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c 32 N77-14292
POWER SPECTRA
Method and apparatus for high resolution spectral analysis
[NASA-CASE-NPO-10748] c 08 N72-20177
Instrument for determining coincidence and elapse time between independent sources of random sequential events
[NASA-CASE-LAR-12531-1] c 35 N83-29651
POWER SUPPLIES
Tape recorder Patent
[NASA-CASE-XGS-08259] c 14 N71-23698
Current dependent filter inductance
[NASA-CASE-ERC-10139] c 09 N72-17154
Power supply for carbon dioxide lasers
[NASA-CASE-GSC-11222-1] c 16 N73-32391
High voltage distributor
[NASA-CASE-GSC-11849-1] c 33 N76-16332
Method and apparatus for precision control of radiometer
[NASA-CASE-NPO-15398-1] c 35 N84-22931
POWER SUPPLY CIRCUITS
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c 03 N69-21330
Power control circuit
[NASA-CASE-XNP-02713] c 10 N69-39888
Electronic amplifier with power supply switching Patent
[NASA-CASE-XMS-00945] c 09 N71-10798
Heat pipe thermionic diode power system Patent
[NASA-CASE-XMF-05843] c 03 N71-11055
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c 03 N71-11057
Data processor having multiple sections activated at different times by selective power coupling to the sections Patent
[NASA-CASE-XGS-04767] c 08 N71-12494
Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c 09 N71-13486
Regulated power supply Patent
[NASA-CASE-XMS-01991] c 09 N71-21449
Power supply Patent
[NASA-CASE-XMS-02159] c 10 N71-22961
Polarity sensitive circuit Patent
[NASA-CASE-XNP-00952] c 10 N71-23271
Power supply circuit Patent
[NASA-CASE-XMS-00913] c 10 N71-23543
Drive circuit for minimizing power consumption in inductive load Patent
[NASA-CASE-NPO-10716] c 09 N71-24892
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c 09 N71-24893
Voltage dropout sensor Patent
[NASA-CASE-KSC-10020] c 10 N71-27338
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c 14 N71-27407
High power microwave power divider Patent
[NASA-CASE-NPO-11031] c 07 N71-33606
Ripple indicator
[NASA-CASE-KSC-10162] c 09 N72-11225
A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c 09 N72-25253
LC-oscillator with automatic stabilized amplitude via bias current control --- power supply circuit for transducers
[NASA-CASE-MFS-21698-1] c 33 N74-26732
Integrable power gyrator --- with Z-matrix design using parallel transistors
[NASA-CASE-MFS-22342-1] c 33 N75-30428
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c 33 N77-10428
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c 73 N78-28913
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c 20 N79-20179
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c 33 N81-12330
Power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c 33 N81-27395
Triac failure detector
[NASA-CASE-MFS-25607-1] c 33 N83-34190
Arc lamp power supply using a voltage multiplier
[NASA-CASE-LAR-13202-1] c 33 N88-23942
POWER TRANSMISSION (LASERS)
Long gain length solar pumped box laser
[NASA-CASE-LAR-13256-1] c 36 N86-29204
PRECESSION
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c 21 N70-34295
PRECIPITATION (CHEMISTRY)
Production of pure metals
[NASA-CASE-LEW-10906-1] c 25 N74-30502
PRECIPITATORS
Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104
PRECISION
Precision stepping drive Patent
[NASA-CASE-MFS-14772] c 15 N71-17692
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c 15 N71-26148
PREDICTIONS
Digital phase-lock loop having an estimator and predictor of error
[NASA-CASE-NPO-17196-1-CU] c 32 N88-29076
PREFLIGHT OPERATIONS
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c 10 N71-13545
PREFORMS
Method of preparing fiber reinforced ceramic material
[NASA-CASE-LEW-14392-1] c 27 N87-28656
PRELAUNCH TESTS
Parasitic probe antenna Patent
[NASA-CASE-XKS-09348] c 09 N71-13521
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c 31 N71-15566
PREPOLYMERS
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c 06 N71-25929
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c 27 N80-32514
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c 27 N80-32515
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c 24 N81-13999
Method for forming pyrrone molding powders and products of said method
[NASA-CASE-LAR-10423-1] c 23 N82-29358
Elastomer toughened polyimide adhesives
[NASA-CASE-LAR-12775-1] c 27 N83-28240
Polyphenylquinoxalines containing pendant phenylethynyl and ethynyl groups --- for thermoplastic resins
[NASA-CASE-LAR-12838-1] c 27 N83-34040
PREPREGS
Tackifier for addition polyimides containing monoethylphthalate
[NASA-CASE-LAR-12642-1] c 27 N81-29229
PRESSURE
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c 35 N76-14430
PRESSURE CHAMBERS
Electric arc driven wind tunnel Patent
[NASA-CASE-XMF-00411] c 11 N70-36913
Whole body measurement systems --- for weightlessness simulation
[NASA-CASE-MSC-13972-1] c 52 N74-10975
Accumulator
[NASA-CASE-MFS-19287-1] c 34 N77-30399
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c 31 N81-19343
Weightlessness simulation system and process
[NASA-CASE-ARC-11646-1] c 14 N87-25344
PRESSURE DISTRIBUTION
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c 05 N70-41329
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c 03 N70-41864
Accumulator
[NASA-CASE-MFS-19287-1] c 34 N77-30399
Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c 37 N81-15363
Continuous self-locking spiral wound seal --- for maintaining pressure between chambers in cryogenic wind tunnels
[NASA-CASE-LAR-12315-1] c 37 N82-24490
Ultrasonic transducer with Gaussian radial pressure distribution
[NASA-CASE-LAR-12967-1] c 35 N84-22932
PRESSURE DRAG
Multi-body aircraft with an all-movable center fuselage actively controlling fuselage pressure drag
[NASA-CASE-LAR-13511-1] c 05 N88-23765
PRESSURE DROP
Leak detector
[NASA-CASE-MFS-21761-1] c 35 N75-15931
PRESSURE EFFECTS
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c 33 N74-17927
Evacuated, displacement compression mold --- of tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c 31 N75-13111
Internally supported flexible duct joint --- device for conducting fluids in high pressure systems
[NASA-CASE-MFS-19193-1] c 37 N75-19686
Fluid pressure balanced seal
[NASA-CASE-XGS-01286-1] c 37 N79-33469
Real time pressure signal system for a rotary engine
[NASA-CASE-LEW-13622-1] c 07 N84-22559
Optical pressure sealing couping (light joint)
[NASA-CASE-MFS-29348-1] c 74 N88-25303
PRESSURE GAGES
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c 14 N70-34816
Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent
[NASA-CASE-XMS-06061] c 05 N71-23317
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c 14 N71-23755
Device for measuring pressure Patent
[NASA-CASE-XAC-04458] c 14 N71-24232
Ultrahigh vacuum gauge having two collector electrodes
[NASA-CASE-LAR-02743] c 14 N73-32324
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c 36 N78-17366
PRESSURE GRADIENTS
Positive displacement flowmeter Patent
[NASA-CASE-XMF-02822] c 14 N70-41994
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c 36 N83-29680
PRESSURE HEADS
Head for high speed spinner having a vacuum chuck --- holding silicon dioxide chips for etching
[NASA-CASE-NPO-15227-1] c 37 N81-33482
PRESSURE MEASUREMENT
Inertia diaphragm pressure transducer Patent
[NASA-CASE-XAC-02981] c 14 N71-21072
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c 14 N71-22752
Device for measuring pressure Patent
[NASA-CASE-XAC-04458] c 14 N71-24232
Device for measuring light scattering wherein the measuring beam is successively reflected between a pair of parallel reflectors Patent
[NASA-CASE-XER-11203] c 14 N71-28994
Sensing probe
[NASA-CASE-LEW-10281-1] c 14 N72-17327
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c 14 N73-30390
Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c 14 N73-30394
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c 09 N74-17955
Indicated mean-effective pressure instrument
[NASA-CASE-LEW-12661-1] c 35 N79-14345
High-temperature microphone system --- for measuring pressure fluctuations in gases at high temperature
[NASA-CASE-LAR-12375-1] c 32 N79-24203
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c 35 N80-18358

Detection of the transitional layer between laminar and turbulent flow areas on a wing surface --- using an accelerometer to measure pressure levels during wind tunnel tests
[NASA-CASE-LAR-12261-1] c 02 N80-20224
Non-invasive method and apparatus for measuring pressure within a pliable vessel
[NASA-CASE-ARC-11264-2] c 52 N83-29991
Electronic scanning pressure measuring system and transducer package
[NASA-CASE-ARC-11361-1] c 35 N84-22934
Method of and apparatus for measuring temperature and pressure --- atmospheric sounding
[NASA-CASE-GSC-12558-1] c 36 N85-21639
Device for quick changeover between wind tunnel force and pressure testing
[NASA-CASE-LAR-13512-1] c 35 N87-28884
Pressure measuring probe
[NASA-CASE-LAR-13853-1] c 35 N88-23961

PRESSURE REDUCTION

Relief valve
[NASA-CASE-XMS-05894-1] c 15 N69-21924
Sealed battery gas manifold construction Patent
[NASA-CASE-XNP-03378] c 03 N71-11051
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c 33 N77-21316
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c 26 N80-14229
Pressure letdown method and device for coal conversion systems
[NASA-CASE-NPO-15100-1] c 44 N84-14583
Method of making an ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-2] c 52 N84-23095
Method for growth of crystals by pressure reduction of supercritical or subcritical solution
[NASA-CASE-NPO-15772-1] c 76 N85-29800

PRESSURE REGULATORS

Pressure regulating system Patent
[NASA-CASE-XNP-00450] c 15 N70-38603
Resuscitation apparatus Patent
[NASA-CASE-XMS-01115] c 05 N70-39922
High pressure regulator valve Patent
[NASA-CASE-XNP-00710] c 15 N71-10778
Space suit pressure stabilizer Patent
[NASA-CASE-XLA-05332] c 05 N71-11194
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c 05 N71-11203
Anti-backlash circuit for hydraulic drive system Patent
[NASA-CASE-XNP-01020] c 03 N71-12260
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c 14 N71-18625
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c 05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c 05 N73-25125
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c 37 N75-15050
Pressure modulating value
[NASA-CASE-MSC-14905-1] c 37 N77-28487
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c 34 N78-25351
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c 37 N79-33468
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c 52 N80-14684
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c 52 N80-18690
Pressure control valve --- inflating flexible bladders
[NASA-CASE-ARC-11251-1] c 37 N81-17433
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c 52 N81-25660
Ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-1] c 52 N83-21785
Vibration isolation and pressure compensation apparatus for sensitive instrumentation
[NASA-CASE-LAR-12728-1] c 35 N83-32026
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-2] c 71 N84-14873

PRESSURE SENSORS

Pressure variable capacitor
[NASA-CASE-XNP-09752] c 14 N69-21541
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c 14 N70-36824
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c 15 N70-37925
Dynamic sensor Patent
[NASA-CASE-XAC-02877] c 14 N70-41681
Inertia diaphragm pressure transducer Patent
[NASA-CASE-XAC-02981] c 14 N71-21072
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c 14 N71-22752
Pressure transducer calibrator Patent
[NASA-CASE-XNP-01660] c 14 N71-23036
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c 12 N71-26387
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c 14 N71-27334
Method of making pressurized panel Patent
[NASA-CASE-XLA-08916] c 15 N71-29018
Sensing probe
[NASA-CASE-LEW-10281-1] c 14 N72-17327
Pressure transducer
[NASA-CASE-NPO-10832] c 14 N72-21405
Pressure operated electrical switch responsive to a pressure decrease after a pressure increase
[NASA-CASE-LAR-10137-1] c 09 N72-22204
Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c 14 N72-22438
Differential pressure control
[NASA-CASE-MFS-14216] c 14 N73-13418
Pressurized panel
[NASA-CASE-XLA-08916-2] c 14 N73-28487
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c 35 N74-13132
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c 35 N74-32878
Circuit for detecting initial systole and dicrotic notch --- for monitoring arterial pressure
[NASA-CASE-LEW-11581-1] c 54 N75-13531
Leak detector
[NASA-CASE-MFS-21761-1] c 35 N75-15931
Measurement of gas production of microorganisms --- using pressure sensors
[NASA-CASE-LAR-11326-1] c 35 N75-33368
Static pressure probe
[NASA-CASE-LAR-11552-1] c 35 N76-14429
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c 33 N76-21390
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c 52 N76-29896
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c 35 N77-14407
Pressure transducer --- using a monomeric charge transfer complex sensor
[NASA-CASE-NPO-11150] c 35 N78-17359
Electronically scanned pressure sensor module with in SITU calibration capability
[NASA-CASE-LAR-12230-1] c 35 N79-14347
System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c 02 N80-28300
Automatic compression adjusting mechanism for internal combustion engines
[NASA-CASE-MSC-18807-1] c 37 N83-36483
Self-correcting electronically scanned pressure sensor
[NASA-CASE-LAR-12686-1] c 35 N84-14491
Electronic scanning pressure measuring system and transducer package
[NASA-CASE-ARC-11361-1] c 35 N84-22934
Heat pipe cooled probe
[NASA-CASE-LAR-12588-1] c 34 N85-21568
Miniature remote dead weight calibrator
[NASA-CASE-LAR-13564-1] c 35 N87-25558
Pressure measuring probe
[NASA-CASE-LAR-13853-1] c 35 N88-23961

PRESSURE SUITS

Pressure suit tie-down mechanism Patent
[NASA-CASE-XMS-00784] c 05 N71-12335
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c 05 N71-12344
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c 05 N71-24623
Foreshortened convolute section for a pressurized suit Patent
[NASA-CASE-XMS-09637-1] c 05 N71-24730
Method of forming a root cord restrained convolute section
[NASA-CASE-MSC-12398] c 05 N72-20098
Restraint torso for a pressurized suit
[NASA-CASE-MSC-12397-1] c 05 N72-25119
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c 54 N74-32546
Walking boot assembly
[NASA-CASE-ARC-11101-1] c 54 N78-17675
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c 54 N82-26987
Method and apparatus for simulating gravitational forces on a living organism
[NASA-CASE-MSC-20202-1] c 54 N84-16803

PRESSURE SWITCHES

Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c 32 N70-41370
Calibrating pressure switch
[NASA-CASE-XMF-04494-1] c 33 N79-33392

PRESSURE VESSELS

Liquid rocket system Patent
[NASA-CASE-XNP-00610] c 28 N70-36910
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c 15 N71-10577
Gas regulator Patent
[NASA-CASE-NPO-10298] c 12 N71-17661
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c 15 N71-18616
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c 35 N74-15093
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c 38 N76-28563
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c 35 N78-10428
Pressure control valve --- inflating flexible bladders
[NASA-CASE-ARC-11251-1] c 37 N81-17433
Space Shuttle with rail system and aft thrust structure securing solid rocket boosters to external tank
[NASA-CASE-MFS-25853-1] c 16 N84-27784
Oxygen recombination in individual pressure vessel nickel-hydrogen batteries
[NASA-CASE-LEW-13822-1] c 44 N86-25874
Cellular thermosetting fluoropolymers and process for making them
[NASA-CASE-GSC-13008-1] c 27 N88-23894

PRESSURE WELDING

Diffusion welding --- heat treatment of nickel alloys following single step vacuum welding process
[NASA-CASE-LEW-11388-2] c 37 N74-21055

PRESSURIZING

Restraining mechanism
[NASA-CASE-MSC-13054] c 54 N78-17677

PRESTRESSING

Prestressed refractory structure Patent
[NASA-CASE-XNP-02888] c 18 N71-21068
Method of manufacture of bonded fiber flywheel --- fiberglass-epoxy
[NASA-CASE-MFS-23674-1] c 24 N81-29163
Apparatus for accurately preloading auger attachment means for frangible protective material
[NASA-CASE-MSC-18791-1] c 37 N83-36482
Preloadable vector sensitive latch
[NASA-CASE-MSC-20910-1] c 37 N87-25582
Preloaded brake disc
[NASA-CASE-MSC-21132-1] c 37 N88-29181

PRETREATMENT

Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c 15 N69-21471
Apparatus for accurately preloading auger attachment means for frangible protective material
[NASA-CASE-MSC-18791-1] c 37 N83-36482

PRINTED CIRCUITS

Electrical feed-through connection for printed circuit boards and printed cable
[NASA-CASE-XMF-01483] c 14 N69-27431
Printed cable connector Patent
[NASA-CASE-XMF-00369] c 09 N70-36494
Printed circuit board with bellows rivet connection Patent
[NASA-CASE-XNP-05082] c 15 N70-41960
Electrical spot terminal assembly Patent
[NASA-CASE-NPO-10034] c 15 N71-17685
Method of coating circuit paths on printed circuit boards with solder Patent
[NASA-CASE-XMF-01599] c 09 N71-20705
Device for handling printed circuit cards Patent
[NASA-CASE-MFS-20453] c 15 N71-29133
Polyimide resin-fiberglass cloth laminates for printed circuit boards
[NASA-CASE-MFS-20408] c 18 N73-12604
Circuit board package with wedge shaped covers
[NASA-CASE-MFS-21919-1] c 10 N73-25243
Device for configuring multiple leads --- method for connecting electric leads to printed circuit board
[NASA-CASE-MFS-22133-1] c 33 N74-26977
Connector --- for connecting circuits on different layers of multilayer printed circuit boards
[NASA-CASE-LAR-11709-1] c 37 N76-27567
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c 37 N77-27400
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c 44 N79-17314

PRINTING

Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c 44 N79-11468
Multicolor printing plate joining
[NASA-CASE-LEW-13598-1] c 35 N84-22930
Screen printed interdigitated back contact solar cell
[NASA-CASE-LEW-13414-1] c 44 N85-20530

PRINTOUTS
Device for handling printed circuit cards Patent
[NASA-CASE-MFS-20453] c 15 N71-29133
PRISMS
Interferometric rotation sensor
[NASA-CASE-ARC-10278-1] c 14 N73-25463
Method and apparatus for splitting a beam of energy --- optical communication
[NASA-CASE-GSC-12083-1] c 73 N78-32848
Multiprism collimator
[NASA-CASE-GSC-12608-1] c 74 N83-10900
Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c 74 N83-13978
Laser Resonator
[NASA-CASE-GSC-12565-1] c 36 N84-14509
PROBABILITY THEORY
System and method for character recognition
[NASA-CASE-NPO-11337-1] c 74 N81-19896
PROBES
Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c 31 N71-16222
Droplet monitoring probe
[NASA-CASE-NPO-10985] c 14 N73-20478
System and method for moving a probe to follow movements of tissue
[NASA-CASE-NPO-15197-1] c 52 N83-25346
Heat pipe cooled probe
[NASA-CASE-LAR-12588-1] c 34 N85-21568
Precision tunable resonant microwave cavity
[NASA-CASE-LEW-13935-1] c 33 N87-21234
PROCESS CONTROL (INDUSTRY)
Photoelectric detection system --- manufacturing automation
[NASA-CASE-MFS-23776-1] c 33 N82-28545
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-3] c 27 N85-21350
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-4] c 27 N85-21351
Procedure to prepare transparent silica gels
[NASA-CASE-LAR-13476-1-CU] c 76 N87-29360
PROCESSING
Low gravity exothermic heating/cooling apparatus
[NASA-CASE-MSC-25707-1] c 35 N85-29214
PRODUCT DEVELOPMENT
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c 15 N72-16329
Tube fabricating process
[NASA-CASE-LAR-10203-1] c 15 N72-16330
Process for making diamonds
[NASA-CASE-MFS-20698-2] c 15 N73-19457
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c 36 N75-27364
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c 44 N80-29835
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c 25 N81-19242
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c 25 N81-19244
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c 37 N82-24491
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c 74 N83-29032
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-1] c 27 N83-31854
PRODUCTION ENGINEERING
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c 15 N70-41808
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c 15 N71-15597
Method of making self lubricating fluoride- metal composite materials Patent
[NASA-CASE-XLE-08511-2] c 18 N71-16105
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c 26 N71-17818
Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c 15 N71-22713
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c 17 N71-23046
Ion engine casing construction and method of making same Patent
[NASA-CASE-XNP-06942] c 28 N71-23293
Flexible conductive disc electrode Patent
[NASA-CASE-FRC-10029] c 09 N71-24618
Star tracking reticles
[NASA-CASE-GSC-11188-1] c 14 N73-32320
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c 37 N75-26371
Solar cell collector and method for producing same
[NASA-CASE-LEW-12552-2] c 44 N79-11472
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c 76 N79-14906
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c 44 N79-17314
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c 44 N80-18550
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c 33 N81-19389
Method and apparatus for producing concentric hollow spheres --- inertial confinement fusion targets
[NASA-CASE-NPO-14596-1] c 31 N81-33319
Apparatus for sequentially transporting containers
[NASA-CASE-MFS-23846-1] c 37 N82-32731
Solar cell having improved back surface reflector
[NASA-CASE-LEW-13620-1] c 44 N83-13579
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-256704-1] c 33 N84-22884
PROJECTILES
Self-obturating, gas operated launcher
[NASA-CASE-NPO-11013] c 11 N72-22247
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c 75 N76-14931
PROJECTION
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c 35 N78-17357
PROJECTIVE GEOMETRY
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c 35 N78-17357
PROJECTORS
Optical projector system Patent
[NASA-CASE-XNP-03853] c 23 N71-21882
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c 74 N79-20856
Large TV display system
[NASA-CASE-NPO-16932-1CU] c 33 N87-15413
PROPAGATION MODES
Dual waveguide mode source having control means for adjusting the relative amplitude of two modes Patent
[NASA-CASE-XNP-03134] c 07 N71-10676
PROPAGATION VELOCITY
Double reference pulsed phase locked loop
[NASA-CASE-LAR-13310-1] c 32 N87-14559
PROPARGYL GROUPS
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-2] c 27 N84-22746
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-1] c 27 N85-20123
PROPELLANT ACTUATED INSTRUMENTS
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c 20 N80-18097
PROPELLANT ADDITIVES
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c 28 N79-14228
PROPELLANT BINDERS
Method of forming difunctional polyisobutylene
[NASA-CASE-NPO-10893] c 27 N73-22710
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c 28 N81-15119
PROPELLANT CASTING
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c 28 N77-10213
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-01349] c 20 N77-17143
PROPELLANT CHEMISTRY
Nitramine propellants --- gun propellant burning rate
[NASA-CASE-NPO-14103-1] c 28 N78-31255
PROPELLANT COMBUSTION
Spherically-shaped rocket motor Patent
[NASA-CASE-XHQ-01897] c 28 N70-35381
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c 33 N71-21507
PROPELLANT DECOMPOSITION
Decomposition unit Patent
[NASA-CASE-XMS-00583] c 28 N70-38504
PROPELLANT GRAINS
Propellant grain for rocket motors Patent
[NASA-CASE-XGS-03556] c 27 N70-35534
PROPELLANT TANKS
Liquid rocket system Patent
[NASA-CASE-XNP-00610] c 28 N70-36910
Slosh suppressing device and method Patent
[NASA-CASE-XMF-00658] c 12 N70-38997
Measuring device Patent
[NASA-CASE-XMS-01546] c 14 N70-40233
Zero gravity starting means for liquid propellant motors Patent
[NASA-CASE-XNP-01390] c 28 N70-41275
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c 31 N70-41948
Method and apparatus for detection and location of microleaks Patent
[NASA-CASE-XMF-02307] c 14 N71-10779
Method of making a filament-wound container Patent
[NASA-CASE-XLE-03803-2] c 15 N71-17651
Slosh alleviator Patent
[NASA-CASE-XLA-05749] c 15 N71-19569
Booster tank system Patent
[NASA-CASE-MSC-12390] c 27 N71-29155
Space vehicle system
[NASA-CASE-MSC-12561-1] c 18 N76-17185
Passive propellant system
[NASA-CASE-MFS-23642-2] c 20 N78-27176
Space Shuttle with rail system and aft thrust structure securing solid rocket boosters to external tank
[NASA-CASE-MFS-25853-1] c 16 N84-27784
Three stage rocket vehicle with parallel staging
[NASA-CASE-MFS-25878-1] c 18 N84-27787
PROPELLANT TRANSFER
Fluid coupling Patent
[NASA-CASE-XLE-00397] c 15 N70-36492
Apparatus for transferring cryogenic liquids Patent
[NASA-CASE-XLE-00345] c 15 N70-38020
Method for continuous variation of propellant flow and thrust in propulsive devices Patent
[NASA-CASE-XLE-00177] c 28 N70-40367
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c 27 N71-15635
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c 28 N71-15661
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c 33 N71-21507
Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c 15 N71-23023
Filler valve Patent
[NASA-CASE-XNP-01747] c 15 N71-23024
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c 28 N71-26781
Spherical shield Patent
[NASA-CASE-XNP-01855] c 15 N71-28937
Passive propellant system
[NASA-CASE-MFS-23642-2] c 20 N78-27176
Three stage rocket vehicle with parallel staging
[NASA-CASE-MFS-25878-1] c 18 N84-27787
PROPELLER BLADES
Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c 02 N70-34856
PROPELLER EFFICIENCY
Over-the-wing propeller
[NASA-CASE-LAR-13134-2] c 07 N87-16828
PROPELLERS
Heads up display
[NASA-CASE-LAR-12630-1] c 06 N84-27733
Wingtip vortex propeller
[NASA-CASE-LAR-13019-1] c 07 N85-35194
High lift, low pitching moment airfoils
[NASA-CASE-LAR-13215-1] c 02 N87-14282
PROPORTIONAL CONTROL
Proportional controller Patent
[NASA-CASE-XAC-03392] c 03 N70-41954
PROPULSION SYSTEM CONFIGURATIONS
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c 28 N70-33356
Propellant grain for rocket motors Patent
[NASA-CASE-XGS-03556] c 27 N70-35534
Composite powerplant and shroud therefor Patent
[NASA-CASE-XLA-01043] c 28 N71-10780
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c 28 N71-25213
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c 27 N71-28929
Apparatus for endoscopic examination --- analysis of the propulsion system configuration and transmitter
[NASA-CASE-NPO-14092-1] c 52 N80-16725
Aerospace vehicle
[NASA-CASE-LAR-13155-1] c 05 N86-19310
Propulsion apparatus and method using boil-off gas from a cryogenic liquid
[NASA-CASE-MFS-25946-1] c 20 N86-26368
Over-the-wing propeller
[NASA-CASE-LAR-13134-2] c 07 N87-16828

PROPULSION SYSTEM PERFORMANCE
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c 07 N78-18067
PROPYLENE
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043
PROSTHETIC DEVICES
Tactile sensing means for prosthetic limbs
[NASA-CASE-MFS-16570-1] c 05 N73-32013
Orthotic arm joint --- for use in mechanical arms
[NASA-CASE-MFS-21611-1] c 54 N75-12616
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c 52 N77-14735
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c 27 N77-30236
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c 54 N77-30749
Mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c 52 N78-10686
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c 27 N78-17215
Compact artificial hand
[NASA-CASE-NPO-13906-1] c 54 N79-24652
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c 52 N79-26772
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c 52 N81-25660
Texturing polymer surfaces by transfer casting --- cardiovascular prosthesis
[NASA-CASE-LEW-13120-1] c 27 N82-28440
Prosthetic occlusive device for an internal passageway
[NASA-CASE-MFS-25740-1] c 52 N84-11744
PROTECTION
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c 14 N71-18465
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c 27 N76-15310
Lightning discharge protection rod
[NASA-CASE-LAR-13470-1] c 03 N88-14083
PROTECTIVE CLOTHING
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c 18 N71-15545
Biological isolation garment Patent
[NASA-CASE-MSC-12206-1] c 05 N71-17599
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c 05 N71-24147
Foreshortened convolute section for a pressurized suit Patent
[NASA-CASE-XMS-09637-1] c 05 N71-24730
Protective suit having an audio transceiver Patent
[NASA-CASE-KSC-10164] c 07 N71-33108
Protective garment ventilation system
[NASA-CASE-XMS-04928] c 54 N78-17679
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments
[NASA-CASE-MSC-16074-1] c 27 N80-26446
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-2] c 54 N84-23113
PROTECTIVE COATINGS
Coating process
[NASA-CASE-XNP-06508] c 18 N69-39895
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c 18 N69-39979
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c 15 N70-33311
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c 15 N70-36409
Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c 33 N70-36617
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c 27 N70-41897
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c 18 N71-14014
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c 18 N71-16046
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c 15 N71-16075
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c 15 N71-16077
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c 31 N71-17679
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c 33 N71-17897
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c 15 N71-20739
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c 18 N71-24183
Process for reducing secondary electron emission Patent
[NASA-CASE-XNP-09469] c 24 N71-25555
Solid state thermal control polymer coating Patent
[NASA-CASE-XLA-01745] c 33 N71-28903
Method of coating through-holes Patent
[NASA-CASE-XMF-05999] c 15 N71-29032
Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c 18 N72-23581
Method of coating solar cell with borosilicate glass and resultant product
[NASA-CASE-GSC-11514-1] c 03 N72-24037
Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c 18 N73-30532
Nonflammable coating compositions --- for use in high oxygen environments
[NASA-CASE-MFS-20486-2] c 27 N74-17283
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c 27 N76-16229
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c 27 N77-13217
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c 24 N77-19170
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c 24 N78-14096
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c 27 N78-32260
Infusible silazane polymer and process for producing same --- protective coatings
[NASA-CASE-XMF-02526-1] c 27 N79-21190
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c 15 N79-26100
Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c 26 N81-16209
Corrosion resistant thermal barrier coating --- protecting gas turbines and other engine parts
[NASA-CASE-LEW-13088-1] c 26 N81-25188
Heat sealable, flame and abrasion resistant coated fabric --- clothing and containers for space exploration
[NASA-CASE-MSC-18382-1] c 27 N82-16238
Method of protecting a surface with a silicon-slurry/aluminide coating --- coatings for gas turbine engine blades and vanes
[NASA-CASE-LEW-13343-1] c 27 N82-28441
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c 34 N83-27144
Silicon-slurry/aluminide coating --- protecting gas turbine engine vanes and blades
[NASA-CASE-LEW-13343] c 26 N83-31795
Covering solid, film cooled surfaces with a duplex thermal barrier coating
[NASA-CASE-LEW-13450-1] c 31 N83-35177
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-2] c 27 N84-14324
Method and apparatus for coating substrates using a laser
[NASA-CASE-LEW-13526-1] c 36 N84-22944
Coating with overlay metallic-cermet alloy systems
[NASA-CASE-LEW-13639-2] c 26 N84-27855
Overlay metallic-cermet alloy coating systems
[NASA-CASE-LEW-13639-1] c 26 N84-33555
Corrosion resistant coating
[NASA-CASE-NPO-15928-1] c 26 N85-29005
Spray applicator for spraying coatings and other fluids in space
[NASA-CASE-MSC-18852-1] c 37 N85-29283
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-1] c 27 N86-19458
Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines
[NASA-CASE-LAR-13353-1] c 27 N86-29039
Apparatus for producing oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-2] c 27 N86-32569
Nickel base coating alloy
[NASA-CASE-LEW-13834-1] c 26 N87-14482
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736
Oxygen diffusion barrier coating
[NASA-CASE-LAR-13474-1-SB] c 26 N87-25455
PROTECTORS
Load cell protection device Patent
[NASA-CASE-XMS-06782] c 32 N71-15974
Omnidirectional multiple impact landing system Patent
[NASA-CASE-XLA-09881] c 31 N71-16085
Protective telescoping shield for solar concentrator
[NASA-CASE-NPO-16236-1] c 44 N86-27706
PROTEINS
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c 06 N73-27086
Hanging drop crystal growth apparatus and method
[NASA-CASE-MFS-28206-1-SB] c 76 N88-25356
Crystal growth apparatus
[NASA-CASE-MFS-28182-1] c 76 N88-25357
PROTOCOL (COMPUTERS)
Multicomputer communication system
[NASA-CASE-NPO-15433-1] c 32 N85-21428
PROTON FLUX DENSITY
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c 19 N74-29410
PROXIMITY
Focal plane array optical proximity sensor
[NASA-CASE-NPO-15155-1] c 74 N85-22139
PSEUDONOISE
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c 10 N71-26577
Pseudonoise sequence generators with three tap linear feedback shift registers
[NASA-CASE-NPO-11406] c 08 N73-12175
Two carrier communication system with single transmitter
[NASA-CASE-NPO-11548] c 07 N73-26118
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c 35 N75-21582
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c 32 N81-15179
PULLEYS
Tension measurement device Patent
[NASA-CASE-XMS-04545] c 15 N71-22878
Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c 15 N71-24834
PULLING
Dual motion valve with single motion input
[NASA-CASE-MFS-28058-1] c 37 N87-21332
PULMONARY CIRCULATION
Resuscitation apparatus Patent
[NASA-CASE-XMS-01115] c 05 N70-39922
PULMONARY FUNCTIONS
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c 05 N70-41329
PULSE AMPLITUDE
System for monitoring signal amplitude ranges
[NASA-CASE-XMS-04061-1] c 09 N69-39885
Analog to digital converter Patent
[NASA-CASE-XLA-00670] c 08 N71-12501
Pulse amplitude and width detector Patent
[NASA-CASE-XMF-06519] c 09 N71-12519
Analog-to-digital converter
[NASA-CASE-XNP-00477] c 08 N73-28045
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c 33 N77-26387
Speech analyzer
[NASA-CASE-GSC-11898-1] c 32 N77-30309
Power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c 33 N81-27395
Video processor for air traffic control beacon system
[NASA-CASE-KSC-11155-1] c 04 N86-19304
PULSE AMPLITUDE MODULATION
Signal ratio system utilizing voltage controlled oscillators Patent
[NASA-CASE-XMF-04367] c 09 N71-23545
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c 33 N82-24418
PULSE CODE MODULATION
Adaptive compression of communication signals Patent
[NASA-CASE-XLA-03076] c 07 N71-11266
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c 07 N71-12392
System for recording and reproducing pulse code modulated data Patent
[NASA-CASE-XGS-01021] c 08 N71-21042
Frequency shift keying apparatus Patent
[NASA-CASE-XGS-01537] c 07 N71-23405
Data compression system
[NASA-CASE-NPO-11243] c 07 N72-20154
Method and apparatus for frequency-division multiplex communications by digital phase shift of carrier
[NASA-CASE-NPO-11338] c 08 N72-25208
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c 07 N73-13149

Method and apparatus for a single channel digital communications system --- synchronization of received PCM signal by digital correlation with reference signal
[NASA-CASE-NPO-11302-2] c 32 N74-10132
Multifunction audio digitizer --- producing direct delta and pulse code modulation
[NASA-CASE-MSC-13855-1] c 35 N74-17885
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c 32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c 32 N74-20810
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c 32 N75-21486
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c 33 N76-14371
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c 32 N76-16249
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c 32 N77-12239
Digital demodulator
[NASA-CASE-LAR-12659-1] c 33 N82-26570
Method and apparatus for operating on companded PCM voice data
[NASA-CASE-KSC-11285-1] c 32 N86-27513

PULSE COMMUNICATION
Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent
[NASA-CASE-XNP-00911] c 08 N70-41961
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c 32 N77-12239
Memory-based frame synchronizer --- for digital communication systems
[NASA-CASE-GSC-12430-1] c 60 N82-16747
Method and apparatus for operating on companded PCM voice data
[NASA-CASE-KSC-11285-1] c 32 N86-27513

PULSE DURATION
Frequency to analog converter Patent
[NASA-CASE-XNP-07040] c 08 N71-12500
Pulse amplitude and width detector Patent
[NASA-CASE-XMF-06519] c 09 N71-12519
Variable pulse width multiplier Patent
[NASA-CASE-XLA-02850] c 09 N71-20447
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c 10 N71-25139
Multivibrator circuit with means to prevent false triggering from supply voltage fluctuations Patent
[NASA-CASE-ARC-10137-1] c 09 N71-28468
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c 33 N74-32711

PULSE DURATION MODULATION
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c 07 N71-12390
Variable duration pulse integrator Patent
[NASA-CASE-XLA-01219] c 10 N71-23084
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c 10 N71-24861
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c 10 N71-26418
Monostable multivibrator with complementary NOR gates Patent
[NASA-CASE-MSC-13492-1] c 10 N71-28860
Load current sensor for a series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c 09 N72-25249
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c 33 N81-19392

PULSE FREQUENCY MODULATION
Apparatus for measuring current flow Patent
[NASA-CASE-XGS-02439] c 14 N71-19431
Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c 09 N71-23525
Noninterruptable digital counting system Patent
[NASA-CASE-XNP-09759] c 08 N71-24891
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c 07 N71-33696
Versatile LDV burst simulator
[NASA-CASE-LAR-11859-1] c 35 N79-14349

PULSE GENERATORS
High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c 09 N71-13518
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c 10 N71-19547
Pulse modulator providing fast rise and fall times Patent
[NASA-CASE-XMS-04919] c 09 N71-23270
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c 09 N71-23311
Resettable monostable pulse generator Patent
[NASA-CASE-GSC-11139] c 09 N71-27016
Pulse generating circuit employing switch means on ends of delay line for alternately charging and discharging same Patent
[NASA-CASE-XNP-00745] c 10 N71-28960
Pulse coupling circuit
[NASA-CASE-LEW-10433-1] c 09 N72-22197
Method and apparatus for nondestructive testing --- using high frequency arc discharges
[NASA-CASE-MFS-21233-1] c 38 N74-15395
Random pulse generator
[NASA-CASE-MSC-14131-1] c 33 N75-19515
Active lamp pulse driver circuit --- optical pumping of laser media
[NASA-CASE-GSC-12566-1] c 33 N83-34189
Synchronization tracking in pulse position modulation receiver
[NASA-CASE-NPO-16256-1] c 32 N87-21207

PULSE HEATING
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NASA-CASE-NPO-15494-1] c 35 N82-25484

PULSE MODULATION
Synchronization tracking in pulse position modulation receiver
[NASA-CASE-NPO-16256-1] c 32 N87-21207

PULSE RATE
Counter Patent
[NASA-CASE-XNP-06234] c 10 N71-27137
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c 33 N75-18479

PULSED LASERS
Repetitively pulsed, wavelength selective laser Patent
[NASA-CASE-ERC-10178] c 16 N71-24832
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c 36 N75-19654
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c 36 N77-26477
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c 74 N81-17887
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c 33 N82-24418
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c 36 N82-29589
Active lamp pulse driver circuit --- optical pumping of laser media
[NASA-CASE-GSC-12566-1] c 33 N83-34189
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629

PULSED RADIATION
Cyclically operable optical shutter
[NASA-CASE-NPO-10758] c 14 N73-14427
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373
Acoustic radiation stress measurement
[NASA-CASE-LAR-13440-1] c 71 N87-21653

PULSES
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c 07 N73-26119

PUMP SEALS
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c 17 N71-28747
Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c 37 N74-10474

PUMPS
Piezoelectric pump Patent
[NASA-CASE-XNP-05429] c 26 N71-21824
Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c 15 N71-23023
Automatic pump Patent
[NASA-CASE-XNP-04731] c 15 N71-24042
Hydraulic transformer Patent
[NASA-CASE-MFS-20830] c 15 N71-30028
Firefly pump-metering system
[NASA-CASE-GSC-10218-1] c 15 N72-21465
Magnetocaloric pump --- for cryogenic fluids
[NASA-CASE-LEW-11672-1] c 37 N74-27904
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c 31 N81-15154
Gas-to-hydraulic power converter
[NASA-CASE-MSC-18794-1] c 44 N83-14693
Variable speed drive
[NASA-CASE-GSC-12643-1] c 37 N83-26078
Reciprocating magnetic refrigerator employing tandem porous matrices within a reciprocating displacer
[NASA-CASE-NPO-16257-1] c 31 N85-29082
Remotely operable peristaltic pump
[NASA-CASE-MFS-28059-1] c 37 N86-32738
Multi-path peristaltic pump
[NASA-CASE-MSC-20907-1] c 37 N87-18818
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-1] c 34 N87-22950
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-2] c 34 N88-23958
Polymeric heat pipe wick
[NASA-CASE-GSC-13019-1] c 34 N88-29133

PUNCHED CARDS
File card marker Patent
[NASA-CASE-XLA-02705] c 08 N71-15908
Device for handling printed circuit cards Patent
[NASA-CASE-MFS-20453] c 15 N71-29133

PUNCHES
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c 15 N71-23811

PURGING
Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c 31 N70-42015
High pressure gas filter system Patent
[NASA-CASE-MFS-12806] c 14 N71-17588
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c 12 N71-21089
Purge device for thrust engines Patent
[NASA-CASE-XMS-04826] c 28 N71-28849
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c 31 N78-17238

PURIFICATION
High pressure helium purifier Patent
[NASA-CASE-XMF-06888] c 15 N71-24044
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c 15 N71-27184
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c 25 N78-27226
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c 85 N79-17747
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c 26 N80-14229
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c 27 N81-14076
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c 76 N82-30105
Nebulization reflux concentrator
[NASA-CASE-LAR-13254-1CU] c 35 N86-29174

PURITY
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XMF-06409] c 06 N71-23230
Low defect, high purity crystalline layers grown by selective deposition
[NASA-CASE-NPO-15813-1] c 76 N85-30922
Quasi-containerless glass formation method and apparatus
[NASA-CASE-MFS-28090-1] c 27 N87-21111

PUSH-PULL AMPLIFIERS
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c 33 N77-17351
Low current linearization of magnetic amplifier for dc transducer
[NASA-CASE-NPO-14617-1] c 33 N81-24338
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c 33 N81-33404

PUSHING
Dual motion valve with single motion input
[NASA-CASE-MFS-28058-1] c 37 N87-21332

PYLONS
Decoupler pylon: wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c 08 N82-32373
Compression pylon
[NASA-CASE-LAR-13777-1] c 05 N88-29789

PYRIDINES
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c 27 N78-17214
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560
Vinyl stilbazoles
[NASA-CASE-ARC-11429-3CU] c 27 N87-16908
Structural panels
[NASA-CASE-ARC-11429-2-CU] c 27 N87-22845

PYROELECTRICITY
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c 35 N82-31659
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-2] c 33 N83-24763

PYROGEN
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c 20 N78-24275
PYROLYSIS
Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c 27 N81-17261
Thermal reactor --- liquid silicon production from silane gas
[NASA-CASE-NPO-14369-1] c 44 N83-10501
Solar heated oil shale pyrolysis process
[NASA-CASE-NPO-16392-1] c 25 N86-25428
Ceramic honeycomb structures and the method thereof
[NASA-CASE-ARC-11652-1] c 27 N87-23737
PYROLYTIC GRAPHITE
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c 28 N71-20942
Ion sputter textured graphite --- anode collector plates in electron tube devices
[NASA-CASE-LEW-12919-1] c 24 N83-10117
ion sputter textured graphite electrode plates
[NASA-CASE-LEW-12919-2] c 70 N84-28565
PYROLYTIC MATERIALS
Ablation structures Patent
[NASA-CASE-XMS-01816] c 33 N71-15623
PYROMETERS
Ablation sensor
[NASA-CASE-XLA-01781] c 14 N69-39975
Noncontact temperature pattern measuring device
[NASA-CASE-NPO-17024-1-CU] c 35 N88-24943
PYROTECHNICS
Disconnect unit
[NASA-CASE-NPO-11330] c 33 N73-26958
Fully redundant mechanical release actuator
[NASA-CASE-LAR-13198-1] c 37 N87-23983
PYRRONES (TRADEMARK)
Method for forming pyrrone molding powders and products of said method
[NASA-CASE-LAR-10423-1] c 23 N82-29358

Q

Q SWITCHED LASERS
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c 28 N74-27425
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c 36 N77-32478
Laser Resonator
[NASA-CASE-GSC-12565-1] c 36 N84-14509
Q VALUES
Active RC networks
[NASA-CASE-ARC-10042-2] c 10 N72-11256
QUADRATIC PROGRAMMING
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c 33 N78-32338
QUADRATURES
Automatic quadrature control and measuring system --- using optical coupling circuitry
[NASA-CASE-MFS-21660-1] c 35 N74-21017
QUALITATIVE ANALYSIS
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c 14 N72-25428
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c 23 N77-17161
Fluid sample collection and distribution system --- qualitative analysis of aqueous samples from several points
[NASA-CASE-MSC-16841-1] c 34 N79-24285
QUANTITATIVE ANALYSIS
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c 14 N71-26199
Apparatus for detecting the amount of material in a resonant cavity container Patent
[NASA-CASE-XNP-02500] c 18 N71-27397
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c 14 N72-25428
Nondispersive gas analyzing method and apparatus wherein radiation is serially passed through a reference and unknown gas
[NASA-CASE-ARC-10308-1] c 06 N72-31141
Analysis of volatile organic compounds --- trace amounts of organic volatiles in gas samples
[NASA-CASE-MSC-14428-1] c 23 N77-17161
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c 25 N82-12166
Method for detecting coliform organisms
[NASA-CASE-ARC-11322-1] c 51 N83-28849
QUANTUM THEORY
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c 33 N76-31409
QUARTZ
Ultraviolet filter
[NASA-CASE-XNP-02340] c 23 N69-24332
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c 26 N77-29260
Quartz ball value
[NASA-CASE-NPO-14473-1] c 37 N80-23654
Ampoule sealing apparatus and process --- for housing a semiconductor growth charge under vacuum
[NASA-CASE-LAR-12847-1] c 33 N83-16633
QUARTZ LAMPS
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c 09 N70-33312
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c 34 N74-23066
QUINOXALINES
Polyphenylquinoxalines containing pendant phenylethynyl and ethynyl groups --- for thermoplastic resins
[NASA-CASE-LAR-12838-1] c 27 N83-34040

R

RACKS (FRAMES)
Test stand system for vacuum chambers
[NASA-CASE-MFS-21362] c 11 N73-20267
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c 18 N74-27397
Automated syringe sampler --- remote sampling of air and water
[NASA-CASE-LAR-12308-1] c 35 N81-29407
Laboratory glassware rack for seismic safety
[NASA-CASE-ARC-11422-1] c 35 N86-20751
RADAR ANTENNAS
Radar antenna system for acquisition and tracking Patent
[NASA-CASE-XMS-09610] c 07 N71-24625
Variable beamwidth antenna --- with multiple beam, variable feed system
[NASA-CASE-GSC-11862-1] c 32 N76-18295
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c 32 N76-21365
Baseband signal combiner for large aperture antenna array
[NASA-CASE-NPO-14641-1] c 32 N81-29308
RADAR ATTENUATION
FM/CW radar system
[NASA-CASE-MFS-22234-1] c 32 N79-10264
RADAR BEACONS
Video processor for air traffic control beacon system
[NASA-CASE-KSC-11155-1] c 04 N86-19304
RADAR BEAMS
Method and apparatus for measuring frequency and phase difference
[NASA-CASE-MSC-20865-1] c 32 N87-18692
RADAR CROSS SECTIONS
Almond test body --- for microwave anechoic chambers
[NASA-CASE-LAR-13747-1] c 32 N88-24845
RADAR DATA
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c 32 N77-32342
RADAR DETECTION
Method and apparatus for measuring frequency and phase difference
[NASA-CASE-MSC-20865-1] c 32 N87-18692
RADAR ECHOES
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c 32 N77-32342
RADAR EQUIPMENT
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c 07 N72-21118
FM/CW radar system
[NASA-CASE-MFS-22234-1] c 32 N79-10264
RADAR IMAGERY
Method of locating persons in distress --- by using radar imagery from radar reflectors
[NASA-CASE-LAR-11390-1] c 32 N77-21267
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c 32 N79-19195
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c 43 N80-18498
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c 32 N82-12297
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c 32 N83-19968
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c 32 N83-31918
Method and apparatus for contour mapping using synthetic aperture radar
[NASA-CASE-NPO-15939-1] c 43 N86-19711
RADAR MEASUREMENT
Thickness measurement system
[NASA-CASE-MFS-23721-1] c 31 N79-28370
RADAR RANGE
Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c 07 N70-36911
RADAR RECEIVERS
Polarization diversity monopulse tracking receiver Patent
[NASA-CASE-XGS-03501] c 09 N71-20864
RADAR RECEPTION
Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c 07 N70-36911
RADAR REFLECTORS
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c 07 N70-40063
Method of locating persons in distress --- by using radar imagery from radar reflectors
[NASA-CASE-LAR-11390-1] c 32 N77-21267
RADAR TARGETS
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c 43 N80-18498
Synthetic aperture radar target simulator
[NASA-CASE-NPO-15024-1] c 32 N84-27951
RADAR TRACKING
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c 07 N71-19854
Polarization diversity monopulse tracking receiver Patent
[NASA-CASE-XGS-03501] c 09 N71-20864
Monopulse tracking system Patent
[NASA-CASE-XGS-01155] c 10 N71-21483
Radar calibration sphere
[NASA-CASE-XLA-11154] c 07 N72-21117
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c 32 N82-23376
RADAR TRANSMITTERS
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c 07 N73-26119
RADIAL DISTRIBUTION
Ultrasonic transducer with Gaussian radial pressure distribution
[NASA-CASE-LAR-12967-1] c 35 N84-22932
RADIAL FLOW
Radial heat flux transformer
[NASA-CASE-NPO-10828] c 33 N72-17948
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c 37 N76-18459
RADIANCE
Shock-layer radiation measurement
[NASA-CASE-XAC-02970] c 14 N69-39896
RADIANT COOLING
Direct radiation cooling of the collector of linear beam tubes
[NASA-CASE-XNP-09227] c 15 N69-24319
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c 15 N71-24875
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c 26 N77-29260
Radiative cooler --- spacecraft radiators
[NASA-CASE-NPO-15465-1] c 34 N84-22903
RADIANT FLUX DENSITY
High intensity radiant energy pulse source having means for opening shutter when light flux has reached a desired level
[NASA-CASE-ARC-10178-1] c 09 N72-17152
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c 33 N80-18287
RADIANT HEATING
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c 09 N70-33312
High temperature heat source Patent
[NASA-CASE-XLE-00490] c 33 N70-34545
Radiant heater having formed filaments Patent
[NASA-CASE-XLE-00387] c 33 N70-34812
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c 33 N71-24858
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c 44 N78-10554

High thermal power density heat transfer --- thermionic converters
[NASA-CASE-LEW-12950-1] c 34 N82-11399

RADIATION

Two color horizon sensor
[NASA-CASE-ERC-10174] c 14 N72-25409
Irradiance measuring device
[NASA-CASE-NPO-11493] c 14 N73-12447
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c 60 N77-32731
Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c 60 N78-10709

RADIATION ABSORPTION

NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c 35 N75-30502
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c 44 N79-11469
Broadband optical radiation detector
[US-PATENT-4,262,198] c 74 N83-19597

RADIATION COUNTERS

Particle detection apparatus Patent
[NASA-CASE-XLA-00135] c 14 N70-33322
Method and apparatus for determining satellite orientation utilizing spatial energy sources Patent
[NASA-CASE-XGS-00466] c 21 N70-34297
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c 14 N70-38602
Baseline stabilization system for ionization detector Patent
[NASA-CASE-XNP-03128] c 10 N70-41991
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c 24 N71-10560
Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c 14 N71-20430
Coincidence apparatus for detecting particles
[NASA-CASE-XLA-07813] c 14 N72-17328
Radiation and particle detector and amplifier
[NASA-CASE-NPO-12128-1] c 14 N73-32317
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c 35 N74-26949
Particle parameter analyzing system --- x-y plotter circuits and display
[NASA-CASE-XLE-06094] c 33 N78-17293
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c 25 N80-20334
Ion mass spectrometer
[NASA-CASE-NPO-15423-1] c 35 N84-28016
Radionuclide counting technique for measuring wind velocity and direction
[NASA-CASE-LAR-12971-1] c 47 N84-28292

RADIATION DAMAGE

Semiconductor material and method of making same Patent
[NASA-CASE-XLE-02798] c 26 N71-23654
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c 03 N72-11062
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof --- and protection from radiation damage
[NASA-CASE-ARC-10593-1] c 33 N74-27682
Lithium counterdoped silicon solar cell
[NASA-CASE-LEW-14177-1] c 44 N86-32875

RADIATION DETECTORS

Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c 27 N71-16348
Light detection instrument Patent
[NASA-CASE-XGS-05534] c 23 N71-16355
Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c 21 N71-22880
Extended area semiconductor radiation detectors and a novel readout arrangement Patent
[NASA-CASE-XGS-03230] c 14 N71-23401
Nondispersive gas analyzing method and apparatus wherein radiation is serially passed through a reference and unknown gas
[NASA-CASE-ARC-10308-1] c 06 N72-31141
Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c 14 N73-25462
Radiation and particle detector and amplifier
[NASA-CASE-NPO-12128-1] c 14 N73-32317
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c 35 N74-15091
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c 35 N74-18088
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c 19 N74-29410
Wide angle sun sensor --- consisting of cylinder, insulation and pair of detectors
[NASA-CASE-NPO-13327-1] c 35 N75-23910
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c 35 N76-29551
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c 35 N79-33449
X-ray position detector
[NASA-CASE-NPO-12087-1] c 74 N81-19898
Broadband optical radiation detector
[US-PATENT-4,262,198] c 74 N83-19597
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c 35 N83-21311
Method and apparatus for precision control of radiometer
[NASA-CASE-NPO-15398-1] c 35 N84-22931
Double photon excitation of high-Rydberg atoms as a long-lived submillimeter detector
[NASA-CASE-NPO-16372-1] c 72 N86-33127
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713

RADIATION DISTRIBUTION

Space simulator Patent
[NASA-CASE-XNP-00459] c 11 N70-38675

RADIATION DOSAGE

Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c 14 N71-20430
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c 33 N80-14332
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c 35 N83-21311

RADIATION EFFECTS

Method of temperature compensating semiconductor strain gages Patent
[NASA-CASE-XLA-04555-1] c 14 N71-25892

RADIATION HARDENING

Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential of field effect device
[NASA-CASE-GSC-11425-1] c 76 N74-20329

RADIATION HAZARDS

Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c 35 N83-21311

RADIATION MEASUREMENT

Irradiance measuring device
[NASA-CASE-NPO-11493] c 14 N73-12447

RADIATION MEASURING INSTRUMENTS

Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c 14 N69-27432
Infrared scanner Patent
[NASA-CASE-XLA-00120] c 21 N70-33181
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c 14 N70-41946
Method for improving the signal-to-noise ratio of the Wheatstone bridge type bolometer Patent
[NASA-CASE-XLA-02810] c 14 N71-25901
Irradiance measuring device
[NASA-CASE-NPO-11493] c 14 N73-12447
Phototransistor
[NASA-CASE-MFS-20407] c 09 N73-19235
Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c 14 N73-28488
Compton scatter attenuation gamma ray spectrometer
[NASA-CASE-MFS-21441-1] c 14 N73-30392
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c 35 N74-26949
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c 47 N83-32232

RADIATION MEDICINE

Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c 25 N76-27383

RADIATION PROTECTION

Method and construction for protecting heat sensitive bodies from thermal radiation and convective heat Patent
[NASA-CASE-XNP-01310] c 33 N71-28852
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c 16 N72-12440
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof --- and protection from radiation damage
[NASA-CASE-ARC-10593-1] c 33 N74-27682
Sun shield
[NASA-CASE-MSC-20162-1] c 37 N87-17036

RADIATION SHIELDING

Ion thruster cathode Patent Application
[NASA-CASE-LEW-10814-1] c 28 N70-35422
Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c 14 N71-18482
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c 09 N71-18600
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c 28 N71-26781
Zero gravity shadow shield aligner
[NASA-CASE-KSC-10622-1] c 31 N72-21893
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c 34 N74-23066

RADIATION SOURCES

Sight switch using an infrared source and sensor Patent
[NASA-CASE-XMF-03934] c 09 N71-22985
Apparatus for obtaining isotropic irradiation of a specimen
[NASA-CASE-MFS-20095] c 24 N72-11595
Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c 14 N73-25462
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c 33 N74-12913
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c 33 N75-29318

RADIATION SPECTRA

Maksutov spectrograph Patent
[NASA-CASE-XLA-10402] c 14 N71-29041

RADIATION THERAPY

Cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c 52 N82-22875

RADIATION TOLERANCE

Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c 18 N69-39979
Method of making a silicon semiconductor device Patent
[NASA-CASE-XLE-02792] c 26 N71-10607
Radiation resistant silicon semiconductor devices Patent
[NASA-CASE-XGS-07801] c 09 N71-12513
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c 76 N75-25730
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c 33 N80-14332
Lithium counterdoped silicon solar cell
[NASA-CASE-LEW-14177-1] c 44 N86-32875

RADIATIVE HEAT TRANSFER

Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c 14 N69-27459
Capillary radiator Patent
[NASA-CASE-XLE-03307] c 33 N71-14035
Transient heat transfer gauge Patent
[NASA-CASE-XNP-09802] c 33 N71-15641
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c 28 N71-23081
Apparatus and method for heating a material in a transparent ampoule --- crystal growth
[NASA-CASE-MFS-25436-1] c 27 N83-36220

RADIATORS

Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c 33 N71-29046

RADIO ANTENNAS

Parasitic probe antenna Patent
[NASA-CASE-XKS-09348] c 09 N71-13521
VHF/UHF parasitic probe antenna Patent
[NASA-CASE-XKS-09340] c 07 N71-24614
Unfurlable structure including coiled strips thrust launched upon tension release Patent
[NASA-CASE-HQN-00937] c 07 N71-28979
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c 32 N76-21365

RADIO ASTRONOMY

Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c 30 N71-23723

RADIO BEACONS

RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c 44 N78-28594
Improved legislated emergency locating transmitters and emergency position indicating radio beacons
[NASA-CASE-GSC-12892-1] c 32 N85-20226

RADIO COMMUNICATION
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c 32 N79-20296
Antimultipath communication by injecting tone into null in signal spectrum
[NASA-CASE-NPO-16414-1-CU] c 32 N87-25511
RADIO CONTROL
RF controlled solid state switch
[NASA-CASE-ARC-10136-1] c 09 N72-22202
Timing control system
[NASA-CASE-NPO-16882-1-CU] c 33 N88-24863
RADIO EQUIPMENT
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c 32 N79-20296
RADIO FREQUENCIES
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c 07 N69-24323
Automatic gain control system
[NASA-CASE-XMS-05307] c 09 N69-24330
Radio frequency shielded enclosure Patent
[NASA-CASE-XMF-09422] c 07 N71-19436
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XMF-08665] c 10 N71-19467
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c 14 N71-23174
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c 09 N71-23573
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c 14 N71-26266
Signal path series step biased multidevice high efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c 07 N71-28430
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c 17 N73-24569
RF-source resistance meters
[NASA-CASE-NPO-11291-1] c 14 N73-30388
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c 32 N76-14321
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c 35 N77-10492
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c 32 N80-18253
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c 32 N81-14186
Hyperthermia heating apparatus --- cancer therapy
[NASA-CASE-NPO-14549-2] c 52 N82-33996
High stability buffered phase comparator
[NASA-CASE-GSC-12645-1] c 33 N84-16454
Linearized traveling wave amplifier with hard limiter characteristics
[NASA-CASE-LEW-13981-2] c 33 N86-21742
Precision tunable resonant microwave cavity
[NASA-CASE-LEW-13935-1] c 33 N87-21234
Antimultipath communication by injecting tone into null in signal spectrum
[NASA-CASE-NPO-16414-1-CU] c 32 N87-25511
Radio Frequency (RF) strain monitor
[NASA-CASE-LAR-13705-1] c 39 N88-25011
RADIO FREQUENCY DISCHARGE
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c 33 N79-15245
RADIO FREQUENCY HEATING
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c 33 N83-31952
RADIO FREQUENCY INTERFERENCE
Parametric microwave noise generator Patent
[NASA-CASE-XER-11019] c 09 N71-23598
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c 32 N75-24982
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c 32 N79-11265
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c 32 N81-27341
Method and apparatus for measuring distance
[NASA-CASE-MSC-20912-1] c 32 N88-26568
RADIO FREQUENCY SHIELDING
Shielded cathode mode bulk effect devices
[NASA-CASE-ERC-10119] c 26 N72-21701
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c 09 N73-28083
RADIO INTERFEROMETERS
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c 46 N80-14603
RADIO PROBING
Method and apparatus for calibrating the ionosphere and application to surveillance of geophysical events
[NASA-CASE-NPO-15430-1] c 46 N85-21846
RADIO RECEIVERS
Multiple input radio receiver Patent
[NASA-CASE-XLA-00901] c 07 N71-10775
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c 07 N71-23098
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c 32 N80-18253
Interferometric locating system
[NASA-CASE-NPO-14173-1] c 04 N80-32359
RADIO RELAY SYSTEMS
Satellite communication system Patent
[NASA-CASE-XNP-02389] c 07 N71-28900
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c 32 N79-11265
RADIO SIGNALS
Passive communication satellite Patent
[NASA-CASE-XLA-00210] c 30 N70-40309
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c 30 N71-23723
RADIO SOURCES (ASTRONOMY)
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c 32 N79-13214
RADIO STARS
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c 14 N71-23174
RADIO TELEMETRY
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c 07 N71-23001
RADIO TELESCOPES
Antenna grout replacement system
[NASA-CASE-NPO-15202-1] c 27 N83-34043
RADIO TRANSMITTERS
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c 32 N75-26194
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c 03 N76-32140
Low-frequency radio navigation system
[NASA-CASE-NPO-15264-1] c 04 N84-27713
Antimultipath communication by injecting tone into null in signal spectrum
[NASA-CASE-NPO-16414-1-CU] c 32 N87-25511
RADIO WAVES
Shielded cathode mode bulk effect devices
[NASA-CASE-ERC-10119] c 26 N72-21701
RADIOACTIVE ISOTOPES
Thermally cascaded thermoelectric generator
[NASA-CASE-NPO-10753] c 03 N72-26031
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c 73 N75-30876
Radionuclide counting technique for measuring wind velocity and direction
[NASA-CASE-LAR-12971-1] c 47 N84-28292
RADIOBIOLOGY
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c 24 N72-33681
RADIOGRAPHY
Determination of spot weld quality Patent
[NASA-CASE-XNP-02588] c 15 N71-18613
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c 52 N77-14737
Medical clip
[NASA-CASE-LAR-12650-1] c 52 N84-28388
Process of making medical clip
[NASA-CASE-LAR-12650-2] c 52 N84-28389
X-ray determination of parts alignment
[NASA-CASE-MSC-20418-1] c 74 N86-20126
Method of radiographic inspection of wooden members
[NASA-CASE-LAR-13724-1] c 38 N88-23983
RADIOLOGY
Hyperthermia heating apparatus --- cancer therapy
[NASA-CASE-NPO-14549-2] c 52 N82-33996
RADIOLYSIS
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c 37 N76-18458
RADIOMETERS
Compensating radiometer
[NASA-CASE-XLA-04556] c 14 N69-27484
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c 14 N71-26475
Black body cavity radiometer Patent
[NASA-CASE-NPO-10810] c 14 N71-27323
Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c 14 N72-24477
Two color horizon sensor
[NASA-CASE-ERC-10174] c 14 N72-25409
Clear air turbulence detector
[NASA-CASE-ERC-10081] c 14 N72-28437
Method and apparatus for measuring solar activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c 14 N73-26432
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c 34 N74-27861
Method and apparatus for precision control of radiometer
[NASA-CASE-NPO-15398-1] c 35 N84-22931
RADIOSONDES
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c 52 N80-18691
RAIN
Precipitation detector Patent
[NASA-CASE-XLA-02619] c 10 N71-26334
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c 09 N82-24212
RAMJET ENGINES
Telescoping-spike supersonic inlet for aircraft engines Patent
[NASA-CASE-XLE-00005] c 28 N70-39899
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c 15 N78-32168
RAMPS (STRUCTURES)
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c 37 N77-22480
RANDOM ACCESS MEMORY
Memory-based frame synchronizer --- for digital communication systems
[NASA-CASE-GSC-12430-1] c 60 N82-16747
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-2] c 60 N84-28491
Hybrid analog-digital associative neural network
[NASA-CASE-NPO-17058-1-CU] c 62 N87-25803
RANDOM LOADS
Fatigue testing device Patent
[NASA-CASE-XLA-02131] c 32 N70-42003
RANDOM NOISE
Noise limiter Patent
[NASA-CASE-NPO-10169] c 10 N71-24844
Digital servo control of random sound test excitation --- in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c 71 N74-31148
Random pulse generator
[NASA-CASE-MSC-14131-1] c 33 N75-19515
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c 32 N77-30308
Low phase noise oscillator using two parallel connected amplifiers
[NASA-CASE-GSC-13018-1] c 33 N87-21232
RANGE (EXTREMES)
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c 33 N78-32339
RANGE AND RANGE RATE TRACKING
Range and range rate system
[NASA-CASE-MSC-20867-1] c 36 N88-24958
RANGE FINDERS
Closed loop ranging system Patent
[NASA-CASE-XNP-01501] c 21 N70-41930
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c 32 N79-14267
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c 32 N82-23376
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629
Optical distance measuring instrument
[NASA-CASE-GSC-12761-1] c 74 N86-32266
RANGEFINDING
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c 07 N71-12391
Ranging system Patent
[NASA-CASE-NPO-10066] c 09 N71-18598
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c 08 N72-25209
Code regenerative clean-up loop transponder for a mu-type ranging system
[NASA-CASE-NPO-11707] c 07 N73-25161
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c 19 N74-21015
RARE EARTH COMPOUNDS
Didymium hydrate additive to nickel hydroxide electrodes Patent
[NASA-CASE-XGS-03505] c 03 N71-10608
High modulus rare earth and beryllium containing silicate glass compositions --- for glass reinforcing fibers
[NASA-CASE-HQN-10595-1] c 27 N82-29455

RARE GASES
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c 36 N75-32441
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253
Low noise lead screw positioner
[NASA-CASE-NPO-15617-1] c 35 N87-21304
RAREFIED GASES
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c 25 N71-29184
RATES (PER TIME)
Rate data encoder
[NASA-CASE-LAR-10128-1] c 08 N73-20217
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629
RC CIRCUITS
Pulse counting circuit which simultaneously indicates the occurrence of the nth pulse Patent
[NASA-CASE-XMF-00906] c 09 N70-41655
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c 10 N71-24863
Transient augmentation circuit for pulse amplifiers Patent
[NASA-CASE-XNP-01068] c 10 N71-28739
Active RC networks
[NASA-CASE-ARC-10042-2] c 10 N72-11256
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c 10 N72-17171
Active RC networks
[NASA-CASE-ARC-10020] c 10 N72-17172
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c 09 N72-21245
Temperature control system with a pulse width modulated bridge
[NASA-CASE-NPO-11304] c 14 N73-26430
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c 33 N75-19520
REACTION BONDING
Fiber reinforced ceramic material
[NASA-CASE-LEW-14392-2] c 27 N87-27810
REACTION CONTROL
Voice operated controller Patent
[NASA-CASE-XLA-04063] c 31 N71-33160
REACTION KINETICS
Synthesis of polyformals
[NASA-CASE-ARC-11244-1] c 23 N82-16174
REACTION PRODUCTS
Process for crosslinking and extending conjugated diene-containing polymers
[NASA-CASE-LAR-13452-1] c 27 N87-22848
REACTION TIME
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c 32 N81-15179
REACTION WHEELS
Reaction wheel scanner Patent
[NASA-CASE-XGS-02629] c 14 N71-21082
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c 21 N71-27324
Emitted vibration measurement device and method
[NASA-CASE-MFS-25981-1] c 35 N87-14670
REACTIVITY
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c 22 N72-20597
REACTOR CORES
Uninsulated in-core thermionic diode
[NASA-CASE-NPO-10542] c 09 N72-27228
REACTOR DESIGN
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c 73 N78-19920
Thermal reactor --- liquid silicon production from silane gas
[NASA-CASE-NPO-14369-1] c 44 N83-10501
REACTOR MATERIALS
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c 26 N77-20201
REACTOR PHYSICS
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c 73 N78-19920
READ-ONLY MEMORY DEVICES
Method and apparatus for operating on companded PCM voice data
[NASA-CASE-KSC-11285-1] c 32 N86-27513
READERS
Braille reading system
[NASA-CASE-LAR-13306-1] c 82 N87-29372
READOUT
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c 14 N71-24864
Plural position switch status and operativeness checker Patent
[NASA-CASE-XLA-08799] c 10 N71-27272
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c 35 N78-29421
REAGENTS
Method of dispensing reagent chemicals in space
[NASA-CASE-LAR-13607-1-CU] c 29 N88-29048
REAL TIME OPERATION
Respiratory analysis system and method
[NASA-CASE-MSC-13436-1] c 05 N73-32015
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c 35 N74-17153
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c 35 N75-27328
Carbon monoxide monitor --- using real time operation
[NASA-CASE-MFS-22060-1] c 35 N75-29380
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c 32 N76-31372
Real time reflectometer --- measurement of specular reflectance
[NASA-CASE-MFS-23118-1] c 35 N77-31465
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c 52 N79-10724
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c 32 N79-14268
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c 46 N80-14603
X-ray position detector
[NASA-CASE-NPO-12087-1] c 74 N81-19898
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c 32 N82-12297
Pipelined digital SAR azimuth correlator using hybrid FFT-transversal filter
[NASA-CASE-NPO-15519-1] c 32 N84-34651
Optical stereo video signal processor
[NASA-CASE-MFS-25752-1] c 74 N86-21348
Real-time garbage collection for list processing
[NASA-CASE-MSC-20964-1] c 60 N87-14863
Real-time optical multiple object recognition and tracking system and method
[NASA-CASE-NPO-17139-1-CU] c 74 N88-25301
Real-time image difference detection using a polarization rotation spacial light modulator
[NASA-CASE-NPO-17144-1-CU] c 74 N88-25305
REATTACHED FLOW
Method and apparatus for detecting laminar flow separation and reattachment
[NASA-CASE-LAR-13952-1-SB] c 34 N88-24910
REBREATHING
Portable breathing system --- a breathing apparatus using a rebreathing system of heat exchangers for carbon dioxide removal
[NASA-CASE-MSC-16182-1] c 54 N80-10799
RECEIVERS
System for improving signal-to-noise ratio of a communication signal Patent Application
[NASA-CASE-MSC-12259-1] c 07 N70-12616
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c 07 N73-28012
Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c 07 N73-30113
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c 32 N74-30523
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c 32 N76-16249
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c 35 N81-19427
Method and apparatus for receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c 32 N84-27952
Method of measuring sea surface water temperature with a satellite including wideband passive synthetic-aperture multichannel receiver
[NASA-CASE-NPO-15651-1] c 43 N85-21723
High dynamic global positioning system receiver
[NASA-CASE-NPO-16171-1CU] c 04 N86-27270
RECIPROCATION
Reciprocating magnetic refrigerator employing tandem porous matrices within a reciprocating displacer
[NASA-CASE-NPO-16257-1] c 31 N85-29082
Reciprocating linear motor
[NASA-CASE-GSC-12773-2] c 33 N87-23904
RECOMBINATION REACTIONS
Oxygen recombination in individual pressure vessel nickel-hydrogen batteries
[NASA-CASE-LEW-13822-1] c 44 N86-25874
RECONSTRUCTION
Method and means for recording and reconstructing holograms without use of a reference beam Patent
[NASA-CASE-ERC-10020] c 16 N71-26154
RECORDING HEADS
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c 35 N77-21392
RECORDING INSTRUMENTS
Automatic force measuring system Patent
[NASA-CASE-XLA-02605] c 14 N71-10773
Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent
[NASA-CASE-XMS-06061] c 05 N71-23317
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c 09 N72-11224
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c 36 N74-13205
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c 35 N74-26946
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c 35 N74-32877
RECOVERABILITY
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c 35 N74-16135
RECOVERABLE LAUNCH VEHICLES
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c 31 N70-34176
Oribter/launch system
[NASA-CASE-LAR-12250-1] c 14 N81-26161
RECOVERABLE SPACECRAFT
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c 31 N71-15675
RECOVERY PARACHUTES
Vehicle parachute and equipment jettison system Patent
[NASA-CASE-XLA-00195] c 02 N70-38009
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c 31 N73-13898
RECTANGULAR PANELS
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c 03 N73-20040
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c 24 N78-10214
RECTIFIERS
Thin window, drifted silicon, charged particle detector
[NASA-CASE-XLE-10529] c 14 N69-23191
Power control circuit
[NASA-CASE-XNP-02713] c 10 N69-39888
Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c 09 N71-33109
SCR lamp driver
[NASA-CASE-GSC-10221-1] c 09 N72-23171
A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c 09 N72-25253
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c 33 N81-19393
RECTUM
Cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c 52 N82-22875
REDOX CELLS
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c 44 N81-29524
Zirconium carbide as an electrocatalyst for the chromous-chromic redox couple
[NASA-CASE-LEW-13246-1] c 44 N83-27344
Chromium electrodes for REDOX cells
[NASA-CASE-LEW-13653-1] c 44 N84-28205
Negative electrode catalyst for the iron chromium redox energy storage system
[NASA-CASE-LEW-14028-1] c 44 N86-19721
Method and apparatus for rebalancing a REDOX flow cell system
[NASA-CASE-LEW-14127-1] c 33 N86-20680
REDUCED GRAVITY
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c 12 N69-39988
Mass measuring system Patent
[NASA-CASE-XMS-03371] c 05 N70-42000
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c 11 N71-16028
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c 14 N73-27377
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c 27 N82-28442
Spray applicator for spraying coatings and other fluids in space
[NASA-CASE-MSC-18852-1] c 37 N85-29283

Improved method and apparatus for waste collection and storage
[NASA-CASE-MSC-21025-1] c 31 N87-25495
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818

REDUCTION (CHEMISTRY)
Production of metal powders
[NASA-CASE-XLE-06461] c 17 N72-22530
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c 37 N76-18458
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c 27 N80-32514
Hydrodesulfurization of chlorinized coal
[NASA-CASE-NPO-15304-1] c 25 N83-31743

REDUNDANCY
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c 60 N82-29013

REDUNDANT COMPONENTS
Redundant memory organization Patent
[NASA-CASE-GSC-10564] c 10 N71-29135
Redundant disc
[NASA-CASE-LEW-12496-1] c 07 N78-33101
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c 37 N80-32716
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c 60 N81-15706

REELS
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c 38 N77-17495
Rotatable electric cable connecting system
[NASA-CASE-GSC-12899-1] c 33 N86-20669

REENTRY COMMUNICATION
Electrostatic plasma modulator for space vehicle re-entry communication Patent
[NASA-CASE-XLA-01400] c 07 N70-41331
Means for communicating through a layer of ionized gases Patent
[NASA-CASE-XLA-01127] c 07 N70-41372
Reentry communication by material addition Patent
[NASA-CASE-XLA-01552] c 07 N71-11284

REENTRY SHIELDING
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XMS-02677] c 31 N70-42075
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c 33 N71-20834
Stand-off type ablative heat shield
[NASA-CASE-MSC-12143-1] c 33 N72-17947
Protected isotope heat source --- for atmospheric reentry protection and heat transmission to spacecraft
[NASA-CASE-LEW-11227-1] c 73 N75-30876
Fibrous refractory composite insulation --- shielding reusable spacecraft
[NASA-CASE-ARC-11169-1] c 24 N79-24062
Adjustable high emittance gap filler --- reentry shielding for space shuttle vehicles
[NASA-CASE-ARC-11310-1] c 27 N82-24339
Method for repair of thin glass coatings --- on space shuttle orbiter tiles
[NASA-CASE-KSC-11097-1] c 27 N82-33520
Ceramic-ceramic shell tile thermal protection system and method thereof
[NASA-CASE-ARC-11641-1] c 24 N88-18628

REENTRY TRAJECTORIES
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c 31 N70-41631

REENTRY VEHICLES
Reentry vehicle leading edge Patent
[NASA-CASE-XLA-00165] c 31 N70-33242
Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c 31 N70-37986
Telespectrograph Patent
[NASA-CASE-XLA-03273] c 14 N71-18699
Ablation sensor Patent
[NASA-CASE-XLA-01791] c 14 N71-22991
Ring wing tension vehicle Patent
[NASA-CASE-XLA-04901] c 31 N71-24315
Ferry system
[NASA-CASE-LAR-10574-1] c 11 N73-13257
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c 31 N73-13898
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c 27 N76-23426
Earth-to-orbit vehicle providing a reusable orbital stage and method of utilizing same
[NASA-CASE-LAR-13486-1] c 16 N87-29582

REFERENCE SYSTEMS
Automatic frequency control loop including synchronous switching circuits
[NASA-CASE-KSC-10393] c 09 N72-21247
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c 04 N77-19056

REFINING
Helium refining by superfluidity Patent
[NASA-CASE-XNP-00733] c 06 N70-34946

REFLECTANCE
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c 23 N71-16365
Gravimeter Patent
[NASA-CASE-XMF-05844] c 14 N71-17587
Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c 23 N71-24868
Portable reflectance spectrometer
[NASA-CASE-NPO-13556-1] c 35 N84-33766
Diffusely reflecting paints including polytetrafluoroethylene and method of manufacture
[NASA-CASE-GSC-12883-1] c 27 N85-29044
Wide-angle flat field telescope
[NASA-CASE-GSC-12825-1] c 74 N86-28732

REFLECTED WAVES
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c 23 N73-13662
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
Reflected-wave maser --- low noise amplifier
[NASA-CASE-NPO-13490-1] c 36 N76-31512

REFLECTING TELESCOPES
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c 89 N79-10969
Wide-angle flat field telescope
[NASA-CASE-GSC-12825-1] c 74 N86-28732

REFLECTION
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c 18 N72-17532
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector --- for determining density of gas
[NASA-CASE-ARC-10631-1] c 74 N76-20958
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629

REFLECTOMETERS
Ellipsoidal mirror reflectometer including means for averaging the radiation reflected from the sample Patent
[NASA-CASE-XGS-05291] c 23 N71-16341
Real time reflectometer --- measurement of specular reflectance
[NASA-CASE-MFS-23118-1] c 35 N77-31465
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c 43 N79-25443
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c 35 N80-28687

REFLECTOR ANTENNAS
Focal axis resolver for offset reflector antennas
[NASA-CASE-GSC-12630-1] c 33 N83-36355

REFLECTORS
Reflector space satellite Patent
[NASA-CASE-XLA-00138] c 31 N70-37981
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c 31 N71-16102
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c 23 N71-26206
Conical reflector antenna
[NASA-CASE-NPO-10303] c 07 N72-22127
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c 10 N72-22235
Multi-purpose antenna employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c 07 N72-25174
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c 07 N73-14130
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c 44 N78-31526
Solar cell having improved back surface reflector
[NASA-CASE-LEW-13620-1] c 44 N83-13579
Acoustic suspension system
[NASA-CASE-NPO-15435-1] c 71 N83-36846
Optical system with reflective baffles
[NASA-CASE-ARC-11502-1] c 74 N86-20125
Ultrasonic angle beam standard reflector --- ultrasonic nondestructive inspection
[NASA-CASE-LAR-13153-1] c 71 N86-21276
Compensation for primary reflector wavefront error
[NASA-CASE-NPO-16869-1CU] c 74 N86-33138
Welding torch with arc light reflector
[NASA-CASE-MFS-29134-1] c 74 N87-17493
Self-clamping arc light reflector for welding torch
[NASA-CASE-MFS-29207-1] c 74 N87-25843

REFRACTIVITY
The 2 deg/90 deg laboratory scattering photometer --- particulate refractivity in hydrosols
[NASA-CASE-GSC-12088-1] c 74 N78-13874
Chromatically corrected virtual image visual display --- reducing eye strain in flight simulators
[NASA-CASE-LAR-12251-1] c 74 N80-27185
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c 36 N83-29680
Photorefractor ocular screening system
[NASA-CASE-MFS-26011-1-SB] c 52 N87-24874
Dynamic range compression/expansion of light beams by photorefractive crystals
[NASA-CASE-NPO-17140-1-CU] c 74 N88-24508

REFRACTORY COATINGS
Refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c 26 N82-29415
Refractory coatings
[NASA-CASE-LEW-13169-2] c 26 N82-30371
Method for repair of thin glass coatings --- on space shuttle orbiter tiles
[NASA-CASE-KSC-11097-1] c 27 N82-33520
Thermal barrier coating system
[NASA-CASE-LEW-13324-2] c 24 N85-21266

REFRACTORY MATERIALS
High temperature testing apparatus Patent
[NASA-CASE-XLE-00335] c 14 N70-35368
Prestressed refractory structure Patent
[NASA-CASE-XNP-02888] c 18 N71-21068
Method of manufacturing semiconductor devices using refractory dielectrics
[NASA-CASE-XER-08476-1] c 26 N72-17820
High temperature furnace for melting materials in space
[NASA-CASE-MFS-20710] c 11 N72-23215
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c 27 N78-19302
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c 27 N79-14213
Fibrous refractory composite insulation --- shielding reusable spacecraft
[NASA-CASE-ARC-11169-1] c 24 N79-24062
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c 27 N79-28307
Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c 26 N81-16209
Adjustable high emittance gap filler --- reentry shielding for space shuttle vehicles
[NASA-CASE-ARC-11310-1] c 27 N82-24339
Attachment system for silica tiles --- thermal protection for space shuttle orbiter
[NASA-CASE-MSC-18741-1] c 27 N82-29456
Densification of porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18737-1] c 24 N83-13171
Method of repairing surface damage to porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18736-1] c 24 N83-13172
High temperature silicon carbide impregnated insulating fabrics
[NASA-CASE-MSC-18832-1] c 27 N83-18908
Apparatus for accurately preloading auger attachment means for frangible protective material
[NASA-CASE-MSC-18791-1] c 37 N83-36482
High temperature resistant polyimide from tetra ester, diamine, diester and N-arylnadimide
[NASA-CASE-LEW-13864-1] c 27 N86-19457

REFRACTORY METALS
Radiant heater having formed filaments Patent
[NASA-CASE-XLE-00387] c 33 N70-34812
Method of producing refractory bodies having controlled porosity Patent
[NASA-CASE-LEW-10393-1] c 17 N71-15468
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c 17 N71-23046
Brazing alloy Patent
[NASA-CASE-XNP-03063] c 17 N71-23365
Thermal radiation shielding Patent
[NASA-CASE-XLE-03432] c 33 N71-24145
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c 18 N71-26153
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c 18 N71-29040
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c 17 N72-28536
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c 27 N76-16229

Method of making an apertured casting --- using duplicate mold
[NASA-CASE-LEW-11169-1] c 37 N76-23570
Absorbable-susceptor joining of ceramic surfaces
[NASA-CASE-NPO-15640-1] c 27 N84-22748

REFRIGERATING
Helium refrigerator and method for decontaminating the refrigerator
[NASA-CASE-NPO-10634] c 23 N72-25619
Magnetic heat pumping
[NASA-CASE-LEW-12508-3] c 34 N83-29625

REFRIGERATING MACHINERY
Refrigeration apparatus
[NASA-CASE-NPO-10309] c 15 N69-23190
Refrigeration apparatus Patent
[NASA-CASE-XNP-08877] c 15 N71-23025
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c 23 N71-24725
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c 37 N76-29590
Cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c 31 N83-31897
Vibration isolation and pressure compensation apparatus for sensitive instrumentation
[NASA-CASE-LAR-12728-1] c 35 N83-32026
Magentically actuated compressor
[NASA-CASE-GSC-12799-1] c 31 N85-21404
Oxygen chemisorption cryogenic refrigerator
[NASA-CASE-NPO-16734-1-CU] c 31 N88-14223

REFRIGERATORS
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c 15 N71-15906
Helium refrigerator
[NASA-CASE-NPO-13435-1] c 31 N76-14284
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c 31 N79-17029
Reciprocating magnetic refrigerator employing tandem porous matrices within a reciprocating displacer
[NASA-CASE-NPO-16257-1] c 31 N85-29082
Ten degree Kelvin hydride refrigerator
[NASA-CASE-NPO-16393-1-CU] c 31 N87-21159
Krypton based adsorption type cryogenic refrigerator
[NASA-CASE-NPO-17334-1-CU] c 31 N88-23917
Cryogenic regenerator including saran-carbon heat conduction matrix
[NASA-CASE-NPO-17291-1-CU] c 34 N88-23946

REGENERATION (ENGINEERING)
Switching circuit employing regeneratively connected complementary transistors Patent
[NASA-CASE-XNP-02654] c 10 N70-42032
Regenerative braking system Patent
[NASA-CASE-XMF-01096] c 10 N71-16030
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c 37 N80-31790
Cryogenic regenerator including saran-carbon heat conduction matrix
[NASA-CASE-NPO-17291-1-CU] c 34 N88-23946

REGENERATION (PHYSIOLOGY)
Implantable electrical device
[NASA-CASE-GSC-12560-1] c 52 N82-29863

REGENERATIVE COOLING
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c 15 N70-36411
Method of making a regeneratively cooled combustion chamber Patent
[NASA-CASE-XLE-00150] c 28 N70-41818
Small rocket engine Patent
[NASA-CASE-XLE-00685] c 28 N70-41992
Combustion chamber Patent
[NASA-CASE-XLE-04857] c 28 N71-23968
Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c 14 N73-13417

REGENERATIVE FUEL CELLS
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c 03 N71-11052

REGENERATORS
Code regenerative clean-up loop transponder for a mu-type ranging system
[NASA-CASE-NPO-11707] c 07 N73-25161
Magnetic heat pumping
[NASA-CASE-LEW-12508-3] c 34 N83-29625

REGISTERS (COMPUTERS)
Variable digital processor including a register for shifting and rotating bits in either direction Patent
[NASA-CASE-GSC-10186] c 08 N71-33110
Priority interrupt system --- comprised of four registers
[NASA-CASE-NPO-13067-1] c 60 N76-18800

REINFORCED PLASTICS
Tube fabricating process
[NASA-CASE-LAR-10203-1] c 15 N72-16330
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c 27 N74-23125

REINFORCEMENT (STRUCTURES)
Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c 32 N70-41370
Stiffened titanium panels
[NASA-CASE-LAR-13814-1] c 31 N88-24816

REINFORCEMENT RINGS
Tube coupling device
[NASA-CASE-MFS-25964-2] c 37 N87-22977

REINFORCING FIBERS
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c 17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c 17 N70-38198
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c 18 N71-22894
Thermal protection ablation spray system Patent
[NASA-CASE-XLA-04251] c 18 N71-26100
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c 24 N75-28135
Crystalline polyimides --- reinforcing fibers for high temperature composites and adhesives as well as flame retardation
[NASA-CASE-LAR-12099-1] c 27 N80-16158
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c 27 N81-19296
High modulus rare earth and beryllium containing silicate glass compositions --- for glass reinforcing fibers
[NASA-CASE-HQN-10595-1] c 27 N82-29455
Method of carbonizing polyacrylonitrile fibers
[NASA-CASE-ARC-11261-1] c 24 N83-25789
Fluoroether modified epoxy composites
[NASA-CASE-ARC-11418-1] c 24 N84-11213
Lightweight piston
[NASA-CASE-LAR-13150-1] c 24 N87-27742

RELAXATION OSCILLATORS
Voltage to frequency converter Patent
[NASA-CASE-GSC-10022-1] c 10 N71-25882

RELAY SATELLITES
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c 07 N71-24621
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c 32 N80-20448

RELEASING
Despin weight release Patent
[NASA-CASE-XLA-00679] c 15 N70-38601
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c 15 N71-10782
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c 15 N71-24600
Quick release hook tape Patent
[NASA-CASE-XMS-10660-1] c 15 N71-25975
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c 03 N73-20039
Slide release mechanism --- for space shuttle orbiter/external tank connection device
[NASA-CASE-MSC-20080-1] c 37 N85-30334
Fully redundant mechanical release actuator
[NASA-CASE-LAR-13198-1] c 37 N87-23983
Preloadable vector sensitive latch
[NASA-CASE-MSC-20910-1] c 37 N87-25582

RELIABILITY ANALYSIS
Program for computer aided reliability estimation
[NASA-CASE-NPO-13086-1] c 15 N73-12495

RELIABILITY ENGINEERING
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c 15 N71-16052
Inspection gage for boss Patent
[NASA-CASE-XMF-04966] c 14 N71-17658
Valving device for automatic refilling in cryogenic liquid systems
[NASA-CASE-NPO-11177] c 15 N72-17453
Electrical connector
[NASA-CASE-NPO-10694] c 09 N72-20200
Inherent redundacy electric heater
[NASA-CASE-MFS-21462-1] c 33 N74-14935
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c 37 N74-21064
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c 60 N82-29013
Phase sensitive guidance sensor for wire-following vehicles
[NASA-CASE-NPO-15341-1] c 35 N84-33769
Lightweight piston
[NASA-CASE-LAR-13150-1] c 24 N87-27742

RELIEF MAPS
Method and apparatus for contour mapping using synthetic aperture radar
[NASA-CASE-NPO-15939-1] c 43 N86-19711

RELIEF VALVES
Relief valve
[NASA-CASE-XMS-05894-1] c 15 N69-21924
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c 15 N71-15968
Redundant hydraulic control system for actuators
[NASA-CASE-MFS-20944] c 15 N73-13466
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c 52 N81-25660
Ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-1] c 52 N83-21785

REMOTE CONTROL
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c 14 N69-27461
Tubular coupling having frangible connecting means
[NASA-CASE-XLA-02854] c 15 N69-27490
Bimetallic power controlled actuator
[NASA-CASE-XNP-09776] c 09 N69-39929
Fluid coupling Patent
[NASA-CASE-XLE-00397] c 15 N70-36492
Umbilical disconnect Patent
[NASA-CASE-XLA-00711] c 03 N71-12256
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c 03 N71-12259
Three-axis finger tip controller for switches Patent
[NASA-CASE-XAC-02405] c 09 N71-16089
Satellite communication system Patent
[NASA-CASE-XNP-02389] c 07 N71-28900
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c 23 N71-29125
Solid state remote circuit selector switch
[NASA-CASE-LEW-10387] c 09 N72-22201
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c 16 N73-16536
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c 54 N75-27758
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c 37 N76-15457
Remote manipulator system
[NASA-CASE-MFS-22022-1] c 37 N76-15460
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c 33 N79-11315
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c 74 N79-13855
Terminal guidance sensor system --- space shuttle coupling to orbiting satellites
[NASA-CASE-NPO-14521-1] c 37 N81-27519
Retinally stabilized differential resolution television display
[NASA-CASE-NPO-15432-1] c 32 N85-29117
Digital control of diode laser for atmospheric spectroscopy
[NASA-CASE-NPO-16000-1] c 36 N85-29264
Remotely controllable mixing system
[NASA-CASE-MFS-28153-1] c 31 N86-32589
Remotely operable peristaltic pump
[NASA-CASE-MFS-28059-1] c 37 N86-32736
Radial and torsionally controlled magnetic bearing
[NASA-CASE-GSC-12957-1] c 37 N87-17038
Apparatus and method of capturing an orbiting spacecraft
[NASA-CASE-MSC-20979-1] c 37 N87-22985
Remotely controlled spray gun
[NASA-CASE-MFS-28110-1] c 37 N87-24689

REMOTE HANDLING
Remote control manipulator for zero gravity environment
[NASA-CASE-MFS-14405] c 15 N72-28495
Apparatus for remote handling of materials --- mixing or analyzing dangerous chemicals
[NASA-CASE-LAR-10634-1] c 37 N74-18123
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c 54 N77-32721
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c 37 N79-28551
Apparatus for sequentially transporting containers
[NASA-CASE-MFS-23846-1] c 37 N82-32731
Precision manipulator heating and cooling apparatus for use in UHV systems with sample transfer capability
[NASA-CASE-LAR-13040-1] c 37 N85-29280
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23820
Mobile remote manipulator system for a tetrahedral truss
[NASA-CASE-MSC-20985-1] c 18 N88-26390

REMOTE MANIPULATOR SYSTEM
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c 37 N80-14390
Apparatus and method of capturing an orbiting spacecraft
[NASA-CASE-MSC-20979-1] c 37 N87-22985

Mobile remote manipulator vehicle system
[NASA-CASE-LAR-13393-1] c 54 N87-29118

REMOTE SENSING
Method and apparatus for calibrating the ionosphere and application to surveillance of geophysical events
[NASA-CASE-NPO-15430-1] c 46 N85-21846
Thermal remote anemometer system
[NASA-CASE-LAR-13508-1] c 35 N88-23962

REMOTE SENSORS
Passive optical wind and turbulence detection system Patent
[NASA-CASE-XMF-14032] c 20 N71-16340
Pressure monitoring with a plurality of ionization gauges controlled at a central location Patent
[NASA-CASE-XLE-00787] c 14 N71-21090
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c 14 N71-24864
Time synchronization system utilizing moon reflected coded signals Patent
[NASA-CASE-NPO-10143] c 10 N71-26326
Clear air turbulence detector
[NASA-CASE-ERC-10081] c 14 N72-28437
Intruder detection system
[NASA-CASE-ARC-10097-2] c 07 N73-25160
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c 44 N74-19870
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c 33 N75-19521
Wind sensor
[NASA-CASE-NPO-13462-1] c 35 N76-24524
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c 47 N77-10753
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c 35 N77-27367
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c 43 N78-10529
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c 35 N78-27384
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c 43 N80-18498
Method of and apparatus for measuring temperature and pressure --- atmospheric sounding
[NASA-CASE-GSC-12558-1] c 36 N85-21639

REMOTELY PILOTED VEHICLES
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c 09 N77-19076

REMOVAL
Catalyst bed removing tool Patent
[NASA-CASE-XFR-00811] c 15 N70-36901
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c 28 N81-15119
Acoustic bubble removal method
[NASA-CASE-NPO-15334-1] c 71 N83-35781

REPEATERS
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c 07 N71-19773

REPLACING
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent
[NASA-CASE-NPO-10625] c 09 N71-26182

RESCUE OPERATIONS
Backpack carrier Patent
[NASA-CASE-LAR-10056] c 05 N71-12351
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c 05 N71-22748
Method of locating persons in distress --- by using radar imagery from radar reflectors
[NASA-CASE-LAR-11390-1] c 32 N77-21267
Apparatus and method of capturing an orbiting spacecraft
[NASA-CASE-MSC-20979-1] c 37 N87-22985

RESEARCH AIRCRAFT
Miniature electrooptical air flow sensor
[NASA-CASE-LAR-13065-1] c 35 N85-20295

RESEARCH AND DEVELOPMENT
Tube fabricating process
[NASA-CASE-LAR-10203-1] c 15 N72-16330

RESEARCH VEHICLES
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c 31 N70-34966
Velocity limiting safety system Patent
[NASA-CASE-XLA-07473] c 15 N71-24895

RESIDUAL STRESS
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c 14 N71-21091
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c 05 N72-25120

RESILIENCE
Resilience testing device Patent
[NASA-CASE-XLA-08254] c 14 N71-26161

RESIN BONDING
Method and apparatus for bonding a plastics sleeve onto a metallic body Patent
[NASA-CASE-XLA-01262] c 15 N71-21404
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c 44 N76-14600
Method of manufacture of bonded fiber flywheel --- fiberglass-epoxy
[NASA-CASE-MFS-23674-1] c 24 N81-29163

RESIN MATRIX COMPOSITES
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c 27 N81-27272
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900
Method of tracing contour patterns for use in making gradual contour resin matrix composites
[NASA-CASE-ARC-11246-1] c 31 N83-34073
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560
High performance mixed bisimide resins and composites based thereon
[NASA-CASE-ARC-11538-1SB] c 24 N86-21590
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-2] c 27 N86-27451
Process for preparing phthalocyanine polymer from imide containing bisphthalonitrile
[NASA-CASE-ARC-11511-2] c 27 N87-21112
Method of controlling a resin curing process --- for fiber reinforced composites
[NASA-CASE-MSC-21169-1] c 27 N87-25473
Novel ladder polymers for use as high temperature stable resins or coatings
[NASA-CASE-LEW-14203-1] c 27 N88-29984

RESINS
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c 06 N71-24739
Bonding or repairing process
[NASA-CASE-MSC-12357] c 15 N73-12489
Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c 18 N73-30532
Composite lamination method
[NASA-CASE-LAR-12019-1] c 24 N78-17150
Polyvinyl alcohol cross-linked with two aldehydes
[NASA-CASE-LEW-13504-1] c 25 N83-13188
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-1] c 27 N83-31854
Fire and heat resistant laminating resins based on maleimido and citraconimido substituted 1-(diorgano oxyphosphonyl) methyl -2,4- and -2,6- diaminobenzenes
[NASA-CASE-ARC-11533-3] c 27 N87-24564

RESISTANCE
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c 05 N72-25120
Variable resistance constant tension and lubrication device --- using oil-saturated leather wiper
[NASA-CASE-KSC-10723-1] c 37 N75-13265
Acoustic ground impedance meter
[NASA-CASE-LAR-12995-1] c 35 N84-22933

RESISTANCE HEATING
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c 28 N70-34175
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373

RESISTORS
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c 33 N74-22814
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c 33 N76-27473
Amplifier for measuring low-level signals in the presence of high common mode voltage
[NASA-CASE-MFS-25868-1] c 33 N86-20670

RESOLUTION
Analog-to-digital conversion system Patent
[NASA-CASE-XAC-00404] c 08 N70-40125
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c 23 N71-26206
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c 71 N79-23753
Television monitor field shifter and an opto-electronic method for obtaining a stereo image of optimal depth resolution and reduced depth distrotion on a single screen
[NASA-CASE-NPO-17249-1-CU] c 32 N88-23924

RESOLVERS
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c 33 N74-27705
Focal axis resolver for offset reflector antennas
[NASA-CASE-GSC-12630-1] c 33 N83-36355
Magnetic heading reference
[NASA-CASE-LAR-12638-1] c 04 N84-14132
Angular measurement system
[NASA-CASE-MFS-25825-1] c 31 N86-29055

RESONANCE
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c 35 N78-13400
Resonant isolator for maser amplifier
[NASA-CASE-NPO-15201-1] c 36 N83-35350
Arrangement for damping the resonance in a laser diode
[NASA-CASE-NPO-15980-1] c 36 N85-30305
Precision tunable resonant microwave cavity
[NASA-CASE-LEW-13935-1] c 33 N87-21234

RESONANT FREQUENCIES
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c 09 N71-23021
Apparatus for detecting the amount of material in a resonant cavity container Patent
[NASA-CASE-XNP-02500] c 18 N71-27397
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c 10 N73-26228
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c 39 N78-15512
Microbalance --- for measuring particle mass
[NASA-CASE-MSC-11242] c 35 N78-17358
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c 71 N81-15767
Acoustic bubble removal method
[NASA-CASE-NPO-15334-1] c 71 N83-35781
Low noise tuned amplifier
[NASA-CASE-GSC-12567-1] c 33 N84-22887
Acoustic ground impedance meter
[NASA-CASE-LAR-12995-1] c 35 N84-22933
Vibrating-chamber levitation systems
[NASA-CASE-NPO-16142-1-CU] c 35 N86-20752
Single mode levitation and translation
[NASA-CASE-NPO-16675-1-CU] c 71 N88-24241

RESONANT VIBRATION
Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104

RESONATORS
High-Q bandpass resonators utilizing bandstop resonator pairs
[NASA-CASE-GSC-10990-1] c 09 N73-26195
Low noise cryogenic dielectric resonator oscillator
[NASA-CASE-NPO-17157-1-CU] c 33 N88-26596

RESPIRATION
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c 05 N71-11202

RESPIRATORS
Respiration monitor
[NASA-CASE-FRC-10012] c 14 N72-17329

RESPIRATORY RATE
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c 12 N71-26546
Respiratory analysis system and method
[NASA-CASE-MSC-13436-1] c 05 N73-32015
Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings
[NASA-CASE-MFS-21415-1] c 52 N74-20728

RESPIROMETERS
Metabolic analyzer --- for measuring metabolic rate and breathing dynamics of human beings
[NASA-CASE-MFS-21415-1] c 52 N74-20728

RESPONSES
Frequency division multiplex technique
[NASA-CASE-KSC-10521] c 07 N73-20176

RESTARTABLE ROCKET ENGINES
Zero gravity starting means for liquid propellant motors Patent
[NASA-CASE-XNP-01390] c 28 N70-41275
Small rocket engine Patent
[NASA-CASE-XLE-00685] c 28 N70-41992

RESUSCITATION
Resuscitation apparatus Patent
[NASA-CASE-XMS-01115] c 05 N70-39922

RETAINING
Floating nut retention system
[NASA-CASE-MSC-16938-1] c 37 N80-23653

Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c 37 N83-19091

RETARDERS (DEVICES)
Thrust reverser for a long duct fan engine --- for turbofan engines
[NASA-CASE-LEW-13199-1] c 07 N82-26293

RETARDING
Ablative resin Patent
[NASA-CASE-XLE-05913] c 33 N71-14032

RETICLES
Optical tracker having overlapping reticles on parallel axes Patent
[NASA-CASE-XGS-05715] c 23 N71-16100
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c 21 N73-19630
Star tracking reticles
[NASA-CASE-GSC-11188-1] c 14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c 74 N74-20008
Star scanner --- with a reticle with a pair of slits having differing separation
[NASA-CASE-GSC-11569-1] c 89 N74-30886

RETINAL IMAGES
Retinally stabilized differential resolution television display
[NASA-CASE-NPO-15432-1] c 32 N85-29117

RETRACTABLE EQUIPMENT
Runway light Patent
[NASA-CASE-XLA-00119] c 11 N70-33329
Extensible cable support Patent
[NASA-CASE-XMF-07587] c 15 N71-18701
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c 37 N79-22474
Antenna deployment mechanism for use with a spacecraft --- extensible and retractable telescopic antenna mast
[NASA-CASE-GSC-12331-1] c 18 N80-14183
CAM controlled retractable door latch
[NASA-CASE-MSC-20304-1] c 37 N82-31690
Satellite retrieval system
[NASA-CASE-MFS-25403-1] c 18 N83-29303

RETROFIRING
Visual target for retrofire attitude control
[NASA-CASE-XMS-12158-1] c 31 N69-27499
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c 14 N70-41812

RETROREFLECTION
Interferometer servo system Patent
[NASA-CASE-NPO-10300] c 14 N71-17662
Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c 35 N78-18395
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510

RETROREFLECTORS
Interferometer --- high resolution
[NASA-CASE-NPO-14448-1] c 74 N81-29963
Low noise lead screw positioner
[NASA-CASE-NPO-15617-1] c 35 N87-21304

RETROROCKET ENGINES
Steerable solid propellant rocket motor Patent
[NASA-CASE-XNP-00234] c 28 N70-38645

REUSABLE HEAT SHIELDING
High temperature glass thermal control structure and coating --- for application to spacecraft reusable heat shielding
[NASA-CASE-ARC-11164-1] c 44 N83-34448

REUSABLE ROCKET ENGINES
Earth-to-orbit vehicle providing a reusable orbital stage and method of utilizing same
[NASA-CASE-LAR-13486-1] c 16 N87-29582

REUSABLE SPACECRAFT
Recoverable single stage spacecraft booster Patent
[NASA-CASE-XMF-01973] c 31 N70-41588
Space shuttle vehicle and system
[NASA-CASE-MSC-12433] c 31 N73-14854
Aerospace vehicle
[NASA-CASE-LAR-13155-1] c 05 N86-19310

REUSE
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c 27 N76-22376
Reusable captive blind fastener
[NASA-CASE-MSC-18742-1] c 37 N82-26673

REVERSE OSMOSIS
Reverse osmosis membrane of high urea rejection properties --- water purification
[NASA-CASE-ARC-10980-1] c 27 N80-23452
Method for the preparation of thin-skinned asymmetric reverse osmosis membranes and products thereof
[NASA-CASE-ARC-11359-1] c 51 N84-28361

REVERSED FLOW
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c 15 N70-36412
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c 10 N71-18724
Positive locking check valve Patent
[NASA-CASE-XMS-09310] c 15 N71-22706
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c 07 N77-17059

REYNOLDS NUMBER
Wind tunnel test section
[NASA-CASE-MFS-20509] c 11 N72-17183

REYNOLDS STRESS
System for measuring Reynolds in a turbulently flowing fluid --- signal processing
[NASA-CASE-ARC-10755-2] c 34 N76-27517

RHENIUM
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c 35 N77-32454

RHEOMETERS
Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c 35 N80-18357

RHOMBOIDS
Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c 74 N83-13978

RIBBONS
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c 15 N70-36411
Forming tool for ribbon or wire
[NASA-CASE-XLA-05966] c 15 N72-12408
Twisted multifilament superconductor
[NASA-CASE-LEW-11726-1] c 26 N73-26752
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c 76 N79-11920
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c 44 N79-17314
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c 76 N79-23798
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c 44 N80-14474
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c 76 N80-32244
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c 76 N80-32245
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c 33 N81-19389
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
Ribbon growing method and apparatus
[NASA-CASE-NPO-16306-1-CU] c 76 N85-30934

RIBOFLAVIN
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c 06 N72-25149

RIBS (SUPPORTS)
Aeroflexible structures
[NASA-CASE-XLA-06095] c 01 N69-39981

RICE
Modification of the physical properties of freeze-dried rice
[NASA-CASE-MSC-13540-1] c 05 N72-33096

RIDING QUALITY
Ride quality meter
[NASA-CASE-LAR-12882-1] c 35 N84-12445

RIGID ROTORS
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c 05 N77-17029

RIGID STRUCTURES
Quick release hook tape Patent
[NASA-CASE-XMS-10660-1] c 15 N71-25975
Thermally activated foaming compositions Patent
[NASA-CASE-LAR-10373-1] c 18 N71-26155
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c 23 N71-29123
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c 18 N75-27040
Telescoping columns --- parabolic antenna support
[NASA-CASE-LAR-12195-1] c 31 N81-27324
Clevis joint for deployable space structures
[NASA-CASE-LAR-13898-1] c 37 N88-30130

RIGID WINGS
Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c 02 N70-41863

RIMS
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c 18 N81-29152

RING CURRENTS
Ring counter
[NASA-CASE-XGS-03095] c 09 N69-27463

RING STRUCTURES
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c 09 N71-10673
Energy absorbing device Patent
[NASA-CASE-XMF-10040] c 15 N71-22877
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c 33 N75-13139
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c 36 N75-19653
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c 54 N78-17678
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c 32 N80-29539
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c 37 N83-19091
Torso sizing ring construction for hard space suit
[NASA-CASE-ARC-11616-1] c 54 N86-28618
Method and apparatus for making an optical element having a dielectric film
[NASA-CASE-ARC-11611-1] c 74 N87-28416

RING WINGS
Ring wing tension vehicle Patent
[NASA-CASE-XLA-04901] c 31 N71-24315

RIPPLES
Ripple indicator
[NASA-CASE-KSC-10162] c 09 N72-11225

RIVETS
Printed circuit board with bellows rivet connection Patent
[NASA-CASE-XNP-05082] c 15 N70-41960

ROBOTICS
Self-locking telescoping manipulator arm
[NASA-CASE-MFS-25906-1] c 37 N86-20789
Remotely controlled spray gun
[NASA-CASE-MFS-28110-1] c 37 N87-24689
A universal computer control system for motors
[NASA-CASE-NPO-17134-1-CU] c 33 N88-24864

ROCKET ENGINE CASES
Method of making a rocket motor casing Patent
[NASA-CASE-XLE-00409] c 28 N71-15658
Rocket motor casing Patent
[NASA-CASE-XLE-05689] c 28 N71-15659
Payload/burned-out motor case separation system Patent
[NASA-CASE-XLA-05369] c 31 N71-15687
Solid propellant liner Patent
[NASA-CASE-XNP-09744] c 27 N71-16392
Ion engine casing construction and method of making same Patent
[NASA-CASE-XNP-06942] c 28 N71-23293
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c 28 N77-10213
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-01349] c 20 N77-17143

ROCKET ENGINE CONTROL
Fluid thrust control system --- for liquid propellant rocket engines
[NASA-CASE-XMF-05964-1] c 20 N79-21124

ROCKET ENGINE DESIGN
Annular rocket motor and nozzle configuration Patent
[NASA-CASE-XLE-00078] c 28 N70-33284
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c 28 N70-33331
Spherically-shaped rocket motor Patent
[NASA-CASE-XHQ-01897] c 28 N70-35381
Rocket engine Patent
[NASA-CASE-XLE-00342] c 28 N70-37980
Swirling flow nozzle Patent
[NASA-CASE-XNP-03692] c 28 N71-24321
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c 28 N73-24783
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c 20 N74-13502
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c 20 N76-14191
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c 20 N76-21275
Dual-fuel, dual-mode rocket engine
[NASA-CASE-LAR-13773-1] c 20 N88-24685

ROCKET ENGINES
Channel-type shell construction for rocket engines and the like Patent
[NASA-CASE-XLE-00144] c 28 N70-34860
Ion thruster cathode Patent Application
[NASA-CASE-LEW-10814-1] c 28 N70-35422
Injector-valve device Patent
[NASA-CASE-XLE-00303] c 15 N70-36535
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c 15 N70-36947

Passively regulated water electrolysis rocket engine Patent
[NASA-CASE-XGS-08729] c 28 N71-14044
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c 27 N71-15634
Laminar flow enhancement Patent
[NASA-CASE-NPO-10122] c 12 N71-17631
Swirling flow nozzle Patent
[NASA-CASE-XNP-03692] c 28 N71-24321
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c 28 N71-27095
Purge device for thrust engines Patent
[NASA-CASE-XMS-04826] c 28 N71-28849
Method and device for cooling Patent
[NASA-CASE-HQN-00938] c 33 N71-29053
Ion thruster magnetic field control
[NASA-CASE-LEW-10835-1] c 28 N72-22771
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c 11 N72-27262
Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c 14 N73-13417
Magneto-plasma-dynamic arc thruster
[NASA-CASE-LEW-11180-1] c 25 N73-25760
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c 20 N74-32919
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c 20 N76-22296
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c 20 N77-10148
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c 20 N77-20162
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c 12 N79-26075
Diffuser/ejector system for a very high vacuum environment
[NASA-CASE-MFS-25791-1] c 09 N84-27749
Ring-cusp ion thruster with shell anode
[NASA-CASE-LEW-13881-1] c 20 N85-21256
Low loss injector for liquid propellant rocket engines
[NASA-CASE-MFS-25989-1] c 20 N87-14420

ROCKET EXHAUST
Thrust vector control apparatus Patent
[NASA-CASE-XLE-00208] c 28 N70-34294
Rocket thrust throttling system
[NASA-CASE-LEW-10374-1] c 28 N73-13773
Method and apparatus for suppressing ignition overpressure in solid rocket propulsion systems
[NASA-CASE-MFS-25843-1] c 20 N83-17588

ROCKET FIRING
Alleviation of divergence during rocket launch Patent
[NASA-CASE-XLA-00256] c 31 N71-15663

ROCKET FLIGHT
Technique for control of free-flight rocket vehicles Patent
[NASA-CASE-XLA-00937] c 31 N71-17691

ROCKET LAUNCHING
Alleviation of divergence during rocket launch Patent
[NASA-CASE-XLA-00256] c 31 N71-15663
Controlled release device Patent
[NASA-CASE-XKS-03338] c 15 N71-24043

ROCKET LININGS
Heat exchanger and method of making --- rocket lining
[NASA-CASE-LEW-12441-2] c 34 N80-24573

ROCKET NOZZLES
Gimbaled, partially submerged rocket nozzle Patent
[NASA-CASE-XMF-01544] c 28 N70-34162
Rocket thrust chamber Patent
[NASA-CASE-XLE-00145] c 28 N70-36806
Self-sealing, unbonded, rocket motor nozzle closure Patent
[NASA-CASE-XLA-02651] c 28 N70-41967
Automatically deploying nozzle exit cone extension Patent
[NASA-CASE-XLE-01640] c 31 N71-15637
Rocket nozzle test method Patent
[NASA-CASE-NPO-10311] c 31 N71-15643
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c 28 N71-16224
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c 14 N71-18465
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c 28 N71-20942
Prestressed refractory structure Patent
[NASA-CASE-XNP-02888] c 18 N71-21068
Swirling flow nozzle Patent
[NASA-CASE-XNP-03692] c 28 N71-24321
Method and device for cooling Patent
[NASA-CASE-HQN-00938] c 33 N71-29053
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c 28 N72-11708
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c 28 N72-23810
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c 20 N79-21123
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c 37 N79-22474
Nozzle fabrication technique
[NASA-CASE-MSC-21299-1] c 20 N88-24684

ROCKET OXIDIZERS
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c 28 N74-33209

ROCKET PROPELLANTS
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c 15 N70-22192
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c 28 N71-24736
Bipropellant injector
[NASA-CASE-XNP-09461] c 28 N72-23809

ROCKET TEST FACILITIES
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c 11 N70-33278
Micro-pound extended range thrust stand Patent
[NASA-CASE-GSC-10710-1] c 28 N71-27094

ROCKET THRUST
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c 28 N70-38181
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c 28 N71-10574
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c 28 N73-24784
Thrust measurement
[NASA-CASE-XMS-05731] c 35 N75-29382

ROCKET VEHICLES
Umbilical separator for rockets Patent
[NASA-CASE-XNP-00425] c 11 N70-38202
Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c 11 N70-41677
Alleviation of divergence during rocket launch Patent
[NASA-CASE-XLA-00256] c 31 N71-15663
Technique for control of free-flight rocket vehicles Patent
[NASA-CASE-XLA-00937] c 31 N71-17691
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c 37 N80-14398
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c 15 N82-24272

ROCKET-BORNE INSTRUMENTS
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c 14 N69-27432

ROCKETS
Hydrogen fire detection system with logic circuit to analyze the spectrum of temporal variations of the optical spectrum
[NASA-CASE-MFS-13130] c 10 N72-17173

ROCKS
Rock drill for recovering samples
[NASA-CASE-XNP-07478] c 14 N69-21923
Rock sampling --- apparatus for controlling particle size
[NASA-CASE-XNP-10007-1] c 46 N74-23068
Rock sampling --- method for controlling particle size distribution
[NASA-CASE-XNP-09755] c 46 N74-23069
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c 43 N79-31706

RODS
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c 73 N77-18891
Quasi-containerless glass formation method and apparatus
[NASA-CASE-MFS-28090-1] c 27 N87-21111
Lightning discharge protection rod
[NASA-CASE-LAR-13470-1] c 03 N88-14083

ROLL
Roll alignment detector
[NASA-CASE-GSC-10514-1] c 14 N72-20379

ROLLER BEARINGS
Method of lubricating rolling element bearings Patent
[NASA-CASE-XLE-09527] c 15 N71-17688
Semi-linear ball bearing Patent
[NASA-CASE-XLA-02809] c 15 N71-22982
Low mass rolling element for bearings
[NASA-CASE-LEW-11087-1] c 15 N73-30458
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c 37 N74-15128
Bearing material --- composite material with low friction surface for rolling or sliding contact
[NASA-CASE-LEW-11930-1] c 24 N76-22309

ROLLERS
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c 15 N71-16052
Load regulating latch
[NASA-CASE-MSC-19535-1] c 37 N77-32499
Suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c 37 N82-21587

ROLLING CONTACT LOADS
Rolling element bearings Patent
[NASA-CASE-XLE-09527-2] c 15 N71-26189

ROLLING MOMENTS
Roll attitude star sensor system Patent
[NASA-CASE-XNP-01307] c 21 N70-41856

ROOM TEMPERATURE
Coating process
[NASA-CASE-XNP-06508] c 18 N69-39895

ROTARY GYROSCOPES
Closed loop fiber optic rotation sensor
[NASA-CASE-NPO-16558-1-CU] c 74 N87-23259

ROTARY STABILITY
Reactance control system Patent
[NASA-CASE-XMF-01598] c 21 N71-15583
Two component bearing Patent
[NASA-CASE-XLA-00013] c 15 N71-29136
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c 37 N75-30562
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c 37 N77-19458
Family of airfoil shapes for rotating blades --- for increased power efficiency and blade stability
[NASA-CASE-LAR-12843-1] c 02 N84-11136
Apparatus for and method of compensating dynamic unbalance
[NASA-CASE-GSC-12550-1] c 37 N84-28082
Dual motion valve with single motion input
[NASA-CASE-MFS-28058-1] c 37 N87-21332

ROTARY WING AIRCRAFT
Aircraft control system
[NASA-CASE-ERC-10439] c 02 N73-19004
High lift, low pitching moment airfoils
[NASA-CASE-LAR-13215-1] c 02 N87-14282
Swashplate control system
[NASA-CASE-ARC-11633-1] c 08 N87-23631

ROTARY WINGS
Variable geometry rotor system
[NASA-CASE-LAR-10557] c 02 N72-11018
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c 05 N77-17029
Locking redundant link
[NASA-CASE-LAR-11900-1] c 37 N79-14382
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c 05 N80-14107
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c 05 N81-19087
Family of airfoil shapes for rotating blades --- for increased power efficiency and blade stability
[NASA-CASE-LAR-12843-1] c 02 N84-11136
Shapes for rotating airfoils
[NASA-CASE-LAR-12396-1] c 02 N84-28732
Helicopter anti-torque system using strakes
[NASA-CASE-LAR-13233-1] c 05 N84-33400
Structurally tailorable non-linear snap-through spring system
[NASA-CASE-LAR-13729-1] c 37 N88-24970

ROTATING BODIES
Optical spin compensator
[NASA-CASE-XGS-02401] c 14 N69-27485
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c 16 N71-20400
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c 33 N75-13139
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c 15 N76-14158
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c 37 N76-18459
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c 15 N77-10112
Rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c 37 N79-10422
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c 71 N79-20827
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c 74 N79-34011
Apparatus for and method of compensating dynamic unbalance
[NASA-CASE-GSC-12550-1] c 37 N84-28082
Airborne tracking sunphotometer apparatus and system
[NASA-CASE-ARC-11622-1] c 44 N88-14492

ROTATING CYLINDERS
Tread drum for animals --- having an electrical shock station
[NASA-CASE-ARC-10917-1] c 51 N78-27733

Head for high speed spinner having a vacuum chuck --- holding silicon dioxide chips for etching
[NASA-CASE-NPO-15227-1] c 37 N81-33482
Non-backdriveable free wheeling coupling
[NASA-CASE-MSC-20475-1] c 37 N87-17037

ROTATING DISKS
Foil seal
[NASA-CASE-XLE-05130] c 15 N69-21362
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c 14 N69-27432
Redundant disc
[NASA-CASE-LEW-12496-1] c 07 N78-33101
Spinning disk calibration method and apparatus for laser Doppler velocimeter
[NASA-CASE-ARC-11510-1] c 35 N86-32697

ROTATING ELECTRICAL MACHINES
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c 09 N71-19479
Direct current motor with stationary armature and field Patent
[NASA-CASE-XGS-05290] c 09 N71-25999
Constant frequency output two stage induction machine systems Patent
[NASA-CASE-ERC-10065] c 09 N71-27364

ROTATING ENVIRONMENTS
Radial module space station Patent
[NASA-CASE-XMS-01906] c 31 N70-41373
Rotating space station simulator Patent
[NASA-CASE-XLA-03127] c 11 N71-10776

ROTATING GENERATORS
Rotating raster generator
[NASA-CASE-FRC-10071-1] c 32 N74-20813
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c 44 N80-21828

ROTATING MIRRORS
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c 14 N71-15605
Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c 21 N71-22880
Method for generating ultra-precise angles Patent
[NASA-CASE-XGS-04173] c 19 N71-26674
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c 74 N74-21304
Multispectral glancing incidence X-ray telescope
[NASA-CASE-MFS-28013-1] c 89 N86-22459

ROTATING SHAFTS
Foil seal Patent
[NASA-CASE-XLE-05130-2] c 15 N71-19570
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c 14 N71-23726
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c 15 N71-24695
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c 15 N71-26294
Two component bearing Patent
[NASA-CASE-XLA-00013] c 15 N71-29136
Hall effect transducer
[NASA-CASE-LAR-10620-1] c 09 N72-25255
Spiral groove seal --- for rotating shaft
[NASA-CASE-XLE-10326-4] c 37 N74-15125
Digital servo controller --- for rotating antenna shaft
[NASA-CASE-KSC-10769-1] c 33 N74-29556
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c 44 N74-33379
Ergometer calibrator --- for any ergometer utilizing rotating shaft
[NASA-CASE-MFS-21045-1] c 35 N75-15932
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c 37 N76-22541
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c 37 N77-19458
Tachometer
[NASA-CASE-MFS-23175-1] c 35 N77-30436
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c 37 N78-27425
Rotary electric device
[NASA-CASE-GSC-12138-1] c 33 N79-20314
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c 37 N80-28711
Multiple plate hydrostatic viscous damper
[NASA-CASE-LEW-12445-1] c 37 N81-22360
Clutchless multiple drive source for output shaft
[NASA-CASE-ARC-11325-1] c 37 N82-22496
Resilient seal ring assembly with spring means applying force to wedge member --- cryogenic applications
[NASA-CASE-MFS-25678-1] c 37 N84-11497
Vertical shaft windmill
[NASA-CASE-LAR-12923-1] c 37 N84-12493
Directional gear ratio transmissions
[NASA-CASE-LAR-12644-1] c 37 N84-28084
Variable force, eddy-current or magnetic damper
[NASA-CASE-LEW-13717-1] c 37 N85-30333
Rotary stepping device with memory metal actuator
[NASA-CASE-NPO-15482-1] c 37 N87-23970
Optical data transfer system for crossing a rotary joint
[NASA-CASE-LAR-13613-1-SB] c 74 N87-24984

ROTATION
Semi-linear ball bearing Patent
[NASA-CASE-XLA-02809] c 15 N71-22982
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c 15 N71-24045
Positioning mechanism
[NASA-CASE-NPO-10679] c 15 N72-21462
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c 37 N82-24492
System for controlled acoustic rotation of objects
[NASA-CASE-NPO-15522-1] c 71 N83-32516
Acoustic rotation control
[NASA-CASE-NPO-15689-1] c 71 N84-23233
Atmospheric autorotating imaging device
[NASA-CASE-NPO-17390-1-CU] c 35 N88-24944

ROTOR AERODYNAMICS
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c 05 N80-14107

ROTOR BLADES
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c 35 N78-24515
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c 07 N79-10057

ROTOR BLADES (TURBOMACHINERY)
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c 28 N71-28928
Turbo-machine blade vibration damper Patent
[NASA-CASE-XLE-00155] c 28 N71-29154
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c 37 N74-11300
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c 07 N74-28226
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c 07 N77-27116
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c 07 N77-32148
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560
Shapes for rotating airfoils
[NASA-CASE-LAR-12396-1] c 02 N84-28732

ROTOR LIFT
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c 05 N79-17847

ROTOR SPEED
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c 09 N71-24904

ROTORCRAFT AIRCRAFT
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c 05 N79-17847

ROTORS
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c 28 N70-39895
Angular position and velocity sensing apparatus Patent
[NASA-CASE-XGS-05680] c 14 N71-17585
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c 09 N71-23548
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c 15 N71-24695
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c 14 N73-13420
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c 15 N73-28515
Magnetic field control --- electromechanical torquing device
[NASA-CASE-MFS-23828-1] c 33 N82-26569
Damping seal for turbomachinery
[NASA-CASE-MFS-25842-2] c 37 N86-20788
Swashplate control system
[NASA-CASE-ARC-11633-1] c 08 N87-23631

RUBBER
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c 27 N78-33228
Formulated plastic separators for soluble electrode cells --- rubber-ion transport membranes
[NASA-CASE-LEW-12358-1] c 44 N79-17313
Enhancement of in vitro guayule propagation
[NASA-CASE-NPO-15213-1] c 51 N83-17045

RUBBER COATINGS
Intumescent paint containing nitrile rubber
[NASA-CASE-ARC-10196-1] c 18 N73-13562

RUBY
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c 37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c 24 N79-25143

RUBY LASERS
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c 16 N72-12440

RUNWAY ALIGNMENT
Magnetic position detection method and apparatus
[NASA-CASE-ARC-10179-1] c 21 N72-22619

RUNWAY CONDITIONS
Warm fog dissipation using large volume water sprays
[NASA-CASE-MFS-25962-1] c 09 N84-32398
Airplane runway performance monitoring system
[NASA-CASE-LAR-13854-1-CU] c 04 N88-24621

RUNWAY LIGHTS
Runway light Patent
[NASA-CASE-XLA-00119] c 11 N70-33329
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c 04 N82-16059

RUNWAYS
Warm fog dissipation using large volume water sprays
[NASA-CASE-MFS-25962-1] c 09 N84-32398
Airplane runway performance monitoring system
[NASA-CASE-LAR-13854-1-CU] c 04 N88-24621

RUPTURING
Means for controlling rupture of shock tube diaphragms Patent
[NASA-CASE-XAC-00731] c 11 N71-15960

S

SABOT PROJECTILES
Hypervelocity gun --- using both electric and chemical energy for projectile propulsion
[NASA-CASE-XLE-03186-1] c 09 N79-21084

SAFETY
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-3] c 27 N84-22745

SAFETY DEVICES
Pressure suit tie-down mechanism Patent
[NASA-CASE-XMS-00784] c 05 N71-12335
Positive locking check valve Patent
[NASA-CASE-XMS-09310] c 15 N71-22706
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c 15 N71-22797
Velocity limiting safety system Patent
[NASA-CASE-XLA-07473] c 15 N71-24895
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c 14 N72-10375
Restraint torso for a pressurized suit
[NASA-CASE-MSC-12397-1] c 05 N72-25119
Totally confined explosive welding --- apparatus to reduce noise level and protect personnel during explosive bonding
[NASA-CASE-LAR-10941-1] c 37 N74-21057
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c 08 N74-30421
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c 05 N75-25915
Fifth wheel
[NASA-CASE-FRC-10081-1] c 37 N77-14477
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c 33 N80-18287
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c 31 N81-19343
Self-locking double retention redundant full pin release
[NASA-CASE-NPO-16233-1] c 37 N86-20801
Variable response load limiting device
[NASA-CASE-LAR-12801-1] c 37 N88-23982
Timing control system
[NASA-CASE-NPO-16882-1-CU] c 33 N88-24863

SAFETY FACTORS
Safety flywheel --- using flexible materials energy storage
[NASA-CASE-HQN-10888-1] c 44 N79-14527

SAHA EQUATIONS
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c 35 N76-15431

SALT BATHS
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c 15 N70-33311

SAMARIUM
Gd or Sm doped silicon semiconductor composition Patent
[NASA-CASE-XLE-10715] c 26 N71-23292

SAMPLERS
Vacuum probe surface sampler
[NASA-CASE-LAR-10623-1] c 14 N73-30395
Automated syringe sampler --- remote sampling of air and water
[NASA-CASE-LAR-12308-1] c 35 N81-29407

SAMPLES
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c 74 N78-33913
Mobile sampler for use in acquiring samples of terrestrial atmospheric gases
[NASA-CASE-NPO-15220-1] c 45 N83-25217
SAMPLING
Sample collecting impact bit Patent
[NASA-CASE-XNP-01412] c 15 N70-42034
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c 14 N71-20435
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c 13 N72-25323
Digital to analog conversion apparatus
[NASA-CASE-MSC-12458-1] c 08 N73-32081
Rock sampling --- apparatus for controlling particle size
[NASA-CASE-XNP-10007-1] c 46 N74-23068
Rock sampling --- method for controlling particle size distribution
[NASA-CASE-XNP-09755] c 46 N74-23069
Apparatus for microbiological sampling --- including automatic swabbing
[NASA-CASE-LAR-11069-1] c 35 N75-12272
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c 54 N76-14804
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c 35 N78-27384
Fluid sample collection and distribution system --- qualitative analysis of aqueous samples from several points
[NASA-CASE-MSC-16841-1] c 34 N79-24285
Method for detecting coliform organisms
[NASA-CASE-ARC-11322-1] c 51 N83-28849
Moisture content and gas sampling device
[NASA-CASE-MSC-18666-1] c 35 N85-29213
Optical multiple sample vacuum integrating sphere
[NASA-CASE-GSC-12849-1] c 74 N86-26190
Solid sorbent air sampler
[NASA-CASE-MSC-20653-1] c 35 N86-26595
SANDWICH STRUCTURES
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c 33 N70-37979
Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c 14 N70-41332
Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors Patent
[NASA-CASE-XLE-01246] c 14 N71-10797
Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c 15 N71-22713
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c 15 N71-23811
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c 24 N78-10214
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c 24 N79-16915
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c 24 N82-24296
Multiwall thermal protection system
[NASA-CASE-LAR-12620-1] c 24 N82-32417
SAPPHIRE
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c 37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c 24 N79-25143
SATELLITE ANTENNAS
Antenna system using parasitic elements and two driven elements at 90 deg angle fed 180 deg out of phase Patent
[NASA-CASE-XLA-00414] c 07 N70-38200
Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite Patent
[NASA-CASE-XGS-02607] c 31 N71-23009
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c 32 N81-27341
Microwave switching power divider --- antenna feeds
[NASA-CASE-GSC-12420-1] c 33 N82-16340
SATELLITE ATTITUDE CONTROL
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c 21 N70-35089
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c 31 N70-41855
Satellite despin device Patent
[NASA-CASE-XMF-08523] c 31 N71-20396
Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c 21 N71-21708
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c 21 N71-27324
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c 21 N72-21624
Dual purpose momentum wheels for spacecraft with magnetic recording
[NASA-CASE-NPO-11481] c 21 N73-13644
Combination automatic-starting electrical plasma torch and gas shutoff valve --- for satellite attitude control
[NASA-CASE-XLE-10717] c 37 N75-29426
Attitude control system
[NASA-CASE-MFS-22787-1] c 15 N77-10113
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c 18 N81-29152
SATELLITE COMMUNICATION
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c 07 N71-24621
Satellite communication system Patent
[NASA-CASE-XNP-02389] c 07 N71-28900
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390
SATELLITE CONTROL
Stabilization of gravity oriented satellites Patent
[NASA-CASE-XAC-01591] c 31 N71-17729
SATELLITE DESIGN
Inflation system for balloon type satellites Patent
[NASA-CASE-XGS-03351] c 31 N71-16081
SATELLITE INSTRUMENTS
Reaction wheel scanner Patent
[NASA-CASE-XGS-02629] c 14 N71-21082
SATELLITE NETWORKS
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c 07 N72-11149
SATELLITE OBSERVATION
Method and apparatus for Delta Kappa synthetic aperture radar measurement of ocean current
[NASA-CASE-NPO-15704-1] c 32 N85-34327
SATELLITE ORBITS
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c 31 N71-29050
SATELLITE ORIENTATION
Method and apparatus for determining satellite orientation utilizing spatial energy sources Patent
[NASA-CASE-XGS-00466] c 21 N70-34297
Cartwheel satellite synchronization system Patent
[NASA-CASE-XGS-05579] c 31 N71-15676
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c 31 N71-29050
Analog spatial maneuver computer
[NASA-CASE-GSC-10880-1] c 08 N72-11172
SATELLITE PERTURBATION
Method and means for damping nutation in a satellite Patent
[NASA-CASE-XMF-00442] c 31 N71-10747
SATELLITE POWER TRANSMISSION (TO EARTH)
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c 33 N80-18287
SATELLITE ROTATION
Optical spin compensator
[NASA-CASE-XGS-02401] c 14 N69-27485
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c 30 N70-40016
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c 31 N71-29050
Magnetic spin reduction system for free spinning objects
[NASA-CASE-MFS-25966-1] c 16 N86-26352
SATELLITE TELEVISION
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c 10 N71-26374
SATELLITE TRACKING
Tracking receiver Patent
[NASA-CASE-XGS-08679] c 10 N71-21473
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c 32 N75-15854
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c 33 N76-27472
SATELLITE TRANSMISSION
Asynchronous, multiplexing, single line transmission and recovery data system --- for satellite use
[NASA-CASE-NPO-13321-1] c 32 N75-26195
SATELLITE-BORNE INSTRUMENTS
Method of measuring sea surface water temperature with a satellite including wideband passive synthetic-aperture multichannel receiver
[NASA-CASE-NPO-15651-1] c 43 N85-21723
SATELLITE-BORNE PHOTOGRAPHY
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly --- for use with cameras mounted in satellites
[NASA-CASE-GSC-11560-1] c 33 N74-20861
Scanner --- photography from a spin stabilized synchronous satellite
[NASA-CASE-GSC-12032-2] c 43 N82-13465
SATURABLE REACTORS
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c 33 N82-24418
Low power consumption current transducer
[NASA-CASE-NPO-16888-1-CU] c 33 N88-23937
SATURATION
Method of detecting impending saturation of magnetic cores
[NASA-CASE-ERC-10089] c 23 N72-17747
SAWS
Ingot slicing machine and method
[NASA-CASE-NPO-15483-1] c 37 N85-21650
SAWTOOTH WAVEFORMS
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c 09 N70-41675
SCANNERS
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c 07 N69-27460
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c 07 N69-39980
Method and means for an improved electron beam scanning system Patent
[NASA-CASE-ERC-10552] c 09 N71-12539
Reaction wheel scanner Patent
[NASA-CASE-XGS-02629] c 14 N71-21082
Electronic scanning of 2-channel monopulse patterns Patent
[NASA-CASE-GSC-10299-1] c 09 N71-24804
Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PMT
[NASA-CASE-LAR-10320-1] c 09 N72-23172
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c 35 N74-10415
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c 36 N74-20009
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c 35 N74-34857
Electronically scanned pressure sensor module with in situ calibration capability
[NASA-CASE-LAR-12230-1] c 35 N79-14347
Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c 32 N80-28578
Scanner --- photography from a spin stabilized synchronous satellite
[NASA-CASE-GSC-12032-2] c 43 N82-13465
Optical crystal temperature gauge with fiber optic connections
[NASA-CASE-MSC-18627-1] c 74 N82-30071
Scanning seismic intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c 35 N83-34272
Self-correcting electronically scanned pressure sensor
[NASA-CASE-LAR-12686-1] c 35 N84-14491
Two-dimensional scanner apparatus --- flaw detector in small flat plates
[NASA-CASE-MFS-25687-1] c 35 N84-22928
Electronic scanning pressure measuring system and transducer package
[NASA-CASE-ARC-11361-1] c 35 N84-22934
Programmable scan/read circuitry for charge coupled device imaging detectors --- spcecraft attitude control and star trackers
[NASA-CASE-NPO-15345-1] c 74 N84-23247
Atmospheric autorotating imaging device
[NASA-CASE-NPO-17390-1-CU] c 35 N88-24944
SCANNING
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c 07 N71-11300
Method of erasing target material of a vidicon tube or the like Patent
[NASA-CASE-XNP-06028] c 09 N71-23189
Position determination systems --- using orbital antenna scan of celestial bodies
[NASA-CASE-MSC-12593-1] c 17 N76-21250
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c 35 N78-32397
System and method for character recognition
[NASA-CASE-NPO-11337-1] c 74 N81-19896

SCATTERING CROSS SECTIONS
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c 25 N80-20334
SCENE ANALYSIS
Simulator scene display evaluation device
[NASA-CASE-ARC-11504-1] c 09 N86-32447
SCHLIEREN PHOTOGRAPHY
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c 74 N79-20856
SCHMIDT CAMERAS
Cooled echelle grating spectrometer --- for space telescope applications
[NASA-CASE-NPO-14372-1] c 35 N80-26635
SCHMIDT TELESCOPES
Dual aperture multispectral Schmidt objective
[NASA-CASE-GSC-12756-1] c 74 N84-23248
SCHOOLS
Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c 10 N73-30205
SCHOTTKY DIODES
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c 44 N78-13526
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c 44 N79-11467
Back wall solar cell
[NASA-CASE-LEW-12236-2] c 44 N79-14528
Schottky barrier solar cell
[NASA-CASE-NPO-13689-2] c 44 N81-29525
Method of Fabricating Schottky Barrier solar cell
[NASA-CASE-NPO-13689-4] c 44 N82-28780
Thin wire pointing method
[NASA-CASE-NPO-15789-1] c 31 N83-19947
Epitaxial thinning process
[NASA-CASE-NPO-15786-1] c 76 N84-35112
GaAs Schottky barrier photo-responsive device and method of fabrication
[NASA-CASE-GSC-12816-1] c 76 N86-20150
SCOOPS
Aeroflexible structures
[NASA-CASE-XLA-06095] c 01 N69-39981
SCORING
Scriber for silicon wafers
[NASA-CASE-NPO-15539-1] c 37 N82-11469
SCRAMBLING (COMMUNICATION)
Random digital encryption secure communication system
[NASA-CASE-MSC-16462-1] c 32 N82-31583
SCREWS
Electromechanical control actuator system Patent
[NASA-CASE-ERC-10022] c 15 N71-26635
Adjustable support
[NASA-CASE-NPO-10721] c 15 N72-27484
Low noise lead screw positioner
[NASA-CASE-NPO-15617-1] c 35 N87-21304
SCRUBBERS
High pressure gas filter system Patent
[NASA-CASE-MFS-12806] c 14 N71-17588
Nebulization reflux concentrator
[NASA-CASE-LAR-13254-1CU] c 35 N86-29174
SEA ICE
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c 16 N72-22520
SEA STATES
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c 48 N80-18667
SEA SURFACE TEMPERATURE
Method of measuring sea surface water temperature with a satellite including wideband passive synthetic-aperture multichannel receiver
[NASA-CASE-NPO-15651-1] c 43 N85-21723
SEALERS
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c 05 N71-12344
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c 03 N71-22974
Bonded elastomeric seal for electrochemical cells Patent
[NASA-CASE-XGS-02631] c 03 N71-23006
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c 18 N71-23710
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c 23 N76-15268
High performance channel injection sealant invention abstract
[NASA-CASE-ARC-14408-1] c 27 N82-33523
SEALING
Foil seal
[NASA-CASE-XLE-05130] c 15 N69-21362
Sealed battery gas manifold construction Patent
[NASA-CASE-XNP-03378] c 03 N71-11051
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c 03 N71-22974
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c 15 N71-23022
Evacuation port seal Patent
[NASA-CASE-XMF-03290] c 15 N71-23256
Valve seat
[NASA-CASE-NPO-10606] c 15 N72-25451
Ampoule sealing apparatus and process --- for housing a semiconductor growth charge under vacuum
[NASA-CASE-LAR-12847-1] c 33 N83-16633
Optical pressure sealing couping (light joint)
[NASA-CASE-MFS-29348-1] c 74 N88-25303
SEALS (STOPPERS)
Spacecraft battery seals
[NASA-CASE-XGS-03864] c 15 N69-24320
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c 15 N70-33376
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c 15 N70-35087
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c 15 N71-10577
Foil seal Patent
[NASA-CASE-XLE-05130-2] c 15 N71-19570
Storage container for electronic devices Patent
[NASA-CASE-MFS-20075] c 09 N71-26133
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c 15 N71-26294
Spiral groove seal --- for rotating shaft
[NASA-CASE-XLE-10326-4] c 37 N74-15125
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c 37 N74-21063
High speed, self-acting shaft seal --- for use in turbine engines
[NASA-CASE-LEW-11274-1] c 37 N75-21631
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c 37 N77-23482
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c 07 N78-25090
Composite seal for turbomachinery --- backings for turbine engine shrouds
[NASA-CASE-LEW-12131-1] c 37 N79-18318
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c 37 N79-22474
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c 37 N79-22475
Fluid pressure balanced seal
[NASA-CASE-XGS-01286-1] c 37 N79-33469
Gas path seal
[NASA-CASE-NPO-12131-3] c 37 N80-18400
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c 37 N80-26658
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c 37 N80-28711
Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c 37 N81-15363
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c 37 N82-12442
Surface conforming thermal/pressure seal --- tail assemblies of space shuttle orbiters
[NASA-CASE-MSC-18422-1] c 37 N82-16408
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-3] c 37 N82-19540
Continuous self-locking spiral wound seal --- for maintaining pressure between chambers in cryogenic wind tunnels
[NASA-CASE-LAR-12315-1] c 37 N82-24490
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-2] c 37 N82-26674
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c 27 N82-29453
Process for preparing perfluorotriazine elastomers and precursors thereof
[NASA-CASE-ARC-11402-1] c 27 N84-22744
Method of fabricating an abradable gas path seal
[NASA-CASE-LEW-13269-2] c 37 N84-22957
Damping seal for turbomachinery
[NASA-CASE-MFS-25842-2] c 37 N86-20788
Dual motion valve with single motion input
[NASA-CASE-MFS-28058-1] c 37 N87-21332
Thermal stress minimized, two component, turbine shroud seal
[NASA-CASE-LEW-14212-1] c 37 N88-23978
SEAMS (JOINTS)
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c 15 N71-24164
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c 05 N71-24623
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c 37 N74-11301
SEAT BELTS
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c 05 N75-25915
SEATS
Seat cushion to provide realistic acceleration cues to aircraft simulator pilot
[NASA-CASE-LAR-12149-2] c 09 N79-31228
Fire blocking systems for aircraft seat cushions
[NASA-CASE-ARC-11423-1] c 03 N84-33394
Segmented tubular cushion springs and spring assembly
[NASA-CASE-ARC-11349-1] c 37 N86-20797
Variable response load limiting device
[NASA-CASE-LAR-12801-1] c 37 N88-23982
SECONDARY EMISSION
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587
SECTORS
Journal Bearings
[NASA-CASE-LEW-11076-2] c 37 N74-32921
SECURITY
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c 33 N80-23559
Portable appliance security apparatus
[NASA-CASE-GSC-12399-1] c 33 N81-25299
Random digital encryption secure communication system
[NASA-CASE-MSC-16462-1] c 32 N82-31583
Scanning seismic intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c 35 N83-34272
SEGMENTS
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c 15 N71-15597
SEISMIC WAVES
Seismic displacement transducer Patent
[NASA-CASE-XMF-00479] c 14 N70-34794
Seismic vibration source
[NASA-CASE-NPO-14112-1] c 46 N79-22679
Underwater seismic source --- for petroleum exploration
[NASA-CASE-NPO-14255-1] c 46 N79-23555
SEISMOGRAPHS
Scanning seismic intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c 35 N83-34272
SELECTORS
Molecular beam velocity selector Patent
[NASA-CASE-XLE-01533] c 11 N71-10777
Peak polarity selector Patent
[NASA-CASE-FRC-10010] c 10 N71-24862
SELF ALIGNMENT
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c 14 N70-40238
Electrical self-aligning connector --- orbital servicer vehicles
[NASA-CASE-MFS-25211-2] c 33 N84-14423
SELF ERECTING DEVICES
Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c 31 N70-34135
Erectable modular space station Patent
[NASA-CASE-XLA-00678] c 31 N70-34296
Manned space station Patent
[NASA-CASE-XLA-00258] c 31 N70-38676
Foldable conduit Patent
[NASA-CASE-XLE-00620] c 32 N70-41579
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c 31 N71-16102
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c 09 N71-20658
Foldable self-erecting joint
[NASA-CASE-MSC-20635-1] c 18 N87-14373
SELF FOCUSING
Focal axis resolver for offset reflector antennas
[NASA-CASE-GSC-12630-1] c 33 N83-36355
SELF LUBRICATING MATERIALS
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c 18 N71-23710
Self-lubricating gears and other mechanical parts Patent
[NASA-CASE-MFS-14971] c 15 N71-24984
Method of making bearing material
[NASA-CASE-LEW-11930-3] c 24 N80-33482
SELF LUBRICATION
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c 24 N79-17916
Carbide-fluoride-silver self-lubricating composite
[NASA-CASE-LEW-14196-2] c 37 N87-25585

SELF MANEUVERING UNITS
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c 05 N71-12336
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c 28 N71-27585
SELF PROPAGATION
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c 07 N71-26291
SELF SEALING
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c 54 N74-14845
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c 37 N81-24442
Self-compensating solenoid valve
[NASA-CASE-ARC-11620-1] c 37 N87-25573
SELF TESTS
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c 08 N71-24633
SEMICONDUCTOR DEVICES
Test fixture for pellet-like electrical elements
[NASA-CASE-XNP-06032] c 09 N69-21926
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c 09 N69-27422
A method for selective gold diffusion of monolithic silicon devices and/or circuits Patent application
[NASA-CASE-ERC-10072] c 09 N70-11148
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c 09 N70-34819
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c 24 N71-10560
Method of making a silicon semiconductor device Patent
[NASA-CASE-XLE-02792] c 26 N71-10607
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c 26 N71-14354
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c 09 N71-18721
Method and device for determining battery state of charge Patent
[NASA-CASE-NPO-10194] c 03 N71-20407
Multialarm summary alarm Patent
[NASA-CASE-XLE-03061-1] c 10 N71-24798
Method of temperature compensating semiconductor strain gages Patent
[NASA-CASE-XLA-04555-1] c 14 N71-25892
Pneumatic oscillator Patent
[NASA-CASE-LEW-10345-1] c 10 N71-25899
Method and apparatus for detecting gross leaks Patent
[NASA-CASE-ERC-10033] c 14 N71-26672
Transistor drive regulator Patent
[NASA-CASE-LEW-10233] c 10 N71-27126
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c 14 N71-28992
Method of manufacturing semiconductor devices using refractory dielectrics
[NASA-CASE-XER-08476-1] c 26 N72-17820
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c 09 N72-22199
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c 15 N72-25447
Gunn-type solid state devices
[NASA-CASE-XER-07895] c 26 N72-25679
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c 14 N72-31446
Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c 15 N73-14469
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c 76 N76-25049
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c 35 N78-18390
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c 76 N78-24950
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c 33 N80-32650
Electrical power generating system --- for windpowered generation
[NASA-CASE-MFS-24368-3] c 33 N81-22280
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-2] c 33 N83-24763
Imaging X-ray spectrometer
[NASA-CASE-GSC-12682-1] c 35 N84-33765
Epitaxial thinning process
[NASA-CASE-NPO-15786-1] c 76 N84-35112
Process and apparatus for growing a crystal ribbon
[NASA-CASE-NPO-15629-1] c 76 N84-35113
Inelastic tunnel diodes
[NASA-CASE-LEW-13833-1] c 33 N85-21492
Low defect, high purity crystalline layers grown by selective deposition
[NASA-CASE-NPO-15813-1] c 76 N85-30922
Method and apparatus for measuring minority carrier lifetime in a direct band-gap semiconductor
[NASA-CASE-NPO-16337-1-CU] c 33 N87-22894
SEMICONDUCTOR JUNCTIONS
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c 09 N71-23027
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c 14 N71-27334
Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c 18 N73-30532
High voltage planar multijunction solar cell
[NASA-CASE-LEW-13400-1] c 44 N82-31764
Screen printed interdigitated back contact solar cell
[NASA-CASE-LEW-13414-1] c 44 N85-20530
Method of measuring field funneling and range straggling in semiconductor charge-collecting junctions
[NASA-CASE-NPO-16584-1-CU] c 76 N86-25269
SEMICONDUCTORS (MATERIALS)
Depositing semiconductor films utilizing a thermal gradient
[NASA-CASE-XKS-04614] c 15 N69-21460
System for improving signal-to-noise ratio of a communication signal Patent Application
[NASA-CASE-MSC-12259-1] c 07 N70-12616
High efficiency multivibrator Patent
[NASA-CASE-XAC-00942] c 10 N71-16042
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c 26 N71-17818
Method of electrolytically binding a layer of semiconductors together Patent
[NASA-CASE-XNP-01959] c 26 N71-23043
Gd or Sm doped silicon semiconductor composition Patent
[NASA-CASE-XLE-10715] c 26 N71-23292
Infrared detectors
[NASA-CASE-LAR-10728-1] c 14 N73-12445
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c 33 N75-27251
Vapor deposition apparatus --- semiconductors and gallium arsenides
[NASA-CASE-HQN-10462] c 25 N75-29192
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c 44 N79-11468
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c 76 N79-21910
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c 33 N80-18286
Photoelectrochemical cells including chalcogenophosphate photoelectrodes
[NASA-CASE-LAR-12958-1] c 44 N84-23019
Epitaxial thinning process
[NASA-CASE-NPO-15786-1] c 76 N84-35112
Method for determining the point of zero zeta potential of semiconductor
[NASA-CASE-LAR-12893-1] c 76 N85-30923
Method of making macrocrystalline or single crystal semiconductor material
[NASA-CASE-NPO-15904-1] c 76 N86-28760
Method for growing low defect, high purity crystalline layers utilizing lateral overgrowth of a patterned mask
[NASA-CASE-NPO-15813-2] c 76 N87-15882
Total immersion crystal growth
[NASA-CASE-NPO-15800-2] c 76 N87-23286
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713
Floating emitter solar cell
[NASA-CASE-NPO-16467-1-CU] c 33 N87-23879
Liquid encapsulated float zone process and apparatus
[NASA-CASE-MFS-28144-1] c 76 N88-24545
SENSITIVITY
Active RC networks
[NASA-CASE-ARC-10042-2] c 10 N72-11256
Tailorable infrared sensing device with strain layer superlattice structure
[NASA-CASE-NPO-16607-1-CU] c 76 N88-14836
SENSITOMETRY
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c 54 N78-32720
SENSORS
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c 24 N75-30260
Medical subject monitoring systems --- multichannel monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
Trace water sensor
[NASA-CASE-NPO-15722-1] c 35 N85-29212
SENSORY PERCEPTION
Tactile sensing means for prosthetic limbs
[NASA-CASE-MFS-16570-1] c 05 N73-32013
SEPARATED FLOW
Thrust vector control apparatus Patent
[NASA-CASE-XLE-00208] c 28 N70-34294
Double hinged flap Patent
[NASA-CASE-XLA-01290] c 02 N70-42016
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c 18 N71-20742
Flow separation detector
[NASA-CASE-ARC-11046-1] c 35 N78-14364
Method and apparatus for detecting laminar flow separation and reattachment
[NASA-CASE-LAR-13952-1-SB] c 34 N88-24910
Method of forming a multiple layer dielectric and a hot film sensor therewith
[NASA-CASE-LAR-13678-1] c 76 N88-25355
SEPARATORS
Condenser - Separator
[NASA-CASE-XLA-08645] c 15 N69-21465
Umbilical separator for rockets Patent
[NASA-CASE-XNP-00425] c 11 N70-38202
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c 15 N70-40062
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c 15 N71-15968
Separator Patent
[NASA-CASE-XLA-00415] c 15 N71-16079
Water separating system Patent
[NASA-CASE-XMS-13052] c 14 N71-20427
Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c 15 N71-23023
Air removal device
[NASA-CASE-XLA-08914] c 15 N73-12492
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c 34 N74-30608
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c 34 N75-26282
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c 37 N76-18456
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c 44 N77-22606
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c 35 N78-12390
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c 25 N78-14104
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c 07 N78-25090
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c 44 N78-25530
Formulated plastic separators for soluble electrode cells --- rubber-ion transport membranes
[NASA-CASE-LEW-12358-1] c 44 N79-17313
Water separator
[NASA-CASE-XMS-01295-1] c 37 N79-21345
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c 44 N79-25481
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c 24 N81-14000
Polyvinyl alcohol battery separator containing inert filler --- alkaline batteries
[NASA-CASE-LEW-13556-1] c 44 N81-27615
Method of making formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c 25 N82-21268
Process of treating cellulosic membrane and alkaline with membrane separator
[NASA-CASE-GSC-10019-1] c 44 N82-24641
Separator for alkaline batteries and method of making same
[NASA-CASE-GSC-10350-1] c 44 N82-24642
Separator for alkaline electric cells and method of making
[NASA-CASE-GSC-10017-1] c 44 N82-24643
Separator for alkaline electric batteries and method of making
[NASA-CASE-GSC-10018-1] c 44 N82-24644
Alkaline electrochemical cells and method of making
[NASA-CASE-GSC-10349-1] c 44 N82-24645
Aqueous alkali metal hydroxide insoluble cellulose ether membrane
[NASA-CASE-XGS-05584-1] c 25 N82-29370
Advanced inorganic separators for alkaline batteries
[NASA-CASE-LEW-13171-1] c 44 N82-29708
Electrophoresis device
[NASA-CASE-MFS-25426-1] c 25 N83-10126
Static continuous electrophoresis device
[NASA-CASE-MFS-25306-1] c 25 N83-13187

Advanced inorganic separators for alkaline batteries and method of making the same
[NASA-CASE-LEW-13171-2] c 44 N83-32176
Alkaline battery containing a separator of a cross-linked copolymer of vinyl alcohol and unsaturated carboxylic acid
[NASA-CASE-LEW-13102-1] c 33 N85-29144

SEQUENCING
Synchronous counter Patent
[NASA-CASE-XGS-02440] c 08 N71-19432
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c 10 N71-26418
Digital function generator
[NASA-CASE-NPO-11104] c 08 N72-22165
MOD 2 sequential function generator for multibit binary sequence
[NASA-CASE-NPO-10636] c 08 N72-25210
Pseudonoise sequence generators with three tap linear feedback shift registers
[NASA-CASE-NPO-11406] c 08 N73-12175
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c 37 N77-22482
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-15670-1] c 33 N82-33634

SEQUENTIAL ANALYSIS
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c 08 N72-25209
Event sequence detector
[NASA-CASE-NPO-11703-1] c 10 N73-32144

SEQUENTIAL COMPUTERS
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c 60 N79-20751

SEQUENTIAL CONTROL
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c 08 N71-12503
Binary sequence detector Patent
[NASA-CASE-XNP-05415] c 08 N71-12505
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c 37 N79-20377
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-256704-1] c 33 N84-22884

SERUMS
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c 52 N75-15270

SERVICE LIFE
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c 09 N72-21248
Stirling cycle cryogenic cooler
[US-PATENT-4,389,849] c 44 N83-28574
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560

SERVOAMPLIFIERS
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c 15 N71-27147

SERVOCONTROL
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c 07 N69-27460
Proportional controller Patent
[NASA-CASE-XAC-03392] c 03 N70-41954
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c 09 N71-19479
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c 32 N71-25360
Energy limiter for hydraulic actuators Patent
[NASA-CASE-ARC-10131-1] c 15 N71-27754
Digital servo controller --- for rotating antenna shaft
[NASA-CASE-KSC-10769-1] c 33 N74-29556
Digital servo control of random sound test excitation --- in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c 71 N74-31148
Phase-locked servo system --- for synchronizing the rotation of slip ring assembly
[NASA-CASE-MFS-22073-1] c 33 N75-13139
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c 35 N75-25123
Autonomous navigation system --- gyroscopic pendulum for air navigation
[NASA-CASE-ARC-11257-1] c 04 N81-21047
System and method for moving a probe to follow movements of tissue
[NASA-CASE-NPO-15197-1] c 52 N83-25346
Control system for an induction motor with energy recovery
[NASA-CASE-MFS-25477-1] c 33 N84-14424
Memory metal actuator
[NASA-CASE-NPO-15960-1] c 37 N86-19604

SERVOMECHANISMS
Interferometer servo system Patent
[NASA-CASE-NPO-10300] c 14 N71-17662
Line following servosystem Patent
[NASA-CASE-XAC-00001] c 15 N71-28952
A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c 07 N71-33613
Ball screw linear actuator
[NASA-CASE-NPO-11222] c 15 N72-25456
Rotary actuator
[NASA-CASE-NPO-10680] c 31 N73-14855
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c 37 N77-22479
Actuator mechanism
[NASA-CASE-GSC-11883-2] c 37 N78-31426
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c 35 N79-14348
Automated syringe sampler --- remote sampling of air and water
[NASA-CASE-LAR-12308-1] c 35 N81-29407
Electrical servo actuator bracket --- fuel control valves on jet engines
[NASA-CASE-FRC-11044-1] c 37 N81-33483
Hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c 08 N82-24205
Servomechanism for Doppler shift compensation in optical correlator for synthetic aperture radar
[NASA-CASE-NPO-14998-1] c 32 N83-18975

SERVOMOTORS
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c 07 N71-19433
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c 10 N71-24861
Cyclically operable optical shutter
[NASA-CASE-NPO-10758] c 14 N73-14427
Rotary actuator
[NASA-CASE-NPO-10680] c 31 N73-14855
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c 35 N80-20563
Load positioning system with gravity compensation
[NASA-CASE-ARC-11525-1] c 37 N86-27629

SEWAGE TREATMENT
Sewage sludge additive
[NASA-CASE-NPO-13877-1] c 45 N82-11634
Method for treating wastewater using microorganisms and vascular aquatic plants
[NASA-CASE-NSTL-10] c 45 N84-12654

SHADES
Sun shield
[NASA-CASE-MSC-20162-1] c 37 N87-17036

SHAFTS (MACHINE ELEMENTS)
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c 15 N69-27505
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c 15 N70-36947
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c 14 N70-40201
Two-axis controller Patent
[NASA-CASE-XFR-04104] c 03 N70-42073
Ratchet mechanism Patent
[NASA-CASE-MFS-12805] c 15 N71-17805
Frictionless universal joint Patent
[NASA-CASE-NPO-10646] c 15 N71-28467
Spiral groove seal
[NASA-CASE-XLE-10326-2] c 15 N72-29488
High speed hybrid bearing comprising a fluid bearing and a rolling bearing convected in series
[NASA-CASE-LEW-11152-1] c 15 N73-32359
Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c 37 N74-10474
Hole cutter --- drill bits and rotating shaft
[NASA-CASE-MFS-22649-1] c 37 N75-25186
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c 33 N77-31404
Counter pumping debris excluder and separator --- gas turbine shaft seals
[NASA-CASE-LEW-11855-1] c 07 N78-25090
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c 37 N79-20377
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c 37 N79-22475
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c 37 N81-15364
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c 37 N81-25370
Circumferential shaft seal
[NASA-CASE-LEW-12119-2] c 37 N81-26447
Hermetic seal for a shaft
[NASA-CASE-NPO-15115-1] c 37 N82-24493
Method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-2] c 37 N85-29282
Angular measurement system
[NASA-CASE-MFS-25825-1] c 31 N86-29055
Non-backdriveable free wheeling coupling
[NASA-CASE-MSC-20475-1] c 37 N87-17037

SHAKERS
Planar oscillatory stirring apparatus
[NASA-CASE-MFS-26002-1-CU] c 35 N86-26598

SHALE OIL
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c 43 N78-14452
Oil shale extraction using super-critical extraction
[NASA-CASE-NPO-15656-1] c 43 N84-23012
Solar heated oil shale pyrolysis process
[NASA-CASE-NPO-16392-1] c 25 N86-25428

SHALES
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c 43 N79-25443
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c 43 N80-14423
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c 43 N80-23711
Oil shale extraction using super-critical extraction
[NASA-CASE-NPO-15656-1] c 43 N84-23012

SHAPE CONTROL
Synchronously deployable truss structure
[NASA-CASE-LAR-13117-1] c 37 N86-25789

SHAPE MEMORY ALLOYS
Memory metal actuator
[NASA-CASE-NPO-15960-1] c 37 N86-19604
Rotary stepping device with memory metal actuator
[NASA-CASE-NPO-15482-1] c 37 N87-23970

SHAPED CHARGES
Coupling for linear shaped charge Patent
[NASA-CASE-XLA-00189] c 33 N70-36846
Lateral displacement system for separated rocket stages Patent
[NASA-CASE-XLA-04804] c 31 N71-23008

SHAPERS
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c 27 N70-34783
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c 15 N71-21536
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c 15 N71-26721

SHAPES
Stiffened titanium panels
[NASA-CASE-LAR-13814-1] c 31 N88-24816

SHARKS
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c 18 N71-15545

SHARPNESS
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c 74 N80-24149

SHEAR CREEP
Instrument for measuring torsional creep and recovery Patent
[NASA-CASE-XLE-01481] c 14 N71-10781

SHEAR FLOW
Shear modulated fluid amplifier Patent
[NASA-CASE-MFS-10412] c 12 N71-17578

SHEAR PROPERTIES
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c 14 N71-17584

SHEAR STRESS
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c 15 N69-27505
Angular velocity and acceleration measuring apparatus
[NASA-CASE-ERC-10292] c 14 N72-25410
Bonded joint and method --- for reducing peak shear stress in adhesive bonds
[NASA-CASE-LAR-10900-1] c 37 N74-23064
Method and apparatus for detecting laminar flow separation and reattachment
[NASA-CASE-LAR-13952-1-SB] c 34 N88-24910

SHEARING
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900

SHELL ANODES
Ring-cusp ion thruster with shell anode
[NASA-CASE-LEW-13881-1] c 20 N85-21256

SHELLS (STRUCTURAL FORMS)
Channel-type shell construction for rocket engines and the like Patent
[NASA-CASE-XLE-00144] c 28 N70-34860

SHIELDING
Spherical shield Patent
[NASA-CASE-XNP-01855] c 15 N71-28937
Shielded flat cable
[NASA-CASE-MFS-13687-2] c 09 N72-22198
System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c 74 N79-11865

Space ultra-vacuum facility and method of operation
[NASA-CASE-MFS-28139-1] c 29 N87-18679
Trailer shield assembly for a welding torch
[NASA-CASE-MFS-29260-1] c 37 N88-24972

SHIFT REGISTERS
Binary to binary-coded-decimal converter Patent
[NASA-CASE-XNP-00432] c 08 N70-35423
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c 08 N71-12503
Counter and shift register Patent
[NASA-CASE-XNP-01753] c 08 N71-22897
Current steering commutator
[NASA-CASE-NPO-10743] c 08 N72-21199
Feedback shift register with states decomposed into cycles of equal length
[NASA-CASE-NPO-11082] c 08 N72-22167
MOD 2 sequential function generator for multibit binary sequence
[NASA-CASE-NPO-10636] c 08 N72-25210
Pseudonoise sequence generators with three tap linear feedback shift registers
[NASA-CASE-NPO-11406] c 08 N73-12175
A m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c 10 N73-20254
Counting digital filters
[NASA-CASE-NPO-11821-1] c 08 N73-26175
Event sequence detector
[NASA-CASE-NPO-11703-1] c 10 N73-32144
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c 32 N74-32598
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c 33 N76-14373
Selective data segment monitoring system --- using shift registers
[NASA-CASE-ARC-10899-1] c 60 N77-19760
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c 60 N79-20751

SHOCK ABSORBERS
Pivotal shock absorbing pad assembly Patent
[NASA-CASE-XMF-03856] c 31 N70-34159
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c 15 N70-34850
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c 05 N70-35152
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c 15 N70-35679
Landing pad assembly for aerospace vehicles Patent
[NASA-CASE-XMF-02853] c 31 N70-36654
Space craft soft landing system Patent
[NASA-CASE-XMF-02108] c 31 N70-36845
Double-acting shock absorber Patent
[NASA-CASE-XMF-01045] c 15 N70-40354
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c 05 N71-12343
Shock absorber Patent
[NASA-CASE-XMS-03722] c 15 N71-21530
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c 14 N71-23092
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c 15 N72-17450
Impact energy absorbing system utilizing fracturable material
[NASA-CASE-NPO-10671] c 15 N72-20443
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c 19 N76-22284
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c 37 N79-10420
Variable response load limiting device
[NASA-CASE-LAR-12801-1] c 37 N88-23982

SHOCK LOADS
Wind tunnel model damper Patent
[NASA-CASE-XLA-09480] c 11 N71-33612

SHOCK MEASURING INSTRUMENTS
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c 35 N78-18390

SHOCK RESISTANCE
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c 15 N70-36409
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c 18 N73-14584
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c 27 N78-17206
Laser surface fusion of plasma sprayed ceramic turbine seals
[NASA-CASE-LEW-13269-1] c 18 N83-20996
Method of fabricating an abradable gas path seal
[NASA-CASE-LEW-13269-2] c 37 N84-22957

SHOCK TUBES
Means for controlling rupture of shock tube diaphragms Patent
[NASA-CASE-XAC-00731] c 11 N71-15960
Shock tube bypass piston tunnel
[NASA-CASE-NPO-12109] c 11 N72-22245
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c 09 N77-10071

SHOCK WAVE INTERACTION
Absorptive splitter for closely spaced supersonic engine air inlets Patent
[NASA-CASE-XLA-02865] c 28 N71-15563

SHOCK WAVE LUMINESCENCE
Shock-layer radiation measurement
[NASA-CASE-XAC-02970] c 14 N69-39896

SHOCK WAVE PROFILES
Shock-layer radiation measurement
[NASA-CASE-XAC-02970] c 14 N69-39896
Adapter for mounting a microphone flush with the external surface of the skin of a pressurized aircraft
[NASA-CASE-FRC-11072-1] c 05 N83-27975

SHOCK WAVES
Shock tube powder dispersing apparatus Patent
[NASA-CASE-XLE-04946] c 17 N71-24911
Shock wave convergence apparatus
[NASA-CASE-MFS-20890] c 14 N72-22439
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c 18 N73-32437
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c 35 N76-14431

SHOES
Jet shoes
[NASA-CASE-XLA-08491] c 05 N69-21380

SHORT CIRCUITS
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c 03 N69-25146
Triode thermionic energy converter
[NASA-CASE-XLE-01015] c 03 N69-39898
Analog to digital converter tester Patent
[NASA-CASE-XLA-06713] c 14 N71-28991
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c 33 N79-18193
Test apparatus for locating shorts during assembly of electrical buses
[NASA-CASE-ARC-11116-1] c 33 N82-24420

SHOT PEENING
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c 37 N76-18454

SHOULDERS
Shoulder and hip joint for hard space suits
[NASA-CASE-ARC-11543-1] c 54 N86-28620
Shoulder and hip joints for hard space suits and the like
[NASA-CASE-ARC-11534-1] c 54 N86-29507

SHROUDED NOZZLES
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c 07 N78-27121

SHROUDED TURBINES
Composite seal for turbomachinery --- backings for turbine engine shrouds
[NASA-CASE-LEW-12131-1] c 37 N79-18318
Gas path seal
[NASA-CASE-NPO-12131-3] c 37 N80-18400
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c 37 N80-26658
Laser surface fusion of plasma sprayed ceramic turbine seals
[NASA-CASE-LEW-13269-1] c 18 N83-20996
Thermal stress minimized, two component, turbine shroud seal
[NASA-CASE-LEW-14212-1] c 37 N88-23978

SHROUDS
Composite powerplant and shroud therefor Patent
[NASA-CASE-XLA-01043] c 28 N71-10780
Composite seal for turbomachinery --- backings for turbine engine shrouds
[NASA-CASE-LEW-12131-1] c 37 N79-18318
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-3] c 37 N82-19540
Active clearance control system for a turbomachine
[NASA-CASE-LEW-12938-1] c 07 N82-32366
Method of fabricating an abradable gas path seal
[NASA-CASE-LEW-13269-2] c 37 N84-22957

SHUTTERS
High speed shutter --- electrically actuated ribbon loop for shuttering optical or fluid passageways
[NASA-CASE-ARC-10516-1] c 70 N74-21300

SHUTTLE DERIVED VEHICLES
Three stage rocket vehicle with parallel staging
[NASA-CASE-MFS-25878-1] c 18 N84-27787

SIDE INLETS
Low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c 85 N82-33288

SIDEBANDS
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c 07 N70-41680
Method and means for generation of tunable laser sidebands in the far-infrared region
[NASA-CASE-NPO-16497-1-CU] c 36 N87-25567

SIDELOBE REDUCTION
Dual mode horn antenna Patent
[NASA-CASE-XNP-01057] c 07 N71-15907
Video processor for air traffic control beacon system
[NASA-CASE-KSC-11155-1] c 04 N86-19304

SIGNAL ANALYSIS
Signal detection and tracking apparatus Patent
[NASA-CASE-XGS-03502] c 10 N71-20852
Method and apparatus for a single channel digital communications system --- synchronization of received PCM signal by digital correlation with reference signal
[NASA-CASE-NPO-11302-2] c 32 N74-10132
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c 33 N74-27705
Correlation type phase detector --- with time correlation integrator for frequency multiplexed signals
[NASA-CASE-GSC-11744-1] c 33 N75-26243
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c 32 N76-31372
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c 62 N76-31946
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c 32 N83-13323
Video processor for air traffic control beacon system
[NASA-CASE-KSC-11155-1] c 04 N86-19304
Acoustic emission frequency discrimination
[NASA-CASE-MSC-20467-1] c 35 N88-23966

SIGNAL ANALYZERS
System for monitoring signal amplitude ranges
[NASA-CASE-XMS-04061-1] c 09 N69-39885
Sampled data controller Patent
[NASA-CASE-GSC-10554-1] c 08 N71-29033
Family of frequency to amplitude converters
[NASA-CASE-MSC-12395] c 09 N72-25257
Apparatus for statistical time-series analysis of electrical signals
[NASA-CASE-MSC-12428-1] c 10 N73-25240
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c 33 N74-32711
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c 74 N76-19935
Speech analyzer
[NASA-CASE-GSC-11898-1] c 32 N77-30309

SIGNAL DETECTION
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c 21 N71-13958
Method of detecting impending saturation of magnetic cores
[NASA-CASE-ERC-10089] c 23 N72-17747
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c 32 N77-10392
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c 32 N77-20289
Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c 32 N79-10262
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c 33 N79-11313
Method and apparatus for receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c 32 N84-27952

SIGNAL DETECTORS
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c 14 N70-34161
Pulse amplitude and width detector Patent
[NASA-CASE-XMF-06519] c 09 N71-12519
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c 24 N71-20518
Digital modulator and demodulator Patent
[NASA-CASE-ERC-10041] c 08 N71-29138
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c 43 N80-14423
Pulse transducer with artifact signal attenuator --- heart rate sensors
[NASA-CASE-FRC-11012-1] c 52 N80-23969
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c 35 N81-19427
Triac failure detector
[NASA-CASE-MFS-25607-1] c 33 N83-34190
Method and apparatus for detecting laminar flow separation and reattachment
[NASA-CASE-LAR-13952-1-SB] c 34 N88-24910

SIGNAL DISTORTION
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c 32 N76-16249

SIGNAL ENCODING
Adaptive compression of communication signals Patent
[NASA-CASE-XLA-03076] c 07 N71-11266

Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c 35 N81-19427
Random digital encryption secure communication system
[NASA-CASE-MSC-16462-1] c 32 N82-31583

SIGNAL GENERATORS
Plural recorder system
[NASA-CASE-XMS-06949] c 09 N69-21467
Signal generator
[NASA-CASE-XNP-05612] c 09 N69-21468
Means for generating a sync signal in an FM communication system Patent
[NASA-CASE-XNP-10830] c 07 N71-11281
Array phasing device Patent
[NASA-CASE-ERC-10046] c 10 N71-18722
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c 14 N71-23174
Controllers Patent
[NASA-CASE-XMS-07487] c 15 N71-23255
Signal ratio system utilizing voltage controlled oscillators Patent
[NASA-CASE-XMF-04367] c 09 N71-23545
Signal processing apparatus for multiplex transmission Patent
[NASA-CASE-NPO-10388] c 07 N71-24622
Multialarm summary alarm Patent
[NASA-CASE-XLE-03061-1] c 10 N71-24798
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c 10 N71-26374
Voltage dropout sensor Patent
[NASA-CASE-KSC-10020] c 10 N71-27338
System for controlling the operation of a variable signal device
[NASA-CASE-NPO-11064] c 07 N72-11150
Digital function generator
[NASA-CASE-NPO-11104] c 08 N72-22165
Hall effect transducer
[NASA-CASE-LAR-10620-1] c 09 N72-25255
Gunn-type solid state devices
[NASA-CASE-XER-07895] c 26 N72-25679
Audio frequency marker system
[NASA-CASE-NPO-11147] c 14 N72-27408
Digital servo control of random sound test excitation --- in reverberant acoustic chamber
[NASA-CASE-NPO-11623-1] c 71 N74-31148
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c 35 N75-12270
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c 33 N75-19519
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c 35 N75-21582
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c 35 N75-30502
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c 33 N77-31404
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c 35 N79-14348
Versatile LDV burst simulator
[NASA-CASE-LAR-11859-1] c 35 N79-14349
Underwater seismic source --- for petroleum exploration
[NASA-CASE-NPO-14255-1] c 46 N79-23555
Frequency translating phase conjugation circuit for active retrodirective antenna array --- microwave transmission
[NASA-CASE-NPO-14536-1] c 32 N81-14185
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c 07 N81-19116
Motor power factor controller with a reduced voltage starter
[NASA-CASE-MFS-25586-1] c 33 N82-11360
Combinational logic for generating gate drive signals for phase control rectifiers
[NASA-CASE-MFS-25208-1] c 33 N83-10345
Adaptive reference voltage generator for firing angle control of line-commutated inverters
[NASA-CASE-MFS-25215-1] c 33 N83-31953
Magnetic heading reference
[NASA-CASE-LAR-12638-1] c 04 N84-14132
Brushless DC motor control system responsive to control signals generated by a computer or the like
[NASA-CASE-NPO-16420-1] c 33 N86-20681

SIGNAL MEASUREMENT
Amplifier for measuring low-level signals in the presence of high common mode voltage
[NASA-CASE-MFS-25868-1] c 33 N86-20670

SIGNAL MIXING
Signal multiplexer
[NASA-CASE-XGS-01110] c 07 N69-24334
Baseband signal combiner for large aperture antenna array
[NASA-CASE-NPO-14641-1] c 32 N81-29308

SIGNAL PROCESSING
Adaptive compression of communication signals Patent
[NASA-CASE-XLA-03076] c 07 N71-11266
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c 07 N71-11300
Difference circuit Patent
[NASA-CASE-XNP-08274] c 10 N71-13537
Correlation function apparatus Patent
[NASA-CASE-XNP-00746] c 07 N71-21476
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c 14 N71-23174
Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c 10 N71-23669
Signal processing apparatus for multiplex transmission Patent
[NASA-CASE-NPO-10388] c 07 N71-24622
Television signal processing system Patent
[NASA-CASE-NPO-10140] c 07 N71-24742
Electronic scanning of 2-channel monopulse patterns Patent
[NASA-CASE-GSC-10299-1] c 09 N71-24804
Remodulator filter Patent
[NASA-CASE-NPO-10198] c 09 N71-24806
Video sync processor Patent
[NASA-CASE-KSC-10002] c 10 N71-25865
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c 09 N71-25866
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c 10 N71-26142
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c 14 N71-26266
Digital modulator and demodulator Patent
[NASA-CASE-ERC-10041] c 08 N71-29138
Digital pulse width selection circuit Patent
[NASA-CASE-XLA-07788] c 09 N71-29139
Phase shift circuit apparatus
[NASA-CASE-ARC-10269-1] c 10 N72-16172
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c 10 N72-20225
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c 07 N72-21119
Logarithmic function generator utilizing an exponentially varying signal in an inverse manner
[NASA-CASE-ERC-10267] c 09 N72-23173
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c 07 N72-25172
Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c 08 N73-13187
Multichannel telemetry system
[NASA-CASE-NPO-11572] c 07 N73-16121
Measurement system
[NASA-CASE-MFS-20658-1] c 14 N73-30386
Digital to analog conversion apparatus
[NASA-CASE-MSC-12458-1] c 08 N73-32081
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c 33 N74-11050
Low level signal limiter
[NASA-CASE-XLE-04791] c 32 N74-22096
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c 52 N74-26625
Apparatus and method for processing Korotkov sounds --- for blood pressure measurement
[NASA-CASE-MSC-13999-1] c 52 N74-26626
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c 33 N74-32711
Continuous Fourier transform method and apparatus --- for the analysis of simultaneous analog signal components
[NASA-CASE-ARC-10466-1] c 60 N75-13539
Signal conditioning circuit apparatus --- with constant input impedance
[NASA-CASE-ARC-10348-1] c 33 N75-19518
Television noise reduction device
[NASA-CASE-MSC-12607-1] c 32 N75-21485
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c 33 N75-30429
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c 33 N76-14371
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c 32 N76-21366
System for measuring Reynolds in a turbulently flowing fluid --- signal processing
[NASA-CASE-ARC-10755-2] c 34 N76-27517
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c 33 N77-26386
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c 09 N77-27131
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c 60 N77-32731
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c 33 N78-10375
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c 33 N78-25319
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c 33 N78-32338
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c 32 N79-10263
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c 32 N79-19195
Electrochemical detection device --- for use in microbiology
[NASA-CASE-LAR-11922-1] c 25 N79-24073
Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c 32 N80-28578
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c 31 N80-32584
CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c 33 N81-27396
Interleaving device
[NASA-CASE-GSC-12111-2] c 33 N81-29342
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c 60 N82-29013
Discriminator aided phase lock acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c 33 N82-29539
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c 32 N83-13323
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c 74 N83-32577
Real time pressure signal system for a rotary engine
[NASA-CASE-LEW-13622-1] c 07 N84-22559
Digital interface for bi-directional communication between a computer and a peripheral device
[NASA-CASE-MSC-20258-1] c 60 N84-28492
Pipelined digital SAR azimuth correlator using hybrid FFT-transversal filter
[NASA-CASE-NPO-15519-1] c 32 N84-34651
Optical stereo video signal processor
[NASA-CASE-MFS-25752-1] c 74 N86-21348
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761
Method and apparatus for telemetry adaptive bandwidth compression
[NASA-CASE-MSC-20821-1] c 17 N87-25348
Processing circuit with asymmetry corrector and convolutional encoder for digital data
[NASA-CASE-MSC-20187-1] c 33 N87-25531
Doppler radar with multiphase modulation of transmitted and reflected signal
[NASA-CASE-MSC-18808-1] c 32 N88-23923
Method and apparatus for non-destructive testing of temper embrittlement in steels
[NASA-CASE-LAR-13817-1] c 26 N88-29012
Doppler-corrected differential detection system
[NASA-CASE-NPO-16987-1-CU] c 32 N88-30001
Quantitative surface temperature measurement using two-color thermographic phosphors and video equipment
[NASA-CASE-LAR-13740-1] c 35 N88-30105

SIGNAL RECEPTION
Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c 07 N70-36911
Reflectometer for receiver input impedance match measurement Patent
[NASA-CASE-XNP-10843] c 07 N71-11267
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c 10 N71-20841
Signal detection and tracking apparatus Patent
[NASA-CASE-XGS-03502] c 10 N71-20852
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c 07 N71-23098
Decoder system Patent
[NASA-CASE-NPO-10118] c 07 N71-24741
Antenna array phase quadrature tracking system Patent
[NASA-CASE-MSC-12205-1] c 07 N71-27056
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c 26 N72-25680
Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c 10 N73-27171
Ferrofluidic solenoid
[NASA-CASE-NPO-11738-1] c 09 N73-30185

Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c 35 N76-16391
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c 35 N82-15381
Method and apparatus for receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c 32 N84-27952
Single frequency multitransmitter telemetry
[NASA-CASE-LAR-13006-1] c 17 N87-16863

SIGNAL REFLECTION
Reflectometer for receiver input impedance match measurement Patent
[NASA-CASE-XNP-10843] c 07 N71-11267
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c 32 N78-31321

SIGNAL STABILIZATION
Linear accelerator frequency control system Patent
[NASA-CASE-XGS-05441] c 10 N71-22962
Digital modulator and demodulator Patent
[NASA-CASE-ERC-10041] c 08 N71-29138
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c 32 N75-24982
Fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c 74 N82-19029

SIGNAL TO NOISE RATIOS
System for improving signal-to-noise ratio of a communication signal Patent Application
[NASA-CASE-MSC-12259-1] c 07 N70-12616
Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c 07 N70-36911
Phase detector assembly Patent
[NASA-CASE-XMF-00701] c 09 N70-40272
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c 07 N71-20791
Signal ratio system utilizing voltage controlled oscillators Patent
[NASA-CASE-XMF-04367] c 09 N71-23545
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c 07 N72-21119
Parametric amplifiers with idler circuit feedback
[NASA-CASE-LAR-10253-1] c 09 N72-25258
System for improving signal-to-noise ratio of a communication signal
[NASA-CASE-MSC-12259-2] c 07 N72-33146
Signal-to-noise ratio determination circuit
[NASA-CASE-GSC-11239-1] c 10 N73-25241
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c 32 N74-19786

SIGNAL TRANSMISSION
Time division multiplex system
[NASA-CASE-XGS-05918] c 07 N69-39974
Apparatus for coupling a plurality of ungrounded circuits to a grounded circuit Patent
[NASA-CASE-XAC-00086] c 09 N70-33182
Bi-carrier demodulator with modulation Patent
[NASA-CASE-XMF-01160] c 07 N71-11298
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c 07 N71-12392
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c 07 N71-20791
Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c 07 N71-20814
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c 10 N71-22986
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c 09 N71-23311
Junction range finder
[NASA-CASE-KSC-10108] c 14 N73-25461
Television multiplexing system
[NASA-CASE-KSC-10654-1] c 07 N73-30115
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c 33 N74-10194
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c 32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c 32 N74-20810
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c 32 N75-21486
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c 32 N75-24981
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c 35 N77-14411
Automatic transponder --- measurement of the internal delay time of a transponder
[NASA-CASE-GSC-12075-1] c 32 N77-31350
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c 74 N78-14889
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c 32 N79-23310
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c 32 N81-14186
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c 33 N81-17349
High stability amplifier
[NASA-CASE-GSC-12646-1] c 33 N83-34191
Navigation system and method
[NASA-CASE-GSC-12508-1] c 04 N84-22546
Doppler radar having phase modulation of both transmitted and reflected return signals
[NASA-CASE-MSC-18675-1] c 32 N84-22820

SIGNATURE ANALYSIS
Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-13691-1] c 43 N79-17288

SILANES
Elastomeric silazane polymers and process for preparing the same Patent
[NASA-CASE-XMF-04133] c 06 N71-20717
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XMF-06409] c 06 N71-23230
Process for preparation of high-molecular- weight polyaryloxysilanes Patent
[NASA-CASE-XMF-08674] c 06 N71-28807
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c 27 N79-18052
Thermal reactor --- liquid silicon production from silane gas
[NASA-CASE-NPO-14369-1] c 44 N83-10501
Process for producing tris s(n-methylamino) methylsilane
[NASA-CASE-MFS-25721-1] c 25 N85-21280
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040

SILICA GEL
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c 44 N77-22606
Procedure to prepare transparent silica gels
[NASA-CASE-LAR-13476-1-CU] c 76 N87-29360

SILICA GLASS
Non-toxic invert analog glass compositions of high modulus
[NASA-CASE-HQN-10328-2] c 27 N82-29454
High modulus rare earth and beryllium containing silicate glass compositions --- for glass reinforcing fibers
[NASA-CASE-HQN-10595-1] c 27 N82-29455

SILICATES
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c 18 N69-39979
Alkali-metal silicate binders and methods of manufacture
[NASA-CASE-GSC-12303-1] c 24 N79-31347

SILICIDES
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c 18 N71-29040
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c 27 N76-16229

SILICON
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c 24 N71-10560
Gd or Sm doped silicon semiconductor composition Patent
[NASA-CASE-XLE-10715] c 26 N71-23292
Silicon solar cell with cover glass bonded to cell by metal pattern Patent
[NASA-CASE-XLE-08569] c 03 N71-23449
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c 44 N76-14600
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c 76 N79-11920
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c 26 N80-14229
Method of producing silicon --- gas phase reactor multiple injector liquid feed system
[NASA-CASE-NPO-14382-1] c 31 N80-18231
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c 37 N80-29703
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c 33 N81-19389
Scriber for silicon wafers
[NASA-CASE-NPO-15539-1] c 37 N82-11469
Method of protecting a surface with a silicon-slurry/aluminide coating --- coatings for gas turbine engine blades and vanes
[NASA-CASE-LEW-13343-1] c 27 N82-28441
Thermal reactor --- liquid silicon production from silane gas
[NASA-CASE-NPO-14369-1] c 44 N83-10501
Process and apparatus for growing a crystal ribbon
[NASA-CASE-NPO-15629-1] c 76 N84-35113
Increased voltage photovoltaic cell
[NASA-CASE-NPO-16155-1] c 44 N85-30475
Ribbon growing method and apparatus
[NASA-CASE-NPO-16306-1-CU] c 76 N85-30934
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267
Oxygen diffusion barrier coating
[NASA-CASE-LAR-13474-1-SB] c 26 N87-25455

SILICON ALLOYS
Improved properties of SiGe/GaP alloys
[NASA-CASE-NPO-17259-1-CU] c 76 N88-25358

SILICON CARBIDES
A method for the deposition of beta-silicon carbide by isoepitaxy
[NASA-CASE-ERC-10120] c 26 N69-33482
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c 26 N70-36805
Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c 26 N70-40015
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c 76 N76-25049
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c 76 N79-23798
High temperature silicon carbide impregnated insulating fabrics
[NASA-CASE-MSC-18832-1] c 27 N83-18908
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267
Method of preparing fiber reinforced ceramic material
[NASA-CASE-LEW-14392-1] c 27 N87-28656
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040

SILICON COMPOUNDS
Method of making a silicon semiconductor device Patent
[NASA-CASE-XLE-02792] c 26 N71-10607
Polymerizable disilanols having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c 06 N73-32030
Infusible silazane polymer and process for producing same --- protective coatings
[NASA-CASE-XMF-02526-1] c 27 N79-21190
Silicon-slurry/aluminide coating --- protecting gas turbine engine vanes and blades
[NASA-CASE-LEW-13343] c 26 N83-31795

SILICON CONTROLLED RECTIFIERS
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c 03 N69-25146
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c 09 N69-39984
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c 09 N71-10673
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c 09 N71-12514
Combinational logic for generating gate drive signals for phase control rectifiers
[NASA-CASE-MFS-25208-1] c 33 N83-10345

SILICON DIOXIDE
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c 15 N71-15906
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c 07 N71-22984
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c 24 N74-19769
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c 27 N76-22376
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c 27 N76-22377
Transmitting and reflecting diffuser --- using ultraviolet grade fused silica coatings
[NASA-CASE-LAR-10385-3] c 74 N78-15879

Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c 33 N78-27326
Fibrous refractory composite insulation --- shielding reusable spacecraft
[NASA-CASE-ARC-11169-1] c 24 N79-24062
Attachment system for silica tiles --- thermal protection for space shuttle orbiter
[NASA-CASE-MSC-18741-1] c 27 N82-29456
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-2] c 33 N83-24763
Apparatus and method for heating a material in a transparent ampoule --- crystal growth
[NASA-CASE-MFS-25436-1] c 27 N83-36220

SILICON FILMS
A method for the deposition of beta-silicon carbide by isoepitaxy
[NASA-CASE-ERC-10120] c 26 N69-33482
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c 35 N82-31659
Ingot slicing machine and method
[NASA-CASE-NPO-15483-1] c 37 N85-21650

SILICON JUNCTIONS
Radiation resistant silicon semiconductor devices Patent
[NASA-CASE-XGS-07801] c 09 N71-12513

SILICON NITRIDES
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c 24 N74-19769
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c 44 N77-14580
Sandblasting nozzle
[NASA-CASE-NPO-13823-1] c 37 N81-25371

SILICON OXIDES
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c 27 N76-23426

SILICON POLYMERS
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c 27 N79-18052
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040

SILICON RADIATION DETECTORS
Thin window, drifted silicon, charged particle detector
[NASA-CASE-XLE-10529] c 14 N69-23191
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c 05 N71-19440
Imaging X-ray spectrometer
[NASA-CASE-GSC-12682-1] c 35 N84-33765

SILICON TRANSISTORS
Tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c 09 N72-25259
Method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c 15 N72-25457

SILICONE RESINS
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c 37 N76-24575

SILICONES
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c 28 N80-28536

SILICONIZING
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c 15 N71-16075

SILOXANES
Synthesis of siloxane-containing epoxy polymers Patent
[NASA-CASE-MFS-13994-1] c 06 N71-11240
Method of producing alternating ether siloxane copolymers Patent
[NASA-CASE-XMF-02584] c 06 N71-20905
Siloxane containing epoxide compounds
[NASA-CASE-MFS-13994-2] c 06 N72-25148
Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c 06 N72-25151
Low outgassing polydimethylsiloxane material and preparation thereof
[NASA-CASE-GSC-11358-1] c 06 N73-26100
Acetylene (ethynyl) terminated polyimide siloxane and process for preparation thereof
[NASA-CASE-LAR-13318-1] c 27 N87-14516

SILVER
Method of making dry electrodes
[NASA-CASE-FRC-10029-2] c 05 N72-25121
Method for forming hermetic seals
[NASA-CASE-NPO-16423-1-CU] c 37 N87-21334
Carbide-fluoride-silver self-lubricating composite
[NASA-CASE-LEW-14196-2] c 37 N87-25585

SILVER ALLOYS
Brazing alloy composition
[NASA-CASE-XMF-06053] c 26 N75-27126

SILVER CHLORIDES
Electrode for biological recording
[NASA-CASE-XMS-02872] c 05 N69-21925
Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c 15 N69-39735

SILVER COMPOUNDS
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c 03 N71-24718

SILVER ZINC BATTERIES
Electric battery and method for operating same Patent
[NASA-CASE-XGS-01674] c 03 N71-29129
Additive for zinc electrodes --- electric automobiles
[NASA-CASE-LEW-13286-1] c 33 N84-14422

SIMULATION
Method and apparatus for simulating gravitational forces on a living organism
[NASA-CASE-MSC-20202-1] c 54 N84-16803

SIMULATORS
Method and apparatus of simulating zero gravity conditions Patent
[NASA-CASE-MFS-12750] c 27 N71-16223
Phonocardiogram simulator Patent
[NASA-CASE-XKS-10804] c 05 N71-24606
Waveform simulator Patent
[NASA-CASE-NPO-10251] c 10 N71-27365
Laser Doppler velocity simulator --- to induce frequency shift
[NASA-CASE-LAR-12176-1] c 36 N80-16321
Weightlessness simulation system and process
[NASA-CASE-ARC-11646-1] c 14 N87-25344

SIMULTANEOUS EQUATIONS
Method and apparatus for self-calibration and phasing of array antenna
[NASA-CASE-NPO-15920-1] c 33 N85-21493

SINE SERIES
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c 09 N72-21248
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c 10 N73-20253

SINE WAVES
Waveform simulator Patent
[NASA-CASE-NPO-10251] c 10 N71-27365
Wide band doubler and sine wave quadrature generator
[NASA-CASE-NPO-11133] c 10 N72-20223
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c 33 N77-26387

SINGLE CRYSTALS
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c 26 N70-36805
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c 09 N72-22199
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c 35 N75-13213
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c 25 N75-26043
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c 76 N79-21910
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c 76 N79-23798
Diamondlike flakes
[NASA-CASE-LEW-13837-2] c 24 N85-21267
Method of making macrocrystalline or single crystal semiconductor material
[NASA-CASE-NPO-15904-1] c 76 N86-28760
Total immersion crystal growth
[NASA-CASE-NPO-15800-2] c 76 N87-23286
Laser schlieren crystal monitor
[NASA-CASE-MFS-28060-1] c 76 N87-25862
Procedure to prepare transparent silica gels
[NASA-CASE-LAR-13476-1-CU] c 76 N87-29360

SINTERING
Condenser - Separator
[NASA-CASE-XLA-08645] c 15 N69-21465
Method of producing refractory bodies having controlled porosity Patent
[NASA-CASE-LEW-10393-1] c 17 N71-15468
Electrodes for solid state devices
[NASA-CASE-NPO-15161-1] c 33 N84-16456
Method of making a light weight battery plaque
[NASA-CASE-LEW-13349-1] c 26 N84-22734

SIZE (DIMENSIONS)
Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c 17 N72-28535
Torso sizing ring construction for hard space suit
[NASA-CASE-ARC-11616-1] c 54 N86-28618

SIZE DETERMINATION
Impact measuring technique
[NASA-CASE-LAR-10913] c 14 N72-16282
Small conductive particle sensor --- microfiber size determination
[NASA-CASE-LAR-12552-1] c 35 N82-11431

SIZE SEPARATION
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c 15 N71-26148
Material handling device Patent
[NASA-CASE-XNP-09770-3] c 11 N71-27036
Acoustic particle separation
[NASA-CASE-NPO-15559-1] c 71 N85-30765

SIZING (SHAPING)
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c 15 N71-17650

SIZING SCREENS
Method of making screen by casting Patent
[NASA-CASE-XLE-00953] c 15 N71-15966
Screen particle separator
[NASA-CASE-XNP-09770-2] c 15 N72-22483

SKEWNESS
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c 08 N71-19420
Automatic character skew and spacing checking network --- of digital tape drive systems
[NASA-CASE-GSC-11925-1] c 33 N76-18353

SKID LANDINGS
Nose gear steering system for vehicle with main skids Patent
[NASA-CASE-XLA-01804] c 02 N70-34160

SKIN (ANATOMY)
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c 18 N71-15545
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c 52 N77-14738
Medical diagnosis system and method with multispectral imaging --- depth of burns and optical density of the skin
[NASA-CASE-NPO-14402-1] c 52 N81-27783

SKIN (STRUCTURAL MEMBER)
Flexibly connected support and skin Patent
[NASA-CASE-XLA-01027] c 31 N71-24035
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c 31 N81-14137

SKIN FRICTION
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c 06 N81-17057
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c 35 N82-24470
Dual-beam skin friction interferometer
[NASA-CASE-ARC-11354-1] c 74 N83-21949
Two-axis, self-nulling skin friction balance
[NASA-CASE-LAR-13294-1] c 35 N86-32696
Skin friction balance
[NASA-CASE-LAR-13710-1] c 35 N88-29145

SKIN TEMPERATURE (BIOLOGY)
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c 52 N77-10780

SKIN TEMPERATURE (NON-BIOLOGICAL)
Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c 33 N71-23085

SKIRTS
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c 28 N72-11708

SKY BRIGHTNESS
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c 47 N83-32232

SLEEP
EEG sleep analyzer and method of operation Patent
[NASA-CASE-MSC-13282-1] c 05 N71-24729

SLEEVES
Energy absorbing device Patent
[NASA-CASE-XMF-10040] c 15 N71-22877
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c 37 N75-33395
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c 52 N79-26772
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c 31 N81-14137
Tapered, tubular polyester fabric
[NASA-CASE-MSC-21082-1] c 27 N87-29672

SLENDER BODIES
A support technique for vertically oriented launch vehicles
[NASA-CASE-XLA-02704] c 11 N69-21540

SLICING
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c 76 N80-18951
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c 37 N80-29703

Scriber for silicon wafers
[NASA-CASE-NPO-15539-1] c 37 N82-11469
Workpiece positioning vise
[NASA-CASE-GSC-12762-1] c 37 N84-28083

SLIDING CONTACT
Electrical connector pin with wiping action
[NASA-CASE-XMF-04238] c 09 N69-39734
Continuous turning slip ring assembly Patent
[NASA-CASE-XMF-01049] c 15 N71-23049
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c 07 N83-20944

SLIDING FRICTION
Bearing material --- composite material with low friction surface for rolling or sliding contact
[NASA-CASE-LEW-11930-1] c 24 N76-22309

SLIP CASTING
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c 15 N71-16076

SLITS
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c 15 N70-38620
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c 31 N74-21059
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c 35 N80-28686

SLOPES
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c 35 N77-27367
Family of airfoil shapes for rotating blades --- for increased power efficiency and blade stability
[NASA-CASE-LAR-12843-1] c 02 N84-11136

SLOT ANTENNAS
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c 07 N72-11148
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c 09 N72-25247
Circularly polarized antenna
[NASA-CASE-ERC-10214] c 09 N72-31235
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c 32 N74-20864
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c 32 N76-15330
Spiral slotted phased antenna array
[NASA-CASE-MSC-18532-1] c 32 N82-27558

SLOTS
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c 15 N69-27504
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c 02 N71-26110
Fine adjustment mount
[NASA-CASE-MFS-20249] c 15 N72-11386
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c 37 N81-14319

SLUDGE
Sewage sludge additive
[NASA-CASE-NPO-13877-1] c 45 N82-11634

SLURRIES
Silicon-slurry/aluminide coating --- protecting gas turbine engine vanes and blades
[NASA-CASE-LEW-13343] c 26 N83-31795

SLURRY PROPELLANTS
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c 15 N70-33382

SMOKE
Method and construction for protecting heat sensitive bodies from thermal radiation and convective heat Patent
[NASA-CASE-XNP-01310] c 33 N71-28852
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c 45 N76-17656
Smoke generator
[NASA-CASE-ARC-10905-1] c 37 N77-13418
Continuous laminar smoke generator
[NASA-CASE-LAR-13014-1] c 09 N85-21178

SODIUM CHLORIDES
Diffuse reflective coating
[NASA-CASE-GSC-11214-1] c 06 N73-13128
Separator for alkaline electric batteries and method of making
[NASA-CASE-GSC-10018-1] c 44 N82-24644

SODIUM VAPOR
Method of producing silicon --- gas phase reactor multiple injector liquid feed system
[NASA-CASE-NPO-14382-1] c 31 N80-18231

SOFT LANDING
Non-reusuable kinetic energy absorber Patent
[NASA-CASE-XLE-00810] c 15 N70-34861
Space craft soft landing system Patent
[NASA-CASE-XMF-02108] c 31 N70-36845
Omnidirectional multiple impact landing system Patent
[NASA-CASE-XLA-09881] c 31 N71-16085

SOFT LANDING SPACECRAFT
Pivotal shock absorbing pad assembly Patent
[NASA-CASE-XMF-03856] c 31 N70-34159

SOIL MECHANICS
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c 35 N77-27367

SOIL MOISTURE
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c 43 N80-18498

SOIL SCIENCE
Soil penetrometer
[NASA-CASE-XNP-05530] c 14 N73-32321
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c 31 N80-32584

SOILS
Screen particle separator
[NASA-CASE-XNP-09770-2] c 15 N72-22483
Burrowing apparatus
[NASA-CASE-XNP-07169] c 15 N73-32362
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c 43 N78-10529

SOL-GEL PROCESSES
Alkali-metal silicate binders and methods of manufacture
[NASA-CASE-GSC-12303-1] c 24 N79-31347

SOLAR ACTIVITY
Method and apparatus for measuring solar activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c 14 N73-26432

SOLAR ARRAYS
Deployable solar cell array
[NASA-CASE-NPO-10883] c 31 N72-22874
Use of unilluminated solar cells as shunt diodes for a solar array
[NASA-CASE-GSC-10344-1] c 03 N72-27053
Solar energy powered heliotrope
[NASA-CASE-GSC-10945-1] c 21 N72-31637
Method of making silicon solar cell array --- and mounting on flexible substrate
[NASA-CASE-LEW-11069-1] c 44 N74-14784
Solar cell shingle
[NASA-CASE-LEW-12587-1] c 44 N77-31601
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c 44 N78-27515
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c 44 N79-17314
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c 20 N79-20179
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c 44 N79-25482
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c 44 N79-26475
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c 44 N80-14474
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c 07 N83-20944
Electronic system for high power load control --- solar arrays
[NASA-CASE-NPO-15358-1] c 33 N83-27126
Solar powered actuator with continuously variable auxiliary power control
[NASA-CASE-MFS-25637-1] c 44 N85-21769

SOLAR CELLS
Method for producing a solar cell having an integral protective covering
[NASA-CASE-XGS-04531] c 03 N69-24267
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c 14 N70-40239
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c 31 N70-41855
Voltage-current characteristic simulator Patent
[NASA-CASE-XMS-01554] c 10 N71-10578
Method of making a silicon semiconductor device Patent
[NASA-CASE-XLE-02792] c 26 N71-10607
Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c 03 N71-11049
Solar battery with interconnecting means for plural cells Patent
[NASA-CASE-XNP-06506] c 03 N71-11050
Solar cell submodule Patent
[NASA-CASE-XNP-05821] c 03 N71-11056
Interconnection of solar cells Patent
[NASA-CASE-XGS-01475] c 03 N71-11058
Solar cell matrix Patent
[NASA-CASE-NPO-10821] c 03 N71-19545
Roll-up solar array Patent
[NASA-CASE-NPO-10188] c 03 N71-20273
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c 03 N71-20492
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c 03 N71-20895
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c 09 N71-23027
Gd or Sm doped silicon semiconductor composition Patent
[NASA-CASE-XLE-10715] c 26 N71-23292
Protection of serially connected solar cells against open circuits by the use of shunting diode Patent
[NASA-CASE-XLE-04535] c 03 N71-23354
Silicon solar cell with cover glass bonded to cell by metal pattern Patent
[NASA-CASE-XLE-08569] c 03 N71-23449
Semiconductor material and method of making same Patent
[NASA-CASE-XLE-02798] c 26 N71-23654
Method of attaching a cover glass to a silicon solar cell Patent
[NASA-CASE-XLE-08569-2] c 03 N71-24681
Solar panel fabrication Patent
[NASA-CASE-XNP-03413] c 03 N71-26726
Solar cell Patent
[NASA-CASE-ARC-10050] c 03 N71-33409
Solar cell matrix
[NASA-CASE-NPO-11190] c 03 N71-34044
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c 03 N72-11062
Optimum performance spacecraft solar cell system
[NASA-CASE-GSC-10669-1] c 03 N72-20031
Solar cell assembly test method
[NASA-CASE-NPO-10401] c 03 N72-20033
Solid state matrices
[NASA-CASE-NPO-10591] c 03 N72-22041
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c 03 N72-22042
Method of coating solar cell with borosilicate glass and resultant product
[NASA-CASE-GSC-11514-1] c 03 N72-24037
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c 03 N72-25019
Use of unilluminated solar cells as shunt diodes for a solar array
[NASA-CASE-GSC-10344-1] c 03 N72-27053
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c 03 N73-20040
Method of making silicon solar cell array --- and mounting on flexible substrate
[NASA-CASE-LEW-11069-1] c 44 N74-14784
Covered silicon solar cells and method of manufacture --- with polymeric films
[NASA-CASE-LEW-11065-2] c 44 N76-14600
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c 44 N76-28635
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c 44 N76-31666
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c 44 N77-10635
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c 44 N77-14580
Solar cell assembly --- for use under high intensity illumination
[NASA-CASE-LEW-11549-1] c 44 N77-19571
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c 44 N78-13526
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c 33 N78-17296
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c 44 N78-24609
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c 44 N78-25528
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c 44 N78-25529
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c 44 N78-27515
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c 44 N79-11468
Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c 44 N79-12541
Back wall solar cell
[NASA-CASE-LEW-12236-2] c 44 N79-14528

Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c 44 N79-18444
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c 44 N79-19447
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c 44 N79-25482
Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c 44 N79-31752
Solar cell module
[NASA-CASE-NPO-14467-1] c 44 N79-31753
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c 44 N80-14472
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c 44 N80-18551
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c 44 N80-18552
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c 44 N80-24741
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c 44 N80-29835
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c 44 N81-12542
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c 44 N81-14389
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c 44 N81-19558
Schottky barrier solar cell
[NASA-CASE-NPO-13689-2] c 44 N81-29525
Efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c 44 N82-26777
Method of Fabricating Schottky Barrier solar cell
[NASA-CASE-NPO-13689-4] c 44 N82-28780
Method of making a high voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c 44 N82-29709
High voltage planar multijunction solar cell
[NASA-CASE-LEW-13400-1] c 44 N82-31764
Solar cell having improved back surface reflector
[NASA-CASE-LEW-13620-1] c 44 N83-13579
Heat transparent high intensity high efficiency solar cell
[NASA-CASE-LEW-12892-1] c 44 N83-14692
High voltage v-groove solar cell
[NASA-CASE-LEW-13401-2] c 44 N83-32177
Screen printed interdigitated back contact solar cell
[NASA-CASE-LEW-13414-1] c 44 N85-20530
Lithium counterdoped silicon solar cell
[NASA-CASE-LEW-14177-1] c 44 N86-32875
High band gap 2-6 and 3-5 tunneling junctions for silicon multijunction solar cells
[NASA-CASE-NPO-16526-1CU] c 44 N87-17399
Floating emitter solar cell
[NASA-CASE-NPO-16467-1-CU] c 33 N87-23879

SOLAR COLLECTORS
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c 03 N69-21539
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c 09 N70-40234
Roll-up solar array Patent
[NASA-CASE-NPO-10188] c 03 N71-20273
Thermally activated foaming compositions Patent
[NASA-CASE-LAR-10373-1] c 18 N71-26155
Solar cell Patent
[NASA-CASE-ARC-10050] c 03 N71-33409
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c 35 N77-20401
Solar cell shingle
[NASA-CASE-LEW-12587-1] c 44 N77-31601
Solar energy collection system
[NASA-CASE-NPO-13810-1] c 44 N77-32582
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c 44 N77-32583
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c 44 N78-10554
Solar heating system
[NASA-CASE-LAR-12009-1] c 44 N78-15560
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c 44 N78-17460
Selective coating for solar panels --- using black chrome and black nickel
[NASA-CASE-LEW-12159-1] c 44 N78-19599
Solar cell collector
[NASA-CASE-LEW-12552-1] c 44 N78-25527
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c 44 N78-31526
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c 44 N79-11467
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c 44 N79-11469
Non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c 44 N79-11471
Solar cell collector and method for producing same
[NASA-CASE-LEW-12552-2] c 44 N79-11472
Electromagnetic radiation energy arrangement --- coatings for solar energy absorption and infrared reflection
[NASA-CASE-WOO-00428-1] c 32 N79-19186
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c 44 N79-23481
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c 44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c 44 N79-24433
Solar concentrator
[NASA-CASE-MFS-23727-1] c 44 N80-14473
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c 44 N80-20810
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c 44 N81-17518
Solar tracking system
[NASA-CASE-MFS-23999-1] c 44 N81-24520
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183-1] c 44 N82-26776
Method of forming oxide coatings --- for solar collector heating panels
[NASA-CASE-LEW-13132-1] c 27 N83-29388
Solar concentrator protective system
[NASA-CASE-NPO-15662-1] c 44 N84-28204
Protective telescoping shield for solar concentrator
[NASA-CASE-NPO-16236-1] c 44 N86-27706

SOLAR ELECTRIC PROPULSION
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c 20 N79-20179

SOLAR ENERGY
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c 03 N73-20040
Solar energy power system --- using Freon
[NASA-CASE-MFS-21628-1] c 44 N75-32581
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c 44 N76-14602
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c 44 N77-32580
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c 44 N77-32583
Solar heating system
[NASA-CASE-LAR-12009-1] c 44 N78-15560
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c 44 N78-25529
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c 44 N79-11469
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c 44 N79-14529
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c 44 N79-26475
Solar cell module
[NASA-CASE-NPO-14467-1] c 44 N79-31753
Solar energy modulator
[NASA-CASE-NPO-15388-1] c 44 N84-28203
Saltless solar pond
[NASA-CASE-NPO-15808-1] c 44 N84-34792

SOLAR ENERGY ABSORBERS
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c 44 N76-14595
Solar energy absorber
[NASA-CASE-MFS-22743-1] c 44 N76-22657
Solar energy trap
[NASA-CASE-MFS-22744-1] c 44 N76-24696
Solar cell shingle
[NASA-CASE-LEW-12587-1] c 44 N77-31601
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c 44 N78-17460
Electromagnetic radiation energy arrangement --- coatings for solar energy absorption and infrared reflection
[NASA-CASE-WOO-00428-1] c 32 N79-19186
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c 44 N80-16452

SOLAR ENERGY CONVERSION
Solar energy power system
[NASA-CASE-MFS-21628-2] c 44 N76-23675
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c 44 N78-13526
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c 44 N78-24609
Solar photolysis of water
[NASA-CASE-NPO-14126-1] c 44 N79-11470
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c 44 N79-18443
Solar concentrator
[NASA-CASE-MFS-23727-1] c 44 N80-14473
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c 44 N81-19558
Solar energy control system --- temperature measurement
[NASA-CASE-MFS-25287-1] c 44 N82-18686
Solar engine
[NASA-CASE-LAR-12148-1] c 44 N82-24640
Solar driven liquid metal MHD power generator
[NASA-CASE-LAR-12495-1] c 44 N83-28573
Photoelectrochemical electrodes
[NASA-CASE-NPO-15458-1] c 25 N84-12262
Solar pumped laser
[NASA-CASE-LAR-12870-1] c 36 N84-16542
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018
Solar energy converter using surface plasma waves
[NASA-CASE-LEW-13827-1] c 44 N85-21768
Bidirectional control system for energy flow in solar powered flywheel
[NASA-CASE-MFS-25978-1] c 44 N87-21410

SOLAR FLUX DENSITY
Solar energy modulator
[NASA-CASE-NPO-15388-1] c 44 N84-28203

SOLAR FURNACES
High temperature lens construction Patent
[NASA-CASE-XNP-04111] c 14 N71-15622

SOLAR GENERATORS
GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c 26 N71-18064
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018

SOLAR GRAVITATION
Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury Patent
[NASA-CASE-XNP-00708] c 14 N70-35394

SOLAR HEATING
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c 44 N78-10554
Solar heating system
[NASA-CASE-LAR-12009-1] c 44 N78-15560
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c 44 N80-20810
Multi-channel temperature measurement amplification system --- solar heating systems
[NASA-CASE-MFS-23775-1] c 44 N82-16474
Solar heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c 44 N82-16475
Solar energy control system --- temperature measurement
[NASA-CASE-MFS-25287-1] c 44 N82-18686

SOLAR OBSERVATORIES
Solar optical telescope dome control system Patent
[NASA-CASE-MSC-10966] c 14 N71-19568

SOLAR PONDS (HEAT STORAGE)
Solar pond
[NASA-CASE-NPO-13581-2] c 44 N78-31525
Saltless solar pond
[NASA-CASE-NPO-15808-1] c 44 N84-34792

SOLAR POSITION
Sun angle calculator
[NASA-CASE-MSC-12617-1] c 35 N76-29552
Solar tracking system
[NASA-CASE-MFS-23999-1] c 44 N81-24520

SOLAR POWERED AIRCRAFT
Solar powered aircraft
[NASA-CASE-LAR-12615-1] c 05 N84-12154

SOLAR RADIATION
Space simulator Patent
[NASA-CASE-XNP-00459] c 11 N70-38675
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c 14 N71-23040
Compact solar still Patent
[NASA-CASE-XMS-04533] c 15 N71-23086
Wide angle sun sensor --- consisting of cylinder, insulation and pair of detectors
[NASA-CASE-NPO-13327-1] c 35 N75-23910
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c 34 N77-18382
Solar concentrator protective system
[NASA-CASE-NPO-15662-1] c 44 N84-28204
Stable density stratification solar pond
[NASA-CASE-NPO-15419-2] c 44 N85-30474
Long gain length solar pumped box laser
[NASA-CASE-LAR-13256-1] c 36 N86-29204

SOLAR RADIATION SHIELDING
High temperature glass thermal control structure and coating --- for application to spacecraft reusable heat shielding
[NASA-CASE-ARC-11164-1] c 44 N83-34448
Variable anodic thermal control coating
[NASA-CASE-LAR-12719-1] c 44 N83-34449
Protective telescoping shield for solar concentrator
[NASA-CASE-NPO-16236-1] c 44 N86-27706
Sun shield
[NASA-CASE-MSC-20162-1] c 37 N87-17036
SOLAR RADIO EMISSION
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c 14 N71-23174
SOLAR REFLECTORS
Foldable solar concentrator Patent
[NASA-CASE-XLA-04622] c 03 N70-41580
Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c 03 N71-11049
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c 15 N71-15597
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c 33 N71-17610
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c 15 N71-24836
Inorganic thermal control coatings
[NASA-CASE-MFS-20011] c 18 N72-22566
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c 74 N77-28933
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c 44 N79-14529
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c 44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c 44 N79-24433
SOLAR SAILS
Strong thin membrane structure --- solar sails
[NASA-CASE-NPO-14021-2] c 27 N80-16163
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c 37 N81-15364
SOLAR SENSORS
Plurality of photosensitive cells on a pyramidical base for planetary trackers
[NASA-CASE-XNP-04180] c 07 N69-39736
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c 21 N70-35395
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c 21 N71-10678
Solar sensor having coarse and fine sensing with matched preirradiated cells and method of selecting cells Patent
[NASA-CASE-XLA-01584] c 14 N71-23269
Sun direction detection system
[NASA-CASE-NPO-13722-1] c 74 N77-22951
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c 44 N79-14526
Solar tracking system
[NASA-CASE-MFS-23999-1] c 44 N81-24520
Sun sensing guidance system for high altitude aircraft
[NASA-CASE-FRC-11052-1] c 04 N82-23231
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c 47 N83-32232
Airborne tracking sunphotometer apparatus and system
[NASA-CASE-ARC-11622-1] c 44 N88-14492
SOLAR SIMULATORS
High temperature lens construction Patent
[NASA-CASE-XNP-04111] c 14 N71-15622
High powered arc electrodes --- producing solar simulator radiation
[NASA-CASE-LEW-11162-1] c 33 N74-12913
SOLAR-PUMPED LASERS
Long gain length solar pumped box laser
[NASA-CASE-LAR-13256-1] c 36 N86-29204
SOLDERED JOINTS
Soldering device Patent
[NASA-CASE-XLA-08911] c 15 N71-27214
SOLDERING
Solder flux which leaves corrosion-resistant coating Patent
[NASA-CASE-XNP-03459-2] c 18 N71-15688
Soldering with solder flux which leaves corrosion resistant coating Patent
[NASA-CASE-XNP-03459] c 15 N71-21078
Method of plating copper on aluminum Patent
[NASA-CASE-XLA-08966-1] c 17 N71-25903
Resistance soldering apparatus
[NASA-CASE-GSC-10913] c 15 N72-22491
Positive contact resistance soldering unit
[NASA-CASE-KSC-10242] c 15 N72-23497
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431
SOLDERS
Method of coating circuit paths on printed circuit boards with solder Patent
[NASA-CASE-XMF-01599] c 09 N71-20705
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c 26 N77-29260
SOLENOID VALVES
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c 15 N70-22192
Automatic recording McLeod gauge Patent
[NASA-CASE-XLE-03280] c 14 N71-23093
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c 15 N72-20442
Remote fire stack igniter --- with solenoid-controlled valve
[NASA-CASE-MFS-21675-1] c 25 N74-33378
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c 09 N75-12968
Self-compensating solenoid valve
[NASA-CASE-ARC-11620-1] c 37 N87-25573
SOLENOIDS
Solenoid construction Patent
[NASA-CASE-XNP-01951] c 09 N70-41929
Drive circuit for minimizing power consumption in inductive load Patent
[NASA-CASE-NPO-10716] c 09 N71-24892
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly --- for use with cameras mounted in satellites
[NASA-CASE-GSC-11560-1] c 33 N74-20861
Sprag solenoid brake --- development and operations of electrically controlled brake
[NASA-CASE-MFS-21846-1] c 37 N74-26976
Low temperature latching solenoid
[NASA-CASE-MSC-18106-1] c 33 N82-11357
SOLID CRYOGEN COOLING
Cooling by conversion of para to ortho-hydrogen
[NASA-CASE-GSC-12770-1] c 25 N83-29324
SOLID ELECTRODES
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c 35 N78-25391
Additive for zinc electrodes --- electric automobiles
[NASA-CASE-LEW-13286-1] c 33 N84-14422
SOLID LUBRICANTS
Bonded solid lubricant coating Patent
[NASA-CASE-XMS-00259] c 18 N70-36400
Method of lubricating rolling element bearings Patent
[NASA-CASE-XLE-09527] c 15 N71-17688
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c 15 N71-21403
Rolling element bearings Patent
[NASA-CASE-XLE-09527-2] c 15 N71-26189
Method of making bearing materials --- self-lubricating, oxidation resistant composites for high temperature applications
[NASA-CASE-LEW-11930-4] c 24 N79-17916
SOLID PHASES
Solid electrolyte cell
[NASA-CASE-NPO-15269-1] c 44 N82-29710
SOLID PROPELLANT IGNITION
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c 28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c 27 N71-15634
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c 20 N78-24275
Method and apparatus for suppressing ignition overpressure in solid rocket propulsion systems
[NASA-CASE-MFS-25843-1] c 20 N83-17588
SOLID PROPELLANT ROCKET ENGINES
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c 28 N70-33331
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c 27 N70-34783
Spherically-shaped rocket motor Patent
[NASA-CASE-XHQ-01897] c 28 N70-35381
Propellant grain for rocket motors Patent
[NASA-CASE-XGS-03556] c 27 N70-35534
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c 28 N70-38181
Steerable solid propellant rocket motor Patent
[NASA-CASE-XNP-00234] c 28 N70-38645
Method of making a solid propellant rocket motor Patent
[NASA-CASE-XLA-04126] c 28 N71-26779
Electrical apparatus for detection of thermal decomposition of insulation Patent
[NASA-CASE-XMF-03968] c 14 N71-27186
Solid propellant rocket motor
[NASA-CASE-XNP-03282] c 28 N72-20758
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c 28 N72-23810
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c 28 N73-24784
Space vehicle
[NASA-CASE-MFS-22734-1] c 18 N75-19329
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-01349] c 20 N77-17143
Molded composite pyrogen igniter for rocket motors --- solid propellant ignition
[NASA-CASE-LAR-12018-1] c 20 N78-24275
Solid propellant motor
[NASA-CASE-NPO-11458A] c 20 N78-32179
Method and apparatus for suppressing ignition overpressure in solid rocket propulsion systems
[NASA-CASE-MFS-25843-1] c 20 N83-17588
Space Shuttle with rail system and aft thrust structure securing solid rocket boosters to external tank
[NASA-CASE-MFS-25853-1] c 16 N84-27784
SOLID PROPELLANTS
Variable thrust ion engine utilizing thermally decomposable solid fuel Patent
[NASA-CASE-XMF-00923] c 28 N70-36802
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c 32 N71-17645
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c 14 N71-20461
Method of forming difunctional polyisobutylene
[NASA-CASE-NPO-10893] c 27 N73-22710
SOLID ROCKET BINDERS
Solid propellant liner Patent
[NASA-CASE-XNP-09744] c 27 N71-16392
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c 28 N80-28536
SOLID ROCKET PROPELLANTS
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c 27 N70-41897
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c 27 N71-21819
Hydrazinium nitroformate propellant stabilized with nitroguanidine
[NASA-CASE-NPO-12000] c 27 N72-25699
Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c 27 N73-16764
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c 28 N74-33209
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c 28 N77-10213
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-01349] c 20 N77-17143
High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c 28 N79-28342
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c 28 N80-23471
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c 28 N80-28536
SOLID STATE
Solid state chemical source for ammonia beam maser Patent
[NASA-CASE-XGS-01504] c 16 N70-41578
SOLID STATE DEVICES
Solid state switch
[NASA-CASE-XNP-09228] c 09 N69-27500
Temperature compensated solid state differential amplifier Patent
[NASA-CASE-XAC-00435] c 09 N70-35440
Operational integrator Patent
[NASA-CASE-NPO-10230] c 09 N71-12520
Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c 09 N71-13486
Counter and shift register Patent
[NASA-CASE-XNP-01753] c 08 N71-22897
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c 07 N71-24612
Switching circuit Patent
[NASA-CASE-XNP-06505] c 10 N71-24799
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c 26 N71-25490
A solid state acoustic variable time delay line Patent
[NASA-CASE-ERC-10032] c 10 N71-25900
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c 10 N71-26331
Solid state remote circuit selector switch
[NASA-CASE-LEW-10387] c 09 N72-22201
RF controlled solid state switch
[NASA-CASE-ARC-10136-1] c 09 N72-22202
Thermal to electrical power conversion system with solid-state switches with Seebeck effect compensation
[NASA-CASE-NPO-11388] c 03 N72-23048

Radiation sensitive solid state switch
[NASA-CASE-NPO-10817-1] c 08 N73-30135
Full wave modulator-demodulator amplifier apparatus --- for generating rectified output signal
[NASA-CASE-FRC-10072-1] c 33 N74-14939
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c 33 N75-27251
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c 33 N77-14335
Space-charge-limited solid-state triode
[NASA-CASE-NPO-13064-1] c 33 N79-11314
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c 33 N82-29538
Self-correcting electronically scanned pressure sensor
[NASA-CASE-LAR-12686-1] c 35 N84-14491
Imaging X-ray spectrometer
[NASA-CASE-GSC-12682-1] c 35 N84-33765
Solar energy converter using surface plasma waves
[NASA-CASE-LEW-13827-1] c 44 N85-21768
Hermetically sealable package for hybrid solid-state electronic devices and the like
[NASA-CASE-MSC-20181-1] c 33 N88-23941

SOLID SURFACES
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c 18 N71-27170

SOLID WASTES
Process of forming catalytic surfaces for wet oxidation reactions
[NASA-CASE-MSC-14831-1] c 25 N78-10225

SOLID-SOLID INTERFACES
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c 43 N79-25443
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c 43 N79-31706

SOLIDIFICATION
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125

SOLIDIFIED GASES
Cooling by conversion of para to ortho-hydrogen
[NASA-CASE-GSC-12770-1] c 25 N83-29324

SOLIDS FLOW
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c 28 N82-18401

SOLUBILITY
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c 18 N71-14014
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c 25 N81-17187
Method for the preparation of thin-skinned asymmetric reverse osmosis membranes and products thereof
[NASA-CASE-ARC-11359-1] c 51 N84-28361
Method for growth of crystals by pressure reduction of supercritical or subcritical solution
[NASA-CASE-NPO-15772-1] c 76 N85-29800

SOLUTES
Specific wavelength colorimeter --- for measuring given solute concentration in test sample
[NASA-CASE-MSC-14081-1] c 35 N74-27860

SOLUTIONS
Method and apparatus for minimizing convection during crystal growth from solution
[NASA-CASE-NPO-15811-1] c 76 N84-12968

SOLVENT EXTRACTION
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c 28 N81-15119
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255
Infusion extractor
[NASA-CASE-MSC-20761-1] c 37 N87-15465

SOLVENTS
Coal desulfurization --- using iron pentacarbonyl
[NASA-CASE-NPO-14272-1] c 25 N81-33246
Supercritical solvent coal extraction
[NASA-CASE-NPO-15210-1] c 25 N84-22709
Process for producing tris s(n-methylamino) methylsilane
[NASA-CASE-MFS-25721-1] c 25 N85-21280
Method for growth of crystals by pressure reduction of supercritical or subcritical solution
[NASA-CASE-NPO-15772-1] c 76 N85-29800
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227

SONAR
Method for shaping and aiming narrow beams --- sonar mapping and target identification
[NASA-CASE-NPO-14632-1] c 32 N82-18443
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c 32 N82-23376

SONIC BOOMS
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c 35 N75-19614
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c 07 N76-27232

SORBATES
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c 35 N78-19465

SORET COEFFICIENT
Method of growing composites of the type exhibiting the Soret effect --- improved structure of eutectic alloy crystals
[NASA-CASE-MFS-22926-1] c 24 N77-27187

SOUND GENERATORS
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c 35 N74-16135
Acoustic suspension system
[NASA-CASE-NPO-15435-1] c 71 N83-36846
Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104

SOUND LOCALIZATION
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c 71 N79-23753

SOUND PRESSURE
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c 35 N75-19614
Differential sound level meter
[NASA-CASE-LAR-12106-1] c 71 N78-14867

SOUND PROPAGATION
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c 31 N80-32584

SOUND RANGING
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c 32 N82-23376

SOUND TRANSDUCERS
Method for detecting hydrogen gas
[NASA-CASE-XMF-03873] c 06 N69-39733
Cosmic dust sensor
[NASA-CASE-GSC-10503-1] c 14 N72-20381
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c 71 N79-23753
Pulse transducer with artifact signal attenuator --- heart rate sensors
[NASA-CASE-FRC-11012-1] c 52 N80-23969
Acoustic system for material transport
[NASA-CASE-NPO-15453-1] c 71 N83-32515
Vibrating-chamber levitation systems
[NASA-CASE-NPO-16142-1-CU] c 35 N86-20752

SOUND WAVES
Phonocardiograph transducer Patent
[NASA-CASE-XMS-05365] c 14 N71-22993
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c 12 N75-24774
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c 71 N78-10837
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c 71 N79-20827
Acoustic bubble removal method
[NASA-CASE-NPO-15334-1] c 71 N83-35781
Acoustic ground impedance meter
[NASA-CASE-LAR-12995-1] c 35 N84-22933
Acoustic rotation control
[NASA-CASE-NPO-15689-1] c 71 N84-23233
Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104
Dual differential interferometer
[NASA-CASE-LAR-12966-1] c 35 N85-30282
Acoustic particle separation
[NASA-CASE-NPO-15559-1] c 71 N85-30765
Acoustic radiation stress measurement
[NASA-CASE-LAR-13440-1] c 71 N87-21653

SOUNDING ROCKETS
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c 31 N71-24750
Method and system for ejecting fairing sections from a rocket vehicle
[NASA-CASE-GSC-10590-1] c 31 N73-14853

SPACE CAPSULES
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c 31 N70-36410
Space capsule Patent
[NASA-CASE-XLA-01332] c 31 N71-15664
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c 31 N71-15675

SPACE CHARGE
Space-charge-limited solid-state triode
[NASA-CASE-NPO-13064-1] c 33 N79-11314

SPACE COMMUNICATION
Multiple input radio receiver Patent
[NASA-CASE-XLA-00901] c 07 N71-10775
Tracking receiver Patent
[NASA-CASE-XGS-08679] c 10 N71-21473
Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite Patent
[NASA-CASE-XGS-02607] c 31 N71-23009
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c 32 N77-12240

SPACE ENVIRONMENT SIMULATION
Voltage-current characteristic simulator Patent
[NASA-CASE-XMS-01554] c 10 N71-10578
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c 27 N71-15635
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c 11 N71-16028
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c 09 N71-16086
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c 23 N71-16365
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c 30 N71-17788
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c 11 N71-18773
Mechanical simulator of low gravity conditions Patent
[NASA-CASE-MFS-10555] c 11 N71-19494
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c 18 N71-23710
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c 11 N71-28629
Illumination system including a virtual light source Patent
[NASA-CASE-HQN-10781] c 23 N71-30292
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c 05 N72-20097
Diffuser/ejector system for a very high vacuum environment
[NASA-CASE-MFS-25791-1] c 09 N84-27749
Variable energy, high flux, ground-state atomic oxygen source
[NASA-CASE-NPO-16640-1-CU] c 72 N87-21661

SPACE ERECTABLE STRUCTURES
Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c 31 N70-34135
Erectable modular space station Patent
[NASA-CASE-XLA-00678] c 31 N70-34296
Manned space station Patent
[NASA-CASE-XLA-00258] c 31 N70-38676
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c 07 N70-40202
Passive communication satellite Patent
[NASA-CASE-XLA-00210] c 30 N70-40309
Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c 02 N70-41863
Capillary radiator Patent
[NASA-CASE-XLE-03307] c 33 N71-14035
Space manufacturing machine Patent
[NASA-CASE-MFS-20410] c 15 N71-19214
Roll-up solar array Patent
[NASA-CASE-NPO-10188] c 03 N71-20277
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c 09 N71-20655
Inflatable support structure Patent
[NASA-CASE-XLA-01731] c 32 N71-21044
Radiator deployment actuator Patent
[NASA-CASE-MSC-11817-1] c 15 N71-26611
Inflatable tether Patent
[NASA-CASE-XMS-10993] c 15 N71-28933
Expandable space frames
[NASA-CASE-ERC-10365-1] c 31 N73-32744
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c 18 N79-11104
Lightweight structural columns --- space erectable trusses
[NASA-CASE-LAR-12095-1] c 31 N81-25255
Telescoping columns --- parabolic antenna support
[NASA-CASE-LAR-12195-1] c 31 N81-27334
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19664
Foldable self-erecting joint
[NASA-CASE-MSC-20635-1] c 18 N87-14344
Bi-stem gripping apparatus
[NASA-CASE-MFS-28185-1] c 37 N88-23944
Clevis joint for deployable space structures
[NASA-CASE-LAR-13898-1] c 37 N88-30144

SPACE EXPLORATION
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c 11 N73-26224

SPACE FLIGHT
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c 05 N71-11214
Television simulation for aircraft and space flight Patent
[NASA-CASE-XFR-03107] c 09 N71-19454

SPACE FLIGHT FEEDING
Helmet feedport
[NASA-CASE-XMS-09653] c 54 N78-17680
Self-charging metering and dispensing device for fluids
[NASA-CASE-MSC-20275-1] c 35 N85-21595
SPACE INDUSTRIALIZATION
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c 18 N79-11108
SPACE MAINTENANCE
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c 28 N71-27095
Hot melt recharge system --- repairing damaged or missing tiles on space shuttle orbiter
[NASA-CASE-LAR-12881-1] c 27 N84-14323
SPACE MANUFACTURING
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c 12 N75-24774
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c 12 N76-15189
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c 18 N79-11108
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c 31 N81-27323
Low gravity exothermic heating/cooling apparatus
[NASA-CASE-MSC-25707-1] c 35 N85-29214
SPACE MISSIONS
Method of planetary atmospheric investigation using a split-trajectory dual flyby mode Patent
[NASA-CASE-XAC-08494] c 30 N71-15990
Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c 31 N71-24813
A method of delivering a vehicle to earth orbit and returning the reusable portion thereof to earth
[NASA-CASE-MSC-12391] c 30 N73-12884
SPACE NAVIGATION
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c 21 N71-21688
Dual purpose momentum wheels for spacecraft with magnetic recording
[NASA-CASE-NPO-11481] c 21 N73-13644
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c 21 N73-19630
SPACE ORIENTATION
Method and apparatus for determining satellite orientation utilizing spatial energy sources Patent
[NASA-CASE-XGS-00466] c 21 N70-34297
SPACE PLATFORMS
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19605
Mobile remote manipulator vehicle system
[NASA-CASE-LAR-13393-1] c 54 N87-29118
Expandable pallet for space station interface attachments
[NASA-CASE-MSC-21117-1] c 18 N88-28958
SPACE POWER REACTORS
Coaxial tube tether/transmission line for manned nuclear space power
[NASA-CASE-LEW-14338-1] c 20 N87-10174
SPACE PROBES
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-15429-1] c 18 N84-22609
SPACE PROCESSING
Exothermic furnace module
[NASA-CASE-MFS-25707-1] c 35 N82-26631
High gradient directional solidification furnace
[NASA-CASE-MFS-25963-1] c 35 N86-20750
Infusion extractor
[NASA-CASE-MSC-20761-1] c 37 N87-15465
Space ultra-vacuum facility and method of operation
[NASA-CASE-MFS-28139-1] c 29 N87-18679
Sample levitation and melt in microgravity
[NASA-CASE-NPO-17022-1-CU] c 29 N87-25489
Method of dispensing reagent chemicals in space
[NASA-CASE-LAR-13607-1-CU] c 29 N88-29048
SPACE RENDEZVOUS
Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c 31 N71-16222
Apparatus for releasably connecting first and second objects in predetermined space relationship
[NASA-CASE-MSC-18969-1] c 18 N84-22605
Rotatable electric cable connecting system
[NASA-CASE-GSC-12899-1] c 33 N86-20669
SPACE SHUTTLE BOOSTERS
Space Shuttle with rail system and aft thrust structure securing solid rocket boosters to external tank
[NASA-CASE-MFS-25853-1] c 16 N84-27784
SPACE SHUTTLE ORBITERS
Surface conforming thermal/pressure seal --- tail assemblies of space shuttle orbiters
[NASA-CASE-MSC-18422-1] c 37 N82-16408
CAM controlled retractable door latch
[NASA-CASE-MSC-20304-1] c 37 N82-31690
High temperature glass thermal control structure and coating --- for application to spacecraft reusable heat shielding
[NASA-CASE-ARC-11164-1] c 44 N83-34448
Hot melt recharge system --- repairing damaged or missing tiles on space shuttle orbiter
[NASA-CASE-LAR-12881-1] c 27 N84-14323
Pre-stressed thermal protection systems
[NASA-CASE-MSC-20254-1] c 16 N84-22601
Space Shuttle with rail system and aft thrust structure securing solid rocket boosters to external tank
[NASA-CASE-MFS-25853-1] c 16 N84-27784
Shell tile thermal protection system
[NASA-CASE-LAR-12862-1] c 27 N84-27886
SPACE SHUTTLE PAYLOADS
Space station architecture, module, berthing hub, shell assembly, berthing mechanism and utility connection channel
[NASA-CASE-ARC-11505-1] c 18 N84-22612
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
Payload deployment method and system
[NASA-CASE-MSC-21330-1] c 16 N88-24660
SPACE SHUTTLES
Flight craft Patent
[NASA-CASE-XAC-02058] c 02 N71-16087
A method of delivering a vehicle to earth orbit and returning the reusable portion thereof to earth
[NASA-CASE-MSC-12391] c 30 N73-12884
Space shuttle vehicle and system
[NASA-CASE-MSC-12433] c 31 N73-14854
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c 18 N75-27041
Fused silicide coatings containing discrete particles for protecting niobium alloys --- used in space shuttle thermal protection systems and turbine engine components
[NASA-CASE-LEW-11179-1] c 27 N76-16229
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c 37 N81-14320
System for sterilizing objects --- cleaning space vehicle systems
[NASA-CASE-KSC-11085-1] c 54 N81-24724
Terminal guidance sensor system --- space shuttle coupling to orbiting satellites
[NASA-CASE-NPO-14521-1] c 37 N81-27519
Adjustable high emittance gap filler --- reentry shielding for space shuttle vehicles
[NASA-CASE-ARC-11310-1] c 27 N82-24339
Hemispherical latching apparatus
[NASA-CASE-MFS-25837-1] c 18 N85-29991
Slide release mechanism --- for space shuttle orbiter/external tank connection device
[NASA-CASE-MSC-20080-1] c 37 N85-30334
Preloaded brake disc
[NASA-CASE-MSC-21132-1] c 37 N88-29181
SPACE SIMULATORS
Space simulator Patent
[NASA-CASE-XNP-00459] c 11 N70-38675
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c 31 N71-15674
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c 14 N71-30026
Biocentrifuge system capable of exchanging specimen cages while in operational mode
[NASA-CASE-MFS-23825-1] c 51 N81-32829
SPACE STATION POWER SUPPLIES
Coaxial tube tether/transmission line for manned nuclear space power
[NASA-CASE-LEW-14338-1] c 20 N87-10174
SPACE STATION STRUCTURES
Mobile remote manipulator system for a tetrahedral truss
[NASA-CASE-MSC-20985-1] c 18 N88-26398
SPACE STATIONS
Manned space station Patent
[NASA-CASE-XLA-00258] c 31 N70-38676
Radial module space station Patent
[NASA-CASE-XMS-01906] c 31 N70-41373
Serpentuator Patent
[NASA-CASE-XMF-05344] c 31 N71-16345
Space manufacturing machine Patent
[NASA-CASE-MFS-20410] c 15 N71-19214
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c 35 N75-33367
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c 15 N77-10112
Space station architecture, module, berthing hub, shell assembly, berthing mechanism and utility connection channel
[NASA-CASE-ARC-11505-1] c 18 N84-22612
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
Vapor fragrancer
[NASA-CASE-LAR-13680-1] c 35 N87-25561
Locking hinge
[NASA-CASE-MSC-21056-1] c 18 N88-23827
Expandable pallet for space station interface attachments
[NASA-CASE-MSC-21117-1] c 18 N88-28958
Collet lock joint for space station truss
[NASA-CASE-MSC-21207-1] c 37 N88-29180
SPACE STORAGE
Hemispherical latching apparatus
[NASA-CASE-MFS-25837-1] c 18 N85-29991
SPACE SUITS
Universal pilot restraint suit and body support therefor Patent
[NASA-CASE-XAC-00405] c 05 N70-41819
Space suit pressure stabilizer Patent
[NASA-CASE-XLA-05332] c 05 N71-11194
Equipotential space suit Patent
[NASA-CASE-LAR-10007-1] c 05 N71-11195
Biological isolation garment Patent
[NASA-CASE-MSC-12206-1] c 05 N71-17599
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c 11 N71-18773
Space suit heat exchanger Patent
[NASA-CASE-XMS-09571] c 05 N71-19439
G conditioning suit Patent
[NASA-CASE-XLA-02898] c 05 N71-20268
Hard space suit Patent
[NASA-CASE-XAC-07043] c 05 N71-23161
Evacuation port seal Patent
[NASA-CASE-XMF-03290] c 15 N71-23256
Fabric for micrometeoroid protection garment Patent
[NASA-CASE-MSC-12109] c 18 N71-26285
Venting device for pressurized space suit helmet Patent
[NASA-CASE-XMS-09652-1] c 05 N71-26333
Automatic control of liquid cooling garment by cutaneous and external auditory meatus temperatures
[NASA-CASE-MSC-13917-1] c 05 N72-15098
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c 05 N72-20097
Space suit having improved waist and torso movement
[NASA-CASE-ARC-10275-1] c 05 N72-22092
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c 05 N73-25125
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c 05 N73-26071
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c 27 N76-24405
Protective garment ventilation system
[NASA-CASE-XMS-04928] c 54 N78-17679
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c 54 N78-18761
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c 54 N78-31735
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c 54 N78-31736
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c 54 N78-32721
Spacesuit mobility knee joints
[NASA-CASE-ARC-11058-2] c 54 N79-24651
Absorbent product to absorb fluids --- for collection of human wastes
[NASA-CASE-MSC-18223-1] c 24 N82-29362
Torso sizing ring construction for hard space suit
[NASA-CASE-ARC-11616-1] c 54 N86-28618
Elbow and knee joint for hard space suits
[NASA-CASE-ARC-11610-1] c 54 N86-28619
Shoulder and hip joint for hard space suits
[NASA-CASE-ARC-11543-1] c 54 N86-28620
Shoulder and hip joints for hard space suits and the like
[NASA-CASE-ARC-11534-1] c 54 N86-29507
Weightlessness simulation system and process
[NASA-CASE-ARC-11646-1] c 14 N87-25344
Tapered, tubular polyester fabric
[NASA-CASE-MSC-21082-1] c 27 N87-29672
SPACE TOOLS
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c 54 N81-26718
SPACE TRANSPORTATION SYSTEM
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c 37 N80-14398

Three stage rocket vehicle with parallel staging
[NASA-CASE-MFS-25878-1] c 18 N84-27787

SPACE VEHICLE CHECKOUT PROGRAM
Hydraulic support for dynamic testing Patent
[NASA-CASE-XMF-03248] c 11 N71-10604
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c 31 N71-15566
High pressure gas filter system Patent
[NASA-CASE-MFS-12806] c 14 N71-17588

SPACEBORNE EXPERIMENTS
Space ultra-vacuum facility and method of operation
[NASA-CASE-MFS-28139-1] c 29 N87-18679

SPACEBORNE TELESCOPES
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c 89 N79-10969
Cooled echelle grating spectrometer --- for space telescope applications
[NASA-CASE-NPO-14372-1] c 35 N80-26635
Extended range X-ray telescope
[NASA-CASE-MFS-25282-1] c 34 N83-19015
Dual aperture multispectral Schmidt objective
[NASA-CASE-GSC-12756-1] c 74 N84-23248
Spectral slicing X-ray telescope with variable magnification
[NASA-CASE-MFS-25942-1] c 74 N86-20124
Self indexing latch system
[NASA-CASE-MFS-25956-1] c 37 N87-21333

SPACECRAFT
Interconnection of solar cells Patent
[NASA-CASE-XGS-01475] c 03 N71-11058
Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c 21 N71-22880
Solar cell and circuit array and process for nullifying magnetic fields Patent
[NASA-CASE-XGS-03390] c 03 N71-23187
High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c 28 N71-28850
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c 11 N72-27262
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-15429-1] c 18 N84-22609

SPACECRAFT ANTENNAS
Parasitic probe antenna Patent
[NASA-CASE-XKS-09348] c 09 N71-13521
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c 07 N71-28965
Integrated thermoelectric generator/space antenna combination
[NASA-CASE-XER-09521] c 09 N72-12136
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c 09 N72-25247
Singly-curved reflector for use in high-gain antennas
[NASA-CASE-NPO-11361] c 07 N72-32169
Collapsible structure for an antenna reflector
[NASA-CASE-NPO-11751] c 07 N73-24176
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c 74 N79-34011
Antenna deployment mechanism for use with a spacecraft --- extensible and retractable telescopic antenna mast
[NASA-CASE-GSC-12331-1] c 18 N80-14183
Spiral slotted phased antenna array
[NASA-CASE-MSC-18532-1] c 32 N82-27558

SPACECRAFT CABIN ATMOSPHERES
Thermal control wall panel Patent
[NASA-CASE-XLA-01243] c 33 N71-22792
Nonflammable coating compositions --- for use in high oxygen environments
[NASA-CASE-MFS-20486-2] c 27 N74-17283
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c 54 N77-32722

SPACECRAFT COMMUNICATION
Time division multiplex system
[NASA-CASE-XGS-05918] c 07 N69-39974
Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent
[NASA-CASE-XNP-00911] c 08 N70-41961
Tracking receiver Patent
[NASA-CASE-XGS-08679] c 10 N71-21473
Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c 09 N71-22888
VHF/UHF parasitic probe antenna Patent
[NASA-CASE-XKS-09340] c 07 N71-24614
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c 10 N71-26577
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c 32 N74-20864
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c 33 N76-27472
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c 32 N80-16261
Common data buffer system --- communication with computational equipment utilized in spacecraft operations
[NASA-CASE-KSC-11048-1] c 62 N81-24779
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c 32 N81-27341
Measurement apparatus and procedure for the determination of surface emissivities
[NASA-CASE-LAR-13455-1] c 32 N87-21206
Reed-Solomon decoder
[NASA-CASE-NPO-15982-1] c 60 N87-21591

SPACECRAFT COMPONENTS
Electrical connector Patent Application
[NASA-CASE-MFS-14741] c 09 N70-20737
Vibration damping system Patent
[NASA-CASE-XMS-01620] c 23 N71-15673
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c 15 N71-15906
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c 30 N71-17788
Spacecraft airlock Patent
[NASA-CASE-XLA-02050] c 31 N71-22968
Docking structure for spacecraft Patent
[NASA-CASE-XMF-05941] c 31 N71-23912
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c 15 N71-24600
Space simulator Patent
[NASA-CASE-NPO-10141] c 11 N71-24964
Spacecraft Patent
[NASA-CASE-MSC-13047-1] c 31 N71-25434
Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c 14 N71-27185
Solid state thermal control polymer coating Patent
[NASA-CASE-XLA-01745] c 33 N71-28903
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c 31 N72-25842
Airlock
[NASA-CASE-MFS-20922-1] c 18 N74-22136
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c 18 N74-27397
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c 18 N75-27041
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c 37 N82-24494
Apparatus for releasably connecting first and second objects in predetermined space relationship
[NASA-CASE-MSC-18969-1] c 18 N84-22605
Aerospace vehicle
[NASA-CASE-LAR-13155-1] c 05 N86-19310

SPACECRAFT CONFIGURATIONS
Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c 32 N70-36536
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c 31 N70-37924
Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c 31 N71-10582
Space shuttle vehicle and system
[NASA-CASE-MSC-12433] c 31 N73-14854
Space vehicle
[NASA-CASE-MFS-22734-1] c 18 N75-19329
Space station architecture, module, berthing hub, shell assembly, berthing mechanism and utility connection channel
[NASA-CASE-ARC-11505-1] c 18 N84-22612
Space Shuttle with rail system and aft thrust structure securing solid rocket boosters to external tank
[NASA-CASE-MFS-25853-1] c 16 N84-27784

SPACECRAFT CONSTRUCTION MATERIALS
Pressurized cell micrometeoroid detector Patent
[NASA-CASE-XLA-00936] c 14 N71-14996
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c 17 N71-28747
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c 24 N78-17149
Fixture for environmental exposure of structural materials under compression load
[NASA-CASE-LAR-12602-1] c 39 N83-32081
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736
Aluminum alloy
[NASA-CASE-LAR-13924-1-CU] c 26 N88-24753

SPACECRAFT CONTROL
Light sensitive digital aspect sensor Patent
[NASA-CASE-XGS-00359] c 14 N70-34158
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c 21 N70-35395
Parachute glider Patent
[NASA-CASE-XLA-00898] c 02 N70-36804
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c 21 N70-36938
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c 21 N70-36943
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c 31 N70-41631
Roll attitude star sensor system Patent
[NASA-CASE-XNP-01307] c 21 N70-41856
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c 21 N71-10771
Spacecraft experiment pointing and attitude control system Patent
[NASA-CASE-XLA-05464] c 21 N71-14132
Attitude control system Patent
[NASA-CASE-XGS-04393] c 21 N71-14159
Reactance control system Patent
[NASA-CASE-XMF-01598] c 21 N71-15583
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c 21 N71-15642
Inertial reference apparatus Patent
[NASA-CASE-XAC-03107] c 23 N71-16098
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c 28 N71-23081
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c 28 N71-26173
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c 28 N72-18766
Flight control system
[NASA-CASE-MSC-13397-1] c 21 N72-25595
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c 35 N77-20399
Propulsion apparatus and method using boil-off gas from a cryogenic liquid
[NASA-CASE-MFS-25946-1] c 20 N86-26368
Three axis attitude control system
[NASA-CASE-GSC-12970-1] c 08 N88-23808

SPACECRAFT DESIGN
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c 31 N70-34966
Space capsule Patent
[NASA-CASE-XLA-01332] c 31 N71-15664
Spacecraft radiator cover Patent
[NASA-CASE-MSC-12049] c 31 N71-16080
Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c 31 N71-16222
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c 31 N71-17679
Self supporting space vehicle Patent
[NASA-CASE-XLA-00117] c 31 N71-17680
Multi-mission module Patent
[NASA-CASE-XMF-01543] c 31 N71-17730
Docking structure for spacecraft Patent
[NASA-CASE-XMF-05941] c 31 N71-23912
Spacecraft Patent
[NASA-CASE-MSC-13047-1] c 31 N71-25434
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c 31 N72-18859
Space vehicle
[NASA-CASE-MFS-22734-1] c 18 N75-19329
Space vehicle system
[NASA-CASE-MSC-12561-1] c 18 N76-17189
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c 33 N77-10421
Space station architecture, module, berthing hub, shell assembly, berthing mechanism and utility connection channel
[NASA-CASE-ARC-11505-1] c 18 N84-22612
Aerospace vehicle
[NASA-CASE-LAR-13155-1] c 05 N86-19310

SPACECRAFT DOCKING
Expanding center probe and drogue Patent
[NASA-CASE-XMS-03613] c 31 N71-16340
Docking structure for spacecraft Patent
[NASA-CASE-XMF-05941] c 31 N71-23912
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c 15 N71-26160
Docking structure for spacecraft
[NASA-CASE-MFS-20863] c 31 N73-26870
Latch mechanism
[NASA-CASE-MSC-12549-1] c 37 N74-27990
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c 18 N76-14120

Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c 15 N77-10112
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c 37 N77-23483
Terminal guidance sensor system --- space shuttle coupling to orbiting satellites
[NASA-CASE-NPO-14521-1] c 37 N81-27519
Satellite retrieval system
[NASA-CASE-MFS-25403-1] c 18 N83-29303
Apparatus for releasably connecting first and second objects in predetermined space relationship
[NASA-CASE-MSC-18969-1] c 18 N84-22605
Space station architecture, module, berthing hub, shell assembly, berthing mechanism and utility connection channel
[NASA-CASE-ARC-11505-1] c 18 N84-22612
Rotatable electric cable connecting system
[NASA-CASE-GSC-12899-1] c 33 N86-20669
Preloadable vector sensitive latch
[NASA-CASE-MSC-20910-1] c 37 N87-25582
Range and range rate system
[NASA-CASE-MSC-20867-1] c 36 N88-24958

SPACECRAFT ELECTRONIC EQUIPMENT
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c 07 N71-12391
Vacuum deposition apparatus Patent
[NASA-CASE-XMF-01667] c 15 N71-17647
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c 07 N71-22984
Electrical self-aligning connector --- orbital servicer vehicles
[NASA-CASE-MFS-25211-2] c 33 N84-14423
Space station architecture, module, berthing hub, shell assembly, berthing mechanism and utility connection channel
[NASA-CASE-ARC-11505-1] c 18 N84-22612

SPACECRAFT ENVIRONMENTS
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c 05 N71-11203
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c 15 N71-17649
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c 23 N71-24725
Dual stage check valve
[NASA-CASE-MSC-13587-1] c 15 N73-30459
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c 54 N74-17853
Automatic thermal switch --- spacecraft applications
[NASA-CASE-GSC-12553-1] c 34 N83-28356

SPACECRAFT EQUIPMENT
Four-terminal electrical testing device --- initiator bridgewire resistance
[NASA-CASE-MSC-21166-1] c 35 N87-25555
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818
Range and range rate system
[NASA-CASE-MSC-20867-1] c 36 N88-24958
Surface Tension Confined Liquid Cryogen Cooler (STCLCC)
[NASA-CASE-GSC-13112-1] c 31 N88-29050

SPACECRAFT GUIDANCE
Ejection unit Patent
[NASA-CASE-XNP-00676] c 15 N70-38996
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c 21 N71-21688
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c 14 N71-23040
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c 21 N71-23289
Hermetic sealed vibration damper Patent
[NASA-CASE-MSC-10959] c 15 N71-26243
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c 32 N82-23376

SPACECRAFT INSTRUMENTS
Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c 14 N70-36907
Air bearing Patent
[NASA-CASE-XMF-00339] c 15 N70-39896
Folding boom assembly Patent
[NASA-CASE-XGS-00938] c 32 N70-41367
Pressurized cell micrometeoroid detector Patent
[NASA-CASE-XLA-00936] c 14 N71-14996
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c 14 N71-15621
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c 15 N71-20813
Optical projector system Patent
[NASA-CASE-XNP-03853] c 23 N71-21882
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c 14 N71-23268
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c 07 N72-21118
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c 21 N72-21624
Pump for delivering heated fluids
[NASA-CASE-NPO-11417] c 15 N73-24513
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c 35 N74-21062
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c 35 N80-18359
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c 32 N82-12297
Stirling cycle cryogenic cooler
[US-PATENT-4,389,849] c 44 N83-28574
Vibration isolation and pressure compensation apparatus for sensitive instrumentation
[NASA-CASE-LAR-12728-1] c 35 N83-32026
Optical system
[NASA-CASE-NPO-15801-1] c 74 N85-23396
Fully redundant mechanical release actuator
[NASA-CASE-LAR-13198-1] c 37 N87-23983

SPACECRAFT LANDING
Non-reusuable kinetic energy absorber Patent
[NASA-CASE-XLE-00810] c 15 N70-34861
Foam generator Patent
[NASA-CASE-XLA-00838] c 03 N70-36778
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c 14 N70-41812

SPACECRAFT LAUNCHING
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c 15 N71-24694
Disconnect unit
[NASA-CASE-NPO-11330] c 33 N73-26958

SPACECRAFT MODELS
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c 09 N71-16086

SPACECRAFT MODULES
Radial module space station Patent
[NASA-CASE-XMS-01906] c 31 N70-41373
Multi-mission module Patent
[NASA-CASE-XMF-01543] c 31 N71-17730
Spacecraft Patent
[NASA-CASE-MSC-13047-1] c 31 N71-25434
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c 31 N73-30829

SPACECRAFT MOTION
Magnetic suspension and pointing system --- on a carrier vehicle
[NASA-CASE-LAR-11889-1] c 35 N79-26372

SPACECRAFT POSITION INDICATORS
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c 14 N73-28490
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c 21 N73-30640

SPACECRAFT POWER SUPPLIES
Spacecraft battery seals
[NASA-CASE-XGS-03864] c 15 N69-24320
Space vehicle electrical system Patent
[NASA-CASE-XMF-00517] c 03 N70-34157
Ionospheric battery Patent
[NASA-CASE-XGS-01593] c 03 N70-35408
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c 09 N71-20446
Monostable multivibrator
[NASA-CASE-GSC-10082-1] c 10 N72-20221
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c 03 N73-20040
Thermoelectric power system --- for spacecraft
[NASA-CASE-MFS-22002-1] c 44 N76-16612
Solar energy power system
[NASA-CASE-MFS-21628-2] c 44 N76-23675
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-NPO-14000-1] c 33 N79-24254
Linear magnetic motor/generator --- to generate electric energy using magnetic flux for spacecraft power supply
[NASA-CASE-GSC-12518-1] c 33 N82-24421
Solar driven liquid metal MHD power generator
[NASA-CASE-LAR-12495-1] c 44 N83-28573
Rotatable electric cable connecting system
[NASA-CASE-GSC-12899-1] c 33 N86-20669
Liquid hydrogen polygeneration system and process
[NASA-CASE-KSC-11304-2] c 28 N86-23744
Coaxial tube tether/transmission line for manned nuclear space power
[NASA-CASE-LEW-14338-1] c 20 N87-10174
Bidirectional control system for energy flow in solar powered flywheel
[NASA-CASE-MFS-25978-1] c 44 N87-21410
Arcjet power supply and start circuit
[NASA-CASE-LEW-14374-1] c 09 N88-28939

SPACECRAFT PROPULSION
Colloid propulsion method and apparatus Patent
[NASA-CASE-XLE-00817] c 28 N70-33265
Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c 28 N70-39931
Ion engine casing construction and method of making same Patent
[NASA-CASE-XNP-06942] c 28 N71-23293
Voice operated controller Patent
[NASA-CASE-XLA-04063] c 31 N71-33160
Solid propellant motor
[NASA-CASE-NPO-11458A] c 20 N78-32179
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c 12 N79-26075
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c 37 N81-15364

SPACECRAFT RADIATORS
Thermal control canister
[NASA-CASE-GSC-12253-1] c 34 N79-31523
Thermal control system --- removing waste heat from industrial process spacecraft
[NASA-CASE-GSC-12771-1] c 34 N84-14461
Radiative cooler --- spacecraft radiators
[NASA-CASE-NPO-15465-1] c 34 N84-22903
Multi-leg heat pipe evaporator
[NASA-CASE-MSC-20812-1] c 34 N86-27593
Space vehicle thermal rejection system
[NASA-CASE-LAR-13738-1] c 18 N87-29586

SPACECRAFT RECOVERY
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c 31 N70-36410
Wing deployment method and apparatus Patent
[NASA-CASE-XMS-00907] c 02 N70-41630
Satellite retrieval system
[NASA-CASE-MFS-25403-1] c 18 N83-29303
Apparatus and method of capturing an orbiting spacecraft
[NASA-CASE-MSC-20979-1] c 37 N87-22985

SPACECRAFT REENTRY
Space capsule Patent
[NASA-CASE-XLA-00149] c 31 N70-37938
Event recorder Patent
[NASA-CASE-XLA-01832] c 14 N71-21006
Ceramic-ceramic shell tile thermal protection system and method thereof
[NASA-CASE-ARC-11641-1] c 24 N88-18628

SPACECRAFT SHIELDING
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c 31 N71-17679
Isothermal cover with thermal reservoirs Patent
[NASA-CASE-MFS-20355] c 33 N71-25353
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c 18 N71-26772
Electrically conductive thermal control coatings
[NASA-CASE-GSC-12207-1] c 24 N79-14156
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c 24 N79-25142
Thermal barrier pressure seal --- shielding junctions between spacecraft control surfaces and structures
[NASA-CASE-MSC-18134-1] c 37 N81-15363
High temperature glass thermal control structure and coating --- for application to spacecraft reusable heat shielding
[NASA-CASE-ARC-11164-1] c 44 N83-34448
Variable anodic thermal control coating
[NASA-CASE-LAR-12719-1] c 44 N83-34449
Shell tile thermal protection system
[NASA-CASE-LAR-12862-1] c 27 N84-27886
Mechanical fastener
[NASA-CASE-LAR-12738-2] c 37 N85-30335

SPACECRAFT STABILITY
Reaction wheel scanner Patent
[NASA-CASE-XGS-02629] c 14 N71-21082
Attitude sensor
[NASA-CASE-LAR-10586-1] c 19 N74-15089
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c 15 N76-14158
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c 15 N78-25119
Active nutation controller
[NASA-CASE-GSC-12273-1] c 35 N80-21719
Method of damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c 18 N83-28064

SPACECRAFT STRUCTURES
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c 07 N70-40202
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c 14 N70-40238
Spacecraft radiator cover Patent
[NASA-CASE-MSC-12049] c 31 N71-16080

SPACECRAFT TELEVISION

Satellite appendage tie down cord Patent
[NASA-CASE-XGS-02554] c 31 N71-21064
Thermal control panel Patent
[NASA-CASE-XLA-07728] c 33 N71-22890
Inflatable tether Patent
[NASA-CASE-XMS-10993] c 15 N71-28936
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c 03 N73-20039
Pressurized panel
[NASA-CASE-XLA-08916-2] c 14 N73-28487
Structural heat pipe --- for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c 34 N75-12222
Auger attachment method for insulation --- of spacecraft
[NASA-CASE-MSC-12615-1] c 37 N76-19437
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c 34 N77-18382
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c 54 N81-26718
Curved cap corrugated sheet
[NASA-CASE-LAR-12884-1] c 18 N84-33450
Elastomer toughened polyimide adhesives --- bonding metal and composite material structures for aircraft and spacecraft
[NASA-CASE-LAR-12775-2] c 27 N85-21349

SPACECRAFT TELEVISION

Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c 14 N70-40273
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c 07 N71-11300
Optical conversion method --- for spacecraft television
[NASA-CASE-MSC-12618-1] c 74 N78-17865

SPACECRAFT TEMPERATURE

Space vehicle thermal rejection system
[NASA-CASE-LAR-13738-1] c 18 N87-29586

SPACECRAFT TRACKING

Ranging system Patent
[NASA-CASE-NPO-10066] c 09 N71-18598
Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c 31 N71-24813
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c 14 N71-26627
Orbital and entry tracking accessory for globes --- to provide range requirements for reentry vehicles to any landing site
[NASA-CASE-LAR-10626-1] c 19 N74-21015
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c 32 N79-13214

SPACECREWS

Orbital escape device Patent
[NASA-CASE-XMS-06162] c 31 N71-28851

SPACELAB PAYLOADS

Hemispherical latching apparatus
[NASA-CASE-MFS-25837-1] c 18 N85-29991

SPALLATION

Method of producing I-123 --- by bombardment of cesium causing spallation
[NASA-CASE-LEW-11390-2] c 25 N76-27383

SPARK CHAMBERS

Laser measuring system for incremental assemblies --- measuring wire-wrapped frame assemblies in spark chambers
[NASA-CASE-GSC-12321-1] c 36 N82-16396
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c 35 N82-24471

SPARK GAPS

Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c 09 N69-39897
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c 23 N71-23976

SPARK IGNITION

High temperature spark plug Patent
[NASA-CASE-XLE-00660] c 28 N70-39925
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c 37 N79-11405

SPARK PLUGS

High temperature spark plug Patent
[NASA-CASE-XLE-00660] c 28 N70-39925

SPATIAL DISTRIBUTION

Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c 10 N71-26339

SPATIAL FILTERING

Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c 36 N77-32478
Real-time optical multiple object recognition and tracking system and method
[NASA-CASE-NPO-17139-1-CU] c 74 N88-25301

SPATIAL RESOLUTION

Wide-angle flat field telescope
[NASA-CASE-GSC-12825-1] c 74 N86-28732

SPECIMENS

Method of radiographic inspection of wooden members
[NASA-CASE-LAR-13724-1] c 38 N88-23983
Low temperature storage container for transporting perishables to space station
[NASA-CASE-MFS-28248-1] c 31 N88-24817

SPECTRAL BANDS

Multispectral linear array multiband selection device
[NASA-CASE-GSC-12911-1] c 74 N86-29650

SPECTRAL CORRELATION

Correlation spectrometer having high resolution and multiplexing capability
[NASA-CASE-NPO-15558-1] c 35 N84-34705

SPECTRAL REFLECTANCE

Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c 35 N74-23040

SPECTRAL SENSITIVITY

Method and apparatus for enhancing laser absorption sensitivity
[NASA-CASE-NPO-16567-1-CU] c 36 N87-28006

SPECTRAL SIGNATURES

Multispectral imaging and analysis system --- using charge coupled devices and linear arrays
[NASA-CASE-NPO-13691-1] c 43 N79-17288

SPECTROMETERS

Photoelectric energy spectrometer Patent
[NASA-CASE-XNP-04161] c 14 N71-15599
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c 14 N71-26266
Maksutov spectrograph Patent
[NASA-CASE-XLA-10402] c 14 N71-29041
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c 14 N73-28491
Compton scatter attenuation gamma ray spectrometer
[NASA-CASE-MFS-21441-1] c 14 N73-30392
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c 35 N74-15091
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c 35 N74-23040
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c 35 N75-19613
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c 33 N75-26245
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c 35 N77-10492
Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c 35 N80-18364
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c 35 N80-20563
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c 35 N80-28687
Portable reflectance spectrometer
[NASA-CASE-NPO-13556-1] c 35 N84-33766
Correlation spectrometer having high resolution and multiplexing capability
[NASA-CASE-NPO-15558-1] c 35 N84-34705
FET charge sensor and voltage probe
[NASA-CASE-NPO-16045-1] c 76 N87-13313
Method of fabricating an imaging X-ray spectrometer
[NASA-CASE-GSC-12956-1] c 35 N87-14671

SPECTROPHOTOMETERS

Apparatus for producing three-dimensional recordings of flourescence spectra Patent
[NASA-CASE-XGS-01231] c 14 N70-41676
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c 35 N76-31490
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c 74 N78-17867

SPECTRORADIOMETERS

Compact spectroradiometer
[NASA-CASE-HQN-10683] c 14 N71-34389

SPECTROSCOPIC ANALYSIS

Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c 23 N71-26206

SPECTRUM ANALYSIS

Photoelectric energy spectrometer Patent
[NASA-CASE-XNP-04161] c 14 N71-15599
Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XMF-02039] c 15 N71-15871
Method and apparatus for high resolution spectral analysis
[NASA-CASE-NPO-10748] c 08 N72-20177
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c 25 N81-14015

SPECULAR REFLECTION

Real time reflectometer --- measurement of specular reflectance
[NASA-CASE-MFS-23118-1] c 35 N77-31465

SPEECH BASEBAND COMPRESSION

Method and apparatus for telemetry adaptive bandwidth compression
[NASA-CASE-MSC-20821-1] c 17 N87-25348

SPEECH RECOGNITION

Speech analyzer
[NASA-CASE-GSC-11898-1] c 32 N77-30309

SPEED CONTROL

System for maintaining a motor at a predetermined speed utilizing digital feedback means Patent
[NASA-CASE-XMF-06892] c 09 N71-24805
Optimal control system for an electric motor driven vehicle
[NASA-CASE-NPO-11210] c 11 N72-20244
Two speed drive system --- mechanical device for changing speed on rotating vehicle wheel
[NASA-CASE-MFS-20645-1] c 37 N74-23070
Low speed phaselock speed control system --- for brushless dc motor
[NASA-CASE-GSC-11127-1] c 09 N75-24758
Speed control device for a heavy duty shaft --- solar sails for spacecraft propulsion
[NASA-CASE-NPO-14170-1] c 37 N81-15364
Variable speed drive
[NASA-CASE-GSC-12643-1] c 37 N83-26078

SPEED INDICATORS

Miniature electrooptical air flow sensor
[NASA-CASE-LAR-13065-1] c 35 N85-20295

SPEED REGULATORS

A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c 09 N71-28886

SPHERES

Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c 14 N71-15621
Radar calibration sphere
[NASA-CASE-XLA-11154] c 07 N72-21117
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c 27 N82-28442
Sphere forming method and apparatus
[NASA-CASE-NPO-15070-1] c 31 N83-35176
Contactless pellet fabrication
[NASA-CASE-NPO-15592-1] c 71 N84-16940

SPHERICAL SHELLS

Electrode and insulator with shielded dielectric junction
[NASA-CASE-XLE-03778] c 09 N69-21542
Spherical measurement device
[NASA-CASE-XLA-06683] c 14 N72-28436
Method and apparatus for growing crystals
[NASA-CASE-MFS-28137-1] c 76 N88-24544

SPHERICAL TANKS

Spherical tank gauge Patent
[NASA-CASE-XMS-06236] c 14 N71-21007

SPHERICAL WAVES

Shock wave convergence apparatus
[NASA-CASE-MFS-20890] c 14 N72-22439

SPHYGMOGRAPHY

Logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c 52 N82-11770

SPIKE NOZZLES

Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c 31 N71-15647

SPIKE POTENTIALS

Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c 33 N81-19393

SPILLING

Spillage detector for liquid chromatography systems
[NASA-CASE-MSC-20206-1] c 25 N86-27431

SPIN DYNAMICS

Nutation damper
[NASA-CASE-GSC-11205-1] c 15 N73-25513
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c 72 N79-13826
Dual towline spin-recovery device
[NASA-CASE-LAR-13076-1] c 08 N85-35200

SPIN REDUCTION

Optical spin compensator
[NASA-CASE-XGS-02401] c 14 N69-27485
Despin weight release Patent
[NASA-CASE-XLA-00679] c 15 N70-38601
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c 30 N70-40016

Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c 31 N71-10582
Method and means for damping nutation in a satellite Patent
[NASA-CASE-XMF-00442] c 31 N71-10747

SPIN STABILIZATION
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c 21 N70-34295
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c 21 N70-36943
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c 21 N71-15642
Cartwheel satellite synchronization system Patent
[NASA-CASE-XGS-05579] c 31 N71-15676
Velocity package Patent
[NASA-CASE-XLA-01339] c 31 N71-15692
Passive dual spin misalignment compensators --- gyrostabilized device
[NASA-CASE-GSC-11479-1] c 35 N74-28097
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c 08 N74-30421
Active nutation controller
[NASA-CASE-GSC-12273-1] c 35 N80-21719
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c 08 N81-19130
Scanner --- photography from a spin stabilized synchronous satellite
[NASA-CASE-GSC-12032-2] c 43 N82-13465

SPINDLES
Variable contour securing system
[NASA-CASE-MSC-16270-1] c 37 N78-27423

SPINE
Spine immobilization apparatus
[NASA-CASE-ARC-11167-1] c 52 N81-25662

SPIRAL ANTENNAS
Spiral slotted phased antenna array
[NASA-CASE-MSC-18532-1] c 32 N82-27558

SPIRAL WRAPPING
Adjustable tension wire guide Patent
[NASA-CASE-XMS-02383] c 15 N71-15918
Continuous self-locking spiral wound seal --- for maintaining pressure between chambers in cryogenic wind tunnels
[NASA-CASE-LAR-12315-1] c 37 N82-24490
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c 37 N83-19091

SPIRALS (CONCENTRATORS)
Spiral groove seal --- for hydraulic rotating shaft
[NASA-CASE-LEW-10326-3] c 37 N74-10474

SPIROMETERS
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c 05 N69-21473

SPLICING
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630

SPLINTS
Stretcher Patent
[NASA-CASE-XMF-06589] c 05 N71-23159

SPOILERS
Hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c 08 N82-24205

SPORES
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c 37 N74-13178

SPOT WELDS
Electric arc welding Patent
[NASA-CASE-XMF-00392] c 15 N70-34814
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c 07 N71-19433

SPRAY CHARACTERISTICS
Constant-output atomizer --- inhalation therapy and aerosol research
[NASA-CASE-MFS-25631-1] c 34 N84-12406

SPRAY NOZZLES
Rocket injector head
[NASA-CASE-XMF-04592-1] c 20 N79-21125
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle --- for penetrating aircraft and shuttle orbiter skin
[NASA-CASE-KSC-11064-1] c 31 N81-14137
Controlled overspray spray nozzle
[NASA-CASE-MFS-25139-1] c 34 N82-13376
Remotely controlled spray gun
[NASA-CASE-MFS-28110-1] c 37 N87-24689

SPRAYED COATINGS
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c 15 N71-15610
Thermal protection ablation spray system Patent
[NASA-CASE-XLA-04251] c 18 N71-26100
Peen plating
[NASA-CASE-GSC-11163-1] c 15 N73-32360
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c 37 N82-24492
Thermal barrier coating system having improved adhesion
[NASA-CASE-LEW-1335901] c 27 N83-31855
Spray applicator for spraying coatings and other fluids in space
[NASA-CASE-MSC-18852-1] c 37 N85-29283
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550

SPRAYERS
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c 28 N70-33372
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c 05 N71-26293
Liquid spray cooling method Patent
[NASA-CASE-XLE-00027] c 33 N71-29152
Closed loop spray cooling apparatus --- for particle accelerator targets
[NASA-CASE-LEW-11981-1] c 31 N78-17237
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c 37 N82-24492
Warm fog dissipation using large volume water sprays
[NASA-CASE-MFS-25962-1] c 09 N84-32398
Spray applicator for spraying coatings and other fluids in space
[NASA-CASE-MSC-18852-1] c 37 N85-29283
Liquid seeding atomizer
[NASA-CASE-ARC-11631-1] c 34 N87-21255
Remotely controlled spray gun
[NASA-CASE-MFS-28110-1] c 37 N87-24689

SPRAYING
Aircraft wheel spray drag alleviator Patent
[NASA-CASE-XLA-01583] c 02 N70-36825
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c 34 N79-20336
Method and apparatus for suppressing ignition overpressure in solid rocket propulsion systems
[NASA-CASE-MFS-25843-1] c 20 N83-17588

SPREAD SPECTRUM TRANSMISSION
Navigation system and method
[NASA-CASE-GSC-12508-1] c 04 N84-22546

SPREADING
Tool attachment for spreading loose elements away from work Patent
[NASA-CASE-XMF-02107] c 15 N71-10809

SPRINGS (ELASTIC)
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c 15 N69-27504
Multiple Belleville spring assembly Patent
[NASA-CASE-XNP-00840] c 15 N70-38225
Switching mechanism with energy storage means Patent
[NASA-CASE-XGS-00473] c 03 N70-38713
Load cell protection device Patent
[NASA-CASE-XMS-06782] c 32 N71-15974
Vibration isolation system using compression springs
[NASA-CASE-NPO-11012] c 15 N72-11391
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c 35 N77-18417
Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c 44 N80-29834
Resilient seal ring assembly with spring means applying force to wedge member --- cryogenic applications
[NASA-CASE-MFS-25678-1] c 37 N84-11497
Unidirectional flexural pivot
[NASA-CASE-GSC-12622-1] c 37 N84-12492
Segmented tubular cushion springs and spring assembly
[NASA-CASE-ARC-11349-1] c 37 N86-20797
Rotary stepping device with memory metal actuator
[NASA-CASE-NPO-15482-1] c 37 N87-23970
Locking hinge
[NASA-CASE-MSC-21056-1] c 18 N88-23827
Structurally tailorable non-linear snap-through spring system
[NASA-CASE-LAR-13729-1] c 37 N88-24970

SPUTTERING
A method for the deposition of beta-silicon carbide by isoepitaxy
[NASA-CASE-ERC-10120] c 26 N69-33482
Method of forming transparent films of ZnO
[NASA-CASE-FRC-10019] c 15 N73-12487
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c 17 N73-24569
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c 20 N74-31269
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c 37 N75-19684
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c 37 N81-19455
Refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c 26 N82-29415
Ion sputter textured graphite --- anode collector plates in electron tube devices
[NASA-CASE-LEW-12919-1] c 24 N83-10117
Mechanical bonding of metal method
[NASA-CASE-LEW-12941-1] c 26 N83-10170
Diamondlike flake composites
[NASA-CASE-LEW-13837-1] c 24 N84-22695
Method of making an ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-2] c 52 N84-23095
Ion sputter textured graphite electrode plates
[NASA-CASE-LEW-12919-2] c 70 N84-28565
Diamondlike flakes
[NASA-CASE-LEW-13837-2] c 24 N85-21267
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-1] c 27 N86-19458
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587
Ion beam sputter etching
[NASA-CASE-LEW-13899-1] c 31 N87-21160

SQUARE WAVES
High speed phase detector Patent
[NASA-CASE-XNP-01306-2] c 09 N71-24596

SQUARES (MATHEMATICS)
Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c 08 N71-19437

SQUEEZE FILMS
Dual clearance squeeze film damper
[NASA-CASE-LEW-13506-1] c 37 N85-33490

SQUIBS
Separation nut Patent
[NASA-CASE-XGS-01971] c 15 N71-15922

SQUID (DETECTORS)
Planar thin film SQUID with integral flux concentrator
[NASA-CASE-MFS-28282-1] c 76 N88-29602

STABILITY
Variable friction secondary seal for face seals
[NASA-CASE-LEW-14170-1] c 37 N86-25790
Optical distance measuring instrument
[NASA-CASE-GSC-12761-1] c 74 N86-32266

STABILITY AUGMENTATION
Velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c 08 N81-24106
Leading edge flap system for aircraft control augmentation
[NASA-CASE-LAR-12787-2] c 08 N85-19985

STABILITY TESTS
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c 35 N74-15146

STABILIZATION
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c 14 N72-27411
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c 02 N73-13008
Suppression of flutter
[NASA-CASE-LAR-10682-1] c 02 N73-26004
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c 76 N75-25730
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c 33 N77-22386
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c 37 N81-24442
Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333

STABILIZED PLATFORMS
Hydraulic drive mechanism Patent
[NASA-CASE-XMS-03252] c 15 N71-10658
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c 04 N76-26175
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c 37 N78-27425
Magnetic bearing and motor
[NASA-CASE-GSC-12726-1] c 37 N83-34323

STABILIZERS
Satellite despin device Patent
[NASA-CASE-XMF-08523] c 31 N71-20396

STABILIZERS (AGENTS)
Hydrazinium nitroformate propellant stabilized with nitroguanidine
[NASA-CASE-NPO-12000] c 27 N72-25699
STABILIZERS (FLUID DYNAMICS)
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c 31 N70-36410
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c 02 N71-13422
Apparatus for automatically stabilizing the attitude of a nonguided vehicle
[NASA-CASE-ARC-10134] c 30 N72-17873
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c 02 N73-26006
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c 37 N76-14460
STABLE OSCILLATIONS
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c 09 N69-39986
STACKS
Remote fire stack igniter --- with solenoid-controlled valve
[NASA-CASE-MFS-21675-1] c 25 N74-33378
STAGE SEPARATION
Tubular coupling having frangible connecting means
[NASA-CASE-XLA-02854] c 15 N69-27490
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c 03 N70-39930
Quick release separation mechanism Patent
[NASA-CASE-XLA-01441] c 15 N70-41679
Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c 31 N71-10582
Payload/burned-out motor case separation system Patent
[NASA-CASE-XLA-05369] c 31 N71-15687
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c 15 N71-22874
Lateral displacement system for separated rocket stages Patent
[NASA-CASE-XLA-04804] c 31 N71-23008
Separation simulator Patent
[NASA-CASE-XKS-04631] c 10 N71-23663
Frangible link
[NASA-CASE-MSC-11849-1] c 15 N72-22488
Tanker orbit transfer vehicle and method
[NASA-CASE-MSC-20543-1] c 18 N84-22610
STAGNATION PRESSURE
Traversing probe Patent
[NASA-CASE-XFR-02007] c 12 N71-24692
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c 35 N74-32878
STAGNATION TEMPERATURE
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c 14 N70-34156
STAINING
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c 51 N77-27677
STAINLESS STEELS
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c 15 N71-20443
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c 38 N74-15130
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c 34 N76-27515
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c 24 N77-19171
Moving body velocity arresting line --- stainless steel cables with energy absorbing sleeves
[NASA-CASE-LAR-12372-1] c 37 N82-18601
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-3] c 31 N88-29052
STAMPING
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c 37 N84-12491
Ultrasonic angle beam standard reflector --- ultrasonic nondestructive inspection
[NASA-CASE-LAR-13153-1] c 71 N86-21276
STANDARDS
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c 33 N81-17348
Ultrasonic angle beam standard reflector --- ultrasonic nondestructive inspection
[NASA-CASE-LAR-13153-1] c 71 N86-21276
STANDING WAVES
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c 71 N81-15767
Image readout device with electronically variable spatial resolution
[NASA-CASE-LAR-12633-1] c 33 N82-24416
Acoustic levitation methods and apparatus
[NASA-CASE-NPO-15562-1] c 71 N82-27086
System for controlled acoustic rotation of objects
[NASA-CASE-NPO-15522-1] c 71 N83-32516
Vibrating-chamber levitation systems
[NASA-CASE-NPO-16142-1-CU] c 35 N86-20752
STAR TRACKERS
Roll attitude star sensor system Patent
[NASA-CASE-XNP-01307] c 21 N70-41856
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c 21 N71-10678
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c 21 N71-10771
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c 21 N71-15642
Reference voltage switching unit
[NASA-CASE-NPO-11253] c 09 N72-17157
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c 21 N73-19630
Star tracking reticles
[NASA-CASE-GSC-11188-1] c 14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c 74 N74-20008
Star scanner --- with a reticle with a pair of slits having differing separation
[NASA-CASE-GSC-11569-1] c 89 N74-30886
Programmable scan/read circuitry for charge coupled device imaging detectors --- spcecraft attitude control and star trackers
[NASA-CASE-NPO-15345-1] c 74 N84-23247
STARK EFFECT
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c 33 N75-26245
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c 36 N76-18427
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c 25 N81-14015
Stark effect spectrophone for continuous absorption spectra monitoring --- a technique for gas analysis
[NASA-CASE-NPO-15102-1] c 25 N81-25159
STARTERS
Starting circuit for vapor lamps and the like Patent
[NASA-CASE-XNP-01058] c 09 N71-12540
Motor run-up system --- power lines
[NASA-CASE-NPO-13374-1] c 33 N75-19524
Motor power factor controller with a reduced voltage starter
[NASA-CASE-MFS-25586-1] c 33 N82-11360
STARTING
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c 33 N80-26599
Arcjet power supply and start circuit
[NASA-CASE-LEW-14374-1] c 09 N88-28939
STATIC DEFORMATION
Acoustic radiation stress measurement
[NASA-CASE-LAR-13440-1] c 71 N87-21653
STATIC DISCHARGERS
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c 28 N82-18401
STATIC FRICTION
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c 14 N71-22995
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c 35 N76-31489
STATIC INVERTERS
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c 08 N71-18752
Static inverter Patent
[NASA-CASE-XGS-05289] c 09 N71-19470
STATIC LOADS
Instrument for measuring torsional creep and recovery Patent
[NASA-CASE-XLE-01481] c 14 N71-10781
Tension measurement device Patent
[NASA-CASE-XMS-04545] c 15 N71-22878
STATIC PRESSURE
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c 14 N70-36824
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c 15 N70-37925
Static pressure probe
[NASA-CASE-LAR-11552-1] c 35 N76-14429
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c 35 N80-18358
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-2] c 71 N84-14873
STATIONKEEPING
Station keeping of a gravity gradient stabilized satellite Patent
[NASA-CASE-XLA-03132] c 31 N71-22969
STATISTICAL CORRELATION
Optical probing of supersonic flows with statistical correlation
[NASA-CASE-MFS-20642] c 14 N72-21407
STATOR BLADES
Stator rotor tools
[NASA-CASE-MSC-16000-1] c 37 N78-24544
STATORS
Nickel base alloy --- for gas turbine engine stator vanes
[NASA-CASE-LEW-12270-1] c 26 N77-32280
Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c 44 N80-29834
Brushless DC motor control system responsive to control signals generated by a computer or the like
[NASA-CASE-NPO-16420-1] c 33 N86-20681
Damping seal for turbomachinery
[NASA-CASE-MFS-25842-2] c 37 N86-20788
Radial and torsionally controlled magnetic bearing
[NASA-CASE-GSC-12957-1] c 37 N87-17038
STEADY STATE
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c 34 N74-27861
STEAM
Steam cooled rich-burn combustor liner
[NASA-CASE-LEW-13609-1] c 25 N83-17628
STEAM TURBINES
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c 33 N71-16104
STEELS
Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c 18 N72-23581
Ion-beam nitriding of steels
[NASA-CASE-LEW-14104-2] c 26 N88-14179
Method and apparatus for non-destructive testing of temper embrittlement in steels
[NASA-CASE-LAR-13817-1] c 26 N88-29012
STEERABLE ANTENNAS
Array phasing device Patent
[NASA-CASE-ERC-10046] c 10 N71-18722
Satellite communication system Patent
[NASA-CASE-XNP-02389] c 07 N71-28900
Amplitude steered array
[NASA-CASE-GSC-11446-1] c 33 N74-20860
Phased array antenna control
[NASA-CASE-MSC-14939-1] c 32 N79-11264
STEERING
Steerable solid propellant rocket motor Patent
[NASA-CASE-XNP-00234] c 28 N70-38645
STELLAR LUMINOSITY
Radiant energy intensity measurement system Patent
[NASA-CASE-XNP-06510] c 14 N71-23797
STELLAR SPECTRA
Radiant energy intensity measurement system Patent
[NASA-CASE-XNP-06510] c 14 N71-23797
STENCIL PROCESSES
Method of tracing contour patterns for use in making gradual contour resin matrix composites
[NASA-CASE-ARC-11246-1] c 31 N83-34073
STEPPING MOTORS
Scanner --- photography from a spin stabilized synchronous satellite
[NASA-CASE-GSC-12032-2] c 43 N82-13466
STEREOPHOTOGRAPHY
Stereo photomicrography system
[NASA-CASE-LAR-10176-1] c 14 N72-20382
Optical stereo video signal processor
[NASA-CASE-MFS-25752-1] c 74 N86-21342
STEREOSCOPIC VISION
Stereoscopic television system and apparatus
[NASA-CASE-ARC-10160-1] c 23 N72-27722
Television monitor field shifter and an opto-electron method for obtaining a stereo image of optimal dep resolution and reduced depth distrotion on a sing screen
[NASA-CASE-NPO-17249-1-CU] c 32 N88-23922
STEREOSCOPY
Real-time 3-D X-ray and gamma-ray viewer
[NASA-CASE-GSC-12640-1] c 74 N84-11922
STERILIZATION
Process for preparing sterile solid propellants Pate
[NASA-CASE-XNP-01749] c 27 N70-41852
Processing for producing a sterilized instrume Patent
[NASA-CASE-XNP-09763] c 14 N71-20422
Air conditioned suit
[NASA-CASE-LAR-10076-1] c 05 N73-20122

Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c 06 N73-27086
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c 54 N75-27761
Portable heatable container
[NASA-CASE-NPO-14237-1] c 44 N80-20808
System for sterilizing objects --- cleaning space vehicle systems
[NASA-CASE-KSC-11085-1] c 54 N81-24724

STERILIZATION EFFECTS
Electrical connector
[NASA-CASE-NPO-10694] c 09 N72-20200

STIFFENING
Metal matrix composite structural panel construction
[NASA-CASE-LAR-12807-1] c 24 N84-11214
Stiffened titanium panels
[NASA-CASE-LAR-13814-1] c 31 N88-24816

STIFFNESS
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c 37 N82-12442

STILBENE
Vinyl stilbazoles
[NASA-CASE-ARC-11429-3CU] c 27 N87-16908

STIMULATED EMISSION
Repetitively pulsed, wavelength selective laser Patent
[NASA-CASE-ERC-10178] c 16 N71-24832

STIRLING CYCLE
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c 37 N76-29590
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c 37 N81-14318
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c 37 N81-17432
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c 44 N81-17518
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c 37 N81-25370
Stirling cycle cryogenic cooler
[US-PATENT-4,389,849] c 44 N83-28574
Magentically actuated compressor
[NASA-CASE-GSC-12799-1] c 31 N85-21404

STIRLING ENGINES
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c 37 N81-17432
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c 44 N81-17518

STIRRING
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c 15 N71-21177
Planar oscillatory stirring apparatus
[NASA-CASE-MFS-26002-1-CU] c 35 N86-26598

STOICHIOMETRY
Sulfone-ester polymers containing pendent ethynl groups
[NASA-CASE-LAR-13316-1] c 27 N86-27450
The 5-(4-Ethynylophenoxy) isophthalic chloride
[NASA-CASE-LAR-13316-2] c 27 N87-14515

STORAGE
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c 14 N71-20435
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c 37 N80-10494

STORAGE BATTERIES
Bonded elastomeric seal for electrochemical cells Patent
[NASA-CASE-XGS-02631] c 03 N71-23006
Automatic battery charger Patent
[NASA-CASE-XNP-04758] c 03 N71-24605
Electric battery and method for operating same Patent
[NASA-CASE-XGS-01674] c 03 N71-29129
Electric storage battery
[NASA-CASE-NPO-11021] c 03 N72-20032
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c 44 N76-18641
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c 44 N76-29699
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c 44 N77-14581
Formulated plastic separators for soluble electrode cells --- rubber-ion transport membranes
[NASA-CASE-LEW-12358-1] c 44 N79-17313
Toroidal cell and battery --- storage battery for high amp-hour load applications
[NASA-CASE-LEW-12918-1] c 44 N81-24521

STORAGE STABILITY
Thermally activated foaming compositions Patent
[NASA-CASE-LAR-10373-1] c 18 N71-26155
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c 52 N79-14749
Method for retarding dye fading during archival storage of developed color photographic film --- inert atmosphere
[NASA-CASE-MFS-23250-1] c 35 N82-11432

STORAGE TANKS
Expulsion bladder-equipped storage tank structure Patent
[NASA-CASE-XNP-00612] c 11 N70-38182
Method for leakage testing of tanks Patent
[NASA-CASE-XMF-02392] c 32 N71-24285
Zero gravity shadow shield aligner
[NASA-CASE-KSC-10622-1] c 31 N72-21893
Cryogenic container compound suspension strap
[NASA-CASE-ARC-11157-1] c 37 N80-18393

STOWAGE (ONBOARD EQUIPMENT)
Hemispherical latching apparatus
[NASA-CASE-MFS-25837-1] c 18 N85-29991
Locking hinge
[NASA-CASE-MSC-21056-1] c 18 N88-23827
Expandable pallet for space station interface attachments
[NASA-CASE-MSC-21117-1] c 18 N88-28958

STRAIN GAGE ACCELEROMETERS
Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c 14 N70-34799
Angular accelerometer Patent
[NASA-CASE-XMS-05936] c 14 N70-41682

STRAIN GAGE BALANCES
Self-balancing strain gage transducer Patent
[NASA-CASE-MFS-12827] c 14 N71-17656

STRAIN GAGES
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c 09 N69-27422
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c 15 N70-33330
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c 14 N70-34705
Strain gage Patent Application
[NASA-CASE-FRC-10053] c 14 N70-35587
Difference circuit Patent
[NASA-CASE-XNP-08274] c 10 N71-13537
Strain sensor for high temperatures Patent
[NASA-CASE-XNP-09205] c 14 N71-17657
Extensometer Patent
[NASA-CASE-XMF-04680] c 15 N71-19489
Strain gauge measuring techniques Patent
[NASA-CASE-XGS-04478] c 14 N71-24233
Method of temperature compensating semiconductor strain gages Patent
[NASA-CASE-XLA-04555-1] c 14 N71-25892
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c 09 N72-22200
Method of making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c 14 N72-28438
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c 35 N74-26945
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c 35 N75-12273
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c 33 N75-31329
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c 35 N75-33369
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c 35 N76-14430
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c 35 N76-24523
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c 35 N77-14407
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c 39 N78-15512
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c 35 N80-20560
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c 39 N81-25400
Pulsed phase locked loop strain monitor --- voltage controlled oscillators
[NASA-CASE-LAR-12772-1] c 33 N83-16626
Inflatable device for installing strain gage bridges
[NASA-CASE-FRC-11068-1] c 35 N84-12443
Thin film strain transducer
[NASA-CASE-WLP-10055-1] c 35 N84-28015
Strain gage calibration
[NASA-CASE-LAR-12743-1] c 35 N84-28019
Thin film strain transducer --- suitable for in-flight measurement of scientific balloon strain
[NASA-CASE-WLP-10055-2] c 35 N85-21598
Method of attaching strain gauges to various materials
[NASA-CASE-LAR-13797-1] c 35 N88-30108

STRAIN MEASUREMENT
Thin film strain transducer --- suitable for in-flight measurement of scientific balloon strain
[NASA-CASE-WLP-10055-2] c 35 N85-21598
Radio Frequency (RF) strain monitor
[NASA-CASE-LAR-13705-1] c 39 N88-25011

STRAIN RATE
Light intensity strain analysis
[NASA-CASE-LAR-10765-1] c 32 N73-20740
Strain gage calibration
[NASA-CASE-LAR-12743-1] c 35 N84-28019

STRAKES
Helicopter anti-torque system using strakes
[NASA-CASE-LAR-13233-1] c 05 N84-33400
Helicopter anti-torque system using fuselage strakes
[NASA-CASE-LAR-13630-1] c 08 N88-23809
Actuated forebody strakes
[NASA-CASE-LAR-13983-1] c 05 N88-24628

STRAPDOWN INERTIAL GUIDANCE
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c 35 N77-20399

STRAPS
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c 35 N75-19615
Cryogenic container compound suspension strap
[NASA-CASE-ARC-11157-1] c 37 N80-18393

STRATIGRAPHY
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c 31 N80-32584

STREAMS
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c 35 N78-19465

STRESS ANALYSIS
Method and apparatus for measuring the damping characteristics of a structure
[NASA-CASE-ARC-10154-1] c 14 N72-22440
Light intensity strain analysis
[NASA-CASE-LAR-10765-1] c 32 N73-20740
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c 35 N76-24523

STRESS CONCENTRATION
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c 35 N75-33369

STRESS CORROSION
Method of inhibiting stress corrosion cracks in titanium alloys Patent
[NASA-CASE-NPO-10271] c 17 N71-16393
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c 15 N71-18616

STRESS MEASUREMENT
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c 09 N69-27422
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c 14 N70-34705
Self-balancing strain gage transducer Patent
[NASA-CASE-MFS-12827] c 14 N71-17656
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c 32 N71-25360
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c 35 N77-22449
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c 39 N78-15512
Acoustic radiation stress measurement
[NASA-CASE-LAR-13440-1] c 71 N87-21653

STRESS RELAXATION
Method for alleviating thermal stress damage in laminates --- metal matrix composites
[NASA-CASE-LEW-12493-1] c 24 N81-17170

STRESS RELIEVING
All-directional fastener Patent
[NASA-CASE-XLA-01807] c 15 N71-10799
Steam cooled rich-burn combustor liner
[NASA-CASE-LEW-13609-1] c 25 N83-17628

STRESSES
Tape recorder Patent
[NASA-CASE-XGS-08259] c 14 N71-23698
Strain gauge measuring techniques Patent
[NASA-CASE-XGS-04478] c 14 N71-24233
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c 27 N76-14264
Fixture for environmental exposure of structural materials under compression load
[NASA-CASE-LAR-12602-1] c 39 N83-32081

STRETCHERS
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c 05 N71-22748
Stretcher Patent
[NASA-CASE-XMF-06589] c 05 N71-23159

STRETCHING
Fastener stretcher
[NASA-CASE-GSC-11149-1] c 15 N73-30457

STRINGERS
Preloaded space structural coupling joints
[NASA-CASE-LAR-13489-1] c 18 N87-27713

STRINGS
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c 05 N71-24623

STRIP TRANSMISSION LINES
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c 33 N81-17348
Microwave switching power divider --- antenna feeds
[NASA-CASE-GSC-12420-1] c 33 N82-16340
STRUCTURAL ANALYSIS
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c 74 N77-10899
STRUCTURAL DESIGN
Life raft Patent
[NASA-CASE-XMS-00863] c 05 N70-34857
High pressure regulator valve Patent
[NASA-CASE-XNP-00710] c 15 N71-10778
Lifting body Patent Application
[NASA-CASE-FRC-10063] c 01 N71-12217
Ring wing tension vehicle Patent
[NASA-CASE-XLA-04901] c 31 N71-24315
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c 35 N77-27366
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c 74 N77-28933
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c 44 N79-23481
Fluid flow meter for measuring the rate of fluid flow in a conduit
[NASA-CASE-MFS-28030-1] c 35 N86-25752
Remotely controlled spray gun
[NASA-CASE-MFS-28110-1] c 37 N87-24689
Improved method and apparatus for waste collection and storage
[NASA-CASE-MSC-21025-1] c 31 N87-25495
STRUCTURAL DESIGN CRITERIA
Compliant hydrodynamic fluid journal bearing
[NASA-CASE-LEW-13670-1] c 37 N86-19606
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793
STRUCTURAL ENGINEERING
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c 31 N83-31895
STRUCTURAL FAILURE
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c 38 N76-28563
STRUCTURAL MEMBERS
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c 07 N69-27462
Optical alignment system Patent
[NASA-CASE-XNP-02029] c 14 N70-41955
All-directional fastener Patent
[NASA-CASE-XLA-01807] c 15 N71-10799
Frictionless universal joint Patent
[NASA-CASE-NPO-10646] c 15 N71-28467
Fastener stretcher
[NASA-CASE-GSC-11149-1] c 15 N73-30457
Method of laminating structural members
[NASA-CASE-XLA-11028-1] c 24 N74-27035
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c 18 N75-27040
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c 27 N76-14264
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c 37 N82-32732
Daze fasteners
[NASA-CASE-LAR-13009-1] c 37 N85-29285
Synchronously deployable double fold beam and planar truss structure
[NASA-CASE-LAR-13490-1] c 18 N87-14413
Daze fasteners
[NASA-CASE-LAR-13009-2] c 37 N87-22976
STRUCTURAL STABILITY
Latching device
[NASA-CASE-MFS-21606-1] c 37 N75-19685
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c 39 N76-31562
Deployable M-braced truss structure
[NASA-CASE-LAR-13081-1] c 37 N86-32737
STRUCTURAL VIBRATION
Electrical connector Patent Application
[NASA-CASE-MFS-14741] c 09 N70-20737
Seismic displacement transducer Patent
[NASA-CASE-XMF-00479] c 14 N70-34794
Vibrating structure displacement measuring instrument Patent
[NASA-CASE-XLA-03135] c 32 N71-16428
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c 33 N80-29583
STRUCTURES
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c 32 N71-26681
STRUTS
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c 15 N70-35679
Collapsible structure for an antenna reflector
[NASA-CASE-NPO-11751] c 07 N73-24176
Locking redundant link
[NASA-CASE-LAR-11900-1] c 37 N79-14382
Multiple pure tone elimination strut assembly --- air breathing engines
[NASA-CASE-FRC-11062-1] c 71 N82-16800
Variable length strut with longitudinal compliance and locking capability
[NASA-CASE-MFS-25907-1] c 37 N85-34401
STUDS (STRUCTURAL MEMBERS)
Safety-type locking pin
[NASA-CASE-MFS-18495] c 15 N72-11385
Stud-bonding gun
[NASA-CASE-MFS-20299] c 15 N72-11392
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c 37 N74-25968
STYRENES
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c 27 N78-32256
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c 27 N80-10358
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c 27 N80-24438
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043
SUBASSEMBLIES
Multistage spent particle collector and a method for making same
[NASA-CASE-LEW-13914-1] c 37 N85-33489
SUBCRITICAL FLOW
Method for growth of crystals by pressure reduction of supercritical or subcritical solution
[NASA-CASE-NPO-15772-1] c 76 N85-29800
SUBLIMATION
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c 34 N77-19353
Polymeric compositions and their method of manufacture --- forming filled polymer systems using cryogenics
[NASA-CASE-NPO-10424-1] c 27 N81-24258
SUBMARINES
Low density bismaleimide-carbon microballoon composites --- aircraft and submarine compartment safety
[NASA-CASE-ARC-11040-2] c 24 N78-27184
SUBMERGING
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c 37 N82-12441
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c 33 N82-26572
SUBMILLIMETER WAVES
Ladder supported ring bar circuit
[NASA-CASE-LEW-13570-1] c 33 N84-16452
Double photon excitation of high-Rydberg atoms as a long-lived submillimeter detector
[NASA-CASE-NPO-16372-1] c 72 N86-33127
SUBMINIATURIZATION
Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent
[NASA-CASE-XNP-00384] c 09 N71-13530
SUBREFLECTORS
Dish antenna having switchable beamwidth --- with truncated concave ellipsoid subreflector
[NASA-CASE-GSC-11760-1] c 33 N75-19516
SUBSONIC SPEED
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c 31 N70-38010
Leading edge curvature based on convective heating Patent
[NASA-CASE-XLA-01486] c 01 N71-23497
Airfoil shape for flight at subsonic speeds --- design analysis and aerodynamic characteristics of the GAW-1 airfoil
[NASA-CASE-LAR-10585-1] c 02 N76-22154
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c 05 N79-24976
SUBSONIC WIND TUNNELS
Variable geometry wind tunnels
[NASA-CASE-XLA-07430] c 11 N72-22246
SUBSTRATES
Means and methods of depositing thin films on substrates Patent
[NASA-CASE-XNP-00595] c 15 N70-34967
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c 03 N71-20895
Solar panel fabrication Patent
[NASA-CASE-XNP-03413] c 03 N71-26726
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c 44 N76-28635
Process for producing a well-adhered durable optical coating on an optical plastic substrate --- abrasion resistant polymethyl methacrylate lenses
[NASA-CASE-ARC-11039-1] c 74 N78-32854
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c 35 N80-20560
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c 27 N81-25209
Refractory coatings
[NASA-CASE-LEW-13169-2] c 26 N82-30371
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c 35 N82-31659
Method for depositing an oxide coating
[NASA-CASE-LEW-13131-1] c 44 N83-10494
Densification of porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18737-1] c 24 N83-13171
Method of forming oxide coatings --- for solar collector heating panels
[NASA-CASE-LEW-13132-1] c 27 N83-29388
Method and apparatus for coating substrates using a laser
[NASA-CASE-LEW-13526-1] c 36 N84-22944
Coating with overlay metallic-cermet alloy systems
[NASA-CASE-LEW-13639-2] c 26 N84-27855
Overlay metallic-cermet alloy coating systems
[NASA-CASE-LEW-13639-1] c 26 N84-33555
Increased voltage photovoltaic cell
[NASA-CASE-NPO-16155-1] c 44 N85-30475
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826
Thermal barrier coating system
[NASA-CASE-LEW-14057-1] c 24 N85-35233
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267
Oxygen diffusion barrier coating
[NASA-CASE-LAR-13474-1-SB] c 26 N87-25455
SUBSTRUCTURES
Support structure for irradiated elements Patent
[NASA-CASE-XNP-06031] c 15 N71-15606
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c 35 N77-27366
System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c 39 N80-10507
Elevated waterproof access floor system and method of making the same
[NASA-CASE-ARC-11363-1] c 31 N87-16918
SUCTION
Method for maintaining precise suction strip porosities
[NASA-CASE-LAR-13638-1] c 31 N88-29051
SUGARS
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227
SULFATES
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c 18 N71-15469
SULFIDES
Stabilized lanthanum sulphur compounds --- thermoelectric materials
[NASA-CASE-NPO-16135-1] c 25 N83-24572
SULFONES
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c 33 N75-27252
Solvent resistant thermoplastic aromatic poly(imidesulfone) and process for preparing same
[NASA-CASE-LAR-12858-1] c 27 N83-34041
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-1] c 27 N84-22747
Process for preparing solvent resistant, thermoplastic aromatic poly(imidesulfone)
[NASA-CASE-LAR-12858-2] c 27 N85-20124
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-2] c 27 N86-21675
Sulfone-ester polymers containing pendent ethynl groups
[NASA-CASE-LAR-13316-1] c 27 N86-27450
Semi-2-interpenetrating networks of high temperature systems
[NASA-CASE-LAR-13450-1] c 27 N87-28657
SULFONIC ACID
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c 24 N78-14096
The 1,1,1-triaryl-2,2,2-trifluoroethanes and process for their synthesis
[NASA-CASE-ARC-11097-1] c 25 N82-24312
SULFUR COMPOUNDS
Polymeric vehicles as carriers for sulfonic acid salt of nitrosubstituted aromatic amines
[NASA-CASE-ARC-10325] c 06 N72-25147

SULFUR DIOXIDES
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c 45 N76-17656
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c 45 N79-12584
SULFURIC ACID
Synthesis of 2,4,8,10-tetroxaspiro5,5undecane
[NASA-CASE-ARC-11243-2] c 23 N85-33187
SUM RULES
Computing apparatus Patent
[NASA-CASE-XGS-04765] c 08 N71-18693
SUN
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c 44 N79-14526
SUNGLASSES
Soft frame adjustable eyeglasses Patent
[NASA-CASE-XMS-06064] c 05 N71-23096
SUNLIGHT
Illumination system including a virtual light source Patent
[NASA-CASE-HQN-10781] c 23 N71-30292
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c 74 N79-12890
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c 47 N83-32232
Sun shield
[NASA-CASE-MSC-20162-1] c 37 N87-17036
SUPERCHARGERS
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c 20 N80-14188
Diesel engine catalytic combustor system --- aircraft engines
[NASA-CASE-LEW-12995-1] c 37 N84-33808
SUPERCONDUCTING MAGNETS
Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c 14 N69-27423
Superconducting alternator
[NASA-CASE-XLE-02824] c 03 N69-39890
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c 16 N71-28554
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c 23 N71-29049
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c 35 N76-16390
Stable superconducting magnet --- high current levels below critical temperature
[NASA-CASE-XMF-05373-1] c 33 N79-21264
Reciprocating magnetic refrigerator employing tandem porous matrices within a reciprocating displacer
[NASA-CASE-NPO-16257-1] c 31 N85-29082
SUPERCONDUCTIVITY
Superconducting alternator Patent
[NASA-CASE-XLE-02823] c 09 N71-23443
System for improving signal-to-noise ratio of a communication signal
[NASA-CASE-MSC-12259-2] c 07 N72-33146
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c 26 N73-28710
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c 33 N75-31332
Method of producing high T(subc) superconducting NBN films
[NASA-CASE-NPO-16681-1-CU] c 76 N88-24543
Planar thin film SQUID with integral flux concentrator
[NASA-CASE-MFS-28282-1] c 76 N88-29602
SUPERCONDUCTORS
Superconductive accelerometer Patent
[NASA-CASE-XMF-01099] c 14 N71-15969
Twisted multifilament superconductor
[NASA-CASE-LEW-11726-1] c 26 N73-26752
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c 26 N73-32571
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c 33 N78-13320
SUPERCOOLING
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650
SUPERCRITICAL FLUIDS
Method for growth of crystals by pressure reduction of supercritical or subcritical solution
[NASA-CASE-NPO-15772-1] c 76 N85-29800
SUPERCRITICAL PRESSURES
Oil shale extraction using super-critical extraction
[NASA-CASE-NPO-15656-1] c 43 N84-23012
SUPERFLUIDITY
Helium refining by superfluidity Patent
[NASA-CASE-XNP-00733] c 06 N70-34946
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c 36 N76-29575
SUPERHEATING
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c 44 N76-31667
SUPERHIGH FREQUENCIES
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c 32 N80-23524
SUPERLATTICES
Tailorable infrared sensing device with strain layer superlattice structure
[NASA-CASE-NPO-16607-1-CU] c 76 N88-14836
SUPERPLASTICITY
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c 24 N82-24296
SUPERSONIC AIRCRAFT
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c 02 N70-33255
Variable sweep aircraft wing Patent
[NASA-CASE-XLA-00350] c 02 N70-38011
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c 02 N71-11041
Translating horizontal tail Patent
[NASA-CASE-XLA-08801-1] c 02 N71-11043
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c 02 N71-12243
Absorptive splitter for closely spaced supersonic engine air inlets Patent
[NASA-CASE-XLA-02865] c 28 N71-15563
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c 05 N76-29217
SUPERSONIC COMBUSTION
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c 20 N74-13502
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c 15 N78-32168
SUPERSONIC DRAG
Annular supersonic decelerator or drogue Patent
[NASA-CASE-XLE-00222] c 02 N70-37939
SUPERSONIC FLIGHT
Variable sweep wing aircraft Patent
[NASA-CASE-XLA-00221] c 02 N70-33266
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c 02 N71-27088
SUPERSONIC FLOW
Optical probing of supersonic flows with statistical correlation
[NASA-CASE-MFS-20642] c 14 N72-21407
Stagnation pressure probe --- for measuring pressure of supersonic gas streams
[NASA-CASE-LAR-11139-1] c 35 N74-32878
Multi-body aircraft with an all-movable center fuselage actively controlling fuselage pressure drag
[NASA-CASE-LAR-13511-1] c 05 N88-23765
Compression pylon
[NASA-CASE-LAR-13777-1] c 05 N88-29789
SUPERSONIC INLETS
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c 02 N74-20646
Shock position sensor for supersonic inlets --- measuring pressure in the throat of a supersonic inlet
[NASA-CASE-LEW-11915-1] c 35 N76-14431
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c 15 N78-32168
SUPERSONIC NOZZLES
Penshape exhaust nozzle for supersonic engine Patent
[NASA-CASE-XLE-00057] c 28 N70-38711
Telescoping-spike supersonic inlet for aircraft engines Patent
[NASA-CASE-XLE-00005] c 28 N70-39899
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c 09 N71-20816
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c 07 N80-32392
SUPERSONIC SPEED
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c 25 N70-36946
Static pressure probe
[NASA-CASE-LAR-11552-1] c 35 N76-14429
SUPERSONIC TRANSPORTS
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c 21 N71-13958
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c 02 N71-19287
Position location system and method
[NASA-CASE-GSC-10087-3] c 07 N72-12080
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c 07 N73-20174
Supersonic transport --- using canard surfaces
[NASA-CASE-LAR-11932-1] c 05 N78-32086
SUPERSONIC WIND TUNNELS
Wind tunnel
[NASA-CASE-LAR-10135-1] c 09 N79-21083
Sound shield
[NASA-CASE-LAR-12883-1] c 71 N83-17235
SUPPORT INTERFERENCE
Spherical bearing --- to reduce vibration effects
[NASA-CASE-MFS-23447-1] c 37 N79-11404
SUPPORT SYSTEMS
Hydraulic support for dynamic testing Patent
[NASA-CASE-XMF-03248] c 11 N71-10604
Support structure for irradiated elements Patent
[NASA-CASE-XNP-06031] c 15 N71-15606
Multilegged support system Patent
[NASA-CASE-XLA-01326] c 11 N71-21481
Adjustable support
[NASA-CASE-NPO-10721] c 15 N72-27484
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c 37 N77-28486
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c 09 N82-23254
SUPPORTS
A support technique for vertically oriented launch vehicles
[NASA-CASE-XLA-02704] c 11 N69-21540
Pneumatic mirror support system
[NASA-CASE-XLA-03271] c 11 N69-24321
Optical spin compensator
[NASA-CASE-XGS-02401] c 14 N69-27485
Extensible cable support Patent
[NASA-CASE-XMF-07587] c 15 N71-18701
Swivel support for gas bearings Patent
[NASA-CASE-XMF-07808] c 15 N71-23812
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c 14 N71-26627
Angular displacement indicating gas bearing support system Patent
[NASA-CASE-XLA-09346] c 15 N71-28740
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c 23 N71-29123
Fine adjustment mount
[NASA-CASE-MFS-20249] c 15 N72-11386
Expansible support means
[NASA-CASE-NPO-11059] c 15 N72-17454
Optical system support apparatus
[NASA-CASE-XER-07896-2] c 23 N72-22673
Fixture for supporting articles during vibration tests
[NASA-CASE-MFS-20523] c 14 N72-27412
Test stand system for vacuum chambers
[NASA-CASE-MFS-21362] c 11 N73-20267
Collapsible structure for an antenna reflector
[NASA-CASE-NPO-11751] c 07 N73-24176
Method of making porous conductive supports for electrodes --- by electroforming and stacking nickel foils
[NASA-CASE-GSC-11367-1] c 44 N74-19692
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c 18 N74-27397
Variable contour securing system
[NASA-CASE-MSC-16270-1] c 37 N78-27423
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c 26 N80-28492
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c 52 N81-25661
Model mount system for testing flutter
[NASA-CASE-LAR-12950-1] c 09 N84-34448
Portable pallet weighing apparatus
[NASA-CASE-GSC-12789-1] c 35 N85-20294
Drop foot corrective device
[NASA-CASE-LAR-12259-2] c 54 N86-22112
Remote pivot decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-13173-1] c 05 N87-14314
Airfoil flutter model suspension system
[NASA-CASE-LAR-13522-1-SB] c 09 N87-25334
Almond test body --- for microwave anechoic chambers
[NASA-CASE-LAR-13747-1] c 32 N88-24845
Thermal compensating mount
[NASA-CASE-LAR-13794-1] c 35 N88-24942
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-3] c 31 N88-29052
SUPPRESSORS
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c 07 N69-39980
SURFACE ACOUSTIC WAVE DEVICES
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c 71 N77-26919

SURFACE CRACKS
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900
SURFACE DEFECTS
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c 15 N71-17822
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c 35 N74-32879
SURFACE DIFFUSION
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c 18 N71-10772
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c 74 N81-17887
SURFACE FINISHING
Method of forming transparent films of ZnO
[NASA-CASE-FRC-10019] c 15 N73-12487
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c 23 N73-13662
Surface finishing --- for aircraft wings
[NASA-CASE-MSC-12631-1] c 24 N77-28225
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c 27 N80-24437
Surface finishing
[NASA-CASE-MSC-12631-3] c 27 N81-14077
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c 37 N81-19455
Surface texturing of fluoropolymers
[NASA-CASE-LEW-13028-1] c 27 N82-33521
Laser surface fusion of plasma sprayed ceramic turbine seals
[NASA-CASE-LEW-13269-1] c 18 N83-20996
Electrodes for solid state devices
[NASA-CASE-NPO-15161-1] c 33 N84-16456
Diamondlike flakes
[NASA-CASE-LEW-13837-2] c 24 N85-21267
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587
Method and apparatus for making an optical element having a dielectric film
[NASA-CASE-ARC-11611-1] c 74 N87-28416
Ion-beam nitriding of steels
[NASA-CASE-LEW-14104-2] c 26 N88-14179
SURFACE GEOMETRY
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959
SURFACE IONIZATION
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c 09 N71-26678
Method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c 15 N72-25457
SURFACE LAYERS
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c 15 N71-20739
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c 24 N74-19769
Method of neutralizing the corrosive surface of amine-cured epoxy resins
[NASA-CASE-GSC-12686-1] c 27 N83-34039
SURFACE NAVIGATION
Navigation system for land vehicles
[NASA-CASE-LAR-13322-1] c 04 N88-24620
SURFACE PROPERTIES
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c 15 N69-21471
Ablation article and method
[NASA-CASE-LAR-10439-1] c 33 N73-27796
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c 34 N74-15652
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c 36 N74-20009
Apparatus for microbiological sampling --- including automatic swabbing
[NASA-CASE-LAR-11069-1] c 35 N75-12272
Penetrometer --- for determining load bearing characteristics of inclined surfaces
[NASA-CASE-NPO-11103-1] c 35 N77-27367
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c 74 N78-27904
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c 35 N80-14371
Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c 37 N80-14395
Mechanical bonding of metal method
[NASA-CASE-LEW-12941-1] c 26 N83-10170
Apparatus and method for inspecting a bearing ball
[NASA-CASE-MFS-25833-1] c 35 N86-32698
Ion beam sputter etching
[NASA-CASE-LEW-13899-1] c 31 N87-21160
Liquid thickness gauge
[NASA-CASE-LAR-13826-1] c 35 N88-29150
SURFACE REACTIONS
Nondestructive spot test method for magnesium and magnesium alloys
[NASA-CASE-LAR-10953-1] c 17 N73-27446
Means for phase locking the outputs of a surface emitting laser diode array
[NASA-CASE-NPO-16542-1-CU] c 36 N87-23960
Quantitative surface temperature measurement using two-color thermographic phosphors and video equipment
[NASA-CASE-LAR-13740-1] c 35 N88-30105
SURFACE ROUGHNESS
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c 14 N70-34161
Optical inspection apparatus Patent
[NASA-CASE-XMF-00462] c 14 N70-34298
Contour surveying system Patent
[NASA-CASE-XLA-08646] c 14 N71-17586
Surface roughness measuring system --- synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c 35 N79-10391
Texturing polymer surfaces by transfer casting --- cardiovascular prosthesis
[NASA-CASE-LEW-13120-1] c 27 N82-28440
Ion sputter textured graphite --- anode collector plates in electron tube devices
[NASA-CASE-LEW-12919-1] c 24 N83-10117
Ion sputter textured graphite electrode plates
[NASA-CASE-LEW-12919-2] c 70 N84-28565
SURFACE ROUGHNESS EFFECTS
Meteorological balloon Patent
[NASA-CASE-XMF-04163] c 02 N71-23007
SURFACE TEMPERATURE
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c 34 N83-27144
SURFACE VEHICLES
Optimal control system for an electric motor driven vehicle
[NASA-CASE-NPO-11210] c 11 N72-20244
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c 11 N73-26238
Short range laser obstacle detector --- for surface vehicles using laser diode array
[NASA-CASE-NPO-11856-1] c 36 N74-15145
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c 32 N75-26194
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c 37 N79-10420
Personnel emergency carrier vehicle
[NASA-CASE-KSC-11282-1] c 85 N87-21755
Articulated suspension system
[NASA-CASE-NPO-17354-1-CU] c 37 N88-24973
SURFACE WAVES
Antenna design for surface wave suppression Patent
[NASA-CASE-XLA-10772] c 07 N71-28980
Solar energy converter using surface plasma waves
[NASA-CASE-LEW-13827-1] c 44 N85-21768
Dual differential interferometer
[NASA-CASE-LAR-12966-1] c 35 N85-30282
SURFACES
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c 31 N70-34176
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c 14 N71-22995
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c 35 N74-13129
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c 35 N78-10429
SURFACTANTS
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c 25 N79-11152
SURGERY
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c 52 N78-14773
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c 52 N80-14684
Process of making medical clip
[NASA-CASE-LAR-12650-2] c 52 N84-28389
SURGES
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c 09 N69-39984
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c 10 N71-26531
SURGICAL INSTRUMENTS
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c 05 N73-27062
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c 52 N75-33640
Cutting head for ultrasonic lithotripsy
[NASA-CASE-GSC-12944-1] c 52 N86-19885
SURVIVAL EQUIPMENT
Survival couch Patent
[NASA-CASE-XLA-00118] c 05 N70-33285
Life preserver Patent
[NASA-CASE-XMS-00864] c 05 N70-36493
Soft frame adjustable eyeglasses Patent
[NASA-CASE-XMS-06064] c 05 N71-23096
SUSPENDING (HANGING)
Parallel motion suspension device Patent
[NASA-CASE-XNP-01567] c 15 N70-41310
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c 11 N71-16028
Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c 15 N71-27146
Airfoil flutter model suspension system
[NASA-CASE-LAR-13522-1-SB] c 09 N87-25334
SUSPENSION SYSTEMS (VEHICLES)
Suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c 37 N82-21587
Articulated suspension system
[NASA-CASE-NPO-17354-1-CU] c 37 N88-24973
SWEAT
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c 52 N81-29763
SWEAT COOLING
Transpiration cooled turbine blade manufactured from wires Patent
[NASA-CASE-XLE-00020] c 15 N70-33226
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XMS-02677] c 31 N70-42075
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c 20 N74-32919
SWEEP CIRCUITS
Multiple slope sweep generator Patent
[NASA-CASE-XMS-03542] c 09 N71-28926
SWEEP EFFECT
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c 02 N71-27088
Acoustically swept rotor --- helicopter noise reduction
[NASA-CASE-ARC-11106-1] c 05 N80-14107
SWEEP FREQUENCY
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c 33 N78-25319
SWELLING
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c 18 N73-26572
SWEPT FORWARD WINGS
High performance forward swept wing aircraft
[NASA-CASE-ARC-11636-1] c 05 N88-28914
SWEPT WINGS
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c 02 N71-12243
SWIRLING
Slosh alleviator Patent
[NASA-CASE-XLA-05749] c 15 N71-19569
Swirl can primary combustor
[NASA-CASE-LEW-11326-1] c 23 N73-30665
Flow modifying device
[NASA-CASE-LEW-13562-2] c 07 N85-35195
SWITCHES
Switching mechanism with energy storage means Patent
[NASA-CASE-XGS-00473] c 03 N70-38713
Digital memory in which the driving of each word location is controlled by a switch core Patent
[NASA-CASE-XNP-01466] c 10 N71-26434
RF controlled solid state switch
[NASA-CASE-ARC-10136-1] c 09 N72-22202
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c 33 N80-18285
Automatic thermal switch
[NASA-CASE-GSC-12415-1] c 33 N82-24419
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c 74 N83-29032
Triac failure detector
[NASA-CASE-MFS-25607-1] c 33 N83-34190
Heat pipe thermal switch
[NASA-CASE-GSC-12812-1] c 34 N83-35307
Three-phase power factor controller with induced EMF sensing
[NASA-CASE-MFS-25852-1] c 33 N84-33661
Laser activated MTOS microwave device
[NASA-CASE-NPO-16112-1] c 33 N86-19516
SWITCHING
Phase detector for three-phase power factor controller
[NASA-CASE-MFS-25854-1] c 33 N84-27975

SWITCHING CIRCUITS
Solid state switch
[NASA-CASE-XNP-09228] c 09 N69-27500
Power control circuit
[NASA-CASE-XNP-02713] c 10 N69-39888
A method for selective gold diffusion of monolithic silicon devices and/or circuits Patent application
[NASA-CASE-ERC-10072] c 09 N70-11148
Space vehicle electrical system Patent
[NASA-CASE-XMF-00517] c 03 N70-34157
High speed low level electrical stepping switch Patent
[NASA-CASE-XAC-00060] c 09 N70-39915
Switching circuit employing regeneratively connected complementary transistors Patent
[NASA-CASE-XNP-02654] c 10 N70-42032
Electronic beam switching commutator Patent
[NASA-CASE-XGS-01451] c 09 N71-10677
Electronic amplifier with power supply switching Patent
[NASA-CASE-XMS-00945] c 09 N71-10798
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c 09 N71-12514
Magnetic core current steering commutator Patent
[NASA-CASE-NPO-10201] c 08 N71-18694
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c 10 N71-18723
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c 10 N71-18724
Exclusive-Or digital logic module Patent
[NASA-CASE-XLA-07732] c 08 N71-18751
Polarization diversity monopulse tracking receiver Patent
[NASA-CASE-XGS-03501] c 09 N71-20864
Sight switch using an infrared source and sensor Patent
[NASA-CASE-XMF-03934] c 09 N71-22985
Complementary regenerative switch Patent
[NASA-CASE-XGS-02751] c 09 N71-23015
Drive circuit utilizing two cores Patent
[NASA-CASE-XNP-01318] c 10 N71-23033
Pulse modulator providing fast rise and fall times Patent
[NASA-CASE-XMS-04919] c 09 N71-23270
Polarity sensitive circuit Patent
[NASA-CASE-XNP-00952] c 10 N71-23271
Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c 09 N71-23316
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c 09 N71-23548
Multialarm summary alarm Patent
[NASA-CASE-XLE-03061-1] c 10 N71-24798
Switching circuit Patent
[NASA-CASE-XNP-06505] c 10 N71-24799
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c 10 N71-25950
Current steering switch Patent
[NASA-CASE-XNP-08567] c 09 N71-26000
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c 10 N71-26418
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c 10 N71-26531
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c 14 N71-26774
Transistor drive regulator Patent
[NASA-CASE-LEW-10233] c 10 N71-27126
Compensating bandwidth switching transients in an amplifier circuit Patent
[NASA-CASE-XNP-01107] c 10 N71-28859
Monostable multivibrator with complementary NOR gates Patent
[NASA-CASE-MSC-13492-1] c 10 N71-28860
Digital memory sense amplifying means Patent
[NASA-CASE-XNP-01012] c 08 N71-28925
Current regulating voltage divider
[NASA-CASE-MFS-20935] c 09 N71-34212
Reference voltage switching unit
[NASA-CASE-NPO-11253] c 09 N72-17157
Optimum performance spacecraft solar cell system
[NASA-CASE-GSC-10669-1] c 03 N72-20031
Flow rate switch
[NASA-CASE-NPO-10722] c 09 N72-20199
Switching regulator
[NASA-CASE-LEW-11005-1] c 09 N72-21243
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c 08 N72-22162
Pulse coupling circuit
[NASA-CASE-LEW-10433-1] c 09 N72-22197
Solid state remote circuit selector switch
[NASA-CASE-LEW-10387] c 09 N72-22201
Pressure operated electrical switch responsive to a pressure decrease after a pressure increase
[NASA-CASE-LAR-10137-1] c 09 N72-22204
Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c 10 N72-22236
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c 10 N72-31273
Electronic video editor
[NASA-CASE-KSC-10003] c 10 N73-13235
Radiation sensitive solid state switch
[NASA-CASE-NPO-10817-1] c 08 N73-30135
Transparent switchboard
[NASA-CASE-MSC-13746-1] c 10 N73-32143
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c 33 N74-22814
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c 33 N75-30429
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c 33 N75-30431
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c 60 N76-14818
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c 33 N77-28385
Window comparator
[NASA-CASE-FRC-10090-1] c 33 N78-18308
Module failure isolation circuit for paralleled inverters --- preventing system failure during power conditioning for spacecraft applications
[NASA-CASE-NPO-14000-1] c 33 N79-24254
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c 33 N79-28415
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c 44 N80-14472
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c 33 N81-33404
Microwave switching power divider --- antenna feeds
[NASA-CASE-GSC-12420-1] c 33 N82-16340
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c 33 N82-29538
Active lamp pulse driver circuit --- optical pumping of laser media
[NASA-CASE-GSC-12566-1] c 33 N83-34189
Pulsed thyristor trigger control circuit
[NASA-CASE-MFS-25616-1] c 33 N84-16455
Simplified dc to dc converter
[NASA-CASE-LEW-13495-1] c 33 N84-33663
Hybrid power semiconductor
[NASA-CASE-LEW-13922-1] c 33 N86-20672
Four quadrant control circuit for a brushless three-phase dc motor
[NASA-CASE-MFS-28080-1] c 33 N87-21233
SWITCHING THEORY
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c 10 N71-15909
SWIVELS
Swivel support for gas bearings Patent
[NASA-CASE-XMF-07808] c 15 N71-23812
SYNCHRONISM
Time division multiplex system
[NASA-CASE-XGS-05918] c 07 N69-39974
Means for generating a sync signal in an FM communication system Patent
[NASA-CASE-XNP-10830] c 07 N71-11281
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c 10 N71-23099
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c 09 N71-23311
Time synchronization system utilizing moon reflected coded signals Patent
[NASA-CASE-NPO-10143] c 10 N71-26326
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c 10 N71-26577
Synchronized voltage contrast display analysis system
[NASA-CASE-NPO-14567-1] c 33 N83-18996
SYNCHRONIZED OSCILLATORS
Phase demodulation system with two phase locked loops Patent
[NASA-CASE-XNP-00777] c 10 N71-19469
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c 10 N71-23544
Automatic frequency control loop including synchronous switching circuits
[NASA-CASE-KSC-10393] c 09 N72-21247
SYNCHRONIZERS
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c 10 N71-19468
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c 07 N71-19773
Synchronous servo loop control system Patent
[NASA-CASE-XNP-03744] c 10 N71-20448
Digital synchronizer Patent
[NASA-CASE-NPO-10851] c 07 N71-24613
Video sync processor Patent
[NASA-CASE-KSC-10002] c 10 N71-25865
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c 32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c 32 N74-20810
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c 33 N75-19519
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c 17 N76-22245
Memory-based frame synchronizer --- for digital communication systems
[NASA-CASE-GSC-12430-1] c 60 N82-16747
SYNCHRONOUS MOTORS
Synchronous dc direct drive system Patent
[NASA-CASE-GSC-10065-1] c 10 N71-27136
Motor run-up system --- power lines
[NASA-CASE-NPO-13374-1] c 33 N75-19524
SYNCHRONOUS SATELLITES
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c 21 N71-13958
Serrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c 07 N71-16088
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c 02 N71-19287
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c 07 N71-19854
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c 07 N72-11149
Synchronous orbit battery cycler
[NASA-CASE-GSC-11211-1] c 03 N72-25020
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c 32 N79-11265
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c 32 N80-20448
SYNTHESIS
Synthesis of polymeric schiff bases by schiff-base exchange reactions Patent
[NASA-CASE-XMF-08651] c 06 N71-11236
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XMF-10753] c 06 N71-11237
Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c 06 N71-11238
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c 06 N73-27980
SYNTHESIS (CHEMISTRY)
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c 27 N80-32515
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c 27 N81-15104
Bifunctional monomers having terminal oxime and cyano or amidine groups
[NASA-CASE-ARC-11253-3] c 27 N81-24256
Synthesis of polyformals
[NASA-CASE-ARC-11244-1] c 23 N82-16174
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c 25 N82-26396
Polyvinyl alcohol cross-linked with two aldehydes
[NASA-CASE-LEW-13504-1] c 25 N83-13188
Synthesis of dawsonites --- for use in fire extinguishing operations
[NASA-CASE-ARC-11326-1] c 25 N83-33977
Solvent resistant thermoplastic aromatic poly(imidesulfone) and process for preparing same
[NASA-CASE-LAR-12858-1] c 27 N83-34041
Polyphenylene ethers with imide linking groups
[NASA-CASE-LAR-12980-1] c 27 N84-22749
Phenoxy resins containing pendent ethynyl groups and cured resins obtained therefrom
[NASA-CASE-LAR-13262-1] c 23 N85-28973
Synthesis of 2,4,8,10-tetroxaspiro5,5undecane
[NASA-CASE-ARC-11243-2] c 23 N85-33187
Fire-resistant phosphorus containing polyimides and copolyimides
[NASA-CASE-ARC-11522-2] c 27 N85-34280
Metal phthalocyanine intermediates for the preparation of polymers
[NASA-CASE-ARC-11405-2] c 27 N86-19455
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560
Perfluoro (Imidoylamidine) diamidines
[NASA-CASE-ARC-11402-3] c 23 N86-21582
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-2] c 27 N86-21675

Sulfone-ester polymers containing pendent ethynl groups
[NASA-CASE-LAR-13316-1] c 27 N86-27450
Polymer of phosphonylmethyl-2,4- and -2,6-diamino benzene and polyfunctional monomer
[NASA-CASE-ARC-11506-2] c 23 N86-32525
Polyarylene ethers with improved properties
[NASA-CASE-LAR-13555-1] c 23 N86-32526
New condensation polyimides containing 1,1,1-triaryl-2,2,2-trifluoroethane structures
[NASA-CASE-LEW-14346-1] c 23 N87-14433
The 5-(4-Ethynylophenoxy) isophthalic chloride
[NASA-CASE-LAR-13316-2] c 27 N87-14515
Acetylene (ethynyl) terminated polyimide siloxane and process for preparation thereof
[NASA-CASE-LAR-13318-1] c 27 N87-14516
Ethynyl terminated ester oligomers and polymers therefrom
[NASA-CASE-LAR-13118-2] c 27 N87-16907
Process for preparing phthalocyanine polymer from imide containing bisphthalonitrile
[NASA-CASE-ARC-11511-2] c 27 N87-21112
Polyenamines from aromatic diacetylenic diketones and diamines
[NASA-CASE-LAR-13444-1-CU] c 27 N87-22847
Preparation of B-trichloroborazine
[NASA-CASE-ARC-11643-1-SB] c 23 N87-23698
Fire and heat resistant laminating resins based on maleimido and citraconimido substituted 1-(diorgano oxyphosphonyl) methyl -2,4- and -2,6- diaminobenzenes
[NASA-CASE-ARC-11533-3] c 27 N87-24564
Polyimides containing carbonyl and ether connecting groups
[NASA-CASE-LAR-13633-1] c 27 N87-24575
Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates, adhesives and structures thereof
[NASA-CASE-ARC-11548-1] c 27 N87-25469
Process for developing crystallinity in linear aromatic polyimides
[NASA-CASE-LAR-13732-1] c 27 N87-25474
Polyphenylquinoxalines containing alkylenedioxy groups
[NASA-CASE-LAR-13601-1-CU] c 27 N87-25475
Aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-3] c 23 N88-24692
Substituted 1,1,1-Triaryl-2,2,2-Trifluoroethanes and processes for their synthesis
[NASA-CASE-LEW-14345-1] c 23 N88-26404
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040
Novel ladder polymers for use as high temperature stable resins or coatings
[NASA-CASE-LEW-14203-1] c 27 N88-29984

SYNTHESIZERS

Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c 09 N71-23525

SYNTHETIC APERTURE RADAR

Surface roughness measuring system --- synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c 35 N79-10391
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c 32 N79-14268
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c 32 N79-19195
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c 32 N82-12297
Servomechanism for Doppler shift compensation in optical correlator for synthetic aperture radar
[NASA-CASE-NPO-14998-1] c 32 N83-18975
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c 32 N83-19968
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c 32 N83-31918
Synthetic aperture radar target simulator
[NASA-CASE-NPO-15024-1] c 32 N84-27951
Pipelined digital SAR azimuth correlator using hybrid FFT-transversal filter
[NASA-CASE-NPO-15519-1] c 32 N84-34651
Method and apparatus for Delta Kappa synthetic aperture radar measurement of ocean current
[NASA-CASE-NPO-15704-1] c 32 N85-34327
Method and apparatus for contour mapping using synthetic aperture radar
[NASA-CASE-NPO-15939-1] c 43 N86-19711
Data volume reduction for imaging radar polarimetry
[NASA-CASE-NPO-17184-1-CU] c 32 N88-26541

SYNTHETIC FIBERS

Fluid containers and resealable septum therefor Patent
[NASA-CASE-NPO-10123] c 15 N71-24835
Fabric for micrometeoroid protection garment Patent
[NASA-CASE-MSC-12109] c 18 N71-26285
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c 17 N71-28747
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c 35 N78-25391
Process for spinning flame retardant elastomeric compositions --- fabricating synthetic fibers for high oxygen environments
[NASA-CASE-MSC-14331-3] c 27 N78-32262
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c 25 N81-17187

SYNTHETIC FUELS

Molten salt pyrolysis of latex --- synthetic hydrocarbon fuel production using the Guayule shrub
[NASA-CASE-NPO-14315-1] c 27 N81-17261
Solar heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c 44 N82-16475

SYNTHETIC RESINS

Coating process
[NASA-CASE-XNP-06508] c 18 N69-39895
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c 27 N81-27272
Method for forming pyrrone molding powders and products of said method
[NASA-CASE-LAR-10423-1] c 23 N82-29358
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560

SYNTHETIC RUBBERS

Process for the preparation of polycarboranylphosphazenes --- thermal insulation
[NASA-CASE-ARC-11176-2] c 27 N81-27271

SYRINGES

Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c 51 N81-14605
Automated syringe sampler --- remote sampling of air and water
[NASA-CASE-LAR-12308-1] c 35 N81-29407

SYSTEM EFFECTIVENESS

System for the measurement of ultra-low stray light levels --- determining the adequacy of large space telescope systems
[NASA-CASE-MFS-23513-1] c 74 N79-11865

SYSTEM FAILURES

Tape recorder Patent
[NASA-CASE-XGS-08259] c 14 N71-23698
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c 35 N75-30504
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c 07 N81-19115

SYSTEMS ANALYSIS

Analog-to-digital converter analyzing system
[NASA-CASE-NPO-10560] c 08 N72-22166

SYSTEMS ENGINEERING

Magnetohydrodynamic induction machine
[NASA-CASE-XNP-07481] c 25 N69-21929
Gravity stabilized flying vehicle Patent
[NASA-CASE-MSC-12111-1] c 02 N71-11039
Solar battery with interconnecting means for plural cells Patent
[NASA-CASE-XNP-06506] c 03 N71-11050
Helmet assembly and latch means therefor Patent
[NASA-CASE-XMS-04935] c 05 N71-11190
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c 07 N71-11285
Viscous-pendulum-damper Patent
[NASA-CASE-XLA-02079] c 12 N71-16894
Out of tolerance warning alarm system for plurality of monitored circuits Patent
[NASA-CASE-XMS-10984-1] c 10 N71-19417
Wide range data compression system Patent
[NASA-CASE-XGS-02612] c 08 N71-19435
Space suit heat exchanger Patent
[NASA-CASE-XMS-09571] c 05 N71-19439
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c 05 N71-19440
High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c 08 N71-19544
Evaporant source for vapor deposition Patent
[NASA-CASE-XMF-06065] c 15 N71-20395
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c 33 N71-20834
Polarization diversity monopulse tracking receiver Patent
[NASA-CASE-XGS-03501] c 09 N71-20864
Inflatable support structure Patent
[NASA-CASE-XLA-01731] c 32 N71-21045
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c 15 N71-21060
Portable superclean air column device Patent
[NASA-CASE-XMF-03212] c 15 N71-22721
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c 15 N71-22722
Spin forming tubular elbows Patent
[NASA-CASE-XMF-01083] c 15 N71-22723
Spacecraft airlock Patent
[NASA-CASE-XLA-02050] c 31 N71-22968
Station keeping of a gravity gradient stabilized satellite Patent
[NASA-CASE-XLA-03132] c 31 N71-22969
Filler valve Patent
[NASA-CASE-XNP-01747] c 15 N71-23024
Refrigeration apparatus Patent
[NASA-CASE-XNP-08877] c 15 N71-23025
Reduced bandwidth video communication system utilizing sampling techniques Patent
[NASA-CASE-XNP-02791] c 07 N71-23026
Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent
[NASA-CASE-XMS-02930] c 11 N71-23042
Variable duration pulse integrator Patent
[NASA-CASE-XLA-01219] c 10 N71-23084
Sealed electrochemical cell provided with a flexible casing Patent
[NASA-CASE-XGS-01513] c 03 N71-23336
Extended area semiconductor radiation detectors and a novel readout arrangement Patent
[NASA-CASE-XGS-03230] c 14 N71-23401
Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c 14 N71-23790
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c 09 N71-24597
Method of attaching a cover glass to a silicon solar cell Patent
[NASA-CASE-XLE-08569-2] c 03 N71-24681
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c 31 N71-24750
Temperature telemetric transmitter Patent
[NASA-CASE-NPO-10649] c 07 N71-24840
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c 09 N71-24841
Broadband modified turnstile antenna Patent
[NASA-CASE-MSC-12209] c 09 N71-24842
Apparatus for determining the deflection of an electron beam impinging on a target Patent
[NASA-CASE-XMF-06617] c 09 N71-24843
BCD to decimal decoder Patent
[NASA-CASE-XKS-06167] c 08 N71-24890
Noninterruptable digital counting system Patent
[NASA-CASE-XNP-09759] c 08 N71-24891
Duct coupling for single-handed operation Patent
[NASA-CASE-MFS-20395] c 15 N71-24903
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c 09 N71-24904
Quick release hook tape Patent
[NASA-CASE-XMS-10660-1] c 15 N71-25975
Internal work light Patent
[NASA-CASE-XKS-05932] c 09 N71-26787
Apparatus for inspecting microfilm Patent
[NASA-CASE-MFS-20240] c 14 N71-26788
Apparatus for remote measurement of displacement of marks on a specimen undergoing a tensile test
[NASA-CASE-NPO-10778] c 14 N72-11364
Optimum performance spacecraft solar cell system
[NASA-CASE-GSC-10669-1] c 03 N72-20031
Electric storage battery
[NASA-CASE-NPO-11021] c 03 N72-20032
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c 21 N72-21624
Light sensor
[NASA-CASE-NPO-11311] c 14 N72-25414
Flight control system
[NASA-CASE-MSC-13397-1] c 21 N72-25595
Program for computer aided reliability estimation
[NASA-CASE-NPO-13086-1] c 15 N73-12495
Measurement system
[NASA-CASE-MFS-20658-1] c 14 N73-30386
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c 16 N73-33397
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c 35 N74-13132
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c 74 N74-27866
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c 35 N75-25124

Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c 36 N77-25502
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c 15 N78-25119
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c 44 N78-31526
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c 44 N79-23481
Contour measurement system
[NASA-CASE-MFS-23726-1] c 43 N79-26439
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c 37 N80-32716
System for sterilizing objects --- cleaning space vehicle systems
[NASA-CASE-KSC-11085-1] c 54 N81-24724
A system for controlling the oxygen content of a gas produced by combustion
[NASA-CASE-LAR-13257-1] c 25 N84-32447
Multiplex electric discharge gas laser system
[NASA-CASE-NPO-16433-1] c 36 N87-23961

SYSTOLIC ARRAYS
Systolic VLSI array for implementing the Kalman filter Algorithm
[NASA-CASE-NPO-17108-1-CU] c 33 N87-27926

T

TABS (CONTROL SURFACES)
Aircraft rotor blade with passive tuned tab
[NASA-CASE-ARC-11444-1] c 05 N85-29947

TACHOMETERS
Digital cardiotachometer system Patent
[NASA-CASE-XMS-02399] c 05 N71-22896
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c 09 N71-24904
Ratemeter
[NASA-CASE-MFS-20418] c 14 N73-24473
Tachometer
[NASA-CASE-MFS-23175-1] c 35 N77-30436
Shaft transducer having dc output proportional to angular velocity
[NASA-CASE-NPO-15706-1] c 35 N84-28017

TAIL ASSEMBLIES
Surface conforming thermal/pressure seal --- tail assemblies of space shuttle orbiters
[NASA-CASE-MSC-18422-1] c 37 N82-16408
Missile rolling tail brake torque system --- simulating bearing friction on canard controlled missiles
[NASA-CASE-LAR-12751-1] c 15 N84-16231

TAKEOFF
Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c 14 N70-36807
Aircraft instrument Patent
[NASA-CASE-XLA-00487] c 14 N70-40157

TANGENTS
Derivation of a tangent function using an integrated circuit four-quadrant multiplier
[NASA-CASE-MSC-13907-1] c 10 N73-26230

TANK GEOMETRY
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c 31 N70-41948

TANKERS
Tanker orbit transfer vehicle and method
[NASA-CASE-MSC-20543-1] c 18 N84-22610

TANKS (COMBAT VEHICLES)
Tank tread assemblies with track-linking mechanism
[NASA-CASE-NPO-16321-1CU] c 37 N87-17034

TANKS (CONTAINERS)
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c 27 N71-16348
Method for leakage testing of tanks Patent
[NASA-CASE-XMF-02392] c 32 N71-24285
Floating baffle to improve efficiency of liquid transfer from tanks
[NASA-CASE-KSC-10639] c 15 N73-26472
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c 36 N75-15029

TANTALUM
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c 03 N70-34646
Arc electrode of graphite with ball tip Patent
[NASA-CASE-XLE-04788] c 09 N71-22987
Trialkyl-dihalotantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c 06 N71-28808
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c 35 N77-32454

TANTALUM ALLOYS
Evaporant holder
[NASA-CASE-XLA-03105] c 15 N69-27483
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c 26 N78-18182

TANTALUM CARBIDES
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c 27 N78-17206

TANTALUM OXIDES
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c 26 N72-28761

TAPE RECORDERS
Plural recorder system
[NASA-CASE-XMS-06949] c 09 N69-21467
Endless tape transport mechanism Patent
[NASA-CASE-XGS-01223] c 07 N71-10609
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c 23 N71-15978
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c 08 N71-19420
Synchronous servo loop control system Patent
[NASA-CASE-XNP-03744] c 10 N71-20448
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c 08 N71-22710
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c 07 N71-23001
Tape recorder Patent
[NASA-CASE-XGS-08259] c 14 N71-23698
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c 09 N71-25866
A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c 07 N71-33613
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c 07 N72-21119
Scan converting video tape recorder
[NASA-CASE-NPO-10166-1] c 07 N73-22076
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c 35 N76-16391
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c 35 N77-17426

TAPERED COLUMNS
Method of making a rocket motor casing Patent
[NASA-CASE-XLE-00409] c 28 N71-15658
Rocket motor casing Patent
[NASA-CASE-XLE-05689] c 28 N71-15659

TAPERING
Tapered, tubular polyester fabric
[NASA-CASE-MSC-21082-1] c 27 N87-29672

TAPES
High intensity casting system
[NASA-CASE-NPO-16901-1-CU] c 31 N87-15327

TARGET ACQUISITION
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c 16 N72-13437
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c 10 N72-22235
Intruder detection system
[NASA-CASE-ARC-10097-2] c 07 N73-25160

TARGET RECOGNITION
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c 07 N69-39980
Real-time optical multiple object recognition and tracking system and method
[NASA-CASE-NPO-17139-1-CU] c 74 N88-25301

TARGET SIMULATORS
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c 74 N79-13855
Synthetic aperture radar target simulator
[NASA-CASE-NPO-15024-1] c 32 N84-27951

TARGETS
Method and apparatus for producing concentric hollow spheres --- inertial confinement fusion targets
[NASA-CASE-NPO-14596-1] c 31 N81-33319
Method and apparatus for producing gas-filled hollow spheres --- target pellets for inertial confinement fusion
[NASA-CASE-NPO-14596-3] c 31 N83-31896
Optical distance measuring instrument
[NASA-CASE-GSC-12761-1] c 74 N86-32266

TEETH
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c 52 N82-29862

TEFLON (TRADEMARK)
Bonding of reinforced Teflon to metals
[NASA-CASE-MFS-20482] c 15 N72-22492
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c 36 N75-15029
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c 44 N76-27664

TELECOMMUNICATION
Adaptive compression of communication signals Patent
[NASA-CASE-XLA-03076] c 07 N71-11266
Means for generating a sync signal in an FM communication system Patent
[NASA-CASE-XNP-10830] c 07 N71-11281
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c 07 N71-20791
Digital synchronizer Patent
[NASA-CASE-NPO-10851] c 07 N71-24613
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c 10 N71-25917
Two carrier communication system with single transmitter
[NASA-CASE-NPO-11548] c 07 N73-26118
Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator
[NASA-CASE-XNP-03623] c 09 N73-28084
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c 32 N74-30523
Pseudo-noise test set for communication system evaluation --- test signals
[NASA-CASE-MFS-22671-1] c 35 N75-21582
Modulator for tone and binary signals --- phase of modulation of tone and binary signals on carrier waves in communication systems
[NASA-CASE-GSC-11743-1] c 32 N75-24981
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c 33 N81-15192
Random digital encryption secure communication system
[NASA-CASE-MSC-16462-1] c 32 N82-31583

TELEMETRY
Pressure variable capacitor
[NASA-CASE-XNP-09752] c 14 N69-21541
Telemetry word forming unit
[NASA-CASE-XNP-09225] c 09 N69-24333
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c 30 N71-16090
Telespectrograph Patent
[NASA-CASE-XLA-03273] c 14 N71-18699
Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c 09 N71-23525
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c 07 N71-24624
Temperature telemetric transmitter Patent
[NASA-CASE-NPO-10649] c 07 N71-24840
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c 10 N71-26577
Telemetry actuated switch
[NASA-CASE-ARC-10105] c 09 N72-17153
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c 07 N72-25172
Digital control and information system
[NASA-CASE-NPO-11016] c 08 N72-31226
Multichannel telemetry system
[NASA-CASE-NPO-11572] c 07 N73-16121
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c 07 N73-28012
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c 17 N76-22245
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-2] c 60 N84-28491
Single frequency multitransmitter telemetry
[NASA-CASE-LAR-13006-1] c 17 N87-16863
Method and apparatus for telemetry adaptive bandwidth compression
[NASA-CASE-MSC-20821-1] c 17 N87-25348
Adaptive data acquisition multiplexing system and method
[NASA-CASE-MSC-21170-1] c 17 N88-24662
A VLSI single-chip (225,223) Reed-Solomon encoder with interleaver
[NASA-CASE-NPO-17280-1-CU] c 17 N88-27220

TELEOPERATORS
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c 54 N75-27758
A universal computer control system for motors
[NASA-CASE-NPO-17134-1-CU] c 33 N88-24864

TELEPHONES
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c 32 N79-23310

TELEPHONY
Digital communication system
[NASA-CASE-MSC-13912-1] c 32 N74-30524

TELESCOPES
Pneumatic mirror support system
[NASA-CASE-XLA-03271] c 11 N69-24321
Solar optical telescope dome control system Patent
[NASA-CASE-MSC-10966] c 14 N71-19568
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c 14 N71-26627
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c 23 N71-29125
Rotable accurate reflector system for telscopes Patent
[NASA-CASE-NPO-10468] c 23 N71-33229
Star image motion compensator
[NASA-CASE-LAR-10523-1] c 14 N72-22444
Light direction sensor
[NASA-CASE-NPO-11201] c 14 N72-27409
Borescope with variable angle scope
[NASA-CASE-MFS-15162] c 14 N72-32452
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c 14 N73-30393
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c 35 N75-25123
Compensation for primary reflector wavefront error
[NASA-CASE-NPO-16869-1CU] c 74 N86-33138

TELETYPEWRITER SYSTEMS
Video communication system and apparatus Patent
[NASA-CASE-XNP-06611] c 07 N71-26102

TELEVISION CAMERAS
Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c 14 N70-40273
Digital television camera control system Patent
[NASA-CASE-XNP-01472] c 14 N70-41807
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c 07 N71-24612
Color television system
[NASA-CASE-MSC-12146-1] c 07 N72-17109
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c 39 N78-16387
Optical conversion method --- for spacecraft television
[NASA-CASE-MSC-12618-1] c 74 N78-17865
Automatic weld torch guidance control system
[NASA-CASE-MFS-25807] c 37 N83-20154
Television camera video level control system
[NASA-CASE-MSC-18578-1] c 32 N85-21427
Wind dynamic range video camera
[NASA-CASE-MFS-25750-1] c 32 N86-20647
Automated weld torch guidance control system
[NASA-CASE-MFS-25807-2] c 37 N86-21850

TELEVISION EQUIPMENT
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c 07 N71-11300
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c 07 N71-19433
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c 09 N71-28618
Television multiplexing system
[NASA-CASE-KSC-10654-1] c 07 N73-30115
Rotating raster generator
[NASA-CASE-FRC-10071-1] c 32 N74-20813
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c 71 N74-21014
Spacecraft docking and alignment system --- using television camera system
[NASA-CASE-MSC-12559-1] c 18 N76-14186
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c 74 N77-18893

TELEVISION RECEIVERS
Narrow bandwidth video Patent
[NASA-CASE-XMS-06740-1] c 07 N71-26579

TELEVISION RECEPTION
Retinally stabilized differential resolution television display
[NASA-CASE-NPO-15432-1] c 32 N85-29117

TELEVISION SYSTEMS
Method and means for an improved electron beam scanning system Patent
[NASA-CASE-ERC-10552] c 09 N71-12539
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c 10 N71-19468
Narrow bandwidth video Patent
[NASA-CASE-XMS-06740-1] c 07 N71-26579
Stereoscopic television system and apparatus
[NASA-CASE-ARC-10160-1] c 23 N72-27728
Large TV display system
[NASA-CASE-NPO-16932-1CU] c 33 N87-15413

TELEVISION TRANSMISSION
Television simulation for aircraft and space flight Patent
[NASA-CASE-XFR-03107] c 09 N71-19449
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c 32 N74-19790
Television noise reduction device
[NASA-CASE-MSC-12607-1] c 32 N75-21485

TELLURIUM
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c 25 N78-27226

TEMPERATURE
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c 06 N73-30098

TEMPERATURE COMPENSATION
Temperature compensated solid state differential amplifier Patent
[NASA-CASE-XAC-00435] c 09 N70-35440
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c 09 N70-38604
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c 10 N71-12554
Precision thrust gage Patent
[NASA-CASE-XGS-02319] c 14 N71-22965
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c 09 N71-28810
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c 14 N71-30265
Thermal compensating structural member
[NASA-CASE-MFS-20433] c 15 N72-28496
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c 09 N73-14214
Opto-mechanical subsystem with temperature compensation through isothermal design
[NASA-CASE-GSC-12059-1] c 35 N77-27366
Temperature compensated current source
[NASA-CASE-MSC-11235] c 33 N78-17294
Thermal compensating mount
[NASA-CASE-LAR-13794-1] c 35 N88-24942

TEMPERATURE CONTROL
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c 16 N69-31343
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c 18 N69-39979
Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c 33 N70-36617
Thermal switch Patent
[NASA-CASE-XNP-00463] c 33 N70-36847
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c 33 N70-37979
Device for suppressing sound and heat produced by high-velocity exhaust jets Patent
[NASA-CASE-XMF-01813] c 28 N70-41582
Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c 03 N71-11049
Excessive temperature warning system Patent
[NASA-CASE-XLA-01926] c 14 N71-15620
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c 15 N71-15906
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XMF-04237] c 33 N71-16278
Mount for thermal control system Patent
[NASA-CASE-NPO-10138] c 33 N71-16357
Transmission line thermal short Patent
[NASA-CASE-XNP-09775] c 09 N71-20445
Thermal control wall panel Patent
[NASA-CASE-XLA-01243] c 33 N71-22792
Thermal control panel Patent
[NASA-CASE-XLA-07728] c 33 N71-22890
Method and apparatus for varying thermal conductivity Patent
[NASA-CASE-XNP-05524] c 33 N71-24876
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c 14 N71-28958
Automatic control of liquid cooling garment by cutaneous and external auditory meatus temperatures
[NASA-CASE-MSC-13917-1] c 05 N72-15098
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c 03 N72-28025
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c 16 N73-13489
Pump for delivering heated fluids
[NASA-CASE-NPO-11417] c 15 N73-24513
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c 05 N73-26071
Temperature control system with a pulse width modulated bridge
[NASA-CASE-NPO-11304] c 14 N73-26430
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c 31 N73-30829
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c 34 N74-23039
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c 77 N75-20140
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c 20 N76-14191
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c 44 N76-14602
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c 34 N78-17337
Thermal compensator for closed-cycle helium refrigerator --- assuring constant temperature for an infrared laser diode
[NASA-CASE-GSC-12168-1] c 31 N79-17029
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c 31 N79-21225
Thermal control canister
[NASA-CASE-GSC-12253-1] c 34 N79-31523
Automatic thermal switch
[NASA-CASE-GSC-12415-1] c 33 N82-24419
Automatic thermal switch --- spacecraft applications
[NASA-CASE-GSC-12553-1] c 34 N83-28356
Magnetic heat pumping
[NASA-CASE-LEW-12508-3] c 34 N83-29625
Heating and cooling system --- for fatigue test specimens
[NASA-CASE-LAR-12393-1] c 34 N83-34221
Heat pipe thermal switch
[NASA-CASE-GSC-12812-1] c 34 N83-35307
Method and apparatus for minimizing convection during crystal growth from solution
[NASA-CASE-NPO-15811-1] c 76 N84-12968
Thermal control system --- removing waste heat from industrial process spacecraft
[NASA-CASE-GSC-12771-1] c 34 N84-14461
High temperature acoustic levitator
[NASA-CASE-NPO-16022-1] c 71 N85-22105
Method and apparatus for growing crystals
[NASA-CASE-MFS-28137-1] c 76 N88-24544

TEMPERATURE DISTRIBUTION
Heat shield oven
[NASA-CASE-XMS-04318] c 15 N69-27871
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c 31 N80-32583
Noncontact temperature pattern measuring device
[NASA-CASE-NPO-17024-1-CU] c 35 N88-24943

TEMPERATURE EFFECTS
Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c 14 N69-27486
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c 14 N70-34816
Fluid flow control value Patent
[NASA-CASE-XLE-00703] c 15 N71-15967
Temperature sensitive flow regulator Patent
[NASA-CASE-MFS-14259] c 15 N71-19213
Thermally cycled magnetometer Patent
[NASA-CASE-XAC-03740] c 14 N71-26135
Radiometric temperature reference Patent
[NASA-CASE-MSC-13276-1] c 14 N71-27058
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-2] c 27 N83-29392
High performance mixed bisimide resins and composites based thereon
[NASA-CASE-ARC-11538-1SB] c 24 N86-21590
Poly(carbonate-mide) polymer
[NASA-CASE-LAR-13292-1] c 27 N86-24841
Process for curing bismaleimide resins
[NASA-CASE-ARC-11429-4CU] c 27 N87-15304
Method for forming hermetic seals
[NASA-CASE-NPO-16423-1-CU] c 37 N87-21334

TEMPERATURE GRADIENTS
Differential temperature transducer Patent
[NASA-CASE-XAC-00812] c 14 N71-15598
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c 09 N73-14214
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c 31 N74-18124
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c 35 N74-21019
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c 36 N83-29680
Temperature averaging thermal probe
[NASA-CASE-GSC-12795-1] c 35 N86-19580
High gradient directional solidification furnace
[NASA-CASE-MFS-25963-1] c 35 N86-20750

TEMPERATURE MEASUREMENT
Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c 14 N70-33254
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c 14 N71-15992
Thermocouple assembly Patent
[NASA-CASE-XNP-01659] c 14 N71-23039
Cavity radiometer Patent
[NASA-CASE-XNP-08961] c 14 N71-24809

Sensing probe
[NASA-CASE-LEW-10281-1] c 14 N72-17327
Apparatus for sensing temperature
[NASA-CASE-XLE-05230] c 14 N72-27410
Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c 14 N73-13417
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-1] c 14 N73-14428
Method of fabricating an article with cavities --- with thin bottom walls
[NASA-CASE-LAR-10318-1] c 31 N74-18089
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c 25 N74-18551
Wind sensor
[NASA-CASE-NPO-13462-1] c 35 N76-24524
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c 52 N76-29894
Thermocouple, multiple junction reference oven
[NASA-CASE-FRC-10112-1] c 35 N81-26431
Multi-channel temperature measurement amplification system --- solar heating systems
[NASA-CASE-MFS-23775-1] c 44 N82-16474
Solar energy control system --- temperature measurement
[NASA-CASE-MFS-25287-1] c 44 N82-18686
Method of and apparatus for measuring temperature and pressure --- atmospheric sounding
[NASA-CASE-GSC-12558-1] c 36 N85-21639
Method of measuring sea surface water temperature with a satellite including wideband passive synthetic-aperture multichannel receiver
[NASA-CASE-NPO-15651-1] c 43 N85-21723
Method for thermal monitoring subcutaneous tissue
[NASA-CASE-LAR-13028-1] c 52 N85-30618
Temperature sensitive oscillator
[NASA-CASE-GSC-12958-1] c 33 N86-32624
Quantitative surface temperature measurement using two-color thermographic phosphors and video equipment
[NASA-CASE-LAR-13740-1] c 35 N88-30105

TEMPERATURE MEASURING INSTRUMENTS
Excessive temperature warning system Patent
[NASA-CASE-XLA-01926] c 14 N71-15620
Condition and condition duration indicator Patent
[NASA-CASE-XMF-01097] c 10 N71-16058
Thermal detector of electromagnetic energy by means of a vibrating electrode Patent
[NASA-CASE-XAC-10768] c 09 N71-18830
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c 14 N71-26774
High intensity radiant energy pulse source having means for opening shutter when light flux has reached a desired level
[NASA-CASE-ARC-10178-1] c 09 N72-17152
Thermocouple tape
[NASA-CASE-LEW-11072-1] c 14 N73-24472
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c 35 N77-32454
Temperature averaging thermal probe
[NASA-CASE-GSC-12795-1] c 35 N86-19580

TEMPERATURE PROBES
Temperature-compensating means for cavity resonator of amplifier Patent
[NASA-CASE-XNP-00449] c 14 N70-35220
Sensing probe
[NASA-CASE-LEW-10281-1] c 14 N72-17327
Temperature averaging thermal probe
[NASA-CASE-GSC-12795-1] c 35 N86-19580

TEMPERATURE PROFILES
Exothermic furnace module
[NASA-CASE-MFS-25707-1] c 35 N82-26631

TEMPERATURE SENSORS
Compensating radiometer
[NASA-CASE-XLA-04556] c 14 N69-27484
Thermobulb mount Patent
[NASA-CASE-NPO-10158] c 33 N71-16356
Mount for thermal control system Patent
[NASA-CASE-NPO-10138] c 33 N71-16357
Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c 33 N71-23085
Temperature telemetric transmitter Patent
[NASA-CASE-NPO-10649] c 07 N71-24840
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c 14 N71-26475
Thin film capacitive bolometer and temperature sensor Patent
[NASA-CASE-NPO-10607] c 09 N71-27232
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c 26 N72-28761
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c 35 N75-25122
Optical crystal temperature gauge with fiber optic connections
[NASA-CASE-MSC-18627-1] c 74 N82-30071
Temperature sensitive oscillator
[NASA-CASE-GSC-12958-1] c 33 N86-32624

TEMPLATES
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c 15 N72-27485

TENSILE STRENGTH
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c 17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c 17 N70-38490
Apparatus for tensile testing Patent
[NASA-CASE-XKS-06250] c 14 N71-15600
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c 18 N71-23088
Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c 15 N71-24834
Device for use in loading tension members --- characterized by elongated elastic body
[NASA-CASE-MFS-21488-1] c 14 N75-24794
Method of carbonizing polyacrylonitrile fibers
[NASA-CASE-ARC-11261-1] c 24 N83-25789
Cryogenic insulation strength and bond tester
[NASA-CASE-MFS-25910-1] c 39 N86-20841
Polyimides containing carbonyl and ether connecting groups
[NASA-CASE-LAR-13633-1] c 27 N87-24575
Heat treatment for superalloy
[NASA-CASE-LEW-14262-1] c 26 N87-28647

TENSILE STRESS
Rocket nozzle test method Patent
[NASA-CASE-NPO-10311] c 31 N71-15643
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c 35 N74-27865
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c 44 N74-33379

TENSILE TESTS
Apparatus for tensile testing Patent
[NASA-CASE-XKS-06250] c 14 N71-15600
Tension measurement device Patent
[NASA-CASE-XMS-04545] c 15 N71-22878
Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c 15 N71-24834
Apparatus for remote measurement of displacement of marks on a specimen undergoing a tensile test
[NASA-CASE-NPO-10778] c 14 N72-11364
Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c 09 N74-19528
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c 35 N76-18400
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c 35 N77-22450
Method and apparatus for gripping uniaxial fibrous composite materials
[NASA-CASE-LEW-13758-1] c 24 N84-27829
Tensile testing apparatus
[NASA-CASE-LAR-13243-1] c 35 N85-34375
Fatigue testing a plurality of test specimens and method
[NASA-CASE-MFS-28118-1] c 39 N87-25601
Device for measuring hole elongation in a bolted joint
[NASA-CASE-LAR-13453-1] c 37 N88-14361
Bearing-bypass material system test
[NASA-CASE-LAR-13458-1] c 35 N88-23967

TENSION
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c 35 N75-19615

TERMINAL GUIDANCE
Energy management system for glider type vehicle Patent
[NASA-CASE-XFR-00756] c 02 N71-13421
Terminal guidance system --- for guiding aircraft into preselected altitude and/or heading at terminal point
[NASA-CASE-FRC-10049-1] c 04 N74-13420
Terminal guidance sensor system --- space shuttle coupling to orbiting satellites
[NASA-CASE-NPO-14521-1] c 37 N81-27519

TERNARY SYSTEMS
Nicral ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c 26 N82-31505
Liquid encapsulated crystal growth
[NASA-CASE-NPO-16808-1-CU] c 76 N87-25868

TERRAIN
Landing gear Patent
[NASA-CASE-XMF-01174] c 02 N70-41589

TERRAIN ANALYSIS
Surface roughness measuring system --- synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c 35 N79-10391
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c 43 N81-17499

TEST CHAMBERS
Exposure system for animals Patent
[NASA-CASE-XAC-05333] c 11 N71-22875
Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent
[NASA-CASE-XMS-02930] c 11 N71-23042
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c 11 N71-24985
Pressure seal Patent
[NASA-CASE-NPO-10796] c 15 N71-27068
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c 11 N71-28629
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c 14 N71-28992
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c 39 N77-28511
Device and method for frictionally testing materials for ignitability
[NASA-CASE-MSC-20622-1] c 25 N86-19413

TEST EQUIPMENT
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c 07 N71-12391
Apparatus for tensile testing Patent
[NASA-CASE-XKS-06250] c 14 N71-15600
Black-body furnace Patent
[NASA-CASE-XLE-01399] c 33 N71-15625
Thermocouple assembly Patent
[NASA-CASE-XNP-01659] c 14 N71-23039
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c 33 N71-24276
Pulse rise time and amplitude detector Patent
[NASA-CASE-XMF-08804] c 09 N71-24717
Resilience testing device Patent
[NASA-CASE-XLA-08254] c 14 N71-26161
Validation device for spacecraft checkout equipment Patent
[NASA-CASE-XKS-10543] c 07 N71-26292
Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c 14 N72-17325
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c 13 N72-25323
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c 33 N72-25913
Linear explosive comparison
[NASA-CASE-LAR-10800-1] c 33 N72-27959
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c 14 N73-13416
Test stand system for vacuum chambers
[NASA-CASE-MFS-21362] c 11 N73-20267
Rocket borne instrument to measure electric fields inside electrified clouds
[NASA-CASE-KSC-10730-1] c 14 N73-32318
Compression test assembly
[NASA-CASE-LAR-10440-1] c 14 N73-32323
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c 09 N74-17955
Anti-buckling fatigue test assembly --- for subjecting metal specimen to tensile and compressive loads at constant temperature
[NASA-CASE-LAR-10426-1] c 09 N74-19528
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c 35 N74-21019
Battery testing device --- for testing cells of multiple-cell battery
[NASA-CASE-MFS-20761-1] c 44 N74-27519
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c 35 N75-12270
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c 35 N76-22509
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c 35 N76-24523
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c 35 N77-17426
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c 74 N78-15880
Almond test body --- for microwave anechoic chambers
[NASA-CASE-LAR-13747-1] c 32 N88-24845

TEST FACILITIES
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c 11 N70-34844
High temperature testing apparatus Patent
[NASA-CASE-XLE-00335] c 14 N70-35368
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c 14 N71-10774
Model launcher for wind tunnels Patent
[NASA-CASE-XNP-03578] c 11 N71-23030
Shock tube bypass piston tunnel
[NASA-CASE-NPO-12109] c 11 N72-22245
TEST STANDS
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c 10 N71-13545
Micro-pound extended range thrust stand Patent
[NASA-CASE-GSC-10710-1] c 28 N71-27094
Device for quick changeover between wind tunnel force and pressure testing
[NASA-CASE-LAR-13512-1] c 35 N87-28884
TEST VEHICLES
Longwall shearer tracking system
[NASA-CASE-MFS-25717-1] c 35 N84-33768
TETHERED SATELLITES
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c 15 N78-25119
TETHERING
Cable arrangement for rigid tethering Patent
[NASA-CASE-XLA-02332] c 32 N71-17609
Inflatable tether Patent
[NASA-CASE-XMS-10993] c 15 N71-28936
TETHERLINES
Flexible/rigidifiable cable assembly
[NASA-CASE-MSC-13512-1] c 15 N72-22485
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c 15 N78-25119
Coaxial tube tether/transmission line for manned nuclear space power
[NASA-CASE-LEW-14338-1] c 20 N87-10174
Non-backdriveable free wheeling coupling
[NASA-CASE-MSC-20475-1] c 37 N87-17037
TETRAETHYL ORTHOSILICATE
Densification of porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18737-1] c 24 N83-13171
Method of repairing surface damage to porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18736-1] c 24 N83-13172
TETRAPHENYLS
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c 06 N71-27363
TEXTILES
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c 27 N76-24405
TEXTS
Braille reading system
[NASA-CASE-LAR-13306-1] c 82 N87-29372
TEXTURES
Modification of the electrical and optical properties of polymers --- ion irradiation to create texture
[NASA-CASE-LEW-13027-1] c 27 N80-24437
Texturing polymer surfaces by transfer casting --- cardiovascular prosthesis
[NASA-CASE-LEW-13120-1] c 27 N82-28440
Surface texturing of fluoropolymers
[NASA-CASE-LEW-13028-1] c 27 N82-33521
Ion sputter textured graphite --- anode collector plates in electron tube devices
[NASA-CASE-LEW-12919-1] c 24 N83-10117
THERAPY
Hyperthermia heating apparatus --- cancer therapy
[NASA-CASE-NPO-14549-2] c 52 N82-33996
THERMAL ABSORPTION
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c 33 N71-29051
Solar pond
[NASA-CASE-NPO-13581-2] c 44 N78-31525
THERMAL ANALYSIS
Thermal remote anemometer system
[NASA-CASE-LAR-13508-1] c 35 N88-23962
THERMAL COMFORT
Thermal garment
[NASA-CASE-XMS-03694-1] c 54 N82-29002
THERMAL CONDUCTIVITY
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c 14 N70-34156
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c 14 N71-15992
Heated element fluid flow sensor Patent
[NASA-CASE-MSC-12084-1] c 12 N71-17569
Method and apparatus for varying thermal conductivity Patent
[NASA-CASE-XNP-05524] c 33 N71-24876
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c 06 N72-21105
Electrostatically controlled heat shutter
[NASA-CASE-NPO-11942-1] c 33 N73-32818
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c 34 N78-18355
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c 32 N80-32605
Automatic thermal switch --- spacecraft applications
[NASA-CASE-GSC-12553-1] c 34 N83-28356
THERMAL CONDUCTORS
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c 09 N70-41717
Solar energy absorber
[NASA-CASE-MFS-22743-1] c 44 N76-22657
THERMAL CONTROL COATINGS
Thermal control coating Patent
[NASA-CASE-XLA-01995] c 18 N71-23047
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c 18 N71-26772
Inorganic thermal control coatings
[NASA-CASE-MFS-20011] c 18 N72-22566
Polymeric vehicles as carriers for sulfonic acid salt of nitrosubstituted aromatic amines
[NASA-CASE-ARC-10325] c 06 N72-25147
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c 27 N75-27160
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c 34 N77-18382
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c 27 N77-30237
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c 24 N78-14096
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c 34 N78-18355
High temperature resistant cermet and ceramic compositions --- for thermal resistant insulators and refractory coatings
[NASA-CASE-NPO-13690-1] c 27 N78-19302
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c 24 N78-27180
Lightweight electrically-powered flexible thermal laminate --- made of metal and nonconductive yarns
[NASA-CASE-MSC-12662-1] c 33 N79-12331
Electrically conductive thermal control coatings
[NASA-CASE-GSC-12207-1] c 24 N79-14156
High temperature glass thermal control structure and coating --- for application to spacecraft reusable heat shielding
[NASA-CASE-ARC-11164-1] c 44 N83-34448
Variable anodic thermal control coating
[NASA-CASE-LAR-12719-1] c 44 N83-34449
THERMAL DEGRADATION
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c 03 N69-25146
Electrical apparatus for detection of thermal decomposition of insulation Patent
[NASA-CASE-XMF-03968] c 14 N71-27186
THERMAL DIFFUSIVITY
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c 74 N81-17887
THERMAL EMISSION
Electromagnetic radiation energy arrangement --- coatings for solar energy absorption and infrared reflection
[NASA-CASE-WOO-00428-1] c 32 N79-19186
Continuous laminar smoke generator
[NASA-CASE-LAR-13014-1] c 09 N85-21178
THERMAL ENERGY
Energy conversion apparatus Patent
[NASA-CASE-XLE-00212] c 03 N70-34134
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c 09 N70-40234
Thermally activated foaming compositions Patent
[NASA-CASE-LAR-10373-1] c 18 N71-26155
Gas core nuclear reactor Patent
[NASA-CASE-LEW-10250-1] c 22 N71-28759
Electrostatically controlled heat shutter
[NASA-CASE-NPO-11942-1] c 33 N73-32818
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c 44 N74-33379
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c 44 N76-14595
Thermal energy storage system --- operating on superheating of liquids
[NASA-CASE-MFS-23167-1] c 44 N76-31667
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c 44 N77-32581
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c 44 N79-18443
Apparatus for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-1] c 07 N83-36029
Method for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-2] c 07 N86-20389
THERMAL EXPANSION
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c 15 N70-35407
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c 23 N71-29123
Thermal motor
[NASA-CASE-NPO-11283] c 09 N72-25260
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c 37 N74-21063
Daze fasteners
[NASA-CASE-LAR-13009-1] c 37 N85-29285
Thermal compensating mount
[NASA-CASE-LAR-13794-1] c 35 N88-24942
High effectiveness contour matching contact heat exchanger
[NASA-CASE-MSC-20840-1] c 34 N88-29132
THERMAL FATIGUE
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c 33 N71-24276
THERMAL INSULATION
Piping arrangement through a double chamber structure
[NASA-CASE-XNP-08882] c 15 N69-39935
Insulating structure Patent
[NASA-CASE-XMF-00341] c 15 N70-33323
Unfired-ceramic flame-resistant insulation and method of making the same Patent
[NASA-CASE-XMF-01030] c 18 N70-41583
Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c 31 N70-42015
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c 18 N71-16124
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c 33 N71-17897
Cryogenic insulation system Patent
[NASA-CASE-XLE-04222] c 23 N71-22881
Insulation system Patent
[NASA-CASE-XLE-02647] c 18 N71-23658
Filament wound container Patent
[NASA-CASE-XLE-03803] c 15 N71-23816
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c 33 N71-25351
Isothermal cover with thermal reservoirs Patent
[NASA-CASE-MFS-20355] c 33 N71-25353
Fabric for micrometeoroid protection garment Patent
[NASA-CASE-MSC-12109] c 18 N71-26285
Thickness measuring and injection device Patent
[NASA-CASE-MFS-20261] c 14 N71-27005
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c 33 N71-28892
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c 18 N73-26572
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c 31 N73-30829
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c 35 N74-15093
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c 27 N74-27037
High current electrical lead --- for thermionic converters
[NASA-CASE-LEW-10950-1] c 33 N74-27683
Structural heat pipe --- for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c 34 N75-12222
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c 27 N76-14264
Auger attachment method for insulation --- of spacecraft
[NASA-CASE-MSC-12615-1] c 37 N76-19437
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c 34 N78-25350
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c 27 N79-12221

Fibrous refractory composite insulation --- shielding reusable spacecraft
[NASA-CASE-ARC-11169-1] c 24 N79-24062
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c 24 N79-25142
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c 37 N81-14317
Process for the preparation of polycarboranylphosphazenes --- thermal insulation
[NASA-CASE-ARC-11176-2] c 27 N81-27271
Carboranylcyclotriphosphazenes and their polymers --- thermal insulation
[NASA-CASE-ARC-11176-1] c 27 N82-18389
A method and technique for installing light-weight fragile, high-temperature fiber insulation
[NASA-CASE-MSC-18934-3] c 24 N82-26387
Thermal garment
[NASA-CASE-XMS-03694-1] c 54 N82-29002
Method and technique for installing light-weight, fragile, high-temperature fiber insulation
[NASA-CASE-MSC-16934-3] c 24 N84-16262
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126
Cryogenic insulation strength and bond tester
[NASA-CASE-MFS-25910-1] c 39 N86-20841
Ceramic-ceramic shell tile thermal protection system and method thereof
[NASA-CASE-ARC-11641-1] c 24 N88-18628

THERMAL MAPPING
Noncontact temperature pattern measuring device
[NASA-CASE-NPO-17024-1-CU] c 35 N88-24943

THERMAL PLASMAS
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c 25 N72-24753

THERMAL PROTECTION
Thermo-protective device for balances Patent
[NASA-CASE-XAC-00648] c 14 N70-40400
Ablation structures Patent
[NASA-CASE-XMS-01816] c 33 N71-15623
Spacecraft radiator cover Patent
[NASA-CASE-MSC-12049] c 31 N71-16080
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c 18 N71-22998
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c 33 N71-24858
Solid state thermal control polymer coating Patent
[NASA-CASE-XLA-01745] c 33 N71-28903
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c 33 N71-29151
Stand-off type ablative heat shield
[NASA-CASE-MSC-12143-1] c 33 N72-17947
Flexible fire retardant polyisocyanate modified neoprene foam --- for thermal protective devices
[NASA-CASE-ARC-10180-1] c 27 N74-12814
Adjustable securing base
[NASA-CASE-MSC-19666-1] c 37 N78-17383
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c 27 N78-32260
Corrosion resistant thermal barrier coating --- protecting gas turbines and other engine parts
[NASA-CASE-LEW-13088-1] c 26 N81-25188
Attachment system for silica tiles --- thermal protection for space shuttle orbiter
[NASA-CASE-MSC-18741-1] c 27 N82-29456
Multiwall thermal protection system
[NASA-CASE-LAR-12620-1] c 24 N82-32417
High temperature silicon carbide impregnated insulating fabrics
[NASA-CASE-MSC-18832-1] c 27 N83-18908
Silicon-slurry/aluminide coating --- protecting gas turbine engine vanes and blades
[NASA-CASE-LEW-13343] c 26 N83-31795
Thermal barrier coating system having improved adhesion
[NASA-CASE-LEW-1335901] c 27 N83-31855
Covering solid, film cooled surfaces with a duplex thermal barrier coating
[NASA-CASE-LEW-13450-1] c 31 N83-35177
Pre-stressed thermal protection systems
[NASA-CASE-MSC-20254-1] c 16 N84-22601
Shell tile thermal protection system
[NASA-CASE-LAR-12862-1] c 27 N84-27886
Propulsion apparatus and method using boil-off gas from a cryogenic liquid
[NASA-CASE-MFS-25946-1] c 20 N86-26368
Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines
[NASA-CASE-LAR-13353-1] c 27 N86-29039
Process for preparing highly optically transparent/colorless aromatic polyimide film
[NASA-CASE-LAR-13351-1] c 27 N86-31727
Thermal stress minimized, two component, turbine shroud seal
[NASA-CASE-LEW-14212-1] c 37 N88-23978

THERMAL RADIATION
Compensating radiometer
[NASA-CASE-XLA-04556] c 14 N69-27484
Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c 14 N69-39937
High temperature heat source Patent
[NASA-CASE-XLE-00490] c 33 N70-34545
Thermal radiation shielding Patent
[NASA-CASE-XLE-03432] c 33 N71-24145
Cavity radiometer Patent
[NASA-CASE-XNP-08961] c 14 N71-24809
Method and construction for protecting heat sensitive bodies from thermal radiation and convective heat Patent
[NASA-CASE-XNP-01310] c 33 N71-28852
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373

THERMAL REACTORS
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c 73 N78-19920

THERMAL RESISTANCE
Diode and protection fuse unit Patent
[NASA-CASE-XKS-03381] c 09 N71-22796
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c 27 N74-12812
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c 34 N74-15652
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c 77 N75-20140
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c 27 N78-32256
Ambient cure polyimide foams --- thermal resistant foams
[NASA-CASE-ARC-11170-1] c 27 N79-11215
The 1,2,4-oxadiazole elastomers --- heat resistant polymers
[NASA-CASE-ARC-11253-1] c 27 N81-17262
Surface conforming thermal/pressure seal --- tail assemblies of space shuttle orbiters
[NASA-CASE-MSC-18422-1] c 37 N82-16408
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-2] c 54 N84-23113
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-1] c 54 N84-28484
Thermal barrier coating system
[NASA-CASE-LEW-13324-2] c 24 N85-21266
High temperature polyimide film laminates and process for preparation thereof
[NASA-CASE-LAR-13384-1] c 27 N86-20561
Fire resistant polyamide based on 1-(diorganooxyphosphonyl)methyl-2,4- and -2,6diamino benzene
[NASA-CASE-ARC-11512-2] c 27 N86-32568
Fire and heat resistant laminating resins based on maleimido substituted aromatic cyclotriphosphazene polymer
[NASA-CASE-ARC-11428-2] c 27 N87-16909
Fire and heat resistant laminating resins based on malemeido and citraconimido substituted 1 -2,4- and -2,6-diaminobenzenes
[NASA-CASE-ARC-11533-1] c 27 N87-23751
Method of making a flexible diaphragm
[NASA-CASE-MSC-20797-1] c 37 N87-23981
Fire and heat resistant laminating resins based on maleimido and citraconimido substituted 1-(diorgano oxyphosphonyl) methyl -2,4- and -2,6- diaminobenzenes
[NASA-CASE-ARC-11533-3] c 27 N87-24564

THERMAL SHOCK
Thermal shock apparatus Patent
[NASA-CASE-XLE-02024] c 14 N71-22964
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c 18 N73-14584
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c 27 N78-17206
Laser surface fusion of plasma sprayed ceramic turbine seals
[NASA-CASE-LEW-13269-1] c 18 N83-20996

THERMAL SIMULATION
Thermopile vacuum gage tube simulator Patent
[NASA-CASE-XLA-02758] c 14 N71-18481

THERMAL STABILITY
Bonded solid lubricant coating Patent
[NASA-CASE-XMS-00259] c 18 N70-36400
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c 05 N71-11203
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c 06 N71-27363
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c 18 N71-28729
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c 27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c 27 N76-32315
Sound-suppressing structure with thermal relief
[NASA-CASE-LEW-12658-1] c 71 N79-14871
Infusible silazane polymer and process for producing same --- protective coatings
[NASA-CASE-XMF-02526-1] c 27 N79-21190
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c 27 N79-28307
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c 27 N82-11206
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-2] c 27 N83-29392
Metal phthalocyanine polymers
[NASA-CASE-ARC-11405-1] c 27 N84-27884
High temperature resistant polyimide from tetra ester, diamine, diester and N-arylnadimide
[NASA-CASE-LEW-13864-1] c 27 N86-19457
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-2] c 27 N86-21675
Sulfone-ester polymers containing pendent ethynl groups
[NASA-CASE-LAR-13316-1] c 27 N86-27450

THERMAL STRESSES
Strain gage Patent Application
[NASA-CASE-FRC-10053] c 14 N70-35587
Multilegged support system Patent
[NASA-CASE-XLA-01326] c 11 N71-21481
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c 32 N72-25877
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c 07 N79-10057
Method for alleviating thermal stress damage in laminates --- metal matrix composites
[NASA-CASE-LEW-12493-1] c 24 N81-17170
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-2] c 24 N81-26179
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-2] c 37 N82-26674
Daze fasteners
[NASA-CASE-LAR-13009-1] c 37 N85-29285
Thermal stress minimized, two component, turbine shroud seal
[NASA-CASE-LEW-14212-1] c 37 N88-23978

THERMIONIC CATHODES
Cavity emitter for thermionic converter Patent
[NASA-CASE-NPO-10412] c 09 N71-28421

THERMIONIC CONVERTERS
Triode thermionic energy converter
[NASA-CASE-XLE-01015] c 03 N69-39898
Thermionic converter with current augmented by self induced magnetic field Patent
[NASA-CASE-XLE-01903] c 22 N71-23599
Cavity emitter for thermionic converter Patent
[NASA-CASE-NPO-10412] c 09 N71-28421
Solar cell Patent
[NASA-CASE-ARC-10050] c 03 N71-33409
Uninsulated in-core thermionic diode
[NASA-CASE-NPO-10542] c 09 N72-27228
High current electrical lead --- for thermionic converters
[NASA-CASE-LEW-10950-1] c 33 N74-27683
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c 36 N75-30524
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c 73 N77-18891
High thermal power density heat transfer --- thermionic converters
[NASA-CASE-LEW-12950-1] c 34 N82-11399
Thermionic energy converters
[NASA-CASE-LEW-12443-1] c 44 N83-32175

THERMIONIC DIODES
Heat pipe thermionic diode power system Patent
[NASA-CASE-XMF-05843] c 03 N71-11055
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c 03 N71-12255
Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent
[NASA-CASE-XNP-00384] c 09 N71-13530
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114] c 33 N71-27862
Uninsulated in-core thermionic diode
[NASA-CASE-NPO-10542] c 09 N72-27228

THERMIONIC EMITTERS
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c 03 N70-34646
THERMIONIC POWER GENERATION
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c 73 N78-28913
High thermal power density heat transfer apparatus providing electrical isolation at high temperature using heat pipes
[NASA-CASE-LEW-12950-2] c 34 N85-29179
Thermionic photovoltaic energy converter
[NASA-CASE-LEW-14077-1] c 44 N85-34441
THERMISTORS
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c 10 N71-12554
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c 52 N77-10780
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c 35 N79-33449
THERMOCHEMISTRY
Thermochemical generation of hydrogen
[NASA-CASE-NPO-15015-1] c 25 N82-28368
THERMOCHROMATIC MATERIALS
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-1] c 14 N73-14428
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c 35 N75-25122
THERMOCOUPLE PYROMETERS
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c 34 N74-15652
THERMOCOUPLES
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c 14 N69-27459
Gas cooled high temperature thermocouple Patent
[NASA-CASE-XLE-09475-1] c 33 N71-15568
Weld control system using thermocouple wire Patent
[NASA-CASE-MFS-06074] c 15 N71-20393
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c 14 N71-22989
Thermocouple assembly Patent
[NASA-CASE-XNP-01659] c 14 N71-23039
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c 14 N71-26199
Apparatus for sensing temperature
[NASA-CASE-XLE-05230] c 14 N72-27410
Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c 14 N73-13417
Butt welder for fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c 15 N73-14468
Thermocouple tape
[NASA-CASE-LEW-11072-1] c 14 N73-24472
Thermocouple tape --- developed from thermoelectrically different metals
[NASA-CASE-LEW-11072-2] c 35 N76-15434
Thermocouple installation
[NASA-CASE-NPO-13540-1] c 35 N77-14409
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c 35 N77-32454
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c 35 N79-14346
Thermocouple, multiple junction reference oven
[NASA-CASE-FRC-10112-1] c 35 N81-26431
Solar energy control system --- temperature measurement
[NASA-CASE-MFS-25287-1] c 44 N82-18686
Joining lead wires to thin platinum alloy films
[NASA-CASE-LEW-13934-1] c 35 N83-35338
Thermocouple for heating and cooling of memory metal actuators
[NASA-CASE-NPO-17068-1-CU] c 35 N88-29151
THERMODYNAMIC CYCLES
Solar engine
[NASA-CASE-LAR-12148-1] c 44 N82-24640
THERMODYNAMIC EFFICIENCY
Automatic compression adjusting mechanism for internal combustion engines
[NASA-CASE-MSC-18807-1] c 37 N83-36483
THERMODYNAMIC PROPERTIES
Thermal shock apparatus Patent
[NASA-CASE-XLE-02024] c 14 N71-22964
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c 18 N71-22998
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c 23 N71-29049
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c 17 N73-32415
High stability amplifier
[NASA-CASE-GSC-12646-1] c 33 N83-34191
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-5] c 27 N85-21352
Fire resistant polyamide based on 1-(diorganooxyphosphonyl)methyl-2,4- and -2,6diamino benzene
[NASA-CASE-ARC-11512-2] c 27 N86-32568
THERMOELECTRIC GENERATORS
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c 03 N69-25146
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c 26 N71-16037
Integrated thermoelectric generator/space antenna combination
[NASA-CASE-XER-09521] c 09 N72-12136
Thermally cascaded thermoelectric generator
[NASA-CASE-NPO-10753] c 03 N72-26031
THERMOELECTRIC MATERIALS
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c 15 N69-39786
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c 26 N71-16037
Stabilized lanthanum sulphur compounds --- thermoelectric materials
[NASA-CASE-NPO-16135-1] c 25 N83-24572
THERMOELECTRIC POWER GENERATION
Two-fluid magnetohydrodynamic system and method for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c 03 N70-36803
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-XLE-01645] c 03 N71-20904
Thermoelectric power system --- for spacecraft
[NASA-CASE-MFS-22002-1] c 44 N76-16612
THERMOELECTRICITY
Thermocouple tape
[NASA-CASE-LEW-11072-1] c 14 N73-24472
Apparatus and method for measuring the Seebeck coefficient and resistivity of materials
[NASA-CASE-NPO-11749] c 14 N73-28486
Improved properties of SiGe/GaP alloys
[NASA-CASE-NPO-17259-1-CU] c 76 N88-25358
THERMOLUMINESCENCE
Method of detecting oxygen in a gas
[NASA-CASE-LAR-10668-1] c 06 N73-16106
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c 25 N78-15210
THERMOMAGNETIC EFFECTS
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c 36 N74-13205
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c 35 N79-16246
THERMOMETERS
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c 35 N77-27368
Temperature sensitive oscillator
[NASA-CASE-GSC-12958-1] c 33 N86-32624
THERMOPHYSICAL PROPERTIES
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c 25 N74-18551
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c 09 N77-27131
THERMOPILES
Differential temperature transducer Patent
[NASA-CASE-XAC-00812] c 14 N71-15598
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06957] c 14 N71-21088
Irradiance measuring device
[NASA-CASE-NPO-11493] c 14 N73-12447
THERMOPLASTIC FILMS
Advanced inorganic separators for alkaline batteries
[NASA-CASE-LEW-13171-1] c 44 N82-29708
Hot melt recharge system --- repairing damaged or missing tiles on space shuttle orbiter
[NASA-CASE-LAR-12881-1] c 27 N84-14323
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-2] c 27 N84-14324
Induction heating gun
[NASA-CASE-LAR-13181-1] c 31 N85-29083
THERMOPLASTIC RESINS
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c 27 N78-31233
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c 27 N78-33228
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c 27 N81-14076
Method of making formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c 25 N82-21268
One-step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c 33 N82-26571
Advanced inorganic separators for alkaline batteries
[NASA-CASE-LEW-13171-1] c 44 N82-29708
Advanced inorganic separators for alkaline batteries and method of making the same
[NASA-CASE-LEW-13171-2] c 44 N83-32176
Polyphenylquinoxalines containing pendant phenylethynyl and ethynyl groups --- for thermoplastic resins
[NASA-CASE-LAR-12838-1] c 27 N83-34040
Solvent resistant thermoplastic aromatic poly(imidesulfone) and process for preparing same
[NASA-CASE-LAR-12858-1] c 27 N83-34041
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-1] c 27 N84-22747
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
Phenoxy resins containing pendent ethynyl groups and cured resins obtained therefrom
[NASA-CASE-LAR-13262-1] c 23 N85-28973
Process for crosslinking and extending conjugated diene-containing polymers
[NASA-CASE-LAR-13452-1] c 27 N87-22848
THERMOPLASTICITY
Process for preparing thermoplastic aromatic polyimides
[NASA-CASE-LAR-11828-1] c 27 N78-32261
Heat sealable, flame and abrasion resistant coated fabric --- clothing and containers for space exploration
[NASA-CASE-MSC-18382-1] c 27 N82-16238
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-2] c 27 N84-22746
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-1] c 27 N85-20123
Process for preparing solvent resistant, thermoplastic aromatic poly(imidesulfone)
[NASA-CASE-LAR-12858-2] c 27 N85-20124
THERMOREGULATION
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c 05 N71-24147
THERMOSETTING RESINS
Method for molding compounds Patent
[NASA-CASE-XLA-01091] c 15 N71-10672
Method and apparatus for bonding a plastics sleeve onto a metallic body Patent
[NASA-CASE-XLA-01262] c 15 N71-21404
Honeycomb panel and method of making same Patent
[NASA-CASE-XMF-01402] c 18 N71-21651
Method of forming shapes from planar sheets of thermosetting materials
[NASA-CASE-NPO-11036] c 15 N72-24522
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c 06 N72-27151
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c 31 N74-14133
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c 31 N74-18124
Evacuated, displacement compression mold --- o tubular bodies from thermosetting plastics
[NASA-CASE-LAR-10782-2] c 31 N75-13111
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c 24 N80-26388
Polymeric compositions and their method o manufacture --- forming filled polymer systems using cryogenics
[NASA-CASE-NPO-10424-1] c 27 N81-24258
Elastomer toughened polyimide adhesives
[NASA-CASE-LAR-12775-1] c 27 N83-28240
Method of controlling a resin curing process --- for fibe reinforced composites
[NASA-CASE-MSC-21169-1] c 27 N87-25475
Cellular thermosetting fluoropolymers and process fo making them
[NASA-CASE-GSC-13008-1] c 27 N88-23894
THERMOSTATS
Thermal switch Patent
[NASA-CASE-XNP-00463] c 33 N70-36844

Thermostatic actuator
[NASA-CASE-NPO-10637] c 15 N72-12409
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c 44 N76-14602
THICK FILMS
Screened circuit capacitors
[NASA-CASE-LAR-10294-1] c 26 N72-28762
THICKNESS
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c 52 N76-29895
Thickness measurement system
[NASA-CASE-MFS-23721-1] c 31 N79-28370
Strong thin membrane structure --- solar sails
[NASA-CASE-NPO-14021-2] c 27 N80-16163
Ice detector
[NASA-CASE-LAR-13776-1] c 35 N88-29149
Liquid thickness gauge
[NASA-CASE-LAR-13826-1] c 35 N88-29150
THIN FILMS
Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c 14 N69-39937
Means and methods of depositing thin films on substrates Patent
[NASA-CASE-XNP-00595] c 15 N70-34967
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c 24 N71-10560
Vacuum deposition apparatus Patent
[NASA-CASE-XMF-01667] c 15 N71-17647
GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c 26 N71-18064
Stable amplifier having a stable quiescent point Patent
[NASA-CASE-XGS-02812] c 09 N71-19466
Evaporant source for vapor deposition Patent
[NASA-CASE-XMF-06065] c 15 N71-20395
Method of electrolytically binding a layer of semiconductors together Patent
[NASA-CASE-XNP-01959] c 26 N71-23043
Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c 09 N71-26701
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c 08 N71-27210
Thin film capacitive bolometer and temperature sensor Patent
[NASA-CASE-NPO-10607] c 09 N71-27232
Microelectronic module package Patent
[NASA-CASE-XMS-02182] c 10 N71-28783
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c 09 N72-22199
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c 07 N72-25170
Light regulator
[NASA-CASE-LAR-10836-1] c 26 N72-27784
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c 09 N72-29172
Method of forming transparent films of ZnO
[NASA-CASE-FRC-10019] c 15 N73-12487
Light intensity strain analysis
[NASA-CASE-LAR-10765-1] c 32 N73-20740
Monitoring deposition of films
[NASA-CASE-MFS-20675] c 26 N73-26751
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c 16 N73-30476
Transparent switchboard
[NASA-CASE-MSC-13746-1] c 10 N73-32143
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c 25 N74-18551
Method of preparing water purification membranes --- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c 25 N75-12087
System for depositing thin films
[NASA-CASE-MFS-20775-1] c 31 N75-12161
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c 36 N75-15029
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c 31 N76-31365
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c 37 N78-13436
Strong thin membrane structure --- solar sails
[NASA-CASE-NPO-14021-2] c 27 N80-16163
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c 24 N81-14000
Thin film strain transducer
[NASA-CASE-WLP-10055-1] c 35 N84-28015
Integrating IR detector imaging systems
[NASA-CASE-NPO-15805-1] c 74 N84-28590
Glass heating panels and method for preparing the same from architectural reflective glass
[NASA-CASE-NPO-15753-1] c 27 N84-33589
Epitaxial thinning process
[NASA-CASE-NPO-15786-1] c 76 N84-35112
Deposition of diamondlike carbon films
[NASA-CASE-LEW-14080-1] c 31 N85-20153
High intensity casting system
[NASA-CASE-NPO-16901-1-CU] c 31 N87-15327
Method and apparatus for making an optical element having a dielectric film
[NASA-CASE-ARC-11611-1] c 74 N87-28416
Method of producing high T(subc) superconducting NBN films
[NASA-CASE-NPO-16681-1-CU] c 76 N88-24543
THIN PLATES
Dichroic plate --- as bandpass filters
[NASA-CASE-NPO-13506-1] c 35 N76-15435
Adjustable securing base
[NASA-CASE-MSC-19666-1] c 37 N78-17383
THIN WALLED SHELLS
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c 15 N71-10577
THIN WALLS
Channel-type shell construction for rocket engines and the like Patent
[NASA-CASE-XLE-00144] c 28 N70-34860
Sealed separable connection Patent
[NASA-CASE-NPO-10064] c 15 N71-17693
Low mass truss structure
[NASA-CASE-LAR-10546-1] c 11 N72-25287
Differential pressure control
[NASA-CASE-MFS-14216] c 14 N73-13418
Method of fabricating an article with cavities --- with thin bottom walls
[NASA-CASE-LAR-10318-1] c 31 N74-18089
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c 31 N74-21059
THORIUM FLUORIDES
Ultraviolet filter
[NASA-CASE-XNP-02340] c 23 N69-24332
THORIUM OXIDES
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c 73 N77-18891
THREADS
Inspection gage for boss Patent
[NASA-CASE-XMF-04966] c 14 N71-17658
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c 15 N71-23254
THREE AXIS STABILIZATION
Three axis attitude control system
[NASA-CASE-GSC-12970-1] c 08 N88-23808
THREE DIMENSIONAL MOTION
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c 08 N74-10942
THRESHOLD GATES
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c 08 N72-11171
Radiation hardening of MOS devices by boron --- for stabilizing gate threshold potential
[NASA-CASE-GSC-11425-2] c 76 N75-25730
THRESHOLD LOGIC
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c 09 N71-12514
THROATS
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c 20 N79-21123
THRUST AUGMENTATION
Nozzle Patent
[NASA-CASE-XLA-00154] c 28 N70-33374
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c 28 N71-23081
Reversed cowl flap inlet thrust augmentor --- with adjustable airfoil
[NASA-CASE-ARC-10754-1] c 07 N75-24736
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c 07 N80-18039
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c 08 N81-19130
THRUST BEARINGS
Thrust bearing
[NASA-CASE-LEW-11949-1] c 37 N76-29588
THRUST CHAMBER PRESSURE
Pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c 08 N81-26152
THRUST CHAMBERS
Rocket chamber leak test fixture
[NASA-CASE-XFR-09479] c 14 N69-27503
Supporting and protecting device Patent
[NASA-CASE-XMF-00580] c 11 N70-35383
Rocket thrust chamber Patent
[NASA-CASE-XLE-00145] c 28 N70-36806
Method of making a rocket motor casing Patent
[NASA-CASE-XLE-00409] c 28 N71-15658
Rocket motor casing Patent
[NASA-CASE-XLE-05689] c 28 N71-15659
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c 28 N71-24736
Injection head for delivering liquid fuel and oxidizers
[NASA-CASE-NPO-10046] c 28 N72-17843
Fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c 28 N72-22769
Ion thruster
[NASA-CASE-LEW-10770-1] c 28 N72-22770
Thermal flux transfer system
[NASA-CASE-NPO-12070-1] c 28 N73-32606
Heat exchanger --- rocket combustion chambers and cooling systems
[NASA-CASE-LEW-12252-1] c 34 N79-13288
Heat exchanger and method of making --- bonding rocket chambers with a porous metal matrix
[NASA-CASE-LEW-12441-1] c 34 N79-13289
THRUST CONTROL
Electromechanical actuator
[NASA-CASE-XNP-05975] c 15 N69-23185
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c 28 N70-38181
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c 31 N71-17629
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c 28 N71-22983
High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c 28 N71-28850
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c 28 N72-18766
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c 09 N78-31129
Fluid thrust control system --- for liquid propellant rocket engines
[NASA-CASE-XMF-05964-1] c 20 N79-21124
THRUST LOADS
Thrust measurement
[NASA-CASE-XMS-05731] c 35 N75-29382
THRUST MEASUREMENT
Thrust dynamometer Patent
[NASA-CASE-XLE-00702] c 14 N70-40203
Thrust dynamometer Patent
[NASA-CASE-XLE-05260] c 14 N71-20429
Precision thrust gage Patent
[NASA-CASE-XGS-02319] c 14 N71-22965
Micro-pound extended range thrust stand Patent
[NASA-CASE-GSC-10710-1] c 28 N71-27094
THRUST REVERSAL
Thrust reverser for a long duct fan engine --- for turbofan engines
[NASA-CASE-LEW-13199-1] c 07 N82-26293
THRUST VECTOR CONTROL
Thrust vector control apparatus Patent
[NASA-CASE-XLE-00208] c 28 N70-34294
Velocity package Patent
[NASA-CASE-XLA-01339] c 31 N71-15692
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c 28 N71-26173
Tertiary flow injection thrust vectoring system Patent
[NASA-CASE-MFS-20831] c 28 N71-29153
Flight control system
[NASA-CASE-MSC-13397-1] c 21 N72-25595
Rocket thrust throttling system
[NASA-CASE-LEW-10374-1] c 28 N73-13773
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c 20 N76-21275
THRUST-WEIGHT RATIO
Missile launch release system Patent
[NASA-CASE-XMF-03198] c 30 N70-40353
THYRISTORS
Electrical power generating system --- for windpowered generation
[NASA-CASE-MFS-24368-3] c 33 N81-22280
Pulsed thyristor trigger control circuit
[NASA-CASE-MFS-25616-1] c 33 N84-16455
Phase detector for three-phase power factor controller
[NASA-CASE-MFS-25854-1] c 33 N84-27975
Three-phase power factor controller with induced EMF sensing
[NASA-CASE-MFS-25852-1] c 33 N84-33661
TILES
Strain arrestor plate for fused silica tile --- bonding of thermal insulation to metallic plates or structural parts
[NASA-CASE-MSC-14182-1] c 27 N76-14264

Attachment system for silica tiles --- thermal protection for space shuttle orbiter
[NASA-CASE-MSC-18741-1] c 27 N82-29456
Method for repair of thin glass coatings --- on space shuttle orbiter tiles
[NASA-CASE-KSC-11097-1] c 27 N82-33520
Densification of porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18737-1] c 24 N83-13171
Method of repairing surface damage to porous refractory substrates --- space shuttle orbiter tiles
[NASA-CASE-MSC-18736-1] c 24 N83-13172
Apparatus for accurately preloading auger attachment means for frangible protective material
[NASA-CASE-MSC-18791-1] c 37 N83-36482
Shell tile thermal protection system
[NASA-CASE-LAR-12862-1] c 27 N84-27886
Mechanical fastener
[NASA-CASE-LAR-12738-2] c 37 N85-30335
Ceramic-ceramic shell tile thermal protection system and method thereof
[NASA-CASE-ARC-11641-1] c 24 N88-18628

TILT WING AIRCRAFT
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c 05 N79-12061

TIME CONSTANT
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c 10 N70-41964

TIME DEPENDENCE
Instrument for determining coincidence and elapse time between independent sources of random sequential events
[NASA-CASE-LAR-12531-1] c 35 N83-29651

TIME DISCRIMINATION
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c 09 N70-34819

TIME DIVISION MULTIPLEXING
Time division multiplex system
[NASA-CASE-XGS-05918] c 07 N69-39974
Time-division multiplexer Patent
[NASA-CASE-XNP-00431] c 09 N70-38998
Data processor having multiple sections activated at different times by selective power coupling to the sections Patent
[NASA-CASE-XGS-04767] c 08 N71-12494
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c 08 N71-12506
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c 07 N71-19773
Signal processing apparatus for multiplex transmission Patent
[NASA-CASE-NPO-10388] c 07 N71-24622
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c 07 N71-24624
High dynamic global positioning system receiver
[NASA-CASE-NPO-16171-1CU] c 04 N86-27270

TIME FUNCTIONS
Single or joint amplitude distribution analyzer Patent
[NASA-CASE-XNP-01383] c 09 N71-10659

TIME LAG
Closed loop ranging system Patent
[NASA-CASE-XNP-01501] c 21 N70-41930
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c 08 N71-12506
Signal phase estimator
[NASA-CASE-NPO-11203] c 10 N72-20224
Automatic transponder --- measurement of the internal delay time of a transponder
[NASA-CASE-GSC-12075-1] c 32 N77-31350
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c 33 N81-33403

TIME MEASUREMENT
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c 33 N79-10338
Synchronization tracking in pulse position modulation receiver
[NASA-CASE-NPO-16256-1] c 32 N87-21207

TIME MEASURING INSTRUMENTS
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c 23 N71-23976
Error correction method and apparatus for electronic timepieces
[NASA-CASE-LAR-12654-1] c 33 N83-36357

TIME OF FLIGHT SPECTROMETERS
Time of flight mass spectrometer with feedback means from the detector to the low source and a specific counter Patent
[NASA-CASE-XNP-01056] c 14 N71-23041

TIME SERIES ANALYSIS
Apparatus for statistical time-series analysis of electrical signals
[NASA-CASE-MSC-12428-1] c 10 N73-25240
Solid sorbent air sampler
[NASA-CASE-MSC-20653-1] c 35 N86-26595

TIME SHARING
Integrated time shared instrumentation display Patent
[NASA-CASE-XLA-01952] c 08 N71-12507

TIME SIGNALS
System for monitoring signal amplitude ranges
[NASA-CASE-XMS-04061-1] c 09 N69-39885
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c 10 N71-23099
Time synchronization system utilizing moon reflected coded signals Patent
[NASA-CASE-NPO-10143] c 10 N71-26326
Counter Patent
[NASA-CASE-XNP-06234] c 10 N71-27137
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c 33 N75-19519
Precise RF timing signal distribution to remote stations --- fiber optics
[NASA-CASE-NPO-14749-1] c 32 N81-14186

TIMING DEVICES
Synchronous servo loop control system Patent
[NASA-CASE-XNP-03744] c 10 N71-20448
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c 10 N71-23099
Resettable monostable pulse generator Patent
[NASA-CASE-GSC-11139] c 09 N71-27016
Data transfer system Patent
[NASA-CASE-NPO-12107] c 08 N71-27255
High speed photo-optical time recording
[NASA-CASE-KSC-10294] c 14 N72-18411
Timing control system
[NASA-CASE-NPO-16882-1-CU] c 33 N88-24863

TIPS
Thin wire pointing method
[NASA-CASE-NPO-15789-1] c 31 N83-19947

TIRES
Excessive temperature warning system Patent
[NASA-CASE-XLA-01926] c 14 N71-15620
Resilient wheel Patent
[NASA-CASE-MFS-13929] c 15 N71-27091

TISSUES (BIOLOGY)
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c 35 N75-25123
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c 52 N77-14737
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c 51 N79-10694
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c 52 N79-14751
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c 52 N79-27836
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c 52 N81-20703
Enhancement of in vitro guayule propagation
[NASA-CASE-NPO-15213-1] c 51 N83-17045
Method for thermal monitoring subcutaneous tissue
[NASA-CASE-LAR-13028-1] c 52 N85-30618

TITANATES
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c 18 N72-17532

TITANIUM
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c 15 N71-20443
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c 37 N77-11397
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c 44 N80-24741
Method and apparatus for coating substrates using a laser
[NASA-CASE-LEW-13526-1] c 36 N84-22944
Oxygen diffusion barrier coating
[NASA-CASE-LAR-13474-1-SB] c 26 N87-25455
Stiffened titanium panels
[NASA-CASE-LAR-13814-1] c 31 N88-24816

TITANIUM ALLOYS
Method of inhibiting stress corrosion cracks in titanium alloys Patent
[NASA-CASE-NPO-10271] c 17 N71-16393
Nondestructive spot test method for titanium and titanium alloys
[NASA-CASE-LAR-10539-1] c 17 N73-12547
Method and apparatus for coating substrates using a laser
[NASA-CASE-LEW-13526-1] c 36 N84-22944

TITANIUM NITRIDES
Improved refractory coatings --- sputtered coatings on substrates that form stable nitrides
[NASA-CASE-LEW-23169-2] c 26 N81-16209

TITANIUM OXIDES
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c 27 N77-30237

TOLERANCES (MECHANICS)
Universal restrainer and joint Patent
[NASA-CASE-XNP-02278] c 15 N71-28951

TOLUENE
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255

TOMOGRAPHY
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c 31 N80-32584
Three-dimensional and tomographic imaging device for X-ray and gamma-ray emitting objects
[NASA-CASE-GSC-12851-1] c 35 N85-30281

TOOLS
Tool attachment for spreading loose elements away from work Patent
[NASA-CASE-XMF-02107] c 15 N71-10809
Adjustable attitude guide device Patent
[NASA-CASE-XLA-07911] c 15 N71-15571
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c 15 N71-21536
Stud-bonding gun
[NASA-CASE-MFS-20299] c 15 N72-11392
Insert facing tool --- manually operated cutting tool for forming studs in honeycomb material
[NASA-CASE-MFS-21485-1] c 37 N74-25968
Stator rotor tools
[NASA-CASE-MSC-16000-1] c 37 N78-24544
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c 60 N82-24839
Open ended tubing cutters
[NASA-CASE-MSC-18538-1] c 37 N82-26672
Apparatus for accurately preloading auger attachment means for frangible protective material
[NASA-CASE-MSC-18791-1] c 37 N83-36482
Tubing and cable cutting tool
[NASA-CASE-LAR-12786-1] c 37 N84-28085
Connection system --- insuring against loss of a tool component without using multiple tethers
[NASA-CASE-MSC-20319-1] c 37 N85-21649
Tool and process for miniature explosive joining of tubes
[NASA-CASE-LAR-13662-1] c 37 N88-14359

TOOTH DISEASES
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c 04 N72-33072

TOPOGRAPHY
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c 43 N81-17499

TORCHES
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c 15 N71-15607
Electric welding torch Patent
[NASA-CASE-XMF-02330] c 15 N71-23798
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c 37 N79-10421
Welding torch with arc light reflector
[NASA-CASE-MFS-29134-1] c 74 N87-17493
Welding torch gas cup extension
[NASA-CASE-MFS-29252-1] c 37 N88-23980

TOROIDAL SHELLS
Toroidal cell and battery --- storage battery for high amp-hour load applications
[NASA-CASE-LEW-12918-1] c 44 N81-24521

TOROIDS
Flux sensing device using a tubular core with toroida gating coil and solenoidal output coil wound thereor Patent
[NASA-CASE-XGS-01881] c 09 N70-40123
Shaft transducer having dc output proportional to angula velocity
[NASA-CASE-NPO-15706-1] c 35 N84-28017

TORQUE
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c 15 N71-21744
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c 15 N72-22483
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c 37 N79-14383
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c 71 N79-20823
Magnetic field control --- electromechanical torquing device
[NASA-CASE-MFS-23828-1] c 33 N82-26563

Missile rolling tail brake torque system --- simulating bearing friction on canard controlled missiles
[NASA-CASE-LAR-12751-1] c 15 N84-16231
Directional gear ratio transmissions
[NASA-CASE-LAR-12644-1] c 37 N84-28084
Helicopter anti-torque system using strakes
[NASA-CASE-LAR-13233-1] c 05 N84-33400
Dual towline spin-recovery device
[NASA-CASE-LAR-13076-1] c 08 N85-35200
Helicopter anti-torque system using fuselage strakes
[NASA-CASE-LAR-13630-1] c 08 N88-23809

TORQUE MOTORS

Low speed phaselock speed control system --- for brushless dc motor
[NASA-CASE-GSC-11127-1] c 09 N75-24758
Magnetic bearing and motor
[NASA-CASE-GSC-12726-1] c 37 N83-34323

TORQUEMETERS

Optical torquemeter Patent
[NASA-CASE-XLE-00503] c 14 N70-34818
Balance torquemeter Patent
[NASA-CASE-XGS-01013] c 14 N71-23725
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c 54 N82-26987

TORSO

Restraint torso for a pressurized suit
[NASA-CASE-MSC-12397-1] c 05 N72-25119
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c 54 N78-31736
Torso sizing ring construction for hard space suit
[NASA-CASE-ARC-11616-1] c 54 N86-28618

TOUCH

Mechanically actuated triggered hand
[NASA-CASE-MFS-20413] c 15 N72-21463
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c 05 N72-25122
Tactile sensing means for prosthetic limbs
[NASA-CASE-MFS-16570-1] c 05 N73-32013

TOUGHNESS

Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-1] c 24 N86-19380
High performance mixed bisimide resins and composites based thereon
[NASA-CASE-ARC-11538-1SB] c 24 N86-21590
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-2] c 27 N86-27451

TOWERS

Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c 03 N70-33343

TOXICITY

Glass compositions with a high modulus of elasticity --- nontoxic glass fibers
[NASA-CASE-HQN-10274-1] c 27 N82-29451

TOXICITY AND SAFETY HAZARD

Apparatus for remote handling of materials --- mixing or analyzing dangerous chemicals
[NASA-CASE-LAR-10634-1] c 37 N74-18123

TOXICOLOGY

Exposure system for animals Patent
[NASA-CASE-XAC-05333] c 11 N71-22875

TRACE CONTAMINANTS

Microbalance including crystal oscillators for measuring contaminates in a gas system Patent
[NASA-CASE-NPO-10144] c 14 N71-17701
Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c 17 N71-26773
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c 33 N79-15245
Nebulization reflux concentrator
[NASA-CASE-LAR-13254-1CU] c 35 N86-29174

TRACE ELEMENTS

Ion microprobe mass spectrometer for analyzing fluid materials Patent
[NASA-CASE-ERC-10014] c 14 N71-28863
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c 25 N76-18245
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c 25 N76-22323
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c 25 N78-15210

TRACKED VEHICLES

Tank tread assemblies with track-linking mechanism
[NASA-CASE-NPO-16321-1CU] c 37 N87-17034

TRACKING (POSITION)

Plurality of photosensitive cells on a pyramidical base for planetary trackers
[NASA-CASE-XNP-04180] c 07 N69-39736
Telespectrograph Patent
[NASA-CASE-XLA-03273] c 14 N71-18699
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c 23 N71-29125
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c 35 N77-20401
System and method for tracking a signal source --- employing feedback control
[NASA-CASE-HQN-10880-1] c 17 N78-17140
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c 44 N79-14526

TRACKING FILTERS

Automatic acquisition system for phase-lock loop
[NASA-CASE-XGS-04994] c 09 N69-21543
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c 33 N79-11313
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c 33 N81-33405

TRACKING RADAR

Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c 07 N69-27460
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c 07 N70-41680
Radar antenna system for acquisition and tracking Patent
[NASA-CASE-XMS-09610] c 07 N71-24625
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c 16 N72-13437
Synthetic aperture radar target simulator
[NASA-CASE-NPO-15024-1] c 32 N84-27951

TRACKING STATIONS

Optical monitor panel Patent
[NASA-CASE-XKS-03509] c 14 N71-23175
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c 32 N75-15854

TRAFFIC CONTROL

Traffic survey system --- using optical scanners
[NASA-CASE-MFS-22631-1] c 66 N76-19888

TRAILERS

Low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c 85 N82-33288

TRAILING-EDGE FLAPS

Double hinged flap Patent
[NASA-CASE-XLA-01290] c 02 N70-42016
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c 07 N79-14097

TRAINING DEVICES

Visual accommodation trainer-tester
[NASA-CASE-ARC-11426-1] c 09 N84-12193

TRAINING SIMULATORS

Mechanical simulator of low gravity conditions Patent
[NASA-CASE-MFS-10555] c 11 N71-19494
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c 11 N71-21474
Kinesthetic control simulator --- for pilot training
[NASA-CASE-LAR-10276-1] c 09 N75-15662

TRAJECTORY ANALYSIS

Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury Patent
[NASA-CASE-XNP-00708] c 14 N70-35394
Method of planetary atmospheric investigation using a split-trajectory dual flyby mode Patent
[NASA-CASE-XAC-08494] c 30 N71-15990

TRAJECTORY CONTROL

Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c 28 N70-39931
Technique for control of free-flight rocket vehicles Patent
[NASA-CASE-XLA-00937] c 31 N71-17691
Apparatus for automatically stabilizing the attitude of a nonguided vehicle
[NASA-CASE-ARC-10134] c 30 N72-17873

TRANSDUCERS

Pressure variable capacitor
[NASA-CASE-XNP-09752] c 14 N69-21541
Bootstrap unloader Patent
[NASA-CASE-XNP-09768] c 09 N71-12516
Vibrating structure displacement measuring instrument Patent
[NASA-CASE-XLA-03135] c 32 N71-16428
Contour surveying system Patent
[NASA-CASE-XLA-08646] c 14 N71-17586
Rotary bead dropper and selector for testing micrometeorite detectors Patent
[NASA-CASE-XGS-03304] c 09 N71-22988
Self-calibrating displacement transducer Patent
[NASA-CASE-XLA-00781] c 09 N71-22999
Extensometer frame
[NASA-CASE-XLA-10322] c 15 N72-17452
Split range transducer
[NASA-CASE-XLA-11189] c 10 N72-20222
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c 09 N72-22200
Magnifying scratch gage force transducer
[NASA-CASE-LAR-10496-1] c 14 N72-22437
Intruder detection system
[NASA-CASE-ARC-10097-2] c 07 N73-25160
Acoustical transducer calibrating system and apparatus
[NASA-CASE-FRC-10060-1] c 14 N73-27379
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c 33 N74-17930
LC-oscillator with automatic stabilized amplitude via bias current control --- power supply circuit for transducers
[NASA-CASE-MFS-21698-1] c 33 N74-26732
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c 52 N74-27566
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c 33 N75-19520
Subminiature insertable force transducer --- including a strain gage to measure forces in muscles
[NASA-CASE-NPO-13423-1] c 33 N75-31329
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c 35 N75-33369
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c 33 N76-19338
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c 38 N76-28563
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c 52 N76-29895
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c 44 N80-18552
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c 52 N80-27072
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c 52 N81-20703
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c 39 N81-25400
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c 35 N82-24470
Thin film strain transducer
[NASA-CASE-WLP-10055-1] c 35 N84-28015
Strain gage calibration
[NASA-CASE-LAR-12743-1] c 35 N84-28019
Thin film strain transducer --- suitable for in-flight measurement of scientific balloon strain
[NASA-CASE-WLP-10055-2] c 35 N85-21598
Gravity enhanced acoustic levitation method and apparatus
[NASA-CASE-NPO-16147-1-CU] c 71 N85-29693
Adjustable mount for electro-optic transducers in an evacuated cryogenic system
[NASA-CASE-LAR-13100-1] c 37 N87-23982
Low power consumption current transducer
[NASA-CASE-NPO-16888-1-CU] c 33 N88-23937
Single mode levitation and translation
[NASA-CASE-NPO-16675-1-CU] c 71 N88-24241
Navigation system for land vehicles
[NASA-CASE-LAR-13322-1] c 04 N88-24620

TRANSFER FUNCTIONS

Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333

TRANSFORMERS

Signal multiplexer
[NASA-CASE-XGS-01110] c 07 N69-24334
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-XNP-01193] c 10 N71-16057
Saturation current protection apparatus for saturable core transformers Patent
[NASA-CASE-ERC-10075] c 09 N71-24800
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c 09 N71-24893
Electronically resettable fuse Patent
[NASA-CASE-XGS-11177] c 09 N71-27001
Voltage regulator Patent
[NASA-CASE-ERC-10113] c 09 N71-27053
Radial heat flux transformer
[NASA-CASE-NPO-10828] c 33 N72-17948
Saturation current protection apparatus for saturable core transformers
[NASA-CASE-ERC-10075-2] c 09 N72-22196
Failsafe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c 09 N72-25262
Banded transformer cores
[NASA-CASE-NPO-11966-1] c 33 N74-17928
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c 33 N77-14335
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c 33 N78-17295
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c 33 N79-18193

Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c 33 N79-24257
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c 33 N79-28415
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c 33 N81-12330
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c 33 N81-14220
Low current linearization of magnetic amplifier for dc transducer
[NASA-CASE-NPO-14617-1] c 33 N81-24338
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c 33 N81-33404
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c 33 N82-24422
High voltage isolation transformer
[NASA-CASE-GSC-12817-1] c 33 N85-29146

TRANSIENT HEATING
Thermocouple installation
[NASA-CASE-NPO-13540-1] c 35 N77-14409
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NASA-CASE-NPO-15494-1] c 35 N82-25484
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373

TRANSIENT LOADS
Deployable solar cell array
[NASA-CASE-NPO-10883] c 31 N72-22874

TRANSISTOR AMPLIFIERS
Apparatus for overcurrent protection of a push-pull amplifier Patent
[NASA-CASE-MSC-12033-1] c 09 N71-13531

TRANSISTOR CIRCUITS
Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c 09 N69-24317
Ring counter
[NASA-CASE-XGS-03095] c 09 N69-27463
Pulse counting circuit which simultaneously indicates the occurrence of the nth pulse Patent
[NASA-CASE-XMF-00906] c 09 N70-41655
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c 09 N70-41675
Switching circuit employing regeneratively connected complementary transistors Patent
[NASA-CASE-XNP-02654] c 10 N70-42032
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c 09 N71-19516
Complementary regenerative switch Patent
[NASA-CASE-XGS-02751] c 09 N71-23015
Transistor drive regulator Patent
[NASA-CASE-LEW-10233] c 10 N71-27126
Multiple slope sweep generator Patent
[NASA-CASE-XMS-03542] c 09 N71-28926
Broadband video process with very high input impedance
[NASA-CASE-NPO-10199] c 09 N72-17156
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c 33 N74-20862
Inrush current limiter
[NASA-CASE-GSC-11789-1] c 33 N77-14333
Temperature compensated current source
[NASA-CASE-MSC-11235] c 33 N78-17294
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c 33 N81-33404
Power converter
[NASA-CASE-FRC-11014-1] c 33 N82-18494

TRANSISTORS
Power supply circuit Patent
[NASA-CASE-XMS-00913] c 10 N71-23543
Switching circuit Patent
[NASA-CASE-XNP-06505] c 10 N71-24799
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c 10 N71-26415
Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c 10 N72-22236
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c 09 N73-32112
Four phase logic systems --- including integrated microcircuits
[NASA-CASE-MSC-14240-1] c 33 N75-14957
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c 33 N79-12321
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c 33 N79-24257
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c 33 N81-14220
Four quadrant control circuit for a brushless three-phase dc motor
[NASA-CASE-MFS-28080-1] c 33 N87-21233

TRANSITION FLOW
Ablation article and method
[NASA-CASE-LAR-10439-1] c 33 N73-27796

TRANSITION TEMPERATURE
Process for preparing thermoplastic aromatic polyimides
[NASA-CASE-LAR-11828-1] c 27 N78-32261
Method of producing high T(subc) superconducting NBN films
[NASA-CASE-NPO-16681-1-CU] c 76 N88-24543

TRANSLATIONAL MOTION
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c 11 N70-34815
Translating horizontal tail Patent
[NASA-CASE-XLA-08801-1] c 02 N71-11043
Semi-linear ball bearing Patent
[NASA-CASE-XLA-02809] c 15 N71-22982
Positioning mechanism
[NASA-CASE-NPO-10679] c 15 N72-21462

TRANSLATORS
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c 32 N83-13323

TRANSLUCENCE
Light transmitting window assembly
[NASA-CASE-MSC-18417-1] c 74 N85-29750

TRANSMISSION CIRCUITS
Beam forming network
[NASA-CASE-NPO-15743-1] c 32 N85-29118

TRANSMISSION EFFICIENCY
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c 44 N74-19870
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c 33 N77-14334

TRANSMISSION LINES
Validation device for spacecraft checkout equipment Patent
[NASA-CASE-XKS-10543] c 07 N71-26292
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c 07 N71-27191
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c 07 N71-28429
Shielded flat cable
[NASA-CASE-MFS-13687-2] c 09 N72-22198
Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c 10 N73-16206
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c 33 N74-14956
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c 33 N74-17927
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c 32 N79-23310
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c 33 N79-28415

TRANSMISSION LOSS
Low-loss, high-isolation, fiber-optic isolator
[NASA-CASE-NPO-17207-1-CU] c 74 N88-25304

TRANSMISSIONS (MACHINE ELEMENTS)
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c 05 N81-19087
Directional gear ratio transmissions
[NASA-CASE-LAR-12644-1] c 37 N84-28084
Magnetic drive coupling
[NASA-CASE-MSC-21171-1] c 37 N88-23973

TRANSMISSIVITY
Process of making medical clip
[NASA-CASE-LAR-12650-2] c 52 N84-28389

TRANSMITTANCE
Light transmitting window assembly
[NASA-CASE-MSC-18417-1] c 74 N85-29750

TRANSMITTER RECEIVERS
Integrated thermoelectric generator/space antenna combination
[NASA-CASE-XER-09521] c 09 N72-12136
Location identification system
[NASA-CASE-ERC-10324] c 07 N72-25173
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c 32 N74-12912
Digital communication system
[NASA-CASE-MSC-13912-1] c 32 N74-30524

TRANSMITTERS
Temperature telemetric transmitter Patent
[NASA-CASE-NPO-10649] c 07 N71-24840
Two carrier communication system with single transmitter
[NASA-CASE-NPO-11548] c 07 N73-26118
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c 52 N74-26625
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c 32 N75-21486
Apparatus for endoscopic examination --- analysis of the propulsion system configuration and transmitter
[NASA-CASE-NPO-14092-1] c 52 N80-16725
Single frequency multitransmitter telemetry
[NASA-CASE-LAR-13006-1] c 17 N87-16863

TRANSONIC SPEED
Leading edge curvature based on convective heating Patent
[NASA-CASE-XLA-01486] c 01 N71-23497

TRANSONIC WIND TUNNELS
Wind tunnel test section
[NASA-CASE-MFS-20509] c 11 N72-17183
Miniature remote dead weight calibrator
[NASA-CASE-LAR-13564-1] c 35 N87-25558

TRANSPARENCE
Helmet assembly and latch means therefor Patent
[NASA-CASE-XMS-04935] c 05 N71-11190
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c 74 N77-28932
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c 44 N80-18550
Light transmitting window assembly
[NASA-CASE-MSC-18417-1] c 74 N85-29750
Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines
[NASA-CASE-LAR-13353-1] c 27 N86-29039
Process for preparing highly optically transparent/colorless aromatic polyimide film
[NASA-CASE-LAR-13351-1] c 27 N86-31727
Procedure to prepare transparent silica gels
[NASA-CASE-LAR-13476-1-CU] c 76 N87-29360
Method for investigating the formation of crystals in a transparent material
[NASA-CASE-MFS-26008-1-CU] c 76 N88-14835

TRANSPIRATION
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c 20 N76-14191

TRANSPONDERS
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c 07 N71-12391
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c 07 N72-21118
Code regenerative clean-up loop transponder for a mu-type ranging system
[NASA-CASE-NPO-11707] c 07 N73-25161
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c 32 N74-12912
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c 32 N75-15854
Automatic transponder --- measurement of the internal delay time of a transponder
[NASA-CASE-GSC-12075-1] c 32 N77-31350
Video processor for air traffic control beacon system
[NASA-CASE-KSC-11155-1] c 04 N86-19304

TRANSPORTATION
Supporting and protecting device Patent
[NASA-CASE-XMF-00580] c 11 N70-35383
Shuttle car loading system
[NASA-CASE-NPO-15949-1] c 85 N85-34722

TRANSVERSE ACCELERATION
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c 18 N81-29152

TRAPS
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c 36 N75-19652

TRAVELING WAVE AMPLIFIERS
Serrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c 07 N71-16088
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c 33 N75-27251
Resonant isolator for maser amplifier
[NASA-CASE-NPO-15201-1] c 36 N83-35350
Ladder supported ring bar circuit
[NASA-CASE-LEW-13570-1] c 33 N84-16452

TRAVELING WAVE MASERS
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c 16 N71-15550
High-gain, broadband traveling wave maser Patent
[NASA-CASE-NPO-10548] c 16 N71-24831
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c 36 N78-18410

TRAVELING WAVE TUBES
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c 16 N71-28554
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c 33 N79-10339
Multistage depressed collector for dual mode operation --- for microwave transmitting tubes
[NASA-CASE-LEW-13282-1] c 33 N82-24415
Linearized traveling wave amplifier with hard limiter characteristics
[NASA-CASE-LEW-13981-2] c 33 N86-21742
Miniature traveling wave tube and method of making
[NASA-CASE-LEW-14520-1] c 33 N88-23936

TRAVELING WAVES
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c 16 N72-28521

TREADMILLS
Tread drum for animals --- having an electrical shock station
[NASA-CASE-ARC-10917-1] c 51 N78-27733

TREADS
Tank tread assemblies with track-linking mechanism
[NASA-CASE-NPO-16321-1CU] c 37 N87-17034

TRIGGER CIRCUITS
Ring counter
[NASA-CASE-XGS-03095] c 09 N69-27463
Electric arc driven wind tunnel Patent
[NASA-CASE-XMF-00411] c 11 N70-36913
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c 14 N71-26244
Multivibrator circuit with means to prevent false triggering from supply voltage fluctuations Patent
[NASA-CASE-ARC-10137-1] c 09 N71-28468
SCR lamp driver
[NASA-CASE-GSC-10221-1] c 09 N72-23171
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c 33 N74-20859
Pulsed thyristor trigger control circuit
[NASA-CASE-MFS-25616-1] c 33 N84-16455

TRIGONOMETRY
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c 21 N71-21688

TRIMERS
Trifunctional alcohol
[NASA-CASE-NPO-10714] c 06 N69-31244
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c 27 N78-15276
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c 27 N79-28307

TRIODES
Triode thermionic energy converter
[NASA-CASE-XLE-01015] c 03 N69-39898
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587

TRITIUM
Method for determining the state of charge of batteries by the use of tracers Patent
[NASA-CASE-XNP-01464] c 03 N71-10728

TROPOPAUSE
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c 06 N83-10040

TRUCKS
Fifth wheel
[NASA-CASE-FRC-10081-1] c 37 N77-14477
Low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c 85 N82-33288

TRUSSES
Low mass truss structure
[NASA-CASE-LAR-10546-1] c 11 N72-25287
Lightweight structural columns --- space erectable trusses
[NASA-CASE-LAR-12095-1] c 31 N81-25258
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c 31 N81-27323
Sequentially deployable maneuverable tetrahedral beam
[NASA-CASE-LAR-13098-1] c 31 N86-19479
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
Synchronously deployable truss structure
[NASA-CASE-LAR-13117-1] c 37 N86-25789
Deployable M-braced truss structure
[NASA-CASE-LAR-13081-1] c 37 N86-32737
Synchronously deployable double fold beam and planar truss structure
[NASA-CASE-LAR-13490-1] c 18 N87-14413
Deployable geodesic truss structure
[NASA-CASE-LAR-13113-1] c 31 N87-25492
Preloaded space structural coupling joints
[NASA-CASE-LAR-13489-1] c 18 N87-27713
Mobile remote manipulator system for a tetrahedral truss
[NASA-CASE-MSC-20985-1] c 18 N88-26398
Collet lock joint for space station truss
[NASA-CASE-MSC-21207-1] c 37 N88-29180
Clevis joint for deployable space structures
[NASA-CASE-LAR-13898-1] c 37 N88-30130

TUBE GRIDS
Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c 44 N79-18444

TUBE HEAT EXCHANGERS
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c 28 N70-34175
Procedure and apparatus for determination of water in nitrogen tetroxide
[NASA-CASE-NPO-10234] c 06 N72-17094
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c 52 N77-14736
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c 44 N81-17518

TUBES
Method of making tubes Patent
[NASA-CASE-XGS-04175] c 15 N71-18579
Tube sealing device Patent
[NASA-CASE-NPO-10431] c 15 N71-29132

TUMBLING MOTION
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c 15 N69-21472

TUMORS
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c 52 N77-14736

TUNABLE LASERS
Spectrophone stabilized laser with line center offset frequency control
[NASA-CASE-NPO-15516-1] c 36 N84-22943
Portable remote laser sensor for methane leak detection
[NASA-CASE-NPO-15790-1] c 36 N85-21631
Digital control of diode laser for atmospheric spectroscopy
[NASA-CASE-NPO-16000-1] c 36 N85-29264
Method and means for generation of tunable laser sidebands in the far-infrared region
[NASA-CASE-NPO-16497-1-CU] c 36 N87-25567
Isotope separation using tuned laser and electron beam
[NASA-CASE-NPO-16907-1-CU] c 25 N88-24732

TUNGSTEN
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c 15 N69-39786
Method of producing porous tungsten ionizers for ion rocket engines Patent
[NASA-CASE-XLE-00455] c 28 N70-38197
Small plasma probe Patent
[NASA-CASE-XLE-02578] c 25 N71-20747
Fabrication of controlled-porosity metals Patent
[NASA-CASE-XNP-04339] c 17 N71-29137
Tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c 09 N72-25259
Nuclear thermionic converter --- tungsten-thorium oxide rods
[NASA-CASE-NPO-13121-1] c 73 N77-18891

TUNGSTEN ALLOYS
Evaporant holder
[NASA-CASE-XLA-03105] c 15 N69-27483
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c 17 N73-32415
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c 26 N77-32279

TUNING
Active tuned circuit
[NASA-CASE-GSC-11340-1] c 10 N72-33230
Magnetically actuated tuning method for Gunn oscillators
[NASA-CASE-NPO-12106] c 09 N73-15235
Tuned analog network
[NASA-CASE-GSC-12650-1] c 33 N84-14421
Spectrophone stabilized laser with line center offset frequency control
[NASA-CASE-NPO-15516-1] c 36 N84-22943
Aircraft rotor blade with passive tuned tab
[NASA-CASE-ARC-11444-1] c 05 N85-29947
Precision tunable resonant microwave cavity
[NASA-CASE-LEW-13935-1] c 33 N87-21234
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895
Tailorable infrared sensing device with strain layer superlattice structure
[NASA-CASE-NPO-16607-1-CU] c 76 N88-14836

TUNNEL DIODES
Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c 09 N69-24317
High band gap 2-6 and 3-5 tunneling junctions for silicon multijunction solar cells
[NASA-CASE-NPO-16526-1CU] c 44 N87-17399

TUNNELING (EXCAVATION)
Scanning seismic intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c 35 N83-34272

TUNNELS
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c 37 N76-22540

TURBINE BLADES
Transpiration cooled turbine blade manufactured from wires Patent
[NASA-CASE-XLE-00020] c 15 N70-33226
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c 15 N70-33264
High temperature nickel-base alloy Patent
[NASA-CASE-XLE-00151] c 17 N70-33283
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c 28 N70-33372
Liquid spray cooling method Patent
[NASA-CASE-XLE-00027] c 33 N71-29152
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c 15 N73-28515
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c 24 N77-19170
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-2] c 37 N82-26674
Method of protecting a surface with a silicon-slurry/aluminide coating --- coatings for gas turbine engine blades and vanes
[NASA-CASE-LEW-13343-1] c 27 N82-28441
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c 27 N82-29453
Vertical shaft windmill
[NASA-CASE-LAR-12923-1] c 37 N84-12493

TURBINE ENGINES
High speed, self-acting shaft seal --- for use in turbine engines
[NASA-CASE-LEW-11274-1] c 37 N75-21631
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c 07 N77-28118
Composite seal for turbomachinery --- backings for turbine engine shrouds
[NASA-CASE-LEW-12131-1] c 37 N79-18318
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c 05 N79-24976
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c 37 N80-26658

TURBINE PUMPS
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c 03 N71-11057
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c 23 N71-26654
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c 20 N74-13502
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c 20 N80-14188
Rotor self-lubricating axial stop
[NASA-CASE-MFS-28273-1] c 37 N88-23974

TURBINE WHEELS
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c 28 N71-28928
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c 37 N74-11300
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c 07 N77-27116

TURBINES
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c 15 N71-26294
Method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-2] c 37 N85-29282

TURBOCOMPRESSORS
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c 15 N70-36412
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c 07 N79-10057
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577
Diesel engine catalytic combustor system --- aircraft engines
[NASA-CASE-LEW-12995-1] c 37 N84-33808

TURBOFAN ENGINES
Supersonic fan blading --- noise reduction in turbofan engines
[NASA-CASE-LEW-11402-1] c 07 N74-28226
Noise suppressor --- for turbofan engine by incorporating annular acoustically porous elements in exhaust and inlet ducts
[NASA-CASE-LAR-11141-1] c 07 N74-32418
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c 07 N78-17055
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c 07 N80-18039
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c 07 N81-19116
Thrust reverser for a long duct fan engine --- for turbofan engines
[NASA-CASE-LEW-13199-1] c 07 N82-26293
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c 07 N83-33884
TURBOFANS
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c 07 N77-14025
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c 07 N77-17059
TURBOGENERATORS
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018
TURBOJET ENGINE CONTROL
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c 07 N81-19116
TURBOJET ENGINES
Telescoping-spike supersonic inlet for aircraft engines Patent
[NASA-CASE-XLE-00005] c 28 N70-39899
Gas turbine combustion apparatus Patent
[NASA-CASE-XLE-103477-1] c 28 N71-20330
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c 07 N80-26298
TURBOMACHINE BLADES
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c 07 N77-32148
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c 37 N80-26658
TURBOMACHINERY
Turbo-machine blade vibration damper Patent
[NASA-CASE-XLE-00155] c 28 N71-29154
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-3] c 37 N82-19540
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c 27 N82-29453
Method of fabricating an abradable gas path seal
[NASA-CASE-LEW-13269-2] c 37 N84-22957
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018
Compliant hydrodynamic fluid journal bearing
[NASA-CASE-LEW-13670-1] c 37 N86-19606
Damping seal for turbomachinery
[NASA-CASE-MFS-25842-2] c 37 N86-20788
TURBOSHAFTS
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c 14 N70-34818
High speed, self-acting shaft seal --- for use in turbine engines
[NASA-CASE-LEW-11274-1] c 37 N75-21631
TURBULENCE METERS
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c 35 N82-24470
TURBULENT BOUNDARY LAYER
Sound shield
[NASA-CASE-LAR-12883-1] c 71 N83-17235
TURBULENT FLOW
Exhaust flow deflector --- for ducted gas flow
[NASA-CASE-LAR-11570-1] c 34 N76-18364
System for measuring Reynolds in a turbulently flowing fluid --- signal processing
[NASA-CASE-ARC-10755-2] c 34 N76-27517
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c 34 N77-27345
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface --- using an accelerometer to measure pressure levels during wind tunnel tests
[NASA-CASE-LAR-12261-1] c 02 N80-20224
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c 44 N82-24639
Active control of boundary layer transition and turbulence
[NASA-CASE-LAR-13532-1] c 34 N86-26575
TURNSTILE ANTENNAS
Method and means for damping nutation in a satellite Patent
[NASA-CASE-XMF-00442] c 31 N71-10747
Broadband modified turnstile antenna Patent
[NASA-CASE-MSC-12209] c 09 N71-24842
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c 32 N74-20864
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c 33 N76-14372
TURRET
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent
[NASA-CASE-NPO-10625] c 09 N71-26182
TWISTING
Means for controlling aerodynamically induced twist
[NASA-CASE-LAR-12175-1] c 05 N82-28279
TWO BODY PROBLEM
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c 10 N71-19421
TWO DIMENSIONAL BODIES
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c 60 N77-14751
TWO PHASE FLOW
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c 15 N70-22192
Booster tank system Patent
[NASA-CASE-MSC-12390] c 27 N71-29155
Two phase flow system with discrete impinging two-phase jets
[NASA-CASE-NPO-11556] c 12 N72-25292
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c 34 N79-20335
Method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-2] c 37 N85-29282
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-1] c 34 N87-22950
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-2] c 34 N88-23958
TYPEWRITERS
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c 37 N77-19457

U

U BENDS
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c 15 N71-24679
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c 06 N73-13129
ULCERS
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c 52 N81-14613
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c 52 N81-29764
ULLAGE
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c 27 N71-16348
ULTRAHIGH FREQUENCIES
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c 33 N76-14372
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c 32 N80-23524
ULTRAHIGH VACUUM
Method of lubricating rolling element bearings Patent
[NASA-CASE-XLE-09527] c 15 N71-17688
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c 14 N73-30390
Ultrahigh vacuum gauge having two collector electrodes
[NASA-CASE-LAR-02743] c 14 N73-32324
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c 35 N74-15092
Precision manipulator heating and cooling apparatus for use in UHV systems with sample transfer capability
[NASA-CASE-LAR-13040-1] c 37 N85-29286
ULTRAPURE METALS
Apparatus for production of ultrapure amorphous metals utilizing acoustic cooling
[NASA-CASE-NPO-15658-1] c 26 N86-32551
ULTRASONIC AGITATION
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c 15 N73-20514
ULTRASONIC CLEANING
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c 52 N82-29862
ULTRASONIC FLAW DETECTION
Length mode piezoelectric ultrasonic transducer for inspection of solid objects
[NASA-CASE-MSC-19672-1] c 38 N79-14398
Two-dimensional scanner apparatus --- flaw detector in small flat plates
[NASA-CASE-MFS-25687-1] c 35 N84-22928
Ultrasonic angle beam standard reflector --- ultrasonic nondestructive inspection
[NASA-CASE-LAR-13153-1] c 71 N86-21276
Ultrasonic method and apparatus for determining crack opening load
[NASA-CASE-LAR-13889-1] c 39 N88-30160
ULTRASONIC RADIATION
Ultrasonic biomedical measuring and recording apparatus --- for recording motion of internal organs such as heart valves
[NASA-CASE-ARC-10597-1] c 52 N74-20726
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c 52 N76-33835
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-2] c 52 N79-26771
Dual differential interferometer
[NASA-CASE-LAR-12966-1] c 35 N85-30282
Method for thermal monitoring subcutaneous tissue
[NASA-CASE-LAR-13028-1] c 52 N85-30618
Acoustic radiation stress measurement
[NASA-CASE-LAR-13440-1] c 71 N87-21653
ULTRASONIC SCANNERS
Cutting head for ultrasonic lithotripsy
[NASA-CASE-GSC-12944-1] c 52 N86-19885
ULTRASONIC TESTS
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c 35 N74-10415
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c 38 N74-15130
Method and apparatus for nondestructive testing --- using high frequency arc discharges
[NASA-CASE-MFS-21233-1] c 38 N74-15395
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c 39 N78-15512
Rapid quantification of an internal property --- ultrasonic determination of bladder urine quantity
[NASA-CASE-LAR-13689-1-NP] c 35 N87-23941
Ultrasonic method and apparatus for determining crack opening load
[NASA-CASE-LAR-13889-1] c 39 N88-30160
ULTRASONIC WAVE TRANSDUCERS
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c 15 N73-20514
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c 35 N75-12271
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c 54 N75-27760
Ultrasonic calibration device --- for producing changes in acoustic attenuation and phase velocity
[NASA-CASE-LAR-11435-1] c 35 N76-15432
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c 52 N79-14751
CDS solid state phase insensitive ultrasonic transducer --- annealing dadmium sulfide crystals
[NASA-CASE-LAR-12304-1] c 35 N80-20559
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c 33 N82-26572
Ultrasonic transducer with Gaussian radial pressure distribution
[NASA-CASE-LAR-12967-1] c 35 N84-22932
Apparatus for disintegrating kidney stones
[NASA-CASE-GSC-12652-1] c 52 N84-34913
ULTRASONIC WELDING
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c 37 N75-25185
ULTRASONICS
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c 15 N71-17686
Pseudo continuous wave instrument --- ultrasonics
[NASA-CASE-LAR-12260-1] c 35 N79-10390
Dual differential interferometer
[NASA-CASE-LAR-12966-1] c 35 N85-30282
Method for thermal monitoring subcutaneous tissue
[NASA-CASE-LAR-13028-1] c 52 N85-30618
ULTRAVIOLET FILTERS
Ultraviolet filter
[NASA-CASE-XNP-02340] c 23 N69-24332
Ultraviolet resonance lamp Patent
[NASA-CASE-ARC-10030] c 09 N71-12521
ULTRAVIOLET LASERS
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c 72 N79-13826

ULTRAVIOLET RADIATION
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c 18 N69-39979
Ultraviolet resonance lamp Patent
[NASA-CASE-ARC-10030] c 09 N71-12521
Leak detector wherein a probe is monitored with ultraviolet radiation Patent
[NASA-CASE-ERC-10034] c 15 N71-24896
Phototropic composition of matter
[NASA-CASE-XGS-03736] c 14 N72-22443
Transmitting and reflecting diffuser --- for ultraviolet light
[NASA-CASE-LAR-10385-2] c 70 N74-13436
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c 27 N74-21156
Light shield and cooling apparatus --- high intensity ultraviolet lamp
[NASA-CASE-LAR-10089-1] c 34 N74-23066
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c 19 N74-29410
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c 36 N76-29575
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c 27 N76-32315
Vitra-violet process for producing flame resistant polyamides and products produced thereby --- protective clothing for high oxygen environments
[NASA-CASE-MSC-16074-1] c 27 N80-26446
ULTRAVIOLET REFLECTION
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c 18 N71-24183
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c 24 N76-24363
Transmitting and reflecting diffuser --- using ultraviolet grade fused silica coatings
[NASA-CASE-LAR-10385-3] c 74 N78-15879
ULTRAVIOLET SPECTRA
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c 14 N72-25428
ULTRAVIOLET SPECTROMETERS
Concave grating spectrometer Patent
[NASA-CASE-XGS-01036] c 14 N70-40003
Telespectrograph Patent
[NASA-CASE-XLA-03273] c 14 N71-18699
UMBILICAL CONNECTORS
Umbilical separator for rockets Patent
[NASA-CASE-XNP-00425] c 11 N70-38202
Umbilical disconnect Patent
[NASA-CASE-XLA-00711] c 03 N71-12258
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c 03 N71-12259
Serpentuator Patent
[NASA-CASE-XMF-05344] c 31 N71-16345
Breakaway connector
[NASA-CASE-NPO-11140] c 15 N72-17455
Quick disconnect coupling
[NASA-CASE-NPO-11202] c 15 N72-25450
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c 37 N76-22540
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c 15 N82-24272
UMBILICAL TOWERS
Emergency escape system Patent
[NASA-CASE-XKS-02342] c 05 N71-11199
UNDERWATER ENGINEERING
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c 35 N74-16135
Underwater seismic source --- for petroleum exploration
[NASA-CASE-NPO-14255-1] c 46 N79-23555
UNDERWATER TESTS
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c 05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c 05 N73-25125
UNIFORM FLOW
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c 09 N75-12969
UNIONS (CONNECTORS)
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c 31 N83-31895
Preloaded space structural coupling joints
[NASA-CASE-LAR-13489-1] c 18 N87-27713
UNLOADING
Bootstrap unloader Patent
[NASA-CASE-XNP-09768] c 09 N71-12516
UNMANNED SPACECRAFT
Material handling device Patent
[NASA-CASE-XNP-09770-3] c 11 N71-27036
UNSATURATION (CHEMISTRY)
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043
UP-CONVERTERS
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c 33 N81-15192
UPPER ATMOSPHERE
Telespectrograph Patent
[NASA-CASE-XLA-03273] c 14 N71-18699
Apparatus for sampling particulates in gases
[NASA-CASE-HQN-10037-1] c 14 N73-27376
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c 15 N74-27360
Microwave limb sounder --- measuring trace gases in the upper atmosphere
[NASA-CASE-NPO-14544-1] c 46 N82-12685
URANIUM 235
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c 36 N77-26477
UREAS
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c 27 N77-30236
Dialysis system --- using ion exchange resin membranes permeable to urea molecules
[NASA-CASE-NPO-14101-1] c 52 N80-14687
Reverse osmosis membrane of high urea rejection properties --- water purification
[NASA-CASE-ARC-10980-1] c 27 N80-23452
URETHANES
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c 27 N81-15104
URINALYSIS
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c 06 N71-26754
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c 04 N73-27052
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c 05 N73-32011
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750
URINATION
Open type urine receptacle
[NASA-CASE-MSC-12324-1] c 05 N72-22093
Urine collection device
[NASA-CASE-MSC-16433-1] c 52 N81-24711
Urine collection apparatus --- feminine hygiene
[NASA-CASE-MSC-18381-1] c 52 N81-28740
URINE
Rapid quantification of an internal property --- ultrasonic determination of bladder urine quantity
[NASA-CASE-LAR-13689-1-NP] c 35 N87-23941
UROLOGY
Urine collection device
[NASA-CASE-MSC-16433-1] c 52 N81-24711
UTERUS
Cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c 52 N82-22875

V

V GROOVES
Vee-notching device --- with adjustable carriage
[NASA-CASE-MFS-20730-1] c 39 N74-13131
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c 33 N79-12321
High voltage v-groove solar cell
[NASA-CASE-LEW-13401-2] c 44 N83-32177
VACANCIES (CRYSTAL DEFECTS)
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c 26 N77-28265
VACUUM
Depositing semiconductor films utilizing a thermal gradient
[NASA-CASE-XKS-04614] c 15 N69-21460
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c 23 N71-29049
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c 35 N79-14346
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c 35 N79-33450
Spray applicator for spraying coatings and other fluids in space
[NASA-CASE-MSC-18852-1] c 37 N85-29283
VACUUM APPARATUS
Null-type vacuum microbalance Patent
[NASA-CASE-XAC-00472] c 15 N70-40180
Evacuation port seal Patent
[NASA-CASE-XMF-03290] c 15 N71-23256
Apparatus for testing polymeric materials Patent
[NASA-CASE-XNP-09699] c 06 N71-24607
Trap for preventing diffusion pump backstreaming
[NASA-CASE-GSC-10518-1] c 15 N72-22489
Inductance device with vacuum insulation
[NASA-CASE-LEW-10330-1] c 09 N72-27226
Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c 17 N72-28535
Vacuum probe surface sampler
[NASA-CASE-LAR-10623-1] c 14 N73-30395
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c 35 N75-19612
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c 37 N76-21554
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c 31 N81-19343
Head for high speed spinner having a vacuum chuck --- holding silicon dioxide chips for etching
[NASA-CASE-NPO-15227-1] c 37 N81-33482
Static continuous electrophoresis device
[NASA-CASE-MFS-25306-1] c 25 N83-13187
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650
Space ultra-vacuum facility and method of operation
[NASA-CASE-MFS-28139-1] c 29 N87-18679
Low temperature storage container for transporting perishables to space station
[NASA-CASE-MFS-28248-1] c 31 N88-24817
VACUUM CHAMBERS
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c 11 N70-33278
Split welding chamber Patent
[NASA-CASE-LEW-11531] c 15 N71-14932
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c 11 N71-18773
Pressure monitoring with a plurality of ionization gauges controlled at a central location Patent
[NASA-CASE-XLE-00787] c 14 N71-21090
Device for measuring light scattering wherein the measuring beam is successively reflected between a pair of parallel reflectors Patent
[NASA-CASE-XER-11203] c 14 N71-28994
Cryogenic feedthrough
[NASA-CASE-LAR-10031] c 15 N72-22484
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c 11 N72-27262
Evacuation valve
[NASA-CASE-LAR-10061-1] c 15 N72-31483
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c 14 N73-12444
Test stand system for vacuum chambers
[NASA-CASE-MFS-21362] c 11 N73-20267
Atomic hydrogen storage --- cryotrapping and magnetic field strength
[NASA-CASE-LEW-12081-2] c 28 N80-20402
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c 35 N81-19426
Hermetic seal for a shaft
[NASA-CASE-NPO-15115-1] c 37 N82-24493
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-15670-1] c 33 N82-33634
Sphere forming method and apparatus
[NASA-CASE-NPO-15070-1] c 31 N83-35176
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-256704-1] c 33 N84-22884
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253
VACUUM DEPOSITION
A method for the deposition of beta-silicon carbide by isoepitaxy
[NASA-CASE-ERC-10120] c 26 N69-33482
Vacuum deposition apparatus Patent
[NASA-CASE-XMF-01667] c 15 N71-17647
Evaporant source for vapor deposition Patent
[NASA-CASE-XMF-06065] c 15 N71-20395
Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c 09 N71-26701
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c 27 N79-14214
Refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c 26 N82-29415
Diamondlike flakes
[NASA-CASE-LEW-13837-2] c 24 N85-21267
VACUUM EFFECTS
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c 33 N80-18285

VACUUM FURNACES
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c 31 N74-27900
VACUUM GAGES
Thermopile vacuum gage tube simulator Patent
[NASA-CASE-XLA-02758] c 14 N71-18481
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c 14 N73-30390
Ultrahigh vacuum measuring ionization gauge
[NASA-CASE-XLA-05087] c 14 N73-30391
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c 35 N74-15092
VACUUM MELTING
High temperature furnace for melting materials in space
[NASA-CASE-MFS-20710] c 11 N72-23215
VACUUM PUMPS
Pressure control valve --- inflating flexible bladders
[NASA-CASE-ARC-11251-1] c 37 N81-17433
VACUUM SPECTROSCOPY
Optical multiple sample vacuum integrating sphere
[NASA-CASE-GSC-12849-1] c 74 N86-26190
VACUUM SYSTEMS
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c 15 N70-35087
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c 15 N70-41629
Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c 14 N71-18482
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c 14 N71-18483
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c 35 N75-19612
Ampoule sealing apparatus and process --- for housing a semiconductor growth charge under vacuum
[NASA-CASE-LAR-12847-1] c 33 N83-16633
VACUUM TUBES
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c 31 N76-31365
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c 26 N80-14229
VALUE
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c 14 N71-18625
VALVES
Valve actuator Patent
[NASA-CASE-XHQ-01208] c 15 N70-35409
Fluid coupling Patent
[NASA-CASE-XLE-00397] c 15 N70-36492
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c 15 N70-36908
Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c 32 N70-41370
Multiway vortex valve system Patent
[NASA-CASE-XMF-04709] c 15 N71-15609
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c 15 N71-18580
High pressure air valve Patent
[NASA-CASE-MSC-11010] c 15 N71-19485
Valve seat with resilient support member Patent
[NASA-CASE-XKS-02582] c 15 N71-21234
Positive locking check valve Patent
[NASA-CASE-XMS-09310] c 15 N71-22706
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c 09 N71-23191
Valve seat
[NASA-CASE-NPO-10606] c 15 N72-25451
Evacuation valve
[NASA-CASE-LAR-10061-1] c 15 N72-31483
Flow control valve --- for high temperature fluids
[NASA-CASE-NPO-11951-1] c 37 N74-21065
Airlock
[NASA-CASE-MFS-20922-1] c 18 N74-22136
Reciprocating engines
[NASA-CASE-MSC-16239-1] c 37 N81-32510
Prosthetic occlusive device for an internal passageway
[NASA-CASE-MFS-25740-1] c 52 N84-11744
Moisture content and gas sampling device
[NASA-CASE-MSC-18866-1] c 35 N85-29213
Linear motion valve
[NASA-CASE-MSC-20148-1] c 37 N85-29284
Reactant pressure differential control for fuel cell gases
[NASA-CASE-MSC-20127-2] c 37 N85-34403
VANES
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c 14 N71-23040
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c 14 N73-13420
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c 44 N82-24639
Method of protecting a surface with a silicon-slurry/aluminide coating --- coatings for gas turbine engine blades and vanes
[NASA-CASE-LEW-13343-1] c 27 N82-28441
VAPOR DEPOSITION
A method for the deposition of beta-silicon carbide by isoepitaxy
[NASA-CASE-ERC-10120] c 26 N69-33482
Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c 26 N70-40015
Method of changing the conductivity of vapor deposited gallium arsenide by the introduction of water into the vapor deposition atmosphere Patent
[NASA-CASE-XNP-01961] c 26 N71-29156
Tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c 09 N72-25259
Deposition apparatus
[NASA-CASE-LAR-10541-1] c 15 N72-32487
Deposition of alloy films --- on irregulary shaped metal object
[NASA-CASE-LEW-11262-1] c 27 N74-13270
System for depositing thin films
[NASA-CASE-MFS-20775-1] c 31 N75-12161
Vapor deposition apparatus --- semiconductors and gallium arsenides
[NASA-CASE-HQN-10462] c 25 N75-29192
Chemical vapor deposition reactor --- providing uniform film thickness
[NASA-CASE-NPO-13650-1] c 25 N79-28253
Corrosion resistant coating
[NASA-CASE-NPO-15928-1] c 26 N85-29005
Ceramic honeycomb structures and the method thereof
[NASA-CASE-ARC-11652-1] c 27 N87-23737
VAPOR PHASES
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c 27 N71-15635
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c 09 N71-23027
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c 14 N71-26199
Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c 10 N71-26339
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-1] c 34 N87-22950
VAPOR PRESSURE
Venting vapor apparatus Patent
[NASA-CASE-XLE-00288] c 15 N70-34247
Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c 15 N71-23023
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c 36 N83-10417
VAPOR TRAPS
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c 14 N71-18483
VAPORIZERS
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c 33 N71-16104
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184
Continuous laminar smoke generator
[NASA-CASE-LAR-13014-1] c 09 N85-21178
VAPORIZING
Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c 15 N71-27372
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c 03 N72-28025
VAPORS
Method of evaporation
[NASA-CASE-NPO-15609-2] c 25 N88-23846
VARACTOR DIODE CIRCUITS
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c 07 N71-28429
VARACTOR DIODES
Varactor high level mixer
[NASA-CASE-XGS-02171] c 09 N69-24324
Multiple varactor frequency doubler Patent
[NASA-CASE-XMF-04958-1] c 10 N71-26414
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c 33 N74-32660
Maser cavity servo-tuning system
[NASA-CASE-NPO-15890-1-CU] c 33 N85-29143
VARIABILITY
Variable speed drive
[NASA-CASE-GSC-12643-1] c 37 N83-26078
Slotted variable camber flap
[NASA-CASE-LAR-12541-1] c 05 N84-22551
VARIABLE CYCLE ENGINES
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c 07 N77-28118
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c 37 N78-17384
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c 07 N78-18067
VARIABLE GEOMETRY STRUCTURES
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c 02 N70-33286
Variable geometry wind tunnels
[NASA-CASE-XLA-07430] c 11 N72-22246
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c 07 N80-32392
Structurally tailorable non-linear snap-through spring system
[NASA-CASE-LAR-13729-1] c 37 N88-24970
VARIABLE PITCH PROPELLERS
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c 07 N77-14025
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c 37 N78-10468
Structurally tailorable non-linear snap-through spring system
[NASA-CASE-LAR-13729-1] c 37 N88-24970
VARIABLE SWEEP WINGS
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c 02 N70-33255
Variable sweep wing aircraft Patent
[NASA-CASE-XLA-00221] c 02 N70-33266
Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c 02 N70-34178
Variable sweep aircraft wing Patent
[NASA-CASE-XLA-00350] c 02 N70-38011
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c 02 N71-11041
Dual-fuselage aircraft having yawable wing and horizontal stabilizer
[NASA-CASE-ARC-10470-1] c 02 N73-26005
VARIABLE THRUST
Variable thrust ion engine utilizing thermally decomposable solid fuel Patent
[NASA-CASE-XMF-00923] c 28 N70-36802
Method for continuous variation of propellant flow and thrust in propulsive devices Patent
[NASA-CASE-XLE-00177] c 28 N70-40367
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c 07 N78-17055
VARIATIONS
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c 15 N71-21744
VECTOR ANALYSIS
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c 14 N71-20439
VECTOR CURRENTS
Preloadable vector sensitive latch
[NASA-CASE-MSC-20910-1] c 37 N87-25582
VECTORCARDIOGRAPHY
Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c 05 N71-11189
VEGETATION GROWTH
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c 51 N75-25503
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c 43 N78-10529
Enhancement of in vitro guayule propagation
[NASA-CASE-NPO-15213-1] c 51 N83-17045
VEHICLE WHEELS
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c 31 N71-18611
Resilient wheel Patent
[NASA-CASE-MFS-13929] c 15 N71-27091
Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c 37 N74-18125
Two speed drive system --- mechanical device for changing speed on rotating vehicle wheel
[NASA-CASE-MFS-20645-1] c 37 N74-23070
Fifth wheel
[NASA-CASE-FRC-10081-1] c 37 N77-14477
Tire/wheel concept
[NASA-CASE-LAR-11695-2] c 37 N81-24443
Suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c 37 N82-21587
VEHICLES
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c 37 N78-27424
VEHICULAR TRACKS
Suspension system for a wheel rolling on a flat track --- bearings for directional antennas
[NASA-CASE-NPO-14395-1] c 37 N82-21587
Tank tread assemblies with track-linking mechanism
[NASA-CASE-NPO-16321-1CU] c 37 N87-17034

VELOCITY
Velocity limiting safety system Patent
[NASA-CASE-XLA-07473] c 15 N71-24895
VELOCITY COUPLING
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c 33 N82-26568
VELOCITY MEASUREMENT
Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c 14 N70-41332
Superconductive accelerometer Patent
[NASA-CASE-XMF-01099] c 14 N71-15969
Gravimeter Patent
[NASA-CASE-XMF-05844] c 14 N71-17587
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c 21 N71-19212
Particle detection apparatus including a ballistic pendulum Patent
[NASA-CASE-XMS-04201] c 14 N71-22990
Angular velocity and acceleration measuring apparatus
[NASA-CASE-ERC-10292] c 14 N72-25410
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c 14 N73-13415
Doppler shift system --- system for measuring velocities of radiating particles
[NASA-CASE-HQN-10740-1] c 72 N74-19310
Tachometer
[NASA-CASE-MFS-23175-1] c 35 N77-30436
Velocity measurement system
[NASA-CASE-MFS-23363-1] c 35 N78-32396
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c 34 N79-12359
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c 06 N80-18036
Fluidic angular velocity sensor
[NASA-CASE-NPO-16479-ICU] c 35 N86-32695
Spinning disk calibration method and apparatus for laser Doppler velocimeter
[NASA-CASE-ARC-11510-1] c 35 N86-32697
VELOCITY MODULATION
Molecular beam velocity selector Patent
[NASA-CASE-XLE-01533] c 11 N71-10777
Apparatus for controlling the velocity of an electromechanical drive for interferometers and the like Patent
[NASA-CASE-XGS-03532] c 14 N71-17627
VENTILATION
Protective garment ventilation system
[NASA-CASE-XMS-04928] c 54 N78-17679
Low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c 85 N82-33288
VENTILATORS
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c 54 N75-27761
VENTING
Venting vapor apparatus Patent
[NASA-CASE-XLE-00288] c 15 N70-34247
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c 15 N70-41646
Valve seat with resilient support member Patent
[NASA-CASE-XKS-02582] c 15 N71-21234
Venting device for pressurized space suit helmet Patent
[NASA-CASE-XMS-09652-1] c 05 N71-26333
Solid propellant rocket motor
[NASA-CASE-XNP-03282] c 28 N72-20758
VENTURI TUBES
Liquid seeding atomizer
[NASA-CASE-ARC-11631-1] c 34 N87-21255
VENUS (PLANET)
Space simulator Patent
[NASA-CASE-XNP-00459] c 11 N70-38675
VERTICAL FLIGHT
Aircraft instrument Patent
[NASA-CASE-XLA-00487] c 14 N70-40157
VERTICAL LANDING
Landing gear Patent
[NASA-CASE-XMF-01174] c 02 N70-41589
VERTICAL ORIENTATION
Vertical shaft windmill
[NASA-CASE-LAR-12923-1] c 37 N84-12493
VERTICAL TAKEOFF AIRCRAFT
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c 02 N71-13422
Attitude controls for VTOL aircraft Patent
[NASA-CASE-XAC-08972] c 02 N71-20570
VERY HIGH FREQUENCIES
VHF/UHF parasitic probe antenna Patent
[NASA-CASE-XKS-09340] c 07 N71-24614
VERY LARGE SCALE INTEGRATION
Split-cross-bridge resistor for testing for proper fabrication of integrated circuits
[NASA-CASE-NPO-16021-1] c 33 N85-30187
Method of examining microcircuit patterns
[NASA-CASE-NPO-16299-1] c 33 N87-14594
Systolic VLSI array for implementing the Kalman filter Algorithm
[NASA-CASE-NPO-17108-1-CU] c 33 N87-27926
VERY LONG BASE INTERFEROMETRY
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c 46 N80-14603
VESTS
Life preserver Patent
[NASA-CASE-XMS-00864] c 05 N70-36493
VIBRATION
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c 15 N71-24694
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c 15 N71-27169
Apparatus for disintegrating kidney stones
[NASA-CASE-GSC-12652-1] c 52 N84-34913
Vibrating-chamber levitation systems
[NASA-CASE-NPO-16142-1-CU] c 35 N86-20752
VIBRATION DAMPING
Viscous pendulum damper Patent
[NASA-CASE-LAR-10274-1] c 14 N71-17626
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c 08 N71-29034
Turbo-machine blade vibration damper Patent
[NASA-CASE-XLE-00155] c 28 N71-29154
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c 33 N80-29583
Variable force, eddy-current or magnetic damper
[NASA-CASE-LEW-13717-1] c 37 N85-30333
Variable friction secondary seal for face seals
[NASA-CASE-LEW-14170-1] c 37 N86-25790
VIBRATION EFFECTS
Thermal detector of electromagnetic energy by means of a vibrating electrode Patent
[NASA-CASE-XAC-10768] c 09 N71-18830
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c 15 N73-20514
Spherical bearing --- to reduce vibration effects
[NASA-CASE-MFS-23447-1] c 37 N79-11404
Self-locking double retention redundant full pin release
[NASA-CASE-NPO-16233-1] c 37 N86-20801
VIBRATION ISOLATORS
Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c 14 N69-27486
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c 15 N70-40156
Vibration damping system Patent
[NASA-CASE-XMS-01620] c 23 N71-15673
Hermetic sealed vibration damper Patent
[NASA-CASE-MSC-10959] c 15 N71-26243
Dynamic vibration absorber Patent
[NASA-CASE-LAR-10083-1] c 15 N71-27006
Vibration isolation system using compression springs
[NASA-CASE-NPO-11012] c 15 N72-11391
Thrust-isolating mounting --- characteristics of support for loads mounted in spacecraft
[NASA-CASE-MFS-21680-1] c 18 N74-27397
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c 37 N75-18573
Thermal insulation attaching means --- adhesive bonding of felt vibration insulators under ceramic tiles
[NASA-CASE-MSC-12619-2] c 27 N79-12221
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c 37 N79-28549
Decoupler pylon: wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c 08 N82-32373
Vibration isolation and pressure compensation apparatus for sensitive instrumentation
[NASA-CASE-LAR-12728-1] c 35 N83-32026
Aircraft rotor blade with passive tuned tab
[NASA-CASE-ARC-11444-1] c 05 N85-29947
Variable force, eddy-current or magnetic damper
[NASA-CASE-LEW-13717-1] c 37 N85-30333
Segmented tubular cushion springs and spring assembly
[NASA-CASE-ARC-11349-1] c 37 N86-20797
VIBRATION MEASUREMENT
Method and apparatus for measuring the damping characteristics of a structure
[NASA-CASE-ARC-10154-1] c 14 N72-22440
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c 35 N75-27329
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c 35 N80-14371
Emitted vibration measurement device and method
[NASA-CASE-MFS-25981-1] c 35 N87-14670
VIBRATION METERS
Fiber optic vibration transducer and analyzer Patent
[NASA-CASE-XMF-02433] c 14 N71-10616
Ride quality meter
[NASA-CASE-LAR-12882-1] c 35 N84-12445
VIBRATION MODE
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c 10 N73-20253
VIBRATION SIMULATORS
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c 14 N73-13416
VIBRATION TESTS
Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c 14 N71-27185
Fixture for supporting articles during vibration tests
[NASA-CASE-MFS-20523] c 14 N72-27412
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c 14 N73-13416
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c 14 N73-19421
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12458-1] c 44 N83-21503
VIBRATIONAL SPECTRA
Dynamic vibration absorber Patent
[NASA-CASE-LAR-10083-1] c 15 N71-27006
VIDEO COMMUNICATION
Means for generating a sync signal in an FM communication system Patent
[NASA-CASE-XNP-10830] c 07 N71-11281
Reduced bandwidth video communication system utilizing sampling techniques Patent
[NASA-CASE-XNP-02791] c 07 N71-23026
Video communication system and apparatus Patent
[NASA-CASE-XNP-06611] c 07 N71-26102
Sampling video compression system
[NASA-CASE-ARC-10984-1] c 32 N77-24328
VIDEO DATA
Digital television camera control system Patent
[NASA-CASE-XNP-01472] c 14 N70-41807
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c 09 N71-25866
Facsimile video remodulation network
[NASA-CASE-GSC-10185-1] c 07 N72-12081
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c 33 N75-30431
Neighborhood comparison operator
[NASA-CASE-NPO-16464-1CU] c 60 N86-24224
VIDEO EQUIPMENT
Television signal processing system Patent
[NASA-CASE-NPO-10140] c 07 N71-24742
Video sync processor Patent
[NASA-CASE-KSC-10002] c 10 N71-25865
Video communication system and apparatus Patent
[NASA-CASE-XNP-06611] c 07 N71-26102
Video signal enhancement system with dynamic range compression and modulation index expansion Patent
[NASA-CASE-NPO-10343] c 07 N71-27341
Broadband video process with very high input impedance
[NASA-CASE-NPO-10199] c 09 N72-17156
Electronic video editor
[NASA-CASE-KSC-10003] c 10 N73-13235
Scan converting video tape recorder
[NASA-CASE-NPO-10166-1] c 07 N73-22076
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c 35 N76-16391
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c 45 N76-17656
Programmable pipelined image processor
[NASA-CASE-NPO-16461-1CU] c 60 N86-23283
Reconfigurable work station for a video display unit and keyboard
[NASA-CASE-MFS-26009-1-SB] c 54 N88-24163
VIDEO SIGNALS
Programmable scan/read circuitry for charge coupled device imaging detectors --- spcecraft attitude control and star trackers
[NASA-CASE-NPO-15345-1] c 74 N84-23247
Television camera video level control system
[NASA-CASE-MSC-18578-1] c 32 N85-21427
Large TV display system
[NASA-CASE-NPO-16932-1CU] c 33 N87-15413
Method and apparatus for telemetry adaptive bandwidth compression
[NASA-CASE-MSC-20821-1] c 17 N87-25348
VIDICONS
Method of erasing target material of a vidicon tube or the like Patent
[NASA-CASE-XNP-06028] c 09 N71-23189
Material handling device Patent
[NASA-CASE-XNP-09770-3] c 11 N71-27036
VIEWING
Real-time 3-D X-ray and gamma-ray viewer
[NASA-CASE-GSC-12640-1] c 74 N84-11920

Double window viewing chamber assembly
[NASA-CASE-MFS-28057-1] c 09 N87-14355
VINYL COPOLYMERS
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560
Vinyl stilbazoles
[NASA-CASE-ARC-11429-3CU] c 27 N87-16908
Structural panels
[NASA-CASE-ARC-11429-2-CU] c 27 N87-22845
VINYL POLYMERS
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c 03 N71-18698
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c 27 N78-32256
Compound oxidized styrylphosphine --- flame resistant vinyl polymers
[NASA-CASE-MSC-14903-2] c 27 N80-10358
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c 27 N80-24438
VINYLIDENE
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c 06 N71-23500
VIRUSES
Water system virus detection
[NASA-CASE-MSC-16098-1] c 51 N79-10693
VISCOELASTICITY
Resilience testing device Patent
[NASA-CASE-XLA-08254] c 14 N71-26161
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c 14 N73-14429
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c 37 N75-18573
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c 27 N81-15104
VISCOMETERS
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c 14 N71-17584
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c 14 N73-14429
VISCOSITY
Low viscosity magnetic fluid obtained by the colloidal suspension of magnetic particles Patent
[NASA-CASE-XLE-01512] c 12 N70-40124
Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c 35 N80-18357
Process of end-capping a polyimide system
[NASA-CASE-LAR-13135-1] c 27 N86-19456
VISCOUS DAMPING
Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c 14 N69-27486
Viscous-pendulum-damper Patent
[NASA-CASE-XLA-02079] c 12 N71-16894
Viscous pendulum damper Patent
[NASA-CASE-LAR-10274-1] c 14 N71-17626
Multiple plate hydrostatic viscous damper
[NASA-CASE-LEW-12445-1] c 37 N81-22360
VISIBILITY
Controlled visibility device for an aircraft Patent
[NASA-CASE-XFR-04147] c 11 N71-10748
Reusable captive blind fastener
[NASA-CASE-MSC-18742-1] c 37 N82-26673
VISIBLE SPECTRUM
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c 04 N82-16059
VISION
Retinally stabilized differential resolution television display
[NASA-CASE-NPO-15432-1] c 32 N85-29117
VISORS
Anti-fog composition --- for prevention of fogging on surfaces such as space helmet visors and windshields
[NASA-CASE-MSC-13530-2] c 23 N75-14834
VISUAL ACUITY
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c 54 N75-27759
VISUAL CONTROL
Visual target for retrofire attitude control
[NASA-CASE-XMS-12158-1] c 31 N69-27499
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c 04 N82-16059
VISUAL FIELDS
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c 05 N73-26072
Visual examination apparatus
[US-PATENT-RE-28,921] c 52 N76-30793
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c 74 N77-20882
Visual accommodation trainer-tester
[NASA-CASE-ARC-11426-1] c 09 N84-12193
VISUAL OBSERVATION
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c 38 N78-17396
VISUAL PERCEPTION
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c 14 N70-42074
Aircraft control position indicator
[NASA-CASE-LAR-12984-1] c 06 N87-22678
VISUAL STIMULI
Reaction tester
[NASA-CASE-MSC-13604-1] c 05 N73-13114
VITERBI DECODERS
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c 32 N77-12240
VOICE COMMUNICATION
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c 21 N71-13958
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c 07 N71-24621
Protective suit having an audio transceiver Patent
[NASA-CASE-KSC-10164] c 07 N71-33108
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c 32 N74-27612
Filtering device --- removing electromagnetic noise from voice communication signals
[NASA-CASE-MFS-22729-1] c 32 N76-21366
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c 32 N76-31372
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c 32 N80-20448
VOICE DATA PROCESSING
Digital communication system
[NASA-CASE-MSC-13912-1] c 32 N74-30524
Method and apparatus for operating on companded PCM voice data
[NASA-CASE-KSC-11285-1] c 32 N86-27513
VOLATILITY
Apparatus for testing polymeric materials Patent
[NASA-CASE-XNP-09699] c 06 N71-24607
VOLT-AMPERE CHARACTERISTICS
Voltage-current characteristic simulator Patent
[NASA-CASE-XMS-01554] c 10 N71-10578
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c 33 N77-10428
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c 33 N79-18193
VOLTAGE AMPLIFIERS
Electronic amplifier with power supply switching Patent
[NASA-CASE-XMS-00945] c 09 N71-10798
Bootstrap unloader Patent
[NASA-CASE-XNP-09768] c 09 N71-12516
Active RC networks
[NASA-CASE-ARC-10020] c 10 N72-17172
Wide range analog-to-digital converter with a variable gain amplifier
[NASA-CASE-NPO-11018] c 08 N72-21200
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c 33 N80-18286
Arc lamp power supply using a voltage multiplier
[NASA-CASE-LAR-13202-1] c 33 N88-23942
VOLTAGE CONTROLLED OSCILLATORS
Pulsed phase locked loop strain monitor --- voltage controlled oscillators
[NASA-CASE-LAR-12772-1] c 33 N83-16626
Automatic oscillator frequency control system
[NASA-CASE-GSC-12804-1] c 33 N86-20668
Radio Frequency (RF) strain monitor
[NASA-CASE-LAR-13705-1] c 39 N88-25011
VOLTAGE CONVERTERS (DC TO DC)
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c 33 N74-11049
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c 33 N77-10428
Inrush current limiter
[NASA-CASE-GSC-11789-1] c 33 N77-14333
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c 33 N77-30365
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c 33 N78-32341
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c 33 N81-19392
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c 33 N81-19393
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c 33 N81-33404
Power converter
[NASA-CASE-FRC-11014-1] c 33 N82-18494
A dc to dc converter
[NASA-CASE-MFS-25430-1] c 33 N84-16453
Simplified dc to dc converter
[NASA-CASE-LEW-13495-1] c 33 N84-33663
VOLTAGE GENERATORS
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c 03 N71-11057
Telemeter adaptable for implanting in an animal Patent
[NASA-CASE-XAC-05706] c 05 N71-12342
Multiple slope sweep generator Patent
[NASA-CASE-XMS-03542] c 09 N71-28926
Controllable load insensitive power converters
[NASA-CASE-ERC-10268] c 09 N72-25252
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c 44 N80-18551
Adaptive reference voltage generator for firing angle control of line-commutated inverters
[NASA-CASE-MFS-25215-1] c 33 N83-31953
VOLTAGE REGULATORS
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c 03 N69-21330
Power control circuit
[NASA-CASE-XNP-02713] c 10 N69-39888
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c 09 N69-39986
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-XMS-04215-1] c 09 N69-39987
Regulated power supply Patent
[NASA-CASE-XMS-01991] c 09 N71-21449
High voltage divider system Patent
[NASA-CASE-XLE-02008] c 09 N71-21583
Power supply circuit Patent
[NASA-CASE-XMS-00913] c 10 N71-23543
Voltage to frequency converter Patent
[NASA-CASE-GSC-10022-1] c 10 N71-25882
Buck boost voltage regulation circuit Patent
[NASA-CASE-GSC-10735-1] c 10 N71-26085
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c 14 N71-26244
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c 10 N71-26626
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c 14 N71-27407
High power microwave power divider Patent
[NASA-CASE-NPO-11031] c 07 N71-33606
Reference voltage switching unit
[NASA-CASE-NPO-11253] c 09 N72-17157
Switching regulator
[NASA-CASE-LEW-11005-1] c 09 N72-21243
Controllable load insensitive power converters
[NASA-CASE-ERC-10268] c 09 N72-25252
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c 33 N74-11049
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c 33 N74-17929
Low distortion automatic phase control circuit --- voltage controlled phase shifter
[NASA-CASE-MFS-21671-1] c 33 N74-22885
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c 33 N75-19521
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c 33 N78-17295
Voltage regulator for battery power source --- using a bipolar transistor
[NASA-CASE-FRC-10116-1] c 33 N79-23345
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c 33 N81-19392
Motor power factor controller with a reduced voltage starter
[NASA-CASE-MFS-25586-1] c 33 N82-11360
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c 33 N82-24418
Three phase power factor controller
[NASA-CASE-MFS-25535-2] c 33 N84-22885
High voltage isolation transformer
[NASA-CASE-GSC-12817-1] c 33 N85-29146
VOLTMETERS
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c 33 N75-19521
VOLUME
Mining volume measurement system
[NASA-CASE-LAR-13519-1] c 35 N88-23963
VOLUMETRIC ANALYSIS
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c 36 N79-18307

VOMITING
Venting device for pressurized space suit helmet Patent
[NASA-CASE-XMS-09652-1] c 05 N71-26333
VORTEX BREAKDOWN
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c 02 N77-10001
VORTEX GENERATORS
Multiway vortex valve system Patent
[NASA-CASE-XMF-04709] c 15 N71-15609
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c 34 N77-24423
Vortex generating flow passage design for increased film cooling effectiveness
[NASA-CASE-LEW-14039-1] c 34 N85-33433
Wingtip vortex propeller
[NASA-CASE-LAR-13019-1] c 07 N85-35194
VORTICES
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c 08 N79-14108
VORTICITY
Crossflow vorticity sensor
[NASA-CASE-LAR-13436-1-CU] c 02 N88-23759
VULCANIZING
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c 31 N74-18124

W

WAFERS
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c 26 N71-14354
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c 76 N78-24950
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c 37 N80-29703
Scriber for silicon wafers
[NASA-CASE-NPO-15539-1] c 37 N82-11469
Method of Fabricating Schottky Barrier solar cell
[NASA-CASE-NPO-13689-4] c 44 N82-28780
Method of making a high voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c 44 N82-29709
High voltage planar multijunction solar cell
[NASA-CASE-LEW-13400-1] c 44 N82-31764
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-15670-1] c 33 N82-33634
High voltage v-groove solar cell
[NASA-CASE-LEW-13401-2] c 44 N83-32177
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-256704-1] c 33 N84-22884
Imaging X-ray spectrometer
[NASA-CASE-GSC-12682-1] c 35 N84-33765
Epitaxial thinning process
[NASA-CASE-NPO-15786-1] c 76 N84-35112
Process and apparatus for growing a crystal ribbon
[NASA-CASE-NPO-15629-1] c 76 N84-35113
Ingot slicing machine and method
[NASA-CASE-NPO-15483-1] c 37 N85-21650
Lithium counterdoped silicon solar cell
[NASA-CASE-LEW-14177-1] c 44 N86-32875
Cross-contact chain
[NASA-CASE-NPO-16784-1] c 33 N87-10231
Floating emitter solar cell
[NASA-CASE-NPO-16467-1-CU] c 33 N87-23879
WAKES
Space ultra-vacuum facility and method of operation
[NASA-CASE-MFS-28139-1] c 29 N87-18679
WALKING
Drop foot corrective device
[NASA-CASE-LAR-12259-2] c 54 N86-22112
WALKING MACHINES
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828
WALL TEMPERATURE
Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c 14 N73-13417
Structural heat pipe --- for spacecraft wall thermal insulation system
[NASA-CASE-GSC-11619-1] c 34 N75-12222
Thermal control canister
[NASA-CASE-GSC-12253-1] c 34 N79-31523
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c 34 N83-27144
WALLS
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c 15 N70-36411
Method and apparatus for mapping the distribution of chemical elements in an extended medium
[NASA-CASE-GSC-12808-1] c 25 N85-21279
Apparatus and method to keep the walls of a free-space reactor free from deposits of solid materials
[NASA-CASE-NPO-15851-1] c 37 N85-21652
WARNING SYSTEMS
Out of tolerance warning alarm system for plurality of monitored circuits Patent
[NASA-CASE-XMS-10984-1] c 10 N71-19417
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c 09 N71-24893
Electrical apparatus for detection of thermal decomposition of insulation Patent
[NASA-CASE-XMF-03968] c 14 N71-27186
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c 14 N72-10375
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c 09 N72-21244
Display research collision warning system
[NASA-CASE-HQN-10703] c 21 N73-13643
System for indicating direction of intruder aircraft
[NASA-CASE-ERC-10226-1] c 14 N73-16483
Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c 10 N73-30205
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c 21 N73-30641
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c 35 N74-18090
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c 33 N78-10375
Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c 32 N79-10262
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c 33 N80-23559
Scanning seismic intrusion detection method and apparatus --- monitoring unwanted subterranean entry and departure
[NASA-CASE-ARC-11317-1] c 35 N83-34272
WASHING
Method of neutralizing the corrosive surface of amine-cured epoxy resins
[NASA-CASE-GSC-12686-1] c 27 N83-34039
WASTE DISPOSAL
Relief container
[NASA-CASE-XMS-06761] c 05 N69-23192
An airlock
[NASA-CASE-MFS-20922] c 31 N72-20840
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c 05 N72-27102
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c 54 N74-20725
Airlock
[NASA-CASE-MFS-20922-1] c 18 N74-22136
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c 35 N75-19611
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c 54 N76-14804
Absorbent product and articles made therefrom
[NASA-CASE-MSC-18223-2] c 54 N84-11758
Improved method and apparatus for waste collection and storage
[NASA-CASE-MSC-21025-1] c 31 N87-25495
WASTE ENERGY UTILIZATION
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183-1] c 44 N82-26776
Apparatus for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-1] c 07 N83-36029
Method for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-2] c 07 N86-20389
WASTE HEAT
Thermal control system --- removing waste heat from industrial process spacecraft
[NASA-CASE-GSC-12771-1] c 34 N84-14461
WASTE UTILIZATION
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c 45 N79-12584
WASTE WATER
Water system virus detection
[NASA-CASE-MSC-16098-1] c 51 N79-10693
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c 85 N79-17747
Method for treating wastewater using microorganisms and vascular aquatic plants
[NASA-CASE-NSTL-10] c 45 N84-12654
WATER
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c 09 N71-20842
Procedure and apparatus for determination of water in nitrogen tetroxide
[NASA-CASE-NPO-10234] c 06 N72-17094
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c 37 N76-16446
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c 44 N77-22607
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c 35 N78-27384
Solar photolysis of water
[NASA-CASE-NPO-14126-1] c 44 N79-11470
WATER FLOW
Potable water dispenser
[NASA-CASE-MFS-21115-1] c 54 N74-12779
Self-contained, single-use hose and tubing cleaning module
[NASA-CASE-MSC-20857-1] c 37 N87-17035
WATER INJECTION
Reentry communication by material addition Patent
[NASA-CASE-XLA-01552] c 07 N71-11284
WATER LANDING
Vehicle parachute and equipment jettison system Patent
[NASA-CASE-XLA-00195] c 02 N70-38009
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c 31 N72-18859
WATER MANAGEMENT
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c 03 N71-24718
Solar-powered pump
[NASA-CASE-NPO-13567-1] c 44 N76-29701
WATER POLLUTION
Compact solar still Patent
[NASA-CASE-XMS-04533] c 15 N71-23086
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c 14 N72-25413
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c 51 N80-27067
WATER QUALITY
Fluid sample collection and distribution system --- qualitative analysis of aqueous samples from several points
[NASA-CASE-MSC-16841-1] c 34 N79-24285
Rapid, quantitative determination of bacteria in water --- adenosine triphosphate
[NASA-CASE-GSC-12158-1] c 51 N83-27569
Method for detecting coliform organisms
[NASA-CASE-ARC-11322-1] c 51 N83-28849
WATER RECLAMATION
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c 05 N71-11207
Water system virus detection
[NASA-CASE-MSC-16098-1] c 51 N79-10693
Water separator
[NASA-CASE-XMS-01295-1] c 37 N79-21345
WATER RESOURCES
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c 43 N80-18498
WATER TEMPERATURE
Differential temperature transducer Patent
[NASA-CASE-XAC-00812] c 14 N71-15598
WATER TREATMENT
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c 03 N71-24718
Method of preparing water purification membranes --- polymerization of allyl amine as thin films in plasma discharge
[NASA-CASE-ARC-10643-1] c 25 N75-12087
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c 54 N78-14784
Water system virus detection
[NASA-CASE-MSC-16098-1] c 51 N79-10693
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c 45 N79-12584
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c 85 N79-17747
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c 45 N80-14579
Reverse osmosis membrane of high urea rejection properties --- water purification
[NASA-CASE-ARC-10980-1] c 27 N80-23452
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c 27 N81-14076

Sewage sludge additive
[NASA-CASE-NPO-13877-1] c 45 N82-11634
Method for treating wastewater using microorganisms and vascular aquatic plants
[NASA-CASE-NSTL-10] c 45 N84-12654

WATER VAPOR
Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c 14 N71-20741
Cell and method for electrolysis of water and anode
[NASA-CASE-MSC-16394-1] c 28 N81-24280
Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-2] c 36 N83-29681

WATER WAVES
Surface roughness measuring system --- synthetic aperture radar measurements of ocean wave height and terrain peaks
[NASA-CASE-NPO-13862-1] c 35 N79-10391
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c 48 N80-18667

WATERPROOFING
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c 37 N74-21063
Elevated waterproof access floor system and method of making the same
[NASA-CASE-ARC-11363-1] c 31 N87-16918

WATERWAVE ENERGY CONVERSION
Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c 44 N80-29834

WAVE AMPLIFICATION
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c 71 N77-26919

WAVE DIFFRACTION
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c 74 N80-21140

WAVE FRONT RECONSTRUCTION
Recording and reconstructing focused image holograms Patent
[NASA-CASE-ERC-10017] c 16 N71-15567

WAVE GENERATION
Wind tunnel airstream oscillating apparatus Patent
[NASA-CASE-XLA-00112] c 11 N70-33287
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c 09 N70-41675
Waveform simulator Patent
[NASA-CASE-NPO-10251] c 10 N71-27365
Wide band doubler and sine wave quadrature generator
[NASA-CASE-NPO-11133] c 10 N72-20223
Material suspension within an acoustically excited resonant chamber --- at near weightless conditions
[NASA-CASE-NPO-13263-1] c 12 N75-24774
Vibrating-chamber levitation systems
[NASA-CASE-NPO-16142-1-CU] c 35 N86-20752

WAVE INTERACTION
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c 33 N82-26568

WAVE PROPAGATION
Double reference pulsed phase locked loop
[NASA-CASE-LAR-13310-1] c 32 N87-14559

WAVE REFLECTION
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c 15 N71-17822
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c 07 N71-28965

WAVE RESISTANCE
Reactanceless synthesized impedance bandpass amplifier
[NASA-CASE-GSC-12788-1] c 33 N85-29145

WAVE SCATTERING
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c 23 N73-13662
Method and apparatus for Delta Kappa synthetic aperture radar measurement of ocean current
[NASA-CASE-NPO-15704-1] c 32 N85-34327

WAVEFORMS
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c 09 N70-38995
Single or joint amplitude distribution analyzer Patent
[NASA-CASE-XNP-01383] c 09 N71-10659
Peak polarity selector Patent
[NASA-CASE-FRC-10010] c 10 N71-24862
Family of frequency to amplitude converters
[NASA-CASE-MSC-12395] c 09 N72-25257
Apparatus for statistical time-series analysis of electrical signals
[NASA-CASE-MSC-12428-1] c 10 N73-25240
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c 32 N76-16249
Speech analyzer
[NASA-CASE-GSC-11898-1] c 32 N77-30309
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c 33 N79-10337

WAVEGUIDE ANTENNAS
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c 07 N72-11148

WAVEGUIDE FILTERS
High power microwave power divider Patent
[NASA-CASE-NPO-11031] c 07 N71-33606

WAVEGUIDE WINDOWS
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c 09 N71-24808

WAVEGUIDES
Dual waveguide mode source having control means for adjusting the relative amplitude of two modes Patent
[NASA-CASE-XNP-03134] c 07 N71-10676
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c 16 N71-15550
Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c 07 N71-29065
Waveguide mixer
[NASA-CASE-ERC-10179] c 07 N72-20141
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c 07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c 09 N72-29172
Resonant waveguide stark cell --- using microwave spectrometers
[NASA-CASE-LAR-11352-1] c 33 N75-26245
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c 36 N76-18428
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c 36 N80-18372
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c 32 N80-32605
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c 32 N81-14187
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c 33 N82-26568
Waveguide cooling system
[NASA-CASE-NPO-15401-1] c 32 N83-27085

WAVELENGTHS
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c 16 N69-31343
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c 14 N70-41946
Optical systems having spatially invariant outputs
[NASA-CASE-ERC-10248] c 14 N72-17323
Two color horizon sensor
[NASA-CASE-ERC-10174] c 14 N72-25409
Monitoring deposition of films
[NASA-CASE-MFS-20675] c 26 N73-26751
Dual wavelength scanning Doppler velocimeter --- without perturbation of flow fields
[NASA-CASE-ARC-10637-1] c 35 N75-16783
Diatomic infrared gasdynamic laser --- for producing different wavelengths
[NASA-CASE-ARC-10370-1] c 36 N75-31426
Fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c 74 N81-24900
Acoustic levitation methods and apparatus
[NASA-CASE-NPO-15562-1] c 71 N82-27086
Extended range X-ray telescope
[NASA-CASE-MFS-25282-1] c 34 N83-19015
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c 36 N83-29680
Acoustic suspension system
[NASA-CASE-NPO-15435-1] c 71 N83-36846
Dual wavelength holographic interferometry system
[NASA-CASE-MFS-28242-1] c 35 N88-23960

WAVES
Natural turbulence electrical power generator --- using wave action or random motion
[NASA-CASE-LAR-11551-1] c 44 N80-29834

WEAR
Refractory coatings
[NASA-CASE-LEW-13169-2] c 26 N82-30371

WEAR INHIBITORS
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-3] c 37 N82-19540

WEATHERPROOFING
Weatherproof helix antenna Patent
[NASA-CASE-XKS-08485] c 07 N71-19493

WEBS (SHEETS)
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c 38 N77-17495
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NASA-CASE-NPO-15494-1] c 35 N82-25484
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373

WEBS (SUPPORTS)
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c 07 N78-18066
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c 07 N79-14096

WEDGES
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c 07 N78-27121

WEIGHT (MASS)
Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c 15 N71-27146
System for indicating fuel-efficient aircraft altitude
[NASA-CASE-NPO-15351-2] c 06 N84-34443

WEIGHT INDICATORS
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c 35 N74-26945
Miniature remote dead weight calibrator
[NASA-CASE-LAR-13564-1] c 35 N87-25558

WEIGHT MEASUREMENT
Automatic force measuring system Patent
[NASA-CASE-XLA-02605] c 14 N71-10773
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c 35 N74-26945
Portable pallet weighing apparatus
[NASA-CASE-GSC-12789-1] c 35 N85-20294

WEIGHTLESSNESS
Apparatus for transferring cryogenic liquids Patent
[NASA-CASE-XLE-00345] c 15 N70-38020
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c 15 N70-40062
Measuring device Patent
[NASA-CASE-XMS-01546] c 14 N70-40233
Zero gravity starting means for liquid propellant motors Patent
[NASA-CASE-XNP-01390] c 28 N70-41275
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c 05 N70-41297
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c 05 N71-11207
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c 15 N71-15968
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c 11 N71-16028
Method and apparatus of simulating zero gravity conditions Patent
[NASA-CASE-MFS-12750] c 27 N71-16223
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c 15 N71-17649
Spherical tank gauge Patent
[NASA-CASE-XMS-06236] c 14 N71-21007
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c 14 N71-23227
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c 05 N71-24738
Material handling device Patent
[NASA-CASE-XNP-09770-3] c 11 N71-27036
Method of making foamed materials in zero gravity
[NASA-CASE-XMF-09902] c 15 N72-11387
Remote control manipulator for zero gravity environment
[NASA-CASE-MFS-14405] c 15 N72-28495
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c 15 N73-19458
Zero gravity liquid transfer screen
[NASA-CASE-KSC-10626] c 14 N73-27378
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c 54 N74-20725
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c 34 N74-27744
Rotary plant growth accelerating apparatus --- weightlessness
[NASA-CASE-ARC-10722-1] c 51 N75-25503
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c 34 N75-26282
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c 12 N76-15189
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c 35 N77-19385
Method of crystallization --- in gravity-free environments
[NASA-CASE-MFS-23001-1] c 76 N77-32919
Passive propellant system
[NASA-CASE-MFS-23642-1] c 20 N80-10278

Method and apparatus for producing concentric hollow spheres --- inertial confinement fusion targets
[NASA-CASE-NPO-14596-1] c 31 N81-33319
Sample levitation and melt in microgravity
[NASA-CASE-NPO-17022-1-CU] c 29 N87-25489

WEIGHTLESSNESS SIMULATION
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c 12 N69-39988
Mass measuring system Patent
[NASA-CASE-XMS-03371] c 05 N70-42000
Harness assembly Patent
[NASA-CASE-MFS-14671] c 05 N71-12341
Whole body measurement systems --- for weightlessness simulation
[NASA-CASE-MSC-13972-1] c 52 N74-10975
Weightlessness simulation system and process
[NASA-CASE-ARC-11646-1] c 14 N87-25344

WELD STRENGTH
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c 37 N75-19683

WELD TESTS
Determination of spot weld quality Patent
[NASA-CASE-XNP-02588] c 15 N71-18613
Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c 15 N72-21464

WELDED JOINTS
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c 37 N74-11300
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c 38 N74-15130
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c 26 N76-18257
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c 37 N76-27568
Automated weld torch guidance control system
[NASA-CASE-MFS-25807-2] c 37 N86-21850

WELDED STRUCTURES
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c 37 N75-19683
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c 39 N76-31562
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c 37 N77-11397
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c 26 N77-28265

WELDING
Segmented back-up bar Patent
[NASA-CASE-XMF-00640] c 15 N70-39924
Flexible back-up bar Patent
[NASA-CASE-XMF-00722] c 15 N70-40204
Apparatus for welding sheet material --- butt joints
[NASA-CASE-XMS-01330] c 37 N75-27376
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c 37 N77-11397
Method and apparatus for holding two separate metal pieces together for welding
[NASA-CASE-GSC-12318-1] c 37 N80-23655
Automatic weld torch guidance control system
[NASA-CASE-MFS-25807] c 37 N83-20154
Joining lead wires to thin platinum alloy films
[NASA-CASE-LEW-13934-1] c 35 N83-35338
Method of repairing hidden leaks in tubes
[NASA-CASE-MFS-19796-1] c 37 N86-32736
Alignment and assembly tool for very large diameter cylinders
[NASA-CASE-MFS-28001-2] c 37 N88-14360

WELDING MACHINES
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c 15 N71-15607
Automatic welding speed controller Patent
[NASA-CASE-XMF-01730] c 15 N71-23050
Electric welding torch Patent
[NASA-CASE-XMF-02330] c 15 N71-23798
Welding skate with computerized control Patent
[NASA-CASE-XMF-07069] c 15 N71-23815
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c 37 N79-10421
Welding torch with arc light reflector
[NASA-CASE-MFS-29134-1] c 74 N87-17493
Welding monitoring system
[NASA-CASE-MFS-29177-1] c 37 N88-14362

WET CELLS
Method and device for determining battery state of charge Patent
[NASA-CASE-NPO-10194] c 03 N71-20407

WETTING
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c 15 N69-21471

WHEATSTONE BRIDGES
Self-balancing strain gage transducer Patent
[NASA-CASE-MFS-12827] c 14 N71-17656
Method for improving the signal-to-noise ratio of the Wheatstone bridge type bolometer Patent
[NASA-CASE-XLA-02810] c 14 N71-25901
Temperature control system with a pulse width modulated bridge
[NASA-CASE-NPO-11304] c 14 N73-26430
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373

WHEELS
Non-backdriveable free wheeling coupling
[NASA-CASE-MSC-20475-1] c 37 N87-17037

WHISKER COMPOSITES
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c 17 N70-38490

WHISKERS (CRYSTALS)
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XHQ-03903] c 15 N69-21922

WICKS
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c 34 N76-27515
Monogroove heat pipe design: Insulated liquid channel with bridging wick
[NASA-CASE-MSC-20497-1] c 34 N85-29180
Polymeric heat pipe wick
[NASA-CASE-GSC-13019-1] c 34 N88-29133

WIDE ANGLE LENSES
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c 23 N71-24857

WIDEBAND COMMUNICATION
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346
Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c 32 N80-32604

WINCHES
Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c 15 N71-24599

WIND DIRECTION
Radionuclide counting technique for measuring wind velocity and direction
[NASA-CASE-LAR-12971-1] c 47 N84-28292

WIND EFFECTS
Viscous pendulum damper Patent
[NASA-CASE-LAR-10274-1] c 14 N71-17626
Aircraft liftmeter
[NASA-CASE-LAR-12518-1] c 06 N86-27280

WIND MEASUREMENT
Passive optical wind and turbulence detection system Patent
[NASA-CASE-XMF-14032] c 20 N71-16340
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c 14 N73-25460
Wind sensor
[NASA-CASE-NPO-13462-1] c 35 N76-24524
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c 47 N77-10753

WIND PROFILES
Wind velocity probing device and method Patent
[NASA-CASE-XLA-02081] c 20 N71-16281

WIND SHEAR
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c 06 N83-10040
Aircraft liftmeter
[NASA-CASE-LAR-12518-1] c 06 N86-27280

WIND TUNNEL APPARATUS
Wind tunnel airstream oscillating apparatus Patent
[NASA-CASE-XLA-00112] c 11 N70-33287
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c 25 N70-41628
Test unit free-flight suspension system Patent
[NASA-CASE-XLA-00939] c 11 N71-15926
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c 11 N71-17600
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c 09 N71-20816
Model launcher for wind tunnels Patent
[NASA-CASE-XNP-03578] c 11 N71-23030
Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c 11 N71-28779
Wind tunnel
[NASA-CASE-LAR-10135-1] c 09 N79-21083
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c 09 N82-23254
Airfoil flutter model suspension system
[NASA-CASE-LAR-13522-1-SB] c 09 N87-25334

WIND TUNNEL CALIBRATION
Rotary target V-block
[NASA-CASE-LAR-12007-3] c 35 N84-16523

WIND TUNNEL DRIVES
Electric arc driven wind tunnel Patent
[NASA-CASE-XMF-00411] c 11 N70-36913

WINDMILLS (WINDPOWERED MACHINES)

WIND TUNNEL MODELS
Flow field simulation Patent
[NASA-CASE-LAR-11138] c 12 N71-20436
Multilegged support system Patent
[NASA-CASE-XLA-01326] c 11 N71-21481
Model launcher for wind tunnels Patent
[NASA-CASE-XNP-03578] c 11 N71-23030
Wind tunnel model damper Patent
[NASA-CASE-XLA-09480] c 11 N71-33612
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c 09 N74-17955
Method for determining thermo-physical properties of specimens --- photographic recording of changes in thin film phase-change temperature indicating material in wind tunnel
[NASA-CASE-LAR-11053-1] c 25 N74-18551
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c 09 N82-23254
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12458-1] c 44 N83-21503
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12720-1] c 44 N83-21504
Model mount system for testing flutter
[NASA-CASE-LAR-12950-1] c 09 N84-34448
Airfoil flutter model suspension system
[NASA-CASE-LAR-13522-1-SB] c 09 N87-25334

WIND TUNNEL NOZZLES
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c 09 N78-31129
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c 09 N82-11088

WIND TUNNEL TESTS
Metallic hot wire anemometer --- for high speed wind tunnel tests
[NASA-CASE-ARC-10911-1] c 35 N77-20400
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c 09 N78-31129
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c 09 N82-23254
Miniature remote dead weight calibrator
[NASA-CASE-LAR-13564-1] c 35 N87-25558
Device for quick changeover between wind tunnel force and pressure testing
[NASA-CASE-LAR-13512-1] c 35 N87-28884
Thermal remote anemometer system
[NASA-CASE-LAR-13508-1] c 35 N88-23962

WIND TUNNEL WALLS
Sound shield
[NASA-CASE-LAR-12883-1] c 71 N83-17235

WIND TUNNELS
Thin film gauge --- for measuring convective heat transfer rates along test surfaces in wind tunnels
[NASA-CASE-NPO-10617-1] c 35 N74-22095
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c 09 N75-12969
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c 09 N76-23273
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c 35* N80-18358

WIND TURBINES
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c 44 N82-24639
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018

WIND VELOCITY
Radionuclide counting technique for measuring wind velocity and direction
[NASA-CASE-LAR-12971-1] c 47 N84-28292
Aircraft liftmeter
[NASA-CASE-LAR-12518-1] c 06 N86-27280

WIND VELOCITY MEASUREMENT
Wind velocity probing device and method Patent
[NASA-CASE-XLA-02081] c 20 N71-16281
Aircraft liftmeter
[NASA-CASE-LAR-12518-1] c 06 N86-27280

WINDING
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c 14 N71-26475
Pulse coupling circuit
[NASA-CASE-LEW-10433-1] c 09 N72-22197

WINDMILLS (WINDPOWERED MACHINES)
Electrical power generating system --- for windpowered generation
[NASA-CASE-MFS-24368-3] c 33 N81-22280
Vertical shaft windmill
[NASA-CASE-LAR-12923-1] c 37 N84-12493
Coupling an induction motor type generator to ac power lines --- making windmill generators compatible with public power lines
[NASA-CASE-MFS-25302-2] c 33 N84-33660

WINDOWS (APERTURES)
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c 07 N72-25170
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c 11 N73-12265
Light transmitting window assembly
[NASA-CASE-MSC-18417-1] c 74 N85-29750
Double window viewing chamber assembly
[NASA-CASE-MFS-28057-1] c 09 N87-14355
WINDPOWER UTILIZATION
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c 44 N82-24639
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018
WINDPOWERED GENERATORS
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c 44 N80-21828
Electrical power generating system --- for windpowered generation
[NASA-CASE-MFS-24368-3] c 33 N81-22280
WINDSHIELDS
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c 27 N76-16230
WING CAMBER
Slotted variable camber flap
[NASA-CASE-LAR-12541-1] c 05 N84-22551
WING FLAPS
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c 02 N70-33332
Slotted variable camber flap
[NASA-CASE-LAR-12541-1] c 05 N84-22551
WING PROFILES
Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c 02 N70-34178
Annular wing
[NASA-CASE-FRC-11007-2] c 05 N82-26277
WING ROOTS
Solar powered aircraft
[NASA-CASE-LAR-12615-1] c 05 N84-12154
WING SLOTS
Slotted variable camber flap
[NASA-CASE-LAR-12541-1] c 05 N84-22551
WING TIP VORTICES
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c 02 N77-10001
WING TIPS
Smoke generator
[NASA-CASE-ARC-10905-1] c 37 N77-13418
Wingtip vortex propeller
[NASA-CASE-LAR-13019-1] c 07 N85-35194
WINGS
Ferry system
[NASA-CASE-LAR-10574-1] c 11 N73-13257
Surface finishing --- for aircraft wings
[NASA-CASE-MSC-12631-1] c 24 N77-28225
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c 05 N79-12061
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface --- using an accelerometer to measure pressure levels during wind tunnel tests
[NASA-CASE-LAR-12261-1] c 02 N80-20224
System for use in conducting wake investigation for a wing in flight --- differential pressure measurements for drag investigations
[NASA-CASE-FRC-11024-1] c 02 N80-28300
Means for controlling aerodynamically induced twist
[NASA-CASE-LAR-12175-1] c 05 N82-28279
Decoupler pylon: wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c 08 N82-32373
Piezoelectric deicing device
[NASA-CASE-LEW-13773-2] c 33 N86-20671
Remote pivot decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-13173-1] c 05 N87-14314
WIRE
Transpiration cooled turbine blade manufactured from wires Patent
[NASA-CASE-XLE-00020] c 15 N70-33226
Soldering device Patent
[NASA-CASE-XLA-08911] c 15 N71-27214
Forming tool for ribbon or wire
[NASA-CASE-XLA-05966] c 15 N72-12408
Method of removing insulated material from insulated wires
[NASA-CASE-FRC-10038] c 15 N72-20444
Shielded flat cable
[NASA-CASE-MFS-13687-2] c 09 N72-22198
Butt welder for fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c 15 N73-14468
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c 26 N73-32571
Joining lead wires to thin platinum alloy films
[NASA-CASE-LEW-13934-1] c 35 N83-35338
Apparatus for disintegrating kidney stones
[NASA-CASE-GSC-12652-1] c 52 N84-34913
WIRE BRIDGE CIRCUITS
Cavity radiometer Patent
[NASA-CASE-XNP-06961] c 14 N71-24809
WIRE CLOTH
Insulating structure Patent
[NASA-CASE-XMF-00341] c 15 N70-33323
Method of making screen by casting Patent
[NASA-CASE-XLE-00953] c 15 N71-15966
WIRE WINDING
Adjustable tension wire guide Patent
[NASA-CASE-XMS-02383] c 15 N71-15918
Superconducting alternator Patent
[NASA-CASE-XLE-02823] c 09 N71-23443
Electric motive machine including magnetic bearing
[NASA-CASE-XGS-07805] c 15 N72-33476
Laser measuring system for incremental assemblies --- measuring wire-wrapped frame assemblies in spark chambers
[NASA-CASE-GSC-12321-1] c 36 N82-16396
WIRELESS COMMUNICATION
Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c 10 N73-30205
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c 44 N78-28594
WIRING
Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c 14 N72-17325
Test apparatus for locating shorts during assembly of electrical buses
[NASA-CASE-ARC-11116-1] c 33 N82-24420
Phase sensitive guidance sensor for wire-following vehicles
[NASA-CASE-NPO-15341-1] c 35 N84-33769
WOOD
Method of radiographic inspection of wooden members
[NASA-CASE-LAR-13724-1] c 38 N88-23983
WOODEN STRUCTURES
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c 24 N81-13999
WORDS (LANGUAGE)
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c 10 N71-25917
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c 10 N71-26103
Digital memory in which the driving of each word location is controlled by a switch core Patent
[NASA-CASE-XNP-01466] c 10 N71-26434
WORK HARDENING
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c 26 N78-24333
WORKING FLUIDS
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c 34 N78-17336
Thermochemical generation of hydrogen
[NASA-CASE-NPO-15015-1] c 25 N82-28368
Heat pipes containing alkali metal working fluid
[NASA-CASE-LEW-12253-1] c 74 N83-19596
WORKSTATIONS
Reconfigurable work station for a video display unit and keyboard
[NASA-CASE-MFS-26009-1-SB] c 54 N88-24163
WRENCHES
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c 15 N71-17686
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c 37 N75-33395
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c 37 N76-20480
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c 37 N79-14383
WRIST
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c 54 N78-17676

X

X RAY ABSORPTION
Medical clip
[NASA-CASE-LAR-12650-1] c 52 N84-28388
X RAY APPARATUS
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c 23 N73-13662
X-ray position detector
[NASA-CASE-NPO-12087-1] c 74 N81-19898
X RAY DIFFRACTION
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c 76 N78-24950
X RAY IMAGERY
Low intensity X-ray and gamma-ray imaging device --- fiber optics
[NASA-CASE-GSC-12263-1] c 74 N79-20857
Real-time 3-D X-ray and gamma-ray viewer
[NASA-CASE-GSC-12640-1] c 74 N84-11920
Method of fabricating an imaging X-ray spectrometer
[NASA-CASE-GSC-12956-1] c 35 N87-14671
X RAY INSPECTION
Method of determining bond quality of power transistors attached to substrates --- X ray inspection of junction microstructure
[NASA-CASE-MFS-21931-1] c 37 N75-26372
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c 76 N78-24950
X-ray determination of parts alignment
[NASA-CASE-MSC-20418-1] c 74 N86-20126
X RAY IRRADIATION
Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent
[NASA-CASE-XMS-02930] c 11 N71-23042
X RAY SOURCES
Imaging X-ray spectrometer
[NASA-CASE-GSC-12682-1] c 35 N84-33765
X RAY SPECTROSCOPY
Low intensity X-ray and gamma-ray spectrometer
[NASA-CASE-GSC-12587-1] c 35 N82-32659
Imaging X-ray spectrometer
[NASA-CASE-GSC-12682-1] c 35 N84-33765
Method of fabricating an imaging X-ray spectrometer
[NASA-CASE-GSC-12956-1] c 35 N87-14671
X RAY TELESCOPES
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c 14 N70-40240
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c 74 N74-27866
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c 74 N78-15880
Extended range X-ray telescope
[NASA-CASE-MFS-25282-1] c 34 N83-19015
Spectral slicing X-ray telescope with variable magnification
[NASA-CASE-MFS-25942-1] c 74 N86-20124
Multispectral glancing incidence X-ray telescope
[NASA-CASE-MFS-28013-1] c 89 N86-22459
X RAYS
Support structure for irradiated elements Patent
[NASA-CASE-XNP-06031] c 15 N71-15606
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c 35 N78-15461
Three-dimensional and tomographic imaging device for X-ray and gamma-ray emitting objects
[NASA-CASE-GSC-12851-1] c 35 N85-30281
X-Y PLOTTERS
Contour surveying system Patent
[NASA-CASE-XLA-08646] c 14 N71-17586
Particle parameter analyzing system --- x-y plotter circuits and display
[NASA-CASE-XLE-06094] c 33 N78-17293
X-15 AIRCRAFT
Energy management system for glider type vehicle Patent
[NASA-CASE-XFR-00756] c 02 N71-13421
XENON
Double photon excitation of high-Rydberg atoms as a long-lived submillimeter detector
[NASA-CASE-NPO-16372-1] c 72 N86-33127
XENON LAMPS
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c 16 N72-25485
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c 31 N78-17238
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c 33 N80-14330

Y

YAG LASERS
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c 36 N75-19654
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c 36 N77-25499
YARNS
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c 34 N78-25350

Lightweight electrically-powered flexible thermal laminate --- made of metal and nonconductive yarns
[NASA-CASE-MSC-12662-1] c 33 N79-12331

YAW
Three-axis controller Patent
[NASA-CASE-XAC-01404] c 05 N70-41581
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c 08 N81-19130
Actuated forebody strakes
[NASA-CASE-LAR-13983-1] c 05 N88-24628

YIELD STRENGTH
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c 26 N80-32484

YO-YO DEVICES
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c 30 N70-40016

YOKES
Preloadable vector sensitive latch
[NASA-CASE-MSC-20910-1] c 37 N87-25582

YTTERBIUM
Thermal barrier coating system
[NASA-CASE-LEW-14057-1] c 24 N85-35233

Z

ZEOLITES
Filter system for control of outgas contamination in vacuum Patent
[NASA-CASE-MFS-14711] c 15 N71-26185

ZINC
Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c 18 N72-23581
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c 44 N76-29699

ZINC COMPOUNDS
Method of changing the conductivity of vapor deposited gallium arsenide by the introduction of water into the vapor deposition atmosphere Patent
[NASA-CASE-XNP-01961] c 26 N71-29156
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c 18 N72-17532
Brazing alloy
[NASA-CASE-XNP-03878] c 26 N75-27127
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c 44 N76-18643
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c 27 N77-30237


ZINC OXIDES
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c 18 N71-26772
Method of forming transparent films of ZnO
[NASA-CASE-FRC-10019] c 15 N73-12487

ZIRCONIUM
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c 26 N77-20201
Nicral ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c 26 N82-31505
Thermal barrier coating system
[NASA-CASE-LEW-14057-1] c 24 N85-35233
Nickel base coating alloy
[NASA-CASE-LEW-13834-1] c 26 N87-14482

ZIRCONIUM CARBIDES
Zirconium carbide as an electrocatalyst for the chromous-chromic redox couple
[NASA-CASE-LEW-13246-1] c 44 N83-27344

ZIRCONIUM OXIDES
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c 37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c 24 N79-25143

Typical Inventor Index Listing



Listings in this index are arranged alphabetically by inventor. The title of the document provides the user with a brief description of the subject matter. The NASA Case Number is the prime access point to patent documents. The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located. The NASA accession number denotes the number by which the citation is identified within the subject category. The titles are arranged under each inventor in ascending accession number order.

A

ABEL, I. R.
Optical instruments
[NASA-CASE-MSC-14096-1] c 74 N74-15095

ABERNATHY, W. J.
Insert facing tool
[NASA-CASE-MFS-21485-1] c 37 N74-25968

ABHYANKAR, K. D.
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c 14 N73-12446

ABSHIRE, J. B.
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c 74 N76-30053
Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-1] c 36 N81-22344
Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-2] c 36 N83-29681
Optical distance measuring instrument
[NASA-CASE-GSC-12761-1] c 74 N86-32266

ACHAR, B. N.
Metal phthalocyanine polymers
[NASA-CASE-ARC-11405-1] c 27 N84-27884
Phthalocyanine polymers
[NASA-CASE-ARC-11413-1] c 27 N85-21348
Metal (2) 4,4',4',4'' phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281
Metal phthalocyanine intermediates for the preparation of polymers
[NASA-CASE-ARC-11405-2] c 27 N86-19455

ACHAR, BAPPALIGE N.
Process for preparing phthalocyanine polymer from imide containing bisphthalonitrile
[NASA-CASE-ARC-11511-2] c 27 N87-21112

ACORD, J. D.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c 21 N70-35089
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c 21 N70-35395
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c 31 N70-41855
Anti-backlash circuit for hydraulic drive system Patent
[NASA-CASE-XNP-01020] c 03 N71-12260
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c 14 N71-23040

ACRES, WILLIAM R.
Preloadable vector sensitive latch
[NASA-CASE-MSC-20910-1] c 37 N87-25582

ACUNA, M. H.
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c 14 N71-27325
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c 33 N75-19522

ADACHI, R. R.
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c 52 N74-22771

ADAMS, C. M., JR.
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c 15 N69-21471

ADAMS, G. D.
Vacuum deposition apparatus Patent
[NASA-CASE-XMF-01667] c 15 N71-17647
Evaporant source for vapor deposition Patent
[NASA-CASE-XMF-06065] c 15 N71-20395

ADAMS, R. R.
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c 35 N83-21311

ADAMS, W. A.
High stability amplifier
[NASA-CASE-GSC-12646-1] c 33 N83-34191
High stability buffered phase comparator
[NASA-CASE-GSC-12645-1] c 33 N84-16454

ADAMSON, A. P.
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c 37 N78-10468
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c 07 N78-17055
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c 07 N78-17056
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c 07 N78-18066
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c 07 N78-25089
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c 07 N79-14096

ADAMSON, M. J.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c 27 N74-21156
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c 33 N76-19339
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c 27 N76-32315

AGRAWAL, A. K.
Multicomputer communication system
[NASA-CASE-NPO-15433-1] c 32 N85-21428

AHL, E. L., JR.
Latching mechanism for deployable/re-stowable columns useful in satellite construction
[NASA-CASE-LAR-13169-1] c 37 N86-25791

AIRTH, H. B., JR.
Regulated power supply Patent
[NASA-CASE-XMS-01991] c 09 N71-21449

AISENBERG, S.
Doppler shift system
[NASA-CASE-HQN-10740-1] c 72 N74-19310

AJELLO, J. M.
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c 72 N80-14877

AJIOKA, J. S.
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c 32 N74-20863

AKAWIE, R. I.
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c 37 N74-21058

AKKERMAN, J. W.
Reciprocating engines
[NASA-CASE-MSC-16239-1] c 37 N81-32510
Automatic compression adjusting mechanism for internal combustion engines
[NASA-CASE-MSC-18807-1] c 37 N83-36483

ALADZHADZHYAN, SAMUEL H.
Generation of intense negative ion beams
[NASA-CASE-NPO-16061-1-CU] c 72 N87-21660

ALARIO, J. P.
Monogroove heat pipe design: Insulated liquid channel with bridging wick
[NASA-CASE-MSC-20497-1] c 34 N85-29180
Multi-leg heat pipe evaporator
[NASA-CASE-MSC-20812-1] c 34 N86-27593

ALBRECHT, W. P.
Fifth wheel
[NASA-CASE-FRC-10081-1] c 37 N77-14477

ALBRIGHT, C. F.
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c 03 N71-24718
Process for separation of dissolved hydrogen from water by use of palladium and process for coating palladium with palladium black
[NASA-CASE-MSC-13335-1] c 06 N72-31140

ALBUS, J. S.
Light sensitive digital aspect sensor Patent
[NASA-CASE-XGS-00359] c 14 N70-34158
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c 17 N78-17140

ALCORN, G. E.
Imaging X-ray spectrometer
[NASA-CASE-GSC-12682-1] c 35 N84-33765
GaAs Schottky barrier photo-responsive device and method of fabrication
[NASA-CASE-GSC-12816-1] c 76 N86-20150
Method of fabricating an imaging X-ray spectrometer
[NASA-CASE-GSC-12956-1] c 35 N87-14671

ALDRICH, B. R.
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c 05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c 05 N73-25125
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c 12 N79-26075
High gradient directional solidification furnace
[NASA-CASE-MFS-25963-1] c 35 N86-20750

ALESNA, R. E.
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c 54 N74-32546

ALEXANDER, P., JR.
Disconnect unit
[NASA-CASE-NPO-11330] c 33 N73-26958

ALFORD, W. J., JR.
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c 02 N70-33255

ALGER, D. L.
Deuterium pass through target
[NASA-CASE-LEW-11866-1] c 72 N76-15860
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c 37 N78-13436
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c 31 N78-17237
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c 34 N79-20336

ALLCOCK, H. R.
Process for the preparation of polycarboranylphosphazenes
[NASA-CASE-ARC-11176-2] c 27 N81-27271
Carboranylcyclotriphosphazenes and their polymers
[NASA-CASE-ARC-11176-1] c 27 N82-18389
Carboranylmethylene-substituted phosphazenes and polymers thereof
[NASA-CASE-ARC-11370-1] c 27 N84-22750

ALLEN, G. V.
Electric welding torch Patent
[NASA-CASE-XMF-02330] c 15 N71-23798

ALLEN, H., JR.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c 28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c 27 N71-15634

ALLEN, J. G., JR.
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c 31 N70-34966
ALLEN, J. H., SR.
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c 15 N71-22722
ALLEN, J. L.
Gravity enhanced acoustic levitation method and apparatus
[NASA-CASE-NPO-16147-1-CU] c 71 N85-29693
Noncontact temperature pattern measuring device
[NASA-CASE-NPO-17024-1-CU] c 35 N88-24943
ALLEN, JAMES L.
Single mode levitation and translation
[NASA-CASE-NPO-16675-1-CU] c 71 N88-24241
ALLEN, L. D.
Method of improving heat transfer characteristics in a nucleate boiling process Patent
[NASA-CASE-XMS-04268] c 33 N71-16277
ALLEN, L. H.
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c 23 N71-29125
ALLEN, R. W.
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c 33 N71-24858
ALLEN, W. K.
Time division multiplex system
[NASA-CASE-XGS-05918] c 07 N69-39974
Serrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c 07 N71-16088
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c 02 N71-19287
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c 07 N72-11149
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c 07 N73-20174
ALLEN, W. W.
Analog-to-digital converter analyzing system
[NASA-CASE-NPO-10560] c 08 N72-22166
ALLEY, V. L., JR.
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c 35 N77-22449
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c 31 N79-11246
ALLGEIER, R. K., JR.
Metal valve pintle with encapsulated elastomeric body Patent
[NASA-CASE-MSC-12116-1] c 15 N71-17648
ALLISON, SIDNEY G.
Method and apparatus for non-destructive testing of temper embrittlement in steels
[NASA-CASE-LAR-13817-1] c 26 N88-29012
ALLTON, CHARLES
Hatch cover
[NASA-CASE-MSC-21356-1] c 18 N88-24671
ALPER, M. E.
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c 37 N77-22480
ALSTON, W. B.
New condensation polyimides containing 1,1,1-triaryl-2,2,2-trifluoroethane structures
[NASA-CASE-LEW-14346-1] c 23 N87-14433
ALSTON, WILLIAM B.
Substituted 1,1,1-Triaryl-2,2,2-Trifluoroethanes and processes for their synthesis
[NASA-CASE-LEW-14345-1] c 23 N88-26404
ALTMAN, R. L.
Synthesis of dawsonites
[NASA-CASE-ARC-11326-1] c 25 N83-33977
Fire extinguishant materials
[NASA-CASE-ARC-11252-1] c 25 N83-36118
ALTSHULER, T. L.
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c 14 N71-28992
ALVAREZ, JOSE M.
Depolarization measurement method and device
[NASA-CASE-LAR-13621-1] c 70 N87-25822
AMBRUSO, A.
Gas operated actuator
[NASA-CASE-NPO-11340] c 15 N72-33477
AMEER, G. A.
Telespectrograph Patent
[NASA-CASE-XLA-03273] c 14 N71-18699
AMON, M.
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c 14 N73-30393
ANACKER, K.
Forming tool for ribbon or wire
[NASA-CASE-XLA-05966] c 15 N72-12408
ANAGNOSTOU, E.
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c 44 N78-25528
ANDERS, JOHN B.
Combined riblet and lebu drag reduction system
[NASA-CASE-LAR-13286-1] c 02 N88-14071
ANDERSON, ALMA G., JR.
Dual mode laser velocimeter
[NASA-CASE-ARC-11634-1] c 36 N88-14350
ANDERSON, D. L.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c 08 N71-18752
ANDERSON, F. A.
Solid propellant rocket motor
[NASA-CASE-XNP-03282] c 28 N72-20758
High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c 28 N79-28342
ANDERSON, G. D.
Phase detector assembly Patent
[NASA-CASE-XMF-00701] c 09 N70-40272
ANDERSON, G. E.
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c 34 N78-25350
Fluid leak indicator
[NASA-CASE-MSC-20783-1] c 35 N86-20756
ANDERSON, J. R.
Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c 17 N71-26773
ANDERSON, J. W.
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c 31 N79-21227
ANDERSON, K. F.
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c 09 N72-22200
ANDERSON, L. M.
Inelastic tunnel diodes
[NASA-CASE-LEW-13833-1] c 33 N85-21492
Solar energy converter using surface plasma waves
[NASA-CASE-LEW-13827-1] c 44 N85-21768
ANDERSON, R. A.
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c 33 N70-37979
ANDERSON, R. E.
Automatic transponder
[NASA-CASE-GSC-12075-1] c 32 N77-31350
ANDERSON, R. F.
Piezoelectric pump Patent
[NASA-CASE-XNP-05429] c 26 N71-21824
ANDERSON, T. O.
Binary number sorter Patent
[NASA-CASE-NPO-10112] c 08 N71-12502
Ranging system Patent
[NASA-CASE-NPO-10066] c 09 N71-18598
Data compression processor Patent
[NASA-CASE-NPO-10068] c 08 N71-19288
Data compressor Patent
[NASA-CASE-XNP-04067] c 08 N71-22707
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c 08 N71-22749
Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c 08 N71-23295
Digital synchronizer Patent
[NASA-CASE-NPO-10851] c 07 N71-24613
Decoder system Patent
[NASA-CASE-NPO-10118] c 07 N71-24741
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c 10 N71-26103
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c 10 N71-26577
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c 08 N71-29034
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c 10 N71-33407
Modular encoder
[NASA-CASE-NPO-10629] c 08 N72-18184
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c 07 N72-20140
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c 08 N72-20176
MOD 2 sequential function generator for multibit binary sequence
[NASA-CASE-NPO-10636] c 08 N72-25210
Digital slope threshold data compressor
[NASA-CASE-NPO-11630] c 08 N72-33172
Asynchronous, multiplexing, single line transmission and recovery data system
[NASA-CASE-NPO-13321-1] c 32 N75-26195
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c 60 N76-14818
Computer interface system
[NASA-CASE-NPO-13428-1] c 60 N77-12721
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c 60 N81-27814
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c 33 N82-29538
ANDERSON, W. J.
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c 15 N71-16052
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c 15 N72-22490
High speed hybrid bearing comprising a fluid bearing and a rolling bearing convected in series
[NASA-CASE-LEW-11152-1] c 15 N73-32359
Thrust bearing
[NASA-CASE-LEW-11949-1] c 37 N76-29588
ANDERSON, W. W.
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c 15 N76-14158
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c 37 N78-27424
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-1] c 35 N79-26372
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c 18 N81-29152
ANDERSON, W. W., JR.
Compensating radiometer
[NASA-CASE-XLA-04556] c 14 N69-27484
Semi-linear ball bearing Patent
[NASA-CASE-XLA-02809] c 15 N71-22982
ANDREWS, D. G.
Slotted variable camber flap
[NASA-CASE-LAR-12541-1] c 05 N84-22551
ANDREWS, E. H., JR.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c 14 N70-41366
ANDREWS, R. E.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c 35 N74-18090
ANDREWS, T. W.
Adjustable support
[NASA-CASE-NPO-10721] c 15 N72-27484
System and method for moving a probe to follow movements of tissue
[NASA-CASE-NPO-15197-1] c 52 N83-25346
ANGELE, W.
Electrical connector for flat cables Patent
[NASA-CASE-XMF-00324] c 09 N70-34596
Instrument support with precise lateral adjustment Patent
[NASA-CASE-XMF-00480] c 14 N70-39898
Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c 11 N70-41677
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c 15 N71-15986
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c 09 N71-28691
Shielded flat cable
[NASA-CASE-MFS-13687-2] c 09 N72-22198
Electrical connector
[NASA-CASE-MFS-20757] c 09 N72-28225
Cryogenic gyroscope housing
[NASA-CASE-MFS-21136-1] c 35 N74-18323
ANGULO, E. D.
Apparatus for disintegrating kidney stones
[NASA-CASE-GSC-12652-1] c 52 N84-34913
ANGULUO, E. D.
Cutting head for ultrasonic lithotripsy
[NASA-CASE-GSC-12944-1] c 52 N86-19885
ANICICH, V. G.
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c 72 N80-27163
ANSELMO, V. J.
Medical diagnosis system and method with multispectral imaging
[NASA-CASE-NPO-14402-1] c 52 N81-27783
AOYAGI, KIYOSHI
High performance forward swept wing aircraft
[NASA-CASE-ARC-11636-1] c 05 N88-28914
APPEL, M. A.
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c 27 N71-28929
APPLEBERRY, W. T.
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c 35 N74-27865
Device for use in loading tension members
[NASA-CASE-MFS-21488-1] c 14 N75-24794
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c 37 N77-22482
Load regulating latch
[NASA-CASE-MSC-19535-1] c 37 N77-32499

Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c 37 N79-20377

APPLER, R. L.
Method for generating ultra-precise angles Patent
[NASA-CASE-XGS-04173] c 19 N71-26674

APPLETON, M. W.
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c 09 N72-25247

ARCAND, G. M.
Method for determining the state of charge of batteries by the use of tracers Patent
[NASA-CASE-XNP-01464] c 03 N71-10728

ARCELLA, F. G.
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c 34 N76-27515
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c 26 N77-28265

ARENS, W. E.
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c 32 N77-32342
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c 32 N79-14268

ARGOUD, M. J.
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c 74 N77-28933
Protective telescoping shield for solar concentrator
[NASA-CASE-NPO-16236-1] c 44 N86-27706

ARIAS, A.
Apparatus for positioning and loading a test specimen Patent
[NASA-CASE-XLE-01300] c 15 N70-41993
Thermal shock apparatus Patent
[NASA-CASE-XLE-02024] c 14 N71-22964
Production of metal powders
[NASA-CASE-XLE-06461] c 17 N72-22530
Method for producing dispersion strengthened alloys by converting metal to a halide, comminuting, reducing the metal halide to the metal and sintering
[NASA-CASE-LEW-10450-1] c 15 N72-25448
Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c 17 N72-28535

ARLINE, S. B.
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c 37 N79-33468

ARMSTRONG, H. T.
Coupling for linear shaped charge Patent
[NASA-CASE-XLA-00189] c 33 N70-36846

ARNDT, G. D.
System for improving signal-to-noise ratio of a communication signal Patent Application
[NASA-CASE-MSC-12259-1] c 07 N70-12616
System for improving signal-to-noise ratio of a communication signal
[NASA-CASE-MSC-12259-2] c 07 N72-33146

ARONS, I. J.
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-2] c 54 N84-23113
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-1] c 54 N84-28484

ARRANCE, F. C.
Method of making membranes
[NASA-CASE-XNP-04264] c 03 N69-21337

ASHBROOK, R. L.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c 17 N71-15644
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c 17 N71-16025
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c 17 N71-23248
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c 15 N73-13465
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c 26 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c 37 N74-13179

ASHBY, GEORGE C., JR.
Pressure measuring probe
[NASA-CASE-LAR-13853-1] c 35 N88-23961

ASHWORTH, B. R.
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c 09 N74-30597
Seat cushion to provide realistic acceleration cues to aircraft simulator pilot
[NASA-CASE-LAR-12149-2] c 09 N79-31228
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c 54 N81-27806

ASKINS, B. S.
Method of obtaining intensified image from developed photographic films and plates
[NASA-CASE-MFS-23461-1] c 35 N79-10389

ASTHEIMER, R. W.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c 21 N70-35427

ASTON, G.
Ion beam accelerator system
[NASA-CASE-NPO-15547-1] c 72 N84-16959
Hollow cathode apparatus
[NASA-CASE-NPO-15560-1] c 33 N85-21491

ATKISSON, E. A.
Apparatus having coaxial capacitor structure for measuring fluid density Patent
[NASA-CASE-XLE-00143] c 14 N70-36618

AUBLE, C. M.
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c 14 N70-41946

AUER, S. O.
Cosmic dust or other similar outer space particles impact location detector
[NASA-CASE-GSC-11291-1] c 25 N72-33696
Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c 14 N73-20477
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c 35 N75-27331
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c 35 N76-15433
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c 35 N76-16393
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c 43 N78-10529

AUGASON, GORDON C.
Method and apparatus for making an optical element having a dielectric film
[NASA-CASE-ARC-11611-1] c 74 N87-28416

AUKER, B. H.
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c 27 N75-27160

AUSTIN, I. G.
Water separator
[NASA-CASE-XMS-01295-1] c 37 N79-21345

AUSTIN, W. E.
Compton scatter attenuation gamma ray spectrometer
[NASA-CASE-MFS-21441-1] c 14 N73-30392

AUYEUNG, J.
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629

AVERILL, R. D.
Vibration isolation and pressure compensation apparatus for sensitive instrumentation
[NASA-CASE-LAR-12728-1] c 35 N83-32026

AVIZIENIS, A. A.
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c 08 N71-24633

AYLWARD, J. R.
Cell and method for electrolysis of water and anode
[NASA-CASE-MSC-16394-1] c 28 N81-24280

AYVAZIAN, R. A.
Laminar flow enhancement Patent
[NASA-CASE-NPO-10122] c 12 N71-17631
Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c 10 N71-26339

B

BABA, P. D.
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c 24 N75-13032

BABB, B. D.
Method and apparatus for cryogenic wire stripping Patent
[NASA-CASE-MFS-10340] c 15 N71-17628
Self-balancing strain gage transducer Patent
[NASA-CASE-MFS-12827] c 14 N71-17656

BABCOCK, STEPHEN G.
Welding monitoring system
[NASA-CASE-MFS-29177-1] c 37 N88-14362

BABECKI, A. J.
Peen plating
[NASA-CASE-GSC-11163-1] c 15 N73-32360

BACCHI, R.
Valve actuator Patent
[NASA-CASE-XHQ-01208] c 15 N70-35409

BACHLE, W. H.
Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c 03 N72-25021

BACON, J. F.
Glass compositions with a high modulus of elasticity
[NASA-CASE-HQN-10274-1] c 27 N82-29451
High modulus invert analog glass compositions containing beryllia
[NASA-CASE-HQN-10931-2] c 27 N82-29452
Non-toxic invert analog glass compositions of high modulus
[NASA-CASE-HQN-10328-2] c 27 N82-29454
High modulus rare earth and beryllium containing silicate glass compositions
[NASA-CASE-HQN-10595-1] c 27 N82-29455

BADIN, F. E.
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c 14 N71-30026

BAEHR, E. F.
Channel-type shell construction for rocket engines and the like Patent
[NASA-CASE-XLE-00144] c 28 N70-34860
Rocket thrust chamber Patent
[NASA-CASE-XLE-00145] c 28 N70-36806
Method of making a regeneratively cooled combustion chamber Patent
[NASA-CASE-XLE-00150] c 28 N70-41818
Method of making a rocket motor casing Patent
[NASA-CASE-XLE-00409] c 28 N71-15658
Rocket motor casing Patent
[NASA-CASE-XLE-05689] c 28 N71-15659
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c 52 N75-33640
Corneal seal device
[NASA-CASE-LEW-12258-1] c 52 N77-28716
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c 52 N78-14773
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c 34 N78-25351
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c 52 N80-14684

BAER, D. A.
Synchronous orbit battery cycler
[NASA-CASE-GSC-11211-1] c 03 N72-25020

BAGANOFF, D.
Means for controlling rupture of shock tube diaphragms Patent
[NASA-CASE-XAC-00731] c 11 N71-15960

BAGBY, J. P.
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c 15 N70-35407

BAHIMAN, H.
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c 31 N71-16102
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c 37 N80-32717
Unidirectional flexural pivot
[NASA-CASE-GSC-12622-1] c 37 N84-12492

BAHM, E. J.
A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c 07 N71-33613

BAILEY, C. L., JR.
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c 08 N74-10942

BAILEY, D. A.
Adaptive control system for line-commutated inverters
[NASA-CASE-MFS-25209-1] c 33 N83-35227

BAILEY, F. J., JR.
Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c 14 N70-36807

BAILEY, G. A.
Magnetic matrix memory system Patent
[NASA-CASE-XMF-05835] c 08 N71-12504

BAILEY, G. C.
Integrating IR detector imaging systems
[NASA-CASE-NPO-15805-1] c 74 N84-28590

BAILEY, J. W.
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c 07 N71-12392
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c 09 N71-23573
Explosively activated egress area
[NASA-CASE-LAR-12624-1] c 01 N83-35992

BAILEY, JAMES W.
Tool and process for miniature explosive joining of tubes
[NASA-CASE-LAR-13662-1] c 37 N88-14359

BAILEY, M. C.
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c 09 N72-21244

BAILEY, R. L.
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c 14 N71-18465

Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c 28 N72-23810
Electromagnetic wave energy converter
[NASA-CASE-GSC-11394-1] c 09 N73-32109

BAKER, C. D.
Coating process
[NASA-CASE-XNP-06508] c 18 N69-39895
Electrical spot terminal assembly Patent
[NASA-CASE-NPO-10034] c 15 N71-17685
Electrical connector
[NASA-CASE-NPO-10694] c 09 N72-20200
Pressure transducer
[NASA-CASE-NPO-10832] c 14 N72-21405

BAKER, E. H.
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c 11 N70-34815

BAKER, G. J.
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c 06 N80-18036

BAKER, J. T.
Logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c 52 N82-11770

BAKER, M. E.
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c 05 N71-24623

BAKER, R. L.
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c 15 N71-21744

BAKER, V. D.
Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c 14 N71-20741

BAKSTON, B.
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c 15 N71-18132

BALDWIN, L. V.
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c 14 N70-38602
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c 28 N70-41576

BALES, T. T.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c 15 N71-18616
Metal matrix composite structural panel construction
[NASA-CASE-LAR-12807-1] c 24 N84-11214
Curved cap corrugated sheet
[NASA-CASE-LAR-12884-1] c 18 N84-33450

BALES, THOMAS T.
Stiffened titanium panels
[NASA-CASE-LAR-13814-1] c 31 N88-24816

BALLANTINE, T. J.
A method and technique for installing light-weight fragile, high-temperature fiber insulation
[NASA-CASE-MSC-18934-3] c 24 N82-26387

BALLARD, R. R.
Two-axis controller Patent
[NASA-CASE-XFR-04104] c 03 N70-42073

BALLENTINE, F. M., JR.
Foam generator Patent
[NASA-CASE-XLA-00838] c 03 N70-36778

BALLOU, E. V.
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c 25 N79-10162
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c 28 N82-18401

BAMFORD, R. M.
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c 15 N70-36947
Sealed separable connection Patent
[NASA-CASE-NPO-10064] c 15 N71-17693

BANDINI, U.
Out of tolerance warning alarm system for plurality of monitored circuits Patent
[NASA-CASE-XMS-10984-1] c 10 N71-19417

BANK, H.
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c 52 N79-14749

BANKS, A.
Apparatus for producing oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-2] c 27 N86-32569

BANKS, B. A.
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c 28 N71-26173
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c 28 N71-26642
Process for glass coating an ion accelerator grid Patent
[NASA-CASE-LEW-10278-1] c 15 N71-28582
Ion thruster magnetic field control
[NASA-CASE-LEW-10835-1] c 28 N72-22771
Electromagnetic flow rate meter
[NASA-CASE-LEW-10981-1] c 35 N74-21018
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c 20 N74-31269
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c 20 N75-18310
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c 37 N76-14461
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c 20 N76-21276
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c 20 N77-20162
Texturing polymer surfaces by transfer casting
[NASA-CASE-LEW-13120-1] c 27 N82-28440
Surface texturing of fluoropolymers
[NASA-CASE-LEW-13028-1] c 27 N82-33521
Mechanical bonding of metal method
[NASA-CASE-LEW-12941-1] c 26 N83-10170
Ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-1] c 52 N83-21785
Diamondlike flake composites
[NASA-CASE-LEW-13837-1] c 24 N84-22695
Method of making an ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-2] c 52 N84-23095
Deposition of diamondlike carbon films
[NASA-CASE-LEW-14080-1] c 31 N85-20153
Diamondlike flakes
[NASA-CASE-LEW-13837-2] c 24 N85-21267
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-1] c 27 N86-19458
Piezoelectric deicing device
[NASA-CASE-LEW-13773-2] c 33 N86-20671

BANKS, BRUCE A.
Ion beam sputter etching
[NASA-CASE-LEW-13899-1] c 31 N87-21160
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736

BANKSTON, B. F.
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c 26 N76-18257
Two-dimensional scanner apparatus
[NASA-CASE-MFS-25687-1] c 35 N84-22928
Apparatus and method for inspecting a bearing ball
[NASA-CASE-MFS-25833-1] c 35 N86-32698

BANTA, R. D.
Positive contact resistance soldering unit
[NASA-CASE-KSC-10242] c 15 N72-23497

BARACK, W. N.
Redundant disc
[NASA-CASE-LEW-12496-1] c 07 N78-33101

BARAONA, C. R.
Screen printed interdigitated back contact solar cell
[NASA-CASE-LEW-13414-1] c 44 N85-20530

BARBER, J. B.
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c 16 N71-24170

BARBER, PATRICK G.
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713
Procedure to prepare transparent silica gels
[NASA-CASE-LAR-13476-1-CU] c 76 N87-29360
Method of dispensing reagent chemicals in space
[NASA-CASE-LAR-13607-1-CU] c 29 N88-29048

BARBERA, A. J.
Use of unilluminated solar cells as shunt diodes for a solar array
[NASA-CASE-GSC-10344-1] c 03 N72-27053

BARGER, R. L.
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c 25 N70-36946

BARISH, B.
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c 03 N71-11057

BARKER, P.
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c 05 N71-27234

BARMATZ, M. B.
Acoustic levitation methods and apparatus
[NASA-CASE-NPO-15562-1] c 71 N82-27086
Acoustic system for material transport
[NASA-CASE-NPO-15453-1] c 71 N83-32515
System for controlled acoustic rotation of objects
[NASA-CASE-NPO-15522-1] c 71 N83-32516
Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104
High temperature acoustic levitator
[NASA-CASE-NPO-16022-1] c 71 N85-22105
Gravity enhanced acoustic levitation method and apparatus
[NASA-CASE-NPO-16147-1-CU] c 71 N85-29693
Acoustic particle separation
[NASA-CASE-NPO-15559-1] c 71 N85-30765
Vibrating-chamber levitation systems
[NASA-CASE-NPO-16142-1-CU] c 35 N86-20752

BARMATZ, MARTIN B.
Single mode levitation and translation
[NASA-CASE-NPO-16675-1-CU] c 71 N88-24241

BARNES, J. R.
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c 35 N81-19427

BARNES, P. E.
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c 07 N79-14095

BARNES, WAYNE L.
Orbital maneuvering end effectors
[NASA-CASE-MFS-28161-1] c 37 N87-18817

BARNETT, CLIFFORD J.
Payload deployment method and system
[NASA-CASE-MSC-21330-1] c 16 N88-24660

BARNETT, J. H., JR.
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c 02 N73-26006

BARNETT, M. A.
Furlable antenna
[NASA-CASE-NPO-13553-1] c 33 N76-32457

BARNISKIS, W. A.
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-XMS-04215-1] c 09 N69-39987

BARNS, C. E.
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c 15 N82-24272

BARR, T. A.
Thickness measurement system
[NASA-CASE-MFS-23721-1] c 31 N79-28370

BARRETT, C. A.
Nicral ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c 26 N82-31505
Nickel base coating alloy
[NASA-CASE-LEW-13834-1] c 26 N87-14482

BARRETT, T. W.
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c 28 N71-27585

BARRINGTON, A. B.
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c 14 N71-18483

BARRINGTON, A. E.
Leak detector wherein a probe is monitored with ultraviolet radiation Patent
[NASA-CASE-ERC-10034] c 15 N71-24896
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c 09 N71-26678
Ion microprobe mass spectrometer for analyzing fluid materials Patent
[NASA-CASE-ERC-10014] c 14 N71-28863
Device for measuring light scattering wherein the measuring beam is successively reflected between a pair of parallel reflectors Patent
[NASA-CASE-XER-11203] c 14 N71-28994

BARTERA, R. E.
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c 45 N76-21742
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c 33 N77-22386
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c 33 N80-14330

BARTHLOME, D. E.
Space suit pressure stabilizer Patent
[NASA-CASE-XLA-05332] c 05 N71-11194
Equipotential space suit Patent
[NASA-CASE-LAR-10007-1] c 05 N71-11195
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c 52 N76-19785
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c 32 N80-29539

BARTMAN, RANDALL K.
Closed loop fiber optic rotation sensor
[NASA-CASE-NPO-16558-1-CU] c 74 N87-23259

BARZA, M. J.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c 51 N77-22794
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750

BASIULIS, A.
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c 15 N71-27184
Radial heat flux transformer
[NASA-CASE-NPO-10828] c 33 N72-17948

Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c 06 N73-13129

BASIULIS, D. I.
High performance channel injection sealant invention abstract
[NASA-CASE-ARC-14408-1] c 27 N82-33523

BASS, A. M.
Ultraviolet resonance lamp Patent
[NASA-CASE-ARC-10030] c 09 N71-12521
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c 14 N72-25428

BASS, ROBERT G.
Polyenamines from aromatic diacetylenic diketones and diamines
[NASA-CASE-LAR-13444-1-CU] c 27 N87-22847

BASTIEN, G. J.
Fluid flow restrictor Patent
[NASA-CASE-NPO-10117] c 15 N71-15608

BATE, E. R., JR.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c 34 N74-27730

BATES, H. E.
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c 26 N71-16037

BATHKER, D. A.
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c 09 N73-12214
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c 32 N80-16261

BATSCH, F. F.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c 21 N70-36938
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c 15 N70-38620

BATTE, W. G.
Exclusive-Or digital logic module Patent
[NASA-CASE-XLA-07732] c 08 N71-18751

BATTEN, C. E.
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c 35 N80-28687

BATTERSON, S. A.
Runway light Patent
[NASA-CASE-XLA-00119] c 11 N70-33329

BATTS, C. N.
Contour surveying system Patent
[NASA-CASE-XLA-08646] c 14 N71-17586

BATTS, COLOSSIE N.
Comparator with noise suppression
[NASA-CASE-LAR-13151-1] c 33 N87-21235

BAUCOM, R. M.
Extensometer frame
[NASA-CASE-XLA-10322] c 15 N72-17452
Medical clip
[NASA-CASE-LAR-12650-1] c 52 N84-28388
Process of making medical clip
[NASA-CASE-LAR-12650-2] c 52 N84-28389

BAUER, H. B.
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c 31 N74-27902

BAUERNSCHUB, J. P., JR.
Folding boom assembly Patent
[NASA-CASE-XGS-00938] c 32 N70-41367
Nonmagnetic, explosive actuated indexing device Patent
[NASA-CASE-XGS-02422] c 15 N71-21529

BAUGH, B. T.
Precision manipulator heating and cooling apparatus for use in UHV systems with sample transfer capability
[NASA-CASE-LAR-13040-1] c 37 N85-29286

BAUGHMAN, J. R.
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c 11 N73-12265
Droplet monitoring probe
[NASA-CASE-NPO-10985] c 14 N73-20478

BAUMAN, A. J.
Solder flux which leaves corrosion-resistant coating Patent
[NASA-CASE-XNP-03459-2] c 18 N71-15688
Soldering with solder flux which leaves corrosion resistant coating Patent
[NASA-CASE-XNP-03459] c 15 N71-21078
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c 17 N71-28747
Molten salt pyrolysis of latex
[NASA-CASE-NPO-14315-1] c 27 N81-17261

BAUMER, W. E.
Counter Patent
[NASA-CASE-XNP-06234] c 10 N71-27137

BAXTER, R. D.
Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c 33 N71-23085

BEALE, H. A.
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c 35 N75-13213

BEAM, B. H.
Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c 14 N72-24477

BEAM, R. A.
Optical projector system Patent
[NASA-CASE-XNP-03853] c 23 N71-21882

BEAM, R. M.
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c 44 N74-33379

BEASLEY, R. M.
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c 27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c 27 N76-23426

BEASLEY, W. D.
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c 25 N70-36946

BEATTY, R. W.
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c 14 N73-13420

BEAUREGARD, W. W.
Water separating system Patent
[NASA-CASE-XMS-13052] c 14 N71-20427

BECK, A. F.
Small plasma probe Patent
[NASA-CASE-XLE-02578] c 25 N71-20747

BECK, T. R.
Method of inhibiting stress corrosion cracks in titanium alloys Patent
[NASA-CASE-NPO-10271] c 17 N71-16393

BECKER, R. A.
Photoelectric energy spectrometer Patent
[NASA-CASE-XNP-04161] c 14 N71-15599

BECKERLE, L. D.
Heat shield oven
[NASA-CASE-XMS-04318] c 15 N69-27871

BECKMAN, P.
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c 25 N69-39884

BECKWITH, I. E.
Sound shield
[NASA-CASE-LAR-12883-1] c 71 N83-17235

BECKWITH, R. M.
Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c 14 N70-36907

BEEHM, J. M.
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c 14 N71-26627

BEEKMAN, S. W.
Redundant disc
[NASA-CASE-LEW-12496-1] c 07 N78-33101

BEEN, J. F.
Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c 14 N73-28488

BEER, R.
Cooled echelle grating spectrometer
[NASA-CASE-NPO-14372-1] c 35 N80-26635

BEGGS, J. M.
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126

BEHIMER, H.
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c 37 N79-14383

BEHM, J. W.
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c 28 N73-24784

BEITLER, R. S.
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c 07 N81-19116
Control means for a gas turbine engine
[NASA-CASE-LEW-14586-1] c 07 N83-31603

BEJCZY, A. K.
Terminal guidance sensor system
[NASA-CASE-NPO-14521-1] c 37 N81-27519
Optical fiber tactile sensor
[NASA-CASE-NPO-15375-1] c 74 N84-11921

BELANGER, R. J.
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c 15 N71-23048

BELASCO, N.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757

BELCHER, J. G., JR.
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c 37 N82-12441

BELEW, H. W., JR.
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c 11 N72-27262

BELEW, R. R.
Thermal compensating structural member
[NASA-CASE-MFS-20433] c 15 N72-28496
Docking structure for spacecraft
[NASA-CASE-MFS-20863] c 31 N73-26876
Emergency descent device
[NASA-CASE-MFS-23074-1] c 54 N77-21844
Biocentrifuge system capable of exchanging specimen cages while in operational mode
[NASA-CASE-MFS-23825-1] c 51 N81-32829
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c 07 N83-20944
Variable length strut with longitudinal compliance and locking capability
[NASA-CASE-MFS-25907-1] c 37 N85-34401
Remotely controllable mixing system
[NASA-CASE-MFS-28153-1] c 31 N86-32589
Remotely operable peristaltic pump
[NASA-CASE-MFS-28059-1] c 37 N86-32738

BELEW, ROBERT
Dual motion valve with single motion input
[NASA-CASE-MFS-28058-1] c 37 N87-21332

BELL, A.
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c 26 N78-32229

BELL, C. H.
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c 74 N78-14889
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c 74 N83-29032

BELL, D., III
Heated element fluid flow sensor Patent
[NASA-CASE-MSC-12084-1] c 12 N71-17569

BELL, V. L.
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c 27 N75-29263
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c 27 N78-17205
Process for preparing thermoplastic aromatic polyimides
[NASA-CASE-LAR-11828-1] c 27 N78-32261
Process for crosslinking methylene-containing aromatic polymers with ionizing radiation
[NASA-CASE-LAR-13448-1] c 27 N86-24840

BELL, V. L., JR.
Process for interfacial polymerization of pyromellitic dianhydride and 1,2,4, 5-tetraamino-benzene Patent
[NASA-CASE-XLA-03104] c 06 N71-11235
Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c 06 N71-11238
Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c 14 N71-20430

BELL, VERNON L.
Process for crosslinking and extending conjugated diene-containing polymers
[NASA-CASE-LAR-13452-1] c 27 N87-22848
Polyether-polyester graft copolymer
[NASA-CASE-LAR-13447-1] c 27 N88-18725

BELLAVIA, J., JR.
Thermal barrier pressure seal
[NASA-CASE-MSC-18134-1] c 37 N81-15363

BELLMAN, D. R.
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c 06 N81-17057

BELT, J. L.
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c 32 N79-23310

BEMENT, L. J.
Linear explosive comparison
[NASA-CASE-LAR-10800-1] c 33 N72-27959
Totally confined explosive welding
[NASA-CASE-LAR-10941-1] c 37 N74-21057
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c 37 N75-12326
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c 37 N79-13364
Explosively activated egress area
[NASA-CASE-LAR-12624-1] c 01 N83-35992

BEMENT, LAURENCE J.
Tool and process for miniature explosive joining of tubes
[NASA-CASE-LAR-13662-1] c 37 N88-14359

BENEDICT, R. D.
Transient augmentation circuit for pulse amplifiers Patent
[NASA-CASE-XNP-01068] c 10 N71-28739

BENEDICTO, J. S. J.
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c 76 N80-18951
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c 37 N82-32730
BENGTSON, R. D.
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c 15 N71-21060
BENHAM, J. W.
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c 33 N80-18286
BENNETT, G. W.
Control means for a gas turbine engine
[NASA-CASE-LEW-14586-1] c 07 N83-31603
BENNIGHT, J. D.
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c 15 N71-17650
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c 15 N71-24865
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c 15 N71-26148
BENTS, D. J.
Coaxial tube tether/transmission line for manned nuclear space power
[NASA-CASE-LEW-14338-1] c 20 N87-10174
BENZ, F. J.
Device and method for frictionally testing materials for ignitability
[NASA-CASE-MSC-20622-1] c 25 N86-19413
BENZ, H. A.
Image readout device with electronically variable spatial resolution
[NASA-CASE-LAR-12633-1] c 33 N82-24416
BERDAHL, C. M.
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c 35 N78-15461
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c 44 N79-18443
Fluidic angular velocity sensor
[NASA-CASE-NPO-16479-ICU] c 35 N86-32695
BEREMAND, D. G.
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c 34 N78-27357
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c 37 N80-31790
BEREMAND, G. B.
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c 18 N72-25539
BERG, O. E.
Dust particle injector for hypervelocity accelerators Patent
[NASA-CASE-XGS-06628] c 24 N71-16213
Cosmic dust sensor
[NASA-CASE-GSC-10503-1] c 14 N72-20381
BERGE, L. H.
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c 71 N81-15767
Gas levitator having fixed levitation node for containerless processing
[NASA-CASE-MFS-25509-1] c 35 N83-24828
BERGLUND, R. A.
Erectable modular space station Patent
[NASA-CASE-XLA-00678] c 31 N70-34296
BERGSTROM, S. L.
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227
BERKA, R. B.
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
BERKMAN, S.
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c 76 N80-32244
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c 33 N81-19389
BERKOPEC, F. D.
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c 33 N77-26385
BERMAN, P. A.
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c 44 N76-31666
BERNARDIN, R. M.
Measuring device Patent
[NASA-CASE-XMS-01546] c 14 N70-40233
BERNATOWICZ, D. T.
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c 44 N74-14784
BERNSEN, B.
Electrical apparatus for detection of thermal decomposition of insulation Patent
[NASA-CASE-XMF-03968] c 14 N71-27186
BERNSTEIN, A. J.
Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c 32 N79-10262
BERRIER, B. L.
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c 08 N81-19130
BERRY, E. H.
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c 09 N71-23188
Positive dc to negative dc converter Patent
[NASA-CASE-XMF-08217] c 03 N71-23239
BERRY, MAGGIE L.
Method of radiographic inspection of wooden members
[NASA-CASE-LAR-13724-1] c 38 N88-23983
BERRY, R. F., JR.
Ultrasonic angle beam standard reflector
[NASA-CASE-LAR-13153-1] c 71 N86-21276
BERRY, ROBERT F., JR.
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713
BERRY, ROBERT L.
Method of radiographic inspection of wooden members
[NASA-CASE-LAR-13724-1] c 38 N88-23983
BERSON, L. A.
Portable 90 degree proof loading device
[NASA-CASE-MSC-20250-1] c 35 N86-19581
BESSETTE, R. J.
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012
BESWICK, A. G.
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c 14 N71-22765
BEUYUKIAN, C. S.
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c 15 N71-21536
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c 26 N80-28492
BEYLIK, C. M.
Pressure seal Patent
[NASA-CASE-NPO-10796] c 15 N71-27068
BHAGAT, P. K.
Apparatus for determining changes in limb volume
[NASA-CASE-MSC-18759-1] c 52 N83-27578
BHAT, B. N.
Method of growing composites of the type exhibiting the Soret effect
[NASA-CASE-MFS-22926-1] c 24 N77-27187
BHATT, RAMAKRISHNA T.
Method of preparing fiber reinforced ceramic material
[NASA-CASE-LEW-14392-1] c 27 N87-28656
BHIWANDKER, N. C.
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c 24 N75-13032
BIBBO, C.
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c 15 N70-33376
BICKLER, D. B.
Electrodes for solid state devices
[NASA-CASE-NPO-15161-1] c 33 N84-16456
Increased voltage photovoltaic cell
[NASA-CASE-NPO-16155-1] c 44 N85-30475
BICKLER, DONALD B.
Articulated suspension system
[NASA-CASE-NPO-17354-1-CU] c 37 N88-24973
BICKLER, T. C.
Synthetic aperture radar target simulator
[NASA-CASE-NPO-15024-1] c 32 N84-27951
BICKNELL, T. J.
Servomechanism for Doppler shift compensation in optical correlator for synthetic aperture radar
[NASA-CASE-NPO-14998-1] c 32 N83-18975
BIDDLE, ALAN P.
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253
BIEHL, A. J.
Hypervelocity gun
[NASA-CASE-XLE-03186-1] c 09 N79-21084
BIENIEK, T.
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c 06 N71-27363
BIER, M.
Electrophoretic fractional elution apparatus employing a rotational seal fraction collector
[NASA-CASE-MFS-23284-1] c 37 N80-14397
BIKLE, P. F.
System for use in conducting wake investigation for a wing in flight
[NASA-CASE-FRC-11024-1] c 02 N80-28300
BILBRO, J. W.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
BILDERBACK, R. R.
Amplitude modulated laser transmitter Patent
[NASA-CASE-XMS-04269] c 16 N71-22895
BILES, J. E., JR.
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c 14 N71-18625
BILL, R. C.
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-1] c 37 N79-18318
Gas path seal
[NASA-CASE-NPO-12131-3] c 37 N80-18400
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c 37 N80-26658
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-3] c 37 N82-19540
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-2] c 37 N82-26674
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c 27 N82-29453
Laser surface fusion of plasma sprayed ceramic turbine seals
[NASA-CASE-LEW-13269-1] c 18 N83-20996
Thermal barrier coating system having improved adhesion
[NASA-CASE-LEW-1335901] c 27 N83-31855
Method of fabricating an abradable gas path seal
[NASA-CASE-LEW-13269-2] c 37 N84-22957
BILLINGHAM, J.
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c 05 N73-26071
BILLINGS, C. R.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c 15 N71-27067
BILLINGSLEY, F. C.
Electro-optical scanning apparatus Patent Application
[NASA-CASE-NPO-11106] c 14 N70-34697
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c 35 N74-11283
BILLMAN, K. W.
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c 16 N69-31343
Infrared tunable laser
[NASA-CASE-ARC-10463-1] c 09 N73-32111
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c 16 N73-33397
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c 75 N74-30156
BILOW, N.
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c 37 N74-21058
BINCKLEY, W. G.
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c 10 N71-26626
BINGHAM, G. J.
Shapes for rotating airfoils
[NASA-CASE-LAR-12396-1] c 02 N84-28732
BIRCHENOUGH, A. G.
Switching regulator
[NASA-CASE-LEW-11005-1] c 09 N72-21243
Electronic analog divider
[NASA-CASE-LEW-11881-1] c 33 N77-17354
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c 33 N77-28385
BIRD, J. D.
Jet shoes
[NASA-CASE-XLA-08491] c 05 N69-21380
BIRD, R. G.
Portable 90 degree proof loading device
[NASA-CASE-MSC-20250-1] c 35 N86-19581
BISHOP, O. L.
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c 07 N69-27462
BISHOP, R. E.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c 14 N70-41955
BLACK, D. H.
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c 44 N79-23481
BLACK, I. A.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c 14 N71-15992

BLACK, J. M.
Full wave modulator-demodulator amplifier apparatus
[NASA-CASE-FRC-10072-1] c 33 N74-14939
Window comparator
[NASA-CASE-FRC-10090-1] c 33 N78-18308
Voltage regulator for battery power source
[NASA-CASE-FRC-10116-1] c 33 N79-23345
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c 33 N80-29583
Power converter
[NASA-CASE-FRC-11014-1] c 33 N82-18494
BLACK, S. H.
Automatic gain control system
[NASA-CASE-XMS-05307] c 09 N69-24330
BLACK, W. W.
Triaxial antenna Patent
[NASA-CASE-XGS-02290] c 07 N71-28809
BLACKABY, J. R.
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c 05 N73-26071
BLACKBURN, L. B.
Tensile testing apparatus
[NASA-CASE-LAR-13243-1] c 35 N85-34375
BLACKBURN, LINDA B.
Aluminum alloy
[NASA-CASE-LAR-13924-1-CU] c 26 N88-24753
BLACKSTOCK, T. A.
Ferry system
[NASA-CASE-LAR-10574-1] c 11 N73-13257
BLAIR, G. R.
Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c 18 N71-24184
BLAISE, H. T.
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c 31 N71-15689
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c 15 N71-17686
Remote manipulator system
[NASA-CASE-MFS-22022-1] c 37 N76-15460
BLAKELY, ROBERT L.
High effectiveness contour matching contact heat exchanger
[NASA-CASE-MSC-20840-1] c 34 N88-29132
BLALOCK, TRAVIS
Rapid quantification of an internal property
[NASA-CASE-LAR-13689-1-NP] c 35 N87-23941
BLANCHARD, W. S., JR.
Space capsule Patent
[NASA-CASE-XLA-00149] c 31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c 31 N71-15664
Lateral displacement system for separated rocket stages Patent
[NASA-CASE-XLA-04804] c 31 N71-23008
High lift aircraft
[NASA-CASE-LAR-11252-1] c 05 N75-25914
BLANCHE, J. F.
Electrical feed-through connection for printed circuit boards and printed cable
[NASA-CASE-XMF-01483] c 14 N69-27431
BLAND, C.
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c 18 N71-16046
BLAND, W. M., JR.
Survival couch Patent
[NASA-CASE-XLA-00118] c 05 N70-33285
BLANKENSHIP, C. P.
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c 15 N71-22797
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c 26 N78-18182
BLAZE, C. J.
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c 15 N70-36411
BLESS, J. J.
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c 33 N78-17296
BLOCH, J. T.
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c 44 N81-14389
BLOOMFIELD, H. S.
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c 43 N78-14452
BLOSSER, E. R.
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c 06 N72-17095
BLOUNT, D. H.
Propulsion apparatus and method using boil-off gas from a cryogenic liquid
[NASA-CASE-MFS-25946-1] c 20 N86-26368
BLOUNT, DALE H.
Rotor self-lubricating axial stop
[NASA-CASE-MFS-28273-1] c 37 N88-23974
BLUCK, RAYMOND M.
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613
BLUE, J. W.
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c 24 N72-33681
Method of producing I-123
[NASA-CASE-LEW-11390-2] c 25 N76-27383
Production of I-123
[NASA-CASE-LEW-11390-3] c 25 N76-29379
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c 25 N78-27226
BLUM, P.
Rock sampling
[NASA-CASE-XNP-10007-1] c 46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c 46 N74-23069
BLUME, H. C.
Parametric amplifiers with idler circuit feedback
[NASA-CASE-LAR-10253-1] c 09 N72-25258
BLUME, HANS-JUERGEN C.
Measurement apparatus and procedure for the determination of surface emissivities
[NASA-CASE-LAR-13455-1] c 32 N87-21206
BLUMRICH, J. F.
Pivotal shock absorbing pad assembly Patent
[NASA-CASE-XMF-03856] c 31 N70-34159
Landing pad assembly for aerospace vehicles Patent
[NASA-CASE-XMF-02853] c 31 N70-36654
Double-acting shock absorber Patent
[NASA-CASE-XMF-01045] c 15 N70-40354
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c 31 N70-41948
Docking structure for spacecraft Patent
[NASA-CASE-XMF-05941] c 31 N71-23912
Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c 37 N74-18125
BLUTINGER, B.
Signal generator
[NASA-CASE-XNP-05612] c 09 N69-21468
BLYMILLER, E. R.
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c 15 N72-27485
BOATRIGHT, W. B.
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c 12 N73-25262
BOCKWOLDT, W. H.
Narrow bandwidth video Patent
[NASA-CASE-XMS-06740-1] c 07 N71-26579
BOEDY, D. D.
Power supply circuit Patent
[NASA-CASE-XMS-00913] c 10 N71-23543
BOEHM, J.
Gravity device Patent
[NASA-CASE-XMF-00424] c 11 N70-38196
BOEHME, R. J.
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c 07 N83-20944
BOER, K. W.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c 35 N74-18088
BOEX, M. W.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c 34 N75-33342
BOGNER, R. S.
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c 44 N74-19693
BOGUSZ, F. J.
Pressure transducer calibrator Patent
[NASA-CASE-XNP-01660] c 14 N71-23036
BOIES, R. D.
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c 10 N71-19421
BOISSEVAIN, A. G.
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c 15 N71-26673
BOLT, C. A., JR.
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c 07 N69-27462
BOLTON, P. N.
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle
[NASA-CASE-KSC-11064-1] c 31 N81-14137
BONAZZA, WALTER J.
Coaxial cable connector
[NASA-CASE-NPO-16764-1-CU] c 33 N88-14270
BOND, H. H., JR.
Digital interface for bi-directional communication between a computer and a peripheral device
[NASA-CASE-MSC-20258-1] c 60 N84-28492
BOND, W. W.
Connector internal force gauge Patent
[NASA-CASE-XNP-03918] c 14 N71-23087
BONEBRIGHT, MARK E.
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390
BONISCH, F. H.
Locking redundant link
[NASA-CASE-LAR-11900-1] c 37 N79-14382
BONN, J. L.
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c 15 N70-33330
BONO, P.
Recoverable single stage spacecraft booster Patent
[NASA-CASE-XMF-01973] c 31 N70-41588
BOODLEY, L. E.
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c 03 N69-21539
BOOM, R. W.
Stable superconducting magnet
[NASA-CASE-XMF-05373-1] c 33 N79-21264
BOOTH, F. W.
Condenser - Separator
[NASA-CASE-XLA-08645] c 15 N69-21465
Separator Patent
[NASA-CASE-XLA-00415] c 15 N71-16079
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c 33 N71-17610
Soldering device Patent
[NASA-CASE-XLA-08911] c 15 N71-27214
Air removal device
[NASA-CASE-XLA-08914] c 15 N73-12492
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c 15 N73-19458
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c 34 N74-30608
Air removal device
[NASA-CASE-XLA-08914-2] c 25 N82-21269
BOOTH, R. A.
Solid state switch
[NASA-CASE-XNP-09228] c 09 N69-27500
BORELLI, M. T.
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c 10 N71-22986
BOROSON, H. R.
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c 14 N71-15962
BORSIG, E.
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043
BOSCO, G. B., JR.
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c 15 N71-26294
BOSHERS, W. A.
Battery testing device
[NASA-CASE-MFS-20761-1] c 44 N74-27519
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c 44 N76-14601
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c 44 N76-27664
BOSTON, R. E.
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c 33 N75-19517
BOTTOMS, D. J.
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c 33 N76-14372
BOULDIN, D. L.
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c 76 N79-14906
BOURKE, D. G.
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c 08 N71-12506
BOUSMAN, W. G.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c 05 N77-17029
BOWER, K. F.
Buffered analog converter
[NASA-CASE-KSC-10397] c 08 N72-25206
BOXWELL, D. A.
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c 05 N80-14107
BOYLE, J. C.
Balance torquemeter Patent
[NASA-CASE-XGS-01013] c 14 N71-23725
BOYLE, J. V., JR.
Adjustable attitude guide device Patent
[NASA-CASE-XLA-07911] c 15 N71-15571

Canister closing device Patent
[NASA-CASE-XLA-01446] c 15 N71-21528

BOZAJIAN, J. M.
Thermal switch Patent
[NASA-CASE-XNP-00463] c 33 N70-36847

BRADFIELD, S. P., III
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c 32 N77-24331

BRADLEY, R. H.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c 31 N72-18859
A method of delivering a vehicle to earth orbit and returning the reusable portion thereof to earth
[NASA-CASE-MSC-12391] c 30 N73-12884

BRADY, J. C.
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c 14 N70-34161

BRAINARD, W. A.
Improved refractory coatings
[NASA-CASE-LEW-23169-2] c 26 N81-16209
Refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c 26 N82-29415
Refractory coatings
[NASA-CASE-LEW-13169-2] c 26 N82-30371

BRANDENBURGER, G. H.
Method for thermal monitoring subcutaneous tissue
[NASA-CASE-LAR-13028-1] c 52 N85-30618

BRANDHORST, H. W., JR.
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c 33 N74-20859
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c 36 N75-27364
Solar cell assembly
[NASA-CASE-LEW-11549-1] c 44 N77-19571
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c 44 N79-11468
Back wall solar cell
[NASA-CASE-LEW-12236-2] c 44 N79-14528
Lithium counterdoped silicon solar cell
[NASA-CASE-LEW-14177-1] c 44 N86-32875

BRANDON, CRAIG A.
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-3] c 31 N88-29052

BRANSTETTER, J. R.
Black-body furnace Patent
[NASA-CASE-XLE-01399] c 33 N71-15625

BRANTLEY, J. W.
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c 24 N77-19170

BRANTLEY, L. W., JR.
Solar energy absorber
[NASA-CASE-MFS-22743-1] c 44 N76-22657
Solar energy trap
[NASA-CASE-MFS-22744-1] c 44 N76-24696
Thermal energy storage system
[NASA-CASE-MFS-23167-1] c 44 N76-31667
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c 35 N77-20401

BRASCHWITZ, J. M.
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c 28 N70-33372

BRAUN, W.
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c 14 N72-25428

BRAWNER, C. C.
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c 35 N74-27860

BRAWNER, E. L.
Color perception tester
[NASA-CASE-KSC-10278] c 05 N72-16015

BREALT, R. P.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c 74 N79-11865

BREAZEALE, M. A.
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c 33 N82-26572

BRECKENRIDGE, R.
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-2] c 33 N83-24763

BRECKENRIDGE, R. A.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c 25 N75-26043
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c 35 N78-32397
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c 35 N82-31659

BRECKINRIDGE, J. B.
Interferometer
[NASA-CASE-NPO-14502-1] c 74 N81-17888
Interferometer
[NASA-CASE-NPO-14448-1] c 74 N81-29963
Optical system
[NASA-CASE-NPO-15801-1] c 74 N85-23396

BREED, L. L.
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c 06 N73-30098

BREED, L. W.
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XMF-10753] c 06 N71-11237

BREEZE, R. K.
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c 05 N71-11202

BREGMAN, B. J.
Derivation of a tangent function using an integrated circuit four-quadrant multiplier
[NASA-CASE-MSC-13907-1] c 10 N73-26230

BREITWIESER, R.
High current electrical lead
[NASA-CASE-LEW-10950-1] c 33 N74-27683

BREJCHA, A. G., JR.
Coaxial cable connector Patent
[NASA-CASE-XNP-04732] c 09 N71-20851

BRESHEARS, R. R.
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c 37 N79-11405

BREUER, D. R.
Temperature compensated current source
[NASA-CASE-MSC-11235] c 33 N78-17294

BREY, H.
Frequency division multiplex technique
[NASA-CASE-KSC-10521] c 07 N73-20176
FM/CW radar system
[NASA-CASE-MFS-22234-1] c 32 N79-10264

BRICKER, R. W.
Mass measuring system Patent
[NASA-CASE-XMS-03371] c 05 N70-42000

BRIGHT, C. W.
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c 52 N79-26772

BRINICH, P. F.
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c 28 N70-34175

BRINKS, B. J.
Plating nickel on aluminum castings Patent
[NASA-CASE-XNP-04148] c 17 N71-24830

BRISKEN, A. F.
Automatic transponder
[NASA-CASE-GSC-12075-1] c 32 N77-31350

BRISSENDEN, R. F.
Cable arrangement for rigid tethering Patent
[NASA-CASE-XLA-02332] c 32 N71-17609

BRITCLIFFE, MICHAEL J.
Cryogenic regenerator including saran-carbon heat conduction matrix
[NASA-CASE-NPO-17291-1-CU] c 34 N88-23946

BRITT, T. O.
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c 33 N79-11315

BRITZ, W. J.
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c 44 N76-14601
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c 44 N76-27664

BROCK, F. J.
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c 14 N73-30390
Ultrahigh vacuum measuring ionization gauge
[NASA-CASE-XLA-05087] c 14 N73-30391

BROCKMAN, M. H.
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c 33 N77-21314
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c 32 N80-18253
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c 35 N82-15381

BRODER, J. D.
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c 03 N71-20492
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c 44 N74-14784
Covered silicon solar cells and method of manufacture
[NASA-CASE-LEW-11065-2] c 44 N76-14600
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c 44 N77-14580

BRODERICK, J. C.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c 07 N71-24612

BRODERICK, R. F.
Signal ratio system utilizing voltage controlled oscillators Patent
[NASA-CASE-XMF-04367] c 09 N71-23545
Radar antenna system for acquisition and tracking Patent
[NASA-CASE-XMS-09610] c 07 N71-24625

BRODIE, S. B.
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c 18 N75-27041

BROKL, S. S.
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c 08 N73-25206

BROMAN, C. L.
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c 07 N77-14025

BROOKS, A. D.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c 35 N76-22509

BROOKS, D. E.
Method for separating biological cells
[NASA-CASE-MFS-23883-1] c 51 N80-16715

BROOKS, G. W.
Impact simulator Patent
[NASA-CASE-XLA-00493] c 11 N70-34786
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c 32 N71-16103
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c 14 N71-22765

BROOKS, J. D.
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c 25 N70-36946

BROOKS, R. A.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c 14 N72-22442

BROOKS, R. L.
Fluid sample collection and distribution system
[NASA-CASE-MSC-16841-1] c 34 N79-24265
Method for detecting coliform organisms
[NASA-CASE-ARC-11322-1] c 51 N83-28849

BROSH, A.
Flow separation detector
[NASA-CASE-ARC-11046-1] c 35 N78-14364

BROUSSARD, P. H.
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c 43 N79-25443

BROUSSARD, R.
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c 14 N71-26627

BROWN, C. E.
G conditioning suit Patent
[NASA-CASE-XLA-02898] c 05 N71-20268

BROWN, CHRISTOPHER WILLIAM
Toggle release
[NASA-CASE-MSC-21354-1] c 37 N88-24969

BROWN, D.
Radial module space station Patent
[NASA-CASE-XMS-01906] c 31 N70-41373

BROWN, D. W.
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c 07 N70-41680

BROWN, E. L.
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290

BROWN, G. A.
Integrated circuit including field effect transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c 09 N72-33205

BROWN, G. V.
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c 26 N73-32571
Magnetocaloric pump
[NASA-CASE-LEW-11672-1] c 37 N74-27904
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c 34 N78-17335
Magnetic heat pumping
[NASA-CASE-LEW-12508-3] c 34 N83-29625

BROWN, H. H.
Reaction tester
[NASA-CASE-MSC-13604-1] c 05 N73-13114

BROWN, J. L.
LDV multiplexer interface
[NASA-CASE-ARC-11536-1] c 33 N85-30202

BROWN, J. W.
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c 54 N74-20725

BROWN, K. G.
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540

BROWN, K. H.
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c 07 N71-28429
BROWN, N. D.
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c 37 N76-22540
BROWN, P. A.
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c 52 N81-14613
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c 52 N81-29764
BROWN, R. F.
Monogroove heat pipe design: Insulated liquid channel with bridging wick
[NASA-CASE-MSC-20497-1] c 34 N85-29180
BROWN, R. H.
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c 07 N78-18067
BROWN, R. L.
Gimbaled, partially submerged rocket nozzle Patent
[NASA-CASE-XMF-01544] c 28 N70-34162
BROWN, R. M.
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c 23 N73-20741
BROWN, RICHARD F.
Monogroove cold plate
[NASA-CASE-MSC-20946-1] c 34 N87-28867
BROWN, W. E., III
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c 14 N71-26774
Clear air turbulence detector
[NASA-CASE-ERC-10081] c 14 N72-28437
Method and apparatus for measuring solar activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c 14 N73-26432
BROWNING, R. E.
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c 15 N70-33376
BROYLES, H. F.
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c 14 N71-17584
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c 37 N76-31524
BROYLES, H. H.
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c 14 N71-17584
BRUCE, M. M., JR.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c 37 N79-10421
BRUCE, R. A.
Specialized halogen generator for purification of water Patent
[NASA-CASE-XLA-08913] c 14 N71-28933
Air removal device
[NASA-CASE-XLA-08914] c 15 N73-12492
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c 15 N73-19458
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c 34 N74-30608
Air removal device
[NASA-CASE-XLA-08914-2] c 25 N82-21269
BRUNSON, J. W.
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c 33 N81-26359
BRUNSTEIN, S. A.
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c 09 N73-12214
BRYAN, C. J.
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c 11 N71-28629
System for sterilizing objects
[NASA-CASE-KSC-11085-1] c 54 N81-24724
BRYAN, CHARLES F., JR.
Lightning discharge protection rod
[NASA-CASE-LAR-13470-1] c 03 N88-14083
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828
BRYAN, M. B.
Wind tunnel model damper Patent
[NASA-CASE-XLA-09480] c 11 N71-33612
BRYANT, E. L.
Fatigue testing device Patent
[NASA-CASE-XLA-02131] c 32 N70-42003
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c 74 N80-21138
BRYANT, TIMOTHY D.
Vapor fragrancer
[NASA-CASE-LAR-13680-1] c 35 N87-25561
BRYANT, W. H.
Digital controller for a Baum folding machine
[NASA-CASE-LAR-10688-1] c 37 N74-21056
BRYSON, R. P.
Soil penetrometer
[NASA-CASE-XNP-05530] c 14 N73-32321
BUBE, K. R.
Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c 44 N79-31752
BUCHANAN, R. I.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c 11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c 11 N71-21475
BUCHELE, D. R.
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c 14 N70-34818
BUCHHOLD, T. A.
Superconductive accelerometer Patent
[NASA-CASE-XMF-01099] c 14 N71-15969
BUCHMILLER, L. D.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c 16 N71-15550
BUCK, GREGORY M.
Quantitative surface temperature measurement using two-color thermographic phosphors and video equipment
[NASA-CASE-LAR-13740-1] c 35 N88-30105
BUCKLEY, D. H.
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c 18 N70-39897
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c 18 N71-10772
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c 15 N71-23810
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c 15 N71-24046
BUCKLEY, J. D.
One-step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c 33 N82-26571
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
Induction heating gun
[NASA-CASE-LAR-13181-1] c 31 N85-29083
BUCKLEY, JOHN D.
Method of attaching strain gauges to various materials
[NASA-CASE-LAR-13797-1] c 35 N88-30108
BUEHLER, M. G.
Split-cross-bridge resistor for testing for proper fabrication of integrated circuits
[NASA-CASE-NPO-16021-1] c 33 N85-30187
BUHLER, G. V.
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c 35 N75-19615
BULLINGER, H. B.
Photoetching of metal-oxide layers
[NASA-CASE-ERC-10108] c 06 N72-21094
BUNCE, R. C.
Closed loop ranging system Patent
[NASA-CASE-XNP-01501] c 21 N70-41930
Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c 07 N73-30113
BUNIN, B. L.
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630
BUNKER, E. R., JR.
Automated equipotential plotter
[NASA-CASE-NPO-11134] c 09 N72-21246
BUNKER, J. W.
Slide release mechanism
[NASA-CASE-MSC-20080-1] c 37 N85-30334
BURCH, C. F.
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c 37 N74-27905
BURCH, J. L.
Two speed drive system
[NASA-CASE-MFS-20645-1] c 37 N74-23070
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c 09 N75-12968
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c 52 N77-14735
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c 37 N77-23483
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c 18 N79-11108
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c 43 N79-25443
BURCHAM, F. W.
Multiple pure tone elimination strut assembly
[NASA-CASE-FRC-11062-1] c 71 N82-16800
BURCHAM, T. W.
Controlled release device Patent
[NASA-CASE-XKS-03338] c 15 N71-24043
BURCHER, E. E.
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c 16 N73-16536
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c 70 N74-13436
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c 35 N75-15014
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c 35 N75-19613
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c 74 N78-15879
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c 74 N78-27904
BURDIN, C.
Phase-locked servo system
[NASA-CASE-MFS-22073-1] c 33 N75-13139
BURGESS, A. S.
Method of fabricating an imaging X-ray spectrometer
[NASA-CASE-GSC-12956-1] c 35 N87-14671
BURGETT, F. A.
Measuring device Patent
[NASA-CASE-XMS-01546] c 14 N70-40233
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c 18 N71-15545
BURK, S. M., JR.
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c 08 N74-30421
BURKE, J. R.
Optical spin compensator
[NASA-CASE-XGS-02401] c 14 N69-27485
BURKE, JAMES D.
Atmospheric autorotating imaging device
[NASA-CASE-NPO-17390-1-CU] c 35 N88-24944
BURKHART, J. A.
Magneto-plasma-dynamic arc thruster
[NASA-CASE-LEW-11180-1] c 25 N73-25760
BURKLEY, R. A.
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c 33 N71-25351
BURKS, H. D.
Polyphenylene ethers with imide linking groups
[NASA-CASE-LAR-12980-1] c 27 N84-22749
Process of end-capping a polyimide system
[NASA-CASE-LAR-13135-1] c 27 N86-19456
BURKS, R. E., JR.
Infusible silazane polymer and process for producing same
[NASA-CASE-XMF-02526-1] c 27 N79-21190
BURNETT, J. E.
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c 52 N78-14773
BURNHAM, D. C.
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c 16 N69-31343
BURNS, E. A.
Ablative resin Patent
[NASA-CASE-XLE-05913] c 33 N71-14032
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c 27 N74-23125
BURNS, F. P.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c 05 N71-19440
BURNS, M. R., JR.
Automatic weld torch guidance control system
[NASA-CASE-MFS-25807] c 37 N83-20154
Automated weld torch guidance control system
[NASA-CASE-MFS-25807-2] c 37 N86-21850
BURNS, R. H.
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c 07 N73-26119
BURNS, R. K.
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c 73 N75-30876
BURROUS, C. N.
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c 09 N73-14214
BURROWS, D. L.
Insulating structure Patent
[NASA-CASE-XMF-00341] c 15 N70-33323
BURTON, D. R.
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c 05 N71-24147
BURTON, W. A.
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c 14 N70-41647
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c 28 N71-25213
BUSEMANN, A.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c 25 N70-33267
BUSH, H. G.
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c 37 N76-24575

Lightweight structural columns
[NASA-CASE-LAR-12095-1] c 31 N81-25258
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c 37 N82-32732
Self-locking mechanical center joint
[NASA-CASE-LAR-12864-1] c 37 N85-30336
Synchronously deployable truss structure
[NASA-CASE-LAR-13117-1] c 37 N86-25789

BUSH, HAROLD G.
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613
Mobile remote manipulator vehicle system
[NASA-CASE-LAR-13393-1] c 54 N87-29118

BUSHNELL, D. M.
Powder fed sheared dispersal particle generator
[NASA-CASE-LAR-12785-1] c 37 N84-16561

BUSQUETS, ANTHONY M.
Auxiliary data input device
[NASA-CASE-LAR-13626-1] c 37 N87-25584

BUSSEY, WALTER S.
Multi-adjustable headband
[NASA-CASE-KSC-11322-1] c 54 N87-25765

BUTLER, D. H.
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c 15 N70-40156
Radio frequency filter device
[NASA-CASE-XLA-02609] c 09 N72-25256

BUTLER, J. M.
Tackifier for addition polyimides containing monoethylphthalate
[NASA-CASE-LAR-12642-1] c 27 N81-29229

BUTLER, L. V.
Protective telescoping shield for solar concentrator
[NASA-CASE-NPO-16236-1] c 44 N86-27706

BUTMAN, S.
Signal phase estimator
[NASA-CASE-NPO-11203] c 10 N72-20224
Multichannel telemetry system
[NASA-CASE-NPO-11572] c 07 N73-16121
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c 07 N73-28012

BUTMAN, S. A.
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c 32 N77-20289

BUTNER, C. L.
Optical multiple sample vacuum integrating sphere
[NASA-CASE-GSC-12849-1] c 74 N86-26190

BUZZARD, R. J.
Radial heat flux transformer
[NASA-CASE-NPO-10828] c 33 N72-17948

BYERS, D. C.
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c 28 N71-10574
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c 20 N74-31269

BYNUM, B. G.
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c 14 N71-29134
Ergometer
[NASA-CASE-MFS-21109-1] c 05 N73-27941

BYRD, A. W.
Heat pipe thermionic diode power system Patent
[NASA-CASE-XMF-05843] c 03 N71-11055
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114-2] c 09 N71-24807
Isothermal cover with thermal reservoirs Patent
[NASA-CASE-MFS-20355] c 33 N71-25353
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114] c 33 N71-27862
Thermoelectric power system
[NASA-CASE-MFS-22002-1] c 44 N76-16612

BYRD, J. D.
Elastomeric silazane polymers and process for preparing the same Patent
[NASA-CASE-XMF-04133] c 06 N71-20717

BYRD, N. R.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c 06 N72-21105

BYRNE, F.
BCD to decimal decoder Patent
[NASA-CASE-XKS-06167] c 08 N71-24890
Video sync processor Patent
[NASA-CASE-KSC-10002] c 10 N71-25865
Automatic frequency control loop including synchronous switching circuits
[NASA-CASE-KSC-10393] c 09 N72-21247
Digital servo controller
[NASA-CASE-KSC-10769-1] c 33 N74-29556
Common data buffer system
[NASA-CASE-KSC-11048-1] c 62 N81-24779
Video processor for air traffic control beacon system
[NASA-CASE-KSC-11155-1] c 04 N86-19304
Method and apparatus for operating on companded PCM voice data
[NASA-CASE-KSC-11285-1] c 32 N86-27513

BYVIK, C. E.
Photoelectrochemical cells including chalcogenophosphate photoelectrodes
[NASA-CASE-LAR-12958-1] c 44 N84-23019
Method for determining the point of zero zeta potential of semiconductor
[NASA-CASE-LAR-12893-1] c 76 N85-30923

C

CABLE, C. W.
Solar cell assembly test method
[NASA-CASE-NPO-10401] c 03 N72-20033

CABLE, W. L.
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c 33 N74-20861

CACOSSA, R. A.
Method of detecting impending saturation of magnetic cores
[NASA-CASE-ERC-10089] c 23 N72-17747

CAGLIOSTRO, D. E.
Method of carbonizing polyacrylonitrile fibers
[NASA-CASE-ARC-11261-1] c 24 N83-25789

CAGLIOSTRO, DOMENICK E.
Ceramic honeycomb structures and the method thereof
[NASA-CASE-ARC-11652-1] c 27 N87-23737

CAHILL, K. J.
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c 33 N80-20487
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c 44 N81-29524

CAHILL, N. E.
Positive locking check valve Patent
[NASA-CASE-XMS-09310] c 15 N71-22706

CAIRO, F. J.
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431

CALANDRO, J. N.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c 15 N71-27091

CALCO, FRANK S.
Precision tunable resonant microwave cavity
[NASA-CASE-LEW-13935-1] c 33 N87-21234

CALFO, F. D.
Micronized coal burner facility
[NASA-CASE-LEW-13426-1] c 25 N84-16276

CALLAHAN, D. E.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c 07 N71-24612

CALVERT, H. F.
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c 15 N70-33264

CALVERT, J. A.
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c 37 N80-32716

CALVERT, JOHN A.
Self indexing latch system
[NASA-CASE-MFS-25956-1] c 37 N87-21333

CAMACHO, S. L.
Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c 09 N69-39897

CAMARDA, C. J.
Heat pipe cooled probe
[NASA-CASE-LAR-12588-1] c 34 N85-21568

CAMBRA, J. M.
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c 33 N74-17929

CAMERON, J. R.
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c 52 N77-14737

CAMP, D. W.
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c 14 N71-23726
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c 14 N73-25460

CAMP, E. L.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c 14 N71-26244

CAMPBELL, B. A.
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c 06 N71-28620

CAMPBELL, C. C., JR.
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c 14 N70-41812

CAMPBELL, C. W.
Collimated beam manifold with the number of output beams variable at a given output angle
[NASA-CASE-MFS-25312-1] c 74 N83-17305

CAMPBELL, D. H.
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c 20 N79-21123

CAMPBELL, D. R.
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c 07 N71-19773

CAMPBELL, F. D.
Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c 14 N73-25462

CAMPBELL, G. E.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c 14 N73-19420

CAMPBELL, G. W.
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c 05 N71-11202

CAMPBELL, J. G.
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c 28 N71-20942
Tube sealing device Patent
[NASA-CASE-NPO-10431] c 15 N71-29132

CAMPBELL, R. A.
Redundant hydraulic control system for actuators
[NASA-CASE-MFS-20944] c 15 N73-13466
Contour measurement system
[NASA-CASE-MFS-23726-1] c 43 N79-26439
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c 43 N80-14423

CAMPBELL, R. B., JR.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493

CAMPBELL, SCOTT R.
Thermal compensating mount
[NASA-CASE-LAR-13794-1] c 35 N88-24942

CAMPBELL, T. G.
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c 09 N72-25247
Aircraft rotor blade with passive tuned tab
[NASA-CASE-ARC-11444-1] c 05 N85-29947

CAMPEN, C. F., JR.
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c 25 N76-18245

CANCRO, C. A.
Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c 09 N69-24317
Wide range data compression system Patent
[NASA-CASE-XGS-02612] c 08 N71-19435
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c 09 N71-23311
Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c 10 N72-22236

CANICATTI, C. L.
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c 33 N75-19521

CANNING, T. N.
Shock-layer radiation measurement
[NASA-CASE-XAC-02970] c 14 N69-39896
Hypervelocity gun Patent
[NASA-CASE-XAC-05902] c 11 N71-18578
Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c 35 N74-15093
Bimetallic fluid displacement apparatus
[NASA-CASE-ARC-10441-1] c 35 N74-15126
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c 15 N82-24272

CANTOR, C.
Attitude control system Patent
[NASA-CASE-XGS-04393] c 21 N71-14159
Amplifier clamping circuit for horizon scanner Patent
[NASA-CASE-XGS-01784] c 10 N71-20782
Roll alignment detector
[NASA-CASE-GSC-10514-1] c 14 N72-20379

CANTRELL, J. H., JR.
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c 33 N82-26572

CANTRELL, JOHN H.
Method and apparatus for non-destructive testing of temper embrittlement in steels
[NASA-CASE-LAR-13817-1] c 26 N88-29012

CANTRELL, JOHN H., JR.
Acoustic radiation stress measurement
[NASA-CASE-LAR-13440-1] c 71 N87-21653

CANVEL, H.
Video communication system and apparatus Patent
[NASA-CASE-XNP-06611] c 07 N71-26102
CAPLETTE, R. K.
Current steering commutator
[NASA-CASE-NPO-10743] c 08 N72-21199
CAPPS, J. E.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c 15 N70-22192
CAREN, R. P.
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c 23 N71-24725
CARL, C.
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c 07 N73-13149
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c 32 N74-10132
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c 33 N74-12887
CARL, G. R.
Air conditioned suit
[NASA-CASE-LAR-10076-1] c 05 N73-20137
CARLE, C. E.
Reel safety brake
[NASA-CASE-GSC-11960-1] c 37 N77-14479
CARLE, G. C.
Modulated voltage metastable ionization detector
[NASA-CASE-ARC-11503-1] c 35 N85-34374
CARLISLE, T. E.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XMF-04237] c 33 N71-16278
CARLSON, A. W.
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c 07 N71-12390
CARLSON, H. W.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c 02 N71-12243
CARLSON, R. L.
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c 37 N79-33468
CARLSON, W. C. A.
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c 25 N70-41628
CARMIN, D. L., JR.
Anti-fog composition
[NASA-CASE-MSC-13530-2] c 23 N75-14834
CARMODY, R. J.
Honeycomb panel and method of making same Patent
[NASA-CASE-XMF-01402] c 18 N71-21651
CARO, E. R.
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c 33 N80-18285
Method and apparatus for contour mapping using synthetic aperture radar
[NASA-CASE-NPO-15939-1] c 43 N86-19711
CARO, EDWARD R.
Coaxial cable connector
[NASA-CASE-NPO-16764-1-CU] c 33 N88-14270
CARON, P. R.
Logarithmic function generator utilizing an exponentially varying signal in an inverse manner
[NASA-CASE-ERC-10267] c 09 N72-23173
Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c 10 N73-16206
CARPINI, T. D.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c 14 N73-13415
CARR, W. F.
Split nut separation system Patent
[NASA-CASE-XNP-06914] c 15 N71-21489
CARRAWAY, DEBRA L.
Crossflow vorticity sensor
[NASA-CASE-LAR-13436-1-CU] c 02 N88-23759
CARRAWAY, J. B.
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c 52 N74-26625
CARRENO, VICTOR A.
Single frequency multitransmitter telemetry
[NASA-CASE-LAR-13006-1] c 17 N87-16863
CARROLL, W. F.
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c 18 N71-26772
CARSLEY, R. B.
CAM controlled retractable door latch
[NASA-CASE-MSC-20304-1] c 37 N82-31690
CARSON, J. W.
Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c 07 N71-29065
CARSON, L. M.
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c 33 N81-33405
Discriminator aided phase lock acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c 33 N82-29539
CARSON, P. R.
Array phasing device Patent
[NASA-CASE-ERC-10046] c 10 N71-18722
CARSON, W. N., JR.
Didymium hydrate additive to nickel hydroxide electrodes Patent
[NASA-CASE-XGS-03505] c 03 N71-10608
CARTER, A. F.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c 25 N70-33267
Method and apparatus for producing a plasma Patent
[NASA-CASE-XLA-00147] c 25 N70-34661
CARTER, DANIEL C.
Hanging drop crystal growth apparatus and method
[NASA-CASE-MFS-28206-1-SB] c 76 N88-25356
CARTER, EDWARD L.
Magnetic drive coupling
[NASA-CASE-MSC-21171-1] c 37 N88-23973
CARTER, J. M.
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290
CARTER, W. K.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c 31 N72-18859
CARUSO, A. J.
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c 14 N71-18483
CARUSO, V. P.
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c 37 N76-18454
CARVER, V. C.
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c 25 N82-26396
CASE, M. C.
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012
CASEY, L. O.
Electrical load protection device Patent
[NASA-CASE-MSC-12135-1] c 09 N71-12526
CASH, W. H., JR.
Pulse transducer with artifact signal attenuator
[NASA-CASE-FRC-11012-1] c 52 N80-23969
CASHION, K. D.
Solar optical telescope dome control system Patent
[NASA-CASE-MSC-10966] c 14 N71-19568
CASON, R. L.
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c 33 N79-18193
CASTLE, K. D.
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c 33 N81-27397
CASTLEMAN, K. R.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c 52 N79-12694
CASTLES, STEPHEN H.
Surface Tension Confined Liquid Cryogen Cooler (STCLCC)
[NASA-CASE-GSC-13112-1] c 31 N88-29050
CATLAW, T. G.
High contrast cathode ray tube
[NASA-CASE-ERC-10468] c 09 N72-20206
CAUDILL, L. O.
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c 36 N74-21091
CAVALIER, AL
Rapid quantification of an internal property
[NASA-CASE-LAR-13689-1-NP] c 35 N87-23941
CECCON, H. L.
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c 16 N72-25485
CELLIER, A.
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c 33 N81-17349
CEPOLLINA, F. J.
Strain gauge measuring techniques Patent
[NASA-CASE-XGS-04478] c 14 N71-24233
CERINI, D. J.
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c 44 N77-10636
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c 28 N80-10374
CERVENKA, P. O.
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c 36 N79-14362
CHAI, A. T.
Method of making a high voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c 44 N82-29709
High voltage planar multijunction solar cell
[NASA-CASE-LEW-13400-1] c 44 N82-31764
Solar cell having improved back surface reflector
[NASA-CASE-LEW-13620-1] c 44 N83-13579
High voltage v-groove solar cell
[NASA-CASE-LEW-13401-2] c 44 N83-32177
Screen printed interdigitated back contact solar cell
[NASA-CASE-LEW-13414-1] c 44 N85-20530
CHALSON, HOWARD E.
Multi-adjustable headband
[NASA-CASE-KSC-11322-1] c 54 N87-25765
CHAMBERLAIN, F. R.
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c 14 N72-22441
System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c 74 N81-17886
CHAMBERS, A. B.
Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c 05 N73-26071
Walking boot assembly
[NASA-CASE-ARC-11101-1] c 54 N78-17675
CHAMIS, C. C.
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c 24 N77-27188
CHAN, P. C. F.
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255
CHANDLER, J. A.
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c 14 N70-41812
Line cutter Patent
[NASA-CASE-XMS-04072] c 15 N70-42017
Spacecraft radiator cover Patent
[NASA-CASE-MSC-12049] c 31 N71-16080
Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c 15 N71-24599
Apparatus for releasably connecting first and second objects in predetermined space relationship
[NASA-CASE-MSC-18969-1] c 18 N84-22605
Linear motion valve
[NASA-CASE-MSC-20148-1] c 37 N85-29284
CHANDLER, JOSEPH A.
Multi-path peristaltic pump
[NASA-CASE-MSC-20907-1] c 37 N87-18818
CHANDLER, W. A.
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c 31 N70-41871
CHANEY, R. E.
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c 26 N80-14229
CHANG-DIAZ, FRANKLIN R.
Infusion extractor
[NASA-CASE-MSC-20761-1] c 37 N87-15465
CHANG, C. C.
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c 33 N81-17348
CHANG, J. J.
Systolic VLSI array for implementing the Kalman filter Algorithm
[NASA-CASE-NPO-17108-1-CU] c 33 N87-27926
CHAO, J. I.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c 52 N81-25661
CHAO, TIEN-HSIN
Real-time optical multiple object recognition and tracking system and method
[NASA-CASE-NPO-17139-1-CU] c 74 N88-25301
Real-time image difference detection using a polarization rotation spacial light modulator
[NASA-CASE-NPO-17144-1-CU] c 74 N88-25305
CHAPMAN, C. P.
Switching circuit Patent
[NASA-CASE-XNP-06505] c 10 N71-24799
Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c 14 N71-27185
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c 15 N73-20514
Automated attendance accounting system
[NASA-CASE-NPO-11456] c 08 N73-26176
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c 35 N75-25123
CHAPMAN, R. M.
Inflation system for balloon type satellites Patent
[NASA-CASE-XGS-03351] c 31 N71-16081
CHAPPELLE, E. W.
Use of the enzyme hexokinase for the reduction of inherent light levels
[NASA-CASE-XGS-05533] c 04 N69-27487
Light detection instrument Patent
[NASA-CASE-XGS-05534] c 23 N71-16355
Lyophilized reaction mixtures Patent
[NASA-CASE-XGS-05532] c 06 N71-17705

Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c 06 N72-25149
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c 04 N73-27052
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c 06 N73-27086
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c 05 N73-32011
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c 51 N76-29891
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c 51 N77-22794
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c 51 N83-27569

CHARLES, J. F.
Floating nut retention system
[NASA-CASE-MSC-16938-1] c 37 N80-23653

CHARLESTON, A.
Chromium electrodes for REDOX cells
[NASA-CASE-LEW-13653-1] c 44 N84-28205

CHARLTON, K. W.
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c 03 N69-21469

CHARNOSKY, A. J.
Tool attachment for spreading loose elements away from work Patent
[NASA-CASE-XMF-02107] c 15 N71-10809

CHASE, E. W.
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c 54 N78-17678

CHASE, W. D.
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c 09 N76-24280
Full color hybrid display for aircraft simulators
[NASA-CASE-ARC-10903-1] c 09 N78-18083
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c 04 N82-16059
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c 09 N82-24212

CHEATHAM, D. C.
Spacecraft docking and alignment system
[NASA-CASE-MSC-12559-1] c 18 N76-14186

CHEN, B. C. J.
Waveguide cooling system
[NASA-CASE-NPO-15401-1] c 32 N83-27085

CHEN, C. J.
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c 36 N77-26477

CHEN, D. Y.
Hybrid power semiconductor
[NASA-CASE-LEW-13922-1] c 33 N86-20672

CHEN, T. S.
Process for preparing perfluorotriazine elastomers and precursors thereof
[NASA-CASE-ARC-11402-1] c 27 N84-22744
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560
Perfluoro (Imidoylamidine) diamidines
[NASA-CASE-ARC-11402-3] c 23 N86-21582
High performance mixed bisimide resins and composites based thereon
[NASA-CASE-ARC-11538-1SB] c 24 N86-21590

CHEN, TIMOTHY S.
Process for curing bismaleimide resins
[NASA-CASE-ARC-11429-4CU] c 27 N87-15304
Vinyl stilbazoles
[NASA-CASE-ARC-11429-3CU] c 27 N87-16908
Structural panels
[NASA-CASE-ARC-11429-2-CU] c 27 N87-22845
Preparation of 8-trichloroborazine
[NASA-CASE-ARC-11643-1-SB] c 23 N87-23698
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040

CHEN, W.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c 52 N74-27566

CHEN, W. S.
Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c 11 N71-28779

CHENG, C. H.
Process for preparing perfluorotriazine elastomers and precursors thereof
[NASA-CASE-ARC-11402-1] c 27 N84-22744
Perfluoro (Imidoylamidine) diamidines
[NASA-CASE-ARC-11402-3] c 23 N86-21582

CHENG, D. Y.
Reversed cowl flap inlet thrust augmentor
[NASA-CASE-ARC-10754-1] c 07 N75-24736
System for measuring Reynolds in a turbulently flowing fluid
[NASA-CASE-ARC-10755-2] c 34 N76-27517
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c 34 N77-27345
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c 07 N83-33884

CHENG, LI-JEN
Floating emitter solar cell
[NASA-CASE-NPO-16467-1-CU] c 33 N87-23879
Tailorable infrared sensing device with strain layer superlattice structure
[NASA-CASE-NPO-16607-1-CU] c 76 N88-14836
Dynamic range compression/expansion of light beams by photorefractive crystals
[NASA-CASE-NPO-17140-1-CU] c 74 N88-24508

CHERDAK, A. S.
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c 14 N71-27407

CHERN, S. S.
Chemical vapor deposition reactor
[NASA-CASE-NPO-13650-1] c 25 N79-28253
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c 44 N80-29835

CHERNOFF, R.
Frequency translating phase conjugation circuit for active retrodirective antenna array
[NASA-CASE-NPO-14536-1] c 32 N81-14185

CHERNOFF, R. C.
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c 32 N79-24210

CHESTNUTT, D.
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c 07 N74-31270

CHI, K.
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c 07 N73-26119

CHIAO, R. Y.
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c 07 N71-26291
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c 23 N72-23695

CHIH, SAH
Floating emitter solar cell
[NASA-CASE-NPO-16467-1-CU] c 33 N87-23879

CHILDRESS, J. D.
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c 04 N72-33072

CHILDS, J. H.
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c 11 N70-33278
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c 11 N70-34844

CHILENSKI, J. J.
Ignition system for monopropellant combustion devices Patent
[NASA-CASE-XNP-00249] c 28 N70-38249

CHILTON, R. G.
Space capsule Patent
[NASA-CASE-XLA-00149] c 31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c 31 N71-15664

CHIOA, R. Y.
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c 15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c 16 N71-27183

CHISEL, D. M.
Fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c 28 N72-22769

CHISHOLM, WILLIAM L.
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253

CHONG, C. F.
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c 10 N71-19547

CHOW, E. Y.
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c 15 N70-36947

CHOWNING, D.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c 31 N72-18859

CHREITZBERG, A. M.
Electric battery and method for operating same Patent
[NASA-CASE-XGS-01674] c 03 N71-29129

CHRISTENSEN, W. W.
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c 25 N80-23383

CHRISTMAN, L. M.
Resuscitation apparatus Patent
[NASA-CASE-XMS-01115] c 05 N70-39922

CHRISTOPHER, P. A.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c 31 N74-21059

CHRISTY, C. L., JR.
Infusible silazane polymer and process for producing same
[NASA-CASE-XMF-02526-1] c 27 N79-21190

CHU, H. P.
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550

CHU, T. L.
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c 44 N76-28635
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c 44 N78-24609

CHUBB, D. L.
Thermionic photovoltaic energy converter
[NASA-CASE-LEW-14077-1] c 44 N85-34441

CHUMLEY, J. F.
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c 14 N71-23227

CHUTJIAN, A.
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c 72 N80-14877

CHUTJIAN, A. N.
Double photon excitation of high-Rydberg atoms as a long-lived submillimeter detector
[NASA-CASE-NPO-16372-1] c 72 N86-33127

CHUTJIAN, ARA
Generation of intense negative ion beams
[NASA-CASE-NPO-16061-1-CU] c 72 N87-21660
Variable energy, high flux, ground-state atomic oxygen source
[NASA-CASE-NPO-16640-1-CU] c 72 N87-21661
Trochoidal analysis of scattered electrons in a merged electron-ion beam
[NASA-CASE-NPO-16789-1-CU] c 72 N88-25281

CIEPLUCH, C. C.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c 28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c 27 N71-15634

CISSELL, R. E.
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c 15 N71-23254

CISZEK, T. F.
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c 76 N79-23798
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c 76 N80-32245

CLAING, R. G.
Joining lead wires to thin platinum alloy films
[NASA-CASE-LEW-13934-1] c 35 N83-35338

CLANCY, JOHN P.
Linear force device
[NASA-CASE-MSC-20549-2] c 35 N88-24927

CLAPP, W. M.
Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c 09 N71-23316

CLARK, C. E.
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c 54 N81-27806

CLARK, F. L.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c 11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c 11 N71-21475

CLARK, H. K.
Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c 33 N71-17610

CLARK, I. O.
Ampoule sealing apparatus and process
[NASA-CASE-LAR-12847-1] c 33 N83-16633

CLARK, J. R.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c 06 N71-26754

CLARK, K. H.
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c 18 N79-11108
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c 54 N81-26718
Electrical self-aligning connector
[NASA-CASE-MFS-25211-2] c 33 N84-14423
Clamp-mount device
[NASA-CASE-MFS-25510-1] c 37 N84-16560
Hemispherical latching apparatus
[NASA-CASE-MFS-25837-1] c 18 N85-29991
Apparatus for adapting an end effector device remotely controlled manipulator arm
[NASA-CASE-MFS-25949-1] c 37 N86-19603

CLARK, R. K.
Fixture for environmental exposure of structural materials under compression load
[NASA-CASE-LAR-12602-1] c 39 N83-32081

CLARK, R. L.
Deposition apparatus
[NASA-CASE-LAR-10541-1] c 15 N72-32487

CLARK, R. T.
Horn feed having overlapping apertures Patent
[NASA-CASE-GSC-10452] c 07 N71-12396

CLARK, RONALD K.
Oxygen diffusion barrier coating
[NASA-CASE-LAR-13474-1-SB] c 26 N87-25455

CLARKE, D. R.
Thermal compression bonding of interconnectors
[NASA-CASE-GSC-10303] c 15 N72-22487

CLATTERBUCK, C. H.
Spacecraft battery seals
[NASA-CASE-XGS-03864] c 15 N69-24320
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c 09 N73-28083
High voltage isolation transformer
[NASA-CASE-GSC-12817-1] c 33 N85-29146

CLAUS, R. O.
Ultrasonic transducer with Gaussian radial pressure distribution
[NASA-CASE-LAR-12967-1] c 35 N84-22932
Dual differential interferometer
[NASA-CASE-LAR-12966-1] c 35 N85-30282

CLAUSS, R. C.
Transmission line thermal short Patent
[NASA-CASE-XNP-09775] c 09 N71-20445
Circulator having quarter wavelength resonant post and parametric amplifier circuits utilizing the same Patent
[NASA-CASE-XNP-02140] c 09 N71-23097
High-gain, broadband traveling wave maser Patent
[NASA-CASE-NPO-10548] c 16 N71-24831
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c 16 N72-28521
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c 33 N75-30430
Reflected-wave maser
[NASA-CASE-NPO-13490-1] c 36 N76-31512
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c 36 N80-18372
Resonant isolator for maser amplifier
[NASA-CASE-NPO-15201-1] c 36 N83-35350

CLAWSON, G. T.
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c 35 N74-21019

CLAY, D. R.
Ion mass spectrometer
[NASA-CASE-NPO-15423-1] c 35 N84-28016

CLAY, F. P., JR.
Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c 14 N71-18482

CLELAND, E. L.
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c 52 N79-14749

CLEMENS, G. W., JR.
Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c 31 N71-24813

CLEMENS, P. W.
Device for configuring multiple leads
[NASA-CASE-MFS-22133-1] c 33 N74-26977

CLEMENT, W. G.
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c 14 N71-22995

CLEMENTS, P. A.
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c 33 N74-17927

CLEMMONS, D. L., JR.
Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c 33 N70-36617

CLEMMONS, J. I., JR.
Instrument for determining coincidence and elapse time between independent sources of random sequential events
[NASA-CASE-LAR-12531-1] c 35 N83-29651

CLEMMONS, JAMES I., JR.
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761

CLEMONS, J. M.
Method of bonding plasticized elastomer to metal and articles produced thereby
[NASA-CASE-MFS-25181-1] c 27 N82-24340
Process for producing tris s(n-methylamino) methylsilane
[NASA-CASE-MFS-25721-1] c 25 N85-21280

CLEMONS, JOHNNY M.
Method for machining holes in composite materials
[NASA-CASE-MFS-28044-1] c 31 N87-25491

CLEVELAND, G. J.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757

CLEVENSON, S. A.
Ride quality meter
[NASA-CASE-LAR-12882-1] c 35 N84-12445

CLICKNER, R. E., JR.
Umbilical disconnect Patent
[NASA-CASE-XLA-00711] c 03 N71-12258

CLIFF, R. A.
Data processor having multiple sections activated at different times by selective power coupling to the sections Patent
[NASA-CASE-XGS-04767] c 08 N71-12494
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c 08 N71-18602
Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c 08 N71-19437
Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c 09 N71-23525
SCR lamp driver
[NASA-CASE-GSC-10221-1] c 09 N72-23171
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c 33 N75-25040

CLIFF, W. C.
Wind measurement system
[NASA-CASE-MFS-23362-1] c 47 N77-10753

CLINE, R. W.
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c 74 N74-21304

CLOTFELTER, W. N.
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c 15 N71-18132
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c 26 N76-18257
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c 39 N77-28511

CLOUGH, L. G.
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c 09 N73-30181

CLOYD, R. A.
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-15429-1] c 18 N84-22609
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-25429-1] c 18 N86-20469

CLOYD, RICHARD A.
Self indexing latch system
[NASA-CASE-MFS-25956-1] c 37 N87-21333

COBIN, J. C.
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c 15 N71-26162

COCCA, F. J.
Method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c 15 N72-25457

COE, C. F.
Electronic scanning pressure measuring system and transducer package
[NASA-CASE-ARC-11361-1] c 35 N84-22934

COE, H. H.
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c 15 N72-22490

COE, P. L., JR.
Supersonic transport
[NASA-CASE-LAR-11932-1] c 05 N78-32086

COFER, W. R., III
Nebulization reflux concentrator
[NASA-CASE-LAR-13254-1CU] c 35 N86-29174

COFFINBERRY, G. A.
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c 07 N77-23106
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c 37 N78-10467
Fuel delivery system including heat exchanger means
[NASA-CASE-LEW-12793-1] c 37 N79-11403
Apparatus for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-1] c 07 N83-36029
Method for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-2] c 07 N86-20389

COHEN, D.
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c 14 N71-20435

COHEN, E. A.
Audio frequency marker system
[NASA-CASE-NPO-11147] c 14 N72-27408

COHEN, M. F.
Digital modulator and demodulator Patent
[NASA-CASE-ERC-10041] c 08 N71-29138

COHEN, M. M.
Space station architecture, module, berthing hub, shell assembly, berthing mechanism and utility connection channel
[NASA-CASE-ARC-11505-1] c 18 N84-22612
Laboratory glassware rack for seismic safety
[NASA-CASE-ARC-11422-1] c 35 N86-20751

COHEN, MARC M.
Elevated waterproof access floor system and method of making the same
[NASA-CASE-ARC-11363-1] c 31 N87-16918

COHEN, N. S.
Nitramine propellants
[NASA-CASE-NPO-14103-1] c 28 N78-31255

COHEN, R. A.
A method for selective gold diffusion of monolithic silicon devices and/or circuits Patent application
[NASA-CASE-ERC-10072] c 09 N70-11148
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c 24 N74-19769

COHN, E. M.
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c 44 N76-29699

COHN, R. B.
Acoustical transducer calibrating system and apparatus
[NASA-CASE-FRC-10060-1] c 14 N73-27379
Adapter for mounting a microphone flush with the external surface of the skin of a pressurized aircraft
[NASA-CASE-FRC-11072-1] c 05 N83-27975

COHN, S. B.
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c 32 N80-23524

COKER, L. R.
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c 15 N71-17649

COLBURN, M. E.
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c 05 N73-32011

COLE, H. A., JR.
Method and apparatus for measuring the damping characteristics of a structure
[NASA-CASE-ARC-10154-1] c 14 N72-22440

COLE, M. A.
System and method for moving a probe to follow movements of tissue
[NASA-CASE-NPO-15197-1] c 52 N83-25346

COLE, P. T.
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c 23 N71-15978
System for recording and reproducing pulse code modulated data Patent
[NASA-CASE-XGS-01021] c 08 N71-21042
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c 14 N71-22995
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c 09 N72-11224

COLEMAN, A. D.
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126

COLEMAN, JAMES H.
Method of dispensing reagent chemicals in space
[NASA-CASE-LAR-13607-1-CU] c 29 N88-29048

COLES, W. D.
Twisted multifilament superconductor
[NASA-CASE-LEW-11726-1] c 26 N73-26752
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c 26 N73-32571

COLLIER, L.
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c 05 N71-24147
COLLIN, E. E.
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c 15 N73-27405
COLLINS, D. D.
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c 45 N79-12584
COLLINS, D. F., JR.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c 15 N71-28465
COLLINS, E. R.
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c 37 N77-22480
Geological assessment probe
[NASA-CASE-NPO-14558-1] c 46 N80-24906
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c 37 N80-29703
COLLINS, E. R., JR.
Impact energy absorbing system utilizing fracturable material
[NASA-CASE-NPO-10671] c 15 N72-20443
Shuttle car loading system
[NASA-CASE-NPO-15949-1] c 85 N85-34722
Active hold-down for heat treating
[NASA-CASE-NPO-16892-1-CU] c 37 N87-14704
COLLINS, EARL R., JR.
High intensity casting system
[NASA-CASE-NPO-16901-1-CU] c 31 N87-15327
Tank tread assemblies with track-linking mechanism
[NASA-CASE-NPO-16321-1CU] c 37 N87-17034
Energy efficient continuous flow ash lockhopper
[NASA-CASE-NPO-16985-1-CU] c 31 N88-24814
COLLINS, V. G.
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c 05 N71-11207
Nebulization reflux concentrator
[NASA-CASE-LAR-13254-1CU] c 35 N86-29174
COLLINS, W. A.
Flight control system
[NASA-CASE-MSC-13397-1] c 21 N72-25595
COLONY, J. A.
Phototropic composition of matter
[NASA-CASE-XGS-03736] c 14 N72-22443
COMPANION, JOHN
Rapid quantification of an internal property
[NASA-CASE-LAR-13689-1-NP] c 35 N87-23941
COMPTON, L. E.
Supercritical solvent coal extraction
[NASA-CASE-NPO-15210-1] c 25 N84-22709
Oil shale extraction using super-critical extraction
[NASA-CASE-NPO-15656-1] c 43 N84-23012
CONANT, J. E.
Television simulation for aircraft and space flight Patent
[NASA-CASE-XFR-03107] c 09 N71-19449
CONE, C. D., JR.
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-00755] c 01 N71-13410
Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-05828] c 01 N71-13411
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c 14 N72-22445
Process for control of cell division
[NASA-CASE-LAR-10773-3] c 51 N77-25769
CONGER, C. C.
Inductance device with vacuum insulation
[NASA-CASE-LEW-10330-1] c 09 N72-27226
CONIGLIO, G. V.
Petzval type objective including field shaping lens Patent
[NASA-CASE-GSC-10700] c 23 N71-30027
CONN, J. H.
Moment of inertia test fixture Patent
[NASA-CASE-XGS-01023] c 14 N71-22992
CONNELL, E. W.
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c 54 N74-32546
CONNELL, JOHN W.
Polyenamines from aromatic diacetylenic diketones and diamines
[NASA-CASE-LAR-13444-1-CU] c 27 N87-22847
CONNELLY, D. L.
Light transmitting window assembly
[NASA-CASE-MSC-18417-1] c 74 N85-29750
CONNOLLY, D. J.
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c 33 N79-10339
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c 33 N82-26568
CONNOLLY, J. P.
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c 51 N74-15778
CONNORS, J. F.
Annular rocket motor and nozzle configuration Patent
[NASA-CASE-XLE-00078] c 28 N70-33284
Annular supersonic decelerator or drogue Patent
[NASA-CASE-XLE-00222] c 02 N70-37939
Penshape exhaust nozzle for supersonic engine Patent
[NASA-CASE-XLE-00057] c 28 N70-38711
Telescoping-spike supersonic inlet for aircraft engines Patent
[NASA-CASE-XLE-00005] c 28 N70-39899
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c 31 N71-17629
CONRAD, E. W.
Thrust vector control apparatus Patent
[NASA-CASE-XLE-00208] c 28 N70-34294
Non-reusuable kinetic energy absorber Patent
[NASA-CASE-XLE-00810] c 15 N70-34861
CONRAD, W. M.
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c 07 N71-33696
CONSTANINIDES, N. J.
Servomechanism for Doppler shift compensation in optical correlator for synthetic aperture radar
[NASA-CASE-NPO-14998-1] c 32 N83-18975
CONSTANTINIDES, N. J.
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c 32 N82-23376
CONWAY, E. J.
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c 45 N76-31714
COOGAN, J. M.
Method of planetary atmospheric investigation using a split-trajectory dual flyby mode Patent
[NASA-CASE-XAC-08494] c 30 N71-15990
COOK, C. E.
Inflatable device for installing strain gage bridges
[NASA-CASE-FRC-11068-1] c 35 N84-12443
COOK, T. A.
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c 54 N74-17853
COOK, W. M., JR.
Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c 31 N71-16221
COOLIDGE, J. E.
Data transfer system Patent
[NASA-CASE-NPO-12107] c 08 N71-27255
COON, G. W.
Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c 09 N71-23021
Thermally cycled magnetometer Patent
[NASA-CASE-XAC-03740] c 14 N71-26135
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c 33 N76-21390
COOPER, C. R.
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c 05 N72-20097
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c 05 N73-25125
COOPER, D. W.
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c 09 N71-20446
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c 37 N78-13436
COOPER, L. P.
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c 07 N81-29129
COOPER, W. E.
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c 05 N72-11085
COPELAND, J. T., JR.
High speed photo-optical time recording
[NASA-CASE-KSC-10294] c 14 N72-18411
CORBIN, P. L.
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c 33 N71-24276
CORCORAN, W. H.
Coal desulfurization by aqueous chlorination
[NASA-CASE-NPO-14902-1] c 25 N82-29371
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255
CORLEY, R. C.
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c 07 N80-18039
CORNETT, J. E.
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c 07 N80-18039
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c 07 N81-19116
CORNILLE, H. J., JR.
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c 30 N70-40016
CORNISH, S. D.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c 19 N74-29410
CORREALE, J. V.
Absorbent product to absorb fluids
[NASA-CASE-MSC-18223-1] c 24 N82-29362
Absorbent product and articles made therefrom
[NASA-CASE-MSC-18223-2] c 54 N84-11758
CORSMEIER, R. J.
Air modulation apparatus
[NASA-CASE-LEW-13524-1] c 07 N84-33410
CORSON, B. W., JR.
Nozzle Patent
[NASA-CASE-XLA-00154] c 28 N70-33374
Cascade plug nozzle
[NASA-CASE-LAR-11674-1] c 07 N76-18117
CORWIN, R. R.
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c 09 N77-27131
COSTAKOS, N. C.
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c 37 N76-22540
COSTEN, R. C.
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c 34 N77-24423
COSTES, N. C.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c 14 N73-19420
COSTOGUE, E. N.
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431
COSTON, R. M.
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c 23 N71-24725
COTE, C. E.
Display for binary characters Patent
[NASA-CASE-XGS-04987] c 08 N71-20571
COUCH, L. M.
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c 09 N82-11088
Heat pipe cooled probe
[NASA-CASE-LAR-12588-1] c 34 N85-21568
COUCH, R. H.
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c 21 N73-30641
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c 32 N77-14292
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
COULBERT, C. D.
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c 28 N71-20942
COULSON, C. E.
Active clearance control system for a turbomachine
[NASA-CASE-LEW-12938-1] c 07 N82-32366
COULTRIP, R. H.
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
COUVILLON, L. A., JR.
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c 07 N71-20791
Method and apparatus for frequency-division multiplex communications by digital phase shift of carrier
[NASA-CASE-NPO-11338] c 08 N72-25208
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c 07 N73-13149
Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator
[NASA-CASE-XNP-03623] c 09 N73-28084
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c 32 N74-10132
COWAN, J. J.
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c 35 N74-26946
COWDIN, K. T.
Aircraft body-axis rotation measurement system
[NASA-CASE-FRC-11043-1] c 06 N83-33882

COWELL, T. E.
Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c 31 N71-15647
COX, J. A.
Analog-to-digital converter
[NASA-CASE-MSC-13110-1] c 08 N72-22163
COYNER, J. V.
Foldable beam
[NASA-CASE-LAR-12077-1] c 31 N81-25259
CRABILL, N. L.
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c 21 N71-15582
CRAIG, G. D.
Wind dynamic range video camera
[NASA-CASE-MFS-25750-1] c 32 N86-20647
Optical stereo video signal processor
[NASA-CASE-MFS-25752-1] c 74 N86-21348
CRAIG, H. M.
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577
CRAIG, R. A.
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c 07 N80-26298
CRAIGHEAD, N. D., II
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19605
CRAMER, P. W., JR.
Beam forming network
[NASA-CASE-NPO-15743-1] c 32 N85-29118
CRAWFORD, D. W.
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c 52 N79-27836
System and method for moving a probe to follow movements of tissue
[NASA-CASE-NPO-15197-1] c 52 N83-25346
CRAWFORD, R.
Solar energy powered heliotrope
[NASA-CASE-GSC-10945-1] c 21 N72-31637
CRAWFORD, R. F.
Foldable beam
[NASA-CASE-LAR-12077-1] c 31 N81-25259
Sequentially deployable maneuverable tetrahedral beam
[NASA-CASE-LAR-13098-1] c 31 N86-19479
CRAWFORD, W. E.
Drive circuit for minimizing power consumption in inductive load Patent
[NASA-CASE-NPO-10716] c 09 N71-24892
CREASY, W. K.
Shock absorber Patent
[NASA-CASE-XMS-03722] c 15 N71-21530
CREE, D.
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c 09 N69-39986
CREE, R. F.
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XHQ-03903] c 15 N69-21922
CREEDON, J. F.
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c 37 N77-11397
CREEL, T. R., JR.
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c 09 N77-27131
Sound shield
[NASA-CASE-LAR-12883-1] c 71 N83-17235
CREPEAU, P. C.
Flexible, repairable, pottable material for electrical connectors Patent
[NASA-CASE-XGS-05180] c 18 N71-25881
CRESS, S. B.
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c 09 N73-32112
CRESSEY, J. R.
Display for binary characters Patent
[NASA-CASE-XGS-04987] c 08 N71-20571
CREW, JOHN H., JR.
Bearing-bypass material system test
[NASA-CASE-LAR-13458-1] c 35 N88-23967
CREWS, J. H., JR.
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c 32 N71-25360
CRIBB, H. E.
Parasitic probe antenna Patent
[NASA-CASE-XKS-09348] c 09 N71-13521
Weatherproof helix antenna Patent
[NASA-CASE-XKS-08485] c 07 N71-19493
VHF/UHF parasitic probe antenna Patent
[NASA-CASE-XKS-09340] c 07 N71-24614
Validation device for spacecraft checkout equipment Patent
[NASA-CASE-XKS-10543] c 07 N71-26292
Protective suit having an audio transceiver Patent
[NASA-CASE-KSC-10164] c 07 N71-33108
Collapsible high gain antenna
[NASA-CASE-KSC-10392] c 07 N73-26117
CROFT, R. M.
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c 28 N71-27585
CROFTS, D. E.
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c 14 N69-27459
CROONQUIST, A. P.
Acoustic rotation control
[NASA-CASE-NPO-15689-1] c 71 N84-23233
CROSSLEY, EDWARD A., JR.
Adjustable mount for electro-optic transducers in an evacuated cryogenic system
[NASA-CASE-LAR-13100-1] c 37 N87-23982
CROSWELL, W. F.
Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c 09 N71-22888
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c 09 N72-21244
CROUCH, C. E.
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c 43 N79-31706
CROUCH, H. W.
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c 15 N70-35087
CROUCH, R. K.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c 25 N75-26043
Reusable thermal cycling clamp
[NASA-CASE-LAR-12868-1] c 37 N85-21651
CROUCH, ROGER K.
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713
CROW, R. B.
Wide band doubler and sine wave quadrature generator
[NASA-CASE-NPO-11133] c 10 N72-20223
Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c 10 N73-27171
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c 33 N77-13315
CROWELL, R. T.
System and method for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-2] c 02 N81-26073
Method for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c 09 N82-29330
CRUM, G. W.
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c 05 N73-32014
CRUMPLER, J. F.
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c 37 N76-24575
CRUMPLER, W. B.
All-directional fastener Patent
[NASA-CASE-XLA-01807] c 15 N71-10799
Multilegged support system Patent
[NASA-CASE-XLA-01326] c 11 N71-21481
CRUTCHER, J. E.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c 15 N72-22482
CUBBISON, R. W.
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c 31 N71-17629
CUBLEY, H. D.
Antenna array phase quadrature tracking system Patent
[NASA-CASE-MSC-12205-1] c 07 N71-27056
CUDDIHY, E. F.
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c 37 N76-31524
CULLER, V. H.
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c 52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c 52 N76-29896
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c 52 N80-27072
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c 52 N81-20703
CULOTTA, R. F.
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c 35 N80-18358
CULP, D. H.
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c 33 N77-26385
CUNNINGHAM, ALLEN R.
Method and apparatus for measuring frequency and phase difference
[NASA-CASE-MSC-20865-1] c 32 N87-18692
CUNNINGHAM, H. R.
Potable water dispenser
[NASA-CASE-MFS-21115-1] c 54 N74-12779
CUNNINGHAM, J. W.
Automatic thermal switch
[NASA-CASE-GSC-12415-1] c 33 N82-24419
Automatic thermal switch
[NASA-CASE-GSC-12553-1] c 34 N83-28356
CUNNINGHAM, R. E.
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c 37 N77-28486
Variable force, eddy-current or magnetic damper
[NASA-CASE-LEW-13717-1] c 37 N85-30333
CUNNINGHAM, WILLIAM C.
Remotely controlled spray gun
[NASA-CASE-MFS-28110-1] c 37 N87-24689
CURREN, A. N.
Ion sputter textured graphite
[NASA-CASE-LEW-12919-1] c 24 N83-10117
Ion sputter textured graphite electrode plates
[NASA-CASE-LEW-12919-2] c 70 N84-28565
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587
CURRIE, J. R.
Bi-carrier demodulator with modulation Patent
[NASA-CASE-XMF-01160] c 07 N71-11298
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c 10 N71-24861
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c 10 N71-25139
Ratemeter
[NASA-CASE-MFS-20418] c 14 N73-24473
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c 10 N73-32145
Contour measurement system
[NASA-CASE-MFS-23726-1] c 43 N79-26439
Multi-channel temperature measurement amplification system
[NASA-CASE-MFS-23775-1] c 44 N82-16474
Solar energy control system
[NASA-CASE-MFS-25287-1] c 44 N82-18686
Photoelectric detection system
[NASA-CASE-MFS-23776-1] c 33 N82-28545
Angular measurement system
[NASA-CASE-MFS-25825-1] c 31 N86-29055
CURRIE, JAMES R.
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959
CURRIE, R. E., JR.
Relay binary circuit Patent
[NASA-CASE-XMF-00421] c 09 N70-34502
CURRY, J. E.
Method of producing alternating ether siloxane copolymers Patent
[NASA-CASE-XMF-02584] c 06 N71-20905
CURRY, K. C.
Torsional disconnect unit
[NASA-CASE-NPO-10704] c 15 N72-20445
CURRY, R. E.
Display research collision warning system
[NASA-CASE-HQN-10703] c 21 N73-13643
CURTIS, D. L.
Life support system
[NASA-CASE-MSC-12411-1] c 05 N72-20096
CYGNAROWICZ, T. A.
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c 51 N79-10694
CZARCINSKI, E. A.
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c 07 N71-24624

D

DABNEY, R. W.
Power control for ac motor
[NASA-CASE-MFS-25861-1] c 33 N85-22877
DAEGES, J. J.
Motor run-up system
[NASA-CASE-NPO-13374-1] c 33 N75-19524
DAHM, W. K.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493

Wind measurement system
[NASA-CASE-MFS-23362-1] c 47 N77-10753
DAILEDA, J. J.
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c 09 N78-31129
DAILEY, C. C.
Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c 09 N71-13486
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c 74 N78-15880
DALE, W. J.
Method of fabricating an article with cavities
[NASA-CASE-LAR-10318-1] c 31 N74-18089
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c 24 N75-30260
DALELIO, G. F.
Synthesis of polymeric schiff bases by schiff-base exchange reactions Patent
[NASA-CASE-XMF-08651] c 06 N71-11236
Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c 06 N71-11239
Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c 06 N71-11242
Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c 06 N71-11243
Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c 06 N71-24740
)ALY, W. M.
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c 35 N75-30504
)AME, J. M.
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c 37 N79-14383
)AMERON, C. E.
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c 10 N71-19421
)AMMIG, A. H., JR.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c 14 N72-22442
DANCHENKO, V.
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-1] c 76 N74-20329
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-2] c 76 N75-25730
DANE, D. H.
Harness assembly Patent
[NASA-CASE-MFS-14671] c 05 N71-12341
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c 31 N71-15689
Ratchet mechanism Patent
[NASA-CASE-MFS-12805] c 15 N71-17805
Mechanical simulator of low gravity conditions Patent
[NASA-CASE-MFS-10555] c 11 N71-19494
Mechanically actuated triggered hand
[NASA-CASE-MFS-20413] c 15 N72-21463
Sprag solenoid brake
[NASA-CASE-MFS-21846-1] c 37 N74-26976
Orthotic arm joint
[NASA-CASE-MFS-21611-1] c 54 N75-12616
Remote manipulator system
[NASA-CASE-MFS-22022-1] c 37 N76-15460
DANELLIS, J. V.
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c 52 N81-29764
DANGLE, E. E.
Rocket engine Patent
[NASA-CASE-XLE-00342] c 28 N70-37980
DANIELS, A.
Stirling cycle cryogenic cooler
[US-PATENT-4,389,849] c 44 N83-28574
DANIELS, H. J.
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c 10 N71-22986
DANIELS, JULIA G.
Method for machining holes in composite materials
[NASA-CASE-MFS-28044-1] c 31 N87-25491
DANSKIN, J. H.
Fuel injection pump for internal combustion engines Patent
[NASA-CASE-MSC-12139-1] c 28 N71-14058
DARCEY, R. J.
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c 07 N71-24621
DARGO, DAVID R.
Integrated photo-responsive metal oxide semiconductor circuit
[NASA-CASE-GSC-12782-1] c 33 N88-14271
DARR, J., JR.
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c 15 N71-23254
DARROW, W. E., JR.
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c 28 N71-16224
DASGUPTA, K.
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c 14 N73-28491
DASTOOR, M. N.
Enhancement of in vitro guayule propagation
[NASA-CASE-NPO-15213-1] c 51 N83-17045
DAUD, T.
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c 44 N81-19558
Low defect, high purity crystalline layers grown by selective deposition
[NASA-CASE-NPO-15813-1] c 76 N85-30922
DAUD, TAHER
Method for growing low defect, high purity crystalline layers utilizing lateral overgrowth of a patterned mask
[NASA-CASE-NPO-15813-2] c 76 N87-15882
High band gap 2-6 and 3-5 tunneling junctions for silicon multijunction solar cells
[NASA-CASE-NPO-16526-1CU] c 44 N87-17399
DAVARIAN, FARAMAZ
Antimultipath communication by injecting tone into null in signal spectrum
[NASA-CASE-NPO-16414-1-CU] c 32 N87-25511
DAVENPORT, ARTHUR K.
High effectiveness contour matching contact heat exchanger
[NASA-CASE-MSC-20840-1] c 34 N88-29132
DAVID-MALIG, M. A.
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c 37 N81-14319
DAVID, R. M.
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c 05 N75-24716
DAVIDS, L. H.
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c 14 N71-15621
DAVIDSON, A. C.
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c 21 N73-30640
DAVIDSON, G. A.
Compact spectroradiometer
[NASA-CASE-HQN-10683] c 14 N71-34389
DAVIDSON, J. K.
Ripple indicator
[NASA-CASE-KSC-10162] c 09 N72-11225
DAVIDSON, J. R.
Error correction method and apparatus for electronic timepieces
[NASA-CASE-LAR-12654-1] c 33 N83-36357
DAVIDSON, J. S. W.
Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c 11 N70-34815
DAVIES, W. D. T.
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c 33 N75-26243
DAVIS, A. J.
Fiber optic vibration transducer and analyzer Patent
[NASA-CASE-XMF-02433] c 14 N71-10616
DAVIS, B. K.
Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XMF-02039] c 15 N71-15871
Stud-bonding gun
[NASA-CASE-MFS-20299] c 15 N72-11392
Solar energy power system
[NASA-CASE-MFS-21628-1] c 44 N75-32581
Solar energy power system
[NASA-CASE-MFS-21628-2] c 44 N76-23675
DAVIS, D. C.
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c 39 N79-22537
DAVIS, D. P.
Quick disconnect coupling
[NASA-CASE-NPO-11202] c 15 N72-25450
DAVIS, E. J.
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c 15 N72-25453
DAVIS, E. S.
Anti-glare improvement for optical imaging systems Patent
[NASA-CASE-NPO-10337] c 14 N71-15604
Radiant energy intensity measurement system Patent
[NASA-CASE-XNP-06510] c 14 N71-23797
Reference voltage switching unit
[NASA-CASE-NPO-11253] c 09 N72-17157
DAVIS, J. G., JR.
Tube fabricating process
[NASA-CASE-LAR-10203-1] c 15 N72-16330
DAVIS, J. P.
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c 15 N71-27084
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c 33 N72-20915
Uninsulated in-core thermionic diode
[NASA-CASE-NPO-10542] c 09 N72-27228
DAVIS, J. W.
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c 11 N71-17600
Wind tunnel test section
[NASA-CASE-MFS-20509] c 11 N72-17183
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c 11 N72-27262
DAVIS, L. P.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c 15 N72-22482
DAVIS, N. S.
Decomposition unit Patent
[NASA-CASE-XMS-00583] c 28 N70-38504
DAVIS, R. C.
Curved cap corrugated sheet
[NASA-CASE-LAR-12884-1] c 18 N84-33450
Daze fasteners
[NASA-CASE-LAR-13009-1] c 37 N85-29285
DAVIS, RANDALL C.
Daze fasteners
[NASA-CASE-LAR-13009-2] c 37 N87-22976
Stiffened titanium panels
[NASA-CASE-LAR-13814-1] c 31 N88-24816
DAVIS, W. T.
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c 32 N71-25360
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c 39 N79-22537
Missile rolling tail brake torque system
[NASA-CASE-LAR-12751-1] c 15 N84-16231
A system for controlling the oxygen content of a gas produced by combustion
[NASA-CASE-LAR-13257-1] c 25 N84-32447
DAVISON, E. H.
Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors Patent
[NASA-CASE-XLE-01246] c 14 N71-10797
DAVISON, H. W.
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c 22 N72-20597
DAWN, F. S.
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c 33 N72-25913
Lightweight electrically-powered flexible thermal laminate
[NASA-CASE-MSC-12662-1] c 33 N79-12331
Absorbent product to absorb fluids
[NASA-CASE-MSC-18223-1] c 24 N82-29362
Absorbent product and articles made therefrom
[NASA-CASE-MSC-18223-2] c 54 N84-11758
DAY, J. L.
Electrode for biological recording
[NASA-CASE-XMS-02872] c 05 N69-21925
Pressed disc type sensing electrodes with ion- screening means Patent
[NASA-CASE-XMS-04212-1] c 05 N71-12346
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c 05 N72-25120
DAY, R. M.
Portable pallet weighing apparatus
[NASA-CASE-GSC-12789-1] c 35 N85-20294
DAYAN, V. H.
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c 14 N71-20442
DEA, J. Y.
Constant-output atomizer
[NASA-CASE-MFS-25631-1] c 34 N84-12406
DEADMORE, D. L.
Method of protecting a surface with a silicon-slurry/aluminide coating
[NASA-CASE-LEW-13343-1] c 27 N82-28441
Silicon-slurry/aluminide coating
[NASA-CASE-LEW-13343] c 26 N83-31795
DEAN, WILLIAM G
Low temperature storage container for transporting perishables to space station
[NASA-CASE-MFS-28248-1] c 31 N88-24817
DEATON, E. T., JR.
Contour measurement system
[NASA-CASE-MFS-23726-1] c 43 N79-26439

DEBNAM, W. J.
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c 35 N78-32397
DEBNAM, W. J., JR.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c 25 N75-26043
Ampoule sealing apparatus and process
[NASA-CASE-LAR-12847-1] c 33 N83-16633
Reusable thermal cycling clamp
[NASA-CASE-LAR-12868-1] c 37 N85-21651
DEBNAM, WILLIAM J.
Method of dispensing reagent chemicals in space
[NASA-CASE-LAR-13607-1-CU] c 29 N88-29048
DEBNAM, WILLIAM J., JR.
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713
DEBOO, G. J.
Gyrator type circuit Patent
[NASA-CASE-XAC-10608-1] c 09 N71-12517
Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c 10 N71-23669
Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c 09 N71-33109
Phase shift circuit apparatus
[NASA-CASE-ARC-10269-1] c 10 N72-16172
Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c 09 N73-14214
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c 09 N73-20231
Test apparatus for locating shorts during assembly of electrical buses
[NASA-CASE-ARC-11116-1] c 33 N82-24420
DECARLO, F. S.
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c 04 N76-26175
DECKER, A. J.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c 33 N74-12913
DEDOLPH, R. D.
Rotary plant growth accelerating apparatus
[NASA-CASE-ARC-10722-1] c 51 N75-25503
DEERKOSKI, L. F.
Signal-to-noise ratio determination circuit
[NASA-CASE-GSC-11239-1] c 10 N73-25241
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c 33 N76-27472
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c 32 N77-30308
DEFURIA, R. R.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c 15 N71-28465
DEGEER, M. D.
Traversing probe Patent
[NASA-CASE-XFR-02007] c 12 N71-24692
DEGRASSE, R. W.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c 16 N71-15550
DEIS, B. C.
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c 15 N71-24164
Drop foot corrective device
[NASA-CASE-LAR-12259-2] c 54 N86-22112
DEL CASALE, L. A.
Signal generator
[NASA-CASE-XNP-05612] c 09 N69-21468
DEL CURTO, B.
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c 24 N71-20518
DEL DUCA, A.
Electronic divider and multiplier using photocells Patent
[NASA-CASE-XFR-05637] c 09 N71-19480
DELANO, C. B.
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c 27 N78-31232
DELAPLAINE, R. W.
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c 37 N78-27425
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c 52 N81-29763
DELATEUR, L. A.
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c 31 N72-18859
DELGREGO, D. J.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
DELUCA, J. J.
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c 16 N71-28554
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c 37 N75-15992
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c 24 N79-25143
DELVIGS, P.
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c 06 N73-27980
Curing agent for polyepoxides and epoxy resins and composites cured therewith
[NASA-CASE-LEW-13226-1] c 27 N81-17260
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c 27 N81-19296
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-2] c 27 N83-29392
DEMING, J. W.
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c 51 N83-27569
DEMOGENES, C.
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c 32 N72-25877
DEMOREST, K. E.
Self-lubricating gears and other mechanical parts Patent
[NASA-CASE-MFS-14971] c 15 N71-24984
DEMPSEY, T. K.
Ride quality meter
[NASA-CASE-LAR-12882-1] c 35 N84-12445
DENACI, D. E.
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c 15 N71-20813
DENEF, D. E.
Television camera video level control system
[NASA-CASE-MSC-18578-1] c 32 N85-21427
DENNIS, DALE V.
Aircraft control position indicator
[NASA-CASE-LAR-12984-1] c 06 N87-22678
DEO, N.
Dual purpose momentum wheels for spacecraft with magnetic recording
[NASA-CASE-NPO-11481] c 21 N73-13644
DERESPINIS, SILVIO F.
Sun shield
[NASA-CASE-MSC-20162-1] c 37 N87-17036
DERING, V. G.
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c 31 N73-13898
DERR, L. J.
Direct radiation cooling of the collector of linear beam tubes
[NASA-CASE-XNP-09227] c 15 N69-24319
Temperature-compensating means for cavity resonator of amplifier Patent
[NASA-CASE-XNP-00449] c 14 N70-35220
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent
[NASA-CASE-NPO-10625] c 09 N71-26182
Thermostatic actuator
[NASA-CASE-NPO-10637] c 15 N72-12409
Thermal motor
[NASA-CASE-NPO-11283] c 09 N72-25260
Electrostatically controlled heat shutter
[NASA-CASE-NPO-11942-1] c 33 N73-32818
DESCAMP, V. A.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c 34 N75-33342
DESTEESE, J. G.
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c 03 N70-34646
DETTLING, J. R.
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c 37 N79-22474
DETWEILER, H. K.
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c 33 N74-22814
DEUTSCH, LESLIE J.
A VLSI single-chip (225,223) Reed-Solomon encoder with interleaver
[NASA-CASE-NPO-17280-1-CU] c 17 N88-27220
DEVINE, D. L.
Test apparatus for locating shorts during assembly of electrical buses
[NASA-CASE-ARC-11116-1] c 33 N82-24420
DEVINE, E. J.
Optical tracker having overlapping reticles on parallel axes Patent
[NASA-CASE-XGS-05715] c 23 N71-16100
DEWHIRST, D. L.
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c 31 N71-18611
DEWITT, R. L.
Fluid coupling Patent
[NASA-CASE-XLE-00397] c 15 N70-36492
DEYOUNG, ANEMARIE
Projection lens scanning laser velocimeter system
[NASA-CASE-ARC-11547-1] c 36 N87-17026
DEYOUNG, R. J.
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c 36 N79-18307
Large volume multiple-path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c 36 N82-13415
Long gain length solar pumped box laser
[NASA-CASE-LAR-13256-1] c 36 N86-29204
DI LOSA, V. J.
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c 10 N71-20841
DIAMOND, D. D.
Stator rotor tools
[NASA-CASE-MSC-16000-1] c 37 N78-24544
DIAMOND, R. M.
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c 15 N71-21531
DIBATTISTA, J. D.
Determining particle density using known material Hugeniot curves
[NASA-CASE-LAR-11059-1] c 76 N75-12810
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c 35 N75-33367
DICK, G. JOHN
Low noise cryogenic dielectric resonator oscillator
[NASA-CASE-NPO-17157-1-CU] c 33 N88-26596
DICKENS, L. E.
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c 33 N74-32660
DICKERSON, G. E.
Composite lamination method
[NASA-CASE-LAR-12019-1] c 24 N78-17150
DICKINSON, R. M.
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c 32 N78-24391
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c 44 N78-28594
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c 33 N80-18287
DIETRICH, F. J.
Amplitude steered array
[NASA-CASE-GSC-11446-1] c 33 N74-20860
DILL, W. P.
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c 51 N80-27067
DILLARD, P. A.
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c 44 N80-18550
DILLON, R. F., JR.
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c 37 N75-18573
DIMEFF, J.
Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c 14 N69-27423
Apparatus for coupling a plurality of ungrounded circuits to a grounded circuit Patent
[NASA-CASE-XAC-00086] c 09 N70-33182
Two-plane balance Patent
[NASA-CASE-XAC-00073] c 14 N70-34813
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c 14 N70-34816
High speed low level electrical stepping switch Patent
[NASA-CASE-XAC-00060] c 09 N70-39915
Dynamic sensor Patent
[NASA-CASE-XAC-02877] c 14 N70-41681
Electrostatic charged particle analyzer having deflection members shaped according to the periodic voltage applied thereto Patent
[NASA-CASE-XAC-05506-1] c 24 N71-16095
Inertial reference apparatus Patent
[NASA-CASE-XAC-03107] c 23 N71-16098
Thermal detector of electromagnetic energy by means of a vibrating electrode Patent
[NASA-CASE-XAC-10768] c 09 N71-18830

Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c 09 N71-23021
Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c 14 N72-22436
Nondispersive gas analyzing method and apparatus wherein radiation is serially passed through a reference and unknown gas
[NASA-CASE-ARC-10308-1] c 06 N72-31141
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c 25 N74-26947
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c 33 N75-19520
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c 33 N75-25041
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c 35 N75-30502
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c 35 N76-18403
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector
[NASA-CASE-ARC-10631-1] c 74 N76-20958
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c 25 N76-22323
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c 31 N76-31365
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c 35 N78-13400

DINER, DANIEL B.
Television monitor field shifter and an opto-electronic method for obtaining a stereo image of optimal depth resolution and reduced depth distrotion on a single screen
[NASA-CASE-NPO-17249-1-CU] c 32 N88-23924

DIRUSSO, E.
Variable friction secondary seal for face seals
[NASA-CASE-LEW-14170-1] c 37 N86-25790

DIVSALAR, DARIUSH
Doppler-corrected differential detection system
[NASA-CASE-NPO-16987-1-CU] c 32 N88-30001

DIX, M. G.
Demodulation system Patent
[NASA-CASE-XAC-04030] c 10 N71-19472

DIXON, D. S.
Device and method for frictionally testing materials for ignitability
[NASA-CASE-MSC-20622-1] c 25 N86-19413

DIXON, G. V.
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c 15 N71-27169

DOBIES, E. F.
Cyclically operable optical shutter
[NASA-CASE-NPO-10758] c 14 N73-14427

DOD, L. R.
Plural beam antenna
[NASA-CASE-GSC-11013-1] c 09 N73-19234

DOGGETT, R. V., JR.
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12458-1] c 44 N83-21503
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12720-1] c 44 N83-21504

DOLAND, G. D.
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c 32 N74-32598
Phased array antenna control
[NASA-CASE-MSC-14939-1] c 32 N79-11264
Random digital encryption secure communication system
[NASA-CASE-MSC-16462-1] c 32 N82-31583

DOLLAND, C. R.
Combinational logic for generating gate drive signals for phase control rectifiers
[NASA-CASE-MFS-25208-1] c 33 N83-10345
Adaptive reference voltage generator for firing angle control of line-commutated inverters
[NASA-CASE-MFS-25215-1] c 33 N83-31953
Adaptive control system for line-commutated inverters
[NASA-CASE-MFS-25209-1] c 33 N83-35227

DOLLYHIGH, S. M.
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c 09 N82-23254

DOMACK, CHRISTOPHER S.
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793

DOMAS, P. A.
Redundant disc
[NASA-CASE-LEW-12496-1] c 07 N78-33101

DOMBROWSKI, H. G.
Adjustable tension wire guide Patent
[NASA-CASE-XMS-02383] c 15 N71-15918

DOMINEK, ALLEN K.
Almond test body
[NASA-CASE-LAR-13747-1] c 32 N88-24845

DONALDSON, R. W., JR.
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c 35 N75-26334

DONALDSON, RALPH W.
Dual mode laser velocimeter
[NASA-CASE-ARC-11634-1] c 36 N88-14350

DONNELLY, P. C.
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c 03 N70-41864

DONNINI, J. M.
Hydrogen fire blink detector
[NASA-CASE-MFS-15063] c 14 N72-25412

DONOHUE, J. H.
Passive dual spin misalignment compensators
[NASA-CASE-GSC-11479-1] c 35 N74-28097
Active nutation controller
[NASA-CASE-GSC-12273-1] c 35 N80-21719

DONOVAN, B. P.
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c 31 N71-21881

DONOVAN, G.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c 14 N73-28489

DONOVAN, R. P.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c 35 N76-22509

DOONG, H.
Analog to digital converter Patent
[NASA-CASE-XLA-00670] c 08 N71-12501
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c 33 N75-19522

DORNE, A.
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c 07 N71-22984

DOTSON, W. P., JR.
Digital to analog conversion apparatus
[NASA-CASE-MSC-12458-1] c 08 N73-32081

DOTTS, R. L.
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c 24 N79-25142
Attachment system for silica tiles
[NASA-CASE-MSC-18741-1] c 27 N82-29456
High temperature silicon carbide impregnated insulating fabrics
[NASA-CASE-MSC-18832-1] c 27 N83-18908

DOUGHERTY, H. B.
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c 33 N74-20861

DOUGHTY, R. A.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c 14 N71-26244

DOUGLAS, J.
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c 15 N71-16076

DOUGLAS, J. L.
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c 14 N71-27407

DOW, M. B.
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c 37 N76-24575

DOW, N. F.
Two component bearing Patent
[NASA-CASE-XLA-00013] c 15 N71-29136

DOWLER, W. L.
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c 28 N72-23810
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c 28 N73-24784
Seismic vibration source
[NASA-CASE-NPO-14112-1] c 46 N79-22679

DOWNING, R. G.
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431

DOWNS, W. R.
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XMS-02677] c 31 N70-42075
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c 46 N74-13011

DOYLE, J. C.
Measuring device Patent
[NASA-CASE-XMS-01546] c 14 N70-40233

DRAPEAU, D. F.
Slow opening valve
[NASA-CASE-MSC-20112-1] c 37 N85-20338

DRAPER, SUSAN L.
Improved properties of SiGe/GaP alloys
[NASA-CASE-NPO-17259-1-CU] c 76 N88-25358

DREISBACH, F. W.
Film advance indicator
[NASA-CASE-LAR-12474-1] c 35 N82-26628

DRESHFIELD, R. L.
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c 17 N73-32415

DRESSER, H. S.
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c 09 N78-31129

DREXHAGE, M. G.
Injection head for delivering liquid fuel and oxidizers
[NASA-CASE-NPO-10046] c 28 N72-17843

DREYFUS, M. G.
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c 35 N79-33449

DRISCOLL, K. L.
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c 33 N74-22865

DROST, E. J.
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c 43 N79-25443

DRUMMOND, A. S.
Flexible back-up bar Patent
[NASA-CASE-XMF-00722] c 15 N70-40204

DU PONT, P. S.
Solar panel fabrication Patent
[NASA-CASE-XNP-03413] c 03 N71-26726

DUBEY, M.
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c 15 N71-21531

DUBIS, DAVID
Energy efficient continuous flow ash lockhopper
[NASA-CASE-NPO-16985-1-CU] c 31 N88-24814

DUBOIS, PASCALE C.
Data volume reduction for imaging radar polarimetry
[NASA-CASE-NPO-17184-1-CU] c 32 N88-26541

DUBOIS, R. D.
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c 37 N77-19457

DUBUSKER, W.
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c 37 N75-27376

DUCKETT, J.
Variable anodic thermal control coating
[NASA-CASE-LAR-12719-1] c 44 N83-34449

DUDLEY, MICHAEL R.
High performance forward swept wing aircraft
[NASA-CASE-ARC-11636-1] c 05 N88-28914

DUESBERG, J. D.
Method of repairing hidden leaks in tubes
[NASA-CASE-MFS-19796-1] c 37 N86-32730

DUFFY, J. O.
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c 10 N71-25917

DUFRESNE, EUGENE R.
Method of evaporation
[NASA-CASE-NPO-15609-2] c 25 N88-23840
Tower evaporator
[NASA-CASE-NPO-15609-2] c 31 N88-24818

DUNAETZ, R. A.
Flexible, repairable, pottable material for electrica connectors Patent
[NASA-CASE-XGS-05180] c 18 N71-25886

DUNAVANT, J. C.
Hot air ballon deceleration and recovery syste Patent
[NASA-CASE-XLA-06824-2] c 02 N71-11036

DUNN, J. G.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c 07 N72-11146

DUNN, J. H.
Foldable conduit Patent
[NASA-CASE-XLE-00620] c 32 N70-41576

DUNN, S. A.
Sonic levitation apparatus
[NASA-CASE-MFS-25828-1] c 71 N84-28566

DUNN, S. T.
Ellipsoidal mirror reflectometer including means f averaging the radiation reflected from the samp Patent
[NASA-CASE-XGS-05291] c 23 N71-16346

DUNN, T. J.
Pre-stressed thermal protection systems
[NASA-CASE-MSC-20254-1] c 16 N84-22606

DUNN, W. F.
Water separator
[NASA-CASE-XMS-01295-1] c 37 N79-21346

DUNN, W. R.
Coaxial inverted geometry transistor having buri emitter
[NASA-CASE-ARC-10330-1] c 09 N73-32146

DUNNAVANT, W. R.
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XMF-06409] c 06 N71-23246

Process for preparation of high-molecular- weight polyaryloxysilanes Patent
[NASA-CASE-XMF-08674] c 06 N71-28807

DUNNING, J. W., JR.
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c 03 N69-39983

DUPRAW, W. A.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c 06 N71-23527

DURAN, E. N.
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c 33 N75-31329
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c 33 N76-19338

DURNEY, G. P.
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012

DUSTIN, M. O.
Pneumatic oscillator Patent
[NASA-CASE-LEW-10345-1] c 10 N71-25899
Shock position sensor for supersonic inlets
[NASA-CASE-LEW-11915-1] c 35 N76-14431

DWINELL, W. S.
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c 33 N79-28415

DYER, GERALD E.
Welding monitoring system
[NASA-CASE-MFS-29177-1] c 37 N88-14362
Trailer shield assembly for a welding torch
[NASA-CASE-MFS-29260-1] c 37 N88-24972

E

EASLEY, W. C.
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c 33 N75-26245

EASTERLING, M. E.
Baseband signal combiner for large aperture antenna array
[NASA-CASE-NPO-14641-1] c 32 N81-29308

EASTERLING, M. F.
Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c 07 N70-36911
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c 07 N70-41680
Time synchronization system utilizing moon reflected coded signals Patent
[NASA-CASE-NPO-10143] c 10 N71-26326
Two carrier communication system with single transmitter
[NASA-CASE-NPO-11548] c 07 N73-26118
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c 32 N80-18253

EASTON, R. A.
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c 08 N72-22162
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c 07 N72-25172

EATON, L. R.
Heat transfer device
[NASA-CASE-MFS-22938-1] c 34 N76-18374

EBERSOLE, T. J.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c 35 N74-18090

EBIHARA, B. T.
Thermal radiation shielding Patent
[NASA-CASE-XLE-03432] c 33 N71-24145
Multistage spent particle collector and a method for making same
[NASA-CASE-LEW-13914-1] c 37 N85-33489

EBIHARA, BEN T.
Apparatus for mounting a field emission cathode
[NASA-CASE-LEW-14108-1] c 33 N87-28832

EBY, R. J.
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c 31 N73-30829

ECKER, ANDREAS
Dual wavelength holographic interferometry system
[NASA-CASE-MFS-28242-1] c 35 N88-23960

ECKERT, E. R. G.
Transpiration cooled turbine blade manufactured from wires Patent
[NASA-CASE-XLE-00020] c 15 N70-33226

ECKLES, P. N.
High-speed infrared furnace
[NASA-CASE-XLE-10466] c 17 N69-25147

ECONOMU, M. A.
Wire stripper
[NASA-CASE-FRC-10111-1] c 37 N79-10419
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c 06 N80-18036

ECORD, G. M.
Densification of porous refractory substrates
[NASA-CASE-MSC-18737-1] c 24 N83-13171
Method of repairing surface damage to porous refractory substrates
[NASA-CASE-MSC-18736-1] c 24 N83-13172

EDDINS, T. O.
Space craft soft landing system Patent
[NASA-CASE-XMF-02108] c 31 N70-36845
Missile launch release system Patent
[NASA-CASE-XMF-03198] c 30 N70-40353

EDELSTEIN, FRED
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-1] c 34 N87-22950
Monogroove cold plate
[NASA-CASE-MSC-20946-1] c 34 N87-28867
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-2] c 34 N88-23958

EDLESON, S. K.
Latch/ejector unit Patent
[NASA-CASE-XLA-03536] c 15 N71-24897

EDMAN, C. W.
Electrical switching device Patent
[NASA-CASE-NPO-10037] c 09 N71-19610

EDWARDS, G. G.
Flight craft Patent
[NASA-CASE-XAC-02058] c 02 N71-16087

EDWARDS, J. W.
Apparatus for damping operator induced oscillations of a controlled system
[NASA-CASE-FRC-11041-1] c 33 N82-18493

EDWARDS, T. R.
Filtering device
[NASA-CASE-MFS-22729-1] c 32 N76-21366
Method of and apparatus for generating an interstitial point in a data stream having an even number of data points
[NASA-CASE-MFS-25319-1] c 60 N85-33701

EGGER, R. L.
Strain gage Patent Application
[NASA-CASE-FRC-10053] c 14 N70-35587

EGGERS, A. J., JR.
Flight craft Patent
[NASA-CASE-XAC-02058] c 02 N71-16087

EGLI, ANNMARIE O.
Semi-2-interpenetrating networks of high temperature systems
[NASA-CASE-LAR-13450-1] c 27 N87-28657

EGLI, P. H.
Method of forming transparent films of ZnO
[NASA-CASE-FRC-10019] c 15 N73-12487

EHL, J. H.
Cryogenic insulation strength and bond tester
[NASA-CASE-MFS-25910-1] c 39 N86-20841

EHL, JAMES H.
Alignment and assembly tool for very large diameter cylinders
[NASA-CASE-MFS-28001-2] c 37 N88-14360

EHRENFELD, D. A.
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c 09 N69-24329
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c 08 N71-22710

EICHENBRENNER, F. F.
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c 15 N71-17696
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c 14 N71-26136
Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c 09 N74-19528

EICHENTHAL, J.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c 23 N71-24857

EISENBERGER, I.
Data compressor Patent
[NASA-CASE-XNP-04067] c 08 N71-22707

EL-AASSER, M. S.
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c 25 N81-19242

ELACHI, C.
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c 36 N75-31427
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c 36 N76-18428
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c 36 N76-24553
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c 71 N77-26919

ELBER, W.
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c 24 N81-14000
Method of making a partial interlaminar separation composite system
[NASA-CASE-LAR-12065-2] c 24 N81-33235
Means for controlling aerodynamically induced twist
[NASA-CASE-LAR-12175-1] c 05 N82-28279

ELDER, N. D.
Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c 14 N71-24693

ELIA, A. D.
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c 07 N69-27460

ELIASON, J. T.
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c 44 N77-10635

ELKINS, B. R.
Double window viewing chamber assembly
[NASA-CASE-MFS-28057-1] c 09 N87-14355

ELKINS, W.
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c 54 N74-32546
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c 52 N77-14736

ELLEMAN, D. D.
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c 15 N73-28516
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c 26 N73-28710
Magnetic-flux pump
[NASA-CASE-XNP-01188] c 15 N73-32361
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c 12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c 20 N75-24837
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c 35 N76-16390
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c 71 N78-10837
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c 31 N81-33319
Method and apparatus for producing gas-filled hollow spheres
[NASA-CASE-NPO-14596-3] c 31 N83-31896
Acoustic system for material transport
[NASA-CASE-NPO-15453-1] c 71 N83-32515
Acoustic bubble removal method
[NASA-CASE-NPO-15334-1] c 71 N83-35781
Acoustic rotation control
[NASA-CASE-NPO-15689-1] c 71 N84-23233
Closed loop electrostatic levitation system
[NASA-CASE-NPO-15553-1] c 33 N85-29142
Noncontact temperature pattern measuring device
[NASA-CASE-NPO-17024-1-CU] c 35 N88-24943

ELLERN, W. B.
Method of evaluating moisture barrier properties of encapsulating materials Patent
[NASA-CASE-NPO-10051] c 18 N71-24934

ELLINGSWORTH, J. R.
Tensile testing apparatus
[NASA-CASE-LAR-13243-1] c 35 N85-34375

ELLIOTT, D. G.
Magnetohydrodynamic induction machine
[NASA-CASE-XNP-07481] c 25 N69-21929
Two-fluid magnetohydrodynamic system and method for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c 03 N70-36803
Two phase flow system with discrete impinging two-phase jets
[NASA-CASE-NPO-11556] c 12 N72-25292
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c 34 N79-20335
Method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-2] c 37 N85-29282

ELLIOTT, R. L.
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XMF-10753] c 06 N71-11237
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c 06 N73-30098

ELLIS, D. R.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c 05 N75-12930

ELLIS, H., JR.
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c 32 N81-14187
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c 32 N82-11336
Spiral slotted phased antenna array
[NASA-CASE-MSC-18532-1] c 32 N82-27558

ELLIS, S. G.
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c 09 N71-23027
Method of electrolytically binding a layer of semiconductors together Patent
[NASA-CASE-XNP-01959] c 26 N71-23043
Method of changing the conductivity of vapor deposited gallium arsenide by the introduction of water into the vapor deposition atmosphere Patent
[NASA-CASE-XNP-01961] c 26 N71-29156
ELSNER, N. B.
Stabilized lanthanum sulphur compounds
[NASA-CASE-NPO-16135-1] c 25 N83-24572
EMDE, W. D.
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c 17 N71-23828
EMERY, J. C.
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c 16 N71-24170
ENGEL, A.
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c 09 N72-25248
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c 33 N75-31330
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c 60 N79-20751
ENGLAND, C.
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c 44 N76-18641
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c 44 N76-18643
ENGLAR, K. G.
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c 31 N71-21881
ENIE, R. B.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c 24 N74-30001
ENRIQUEZ, E. A.
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c 32 N79-20296
ENSTROM, R. E.
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c 15 N69-24266
EPPERLY, WALTER L.
Range and range rate system
[NASA-CASE-MSC-20867-1] c 36 N88-24958
EPPS, C. H., JR.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c 54 N76-22914
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c 52 N81-25661
EPSTEIN, J.
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c 26 N71-16037
Tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c 09 N72-25259
EPSTEIN, P.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c 14 N73-28489
ERB, R. B.
Heat shield Patent
[NASA-CASE-XMS-00486] c 33 N70-33344
ERICKSON, W. D.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c 11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c 11 N71-21475
Ablation article and method
[NASA-CASE-LAR-10439-1] c 33 N73-27796
ERNEST, J. B.
Crude oil desulfurization
[NASA-CASE-NPO-14542-1] c 25 N82-23282
ERPENBACH, H.
Means and methods of depositing thin films on substrates Patent
[NASA-CASE-XNP-00595] c 15 N70-34967
Process for reducing secondary electron emission Patent
[NASA-CASE-XNP-09469] c 24 N71-25555
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c 36 N75-15029
ERRETT, D. D.
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c 21 N71-10771
ESCHER, W. J. D.
Attitude and propellant flow control system and method Patent
[NASA-CASE-XMF-00185] c 21 N70-34539
Composite powerplant and shroud therefor Patent
[NASA-CASE-XLA-01043] c 28 N71-10780
Injector assembly for liquid fueled rocket engines Patent
[NASA-CASE-XMF-00968] c 28 N71-15660
ESGAR, J. B.
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c 15 N71-10577
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c 52 N75-33640
ESKEW, M. H., JR.
Random function tracer Patent
[NASA-CASE-XLA-01401] c 15 N71-21179
ESPY, P. N.
Coaxial high density, hypervelocity plasma generator and accelerator with ionizable metal disc
[NASA-CASE-MFS-20589] c 25 N72-32688
ESTES, E. G.
Rocket nozzle test method Patent
[NASA-CASE-NPO-10311] c 31 N71-15643
ESTES, M. F.
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c 15 N72-20446
Process for making diamonds
[NASA-CASE-MFS-20698-2] c 15 N73-19457
ESTEY, R. S.
Method and apparatus for precision control of radiometer
[NASA-CASE-NPO-15398-1] c 35 N84-22931
ESTRELLA, C. A.
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides
[NASA-CASE-ARC-11107-1] c 25 N80-16116
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c 27 N82-24339
ETHRIDGE, E. C.
Sonic levitation apparatus
[NASA-CASE-MFS-25828-1] c 71 N84-28568
Containerless high purity pulling process and apparatus for glass fiber
[NASA-CASE-MFS-25905-2] c 31 N86-21718
ETHRIDGE, EDWIN C.
Quasi-containerless glass formation method and apparatus
[NASA-CASE-MFS-28090-1] c 27 N87-21111
ETSION, I.
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c 37 N79-10418
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c 37 N81-24442
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c 37 N82-12442
ETZEL, J. G.
Laser measuring system for incremental assemblies
[NASA-CASE-GSC-12321-1] c 36 N82-16396
EUBANKS, A. G.
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c 14 N69-39982
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c 18 N71-22998
EULITZ, W. R.
Slosh suppressing device and method Patent
[NASA-CASE-XMF-00658] c 12 N70-38997
EVANS, D. D.
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c 28 N70-41311
EVANS, D. G.
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c 15 N70-36412
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c 28 N70-39895
EVANS, E. H.
Strain sensor for high temperatures Patent
[NASA-CASE-XNP-09205] c 14 N71-17657
EVANS, F. D.
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c 11 N71-28629
EVANS, G. A.
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c 36 N76-24553
EVANS, H. E.
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c 44 N78-24608
EVANS, J.
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c 07 N71-28965
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c 15 N72-20442
Nutation damper
[NASA-CASE-GSC-11205-1] c 15 N73-25513
Magentically actuated compressor
[NASA-CASE-GSC-12799-1] c 31 N85-21404
EVANS, J. C., JR.
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c 33 N74-20859
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c 36 N75-27364
Solar cell collector
[NASA-CASE-LEW-12552-1] c 44 N78-25527
Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c 44 N78-25529
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c 44 N79-11467
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c 44 N79-11468
Solar cell collector and method for producing same
[NASA-CASE-LEW-12552-2] c 44 N79-11472
Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c 44 N79-18444
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c 44 N81-12542
Method of making a high voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c 44 N82-29709
High voltage planar multijunction solar cell
[NASA-CASE-LEW-13400-1] c 44 N82-31764
Heat transparent high intensity high efficiency solar cell
[NASA-CASE-LEW-12892-1] c 44 N83-14692
High voltage v-groove solar cell
[NASA-CASE-LEW-13401-2] c 44 N83-32177
EVANS, J. M., JR.
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c 17 N78-17140
EVANS, K. C.
Synchronized voltage contrast display analysis system
[NASA-CASE-NPO-14567-1] c 33 N83-18996
EVANS, L. G.
Method and apparatus for mapping the distribution of chemical elements in an extended medium
[NASA-CASE-GSC-12808-1] c 25 N85-21279
EVANS, P. K.
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c 35 N77-22450
EVENSEN, D. A.
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c 32 N71-16106
EVVARD, J. C.
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c 05 N73-27062
EWEN, H. I.
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c 14 N71-26774
Clear air turbulence detector
[NASA-CASE-ERC-10081] c 14 N72-28437
EXTON, R. J.
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c 45 N76-17656
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c 39 N78-16387
Vibration-free Raman Doppler velocimeter
[NASA-CASE-LAR-13268-1] c 35 N87-14669
EZEKIEL, F. D.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c 15 N71-28465

F

FACEMIRE, BARBARA R.
Liquid encapsulated float zone process and apparatus
[NASA-CASE-MFS-28144-1] c 76 N88-24545
FAETH, P. A.
Automatic recording McLeod gauge Patent
[NASA-CASE-XLE-03280] c 14 N71-23093
FAGET, M. A.
Survival couch Patent
[NASA-CASE-XLA-00118] c 05 N70-33285
Aerial capsule emergency separation device Paten
[NASA-CASE-XLA-00115] c 03 N70-33343
Space capsule Patent
[NASA-CASE-XLA-00149] c 31 N70-37936
Space capsule Patent
[NASA-CASE-XLA-01332] c 31 N71-15664
Space shuttle vehicle and system
[NASA-CASE-MSC-12433] c 31 N73-14854
Space vehicle system
[NASA-CASE-MSC-12561-1] c 18 N76-17185
FAGG, MARY F.
Reconfigurable work station for a video display unit and keyboard
[NASA-CASE-MFS-26009-1-SB] c 54 N88-24163

FAGOT, R. J.
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c 12 N71-26546
Respiration monitor
[NASA-CASE-FRC-10012] c 14 N72-17329
FAKAN, J. C.
Superconducting alternator
[NASA-CASE-XLE-02824] c 03 N69-39890
Superconducting alternator Patent
[NASA-CASE-XLE-02823] c 09 N71-23443
FALBEL, G.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c 21 N70-35427
FALES, C. L., JR.
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c 35 N78-32397
FALK, W. C.
Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c 15 N70-40156
Canister closing device Patent
[NASA-CASE-XLA-01446] c 15 N71-21528
FANG, P.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c 03 N72-11062
FANNIN, B. B.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c 74 N79-11865
FARHOOMAND, JAM
Method and means for generation of tunable laser sidebands in the far-infrared region
[NASA-CASE-NPO-16497-1-CU] c 36 N87-25567
FARLEY, GARY L.
Structurally tailorable non-linear snap-through spring system
[NASA-CASE-LAR-13729-1] c 37 N88-24970
FARMER, M. G.
Model mount system for testing flutter
[NASA-CASE-LAR-12950-1] c 09 N84-34448
FARNSWORTH, D. L.
Phototransistor imaging system
[NASA-CASE-MFS-20809] c 23 N73-13660
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c 33 N77-14335
FARNSWORTH, F. D.
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c 14 N71-30026
FARRELL, R.
Lead attachment to high temperature devices
[NASA-CASE-ERC-10224] c 09 N72-25261
Wide temperature range electronic device with lead attachment
[NASA-CASE-ERC-10224-2] c 09 N73-27150
FARRIS, C. D.
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c 44 N74-19693
FARTHING, W. H.
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c 14 N73-28490
FASSBENDER, A. G.
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c 33 N76-19339
FAULKNER, R. D.
Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c 15 N69-39735
FAY, R. J.
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c 15 N73-30460
FEAKES, F.
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c 14 N73-30390
FEALEY, R. D.
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c 14 N73-13435
FEARNEHOUGH, H. T.
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c 14 N73-14429
FEATHERSTON, A. B.
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c 37 N76-18455
FEDOR, J. V.
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c 30 N70-40016
FEDOR, OTTO H.
Personnel emergency carrier vehicle
[NASA-CASE-KSC-11282-1] c 85 N87-21755
FEDORS, R. F.
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c 14 N73-14429
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c 39 N81-25400
FEHRENKAMP, L. G.
Surface finishing
[NASA-CASE-MSC-12631-1] c 24 N77-28225
Surface finishing
[NASA-CASE-MSC-12631-3] c 27 N81-14077
FEILER, C. E.
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c 33 N71-21507
FEINBERG, P. M.
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c 07 N71-23001
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c 07 N71-24624
FEINSTEIN, L.
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c 15 N71-17822
Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c 15 N72-21464
FEINSTEIN, S. P.
Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c 35 N80-18357
FELDSTEIN, C.
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c 33 N75-31329
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c 33 N76-19338
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c 52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c 52 N76-29896
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c 52 N79-27836
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c 52 N80-27072
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c 52 N81-20703
System and method for moving a probe to follow movements of tissue
[NASA-CASE-NPO-15197-1] c 52 N83-25346
FELL, D. M.
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c 34 N78-25350
FELTNER, W. R.
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c 76 N79-14906
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c 44 N79-26475
FENG, S. Y.
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c 33 N74-11049
FENTRESS, C. E.
Expanding center probe and drogue Patent
[NASA-CASE-XMS-03613] c 31 N71-16346
FENWICK, J. R.
Accumulator
[NASA-CASE-MFS-19287-1] c 34 N77-30399
FERGUSON, R. E.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c 15 N70-22192
FERRARA, L. J.
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c 05 N72-11085
FESSLER, T. E.
Thin window, drifted silicon, charged particle detector
[NASA-CASE-XLE-10529] c 14 N69-23191
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c 24 N71-10560
FEWELL, L. L.
Process for the preparation of polycarboranylphosphazenes
[NASA-CASE-ARC-11176-2] c 27 N81-27271
Carboranylcyclotriphosphazenes and their polymers
[NASA-CASE-ARC-11176-1] c 27 N82-18389
FIELDS, S. A.
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c 23 N73-13662
FIET, O. O.
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c 12 N71-27332
FIGGINS, D. A.
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c 10 N71-26374
FILIP, G. L.
Storage container for electronic devices Patent
[NASA-CASE-MFS-20075] c 09 N71-26133
Method of coating through-holes Patent
[NASA-CASE-XMF-05999] c 15 N71-29032
FINDL, E.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c 03 N71-11052
FINK, J. W.
Bus voltage compensation circuit for controlling direct current motor
[NASA-CASE-XMS-04215-1] c 09 N69-39987
FINKE, R. C.
Electrode and insulator with shielded dielectric junction
[NASA-CASE-XLE-03778] c 09 N69-21542
Pressure monitoring with a plurality of ionization gauges controlled at a central location Patent
[NASA-CASE-XLE-00787] c 14 N71-21090
Piezoelectric deicing device
[NASA-CASE-LEW-13773-2] c 33 N86-20671
FINKEL, MITCHELL W.
Optical scanner
[NASA-CASE-GSC-12897-1] c 74 N87-21679
FINLEY, T. D.
Split range transducer
[NASA-CASE-XLA-11189] c 10 N72-20222
FINLEY, W. R.
Analog-to-digital converter
[NASA-CASE-MSC-13110-1] c 08 N72-22163
FINNERTY, A. A.
Sphere forming method and apparatus
[NASA-CASE-NPO-15070-1] c 31 N83-35176
FINNIE, C. J.
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-XNP-01193] c 10 N71-16057
FISCHELL, D. R.
Cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c 52 N82-22875
FISCHER, J. A.
Adjustable tension wire guide Patent
[NASA-CASE-XMS-02383] c 15 N71-15918
FISCHER, J. R.
Interleaving device
[NASA-CASE-GSC-12111-2] c 33 N81-29342
FISH, D. C.
Spin forming tubular elbows Patent
[NASA-CASE-XMF-01083] c 15 N71-22723
FISH, R. H.
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c 27 N76-15310
FISH, R. M.
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c 71 N74-21014
FISHER, A.
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c 09 N73-28083
FITCH, E. J.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c 32 N75-24981
FITTING, R. C.
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c 07 N71-28429
FITTON, J. A., JR.
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c 15 N71-18580
FITZER, G. E.
Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c 39 N78-10493
FITZGERALD, D. J.
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c 28 N73-24783
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c 37 N79-11405
FITZGERALD, J. J.
Flow test device
[NASA-CASE-XMS-04917] c 14 N69-24257
FITZGERALD, J. W.
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c 05 N73-26072
Visual examination apparatus
[US-PATENT-RE-28,921] c 52 N76-30793
FITZGERALD, T. M.
A solid state acoustic variable time delay line Patent
[NASA-CASE-ERC-10032] c 10 N71-25900

FITZMAURICE, M. W.
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c 14 N71-15605
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c 74 N76-18913
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c 74 N76-30053
FLAGGE, B.
Vibrating structure displacement measuring instrument Patent
[NASA-CASE-XLA-03135] c 32 N71-16428
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c 32 N71-26681
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c 09 N72-21248
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c 35 N74-32877
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c 33 N77-26387
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c 35 N80-14371
FLAHERTY, R.
Thermally cascaded thermoelectric generator
[NASA-CASE-NPO-10753] c 03 N72-26031
FLAMM, D. L.
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c 33 N79-15245
FLANNERY, E. J.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XMF-04237] c 33 N71-16278
FLATAU, C. R.
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c 18 N75-27041
FLATTAU, T.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346
FLEETWOOD, C. M.
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c 74 N80-24149
FLEETWOOD, C. M., JR.
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c 27 N77-32308
FLEISCHMAN, G. L.
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c 34 N77-32413
FLEMING, D. P.
Dual clearance squeeze film damper
[NASA-CASE-LEW-13506-1] c 37 N85-33490
FLETCHER, E. A.
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c 28 N70-33375
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c 27 N71-15634
FLETCHER, I. L.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c 07 N72-11149
FLETCHER, J. C.
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c 34 N74-27859
FLETNER, W. R.
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c 33 N78-27326
FLIPPIN, A.
Sun angle calculator
[NASA-CASE-MSC-12617-1] c 35 N76-29552
FLORES, A. L.
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c 09 N71-26678
FLOYD, E. L.
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c 14 N71-18625
FOGAL, G. L.
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c 54 N76-14804
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c 35 N77-19385
FOHLEN, G. M.
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c 18 N71-15469
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c 27 N76-16230
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c 27 N81-27272
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-1] c 27 N83-31854
Elastomer-modified phosphorus-containing imide resins
[NASA-CASE-ARC-11400-1] c 27 N84-14322
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-3] c 27 N84-22745
Metal phthalocyanine polymers
[NASA-CASE-ARC-11405-1] c 27 N84-27884
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-2] c 27 N85-21347
Phthalocyanine polymers
[NASA-CASE-ARC-11413-1] c 27 N85-21348
Metal (2) 4,4',4',4'' phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281
Maleimido substituted aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-1] c 23 N86-19376
Metal phthalocyanine intermediates for the preparation of polymers
[NASA-CASE-ARC-11405-2] c 27 N86-19455
Laminate comprising fibers embedded in cured amine terminated bis-imide
[NASA-CASE-ARC-11421-3] c 24 N86-25416
Amine terminated bisaspartimide polymer
[NASA-CASE-ARC-11421-2] c 27 N86-31726
FOHLEN, GEORGE M.
Fire and heat resistant laminating resins based on maleimido substituted aromatic cyclotriphosphazene polymer
[NASA-CASE-ARC-11428-2] c 27 N87-16909
Process for preparing phthalocyanine polymer from imide containing bisphthalonitrile
[NASA-CASE-ARC-11511-2] c 27 N87-21112
Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates, adhesives and structures thereof
[NASA-CASE-ARC-11548-1] c 27 N87-25469
Aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-3] c 23 N88-24692
FONG, W. S.
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255
FONTANA, A.
Solar sensor having coarse and fine sensing with matched preirradiated cells and method of selecting cells Patent
[NASA-CASE-XLA-01584] c 14 N71-23269
FONTES, M. J.
Method of tracing contour patterns for use in making gradual contour resin matrix composites
[NASA-CASE-ARC-11246-1] c 31 N83-34073
FOOTE, R. H.
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c 10 N71-26374
FORBES, JOHN C.
Orbital maneuvering end effectors
[NASA-CASE-MFS-28161-1] c 37 N87-18817
FORBES, S. G.
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c 14 N71-16014
FORD, A. G.
Rock drill for recovering samples
[NASA-CASE-XNP-07478] c 14 N69-21923
Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c 14 N70-40273
Motion restraining device
[NASA-CASE-NPO-13619-1] c 37 N78-16369
Speed control device for a heavy duty shaft
[NASA-CASE-NPO-14170-1] c 37 N81-15364
FORD, F. C.
Hypervelocity gun
[NASA-CASE-XLE-03186-1] c 09 N79-21084
FORD, F. E.
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c 03 N71-24719
FORD, L. B.
Thermal reactor
[NASA-CASE-NPO-14369-1] c 44 N83-10501
FORD, R. R.
Antenna system using parasitic elements and two driven elements at 90 deg angle fed 180 deg out of phase Patent
[NASA-CASE-XLA-00414] c 07 N70-38200
FOREHAND, L.
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c 03 N71-20895
FORESTIERI, A. F.
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c 44 N74-14784
Solar cell shingle
[NASA-CASE-LEW-12587-1] c 44 N77-31601
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c 44 N78-25528
FORLIFER, W. R.
Landing gear Patent
[NASA-CASE-XMF-01174] c 02 N70-41589
FORMAN, R.
Ion sputter textured graphite
[NASA-CASE-LEW-12919-1] c 24 N83-10117
Ion sputter textured graphite electrode plates
[NASA-CASE-LEW-12919-2] c 70 N84-28565
FORMAN, RALPH
Apparatus for mounting a field emission cathode
[NASA-CASE-LEW-14108-1] c 33 N87-28832
FORSYTHE, A. K.
Umbilical separator for rockets Patent
[NASA-CASE-XNP-00425] c 11 N70-38202
FORTIER, E. P.
Scriber for silicon wafers
[NASA-CASE-NPO-15539-1] c 37 N82-11469
FORTINI, A.
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c 20 N74-32919
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c 20 N76-14191
Heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c 34 N79-13289
Heat exchanger and method of making
[NASA-CASE-LEW-12441-2] c 34 N80-24573
Heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c 44 N81-24519
FOSTER, J. V.
Mechanically limited, electrically operated hydraulic valve system for aircraft controls Patent
[NASA-CASE-XAC-00048] c 02 N71-29128
Magnetic position detection method and apparatus
[NASA-CASE-ARC-10179-1] c 21 N72-22619
FOSTER, L. E.
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c 15 N71-24833
FOSTER, T.
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c 37 N78-17384
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c 07 N78-18067
FOUTCH, G. L.
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227
FOWLER, J.
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c 32 N79-10263
FOWLER, J. T.
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c 10 N73-26228
FOX, R. L.
One-step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c 33 N82-26571
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
Induction heating gun
[NASA-CASE-LAR-13181-1] c 31 N85-29083
FOX, ROBERT L.
Method of attaching strain gauges to various materials
[NASA-CASE-LAR-13797-1] c 35 N88-30108
FOX, W. E.
Event recorder Patent
[NASA-CASE-XLA-01832] c 14 N71-21006
FRALEY, T. O.
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c 07 N80-18039
FRANCISCO, A. C.
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c 15 N70-33311
FRANCISCUS, L. C.
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c 20 N74-13502
FRANK, ARTHUR M.
Sun shield
[NASA-CASE-MSC-20162-1] c 37 N87-17036
FRANK, H. A.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c 03 N71-11052
FRANKE, J. M.
Laser Doppler velocity simulator
[NASA-CASE-LAR-12176-1] c 36 N80-16321
Direction sensitive laser velocimeter
[NASA-CASE-LAR-12177-1] c 36 N81-24422
FRANKLIN, C. R.
Digital interface for bi-directional communication between a computer and a peripheral device
[NASA-CASE-MSC-20258-1] c 60 N84-28492
FRANKLIN, W. J.
Segmented back-up bar Patent
[NASA-CASE-XMF-00640] c 15 N70-39924
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c 15 N70-41371
FRASER, A. S.
Water system virus detection
[NASA-CASE-MSC-16098-1] c 51 N79-10693

FRAZE, R. E.
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c 23 N71-26654
FRAZER, R. E.
Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c 09 N71-26701
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c 52 N79-14751
Strong thin membrane structure
[NASA-CASE-NPO-14021-2] c 27 N80-16163
Apparatus for endoscopic examination
[NASA-CASE-NPO-14092-1] c 52 N80-16725
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c 74 N82-24072
FRAZIER, DONALD O.
Method and apparatus for growing crystals
[NASA-CASE-MFS-28137-1] c 76 N88-24544
Liquid encapsulated float zone process and apparatus
[NASA-CASE-MFS-28144-1] c 76 N88-24545
FRAZIER, M. J.
Junction range finder
[NASA-CASE-KSC-10108] c 14 N73-25461
FRECHE, J. C.
High temperature nickel-base alloy Patent
[NASA-CASE-XLE-00151] c 17 N70-33283
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c 28 N70-33372
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c 17 N70-36616
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c 17 N71-15644
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c 17 N71-16025
Nickel-base alloy containing Mo-W-Al-Cr- Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c 17 N71-16026
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c 17 N71-23248
Liquid spray cooling method Patent
[NASA-CASE-XLE-00027] c 33 N71-29152
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c 15 N73-13465
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c 17 N73-32415
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c 26 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c 37 N74-13179
Nickel base alloy
[NASA-CASE-LEW-12270-1] c 26 N77-32280
FREDD, E. H.
Television camera video level control system
[NASA-CASE-MSC-18578-1] c 32 N85-21427
FREDRICKSON, C. A.
Energy absorption device Patent
[NASA-CASE-XNP-01848] c 15 N71-28959
FREEDMAN, L. A.
Television camera video level control system
[NASA-CASE-MSC-18578-1] c 32 N85-21427
FREEMAN, E. T.
Film advance indicator
[NASA-CASE-LAR-12474-1] c 35 N82-26628
FREEMAN, R. S.
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c 14 N70-33386
FREGGENS, R. A.
Thermal flux transfer system
[NASA-CASE-NPO-12070-1] c 28 N73-32606
FRENCH, J. R.
Jet pump-drive system for heat removal
[NASA-CASE-NPO-16494-1-CU] c 34 N85-29182
FRENCH, K. R.
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c 45 N80-14579
FRENCH, RICHARD
Optical pressure sealing couping (light joint)
[NASA-CASE-MFS-29348-1] c 74 N88-25303
FRENCHE, J. C.
Nickel bas alloy
[NASA-CASE-LEW-10874-1] c 17 N72-22535
FRIDRICH, C. W.
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c 37 N75-27376
FRIEDAN, H. J.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c 52 N79-12694
FRIEDELL, M. V.
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c 37 N79-11402
FRIEDERICHS, J. E.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c 05 N71-19440
FRIEDLANDER, S. K.
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184
FRIEDMAN, GARY L.
Local area network with fault-checking, priorities and redundant backup
[NASA-CASE-NPO-16949-1-CU] c 62 N87-19021
FRIEDRICH, E. W.
Reentry vehicle leading edge Patent
[NASA-CASE-XLA-00165] c 31 N70-33242
FRIICHTENICHT, J. F.
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c 37 N78-17386
FRIPP, A. L.
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c 35 N82-31659
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-2] c 33 N83-24763
Reusable thermal cycling clamp
[NASA-CASE-LAR-12868-1] c 37 N85-21651
FRIPP, ARCHIBALD L., JR.
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713
FRISBIE, H. F.
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c 14 N73-28490
FRITZ, W. M.
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c 44 N80-18550
FRITZEN, M., JR.
Noncontaminating swabs
[NASA-CASE-MFS-18100] c 15 N72-11390
FRIZZILL, A. W.
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
FROEHLING, S. C.
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c 28 N77-10213
FROST, J. D., JR.
EEG sleep analyzer and method of operation Patent
[NASA-CASE-MSC-13282-1] c 05 N71-24729
Compressible biomedical electrode
[NASA-CASE-MSC-13648] c 05 N72-27103
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c 52 N77-28717
FRYER, T. B.
Telemeter adaptable for implanting in an animal Patent
[NASA-CASE-XAC-05706] c 05 N71-12342
RF controlled solid state switch
[NASA-CASE-ARC-10136-1] c 09 N72-22202
Low power electromagnetic flowmeter providing accurate zero set
[NASA-CASE-ARC-10362-1] c 14 N73-32326
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c 52 N76-29894
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c 52 N80-18691
FUCHS, J. C.
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c 33 N79-10337
FUHR, W.
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c 27 N81-25209
FUHRMEISTER, P. F.
Random function tracer Patent
[NASA-CASE-XLA-01401] c 15 N71-21179
FUJIOKA, R. S.
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c 18 N75-27040
FULCHER, C. W. G.
Automatic control of liquid cooling garment by cutaneous and external auditory meatus temperatures
[NASA-CASE-MSC-13917-1] c 05 N72-15098
FULCHER, R. W.
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] c 09 N75-24758
FULLER, H. V.
Cable restraint
[NASA-CASE-LAR-10129-1] c 15 N73-25512
Reefing system
[NASA-CASE-LAR-10129-2] c 37 N74-20063
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c 74 N77-20882
FULTON, D. S.
Spillage detector for liquid chromatography systems
[NASA-CASE-MSC-20206-1] c 25 N86-27431
FUNG, L. W.
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c 60 N83-25378
FUNK, B. H., JR.
Optical probing of supersonic flows with statistical correlation
[NASA-CASE-MFS-20642] c 14 N72-21407
FURCINITI, C. A.
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c 07 N71-12390
FURMAN, E. R.
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c 31 N78-17237
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c 34 N79-20336
FURNER, R. L.
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c 25 N75-12086
FURTSCH, T. A.
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c 25 N82-26396
FURUMOTO, H. W.
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c 16 N72-25485
FYLER, N. F.
Very high intensity light source using a cathode ray tube
[NASA-CASE-XNP-01296] c 33 N75-27250
FYMAT, A. L.
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c 14 N73-12446
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c 35 N76-31490
Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c 35 N80-18364

G

GAALEMA, S. D.
CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c 33 N81-27396
GABROVIC, L. J.
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c 15 N71-20739
GADDIS, D. H.
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c 15 N71-21403
GADDIS, JOSEPH L.
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-3] c 31 N88-29052
GADDY, E. M.
Optimum performance spacecraft solar cell system
[NASA-CASE-GSC-10669-1] c 03 N72-20031
GADE, D. W.
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c 14 N71-28958
GAETANO, G.
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c 35 N74-34857
GAHN, R. F.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c 06 N71-23527
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c 44 N77-22606
Zirconium carbide as an electrocatalyst for the chromous-chromic redox couple
[NASA-CASE-LEW-13246-1] c 44 N83-27344
Negative electrode catalyst for the iron chromium redox energy storage system
[NASA-CASE-LEW-14028-1] c 44 N86-19721
Method and apparatus for rebalancing a REDOX flow cell system
[NASA-CASE-LEW-14127-1] c 33 N86-20680
GAISER, E. E.
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c 09 N71-28618
GALE, G. P.
Flow rate switch
[NASA-CASE-NPO-10722] c 09 N72-20199
GALEN, T. J.
Solid sorbent air sampler
[NASA-CASE-MSC-20653-1] c 35 N86-26595
GALLAGHER, B. D.
Increased voltage photovoltaic cell
[NASA-CASE-NPO-16155-1] c 44 N85-30475

GALLAGHER, BRIAN D.
Method for forming hermetic seals
[NASA-CASE-NPO-16423-1-CU] c 37 N87-21334
GALLAGHER, H. E.
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c 28 N71-23081
High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c 28 N71-28850
GALLIMORE, FRANK H.
Method for maintaining precise suction strip porosities
[NASA-CASE-LAR-13638-1] c 31 N88-29051
GALLO, A. J.
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c 10 N71-26577
GALLOWAY, C. W.
Gas-to-hydraulic power converter
[NASA-CASE-MSC-18794-1] c 44 N83-14693
GAMMELL, P. M.
Hyperthermia heating apparatus
[NASA-CASE-NPO-14549-2] c 52 N82-33996
GANGULI, P. S.
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c 44 N78-31527
GARAVAGLIA, A. P.
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c 05 N75-25915
GARBA, J. A.
Pressure seal Patent
[NASA-CASE-NPO-10796] c 15 N71-27068
GARCIA, R. D.
Radiative cooler
[NASA-CASE-NPO-15465-1] c 34 N84-22903
GARD, L. H.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c 37 N79-10421
GARDNER, D. E.
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c 15 N70-33330
GARDNER, DALE A.
Apparatus and method of capturing an orbiting spacecraft
[NASA-CASE-MSC-20979-1] c 37 N87-22985
GARDNER, J. N.
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c 15 N71-24679
GARDNER, M. R.
Heating and cooling system
[NASA-CASE-LAR-12393-1] c 34 N83-34221
GARDNER, M. S.
Differential pressure cell Patent
[NASA-CASE-XAC-00042] c 14 N70-34816
GARDOS, M. N.
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c 27 N75-27160
GARFEIN, A.
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c 14 N71-27334
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c 26 N72-25680
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c 14 N72-31446
GARMIRE, E. M.
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c 07 N71-26291
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c 15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c 16 N71-27183
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c 23 N72-23695
GARMIRE, G.
X-ray position detector
[NASA-CASE-NPO-12087-1] c 74 N81-19898
GARNER, H. D.
Jet shoes
[NASA-CASE-XLA-08491] c 05 N69-21380
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c 21 N70-34295
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c 21 N70-36943
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c 33 N74-11050
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c 04 N76-20114
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c 04 N77-19056
Magnetic heading reference
[NASA-CASE-LAR-12638-1] c 04 N84-14132
Heads up display
[NASA-CASE-LAR-12630-1] c 06 N84-27733
GARNER, H. DOUGLAS
Auxiliary data input device
[NASA-CASE-LAR-13626-1] c 37 N87-25584
Braille reading system
[NASA-CASE-LAR-13306-1] c 82 N87-29372
Navigation system for land vehicles
[NASA-CASE-LAR-13322-1] c 04 N88-24620
GARRAHAN, N. M.
Solid state pulse generator with constant output width, for variable input width, in nanosecond range Patent
[NASA-CASE-XGS-03427] c 10 N71-23029
Resettable monostable pulse generator Patent
[NASA-CASE-GSC-11139] c 09 N71-27016
GARREN, J. F., JR.
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c 02 N71-13422
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c 08 N79-23097
GARRETT, H.
A dc to dc converter
[NASA-CASE-MFS-25430-1] c 33 N84-16453
GARWOOD, D. C.
Ionization vacuum gauge Patent
[NASA-CASE-XNP-00646] c 14 N70-35666
GARY, B. L.
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c 06 N83-10040
System for indicating fuel-efficient aircraft altitude
[NASA-CASE-NPO-15351-2] c 06 N84-34443
GASSER, M. G.
Stirling cycle cryogenic cooler
[US-PATENT-4,389,849] c 44 N83-28574
GASTON, D. H.
Masking device Patent
[NASA-CASE-XNP-02092] c 15 N70-42033
GASTON, R. P., JR.
Landing gear Patent
[NASA-CASE-XMF-01174] c 02 N70-41589
GATES, D. W.
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c 18 N71-26772
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c 18 N72-17532
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c 27 N77-30237
GATES, J. D.
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c 31 N71-16102
GATES, L. E., JR.
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c 18 N71-23088
GATEWOOD, J. R.
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c 26 N72-28761
GATLIN, J. A.
Cartwheel satellite synchronization system Patent
[NASA-CASE-XGS-05579] c 31 N71-15676
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c 21 N71-27324
Sampled data controller Patent
[NASA-CASE-GSC-10554-1] c 08 N71-29033
GATTI, A.
Catalyst for growth of boron carbide single crystal whiskers
[NASA-CASE-XHQ-03903] c 15 N69-21922
GAUSE, R. L.
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c 14 N73-27377
Ergometer
[NASA-CASE-MFS-21109-1] c 05 N73-27941
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c 05 N73-30078
Manual actuator
[NASA-CASE-MFS-21481-1] c 37 N74-18127
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c 52 N74-27864
Ergometer calibrator
[NASA-CASE-MFS-21045-1] c 35 N75-15932
GAUTHIER, M. K.
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c 33 N80-14332
GAVALAS, G. R.
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c 44 N78-31527
GAVIRA, H. E.
Failsafe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c 09 N72-25262
GAVRILLIS, T. G.
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c 33 N76-14372
GAY, C. H., JR.
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560
GDULA, W. G.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c 03 N72-11062
GEBBEN, V. D.
Circuit for detecting initial systole and dicrotic notch
[NASA-CASE-LEW-11581-1] c 54 N75-13531
GEDWILL, M. A.
Method of protecting the surface of a substrate
[NASA-CASE-LEW-11696-1] c 37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c 26 N75-19408
Coating with overlay metallic-cermet alloy systems
[NASA-CASE-LEW-13639-2] c 26 N84-27855
Overlay metallic-cermet alloy coating systems
[NASA-CASE-LEW-13639-1] c 26 N84-33555
GEE, S. W.
Terminal guidance system
[NASA-CASE-FRC-10049-1] c 04 N74-13420
GEHRING, W. E.
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01005] c 12 N71-21003
GEIDEMAN, W. A., JR.
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c 33 N75-29318
GEIER, D. J.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c 05 N70-35152
GEIPEL, D. H.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c 14 N71-30265
GEISE, P. E., JR.
FM/CW radar system
[NASA-CASE-MFS-22234-1] c 32 N79-10264
GELB, L. L.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c 24 N74-30001
GELDERLOOS, H. J. C.
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c 60 N82-29013
GELLES, R.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c 23 N71-24857
GENNERY, D. B.
Programmable pipelined image processor
[NASA-CASE-NPO-16461-1CU] c 60 N86-23283
Neighborhood comparison operator
[NASA-CASE-NPO-16464-1CU] c 60 N86-24224
GENTER, R. E.
Electronically resettable fuse Patent
[NASA-CASE-XGS-11177] c 09 N71-27001
GEORGE, T. R., JR.
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c 20 N76-22296
GERDTS, J. C.
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c 37 N74-27901
GERINGER, H. J.
Induction furnace with perforated tungsten foil shielding Patent
[NASA-CASE-XLE-04026] c 14 N71-23267
GERMANN, E. F., JR.
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c 14 N70-40239
GERTSMA, L. W.
Foldable conduit Patent
[NASA-CASE-XLE-00620] c 32 N70-41579
GETCHELL, D. E.
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c 05 N71-12344
GETTELMAN, C. C.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c 33 N74-12913
GIACCONI, R.
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c 14 N70-40240
GIANATASIO, A.
Adaptive polarization separation
[NASA-CASE-LAR-12196-1] c 33 N81-26358
GIANDOMENICO, A.
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c 30 N71-23723
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c 37 N79-14383

GIANNINI, G. M.
Combination automatic-starting electrical plasma torch and gas shutoff valve
[NASA-CASE-XLE-10717] c 37 N75-29426
GIBSON, F. W.
Contour surveying system Patent
[NASA-CASE-XLA-08646] c 14 N71-17586
Pressure operated electrical switch responsive to a pressure decrease after a pressure increase
[NASA-CASE-LAR-10137-1] c 09 N72-22204
GIBSON, JOHN C.
Self indexing latch system
[NASA-CASE-MFS-25956-1] c 37 N87-21333
GIFFIN, C. E.
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c 35 N77-14406
GILBERT, G. J.
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c 09 N69-24318
GILBREATH, W. P.
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c 33 N76-19339
GILCHRIEST, C. E.
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c 07 N71-20791
GILES, R. M. F.
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c 18 N71-27170
GILKISON, C. A.
Linear accelerator frequency control system Patent
[NASA-CASE-XGS-05441] c 10 N71-22962
GILL, W. L.
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c 33 N72-25913
GILLERMAN, J. B.
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c 03 N71-24718
GILLESPIE, W., JR.
Infrared scanner Patent
[NASA-CASE-XLA-00120] c 21 N70-33181
Passive communication satellite Patent
[NASA-CASE-XLA-00210] c 30 N70-40309
Alleviation of divergence during rocket launch Patent
[NASA-CASE-XLA-00256] c 31 N71-15663
Method of making an inflatable panel Patent
[NASA-CASE-XLA-03497] c 15 N71-23052
GILLETTE, R. B.
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c 75 N78-27913
GILLEY, G. C.
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c 60 N76-21914
GILLEY, P. J.
Material fatigue testing system
[NASA-CASE-MFS-20673] c 14 N73-20476
GILLIGAN, J. E.
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c 27 N77-30237
GILLILAND, C. S.
Variable anodic thermal control coating
[NASA-CASE-LAR-12719-1] c 44 N83-34449
GILLMORE, W. F.
Method and apparatus for high resolution spectral analysis
[NASA-CASE-NPO-10748] c 08 N72-20177
GILMAN, M. M.
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c 39 N76-31562
GILREATH, M. C.
Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c 09 N71-22888
GILREATH, MELVIN C.
Almond test body
[NASA-CASE-LAR-13747-1] c 32 N88-24845
GILWEE, W. J., JR.
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c 24 N78-15180
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-1] c 24 N86-19380
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-2] c 27 N86-27451
GIN, B.
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c 15 N82-24272
GIN, W.
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c 28 N70-38181
GINER, J. D.
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c 33 N80-20487
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c 44 N81-29524
GINSBURG, A.
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c 20 N80-14188
GIORGINI, E. A.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c 54 N76-24900
GIOVANNETTI, A., JR.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c 15 N70-34817
GIRALA, A. S.
Open type urine receptacle
[NASA-CASE-MSC-12324-1] c 05 N72-22093
Open ended tubing cutters
[NASA-CASE-MSC-18538-1] c 37 N82-26672
GISLER, G. L.
Emitted vibration measurement device and method
[NASA-CASE-MFS-25981-1] c 35 N87-14670
GLASER, P. E.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c 14 N71-15992
GLASGOW, T. K.
Coating with overlay metallic-cermet alloy systems
[NASA-CASE-LEW-13639-2] c 26 N84-27855
Overlay metallic-cermet alloy coating systems
[NASA-CASE-LEW-13639-1] c 26 N84-33555
GLASS, JAMES S.
Self-contained, single-use hose and tubing cleaning module
[NASA-CASE-MSC-20857-1] c 37 N87-17035
GLASSEY, E. A.
Line following servosystem Patent
[NASA-CASE-XAC-00001] c 15 N71-28952
GLAWE, G. E.
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c 14 N70-34156
Sensing probe
[NASA-CASE-LEW-10281-1] c 14 N72-17327
GLEASON, J. R.
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
GLEKAS, L. P.
Compact solar still Patent
[NASA-CASE-XMS-04533] c 15 N71-23086
GLENN, C. G.
Manual actuator
[NASA-CASE-MFS-21481-1] c 37 N74-18127
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c 52 N74-27864
GLENN, D. C.
Method of lubricating rolling element bearings Patent
[NASA-CASE-XLE-09527] c 15 N71-17688
Rolling element bearings Patent
[NASA-CASE-XLE-09527-2] c 15 N71-26189
GLOBUS, R. H.
Process of forming particles in a cryogenic path Patent
[NASA-CASE-NPO-10250] c 23 N71-16212
GLOMB, W. L.
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c 07 N71-19773
Tracking receiver Patent
[NASA-CASE-XGS-08679] c 10 N71-21473
GLORIA, H. R.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c 27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c 27 N76-32315
GOERING, R. S.
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c 85 N74-34672
GOETZ, A. F. H.
Multispectral imaging and analysis system
[NASA-CASE-NPO-13691-1] c 43 N79-17288
Portable reflectance spectrometer
[NASA-CASE-NPO-13556-1] c 35 N84-33766
GOETZ, C.
Quartz ball value
[NASA-CASE-NPO-14473-1] c 37 N80-23654
GOLD, H.
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c 37 N78-24545
GOLD, H. S.
Gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c 28 N73-19793
GOLDBERG, G. I.
Reaction wheel scanner Patent
[NASA-CASE-XGS-02629] c 14 N71-21082
GOLDBERG, J.
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c 09 N71-18843
GOLDEN, D. P., JR.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c 10 N72-20225
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c 52 N74-26626
GOLDMAN, G. C.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c 33 N74-12913
GOLDOWSKIY, M. P.
Linear magnetic bearings
[NASA-CASE-GSC-12582-2] c 37 N85-20337
GOLDOWSKY, M. P.
Stirling cycle cryogenic cooler
[US-PATENT-4,389,849] c 44 N83-28574
GOLDOWSKY, MICHAEL P.
Reciprocating linear motor
[NASA-CASE-GSC-12773-2] c 33 N87-23904
GOLDSBERRY, R. E.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c 27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c 27 N76-32315
GOLDSCHMIED, F. R.
Shear modulated fluid amplifier Patent
[NASA-CASE-MFS-10412] c 12 N71-17578
GOLDSMITH, J. V.
Solar battery with interconnecting means for plural cells Patent
[NASA-CASE-XNP-06506] c 03 N71-11050
Solid state matrices
[NASA-CASE-NPO-10591] c 03 N72-22041
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c 03 N72-22042
GOLDSTEIN, A. W.
Supersonic fan blading
[NASA-CASE-LEW-11402-1] c 07 N74-28226
GOLDSTEIN, B. E.
Ion mass spectrometer
[NASA-CASE-NPO-15423-1] c 35 N84-28016
GOLDSTEIN, C. S.
Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c 33 N79-21265
GOLDSTEIN, H. E.
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c 27 N76-22376
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c 27 N78-32260
Fibrous refractory composite insulation
[NASA-CASE-ARC-11169-1] c 24 N79-24062
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c 27 N82-24339
High temperature glass thermal control structure and coating
[NASA-CASE-ARC-11164-1] c 44 N83-34448
GOLDSTEIN, HOWARD E.
Ceramic-ceramic shell tile thermal protection system and method thereof
[NASA-CASE-ARC-11641-1] c 24 N88-18628
GOLDSTEIN, I.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
GOLDSTEIN, R.
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c 35 N81-33448
Ion mass spectrometer
[NASA-CASE-NPO-15423-1] c 35 N84-28016
GOLDSTEIN, R. M.
Correlation function apparatus Patent
[NASA-CASE-XNP-00746] c 07 N71-21476
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c 07 N72-21118
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c 08 N72-25209
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c 07 N73-13149
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c 32 N74-10132

Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c 32 N79-14267
Synthetic aperture radar target simulator
[NASA-CASE-NPO-15024-1] c 32 N84-27951
Method and apparatus for contour mapping using synthetic aperture radar
[NASA-CASE-NPO-15939-1] c 43 N86-19711

GONZALEZ-SANABRIA, O. D.
Alkaline battery containing a separator of a cross-linked copolymer of vinyl alcohol and unsaturated carboxylic acid
[NASA-CASE-LEW-13102-1] c 33 N85-29144

GOODFRIEND, R.
Cutting head for ultrasonic lithotripsy
[NASA-CASE-GSC-12944-1] c 52 N86-19885

GOODLOE, R. R.
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c 32 N79-23310

GOODRICH, J. A.
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c 28 N71-28928

GOODWIN, F. E.
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c 35 N77-27366

GOODWIN, R. A.
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c 23 N71-26206

GOODYER, M. J.
Stagnation pressure probe
[NASA-CASE-LAR-11139-1] c 35 N74-32878

GOOKIN, R. E.
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c 32 N79-20296

GORADIA, C. P.
Method of making a high voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c 44 N82-29709
High voltage planar muttijunction solar cell
[NASA-CASE-LEW-13400-1] c 44 N82-31764
High voltage v-groove solar cell
[NASA-CASE-LEW-13401-2] c 44 N83-32177

GORDON, B. L.
Television noise reduction device
[NASA-CASE-MSC-12607-1] c 32 N75-21485

GORDON, STEPHEN S.
Welding torch with arc light reflector
[NASA-CASE-MFS-29134-1] c 74 N87-17493
Self-clamping arc light reflector for welding torch
[NASA-CASE-MFS-29207-1] c 74 N87-25843
Welding monitoring system
[NASA-CASE-MFS-29177-1] c 37 N88-14362
Welding torch gas cup extension
[NASA-CASE-MFS-29252-1] c 37 N88-23980

GORDON, W. A.
Arc electrode of graphite with ball tip Patent
[NASA-CASE-XLE-04788] c 09 N71-22987

GORELICK, D.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c 52 N74-27566

GORSTEIN, M.
Two color horizon sensor
[NASA-CASE-ERC-10174] c 14 N72-25409

GOSS, W.
Laser pulse detection method and apparatus
[NASA-CASE-NPO-16030-1] c 36 N84-25037

GOSS, W. C.
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c 07 N73-26119
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c 35 N81-33448
Optical fiber coupling method and apparatus
[NASA-CASE-NPO-15464-1] c 74 N85-29749
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629

GOSS, WILLIS C.
Closed loop fiber optic rotation sensor
[NASA-CASE-NPO-16558-1-CU] c 74 N87-23259

GOULD, C. W.
Printed circuit board with bellows rivet connection Patent
[NASA-CASE-XNP-05082] c 15 N70-41960

GOULD, J. M.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c 08 N71-18752
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c 16 N72-13437
A dc to dc converter
[NASA-CASE-MFS-25430-1] c 33 N84-16453

GOULD, W. I., JR.
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c 07 N71-28965

GRAAB, J. W.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c 06 N71-23527

GRABOWSKI, J. P.
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c 10 N72-22235

GRAFF, J.
Amino acid analysis
[NASA-CASE-NPO-12130-1] c 25 N75-14844

GRAFSTEIN, D.
Fluidic-thermochromic display device Patent
[NASA-CASE-ERC-10031] c 12 N71-18603

GRAHAM, LLOYD J.
Acoustic emission frequency discrimination
[NASA-CASE-MSC-20467-1] c 35 N88-23966

GRAHAM, O. L.
Color television system
[NASA-CASE-MSC-12146-1] c 07 N72-17109

GRAHAM, OLIN L.
Method and apparatus for telemetry adaptive bandwidth compression
[NASA-CASE-MSC-20821-1] c 17 N87-25348
Range and range rate system
[NASA-CASE-MSC-20867-1] c 36 N88-24958

GRAHAM, R. A.
Portable reflectance spectrometer
[NASA-CASE-NPO-13556-1] c 35 N84-33766

GRAHAM, R. W.
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c 15 N70-41646
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c 34 N83-27144

GRAN, A. A.
Venting device for pressurized space suit helmet Patent
[NASA-CASE-XMS-09652-1] c 05 N71-26333

GRANA, D.
Apparatus and process for microbial detection and enumeration
[NASA-CASE-LAR-12709-1] c 35 N82-28604

GRANA, D. C.
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c 35 N78-27384
Natural turbulence electrical power generator
[NASA-CASE-LAR-11551-1] c 44 N80-29834
Vertical shaft windmill
[NASA-CASE-LAR-12923-1] c 37 N84-12493

GRANATA, R. L.
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c 14 N71-23174

GRANETT, D.
Gravity enhanced acoustic levitation method and apparatus
[NASA-CASE-NPO-16147-1-CU] c 71 N85-29693
Vibrating-chamber levitation systems
[NASA-CASE-NPO-16142-1-CU] c 35 N86-20752

GRANT, D. J.
Passively regulated water electrolysis rocket engine Patent
[NASA-CASE-XGS-08729] c 28 N71-14044
Precision thrust gage Patent
[NASA-CASE-XGS-02319] c 14 N71-22965
Fluid flow meter with comparator reference means Patent
[NASA-CASE-XGS-01331] c 14 N71-22996

GRANT, G. R.
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c 35 N75-16783

GRANT, M. M.
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c 21 N73-30640

GRANT, P. A.
Imaging X-ray spectrometer
[NASA-CASE-GSC-12682-1] c 35 N84-33765

GRANT, W. B.
Portable remote laser sensor for methane leak detection
[NASA-CASE-NPO-15790-1] c 36 N85-21631

GRANTHAM, W. L.
Means for measuring the electron density gradients of the plasma sheath formed around a space vehicle Patent
[NASA-CASE-XLA-06232] c 25 N71-20563
Antenna design for surface wave suppression Patent
[NASA-CASE-XLA-10772] c 07 N71-28980

GRASSO, A. P.
Reactant pressure differential control for fuel cell gases
[NASA-CASE-MSC-20127-2] c 37 N85-34403

GRATZ, R. F.
New condensation polyimides containing 1,1,1-triaryl-2,2,2-trifluoroethane structures
[NASA-CASE-LEW-14346-1] c 23 N87-14433

GRATZ, ROY F.
Substituted 1,1,1-Triaryl-2,2,2-Trifluoroethanes and processes for their synthesis
[NASA-CASE-LEW-14345-1] c 23 N88-26404

GRAVES, THOMAS J.
Four-terminal electrical testing device
[NASA-CASE-MSC-21166-1] c 35 N87-25555

GRAVES, THOMAS JOSEPH
Toggle release
[NASA-CASE-MSC-21354-1] c 37 N88-24969

GRAY, C. E.
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c 23 N71-16365

GRAY, D. L.
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c 44 N80-18552

GRAY, D. T.
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c 35 N74-13129

GRAY, J. L.
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c 14 N73-32319

GRAY, N. C.
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle
[NASA-CASE-KSC-11064-1] c 31 N81-14137

GRAY, ORMAL E.
Hermetically sealable package for hybrid solid-state electronic devices and the like
[NASA-CASE-MSC-20181-1] c 33 N88-23941

GRAY, V. H.
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c 33 N71-16104
Ablative system
[NASA-CASE-LEW-10359] c 33 N72-25911
Ablative system
[NASA-CASE-LEW-10359-2] c 33 N73-25952
Space vehicle with artificial gravity and earth-like environment
[NASA-CASE-LEW-11101-1] c 31 N73-32750

GRAYSON, J. H.
Voltage-current characteristic simulator Patent
[NASA-CASE-XMS-01554] c 10 N71-10578

GREBE, V. J.
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c 14 N71-10500

GREEB, F. J.
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c 18 N75-27041

GREEN, A. T.
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c 38 N76-28563

GREEN, C. W., JR.
Rocket injector head
[NASA-CASE-XMF-04592-1] c 20 N79-21125

GREEN, E. D.
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c 09 N70-41675

GREEN, G.
Thin wire pointing method
[NASA-CASE-NPO-15789-1] c 31 N83-19947

GREEN, K. A.
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c 32 N76-21365
Multifrequency broadband polarized horn antenna
[NASA-CASE-NPO-14588-1] c 32 N81-25278

GREEN, R. G.
Traversing probe Patent
[NASA-CASE-XFR-02007] c 12 N71-24692
Layout tool Patent
[NASA-CASE-FRC-10005] c 15 N71-26145
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c 05 N71-26293

GREEN, R. R.
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c 08 N71-24650
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c 07 N73-13149
Method and apparatus for a single channel digita communications system
[NASA-CASE-NPO-11302-2] c 32 N74-10132

GREEN, W. L.
Mass measuring system Patent
[NASA-CASE-XMS-03371] c 05 N70-42000

GREENBERG, J.
Combined electrolysis device and fuel cell and metho of operation Patent
[NASA-CASE-XLE-01645] c 03 N71-20904

Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c 03 N71-26084
Heat activated cell Patent
[NASA-CASE-LEW-11359] c 03 N71-28579
Method of making emf cell
[NASA-CASE-LEW-11359-2] c 03 N72-20034

GREENHALL, CHARLES A.
Apparatus for using a time interval counter to measure frequency stability
[NASA-CASE-NPO-17325-1-CU] c 32 N88-24846

GREENLEAF, J. E.
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c 52 N77-10780
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c 52 N81-29763

GREENWOOD, JOHN E.
Payload deployment method and system
[NASA-CASE-MSC-21330-1] c 16 N88-24660

GREENWOOD, T. D.
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-2] c 27 N84-22746
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-1] c 27 N85-20123

GREENWOOD, T. L.
Seismic displacement transducer Patent
[NASA-CASE-XMF-00479] c 14 N70-34794
Condition and condition duration indicator Patent
[NASA-CASE-XMF-01097] c 10 N71-16058

GREGORY, D. A.
Apparatus for measuring charged particle beam
[NASA-CASE-MFS-25641-1] c 72 N84-28575

GREGORY, J. W.
Rocket motor system Patent
[NASA-CASE-XLE-00323] c 28 N70-38505
Combustion chamber Patent
[NASA-CASE-XLE-04857] c 28 N71-23968
Rocket thrust throttling system
[NASA-CASE-LEW-10374-1] c 28 N73-13773

GREGORY, T. J.
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c 09 N77-19076

GRIEVE, S. M.
Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c 14 N72-17325

GRIFFIN, C. E.
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184

GRIFFIN, C. R.
Antenna deployment mechanism for use with a spacecraft
[NASA-CASE-GSC-12331-1] c 18 N80-14183

GRIFFIN, F. D.
Device for determining the accuracy of the flare on a flared tube
[NASA-CASE-XKS-03495] c 14 N69-39785
Optical monitor panel Patent
[NASA-CASE-XKS-03509] c 14 N71-23175

GRIFFIN, JOHN W.
Doppler radar with multiphase modulation of transmitted and reflected signal
[NASA-CASE-MSC-18808-1] c 32 N88-23923

GRIFFIN, R. N.
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c 34 N74-27744

GRIFFIN, W. S.
Fluid jet amplifier
[NASA-CASE-XLE-03512] c 12 N69-21466
Fluid jet amplifier Patent
[NASA-CASE-XLE-09341] c 12 N71-28741

GRIFFITH, G. E.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c 09 N70-33312

GRINER, D. B.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c 74 N79-11865

GRISAFFE, S. J.
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c 15 N71-15610
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c 17 N73-32414
Method of protecting the surface of a substrate
[NASA-CASE-LEW-11696-1] c 37 N75-13261
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c 26 N75-19408
Fused silicide coatings containing discrete particles for protecting niobium alloys
[NASA-CASE-LEW-11179-1] c 27 N76-16229

GRISWOLD, R. H., JR.
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c 07 N77-14025

GROBMAN, J.
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c 11 N70-34844

GROHMANN, K.
Coal desulfurization by aqueous chlorination
[NASA-CASE-NPO-14902-1] c 25 N82-29371

GROOM, N. J.
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c 14 N69-27461
Variable pulse width multiplier Patent
[NASA-CASE-XLA-02850] c 09 N71-20447
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c 15 N76-14158
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c 37 N78-27424
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-1] c 35 N79-26372
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c 18 N81-29152

GROSE, W. L.
Combustion detector
[NASA-CASE-LAR-10739-1] c 14 N73-16484

GROSS, C.
Method of temperature compensating semiconductor strain gages Patent
[NASA-CASE-XLA-04555-1] c 14 N71-25892
Infrared detectors
[NASA-CASE-LAR-10728-1] c 14 N73-12445
Electronically scanned pressure sensor module with in SITU calibration capability
[NASA-CASE-LAR-12230-1] c 35 N79-14347
Self-correcting electronically scanned pressure sensor
[NASA-CASE-LAR-12686-1] c 35 N84-14491

GROSS, W. J.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c 31 N74-21059

GROTH, W. G.
Optical inspection apparatus Patent
[NASA-CASE-XMF-00462] c 14 N70-34298

GROVE, C. H.
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c 33 N79-10337

GROVES, W. O.
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c 76 N79-21910

GRUBBS, T. M.
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c 14 N70-41812
Line cutter Patent
[NASA-CASE-XMS-04072] c 15 N70-42017
Tension measurement device Patent
[NASA-CASE-XMS-04545] c 15 N71-22878
Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c 15 N71-24599

GRUBER, C. L.
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c 23 N71-26722

GRUBER, R. P.
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c 20 N79-20179
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c 44 N80-14472
Simplified dc to dc converter
[NASA-CASE-LEW-13495-1] c 33 N84-33663

GRUBER, ROBERT P.
Arcjet power supply and start circuit
[NASA-CASE-LEW-14374-1] c 09 N88-28939

GRUNBAUM, B. W.
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c 25 N78-14104
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c 25 N79-14169

GRUNTHANER, F. J.
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c 35 N78-10429

GUEST, S. H.
Method and apparatus for suppressing ignition overpressure in solid rocket propulsion systems
[NASA-CASE-MFS-25843-1] c 20 N83-17588

GUILLOTTE, R. J.
Infrared scanner Patent
[NASA-CASE-XLA-00120] c 21 N70-33181

GUISINGER, J. E.
Starting circuit for vapor lamps and the like Patent
[NASA-CASE-XNP-01058] c 09 N71-12540
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c 14 N71-26266
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c 09 N72-17155
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c 36 N74-13205
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c 35 N78-29421
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c 35 N79-16246
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c 76 N79-16678

GUIST, L. R.
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c 44 N74-33379

GUNGLE, R. L.
Self-sealing, unbonded, rocket motor nozzle closure Patent
[NASA-CASE-XLA-02651] c 28 N70-41967

GUNTER, W. D., JR.
Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c 23 N73-20741
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c 35 N75-16783
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c 36 N77-25501

GUNTER, WILLIAM D., JR.
Projection lens scanning laser velocimeter system
[NASA-CASE-ARC-11547-1] c 36 N87-17026
Dual mode laser velocimeter
[NASA-CASE-ARC-11634-1] c 36 N88-14350

GUPTA, A.
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c 74 N81-17887
Broadband optical radiation detector
[US-PATENT-4,262,198] c 74 N83-19597

GURTLER, C. A.
Ablation sensor
[NASA-CASE-XLA-01781] c 14 N69-39975
Pressurized cell micrometeoroid detector Patent
[NASA-CASE-XLA-00936] c 14 N71-14996
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c 34 N74-15652

GUSSOW, S. S.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c 35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c 35 N77-17426

GUSTAFSON, G. L.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c 14 N71-15992

GUSTINCIC, J. J.
Microwave limb sounder
[NASA-CASE-NPO-14544-1] c 46 N82-12685

GUTKOWSKI, G. P.
Liquid hydrogen polygeneration system and process
[NASA-CASE-KSC-11304-2] c 28 N86-23744

GUTSHALL, R. L.
Star scanner
[NASA-CASE-GSC-11569-1] c 89 N74-30886

GUY, J. T., SR.
Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c 15 N70-26819

GYORGAK, C. A.
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c 15 N70-33311
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c 15 N71-22797
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c 15 N71-23817

H

HABBAL, N. A.
Analog signal integration and reconstruction system Patent
[NASA-CASE-NPO-10344] c 10 N71-26544
System for quantizing graphic displays
[NASA-CASE-NPO-10745] c 08 N72-22164

HABRA, J. H.
Multiple varactor frequency doubler Patent
[NASA-CASE-XMF-04958-1] c 10 N71-26414

HADDICK, C. M., JR.
Adaptive data acquisition multiplexing system and method
[NASA-CASE-MSC-21170-1] c 17 N88-24662
HADEK, V.
Apparatus and method for measuring the Seebeck coefficient and resistivity of materials
[NASA-CASE-NPO-11749] c 14 N73-28486
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c 27 N78-14164
HADLAND, W. O.
Control device Patent
[NASA-CASE-XAC-10019] c 15 N71-23809
Two degree inverted flexure
[NASA-CASE-ARC-10345-1] c 15 N73-12488
HADLEY, H. C., JR.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c 35 N74-18088
HADT, W. F.
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c 37 N79-22475
HADY, W. F.
High speed, self-acting shaft seal
[NASA-CASE-LEW-11274-1] c 37 N75-21631
HAEHNER, C. L.
Peen plating
[NASA-CASE-GSC-11163-1] c 15 N73-32360
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c 35 N76-31489
HAERTHER, L. W.
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c 37 N79-33467
HAEUSSERMANN, W.
Velocity measurement system
[NASA-CASE-MFS-23363-1] c 35 N78-32396
Magnetic field control
[NASA-CASE-MFS-23828-1] c 33 N82-26569
HAFLE, R. S.
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c 62 N76-31946
HAGEDORN, N. H.
Negative electrode catalyst for the iron chromium redox energy storage system
[NASA-CASE-LEW-14028-1] c 44 N86-19721
HAGIHARA, F. S.
Frequency to analog converter Patent
[NASA-CASE-XNP-07040] c 08 N71-12500
HAGOOD, G. J., JR.
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c 10 N73-20253
HAINES, R. F.
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c 05 N73-26072
Visual examination apparatus
[US-PATENT-RE-28,921] c 52 N76-30793
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c 74 N77-22950
Simulator scene display evaluation device
[NASA-CASE-ARC-11504-1] c 09 N86-32447
HALE, R. R.
Solar energy modulator
[NASA-CASE-NPO-15388-1] c 44 N84-28203
HALEY, C. T.
Clock setter
[NASA-CASE-LAR-11458-1] c 35 N76-16392
HALEY, F. C.
Cavity radiometer Patent
[NASA-CASE-XNP-08961] c 14 N71-24809
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c 74 N78-33913
HALL, A. C.
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c 54 N81-27806
HALL, D. F.
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c 09 N71-16086
HALL, E. D.
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c 23 N71-26206
HALL, E. H.
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c 06 N72-17095
HALL, J. B., JR.
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c 14 N70-34161
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c 05 N72-27102
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c 35 N75-19611
HALL, J. F., JR.
Illumination system including a virtual light source Patent
[NASA-CASE-HQN-10781] c 23 N71-30292
HALL, J. H.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c 33 N74-12913
HALLAM, K. L.
Image tube
[NASA-CASE-GSC-11602-1] c 33 N74-21850
Wide-angle flat field telescope
[NASA-CASE-GSC-12825-1] c 74 N86-28732
HALLBERG, F. C.
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c 10 N71-26531
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c 76 N80-18951
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c 37 N82-32730
Workpiece positioning vise
[NASA-CASE-GSC-12762-1] c 37 N84-28083
HALLOCK, J. N.
Multiple hologram recording and readout system Patent
[NASA-CASE-ERC-10151] c 16 N71-29131
HALPERT, G.
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c 03 N72-15986
HAMERMESH, C. L.
Ambient cure polyimide foams
[NASA-CASE-ARC-11170-1] c 27 N79-11215
HAMLET, J. F.
Automatic quadrature control and measuring system
[NASA-CASE-MFS-21660-1] c 35 N74-21017
LC-oscillator with automatic stabilized amplitude via bias current control
[NASA-CASE-MFS-21698-1] c 33 N74-26732
HAMMACK, J. B.
Space capsule Patent
[NASA-CASE-XLA-00149] c 31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c 31 N71-15664
HAMMOND, A. D.
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c 02 N71-11041
HANCHEY, K. K.
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c 15 N71-19486
HAND, P. J.
Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c 35 N74-15094
HANDLYKKEN, M. B.
Shaft transducer having dc output proportional to angular velocity
[NASA-CASE-NPO-15706-1] c 35 N84-28017
HANDSCHUH, ROBERT F.
Thermal stress minimized, two component, turbine shroud seal
[NASA-CASE-LEW-14212-1] c 37 N88-23978
HANGER, R. T.
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c 44 N81-14389
HANKINSON, T. W. E.
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c 15 N69-27505
HANNA, M. F.
Dual polarity full wave dc motor drive Patent
[NASA-CASE-XNP-07477] c 09 N71-26092
Event sequence detector
[NASA-CASE-NPO-11703-1] c 10 N73-32144
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c 33 N74-22814
Method and apparatus for precision control of radiometer
[NASA-CASE-NPO-15398-1] c 35 N84-22931
HANSEN, D. O.
Particle parameter analyzing system
[NASA-CASE-XLE-06094] c 33 N78-17293
HANSEN, G. R.
Phase sensitive guidance sensor for wire-following vehicles
[NASA-CASE-NPO-15341-1] c 35 N84-33769
HANSEN, G. R., JR.
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c 32 N74-12912
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c 32 N75-26194
HANSEN, I. G.
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c 14 N71-24864
Low level signal limiter
[NASA-CASE-XLE-04791] c 32 N74-22096
HANSEN, S.
Thrust dynamometer Patent
[NASA-CASE-XLE-00702] c 14 N70-40203
Method of making screen by casting Patent
[NASA-CASE-XLE-00953] c 15 N71-15966
Fluid flow control value Patent
[NASA-CASE-XLE-00703] c 15 N71-15967
Thrust dynamometer Patent
[NASA-CASE-XLE-05260] c 14 N71-20429
HANSON, M. P.
Turbo-machine blade vibration damper Patent
[NASA-CASE-XLE-00155] c 28 N71-29154
HANSON, P. W.
Lift balancing device
[NASA-CASE-LAR-10348-1] c 11 N73-12264
HANSON, R. N.
Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c 15 N71-24834
Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c 15 N71-26346
HANST, P. L.
Repetitively pulsed, wavelength selective laser Patent
[NASA-CASE-ERC-10178] c 16 N71-24832
HAQ, K. E.
A method for the deposition of beta-silicon carbide by isoepitaxy
[NASA-CASE-ERC-10120] c 26 N69-33482
HARADA, Y.
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c 27 N77-30237
HARALSON, H. S.
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c 38 N74-15130
HARAWAY, W. M., JR.
Thermal protection ablation spray system Patent
[NASA-CASE-XLA-04251] c 18 N71-26100
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c 24 N75-30260
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c 37 N76-24575
HARD, T. M.
Optical systems having spatially invariant outputs
[NASA-CASE-ERC-10248] c 14 N72-17323
HARDGROVE, W. F.
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c 30 N71-17788
HARDY, J. C.
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c 05 N71-24623
Restraining mechanism
[NASA-CASE-MSC-13054] c 54 N78-17677
HARF, FREDRIC H.
Heat treatment for superalloy
[NASA-CASE-LEW-14262-1] c 26 N87-28647
HARMAN, J. N., III
Pulse activated polarographic hydrogen detector Patent
[NASA-CASE-XMF-06531] c 14 N71-17575
HARMS, V. W.
Apparatus for automatically stabilizing the attitude of a nonguided vehicle
[NASA-CASE-ARC-10134] c 30 N72-17873
HAROULES, G. G.
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c 14 N71-26774
Clear air turbulence detector
[NASA-CASE-ERC-10081] c 14 N72-28437
Method and apparatus for measuring solar activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c 14 N73-26432
HARPER-TERVET, J.
Mixed polyvalent-monovalent metal coating for carbon-graphite fibers
[NASA-CASE-NPO-14987-1] c 24 N83-33950
HARPER, C. A.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c 09 N70-41717
HARPER, L. L.
Laser Resonator
[NASA-CASE-GSC-12565-1] c 36 N84-14509
HARPER, P. M., SR.
Tire/wheel concept
[NASA-CASE-LAR-11695-2] c 37 N81-24443
HARRAP, V.
Integrated circuit including field effect transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c 09 N72-33205

HARRIGILL, W. T., JR.
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c 33 N78-32341
HARRIS, D. M.
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c 07 N72-21119
HARRIS, R. F.
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c 35 N77-24455
HARRIS, R. P.
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c 37 N84-12491
High-temperature, high-pressure optical cell
[NASA-CASE-MFS-26000-1] c 74 N87-14971
HARRIS, R. V., JR.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c 02 N71-12243
HARRISON, D. R.
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c 09 N71-24597
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c 33 N75-19520
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c 33 N75-25041
LDV multiplexer interface
[NASA-CASE-ARC-11536-1] c 33 N85-30202
HARRISON, E. S.
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c 27 N78-31232
HARRISON, F. L.
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c 02 N73-26006
HARRISON, R. G., JR.
Pressure variable capacitor
[NASA-CASE-XNP-09752] c 14 N69-21541
Temperature telemetric transmitter Patent
[NASA-CASE-NPO-10649] c 07 N71-24840
HARSTAD, K. G.
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c 36 N77-26477
HART-SMITH, L. J.
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630
HARTENSTEIN, R. G.
Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c 14 N70-34799
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c 10 N70-41964
HARTING, D. R.
Strain gage Patent Application
[NASA-CASE-FRC-10053] c 14 N70-35587
HARTMANN, M. J.
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c 20 N80-14188
HARTOP, R. W.
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c 32 N78-31321
Waveguide cooling system
[NASA-CASE-NPO-15401-1] c 32 N83-27085
HARVEY, G. A.
Maksutov spectrograph Patent
[NASA-CASE-XLA-10402] c 14 N71-29041
Apparatus for photographing meteors
[NASA-CASE-LAR-10226-1] c 14 N73-19419
HARVEY, W. D.
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c 14 N71-22989
HARWELL, R. J.
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c 27 N74-17283
HARWELL, WILLIAM D.
Apparatus and method of capturing an orbiting spacecraft
[NASA-CASE-MSC-20979-1] c 37 N87-22985
HASBACH, W. A.
Solid state matrices
[NASA-CASE-NPO-10591] c 03 N72-22041
HASKELL, R. E.
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c 43 N77-10584
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c 32 N79-20297
HASLETT, R. A.
Multi-leg heat pipe evaporator
[NASA-CASE-MSC-20812-1] c 34 N86-27593
HASLIM, L. A.
Segmented tubular cushion springs and spring assembly
[NASA-CASE-ARC-11349-1] c 37 N86-20797
HASLIM, LEONARD A.
Electro-expulsive separation system
[NASA-CASE-ARC-11613-1] c 33 N87-28833
HASSAN, AHMED A.
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793
HASSLER, J. M., JR.
Remote pivot decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-13173-1] c 05 N87-14314
HASSON, D. F.
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c 31 N70-37924
HATAKEYAMA, L. F.
Method and system for ejecting fairing sections from a rocket vehicle
[NASA-CASE-GSC-10590-1] c 31 N73-14853
HATCH, J. E.
Energy conversion apparatus Patent
[NASA-CASE-XLE-00212] c 03 N70-34134
HATCHER, N. M.
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c 14 N69-27461
Infrared scanner Patent
[NASA-CASE-XLA-00120] c 21 N70-33181
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c 10 N71-13545
Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c 21 N71-22880
HATFIELD, J. J.
Integrated time shared instrumentation display Patent
[NASA-CASE-XLA-01952] c 08 N71-12507
HATHAWAY, M. E.
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c 15 N70-34850
HAUGE, G.
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c 33 N74-22885
HAURY, V. E.
Hydrazinium nitroformate propellant stabilized with nitroguanidine
[NASA-CASE-NPO-12000] c 27 N72-25699
Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c 27 N73-16764
HAUSER, J. A.
High pressure gas filter system Patent
[NASA-CASE-MFS-12806] c 14 N71-17588
High pressure helium purifier Patent
[NASA-CASE-XMF-06888] c 15 N71-24044
HAVENS, D. E.
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c 35 N75-19615
HAVENS, S. J.
Process for crosslinking methylene-containing aromatic polymers with ionizing radiation
[NASA-CASE-LAR-13448-1] c 27 N86-24840
Polyarylene ethers with improved properties
[NASA-CASE-LAR-13555-1] c 23 N86-32526
HAVENS, STEPHEN J.
Ethynyl terminated ester oligomers and polymers therefrom
[NASA-CASE-LAR-13118-2] c 27 N87-16907
Process for crosslinking and extending conjugated diene-containing polymers
[NASA-CASE-LAR-13452-1] c 27 N87-22848
Polyimides containing carbonyl and ether connecting groups
[NASA-CASE-LAR-13633-1] c 27 N87-24575
Polyphenylquinoxalines containing alkylenedioxy groups
[NASA-CASE-LAR-13601-1-CU] c 27 N87-25475
HAWKINS, C. A.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c 74 N79-11865
HAWLEY, J. J.
Method of erasing target material of a vidicon tube or the like Patent
[NASA-CASE-XNP-06028] c 09 N71-23189
HAWLEY, W. W.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c 14 N71-30265
HAYDEN, R. R.
Magnetic counter Patent
[NASA-CASE-XNP-08836] c 09 N71-12515
HAYNES, D. P.
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c 35 N78-27384
HAYNES, DAVID P.
Adjustable mount for electro-optic transducers in an evacuated cryogenic system
[NASA-CASE-LAR-13100-1] c 37 N87-23982
HAYNES, J. L.
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c 38 N74-15130
HAYNIE, C. C.
Variable contour securing system
[NASA-CASE-MSC-16270-1] c 37 N78-27423
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c 26 N80-28492
HAYNIG, C. C.
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c 37 N76-21554
HAYNOS, J. G.
Interconnection of solar cells Patent
[NASA-CASE-XGS-01475] c 03 N71-11058
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c 03 N72-15986
HAYS, L. G.
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c 14 N71-26199
Two phase flow system with discrete impinging two-phase jets
[NASA-CASE-NPO-11556] c 12 N72-25292
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c 11 N73-12265
Flow control valve
[NASA-CASE-NPO-11951-1] c 37 N74-21065
HEARN, C. P.
Wideband VCO with high phase stability Patent
[NASA-CASE-XLA-03893] c 10 N71-27271
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c 32 N76-14321
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c 32 N77-14292
HEATH, D. MICHELE
Thermal remote anemometer system
[NASA-CASE-LAR-13508-1] c 35 N88-23962
HEBERLIG, J. C.
Survival couch Patent
[NASA-CASE-XLA-00118] c 05 N70-33285
HECHT, R.
Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c 14 N73-30394
HECKELMAN, J. D.
Multialarm summary alarm Patent
[NASA-CASE-XLE-03061-1] c 10 N71-24798
HECKLER, C. H.
Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c 12 N71-20896
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c 24 N75-13032
HEDGEPETH, J. M.
Foldable beam
[NASA-CASE-LAR-12077-1] c 31 N81-25259
Synchronously deployable double fold beam and planar truss structure
[NASA-CASE-LAR-13490-1] c 18 N87-14413
HEDLUND, R. C.
Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c 09 N71-33109
Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c 09 N73-20231
HEER, E.
Pressure seal Patent
[NASA-CASE-NPO-10796] c 15 N71-27068
HEFFERMAN, J. T.
Surface finishing
[NASA-CASE-MSC-12631-3] c 27 N81-14077
HEFFERNAN, J. T.
Surface finishing
[NASA-CASE-MSC-12631-1] c 24 N77-28225
HEFLINGER, L. O.
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c 36 N77-32478
Microbalance
[NASA-CASE-MSC-11242] c 35 N78-17358
HEFNER, JERRY N.
Combined riblet and lebu drag reduction system
[NASA-CASE-LAR-13286-1] c 02 N88-14071
HEIDMANN, M. F.
Injector for bipropellant rocket engines Patent
[NASA-CASE-XMF-00148] c 28 N70-38710
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c 14 N70-41946
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c 33 N71-21507
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c 27 N71-21819
HEIDT, M. F.
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c 14 N72-27411

HEIER, W. C.
Method for molding compounds Patent
[NASA-CASE-XLA-01091] c 15 N71-10672
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c 31 N74-14133
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c 31 N74-18124
Method of laminating structural members
[NASA-CASE-XLA-11028-1] c 24 N74-27035
Molding apparatus
[NASA-CASE-LAR-10489-2] c 31 N74-32920
Evacuated, displacement compression mold
[NASA-CASE-LAR-10782-2] c 31 N75-13111
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c 20 N78-24275

HEIMBUCH, A. H.
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c 25 N74-26947
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560
High performance mixed bisimide resins and composites based thereon
[NASA-CASE-ARC-11538-1SB] c 24 N86-21590

HEIMBUCH, ALVIN H.
Process for curing bismaleimide resins
[NASA-CASE-ARC-11429-4CU] c 27 N87-15304
Vinyl stilbazoles
[NASA-CASE-ARC-11429-3CU] c 27 N87-16908
Structural panels
[NASA-CASE-ARC-11429-2-CU] c 27 N87-22845

HEIMERL, G. J.
Extensometer frame
[NASA-CASE-XLA-10322] c 15 N72-17452

HEIN, L. A.
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c 37 N77-12402
Spherical bearing
[NASA-CASE-MFS-23447-1] c 37 N79-11404
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c 44 N82-24639
Resilient seal ring assembly with spring means applying force to wedge member
[NASA-CASE-MFS-25678-1] c 37 N84-11497

HEIN, LEOPOLD A.
Tube coupling device
[NASA-CASE-MFS-25964-2] c 37 N87-22977

HEINDL, J. C.
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c 15 N71-23048

HEINEMANN, K.
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c 74 N75-12732
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c 35 N77-14408

HEINEY, O. K.
Self-obturating, gas operated launcher
[NASA-CASE-NPO-11013] c 11 N72-22247

HEISMAN, R. M.
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c 15 N71-21536
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c 26 N80-28492

HELBERT, W. B., JR.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c 24 N74-30001

HELD, D. N.
Synthetic aperture radar target simulator
[NASA-CASE-NPO-15024-1] c 32 N84-27951

HELD, DANIEL N.
Data volume reduction for imaging radar polarimetry
[NASA-CASE-NPO-17184-1-CU] c 32 N88-26541

HELLBAUM, R. F.
Logic AND gate for fluid circuits Patent
[NASA-CASE-XLA-07391] c 12 N71-17579
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c 15 N72-16329
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c 33 N74-11050

HELLER, C.
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-15429-1] c 18 N84-22609
Adjustable indicating device for load position
[NASA-CASE-MFS-28008-1] c 35 N85-20300
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-25429-1] c 18 N86-20469

HELLER, J. A.
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c 07 N79-10057

HELLMANN, R. F.
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c 12 N71-21089

HELMAN, D. D.
Method for repair of thin glass coatings
[NASA-CASE-KSC-11097-1] c 27 N82-33520

HELMS, C. R.
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c 52 N81-25660

HENDEL, F. J.
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c 27 N78-33228

HENDERSON, DAVID E.
Reconfigurable work station for a video display unit and keyboard
[NASA-CASE-MFS-26009-1-SB] c 54 N88-24163

HENDERSON, M. E.
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c 35 N75-26334

HENDRICKS, H. D.
Method of detecting oxygen in a gas
[NASA-CASE-LAR-10668-1] c 06 N73-16106

HENLEY, W. H.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c 31 N74-21059

HENNIGAN, T. J.
Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03865] c 14 N69-21363
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c 03 N70-41864
Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c 03 N71-11053
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c 03 N71-19438
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c 03 N71-22974
Sealed electrochemical cell provided with a flexible casing Patent
[NASA-CASE-XGS-01513] c 03 N71-23336

HENRY, A. W.
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c 06 N71-23500

HENRY, B. Z., JR.
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c 31 N71-15674

HENRY, V. F.
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c 32 N79-11265

HEPNER, T. E.
Auto covariance computer
[NASA-CASE-LAR-12968-1] c 60 N86-21154

HEPPNER, J. P.
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c 14 N71-15962

HERBELL, T. P.
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c 05 N71-23080
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c 18 N71-26153
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c 17 N72-28536

HERGENROTHER, P. M.
Polyphenylquinoxalines containing pendant phenylethynyl and ethynyl groups
[NASA-CASE-LAR-12838-1] c 27 N83-34040
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-1] c 27 N84-22747
Phenoxy resins containing pendent ethynyl groups and cured resins obtained therefrom
[NASA-CASE-LAR-13262-1] c 23 N85-28973
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-2] c 27 N86-21675
Sulfone-ester polymers containing pendent ethynl groups
[NASA-CASE-LAR-13316-1] c 27 N86-27450
Polyarylene ethers with improved properties
[NASA-CASE-LAR-13555-1] c 23 N86-32526
The 5-(4-Ethynylophenoxy) isophthalic chloride
[NASA-CASE-LAR-13316-2] c 27 N87-14515

HERGENROTHER, PAUL M.
Ethynyl terminated ester oligomers and polymers therefrom
[NASA-CASE-LAR-13118-2] c 27 N87-16907
Polyenamines from aromatic diacetylenic diketones and diamines
[NASA-CASE-LAR-13444-1-CU] c 27 N87-22847
Polyimides containing carbonyl and ether connecting groups
[NASA-CASE-LAR-13633-1] c 27 N87-24575
Polyphenylquinoxalines containing alkylenedioxy groups
[NASA-CASE-LAR-13601-1-CU] c 27 N87-25475

HERMAN, C. F.
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c 32 N77-12239

HERMANN, A. M.
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c 03 N71-18698

HERMESMEYER, C. E.
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c 33 N81-15192

HEROLD, C. P.
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c 15 N71-10782

HERR, R. W.
A support technique for vertically oriented launch vehicles
[NASA-CASE-XLA-02704] c 11 N69-21540

HERREN, BLAIR
Crystal growth apparatus
[NASA-CASE-MFS-28182-1] c 76 N88-25357

HERRMANN, A. L.
Locking device with rolling detents Patent
[NASA-CASE-XMF-01371] c 15 N70-41829

HERRMANN, FRED
Crystal growth apparatus
[NASA-CASE-MFS-28182-1] c 76 N88-25357

HERRON, B. G.
Power control circuit
[NASA-CASE-XNP-02713] c 10 N69-39888

HESLIN, T. M.
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c 35 N82-24471

HESPENHIDE, W. H.
Variable direction force coupler
[NASA-CASE-MFS-20317] c 15 N73-13463

HESS, D. A.
Passive propellant system
[NASA-CASE-MFS-23642-2] c 20 N78-27176
Passive propellant system
[NASA-CASE-MFS-23642-1] c 20 N80-10278

HESS, R. V.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c 16 N72-22520
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540

HESS, R. W.
Contour surveying system Patent
[NASA-CASE-XLA-08646] c 14 N71-17586

HESTER, H. B.
Current regulating voltage divider
[NASA-CASE-MFS-20935] c 09 N71-34212

HETHCOAT, J. P.
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c 28 N71-27095

HEWES, D. E.
Rotating space station simulator Patent
[NASA-CASE-XLA-03127] c 11 N71-10776
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c 11 N71-16028

HEWITT, D. R.
Thermal control system
[NASA-CASE-GSC-12771-1] c 34 N84-14461

HEYMAN, J. S.
Ultrasonic calibration device
[NASA-CASE-LAR-11435-1] c 35 N76-15432
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c 39 N78-15512
Pseudo continuous wave instrument
[NASA-CASE-LAR-12260-1] c 35 N79-1039
CDS solid state phase insensitive ultrasonic transducer
[NASA-CASE-LAR-12304-1] c 35 N80-2055
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c 33 N82-2657
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c 52 N82-2986
Pulsed phase locked loop strain monitor
[NASA-CASE-LAR-12772-1] c 33 N83-1662
Error correction method and apparatus for electronic timepieces
[NASA-CASE-LAR-12654-1] c 33 N83-3635
Method for thermal monitoring subcutaneous tissue
[NASA-CASE-LAR-13028-1] c 52 N85-3061

Double reference pulsed phase locked loop
[NASA-CASE-LAR-13310-1] c 32 N87-14559

HEYMAN, JOSEPH S.
Rapid quantification of an internal property
[NASA-CASE-LAR-13689-1-NP] c 35 N87-23941
Thermal remote anemometer system
[NASA-CASE-LAR-13508-1] c 35 N88-23962
Radio Frequency (RF) strain monitor
[NASA-CASE-LAR-13705-1] c 39 N88-25011
Phase length optical phase-locked-loop sensor
[NASA-CASE-LAR-13387-1] c 74 N88-25302

HEYMAN, JOSEPH SAUL
Mining volume measurement system
[NASA-CASE-LAR-13519-1] c 35 N88-23963

HEYSER, R. C.
Temperature control system with a pulse width modulated bridge
[NASA-CASE-NPO-11304] c 14 N73-26430
Method for shaping and aiming narrow beams
[NASA-CASE-NPO-14632-1] c 32 N82-18443

HEYSON, H. H.
Variable geometry wind tunnels
[NASA-CASE-XLA-07430] c 11 N72-22246

HIEDA, L. S.
Controller for computer control of brushless dc motors
[NASA-CASE-NPO-13970-1] c 33 N81-20352

HIGA, W. H.
Refrigeration apparatus
[NASA-CASE-NPO-10309] c 15 N69-23190
Refrigeration apparatus Patent
[NASA-CASE-XNP-08877] c 15 N71-23025
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c 37 N76-29590
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-2] c 37 N84-28081

HIGBY, R. F.
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c 07 N69-39980

HIGH, R. W.
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c 91 N76-30131

HILBERT, E. E.
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c 08 N72-22162
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c 07 N72-25172
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c 32 N77-12240

HILBORN, E. H.
Method and means for an improved electron beam scanning system Patent
[NASA-CASE-ERC-10552] c 09 N71-12539
Fluidic-thermochromic display device Patent
[NASA-CASE-ERC-10031] c 12 N71-18603
Plasma fluidic hybrid display Patent
[NASA-CASE-ERC-10100] c 09 N71-33519

HILDEBRANDT, A. F.
Helium refining by superfluidity Patent
[NASA-CASE-XNP-00733] c 06 N70-34946
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c 15 N73-28516
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c 26 N73-28710
Magnetic-flux pump
[NASA-CASE-XNP-01188] c 15 N73-32361

HILDNER, E.
Spectral slicing X-ray telescope with variable magnification
[NASA-CASE-MFS-25942-1] c 74 N86-20124

HILKER, W. R.
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c 18 N75-27040

HILL, E. K.
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c 35 N74-10415

HILL, O. E.
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c 11 N71-17600
Wind tunnel test section
[NASA-CASE-MFS-20509] c 11 N72-17183

HILL, P. R.
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c 33 N71-17897
Kinesthetic control simulator
[NASA-CASE-LAR-10276-1] c 09 N75-15662

HILL, W. E.
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290

HILLBERG, E. T.
Load relieving device Patent
[NASA-CASE-XMS-06329-1] c 15 N71-20441

HILLBORN, E. H.
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c 09 N71-28618

HILLIS, D. A.
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c 08 N71-19687

HILLMAN, C. E., JR.
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c 52 N77-28717

HILLMAN, J. J.
Thermal compensator for closed-cycle helium refrigerator
[NASA-CASE-GSC-12168-1] c 31 N79-17029

HILTON, G. E.
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c 30 N71-16090

HIMMELRIGHT, R. M.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c 15 N70-34817

HINKLEY, E. D., JR.
Portable remote laser sensor for methane leak detection
[NASA-CASE-NPO-15790-1] c 36 N85-21631

HIRAYAMA, C.
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c 37 N74-21063

HIRSHFIELD, S. M.
Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c 15 N71-27372
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c 06 N73-32029

HITCHMAN, M. J.
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c 51 N74-15778

HOBART, H. F.
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c 14 N70-42074

HOBBS, A. J.
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c 14 N73-12444

HOBLIN, L. E.
Unfurlable structure including coiled strips thrust launched upon tension release Patent
[NASA-CASE-HQN-00937] c 07 N71-28979

HOCHMAIR, E. S.
Gyrator employing field effect transistors
[NASA-CASE-MFS-21433] c 09 N73-20232
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c 33 N74-34638
Integrable power gyrator
[NASA-CASE-MFS-22342-1] c 33 N75-30428

HODDER, D. T.
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c 37 N74-18123

HODGE, P. E.
Corrosion resistant thermal barrier coating
[NASA-CASE-LEW-13088-1] c 26 N81-25188

HODGES, D. H.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c 05 N77-17029

HODO, JAMES D.
Fatigue testing a plurality of test specimens and method
[NASA-CASE-MFS-28118-1] c 39 N87-25601

HOFFLER, G. W.
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c 52 N74-26626
Logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c 52 N82-11770

HOFFMAN, C. A.
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-1] c 24 N81-17170
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-2] c 24 N81-26179

HOFFMAN, D. G.
Light detection instrument Patent
[NASA-CASE-XGS-05534] c 23 N71-16355

HOFFMAN, E. L.
Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c 31 N70-34135

HOFFMAN, H. C.
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c 21 N71-27324
Active nutation controller
[NASA-CASE-GSC-12273-1] c 35 N80-21719
Method of damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c 18 N83-28064

HOFFMAN, I. S.
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c 14 N71-23092
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c 35 N75-33369
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c 35 N77-14407

HOFFMAN, L. A.
Compensating bandwidth switching transients in an amplifier circuit Patent
[NASA-CASE-XNP-01107] c 10 N71-28859

HOFFMAN, T. E.
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c 36 N74-11313

HOFFMAN, WILLIAM C., III
Four-terminal electrical testing device
[NASA-CASE-MSC-21166-1] c 35 N87-25555

HOGGE, THOMAS W.
Auxiliary data input device
[NASA-CASE-LAR-13626-1] c 37 N87-25584

HOHL, F.
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c 36 N79-18307
Large volume multiple-path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c 36 N82-13415
Solar driven liquid metal MHD power generator
[NASA-CASE-LAR-12495-1] c 44 N83-28573
Solar pumped laser
[NASA-CASE-LAR-12870-1] c 36 N84-16542

HOKLO, K. H.
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c 15 N73-28515

HOLBEN, MILFORD S., JR.
Radio Frequency (RF) strain monitor
[NASA-CASE-LAR-13705-1] c 39 N88-25011

HOLDEMAN, L. B.
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c 33 N81-17348

HOLDEN, G. R.
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c 05 N69-21473

HOLDERER, O. C.
Electric arc driven wind tunnel Patent
[NASA-CASE-XMF-00411] c 11 N70-36913

HOLDERMAN, L. B.
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c 33 N78-13320

HOLDREN, R. T., III
Radar calibration sphere
[NASA-CASE-XLA-11154] c 07 N72-21117

HOLES, J. K.
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c 33 N74-12887

HOLESKI, D. E.
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c 14 N70-40201

HOLKO, K. H.
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c 15 N73-32358
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c 37 N74-11300
Diffusion welding in air
[NASA-CASE-LEW-11387-1] c 37 N74-18128
Diffusion welding
[NASA-CASE-LEW-11388-2] c 37 N74-21055

HOLLAHAN, J. R.
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c 25 N75-12087

HOLLAND, L. R.
Apparatus and method for heating a material in a transparent ampoule
[NASA-CASE-MFS-25436-1] c 27 N83-36220
High-temperature, high-pressure optical cell
[NASA-CASE-MFS-26000-1] c 74 N87-14971

HOLLAND, V. B.
Signal conditioning circuit apparatus
[NASA-CASE-ARC-10348-1] c 33 N75-19518

HOLLANDER, J.
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c 06 N73-30099
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c 06 N73-30102

HOLLANHAN, J. R., JR.
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c 27 N79-18052

HOLLEMAN, E. C.
Three axis controller Patent
[NASA-CASE-XFR-00181] c 21 N70-33279

HOLLENBAUGH, R. C.
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c 21 N71-13958

Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c 30 N71-16090
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c 02 N71-19287
Position location system and method
[NASA-CASE-GSC-10087-3] c 07 N72-12080
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c 07 N73-20174

HOLLEY, L. D.
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c 14 N73-32319
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c 35 N78-28411
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c 33 N79-22373

HOLLIDAY, M. L.
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c 37 N77-14478

HOLLIDAY, R. J.
Method of making macrocrystalline or single crystal semiconductor material
[NASA-CASE-NPO-15904-1] c 76 N86-28760

HOLLIS, B. R., JR.
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c 76 N79-14906
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c 44 N79-26475
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c 37 N82-12441

HOLLOW, R. H.
Thumb-actuated two-axis controller
[NASA-CASE-ARC-11372-1] c 08 N86-27288
Load positioning system with gravity compensation
[NASA-CASE-ARC-11525-1] c 37 N86-27629

HOLMAN, E. V.
Latching mechanism Patent
[NASA-CASE-XMS-03745] c 15 N71-21076

HOLMAN, EARL V.
Payload deployment method and system
[NASA-CASE-MSC-21330-1] c 16 N88-24660

HOLMES, B. K.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c 28 N72-11708

HOLMES, BRUCE J.
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793
Crossflow vorticity sensor
[NASA-CASE-LAR-13436-1-CU] c 02 N88-23759

HOLMES, H. K.
Velocity limiting safety system Patent
[NASA-CASE-XLA-07473] c 15 N71-24895

HOLMES, HARLAN K.
Crossflow vorticity sensor
[NASA-CASE-LAR-13436-1-CU] c 02 N88-23759

HOLMES, J. F.
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c 48 N80-18667

HOLMES, L., JR.
Ruler for making navigational computations
[NASA-CASE-XNP-01458] c 04 N78-17031

HOLMES, M.
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018

HOLMES, R. F.
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c 25 N74-12813
Heat exchanger
[NASA-CASE-MFS-22991-1] c 34 N77-10463

HOLMES, S. J.
Ultraviolet filter
[NASA-CASE-XNP-02340] c 23 N69-24332

HOLMES, T. H.
Vibration damping system Patent
[NASA-CASE-XMS-01620] c 23 N71-15673

HOLMES, W. T.
Lifting body Patent Application
[NASA-CASE-FRC-10063] c 01 N71-12217

HOLMSTROM, F. R.
Shielded cathode mode bulk effect devices
[NASA-CASE-ERC-10119] c 26 N72-21701

HOLOWACH, J.
Sound-suppressing structure with thermal relief
[NASA-CASE-LEW-12658-1] c 71 N79-14871

HOLT, H. M.
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c 09 N69-39984
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c 09 N71-12514

HOLT, J. W.
Attachment system for silica tiles
[NASA-CASE-MSC-18741-1] c 27 N82-29456
Method for repair of thin glass coatings
[NASA-CASE-KSC-11097-1] c 27 N82-33520

HOLT, N. I.
Scan converting video tape recorder
[NASA-CASE-NPO-10166-1] c 07 N73-22076
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c 35 N76-16391
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c 35 N77-21392

HOLTZE, R. F.
Coating process
[NASA-CASE-XNP-06508] c 18 N69-39895

HOLWAY, H. P.
Model launcher for wind tunnels Patent
[NASA-CASE-XNP-03578] c 11 N71-23030
Mobile sampler for use in acquiring samples of terrestrial atmospheric gases
[NASA-CASE-NPO-15220-1] c 45 N83-25217

HOMKES, R. J.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c 54 N75-27759

HONEY, R. W.
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c 07 N71-23098

HONEYCUTT, L., III
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c 27 N78-17206

HONG, J. P.
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c 32 N76-31372
System and method for character recognition
[NASA-CASE-NPO-11337-1] c 74 N81-19896

HONG, S. D.
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c 74 N81-17887
Broadband optical radiation detector
[US-PATENT-4,262,198] c 74 N83-19597

HONNELL, M. A.
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c 32 N74-19790
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c 33 N75-30429
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c 33 N77-17351

HOOD, R. T.
Hall current measuring apparatus having a series resistor for temperature compensation Patent
[NASA-CASE-XAC-01662] c 14 N71-23037

HOOD, W. R.
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface
[NASA-CASE-LAR-12261-1] c 02 N80-20224

HOOP, J. M.
Method and apparatus for nondestructive testing
[NASA-CASE-MFS-21233-1] c 38 N74-15395
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c 35 N75-12271

HOOPER, C. D.
Extensometer Patent
[NASA-CASE-XMF-04680] c 15 N71-19489

HOOPER, S. L.
Self-charging metering and dispensing device for fluids
[NASA-CASE-MSC-20275-1] c 35 N85-21595

HOOVER, R. B.
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c 14 N73-30389
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c 14 N73-32319
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c 74 N74-27866
Multiplate focusing collimator
[NASA-CASE-MFS-20932-1] c 35 N75-19616
Method for retarding dye fading during archival storage of developed color photographic film
[NASA-CASE-MFS-23250-1] c 35 N82-11432
Extended range X-ray telescope
[NASA-CASE-MFS-25282-1] c 34 N83-19015
Spectral slicing X-ray telescope with variable magnification
[NASA-CASE-MFS-25942-1] c 74 N86-20124
Multispectral glancing incidence X-ray telescope
[NASA-CASE-MFS-28013-1] c 89 N86-22459

HOOVER, R. J.
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c 15 N71-23817

HOPKINS, P. M.
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c 32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c 33 N74-27705
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c 33 N79-11313

HOPKINS, V.
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c 15 N71-21403

HOPPER, J. H.
Thermal garment
[NASA-CASE-XMS-03694-1] c 54 N82-29002

HOPPING, R. L.
Landing gear Patent
[NASA-CASE-XMF-01174] c 02 N70-41589

HOPSON, PURNELL, JR.
Method of forming a multiple layer dielectric and a ho film sensor therewith
[NASA-CASE-LAR-13678-1] c 76 N88-25355

HORNE, W. B.
Aircraft wheel spray drag alleviator Patent
[NASA-CASE-XLA-01583] c 02 N70-36825

HORNER, J. L.
Optical noise suppression device and method
[NASA-CASE-MSC-12640-1] c 74 N76-31998

HORTON, D. B.
Instrument support with precise lateral adjustmen Patent
[NASA-CASE-XMF-00480] c 14 N70-39898

HORTON, J. C.
Method of making impurity-type semiconductor electrica contacts Patent
[NASA-CASE-XMF-01016] c 26 N71-17818

HORTTOR, R. L.
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c 07 N72-21116

HOSENTHIEN, H. H.
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c 10 N71-22986

HOTZ, G. M.
Soil penetrometer
[NASA-CASE-XNP-05530] c 14 N73-3232
Burrowing apparatus
[NASA-CASE-XNP-07169] c 15 N73-3236

HOUCK, W. H.
Voltage dropout sensor Patent
[NASA-CASE-KSC-10020] c 10 N71-2733
Ripple indicator
[NASA-CASE-KSC-10162] c 09 N72-1122
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c 35 N75-1227

HOUSEMAN, J.
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c 37 N76-1644
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c 44 N76-1864
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c 44 N76-2970
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c 44 N76-2970
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c 44 N77-1063
Combustion engine
[NASA-CASE-NPO-13671-1] c 37 N77-3149
Start up system for hydrogen generator used with a internal combustion engine
[NASA-CASE-NPO-13849-1] c 28 N80-1037

HOWARD, E. A.
Soil penetrometer
[NASA-CASE-XNP-05530] c 14 N73-3232
Burrowing apparatus
[NASA-CASE-XNP-07169] c 15 N73-3236

HOWARD, F. S.
Zero gravity shadow shield aligner
[NASA-CASE-KSC-10622-1] c 31 N72-2189
Geysering inhibitor for vertical cryogenic transfer pi
[NASA-CASE-KSC-10615] c 15 N73-1245
Floating baffle to improve efficiency of liquid transf from tanks
[NASA-CASE-KSC-10639] c 15 N73-2647
Zero gravity liquid transfer screen
[NASA-CASE-KSC-10626] c 14 N73-2737
Liquid hydrogen polygeneration system and proce
[NASA-CASE-KSC-11304-2] c 28 N86-2377

HOWARD, J. C.
Means for suppressing or attenuating bending moti of elastic bodies Patent
[NASA-CASE-XAC-05632] c 32 N71-2397
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c 35 N75-2937

HOWARD, P. W.
Apparatus for reducing aerodynamic noise in a wi tunnel
[NASA-CASE-MFS-23099-1] c 09 N76-2327

HOWARD, W. D.
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c 14 N71-28993
HOWARD, W. H.
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c 05 N71-24738
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c 52 N74-22771
Tread drum for animals
[NASA-CASE-ARC-10917-1] c 51 N78-27733
HOWARTH, J. T.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c 27 N76-24405
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c 27 N78-17213
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c 27 N78-32262
HOWE, R. D.
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c 45 N80-14579
HOWE, T. L.
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c 35 N75-12273
HOWELL, B. J.
Wide-angle flat field telescope
[NASA-CASE-GSC-12825-1] c 74 N86-28732
HOWELL, J. R.
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c 09 N70-40234
HOWELL, W. E.
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c 14 N71-27215
Star image motion compensator
[NASA-CASE-LAR-10523-1] c 14 N72-22444
Heads up display
[NASA-CASE-LAR-12630-1] c 06 N84-27733
HOWELL, W. L.
Fluid thrust control system
[NASA-CASE-XMF-05964-1] c 20 N79-21124
HOWLAND, B. T.
High pressure air valve Patent
[NASA-CASE-MSC-11010] c 15 N71-19485
HOYT, H. E.
Process of treating cellulosic membrane and alkaline with membrane separator
[NASA-CASE-GSC-10019-1] c 44 N82-24641
Separator for alkaline batteries and method of making same
[NASA-CASE-GSC-10350-1] c 44 N82-24642
Separator for alkaline electric cells and method of making
[NASA-CASE-GSC-10017-1] c 44 N82-24643
Separator for alkaline electric batteries and method of making
[NASA-CASE-GSC-10018-1] c 44 N82-24644
Alkaline electrochemical cells and method of making
[NASA-CASE-GSC-10349-1] c 44 N82-24645
Aqueous alkali metal hydroxide insoluble cellulose ether membrane
[NASA-CASE-XGS-05584-1] c 25 N82-29370
HOYT, R. F.
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c 35 N74-15092
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540
HRACH, F. J.
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c 09 N71-13522
HRASTAR, J. A.
Apparatus for and method of compensating dynamic unbalance
[NASA-CASE-GSC-12550-1] c 37 N84-28082
HRON, R. L.
Load current sensor for a series pulse width modulated power supply
[NASA-CASE-GSC-10656-1] c 09 N72-25249
HRUBY, R. J.
Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c 15 N71-17822
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c 09 N71-25866
Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c 15 N72-21464
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c 09 N73-32112
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c 33 N77-31404
HRYNIEWIECKI, E.
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c 11 N73-26238
HSU, G. C.
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c 27 N77-30236
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c 44 N78-31527
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c 25 N79-11152
Coal desulfurization
[NASA-CASE-NPO-14272-1] c 25 N81-33246
Crude oil desulfurization
[NASA-CASE-NPO-14542-1] c 25 N82-23282
HSU, IN-SHEK
A VLSI single-chip (225,223) Reed-Solomon encoder with interleaver
[NASA-CASE-NPO-17280-1-CU] c 17 N88-27220
Method for Veterbi decoding of large constraint length convolutional codes
[NASA-CASE-NPO-17310-1-CU] c 17 N88-28946
HSU, L. C.
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c 27 N78-15276
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c 44 N79-25481
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c 27 N79-28307
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c 27 N80-32516
In-situ cross linking of polyvinyl alcohol
[NASA-CASE-LEW-13135-2] c 27 N81-24257
Polyvinyl alcohol battery separator containing inert filler
[NASA-CASE-LEW-13556-1] c 44 N81-27615
Cross-linked polyvinyl alcohol and method of making same
[NASA-CASE-LEW-13101-2] c 23 N81-29160
Polyvinyl alcohol cross-linked with two aldehydes
[NASA-CASE-LEW-13504-1] c 25 N83-13188
Alkaline battery containing a separator of a cross-linked copolymer of vinyl alcohol and unsaturated carboxylic acid
[NASA-CASE-LEW-13102-1] c 33 N85-29144
HSU, M. T. S.
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560
High performance mixed bisimide resins and composites based thereon
[NASA-CASE-ARC-11538-1SB] c 24 N86-21590
Light weight fire resistant graphite composites
[US-PATENT-4,598,007] c 24 N86-28131
HSU, MING-TA S.
Process for curing bismaleimide resins
[NASA-CASE-ARC-11429-4CU] c 27 N87-15304
Vinyl stilbazoles
[NASA-CASE-ARC-11429-3CU] c 27 N87-16908
Structural panels
[NASA-CASE-ARC-11429-2-CU] c 27 N87-22845
Preparation of B-trichloroborazine
[NASA-CASE-ARC-11643-1-SB] c 23 N87-23698
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040
HSU, Y.-Y.
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c 03 N69-39983
HUANG, M. Y.
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c 35 N81-19427
HUBBARD, W. P.
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c 32 N79-14267
HUBBELL, THEODORE E.
Ion-beam nitriding of steels
[NASA-CASE-LEW-14104-2] c 26 N88-14179
HUBER, C. S.
Modification of the physical properties of freeze-dried rice
[NASA-CASE-MSC-13540-1] c 05 N72-33096
HUBER, R. F.
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c 05 N81-19087
HUBER, W. C.
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c 05 N71-12336
Inflatable tether Patent
[NASA-CASE-XMS-10993] c 15 N71-28936
Foldable construction block
[NASA-CASE-MSC-12233-1] c 15 N72-25454
Foldable construction block
[NASA-CASE-MSC-12233-2] c 32 N73-13921
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c 37 N78-25426
HUDGINS, J. L.
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c 43 N80-14423
Apparatus for sequentially transporting containers
[NASA-CASE-MFS-23846-1] c 37 N82-32731
HUDIS, M.
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c 27 N79-14214
HUDOCK, R. J.
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c 54 N75-27760
HUDSON, O. K.
Gravimeter Patent
[NASA-CASE-XMF-05844] c 14 N71-17587
HUDSPETH, T.
Phase demodulation system with two phase locked loops Patent
[NASA-CASE-XNP-00777] c 10 N71-19469
HUELSMAN, L. P.
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c 10 N72-17171
HUEY, D. C.
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c 33 N81-17349
HUFF, R. G.
Apparatus for sensing temperature
[NASA-CASE-XLE-05230] c 14 N72-27410
Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c 14 N73-13417
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c 07 N74-27490
HUFFAKER, R. M.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c 21 N71-19212
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c 47 N77-10753
HUGGINS, C. T.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c 07 N71-24612
HUGHES, B. C.
Air bearing Patent
[NASA-CASE-XMF-00339] c 15 N70-39896
HUGHES, C. T.
Method for forming pyrrone molding powders and products of said method
[NASA-CASE-LAR-10423-1] c 23 N82-29358
HUGHES, D. B.
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c 35 N74-34857
HUGHES, F. M.
Meteoroid detector
[NASA-CASE-LAR-10483-1] c 14 N73-32327
HULL, R. A.
Moving body velocity arresting line
[NASA-CASE-LAR-12372-1] c 37 N82-18601
HULT, T. D.
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19605
HUMBERT, J. E.
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c 51 N74-15778
HUMENIK, F. M.
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c 28 N71-28915
HUMES, D. H.
Impact measuring technique
[NASA-CASE-LAR-10913] c 14 N72-16282
HUMMER, R. F.
Scanner
[NASA-CASE-GSC-12032-2] c 43 N82-13465
HUMPHREY, D. E.
Modulated voltage metastable ionization detector
[NASA-CASE-ARC-11503-1] c 35 N85-34374
HUMPHREY, M. F.
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c 85 N79-17747
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c 45 N80-14579

Mixed polyvalent-monovalent metal coating for carbon-graphite fibers
[NASA-CASE-NPO-14987-1] c 24 N83-33950

HUNEIDI, F.
Device for determining frost depth and density
[NASA-CASE-MFS-25754-1] c 35 N84-28018

HUNG, CHING-CHEH
Brominated graphite fibers and method of producing the same
[NASA-CASE-LEW-14698-1] c 24 N88-29888

HUNGERFORD, W. J.
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c 15 N71-22705

HUNKELER, R. E.
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c 18 N71-22998

HUNT, G. H.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c 74 N79-11865

HUNT, J. G.
Extrusion can
[NASA-CASE-NPO-10812] c 15 N73-13464

HUNT, J. L.
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c 15 N78-32168

HUNT, S. R., JR.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c 54 N75-27759

HUNTER, R. E.
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c 33 N77-10429

HUNTRESS, W. T.
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c 35 N77-10492

HUNTRESS, W. T., JR.
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c 72 N80-27163

HURD, W. A.
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c 74 N79-11865

HURD, W. J.
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c 08 N71-29034
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c 07 N72-20140
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c 08 N72-20176
Code regenerative clean-up loop transponder for a mu-type ranging system
[NASA-CASE-NPO-11707] c 07 N73-25161
High dynamic global positioning system receiver
[NASA-CASE-NPO-16171-1CU] c 04 N86-27270

HURD, WILLIAM J.
Digital phase-lock loop having an estimator and predictor of error
[NASA-CASE-NPO-17196-1-CU] c 32 N88-29076

HURSTA, W. N.
Logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c 52 N82-11770

HURWITZ, F. I.
Method and apparatus for gripping uniaxial fibrous composite materials
[NASA-CASE-LEW-13758-1] c 24 N84-27829

HUSAIN-ABIDI, A. S.
Optical data processing using paraboloidal mirror segments
[NASA-CASE-GSC-11296-1] c 23 N73-30666

HUSCHKE, E. G., JR.
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c 15 N71-20443
Brazing alloy composition
[NASA-CASE-XMF-06053] c 26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c 26 N75-27127

HUSMANN, O. K.
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c 17 N71-23046

HUSSEY, M. W.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c 34 N75-33342

HUTCHINSON, W. D.
Manually actuated heat pump
[NASA-CASE-NPO-10677] c 05 N72-11084

HUTCHISON, J. J.
Trifunctional alcohol
[NASA-CASE-NPO-10714] c 06 N69-31244
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c 06 N71-25929

HUTTO, R. J.
Radiation sensitive solid state switch
[NASA-CASE-NPO-10817-1] c 08 N73-30135

HYMER, R. L.
Audio signal processor Patent
[NASA-CASE-MSC-12223-1] c 07 N71-26181

I

I-LECHAO, J.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c 54 N76-22914

IANNINI, A. A.
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c 14 N71-27334
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c 14 N72-31446

IANNONE, M.
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c 27 N79-22300

ICELAND, W. F.
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c 37 N75-19683

ICELAND, WILLIAM F.
ARC length control for plasma welding
[NASA-CASE-MSC-20900-1] c 37 N88-30131

IDEN, R. B.
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c 06 N72-17095

IGENBERGS, E. B.
Self-energized plasma compressor
[NASA-CASE-MFS-22145-1] c 75 N75-13625
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c 75 N76-14931
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c 75 N76-17951

IGOE, W. B.
Dynamic vibration absorber Patent
[NASA-CASE-LAR-10083-1] c 15 N71-27006

ILES, P. A.
Method for producing a solar cell having an integral protective covering
[NASA-CASE-XGS-04531] c 03 N69-24267
Method of coating solar cell with borosilicate glass and resultant product
[NASA-CASE-GSC-11514-1] c 03 N72-24037

ILLG, W.
Hydraulic grip Patent
[NASA-CASE-XLA-05100] c 15 N71-17696
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c 14 N71-26136

IMBOLDI, E.
Tracking receiver Patent
[NASA-CASE-XGS-08679] c 10 N71-21473

IMIG, L. A.
Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c 09 N74-19528
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c 39 N79-22537
Heating and cooling system
[NASA-CASE-LAR-12393-1] c 34 N83-34221

IMLAY, E. H.
Binary to binary-coded-decimal converter Patent
[NASA-CASE-XNP-00432] c 08 N70-35423

INGE, S. V., JR.
Vertical shaft windmill
[NASA-CASE-LAR-12923-1] c 37 N84-12493

INGHAM, J. D.
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c 44 N79-10513
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c 27 N80-32514
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c 27 N80-32515
Sewage sludge additive
[NASA-CASE-NPO-13877-1] c 45 N82-11634
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900

INGHAM, K. T.
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c 28 N71-28928

INGLE, W. M.
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c 26 N80-14229
Quartz ball value
[NASA-CASE-NPO-14473-1] c 37 N80-23654

IRICK, S. C.
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c 35 N74-16135
Hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c 08 N82-24205
Continuous self-locking spiral wound seal
[NASA-CASE-LAR-12315-1] c 37 N82-24490

IRONS, A. S.
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c 54 N75-27761

IRVIN, TIMOTHY
Optical pressure sealing couping (light joint)
[NASA-CASE-MFS-29348-1] c 74 N88-25303

IRWIN, A. S.
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c 37 N75-31446

IRWIN, K. S.
Controlled visibility device for an aircraft Patent
[NASA-CASE-XFR-04147] c 11 N71-10748

IRWIN, T. P.
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c 24 N77-19170

ISLEY, W. C.
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c 28 N72-18766

ITO, T. I.
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c 23 N82-28353

IVES, R. E.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c 37 N79-10421

IVIE, C. V.
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c 74 N79-34011

IWASAKI, N.
Control device Patent
[NASA-CASE-XAC-10019] c 15 N71-23809

IWASAKI, R. S.
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c 32 N80-14281

J

JACK, J. R.
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c 28 N70-33356
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c 28 N70-34175

JACKSON, C. M., JR.
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c 09 N74-17955
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c 09 N82-23254

JACKSON, J. W., JR.
Imaging X-ray spectrometer
[NASA-CASE-GSC-12682-1] c 35 N84-33765

JACKSON, K. R.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c 14 N70-41955

JACKSON, L. R.
Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c 31 N70-42015
Oribter/launch system
[NASA-CASE-LAR-12250-1] c 14 N81-26165
Multiwall thermal protection system
[NASA-CASE-LAR-12620-1] c 24 N82-32415
Curved cap corrugated sheet
[NASA-CASE-LAR-12884-1] c 18 N84-33455
Daze fasteners
[NASA-CASE-LAR-13009-1] c 37 N85-29285
Aerospace vehicle
[NASA-CASE-LAR-13155-1] c 05 N86-19315

JACKSON, L. ROBERT
Daze fasteners
[NASA-CASE-LAR-13009-2] c 37 N87-22975

JACKSON, M. R.
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c 26 N77-32275
Directionally solidified eutectic gamma-gamma nickel-base superalloys
[NASA-CASE-LEW-12905-1] c 26 N78-18155

JACOB, D. S.
Pressure modulating value
[NASA-CASE-MSC-14905-1] c 37 N77-28455

JACOBI, N.
Acoustic levitation methods and apparatus
[NASA-CASE-NPO-15562-1] c 71 N82-27055

Acoustic system for material transport
[NASA-CASE-NPO-15453-1] c 71 N83-32515
Acoustic particle separation
[NASA-CASE-NPO-15559-1] c 71 N85-30765
JACOBS, I. M.
Data compression system
[NASA-CASE-XNP-09785] c 08 N69-21928
JACOBS, J. M.
Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c 35 N79-28527
JACOBS, R. B.
Densitometer Patent
[NASA-CASE-XLE-00688] c 14 N70-41330
JACOBS, V. L.
Passive propellant system
[NASA-CASE-MFS-23642-2] c 20 N78-27176
Passive propellant system
[NASA-CASE-MFS-23642-1] c 20 N80-10278
JACOBSON, D. S.
Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c 15 N73-14469
JAGOW, R. B.
Process of forming catalytic surfaces for wet oxidation reactions
[NASA-CASE-MSC-14831-1] c 25 N78-10225
JAIN, A.
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c 35 N79-10391
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c 32 N79-19195
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c 32 N83-19968
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c 32 N83-31918
Method and apparatus for Delta Kappa synthetic aperture radar measurement of ocean current
[NASA-CASE-NPO-15704-1] c 32 N85-34327
JAKSTYS, V. J.
Composite antenna feed
[NASA-CASE-GSC-11046-1] c 07 N73-28013
JALAN, V.
Chromium electrodes for REDOX cells
[NASA-CASE-LEW-13653-1] c 44 N84-28205
JALINK, A., JR.
Method for improving the signal-to-noise ratio of the Wheatstone bridge type bolometer Patent
[NASA-CASE-XLA-02810] c 14 N71-25901
Infrared horizon locator
[NASA-CASE-LAR-10726-1] c 14 N73-20475
JALINK, ANTONY, JR.
Thermal compensating mount
[NASA-CASE-LAR-13794-1] c 35 N88-24942
JALUFKA, N. W.
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c 36 N79-18307
JAMES, L. W.
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c 33 N76-31409
JAMES, N. J.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c 15 N71-27091
JAMES, R.
System for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c 06 N82-16075
JAMIESON, ROBERT S.
Rotary stepping device with memory metal actuator
[NASA-CASE-NPO-15482-1] c 37 N87-23970
JAMISON, H. H.
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c 03 N71-29044
JANEFF, W.
Tracking receiver Patent
[NASA-CASE-XGS-08679] c 10 N71-21473
JANESICK, J. R.
Laser pulse detection method and apparatus
[NASA-CASE-NPO-16030-1] c 36 N84-25037
JANKOWSKI, F.
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c 37 N76-14463
JANNICHE, P. J., JR.
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c 09 N71-23311
JANSEN, H. B.
Fluid thrust control system
[NASA-CASE-XMF-05964-1] c 20 N79-21124
JARVIS, M. J.
Spillage detector for liquid chromatography systems
[NASA-CASE-MSC-20206-1] c 25 N86-27431
JAVAN, A.
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c 16 N71-18614
JEANE, H. L.
Priority interrupt system
[NASA-CASE-NPO-13067-1] c 60 N76-18800
JECH, R. W.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c 17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c 17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c 17 N70-38490
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c 18 N71-22894
JEDLICKA, J. R.
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c 44 N74-33379
JEFFERS, E. L.
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c 51 N80-16714
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c 51 N80-27067
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c 51 N83-27569
Method for detecting coliform organisms
[NASA-CASE-ARC-11322-1] c 51 N83-28849
JEFFERY, P. A. E.
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c 05 N81-19087
JEFFREYS, H. B.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
JELALIAN, A. V.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
JELLISON, J. C.
Resilience testing device Patent
[NASA-CASE-XLA-08254] c 14 N71-26161
JENKINS, K. H.
Diode and protection fuse unit Patent
[NASA-CASE-XKS-03381] c 09 N71-22796
JENKINS, L. M.
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c 15 N70-41808
JENKINS, R. K.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c 06 N72-21105
JENNINGS, D. E.
Thermal compensator for closed-cycle helium refrigerator
[NASA-CASE-GSC-12168-1] c 31 N79-17029
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c 37 N79-28549
JENSEN, A. R.
Separation nut Patent
[NASA-CASE-XGS-01971] c 15 N71-15922
JENSEN, B. J.
Sulfone-ester polymers containing pendent ethynl groups
[NASA-CASE-LAR-13316-1] c 27 N86-27450
Polyarylene ethers with improved properties
[NASA-CASE-LAR-13555-1] c 23 N86-32526
The 5-(4-Ethynylophenoxy) isophthalic chloride
[NASA-CASE-LAR-13316-2] c 27 N87-14515
JENSEN, C. A.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c 25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c 36 N77-19416
JENSEN, J. KERMIT
Mobile remote manipulator vehicle system
[NASA-CASE-LAR-13393-1] c 54 N87-29118
JENSEN, K. A.
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587
JENSEN, K. J.
Failure sensing and protection circuit for converter networks Patent
[NASA-CASE-GSC-10114-1] c 10 N71-27366
JENSEN, P. A.
Low noise single aperture multimode monopulse antenna feed system Patent
[NASA-CASE-XNP-01735] c 07 N71-22750
JENSEN, R. N.
Solar heating system
[NASA-CASE-LAR-12009-1] c 44 N78-15560
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c 44 N80-20810
Solar engine
[NASA-CASE-LAR-12148-1] c 44 N82-24640
JEPPESEN, G. L.
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c 37 N76-22540
JESSUP, A. D.
Variable angle tube holder
[NASA-CASE-LAR-10507-1] c 11 N72-25284
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c 37 N74-13178
JETER, J. D.
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c 11 N71-24985
JEWELL, P. A.
Data handling system based on source significance, storage availability and data received from the source Patent Application
[NASA-CASE-XNP-04162-1] c 08 N70-34675
JEWELL, R. A.
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c 26 N70-36805
Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c 26 N70-40015
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c 15 N71-16075
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c 15 N71-16077
JEX, D. W.
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c 12 N72-21310
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c 75 N76-14931
JHABVALA, M. D.
Method of making V-MOS field effect transistors utilizing a two-step anisotropic etching and ion implantation
[NASA-CASE-GSC-12515-1] c 33 N81-26360
Implantable electrical device
[NASA-CASE-GSC-12560-1] c 52 N82-29863
JHABVALA, M. O.
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c 33 N79-12321
JHABVALA, MURZBAN D.
Integrated photo-responsive metal oxide semiconductor circuit
[NASA-CASE-GSC-12782-1] c 33 N88-14271
JING, SUN
Method for Veterbi decoding of large constraint length convolutional codes
[NASA-CASE-NPO-17310-1-CU] c 17 N88-28946
JOBSON, D. J.
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c 35 N75-19613
JOHANNSEN, K. G.
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c 32 N79-11265
JOHANSEN, D. L.
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c 05 N71-12343
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c 05 N72-11085
JOHNS, C. E.
Continuously variable voltage controlled phase shifter
[NASA-CASE-NPO-11129] c 09 N72-33204
JOHNSON, A. L., JR.
Microelectronic module package Patent
[NASA-CASE-XMS-02182] c 10 N71-28783
JOHNSON, C. B.
Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c 11 N71-15925
Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c 11 N71-21475
Image tube
[NASA-CASE-GSC-11602-1] c 33 N74-21850
JOHNSON, C. C.
Visual target for retrofire attitude control
[NASA-CASE-XMS-12158-1] c 31 N69-27499
Orbital escape device Patent
[NASA-CASE-XMS-06162] c 31 N71-28851
Stand-off type ablative heat shield
[NASA-CASE-MSC-12143-1] c 33 N72-17947
Amplitude steered array
[NASA-CASE-GSC-11446-1] c 33 N74-20860
Reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c 27 N80-23452
JOHNSON, C. C., JR.
Space capsule Patent
[NASA-CASE-XLA-00149] c 31 N70-37938

Space capsule Patent
[NASA-CASE-XLA-01332] c 31 N71-15664

JOHNSON, C. E.
Impact testing machine Patent
[NASA-CASE-XNP-04817] c 14 N71-23225

JOHNSON, C. L.
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c 31 N74-13177

JOHNSON, C. W.
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c 10 N71-23099

JOHNSON, D. L.
Reciprocating magnetic refrigerator employing tandem porous matrices within a reciprocating displacer
[NASA-CASE-NPO-16257-1] c 31 N85-29082

JOHNSON, E. G.
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c 17 N78-17140

JOHNSON, E. T.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c 52 N79-12694

JOHNSON, F. W.
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c 33 N71-29052

JOHNSON, H. G.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c 31 N71-15566

JOHNSON, H. I.
Training vehicle for controlling attitude Patent
[NASA-CASE-XMS-02977] c 11 N71-10746
Gravity stabilized flying vehicle Patent
[NASA-CASE-MSC-12111-1] c 02 N71-11039
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c 05 N71-12336
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c 12 N71-16031
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c 11 N71-21474
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c 15 N71-27147

JOHNSON, J. C., JR.
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c 15 N71-24045

JOHNSON, J. D.
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c 54 N78-17676

JOHNSON, J. E.
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c 37 N78-17384

JOHNSON, J. E., JR.
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c 51 N81-14605

JOHNSON, J. L.
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c 71 N81-15767
Sonic levitation apparatus
[NASA-CASE-MFS-25828-1] c 71 N84-28568

JOHNSON, J. L., JR.
High lift aircraft
[NASA-CASE-LAR-11252-1] c 05 N75-25914

JOHNSON, JOSEPH L., JR.
Over-the-wing propeller
[NASA-CASE-LAR-13134-2] c 07 N87-16828

JOHNSON, K. G.
Positioning mechanism
[NASA-CASE-NPO-10679] c 15 N72-21462

JOHNSON, R. C.
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c 14 N70-34156

JOHNSON, R. D.
Gas path seal
[NASA-CASE-NPO-12131-3] c 37 N80-18400

JOHNSON, R. E.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c 16 N72-13437

JOHNSON, R. L.
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c 18 N70-39897
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c 18 N71-10772
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c 15 N71-23810
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c 15 N71-24046

JOHNSON, R. W.
Microwave switching power divider
[NASA-CASE-GSC-12420-1] c 33 N82-16340

JOHNSON, ROBERT R.
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613

JOHNSON, V. E., JR.
Hydrofoil Patent
[NASA-CASE-XLA-00229] c 12 N70-33305

JOHNSTON, A. R.
Polarimeter for transient measurement Patent
[NASA-CASE-XNP-08883] c 23 N71-16101
Light direction sensor
[NASA-CASE-NPO-11201] c 14 N72-27409
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c 54 N75-27758
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c 36 N76-18427
Focal plane array optical proximity sensor
[NASA-CASE-NPO-15155-1] c 74 N85-22139

JOHNSTON, D. F.
Induction heating gun
[NASA-CASE-LAR-13181-1] c 31 N85-29083

JOHNSTON, E. A.
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c 07 N79-14097
Thrust reverser for a long duct fan engine
[NASA-CASE-LEW-13199-1] c 07 N82-26293

JOHNSTON, G. D.
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126

JOHNSTON, J. D.
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c 37 N77-23483
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c 18 N79-11108
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c 54 N81-26718

JOHNSTON, J. E.
Electrostatic measurement system
[NASA-CASE-MFS-22129-1] c 33 N75-18477

JOHNSTON, M. F.
Synchronized voltage contrast display analysis system
[NASA-CASE-NPO-14567-1] c 33 N83-18996

JOHNSTON, M. H.
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c 26 N80-23419

JOHNSTON, MARY H.
Laser schlieren crystal monitor
[NASA-CASE-MFS-28060-1] c 76 N87-25862

JOHNSTON, R. L.
Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent
[NASA-CASE-XMS-02930] c 11 N71-23042

JOHNSTON, R. P.
Active clearance control system for a turbomachine
[NASA-CASE-LEW-12938-1] c 07 N82-32366

JOHNSTON, R. S.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c 05 N70-35152
Fabric for micrometeoroid protection garment Patent
[NASA-CASE-MSC-12109] c 18 N71-26285

JOHNSTON, W. V.
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c 34 N74-27859

JOLLEY, J.
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c 74 N77-28933

JONES, E. W.
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c 43 N79-31706

JONES, HOWARD C.
Adjustable mount for electro-optic transducers in an evacuated cryogenic system
[NASA-CASE-LAR-13100-1] c 37 N87-23982

JONES, IRBY W.
Adjustable mount for electro-optic transducers in an evacuated cryogenic system
[NASA-CASE-LAR-13100-1] c 37 N87-23982

JONES, J. C.
Shock absorber Patent
[NASA-CASE-XMS-03722] c 15 N71-21530

JONES, J. F.
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c 27 N74-23125

JONES, J. H.
Lightning tracking system
[NASA-CASE-KSC-10729-1] c 09 N73-32110
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c 33 N75-26246
Method and apparatus for suppressing ignition overpressure in solid rocket propulsion systems
[NASA-CASE-MFS-25843-1] c 20 N83-17588

JONES, J. L.
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c 10 N71-15909
Stereoscopic television system and apparatus
[NASA-CASE-ARC-10160-1] c 23 N72-27728

JONES, JACK A.
Ten degree Kelvin hydride refrigerator
[NASA-CASE-NPO-16393-1-CU] c 31 N87-21159
Oxygen chemisorption cryogenic refrigerator
[NASA-CASE-NPO-16734-1-CU] c 31 N88-14223
Krypton based adsorption type cryogenic refrigerator
[NASA-CASE-NPO-17334-1-CU] c 31 N88-23917
Cryogenic regenerator including saran-carbon heat conduction matrix
[NASA-CASE-NPO-17291-1-CU] c 34 N88-23946

JONES, R. A.
Flow field simulation Patent
[NASA-CASE-LAR-11138] c 12 N71-20436
Method for determining thermo-physical properties of specimens
[NASA-CASE-LAR-11053-1] c 25 N74-18551
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c 09 N77-27131

JONES, R. E.
Swirl can primary combustor
[NASA-CASE-LEW-11326-1] c 23 N73-30665

JONES, R. H.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c 34 N74-27730

JONES, R. J.
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c 37 N76-27568

JONES, R. L.
Helmet assembly and latch means therefor Patent
[NASA-CASE-XMS-04935] c 05 N71-11190

JONES, R. T.
Dual-fuselage aircraft having yawable wing and horizontal stabilizer
[NASA-CASE-ARC-10470-1] c 02 N73-26005
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c 05 N76-29217

JONES, W. C.
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c 54 N77-30749

JONES, W. P.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c 16 N71-15550
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c 23 N71-29049

JORDAN, A. W.
Electric storage battery
[NASA-CASE-NPO-11021] c 03 N72-20032

JORDON, W. J.
Inspection gage for boss Patent
[NASA-CASE-XMF-04966] c 14 N71-17658

JOSIAS, C. S.
Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent
[NASA-CASE-XNP-00384] c 09 N71-13530

JOSLYN, A. W.
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c 33 N71-16104

JOYNER, U. T.
Nose gear steering system for vehicle with main skids Patent
[NASA-CASE-XLA-01804] c 02 N70-34160

JUDD, B. W.
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c 05 N71-24147

JUDD, J. H.
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c 14 N70-33386
Spacecraft airlock Patent
[NASA-CASE-XLA-02050] c 31 N71-22968
Light regulator
[NASA-CASE-LAR-10836-1] c 26 N72-27784
Deposition apparatus
[NASA-CASE-LAR-10541-1] c 15 N72-32487

JUDY, P. F.
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c 52 N77-14737

JUERGENSEN, K.
Regenerative braking system Patent
[NASA-CASE-XMF-01096] c 10 N71-16030

JUHASZ, A. J.
Controlled separation combustor
[NASA-CASE-LEW-11593-1] c 20 N76-14196

JURSCAGA, G. M.
Method of fabricating an article with cavities
[NASA-CASE-LAR-10318-1] c 31 N74-18085

JUVINALL, G. L.
Trialkyl-dihalotantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c 06 N71-28805

K

KABANA, W. P.
Butt welder for fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c 15 N73-14468
KACHARE, AKARAM H.
High band gap 2-6 and 3-5 tunneling junctions for silicon multijunction solar cells
[NASA-CASE-NPO-16526-1CU] c 44 N87-17399
KAHLBAUM, W. M., JR.
Chromatically corrected virtual image visual display
[NASA-CASE-LAR-12251-1] c 74 N80-27185
KAISER, J. A., JR.
Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c 32 N80-28578
KALFAYAN, S. H.
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c 06 N71-28620
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c 35 N76-14430
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c 44 N78-31527
KALIL, L. F.
Temperature averaging thermal probe
[NASA-CASE-GSC-12795-1] c 35 N86-19580
KALKBRENNER, R. W.
Heat transfer device
[NASA-CASE-NPO-11120-1] c 34 N74-18552
KALLINS, C.
Rotary actuator
[NASA-CASE-NPO-10244] c 15 N72-26371
KALLVINSKAS, J. J.
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253
KALSHOVEN, J. E., JR.
Method of and apparatus for measuring temperature and pressure
[NASA-CASE-GSC-12558-1] c 36 N85-21639
KALVINSKAS, J. J.
Sewage sludge additive
[NASA-CASE-NPO-13877-1] c 45 N82-11634
Crude oil desulfurization
[NASA-CASE-NPO-14542-1] c 25 N82-23282
Coal desulfurization by aqueous chlorination
[NASA-CASE-NPO-14902-1] c 25 N82-29371
Hydrodesulfurization of chlorinized coal
[NASA-CASE-NPO-15304-1] c 25 N83-31743
KAMAR, DEVENDRA
Aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-3] c 23 N88-24692
KAMI, S.
Gas regulator Patent
[NASA-CASE-NPO-10298] c 12 N71-17661
KAMINSKAS, R. A.
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c 27 N71-16348
KAMMERMEYER, K.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c 18 N71-20742
KAMPINSKY, A.
Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent
[NASA-CASE-XGS-02608] c 07 N70-41678
Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite Patent
[NASA-CASE-XGS-02607] c 31 N71-23009
KANABUS, E. W.
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c 52 N79-27836
KANBER, H.
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c 71 N79-20827
KANE, J. O.
Thermal barrier pressure seal
[NASA-CASE-MSC-18134-1] c 37 N81-15363
KANE, T. R.
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c 21 N72-21624
KANETKAR, SHARAD V.
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761
KAPUSTKA, R. E.
Method and apparatus for conditioning of nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c 44 N78-25531
KARIGAN, G. H.
Accumulator
[NASA-CASE-MFS-19287-1] c 34 N77-30399
KARIOTIS, A. H.
Compression test assembly
[NASA-CASE-LAR-10440-1] c 14 N73-32323
KARSH, I.
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c 08 N71-19420
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c 08 N71-22710
KASPARECK, W. E.
Precision stepping drive Patent
[NASA-CASE-MFS-14772] c 15 N71-17692
Fine adjustment mount
[NASA-CASE-MFS-20249] c 15 N72-11386
Adjustable force probe
[NASA-CASE-MFS-20760] c 14 N72-33377
KAST, H. B.
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c 07 N77-23106
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c 37 N78-10467
KASTAN, H.
Absorptive splitter for closely spaced supersonic engine air inlets Patent
[NASA-CASE-XLA-02865] c 28 N71-15563
KASTNER, S. O.
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c 74 N80-21140
KATOW, M. S.
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c 07 N71-11285
KATVALA, V. W.
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c 27 N78-32260
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c 37 N82-24492
KATZ, J.
Arrangement for damping the resonance in a laser diode
[NASA-CASE-NPO-15980-1] c 36 N85-30305
KATZ, L.
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c 14 N70-34705
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c 07 N71-23098
Apparatus for obtaining isotropic irradiation of a specimen
[NASA-CASE-MFS-20095] c 24 N72-11595
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650
KATZ, M. G.
Method for the preparation of thin-skinned asymmetric reverse osmosis membranes and products thereof
[NASA-CASE-ARC-11359-1] c 51 N84-28361
KATZ, N. H.
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c 33 N71-29151
KATZBERG, S. J.
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c 35 N75-15014
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c 35 N75-19613
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c 74 N78-27904
KATZEN, E. D.
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c 73 N75-30876
KATZIN, L.
Breakaway connector
[NASA-CASE-NPO-11140] c 15 N72-17455
KAUFMAN, H. R.
Ion thrustor cathode
[NASA-CASE-XLE-07087] c 06 N69-39889
Ion rocket Patent
[NASA-CASE-XLE-00376] c 28 N70-37245
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c 28 N71-14043
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c 28 N71-15661
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c 28 N71-26173
KAUFMAN, J. W.
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c 14 N73-25460
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c 44 N80-21828
KAUFMAN, W. B.
High current electrical lead
[NASA-CASE-LEW-10950-1] c 33 N74-27683
KAUFMANN, J. J.
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c 44 N76-27664
KAUKLER, WILLIAM F.
Method for investigating the formation of crystals in a transparent material
[NASA-CASE-MFS-26008-1-CU] c 76 N88-14835
KAVANAUGH, C.
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
KAVAYA, M. J.
Stark effect spectrophone for continuous absorption spectra monitoring
[NASA-CASE-NPO-15102-1] c 25 N81-25159
Spectrophone stabilized laser with line center offset frequency control
[NASA-CASE-NPO-15516-1] c 36 N84-22943
Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333
KAZAROFF, J. M.
Heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c 34 N79-13289
Heat exchanger and method of making
[NASA-CASE-LEW-12441-2] c 34 N80-24573
Heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c 44 N81-24519
KAZNOFF, A. I.
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c 18 N71-28729
KAZOKAS, G. P.
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c 35 N75-19612
KEAFER, L. S., JR.
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c 70 N74-13436
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c 74 N78-15879
KEARNS, W. J.
Mount for thermal control system Patent
[NASA-CASE-NPO-10138] c 33 N71-16357
KEATHLEY, W. H.
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c 15 N70-35679
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c 15 N72-17450
KEATING, J. M.
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c 05 N71-26293
KEEFER, J. M.
Phonocardiogram simulator Patent
[NASA-CASE-XKS-10804] c 05 N71-24606
KEENE, W. H.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
KEETON, A. R.
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c 37 N80-10494
KEHLET, A. B.
Parachute glider Patent
[NASA-CASE-XLA-00898] c 02 N70-36804
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c 31 N70-37924
Space capsule Patent
[NASA-CASE-XLA-00149] c 31 N70-37938
Space capsule Patent
[NASA-CASE-XLA-01332] c 31 N71-15664
KELBAUGH, B. N.
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c 05 N73-32011
KELLER, E. E.
Heat exchanger
[NASA-CASE-MFS-22991-1] c 34 N77-10463
KELLER, G. C.
Plural beam antenna
[NASA-CASE-GSC-11013-1] c 09 N73-19234
KELLER, O. F.
Pressure regulating system Patent
[NASA-CASE-XNP-00450] c 15 N70-38603
KELLER, V. W.
Warm fog dissipation using large volume water sprays
[NASA-CASE-MFS-25962-1] c 09 N84-32398
Double window viewing chamber assembly
[NASA-CASE-MFS-28057-1] c 09 N87-14355
KELLEY, H. L.
Helicopter anti-torque system using strakes
[NASA-CASE-LAR-13233-1] c 05 N84-33400
KELLEY, HENRY L.
Helicopter anti-torque system using fuselage strakes
[NASA-CASE-LAR-13630-1] c 08 N88-23809

KELLEY, J. R.
Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c 02 N71-13422
KELLEY, W. W.
Pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c 08 N81-26152
KELLS, M. C.
Device for measuring pressure Patent
[NASA-CASE-XAC-04458] c 14 N71-24232
KELLY, D. L.
Multistage aerospace craft
[NASA-CASE-XMF-02263] c 05 N74-10907
KELLY, H. N.
Shell tile thermal protection system
[NASA-CASE-LAR-12862-1] c 27 N84-27886
KELLY, W. L., IV
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c 35 N75-19613
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c 74 N78-27904
KELLY, W. W.
Velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c 08 N81-24106
KELM, J. S.
Flow modifying device
[NASA-CASE-LEW-13562-2] c 07 N85-35195
KELSEY, E. L.
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c 09 N69-39984
SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c 09 N71-12514
KEMP, K. L.
Pneumatic mirror support system
[NASA-CASE-XLA-03271] c 11 N69-24321
KEMP, R. F.
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c 14 N71-16014
KEMP, R. H.
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c 15 N71-10577
KENDAL, J. M.
Pressure letdown method and device for coal conversion systems
[NASA-CASE-NPO-15100-1] c 44 N84-14583
KENDALL, J. M.
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c 71 N79-23753
KENDALL, J. M., JR.
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c 27 N82-28442
KENDALL, J. M., SR.
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c 14 N71-26475
Black body cavity radiometer Patent
[NASA-CASE-NPO-10810] c 14 N71-27323
KENDRICK, W. P.
Ablative resin Patent
[NASA-CASE-XLE-05913] c 33 N71-14032
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c 27 N74-23125
KENNEDY, B. W.
Electrical connector Patent Application
[NASA-CASE-MFS-14741] c 09 N70-20737
Filter system for control of outgas contamination in vacuum Patent
[NASA-CASE-MFS-14711] c 15 N71-26185
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c 09 N71-28691
Shielded flat cable
[NASA-CASE-MFS-13687-2] c 09 N72-22198
Polyimide resin-fiberglass cloth laminates for printed circuit boards
[NASA-CASE-MFS-20408] c 18 N73-12604
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c 33 N74-12951
KENNEWAY, A. J., III
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012
KENNEY, R. L.
Geneva mechanism
[NASA-CASE-NPO-13281-1] c 37 N75-13266
KENT, W. D.
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c 54 N75-27761
KENYON, G. C.
Flight craft Patent
[NASA-CASE-XAC-02058] c 02 N71-16087
KEPLER, C. E.
Tertiary flow injection thrust vectoring system Patent
[NASA-CASE-MFS-20831] c 28 N71-29153
KERLEY, J. J.
Portable appliance security apparatus
[NASA-CASE-GSC-12399-1] c 33 N81-25299
KERLEY, J. J., JR.
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c 14 N73-13416
KERN, C. V.
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c 31 N71-18611
KERN, J. D.
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c 08 N71-27210
KERNODLE, B. H.
Inherent redundacy electric heater
[NASA-CASE-MFS-21462-1] c 33 N74-14935
KERR, J. H.
Traffic survey system
[NASA-CASE-MFS-22631-1] c 66 N76-19888
KERR, JOSEPH H.
Photorefractor ocular screening system
[NASA-CASE-MFS-26011-1-SB] c 52 N87-24874
KERSEY, E. D., JR.
Angular displacement indicating gas bearing support system Patent
[NASA-CASE-XLA-09346] c 15 N71-28740
KERSHNER, D. D.
Miniature electrooptical air flow sensor
[NASA-CASE-LAR-13065-1] c 35 N85-20295
KERSLAKE, W. R.
Ion thrustor cathode
[NASA-CASE-XLE-07087] c 06 N69-39889
Electronic cathode having a brush-like structure and a relatively thick oxide emissive coating Patent
[NASA-CASE-XLE-04501] c 09 N71-23190
KERSTEN, L.
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c 54 N78-17676
KERWIN, W. J.
Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c 09 N69-21313
Demodulation system Patent
[NASA-CASE-XAC-04030] c 10 N71-19472
Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c 09 N71-24597
Active RC networks
[NASA-CASE-ARC-10042-2] c 10 N72-11256
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c 10 N72-17171
Active RC networks
[NASA-CASE-ARC-10020] c 10 N72-17172
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c 09 N72-21245
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c 31 N76-31365
KESSEL, J. E.
Plural recorder system
[NASA-CASE-XMS-06949] c 09 N69-21467
KESSINGER, R. L.
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c 33 N78-10375
KEY, C. F.
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c 27 N74-17283
KEYNTON, R. J.
Technique for control of free-flight rocket vehicles Patent
[NASA-CASE-XLA-00937] c 31 N71-17691
KHAN, A. S.
Nicral ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c 26 N82-31505
KHANNA, S. K.
Corrosion resistant coating
[NASA-CASE-NPO-15928-1] c 26 N85-29005
KHANNA, S. M.
Direct current transformer
[NASA-CASE-MFS-23659-1] c 33 N79-17133
KHANNA, SATISH K.
Method of producing high T(subc) superconducting NBN films
[NASA-CASE-NPO-16681-1-CU] c 76 N88-24543
KIBBE, R. K.
Load cell protection device Patent
[NASA-CASE-XMS-06782] c 32 N71-15974
KICHAK, R. A.
Inrush current limiter
[NASA-CASE-GSC-11789-1] c 33 N77-14333
KIEFER, P. J., JR.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c 09 N70-41717
KIKIN, G. M.
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c 15 N71-27084
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c 33 N72-20915
KILLALEA, W. P.
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c 15 N71-20813
KILLGROVE, T. O.
Self-locking double retention redundant full pin release
[NASA-CASE-NPO-16233-1] c 37 N86-20801
KILLION, DERLING
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390
KIM, C.
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c 52 N74-27566
KIM, H. H.
A multichannel photoionization chamber for absorption analysis Patent
[NASA-CASE-ERC-10044-1] c 14 N71-27090
KIM, K. M.
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c 76 N80-32244
KIMBALL, R. B.
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c 37 N74-18123
KINARD, W. H.
Particle detection apparatus Patent
[NASA-CASE-XLA-00135] c 14 N70-33322
Gas actuated bolt disconnect Patent
[NASA-CASE-XLA-00326] c 03 N70-34667
Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c 14 N70-41332
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c 14 N71-23240
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c 35 N74-21062
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c 35 N76-22509
KINELL, D. K.
Four phase logic systems
[NASA-CASE-MSC-14240-1] c 33 N75-14957
KING, C. B.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c 14 N70-41366
Method and apparatus for bonding a plastics sleeve onto a metallic body Patent
[NASA-CASE-XLA-01262] c 15 N71-21404
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c 15 N71-26721
Butt welder for fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c 15 N73-14468
KING, H. J.
Gas regulator Patent
[NASA-CASE-NPO-10298] c 12 N71-17661
KING, H. M.
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c 26 N71-17818
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290
KING, J. V.
Liquid hydrogen polygeneration system and process
[NASA-CASE-KSC-11304-2] c 28 N86-23744
KING, R. B.
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c 06 N72-17093
KING, R. F.
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c 54 N77-32721
KING, R. W.
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c 33 N71-20834
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c 15 N82-24272
KING, W. L.
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c 74 N77-26942
KINKEAD, REBECCA L.
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828
KINKEL, J. F.
Data transfer system Patent
[NASA-CASE-NPO-12107] c 08 N71-27255
KINNARD, K. F.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c 21 N71-19212
KINO, G. S.
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c 33 N75-27251

KINSEL, R. C.
Signal multiplexer
[NASA-CASE-XGS-01110] c 07 N69-24334
KINZLER, J. A.
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c 05 N71-12345
Surface finishing
[NASA-CASE-MSC-12631-1] c 24 N77-28225
Surface finishing
[NASA-CASE-MSC-12631-3] c 27 N81-14077
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c 31 N81-27323
KIRALY, L. J.
Piezoelectric composite materials
[NASA-CASE-LEW-12582-1] c 76 N83-34796
KIRBY, C. A.
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c 19 N76-22284
KIRCHMAN, E. J.
Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c 14 N70-34799
KIRSTEN, C. C.
Solar-powered pump
[NASA-CASE-NPO-13567-1] c 44 N76-29701
KIS, G.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c 14 N70-41955
KISSEL, R. R.
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c 15 N78-25119
Contour measurement system
[NASA-CASE-MFS-23726-1] c 43 N79-26439
Angular measurement system
[NASA-CASE-MFS-25825-1] c 31 N86-29055
KISSEL, RALPH R.
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959
KISSELL, R. R.
Ratemeter
[NASA-CASE-MFS-20418] c 14 N73-24473
KISZKO, W.
Portable superclean air column device Patent
[NASA-CASE-XMF-03212] c 15 N71-22721
KITTS, W. T.
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c 15 N70-41629
KLECHKE, E. W.
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c 17 N73-32414
KLEIN, E.
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c 25 N81-19244
KLEIN, E. L.
Apparatus for inspecting microfilm Patent
[NASA-CASE-MFS-20240] c 14 N71-26788
KLEIN, M. G.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c 03 N71-11052
KLEINBERG, L. L.
Stable amplifier having a stable quiescent point Patent
[NASA-CASE-XGS-02812] c 09 N71-19466
Complementary regenerative switch Patent
[NASA-CASE-XGS-02751] c 09 N71-23015
Monostable multivibrator
[NASA-CASE-GSC-10082-1] c 10 N72-20221
Active tuned circuit
[NASA-CASE-GSC-11340-1] c 10 N72-33230
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c 33 N74-20862
Tuned analog network
[NASA-CASE-GSC-12650-1] c 33 N84-14421
Low noise tuned amplifier
[NASA-CASE-GSC-12567-1] c 33 N84-22887
Reactanceless synthesized impedance bandpass amplifier
[NASA-CASE-GSC-12788-1] c 33 N85-29145
JFET reflection oscillator
[NASA-CASE-GSC-12555-1] c 33 N86-19515
Temperature sensitive oscillator
[NASA-CASE-GSC-12958-1] c 33 N86-32624
KLEINBERG, LEONARD L.
Low phase noise oscillator using two parallel connected amplifiers
[NASA-CASE-GSC-13018-1] c 33 N87-21232
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895
KLEINROCK, L.
Data compression system
[NASA-CASE-XNP-09785] c 08 N69-21928
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c 08 N72-11171
KLIMA, S. J.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c 17 N71-15644
KLINE, A. J.
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c 33 N74-32712
KLINE, A. J., JR.
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XMF-08665] c 10 N71-19467
KLINGMAN, E. E., III
Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c 33 N75-26244
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c 74 N76-19935
KLISCH, J. A.
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c 14 N72-10375
KLOC, I.
Penetrometer
[NASA-CASE-NPO-11103-1] c 35 N77-27367
KNAPP, M. H.
Active clearance control system for a turbomachine
[NASA-CASE-LEW-12938-1] c 07 N82-32366
KNAUER, W.
Ion thruster
[NASA-CASE-LEW-10770-1] c 28 N72-22770
KNECHTEL, E. D.
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c 14 N71-20439
Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c 14 N71-23790
KNOELL, A. C.
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c 27 N78-17215
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c 37 N79-10420
KNOOS, S. P.
Shock tube bypass piston tunnel
[NASA-CASE-NPO-12109] c 11 N72-22245
KO, W. L.
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c 24 N82-24296
KOBAYASHI, H. S.
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c 32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c 32 N74-20810
Doppler radar having phase modulation of both transmitted and reflected return signals
[NASA-CASE-MSC-18675-1] c 32 N84-22820
Method and apparatus for receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c 32 N84-27952
KOBAYASHI, HEBERT
Doppler radar with multiphase modulation of transmitted and reflected signal
[NASA-CASE-MSC-18808-1] c 32 N88-23923
KOBAYASHI, HERBERT S.
Method and apparatus for measuring frequency and phase difference
[NASA-CASE-MSC-20865-1] c 32 N87-18692
Method and apparatus for measuring distance
[NASA-CASE-MSC-20912-1] c 32 N88-26568
KOBAYASKI, H. S.
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c 32 N79-10263
KOCH, E. F.
Expulsion bladder-equipped storage tank structure Patent
[NASA-CASE-XNP-00612] c 11 N70-38182
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c 37 N75-15050
KOCH, K. F.
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c 10 N72-31273
KOCH, N. G.
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c 74 N80-33210
KOCZELA, L. J.
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c 62 N74-14920
KODA, N. J.
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826
KODIS, R. D.
Clear air turbulence detector
[NASA-CASE-ERC-10081] c 14 N72-28437
KOENIG, DAVID G.
High performance forward swept wing aircraft
[NASA-CASE-ARC-11636-1] c 05 N88-28914
KOEPF, G. A.
Laser apparatus
[NASA-CASE-GSC-12237-1] c 36 N80-14384
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c 36 N84-28065
KOFEL, W. K.
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560
KOH, J. L.
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018
KOHL, W. H.
Distributed multiport memory architecture
[NASA-CASE-NPO-15342-1] c 60 N83-32342
KOJIMA, G. K.
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c 52 N79-18580
KOJIRO, D. R.
Modulated voltage metastable ionization detector
[NASA-CASE-ARC-11503-1] c 35 N85-34374
KOLBLY, R. B.
High power microwave power divider Patent
[NASA-CASE-NPO-11031] c 07 N71-33606
System for controlling the operation of a variable signal device
[NASA-CASE-NPO-11064] c 07 N72-11150
KOLBY, R. B.
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c 35 N77-32455
KOLIWAD, K. M.
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c 44 N81-19558
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
KOLOBOFF, G. J.
Amplitude steered array
[NASA-CASE-GSC-11446-1] c 33 N74-20860
KOLSTEE, H. M.
Radiator deployment actuator Patent
[NASA-CASE-MSC-11817-1] c 15 N71-26611
KONIGSBERG, E.
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c 17 N76-29347
KOPELSON, S.
Rate augmented digital to analog converter Patent
[NASA-CASE-XLA-07828] c 08 N71-27057
KOPETSKI, F. J.
Ring counter
[NASA-CASE-XGS-03095] c 09 N69-27463
KOPIA, L. P.
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c 70 N74-13436
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c 74 N78-15879
KORABOWSKI, J. J.
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c 05 N71-12344
Method of forming a root cord restrained convolute section
[NASA-CASE-MSC-12398] c 05 N72-20098
KORB, C. L.
Method of and apparatus for measuring temperature and pressure
[NASA-CASE-GSC-12558-1] c 36 N85-21639
KORDES, E. E.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c 09 N70-33312
KORNFELD, D. M.
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c 25 N81-19242
KORSCH, D. G.
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c 89 N79-10969
KORUS, R. A.
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c 27 N81-17259
KORVIN, W.
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c 31 N71-16102
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c 07 N71-19854
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c 07 N71-27233
KOSCHMEDER, L. A.
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c 07 N71-12392
KOSMAHL, H. C.
Multistage depressed collector for dual mode operation
[NASA-CASE-LEW-13282-1] c 33 N82-24415

KOSMAHL, H. G.
Linear magnetic brake with two windings Patent
[NASA-CASE-XLE-05079] c 15 N71-17652
Electrostatic collector for charged particles
[NASA-CASE-LEW-11192-1] c 09 N73-13208
Electron beam controller
[NASA-CASE-LEW-11617-1] c 33 N74-10195
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c 33 N83-31952
Ladder supported ring bar circuit
[NASA-CASE-LEW-13570-1] c 33 N84-16452
Dielectric based submillimeter backward wave oscillator circuit
[NASA-CASE-LEW-13736-1] c 33 N84-27974
Linearized traveling wave amplifier with hard limiter characteristics
[NASA-CASE-LEW-13981-2] c 33 N86-21742
KOSMAHL, HENRY G.
Miniature traveling wave tube and method of making
[NASA-CASE-LEW-14520-1] c 33 N88-23936
KOSMO, J. J.
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c 05 N71-24728
KOSSON, R. L.
Monogroove heat pipe design: Insulated liquid channel with bridging wick
[NASA-CASE-MSC-20497-1] c 34 N85-29180
KOTHE, E.
Helmet feedport
[NASA-CASE-XMS-09653] c 54 N78-17680
KOURTIDES, D. A.
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-2] c 24 N78-27184
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c 24 N79-16915
Fire blocking systems for aircraft seat cushions
[NASA-CASE-ARC-11423-1] c 03 N84-33394
Light weight fire resistant graphite composites
[US-PATENT-4,598,007] c 24 N86-28131
Polymer of phosphonylmethyl-2,4- and -2,6-diamino benzene and polyfunctional monomer
[NASA-CASE-ARC-11506-2] c 23 N86-32525
Fire resistant polyamide based on 1-(diorganooxyphosphonyl)methyl-2,4- and -2,6diamino benzene
[NASA-CASE-ARC-11512-2] c 27 N86-32568
KOURTIDES, DEMETRIUS A.
Fire and heat resistant laminating resins based on malemeido and citraconimido substituted 1 -2,4- and -2,6-diaminobenzenes
[NASA-CASE-ARC-11533-1] c 27 N87-23751
Fire and heat resistant laminating resins based on maleimido and citraconimido substituted 1-(diorgano oxyphosphonyl) methyl -2,4- and -2,6- diaminobenzenes
[NASA-CASE-ARC-11533-3] c 27 N87-24564
The 1-((diorganooxy phosphonyl) methyl)-2,4- and -2,6-diamino benzenes and their derivatives
[NASA-CASE-ARC-11425-2] c 23 N87-28605
KOVELL, S. P.
Method for etching copper Patent
[NASA-CASE-XGS-06306] c 17 N71-16044
KOYBAYASHI, H. S.
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c 32 N77-24331
KOZIOL, J. S., JR.
Aircraft control system
[NASA-CASE-ERC-10439] c 02 N73-19004
KRAMER, F.
Device for suppressing sound and heat produced by high-velocity exhaust jets Patent
[NASA-CASE-XMF-01813] c 28 N70-41582
KRAMER, J. S.
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c 09 N77-27131
KRAMER, M.
Electronic amplifier with power supply switching Patent
[NASA-CASE-XMS-00945] c 09 N71-10798
Power supply Patent
[NASA-CASE-XMS-02159] c 10 N71-22961
KRASIN, F. E.
Discriminator aided phase lock acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c 33 N82-29539
KRATZER, R. H.
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c 23 N82-28353
KRAUSE, F. R.
Passive optical wind and turbulence detection system Patent
[NASA-CASE-XMF-14032] c 20 N71-16340
KRAUSE, I. A.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c 07 N72-11149
KRAUSE, L. N.
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c 14 N70-34156
Sensing probe
[NASA-CASE-LEW-10281-1] c 14 N72-17327
KRAUSE, M. C.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c 47 N77-10753
KRAUSE, S. J.
Method and device for determining battery state of charge Patent
[NASA-CASE-NPO-10194] c 03 N71-20407
KRAUSHAAR, W. L.
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c 35 N74-26949
KRAVITZ, M.
Television camera video level control system
[NASA-CASE-MSC-18578-1] c 32 N85-21427
KRAY, W. D.
The 1,1,1-triaryl-2,2,2-trifluoroethanes and process for their synthesis
[NASA-CASE-ARC-11097-1] c 25 N82-24312
KREISMAN, W. S.
Inflation system for balloon type satellites Patent
[NASA-CASE-XGS-03351] c 31 N71-16081
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c 35 N79-33450
KRIEG, H. C., JR.
Moisture content and gas sampling device
[NASA-CASE-MSC-18866-1] c 35 N85-29213
KRIEVE, W. F.
High-voltage cable Patent
[NASA-CASE-XNP-00738] c 09 N70-38201
KROPP, C. J.
Determination of spot weld quality Patent
[NASA-CASE-XNP-02588] c 15 N71-18613
KRSEK, A., JR.
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c 14 N70-34818
KRUPNICK, A. C.
Method for detecting hydrogen gas
[NASA-CASE-XMF-03873] c 06 N69-39733
Inorganic thermal control coatings
[NASA-CASE-MFS-20011] c 18 N72-22566
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c 27 N74-17283
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c 44 N79-11469
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c 44 N80-16452
KUBACKI, R. M.
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c 27 N78-31233
Process for producing a well-adhered durable optical coating on an optical plastic substrate
[NASA-CASE-ARC-11039-1] c 74 N78-32854
KUBICA, A. J.
Decomposition unit Patent
[NASA-CASE-XMS-00583] c 28 N70-38504
KUBICZ, A. P.
Signal path series step biased multidevice high efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c 07 N71-28430
Power responsive overload sensing circuit Patent
[NASA-CASE-GSC-10667-1] c 10 N71-33129
Infinite range electronics gain control circuit
[NASA-CASE-GSC-10786-1] c 10 N72-28241
KUBIK, C. F.
Method and construction for protecting heat sensitive bodies from thermal radiation and convective heat Patent
[NASA-CASE-XNP-01310] c 33 N71-28852
KUBIK, J. S.
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c 15 N71-19486
KUBOKAWA, C. C.
Fastener apparatus Patent
[NASA-CASE-ARC-10140-1] c 15 N71-17653
KUEBLER, M. E.
Method and means for damping nutation in a satellite Patent
[NASA-CASE-XMF-00442] c 31 N71-10747
KUENZLY, J. D.
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-2] c 20 N82-18314
KUGATH, D. A.
Remote manipulator system
[NASA-CASE-MFS-22022-1] c 37 N76-15460
KUHN, R. F., JR.
Universal restrainer and joint Patent
[NASA-CASE-XNP-02278] c 15 N71-28951
Internally supported flexible duct joint
[NASA-CASE-MFS-19193-1] c 37 N75-19686
KUHNS, P. W.
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c 09 N71-20446
KUMAR, D.
Maleimido substituted aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-1] c 23 N86-19376
Laminate comprising fibers embedded in cured amine terminated bis-imide
[NASA-CASE-ARC-11421-3] c 24 N86-25416
Amine terminated bisaspartimide polymer
[NASA-CASE-ARC-11421-2] c 27 N86-31726
KUMAR, DEVENDRA
Fire and heat resistant laminating resins based on maleimido substituted aromatic cyclotriphosphazene polymer
[NASA-CASE-ARC-11428-2] c 27 N87-16909
Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates, adhesives and structures thereof
[NASA-CASE-ARC-11548-1] c 27 N87-25469
KUMINECZ, J. F.
Spray applicator for spraying coatings and other fluids in space
[NASA-CASE-MSC-18852-1] c 37 N85-29283
KUO, Y. S.
Ingot slicing machine and method
[NASA-CASE-NPO-15483-1] c 37 N85-21650
KUPPERIAN, J. E., JR.
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c 23 N71-15978
KURAL, M. H.
Strain arrestor plate for fused silica tile
[NASA-CASE-MSC-14182-1] c 27 N76-14264
KURIGER, W. L.
Short range laser obstacle detector
[NASA-CASE-NPO-11856-1] c 36 N74-15145
KURPLE, W.
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c 32 N79-10263
KURTZ, G. W.
Two-dimensional scanner apparatus
[NASA-CASE-MFS-25687-1] c 35 N84-22928
KURTZ, R. L.
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c 16 N71-15565
Multiple image storing system for high speed projectile holography
[NASA-CASE-MFS-20596] c 14 N72-17324
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c 35 N74-17153
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c 35 N75-25124
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c 35 N75-27328
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c 35 N76-18402
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c 35 N78-17357
Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c 38 N78-32447
KURVIN, C. W.
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c 15 N75-13007
KURYLO, M. J., III
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c 14 N72-25428
KURZHALS, P. R.
Spacecraft experiment pointing and attitude control system Patent
[NASA-CASE-XLA-05464] c 21 N71-14132
Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c 21 N71-21708
KUSHIDA, R. O.
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c 37 N76-16446
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c 44 N76-29700
KWONG, H.
The 1,2,4-oxadiazole elastomers
[NASA-CASE-ARC-11253-1] c 27 N81-17262
Preparation of crosslinked 1,2,4-oxadiazole polymer
[NASA-CASE-ARC-11253-2] c 27 N82-24338

KWONGS, H.
Bifunctional monomers having terminal oxime and cyano or amidine groups
[NASA-CASE-ARC-11253-3] c 27 N81-24256

L

Laumann, E. A.
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c 44 N78-33526
LA RUSSA, F. J.
Array phasing device Patent
[NASA-CASE-ERC-10046] c 10 N71-18722
LA VIGNA, T. A.
Buck boost voltage regulation circuit Patent
[NASA-CASE-GSC-10735-1] c 10 N71-26085
LACEY, R. E.
Infusible silazane polymer and process for producing same
[NASA-CASE-XMF-02526-1] c 27 N79-21190
LACKNER, H. G.
Method and apparatus of simulating zero gravity conditions Patent
[NASA-CASE-MFS-12750] c 27 N71-16223
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c 35 N74-15146
LACY, L. L.
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c 35 N81-19426
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650
LACY, LEWIS L.
Apparatus ad method for quiescent containerless processing of high temperature metals and alloys in low gravity
[NASA-CASE-MFS-28087-1] c 35 N87-23944
LAFEVER, A. E.
Directional gear ratio transmissions
[NASA-CASE-LAR-12644-1] c 37 N84-28084
LAFLAME, D. T.
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c 32 N81-15179
LAHMEYER, CHARLES R.
Reed-Solomon decoder
[NASA-CASE-NPO-15982-1] c 60 N87-21591
Nanosequencer digital logic controller
[NASA-CASE-NPO-16116-2] c 60 N88-29310
LAIACONA, F. P.
Bonding of reinforced Teflon to metals
[NASA-CASE-MFS-20482] c 15 N72-22492
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c 24 N75-28135
LAINE, D. D.
Electromechanical actuator
[NASA-CASE-XNP-05975] c 15 N69-23185
LAMAR, J. E.
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c 08 N79-14108
LAMB, JAMES L.
Method of producing high T(subc) superconducting NBN films
[NASA-CASE-NPO-16681-1-CU] c 76 N88-24543
LAMB, R. H.
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c 31 N70-41631
LAMBE, JOHN J.
Hybrid analog-digital associative neural network
[NASA-CASE-NPO-17058-1-CU] c 62 N87-25803
LAMBSON, K. H.
Pressure control valve
[NASA-CASE-ARC-11251-1] c 37 N81-17433
Spine immobilization apparatus
[NASA-CASE-ARC-11167-1] c 52 N81-25662
LAMPERT, H. M.
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent
[NASA-CASE-XGS-02011] c 15 N71-20739
LAMPTON, M. L.
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c 33 N76-27473
LANDAUER, F. P.
Means for generating a sync signal in an FM communication system Patent
[NASA-CASE-XNP-10830] c 07 N71-11281
LANDAWER, F. P., JR.
Multispectral imaging and analysis system
[NASA-CASE-NPO-13691-1] c 43 N79-17288
LANDEL, R. F.
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c 03 N72-28025
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c 14 N73-14429
Preparation of alkali metal dispersions
[NASA-CASE-XNP-08876] c 17 N73-28573
Polymeric compositions and their method of manufacture
[NASA-CASE-NPO-10424-1] c 27 N81-24258
LANDES, H. S.
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c 07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c 09 N72-29172
LANE, J. W.
Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c 14 N72-22438
LANEY, C. C., JR.
Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c 14 N70-41332
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c 14 N71-23240
LANFORD, W. E.
Folding apparatus Patent
[NASA-CASE-XLA-00137] c 15 N70-33180
Reflector space satellite Patent
[NASA-CASE-XLA-00138] c 31 N70-37981
LANG, R.
Venting device for pressurized space suit helmet Patent
[NASA-CASE-XMS-09652-1] c 05 N71-26333
Protective garment ventilation system
[NASA-CASE-XMS-04928] c 54 N78-17679
LANGE, O. H.
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c 28 N71-22983
LANGE, R. A.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346
LANGMUIR, R. V.
Quadrupole mass filter with means to generate a noise spectrum exclusive of the resonant frequency of the desired ions to deflect stable ions
[NASA-CASE-XNP-04231] c 14 N73-32325
LANSING, F. L.
Stable density stratification solar pond
[NASA-CASE-NPO-15419-2] c 44 N85-30474
LANSING, J. C., JR.
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c 74 N74-21304
LANTZ, E.
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c 22 N72-20597
LAPOINTE, DONAT J. E.
Tapered, tubular polyester fabric
[NASA-CASE-MSC-21082-1] c 27 N87-29672
LARK, R. F.
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c 24 N77-27188
LARMER, J. W.
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c 15 N71-22705
LARSON, L. L.
Coaxial injector for reaction motors
[NASA-CASE-NPO-11095] c 15 N72-25455
LARSON, T. P.
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c 34 N75-33342
LATHAM, E. A.
The engine air intake system
[NASA-CASE-ARC-10761-1] c 07 N77-18154
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c 07 N80-32392
LATTO, W. T., JR.
Small rocket engine Patent
[NASA-CASE-XLE-00685] c 28 N70-41992
LAU, K. Y.
Fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c 74 N82-19029
LAUB, GEORGENE H.
Swashplate control system
[NASA-CASE-ARC-11633-1] c 08 N87-23631
LAUB, J. H.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c 21 N70-36938
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c 15 N70-38620
LAUDENSLAGER, J. B.
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c 33 N82-24418
LAUDENSLAGER, JAMES B.
Multiplex electric discharge gas laser system
[NASA-CASE-NPO-16433-1] c 36 N87-23961
LAUDERDALE, W. R.
Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c 31 N71-16222
LAUDERSLAGER, J. B.
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c 36 N78-27402
LAUE, E. G.
Irradiance measuring device
[NASA-CASE-NPO-11493] c 14 N73-12447
Wind sensor
[NASA-CASE-NPO-13462-1] c 35 N76-24524
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c 33 N80-23559
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c 47 N83-32232
Trace water sensor
[NASA-CASE-NPO-15722-1] c 35 N85-29212
LAUE, ERIC G.
Water-absorbing capacitor system for measuring relative humidity
[NASA-CASE-NPO-16544-1-CU] c 35 N87-22953
LAUE, H. H.
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c 09 N73-30181
LAUE, J. H.
Multi-mission module Patent
[NASA-CASE-XMF-01543] c 31 N71-17730
LAUGHLIN, C. R., JR.
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c 21 N71-13958
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c 30 N71-16090
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c 02 N71-19287
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c 10 N71-20841
Position location system and method
[NASA-CASE-GSC-10087-3] c 07 N72-12080
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c 07 N73-20174
LAURENCE, J. C.
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c 26 N73-32571
LAURIE, R. O.
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c 23 N71-29123
LAUSTEN, M. F.
Spray applicator for spraying coatings and other fluids in space
[NASA-CASE-MSC-18852-1] c 37 N85-29283
LAUVER, R. W.
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-1] c 27 N84-27885
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-3] c 27 N85-21350
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-4] c 27 N85-21351
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-5] c 27 N85-21352
Chemical control of nadimide cure temperature and rate
[NASA-CASE-LEW-13770-2] c 25 N85-28982
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-6] c 25 N85-30039
LAVIGNE, R. C.
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c 30 N71-16090
LAWHITE, E.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c 14 N73-28489
LAWING, P. L.
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c 15 N78-32168
Cooling system for high speed aircraft
[NASA-CASE-LAR-12406-1] c 05 N81-26114
LAWRENCE, E. D.
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c 09 N71-28810
LAWRENCE, T. R.
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
Wind measurement system
[NASA-CASE-MFS-23362-1] c 47 N77-10753

LAWSON, A. G.
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c 37 N83-19091
Shell tile thermal protection system
[NASA-CASE-LAR-12862-1] c 27 N84-27886
LAWSON, B. D.
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c 31 N70-36410
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c 31 N71-15675
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c 35 N77-20401
LAWSON, D. D.
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c 35 N78-25391
Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c 44 N79-10513
Thermochemical generation of hydrogen
[NASA-CASE-NPO-15015-1] c 25 N82-28368
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255
LAYLAND, J. W.
Communications link for computers
[NASA-CASE-NPO-11161] c 08 N72-25207
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c 32 N79-14267
LE BEL, P. J.
Ablation sensor Patent
[NASA-CASE-XLA-01794] c 33 N71-21586
LE DOUX, F. N.
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c 18 N71-16046
LE VAY, K. H.
Holder for crystal resonators Patent
[NASA-CASE-XNP-03637] c 15 N71-21311
LEATHERWOOD, J. D.
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c 15 N71-27169
Ride quality meter
[NASA-CASE-LAR-12882-1] c 35 N84-12445
LEAVY, W. A.
Switching mechanism with energy storage means Patent
[NASA-CASE-XGS-00473] c 03 N70-38713
Antenna deployment mechanism for use with a spacecraft
[NASA-CASE-GSC-12331-1] c 18 N80-14183
LEBLANC, L. P.
Thermocouple, multiple junction reference oven
[NASA-CASE-FRC-10112-1] c 35 N81-26431
LEDBETTER, F. E., III
Method of bonding plasticized elastomer to metal and articles produced thereby
[NASA-CASE-MFS-25181-1] c 27 N82-24340
Process for producing tris s(n-methylamino) methylsilane
[NASA-CASE-MFS-25721-1] c 25 N85-21280
LEDBETTER, FRANK E., III
Method for machining holes in composite materials
[NASA-CASE-MFS-28044-1] c 31 N87-25491
LEDERICH, RICHARD J.
Elevated temperature aluminum alloys
[NASA-CASE-LAR-13632-1] c 26 N87-29650
LEE, C. E.
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c 21 N71-21688
LEE, D. A.
Hermetically sealed explosive release mechanism Patent
[NASA-CASE-XGS-00824] c 15 N71-16078
LEE, D. H.
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c 28 N70-41311
LEE, J. H.
Solar driven liquid metal MHD power generator
[NASA-CASE-LAR-12495-1] c 44 N83-28573
Solar pumped laser
[NASA-CASE-LAR-12870-1] c 36 N84-16542
LEE, J. S.
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c 09 N71-19516
LEE, M. C.
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c 14 N71-26137
Acoustic suspension system
[NASA-CASE-NPO-15435-1] c 71 N83-36846
Contactless pellet fabrication
[NASA-CASE-NPO-15592-1] c 71 N84-16940
Vibrating-chamber levitation systems
[NASA-CASE-NPO-16142-1-CU] c 35 N86-20752
Apparatus for production of ultrapure amorphous metals utilizing acoustic cooling
[NASA-CASE-NPO-15658-1] c 26 N86-32551
Noncontact temperature pattern measuring device
[NASA-CASE-NPO-17024-1-CU] c 35 N88-24943
LEE, R. D.
Telemetry actuated switch
[NASA-CASE-ARC-10105] c 09 N72-17153
Metallic intrusion detector system
[NASA-CASE-ARC-10265-1] c 10 N72-28240
Intruder detection system
[NASA-CASE-ARC-10097-2] c 07 N73-25160
Ultrasonic biomedical measuring and recording apparatus
[NASA-CASE-ARC-10597-1] c 52 N74-20726
Bio-isolated dc operational amplifier
[NASA-CASE-ARC-10596-1] c 33 N74-21851
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c 54 N75-27760
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c 52 N76-33835
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-2] c 52 N79-26771
Scanning seismic intrusion detection method and apparatus
[NASA-CASE-ARC-11317-1] c 35 N83-34272
LEE, ROBERT D.
Electro-expulsive separation system
[NASA-CASE-ARC-11613-1] c 33 N87-28833
LEE, S. H.
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c 74 N77-28932
LEE, S. Y.
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c 74 N75-25706
Method of neutralizing the corrosive surface of amine-cured epoxy resins
[NASA-CASE-GSC-12686-1] c 27 N83-34039
LEE, SHENG Y.
Cellular thermosetting fluoropolymers and process for making them
[NASA-CASE-GSC-13008-1] c 27 N88-23894
LEE, W. S.
Surface finishing
[NASA-CASE-MSC-12631-1] c 24 N77-28225
Surface finishing
[NASA-CASE-MSC-12631-3] c 27 N81-14077
LEEB, W. R.
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c 73 N78-32848
LEEPER, W. A.
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c 32 N74-20863
LEES, W. L.
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c 09 N71-26678
Method and apparatus for limiting field emission current
[NASA-CASE-ERC-10015-2] c 10 N72-27246
LEFFKE, W. O.
Flexibly connected support and skin Patent
[NASA-CASE-XLA-01027] c 31 N71-24035
LEFTWICH, R. F.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c 21 N70-35427
LEGER, L. J.
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c 35 N74-32879
Thermal insulation attaching means
[NASA-CASE-MSC-12619-2] c 27 N79-12221
LEHMANN, E. N.
Fluid thrust control system
[NASA-CASE-XMF-05964-1] c 20 N79-21124
LEHOCZKY, SANDOR L.
Method and apparatus for growing crystals
[NASA-CASE-MFS-28137-1] c 76 N88-24544
Liquid encapsulated float zone process and apparatus
[NASA-CASE-MFS-28144-1] c 76 N88-24545
LEIBECKI, H. F.
Electrically conductive fluorocarbon polymer
[NASA-CASE-XLE-06774-2] c 06 N72-25150
LEIBERT, C. H.
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c 34 N78-18355
LEIBOWITZ, L. P.
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c 09 N77-10071
LEIGHTY, BRADLEY D.
Arc lamp power supply using a voltage multiplier
[NASA-CASE-LAR-13202-1] c 33 N88-23942
LEININGER, D. B.
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c 32 N79-23310
LEINKRAM, C. Z.
GaAs Schottky barrier photo-responsive device and method of fabrication
[NASA-CASE-GSC-12816-1] c 76 N86-20150
LEIPOLD, M. H.
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c 76 N79-11920
LEISER, D. B.
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c 27 N76-22376
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c 27 N78-32260
Fibrous refractory composite insulation
[NASA-CASE-ARC-11169-1] c 24 N79-24062
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c 27 N82-24339
High temperature glass thermal control structure and coating
[NASA-CASE-ARC-11164-1] c 44 N83-34448
LEISS, A.
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c 14 N70-33386
LEMCOE, M. M.
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c 35 N80-20560
LEMOS, F. R.
Metallic hot wire anemometer
[NASA-CASE-ARC-10911-1] c 35 N77-20400
LEMSON, P. H.
Broadband modified turnstile antenna Patent
[NASA-CASE-MSC-12209] c 09 N71-24842
LENAHAN, D. T.
Air modulation apparatus
[NASA-CASE-LEW-13524-1] c 07 N84-33410
LENETT, S. D.
Method and apparatus for receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c 32 N84-27952
LENNON, C. L.
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c 33 N79-11315
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c 47 N82-24779
LENT, W. E.
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c 18 N71-23088
LEON, H. A.
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c 15 N71-21177
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c 51 N74-15778
LEONARD, E. T.
Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c 16 N73-33397
LEPP, D. R.
Phototropic composition of matter
[NASA-CASE-XGS-03736] c 14 N72-22443
LERMA, GUILLERMO
Method of making a flexible diaphragm
[NASA-CASE-MSC-20797-1] c 37 N87-23981
LERNER, N. R.
Method of carbonizing polyacrylonitrile fibers
[NASA-CASE-ARC-11261-1] c 24 N83-25789
LERNER, T.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c 32 N75-24981
LESH, J. R.
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c 32 N77-20289
LESH, JAMES R.
Means for phase locking the outputs of a surface emitting laser diode array
[NASA-CASE-NPO-16542-1-CU] c 36 N87-23960
LESKO, J. G., JR.
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c 07 N71-24624
LESNIEWSKI, R. J.
Variable digital processor including a register for shifting and rotating bits in either direction Patent
[NASA-CASE-GSC-10186] c 08 N71-33110
Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c 08 N73-13187
LESSLEY, R. L.
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c 15 N71-26294
LESSMANN, G. G.
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c 26 N77-28265

LEVIN, H.
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c 27 N75-27160
Thermal reactor
[NASA-CASE-NPO-14369-1] c 44 N83-10501
LEVIN, K. L.
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c 31 N70-34966
LEVINE, M. W.
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c 16 N73-13489
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c 36 N74-11313
LEVINE, S. R.
Fused silicide coatings containing discrete particles for protecting niobium alloys
[NASA-CASE-LEW-11179-1] c 27 N76-16229
Corrosion resistant thermal barrier coating
[NASA-CASE-LEW-13088-1] c 26 N81-25188
Coating with overlay metallic-cermet alloy systems
[NASA-CASE-LEW-13639-2] c 26 N84-27855
Overlay metallic-cermet alloy coating systems
[NASA-CASE-LEW-13639-1] c 26 N84-33555
LEVINSOHN, M.
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c 15 N71-22705
LEVIS, C. A.
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c 35 N80-18359
LEVY, G. S.
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c 07 N71-11285
LEWICKI, G. W.
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c 09 N72-17155
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c 36 N74-13205
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c 35 N74-15090
Stored charge transistor
[NASA-CASE-NPO-11156-2] c 33 N75-31331
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c 35 N78-29421
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c 35 N79-16246
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c 76 N79-16678
LEWIS, B. F.
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c 35 N78-10429
LEWIS, B. W.
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c 15 N71-24875
Barium release system
[NASA-CASE-LAR-10670-1] c 06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c 15 N74-27360
LEWIS, D. J.
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c 27 N70-34783
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-01349] c 20 N77-17143
LEWIS, G. W.
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c 33 N75-31329
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c 33 N76-19338
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c 52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c 52 N76-29896
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c 52 N80-27072
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c 52 N81-20703
LEWIS, J. R.
Automatic transponder
[NASA-CASE-GSC-12075-1] c 32 N77-31350
LEWIS, R.
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c 17 N71-23248
LEWIS, T. L.
Acoustical transducer calibrating system and apparatus
[NASA-CASE-FRC-10060-1] c 14 N73-27379
LEWYN, L. L.
Analog-to-digital converter
[NASA-CASE-XNP-00477] c 08 N73-28045
LI, S. P.
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c 44 N80-29835
LIBBEY, C. E.
Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c 02 N70-41863
LIBBY, J. N.
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c 09 N70-34819
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c 09 N71-10673
LIBBY, W. F.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c 25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c 36 N77-19416
LIBEROTTI, J.
Valving device for automatic refilling in cryogenic liquid systems
[NASA-CASE-NPO-11177] c 15 N72-17453
LICHTENBERG, CHRISTOPHER
Method and apparatus for measuring frequency and phase difference
[NASA-CASE-MSC-20865-1] c 32 N87-18692
LICHTENBERG, CHRISTOPHER L.
Method and apparatus for measuring distance
[NASA-CASE-MSC-20912-1] c 32 N88-26568
LIEBERMAN, S.
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c 14 N72-11363
LIEBERT, C. H.
Covering solid, film cooled surfaces with a duplex thermal barrier coating
[NASA-CASE-LEW-13450-1] c 31 N83-35177
LIENEWEG, U.
Cross-contact chain
[NASA-CASE-NPO-16784-1] c 33 N87-10231
LIGHT, D. J.
Fixture for supporting articles during vibration tests
[NASA-CASE-MFS-20523] c 14 N72-27412
LIGHTSEY, G. R.
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c 06 N73-27980
LILLEY, A. E.
Clear air turbulence detector
[NASA-CASE-ERC-10081] c 14 N72-28437
LIM, L. Y.
Signal processing apparatus for multiplex transmission Patent
[NASA-CASE-NPO-10388] c 07 N71-24622
LIN, E. I. H.
Saltless solar pond
[NASA-CASE-NPO-15808-1] c 44 N84-34792
LINDBERG, J. G.
Method and apparatus for varying thermal conductivity Patent
[NASA-CASE-XNP-05524] c 33 N71-24876
LINDBERG, R. A.
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c 33 N76-15373
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c 26 N77-28265
LINDERFELT, H. R.
An airlock
[NASA-CASE-MFS-20922] c 31 N72-20840
Airlock
[NASA-CASE-MFS-20922-1] c 18 N74-22136
LINDSEY, J. F., III
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c 09 N71-18720
LINDSEY, R. S., JR.
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c 33 N74-32711
Random pulse generator
[NASA-CASE-MSC-14131-1] c 33 N75-19515
LINDSEY, W. C.
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c 07 N72-20140
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c 10 N73-16205
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c 32 N74-30523
LINDSEY, W. F.
Stereo photomicrography system
[NASA-CASE-LAR-10176-1] c 14 N72-20380
LINEBACK, L. D.
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c 18 N73-14584
LINFORD, R. M. F.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c 19 N74-29410
LING, A. C.
Fire extinguishant materials
[NASA-CASE-ARC-11252-1] c 25 N83-36118
LING, S. C.
Flux sensing device using a tubular core with toroidal gating coil and solenoidal output coil wound thereon Patent
[NASA-CASE-XGS-01881] c 09 N70-40123
LINGLE, J. T.
Frequency control network for a current feedback oscillator Patent
[NASA-CASE-GSC-10041-1] c 10 N71-19418
Static inverter Patent
[NASA-CASE-XGS-05289] c 09 N71-19470
LINIOR, W. I.
Optical system with reflective baffles
[NASA-CASE-ARC-11502-1] c 74 N86-20125
LIPANOVICH, M. I.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
LIPKE, D. W.
Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c 07 N69-39978
LIPKIS, R. R.
Electromagnetic radiation energy arrangement
[NASA-CASE-WOO-00428-1] c 32 N79-19186
LIPOMA, P. C.
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c 07 N71-11300
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c 10 N71-19468
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c 60 N74-12888
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c 74 N77-18893
LIPPITT, M. W., JR.
Electrode for biological recording
[NASA-CASE-XMS-02872] c 05 N69-21925
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c 05 N70-41329
LIPSHITZ, A.
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c 37 N82-12442
LISAGOR, W. B.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c 15 N71-18616
Fixture for environmental exposure of structural materials under compression load
[NASA-CASE-LAR-12602-1] c 39 N83-32081
LISLE, R. V.
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c 33 N75-26246
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c 34 N81-26402
LISOVICZ, E. J.
High contrast cathode ray tube
[NASA-CASE-ERC-10468] c 09 N72-20206
LIST, W. F.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c 07 N71-24612
Phototransistor imaging system
[NASA-CASE-MFS-20809] c 23 N73-13660
LISTER, J. L.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c 06 N72-21105
LITANT, I.
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c 26 N71-14354
Method for detecting leaks in hermetically sealed containers Patent
[NASA-CASE-ERC-10045] c 15 N71-24910
LITCHFORD, G. B.
Altitude measuring system
[NASA-CASE-ERC-10412-1] c 09 N73-12211
LITTLE, B. D.
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
LITTLE, R. E.
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c 37 N74-11301

LITTLEJOHN, D. P.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c 09 N71-20842
LIU, C. C.
Method and device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c 25 N79-22235
LIU, F. F.
Respiratory analysis system and method
[NASA-CASE-MSC-13436-1] c 05 N73-32015
LIU, HUA KUANG
Real-time optical multiple object recognition and tracking system and method
[NASA-CASE-NPO-17139-1-CU] c 74 N88-25301
LIU, HUA-KUANG
Large TV display system
[NASA-CASE-NPO-16932-1CU] c 33 N87-15413
Dynamic range compression/expansion of light beams by photorefractive crystals
[NASA-CASE-NPO-17140-1-CU] c 74 N88-24508
Real-time image difference detection using a polarization rotation spacial light modulator
[NASA-CASE-NPO-17144-1-CU] c 74 N88-25305
LIU, J. K.
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
LIU, K. Y.
Pipelined digital SAR azimuth correlator using hybrid FFT-transversal filter
[NASA-CASE-NPO-15519-1] c 32 N84-34651
LIVERMORE, S. F.
Lightning current detector
[NASA-CASE-KSC-11057-1] c 33 N79-14305
LLEWELLIN, WILLIAM R.
Non-backdriveable free wheeling coupling
[NASA-CASE-MSC-20475-1] c 37 N87-17037
LLOYD, W. B.
Bearing and gimbal lock mechanism and spiral flex lead module Patent
[NASA-CASE-GSC-10556-1] c 31 N71-26537
LOCH, F. J.
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c 07 N71-33696
LOCKARD, M. L.
Leak detector Patent
[NASA-CASE-LAR-10323-1] c 12 N71-17573
LOCKMAN, C. S.
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c 38 N76-28563
LOCKWOOD, V. E.
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c 02 N70-33286
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c 02 N70-34858
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c 31 N70-38010
LOFTIN, L. K., JR.
Wind tunnel airstream oscillating apparatus Patent
[NASA-CASE-XLA-00112] c 11 N70-33287
LOGAN, K. E.
Active lamp pulse driver circuit
[NASA-CASE-GSC-12566-1] c 33 N83-34189
LOGAN, W. R.
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c 27 N77-30237
LOH, G. M.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
LOHR, J. J.
Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c 14 N69-27486
LOKERSON, D. C.
Voltage to frequency converter Patent
[NASA-CASE-GSC-10022-1] c 10 N71-25882
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c 33 N75-19517
Speech analyzer
[NASA-CASE-GSC-11898-1] c 32 N77-30309
LOMBARDI, F.
Head for high speed spinner having a vacuum chuck
[NASA-CASE-NPO-15227-1] c 37 N81-33482
Hermetic seal for a shaft
[NASA-CASE-NPO-15115-1] c 37 N82-24493
LONBORG, J. O.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c 31 N70-41855
LONG, E. R., JR.
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c 25 N78-15210
LONG, H. R.
Precipitation detector Patent
[NASA-CASE-XLA-02619] c 10 N71-26334
LONG, W. C.
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c 33 N74-10223
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c 35 N78-24515
LONGYEAR, W. D.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c 14 N71-30265
LOO, S.
Fluid leak indicator
[NASA-CASE-MSC-20783-1] c 35 N86-20756
LOOK, G. F.
Foam generator Patent
[NASA-CASE-XLA-00838] c 03 N70-36778
LOOP, R. W.
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c 14 N72-22445
LOOSE, J. D.
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c 34 N74-27861
LOPEZ, A. E.
Three-axis finger tip controller for switches Patent
[NASA-CASE-XAC-02405] c 09 N71-16089
LORD, H. C., III
Analysis of hydrogen-deuterium mixtures
[NASA-CASE-NPO-11322] c 06 N72-25146
LORELL, K. R.
High temperature lens construction Patent
[NASA-CASE-XNP-04111] c 14 N71-15622
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c 35 N77-20399
LOTHSCHUETZ, F. X.
Stretcher Patent
[NASA-CASE-XMF-06589] c 05 N71-23159
LOTT, D. R.
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c 44 N80-18550
LOUGHEAD, A. G.
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c 14 N71-22752
LOUGHEAD, T. E.
Satellite retrieval system
[NASA-CASE-MFS-25403-1] c 18 N83-29303
LOUNSBERRY, E. D.
Jet shoes
[NASA-CASE-XLA-08491] c 05 N69-21380
LOVALL, D. D.
Electric field measuring and display system
[NASA-CASE-KSC-10731-1] c 33 N74-27862
LOVELACE, A. M.
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c 33 N82-29538
LOVELAND, ROHAN C.
Power supply conditioning circuit
[NASA-CASE-NPO-17233-1-CU] c 33 N88-29095
LOVELL, J. S.
Portable breathing system
[NASA-CASE-MSC-16182-1] c 54 N80-10799
LOVELL, R. R.
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c 33 N77-26385
LOVELOCK, J. E.
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c 13 N72-25323
LOVINGER, D. N.
Voice operated controller Patent
[NASA-CASE-XLA-04063] c 31 N71-33160
LOWE, E. G.
Continuous turning slip ring assembly Patent
[NASA-CASE-XMF-01049] c 15 N71-23049
LOWELL, C. E.
Nicral ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c 26 N82-31505
Nickel base coating alloy
[NASA-CASE-LEW-13834-1] c 26 N87-14482
LOWEN, I. B.
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c 21 N71-15642
Roll alignment detector
[NASA-CASE-GSC-10514-1] c 14 N72-20379
LOWERY, J. R.
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c 44 N76-14595
LOWRY, J. G.
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c 02 N70-33332
Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c 02 N70-34178
LOY, C. A.
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c 31 N70-41948
LOYD, C.
System for maintaining a motor at a predetermined speed utilizing digital feedback means Patent
[NASA-CASE-XMF-06892] c 09 N71-24805
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c 10 N71-24863
LUBOWITZ, H. R.
Ablative resin Patent
[NASA-CASE-XLE-05913] c 33 N71-14032
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c 27 N74-23125
LUCAS, C. H.
Analog to digital converter
[NASA-CASE-NPO-13385-1] c 33 N76-18345
LUCERO, D. P.
Method for detecting hydrogen gas
[NASA-CASE-XMF-03873] c 06 N69-39733
LUCHT, R. A.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c 16 N72-22520
LUCY, M. H.
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c 20 N78-24275
LUCY, MELVIN H.
Fully redundant mechanical release actuator
[NASA-CASE-LAR-13198-1] c 37 N87-23983
LUDWIG, A. C.
Dual waveguide mode source having control means for adjusting the relative amplitude of two modes Patent
[NASA-CASE-XNP-03134] c 07 N71-10676
Singly-curved reflector for use in high-gain antennas
[NASA-CASE-NPO-11361] c 07 N72-32169
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c 09 N73-12214
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c 32 N74-11000
LUDWIG, L. P.
Foil seal
[NASA-CASE-XLE-05130] c 15 N69-21362
Foil seal Patent
[NASA-CASE-XLE-05130-2] c 15 N71-19570
Spiral groove seal
[NASA-CASE-XLE-10326-2] c 15 N72-29488
Spiral groove seal
[NASA-CASE-LEW-10326-3] c 37 N74-10474
Spiral groove seal
[NASA-CASE-XLE-10326-4] c 37 N74-15125
High speed, self-acting shaft seal
[NASA-CASE-LEW-11274-1] c 37 N75-21631
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c 37 N76-22541
Counter pumping debris excluder and separator
[NASA-CASE-LEW-11855-1] c 07 N78-25090
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-1] c 37 N79-18318
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c 37 N79-22475
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c 37 N80-26658
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c 37 N80-28711
Multiple plate hydrostatic viscous damper
[NASA-CASE-LEW-12445-1] c 37 N81-22360
Circumferential shaft seal
[NASA-CASE-LEW-12119-2] c 37 N81-26447
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-3] c 37 N82-19540
LUEBBERS, S. S.
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c 03 N70-34646
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c 03 N71-12255
LUEBERING, G. W.
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c 07 N77-27116
LUKENS, F. E.
Amplifier for measuring low-level signals in the presence of high common mode voltage
[NASA-CASE-MFS-25868-1] c 33 N86-20670
LUM, H.
Sampling video compression system
[NASA-CASE-ARC-10984-1] c 32 N77-24328
LUNCE, R. S.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
LUND, G. F.
Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c 52 N80-33081
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c 52 N81-14612

LUND, W. C.
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c 28 N72-18766
LUNDQUIST, J. R.
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c 06 N72-17093
LUPTON, M. W.
Micronized coal burner facility
[NASA-CASE-LEW-13426-1] c 25 N84-16276
LUSHBAUGH, W. A.
Data compression system
[NASA-CASE-XNP-09785] c 08 N69-21928
Data compressor Patent
[NASA-CASE-XNP-04067] c 08 N71-22707
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c 08 N71-22749
Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c 08 N71-23295
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c 10 N71-26103
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c 08 N73-12177
LUTES, G. F.
Precise RF timing signal distribution to remote stations
[NASA-CASE-NPO-14749-1] c 32 N81-14186
LUTES, G. F., JR.
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c 10 N71-26331
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c 10 N71-26415
Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c 10 N73-26229
Fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c 74 N82-19029
LUTES, GEORGE F.
Low-loss, high-isolation, fiber-optic isolator
[NASA-CASE-NPO-17207-1-CU] c 74 N88-25304
LUTUS, P.
Direct current ballast circuit for metal halide lamp
[NASA-CASE-MSC-18407-1] c 33 N82-24427
LUTZ, E. B.
Operational integrator Patent
[NASA-CASE-NPO-10230] c 09 N71-12520
LYLAND, J. W.
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c 08 N73-12177
LYNCH, E. J.
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c 35 N74-13129
LYNCH, T. L.
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c 09 N72-22200
LYON, W. E.
Optical range finder having nonoverlapping complete images
[NASA-CASE-MSC-12105-1] c 14 N72-21409
LYONS, JOHN C.
Integrated photo-responsive metal oxide semiconductor circuit
[NASA-CASE-GSC-12782-1] c 33 N88-14271

M

MA, L. N.
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c 33 N81-17349
MACCONNELL, J. W.
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c 32 N78-15323
MACCONOCHIE, I. O.
Excessive temperature warning system Patent
[NASA-CASE-XLA-01926] c 14 N71-15620
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c 35 N83-21311
Shell tile thermal protection system
[NASA-CASE-LAR-12862-1] c 27 N84-27886
MACCONOCHIE, IAN O.
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828
MACDAVID, K. S.
Thermocouple installation
[NASA-CASE-NPO-13540-1] c 35 N77-14409
MACDORAN, P. F.
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c 46 N80-14603
Interferometric locating system
[NASA-CASE-NPO-14173-1] c 04 N80-32359
Method and apparatus for calibrating the ionosphere and application to surveillance of geophysical events
[NASA-CASE-NPO-15430-1] c 46 N85-21846
MACFADDEN, J. A.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c 15 N71-17687
MACGLASHAN, W. F.
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c 37 N81-14318
MACGLASHAN, W. F., JR.
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c 15 N69-27504
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c 15 N70-36908
Multiple Belleville spring assembly Patent
[NASA-CASE-XNP-00840] c 15 N70-38225
Pressure regulating system Patent
[NASA-CASE-XNP-00450] c 15 N70-38603
Ejection unit Patent
[NASA-CASE-XNP-00676] c 15 N70-38996
Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c 32 N70-41370
High pressure filter Patent
[NASA-CASE-XNP-00732] c 28 N70-41447
Antiflutter ball check valve Patent
[NASA-CASE-XNP-01152] c 15 N70-41811
High pressure regulator valve Patent
[NASA-CASE-XNP-00710] c 15 N71-10778
Filler valve Patent
[NASA-CASE-XNP-01747] c 15 N71-23024
MACKAY, C. A.
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c 15 N71-17649
MACLEOD, N. H.
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c 14 N72-25413
MACVEIGH, G. E.
Analog spatial maneuver computer
[NASA-CASE-GSC-10880-1] c 08 N72-11172
MADDOX, J. W.
Air bearing
[NASA-CASE-WLP-10002] c 15 N72-17451
MADEY, J. M.
Satellite appendage tie down cord Patent
[NASA-CASE-XGS-02554] c 31 N71-21064
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c 15 N71-24600
Rotary electric device
[NASA-CASE-GSC-12138-1] c 33 N79-20314
MADISON, I. B.
Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c 31 N71-15647
MADSEN, B.
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c 15 N73-27405
MAESTRELLO, L.
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-2] c 71 N84-14873
Active control of boundary layer transition and turbulence
[NASA-CASE-LAR-13532-1] c 34 N86-26575
MAHAN, J. C.
Device for preventing high voltage arcing in electron beam welding Patent
[NASA-CASE-XMF-08522] c 15 N71-19486
MAIDEN, D. L.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c 14 N73-13415
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c 07 N78-27121
MAILLOUX, R. J.
Array phasing device Patent
[NASA-CASE-ERC-10046] c 10 N71-18722
Circularly polarized antenna
[NASA-CASE-ERC-10214] c 09 N72-31235
Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c 10 N73-16206
MAJOR, C. J.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c 18 N71-20742
MALLING, L. R.
Digital television camera control system Patent
[NASA-CASE-XNP-01472] c 14 N70-41807
Reduced bandwidth video communication system utilizing sampling techniques Patent
[NASA-CASE-XNP-02791] c 07 N71-23026
MALMBERG, J. H.
Waveform simulator Patent
[NASA-CASE-NPO-10251] c 10 N71-27365
MALONE, L. B.
Emergency lunar communications system
[NASA-CASE-MFS-21042] c 07 N72-25171
MANATT, S. L.
Audio frequency marker system
[NASA-CASE-NPO-11147] c 14 N72-27408
MANDEL, C. H.
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c 21 N71-23289
MANDELKORN, J.
Method of making a silicon semiconductor device Patent
[NASA-CASE-XLE-02792] c 26 N71-10607
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c 03 N71-20492
Gd or Sm doped silicon semiconductor composition Patent
[NASA-CASE-XLE-10715] c 26 N71-23292
Silicon solar cell with cover glass bonded to cell by metal pattern Patent
[NASA-CASE-XLE-08569] c 03 N71-23449
Semiconductor material and method of making same Patent
[NASA-CASE-XLE-02798] c 26 N71-23654
Method of attaching a cover glass to a silicon solar cell Patent
[NASA-CASE-XLE-08569-2] c 03 N71-24681
MANDELL, A.
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c 54 N78-32720
MANFREDI, L.
Liquid hydrogen polygeneration system and process
[NASA-CASE-KSC-11304-2] c 28 N86-23744
MANGALAM, SIVARAMAKRISHNAN M.
Method and apparatus for detecting laminar flow separation and reattachment
[NASA-CASE-LAR-13952-1-SB] c 34 N88-24910
MANGES, D. R.
Rotatable electric cable connecting system
[NASA-CASE-GSC-12899-1] c 33 N86-20669
MANGION, C.
System for preconditioning a combustible vapor
[NASA-CASE-NPO-12072] c 28 N72-22772
MANGOLD, D. W.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
MANN, C. W.
Rotary target V-block
[NASA-CASE-LAR-12007-3] c 35 N84-16523
MANN, FRANKLIN D.
Universal precision sine bar attachment
[NASA-CASE-MFS-28253-1] c 37 N88-24971
MANN, W. A.
Compact artificial hand
[NASA-CASE-NPO-13906-1] c 54 N79-24652
MANNING, C. R.
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c 27 N78-17206
MANNING, C. R., JR.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c 15 N71-18616
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c 18 N73-14584
MANOLI, R.
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c 03 N76-32140
MANSOUR, M. N.
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c 35 N75-25123
MANTAY, WAYNE R.
Structurally tailorable non-linear snap-through spring system
[NASA-CASE-LAR-13729-1] c 37 N88-24970
MANTLER, R. L.
Rocket propellant injector Patent
[NASA-CASE-XLE-00103] c 28 N70-33241
MANUS, E. A.
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c 07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c 09 N72-29172
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c 33 N78-32339
MANZO, M. A.
Polyvinyl alcohol battery separator containing inert filler
[NASA-CASE-LEW-13556-1] c 44 N81-27615
Polyvinyl alcohol cross-linked with two aldehydes
[NASA-CASE-LEW-13504-1] c 25 N83-13188
MAPLE, W. E.
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c 06 N71-23527
MAPLES, H. E.
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c 09 N71-19479

MARAK, R. J.
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c 02 N73-26006
MARCELL, G. V.
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c 31 N79-21226
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c 31 N79-21227
MARCUM, D. C., JR.
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c 15 N78-32168
MARCUS, B. D.
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c 34 N77-32413
MARCUS, H. L.
Laser extensometer
[NASA-CASE-MFS-19259-1] c 36 N78-14380
MAREK, C. J.
Fuel combustor
[NASA-CASE-LEW-12137-1] c 25 N78-10224
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c 07 N81-29129
MARGALIT, S.
Arrangement for damping the resonance in a laser diode
[NASA-CASE-NPO-15980-1] c 36 N85-30305
MARGOLIS, J. S.
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c 25 N81-14015
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c 36 N82-29589
Correlation spectrometer having high resolution and multiplexing capability
[NASA-CASE-NPO-15558-1] c 35 N84-34705
MARGOSIAN, P. M.
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c 28 N71-10574
Single grid accelerator for an ion thrustor
[NASA-CASE-XLE-10453-2] c 28 N73-27699
MARGRAF, H. J.
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c 15 N70-36908
MARINOS, CHARALAMPUS
Heat exchanger for electrothermal devices
[NASA-CASE-LEW-14037-1] c 20 N87-16875
MARKLEY, R. A.
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c 33 N71-29046
MARLOW, M. O.
Method of making a cermet Patent
[NASA-CASE-LEW-10219-1] c 18 N71-28729
MARLOW, R. E.
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c 37 N75-33395
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c 37 N76-15457
MAROPIS, N.
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c 15 N71-17686
MARRKLE, R. A.
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XMF-06409] c 06 N71-23230
MARRONI, M. A., JR.
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c 05 N71-12344
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c 05 N71-24623
Foreshortened convolute section for a pressurized suit Patent
[NASA-CASE-XMS-09637-1] c 05 N71-24730
Method of forming a root cord restrained convolute section
[NASA-CASE-MSC-12398] c 05 N72-20098
Restraint torso for a pressurized suit
[NASA-CASE-MSC-12397-1] c 05 N72-25119
MARSH, H. E., JR.
Trifunctional alcohol
[NASA-CASE-NPO-10714] c 06 N69-31244
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c 06 N71-25929
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c 27 N77-30236
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c 27 N77-31308
Solid propellant motor
[NASA-CASE-NPO-11458A] c 20 N78-32179
MARSH, H. W.
Fluid pressure balanced seal
[NASA-CASE-XGS-01286-1] c 37 N79-33469
MARSHALL, F. E.
Imaging X-ray spectrometer
[NASA-CASE-GSC-12682-1] c 35 N84-33765
MARSHALL, J. H.
Baseline stabilization system for ionization detector Patent
[NASA-CASE-XNP-03128] c 10 N70-41991
MARSHALL, T. N., JR.
Nuclear mass flowmeter
[NASA-CASE-MFS-20485] c 14 N72-11365
MARSHALL, W. R.
Three stage rocket vehicle with parallel staging
[NASA-CASE-MFS-25878-1] c 18 N84-27787
MARSIK, S. J.
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c 15 N72-25452
Production of pure metals
[NASA-CASE-LEW-10906-1] c 25 N74-30502
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c 37 N76-18458
MARTEL, R. J.
Amplitude steered array
[NASA-CASE-GSC-11446-1] c 33 N74-20860
MARTIN, GLENN L.
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793
MARTIN, J. A.
Oribter/launch system
[NASA-CASE-LAR-12250-1] c 14 N81-26161
MARTIN, J. W.
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c 07 N71-12391
MARTIN, JAMES A.
Earth-to-orbit vehicle providing a reusable orbital stage and method of utilizing same
[NASA-CASE-LAR-13486-1] c 16 N87-29582
Dual-fuel, dual-mode rocket engine
[NASA-CASE-LAR-13773-1] c 20 N88-24685
MARTIN, N. C.
Segmented back-up bar Patent
[NASA-CASE-XMF-00640] c 15 N70-39924
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c 15 N70-41371
MARTIN, R. B.
Color perception tester
[NASA-CASE-KSC-10278] c 05 N72-16015
MARTIN, S. C.
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c 33 N75-26243
MARTIN, W. L.
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c 07 N70-41680
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c 10 N71-23099
Communications link for computers
[NASA-CASE-NPO-11161] c 08 N72-25207
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c 08 N72-25209
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c 09 N72-25248
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c 32 N79-14267
MARTINAGE, L. H.
Power supply Patent
[NASA-CASE-XMS-02159] c 10 N71-22961
MARTINECK, H. G.
Electrical connector for flat cables Patent
[NASA-CASE-XMF-00324] c 09 N70-34596
Printed cable connector Patent
[NASA-CASE-XMF-00369] c 09 N70-36494
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c 15 N71-15986
Electrical connector
[NASA-CASE-MFS-20757] c 09 N72-28225
MARTONCHIK, J. V.
Correlation spectrometer having high resolution and multiplexing capability
[NASA-CASE-NPO-15558-1] c 35 N84-34705
MARTUCCI, V. J.
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c 09 N71-24841
MARTZ, E. L.
Externally pressurized fluid bearing Patent
[NASA-CASE-XMF-00515] c 15 N70-34664
MARVIN, I. E.
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c 07 N81-19116
MARZEK, R. A.
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c 37 N74-32918
MASCY, A. C.
Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c 31 N71-24813
MASEK, T. D.
Electron bombardment ion engine Patent
[NASA-CASE-XNP-04124] c 28 N71-21822
Feed system for an ion thruster
[NASA-CASE-NPO-10737] c 28 N72-11709
MASERJIAN, J.
Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c 14 N69-39937
Thin film capacitive bolometer and temperature sensor Patent
[NASA-CASE-NPO-10607] c 09 N71-27232
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c 26 N72-28761
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c 35 N74-15090
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c 36 N75-19652
Stored charge transistor
[NASA-CASE-NPO-11156-2] c 33 N75-31331
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c 76 N76-20994
Chemical vapor deposition reactor
[NASA-CASE-NPO-13650-1] c 25 N79-28253
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c 44 N80-29835
Laser activated MTOS microwave device
[NASA-CASE-NPO-16112-1] c 33 N86-19516
MASLOWSKI, E. A.
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c 24 N75-33181
MASON, J. W.
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c 35 N78-28411
MASON, R. J.
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c 09 N71-20658
MASON, R. M.
Radial module space station Patent
[NASA-CASE-XMS-01906] c 31 N70-41373
MASSUCCO, A. A.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c 27 N76-24405
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c 27 N78-17213
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c 27 N78-32262
MATEER, G. C.
Flow separation detector
[NASA-CASE-ARC-11046-1] c 35 N78-14364
MATHENEY, J. L.
A dc to dc converter
[NASA-CASE-MFS-25430-1] c 33 N84-16453
MATHUR, F. P.
Program for computer aided reliability estimation
[NASA-CASE-NPO-13086-1] c 15 N73-12495
MATSUHIRO, D. S.
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c 05 N75-25915
MATSUMOTO, Y.
Sampling video compression system
[NASA-CASE-ARC-10984-1] c 32 N77-24320
MATSUMOTO, YUTAKA
Self-compensating solenoid valve
[NASA-CASE-ARC-11620-1] c 37 N87-25573
Airborne tracking sunphotometer apparatus and system
[NASA-CASE-ARC-11622-1] c 44 N88-14493
MATTAUCH, R. J.
Infrared detectors
[NASA-CASE-LAR-10728-1] c 14 N73-12447
Thin wire pointing method
[NASA-CASE-NPO-15789-1] c 31 N83-19947
Controlled in situ etch-back
[NASA-CASE-NPO-15625-1] c 76 N83-20788
MATTHEWS, F. R., JR.
Lightweight, variable solidity knitted parachute fabric
[NASA-CASE-LAR-10776-1] c 02 N74-10037
MATZEN, W. J.
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c 33 N80-32657
MAUDGAL, S.
Poly(carbonate-mide) polymer
[NASA-CASE-LAR-13292-1] c 27 N86-24847

Acetylene (ethynyl) terminated polyimide siloxane and process for preparation thereof
[NASA-CASE-LAR-13318-1] c 27 N87-14516

MAULDIN, D. G.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c 10 N72-20225

MAXWELL, H. G.
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c 27 N78-17215

MAXWELL, M. S.
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c 21 N71-15642
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c 07 N71-24624
Plural beam antenna
[NASA-CASE-GSC-11013-1] c 09 N73-19234

MAXWELL, M. W.
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c 07 N69-24323

MAXWELL, R. F., JR.
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c 07 N69-39980

MAXWELL, W. A.
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c 15 N71-16076

MAY, C. E.
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c 15 N72-25452
Production of pure metals
[NASA-CASE-LEW-10906-1] c 25 N74-30502
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c 37 N76-18458
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c 27 N80-32516

MAYALL, S. D.
Frictionless universal joint Patent
[NASA-CASE-NPO-10646] c 15 N71-28467

MAYER, L. A.
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c 25 N80-23383
Fire extinguishant materials
[NASA-CASE-ARC-11252-1] c 25 N83-36118

MAYNARD, O. E.
Radial module space station Patent
[NASA-CASE-XMS-01906] c 31 N70-41373

MAYNE, R. C.
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c 37 N75-18573

MAYO, E. E.
Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c 31 N70-41631

MAYO, J. W.
Connector - Electrical
[NASA-CASE-XLA-01288] c 09 N69-21470
Tubular coupling having frangible connecting means
[NASA-CASE-XLA-02854] c 15 N69-27490
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c 03 N70-39930
Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c 31 N71-16221

MAYO, R. F.
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c 33 N70-34540

MAZARIS, G. A.
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c 44 N79-11468
Screen printed interdigitated back contact solar cell
[NASA-CASE-LEW-13414-1] c 44 N85-20530

MAZER, L.
Analog-to-digital conversion system Patent
[NASA-CASE-XAC-00404] c 08 N70-40125

MAZIQUE, J. C.
Cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c 52 N82-22875

MAZUR, J. T.
Telescoping columns
[NASA-CASE-LAR-12195-1] c 31 N81-27324

MCAFEE, D. F.
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c 07 N71-12392
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c 09 N71-23573

MCALEXANDER, B. T.
Laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c 36 N75-19655

MCBRAYER, R. O.
Soft frame adjustable eyeglasses Patent
[NASA-CASE-XMS-06064] c 05 N71-23096

MCBRYAR
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c 03 N71-29044

MCBRYAR, H.
Reconstituted asbestos matrix
[NASA-CASE-MSC-12568-1] c 24 N76-14204

MCCAIG, J. C.
Electric arc welding Patent
[NASA-CASE-XMF-00392] c 15 N70-34814

MCCALLUM, J.
Porus electrode comprising a bonded stack of pieces of corrugated metal foil
[NASA-CASE-GSC-11368-1] c 09 N73-32108

MCCAMPBELL, W. M.
Electric arc welding Patent
[NASA-CASE-XMF-00392] c 15 N70-34814
Weld control system using thermocouple wire Patent
[NASA-CASE-MFS-06074] c 15 N71-20393
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c 10 N71-24863
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c 09 N71-28886

MCCANDLESS, B., II
Connection system
[NASA-CASE-MSC-20319-1] c 37 N85-21649

MCCANDLESS, L. C.
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c 24 N77-19171

MCCANN, D. H.
Phototransistor
[NASA-CASE-MFS-20407] c 09 N73-19235
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c 33 N81-33403

MCCANN, R. J.
Device for handling heavy loads
[NASA-CASE-XNP-04969] c 11 N69-27466

MCCARTHY, D. M.
Automatic level control circuit
[NASA-CASE-KSC-11170-1] c 33 N83-36356

MCCARTY, J. L.
Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c 14 N71-22765

MCCAUL, P. F.
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c 14 N71-23174

MCCHESNEY, J. F., JR.
High voltage distributor
[NASA-CASE-GSC-11849-1] c 33 N76-16332

MCCHESNEY, J. R.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c 32 N75-24981

MCCLEESE, D. J.
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510

MCCLENAHAN, J. O.
High speed shutter
[NASA-CASE-ARC-10516-1] c 70 N74-21300
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof
[NASA-CASE-ARC-10593-1] c 33 N74-27682

MCCLUNEY, W. R.
The 2 deg/90 deg laboratory scattering photometer
[NASA-CASE-GSC-12088-1] c 74 N78-13874

MCCLUNG, C. E.
Antenna grout replacement system
[NASA-CASE-NPO-15202-1] c 27 N83-34043

MCCLURE, J. C.
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c 26 N80-23419

MCCLURE, S. R.
Method and apparatus for holding two separate metal pieces together for welding
[NASA-CASE-GSC-12318-1] c 37 N80-23655

MCCONAUGHEY, R. T.
Star scanner
[NASA-CASE-GSC-11569-1] c 89 N74-30886

MCCONNELL, J. C.
Method of plating copper on aluminum Patent
[NASA-CASE-XLA-08966-1] c 17 N71-25903

MCCORMACK, W.
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c 15 N71-22874

MCCORMICK, C. T., JR.
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c 14 N71-26244

MCCRAW, D. L.
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c 05 N71-12345

MCCREA, F. E.
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c 09 N71-23548
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c 32 N80-32605

MCCREARY, R. A.
Parallel motion suspension device Patent
[NASA-CASE-XNP-01567] c 15 N70-41310

MCCREIGHT, L. R.
Electrophoretic sample insertion
[NASA-CASE-MFS-21395-1] c 25 N74-26948
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c 34 N74-27744

MCCUSKER, T. J.
Foldable solar concentrator Patent
[NASA-CASE-XLA-04622] c 03 N70-41580

MCDANELS, D. L.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c 17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c 17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c 17 N70-38490

MCDARIS, R. A.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c 15 N71-27067

MCDAVID, L. S.
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c 35 N74-27860

MCDERMOND, D. K.
Synchronous counter Patent
[NASA-CASE-XGS-02440] c 08 N71-19432

MCDEVITT, F. R.
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c 16 N72-12440

MCDONALD, G. E.
Nuclear fuel elements
[NASA-CASE-XLE-00209] c 22 N73-32528
Selective coating for solar panels
[NASA-CASE-LEW-12159-1] c 44 N78-19599
Method for depositing an oxide coating
[NASA-CASE-LEW-13131-1] c 44 N83-10494
Method of forming oxide coatings
[NASA-CASE-LEW-13132-1] c 27 N83-29388

MCDONALD, R. T.
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c 12 N71-26546
Respiration monitor
[NASA-CASE-FRC-10012] c 14 N72-17329

MCDOUGAL, A. R.
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c 15 N71-27432
Quick disconnect coupling
[NASA-CASE-NPO-11202] c 15 N72-25450
Rotary actuator
[NASA-CASE-NPO-10680] c 31 N73-14855
Disconnect unit
[NASA-CASE-NPO-11330] c 33 N73-26958
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c 37 N76-20480
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c 37 N81-17432
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c 37 N81-25370
Solar energy modulator
[NASA-CASE-NPO-15388-1] c 44 N84-28203

MCERLEAN, E. A.
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c 24 N75-30260

MCFADIN, L. W.
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c 35 N77-27368

MCGANNON, W. J.
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c 05 N73-27062
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c 52 N75-33640
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c 52 N80-18690

MCGEHEE, J. R.
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c 15 N70-34850
Omnidirectional multiple impact landing system Patent
[NASA-CASE-XLA-09881] c 31 N71-16085

MCGINNESS, H. D.
Suspension system for a wheel rolling on a flat track
[NASA-CASE-NPO-14395-1] c 37 N82-21587

MCGOUGH, J. T.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c 15 N71-27067
MCHAFFIE, D. J.
Extensible cable support Patent
[NASA-CASE-XMF-07587] c 15 N71-18701
MCHATTON, A. D.
Canister closing device Patent
[NASA-CASE-XLA-01446] c 15 N71-21528
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c 15 N71-24164
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c 35 N77-22449
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c 31 N79-11246
MCHENRY, R. J.
Method for forming pyrrone molding powders and products of said method
[NASA-CASE-LAR-10423-1] c 23 N82-29358
MCHENRY, T. F.
Miniature carbon dioxide sensor and methods
[NASA-CASE-MSC-13332-1] c 14 N72-21408
MCHUGH, D. P.
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c 07 N78-18067
MCINTOSH, M. J.
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c 28 N80-23471
MCKAY, R. A.
Combuster
[NASA-CASE-NPO-13958-1] c 25 N79-11151
MCKEE, C. W.
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c 34 N75-26282
MCKENNA, J. F., JR.
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c 35 N75-30504
MCKENNA, R. T.
Automatic character skew and spacing checking network
[NASA-CASE-GSC-11925-1] c 33 N76-18353
MCKENZIE, R. L.
Diatomic infrared gasdynamic laser
[NASA-CASE-ARC-10370-1] c 36 N75-31426
MCKEOWN, D.
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c 26 N77-29260
MCKEVITT, F. X.
Swirling flow nozzle Patent
[NASA-CASE-XNP-03692] c 28 N71-24321
MCKINNEY, R. L.
Self-calibrating displacement transducer Patent
[NASA-CASE-XLA-00781] c 09 N71-22999
MCKINNON, R. A.
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c 28 N70-33372
MCLAIN, J. H.
Air bearing Patent
[NASA-CASE-XMF-01887] c 15 N71-10617
MCLAUCHLAN, J. M.
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06957] c 14 N71-21088
Light position locating system Patent
[NASA-CASE-XNP-01059] c 23 N71-21821
Optical fiber coupling method and apparatus
[NASA-CASE-NPO-15464-1] c 74 N85-29749
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629
MCLEAN, F. E.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c 02 N71-12243
MCLYMAN, C. W. T.
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c 09 N72-25254
Banded transformer cores
[NASA-CASE-NPO-11966-1] c 33 N74-17928
MCLYMAN, W. T.
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c 33 N77-30365
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c 33 N81-19393
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c 33 N81-33404
Low power consumption current transducer
[NASA-CASE-NPO-16888-1-CU] c 33 N88-23937
MCMASTER, L. R.
Meteoroid detector
[NASA-CASE-LAR-10483-1] c 14 N73-32327
MCNEAR, M. F.
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c 25 N75-26043
MCNUTT, W. C.
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c 09 N71-23191
MCRONALD, A. D.
Thin film gauge
[NASA-CASE-NPO-10617-1] c 35 N74-22095
MCSMITH, D. D.
Tubing and cable cutting tool
[NASA-CASE-LAR-12786-1] c 37 N84-28085
MCSMITH, DWIGHT D.
Variable response load limiting device
[NASA-CASE-LAR-12801-1] c 37 N88-23982
MCSTAY, J. J.
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c 33 N79-18193
MCWILLIAMS, I. G.
Compact spectroradiometer
[NASA-CASE-HQN-10683] c 14 N71-34389
Two color horizon sensor
[NASA-CASE-ERC-10174] c 14 N72-25409
MCWITHEY, R. R.
Metal matrix composite structural panel construction
[NASA-CASE-LAR-12807-1] c 24 N84-11214
MEAD, D. C.
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c 09 N71-28810
MEADOR, MARY ANN
Novel ladder polymers for use as high temperature stable resins or coatings
[NASA-CASE-LEW-14203-1] c 27 N88-29984
MEADOR, T. G., JR.
Light shield and cooling apparatus
[NASA-CASE-LAR-10089-1] c 34 N74-23066
MEALY, G. E.
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c 28 N71-10574
High voltage divider system Patent
[NASA-CASE-XLE-02008] c 09 N71-21583
MEDCALF, W. A.
Gas filter mounting structure
[NASA-CASE-MSC-12297] c 14 N72-23457
MEINEL, A. B.
Compensation for primary reflector wavefront error
[NASA-CASE-NPO-16869-1CU] c 74 N86-33138
MEINEL, M. P.
Compensation for primary reflector wavefront error
[NASA-CASE-NPO-16869-1CU] c 74 N86-33138
MEINTEL, A. J., JR.
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c 14 N71-23268
MEISENHOLDER, G. W.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c 21 N70-35089
Roll attitude star sensor system Patent
[NASA-CASE-XNP-01307] c 21 N70-41856
MEISSINGER, H. F.
Method of and device for determining the characteristics and flux distribution of micrometeorites
[NASA-CASE-NPO-12127-1] c 91 N74-13130
MELAMED, L.
Angular velocity and acceleration measuring apparatus
[NASA-CASE-ERC-10292] c 14 N72-25410
MELFI, L. T., JR.
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c 14 N71-10774
Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c 14 N71-18482
MELLARS, B.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346
MELUGIN, J. F.
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c 32 N74-27612
MELVILLE, R. D. S.
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c 36 N76-18427
MENEFEE, E. O.
Three-axis controller Patent
[NASA-CASE-XAC-01404] c 05 N70-41581
Proportional controller Patent
[NASA-CASE-XAC-03392] c 03 N70-41954
MENGES, M. J.
Precipitation detector Patent
[NASA-CASE-XLA-02619] c 10 N71-26334
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c 15 N71-26721
MENICHELLI, V. J.
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c 28 N74-27425
Electroexplosive device
[NASA-CASE-NPO-13858-1] c 28 N79-11231
MENTZER, C. A.
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c 32 N76-15380
MENZIES, R. T.
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c 35 N74-11284
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c 45 N75-27585
Spectrophone stabilized laser with line center offset frequency control
[NASA-CASE-NPO-15516-1] c 36 N84-22943
Digital control of diode laser for atmospheric spectroscopy
[NASA-CASE-NPO-16000-1] c 36 N85-29264
MERHAV, S. J.
Autonomous navigation system
[NASA-CASE-ARC-11257-1] c 04 N81-21047
MERLEN, M. M.
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06957] c 14 N71-21088
MERRBAUM, S.
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c 52 N81-20703
MERRICK, V. K.
Stabilization of gravity oriented satellites Patent
[NASA-CASE-XAC-01591] c 31 N71-17729
MERRILL, J. T., IV
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c 09 N74-30597
MESCHTER, PETER
Elevated temperature aluminum alloys
[NASA-CASE-LAR-13632-1] c 26 N87-29650
MESSINEO, S. V.
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c 37 N76-21554
MESSNER, A.
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c 33 N75-19519
MESZAROS, G.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c 03 N72-11062
METCALFE, A. G.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c 18 N71-29040
METZGER, A. E.
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c 14 N73-28491
METZLER, A. J.
Black-body furnace Patent
[NASA-CASE-XLE-01399] c 33 N71-15625
MEYER, A. J., JR.
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c 15 N70-33264
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c 03 N70-33343
Space capsule Patent
[NASA-CASE-XLA-00149] c 31 N70-37938
Vehicle parachute and equipment jettison system Patent
[NASA-CASE-XLA-00195] c 02 N70-38009
Ablation structures Patent
[NASA-CASE-XMS-01816] c 33 N71-15623
Space capsule Patent
[NASA-CASE-XLA-01332] c 31 N71-15664
MEYER, J. A.
Altitude sensing device
[NASA-CASE-XMS-01994-1] c 14 N72-17320
MEYER, J. F.
Time-division multiplexer Patent
[NASA-CASE-XNP-00431] c 09 N70-38990
MEYER, K. A.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c 15 N70-34810

MEYER, T. N.
Method of producing silicon
[NASA-CASE-NPO-14382-1] c 31 N80-18231
MEYERS, J. F.
Auto covariance computer
[NASA-CASE-LAR-12968-1] c 60 N86-21154
MEYERS, JAMES F.
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761
MICALE, F. J.
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c 25 N81-19242
MICHAEL, J. E.
Connector - Electrical
[NASA-CASE-XLA-01288] c 09 N69-21470
Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c 03 N70-39930
MICHAUD, R. B.
Urine collection device
[NASA-CASE-MSC-16433-1] c 52 N81-24711
Urine collection apparatus
[NASA-CASE-MSC-18381-1] c 52 N81-28740
MICHEL, R. E.
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c 15 N71-23811
MICKA, E. Z.
Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c 38 N78-17395
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c 38 N78-17396
MICKELSEN, W. R.
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c 11 N70-33278
MIDDLETON, DAVID B.
Airplane runway performance monitoring system
[NASA-CASE-LAR-13854-1-CU] c 04 N88-24621
MIDDLETON, J. H.
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c 33 N74-10223
MIDDLETON, O.
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431
MIDDLETON, R. L.
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c 33 N71-28892
MIDDLETON, W. D.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c 02 N71-12243
MIERTSCHIN, J. L.
Radio frequency filter device
[NASA-CASE-XLA-02609] c 09 N72-25256
MIKROYANNIDIS, J. A.
Fire-resistant phosphorus containing polyimides and copolyimides
[NASA-CASE-ARC-11522-2] c 27 N85-34280
Polymer of phosphonylmethyl-2,4- and -2,6-diamino benzene and polyfunctional monomer
[NASA-CASE-ARC-11506-2] c 23 N86-32525
Fire resistant polyamide based on 1-(diorganooxyphosphonyl)methyl-2,4- and -2,6diamino benzene
[NASA-CASE-ARC-11512-2] c 27 N86-32568
MIKROYANNIDIS, JOHN A.
Fire and heat resistant laminating resins based on malemeido and citraconimido substituted 1 -2,4- and -2,6-diaminobenzenes
[NASA-CASE-ARC-11533-1] c 27 N87-23751
Fire and heat resistant laminating resins based on maleimido and citraconimido substituted 1-(diorgano oxyphosphonyl) methyl -2,4- and -2,6- diaminobenzenes
[NASA-CASE-ARC-11533-3] c 27 N87-24564
The 1-((diorganooxy phosphonyl) methyl)-2,4- and -2,6-diamino benzenes and their derivatives
[NASA-CASE-ARC-11425-2] c 23 N87-28605
MIKSZAN, D. P.
Frequency shift keying apparatus Patent
[NASA-CASE-XGS-01537] c 07 N71-23405
MIKULAS, M. M., JR.
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c 24 N78-10214
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c 24 N78-17149
Sequentially deployable maneuverable tetrahedral beam
[NASA-CASE-LAR-13098-1] c 31 N86-19479
Deployable M-braced truss structure
[NASA-CASE-LAR-13081-1] c 37 N86-32737
MIKULAS, M., JR.
Synchronously deployable truss structure
[NASA-CASE-LAR-13117-1] c 37 N86-25789
MIKULAS, MARTIN M., JR.
Deployable geodesic truss structure
[NASA-CASE-LAR-13113-1] c 31 N87-25492
Mobile remote manipulator vehicle system
[NASA-CASE-LAR-13393-1] c 54 N87-29118
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828
MILDICE, J. W.
Light radiation direction indicator with a baffle of two parallel grids
[NASA-CASE-XNP-03930] c 14 N69-24331
MILES, P. A.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
MILES, R. T.
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c 48 N80-18667
MILKULLA, V.
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c 35 N77-24454
MILLEN, E. W.
Aircraft liftmeter
[NASA-CASE-LAR-12518-1] c 06 N86-27280
MILLER, A. J.
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c 60 N78-17691
MILLER, B. A.
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c 05 N79-24976
MILLER, C. D.
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-15429-1] c 18 N84-22609
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-25429-1] c 18 N86-20469
MILLER, C. E.
Densitometer Patent
[NASA-CASE-XLE-00688] c 14 N70-41330
MILLER, C. G.
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c 73 N74-26767
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c 35 N76-18401
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c 45 N76-21742
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c 31 N77-10229
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c 33 N77-21315
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c 33 N77-21316
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c 33 N77-22386
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c 44 N77-32581
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c 44 N77-32583
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c 44 N78-10554
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c 31 N78-17238
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c 44 N78-17460
Solar pond
[NASA-CASE-NPO-13581-2] c 44 N78-31525
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c 44 N79-14529
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c 44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c 44 N79-24433
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c 33 N80-14330
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c 43 N81-26509
Sphere forming method and apparatus
[NASA-CASE-NPO-15070-1] c 31 N83-35176
MILLER, D. P.
Controllers Patent
[NASA-CASE-XMS-07487] c 15 N71-23255
MILLER, E.
Synchronized voltage contrast display analysis system
[NASA-CASE-NPO-14567-1] c 33 N83-18996
MILLER, E. L.
Electronic system for high power load control
[NASA-CASE-NPO-15358-1] c 33 N83-27126
MILLER, H. B.
Compensating radiometer
[NASA-CASE-XLA-04556] c 14 N69-27484
Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c 14 N71-22989
Spherical measurement device
[NASA-CASE-XLA-06683] c 14 N72-28436
MILLER, I. M.
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540
MILLER, J. A., JR.
Method of forming difunctional polyisobutylene
[NASA-CASE-NPO-10893] c 27 N73-22710
MILLER, J. C.
Apparatus for detecting the amount of material in a resonant cavity container Patent
[NASA-CASE-XNP-02500] c 18 N71-27397
MILLER, J. E.
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c 07 N72-11149
MILLER, J. G.
Ultrasonic calibration device
[NASA-CASE-LAR-11435-1] c 35 N76-15432
MILLER, J. L.
Boring bar drive mechanism Patent
[NASA-CASE-XLA-03661] c 15 N71-33518
MILLER, P. C.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c 17 N71-20743
MILLER, R. A.
Corrosion resistant thermal barrier coating
[NASA-CASE-LEW-13088-1] c 26 N81-25188
MILLER, W. E.
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c 44 N82-32841
MILLER, WILLIAM E.
Thermal remote anemometer system
[NASA-CASE-LAR-13508-1] c 35 N88-23962
MILLER, WILSON N.
Hermetically sealable package for hybrid solid-state electronic devices and the like
[NASA-CASE-MSC-20181-1] c 33 N88-23941
MILLIGAN, G. C.
Digital memory sense amplifying means Patent
[NASA-CASE-XNP-01012] c 08 N71-28925
MILLIKEN, D. B.
Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c 14 N71-28935
MILLIKEN, J. F.
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c 14 N71-22752
MILLS, M. K.
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c 07 N71-19854
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c 07 N71-27233
MILLS, R. C., SR.
Method of repairing hidden leaks in tubes
[NASA-CASE-MFS-19796-1] c 37 N86-32736
MILLS, S. M.
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c 09 N69-39984
Apparatus for microbiological sampling
[NASA-CASE-LAR-11069-1] c 35 N75-12272
Automatic inoculating apparatus
[NASA-CASE-LAR-11074-1] c 51 N75-13502
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c 35 N75-27330
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c 35 N75-33368
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c 51 N77-27677
MILLY, J. J.
Satellite despin device Patent
[NASA-CASE-XMF-08523] c 31 N71-20396
MIN, NAMKUNG
Method and apparatus for non-destructive testing of temper embrittlement in steels
[NASA-CASE-LAR-13817-1] c 26 N88-29012
MINA, CESAR
Airborne tracking sunphotometer apparatus and system
[NASA-CASE-ARC-11622-1] c 44 N88-14492
MINDERMAN, P. A.
Liquid hydrogen polygeneration system and process
[NASA-CASE-KSC-11304-2] c 28 N86-23744
MINEO, BETH
Rapid quantification of an internal property
[NASA-CASE-LAR-13689-1-NP] c 35 N87-23941
MINKIN, H. L.
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c 14 N70-42074

MINOTT, P. O.
Retrodirective optical system
[NASA-CASE-XGS-04480] c 16 N69-27491
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c 14 N71-15605
Multiprism collimator
[NASA-CASE-GSC-12608-1] c 74 N83-10900
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c 74 N83-32577
High speed multi focal plane optical system
[NASA-CASE-GSC-12683-1] c 74 N83-36898
Dual aperture multispectral Schmidt objective
[NASA-CASE-GSC-12756-1] c 74 N84-23248
MINTER, E. J.
Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c 37 N76-18454
MINTON, F. R.
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c 74 N77-10899
MINTON, U. O.
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c 74 N77-10899
MIRTICH, M. J.
Modification of the electrical and optical properties of polymers
[NASA-CASE-LEW-13027-1] c 27 N80-24437
Surface texturing of fluoropolymers
[NASA-CASE-LEW-13028-1] c 27 N82-33521
Deposition of diamondlike carbon films
[NASA-CASE-LEW-14080-1] c 31 N85-20153
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-1] c 27 N86-19458
Apparatus for producing oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-2] c 27 N86-32569
MIRTICH, M. J., JR.
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c 72 N80-33186
MIRTICH, MICHAEL J.
Heat exchanger for electrothermal devices
[NASA-CASE-LEW-14037-1] c 20 N87-16875
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736
MISERENTINO, R.
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c 35 N80-14371
MITCHELL, D. K.
Borescope with variable angle scope
[NASA-CASE-MFS-15162] c 14 N72-32452
MITCHELL, F. R.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c 21 N70-36938
MITCHELL, G. A.
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c 02 N74-20646
MITCHELL, N. M.
Method and apparatus for detection and location of microleaks Patent
[NASA-CASE-XMF-02307] c 14 N71-10779
MITCHELL, V. M.
Digital cardiotachometer system Patent
[NASA-CASE-XMS-02399] c 05 N71-22896
MITCHUM, L. L., JR.
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c 07 N70-40202
MIXSON, J. S.
Ring wing tension vehicle Patent
[NASA-CASE-XLA-04901] c 31 N71-24315
MOACANIN, J.
Ionene membrane separator
[NASA-CASE-NPO-11091] c 18 N72-22567
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c 37 N76-31524
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c 74 N81-17887
Broadband optical radiation detector
[US-PATENT-4,262,198] c 74 N83-19597
MOCKOVCIAK, JOHN, JR.
Sun shield
[NASA-CASE-MSC-20162-1] c 37 N87-17036
MOECKEL, W. E.
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c 28 N70-33356
MOEDE, L. W.
Wide range analog-to-digital converter with a variable gain amplifier
[NASA-CASE-NPO-11018] c 08 N72-21200
Digital control and information system
[NASA-CASE-NPO-11016] c 08 N72-31226
MOEN, W. K.
Self-cycling fluid heater
[NASA-CASE-MSC-15567-1] c 33 N73-16918
MOFFITT, F. L.
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c 14 N71-26474
MOGAVERO, L. N.
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c 17 N78-17140
MONAGHAN, R. C.
Inflatable device for installing strain gage bridges
[NASA-CASE-FRC-11068-1] c 35 N84-12443
MONDT, J. F.
Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c 73 N77-18891
MONFORD, L. G., JR.
Radiometric temperature reference Patent
[NASA-CASE-MSC-13276-1] c 14 N71-27058
Multifunction audio digitizer
[NASA-CASE-MSC-13855-1] c 35 N74-17885
Digital communication system
[NASA-CASE-MSC-13912-1] c 32 N74-30524
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c 60 N76-23850
MONSON, D. J.
Dual-beam skin friction interferometer
[NASA-CASE-ARC-11354-1] c 74 N83-21949
MONTEITH, J. H.
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c 14 N73-13415
MONTEITH, L. K.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c 35 N76-22509
MONTGOMERY, L. C.
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c 27 N70-41897
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c 14 N71-20461
MONTGOMERY, L. D.
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c 35 N76-24525
MONTOYA, L. C.
System for use in conducting wake investigation for a wing in flight
[NASA-CASE-FRC-11024-1] c 02 N80-28300
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c 06 N81-17057
MOODY, D. L., JR.
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c 35 N76-24525
MOONEY, V.
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c 52 N79-26772
MOOPENN, ALEXANDER W.
Hybrid analog-digital associative neural network
[NASA-CASE-NPO-17058-1-CU] c 62 N87-25803
MOORE, C. D.
Waveform simulator Patent
[NASA-CASE-NPO-10251] c 10 N71-27365
MOORE, DENNIS R.
Fatigue testing a plurality of test specimens and method
[NASA-CASE-MFS-28118-1] c 39 N87-25601
MOORE, H. D.
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c 09 N71-10673
MOORE, R. C.
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c 33 N77-24375
MOORE, R. L.
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c 21 N71-21688
Rotary actuator
[NASA-CASE-NPO-10680] c 31 N73-14855
MOORE, T. C.
Strain gage calibration
[NASA-CASE-LAR-12743-1] c 35 N84-28019
MOORE, T. J.
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c 15 N73-28515
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c 15 N73-32358
Production of hollow components for rolling element bearings by diffusion welding
[NASA-CASE-LEW-11026-1] c 15 N73-33383
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c 37 N74-11300
Diffusion welding in air
[NASA-CASE-LEW-11387-1] c 37 N74-18128
MOORE, THOMAS C.
Crossflow vorticity sensor
[NASA-CASE-LAR-13436-1-CU] c 02 N88-23759
MOORE, W. A.
Journal bearings
[NASA-CASE-LEW-11076-1] c 37 N74-21061
Journal Bearings
[NASA-CASE-LEW-11076-2] c 37 N74-32921
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c 37 N75-30562
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c 37 N76-15461
MORALES, SERGIO
Local area network with fault-checking, priorities and redundant backup
[NASA-CASE-NPO-16949-1-CU] c 62 N87-19021
MORANDO, J. A.
Hydraulic transformer Patent
[NASA-CASE-MFS-20830] c 15 N71-30028
MORDECAI, T. T.
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c 12 N71-20815
MORECROFT, J. H.
Incremental motion drive system Patent
[NASA-CASE-XNP-08897] c 15 N71-17694
MORELLI, F. A.
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c 27 N70-41897
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c 14 N71-20461
MOREMAN, O. S., III
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c 37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c 37 N77-32501
MORGAN, C. J.
Workpiece positioning vise
[NASA-CASE-GSC-12762-1] c 37 N84-28083
MORGAN, I. T., JR.
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c 19 N76-22284
MORGAN, J. E.
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c 54 N78-32720
MORGAN, L. E.
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c 32 N83-13323
MORGAN, W. C.
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c 15 N71-10577
MORISSETTE, S.
Junction range finder
[NASA-CASE-KSC-10108] c 14 N73-25461
MORRELL, G.
Method for continuous variation of propellant flow and thrust in propulsive devices Patent
[NASA-CASE-XLE-00177] c 28 N70-40367
MORRIS, D. E.
Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c 06 N72-25151
Polymerizable disilanols having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c 06 N73-32030
MORRIS, J. F.
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c 25 N69-39884
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c 35 N77-32454
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c 35 N79-14346
High thermal power density heat transfer
[NASA-CASE-LEW-12950-1] c 34 N82-11399
Heat pipes containing alkali metal working fluid
[NASA-CASE-LEW-12253-1] c 74 N83-19596
Thermionic energy converters
[NASA-CASE-LEW-12443-1] c 44 N83-32175
High thermal power density heat transfer apparatus providing electrical isolation at high temperature using heat pipes
[NASA-CASE-LEW-12950-2] c 34 N85-29179
MORRIS, J. R.
Difference circuit Patent
[NASA-CASE-XNP-08274] c 10 N71-13537
MORRIS, P. W.
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c 43 N80-14423
MORRIS, THOMAS F.
Fatigue testing a plurality of test specimens and method
[NASA-CASE-MFS-28118-1] c 39 N87-25601
MORRISETTE, E. L.
Powder fed sheared dispersal particle generator
[NASA-CASE-LAR-12785-1] c 37 N84-16561

MORRISON, A. D.
Low defect, high purity crystalline layers grown by selective deposition
[NASA-CASE-NPO-15813-1] c 76 N85-30922
Ribbon growing method and apparatus
[NASA-CASE-NPO-16306-1-CU] c 76 N85-30934
MORRISON, ANDREW D.
Method for growing low defect, high purity crystalline layers utilizing lateral overgrowth of a patterned mask
[NASA-CASE-NPO-15813-2] c 76 N87-15882
Total immersion crystal growth
[NASA-CASE-NPO-15800-2] c 76 N87-23286
Liquid encapsulated crystal growth
[NASA-CASE-NPO-16808-1-CU] c 76 N87-25868
MORRISON, H. D.
Anti-fog composition
[NASA-CASE-MSC-13530-2] c 23 N75-14834
MORSE, C. P.
Method and device for cooling Patent
[NASA-CASE-HQN-00938] c 33 N71-29053
MORSE, H. ANDREW
Swashplate control system
[NASA-CASE-ARC-11633-1] c 08 N87-23631
MORTENSEN, L. O.
Impact monitoring apparatus
[NASA-CASE-MSC-15626-1] c 14 N72-25411
MOSER, B. G.
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c 14 N71-23226
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c 03 N72-28025
Polymeric compositions and their method of manufacture
[NASA-CASE-NPO-10424-1] c 27 N81-24258
MOSER, J. C.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c 31 N71-15566
MOSIER, B.
Pressed disc type sensing electrodes with ion- screening means Patent
[NASA-CASE-XMS-04212-1] c 05 N71-12346
Plated electrodes Patent
[NASA-CASE-XMS-04213-1] c 09 N71-26002
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c 05 N72-25120
MOSIER, J. R.
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c 06 N71-23499
MOSSOLANI, D. L.
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c 37 N78-27425
MOUNTVALA, A. J.
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c 18 N71-16124
MOYER, X. W.
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c 15 N71-24600
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c 03 N73-20039
MOYERS, C. V.
System for sterilizing objects
[NASA-CASE-KSC-11085-1] c 54 N81-24724
MOYNIHAN, P. I.
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c 25 N82-11144
MOYNIHAN, PHILIP I.
Sample levitation and melt in microgravity
[NASA-CASE-NPO-17022-1-CU] c 29 N87-25489
MROZ, T. S.
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c 34 N78-27357
MUEHTER, P. P.
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c 54 N75-27761
MUELLER, R. I.
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c 44 N80-14474
MUELLER, R. L.
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c 44 N79-17314
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431
MUELLER, W. A.
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c 27 N77-30236
Dialysis system
[NASA-CASE-NPO-14101-1] c 52 N80-14687
Sewage sludge additive
[NASA-CASE-NPO-13877-1] c 45 N82-11634
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900
MUGLER, S. W.
Precipitation detector Patent
[NASA-CASE-XLA-02619] c 10 N71-26334
MULHERN, J. E., JR.
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c 07 N72-21119
MULLEN, D. L.
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c 10 N71-12554
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c 09 N71-24808
MULLEN, L. O.
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c 15 N72-25447
MULLEN, P. G.
Multicomputer communication system
[NASA-CASE-NPO-15433-1] c 32 N85-21428
MULLER, K.
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c 33 N75-29318
MULLER, R. M.
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c 38 N77-17495
MULLIKEN, R. F.
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c 24 N74-30001
MUMOLA, P. B.
Laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c 36 N75-19655
MUNFORD, J. A.
Laser measuring system for incremental assemblies
[NASA-CASE-GSC-12321-1] c 36 N82-16396
MUNOZ, R. M.
High efficiency multivibrator Patent
[NASA-CASE-XAC-00942] c 10 N71-16042
Nonlinear analog-to-digital converter Patent
[NASA-CASE-XAC-04031] c 08 N71-18594
Demodulation system Patent
[NASA-CASE-XAC-04030] c 10 N71-19472
Phase quadrature-plural channel data transmission system Patent
[NASA-CASE-XAC-06302] c 08 N71-19763
Continuous Fourier transform method and apparatus
[NASA-CASE-ARC-10466-1] c 60 N75-13539
MUNSON, R. E.
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c 32 N74-20864
MURACA, R. F.
Apparatus for testing polymeric materials Patent
[NASA-CASE-XNP-09699] c 06 N71-24607
Procedure and apparatus for determination of water in nitrogen tetroxide
[NASA-CASE-NPO-10234] c 06 N72-17094
MURCH, R. M.
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent
[NASA-CASE-HQN-10364] c 06 N71-27363
MURPHY, A. J.
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c 37 N74-21060
MURPHY, D. W.
Frangible link
[NASA-CASE-MSC-11849-1] c 15 N72-22488
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c 20 N80-18097
MURPHY, F. L.
Bimetallic power controlled actuator
[NASA-CASE-XNP-09776] c 09 N69-39929
MURPHY, J. P.
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c 35 N77-20399
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c 15 N82-24272
MURPHY, W. J.
Barium release system
[NASA-CASE-LAR-10670-1] c 06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c 15 N74-27360
MURRI, DANIEL G.
Actuated forebody strakes
[NASA-CASE-LAR-13983-1] c 05 N88-24628
MURTY, M. V. R. K.
Concave grating spectrometer Patent
[NASA-CASE-XGS-01036] c 14 N70-40003
MUSICK, R. O.
Two-axis controller Patent
[NASA-CASE-XFR-04104] c 03 N70-42073
MUSSETT, E. W.
Device for separating occupant from an ejection seat Patent
[NASA-CASE-XMS-04625] c 05 N71-20718
MYERS, D. A.
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c 05 N71-11203
MYERS, I. T.
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c 33 N78-32341
MYERS, W. N.
Duct coupling for single-handed operation Patent
[NASA-CASE-MFS-20395] c 15 N71-24903
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c 37 N77-12402
Spherical bearing
[NASA-CASE-MFS-23447-1] c 37 N79-11404
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c 44 N82-24639
Resilient seal ring assembly with spring means applying force to wedge member
[NASA-CASE-MFS-25678-1] c 37 N84-11497
MYERS, W. NEILL
Orbital maneuvering end effectors
[NASA-CASE-MFS-28161-1] c 37 N87-18817
MYERS, WILLIAM N.
Tube coupling device
[NASA-CASE-MFS-25964-2] c 37 N87-22977

N

NAESETH, R. L.
Aeroflexible structures
[NASA-CASE-XLA-06095] c 01 N69-39981
NAGANO, S.
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c 33 N78-10377
Module failure isolation circuit for paralleled inverters
[NASA-CASE-NPO-14000-1] c 33 N79-24254
Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c 33 N79-24257
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c 33 N81-14220
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c 60 N81-15706
Low current linearization of magnetic amplifier for dc transducer
[NASA-CASE-NPO-14617-1] c 33 N81-24338
NAGLE, W. J.
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c 44 N78-14625
Toroidal cell and battery
[NASA-CASE-LEW-12918-1] c 44 N81-24521
Additive for zinc electrodes
[NASA-CASE-LEW-13286-1] c 33 N84-14422
NAGY, K.
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
NAGY, KORNEL
Preloaded brake disc
[NASA-CASE-MSC-21132-1] c 37 N88-29181
NAIDITCH, S.
Method of producing crystalline materials
[NASA-CASE-NPO-10440] c 15 N72-21466
NAKADA, M. P.
Time of flight mass spectrometer with feedback means from the detector to the low source and a specific counter Patent
[NASA-CASE-XNP-01056] c 14 N71-23041
NAKAMURA, H. H.
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c 18 N71-16124
NAKANISHI, S.
Ion thruster cathode Patent Application
[NASA-CASE-LEW-10814-1] c 28 N70-35422
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c 25 N71-21694
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c 28 N71-26642
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c 28 N71-26781
Single grid accelerator for an ion thrustor
[NASA-CASE-XLE-10453-2] c 28 N73-27699
NAKANISHI, SHIGEO
Precision tunable resonant microwave cavity
[NASA-CASE-LEW-13935-1] c 33 N87-21234
NAKICH, R. B.
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c 36 N74-20009
Digital servo control of random sound test excitation
[NASA-CASE-NPO-11623-1] c 71 N74-31148

NANCE, H. M.
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c 09 N71-28886
NAPLES, J. F.
Method for forming plastic materials Patent
[NASA-CASE-XMS-05516] c 15 N71-17803
NARASIMHAN, K. Y.
System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c 39 N80-10507
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c 31 N80-32584
NASH, D. O.
Sound-suppressing structure with thermal relief
[NASA-CASE-LEW-12658-1] c 71 N79-14871
NASON, G. H.
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c 09 N71-18720
NASUTI, A. J.
Test fixture for pellet-like electrical elements
[NASA-CASE-XNP-06032] c 09 N69-21926
Support structure for irradiated elements Patent
[NASA-CASE-XNP-06031] c 15 N71-15606
NATHAN, R.
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c 31 N80-32584
NAUMANN, E. C.
Fatigue testing device Patent
[NASA-CASE-XLA-02131] c 32 N70-42003
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c 33 N71-24276
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c 32 N71-26681
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c 10 N73-20253
NAUMANN, R. J.
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c 12 N72-21310
Carbon monoxide monitor
[NASA-CASE-MFS-22060-1] c 35 N75-29380
Containerless high purity pulling process and apparatus for glass fiber
[NASA-CASE-MFS-25905-2] c 31 N86-21718
NAUMANN, ROBERT J.
Space ultra-vacuum facility and method of operation
[NASA-CASE-MFS-28139-1] c 29 N87-18679
Quasi-containerless glass formation method and apparatus
[NASA-CASE-MFS-28090-1] c 27 N87-21111
Method and apparatus for growing crystals
[NASA-CASE-MFS-28137-1] c 76 N88-24544
Liquid encapsulated float zone process and apparatus
[NASA-CASE-MFS-28144-1] c 76 N88-24545
NEAL, P. F.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c 15 N71-27067
NEALY, J. E.
Combustion detector
[NASA-CASE-LAR-10739-1] c 14 N73-16484
NELSON, B.
Deflective rod switch with elastic support and sealing means Patent
[NASA-CASE-XNP-09808] c 09 N71-12518
NELSON, B. W.
Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c 15 N71-26673
NELSON, C. A.
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c 10 N71-19547
NELSON, C. H.
Ablation sensor
[NASA-CASE-XLA-01781] c 14 N69-39975
Reentry communication by material addition Patent
[NASA-CASE-XLA-01552] c 07 N71-11284
NELSON, C. W.
X-ray determination of parts alignment
[NASA-CASE-MSC-20418-1] c 74 N86-20126
NELSON, D. E.
Convoluting device for forming convolutions and the like Patent
[NASA-CASE-XNP-05297] c 15 N71-23811
NELSON, E. P.
Safety-type locking pin
[NASA-CASE-MFS-18495] c 15 N72-11385
NELSON, H. H.
Telemetry word forming unit
[NASA-CASE-XNP-09225] c 09 N69-24333
NELSON, M. D.
Optical fiber coupling method and apparatus
[NASA-CASE-NPO-15464-1] c 74 N85-29749
NELSON, W. J.
Slosh alleviator Patent
[NASA-CASE-XLA-05749] c 15 N71-19569
NERAD, B. A.
Glass heating panels and method for preparing the same from architectural reflective glass
[NASA-CASE-NPO-15753-1] c 27 N84-33589
NERHEIM, N. M.
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c 36 N75-32441
NERHEIM, NOBLE M.
Closed loop fiber optic rotation sensor
[NASA-CASE-NPO-16558-1-CU] c 74 N87-23259
NESMITH, M. F.
Self-locking telescoping manipulator arm
[NASA-CASE-MFS-25906-1] c 37 N86-20789
NESMITH, MALCOLM F.
Self indexing latch system
[NASA-CASE-MFS-25956-1] c 37 N87-21333
NEUGEBAUER, M.
Ion mass spectrometer
[NASA-CASE-NPO-15423-1] c 35 N84-28016
NEWBY, D. T.
Hole cutter
[NASA-CASE-MFS-22649-1] c 37 N75-25186
NEWCOMB, A. L., JR.
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c 14 N69-27461
Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c 09 N70-34559
Variable duration pulse integrator Patent
[NASA-CASE-XLA-01219] c 10 N71-23084
Variable width pulse integrator Patent
[NASA-CASE-XLA-03356] c 10 N71-23315
Attitude sensor
[NASA-CASE-LAR-10586-1] c 19 N74-15089
NEWCOMB, J. F.
Null device for hand controller Patent
[NASA-CASE-XLA-01808] c 15 N71-20740
NEWCOMB, W. L.
Quick release separation mechanism Patent
[NASA-CASE-XLA-01441] c 15 N70-41679
NEWCOMBE, C. A.
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c 15 N69-24322
NEWMAN, D. F.
Test stand system for vacuum chambers
[NASA-CASE-MFS-21362] c 11 N73-20267
NEWMAN, J. B.
Catalyst bed removing tool Patent
[NASA-CASE-XFR-00811] c 15 N70-36901
NEWMAN, J. M.
New polymers of perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c 06 N70-11251
Polymers of perfluorobutadiene and method of manufacture
[NASA-CASE-NPO-10863-2] c 06 N72-25152
NIBLEY, D. A.
Method for detecting coliform organisms
[NASA-CASE-ARC-11322-1] c 51 N83-28849
NICHOLS, F. W.
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c 44 N81-14389
NICHOLS, G. B.
Apparatus for controlling the velocity of an electromechanical drive for interferometers and the like Patent
[NASA-CASE-XGS-03532] c 14 N71-17627
Apparatus for phase stability determination Patent
[NASA-CASE-XGS-01118] c 10 N71-23662
NICHOLS, G. H.
Aircraft canopy lock
[NASA-CASE-FRC-11065-1] c 05 N83-19737
NICHOLS, J. J.
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c 14 N70-34705
NICHOLS, M. R.
Nacelle afterbody for jet engines Patent
[NASA-CASE-XLA-10450] c 28 N71-21493
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c 07 N77-28118
NICKLAS, J. C.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c 31 N70-41855
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c 14 N71-23040
NICOL, W. S.
Vapor deposition apparatus
[NASA-CASE-HQN-10462] c 25 N75-29192
NIEDRA, J. M.
Pulse coupling circuit
[NASA-CASE-LEW-10433-1] c 09 N72-22197
NIEDZWIECKI, R. W.
Swirl can primary combustor
[NASA-CASE-LEW-11326-1] c 23 N73-30665
Controlled separation combustor
[NASA-CASE-LEW-11593-1] c 20 N76-14190
NIELSON, T. L.
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c 15 N71-24679
NIER, A. O.
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c 35 N77-14406
NIESSEN, F. R.
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c 08 N79-23097
NIR, Z.
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-1] c 24 N86-19380
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-2] c 27 N86-27451
NISEN, D. B.
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c 35 N81-19426
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650
NISHIOKA, K.
Method for detecting coliform organisms
[NASA-CASE-ARC-11322-1] c 51 N83-28849
NISSIM, E.
Suppression of flutter
[NASA-CASE-LAR-10682-1] c 02 N73-26004
NISWANDER, J. K.
Memory-based frame synchronizer
[NASA-CASE-GSC-12430-1] c 60 N82-16747
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-2] c 60 N84-28491
NITTA, H.
High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c 15 N70-34817
NIXON, D. L.
Parabolic reflector horn feed with spillover correction Patent
[NASA-CASE-XNP-00540] c 09 N70-35382
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c 09 N71-23548
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c 14 N73-13420
NOBLE, R. M.
Solenoid construction Patent
[NASA-CASE-XNP-01951] c 09 N70-41929
NOLA, F. J.
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c 09 N71-23188
Positive dc to negative dc converter Patent
[NASA-CASE-XMF-08217] c 03 N71-23239
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c 10 N71-24861
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c 09 N71-24904
Redundant speed control for brushless Hall effect motor
[NASA-CASE-MFS-20207-1] c 09 N73-32107
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c 10 N73-32145
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c 33 N75-15874
Tachometer
[NASA-CASE-MFS-23175-1] c 35 N77-30436
Power factor control system for AC induction motors
[NASA-CASE-MFS-23280-1] c 33 N78-10376
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c 33 N81-12330
Electrical power generating system
[NASA-CASE-MFS-24368-3] c 33 N81-22280
Power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c 33 N81-27395
Motor power factor controller with a reduced voltage starter
[NASA-CASE-MFS-25586-1] c 33 N82-11360
Electrical power generating system
[NASA-CASE-MFS-25302-1] c 33 N83-28319
Triac failure detector
[NASA-CASE-MFS-25607-1] c 33 N83-34190
Control system for an induction motor with energy recovery
[NASA-CASE-MFS-25477-1] c 33 N84-14424
Pulsed thyristor trigger control circuit
[NASA-CASE-MFS-25616-1] c 33 N84-16455

Three phase power factor controller
[NASA-CASE-MFS-25535-2] c 33 N84-22885
Motor power control circuit for ac induction motors
[NASA-CASE-MFS-25323-1] c 33 N84-22886
Phase detector for three-phase power factor controller
[NASA-CASE-MFS-25854-1] c 33 N84-27975
Coupling an induction motor type generator to ac power lines
[NASA-CASE-MFS-25302-2] c 33 N84-33660
Three-phase power factor controller with induced EMF sensing
[NASA-CASE-MFS-25852-1] c 33 N84-33661
Solar powered actuator with continuously variable auxiliary power control
[NASA-CASE-MFS-25637-1] c 44 N85-21769

NOLA, FRANK J.
Four quadrant control circuit for a brushless three-phase dc motor
[NASA-CASE-MFS-28080-1] c 33 N87-21233
Bidirectional control system for energy flow in solar powered flywheel
[NASA-CASE-MFS-25978-1] c 44 N87-21410

NOONAN, K. W.
Family of airfoil shapes for rotating blades
[NASA-CASE-LAR-12843-1] c 02 N84-11136
High lift, low pitching moment airfoils
[NASA-CASE-LAR-13215-1] c 02 N87-14282

NORD, D. B.
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c 15 N71-20443

NORDEN, B. N.
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c 16 N71-15565
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c 16 N73-30476

NOREEN, S. J.
Spherical shield Patent
[NASA-CASE-XNP-01855] c 15 N71-28937

NORGREN, C. T.
Colloid propulsion method and apparatus Patent
[NASA-CASE-XLE-00817] c 28 N70-33265
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c 28 N71-28915

NORIKANE, LYNNE
Data volume reduction for imaging radar polarimetry
[NASA-CASE-NPO-17184-1-CU] c 32 N88-26541

NORK, C. L.
Sight switch using an infrared source and sensor Patent
[NASA-CASE-XMF-03934] c 09 N71-22985

NORMAN, R. M.
Vibration isolation system using compression springs
[NASA-CASE-NPO-11012] c 15 N72-11391
Expansible support means
[NASA-CASE-NPO-11059] c 15 N72-17454
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c 37 N76-20480

NORRIS, D. D.
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184

NORTON, R. H.
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c 28 N71-27095
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c 14 N73-19420
Interferometer
[NASA-CASE-NPO-14448-1] c 74 N81-29963

NORWOOD, J., JR.
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c 25 N71-29184

NOSSEN, E. J.
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c 33 N76-16331

NOVOTNY, J. E.
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c 14 N72-27411

NUSBAUM, W. J.
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c 14 N70-40201

O

OAKLEY, E. C.
RF-source resistance meters
[NASA-CASE-NPO-11291-1] c 14 N73-30388

OBARA, CLIFFORD J.
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793

OBERSCHMIDT, M.
Flow test device
[NASA-CASE-XMS-04917] c 14 N69-24257

OBLER, H. D.
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c 31 N74-27902
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c 31 N80-32583
Variable speed drive
[NASA-CASE-GSC-12643-1] c 37 N83-26078

OBRAN, J. P.
Process for the preparation of polycarboranylphosphazenes
[NASA-CASE-ARC-11176-2] c 27 N81-27271

OBRIEN, D. E., III
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c 32 N74-27612

OBRIEN, J. P.
Carboranylcyclotriphosphazenes and their polymers
[NASA-CASE-ARC-11176-1] c 27 N82-18389

OCONNER, B. J.
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c 04 N76-26175

OCONNOR, E. W.
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c 77 N75-20139

OCONNOR, J. W.
Fastener stretcher
[NASA-CASE-GSC-11149-1] c 15 N73-30457

ODELL, H. G.
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c 09 N71-23191

ODONNELL, P. M.
Corrosion resistant beryllium Patent
[NASA-CASE-LEW-10327] c 17 N71-33408

ODONNELL, T. J.
Spherically-shaped rocket motor Patent
[NASA-CASE-XHQ-01897] c 28 N70-35381

OERTEL, G. K.
Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c 15 N71-21060
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c 23 N71-23976

OFARRELL, H. W.
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c 44 N79-19447

OFFIK, W. G.
Emergency escape system Patent
[NASA-CASE-XKS-02342] c 05 N71-11199

OGDEN, H. F.
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c 14 N70-36824
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c 15 N70-37925

OGDEN, H. R.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c 17 N71-20743

OGLE, J. S.
Whole body measurement systems
[NASA-CASE-MSC-13972-1] c 52 N74-10975

OHLSON, J. E.
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c 32 N75-24982
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c 32 N79-13214

OKANE, J. H.
Pressure suit tie-down mechanism Patent
[NASA-CASE-XMS-00784] c 05 N71-12335

OKANE, JAMES H.
Hatch cover
[NASA-CASE-MSC-21356-1] c 18 N88-24671

OKEAN, H. C.
High-Q bandpass resonators utilizing bandstop resonator pairs
[NASA-CASE-GSC-10990-1] c 09 N73-26195

OKEEFE, W. J.
Head-up attitude display
[NASA-CASE-ERC-10392] c 21 N73-14692

OKELLY, K. P.
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c 37 N76-18455

OKUNOLA, O.
GaAs Schottky barrier photo-responsive device and method of fabrication
[NASA-CASE-GSC-12816-1] c 76 N86-20150

OLCOTT, J. W.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c 05 N75-12930

OLDRIEVE, R. E.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c 17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c 17 N70-38198
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c 26 N78-18182

OLIVER, CHARLES E.
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959

OLIVER, G. D.
Scanning nozzle plating system
[NASA-CASE-NPO-11758-1] c 31 N74-23065

OLIVER, R. E.
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c 07 N73-14130

OLIVER, R. L.
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c 03 N72-25019

OLLENDORF, S.
Structural heat pipe
[NASA-CASE-GSC-11619-1] c 34 N75-12222
Thermal control canister
[NASA-CASE-GSC-12253-1] c 34 N79-31523

OLLING, E. H.
Radial module space station Patent
[NASA-CASE-XMS-01906] c 31 N70-41373

OLSASKY, M. J.
Laser camera and diffusion filter therefore Patent
[NASA-CASE-NPO-10417] c 16 N71-33410

OLSEN, W. A., JR.
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c 12 N69-39988
Hot wire liquid level detector for cryogenic fluids Patent
[NASA-CASE-XLE-00454] c 23 N71-17802

OLSON, W. T.
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c 28 N70-34788

OLTMANS, D. A.
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c 10 N71-12554

ONEAL, JAMES E.
Elevated temperature aluminum alloys
[NASA-CASE-LAR-13632-1] c 26 N87-29650

ONEIL, R. L.
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c 35 N76-22509

ONEILL, R. W.
Monostable multivibrator with complementary NOR gates Patent
[NASA-CASE-MSC-13492-1] c 10 N71-28860
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c 33 N75-18479

ORAN, W. A.
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c 71 N81-15767
Gas levitator having fixed levitation node for containerless processing
[NASA-CASE-MFS-25509-1] c 35 N83-24828

OREILLY, W. J.
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c 05 N71-11203

OREM, V. C.
Fastener stretcher
[NASA-CASE-GSC-11149-1] c 15 N73-30457

ORIENT, OTTO J.
Generation of intense negative ion beams
[NASA-CASE-NPO-16061-1-CU] c 72 N87-21660
Variable energy, high flux, ground-state atomic oxygen source
[NASA-CASE-NPO-16640-1-CU] c 72 N87-21661

ORILLION, A. G.
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c 28 N71-27585

ORLIK, F. W.
Pressure seal Patent
[NASA-CASE-NPO-10796] c 15 N71-27068

ORLOFF, K. L.
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c 36 N76-14447
Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c 74 N83-13978

ORMISTON, R. A.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c 05 N77-17029

ORNER, J. W.
Method and apparatus for detecting gross leaks Patent
[NASA-CASE-ERC-10033] c 14 N71-26672

OROURKE, T. E., JR.
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c 15 N71-23022
ORTH, N. W.
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c 17 N71-24142
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-1] c 24 N81-17170
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-2] c 24 N81-26179
OSHER, J. V.
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c 33 N76-19338
OSMUNDSON, J.
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c 36 N75-19654
OSTROFF, A. J.
Star image motion compensator
[NASA-CASE-LAR-10523-1] c 14 N72-22444
OSTROFF, J.
Rotary actuator
[NASA-CASE-NPO-10244] c 15 N72-26371
OSULLIVAN, W. J., JR.
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c 15 N70-36409
Self supporting space vehicle Patent
[NASA-CASE-XLA-00117] c 31 N71-17680
Thermal control wall panel Patent
[NASA-CASE-XLA-01243] c 33 N71-22792
Thermal control panel Patent
[NASA-CASE-XLA-07728] c 33 N71-22890
OTHMAN, T. E.
Safety-type locking pin
[NASA-CASE-MFS-18495] c 15 N72-11385
OTOSHI, T. Y.
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c 14 N73-13420
OTTO, G. H.
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c 18 N73-32437
OUTLAW, R. A.
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c 35 N74-15092
Precision manipulator heating and cooling apparatus for use in UHV systems with sample transfer capability
[NASA-CASE-LAR-13040-1] c 37 N85-29286
OWEN, JAMES W.
Low temperature storage container for transporting perishables to space station
[NASA-CASE-MFS-28248-1] c 31 N88-24817
OWEN, R. B.
Collimated beam manifold with the number of output beams variable at a given output angle
[NASA-CASE-MFS-25312-1] c 74 N83-17305
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c 36 N83-29680
Double window viewing chamber assembly
[NASA-CASE-MFS-28057-1] c 09 N87-14355
OWEN, ROBERT B.
Laser schlieren crystal monitor
[NASA-CASE-MFS-28060-1] c 76 N87-25862
OWENS, L. J.
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c 52 N77-25772
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c 54 N77-30749
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c 44 N78-32542
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c 74 N79-12890
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c 52 N79-26772
OWENS, LESTER J.
Personnel emergency carrier vehicle
[NASA-CASE-KSC-11282-1] c 85 N87-21755
OZAWA, T.
Portable reflectance spectrometer
[NASA-CASE-NPO-13556-1] c 35 N84-33766

P

PACALA, T. J.
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c 36 N78-27402
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c 33 N82-24418
PACALA, THOMAS J.
Multiplex electric discharge gas laser system
[NASA-CASE-NPO-16433-1] c 36 N87-23961
Magnetically switched power supply system for lasers
[NASA-CASE-NPO-16402-2] c 33 N88-24862
PACE, G. D., JR.
Sun direction detection system
[NASA-CASE-NPO-13722-1] c 74 N77-22951
PACIOREK, K. J. L.
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c 27 N78-32256
Compound oxidized styrylphosphine
[NASA-CASE-MSC-14903-2] c 27 N80-10358
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c 27 N80-24438
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c 23 N82-28353
PACKARD, D. T.
Brushless DC motor control system responsive to control signals generated by a computer or the like
[NASA-CASE-NPO-16420-1] c 33 N86-20681
PACKARD, R. D.
Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c 18 N73-30532
PACKER, P. N.
Adjustable securing base
[NASA-CASE-MSC-19666-1] c 37 N78-17383
Variable contour securing system
[NASA-CASE-MSC-16270-1] c 37 N78-27423
PADILLA, D.
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c 37 N76-18456
PAGE, N. A.
Optical system
[NASA-CASE-NPO-15801-1] c 74 N85-23396
PAGEL, L. L.
Cooling system for high speed aircraft
[NASA-CASE-LAR-12406-1] c 05 N81-26114
PAIK, S. F.
Parametric microwave noise generator Patent
[NASA-CASE-XER-11019] c 09 N71-23598
PAIK, W. W.
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c 15 N73-20514
PAINTER, J. H.
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c 32 N77-10392
PALANDATI, C. F., JR.
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c 03 N70-41864
PALMER, E. I.
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c 14 N71-23755
PALSINGH, S.
Anti-gravity device
[NASA-CASE-MFS-22758-1] c 70 N75-26789
PAN, F. M.
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c 10 N71-18723
PAOLINI, J. J.
Full flow with shut off and selective drainage control valve Patent application
[NASA-CASE-ERC-10208] c 15 N70-10867
PAPELL, S. S.
Low viscosity magnetic fluid obtained by the colloidal suspension of magnetic particles Patent
[NASA-CASE-XLE-01512] c 12 N70-40124
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c 15 N70-41646
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c 09 N71-13522
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c 27 N71-15635
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c 34 N83-27144
Vortex generating flow passage design for increased film cooling effectiveness
[NASA-CASE-LEW-14039-1] c 34 N85-33433
PAQUETTE, E. G.
Sonic levitation apparatus
[NASA-CASE-MFS-25828-1] c 71 N84-28568
PARDOE, C. T.
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c 17 N76-22245
PARESCE, F.
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c 33 N76-27473
PARISH, R. C.
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
PARK, J. J.
Method of making tubes Patent
[NASA-CASE-XGS-04175] c 15 N71-18579
PARKER, D. L.
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c 76 N78-24950
PARKER, G. L.
Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c 07 N71-20814
High speed phase detector Patent
[NASA-CASE-XNP-01306-2] c 09 N71-24596
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c 14 N72-22441
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c 37 N77-22479
PARKER, J. A.
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c 18 N71-15469
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c 06 N71-24739
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c 18 N73-26572
Flexible fire retardant polyisocyanate modified neoprene foam
[NASA-CASE-ARC-10180-1] c 27 N74-12814
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c 25 N74-26947
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c 27 N74-27037
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c 27 N76-15310
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c 27 N76-16230
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c 24 N78-15180
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-2] c 24 N78-27184
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c 24 N79-16915
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c 27 N81-27272
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-1] c 27 N83-31854
Elastomer-modified phosphorus-containing imide resins
[NASA-CASE-ARC-11400-1] c 27 N84-14322
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-3] c 27 N84-22745
Metal phthalocyanine polymers
[NASA-CASE-ARC-11405-1] c 27 N84-27884
Fire blocking systems for aircraft seat cushions
[NASA-CASE-ARC-11423-1] c 03 N84-33394
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-2] c 27 N85-21347
Phthalocyanine polymers
[NASA-CASE-ARC-11413-1] c 27 N85-21348
Metal (2) 4,4',4',4'' phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281
Maleimido substituted aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-1] c 23 N86-19376
Metal phthalocyanine intermediates for the preparation of polymers
[NASA-CASE-ARC-11405-2] c 27 N86-19455
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560
High performance mixed bisimide resins and composites based thereon
[NASA-CASE-ARC-11538-1SB] c 24 N86-21590
Laminate comprising fibers embedded in cured amine terminated bis-imide
[NASA-CASE-ARC-11421-3] c 24 N86-25416
Light weight fire resistant graphite composites
[US-PATENT-4,598,007] c 24 N86-28131
Amine terminated bisaspartimide polymer
[NASA-CASE-ARC-11421-2] c 27 N86-31726
PARKER, JOHN A.
Process for curing bismaleimide resins
[NASA-CASE-ARC-11429-4CU] c 27 N87-15304
Vinyl stilbazoles
[NASA-CASE-ARC-11429-3CU] c 27 N87-16908
Fire and heat resistant laminating resins based on maleimido substituted aromatic cyclotriphosphazene polymer
[NASA-CASE-ARC-11428-2] c 27 N87-16909

Process for preparing phthalocyanine polymer from imide containing bisphthalonitrile
[NASA-CASE-ARC-11511-2] c 27 N87-21112
Structural panels
[NASA-CASE-ARC-11429-2-CU] c 27 N87-22845
Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates, adhesives and structures thereof
[NASA-CASE-ARC-11548-1] c 27 N87-25469
Aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-3] c 23 N88-24692

PARKER, L. C.
Safe-arm initiator Patent
[NASA-CASE-LAR-10372] c 09 N71-18599
Inflight IFR procedures simulator
[NASA-CASE-KSC-11218-1] c 09 N85-19990

PARKER, O. J.
Despin weight release Patent
[NASA-CASE-XLA-00679] c 15 N70-38601
Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c 31 N71-10582
Flared tube strainer
[NASA-CASE-XLA-05056] c 15 N72-11389

PARKER, R. J.
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c 15 N71-16052
Low mass rolling element for bearings
[NASA-CASE-LEW-11087-1] c 15 N73-30458
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c 37 N74-15128
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c 37 N74-21064

PARMLEY, R. T.
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c 31 N71-17679

PARR, R. A.
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c 26 N80-23419

PARRA, G. T.
Angle detector
[NASA-CASE-ARC-11036-1] c 35 N78-32395
Electronic scanning pressure measuring system and transducer package
[NASA-CASE-ARC-11361-1] c 35 N84-22934

PARRISH, RUSSELL V.
Auxiliary data input device
[NASA-CASE-LAR-13626-1] c 37 N87-25584

PARSONS, W. E.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c 31 N71-15566
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c 52 N77-14738

PARTHASARATHY, S. P.
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c 74 N79-20856
System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c 39 N80-10507
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c 31 N80-32584
Carbon granule probe microphone for leak detection
[NASA-CASE-NPO-16027-1] c 35 N85-21597

PARTSCH, V. M.
Purge device for thrust engines Patent
[NASA-CASE-XMS-04826] c 28 N71-28849

PASCIUTTI, E. R.
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c 03 N69-25146
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c 10 N71-25950
A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c 09 N72-25253

PASIERB, E. F.
GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c 26 N71-18064

PASSMAN, H. M.
Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c 33 N71-29052

PATE, W. E.
Color perception tester
[NASA-CASE-KSC-10278] c 05 N72-16015

PATEL, B. C.
Method and technique for installing light-weight, fragile, high-temperature fiber insulation
[NASA-CASE-MSC-16934-3] c 24 N84-16262

PATER, R. H.
High temperature resistant polyimide from tetra ester, diamine, diester and N-arylnadimide
[NASA-CASE-LEW-13864-1] c 27 N86-19457

PATON, W. J.
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c 11 N71-24985

PATTEE, H. E.
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c 35 N80-20560

PATTEN, C. W.
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c 05 N71-26293

PATTERSON, J. C., JR.
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c 02 N77-10001
Wingtip vortex propeller
[NASA-CASE-LAR-13019-1] c 07 N85-35194

PATTERSON, JAMES C., JR.
Compression pylon
[NASA-CASE-LAR-13777-1] c 05 N88-29789

PATTERSON, W. J.
Synthesis of siloxane-containing epoxy polymers Patent
[NASA-CASE-MFS-13994-1] c 06 N71-11240
Siloxane containing epoxide compounds
[NASA-CASE-MFS-13994-2] c 06 N72-25148
Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c 06 N72-25151
Polymerizable disilanols having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c 06 N73-32030

PAULI, F. A.
Attitude controls for VTOL aircraft Patent
[NASA-CASE-XAC-08972] c 02 N71-20570

PAULKOVICH, J.
Apparatus for measuring current flow Patent
[NASA-CASE-XGS-02439] c 14 N71-19431
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c 03 N71-24719
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c 33 N81-19392
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c 33 N82-24422

PAULL, S.
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c 09 N70-38604
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c 09 N70-38995

PAVLICS, F.
Resilient wheel Patent
[NASA-CASE-MFS-13929] c 15 N71-27091

PAWLIK, E. V.
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c 25 N71-21694
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c 28 N73-24783
Sandblasting nozzle
[NASA-CASE-NPO-13823-1] c 37 N81-25371

PAWLOWSKI, J. F.
Method and apparatus for receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c 32 N84-27952

PEARSON, A. O.
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c 35 N75-33368

PEASE, R. E.
Longwall shearer tracking system
[NASA-CASE-MFS-25717-1] c 35 N84-33768

PECHMAN, A.
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c 27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c 27 N76-23426

PECK, S. R.
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c 33 N80-18286

PECKHAM, V. A., JR.
Sample collecting impact bit Patent
[NASA-CASE-XNP-01412] c 15 N70-42034

PEDERSON, C. W.
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c 33 N74-22885

PEELGREN, M. L.
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c 33 N72-20915

PEER, C. R.
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c 03 N69-21539

PEGDEN, C. D.
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c 15 N77-10112

PELCHAT, G. M.
Adaptive polarization separation
[NASA-CASE-LAR-12196-1] c 33 N81-26358

PELISCHEK, T. E.
Foldable self-erecting joint
[NASA-CASE-MSC-20635-1] c 18 N87-14373

PELLERIN, C. J., JR.
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c 14 N71-27325

PENKO, PAUL F.
Heat exchanger for electrothermal devices
[NASA-CASE-LEW-14037-1] c 20 N87-16875

PENN, B. G.
Process for producing tris s(n-methylamino) methylsilane
[NASA-CASE-MFS-25721-1] c 25 N85-21280

PENN, BENJAMIN G.
Method for machining holes in composite materials
[NASA-CASE-MFS-28044-1] c 31 N87-25491

PENNINGTON, JACK E.
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828

PENQUE, N. J.
Varactor high level mixer
[NASA-CASE-XGS-02171] c 09 N69-24324

PEOPLES, J. A.
Multiway vortex valve system Patent
[NASA-CASE-XMF-04709] c 15 N71-15609

PERKINS, G. S.
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c 15 N71-24695
Ball screw linear actuator
[NASA-CASE-NPO-11222] c 15 N72-25456
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c 44 N79-14526
Sandblasting nozzle
[NASA-CASE-NPO-13823-1] c 37 N81-25371

PERKINS, GERALD S.
Low noise lead screw positioner
[NASA-CASE-NPO-15617-1] c 35 N87-21304

PERKINS, H.
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c 20 N76-21275

PERKINS, P. J., JR.
Cryogenic insulation system Patent
[NASA-CASE-XLE-04222] c 23 N71-22881
Insulation system Patent
[NASA-CASE-XLE-02647] c 18 N71-23658

PERLMAN, M.
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c 08 N71-12503
Binary sequence detector Patent
[NASA-CASE-XNP-05415] c 08 N71-12505
Digital function generator
[NASA-CASE-NPO-11104] c 08 N72-22165
Feedback shift register with states decomposed into cycles of equal length
[NASA-CASE-NPO-11082] c 08 N72-22167
Pseudonoise sequence generators with three tap linear feedback shift registers
[NASA-CASE-NPO-11406] c 08 N73-12175
A m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c 10 N73-20254
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c 33 N75-19519
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c 33 N76-14373

PERLMUTTER, M.
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c 09 N70-40234

PERRY, C. L.
Metabolic analyzer
[NASA-CASE-MFS-21415-1] c 52 N74-20728

PERRY, G. D.
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c 14 N71-23227

PERRY, J. C.
System for a displaying at a remote station data generated at a central station and for powering the remote station from the central station
[NASA-CASE-GSC-12411-1] c 33 N81-14221

PERRY, W. E.
Optical conversion method
[NASA-CASE-MSC-12618-1] c 74 N78-17865

PERSON, J. K.
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431

PERSON, LEE H., JR.
Airplane runway performance monitoring system
[NASA-CASE-LAR-13854-1-CU] c 04 N88-24621

PESEK, C. T.
Clamping assembly for inertial components Patent
[NASA-CASE-XMS-02184] c 15 N71-20813
Circuit board package with wedge shaped covers
[NASA-CASE-MFS-21919-1] c 10 N73-25243
PESMAN, G. J.
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c 05 N70-35152
PETERS, D. A.
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c 05 N77-17029
PETERS, H. E.
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c 35 N76-15436
PETERS, L., JR.
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c 32 N76-15330
PETERS, P. N.
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c 33 N78-13320
PETERS, PALMER N.
Planar thin film SQUID with integral flux concentrator
[NASA-CASE-MFS-28282-1] c 76 N88-29602
PETERS, R. L.
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c 10 N72-31273
PETERS, R. W.
Two component bearing Patent
[NASA-CASE-XLA-00013] c 15 N71-29136
PETERSEN, G. R.
Thermochemical generation of hydrogen
[NASA-CASE-NPO-15015-1] c 25 N82-28368
Enhancement of in vitro guayule propagation
[NASA-CASE-NPO-15213-1] c 51 N83-17045
PETERSEN, H. L.
Four phase logic systems
[NASA-CASE-MSC-14240-1] c 33 N75-14957
PETERSEN, H. W.
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c 23 N71-29123
PETERSON, E. W.
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c 21 N71-10771
PETERSON, N. C.
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c 14 N72-25428
PETERSON, N. E., JR.
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c 15 N70-35087
PETERSON, P. D.
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c 05 N71-11203
PETERSON, S. A.
Reusable captive blind fastener
[NASA-CASE-MSC-18742-1] c 37 N82-26673
PETERSON, S. T.
Meteoroid detector
[NASA-CASE-LAR-10483-1] c 14 N73-32327
PETERSON, V. S.
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c 14 N71-24864
Solid state remote circuit selector switch
[NASA-CASE-LEW-10387] c 09 N72-22201
Low level signal limiter
[NASA-CASE-XLE-04791] c 32 N74-22096
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c 35 N79-17192
PETERSON, W. A.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c 16 N71-15550
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c 23 N71-29049
PETERSON, W. D.
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XMF-08665] c 10 N71-19467
PETERSSEN, H. E.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
PETRASEK, D. W.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c 17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c 17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c 17 N70-38490
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c 18 N72-25539
PETRICK, E. N.
Variable thrust ion engine utilizing thermally decomposable solid fuel Patent
[NASA-CASE-XMF-00923] c 28 N70-36802
PETRICK, S. W.
Radiative cooler
[NASA-CASE-NPO-15465-1] c 34 N84-22903
PETRICK, S. WALTER
Cryogenic regenerator including saran-carbon heat conduction matrix
[NASA-CASE-NPO-17291-1-CU] c 34 N88-23946
PETYNIA, W. W.
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c 31 N70-37924
Space vehicle system
[NASA-CASE-MSC-12561-1] c 18 N76-17185
PEYRAN, RICHARD J.
Swashplate control system
[NASA-CASE-ARC-11633-1] c 08 N87-23631
PEYTON, J.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346
PEZDIRTZ, G. F.
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c 15 N70-36409
Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c 06 N71-11238
Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c 14 N71-20430
Solid state thermal control polymer coating Patent
[NASA-CASE-XLA-01745] c 33 N71-28903
PFAFF, H.
Swivel support for gas bearings Patent
[NASA-CASE-XMF-07808] c 15 N71-23812
PFIFFNER, H. J.
Bootstrap unloader Patent
[NASA-CASE-XNP-09768] c 09 N71-12516
PFIFFNER, HAROLD J.
Processing circuit with asymmetry corrector and convolutional encoder for digital data
[NASA-CASE-MSC-20187-1] c 33 N87-25531
PFLEGER, R. O.
Spherical shield Patent
[NASA-CASE-XNP-01855] c 15 N71-28937
PFLUGER, H. L.
Process of treating cellulosic membrane and alkaline with membrane separator
[NASA-CASE-GSC-10019-1] c 44 N82-24641
Separator for alkaline batteries and method of making same
[NASA-CASE-GSC-10350-1] c 44 N82-24642
Separator for alkaline electric cells and method of making
[NASA-CASE-GSC-10017-1] c 44 N82-24643
Separator for alkaline electric batteries and method of making
[NASA-CASE-GSC-10018-1] c 44 N82-24644
Alkaline electrochemical cells and method of making
[NASA-CASE-GSC-10349-1] c 44 N82-24645
Aqueous alkali metal hydroxide insoluble cellulose ether membrane
[NASA-CASE-XGS-05584-1] c 25 N82-29370
PHELPS, A. E.
Helicopter anti-torque system using strakes
[NASA-CASE-LAR-13233-1] c 05 N84-33400
PHILIPP, W. H.
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c 15 N72-25452
Production of pure metals
[NASA-CASE-LEW-10906-1] c 25 N74-30502
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c 37 N76-18458
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c 44 N79-25481
In-situ cross linking of polyvinyl alcohol
[NASA-CASE-LEW-13135-2] c 27 N81-24257
Cross-linked polyvinyl alcohol and method of making same
[NASA-CASE-LEW-13101-2] c 23 N81-29160
Alkaline battery containing a separator of a cross-linked copolymer of vinyl alcohol and unsaturated carboxylic acid
[NASA-CASE-LEW-13102-1] c 33 N85-29144
PHILIPS, A. R.
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c 15 N72-16329
PHILLIPP, W. H.
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c 27 N80-32516
PHILLIPS, B. L. S.
File card marker Patent
[NASA-CASE-XLA-02705] c 08 N71-15908
PHILLIPS, E. C., JR.
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c 34 N76-27515
PHILLIPS, W. H.
Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c 31 N70-37986
Station keeping of a gravity gradient stabilized satellite Patent
[NASA-CASE-XLA-03132] c 31 N71-22969
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c 18 N81-29152
Solar powered aircraft
[NASA-CASE-LAR-12615-1] c 05 N84-12154
PHILLIPS, W. M.
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c 33 N72-20915
Cermet composition and method of fabrication
[NASA-CASE-NPO-13120-1] c 27 N76-15311
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c 27 N77-13217
Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c 73 N77-18891
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-1] c 27 N78-19302
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c 27 N79-14213
Sandblasting nozzle
[NASA-CASE-NPO-13823-1] c 37 N81-25371
PHLIEGER, G. A., JR.
Separation simulator Patent
[NASA-CASE-XKS-04631] c 10 N71-23663
Internal work light Patent
[NASA-CASE-XKS-05932] c 09 N71-26787
Universal environment package with sectional component housing
[NASA-CASE-KSC-10031] c 15 N72-22486
Pressurized lighting system
[NASA-CASE-KSC-10644] c 09 N72-27227
PIASECKI, L. R.
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c 28 N70-38181
PICCIOLO, G. L.
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c 06 N72-25149
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c 04 N73-27052
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c 05 N73-32011
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c 51 N76-29891
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c 51 N77-22794
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c 51 N83-27569
PICHAICHANARONG, P.
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255
PICKETT, HERBERT M.
Method and means for generation of tunable laser sidebands in the far-infrared region
[NASA-CASE-NPO-16497-1-CU] c 36 N87-25567
PIERCE, R. M.
Propellant grain for rocket motors Patent
[NASA-CASE-XGS-03556] c 27 N70-35534
PINCKNEY, K. R.
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c 24 N71-20518
PINCKNEY, S. Z.
Static pressure probe
[NASA-CASE-LAR-11552-1] c 35 N76-14429
PINCUS, B. R.
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c 14 N69-27432
PING, T.
Two-axis, self-nulling skin friction balance
[NASA-CASE-LAR-13294-1] c 35 N86-32696
PING, TCHENG
Miniature remote dead weight calibrator
[NASA-CASE-LAR-13564-1] c 35 N87-25558
Skin friction balance
[NASA-CASE-LAR-13710-1] c 35 N88-29145
PINKEL, I. I.
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c 12 N69-39988

PINSON, G. T.
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c 37 N77-19457
PIPPEN, D. L.
High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c 09 N71-13518
PITELLI, E. E.
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c 26 N71-25490
PITTS, D. E.
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c 12 N76-15189
PITTS, F. L.
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c 32 N73-26910
PITTS, W. C.
Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c 14 N71-20439
PIVIROTTO, T. J.
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c 36 N75-32441
High power metallic halide laser
[NASA-CASE-NPO-14782-1] c 36 N82-28616
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c 36 N83-10417
PIZZECK, D. E.
Connector
[NASA-CASE-LAR-11709-1] c 37 N76-27567
PLAKAS, C. J.
Firefly pump-metering system
[NASA-CASE-GSC-10218-1] c 15 N72-21465
PLAMONDON, J. A., JR.
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c 14 N71-26475
PLAMOWSKI, S. C.
Traversing probe Patent
[NASA-CASE-XFR-02007] c 12 N71-24692
PLATT, P. K.
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c 15 N70-41629
PLAZEK, D. J.
Instrument for measuring torsional creep and recovery Patent
[NASA-CASE-XLE-01481] c 14 N71-10781
PLEASANTS, J. E.
Inflatable support structure Patent
[NASA-CASE-XLA-01731] c 32 N71-21045
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c 31 N73-13898
PLITT, K. F.
Spacecraft battery seals
[NASA-CASE-XGS-03864] c 15 N69-24320
PODGORSKI, T. J.
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c 37 N77-23482
POESCHEL, R. L.
Ion thruster
[NASA-CASE-LEW-10770-1] c 28 N72-22770
POGORZELSKI, F. S.
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c 37 N75-27376
POHL, H. O.
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c 15 N70-22192
POHL, J. G.
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c 44 N77-32583
Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c 44 N78-10554
POHM, A. V.
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c 35 N78-32397
POLHAMUS, E. C.
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c 02 N70-33255
Variable sweep aircraft wing Patent
[NASA-CASE-XLA-00350] c 02 N70-38011
Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c 02 N71-11041
POLHEMUS, J. T.
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c 54 N78-32720
Pulse transducer with artifact signal attenuator
[NASA-CASE-FRC-11012-1] c 52 N80-23969
POLLACK, I.
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c 17 N71-23828
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c 18 N71-27170
POLLACK, J. L.
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c 33 N74-12913
POLLARD, R. A.
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c 05 N71-22748
POLLOCK, G. E.
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c 35 N75-26334
POLSTORFF, W. K.
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c 74 N79-13855
POMPLUM, A. R.
Sonic levitation apparatus
[NASA-CASE-MFS-25828-1] c 71 N84-28568
POOL, S. L.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
POOLE, B. D., JR.
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c 35 N83-21311
POORMAN, R. M.
Exothermic furnace module
[NASA-CASE-MFS-25707-1] c 35 N82-26631
Low gravity exothermic heating/cooling apparatus
[NASA-CASE-MSC-25707-1] c 35 N85-29214
POORMAN, RICHARD M.
High temperature electric arc furnace
[NASA-CASE-MFS-28281-1] c 09 N88-28938
POPE, A. M.
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c 15 N71-15968
POPE, J. M.
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c 52 N76-29894
POPE, W. L.
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c 35 N78-12390
POPICK, H.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c 16 N71-20400
POPINSKI, Z.
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183-1] c 44 N82-26776
POPMA, D. C.
Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c 05 N71-11207
PORADEK, J. C.
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c 18 N71-15545
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c 45 N79-12584
PORTER, A. C.
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126
PORTER, E. E.
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c 37 N82-24492
PORTER, R. N.
Liquid rocket system Patent
[NASA-CASE-XNP-00610] c 28 N70-36910
Zero gravity starting means for liquid propellant motors Patent
[NASA-CASE-XNP-01390] c 28 N70-41275
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c 15 N71-27432
PORTER, W. A.
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c 76 N78-24950
PORTNOY, W. A.
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c 05 N75-24716
PORTWOOD, J. N.
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126
POSCHENRIEDER, W. P.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c 06 N71-13461
POSEY, D. L.
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c 35 N80-18358
POSHKUS, A. C.
Synthesis of polyformals
[NASA-CASE-ARC-11244-1] c 23 N82-16174
Synthesis of 2,4,8,10-tetroxaspiro5,5undecane
[NASA-CASE-ARC-11243-2] c 23 N85-33187
POSNER, E. C.
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c 07 N70-41680
Data compressor Patent
[NASA-CASE-XNP-04067] c 08 N71-22707
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c 07 N73-13149
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c 32 N74-10132
POST, R. E.
Method of making a light weight battery plaque
[NASA-CASE-LEW-13349-1] c 26 N84-22734
POSTMA, R. W.
Thrust measurement
[NASA-CASE-XMS-05731] c 35 N75-29382
POTEATE, W. B.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c 54 N75-27759
POTTER, A. E., JR.
Multispectral imaging system
[NASA-CASE-MSC-12404-1] c 23 N73-13661
POTTER, L. R.
Thermocouple installation
[NASA-CASE-NPO-13540-1] c 35 N77-14409
POTTER, N. H.
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c 03 N71-19438
POTTER, P. D.
Cassegrainian antenna subflector flange for suppressing ground noise Patent
[NASA-CASE-XNP-00683] c 09 N70-35425
Dual mode horn antenna Patent
[NASA-CASE-XNP-01057] c 07 N71-15907
Dichroic plate
[NASA-CASE-NPO-13506-1] c 35 N76-15435
POUCHOT, W. D.
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c 33 N71-29046
POULSEN, P. D.
Longwall shearer tracking system
[NASA-CASE-MFS-25717-1] c 35 N84-33768
POVINELLI, L. A.
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c 27 N71-21819
POWELL, C. A., JR.
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c 12 N71-26387
POWELL, J. A.
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c 76 N76-25049
POWELL, J. D.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c 54 N78-14784
POWELL, W. B.
Thermocouple installation
[NASA-CASE-NPO-13540-1] c 35 N77-14409
POWELL, W. E., JR.
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c 10 N72-22235
POWER, J. L.
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c 20 N77-10148
POWERS, E. I.
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c 31 N73-30829
POZSONY, E. R.
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c 15 N73-27405
PRASTHOFER, W. P.
Controlled overspray spray nozzle
[NASA-CASE-MFS-25139-1] c 34 N82-13376
Cryogenic insulation strength and bond tester
[NASA-CASE-MFS-25910-1] c 39 N86-20841
PRATT, J. R.
Poly(carbonate-mide) polymer
[NASA-CASE-LAR-13292-1] c 27 N86-24841
PRELIASCO, R. J.
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19605
PRESCOTT, R.
High resistance and raised modulus carbon fibers
[NASA-TM-76884] c 24 N85-25436

PRESCOTT, W. A.
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c 15 N70-40062
PRESLEY, L. L.
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c 75 N74-30156
PRESTON, G. M.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c 31 N71-15566
PRESTON, G. W.
Satellite communication system Patent
[NASA-CASE-XNP-02389] c 07 N71-28900
PRICE, A. G.
Attitude sensor
[NASA-CASE-LAR-10586-1] c 19 N74-15089
PRICE, H. W.
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c 21 N71-27324
PRICE, P.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c 34 N74-27730
PRICE, S. B.
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c 14 N70-34161
PRIDE, J. D., JR.
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c 03 N71-12259
PRIEBE, G. W.
Relief container
[NASA-CASE-XMS-06761] c 05 N69-23192
PRIMAS, LORI E.
Power supply conditioning circuit
[NASA-CASE-NPO-17233-1-CU] c 33 N88-29095
PRIOLETTI, J. A.
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c 14 N71-10500
PRITCHARD, E. B.
Orbital and entry tracking accessory for globes
[NASA-CASE-LAR-10626-1] c 19 N74-21015
PRITCHARD, H. O.
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c 07 N80-26298
PROCH, G. E.
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c 32 N75-21486
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c 32 N76-16249
PROEMSEY, J. H.
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c 15 N69-24322
PROFFIT, R. L.
Hydrogen fire detection system with logic circuit to analyze the spectrum of temporal variations of the optical spectrum
[NASA-CASE-MFS-13130] c 10 N72-17173
PROGAR, D. J.
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c 15 N71-24875
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c 27 N75-29263
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c 27 N78-17205
Hot melt recharge system
[NASA-CASE-LAR-12881-1] c 27 N84-14323
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
PROK, G. M.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c 15 N70-33382
PROKOPIUS, P. R.
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c 35 N75-30503
PRUETT, B. J.
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c 14 N71-23755
PRUETT, E. C.
Satellite retrieval system
[NASA-CASE-MFS-25403-1] c 18 N83-29303
PRYOR, D. E.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c 28 N72-11708
PRYOR, P. P., JR.
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c 37 N79-10421
PRZYBYSZEWSKI, J. S.
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c 17 N73-24569
Joining lead wires to thin platinum alloy films
[NASA-CASE-LEW-13934-1] c 35 N83-35338

PSALTIS, D.
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629
PSARRAS, T.
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c 25 N81-14016
PUCCINELLI, A. A.
Three-axis controller Patent
[NASA-CASE-XAC-01404] c 05 N70-41581
Transfer valve Patent
[NASA-CASE-XAC-01158] c 15 N71-23051
PUCILLO, G. L.
Integrated thermoelectric generator/space antenna combination
[NASA-CASE-XER-09521] c 09 N72-12136
PULLING, R. C.
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012
PURCELL, T. H., JR.
Electric storage battery
[NASA-CASE-NPO-11021] c 03 N72-20032
PURGOLD, G. C.
Automated syringe sampler
[NASA-CASE-LAR-12308-1] c 35 N81-29407
PUSTER, R. L.
A system for controlling the oxygen content of a gas produced by combustion
[NASA-CASE-LAR-13257-1] c 25 N84-32447
PUSTER, RICHARD L.
Method and device for determining heats of combustion of gaseous hydrocarbons
[NASA-CASE-LAR-13528-1] c 25 N88-29002
PUTNAM, D. F.
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c 33 N75-27252

Q

QADER, S. A.
Solar heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c 44 N82-16475
Solar heated oil shale pyrolysis process
[NASA-CASE-NPO-16392-1] c 25 N86-25428
QUATINETZ, M.
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c 18 N71-22894
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c 05 N71-23080
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c 17 N71-24142
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c 18 N71-26153
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c 17 N72-28536
QUATTRONE, P. D.
Exposure system for animals Patent
[NASA-CASE-XAC-05333] c 11 N71-22875
QUINN, R. B.
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c 16 N72-28521
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c 36 N80-18372
Resonant isolator for maser amplifier
[NASA-CASE-NPO-15201-1] c 36 N83-35350

R

Reynolds, R. K.
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c 44 N78-33526
RADNOFSKY, M. I.
Life raft Patent
[NASA-CASE-XMS-00863] c 05 N70-34857
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c 05 N70-35152
Life preserver Patent
[NASA-CASE-XMS-00864] c 05 N70-36493
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c 07 N70-40063
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c 02 N73-26006
RAGGIO, C. W., JR.
Steerable solid propellant rocket motor Patent
[NASA-CASE-XNP-00234] c 28 N70-38645

RAINEY, R. W.
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c 02 N71-27088
RAINWATER, L. L.
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c 07 N71-27191
RAMEY, R. L.
Depositing semiconductor films utilizing a thermal gradient
[NASA-CASE-XKS-04614] c 15 N69-21460
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c 07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c 09 N72-29172
RAMME, F. B.
Flexible conductive disc electrode Patent
[NASA-CASE-FRC-10029] c 09 N71-24618
Method of removing insulated material from insulated wires
[NASA-CASE-FRC-10038] c 15 N72-20444
Method of making dry electrodes
[NASA-CASE-FRC-10029-2] c 05 N72-25121
RAMOHALLI, K. N. R.
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c 28 N80-28536
RAND, J. L.
Thin film strain transducer
[NASA-CASE-WLP-10055-1] c 35 N84-28015
Thin film strain transducer
[NASA-CASE-WLP-10055-2] c 35 N85-21598
RANDALL, J. C.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c 31 N70-41855
RANDLE, R. J., JR.
Visual accommodation trainer-tester
[NASA-CASE-ARC-11426-1] c 09 N84-12193
RANEY, J. P.
Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c 32 N71-16106
RAO, D. M.
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c 02 N81-14968
Leading edge flap system for aircraft control augmentation
[NASA-CASE-LAR-12787-2] c 08 N85-19985
RAPOSA, F. L.
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c 10 N73-26228
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c 33 N78-17295
RAPOZA, E. J.
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c 10 N71-18724
RASMUSSEN, H. P.
Transparent switchboard
[NASA-CASE-MSC-13746-1] c 10 N73-32143
RASQUIN, J. R.
Angular measurement system Patent
[NASA-CASE-XMF-00447] c 14 N70-33179
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c 14 N70-40238
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c 16 N72-12440
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c 05 N72-20097
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c 15 N72-20446
High temperature furnace for melting materials in space
[NASA-CASE-MFS-20710] c 11 N72-23215
Process for making diamonds
[NASA-CASE-MFS-20698-2] c 15 N73-19457
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c 05 N73-25125
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c 52 N74-12778
RASSWEILER, G. G.
Adaptive polarization separation
[NASA-CASE-LAR-12196-1] c 33 N81-26358
RATAJCZAK, A. F.
Solar cell shingle
[NASA-CASE-LEW-12587-1] c 44 N77-31601
RATCLIFF, L. P.
Latch mechanism
[NASA-CASE-MSC-12549-1] c 37 N74-27903
RATHZ, T. J.
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650
RAVAS, R. J.
Transistor drive regulator Patent
[NASA-CASE-LEW-10233] c 10 N71-27126
RAVENHALL, R.
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c 07 N77-32148

Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c 37 N78-10468

RAVINDRAM, M.
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253

RAWLIN, V. K.
Ring-cusp ion thruster with shell anode
[NASA-CASE-LEW-13881-1] c 20 N85-21256

RAWSON, J.
Display research collision warning system
[NASA-CASE-HQN-10703] c 21 N73-13643

RAY, W. L.
Remote fire stack igniter
[NASA-CASE-MFS-21675-1] c 25 N74-33378

RAYBORN, G. H.
Low energy electron magnetometer using a monoenergetic electron beam
[NASA-CASE-LAR-12706-1] c 35 N84-12444

RAYLE, W. D.
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c 11 N70-34844

READ, F. G.
Backpack carrier Patent
[NASA-CASE-LAR-10056] c 05 N71-12351

READ, W. S.
Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c 10 N73-30205
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c 37 N74-32918

READER, A. F.
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c 15 N71-15597
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c 15 N71-24836

READER, P. D.
Ion thrustor cathode
[NASA-CASE-XLE-07087] c 06 N69-39889
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c 28 N71-14043
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c 28 N71-15661

REAM, L. W.
Diesel engine catalytic combustor system
[NASA-CASE-LEW-12995-1] c 37 N84-33808

REASONER, DAVID L.
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253

RECHTER, H. L.
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c 18 N71-16124

REDDING, A. H.
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c 33 N71-29046

REDMON, J. W.
Air bearing assembly for curved surfaces
[NASA-CASE-MFS-20423] c 15 N72-11388
Impacting device for testing insulation
[NASA-CASE-MFS-25862-2] c 37 N84-33807
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126

REDMON, JOHN W., SR.
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959

REECE, O. Y.
Low temperature flexure fatigue cryostat Patent
[NASA-CASE-XMF-02964] c 14 N71-17659
Horizontal cryostat for fatigue testing Patent
[NASA-CASE-XMF-10968] c 14 N71-24234
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c 18 N73-32437

REED, A. E.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c 09 N71-20842

REED, IRVING S.
A VLSI single-chip (225,223) Reed-Solomon encoder with interleaver
[NASA-CASE-NPO-17280-1-CU] c 17 N88-27220
Method for Veterbi decoding of large constraint length convolutional codes
[NASA-CASE-NPO-17310-1-CU] c 17 N88-28946

REED, J. H., JR.
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c 05 N70-41329

REED, L.
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c 15 N71-26312

REED, R. D.
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c 43 N81-17499
Sun sensing guidance system for high altitude aircraft
[NASA-CASE-FRC-11052-1] c 04 N82-23231

REED, W. H., III
Test unit free-flight suspension system Patent
[NASA-CASE-XLA-00939] c 11 N71-15926
Viscous-pendulum-damper Patent
[NASA-CASE-XLA-02079] c 12 N71-16894
Viscous pendulum damper Patent
[NASA-CASE-LAR-10274-1] c 14 N71-17626
Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c 15 N71-27146
Decoupler pylon: wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c 08 N82-32373

REED, WILMER H.
Airfoil flutter model suspension system
[NASA-CASE-LAR-13522-1-SB] c 09 N87-25334

REESE, P. B.
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c 20 N80-18097

REGNIER, W. W.
Passive propellant system
[NASA-CASE-MFS-23642-2] c 20 N78-27176
Passive propellant system
[NASA-CASE-MFS-23642-1] c 20 N80-10278

REHAGE, J. R.
Pulse counting circuit which simultaneously indicates the occurrence of the nth pulse Patent
[NASA-CASE-XMF-00906] c 09 N70-41655

REIBER, J. H. C.
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c 52 N79-10724

REICHMAN, B.
Photoelectrochemical cells including chalcogenophosphate photoelectrodes
[NASA-CASE-LAR-12958-1] c 44 N84-23019
Method for determining the point of zero zeta potential of semiconductor
[NASA-CASE-LAR-12893-1] c 76 N85-30923

REID, H. J. E., JR.
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c 21 N70-34295
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c 21 N70-36943

REID, H., JR.
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c 10 N71-25139
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c 10 N73-32145
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c 43 N80-14423
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c 43 N80-23711

REID, M. A.
Zirconium carbide as an electrocatalyst for the chromous-chromic redox couple
[NASA-CASE-LEW-13246-1] c 44 N83-27344
Method of making a light weight battery plaque
[NASA-CASE-LEW-13349-1] c 26 N84-22734
Chromium electrodes for REDOX cells
[NASA-CASE-LEW-13653-1] c 44 N84-28205

REID, M. S.
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c 32 N79-13214

REID, R.
Spacecraft docking and alignment system
[NASA-CASE-MSC-12559-1] c 18 N76-14186

REID, W. J.
Digital frequency discriminator Patent
[NASA-CASE-MFS-14322] c 08 N71-18692

REILLY, N. B.
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c 32 N80-20448

REILLY, T. H.
Medical diagnosis system and method with multispectral imaging
[NASA-CASE-NPO-14402-1] c 52 N81-27783

REILLY, W. W.
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900

REINHARDT, G.
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c 05 N71-23080

REINHARDT, V.
Temperature averaging thermal probe
[NASA-CASE-GSC-12795-1] c 35 N86-19580

REINHARDT, V. S.
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c 33 N79-10338
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c 36 N79-14362
High stability amplifier
[NASA-CASE-GSC-12646-1] c 33 N83-34191
High stability buffered phase comparator
[NASA-CASE-GSC-12645-1] c 33 N84-16454

REINHOLD, H. W.
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c 09 N71-29008

REINISCH, R. F.
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c 27 N74-21156
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c 27 N76-32315

REINITZ, K.
Extended area semiconductor radiation detectors and a novel readout arrangement Patent
[NASA-CASE-XGS-03230] c 14 N71-23401

REISS, D. A.
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c 71 N81-15767

REMBAUM, A.
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c 03 N71-18698
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c 06 N71-23500
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-1] c 14 N73-14428
Preparation of alkali metal dispersions
[NASA-CASE-XNP-08876] c 17 N73-28573
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c 35 N75-25122
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c 27 N78-14164
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c 27 N78-17214
Pressure transducer
[NASA-CASE-NPO-11150] c 35 N78-17359
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c 27 N81-14076
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c 27 N81-15104
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c 25 N81-17187
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c 25 N81-19244
Photoelectrochemical electrodes
[NASA-CASE-NPO-15458-1] c 25 N84-12262

REMPEL, R. C.
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-XGS-04879] c 14 N71-20428

REMPFER, P. S.
Aircraft control system
[NASA-CASE-ERC-10439] c 02 N73-19004

RENNER, W.
Bacteria detection instrument and method
[NASA-CASE-GSC-11533-1] c 14 N73-13435

RENNIE, P. A.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c 52 N79-12694

RESWICK, J. B.
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c 52 N79-26772

REYNOLDS, G. H.
Stabilized lanthanum sulphur compounds
[NASA-CASE-NPO-16135-1] c 25 N83-24572

REYNOLDS, H. I.
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c 31 N79-21227

REYNOLDS, J. M.
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c 23 N73-13662

REYNOLDS, JOHN M.
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253

REYNOLDS, W. E.
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c 09 N71-29008

RHEIN, R. A.
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c 27 N80-32514
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c 27 N80-32515
RHIM, W. K.
Closed loop electrostatic levitation system
[NASA-CASE-NPO-15553-1] c 33 N85-29142
RHO, J. H.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c 06 N71-26754
RHODES, C. M.
Method for retarding dye fading during archival storage of developed color photographic film
[NASA-CASE-MFS-23250-1] c 35 N82-11432
RHODES, D. B.
Optical scanner
[NASA-CASE-LAR-11711-1] c 74 N78-17866
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c 36 N82-32712
RHODES, L. L.
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c 15 N71-26162
RHODES, M. D.
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c 24 N78-10214
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c 24 N78-17149
Deployable M-braced truss structure
[NASA-CASE-LAR-13081-1] c 37 N86-32737
Synchronously deployable double fold beam and planar truss structure
[NASA-CASE-LAR-13490-1] c 18 N87-14413
RHODES, MARVIN D.
Deployable geodesic truss structure
[NASA-CASE-LAR-13113-1] c 31 N87-25492
Preloaded space structural coupling joints
[NASA-CASE-LAR-13489-1] c 18 N87-27713
Clevis joint for deployable space structures
[NASA-CASE-LAR-13898-1] c 37 N88-30130
RHODES, P. H.
Electrophoresis device
[NASA-CASE-MFS-25426-1] c 25 N83-10126
Static continuous electrophoresis device
[NASA-CASE-MFS-25306-1] c 25 N83-13187
RHODES, PERCY H.
Moving wall, continuous flow electronphoresis apparatus
[NASA-CASE-MFS-28142-1] c 25 N88-23845
RIAZ, M.
Constant frequency output two stage induction machine systems Patent
[NASA-CASE-ERC-10065] c 09 N71-27364
RIBARICH, J. J.
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c 14 N71-15621
RICCITELLO, S. R.
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c 27 N78-31232
RICCITIELLO, S. R.
Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c 06 N71-24739
Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c 18 N73-26572
Flexible fire retardant polyisocyanate modified neoprene foam
[NASA-CASE-ARC-10180-1] c 27 N74-12814
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c 27 N74-27037
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c 24 N78-14096
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c 24 N78-27180
Ambient cure polyimide foams
[NASA-CASE-ARC-11170-1] c 27 N79-11215
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c 15 N79-26100
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides
[NASA-CASE-ARC-11107-1] c 25 N80-16116
RICCITIELLO, SALVATORE R.
Preparation of B-trichloroborazine
[NASA-CASE-ARC-11643-1-SB] c 23 N87-23698
Ceramic honeycomb structures and the method thereof
[NASA-CASE-ARC-11652-1] c 27 N87-23737
Ceramic-ceramic shell tile thermal protection system and method thereof
[NASA-CASE-ARC-11641-1] c 24 N88-18628
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040
RICE, R. F.
Data compression system
[NASA-CASE-NPO-11243] c 07 N72-20154
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c 32 N77-12240
RICE, R. R.
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c 31 N70-41871
RICE, R. W.
Extrusion can
[NASA-CASE-NPO-10812] c 15 N73-13464
RICE, S. H.
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c 27 N77-32308
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c 74 N80-24149
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c 31 N83-27058
RICE, W. J.
Indicated mean-effective pressure instrument
[NASA-CASE-LEW-12661-1] c 35 N79-14345
Real time pressure signal system for a rotary engine
[NASA-CASE-LEW-13622-1] c 07 N84-22559
RICH, E., JR.
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c 14 N72-25413
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c 06 N73-27086
RICHARD, C. E.
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c 32 N72-25877
RICHARD, H. L.
Multispectral linear array multiband selection device
[NASA-CASE-GSC-12911-1] c 74 N86-29650
RICHARD, R. R.
Angular accelerometer Patent
[NASA-CASE-XMS-05936] c 14 N70-41682
RICHARDS, R. R.
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c 45 N76-31714
RICHARDS, W. E.
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c 23 N71-26722
RICHARDSON, J. I.
Tubing and cable cutting tool
[NASA-CASE-LAR-12786-1] c 37 N84-28085
RICHARDSON, JOHN R.
Photorefractor ocular screening system
[NASA-CASE-MFS-26011-1-SB] c 52 N87-24874
RICHARDSON, R. W.
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c 05 N72-25122
RICHLEY, E. A.
Rocket engine Patent
[NASA-CASE-XLE-00342] c 28 N70-37980
RICHMOND, J. C.
Ellipsoidal mirror reflectometer including means for averaging the radiation reflected from the sample Patent
[NASA-CASE-XGS-05291] c 23 N71-16341
RICHTER, C. G.
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c 15 N70-36411
RICHTER, H. L.
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c 15 N71-24696
RICHTER, I. A.
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c 33 N75-30431
RICHTER, R.
Solid electrolyte cell
[NASA-CASE-NPO-15269-1] c 44 N82-29710
RICKETTS, R. H.
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12458-1] c 44 N83-21503
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12720-1] c 44 N83-21504
RIEBE, J. M.
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c 02 N70-33286
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c 02 N70-33332
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c 02 N70-34858
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c 31 N70-38010
Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c 21 N71-15582
RIEBLING, R. W.
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c 15 N71-27432
Bipropellant injector
[NASA-CASE-XNP-09461] c 28 N72-23809
RIEKER, L. L.
Polyvinyl alcohol cross-linked with two aldehydes
[NASA-CASE-LEW-13504-1] c 25 N83-13188
RIGGS, K. E.
Diffuser/ejector system for a very high vacuum environment
[NASA-CASE-MFS-25791-1] c 09 N84-27749
RILEY, J. F.
Compact solar still Patent
[NASA-CASE-XMS-04533] c 15 N71-23086
RILEY, T. J.
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c 17 N70-36616
RINARD, G. A.
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c 15 N69-21472
RINDNER, W.
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c 09 N71-18721
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c 26 N71-25490
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c 14 N71-27334
Gunn-type solid state devices
[NASA-CASE-XER-07895] c 26 N72-25679
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c 26 N72-25680
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c 14 N72-31446
RINEHART, D.
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012
RINGELMAN, J. F.
Regulated power supply Patent
[NASA-CASE-XMS-01991] c 09 N71-21449
RIPPY, R. R.
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c 33 N77-14334
RITCHIE, D. G.
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNP-09770] c 15 N71-20440
Material handling device Patent
[NASA-CASE-XNP-09770-3] c 11 N71-27036
Screen particle separator
[NASA-CASE-XNP-09770-2] c 15 N72-22483
RITCHIE, D. W.
Solar battery with interconnecting means for plural cells Patent
[NASA-CASE-XNP-06506] c 03 N71-11050
RITCHIE, R. S.
Slide release mechanism
[NASA-CASE-MSC-20080-1] c 37 N85-30334
RITCHIE, V. S.
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c 14 N70-36824
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c 15 N70-37925
RITTER, D. L.
Foldable construction block
[NASA-CASE-MSC-12233-2] c 32 N73-13921
RLOFF, K. L.
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c 35 N75-16783
ROACH, J. E.
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c 28 N77-10213
ROBBINS, H. J.
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c 31 N71-24750
ROBELEN, D. B.
Deploy/release system
[NASA-CASE-LAR-11575-1] c 02 N76-16014
ROBERTS, D. E.
Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c 14 N72-17325
ROBERTS, D. L.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c 16 N71-20400
ROBERTS, E. J.
Cryogenic feedthrough
[NASA-CASE-LAR-10031] c 15 N72-22484
ROBERTS, M. L.
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c 44 N79-11469

Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c 44 N80-16452

ROBERTS, V. W.
Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c 10 N73-30205

ROBERTSON, A. J.
Aircraft control system
[NASA-CASE-ERC-10439] c 02 N73-19004

ROBERTSON, J. B.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c 35 N74-18088
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c 35 N82-31659
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-2] c 33 N83-24763

ROBERTSON, JAMES B.
Flat-panel, full-color, electroluminescent display
[NASA-CASE-LAR-13407-1] c 33 N87-28831

ROBERTSON, K. B.
Satellite retrieval system
[NASA-CASE-MFS-25403-1] c 18 N83-29303

ROBERTSON, W. L.
Two-axis controller Patent
[NASA-CASE-XFR-04104] c 03 N70-42073

ROBEY, JUDITH L.
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818

ROBILLARD, G.
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c 28 N70-38181

ROBINS, A. W.
Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c 02 N71-12243

ROBINSON, G. P.
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c 14 N69-27459

ROBINSON, M.
Solid state chemical source for ammonia beam maser Patent
[NASA-CASE-XGS-01504] c 16 N70-41578

ROBINSON, M. B.
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650

ROBINSON, MICHAEL B.
Apparatus ad method for quiescent containerless processing of high temperature metals and alloys in low gravity
[NASA-CASE-MFS-28087-1] c 35 N87-23944

ROBINSON, P. A., JR.
FET charge sensor and voltage probe
[NASA-CASE-NPO-16045-1] c 76 N87-13313

ROBINSON, R. K.
Fuselage structure using advanced technology fiber reinforced composites
[NASA-CASE-LAR-11688-1] c 24 N82-26384

ROBINSON, ROBERT L.
Four-terminal electrical testing device
[NASA-CASE-MSC-21166-1] c 35 N87-25555

ROBINSON, W. J., JR.
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c 44 N74-19870

ROBSON, P. N.
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c 33 N75-27251

ROCHOW, S. E.
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c 06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c 06 N72-20121
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c 06 N72-27144
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c 06 N72-27151
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c 06 N73-33076

RODNER, W. H.
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c 03 N71-20895

RODRIGUEZ, G. E.
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c 33 N81-19392

ROE, FRED D., JR.
Reconfigurable work station for a video display unit and keyboard
[NASA-CASE-MFS-26009-1-SB] c 54 N88-24163

ROEBELEN, GEORGE J., JR.
High effectiveness contour matching contact heat exchanger
[NASA-CASE-MSC-20840-1] c 34 N88-29132

ROEDER, E. R.
Brazing alloy binder
[NASA-CASE-XMF-05868] c 26 N75-27125
Brazing alloy composition
[NASA-CASE-XMF-06053] c 26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c 26 N75-27127

ROESKE, P. W.
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c 14 N71-10500

ROGALLO, F. M.
Aeroflexible structures
[NASA-CASE-XLA-06095] c 01 N69-39981
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c 02 N70-33332
Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c 02 N71-11038

ROGALLO, V. L.
Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c 02 N70-34856
Null-type vacuum microbalance Patent
[NASA-CASE-XAC-00472] c 15 N70-40180
Thermo-protective device for balances Patent
[NASA-CASE-XAC-00648] c 14 N70-40400
Force transducer Patent
[NASA-CASE-XAC-01101] c 14 N70-41957

ROGERS, F. O.
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c 18 N72-17532

ROGERS, J. R.
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c 37 N75-32465
Smoke generator
[NASA-CASE-ARC-10905-1] c 37 N77-13418

ROGOWSKI, R. S.
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c 45 N76-31714
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c 25 N78-15210

ROGOWSKI, ROBERT S.
Radio Frequency (RF) strain monitor
[NASA-CASE-LAR-13705-1] c 39 N88-25011

ROHATGI, N. K.
Coal desulfurization by aqueous chlorination
[NASA-CASE-NPO-14902-1] c 25 N82-29371
Hydrodesulfurization of chlorinized coal
[NASA-CASE-NPO-15304-1] c 25 N83-31743

ROLF, E.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c 21 N71-19212

ROLIK, G. P.
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c 03 N72-22042

ROLLER, R. F.
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c 33 N74-17930

ROLLINS, FRED P.
Self-contained, single-use hose and tubing cleaning module
[NASA-CASE-MSC-20857-1] c 37 N87-17035

ROLLINS, G. N.
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c 35 N74-13132

ROLLINS, J. R.
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c 37 N76-14460

ROM, F. E.
Gas core nuclear reactor Patent
[NASA-CASE-LEW-10250-1] c 22 N71-28759

ROMAN, J. A.
Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c 05 N71-11189
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c 05 N71-26293
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c 12 N71-26546
Respiration monitor
[NASA-CASE-FRC-10012] c 14 N72-17329

ROMAN, R. F.
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c 72 N80-33186
Ring-cusp ion thruster with shell anode
[NASA-CASE-LEW-13881-1] c 20 N85-21256
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587

ROMANCZYK, K. C.
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c 14 N71-27215

ROMMEL, M. A.
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c 14 N71-20442

ROMVARY, E., JR.
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c 15 N71-15906

RONEY, B. W.
Evacuation valve
[NASA-CASE-LAR-10061-1] c 15 N72-31483

ROOT, G. L.
Valve seat
[NASA-CASE-NPO-10606] c 15 N72-25451

ROSALES, L. A.
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c 15 N71-17654
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c 15 N71-18580

ROSE, S. D.
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c 43 N79-31706

ROSEN, H. A.
Varactor high level mixer
[NASA-CASE-XGS-02171] c 09 N69-24324
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c 31 N71-29050

ROSEN, L.
Focused image holography with extended sources Patent
[NASA-CASE-ERC-10019] c 16 N71-15551
Recording and reconstructing focused image holograms Patent
[NASA-CASE-ERC-10017] c 16 N71-15567
Method and means for recording and reconstructing holograms without use of a reference beam Patent
[NASA-CASE-ERC-10020] c 16 N71-26154

ROSENBAUM, B. J.
Flow test device
[NASA-CASE-XMS-04917] c 14 N69-24257

ROSENBLUM, L.
Split welding chamber Patent
[NASA-CASE-LEW-11531] c 15 N71-14932
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c 06 N71-23527

ROSENGREN, L. G.
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c 35 N77-14411

ROSIER, W. R.
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c 33 N80-26599

ROSIN, A. D.
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c 15 N71-15968

ROSIN, S.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c 23 N71-24857
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c 14 N73-30393

ROSINSKI, W. K.
Adjustable force probe
[NASA-CASE-MFS-20760] c 14 N72-33377

ROSITANO, S. A.
Visual examination apparatus
[NASA-CASE-ARC-10329-1] c 05 N73-26072
Visual examination apparatus
[US-PATENT-RE-28,921] c 52 N76-30793

ROSS, B.
Increased voltage photovoltaic cell
[NASA-CASE-NPO-16155-1] c 44 N85-30475

ROSS, L. O.
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c 27 N79-22300

ROSSER, R. W.
Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c 27 N74-12812
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c 27 N76-15310
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c 27 N79-22300
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c 25 N81-14016

Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c 27 N81-17259
The 1,2,4-oxadiazole elastomers
[NASA-CASE-ARC-11253-1] c 27 N81-17262
Bifunctional monomers having terminal oxime and cyano or amidine groups
[NASA-CASE-ARC-11253-3] c 27 N81-24256
The 1,1,1-triaryl-2,2,2-trifluoroethanes and process for their synthesis
[NASA-CASE-ARC-11097-1] c 25 N82-24312
Preparation of crosslinked 1,2,4-oxadiazole polymer
[NASA-CASE-ARC-11253-2] c 27 N82-24338
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c 23 N82-28353
High performance channel injection sealant invention abstract
[NASA-CASE-ARC-14408-1] c 27 N82-33523
Fluoroether modified epoxy composites
[NASA-CASE-ARC-11418-1] c 24 N84-11213
Process for preparing perfluorotriazine elastomers and precursors thereof
[NASA-CASE-ARC-11402-1] c 27 N84-22744
Perfluoro (Imidoylamidine) diamidines
[NASA-CASE-ARC-11402-3] c 23 N86-21582

ROSSI, B. B.
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c 14 N70-40240

ROSSOW, V. J.
Apparatus for measuring conductivity and velocity of plasma utilizing a plurality of sensing coils positioned in the plasma Patent
[NASA-CASE-XAC-05695] c 25 N71-16073

ROTH, H.
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c 09 N71-18721
Gunn-type solid state devices
[NASA-CASE-XER-07895] c 26 N72-25679

ROTMAN, A.
Supporting and protecting device Patent
[NASA-CASE-XMF-00580] c 11 N70-35383

ROUDEBUSH, W. H.
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c 28 N71-28915

ROUGHTON, N. A.
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c 35 N75-27329

ROUSEY, W. J.
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c 33 N75-19519

ROUTH, D. E.
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c 76 N79-14906
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c 44 N79-26475
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-15670-1] c 33 N82-33634
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-256704-1] c 33 N84-22884

ROUZER, L. E.
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c 16 N71-28554

ROWE, H. E.
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c 36 N75-19654

ROWLAND, C. W.
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c 15 N69-27502
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c 16 N73-16536

ROWLETTE, J. J.
State-of-charge coulometer
[NASA-CASE-NPO-15759-1] c 35 N85-21596

ROWLEY, P. D.
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c 75 N74-30156

ROY, N. L.
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c 35 N76-15431
Particle parameter analyzing system
[NASA-CASE-XLE-06094] c 33 N78-17293
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c 37 N78-17386

ROY, U.
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c 18 N73-32437

ROYSTER, D. M.
Metal matrix composite structural panel construction
[NASA-CASE-LAR-12807-1] c 24 N84-11214
Curved cap corrugated sheet
[NASA-CASE-LAR-12884-1] c 18 N84-33450

ROYSTER, DICK M.
Stiffened titanium panels
[NASA-CASE-LAR-13814-1] c 31 N88-24816

ROZAS, P.
Doppler radar having phase modulation of both transmitted and reflected return signals
[NASA-CASE-MSC-18675-1] c 32 N84-22820

RUBERT, K. F.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c 14 N70-41366
Quick release connector Patent
[NASA-CASE-XLA-01141] c 15 N71-13789

RUBIN, B.
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c 04 N72-33072

RUBIN, D. C.
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c 26 N72-25680

RUBIN, I.
Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c 44 N78-27515

RUDDOCK, K. A.
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-XGS-04879] c 14 N71-20428

RUDERMAN, I. W.
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c 52 N79-21750

RUDMANN, A. A.
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c 37 N80-14398
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c 37 N81-14320

RUDNICK, I.
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c 71 N79-20827

RUEHR, W. C.
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c 07 N81-14999

RUHNKE, L. H.
Determining distance to lightning strokes from a single station
[NASA-CASE-KSC-10698] c 07 N73-20175
Rocket borne instrument to measure electric fields inside electrified clouds
[NASA-CASE-KSC-10730-1] c 14 N73-32318

RUITBERG, A. P.
High voltage isolation transformer
[NASA-CASE-GSC-12817-1] c 33 N85-29146
High voltage power supply
[NASA-CASE-GSC-12818-1] c 33 N85-29147

RUIZ, W. V.
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c 37 N82-24491

RUMBLE, C. V.
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c 33 N74-22865

RUMMEL, J. A.
Metabolic analyzer
[NASA-CASE-MFS-21415-1] c 52 N74-20728

RUMMLER, D. R.
Automatic force measuring system Patent
[NASA-CASE-XLA-02605] c 14 N71-10773
Low mass truss structure
[NASA-CASE-LAR-10546-1] c 11 N72-25287

RUNDELL, D. J.
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c 07 N78-18067

RUOFF, C. F.
Memory metal actuator
[NASA-CASE-NPO-15960-1] c 37 N86-19604

RUOFF, C. F., JR.
Retinally stabilized differential resolution television display
[NASA-CASE-NPO-15432-1] c 32 N85-29117

RUPE, J. H.
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c 37 N76-16446
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c 37 N76-18457
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c 44 N76-29700

RUPNIK, D. R.
Switching circuit Patent
[NASA-CASE-XNP-06505] c 10 N71-24799

RUPP, C. C.
Attitude control system
[NASA-CASE-MFS-22787-1] c 15 N77-10113
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c 15 N78-25119

RUPPE, E. P.
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c 26 N80-28492

RUSSELL, C. H.
Analog to digital converter tester Patent
[NASA-CASE-XLA-06713] c 14 N71-28991

RUSSELL, G. R.
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c 36 N75-32441
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c 36 N77-26477

RUSSELL, J. M., III
Event recorder Patent
[NASA-CASE-XLA-01832] c 14 N71-21006
Ablation sensor Patent
[NASA-CASE-XLA-01791] c 14 N71-22991

RUSSELL, JIM K.
Range and range rate system
[NASA-CASE-MSC-20867-1] c 36 N88-24958

RUSSELL, L. D.
High intensity radiant energy pulse source having means for opening shutter when light flux has reached a desired level
[NASA-CASE-ARC-10178-1] c 09 N72-17152
Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c 14 N72-24477

RUSSELL, PHILIP B.
Airborne tracking sunphotometer apparatus and system
[NASA-CASE-ARC-11622-1] c 44 N88-14492

RUSSELL, W. E.
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c 15 N71-15597
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c 15 N71-24836

RUST, R.
Solenoid construction Patent
[NASA-CASE-XNP-01951] c 09 N70-41929

RUTLEDGE, C. W.
Digital control of diode laser for atmospheric spectroscopy
[NASA-CASE-NPO-16000-1] c 36 N85-29264

RUTLEDGE, SHARON K.
Ion beam sputter etching
[NASA-CASE-LEW-13899-1] c 31 N87-21160

RYAN, C. R.
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c 33 N78-32338

RYAN, E. W.
Thrust reverser for a long duct fan engine
[NASA-CASE-LEW-13199-1] c 07 N82-26293

RYAN, G. G.
Tanker orbit transfer vehicle and method
[NASA-CASE-MSC-20543-1] c 18 N84-22610

RYASON, P. R.
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c 44 N77-32580
Solar photolysis of water
[NASA-CASE-NPO-14126-1] c 44 N79-11470
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c 31 N81-15154

RYBICKI, G. C.
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267

S

SABAROFF, S.
Broadband frequency discriminator Patent
[NASA-CASE-NPO-10096] c 07 N71-24583
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c 32 N79-11265

SABELMAN, E. E.
Pump for delivering heated fluids
[NASA-CASE-NPO-11417] c 15 N73-24513
Ferrofluidic solenoid
[NASA-CASE-NPO-11738-1] c 09 N73-30185

SABOL, A. P.
Crossed-field MHD plasma generator/ accelerator Patent
[NASA-CASE-XLA-03374] c 25 N71-15562
Self-repeating plasma generator having communicating annular and linear arc discharge passages Patent
[NASA-CASE-XLA-03103] c 25 N71-21693

Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c 12 N73-28144
Heat exchanger system and method
[NASA-CASE-LAR-10799-2] c 34 N76-17317
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c 44 N77-22607

SACKS, B. H.
Magnetically actuated tuning method for Gunn oscillators
[NASA-CASE-NPO-12106] c 09 N73-15235

SADHUKHAN, P.
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c 26 N78-32229

SAFFREN, M. M.
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c 12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c 20 N75-24837
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c 33 N75-31332
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c 35 N76-16390
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c 36 N76-29575
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c 25 N77-32255
Closed loop electrostatic levitation system
[NASA-CASE-NPO-15553-1] c 33 N85-29142

SAHINKAYA, Y.
Optimal control system for an electric motor driven vehicle
[NASA-CASE-NPO-11210] c 11 N72-20244

SAINSBURY-CARTER, J. B.
Bonded joint and method
[NASA-CASE-LAR-10900-1] c 37 N74-23064

SAINTCLAIR, T. L.
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c 27 N75-29263

SAKELLARIS, P. C.
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c 35 N78-19466

SALAMA, A. M.
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c 44 N80-24741
Efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c 44 N82-26777

SALAZAR, G. A.
Adaptive data acquisition multiplexing system and method
[NASA-CASE-MSC-21170-1] c 17 N88-24662

SALEMME, C. T.
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c 37 N78-10468

SALIK, JOSHUA
Ion-beam nitriding of steels
[NASA-CASE-LEW-14104-2] c 26 N88-14179

SALISBURY, D. P.
High performance channel injection sealant invention abstract
[NASA-CASE-ARC-14408-1] c 27 N82-33523

SALISBURY, J. K., JR.
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c 37 N79-28551

SALMIRS, S.
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c 14 N70-40239
Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c 31 N71-10582

SALOMON, P. M.
Programmable scan/read circuitry for charge coupled device imaging detectors
[NASA-CASE-NPO-15345-1] c 74 N84-23247

SALTER, W. E.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c 35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c 35 N77-17426

SALTZMAN, E. J.
Traversing probe Patent
[NASA-CASE-XFR-02007] c 12 N71-24692
Low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c 85 N82-33288

SALVINSKI, R. J.
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c 12 N71-27332
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c 37 N75-25185

SAMFIELD, E.
Inflatable tether Patent
[NASA-CASE-XMS-10993] c 15 N71-28936

SAMONSKI, F. H., JR.
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c 05 N70-41297

SAMSON, J. A. R.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c 06 N71-13461

SAMSON, R.
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c 09 N71-18600

SAN MIGUEL, A.
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c 32 N71-17645
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c 14 N71-21091

SANDBORN, V. A.
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c 14 N70-38602
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c 28 N70-41576

SANDER, R. C.
Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c 09 N71-25866

SANDERS, B. W.
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c 02 N74-20646

SANDERS, FRED G.
Bi-stem gripping apparatus
[NASA-CASE-MFS-28185-1] c 37 N88-23979

SANDFORD, M. C.
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c 44 N80-18552

SANDROCK, G. D.
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c 17 N71-16025
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c 17 N71-23248
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c 17 N73-32415

SANDSTROM, D. B.
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c 09 N72-22199

SANG, Q. TRAN
Vapor fragrancer
[NASA-CASE-LAR-13680-1] c 35 N87-25561

SANTARPIA, D.
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c 36 N75-19654

SARBOLOUKI, M. N.
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c 39 N81-25400

SARGISSON, D. F.
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c 07 N78-17056
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c 07 N78-18066
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c 07 N79-14096

SATER, B. L.
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c 37 N81-19455

SAUER, L. S.
Hybrid lubrication system and bearing Patent
[NASA-CASE-XNP-01641] c 15 N71-22997

SAUER, R. L.
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c 54 N76-14804

SAUER, T. H.
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c 14 N73-14429

SAUERS, D. G.
Measuring device Patent
[NASA-CASE-XMS-01546] c 14 N70-40233
Lightweight electrically-powered flexible thermal laminate
[NASA-CASE-MSC-12662-1] c 33 N79-12331

SAUNDERS, A. A., JR.
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c 07 N80-18039
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c 07 N81-19116

SAUNDERS, A. R.
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c 16 N72-22520

SAUNDERS, J. M.
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126

SAUNDERS, N. T.
Method of producing porous tungsten ionizers for ion rocket engines Patent
[NASA-CASE-XLE-00455] c 28 N70-38197

SAUTER, R. J.
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c 05 N73-32014

SAVAKIS, ANDREAS E.
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761

SAWKO, P. M.
Polymeric vehicles as carriers for sulfonic acid salt of nitrosubstituted aromatic amines
[NASA-CASE-ARC-10325] c 06 N72-25147
Intumescent paint containing nitrile rubber
[NASA-CASE-ARC-10196-1] c 18 N73-13562
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c 27 N76-16230
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c 24 N78-14096
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c 24 N78-27180
Ambient cure polyimide foams
[NASA-CASE-ARC-11170-1] c 27 N79-11215
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c 15 N79-26100
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides
[NASA-CASE-ARC-11107-1] c 25 N80-16116
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c 24 N81-13999

SAWYER, C. D.
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c 73 N78-28913

SAWYER, D. E.
Semiconductor-ferroelectric memory device
[NASA-CASE-ERC-10307] c 08 N72-21198
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c 09 N72-22199

SAWYER, J. T.
Leak detector
[NASA-CASE-MFS-21761-1] c 35 N75-15931

SAWYER, R. V.
Electrical servo actuator bracket
[NASA-CASE-FRC-11044-1] c 37 N81-33483
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c 60 N82-24839

SCAPICCHIO, A. J.
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c 26 N71-14354

SCARPELLI, AUGUST R.
Precision tunable resonant microwave cavity
[NASA-CASE-LEW-13935-1] c 33 N87-21234

SCHACH, M.
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c 34 N74-23039

SCHACHT, W. F.
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c 15 N69-24266

SCHACHTER, M. M.
Apparatus for producing three-dimensional recordings of flourescence spectra Patent
[NASA-CASE-XGS-01231] c 14 N70-41676

SCHAEFER, D. H.
Binary magnetic memory device Patent
[NASA-CASE-XGS-00174] c 08 N70-34743
Logarithmic converter Patent
[NASA-CASE-XLA-00471] c 08 N70-34778
Full binary adder Patent
[NASA-CASE-XGS-00689] c 08 N70-34787
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c 08 N71-18602
Computing apparatus Patent
[NASA-CASE-XGS-04765] c 08 N71-18693
Signal detection and tracking apparatus Patent
[NASA-CASE-XGS-03502] c 10 N71-20852
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c 60 N77-14751

Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c 60 N78-10709

SCHAEFER, G. J.
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c 32 N81-27341

SCHAER, G. R.
Method of making porous conductive supports for electrodes
[NASA-CASE-GSC-11367-1] c 44 N74-19692

SCHAFFER, G. L.
Multivibrator circuit with means to prevent false triggering from supply voltage fluctuations Patent
[NASA-CASE-ARC-10137-1] c 09 N71-28468

SCHAFFERT, J. C.
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c 09 N70-34819

SCHALLER, N. C.
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c 14 N73-13416

SCHANSMAN, R. R.
Photoelectric detection system
[NASA-CASE-MFS-23776-1] c 33 N82-28545

SCHAPPERT, G. T.
Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c 16 N69-31343

SCHAUS, R. B.
Thermobulb mount Patent
[NASA-CASE-NPO-10158] c 33 N71-16356

SCHEIBE, H.
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c 54 N74-17853

SCHEIN, MICHAEL E.
Surface Tension Confined Liquid Cryogen Cooler (STCLCC)
[NASA-CASE-GSC-13112-1] c 31 N88-29050

SCHELL, J. T.
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c 33 N71-28892

SCHEMBER, HELENE
Krypton based adsorption type cryogenic refrigerator
[NASA-CASE-NPO-17334-1-CU] c 31 N88-23917

SCHER, M. P.
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c 21 N72-21624

SCHER, S. H.
Hot air ballon deceleration and recovery system Patent
[NASA-CASE-XLA-06824-2] c 02 N71-11037

SCHIFFNER, G.
Power supply for carbon dioxide lasers
[NASA-CASE-GSC-11222-1] c 16 N73-32391

SCHILLER, J. G.
Method and device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c 25 N79-22235

SCHINDLER, R. A.
Interferometer direction sensor Patent
[NASA-CASE-NPO-10320] c 14 N71-17655
Interferometer servo system Patent
[NASA-CASE-NPO-10300] c 14 N71-17662
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c 35 N74-23040
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c 35 N78-18391
Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c 35 N78-18395
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c 35 N79-14348
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c 35 N80-20563
Interferometer
[NASA-CASE-NPO-14448-1] c 74 N81-29963

SCHLESINGER, F. W.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c 14 N70-41955

SCHLIESING, J. A.
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729

SCHLOSS, A. L.
Solid state switch
[NASA-CASE-XNP-09228] c 09 N69-27500

SCHMIDT, DEBORAH D.
High temperature electric arc furnace
[NASA-CASE-MFS-28281-1] c 09 N88-28938

SCHMIDT, E. E.
Caterpillar micro positioner
[NASA-CASE-GSC-10780-1] c 14 N72-16283

SCHMIDT, H. W.
Conical valve plug Patent
[NASA-CASE-XLE-00715] c 15 N70-34859
Fluid coupling Patent
[NASA-CASE-XLE-00397] c 15 N70-36492

SCHMIDT, K. C.
Radiation and particle detector and amplifier
[NASA-CASE-NPO-12128-1] c 14 N73-32317

SCHMIDT, L. F.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c 21 N70-35089
Light sensor
[NASA-CASE-NPO-11311] c 14 N72-25414
Sun direction detection system
[NASA-CASE-NPO-13722-1] c 74 N77-22951

SCHMIDT, R.
Reactance control system Patent
[NASA-CASE-XMF-01598] c 21 N71-15583

SCHMIDT, R. F.
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c 07 N69-27460
Electronic scanning of 2-channel monopulse patterns Patent
[NASA-CASE-GSC-10299-1] c 09 N71-24804
Dish antenna having switchable beamwidth
[NASA-CASE-GSC-11760-1] c 33 N75-19516
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c 32 N76-15329
Variable beamwidth antenna
[NASA-CASE-GSC-11862-1] c 32 N76-18295
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c 33 N76-27472
Focal axis resolver for offset reflector antennas
[NASA-CASE-GSC-12630-1] c 33 N83-36355

SCHMIDT, SUSAN B.
High performance forward swept wing aircraft
[NASA-CASE-ARC-11636-1] c 05 N88-28914

SCHMIDT, W. G.
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c 27 N71-14090

SCHMITT, A. L.
Sun angle calculator
[NASA-CASE-MSC-12617-1] c 35 N76-29552

SCHMITZ, B. W.
Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c 28 N70-39931

SCHMITZ, F. H.
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c 05 N80-14107

SCHNEIDER, R. T.
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c 73 N78-19920
Safety flywheel
[NASA-CASE-HQN-10888-1] c 44 N79-14527

SCHNEIDER, W. C.
Auger attachment method for insulation
[NASA-CASE-MSC-12615-1] c 37 N76-19437
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729

SCHNEIDER, WILLIAM C.
Mobile remote manipulator system for a tetrahedral truss
[NASA-CASE-MSC-20985-1] c 18 N88-26398
Preloaded brake disc
[NASA-CASE-MSC-21132-1] c 37 N88-29181

SCHNITZER, E.
Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c 32 N70-36536
Manned space station Patent
[NASA-CASE-XLA-00258] c 31 N70-38676
Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c 15 N71-22713

SCHNOPPER, H. W.
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c 14 N73-28491

SCHOEN, A. H.
Honeycomb panels formed of minimal surface periodic tubule layers
[NASA-CASE-ERC-10364] c 18 N72-25540
Honeycomb core structures of minimal surface tubule sections
[NASA-CASE-ERC-10363] c 18 N72-25541
Expandable space frames
[NASA-CASE-ERC-10365-1] c 31 N73-32749

SCHOLL, J. A.
Method of forming shapes from planar sheets of thermosetting materials
[NASA-CASE-NPO-11036] c 15 N72-24522

SCHOMBURG, C.
Densification of porous refractory substrates
[NASA-CASE-MSC-18737-1] c 24 N83-13171
High temperature silicon carbide impregnated insulating fabrics
[NASA-CASE-MSC-18832-1] c 27 N83-18908

SCHORUM, S. W.
High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c 08 N71-19544

SCHOTT, TIMOTHY D.
Method of attaching strain gauges to various materials
[NASA-CASE-LAR-13797-1] c 35 N88-30108

SCHRADER, J. H.
Multiple input radio receiver Patent
[NASA-CASE-XLA-00901] c 07 N71-10775
Cooperative Doppler radar system Patent
[NASA-CASE-LAR-10403] c 21 N71-11766
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c 21 N73-30641

SCHREDER, K. D.
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c 10 N71-26331

SCHROEDER, J. E.
Absorbable-susceptor joining of ceramic surfaces
[NASA-CASE-NPO-15640-1] c 27 N84-22748

SCHRYER, D. R.
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540

SCHUBERT, F. H.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c 54 N78-14784

SCHUBERT, W. W.
Enhancement of in vitro guayule propagation
[NASA-CASE-NPO-15213-1] c 51 N83-17045

SCHUERER, P. H.
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290
Cryogenic insulation strength and bond tester
[NASA-CASE-MFS-25910-1] c 39 N86-20841

SCHULLER, F. T.
Journal bearings
[NASA-CASE-LEW-11076-1] c 37 N74-21061
Journal Bearings
[NASA-CASE-LEW-11076-2] c 37 N74-32921
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c 37 N75-30562
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c 37 N76-15461

SCHULTZ, D. F.
Steam cooled rich-burn combustor liner
[NASA-CASE-LEW-13609-1] c 25 N83-17628
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c 37 N84-22958

SCHUMACHER, L. L.
Wide angle sun sensor
[NASA-CASE-NPO-13327-1] c 35 N75-23910

SCHUSTER, D. M.
Antenna beam-shaping apparatus Patent
[NASA-CASE-XNP-00611] c 09 N70-35219
Parabolic reflector horn feed with spillover correction Patent
[NASA-CASE-XNP-00540] c 09 N70-35382
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-XNP-01193] c 10 N71-16057

SCHUSTER, M. A.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c 07 N71-24612

SCHUTT, J. B.
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c 18 N69-39979
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c 18 N71-14014
Method for etching copper Patent
[NASA-CASE-XGS-06306] c 17 N71-16044
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c 18 N71-24183
Phototropic composition of matter
[NASA-CASE-XGS-03736] c 14 N72-22443
Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c 18 N72-23581
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c 24 N76-24363
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c 43 N78-10529
Alkali-metal silicate binders and methods of manufacture
[NASA-CASE-GSC-12303-1] c 24 N79-31347
Diffusely reflecting paints including polytetrafluoroethylene and method of manufacture
[NASA-CASE-GSC-12883-1] c 27 N85-29044

SCHUTZENHOFER, L. A.
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c 09 N76-23273
SCHWAB, W. B.
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c 31 N78-17237
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c 34 N79-20336
SCHWARTZ, I. R.
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c 07 N74-33218
SCHWARZ, F. C.
Saturation current protection apparatus for saturable core transformers Patent
[NASA-CASE-ERC-10075] c 09 N71-24800
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c 09 N71-24893
Saturation current protection apparatus for saturable core transformers
[NASA-CASE-ERC-10075-2] c 09 N72-22196
Load-insensitive electrical device
[NASA-CASE-XER-11046] c 09 N72-22203
Analog Signal to Discrete Time Interval Converter (ASDTIC)
[NASA-CASE-ERC-10048] c 09 N72-25251
Controllable load insensitive power converters
[NASA-CASE-ERC-10268] c 09 N72-25252
Load insensitive electrical device
[NASA-CASE-XER-11046-2] c 33 N74-22864
SCHWINGHAMER, R. J.
Angular measurement system Patent
[NASA-CASE-XMF-00447] c 14 N70-33179
Space vehicle electrical system Patent
[NASA-CASE-XMF-00517] c 03 N70-34157
Electrical discharge apparatus for forming Patent
[NASA-CASE-XMF-00375] c 15 N70-34249
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c 14 N70-40238
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c 15 N71-17650
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c 15 N71-24833
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c 15 N71-24865
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c 15 N71-26148
SCHWUTTKE, G. H.
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c 76 N79-23798
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
SCIACCA, T. P.
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c 14 N69-39982
SCOGGINS, J. R.
Meteorological balloon Patent
[NASA-CASE-XMF-04163] c 02 N71-23007
SCOPELIANOS, A. G.
Process for the preparation of polycarboranylphosphazenes
[NASA-CASE-ARC-11176-2] c 27 N81-27271
Carboranylcyclotriphosphazenes and their polymers
[NASA-CASE-ARC-11176-1] c 27 N82-18389
Carboranylmethylene-substituted phosphazenes and polymers thereof
[NASA-CASE-ARC-11370-1] c 27 N84-22750
SCOTT, C. E.
Magnifying scratch gage force transducer
[NASA-CASE-LAR-10496-1] c 14 N72-22437
SCOTT, C. N.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c 28 N72-11708
SCOTT, D. R.
Solar tracking system
[NASA-CASE-MFS-23999-1] c 44 N81-24520
Electrical self-aligning connector
[NASA-CASE-MFS-25211-2] c 33 N84-14423
SCOTT, R. F.
Burrowing apparatus
[NASA-CASE-XNP-07169] c 15 N73-32362
SCOTT, R. R.
Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c 03 N71-11049
SCOTT, ROBERT O.
Method of controlling a resin curing process
[NASA-CASE-MSC-21169-1] c 27 N87-25473
SCOTT, S. G.
Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c 09 N69-21313
SCOTT, W. L.
Tactile sensing means for prosthetic limbs
[NASA-CASE-MFS-16570-1] c 05 N73-32013
SCOW, J.
Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c 10 N71-15909
SCROOP, F. R.
Relief container
[NASA-CASE-XMS-06761] c 05 N69-23192
SCUDDER, L. R.
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c 44 N79-11468
SCULLY, P. T.
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c 09 N71-20658
SEA, R. G.
Junction range finder
[NASA-CASE-KSC-10108] c 14 N73-25461
SEABAUGH, A. C.
Controlled in situ etch-back
[NASA-CASE-NPO-15625-1] c 76 N83-20789
SEAMAN, C. H.
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510
SEATON, A. F.
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c 10 N71-26142
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c 07 N72-11148
Conical reflector antenna
[NASA-CASE-NPO-10303] c 07 N72-22127
SEATON, S. L.
Electrostatic plasma modulator for space vehicle re-entry communication Patent
[NASA-CASE-XLA-01400] c 07 N70-41331
Means for communicating through a layer of ionized gases Patent
[NASA-CASE-XLA-01127] c 07 N70-41372
Method for measuring the characteristics of a gas Patent
[NASA-CASE-XLA-03375] c 16 N71-24074
Laser calibrator Patent
[NASA-CASE-XLA-03410] c 16 N71-25914
SEAY, B. P., JR.
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c 10 N71-19468
SEBACHER, D. I.
Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c 44 N77-22607
SECKEL, E.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c 05 N75-12930
SECRETAN, L.
Rotary bead dropper and selector for testing micrometeorite detectors Patent
[NASA-CASE-XGS-03304] c 09 N71-22988
SEEGMILLER, H. L. B.
Inertia diaphragm pressure transducer Patent
[NASA-CASE-XAC-02981] c 14 N71-21072
SEEGMILLER, HENRY L. B.
Liquid seeding atomizer
[NASA-CASE-ARC-11631-1] c 34 N87-21255
SEIDEL, B. L.
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c 32 N80-16261
SEIDENBERG, B.
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c 14 N73-12444
Low outgassing polydimethylsiloxane material and preparation thereof
[NASA-CASE-GSC-11358-1] c 06 N73-26100
SEIDENBERG, BENJAMIN
Polymeric heat pipe wick
[NASA-CASE-GSC-13019-1] c 34 N88-29133
SEILER, E. E.
Method for leakage testing of tanks Patent
[NASA-CASE-XMF-02392] c 32 N71-24285
SEITZ, T. E.
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c 03 N71-26084
SEITZINGER, V. F.
Unfired-ceramic flame-resistant insulation and method of making the same Patent
[NASA-CASE-XMF-01030] c 18 N70-41583
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c 33 N71-24858
SELCUK, M. K.
Solar energy collection system
[NASA-CASE-NPO-13810-1] c 44 N77-32582
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c 44 N78-31526
Non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c 44 N79-11471
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c 44 N81-17518
Solar concentrator protective system
[NASA-CASE-NPO-15662-1] c 44 N84-28204
SELLEN, J. M., JR.
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c 14 N71-16014
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c 09 N71-16086
SELLERS, F. J.
Control means for a gas turbine engine
[NASA-CASE-LEW-14586-1] c 07 N83-31603
SENNOTT, J. W.
Navigation system and method
[NASA-CASE-GSC-12508-1] c 04 N84-22546
SENSENY, R. M.
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle
[NASA-CASE-KSC-11064-1] c 31 N81-14137
SERAFINI, T. T.
Preparation of polyimides from mixtures of monomeric diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c 06 N73-27980
Curing agent for polyepoxides and epoxy resins and composites cured therewith
[NASA-CASE-LEW-13226-1] c 27 N81-17260
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c 27 N81-19296
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-2] c 27 N83-29392
SETZER, D.
Self-charging metering and dispensing device for fluids
[NASA-CASE-MSC-20275-1] c 35 N85-21595
SEWARD, H. H.
Compact spectroradiometer
[NASA-CASE-HQN-10683] c 14 N71-34389
Two color horizon sensor
[NASA-CASE-ERC-10174] c 14 N72-25409
SEYFFERT, M. B.
Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c 15 N71-18616
SEYL, J. W.
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c 07 N71-12391
SHACK, R. V.
Optical system
[NASA-CASE-NPO-15801-1] c 74 N85-23396
SHADY, D. L.
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c 35 N77-22450
SHAEFER, D. H.
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c 60 N77-32731
SHAFER, J. I.
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c 28 N72-23810
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c 28 N73-24784
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c 28 N74-33209
Solid propellant motor
[NASA-CASE-NPO-11458A] c 20 N78-32179
SHAFFER, C. V.
Active RC networks
[NASA-CASE-ARC-10042-2] c 10 N72-11256
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c 09 N72-21245
SHAI, C. M.
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c 18 N69-39979
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c 18 N71-24183
SHAI, M. C.
Electrically conductive thermal control coatings
[NASA-CASE-GSC-12207-1] c 24 N79-14156
Diffusely reflecting paints including polytetrafluoroethylene and method of manufacture
[NASA-CASE-GSC-12883-1] c 27 N85-29044

SHALHOUB, I. M.
The 1,2,4-oxadiazole elastomers
[NASA-CASE-ARC-11253-1] c 27 N81-17262
Bifunctional monomers having terminal oxime and cyano or amidine groups
[NASA-CASE-ARC-11253-3] c 27 N81-24256
Preparation of crosslinked 1,2,4-oxadiazole polymer
[NASA-CASE-ARC-11253-2] c 27 N82-24338

SHALTENS, R. K.
Method and apparatus for sputtering utilizing an apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c 17 N73-24569

SHANKAR, N. K.
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c 14 N72-27411

SHANKS, G. C.
Compression test apparatus
[NASA-CASE-MSC-18723-1] c 35 N83-21312

SHANNON, R. L.
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c 75 N78-27913

SHANNON, R. R.
Optical system
[NASA-CASE-NPO-15801-1] c 74 N85-23396

SHAPIRO, H.
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c 30 N71-17788
Trap for preventing diffusion pump backstreaming
[NASA-CASE-GSC-10518-1] c 15 N72-22489

SHARMA, G. C.
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-15670-1] c 33 N82-33634
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-256704-1] c 33 N84-22884

SHARMA, M. M.
Optical crystal temperature gauge with fiber optic connections
[NASA-CASE-MSC-18627-1] c 74 N82-30071

SHARPE, M. H.
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c 44 N79-11469
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c 44 N80-16452
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c 24 N80-26388

SHATAZSKY, R.
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c 08 N71-19420

SHATTUCK, R. D.
Protection of serially connected solar cells against open circuits by the use of shunting diode Patent
[NASA-CASE-XLE-04535] c 03 N71-23354

SHAW, C. S.
Exhaust flow deflector
[NASA-CASE-LAR-11570-1] c 34 N76-18364

SHAW, D. S.
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c 09 N82-23254

SHAW, G. C.
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c 28 N80-23471
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c 28 N81-15119

SHAW, R. C.
Device and method for frictionally testing materials for ignitability
[NASA-CASE-MSC-20622-1] c 25 N86-19413

SHEARER, C. H.
Stabilized lanthanum sulphur compounds
[NASA-CASE-NPO-16135-1] c 25 N83-24572

SHEETS, R. E.
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c 35 N76-29551

SHEFSIEK, P. K.
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c 15 N71-27184
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c 06 N73-13129

SHEIBLEY, D. W.
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c 44 N77-22606
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c 44 N78-25530
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-1] c 44 N79-17313
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c 44 N79-25481
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c 27 N80-32516
In-situ cross linking of polyvinyl alcohol
[NASA-CASE-LEW-13135-2] c 27 N81-24257
Polyvinyl alcohol battery separator containing inert filler
[NASA-CASE-LEW-13556-1] c 44 N81-27615
Cross-linked polyvinyl alcohol and method of making same
[NASA-CASE-LEW-13101-2] c 23 N81-29160
Method of making formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c 25 N82-21268
Advanced inorganic separators for alkaline batteries
[NASA-CASE-LEW-13171-1] c 44 N82-29708
Polyvinyl alcohol cross-linked with two aldehydes
[NASA-CASE-LEW-13504-1] c 25 N83-13188
Advanced inorganic separators for alkaline batteries and method of making the same
[NASA-CASE-LEW-13171-2] c 44 N83-32176
Additive for zinc electrodes
[NASA-CASE-LEW-13286-1] c 33 N84-14422
Alkaline battery containing a separator of a cross-linked copolymer of vinyl alcohol and unsaturated carboxylic acid
[NASA-CASE-LEW-13102-1] c 33 N85-29144

SHELPUK, B.
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c 44 N79-25482

SHELTON, G. B.
Notch filter
[NASA-CASE-MFS-23303-1] c 32 N77-18307
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c 74 N79-11865

SHELTON, J. P., JR.
Monopulse tracking system Patent
[NASA-CASE-XGS-01155] c 10 N71-21483

SHELTON, R. D.
Electron beam instrument for measuring electric fields Patent
[NASA-CASE-XMF-10289] c 14 N71-23699

SHEPARD, C. E.
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c 09 N71-20816

SHEPARD, L. F.
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012

SHEPARD, N. F., JR.
Solar cell module
[NASA-CASE-NPO-14467-1] c 44 N79-31753

SHEPARD, S. K.
Peak polarity selector Patent
[NASA-CASE-FRC-10010] c 10 N71-24862

SHER, A.
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c 44 N82-32841

SHERBURNE, A. E.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c 14 N72-22442

SHERFEY, J. M.
Bonded elastomeric seal for electrochemical cells Patent
[NASA-CASE-XGS-02631] c 03 N71-23006
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c 03 N72-15986
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c 37 N75-26371

SHERMAN, A.
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c 28 N71-25213
Stirling cycle cryogenic cooler
[US-PATENT-4,389,849] c 44 N83-28574
Cooling by conversion of para to ortho-hydrogen
[NASA-CASE-GSC-12770-1] c 25 N83-29324

SHERWIN, E. J.
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c 15 N69-39786

SHETH, S.
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c 27 N78-17213
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c 27 N78-32262

SHETH, S. G.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c 27 N76-24405

SHEWMAKE, G. A.
Life raft Patent
[NASA-CASE-XMS-00863] c 05 N70-34857
Life preserver Patent
[NASA-CASE-XMS-00864] c 05 N70-36493
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c 07 N70-40063
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c 05 N71-22748

SHIEBER, H.
Prestressed refractory structure Patent
[NASA-CASE-XNP-02888] c 18 N71-21068

SHIELDS, NICHOLAS L.
Reconfigurable work station for a video display unit and keyboard
[NASA-CASE-MFS-26009-1-SB] c 54 N88-24163

SHIGEMOTO, F. H.
Laser fluid velocity detector Patent
[NASA-CASE-XAC-10770-1] c 16 N71-24828

SHILLINGER, G. L., JR.
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c 35 N77-18417

SHIM, I. H.
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c 35 N74-15831

SHIMA, R.
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c 37 N75-19684

SHIMADA, K.
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c 03 N71-12255
Cavity emitter for thermionic converter Patent
[NASA-CASE-NPO-10412] c 09 N71-28421
Thermal to electrical power conversion system with solid-state switches with Seebeck effect compensation
[NASA-CASE-NPO-11388] c 03 N72-23048
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c 36 N75-30524
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c 44 N76-14602

SHIMANSKY, R. A.
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c 31 N81-19343

SHIMIZU, M.
Non-invasive method and apparatus for measuring pressure within a pliable vessel
[NASA-CASE-ARC-11264-2] c 52 N83-29991

SHIMODA, K.
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c 16 N71-18614

SHIRA, C. S.
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c 26 N75-29236

SHIRE, L. I.
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c 34 N78-27357

SHLICHTA, P. J.
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c 76 N82-30105
Method and apparatus for minimizing convection during crystal growth from solution
[NASA-CASE-NPO-15811-1] c 76 N84-12968
Absorbable-susceptor joining of ceramic surfaces
[NASA-CASE-NPO-15640-1] c 27 N84-22748
Glass heating panels and method for preparing the same from architectural reflective glass
[NASA-CASE-NPO-15753-1] c 27 N84-33589
Method for growth of crystals by pressure reduction of supercritical or subcritical solution
[NASA-CASE-NPO-15772-1] c 76 N85-29800
Method of making macrocrystalline or single crystal semiconductor material
[NASA-CASE-NPO-15904-1] c 76 N86-28760

SHLOSINGER, A. P.
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c 34 N78-17336
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c 34 N78-17337

SHORES, P. W.
Position determination systems
[NASA-CASE-MSC-12593-1] c 17 N76-21250
Doppler radar having phase modulation of both transmitted and reflected return signals
[NASA-CASE-MSC-18675-1] c 32 N84-22820

SHORES, PAUL
Method and apparatus for measuring frequency and phase difference
[NASA-CASE-MSC-20865-1] c 32 N87-18692

SHORES, PAUL W.
Doppler radar with multiphase modulation of transmitted and reflected signal
[NASA-CASE-MSC-18808-1] c 32 N88-23923
Method and apparatus for measuring distance
[NASA-CASE-MSC-20912-1] c 32 N88-26568
SHORTRIDGE, S. R.
Switching circuit employing regeneratively connected complementary transistors Patent
[NASA-CASE-XNP-02654] c 10 N70-42032
SHRIVER, C. B.
Method of making a filament-wound container Patent
[NASA-CASE-XLE-03803-2] c 15 N71-17651
Filament wound container Patent
[NASA-CASE-XLE-03803] c 15 N71-23816
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c 33 N71-25351
SHRIVER, C. L.
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c 32 N76-14321
SHRIVER, E. L.
Apparatus for determining the deflection of an electron beam impinging on a target Patent
[NASA-CASE-XMF-06617] c 09 N71-24843
Shock wave convergence apparatus
[NASA-CASE-MFS-20890] c 14 N72-22439
Self-energized plasma compressor
[NASA-CASE-MFS-22145-1] c 75 N75-13625
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c 75 N76-14931
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c 75 N76-17951
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c 35 N78-18390
SHROCK, C. G.
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750
SHUBE, E. E.
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c 07 N71-22984
SHULER, R. L., JR.
Real-time garbage collection for list processing
[NASA-CASE-MSC-20964-1] c 60 N87-14863
SHULL, T. A.
Digital demodulator
[NASA-CASE-LAR-12659-1] c 33 N82-26570
SHULMAN, A. R.
Method and apparatus for eliminating coherent noise in a coherent energy imaging system without destroying spatial coherence
[NASA-CASE-GSC-11133-1] c 23 N72-11568
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c 74 N77-28932
SHUMATE, M. S.
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c 23 N71-29125
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c 74 N78-17867
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c 25 N81-14015
SHUMKA, A.
Space-charge-limited solid-state triode
[NASA-CASE-NPO-13064-1] c 33 N79-11314
Synchronized voltage contrast display analysis system
[NASA-CASE-NPO-14567-1] c 33 N83-18996
SHURE, L. I.
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c 73 N75-30876
SHUTE, D. I.
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c 54 N75-27760
SIDMAN, K. R.
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c 27 N76-24405
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c 27 N78-17213
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c 27 N78-32262
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c 27 N82-16238
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-2] c 27 N84-14324
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-2] c 54 N84-23113
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-1] c 54 N84-28484
SIDNEY, B. D.
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540
SIDORAK, L. G.
Solar cell shingle
[NASA-CASE-LEW-12587-1] c 44 N77-31601
SIEBERT, C. J.
Flexible/rigidifiable cable assembly
[NASA-CASE-MSC-13512-1] c 15 N72-22485
SIEGEL, B.
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c 14 N72-11363
SIEGEL, C. M.
Epitaxial thinning process
[NASA-CASE-NPO-15786-1] c 76 N84-35112
SIEGMAN, A. E.
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c 36 N75-19653
SIERADSKI, L. M.
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c 35 N77-14406
SIEVERS, M. W.
High-speed data link for moderate distances and noisy environments
[NASA-CASE-NPO-14152-1] c 32 N80-18252
SIEWERT, R. D.
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c 35 N79-17192
SIGFRED, J.
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c 36 N77-25499
SIGNORELLI, R. A.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c 17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c 17 N70-38198
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c 18 N72-25539
SIKORA, P. F.
High temperature testing apparatus Patent
[NASA-CASE-XLE-00335] c 14 N70-35368
SIKORRA, D. J.
Apparatus for overcurrent protection of a push-pull amplifier Patent
[NASA-CASE-MSC-12033-1] c 09 N71-13531
SILVER, R. H.
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c 32 N71-17645
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c 14 N71-21091
Apparatus for remote measurement of displacement of marks on a specimen undergoing a tensile test
[NASA-CASE-NPO-10778] c 14 N72-11364
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c 33 N75-31329
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c 35 N76-14430
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c 33 N76-19338
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c 52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c 52 N76-29896
SILVERMAN, J. R.
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c 07 N71-24624
SILVERTSON, W. E., JR.
Logical function generator
[NASA-CASE-XLA-05099] c 09 N73-13209
SIMAS, V. R.
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c 07 N71-23098
SIMCHICK, RICHARD T.
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713
SIMMONDS, M. R.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c 54 N76-24900
SIMMONDS, P. G.
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c 13 N72-25323
Electrolytic gas operated actuator
[NASA-CASE-NPO-11369] c 15 N73-13467
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c 35 N74-15127
SIMMONS, G. M.
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c 28 N74-33209
SIMMONS, W. H.
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c 15 N70-41808
SIMON, M. K.
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c 10 N73-16205
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c 32 N74-20811
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c 32 N74-30523
SIMON, MARVIN K.
Doppler-corrected differential detection system
[NASA-CASE-NPO-16987-1-CU] c 32 N88-30001
SIMON, S. L.
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c 33 N71-29151
SIMONTON, J. WAYNE
Deployable geodesic truss structure
[NASA-CASE-LAR-13113-1] c 31 N87-25492
SIMPKINS, L. G.
Television multiplexing system
[NASA-CASE-KSC-10654-1] c 07 N73-30115
SIMPSON, J. G.
Solar concentrator
[NASA-CASE-MFS-23727-1] c 44 N80-14473
SIMPSON, NORMAN R.
Procedure to prepare transparent silica gels
[NASA-CASE-LAR-13476-1-CU] c 76 N87-29360
SIMPSON, W. E.
Radiator deployment actuator Patent
[NASA-CASE-MSC-11817-1] c 15 N71-26611
SIMPSON, W. G.
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c 11 N71-18773
Stud-bonding gun
[NASA-CASE-MFS-20299] c 15 N72-11392
Mixing insert for foam dispensing apparatus
[NASA-CASE-MFS-20607-1] c 37 N76-19436
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c 24 N80-26388
SIMS, C. R.
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c 14 N73-19421
SINCLAIR, A. R.
Ablation sensor Patent
[NASA-CASE-XLA-01791] c 14 N71-22991
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c 16 N73-16536
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c 35 N75-15014
SINDERSON, R. L.
Adaptive data acquisition multiplexing system and method
[NASA-CASE-MSC-21170-1] c 17 N88-24662
SINGER, S.
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c 27 N78-17214
SINGH, J. J.
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c 35 N74-15091
Low energy electron magnetometer using a monoenergetic electron beam
[NASA-CASE-LAR-12706-1] c 35 N84-12444
Radionuclide counting technique for measuring wind velocity and direction
[NASA-CASE-LAR-12971-1] c 47 N84-28292
A system for controlling the oxygen content of a gas produced by combustion
[NASA-CASE-LAR-13257-1] c 25 N84-32447
Process for improving moisture resistance of epoxy resins by addition of chromium ions
[NASA-CASE-LAR-13226-1] c 27 N85-34282
Technique for measuring gas conversion factors
[NASA-CASE-LAR-13220-1] c 34 N86-12547
SINGH, JAG J.
Method and device for determining heats of combustion of gaseous hydrocarbons
[NASA-CASE-LAR-13528-1] c 25 N88-29002
SINHA, M. P.
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184

SINSKY, MARK S.
Polyenamines from aromatic diacetylenic diketones and diamines
[NASA-CASE-LAR-13444-1-CU] c 27 N87-22847
SIROCKY, P. J.
Apparatus for transferring cryogenic liquids Patent
[NASA-CASE-XLE-00345] c 15 N70-38020
SISK, ROBERT C.
Planar thin film SQUID with integral flux concentrator
[NASA-CASE-MFS-28282-1] c 76 N88-29602
SIVERTSON, W. E., JR.
Adaptive compression of communication signals Patent
[NASA-CASE-XLA-03076] c 07 N71-11266
Rate data encoder
[NASA-CASE-LAR-10128-1] c 08 N73-20217
Method of locating persons in distress
[NASA-CASE-LAR-11390-1] c 32 N77-21267
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c 43 N80-18498
SIVITER, J. H., JR.
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c 14 N71-23240
SIVLEY, J. B.
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c 10 N71-23544
SIZEMORE, K. O.
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c 03 N71-19438
SLATER, R. J.
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c 15 N71-24164
SLAYDEN, M. D.
Pulse amplitude and width detector Patent
[NASA-CASE-XMF-06519] c 09 N71-12519
Pulse rise time and amplitude detector Patent
[NASA-CASE-XMF-08804] c 09 N71-24717
SLEEMAN, W. C., JR.
Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c 02 N71-11038
SLEMP, W. S.
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c 34 N77-18382
SLIFER, L. W., JR.
Solar cell and circuit array and process for nullifying magnetic fields Patent
[NASA-CASE-XGS-03390] c 03 N71-23187
SLINEY, H. E.
Bonded solid lubricant coating Patent
[NASA-CASE-XMS-00259] c 18 N70-36400
Method of making self lubricating fluoride- metal composite materials Patent
[NASA-CASE-XLE-08511-2] c 18 N71-16105
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c 18 N71-23710
Bearing material
[NASA-CASE-LEW-11930-1] c 24 N76-22309
Method of making bearing materials
[NASA-CASE-LEW-11930-4] c 24 N79-17916
Method of making bearing material
[NASA-CASE-LEW-11930-3] c 24 N80-33482
SLINEY, HAROLD E.
Carbide-fluoride-silver self-lubricating composite
[NASA-CASE-LEW-14196-2] c 37 N87-25585
SLOWIKOWSKI, D. F.
Digital pulse width selection circuit Patent
[NASA-CASE-XLA-07788] c 09 N71-29139
SMALL, J. G.
Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury Patent
[NASA-CASE-XNP-00708] c 14 N70-35394
SMALL, W. J.
Oribter/launch system
[NASA-CASE-LAR-12250-1] c 14 N81-26161
SMIALEK, J. L.
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267
SMILOWITZ, K.
Programmable scan/read circuitry for charge coupled device imaging detectors
[NASA-CASE-NPO-15345-1] c 74 N84-23247
SMISER, L. W.
Method for repair of thin glass coatings
[NASA-CASE-KSC-11097-1] c 27 N82-33520
SMITH, A. B.
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c 24 N71-10560
SMITH, C.
Counter and shift register Patent
[NASA-CASE-XNP-01753] c 08 N71-22897
SMITH, D.
Brazing alloy Patent
[NASA-CASE-XNP-03063] c 17 N71-23365
SMITH, D. L.
Hall effect transducer
[NASA-CASE-LAR-10620-1] c 09 N72-25255
SMITH, E. B.
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c 07 N81-14999
SMITH, E. W.
Barium release system
[NASA-CASE-LAR-10670-1] c 06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c 15 N74-27360
SMITH, EARNEST C.
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959
SMITH, G. E.
Inflatable device for installing strain gage bridges
[NASA-CASE-FRC-11068-1] c 35 N84-12443
SMITH, H. A.
Spherical tank gauge Patent
[NASA-CASE-XMS-06236] c 14 N71-21007
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c 54 N78-18761
SMITH, H. E.
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c 52 N74-12778
Automatic weld torch guidance control system
[NASA-CASE-MFS-25807] c 37 N83-20154
Automated weld torch guidance control system
[NASA-CASE-MFS-25807-2] c 37 N86-21850
SMITH, H. J.
Variable resistance constant tension and lubrication device
[NASA-CASE-KSC-10723-1] c 37 N75-13265
SMITH, J. A.
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c 24 N79-25142
SMITH, J. G.
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c 32 N80-20448
SMITH, J. P.
Energy management system for glider type vehicle Patent
[NASA-CASE-XFR-00756] c 02 N71-13421
SMITH, J. R., JR.
Balanced bellows spirometer
[NASA-CASE-XAR-01547] c 05 N69-21473
Temperature compensated solid state differential amplifier Patent
[NASA-CASE-XAC-00435] c 09 N70-35440
Transfer valve Patent
[NASA-CASE-XAC-01158] c 15 N71-23051
Method and apparatus for continuously monitoring blood oxygenation, blood pressure, pulse rate and the pressure pulse curve utilizing an ear oximeter as transducer Patent
[NASA-CASE-XAC-05422] c 04 N71-23185
SMITH, J. W.
Apparatus for damping operator induced oscillations of a controlled system
[NASA-CASE-FRC-11041-1] c 33 N82-18493
SMITH, L.
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c 35 N78-12390
SMITH, L. G.
Ionospheric battery Patent
[NASA-CASE-XGS-01593] c 03 N70-35408
SMITH, L. H., JR.
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c 07 N77-17059
SMITH, L. S.
Polarity sensitive circuit Patent
[NASA-CASE-XNP-00952] c 10 N71-23271
SMITH, M.
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c 27 N76-22376
Fibrous refractory composite insulation
[NASA-CASE-ARC-11169-1] c 24 N79-24062
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c 27 N82-24339
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c 37 N82-24492
SMITH, MARNELL
Ceramic-ceramic shell tile thermal protection system and method thereof
[NASA-CASE-ARC-11641-1] c 24 N88-18628
SMITH, N. J.
Calibrating pressure switch
[NASA-CASE-XMF-04494-1] c 33 N79-33392
SMITH, P. D.
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
SMITH, R. E.
High-temperature, high-pressure optical cell
[NASA-CASE-MFS-26000-1] c 74 N87-14971
SMITH, R. W.
Compact solar still Patent
[NASA-CASE-XMS-04533] c 15 N71-23086
SMITH, ROBBIE
Hanging drop crystal growth apparatus and method
[NASA-CASE-MFS-28206-1-SB] c 76 N88-25356
SMITH, S. F.
Automatic oscillator frequency control system
[NASA-CASE-GSC-12804-1] c 33 N86-20668
SMITH, T. B., III
Display research collision warning system
[NASA-CASE-HQN-10703] c 21 N73-13643
SMITH, W. O.
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c 21 N73-19630
Star tracking reticles
[NASA-CASE-GSC-11188-1] c 14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c 74 N74-20008
SMITH, W. R.
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c 24 N72-33681
SMITH, W. W.
Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c 28 N70-39931
SMITH, WILLIAM CONRAD
Electrostatic discharge test apparatus
[NASA-CASE-MSC-21094-1] c 35 N88-24941
SMITHRICK, J. J.
Oxygen recombination in individual pressure vessel nickel-hydrogen batteries
[NASA-CASE-LEW-13822-1] c 44 N86-25874
SMOOT, G. F.
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c 35 N78-12390
SMYLIE, R. E.
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c 05 N70-41297
SMYLY, H. M.
Differential pressure control
[NASA-CASE-MFS-14216] c 14 N73-13418
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c 52 N81-25660
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-15429-1] c 18 N84-22609
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-25429-1] c 18 N86-20469
SNEEDEN, R. J.
Gas turbine combustion apparatus Patent
[NASA-CASE-XLE-103477-1] c 28 N71-20330
SNODDY, L. G.
Insert facing tool
[NASA-CASE-MFS-21485-1] c 37 N74-25968
SNYDER, J. A.
Injector for use in high voltage isolators for liquid feed lines
[NASA-CASE-NPO-11377] c 15 N73-27406
SNYDER, L. M.
Particle detection apparatus including a ballistic pendulum Patent
[NASA-CASE-XMS-04201] c 14 N71-22990
SNYDER, P. K.
Spinning disk calibration method and apparatus for laser Doppler velocimeter
[NASA-CASE-ARC-11510-1] c 35 N86-32697
SNYDER, R. S.
Method of crystallization
[NASA-CASE-MFS-23001-1] c 76 N77-32919
Electrophoresis device
[NASA-CASE-MFS-25426-1] c 25 N83-10126
SNYDER, ROBERT S.
Moving wall, continuous flow electronphoresis apparatus
[NASA-CASE-MFS-28142-1] c 25 N88-23845
SODD, V. J.
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c 24 N72-33681
SOFFEN, G. A.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c 06 N71-26754

SOHL, G.
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c 09 N71-10618
Ion engine casing construction and method of making same Patent
[NASA-CASE-XNP-06942] c 28 N71-23293
SOINI, H. E.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c 14 N71-15992
SOKOLOWSKI, D. E.
Heat exchanger
[NASA-CASE-LEW-12252-1] c 34 N79-13288
SOLOMON, G.
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c 08 N71-22749
SOLTIS, D. G.
Method of making membranes
[NASA-CASE-XNP-04264] c 03 N69-21337
Additive for zinc electrodes
[NASA-CASE-LEW-13286-1] c 33 N84-14422
Method of making a light weight battery plaque
[NASA-CASE-LEW-13349-1] c 26 N84-22734
SOMOANO, R. B.
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c 27 N78-14164
SONNENSCHEIN, C. M.
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
SONNENSCHEIN, G.
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c 26 N77-29260
SORENSEN, C. E.
Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c 25 N70-41628
SORENSEN, N. E.
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c 09 N75-12969
The engine air intake system
[NASA-CASE-ARC-10761-1] c 07 N77-18154
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c 07 N80-32392
SOTER, E. J.
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c 54 N74-14845
SOTHERLUND, A. W., JR.
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c 15 N71-22874
SOURS, W. P.
Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c 15 N72-18477
SOVEY, J. S.
Modification of the electrical and optical properties of polymers
[NASA-CASE-LEW-13027-1] c 27 N80-24437
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c 72 N80-33186
Texturing polymer surfaces by transfer casting
[NASA-CASE-LEW-13120-1] c 27 N82-28440
Surface texturing of fluoropolymers
[NASA-CASE-LEW-13028-1] c 27 N82-33521
Ion sputter textured graphite
[NASA-CASE-LEW-12919-1] c 24 N83-10117
Thermal barrier coating system having improved adhesion
[NASA-CASE-LEW-1335901] c 27 N83-31855
Ion sputter textured graphite electrode plates
[NASA-CASE-LEW-12919-2] c 70 N84-28565
Deposition of diamondlike carbon films
[NASA-CASE-LEW-14080-1] c 31 N85-20153
Ring-cusp ion thruster with shell anode
[NASA-CASE-LEW-13881-1] c 20 N85-21256
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-1] c 27 N86-19458
Apparatus for producing oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-2] c 27 N86-32569
SOVEY, JAMES S.
Heat exchanger for electrothermal devices
[NASA-CASE-LEW-14037-1] c 20 N87-16875
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736
SOWA, W. W.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c 28 N72-11708
SPADY, A. A., JR.
Backpack carrier Patent
[NASA-CASE-LAR-10056] c 05 N71-12351
Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c 11 N71-16028
SPAHN, C. J.
Adaptive data acquisition multiplexing system and method
[NASA-CASE-MSC-21170-1] c 17 N88-24662
SPAIN, I. L.
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c 35 N75-13213
SPALVINS, T.
Deposition of alloy films
[NASA-CASE-LEW-11262-1] c 27 N74-13270
SPANG, H. A., III
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c 07 N81-19115
SPARKS, R. H.
Fifth wheel
[NASA-CASE-FRC-10081-1] c 37 N77-14477
SPEARMAN, M. L.
Translating horizontal tail Patent
[NASA-CASE-XLA-08801-1] c 02 N71-11043
SPEISER, R. C.
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c 09 N71-10618
SPENCER, B., JR.
Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c 31 N71-15674
SPENCER, D. J.
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c 08 N71-12506
SPENCER, J. L.
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c 32 N73-26910
SPENCER, P. R.
Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c 14 N70-40239
SPENCER, R. L.
Thickness measuring and injection device Patent
[NASA-CASE-MFS-20261] c 14 N71-27005
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c 35 N74-10415
SPENCER, R. S.
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c 27 N77-32308
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c 31 N81-19343
SPIER, R. A.
Portable milling tool Patent
[NASA-CASE-XMF-03511] c 15 N71-22799
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c 14 N73-27377
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c 05 N73-30078
Vee-notching device
[NASA-CASE-MFS-20730-1] c 39 N74-13131
SPIES, R.
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c 11 N73-12265
SPITZE, L. A.
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c 25 N79-10162
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c 28 N82-18401
SPITZER, C. R.
Evaporant holder
[NASA-CASE-XLA-03105] c 15 N69-27483
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c 14 N73-32322
SPITZIG, W. A.
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c 15 N71-15610
SPRECACE, R. P.
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c 34 N76-27515
SPRINGER, L. R.
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c 60 N79-20751
SPRINGETT, J. C.
Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent
[NASA-CASE-XNP-00911] c 08 N70-41961
Audio system with means for reducing noise effects
[NASA-CASE-NPO-11631] c 10 N73-12244
SPRINGFIELD, C. L.
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c 11 N71-24985
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c 11 N71-28629
SPRINKLE, D. R.
Technique for measuring gas conversion factors
[NASA-CASE-LAR-13220-1] c 34 N86-12547
SPRINKLE, DANNY R.
Method and device for determining heats of combustion of gaseous hydrocarbons
[NASA-CASE-LAR-13528-1] c 25 N88-29002
SPROSS, F. R.
Biological isolation garment Patent
[NASA-CASE-MSC-12206-1] c 05 N71-17599
SPUCK, W. H., III
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c 46 N80-10709
SQUILLARI, W.
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c 02 N73-13008
SQUYRES, H. P.
Uniform variable light source
[NASA-CASE-NPO-11429-1] c 74 N77-21941
SRIVASTAVA, S. K.
Means and method for calibrating a photon detector utilizing electron-photon coincidence
[NASA-CASE-NPO-15644-1] c 35 N84-33767
SRIVATSAN, RAGHAVACHARI
Airplane runway performance monitoring system
[NASA-CASE-LAR-13854-1-CU] c 04 N88-24621
ST.CLAIR, A. K.
Crystalline polyimides
[NASA-CASE-LAR-12099-1] c 27 N80-16158
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c 27 N82-11206
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c 25 N82-26396
Elastomer toughened polyimide adhesives
[NASA-CASE-LAR-12775-1] c 27 N83-28240
Process for improving mechanical properties of epoxy resins by addition of cobalt ions
[NASA-CASE-LAR-13230-1] c 24 N84-34571
Elastomer toughened polyimide adhesives
[NASA-CASE-LAR-12775-2] c 27 N85-21349
Process for improving moisture resistance of epoxy resins by addition of chromium ions
[NASA-CASE-LAR-13226-1] c 27 N85-34282
Process for preparing highly optically transparent/colorless aromatic polyimide film
[NASA-CASE-LAR-13351-1] c 27 N86-31727
ST.CLAIR, T. L.
Crystalline polyimides
[NASA-CASE-LAR-12099-1] c 27 N80-16158
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c 27 N81-14078
Tackifier for addition polyimides containing monoethylphthalate
[NASA-CASE-LAR-12642-1] c 27 N81-29229
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c 27 N82-11206
Elastomer toughened polyimide adhesives
[NASA-CASE-LAR-12775-1] c 27 N83-28240
Solvent resistant thermoplastic aromatic poly(imidesulfone) and process for preparing same
[NASA-CASE-LAR-12858-1] c 27 N83-34041
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-2] c 27 N84-22746
Polyphenylene ethers with imide linking groups
[NASA-CASE-LAR-12980-1] c 27 N84-22749
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-1] c 27 N85-20123
Process for preparing solvent resistant, thermoplastic aromatic poly(imidesulfone)
[NASA-CASE-LAR-12858-2] c 27 N85-20124
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
Elastomer toughened polyimide adhesives
[NASA-CASE-LAR-12775-2] c 27 N85-21349
Process for improving moisture resistance of epoxy resins by addition of chromium ions
[NASA-CASE-LAR-13226-1] c 27 N85-34282
Poly(carbonate-mide) polymer
[NASA-CASE-LAR-13292-1] c 27 N86-24841
Process for preparing highly optically transparent/colorless aromatic polyimide film
[NASA-CASE-LAR-13351-1] c 27 N86-31727
STACEY, A. B., JR.
Mechanical fastener
[NASA-CASE-LAR-12738-2] c 37 N85-30335
STACEY, J. M.
Method of measuring sea surface water temperature with a satellite including wideband passive synthetic-aperture multichannel receiver
[NASA-CASE-NPO-15651-1] c 43 N85-21723

STACK, JOHN P.
Method and apparatus for detecting laminar flow separation and reattachment
[NASA-CASE-LAR-13952-1-SB] c 34 N88-24910
STACY, J. E.
Compensation for primary reflector wavefront error
[NASA-CASE-NPO-16869-1CU] c 74 N86-33138
STAHLEY, S. D.
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c 15 N71-10782
STAINBACK, J. D.
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c 14 N73-32322
STALEY, H. W.
Pulse amplitude and width detector Patent
[NASA-CASE-XMF-06519] c 09 N71-12519
Pulse rise time and amplitude detector Patent
[NASA-CASE-XMF-08804] c 09 N71-24717
STALEY, R. W.
Exposure system for animals Patent
[NASA-CASE-XAC-05333] c 11 N71-22875
STALLCOP, J. R.
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c 75 N74-30156
STALOFF, C.
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c 07 N71-11282
STAMPS, J. C.
Television noise reduction device
[NASA-CASE-MSC-12607-1] c 32 N75-21485
STANDAGE, A. E.
High resistance and raised modulus carbon fibers
[NASA-TM-76884] c 24 N85-25436
STANGE, W. C.
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c 37 N77-19458
Actuator mechanism
[NASA-CASE-GSC-11883-2] c 37 N78-31426
STANLEY, A. G.
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c 33 N80-14332
STARK, K. W.
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c 14 N70-41647
Endless tape transport mechanism Patent
[NASA-CASE-XGS-01223] c 07 N71-10609
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c 28 N71-25213
Micro-pound extended range thrust stand Patent
[NASA-CASE-GSC-10710-1] c 28 N71-27094
STARK, M. W.
Solid propellant liner Patent
[NASA-CASE-XNP-09744] c 27 N71-16392
STARKE, EDGAR A., JR.
Aluminum alloy
[NASA-CASE-LAR-13924-1-CU] c 26 N88-24753
STARKEY, D. J.
Torsional disconnect unit
[NASA-CASE-NPO-10704] c 15 N72-20445
STARNER, E. R.
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c 33 N76-16331
STARNES, JAMES H., JR.
Structurally tailorable non-linear snap-through spring system
[NASA-CASE-LAR-13729-1] c 37 N88-24970
STATMAN, JOSEPH I.
Digital phase-lock loop having an estimator and predictor of error
[NASA-CASE-NPO-17196-1-CU] c 32 N88-29076
STATTEL, R. J.
Memory-based frame synchronizer
[NASA-CASE-GSC-12430-1] c 60 N82-16747
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-2] c 60 N84-28491
STAUGAITIS, C. L.
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550
STCLAIR, A. K.
High temperature polyimide film laminates and process for preparation thereof
[NASA-CASE-LAR-13384-1] c 27 N86-20561
Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines
[NASA-CASE-LAR-13353-1] c 27 N86-29039
STCLAIR, T. L.
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c 27 N78-17205
Process of end-capping a polyimide system
[NASA-CASE-LAR-13135-1] c 27 N86-19456
High temperature polyimide film laminates and process for preparation thereof
[NASA-CASE-LAR-13384-1] c 27 N86-20561
Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines
[NASA-CASE-LAR-13353-1] c 27 N86-29039
Acetylene (ethynyl) terminated polyimide siloxane and process for preparation thereof
[NASA-CASE-LAR-13318-1] c 27 N87-14516
STCLAIR, TERRY L.
Process for developing crystallinity in linear aromatic polyimides
[NASA-CASE-LAR-13732-1] c 27 N87-25474
Semi-2-interpenetrating networks of high temperature systems
[NASA-CASE-LAR-13450-1] c 27 N87-28657
STCLAIRE, T. L.
Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c 27 N79-33316
STEBBINS, F. J.
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
STECURA, S.
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c 34 N78-18355
Thermal barrier coating system
[NASA-CASE-LEW-13324-2] c 24 N85-21266
Thermal barrier coating system
[NASA-CASE-LEW-14057-1] c 24 N85-35233
STEELE, E. R.
Satellite aided vehicle avoidance system Patent
[NASA-CASE-ERC-10090] c 21 N71-24948
Satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419-1] c 03 N75-30132
STEELE, R. K.
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c 38 N76-28563
STEENHAGEN, G.
Expansible support means
[NASA-CASE-NPO-11059] c 15 N72-17454
STEENKEN, J.
Relief valve
[NASA-CASE-XMS-05894-1] c 15 N69-21924
STEIN, B. A.
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
STEIN, R. J.
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c 28 N71-22983
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c 43 N79-25443
Longwall shearer tracking system
[NASA-CASE-MFS-25717-1] c 35 N84-33768
STEIN, S.
Injector-valve device Patent
[NASA-CASE-XLE-00303] c 15 N70-36535
Rocket engine injector Patent
[NASA-CASE-XLE-00111] c 28 N70-38199
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c 28 N71-24736
STEINBERG, R.
Molecular beam velocity selector Patent
[NASA-CASE-XLE-01533] c 11 N71-10777
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c 37 N78-13436
STEINMETZ, C. P.
Energy limiter for hydraulic actuators Patent
[NASA-CASE-ARC-10131-1] c 15 N71-27754
STELBEN, J. J.
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c 35 N74-15831
STELL, R. E.
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c 35 N74-15092
STELLA, A. J.
Electrical connector pin with wiping action
[NASA-CASE-XMF-04238] c 09 N69-39734
STELTS, P. D.
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c 31 N79-21225
STELZRIED, C. T.
Reflectometer for receiver input impedance match measurement Patent
[NASA-CASE-XNP-10843] c 07 N71-11267
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c 07 N71-11285
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c 10 N71-12554
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c 09 N71-24808
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c 14 N73-13420
STENGARD, E. O.
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c 37 N79-28550
STENGEL, R. F.
Wind velocity probing device and method Patent
[NASA-CASE-XLA-02081] c 20 N71-16281
STENLUND, S. J.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c 15 N71-17687
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c 15 N71-24164
STEPHANS, J. B.
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c 44 N78-17460
STEPHENS, D. G.
Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c 32 N71-16103
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c 12 N71-26387
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c 15 N71-27169
Ride quality meter
[NASA-CASE-LAR-12882-1] c 35 N84-12445
STEPHENS, D. L.
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c 07 N71-19433
STEPHENS, J. B.
Microbalance including crystal oscillators for measuring contaminates in a gas system Patent
[NASA-CASE-NPO-10144] c 14 N71-17701
Space simulator Patent
[NASA-CASE-NPO-10141] c 11 N71-24964
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c 35 N76-18401
Wind sensor
[NASA-CASE-NPO-13462-1] c 35 N76-24524
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c 31 N77-10229
Solar pond
[NASA-CASE-NPO-13581-2] c 44 N78-31525
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c 44 N79-14529
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c 44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c 44 N79-24433
Low cost cryostat
[NASA-CASE-NPO-14513-1] c 35 N81-14287
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c 43 N81-26509
Sphere forming method and apparatus
[NASA-CASE-NPO-15070-1] c 31 N83-35176
Trace water sensor
[NASA-CASE-NPO-15722-1] c 35 N85-29212
STEPHENS, J. R.
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c 26 N79-22271
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c 26 N80-32484
STERMAN, A. P.
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560
Air modulation apparatus
[NASA-CASE-LEW-13524-1] c 07 N84-33410
STERN, N.
Reversible current control apparatus Patent
[NASA-CASE-XLA-09371] c 10 N71-18724
STERRETT, J. R.
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c 16 N71-24170
STETSON, A. R.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c 18 N71-29040
STEUDL, R. M.
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c 37 N77-27400
STEVENS, M. L.
Surface conforming thermal/pressure seal
[NASA-CASE-MSC-18422-1] c 37 N82-16408
STEVENS, M. R.
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c 25 N79-10163
STEVENSON, L. E.
Aircraft control system
[NASA-CASE-ERC-10439] c 02 N73-19004

STEWART, C. H.
Family of frequency to amplitude converters
[NASA-CASE-MSC-12395] c 09 N72-25257
Apparatus for statistical time-series analysis of electrical signals
[NASA-CASE-MSC-12428-1] c 10 N73-25240
STEWART, D. A.
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c 27 N82-24339
High temperature glass thermal control structure and coating
[NASA-CASE-ARC-11164-1] c 44 N83-34448
STEWART, ERIC C.
Airplane automatic control force trimming device for asymmetric engine failures
[NASA-CASE-LAR-13280-1] c 08 N87-20999
STEWART, R. B.
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c 12 N73-28144
STEWART, W. L.
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c 15 N70-36412
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c 28 N70-39895
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c 20 N80-14188
STICKLE, J. W.
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c 02 N71-26110
STIFFLER, J. J.
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c 08 N71-22749
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c 10 N71-33407
STIGBERG, J. D.
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c 35 N75-12270
STINE, H. A.
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c 09 N71-20816
STIRN, R. J.
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c 44 N78-13526
Schottky barrier solar cell
[NASA-CASE-NPO-13689-2] c 44 N81-29525
Method of Fabricating Schottky Barrier solar cell
[NASA-CASE-NPO-13689-4] c 44 N82-28780
STJOHN, R. H.
Walking boot assembly
[NASA-CASE-ARC-11101-1] c 54 N78-17675
STOAKLEY, D. M.
Process for improving mechanical properties of epoxy resins by addition of cobalt ions
[NASA-CASE-LAR-13230-1] c 24 N84-34571
Process for improving moisture resistance of epoxy resins by addition of chromium ions
[NASA-CASE-LAR-13226-1] c 27 N85-34282
STOCKARD, R. R.
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c 09 N69-27422
Method of making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c 14 N72-28438
STOCKER, P. J.
Laser extensometer
[NASA-CASE-MFS-19259-1] c 36 N78-14380
STOCKS, C. D.
Apparatus for measuring charged particle beam
[NASA-CASE-MFS-25641-1] c 72 N84-28575
STOCKTON, R. J.
Microwave switching power divider
[NASA-CASE-GSC-12420-1] c 33 N82-16340
STOKES, C. S.
Barium release system
[NASA-CASE-LAR-10670-1] c 06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c 15 N74-27360
STOKES, R. C.
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c 74 N80-33210
STOLLER, F. W.
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c 15 N71-24696
STONE, F. A.
Synchronous servo loop control system Patent
[NASA-CASE-XNP-03744] c 10 N71-20448
STONE, L. P.
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c 05 N71-12343
STONE, NOBIE H.
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253
STONE, R. W., JR.
G conditioning suit Patent
[NASA-CASE-XLA-02898] c 05 N71-20268
STONE, S. E.
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c 14 N71-20435
STONEBURNER, J. D.
Acoustic particle separation
[NASA-CASE-NPO-15559-1] c 71 N85-30765
STORY, A. W.
System for indicating direction of intruder aircraft
[NASA-CASE-ERC-10226-1] c 14 N73-16483
Display system
[NASA-CASE-ERC-10350] c 14 N73-20474
STOTLER, C. L., JR.
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c 07 N78-18066
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c 07 N79-14096
STRAIGHT, D. M.
Rocket motor system Patent
[NASA-CASE-XLE-00323] c 28 N70-38505
Gas turbine exhaust nozzle
[NASA-CASE-LEW-11569-1] c 07 N74-15453
STRAND, L. D.
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c 28 N73-24784
Nitramine propellants
[NASA-CASE-NPO-14103-1] c 28 N78-31255
STRANGE, M. G.
Position sensing device employing misaligned magnetic field generating and detecting apparatus Patent
[NASA-CASE-XGS-07514] c 23 N71-16099
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c 77 N75-20140
STRASS, H. K.
Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c 14 N70-33254
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c 09 N71-19479
STREED, E. R.
Solar cell Patent
[NASA-CASE-ARC-10050] c 03 N71-33409
STRINGHAM, R. S.
Vitra-violet process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c 27 N80-26446
STROCK, W. J.
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577
STROM, T. N.
Spiral groove seal
[NASA-CASE-XLE-10326-2] c 15 N72-29488
Spiral groove seal
[NASA-CASE-XLE-10326-4] c 37 N74-15125
STRONG, I. J.
Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c 15 N71-21177
STRONG, J. P., III
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c 60 N77-14751
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c 60 N77-32731
Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c 60 N78-10709
STROUB, R. H.
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c 05 N79-17847
STROUGHTON, JOHN W.
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761
STROUHAL, G.
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c 24 N79-25142
STROUP, E. R.
Electrochemical coulometer and method of forming same Patent
[NASA-CASE-XGS-05434] c 03 N71-20491
STRULL, G.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c 07 N71-24612
STRUTHOFF, G. L.
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c 35 N80-28686
STUART, J. L.
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c 06 N71-26754
STUART, J. W.
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c 18 N71-14014
Diffuse reflective coating
[NASA-CASE-GSC-11214-1] c 06 N73-13128
STUCKEY, J. M.
Panelized high performance multilayer insulation Patent
[NASA-CASE-MFS-14023] c 33 N71-25351
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c 33 N71-28892
STUDENICK, D. K.
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c 02 N73-13008
Fluid sampling device
[NASA-CASE-GSC-12143-1] c 35 N77-32456
STUDER, P. A.
Electronic beam switching commutator Patent
[NASA-CASE-XGS-01451] c 09 N71-10677
Direct current motor with stationary armature and field Patent
[NASA-CASE-XGS-05290] c 09 N71-25999
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c 09 N72-11224
Electric motive machine including magnetic bearing
[NASA-CASE-XGS-07805] c 15 N72-33476
Magnetic bearing
[NASA-CASE-GSC-11079-1] c 37 N75-18574
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c 37 N77-17464
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c 33 N77-26386
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c 44 N78-24608
Linear magnetic motor/generator
[NASA-CASE-GSC-12518-1] c 33 N82-24421
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c 33 N82-24422
Stirling cycle cryogenic cooler
[US-PATENT-4,389,849] c 44 N83-28574
Linear magnetic bearing
[NASA-CASE-GSC-12517-1] c 37 N83-32067
Magnetic bearing and motor
[NASA-CASE-GSC-12726-1] c 37 N83-34323
Magentically actuated compressor
[NASA-CASE-GSC-12799-1] c 31 N85-21404
STUDER, PHILIP A.
Radial and torsionally controlled magnetic bearing
[NASA-CASE-GSC-12957-1] c 37 N87-17038
Three axis attitude control system
[NASA-CASE-GSC-12970-1] c 08 N88-23808
STUMP, C. W.
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c 35 N79-18296
Film advance indicator
[NASA-CASE-LAR-12474-1] c 35 N82-26628
STUMP, E. C., JR.
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c 06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c 06 N72-20121
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c 06 N72-27144
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c 06 N72-27151
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c 06 N73-33076
STURGIS, A. C.
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c 54 N75-27759
STURM, R. G.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c 14 N73-19420
STURMAN, J. C.
Pulsed differential comparator circuit Patent
[NASA-CASE-XLE-03804] c 10 N71-19471
STYLES, C. M.
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c 28 N70-33331
SUDEY, J.
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] c 09 N75-24758
SUGG, FRANK E.
Acoustic emission frequency discrimination
[NASA-CASE-MSC-20467-1] c 35 N88-23966
SUITOR, JERRY W.
Energy efficient continuous flow ash lockhopper
[NASA-CASE-NPO-16985-1-CU] c 31 N88-24814
SULLIVAN, D. B.
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c 15 N72-25447
SULLIVAN, E. M.
Ablation article and method
[NASA-CASE-LAR-10439-1] c 33 N73-27796
SULLIVAN, J. L.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c 54 N76-24900

SULLIVAN, T. E.
Waveguide mixer
[NASA-CASE-ERC-10179] c 07 N72-20141
SUMIDA, J. T.
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c 52 N74-26625
SUMMERFIELD, D. G.
Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c 09 N74-17955
SUMMERS, R. H.
Geneva mechanism
[NASA-CASE-NPO-13281-1] c 37 N75-13266
SUPPLEE, F. H., JR.
Two-axis, self-nulling skin friction balance
[NASA-CASE-LAR-13294-1] c 35 N86-32696
SUPPLEE, FRANK H., JR.
Miniature remote dead weight calibrator
[NASA-CASE-LAR-13564-1] c 35 N87-25558
Skin friction balance
[NASA-CASE-LAR-13710-1] c 35 N88-29145
SUSZKO, S. F.
Method of examining microcircuit patterns
[NASA-CASE-NPO-16299-1] c 33 N87-14594
SUTLIFF, J. D.
Wing deployment method and apparatus Patent
[NASA-CASE-XMS-00907] c 02 N70-41630
SWAIM, R. J.
One-step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c 33 N82-26571
Induction heating gun
[NASA-CASE-LAR-13181-1] c 31 N85-29083
SWAIN, R. L.
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c 28 N70-33331
SWANN, R. T.
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c 33 N70-37979
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c 15 N71-26721
SWANSON, CHARLES P.
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959
SWARTZ, P. F.
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c 51 N81-14605
SWEAT, J. C.
Emergency escape system Patent
[NASA-CASE-XKS-07814] c 15 N71-27067
SWEET, G. E.
Compensating radiometer
[NASA-CASE-XLA-04556] c 14 N69-27484
Spherical measurement device
[NASA-CASE-XLA-06683] c 14 N72-28436
SWETTE, L. L.
Electrocatalyst for oxygen reduction
[NASA-CASE-HQN-10537-1] c 06 N72-10138
SWINGLE, R. L.
Compact solar still Patent
[NASA-CASE-XMS-04533] c 15 N71-23086
SWIRSKY, B. D.
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c 31 N74-21059
SWORDS, B. B.
Adjustable force probe
[NASA-CASE-MFS-20760] c 14 N72-33377
SYDNOR, R. L.
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c 32 N78-15323
Maser cavity servo-tuning system
[NASA-CASE-NPO-15890-1-CU] c 33 N85-29143
SYVERTSON, C. A.
Flight craft Patent
[NASA-CASE-XAC-02058] c 02 N71-16087
SZAKALY, ZOLTAN F.
A universal computer control system for motors
[NASA-CASE-NPO-17134-1-CU] c 33 N88-24864
SZUWALSKI, B.
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c 60 N82-24839

T

TABACK, I.
Small conductive particle sensor
[NASA-CASE-LAR-12552-1] c 35 N82-11431
TADDEO, F. V.
Pulse generating circuit employing switch means on ends of delay line for alternately charging and discharging same Patent
[NASA-CASE-XNP-00745] c 10 N71-28960
TALBOT, M. W.
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c 03 N69-25146
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c 10 N71-25950
TALLEY, D. H.
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c 14 N71-29134
TANZER, HERBERT J.
Space vehicle thermal rejection system
[NASA-CASE-LAR-13738-1] c 18 N87-29586
TARPLEY, J. L.
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c 35 N76-31489
TASHBAR, P. W.
System for depositing thin films
[NASA-CASE-MFS-20775-1] c 31 N75-12161
TAUB, W. M.
Radial module space station Patent
[NASA-CASE-XMS-01906] c 31 N70-41373
Space vehicle system
[NASA-CASE-MSC-12561-1] c 18 N76-17185
TAUSWORTHE, R. C.
Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c 10 N73-27171
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c 32 N79-24210
TAYLOR, A. H.
Daze fasteners
[NASA-CASE-LAR-13009-1] c 37 N85-29285
Aerospace vehicle
[NASA-CASE-LAR-13155-1] c 05 N86-19310
TAYLOR, ALLAN H.
Daze fasteners
[NASA-CASE-LAR-13009-2] c 37 N87-22976
Lightweight piston
[NASA-CASE-LAR-13150-1] c 24 N87-27742
Composite piston
[NASA-CASE-LAR-13435-1] c 37 N88-23981
TAYLOR, C. J.
High resolution developing of photosensitive resists Patent
[NASA-CASE-XGS-04993] c 14 N71-17574
TAYLOR, J. R.
Flow modifying device
[NASA-CASE-LEW-13562-2] c 07 N85-35195
TAYLOR, L. L.
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c 18 N71-16210
TAYLOR, L. T.
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c 27 N82-11206
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c 25 N82-26396
TAYLOR, L. V.
Plural position switch status and operativeness checker Patent
[NASA-CASE-XLA-08799] c 10 N71-27272
TAYLOR, M. S.
Fluoroether modified epoxy composites
[NASA-CASE-ARC-11418-1] c 24 N84-11213
TAYLOR, R. A.
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c 52 N74-12778
TAYLOR, R. C.
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c 14 N73-19421
TAYLOR, R. E.
Automatic acquisition system for phase-lock loop
[NASA-CASE-XGS-04994] c 09 N69-21543
Polarization diversity monopulse tracking receiver Patent
[NASA-CASE-XGS-03501] c 09 N71-20864
Electromagnetic polarization systems and methods Patent
[NASA-CASE-GSC-10021-1] c 09 N71-24595
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c 51 N80-27067
Navigation system and method
[NASA-CASE-GSC-12508-1] c 04 N84-22546
TAYLOR, T. I.
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c 52 N79-21750
TCHERNEV, D. I.
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c 14 N71-26266
TE POEL, H. E.
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c 07 N71-11300
TEGNELIA, C. R.
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c 33 N74-12887
TEITELBAUM, S.
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c 07 N71-11282
TELFER, T. A.
Method of determining bond quality of power transistors attached to substrates
[NASA-CASE-MFS-21931-1] c 37 N75-26372
TEMPLE, H. E.
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c 76 N80-32244
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c 33 N81-19389
TENER, W. M.
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c 35 N77-21393
TENG, R. N.
Collapsible pistons
[NASA-CASE-MSC-13789-1] c 11 N73-32152
TENNEY, J. B., JR.
Prosthetic occlusive device for an internal passageway
[NASA-CASE-MFS-25740-1] c 52 N84-11744
TENOSO, H. J.
Water system virus detection
[NASA-CASE-MSC-16098-1] c 51 N79-10693
TEPPER, E. H.
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c 54 N77-32722
TERP, L. S.
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c 35 N78-10428
TERRAY, A.
Method of making an apertured casting
[NASA-CASE-LEW-11169-1] c 37 N76-23570
TERSELIC, R. A.
Split welding chamber Patent
[NASA-CASE-LEW-11531] c 15 N71-14932
TERVET, F. W.
Mixed polyvalent-monovalent metal coating for carbon-graphite fibers
[NASA-CASE-NPO-14987-1] c 24 N83-33950
TESINSKY, J. S.
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c 34 N78-25350
TETSUKA, G. M.
Single or joint amplitude distribution analyzer Patent
[NASA-CASE-XNP-01383] c 09 N71-10659
THAKOOR, A. P.
Corrosion resistant coating
[NASA-CASE-NPO-15928-1] c 26 N85-29005
THAKOOR, ANILKUMAR
Hybrid analog-digital associative neural network
[NASA-CASE-NPO-17058-1-CU] c 62 N87-25803
THAKOOR, ANILKUMAR P.
Method of producing high T(subc) superconducting NBN films
[NASA-CASE-NPO-16681-1-CU] c 76 N88-24543
THAKOOR, SARITA
Method of producing high T(subc) superconducting NBN films
[NASA-CASE-NPO-16681-1-CU] c 76 N88-24543
THALER, S.
Voltage regulator Patent
[NASA-CASE-ERC-10113] c 09 N71-27053
Current dependent filter inductance
[NASA-CASE-ERC-10139] c 09 N72-17154
THALLER, L. H.
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-XLE-01645] c 03 N71-20904
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c 44 N77-14581
Electrochemical cell for rebalancing REDOX flow system
[NASA-CASE-LEW-13150-1] c 44 N79-26474
THATCHER, C. S.
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c 37 N82-24491
THEAKSTON, H. A.
Floating nut retention system
[NASA-CASE-MSC-16938-1] c 37 N80-23653
THEISS, M.
Gas levitator having fixed levitation node for containerless processing
[NASA-CASE-MFS-25509-1] c 35 N83-24828
THIBODAUX, J. G., JR.
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c 28 N70-33331
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c 27 N70-34783

Method of making a solid propellant rocket motor Patent
[NASA-CASE-XLA-04126] c 28 N71-26779
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-01349] c 20 N77-17143

THIEL, A. M.
Aligning and positioning device Patent
[NASA-CASE-XMS-04178] c 15 N71-22798

THIELE, C.
Space simulator Patent
[NASA-CASE-XNP-00459] c 11 N70-38675

THIELE, C. L.
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c 44 N79-18443

THOLE, J. M.
Inflation system for balloon type satellites Patent
[NASA-CASE-XGS-03351] c 31 N71-16081

THOM, K.
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c 25 N71-29184
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c 73 N78-19920

THOMAS, D. F., JR.
Jet shoes
[NASA-CASE-XLA-08491] c 05 N69-21380
One hand backpack harness
[NASA-CASE-LAR-10102-1] c 05 N72-23085
Kinesthetic control simulator
[NASA-CASE-LAR-10276-1] c 09 N75-15662
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c 34 N79-12359

THOMAS, H. N.
Electronic motor control system Patent
[NASA-CASE-XMF-01129] c 09 N70-38712

THOMAS, N. E.
Optical communications system Patent
[NASA-CASE-XLA-01090] c 07 N71-12389

THOMAS, N. L.
Optical alignment device
[NASA-CASE-ARC-10932-1] c 74 N76-22993

THOMAS, R. D.
Thermocouple tape
[NASA-CASE-LEW-11072-1] c 14 N73-24472
Thermocouple tape
[NASA-CASE-LEW-11072-2] c 35 N76-15434
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c 44 N78-14625

THOMAS, R. R.
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c 51 N80-16714
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c 51 N83-27569

THOMASON, H. E.
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c 21 N71-21688
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c 21 N71-23289

THOMPSON, G. D., JR.
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c 10 N71-26415

THOMPSON, J. R., JR.
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c 28 N72-11708

THOMPSON, R. B.
Length mode piezoelectric ultrasonic transducer for inspection of solid objects
[NASA-CASE-MSC-19672-1] c 38 N79-14398

THOMPSON, R. E.
On-film optical recording of camera lens settings
[NASA-CASE-MSC-12363-1] c 14 N73-26431

THOMPSON, S. W.
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c 26 N80-14229

THOMPSON, W. W.
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c 28 N79-14228

THOMSON, A. R.
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c 03 N71-11057

THOMSON, J. A. L.
Wind measurement system
[NASA-CASE-MFS-23362-1] c 47 N77-10753

THORNHILL, J. W.
Process and apparatus for growing a crystal ribbon
[NASA-CASE-NPO-15629-1] c 76 N84-35113

THORNTON, G. E.
Hole cutter
[NASA-CASE-MFS-22649-1] c 37 N75-25186

THORNTON, W. E.
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c 39 N83-20280
Method and apparatus for simulating gravitational forces on a living organism
[NASA-CASE-MSC-20202-1] c 54 N84-16803
Improved method and apparatus for waste collection and storage
[NASA-CASE-MSC-21025-1] c 31 N87-25495

THORNWALL, J. C.
Regulated dc to dc converter
[NASA-CASE-XGS-03429] c 03 N69-21330
Pulse-type magnetic core memory element circuit with blocking oscillator feedback Patent
[NASA-CASE-XGS-03303] c 08 N71-18595
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c 10 N71-18772

THORPE, R. S.
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c 27 N74-23125

THYS, P. C.
Droplet monitoring probe
[NASA-CASE-NPO-10985] c 14 N73-20478

TIBBITTS, W. C.
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c 14 N71-18465

TICKNER, E. G.
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c 52 N77-14736

TIEFERMANN, M. W.
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c 14 N70-34818

TILLER, N. G.
Device for measuring bearing preload
[NASA-CASE-MFS-20434] c 11 N72-25288

TILLER, NEWTON G.
Fatigue testing a plurality of test specimens and method
[NASA-CASE-MFS-28118-1] c 39 N87-25601

TIMM, J. D.
Counter Patent
[NASA-CASE-XNP-06234] c 10 N71-27137

TIMOR, U.
Multichannel telemetry system
[NASA-CASE-NPO-11572] c 07 N73-16121
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c 07 N73-28012

TINLING, B. E.
Stabilization of gravity oriented satellites Patent
[NASA-CASE-XAC-01591] c 31 N71-17729

TISCHLER, R. F.
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c 25 N69-39884

TISDALE, H. F., SR.
Velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c 08 N81-24106

TITLE, A. M.
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c 74 N79-14891

TITUS, L. E.
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c 33 N78-32340

TOBIAS, R. A.
Thermostatic actuator
[NASA-CASE-NPO-10637] c 15 N72-12409
Thermal motor
[NASA-CASE-NPO-11283] c 09 N72-25260

TOCK, R. W.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c 18 N71-20742

TODD, H. H.
Method of producing refractory bodies having controlled porosity Patent
[NASA-CASE-LEW-10393-1] c 17 N71-15468
Shock tube powder dispersing apparatus Patent
[NASA-CASE-XLE-04946] c 17 N71-24911

TOFT, A. R.
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c 21 N73-19630
Star tracking reticles
[NASA-CASE-GSC-11188-1] c 14 N73-32320
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c 74 N74-20008

TOLL, T. A.
Variable sweep wing aircraft Patent
[NASA-CASE-XLA-00221] c 02 N70-33266

TOLSON, B. A.
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c 15 N72-25453

TOM, H. Y.
Ionene membrane separator
[NASA-CASE-NPO-11091] c 18 N72-22567

TOMBRELLO, T. A.
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c 25 N80-20334

TOMLINSON, H. M.
Fuselage structure using advanced technology fiber reinforced composites
[NASA-CASE-LAR-11688-1] c 24 N82-26384

TOMLINSON, L. E.
Temperature sensitive flow regulator Patent
[NASA-CASE-MFS-14259] c 15 N71-19213

TONGIER, M., JR.
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c 14 N72-22445

TOOLE, P. C.
High speed direct binary-to-binary coded decimal converter
[NASA-CASE-KSC-10326] c 08 N72-21197
High speed direct binary to binary coded decimal converter and scaler
[NASA-CASE-KSC-10595] c 08 N73-12176
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c 33 N76-14371
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c 32 N79-23310
Automatic level control circuit
[NASA-CASE-KSC-11170-1] c 33 N83-36356

TOOLE, PIERCE C.
Multi-adjustable headband
[NASA-CASE-KSC-11322-1] c 54 N87-25765

TOOTS, J.
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c 33 N81-17348

TOPITS, A., JR.
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c 14 N71-18625
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c 31 N74-32917

TORBETT, M. A.
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c 33 N82-26572

TORNEY, F. L., JR.
Ultrahigh vacuum gauge having two collector electrodes
[NASA-CASE-LAR-02743] c 14 N73-32324

TOTH, L. R.
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c 15 N69-27504

TOWNES, C. H.
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c 07 N71-26291
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c 15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c 16 N71-27183
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c 23 N72-23695

TOWNSEND, M. R.
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c 07 N71-23001

TOY, M. S.
New polymers of perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c 06 N70-11251
Method of polymerizing perfluorobutadiene Patent application
[NASA-CASE-NPO-10447] c 06 N70-11252
Reaction of fluorine with polyperfluoropolyenes
[NASA-CASE-NPO-10862] c 06 N72-22107
Polymers of perfluorobutadiene and method of manufacture
[NASA-CASE-NPO-10863-2] c 06 N72-25152
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c 27 N76-16228
Vitra-violet process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c 27 N80-26446

TRADER, A. G.
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c 11 N71-21474
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c 15 N71-27147

TRAJMAR, SANDOR
Isotope separation using tuned laser and electron beam
[NASA-CASE-NPO-16907-1-CU] c 25 N88-24732
TRAN, SANG Q.
Method of forming a multiple layer dielectric and a hot film sensor therewith
[NASA-CASE-LAR-13678-1] c 76 N88-25355
TRAVIS, E. W.
Satellite appendage tie down cord Patent
[NASA-CASE-XGS-02554] c 31 N71-21064
TRELEASE, R. B.
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c 06 N71-22975
TRENT, R. C.
Method of manufacturing semiconductor devices using refractory dielectrics
[NASA-CASE-XER-08476-1] c 26 N72-17820
TRENT, R. L.
Location identification system
[NASA-CASE-ERC-10324] c 07 N72-25173
TRIMBLE, D. W.
Combinational logic for generating gate drive signals for phase control rectifiers
[NASA-CASE-MFS-25208-1] c 33 N83-10345
TRIMPI, R. L.
Combustion detector
[NASA-CASE-LAR-10739-1] c 14 N73-16484
TRINH, E. H.
System for monitoring physical characteristics of fluids
[NASA-CASE-NPO-15400-1] c 34 N83-31993
Acoustic system for material transport
[NASA-CASE-NPO-15453-1] c 71 N83-32515
Acoustic bubble removal method
[NASA-CASE-NPO-15334-1] c 71 N83-35781
TRINH, EUGENE H.
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818
TRIOLO, J. J.
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c 34 N74-23039
TRIPP, C. N.
Booster tank system Patent
[NASA-CASE-MSC-12390] c 27 N71-29155
TRISCHLER, F. D.
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c 06 N73-30099
Polyurethanes from fluoroalkyl propyleneglycol polyethers
[NASA-CASE-MFS-10506] c 06 N73-30100
Fluorohydroxy ethers
[NASA-CASE-MFS-10507] c 06 N73-30101
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c 06 N73-30102
Fluorine containing polyurethane
[NASA-CASE-MFS-10509] c 06 N73-30103
Fluorine-containing polyformals
[NASA-CASE-XMF-06900-1] c 27 N79-21191
TROEGER, R. E.
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560
TROMBKA, J. I.
Method and apparatus for mapping the distribution of chemical elements in an extended medium
[NASA-CASE-GSC-12808-1] c 25 N85-21279
TROST, R. F.
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c 08 N71-12506
TROUT, O. F., JR.
Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c 33 N71-17897
TROWBRIDGE, D. L.
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c 36 N78-18410
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c 33 N78-25319
TRUBERT, M. R.
Collapsible structure for an antenna reflector
[NASA-CASE-NPO-11751] c 07 N73-24176
TRUONG, TRIEU-KIE
A VLSI single-chip (225,223) Reed-Solomon encoder with interleaver
[NASA-CASE-NPO-17280-1-CU] c 17 N88-27220
Method for Veterbi decoding of large constraint length convolutional codes
[NASA-CASE-NPO-17310-1-CU] c 17 N88-28946
TRUSCH, R. B.
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c 77 N75-20139
TRUSSELL, D. H.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c 09 N70-33312
TSCHIRCH, R. P.
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c 27 N82-16238
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-2] c 27 N84-14324
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-1] c 54 N84-28484
TSCHUNKO, H. F. A.
Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c 23 N71-24868
Electromechanical control actuator system Patent
[NASA-CASE-ERC-10022] c 15 N71-26635
Optical system support apparatus
[NASA-CASE-XER-07896-2] c 23 N72-22673
TSUDA, G. I.
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c 32 N74-20863
TSUO, Y. H.
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c 44 N82-32841
TSUTSUMI, K.
Hydraulic drive mechanism Patent
[NASA-CASE-XMS-03252] c 15 N71-10658
TUBBS, E. F.
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629
TUBBS, H. E.
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c 28 N71-22983
TUCKER, C. E.
Mobile sampler for use in acquiring samples of terrestrial atmospheric gases
[NASA-CASE-NPO-15220-1] c 45 N83-25217
TUCKER, E. M.
Coupling device
[NASA-CASE-XMS-07846-1] c 09 N69-21927
Space suit heat exchanger Patent
[NASA-CASE-XMS-09571] c 05 N71-19439
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c 05 N71-24728
TUGGLE, R. H., JR.
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c 18 N79-11108
TULEY, E. N.
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560
TUMULTY, W. T., JR.
Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c 15 N72-18477
TUNG, Y.
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c 05 N72-27102
TURK, R. R.
Fabrication of controlled-porosity metals Patent
[NASA-CASE-XNP-04339] c 17 N71-29137
TURLY, A. P.
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c 33 N81-33403
TURNAGE, J. E.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c 19 N74-29410
TURNER, G. B.
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c 44 N80-18551
TURNER, J. W.
Measurement system
[NASA-CASE-MFS-20658-1] c 14 N73-30386
TURNER, R. C.
Thermocouple assembly Patent
[NASA-CASE-XNP-01659] c 14 N71-23039
TURNER, R. E.
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c 14 N71-23726
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c 14 N73-25460
TURNER, T. M.
Dual differential interferometer
[NASA-CASE-LAR-12966-1] c 35 N85-30282
TURNER, T. R.
Double hinged flap Patent
[NASA-CASE-XLA-01290] c 02 N70-42016
TUTTLE, S. A.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c 51 N77-22794
TVEITAN, W.
Data compression system
[NASA-CASE-XNP-09785] c 08 N69-21928
TWARD, E.
Cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c 31 N83-31897
TYAGI, R. C.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c 35 N74-18088
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c 25 N75-26043
TYCZ, M.
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c 74 N76-18913
TYLER, A. L.
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c 09 N72-11224
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c 02 N73-13008
TYREE, V. C.
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c 32 N82-12297

U

UBER, P. W.
Tape recorder Patent
[NASA-CASE-XGS-08259] c 14 N71-23698
ULRICH, B. R.
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c 03 N76-32140
ULRICH, D. R.
Screened circuit capacitors
[NASA-CASE-LAR-10294-1] c 26 N72-28762
ULRICH, G. W.
Latching device
[NASA-CASE-MFS-21606-1] c 37 N75-19685
UNDERWOOD, J. H.
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c 14 N73-30389
Multiplate focusing collimator
[NASA-CASE-MFS-20932-1] c 35 N75-19616
UNNAM, JALAIAH
Oxygen diffusion barrier coating
[NASA-CASE-LAR-13474-1-SB] c 26 N87-25455
UPCHURCH, B. T.
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540
UPDIKE, O. L.
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c 35 N78-19465
UPTON, D. T.
Scanner
[NASA-CASE-GSC-12032-2] c 43 N82-13465
URBAN, E. W.
Direct current transformer
[NASA-CASE-MFS-23659-1] c 33 N79-17133
URSERY, B. C.
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c 28 N71-16224

V

VADAKAN, V. V.
Multicomputer communication system
[NASA-CASE-NPO-15433-1] c 32 N85-21428
VAICAITIS, RIMAS
Acoustic guide for noise-transmission testing of aircraft
[NASA-CASE-LAR-13111-1-CU] c 71 N87-21652
VALENTIJN, H. P.
Roll-up solar array Patent
[NASA-CASE-NPO-10188] c 03 N71-20273
Deployable solar cell array
[NASA-CASE-NPO-10883] c 31 N72-22874
VALINSKY, J. P.
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c 35 N74-26945
VALLOTTON, W. C.
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c 54 N77-32721
Mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c 52 N78-10686
VANALSTYNE, E. M.
Spacecraft Patent
[NASA-CASE-MSC-13047-1] c 31 N71-25434

VANARK, WILLIAM B.
Airborne tracking sunphotometer apparatus and system
[NASA-CASE-ARC-11622-1] c 44 N88-14492
VANARNAM, D. E.
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c 03 N69-21469
VANATTA, L. C.
Circularly polarized antenna
[NASA-CASE-ERC-10214] c 09 N72-31235
VANAUKEN, R.
Reinforced polyquinoxaline gasket and method of preparing the same
[NASA-CASE-MFS-21364-1] c 37 N74-18126
VANDERHOFF, J. W.
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c 25 N81-19242
VANDERIET, E. K.
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c 09 N71-24803
VANDERSANDE, JAN W.
Improved properties of SiGe/GaP alloys
[NASA-CASE-NPO-17259-1-CU] c 76 N88-25358
VANGO, S. P.
Liquid junction and method of fabricating the same Patent Application
[NASA-CASE-NPO-10682] c 15 N70-34699
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c 18 N71-16210
VANNUCCI, R. D.
Curing agent for polyepoxides and epoxy resins and composites cured therewith
[NASA-CASE-LEW-13226-1] c 27 N81-17260
VANO, A. E.
Quick attach mechanism Patent
[NASA-CASE-XFR-05421] c 15 N71-22994
VANORNUM, D. G.
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c 33 N75-29318
VANSCHOIACK, M. M. E.
High impedance measuring apparatus Patent
[NASA-CASE-XMS-08589-1] c 09 N71-20569
VANTUYLRUSCH, W.
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c 30 N71-23723
VANZYL, JAKOB J.
Data volume reduction for imaging radar polarimetry
[NASA-CASE-NPO-17184-1-CU] c 32 N88-26541
VARGO, D. J.
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c 05 N73-27062
VARMA, I. K.
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c 27 N81-27272
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-1] c 27 N83-31854
Elastomer-modified phosphorus-containing imide resins
[NASA-CASE-ARC-11400-1] c 27 N84-14322
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-3] c 27 N84-22745
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-2] c 27 N85-21347
VARSI, G.
Seismic vibration source
[NASA-CASE-NPO-14112-1] c 46 N79-22679
VARY, A.
Triode thermionic energy converter
[NASA-CASE-XLE-01015] c 03 N69-39898
High temperature heat source Patent
[NASA-CASE-XLE-00490] c 33 N70-34545
Radiant heater having formed filaments Patent
[NASA-CASE-XLE-00387] c 33 N70-34812
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c 14 N71-10500
Capillary radiator Patent
[NASA-CASE-XLE-03307] c 33 N71-14035
Thermionic converter with current augmented by self induced magnetic field Patent
[NASA-CASE-XLE-01903] c 22 N71-23599
Cyclic switch Patent
[NASA-CASE-LEW-10155-1] c 09 N71-29035
VASILAKOS, N.
Coal desulfurization by aqueous chlorination
[NASA-CASE-NPO-14902-1] c 25 N82-29371
VAUGHAN, G. R.
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c 10 N71-23544
VAUGHAN, O. H.
Emergency lunar communications system
[NASA-CASE-MFS-21042] c 07 N72-25171
VAUGHAN, R. L.
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c 33 N75-27252
VAUGHAN, R. W.
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c 37 N76-27568
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c 37 N77-11397
VAUSE, R.
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c 05 N80-14107
VEHRENCAMP, J. E.
Electromagnetic radiation energy arrangement
[NASA-CASE-WOO-00428-1] c 32 N79-19186
VEIKINS, O.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c 34 N74-27730
VEILLETTE, L. J.
Angular position and velocity sensing apparatus Patent
[NASA-CASE-XGS-05680] c 14 N71-17585
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c 15 N71-21744
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c 10 N71-26418
Synchronous dc direct drive system Patent
[NASA-CASE-GSC-10065-1] c 10 N71-27136
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c 37 N76-18459
VELLEND, H.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c 51 N77-22794
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750
VENKATESH, C. N.
Adaptive data acquisition multiplexing system and method
[NASA-CASE-MSC-21170-1] c 17 N88-24662
VERMILLION, C. H.
Facsimile video remodulation network
[NASA-CASE-GSC-10185-1] c 07 N72-12081
VERMILLION, C. M.
Resistance soldering apparatus
[NASA-CASE-GSC-10913] c 15 N72-22491
VERNIKOS, J.
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c 52 N81-14613
VESSOT, R. F. C.
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c 16 N73-13489
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c 36 N74-11313
VICK, A. R.
Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c 14 N70-41366
VICK, H. A.
Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent
[NASA-CASE-XMS-06061] c 05 N71-23317
VICKERS, E. C.
Flow modifying device
[NASA-CASE-LEW-13562-2] c 07 N85-35195
VICKERS, J. M.
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c 25 N79-10163
VICKERS, J. M. F.
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c 15 N71-15906
VIEHMANN, W.
Fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c 74 N81-24900
VIIKINSALO, S. J.
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c 54 N78-17678
VILLARREAL, S.
Method and apparatus for receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c 32 N84-27952
VILNROTTER, VICTOR A.
Synchronization tracking in pulse position modulation receiver
[NASA-CASE-NPO-16256-1] c 32 N87-21207
VINAL, A. W.
Redundant memory organization Patent
[NASA-CASE-GSC-10564] c 10 N71-29135
VINCENT, J. S.
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c 24 N71-10560
VINCENT, LAURENCE J.
Tapered, tubular polyester fabric
[NASA-CASE-MSC-21082-1] c 27 N87-29672
VINE, J.
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c 74 N78-18905
VIVIAN, H. C.
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c 21 N70-35089
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c 21 N70-35395
Remodulator filter Patent
[NASA-CASE-NPO-10198] c 09 N71-24806
VLASSE, MARCUS
Liquid encapsulated float zone process and apparatus
[NASA-CASE-MFS-28144-1] c 76 N88-24545
VODICKA, V. W.
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c 08 N71-27210
VOGELEY, A. W.
Cable arrangement for rigid tethering Patent
[NASA-CASE-XLA-02332] c 32 N71-17609
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c 14 N71-23268
VOGL, O.
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043
VOLK, G. G.
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-ERC-10113-1] c 33 N80-26599
VOLKOFF, J. J.
Electro-optical scanning apparatus Patent Application
[NASA-CASE-NPO-11106] c 14 N70-34697
VOLPE, F. A.
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c 21 N71-10678
Attitude control system Patent
[NASA-CASE-XGS-04393] c 21 N71-14159
Star scanner
[NASA-CASE-GSC-11569-1] c 89 N74-30886
VONPRAGENAU, G. L.
Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c 11 N70-41677
Hydraulic support for dynamic testing Patent
[NASA-CASE-XMF-03248] c 11 N71-10604
Space vehicle
[NASA-CASE-MFS-22734-1] c 18 N75-19329
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c 19 N76-22284
Attitude control system
[NASA-CASE-MFS-22787-1] c 15 N77-10113
Space Shuttle with rail system and aft thrust structure securing solid rocket boosters to external tank
[NASA-CASE-MFS-25853-1] c 16 N84-27784
Damping seal for turbomachinery
[NASA-CASE-MFS-25842-2] c 37 N86-20788
Low loss injector for liquid propellant rocket engines
[NASA-CASE-MFS-25989-1] c 20 N87-14420
VONROOS, O. H.
Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c 44 N79-12541
VONROOS, OLDWIG
Method and apparatus for measuring minority carrier lifetime in a direct band-gap semiconductor
[NASA-CASE-NPO-16337-1-CU] c 33 N87-22894
VONTIESENHAUSEN, G. F.
Energy absorbing device Patent
[NASA-CASE-XMF-10040] c 15 N71-22877
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c 31 N83-31895
Magnetic spin reduction system for free spinning objects
[NASA-CASE-MFS-25966-1] c 16 N86-26352
VORHABEN, K. H.
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c 74 N77-18893
VORKINK, H. G.
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c 14 N71-26266
VORREITER, J. W.
Cryogenic container compound suspension strap
[NASA-CASE-ARC-11157-1] c 37 N80-18393

VRANAS, T.
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c 14 N71-23092
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c 35 N76-24523
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c 35 N82-24470
VUKELICH, E. K.
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c 14 N71-28993
VYKUKAL, H. C.
Universal pilot restraint suit and body support therefor Patent
[NASA-CASE-XAC-00405] c 05 N70-41819
Hard space suit Patent
[NASA-CASE-XAC-07043] c 05 N71-23161
Locomotion and restraint aid Patent
[NASA-CASE-ARC-10153] c 05 N71-28619
Space suit having improved waist and torso movement
[NASA-CASE-ARC-10275-1] c 05 N72-22092
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c 54 N77-32721
Walking boot assembly
[NASA-CASE-ARC-11101-1] c 54 N78-17675
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c 54 N78-31735
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c 54 N78-31736
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c 54 N78-32721
Spacesuit mobility knee joints
[NASA-CASE-ARC-11058-2] c 54 N79-24651
Spine immobilization apparatus
[NASA-CASE-ARC-11167-1] c 52 N81-25662
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c 54 N82-26987
Torso sizing ring construction for hard space suit
[NASA-CASE-ARC-11616-1] c 54 N86-28618
Elbow and knee joint for hard space suits
[NASA-CASE-ARC-11610-1] c 54 N86-28619
Shoulder and hip joint for hard space suits
[NASA-CASE-ARC-11543-1] c 54 N86-28620
Shoulder and hip joints for hard space suits and the like
[NASA-CASE-ARC-11534-1] c 54 N86-29507
VYKUKAL, HUBERT C.
Weightlessness simulation system and process
[NASA-CASE-ARC-11646-1] c 14 N87-25344

W

WADE, O. W.
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c 35 N76-18400
WADE, W. R.
Improved legislated emergency locating transmitters and emergency position indicating radio beacons
[NASA-CASE-GSC-12892-1] c 32 N85-20226
WAGES, C. G.
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c 38 N74-15130
WAGNER, A. P.
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c 35 N74-18090
WAGNER, C. A.
Rotating raster generator
[NASA-CASE-FRC-10071-1] c 32 N74-20813
Smoothing filter for digital to analog conversion
[NASA-CASE-FRC-11025-1] c 33 N82-24417
WAGNER, H. R.
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c 07 N70-40202
WAGNER, W. B.
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577
WAKELYN, N. T.
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c 26 N70-36805
Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c 26 N70-40015
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c 15 N71-16075
Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c 15 N71-16077
Thermal control coating Patent
[NASA-CASE-XLA-01995] c 18 N71-23047
WALD, D.
Differential temperature transducer Patent
[NASA-CASE-XAC-00812] c 14 N71-15598
WALKER, D. J.
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c 19 N74-29410
WALKER, H. J.
Annular wing
[NASA-CASE-FRC-11007-2] c 05 N82-26277
WALKER, H. M.
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c 11 N71-18773
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c 24 N80-26388
WALKER, W. L.
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c 74 N77-28933
Protective telescoping shield for solar concentrator
[NASA-CASE-NPO-16236-1] c 44 N86-27706
WALL, R. J.
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c 52 N79-12694
WALL, W. A.
Automatic weld torch guidance control system
[NASA-CASE-MFS-25807] c 37 N83-20154
Automated weld torch guidance control system
[NASA-CASE-MFS-25807-2] c 37 N86-21850
WALL, W. A., JR.
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c 15 N71-15607
Automatic closed circuit television arc guidance control Patent
[NASA-CASE-MFS-13046] c 07 N71-19433
Automatic welding speed controller Patent
[NASA-CASE-XMF-01730] c 15 N71-23050
Welding skate with computerized control Patent
[NASA-CASE-XMF-07069] c 15 N71-23815
Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c 14 N71-24693
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c 37 N79-10421
WALLACE, C. J.
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c 27 N81-14076
WALLACE, CHARLES C.
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959
WALLACE, E. D.
Apparatus for tensile testing Patent
[NASA-CASE-XKS-06250] c 14 N71-15600
Valve seat with resilient support member Patent
[NASA-CASE-XKS-02582] c 15 N71-21234
Weld preparation machine Patent
[NASA-CASE-XKS-07953] c 15 N71-26134
WALLACE, G. R.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c 35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c 35 N77-17426
WALLINGFORD, W. M.
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c 32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c 33 N74-27705
WALLIO, M. A.
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c 33 N70-34540
WALLIS, D. E.
Low-frequency radio navigation system
[NASA-CASE-NPO-15264-1] c 04 N84-27713
WALLSOM, E.
Synchronously deployable truss structure
[NASA-CASE-LAR-13117-1] c 37 N86-25789
WALLSOM, R. E.
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c 37 N82-32732
Self-locking mechanical center joint
[NASA-CASE-LAR-12864-1] c 37 N85-30336
WALLSOM, RICHARD E.
Mobile remote manipulator vehicle system
[NASA-CASE-LAR-13393-1] c 54 N87-29118
WALSH, J. M.
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c 35 N74-27860
WALSH, J. V.
Pressure letdown method and device for coal conversion systems
[NASA-CASE-NPO-15100-1] c 44 N84-14583
WALSH, MICHAEL J.
Combined riblet and lebu drag reduction system
[NASA-CASE-LAR-13286-1] c 02 N88-14071
WALSH, T. C.
Vibration damping system Patent
[NASA-CASE-XMS-01620] c 23 N71-15673
WALSH, T. J.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c 15 N70-33382
WALSH, T. M.
Interferometric rotation sensor
[NASA-CASE-ARC-10278-1] c 14 N73-25463
WALTER, H. U.
Method of crystallization
[NASA-CASE-MFS-23001-1] c 76 N77-32919
WALTERS, R. M.
Telespectrograph Patent
[NASA-CASE-XLA-03273] c 14 N71-18699
WALTON, T. S.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c 31 N71-15566
WANG, D. S.
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c 37 N81-14317
WANG, G. Y.
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c 60 N74-20836
WANG, T.
Acoustic particle separation
[NASA-CASE-NPO-15559-1] c 71 N85-30765
WANG, T. G.
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c 12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c 20 N75-24837
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c 71 N78-10837
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c 71 N79-20827
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c 31 N81-33319
Method and apparatus for producing gas-filled hollow spheres
[NASA-CASE-NPO-14596-3] c 31 N83-31896
System for monitoring physical characteristics of fluids
[NASA-CASE-NPO-15400-1] c 34 N83-31993
Acoustic system for material transport
[NASA-CASE-NPO-15453-1] c 71 N83-32515
Acoustic bubble removal method
[NASA-CASE-NPO-15334-1] c 71 N83-35781
Acoustic suspension system
[NASA-CASE-NPO-15435-1] c 71 N83-36846
Acoustic rotation control
[NASA-CASE-NPO-15689-1] c 71 N84-23233
WANG, W. S.
Low temperature latching solenoid
[NASA-CASE-MSC-18106-1] c 33 N82-11357
WANGER, R. P.
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c 07 N81-19115
WANGLER, RICHARD J.
Optical data transfer system for crossing a rotary joint
[NASA-CASE-LAR-13613-1-SB] c 74 N87-24984
WARD, D. R.
Automatically deploying nozzle exit cone extension Patent
[NASA-CASE-XLE-01640] c 31 N71-15637
WARD, J. F.
Variable geometry rotor system
[NASA-CASE-LAR-10557] c 02 N72-11018
WARD, J. O.
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c 33 N79-22373
WARD, W. D.
Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c 15 N71-23023
WARKENTINE, D. K.
Automatic battery charger Patent
[NASA-CASE-XNP-04758] c 03 N71-24605
WARNECK, P.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c 06 N71-13461
WARREN, A. D.
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c 37 N81-14317

WARREN, A. P.
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c 31 N70-36410
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c 31 N71-15675
Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c 31 N71-16222
WARREN, E. L.
Compliant hydrodynamic fluid journal bearing
[NASA-CASE-LEW-13670-1] c 37 N86-19606
WATERS, W. J.
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c 17 N70-36616
Nickel-base alloy containing Mo-W-Al-Cr- Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c 17 N71-16026
Nickel bas alloy
[NASA-CASE-LEW-10874-1] c 17 N72-22535
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c 15 N73-13465
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c 26 N74-10521
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c 37 N74-13179
Nickel base alloy
[NASA-CASE-LEW-12270-1] c 26 N77-32280
Multicolor printing plate joining
[NASA-CASE-LEW-13598-1] c 35 N84-22930
WATSON, J. D.
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c 15 N69-21472
WATSON, J. E.
High temperature spark plug Patent
[NASA-CASE-XLE-00660] c 28 N70-39925
WATSON, N. D.
Payload/burned-out motor case separation system Patent
[NASA-CASE-XLA-05369] c 31 N71-15687
WATSON, V. R.
Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c 09 N71-20816
WATTS, D. J.
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630
WAYLAND, H. J.
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c 35 N75-25123
WEAR, J. D.
Rocket engine Patent
[NASA-CASE-XLE-00342] c 28 N70-37980
WEATHERS, G. D.
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c 35 N75-21582
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c 35 N77-17426
WEAVER, L. B.
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c 15 N77-10112
WEAVER, W. R.
Solar pumped laser
[NASA-CASE-LAR-12870-1] c 36 N84-16542
WEBB, D. D.
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290
WEBB, D. L.
Video sync processor Patent
[NASA-CASE-KSC-10002] c 10 N71-25865
Electronic video editor
[NASA-CASE-KSC-10003] c 10 N73-13235
WEBB, J. A., JR.
Circuit for detecting initial systole and dicrotic notch
[NASA-CASE-LEW-11581-1] c 54 N75-13531
WEBB, J. B.
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c 03 N73-20039
WEBBON, B. W.
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c 34 N77-19353
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c 54 N78-31736
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c 54 N78-32721
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c 54 N82-26987
WEBER, G. E.
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c 24 N77-19171
WEBER, G. J.
Multiple circuit protector device
[NASA-CASE-XMS-02744] c 33 N75-27249
Fused switch
[NASA-CASE-XMS-01244-1] c 33 N79-33393
WEBER, L.
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions
[NASA-CASE-NPO-12122-1] c 24 N76-14203
WEBER, R. J.
Venting vapor apparatus Patent
[NASA-CASE-XLE-00288] c 15 N70-34247
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c 20 N74-13502
WEBSTER, C. R.
Discharge cell for optogalvanic spectroscopy having orthogonal relationship between the probe laser and discharge axis
[NASA-CASE-NPO-16271-1] c 35 N86-25753
WEBSTER, CHARLES NEAL
Method of controlling a resin curing process
[NASA-CASE-MSC-21169-1] c 27 N87-25473
WEBSTER, CHRISTOPHER R.
Method and apparatus for enhancing laser absorption sensitivity
[NASA-CASE-NPO-16567-1-CU] c 36 N87-28006
WEBSTER, J. A.
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c 23 N75-30256
Polyimides of ether-linked aryl tetracarboxylic dianhydides
[NASA-CASE-MFS-22355-1] c 23 N76-15268
WEBSTER, L. D.
Clutchless multiple drive source for output shaft
[NASA-CASE-ARC-11325-1] c 37 N82-22496
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c 36 N83-34304
WEETON, J. W.
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c 17 N70-33288
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c 17 N70-38198
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c 17 N70-38490
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c 18 N71-22894
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c 17 N71-24142
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c 18 N71-26153
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c 18 N72-25539
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c 17 N72-28536
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-1] c 24 N81-17170
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-2] c 24 N81-26179
WEIDENHAMER, J. H.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c 15 N72-22482
WEIDMAN, D. J.
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c 09 N70-33312
WEIDNER, J. P.
Oribter/launch system
[NASA-CASE-LAR-12250-1] c 14 N81-26161
WEIGAND, A. J.
Texturing polymer surfaces by transfer casting
[NASA-CASE-LEW-13120-1] c 27 N82-28440
WEINBERG, I.
Lithium counterdoped silicon solar cell
[NASA-CASE-LEW-14177-1] c 44 N86-32875
WEINGART, J. M.
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c 03 N73-20040
WEINSTEIN, L.
Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c 51 N77-22794
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750
WEINSTEIN, L. M.
Continuous laminar smoke generator
[NASA-CASE-LAR-13014-1] c 09 N85-21178
WEINSTEIN, LEONARD M.
Ice detector
[NASA-CASE-LAR-13776-1] c 35 N88-29149
Liquid thickness gauge
[NASA-CASE-LAR-13826-1] c 35 N88-29150
WEINSTEIN, M.
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c 15 N69-39786
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c 26 N71-16037
WEISS, P. F.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c 16 N72-13437
WEISS, S.
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c 15 N69-21471
WEITZEL, D. F.
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c 27 N71-28929
WEITZEL, D. H.
Resilience testing device Patent
[NASA-CASE-XLA-08254] c 14 N71-26161
WELCH, CHRISTOPHER
Thermal remote anemometer system
[NASA-CASE-LAR-13508-1] c 35 N88-23962
WELCH, W. A.
Gas filter mounting structure
[NASA-CASE-MSC-12297] c 14 N72-23457
WELLING, C. E.
Thermally activated foaming compositions Patent
[NASA-CASE-LAR-10373-1] c 18 N71-26155
WELLMAN, J. B.
Gas flow control device
[NASA-CASE-NPO-11479] c 15 N73-13462
WELLS, A. F.
Water system virus detection
[NASA-CASE-MSC-16098-1] c 51 N79-10693
WELLS, B. R.
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c 15 N69-27502
WELLS, DENNIS L.
Nozzle fabrication technique
[NASA-CASE-MSC-21299-1] c 20 N88-24684
WELLS, F. E.
Positive displacement flowmeter Patent
[NASA-CASE-XMF-02822] c 14 N70-41994
Remote control manipulator for zero gravity environment
[NASA-CASE-MFS-14405] c 15 N72-28495
WELLS, GEORGE H., JR.
Timing control system
[NASA-CASE-NPO-16882-1-CU] c 33 N88-24863
WELLS, I. D.
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018
WELLS, W. H.
Rotable accurate reflector system for telscopes Patent
[NASA-CASE-NPO-10468] c 23 N71-33229
WELLS, W. L.
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c 33 N70-34540
WENDT, A. J.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c 15 N71-17687
WENZEL, G. E.
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c 09 N69-39986
WERNER, E. A.
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c 15 N71-15597
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c 15 N71-24836
WESSELSKI, C. J.
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c 15 N70-35679
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c 15 N72-17450
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
WESSELSKI, CLARENCE J.
Locking hinge
[NASA-CASE-MSC-21056-1] c 18 N88-23827
Mobile remote manipulator system for a tetrahedral truss
[NASA-CASE-MSC-20985-1] c 18 N88-26398
Expandable pallet for space station interface attachments
[NASA-CASE-MSC-21117-1] c 18 N88-28958
Collet lock joint for space station truss
[NASA-CASE-MSC-21207-1] c 37 N88-29180

Preloaded brake disc
[NASA-CASE-MSC-21132-1] c 37 N88-29181

WEST, R. L.
Device for handling printed circuit cards Patent
[NASA-CASE-MFS-20453] c 15 N71-29133

WEST, R. W., JR.
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c 33 N71-20834

WESTBROOK, R. M.
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c 05 N71-11193

WESTER, G. W.
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c 33 N77-10428
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c 33 N77-30365

WESTFALL, L. J.
Arc spray fabrication of metal matrix composite monotape
[NASA-CASE-LEW-13828-1] c 24 N85-30027

WESTON, K. C.
Heat shield Patent
[NASA-CASE-XMS-00486] c 33 N70-33344

WESTPHAL, J. A.
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c 23 N71-29125

WETMORE, J. W.
Aircraft instrument Patent
[NASA-CASE-XLA-00487] c 14 N70-40157

WETZLER, D. G.
Thrust-isolating mounting
[NASA-CASE-MFS-21680-1] c 18 N74-27397

WEYLER, G. M., JR.
Rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c 37 N79-10422
Method of manufacture of bonded fiber flywheel
[NASA-CASE-MFS-23674-1] c 24 N81-29163

WEZNER, F. S.
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c 09 N71-20658

WHEATLEY, D. G.
Hermetic sealed vibration damper Patent
[NASA-CASE-MSC-10959] c 15 N71-26243

WHEELER, D. R.
Refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c 26 N82-29415
Refractory coatings
[NASA-CASE-LEW-13169-2] c 26 N82-30371

WHEELER, R. K.
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c 24 N74-19769

WHEELER, S.
Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c 11 N71-28779

WHEELER, S. B.
Fluid containers and resealable septum therefor Patent
[NASA-CASE-NPO-10123] c 15 N71-24835

WHIFFEN, E. L.
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c 37 N75-19683

WHIPPLE, D. W.
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c 15 N72-27485

WHIPPLE, E. C., JR.
Method and apparatus for determining satellite orientation utilizing spatial energy sources Patent
[NASA-CASE-XGS-00466] c 21 N70-34297

WHIPPLE, R. D.
Extended moment arm anti-spin device
[NASA-CASE-LAR-12979-1] c 05 N85-21147

WHISENANT, J. T.
Inspection gage for boss Patent
[NASA-CASE-XMF-04966] c 14 N71-17658

WHITACRE, H. E.
Quick release hook tape Patent
[NASA-CASE-XMS-10660-1] c 15 N71-25975
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c 31 N72-25842

WHITCOMB, R. T.
Airfoil shape for flight at subsonic speeds
[NASA-CASE-LAR-10585-1] c 02 N76-22154

WHITE, A. R.
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c 31 N72-25842

WHITE, E. C.
Method of making pressurized panel Patent
[NASA-CASE-XLA-08916] c 15 N71-29018
Pressurized panel
[NASA-CASE-XLA-08916-2] c 14 N73-28487

Lightweight, variable solidity knitted parachute fabric
[NASA-CASE-LAR-10776-1] c 02 N74-10034

WHITE, E. RICHARD
Over-the-wing propeller
[NASA-CASE-LAR-13134-2] c 07 N87-16828

WHITE, F. A.
Coincidence apparatus for detecting particles
[NASA-CASE-XLA-07813] c 14 N72-17328
Low energy electron magnetometer using a monoenergetic electron beam
[NASA-CASE-LAR-12706-1] c 35 N84-12444

WHITE, J. A.
Magnetically centered liquid column float Patent
[NASA-CASE-XAC-00030] c 14 N70-34820

WHITE, M. H.
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c 33 N81-33403

WHITE, P. R.
Solar tracking system
[NASA-CASE-MFS-23999-1] c 44 N81-24520
Fluid flow meter for measuring the rate of fluid flow in a conduit
[NASA-CASE-MFS-28030-1] c 35 N86-25752

WHITE, W. F.
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c 14 N71-26137
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c 33 N75-26245

WHITE, W. L.
Dual towline spin-recovery device
[NASA-CASE-LAR-13076-1] c 08 N85-35200

WHITE, W. T.
Method of bonding plasticized elastomer to metal and articles produced thereby
[NASA-CASE-MFS-25181-1] c 27 N82-24340
Double window viewing chamber assembly
[NASA-CASE-MFS-28057-1] c 09 N87-14355

WHITE, WILLIAM T.
Method for machining holes in composite materials
[NASA-CASE-MFS-28044-1] c 31 N87-25491

WHITEHEAD, A. B.
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c 25 N80-20334

WHITEHEAD, C. W.
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c 31 N74-27900

WHITFIELD, C. E.
Selective plating of etched circuits without removing previous plating Patent
[NASA-CASE-XGS-03120] c 15 N71-24047

WHITMORE, F. C.
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c 15 N73-28516
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c 26 N73-28710
Magnetic-flux pump
[NASA-CASE-XNP-01188] c 15 N73-32361

WHITMORE, HENRY
Improved method and apparatus for waste collection and storage
[NASA-CASE-MSC-21025-1] c 31 N87-25495

WHITT, W. D.
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c 12 N79-26075
High gradient directional solidification furnace
[NASA-CASE-MFS-25963-1] c 35 N86-20750

WHITTEN, D. E.
Dual stage check valve
[NASA-CASE-MSC-13587-1] c 15 N73-30459

WHITTENBERGER, J. D.
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c 26 N77-20201
Method and apparatus for gripping uniaxial fibrous composite materials
[NASA-CASE-LEW-13758-1] c 24 N84-27829

WIBERG, R. E.
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c 14 N72-10375

WICHOREK, GREGORY R.
Device for measuring hole elongation in a bolted joint
[NASA-CASE-LAR-13453-1] c 37 N88-14361

WIEBE, E. R.
Automatic thermal switch Patent
[NASA-CASE-XNP-03796] c 23 N71-15467
Helium refrigerator and method for decontaminating the refrigerator
[NASA-CASE-NPO-10634] c 23 N72-25619
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c 33 N75-30430
Helium refrigerator
[NASA-CASE-NPO-13435-1] c 31 N76-14284
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c 31 N78-25256

WIECH, R. E.
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c 14 N71-23226

WIKER, G. A.
Compact artificial hand
[NASA-CASE-NPO-13906-1] c 54 N79-24652
Automatic multi-banking of memory for microprocessors
[NASA-CASE-NPO-15295-1] c 60 N85-21992

WIKER, GORDON A.
Timing control system
[NASA-CASE-NPO-16882-1-CU] c 33 N88-24863

WILCOX, B.
Programmable pipelined image processor
[NASA-CASE-NPO-16461-1CU] c 60 N86-23283

WILCOX, BRIAN
Real time pipelined system for forming the sum of products in the processing of video data
[NASA-CASE-NPO-16462-1-CU] c 60 N88-24169

WILEM, R. T.
Natural turbulence electrical power generator
[NASA-CASE-LAR-11551-1] c 44 N80-29834

WILEY, F. L.
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c 14 N71-28958

WILEY, P. H.
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c 33 N78-32339

WILGUS, D. S.
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c 62 N74-14920

WILHELM, H. E.
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c 25 N78-25148

WILHITE, W. F.
Micropacked column for a chromatographic system
[NASA-CASE-XNP-04816] c 06 N69-39936

WILKEY, J. W., JR.
Velocity package Patent
[NASA-CASE-XLA-01339] c 31 N71-15692

WILKINS, J. R.
Apparatus for microbiological sampling
[NASA-CASE-LAR-11069-1] c 35 N75-12272
Automatic inoculating apparatus
[NASA-CASE-LAR-11074-1] c 51 N75-13502
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c 35 N75-27330
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c 35 N75-33368
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c 51 N77-27677
Electrochemical detection device
[NASA-CASE-LAR-11922-1] c 25 N79-24073
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c 51 N81-28698
Apparatus and process for microbial detection and enumeration
[NASA-CASE-LAR-12709-1] c 35 N82-28604

WILL, H. A.
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c 76 N76-25049

WILL, R. W.
Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c 21 N71-21708

WILLIAMS, B. A.
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c 52 N77-10780
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c 52 N77-14736
Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c 54 N78-32721

WILLIAMS, D. D.
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c 31 N71-29050

WILLIAMS, D. N.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c 17 N71-20743

WILLIAMS, E. F.
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c 35 N75-19611

WILLIAMS, J. G.
Light regulator
[NASA-CASE-LAR-10836-1] c 26 N72-27784
Light intensity strain analysis
[NASA-CASE-LAR-10765-1] c 32 N73-2074(

WILLIAMS, J. J.
Flow modifying device
[NASA-CASE-LEW-13562-2] c 07 N85-3519(

WILLIAMS, J. R.
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c 16 N73-30476
WILLIAMS, L. A.
Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c 37 N80-14395
WILLIAMS, L. A., JR.
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c 34 N79-12359
WILLIAMS, M. D.
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c 23 N71-23976
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c 36 N79-18307
WILLIAMS, M. L.
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c 35 N78-24515
WILLIAMS, R. M.
Photoelectrochemical electrodes
[NASA-CASE-NPO-15458-1] c 25 N84-12262
Corrosion resistant coating
[NASA-CASE-NPO-15928-1] c 26 N85-29005
WILLIAMS, S. R.
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c 15 N71-21744
WILLIAMS, T. E.
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c 51 N79-10694
WILLIAMS, W. F.
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c 32 N75-24982
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c 32 N80-23524
WILLIS, A. E.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c 08 N71-18752
A dc to dc converter
[NASA-CASE-MFS-25430-1] c 33 N84-16453
WILLNER, K.
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c 09 N72-25254
WILNER, B. M.
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c 03 N71-11052
WILSON, A. H.
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c 37 N79-10420
WILSON, D. J.
Wind measurement system
[NASA-CASE-MFS-23362-1] c 47 N77-10753
WILSON, E. M.
Wind tunnel
[NASA-CASE-LAR-10135-1] c 09 N79-21083
WILSON, I. J.
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c 26 N78-24333
WILSON, J. C.
Exhaust flow deflector
[NASA-CASE-LAR-11570-1] c 34 N76-18364
Helicopter anti-torque system using strakes
[NASA-CASE-LAR-13233-1] c 05 N84-33400
WILSON, JOHN C.
Helicopter anti-torque system using fuselage strakes
[NASA-CASE-LAR-13630-1] c 08 N88-23809
WILSON, L. R.
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c 32 N77-14292
WILSON, M. E.
Wide-angle flat field telescope
[NASA-CASE-GSC-12825-1] c 74 N86-28732
WILSON, M. L.
Nondestructive spot test method for titanium and titanium alloys
[NASA-CASE-LAR-10539-1] c 17 N73-12547
Nondestructive spot test method for magnesium and magnesium alloys
[NASA-CASE-LAR-10953-1] c 17 N73-27446
WILSON, M. N., JR.
Space simulator Patent
[NASA-CASE-XNP-00459] c 11 N70-38675
WILSON, R. E.
Automatic pump Patent
[NASA-CASE-XNP-04731] c 15 N71-24042
WILSON, R. L.
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c 33 N77-31404
WILSON, T. G.
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c 33 N74-11049
WILSON, T. L.
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c 34 N81-26402
WILSON, W. A.
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c 15 N71-17686
WILSON, W. O.
Rocket chamber leak test fixture
[NASA-CASE-XFR-09479] c 14 N69-27503
WIMBER, R. T.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c 18 N71-29040
WINBLADE, R. L.
Energy management system for glider type vehicle Patent
[NASA-CASE-XFR-00756] c 02 N71-13421
WINFREE, WILLIAM P.
Thermal remote anemometer system
[NASA-CASE-LAR-13508-1] c 35 N88-23962
WING, L. D.
Automatic thermal switch
[NASA-CASE-GSC-12415-1] c 33 N82-24419
Automatic thermal switch
[NASA-CASE-GSC-12553-1] c 34 N83-28356
WINGFIELD, G. A.
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c 33 N75-26245
WINIARSKI, F. J.
Wabble gear drive mechanism
[NASA-CASE-WOO-00625] c 37 N78-17385
WINITZ, M.
Amino acid analysis
[NASA-CASE-NPO-12130-1] c 25 N75-14844
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c 52 N75-15270
WINKELSTEIN, R. A.
Noninterruptable digital counting system Patent
[NASA-CASE-XNP-09759] c 08 N71-24891
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c 33 N74-10194
Baseband signal combiner for large aperture antenna array
[NASA-CASE-NPO-14641-1] c 32 N81-29308
WINKLER, C. E.
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c 08 N71-18752
WINKLER, H. E.
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c 25 N82-12166
Bio-medical flow sensor
[NASA-CASE-MSC-18761-1] c 52 N83-27577
WINKLER, T.
AC logic flip-flop circuits Patent
[NASA-CASE-XGS-00823] c 10 N71-15910
WINN, L. E.
Ellipsograph for pantograph Patent
[NASA-CASE-XLA-03102] c 14 N71-21079
Lathe tool bit and holder for machining fiberglass materials
[NASA-CASE-XLA-10470] c 15 N72-21489
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c 05 N72-27102
WINTUCKY, E. G.
Ion sputter textured graphite
[NASA-CASE-LEW-12919-1] c 24 N83-10117
Ion sputter textured graphite electrode plates
[NASA-CASE-LEW-12919-2] c 70 N84-28565
WIRTH, M. N.
Selective data segment monitoring system
[NASA-CASE-ARC-10899-1] c 60 N77-19760
WISANDER, D. W.
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-2] c 37 N82-26674
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c 27 N82-29453
Laser surface fusion of plasma sprayed ceramic turbine seals
[NASA-CASE-LEW-13269-1] c 18 N83-20996
Method of fabricating an abradable gas path seal
[NASA-CASE-LEW-13269-2] c 37 N84-22957
WISE, R. C.
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012
WISE, T. E.
Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c 33 N79-28416
WITHEROW, W. K.
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c 36 N83-29680
Method of and apparatus for double-exposure holographic interferometry
[NASA-CASE-MFS-25405-1] c 35 N84-22929
WITHEROW, WILLIAM K.
Dual wavelength holographic interferometry system
[NASA-CASE-MFS-28242-1] c 35 N88-23960
WITTE, R. S.
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c 36 N78-17366
WITTMANN, A. E.
Method of coating circuit paths on printed circuit boards with solder Patent
[NASA-CASE-XMF-01599] c 09 N71-20705
WITTROCK, E. P.
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c 15 N73-30460
WITZKE, W. R.
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c 15 N70-33382
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c 26 N79-22271
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c 26 N80-32484
WOBIG, O. A.
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c 12 N71-16031
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c 15 N71-22722
WOELLER, F. H.
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c 25 N80-23383
WOELLER, FRITZ H.
Self-compensating solenoid valve
[NASA-CASE-ARC-11620-1] c 37 N87-25573
WOJCIECHOWSKI, C. J.
Diffuser/ejector system for a very high vacuum environment
[NASA-CASE-MFS-25791-1] c 09 N84-27749
WOJTASINSKI, R. J.
Lightning tracking system
[NASA-CASE-KSC-10729-1] c 09 N73-32110
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c 14 N73-32319
Electric field measuring and display system
[NASA-CASE-KSC-10731-1] c 33 N74-27862
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c 33 N75-26246
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c 33 N79-10337
WOLCZOK, J. M.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346
WOLF, C. B.
Method of producing silicon
[NASA-CASE-NPO-14382-1] c 31 N80-18231
WOLF, D. A.
Heat pipe thermal switch
[NASA-CASE-GSC-12812-1] c 34 N83-35307
WOLF, F. T.
Air bearing
[NASA-CASE-WLP-10002] c 15 N72-17451
WOLF, M. F.
Planar oscillatory stirring apparatus
[NASA-CASE-MFS-26002-1-CU] c 35 N86-26598
WOLFE, J. F.
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-2] c 27 N84-22746
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-1] c 27 N85-20123
WOLFF, J. R.
High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c 08 N71-19544
WOLLER, J. A.
Evacuation port seal Patent
[NASA-CASE-XMF-03290] c 15 N71-23256
WOLOWICZ, C. H.
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c 05 N79-12061
WOLTHUIS, R. A.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c 10 N72-20225

Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c 52 N74-26626

WOLVERTON, B. C.
Method for treating wastewater using microorganisms and vascular aquatic plants
[NASA-CASE-NSTL-10] c 45 N84-12654

WONG, R. Y.
Plurality of photosensitive cells on a pyramidical base for planetary trackers
[NASA-CASE-XNP-04180] c 07 N69-39736
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c 14 N70-40201
Television signal processing system Patent
[NASA-CASE-NPO-10140] c 07 N71-24742
Video signal enhancement system with dynamic range compression and modulation index expansion Patent
[NASA-CASE-NPO-10343] c 07 N71-27341

WONG, W. J.
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c 33 N74-14956

WOO, K. E.
High impact antenna Patent
[NASA-CASE-NPO-10231] c 07 N71-26101
Multi-purpose antenna employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c 07 N72-25174

WOO, R. T.
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c 32 N74-11000

WOOD, A. D.
Transient heat transfer gauge Patent
[NASA-CASE-XNP-09802] c 33 N71-15641

WOOD, C. E.
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c 36 N78-17366

WOOD, CHARLES
Improved properties of SiGe/GaP alloys
[NASA-CASE-NPO-17259-1-CU] c 76 N88-25358
Thermocouple for heating and cooling of memory metal actuators
[NASA-CASE-NPO-17068-1-CU] c 35 N88-29151

WOOD, G. E.
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c 32 N75-15854

WOOD, G. M.
Low energy electron magnetometer using a monoenergetic electron beam
[NASA-CASE-LAR-12706-1] c 35 N84-12444
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540

WOOD, G. M., JR.
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c 14 N71-10774

WOOD, G. P.
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c 25 N70-33267

WOOD, J. W.
Broadband video process with very high input impedance
[NASA-CASE-NPO-10199] c 09 N72-17156

WOOD, K. E.
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c 37 N82-24494
Apparatus for accurately preloading auger attachment means for frangible protective material
[NASA-CASE-MSC-18791-1] c 37 N83-36482

WOOD, L. L.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c 25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c 36 N77-19416

WOOD, P. C.
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c 25 N79-10162
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c 28 N82-18401

WOOD, R. A.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c 17 N71-20743

WOOD, R. C.
Apparatus for sampling particulates in gases
[NASA-CASE-HQN-10037-1] c 14 N73-27376

WOOD, RICHARD M.
Device for quick changeover between wind tunnel force and pressure testing
[NASA-CASE-LAR-13512-1] c 35 N87-28884
Multi-body aircraft with an all-movable center fuselage actively controlling fuselage pressure drag
[NASA-CASE-LAR-13511-1] c 05 N88-23765
Almond test body
[NASA-CASE-LAR-13747-1] c 32 N88-24845

WOODBURY, R. C.
Noise limiter Patent
[NASA-CASE-NPO-10169] c 10 N71-24844
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c 32 N74-19788
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c 36 N74-20009

WOODGATE, B. E.
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c 76 N80-18951

WOODIE, P. E.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c 09 N70-41717

WOODS, G. J.
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c 31 N71-15566

WOODS, G. M., JR.
Instrument for measuring potentials on two dimensional electric field plots Patent
[NASA-CASE-XLA-08493] c 10 N71-19421

WOODS, J. M.
Powerplexer
[NASA-CASE-MSC-12396-1] c 03 N73-31988

WOOLFSON, M. G.
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c 09 N70-41675
Pulse modulator providing fast rise and fall times Patent
[NASA-CASE-XMS-04919] c 09 N71-23270
Multiple slope sweep generator Patent
[NASA-CASE-XMS-03542] c 09 N71-28926

WOOLLAM, J. A.
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c 35 N75-13213
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c 28 N78-24365
Atomic hydrogen storage
[NASA-CASE-LEW-12081-2] c 28 N80-20402
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c 28 N81-14103

WORNOM, D. E.
Leading edge curvature based on convective heating Patent
[NASA-CASE-XLA-01486] c 01 N71-23497

WORTMAN, J. J.
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c 09 N69-27422
Method of making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c 14 N72-28438
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c 35 N76-22509

WRIGHT, D. B.
Method for measuring cutaneous sensory perception
[NASA-CASE-MSC-13609-1] c 05 N72-25122

WRIGHT, D. E.
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c 27 N71-16348

WRIGHT, E. E., JR.
System for sterilizing objects
[NASA-CASE-KSC-11085-1] c 54 N81-24724

WRIGHT, L. N.
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c 05 N71-27234

WRIGHT, LAWRENCE T.
Tapered, tubular polyester fabric
[NASA-CASE-MSC-21082-1] c 27 N87-29672

WRIGHT, W. H.
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c 10 N71-26626
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c 33 N78-17296

WRINKLE, W. W.
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c 37 N74-18123

WU, C.
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c 32 N82-12297
Pipelined digital SAR azimuth correlator using hybrid FFT-transversal filter
[NASA-CASE-NPO-15519-1] c 32 N84-34651
Method and apparatus for self-calibration and phasing of array antenna
[NASA-CASE-NPO-15920-1] c 33 N85-21493
Method and apparatus for contour mapping using synthetic aperture radar
[NASA-CASE-NPO-15939-1] c 43 N86-19711

WU, V. C.
Apparatus for determining changes in limb volume
[NASA-CASE-MSC-18759-1] c 52 N83-27578

WUENSCHER, H. F.
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c 31 N70-34176
Serpentuator Patent
[NASA-CASE-XMF-05344] c 31 N71-16345
Space manufacturing machine Patent
[NASA-CASE-MFS-20410] c 15 N71-19214
Method of making foamed materials in zero gravity
[NASA-CASE-XMF-09902] c 15 N72-11387
Hermetically sealed elbow actuator
[NASA-CASE-MFS-14710] c 09 N72-22195

WUERKER, R. F.
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c 36 N77-32478
Microbalance
[NASA-CASE-MSC-11242] c 35 N78-17358

WYBLE, C. W.
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c 09 N70-41717

WYDEVEN, T.
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c 27 N79-14214
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c 28 N82-18401

WYDEVEN, T. J.
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c 25 N79-10162
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c 33 N79-15245
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c 27 N79-18052
Reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c 27 N80-23452
Method for the preparation of thin-skinned asymmetric reverse osmosis membranes and products thereof
[NASA-CASE-ARC-11359-1] c 51 N84-28361

WYDEVEN, T. J., JR.
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c 25 N75-12087

WYLIE, G. M.
Sealed battery gas manifold construction Patent
[NASA-CASE-XNP-03378] c 03 N71-11051

WYMAN, C. L.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c 16 N72-13437
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c 35 N75-12273
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c 74 N79-11865

WYNVEEN, R. A.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c 54 N78-14784

WYSOCKI, J. J.
Radiation resistant silicon semiconductor devices Patent
[NASA-CASE-XGS-07801] c 09 N71-12513

Y

YAGER, S. P.
Piping arrangement through a double chamber structure
[NASA-CASE-XNP-08882] c 15 N69-39935

YAMAKAWA, K. A.
Scriber for silicon wafers
[NASA-CASE-NPO-15539-1] c 37 N82-11469
Apparatus and method to keep the walls of a free-space reactor free from deposits of solid materials
[NASA-CASE-NPO-15851-1] c 37 N85-21652

YAMAKI, D. A.
Solvent resistant thermoplastic aromatic poly(imidesulfone) and process for preparing same
[NASA-CASE-LAR-12858-1] c 27 N83-34041
Process for preparing solvent resistant, thermoplastic aromatic poly(imidesulfone)
[NASA-CASE-LAR-12858-2] c 27 N85-20124

YAMAUCHI, S. T.
Degassifying and mixing apparatus for liquids
[NASA-CASE-MSC-18936-1] c 35 N83-29652

YANAGITA, H.
Rhomboid prism pair for rotating the plane of paralle light beams
[NASA-CASE-ARC-11311-1] c 74 N83-13978


YANG, C. Y.
Zirconium carbide as an electrocatalyst for the chromous-chromic redox couple
[NASA-CASE-LEW-13246-1] c 44 N83-27344
YANG, L. C.
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c 37 N74-21060
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c 28 N74-27425
Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c 36 N77-25502
Seismic vibration source
[NASA-CASE-NPO-14112-1] c 46 N79-22679
Underwater seismic source
[NASA-CASE-NPO-14255-1] c 46 N79-23555
Portable heatable container
[NASA-CASE-NPO-14237-1] c 44 N80-20808
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NASA-CASE-NPO-15494-1] c 35 N82-25484
Method and device for detection of a substance
[NASA-CASE-NPO-14940-1] c 33 N83-31954
Apparatus and method for destructive removal of particles contained in flowing fluid
[NASA-CASE-NPO-15426-1] c 35 N84-17555
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373
YANG, M. M.
Trace water sensor
[NASA-CASE-NPO-15722-1] c 35 N85-29212
YANG, P. M.
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c 15 N71-28465
YANG, ROBERT ALEXANDER
Toggle release
[NASA-CASE-MSC-21354-1] c 37 N88-24969
YARIV, A.
Arrangement for damping the resonance in a laser diode
[NASA-CASE-NPO-15980-1] c 36 N85-30305
YASUI, R. K.
Solar cell submodule Patent
[NASA-CASE-XNP-05821] c 03 N71-11056
Solar cell matrix Patent
[NASA-CASE-NPO-10821] c 03 N71-19545
Solar cell matrix
[NASA-CASE-NPO-11190] c 03 N71-34044
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c 03 N73-20040
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c 44 N76-31666
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c 44 N79-17314
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c 44 N80-14474
YEAGER, P. R.
Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c 14 N71-10774
Thermopile vacuum gage tube simulator Patent
[NASA-CASE-XLA-02758] c 14 N71-18481
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c 35 N74-34857
YEH, C.
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c 36 N76-24553
YEH, H. G.
Systolic VLSI array for implementing the Kalman filter Algorithm
[NASA-CASE-NPO-17108-1-CU] c 33 N87-27926
YEH, Y. C. M.
Schottky barrier solar cell
[NASA-CASE-NPO-13689-2] c 44 N81-29525
Method of Fabricating Schottky Barrier solar cell
[NASA-CASE-NPO-13689-4] c 44 N82-28780
YEN, S. P. S.
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c 25 N81-19244
YIN, L. I.
Low intensity X-ray and gamma-ray imaging device
[NASA-CASE-GSC-12263-1] c 74 N79-20857
Low intensity X-ray and gamma-ray spectrometer
[NASA-CASE-GSC-12587-1] c 35 N82-32659
Real-time 3-D X-ray and gamma-ray viewer
[NASA-CASE-GSC-12640-1] c 74 N84-11920
Three-dimensional and tomographic imaging device for X-ray and gamma-ray emitting objects
[NASA-CASE-GSC-12851-1] c 35 N85-30281
YOSHINO, S. Y.
Bonding or repairing process
[NASA-CASE-MSC-12357] c 15 N73-12489
YOST, V. H.
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c 15 N71-15607
YOST, W. T.
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c 33 N82-26572
YOST, WILLIAM T.
Acoustic radiation stress measurement
[NASA-CASE-LAR-13440-1] c 71 N87-21653
Method and apparatus for non-destructive testing of temper embrittlement in steels
[NASA-CASE-LAR-13817-1] c 26 N88-29012
Ultrasonic method and apparatus for determining crack opening load
[NASA-CASE-LAR-13889-1] c 39 N88-30160
YOUMANS, BRUCE R.
Closed loop fiber optic rotation sensor
[NASA-CASE-NPO-16558-1-CU] c 74 N87-23259
YOUNG, A. L.
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c 15 N71-17654
Semitoroidal diaphragm cavitating valve Patent
[NASA-CASE-XNP-09704] c 12 N71-18615
YOUNG, D. L.
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c 25 N82-11144
YOUNG, D. R.
Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c 05 N71-24738
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c 52 N74-22771
YOUNG, H.
Radio frequency shielded enclosure Patent
[NASA-CASE-XMF-09422] c 07 N71-19436
YOUNG, K. M.
High voltage power supply
[NASA-CASE-GSC-12818-1] c 33 N85-29147
YOUNG, L. R.
Display research collision warning system
[NASA-CASE-HQN-10703] c 21 N73-13643
Adaptive polarization separation
[NASA-CASE-LAR-12196-1] c 33 N81-26358
YOUNG, R. N.
Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c 09 N70-34559
Automatic balancing device Patent
[NASA-CASE-LAR-10774] c 10 N71-13545
Independent power generator
[NASA-CASE-LAR-11208-1] c 44 N78-32539
Electrochemical detection device
[NASA-CASE-LAR-11922-1] c 25 N79-24073
YOUNG, S. G.
Method of protecting a surface with a silicon-slurry/aluminide coating
[NASA-CASE-LEW-13343-1] c 27 N82-28441
Silicon-slurry/aluminide coating
[NASA-CASE-LEW-13343] c 26 N83-31795
YOUNG, W. J.
Phonocardiograph transducer Patent
[NASA-CASE-XMS-05365] c 14 N71-22993
YOUNG, W. R.
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c 35 N79-18296
YOUNGBERG, C. L.
Sphere forming method and apparatus
[NASA-CASE-NPO-15070-1] c 31 N83-35176
YOUNGBLUTH, O., JR.
Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PMT
[NASA-CASE-LAR-10320-1] c 09 N72-23172
Versatile LDV burst simulator
[NASA-CASE-LAR-11859-1] c 35 N79-14349
YOUNGHANS, J. L.
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c 07 N81-14999
YU, I. P.
Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c 32 N80-32604

Z

ZABOWER, H. R.
Hand-held photomicroscope
[NASA-CASE-ARC-10468-1] c 14 N73-33361
ZAHLAVA, B. A.
Vacuum probe surface sampler
[NASA-CASE-LAR-10623-1] c 14 N73-30395
ZAPLATYNSKY, I.
Method and apparatus for coating substrates using a laser
[NASA-CASE-LEW-13526-1] c 36 N84-22944
ZAREMBA, J. G.
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c 15 N71-24694
ZARETSKY, E. V.
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c 15 N71-16052
ZAVADA, E. J.
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c 15 N70-34850
ZAVESKY, RALPH J.
Heat exchanger for electrothermal devices
[NASA-CASE-LEW-14037-1] c 20 N87-16875
ZAVIANTSEFF, V.
Apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c 14 N72-29464
ZEANAH, H. W.
Filtering device
[NASA-CASE-MFS-22729-1] c 32 N76-21366
ZEBKER, H. A.
Synthetic aperture radar target simulator
[NASA-CASE-NPO-15024-1] c 32 N84-27951
ZEBKER, HOWARD A.
Data volume reduction for imaging radar polarimetry
[NASA-CASE-NPO-17184-1-CU] c 32 N88-26541
ZEBROWSKI, Z. E.
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c 31 N71-24750
ZEBUS, P. P.
Adjustable securing base
[NASA-CASE-MSC-19666-1] c 37 N78-17383
Variable contour securing system
[NASA-CASE-MSC-16270-1] c 37 N78-27423
ZEIGER, R. J.
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c 37 N74-27901
ZELLNER, G. J.
Gas cooled high temperature thermocouple Patent
[NASA-CASE-XLE-09475-1] c 33 N71-15568
ZEMAN, J. R.
Lamp modulator
[NASA-CASE-KSC-10565] c 09 N72-25250
ZERGER, R. S.
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c 33 N71-29051
ZERLAUT, G. A.
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c 18 N71-26772
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c 18 N72-17532
ZERWEKH, P. S.
Ultrasonic transducer with Gaussian radial pressure distribution
[NASA-CASE-LAR-12967-1] c 35 N84-22932
ZIEMKE, M. C.
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c 33 N71-29051
ZIMMERMAN, B. G.
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c 21 N71-10678
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c 21 N71-27324
Passive dual spin misalignment compensators
[NASA-CASE-GSC-11479-1] c 35 N74-28097
ZIMMERMAN, E. F.
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c 03 N72-25019
ZIMMERMAN, J. E.
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c 43 N80-14423
ZIMMERMAN, NORMAN B.
Ceramic-ceramic shell tile thermal protection system and method thereof
[NASA-CASE-ARC-11641-1] c 24 N88-18628
ZIMMERMAN, P. A.
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c 37 N79-33467
ZIMMERMAN, R. L.
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c 15 N70-35407
Double optic system for ion engine Patent
[NASA-CASE-XNP-02839] c 28 N70-41922
ZIOLKOWSKI, A. J.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c 21 N70-35427
ZLATKIS, A.
Analysis of volatile organic compounds
[NASA-CASE-MSC-14428-1] c 23 N77-17161
ZMUDA, L. J.
Safety-type locking pin
[NASA-CASE-MFS-18495] c 15 N72-11385

ZMUIDZINAS, J. S.
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c 72 N79-13826
ZOHAR, S.
Counting digital filters
[NASA-CASE-NPO-11821-1] c 08 N73-26175
ZOOK, H. A.
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c 91 N76-30131
ZORUMSKI, W. E.
Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c 03 N71-12259
Noise suppressor
[NASA-CASE-LAR-11141-1] c 07 N74-32418
ZOTTARELLI, L. J.
Magnetic core current steering commutator Patent
[NASA-CASE-NPO-10201] c 08 N71-18694
Drive circuit utilizing two cores Patent
[NASA-CASE-XNP-01318] c 10 N71-23033
Current steering switch Patent
[NASA-CASE-XNP-08567] c 09 N71-26000
Digital memory in which the driving of each word location is controlled by a switch core Patent
[NASA-CASE-XNP-01466] c 10 N71-26434
ZOUTENDYK, J. A.
Method of measuring field funneling and range straggling in semiconductor charge-collecting junctions
[NASA-CASE-NPO-16584-1-CU] c 76 N86-25269
ZRUBEK, W. E.
System for monitoring signal amplitude ranges
[NASA-CASE-XMS-04061-1] c 09 N69-39885
ZUCCARO, J. J.
Electrode construction Patent
[NASA-CASE-ARC-10043-1] c 05 N71-11193
ZUCKERWAR, A. J.
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c 35 N75-19614
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c 07 N76-27232
Differential sound level meter
[NASA-CASE-LAR-12106-1] c 71 N78-14867
High-temperature microphone system
[NASA-CASE-LAR-12375-1] c 32 N79-24203
Flow resistivity instrument
[NASA-CASE-LAR-13053-1] c 43 N83-29783
Acoustic ground impedance meter
[NASA-CASE-LAR-12995-1] c 35 N84-22933
ZURASKY, J. L.
Monitoring deposition of films
[NASA-CASE-MFS-20675] c 26 N73-26751
ZWIENER, J. M.
Real time reflectometer
[NASA-CASE-MFS-23118-1] c 35 N77-31465
ZYGIELBAUM, A. I.
Communications link for computers
[NASA-CASE-NPO-11161] c 08 N72-25207
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c 09 N72-25248
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c 08 N73-25206
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c 32 N79-14267

Typical Source Index Listing



Listings in this index are arranged alphabetically by source. The title of the document provides the user with a brief description of the subject matter. The NASA Case Number is the prime access point to patent documents. The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located. The NASA accession number denotes the number by which the citation is identified within the subject category. The titles are arranged under each source in ascending accession number order.

A

Adjunct Systems, Inc., Huntsville, Ala.
Longwall shearer tracking system
[NASA-CASE-MFS-25717-1] c 35 N84-33768

Aeroflex Labs., Inc., Plainview, N. Y.
Rotary actuator
[NASA-CASE-NPO-10244] c 15 N72-26371

Aerojet-General Corp., El Monte, Calif.
High-speed infrared furnace
[NASA-CASE-XLE-10466] c 17 N69-25147
Ammonium perchlorate composite propellant containing an organic transitional metal chelate catalytic additive Patent
[NASA-CASE-LAR-10173-1] c 27 N71-14090
Swirling flow nozzle Patent
[NASA-CASE-XNP-03692] c 28 N71-24321
Automatic battery charger Patent
[NASA-CASE-XNP-04758] c 03 N71-24605
Attitude control system for sounding rockets Patent
[NASA-CASE-XGS-01654] c 31 N71-24750
Tensile strength testing device Patent
[NASA-CASE-XNP-05634] c 15 N71-24834
Hydroforming techniques using epoxy molds Patent
[NASA-CASE-XLE-05641-1] c 15 N71-26346
Electrical apparatus for detection of thermal decomposition of insulation Patent
[NASA-CASE-XMF-03968] c 14 N71-27186
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c 38 N76-28563

Aerojet-General Corp., Glendale, Calif.
Rotating shaft seal Patent
[NASA-CASE-XNP-02862-1] c 15 N71-26294

Aerojet-General Corp., Sacramento, Calif.
Process of forming particles in a cryogenic path Patent
[NASA-CASE-NPO-10250] c 23 N71-16212

Aeronautical Research Associates of Princeton, Inc., N. J.
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c 05 N75-12930

Air Products and Chemicals, Inc., Philadelphia, Pa.
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c 31 N79-21225

Airborne Instruments Lab., Deer Park, N. Y.
High-Q bandpass resonators utilizing bandstop resonator pairs
[NASA-CASE-GSC-10990-1] c 09 N73-26195

AiResearch Mfg. Co., Torrance, Calif.
Combinational logic for generating gate drive signals for phase control rectifiers
[NASA-CASE-MFS-25208-1] c 33 N83-10345
Adaptive control system for line-commutated inverters
[NASA-CASE-MFS-25209-1] c 33 N83-35227

Airtronics, Inc., Washington, D.C.
Protection for energy conversion systems
[NASA-CASE-XGS-04808] c 03 N69-25146
Inverter with means for base current shaping for sweeping charge carriers from base region Patent
[NASA-CASE-XGS-06226] c 10 N71-25950

American Air Filter Co., Inc., St. Louis, Mo.
Gas filter mounting structure
[NASA-CASE-MSC-12297] c 14 N72-23457

American Optical Co., Pittsburgh, Pa.
Telespectrograph Patent
[NASA-CASE-XLA-03273] c 14 N71-18699

American Optical Co., Southbridge, Mass.
Pneumatic mirror support system
[NASA-CASE-XLA-03271] c 11 N69-24321

American Science and Engineering, Inc., Cambridge, Mass.
X-ray reflection collimator adapted to focus X-radiation directly on a detector Patent
[NASA-CASE-XHQ-04106] c 14 N70-40240

Ampex Corp., Redwood City, Calif.
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c 24 N75-13032

Anocut Engineering Co., Chicago, Ill.
Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c 37 N80-14395

Applied Magnetics Corp., Goleta, Calif.
Magnetic recording head and method of making same Patent
[NASA-CASE-GSC-10097-1] c 08 N71-27210

Applied Space Products, Inc., Palo Alto, Calif.
Intumescent paints Patent
[NASA-CASE-ARC-10099-1] c 18 N71-15469

Army Air Mobility Research and Development Lab., Hampton, Va.
Helicopter anti-torque system using strakes
[NASA-CASE-LAR-13233-1] c 05 N84-33400

Army Aviation Research and Development Command, Moffett Field, Calif.
Clutchless multiple drive source for output shaft
[NASA-CASE-ARC-11325-1] c 37 N82-22496

ARO, Inc., Arnold Air Force Station, Tenn.
Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c 74 N83-13978

Astro Research Corp., Carpinteria, Calif.
Foldable beam
[NASA-CASE-LAR-12077-1] c 31 N81-25259

Astro-Space Labs., Inc., Huntsville, Ala.
Linear differential pressure sensor Patent
[NASA-CASE-XMF-01974] c 14 N71-22752

Athens Coil., Ala.
Apparatus and method for heating a material in a transparent ampoule
[NASA-CASE-MFS-25436-1] c 27 N83-36220

Atlantic Research Corp., Alexandria, Va.
Spherically-shaped rocket motor Patent
[NASA-CASE-XHQ-01897] c 28 N70-35381

Auburn Research Foundation, Inc., Ala.
Shear modulated fluid amplifier Patent
[NASA-CASE-MFS-10412] c 12 N71-17578
Laser coolant and ultraviolet filter
[NASA-CASE-MFS-20180] c 16 N72-12440

Auburn Univ., Ala.
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c 32 N74-19790
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c 33 N75-30429
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c 33 N77-17351

Autonetics, Anaheim, Calif.
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c 62 N74-14920

Avco Corp., Cincinnati, Ohio.
Method for forming pyrrone molding powders and products of said method
[NASA-CASE-LAR-10423-1] c 23 N82-29358

Avco Corp., New York, N.Y.
Signal multiplexer
[NASA-CASE-XGS-01110] c 07 N69-24334

Avco Corp., Wilmington, Mass.
Method and apparatus for making a heat insulating and ablative structure Patent
[NASA-CASE-XMS-02009] c 33 N71-20834

B

Baldwin Electronics, Inc., Little Rock, Ark.
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c 62 N76-31946

Baldwin-Lima-Hamilton Corp., San Francisco, Calif.
Valve actuator Patent
[NASA-CASE-XHQ-01208] c 15 N70-35409

Ball Bros. Research Corp., Boulder, Colo.
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c 32 N74-20864
Star scanner
[NASA-CASE-GSC-11569-1] c 89 N74-30886

Barnes Engineering Co., Stamford, Conn.
Multi-lobar scan horizon sensor Patent
[NASA-CASE-XGS-00809] c 21 N70-35427
Horizon sensor with a plurality of fixedly positioned radiation compensated radiation sensitive detectors Patent
[NASA-CASE-XNP-06957] c 14 N71-21088
Miniature carbon dioxide sensor and methods
[NASA-CASE-MSC-13332-1] c 14 N72-21408
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c 35 N79-33449

Battelle Columbus Labs., Ohio.
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c 35 N80-20560

Battelle Memorial Inst., Columbus, Ohio.
Process for preparation of dianilinosilanes Patent
[NASA-CASE-XMF-06409] c 06 N71-23230
Process for preparation of high-molecular- weight polyaryloxysilanes Patent
[NASA-CASE-XMF-08674] c 06 N71-28807
Method for determining presence of OH in magnesium oxide
[NASA-CASE-NPO-10774] c 06 N72-17095
Porus electrode comprising a bonded stack of pieces of corrugated metal foil
[NASA-CASE-GSC-11368-1] c 09 N73-32108
Method of making porous conductive supports for electrodes
[NASA-CASE-GSC-11367-1] c 44 N74-19692

Battelle Memorial Inst., Richland, Wash.
Low temperature aluminum alloy Patent
[NASA-CASE-XMF-02786] c 17 N71-20743

Battelle Northwest Labs., Richland, Wash.
Preparation of high purity copper fluoride
[NASA-CASE-LEW-10794-1] c 06 N72-17093

Bausch and Lomb, Inc., Rochester, N. Y.
Petzval type objective including field shaping lens Patent
[NASA-CASE-GSC-10700] c 23 N71-30027
Illumination system including a virtual light source Patent
[NASA-CASE-HQN-10781] c 23 N71-30292

Baylor Univ., Houston, Tex.
EEG sleep analyzer and method of operation Patent
[NASA-CASE-MSC-13282-1] c 05 N71-24729

Beckman Instruments, Inc., Anaheim, Calif.

Compressible biomedical electrode
[NASA-CASE-MSC-13648] c 05 N72-27103

Beckman Instruments, Inc., Anaheim, Calif.
Pressure modulating value
[NASA-CASE-MSC-14905-1] c 37 N77-28487

Beckman Instruments, Inc., Fullerton, Calif.
Pulse activated polarographic hydrogen detector Patent
[NASA-CASE-XMF-06531] c 14 N71-17575
Electronic divider and multiplier using photocells Patent
[NASA-CASE-XFR-05637] c 09 N71-19480
Pulse generating circuit employing switch means on ends of delay line for alternately charging and discharging same Patent
[NASA-CASE-XNP-00745] c 10 N71-28960
Gas operated actuator
[NASA-CASE-NPO-11340] c 15 N72-33477
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c 35 N74-27860

Beckman Instruments, Inc., South Pasadena, Calif.
Pneumatic system for controlling and actuating pneumatic cyclic devices
[NASA-CASE-XMS-04843] c 03 N69-21469

Becton, Dickinson and Co., Rutherford, N.J.
Vacuum probe surface sampler
[NASA-CASE-LAR-10623-1] c 14 N73-30395

Beech Aircraft Corp., Boulder, Colo.
X-ray determination of parts alignment
[NASA-CASE-MSC-20418-1] c 74 N86-20126

Bell Aerospace Co., Buffalo, N. Y.
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c 32 N75-24981
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c 33 N75-26243

Bell Aerosystems Co., Buffalo, N. Y.
Lunar landing flight research vehicle Patent
[NASA-CASE-XFR-00929] c 31 N70-34966
Flexibly connected support and skin Patent
[NASA-CASE-XLA-01027] c 31 N71-24035
Injection head for delivering liquid fuel and oxidizers
[NASA-CASE-NPO-10046] c 28 N72-17843
Flight control system
[NASA-CASE-MSC-13397-1] c 21 N72-25595

Bell and Howell Co., Chicago, Ill.
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c 27 N78-31233
Process for producing a well-adhered durable optical coating on an optical plastic substrate
[NASA-CASE-ARC-11039-1] c 74 N78-32854

Bellcomm, Inc., Washington, D. C.
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c 74 N75-25706

Bendix Corp., Ann Arbor, Mich.
Circuit breaker utilizing magnetic latching relays Patent
[NASA-CASE-MSC-11277] c 09 N71-29008

Bendix Corp., Columbia, Md.
Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c 33 N79-28416

Bendix Corp., Davenport, Iowa.
Dual stage check valve
[NASA-CASE-MSC-13587-1] c 15 N73-30459

Bendix Corp., Detroit, Mich.
Deformable vehicle wheel Patent
[NASA-CASE-MFS-20400] c 31 N71-18611

Bendix Corp., Huntsville, Ala.
Multi axes vibration fixtures
[NASA-CASE-MFS-20242] c 14 N73-19421

Bendix Corp., Kennedy Space Center, Fla.
Color perception tester
[NASA-CASE-KSC-10278] c 05 N72-16015

Bendix Corp., Teterboro, N.J.
Evacuation valve
[NASA-CASE-LAR-10061-1] c 15 N72-31483

Bendix Research Labs., Southfield, Mich.
Image tube
[NASA-CASE-GSC-11602-1] c 33 N74-21850

Bionetics Corp., Hampton, Va.
Small conductive particle sensor
[NASA-CASE-LAR-12552-1] c 35 N82-11431

Boeing Aerospace Co., Houston, Tex.
Fluid sample collection and distribution system
[NASA-CASE-MSC-16841-1] c 34 N79-24285
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c 51 N80-27067

Boeing Aerospace Co., Seattle, Wash.
Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c 44 N81-14389

Boeing Co., Cocoa Beach, Fla.
Positive contact resistance soldering unit
[NASA-CASE-KSC-10242] c 15 N72-23497
Variable resistance constant tension and lubrication device
[NASA-CASE-KSC-10723-1] c 37 N75-13265

Boeing Co., Houston, Tex.
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c 51 N80-16714

Boeing Co., Huntsville, Ala.
Hydrogen fire blink detector
[NASA-CASE-MFS-15063] c 14 N72-25412
Borescope with variable angle scope
[NASA-CASE-MFS-15162] c 14 N72-32452
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c 37 N77-19457

Boeing Co., Pasadena, Tex.
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757

Boeing Co., Seattle, Wash.
Strain gage Patent Application
[NASA-CASE-FRC-10053] c 14 N70-35587
Method of inhibiting stress corrosion cracks in titanium alloys Patent
[NASA-CASE-NPO-10271] c 17 N71-16393
Strain sensor for high temperatures Patent
[NASA-CASE-XNP-09205] c 14 N71-17657
Forming tool for ribbon or wire
[NASA-CASE-XLA-05966] c 15 N72-12408
Solar cell assembly test method
[NASA-CASE-NPO-10401] c 03 N72-20033
Thermal compression bonding of interconnectors
[NASA-CASE-GSC-10303] c 15 N72-22487
Extrusion can
[NASA-CASE-NPO-10812] c 15 N73-13464
Radiation sensitive solid state switch
[NASA-CASE-NPO-10817-1] c 08 N73-30135
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c 75 N78-27913
Calibrating pressure switch
[NASA-CASE-XMF-04494-1] c 33 N79-33392

Boeing Commercial Airplane Co., Seattle, Wash.
Tire/wheel concept
[NASA-CASE-LAR-11695-2] c 37 N81-24443
Fuselage structure using advanced technology fiber reinforced composites
[NASA-CASE-LAR-11688-1] c 24 N82-26384
Slotted variable camber flap
[NASA-CASE-LAR-12541-1] c 05 N84-22551

Borden, Inc., New York, N.Y.
Process of treating cellulosic membrane and alkaline with membrane separator
[NASA-CASE-GSC-10019-1] c 44 N82-24641
Separator for alkaline batteries and method of making same
[NASA-CASE-GSC-10350-1] c 44 N82-24642
Separator for alkaline electric cells and method of making
[NASA-CASE-GSC-10017-1] c 44 N82-24643
Separator for alkaline electric batteries and method of making
[NASA-CASE-GSC-10018-1] c 44 N82-24644
Alkaline electrochemical cells and method of making
[NASA-CASE-GSC-10349-1] c 44 N82-24645
Aqueous alkali metal hydroxide insoluble cellulose ether membrane
[NASA-CASE-XGS-05584-1] c 25 N82-29370

Borg-Warner Corp., Chicago, Ill.
Data transfer system Patent
[NASA-CASE-NPO-12107] c 08 N71-27255

Brown and Root-Northrop, Houston, Tex.
Anti-fog composition
[NASA-CASE-MSC-13530-2] c 23 N75-14834

Brown Engineering Co., Inc., Huntsville, Ala.
Air bearing Patent
[NASA-CASE-XMF-01887] c 15 N71-10617
Collapsible nozzle extension for rocket engines Patent
[NASA-CASE-MFS-11497] c 28 N71-16224
Inspection gage for boss Patent
[NASA-CASE-XMF-04966] c 14 N71-17658
Method of recording a gas flow pattern Patent
[NASA-CASE-XMF-01779] c 12 N71-20815
Trigonometric vehicle guidance assembly which aligns the three perpendicular axes of two three-axes systems Patent
[NASA-CASE-XMF-00684] c 21 N71-21688
Vapor liquid separator Patent
[NASA-CASE-XMF-04042] c 15 N71-23023
Thruster maintenance system Patent
[NASA-CASE-MFS-20325] c 28 N71-27095
Inflatable transpiration cooled nozzle
[NASA-CASE-MFS-20619] c 28 N72-11708

C

California Computer Products, Inc., Anaheim.
Temperature regulation circuit Patent
[NASA-CASE-XNP-02792] c 14 N71-28958

California Inst. of Tech., Pasadena.
Attitude control for spacecraft Patent
[NASA-CASE-XNP-02982] c 31 N70-41855
Baseband signal combiner for large aperture antenna array
[NASA-CASE-NPO-14641-1] c 32 N81-29308
Schottky barrier solar cell
[NASA-CASE-NPO-13689-2] c 44 N81-29525
Interferometer
[NASA-CASE-NPO-14448-1] c 74 N81-29963
Crude oil desulfurization
[NASA-CASE-NPO-14542-1] c 25 N82-23282
Electronic system for high power load control
[NASA-CASE-NPO-15358-1] c 33 N83-27126
Supercritical solvent coal extraction
[NASA-CASE-NPO-15210-1] c 25 N84-22709
Absorbable-susceptor joining of ceramic surfaces
[NASA-CASE-NPO-15640-1] c 27 N84-22748
Radiative cooler
[NASA-CASE-NPO-15465-1] c 34 N84-22903
Method and apparatus for precision control of radiometer
[NASA-CASE-NPO-15398-1] c 35 N84-22931
Spectrophone stabilized laser with line center offset frequency control
[NASA-CASE-NPO-15516-1] c 36 N84-22943
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018
Acoustic rotation control
[NASA-CASE-NPO-15689-1] c 71 N84-23233
Programmable scan/read circuitry for charge coupled device imaging detectors
[NASA-CASE-NPO-15345-1] c 74 N84-23247
Laser activated MTOS microwave device
[NASA-CASE-NPO-16112-1] c 33 N86-19516

California Univ., Berkeley.
Adjustable mount for a trihedral mirror Patent
[NASA-CASE-XNP-08907] c 23 N71-29123
Infrared detectors
[NASA-CASE-LAR-10728-1] c 14 N73-12445
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c 33 N76-27473
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c 35 N78-12390
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c 25 N78-14104
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c 26 N78-32229
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c 25 N79-14169

California Univ., Los Angeles.
Continuous plasma light source
[NASA-CASE-XNP-04167-2] c 25 N72-24753
Continuous plasma laser
[NASA-CASE-XNP-04167-3] c 36 N77-19416

Catholic Univ. of America, Washington, D.C.
Electromagnetic wave energy converter
[NASA-CASE-GSC-11394-1] c 09 N73-32109

Chance Vought Corp., Dallas, Tex.
Coupling for linear shaped charge Patent
[NASA-CASE-XLA-00189] c 33 N70-36846
Spin forming tubular elbows Patent
[NASA-CASE-XMF-01083] c 15 N71-22723
Single action separation mechanism Patent
[NASA-CASE-XLA-00188] c 15 N71-22874

Christopher Newport Coll., Newport News, Va.
Photoelectrochemical cells including chalcogenophosphate photoelectrodes
[NASA-CASE-LAR-12958-1] c 44 N84-23019

Chrysler Corp., Detroit, Mich.
Ceramic insulation for radiant heating environments and method of preparing the same Patent
[NASA-CASE-MFS-14253] c 33 N71-24858
Constant temperature heat sink for calorimeters Patent
[NASA-CASE-XMF-04208] c 33 N71-29051

Chrysler Corp., Huntsville, Ala.
Apparatus for ejection of an instrument cover
[NASA-CASE-XMF-04132] c 15 N69-27502

Collins Radio Co., Cedar Rapids, Iowa.
Power responsive overload sensing circuit Patent
[NASA-CASE-GSC-10667-1] c 10 N71-33129
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c 37 N79-33467

Collins Radio Co., Dallas, Tex.
Signal path series step biased multidevice high efficiency amplifier Patent
[NASA-CASE-GSC-10668-1] c 07 N71-28430

Heat conductive resiliently compressible structure for space electronics package modules Patent
[NASA-CASE-MSC-12389] c 33 N71-29052
Infinite range electronics gain control circuit
[NASA-CASE-GSC-10786-1] c 10 N72-28241

Colorado State Univ., Fort Collins.
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c 25 N78-25148

Comprehensive Designers, Inc., Sherman Oaks, Calif.
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c 11 N73-26238

Computer Control Co., Inc., Framingham, Mass.
Test fixture for pellet-like electrical elements
[NASA-CASE-XNP-06032] c 09 N69-21926
Support structure for irradiated elements Patent
[NASA-CASE-XNP-06031] c 15 N71-15606
Counter Patent
[NASA-CASE-XNP-06234] c 10 N71-27137

Computer Sciences Corp., Falls Church, Va.
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c 48 N80-18667

Computer Sciences Corp., Greenbelt, Md.
Method and apparatus for mapping the distribution of chemical elements in an extended medium
[NASA-CASE-GSC-12808-1] c 25 N85-21279

Computer Sciences Corp., Mountain View, Calif.
Thumb-actuated two-axis controller
[NASA-CASE-ARC-11372-1] c 08 N86-27288

Conrac Corp., Pasadena, Calif.
Penetrating radiation system for detecting the amount of liquid in a tank Patent
[NASA-CASE-MSC-12280] c 27 N71-16348

Consolidated Controls Corp., El Segundo, Calif.
Low temperature latching solenoid
[NASA-CASE-MSC-18106-1] c 33 N82-11357

Cornell Univ., Ithaca, N.Y.
Flux sensing device using a tubular core with toroidal gating coil and solenoidal output coil wound thereon Patent
[NASA-CASE-XGS-01881] c 09 N70-40123

Crane Co., Burbank, Calif.
Hydraulic transformer Patent
[NASA-CASE-MFS-20830] c 15 N71-30028

Curtiss-Wright Corp., Wood-Ridge, N.J.
Gas turbine combustion apparatus Patent
[NASA-CASE-XLE-103477-1] c 28 N71-20330

Cutler-Hammer, Inc., Melville, N.Y.
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346

D

Delaware Univ., Newark.
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c 35 N74-18088

Denver Univ., Colo.
Metal shearing energy absorber
[NASA-CASE-HQN-10638-1] c 15 N73-30460

Department of Transportation, Cambridge, Mass.
Optical noise suppression device and method
[NASA-CASE-MSC-12640-1] c 74 N76-31998

Dorne and Margolin, Inc., Bohemia, N.Y.
Nose cone mounted heat resistant antenna Patent
[NASA-CASE-XMS-04312] c 07 N71-22984

Douglas Aircraft Co., Inc., Santa Monica, Calif.
Recoverable single stage spacecraft booster Patent
[NASA-CASE-XMF-01973] c 31 N70-41588
Switching circuit employing regeneratively connected complementary transistors Patent
[NASA-CASE-XNP-02654] c 10 N70-42032
Split nut separation system Patent
[NASA-CASE-XNP-06914] c 15 N71-21489
Artificial gravity spin deployment system Patent
[NASA-CASE-XNP-02595] c 31 N71-21881
Portable superclean air column device Patent
[NASA-CASE-XMF-03212] c 15 N71-22721
Energy absorption device Patent
[NASA-CASE-XNP-01848] c 15 N71-28959
Collapsible pistons
[NASA-CASE-MSC-13789-1] c 11 N73-32152

Duke Univ., Durham, N. C.
Regulated dc-to-dc converter for voltage step-up or step-down with input-output isolation
[NASA-CASE-HQN-10792-1] c 33 N74-11049

Dumont Electron Tubes, Clifton, N. J.
High contrast cathode ray tube
[NASA-CASE-ERC-10468] c 09 N72-20206

Dynatherm Corp., Cockeysville, Md.
Heat pipe thermal switch
[NASA-CASE-GSC-12812-1] c 34 N83-35307

E

Echo Science Corp., Mountain View, Calif.
Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c 33 N79-21265

Eitel-McCullough, Inc., San Carlos, Calif.
Method of forming ceramic to metal seal Patent
[NASA-CASE-XNP-01263-2] c 15 N71-26312

Electrac, Inc., Anaheim, Calif.
Optimum predetection diversity receiving system Patent
[NASA-CASE-XGS-00740] c 07 N71-23098

Electric Storage Battery Co., Raleigh, N.C.
Electric battery and method for operating same Patent
[NASA-CASE-XGS-01674] c 03 N71-29129
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c 44 N74-19693

Electric Storage Battery Co., Yardley, Pa.
Electric storage battery
[NASA-CASE-NPO-11021] c 03 N72-20032

Electro-Optical Systems, Inc., Pasadena, Calif.
Focussing system for an ion source having apertured electrodes Patent
[NASA-CASE-XNP-03332] c 09 N71-10618
Electrolytically regenerative hydrogen-oxygen fuel cell Patent
[NASA-CASE-XLE-04526] c 03 N71-11052
Method of producing refractory bodies having controlled porosity Patent
[NASA-CASE-LEW-10393-1] c 17 N71-15468
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNP-09770] c 15 N71-20440
Particle detection apparatus including a ballistic pendulum Patent
[NASA-CASE-XMS-04201] c 14 N71-22990
Polarity sensitive circuit Patent
[NASA-CASE-XNP-00952] c 10 N71-23271
Ion engine casing construction and method of making same Patent
[NASA-CASE-XNP-06942] c 28 N71-23293
Material handling device Patent
[NASA-CASE-XNP-09770-3] c 11 N71-27036
Screen particle separator
[NASA-CASE-XNP-09770-2] c 15 N72-22483

Electronic Image Systems Corp., Cambridge, Mass.
Drying apparatus for photographic sheet material
[NASA-CASE-GSC-11074-1] c 14 N73-28489

Essex Corp., Huntsville, Ala.
Satellite retrieval system
[NASA-CASE-MFS-25403-1] c 18 N83-29303

Ewen Knight Corp., East Natick, Mass.
Method and means for providing an absolute power measurement capability Patent
[NASA-CASE-ERC-11020] c 14 N71-26774

F

Fairchild Hiller Corp., Germantown, Md.
Two axis fluxgate magnetometer Patent
[NASA-CASE-GSC-10441-1] c 14 N71-27325
Space simulation and radiative property testing system and method Patent
[NASA-CASE-MFS-20096] c 14 N71-30026
Thermal control system for a spacecraft modular housing
[NASA-CASE-GSC-11018-1] c 31 N73-30829

Fairchild Republic Co., Farmingdale, N.Y.
Surface conforming thermal/pressure seal
[NASA-CASE-MSC-18422-1] c 37 N82-16408

Faraday Labs., Inc., La Jolla, Calif.
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c 26 N77-29260

Federal-Mogul Corp., Los Alamitos, Calif.
Hydraulic casting of liquid polymers Patent
[NASA-CASE-XNP-07659] c 06 N71-22975

Florida Univ., Gainesville.
Safety flywheel
[NASA-CASE-HQN-10888-1] c 44 N79-14527

FMC Corp., New York.
Decomposition unit Patent
[NASA-CASE-XMS-00583] c 28 N70-38504

Foothill Coll., Los Altos Hills, Calif.
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c 33 N76-19339

Ford Motor Co., Dearborn, Mich.
Omnidirectional acceleration device Patent
[NASA-CASE-HQN-10780] c 14 N71-30265

G

Garrett Corp., Los Angeles, Calif.
Relief valve
[NASA-CASE-XMS-05894-1] c 15 N69-21924
Portable environmental control system Patent
[NASA-CASE-XMS-09632-1] c 05 N71-11203
Dual latching solenoid valve Patent
[NASA-CASE-XMS-05890] c 09 N71-23191
Water management system and an electrolytic cell therefor Patent
[NASA-CASE-MSC-10960-1] c 03 N71-24718
Low cycle fatigue testing machine
[NASA-CASE-LAR-10270-1] c 32 N72-25877
Process for separation of dissolved hydrogen from water by use of palladium and process for coating palladium with palladium black
[NASA-CASE-MSC-13335-1] c 06 N72-31140
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c 54 N74-32546
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c 35 N78-10428
Wind tunnel
[NASA-CASE-LAR-10135-1] c 09 N79-21083
Water separator
[NASA-CASE-XMS-01295-1] c 37 N79-21345

Garrett Corp., Torrance, Calif.
Adaptive reference voltage generator for firing angle control of line-commutated inverters
[NASA-CASE-MFS-25215-1] c 33 N83-31953

GCA Corp., Bedford, Mass.
Analytical photoionization mass spectrometer with an argon gas filter between the light source and monochrometer Patent
[NASA-CASE-LAR-10180-1] c 06 N71-13461

General Dynamics/Astronautics, San Diego, Calif.
Determination of spot weld quality Patent
[NASA-CASE-XNP-02566] c 15 N71-18613
Pressure transducer calibrator Patent
[NASA-CASE-XNP-01660] c 14 N71-23036
Plating nickel on aluminum castings Patent
[NASA-CASE-XNP-04148] c 17 N71-24830

General Dynamics/Convair, San Diego, Calif.
Signal generator
[NASA-CASE-XNP-05612] c 09 N69-21468
Separation nut Patent
[NASA-CASE-XGS-01971] c 15 N71-15922
Zero gravity separator Patent
[NASA-CASE-XLE-00586] c 15 N71-15968
Catalyst cartridge for carbon dioxide reduction unit
[NASA-CASE-LAR-10551-1] c 25 N74-12813
Heat exchanger
[NASA-CASE-MFS-22991-1] c 34 N77-10463

General Dynamics Corp., San Diego, Calif.
Light radiation direction indicator with a baffle of two parallel grids
[NASA-CASE-XNP-03930] c 14 N69-24331
Method and apparatus for attaching physiological monitoring electrodes Patent
[NASA-CASE-XFR-07658-1] c 05 N71-26293
Driving lamps by induction
[NASA-CASE-MFS-21214-1] c 09 N73-30181

General Electric Co., Cincinnati, Ohio.
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c 07 N77-14025
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c 07 N77-17059
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c 24 N77-19170
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c 07 N77-23106
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c 07 N77-27116
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c 07 N77-32148
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c 37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c 37 N77-32501
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c 37 N78-10467
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c 37 N78-10468
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c 07 N78-17055
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c 07 N78-17056
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c 37 N78-17384
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c 07 N78-25089
Redundant disc
[NASA-CASE-LEW-12496-1] c 07 N78-33101

Fuel delivery system including heat exchanger means [NASA-CASE-LEW-12793-1] c 37 N79-11403
Integrated gas turbine engine-nacelle [NASA-CASE-LEW-12389-3] c 07 N79-14096
Variable area exhaust nozzle [NASA-CASE-LEW-12378-1] c 07 N79-14097
Sound-suppressing structure with thermal relief [NASA-CASE-LEW-12658-1] c 71 N79-14871
Method and apparatus for rapid thrust increases in a turbofan engine [NASA-CASE-LEW-12971-1] c 07 N80-18039
Curved centerline air intake for a gas turbine engine [NASA-CASE-LEW-13201-1] c 07 N81-14999
Apparatus for sensor failure detection and correction in a gas turbine engine control system [NASA-CASE-LEW-12907-2] c 07 N81-19115
Integrated control system for a gas turbine engine [NASA-CASE-LEW-12594-2] c 07 N81-19116
Thrust reverser for a long duct fan engine [NASA-CASE-LEW-13199-1] c 07 N82-26293
Control means for a gas turbine engine [NASA-CASE-LEW-14586-1] c 07 N83-31603
Apparatus for improving the fuel efficiency of a gas turbine engine [NASA-CASE-LEW-13142-1] c 07 N83-36029
Tip cap for a rotor blade [NASA-CASE-LEW-13654-1] c 07 N84-22560
Air modulation apparatus [NASA-CASE-LEW-13524-1] c 07 N84-33410
Flow modifying device [NASA-CASE-LEW-13562-2] c 07 N85-35195
Method for improving the fuel efficiency of a gas turbine engine [NASA-CASE-LEW-13142-2] c 07 N86-20389

General Electric Co., Cleveland, Ohio.
Variable mixer propulsion cycle [NASA-CASE-LEW-12917-1] c 07 N78-18067

General Electric Co., Philadelphia, Pa.
Catalyst for growth of boron carbide single crystal whiskers [NASA-CASE-XHQ-03903] c 15 N69-21922
Didymium hydrate additive to nickel hydroxide electrodes Patent [NASA-CASE-XGS-03505] c 03 N71-10608
Bismuth-lead coatings for gas bearings used in atmospheric environments and vacuum chambers Patent [NASA-CASE-XGS-02011] c 15 N71-20739
Automatic control of liquid cooling garment by cutaneous and external auditory meatus temperatures [NASA-CASE-MSC-13917-1] c 05 N72-15098
Method for measuring cutaneous sensory perception [NASA-CASE-MSC-13609-1] c 05 N72-25122
Reaction tester [NASA-CASE-MSC-13604-1] c 05 N73-13114
Air conditioned suit [NASA-CASE-LAR-10076-1] c 05 N73-20137
Compton scatter attenuation gamma ray spectrometer [NASA-CASE-MFS-21441-1] c 14 N73-30392
Inverter ratio failure detector [NASA-CASE-NPO-13160-1] c 35 N74-18090
Electrophoretic sample insertion [NASA-CASE-MFS-21395-1] c 25 N74-26948
Apparatus for conducting flow electrophoresis in the substantial absence of gravity [NASA-CASE-MFS-21394-1] c 34 N74-27744
Multiparameter vision testing apparatus [NASA-CASE-MSC-13601-2] c 54 N75-27759
Automatic biowaste sampling [NASA-CASE-MSC-14640-1] c 54 N76-14804
Solar cell module [NASA-CASE-NPO-14467-1] c 44 N79-31753
Voltage feed through apparatus having reduced partial discharge [NASA-CASE-GSC-12347-1] c 33 N80-18286

General Electric Co., Pleasanton, Calif.
Method of making a cermet Patent [NASA-CASE-LEW-10219-1] c 18 N71-28729

General Electric Co., Schenectady, N.Y.
Superconductive accelerometer Patent [NASA-CASE-XMF-01099] c 14 N71-15969
Remote manipulator system [NASA-CASE-MFS-22022-1] c 37 N76-15460
Automatic transponder [NASA-CASE-GSC-12075-1] c 32 N77-31350
Directionally solidified eutectic gamma plus beta nickel-base superalloys [NASA-CASE-LEW-12906-1] c 26 N77-32279

General Electric Co., Utica, N.Y.
Method of determining bond quality of power transistors attached to substrates [NASA-CASE-MFS-21931-1] c 37 N75-26372

General Motors Corp., Detroit, Mich.
Hermetic sealed vibration damper Patent [NASA-CASE-MSC-10959] c 15 N71-26243

General Motors Corp., Milwaukee, Wis.
Adjustable tension wire guide Patent [NASA-CASE-XMS-02383] c 15 N71-15918

General Motors Corp., Santa Barbara, Calif.
Resilient wheel Patent [NASA-CASE-MFS-13929] c 15 N71-27091

General Precision, Inc., Little Falls, N.J.
Reversible current control apparatus Patent [NASA-CASE-XLA-09371] c 10 N71-18724

General Precision, Inc., Sunnyvale, Calif.
Broadband video process with very high input impedance [NASA-CASE-NPO-10199] c 09 N72-17156

General Precision Systems, Inc., Little Falls, N.J.
Fluidic-thermochromic display device Patent [NASA-CASE-ERC-10031] c 12 N71-18603

General Research Corp., Santa Barbara, Calif.
Sequentially deployable maneuverable tetrahedral beam [NASA-CASE-LAR-13098-1] c 31 N86-19479

General Technologies Corp., Reston, Va.
Method of making reinforced composite structure [NASA-CASE-LEW-12619-1] c 24 N77-19171

Geophysics Corp. of America, Bedford, Mass.
Inflation system for balloon type satellites Patent [NASA-CASE-XGS-03351] c 31 N71-16081
Bakeable McLeod gauge [NASA-CASE-XGS-01293-1] c 35 N79-33450

Geophysics Corp. of America, Boston, Mass.
Ionospheric battery Patent [NASA-CASE-XGS-01593] c 03 N70-35408

George Washington Univ., Washington, D.C.
Bacteria detection instrument and method [NASA-CASE-GSC-11533-1] c 14 N73-13435
Arterial pulse wave pressure transducer [NASA-CASE-GSC-11531-1] c 52 N74-27566

Giannini Scientific Corp., Santa Ana, Calif.
Electric arc light source having undercut recessed anode [NASA-CASE-ARC-10266-1] c 33 N75-29318
Combination automatic-starting electrical plasma torch and gas shutoff valve [NASA-CASE-XLE-10717] c 37 N75-29426

Giner, Inc., Waltham, Mass.
Catalyst surfaces for the chromous/chromic redox couple [NASA-CASE-LEW-13148-1] c 33 N80-20487
Catalyst surfaces for the chromous/chromic redox couple [NASA-CASE-LEW-13148-2] c 44 N81-29524

Globe-Union, Inc., Milwaukee, Wis.
Method of coating solar cell with borosilicate glass and resultant product [NASA-CASE-GSC-11514-1] c 03 N72-24037

Goodyear Aerospace Corp., Akron, Ohio.
Foldable solar concentrator Patent [NASA-CASE-XLA-04622] c 03 N70-41580
Method of making a filament-wound container Patent [NASA-CASE-XLE-03803-2] c 15 N71-17651
Filament wound container Patent [NASA-CASE-XLE-03803] c 15 N71-23816
Panelized high performance multilayer insulation Patent [NASA-CASE-MFS-14023] c 33 N71-25351
Thermally activated foaming compositions Patent [NASA-CASE-LAR-10373-1] c 18 N71-26155
Compression test assembly [NASA-CASE-LAR-10440-1] c 14 N73-32323
Deployable flexible tunnel [NASA-CASE-MFS-22636-1] c 37 N76-22540

Grace (W. R.) and Co., Clarksville, Md.
Metal containing polymers from cyclic tetrameric phenylphosphonitrilamides Patent [NASA-CASE-HQN-10364] c 06 N71-27363

Grumman Aerospace Corp., Bethpage, N.Y.
Multi-leg heat pipe evaporator [NASA-CASE-MSC-20812-1] c 34 N86-27593

Grumman Aircraft Engineering Corp., Bethpage, N. Y.
Sealed cabinetry Patent [NASA-CASE-MSC-12168-1] c 09 N71-18600
Out of tolerance warning alarm system for plurality of monitored circuits Patent [NASA-CASE-XMS-10984-1] c 10 N71-19417

Gulf General Atomic, San Diego, Calif.
Waveform simulator Patent [NASA-CASE-NPO-10251] c 10 N71-27365

Gulton Industries, Inc., Albuquerque, N.Mex.
Analog-to-digital converter [NASA-CASE-MSC-13110-1] c 08 N72-22163

H

Hamilton Standard, Windsor Locks, Conn.
Venting device for pressurized space suit helmet Patent [NASA-CASE-XMS-09652-1] c 05 N71-26333
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment [NASA-CASE-MSC-14771-1] c 54 N77-32722
Cell and method for electrolysis of water and anode [NASA-CASE-MSC-16394-1] c 28 N81-24280
Slow opening valve [NASA-CASE-MSC-20112-1] c 37 N85-20338

Hamilton Standard Div., United Aircraft Corp., Windsor Locks, Conn.
Condensate removal device for heat exchanger [NASA-CASE-MSC-14143-1] c 77 N75-20139

Harris Corp., Melbourne, Fla.
Adaptive polarization separation [NASA-CASE-LAR-12196-1] c 33 N81-26358
Telescoping columns [NASA-CASE-LAR-12195-1] c 31 N81-27324

Hayes International Corp., Birmingham, Ala.
Space craft soft landing system Patent [NASA-CASE-XMF-02108] c 31 N70-36845
Device for preventing high voltage arcing in electron beam welding Patent [NASA-CASE-XMF-08522] c 15 N71-19486

Hayes International Corp., Huntsville, Ala.
Method and apparatus for cryogenic wire stripping Patent [NASA-CASE-MFS-10340] c 15 N71-17628
Self-balancing strain gage transducer Patent [NASA-CASE-MFS-12827] c 14 N71-17656
Automatic closed circuit television arc guidance control Patent [NASA-CASE-MFS-13046] c 07 N71-19433

Hazleton Labs., Falls Church, Va.
Use of the enzyme hexokinase for the reduction of inherent light levels [NASA-CASE-XGS-05533] c 04 N69-27487
Light detection instrument Patent [NASA-CASE-XGS-05534] c 23 N71-16355
Lyophilized reaction mixtures Patent [NASA-CASE-XGS-05532] c 06 N71-17705
Firefly pump-metering system [NASA-CASE-GSC-10218-1] c 15 N72-21465

HC Chem Research and Service, San Jose, Calif.
High performance mixed bisimide resins and composites based thereon [NASA-CASE-ARC-11538-1SB] c 24 N86-21590

Hercules, Inc., Wilmington, Del.
Method of repairing discontinuity in fiberglass structures [NASA-CASE-LAR-10416-1] c 24 N74-30001

Hoffman Electronics Corp., El Monte, Calif.
Method for producing a solar cell having an integral protective covering [NASA-CASE-XGS-04531] c 03 N69-24267

Honeywell, Inc., Hopkins, Minn.
Frequency control network for a current feedback oscillator Patent [NASA-CASE-GSC-10041-1] c 10 N71-19418

Honeywell, Inc., Minneapolis, Minn.
Bus voltage compensation circuit for controlling direct current motor [NASA-CASE-XMS-04215-1] c 09 N69-39987
Apparatus for overcurrent protection of a push-pull amplifier Patent [NASA-CASE-MSC-12033-1] c 09 N71-13531
Static inverter Patent [NASA-CASE-XGS-05289] c 09 N71-19470
High impedance measuring apparatus Patent [NASA-CASE-XMS-08589-1] c 09 N71-20569
Clamping assembly for inertial components Patent [NASA-CASE-XMS-02184] c 15 N71-20813
Piezoelectric pump Patent [NASA-CASE-XNP-05429] c 26 N71-21824
Controllers Patent [NASA-CASE-XMS-07487] c 15 N71-23255
Convoluting device for forming convolutions and the like Patent [NASA-CASE-XNP-05297] c 15 N71-23811
Failure sensing and protection circuit for converter networks Patent [NASA-CASE-GSC-10114-1] c 10 N71-27366
Voice operated controller Patent [NASA-CASE-XLA-04063] c 31 N71-33160
Load current sensor for a series pulse width modulated power supply [NASA-CASE-GSC-10656-1] c 09 N72-25249
Radiant source tracker independent of nonconstant irradiance [NASA-CASE-NPO-11686] c 14 N73-25462
Optical instruments [NASA-CASE-MSC-14096-1] c 74 N74-15095

Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c 37 N77-23482

Honeywell, Inc., St. Petersburg, Fla.
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c 60 N82-29013

Houston Univ., Tex.
Analysis of volatile organic compounds
[NASA-CASE-MSC-14428-1] c 23 N77-17161

Howard Univ., Washington, D. C.
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c 54 N76-22914
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c 52 N81-25661
Cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c 52 N82-22875
Navigation system and method
[NASA-CASE-GSC-12508-1] c 04 N84-22546
GaAs Schottky barrier photo-responsive device and method of fabrication
[NASA-CASE-GSC-12816-1] c 76 N86-20150

Hughes Aircraft Co., Culver City, Calif.
Varactor high level mixer
[NASA-CASE-XGS-02171] c 09 N69-24324
Thermally operated valve Patent
[NASA-CASE-XLE-00815] c 15 N70-35407
Thrust dynamometer Patent
[NASA-CASE-XLE-00702] c 14 N70-40203
Solid state chemical source for ammonia beam maser Patent
[NASA-CASE-XGS-01504] c 16 N70-41578
Canopus detector including automotive gain control of photomultiplier tube Patent
[NASA-CASE-XNP-03914] c 21 N71-10771
Horn feed having overlapping apertures Patent
[NASA-CASE-GSC-10452] c 07 N71-12396
Deflective rod switch with elastic support and sealing means Patent
[NASA-CASE-XNP-09808] c 09 N71-12518
Guidance and maneuver analyzer Patent
[NASA-CASE-XNP-09572] c 14 N71-15621
Method of making screen by casting Patent
[NASA-CASE-XLE-00953] c 15 N71-15966
Fluid flow control value Patent
[NASA-CASE-XLE-00703] c 15 N71-15967
Low noise single aperture multimode monopulse antenna feed system Patent
[NASA-CASE-XNP-01735] c 07 N71-22750
Multilayer porous ionizer Patent
[NASA-CASE-XNP-04338] c 17 N71-23046
Construction and method of arranging a plurality of ion engines to form a cluster Patent
[NASA-CASE-XNP-02923] c 28 N71-23081
Method for fiberizing ceramic materials Patent
[NASA-CASE-XNP-00597] c 18 N71-23088
Inorganic thermal control pigment Patent
[NASA-CASE-XNP-02139] c 18 N71-24184
Triaxial antenna Patent
[NASA-CASE-XGS-02290] c 07 N71-28809
Variable frequency oscillator with temperature compensation Patent
[NASA-CASE-XNP-03916] c 09 N71-28810
High efficiency ionizer assembly Patent
[NASA-CASE-XNP-01954] c 28 N71-28850
Apparatus for changing the orientation and velocity of a spinning body traversing a path Patent
[NASA-CASE-HQN-00936] c 31 N71-29050
Fabrication of controlled-porosity metals Patent
[NASA-CASE-XNP-04339] c 17 N71-29137
Ion thruster
[NASA-CASE-LEW-10770-1] c 28 N72-22770
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c 27 N75-27160

Hughes Aircraft Co., Los Angeles, Calif.
Power control circuit
[NASA-CASE-XNP-02713] c 10 N69-39888
Thermal switch Patent
[NASA-CASE-XNP-00463] c 33 N70-36847
Double optic system for ion engine Patent
[NASA-CASE-XNP-02839] c 28 N70-41922
Sample collecting impact bit Patent
[NASA-CASE-XNP-01412] c 15 N70-42034
Bootstrap unloader Patent
[NASA-CASE-XNP-09768] c 09 N71-12516
Difference circuit Patent
[NASA-CASE-XNP-08274] c 10 N71-13537
Gas regulator Patent
[NASA-CASE-NPO-10298] c 12 N71-17661
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c 10 N71-18723
Phase demodulation system with two phase locked loops Patent
[NASA-CASE-XNP-00777] c 10 N71-19469
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c 09 N71-19516
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c 08 N71-19687
System for monitoring the presence of neutrals in a stream of ions Patent
[NASA-CASE-XNP-02592] c 24 N71-20518
Broadband frequency discriminator Patent
[NASA-CASE-NPO-10096] c 07 N71-24583
Flexible, repairable, pottable material for electrical connectors Patent
[NASA-CASE-XGS-05180] c 18 N71-25881
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c 10 N71-26142
Narrow bandwidth video Patent
[NASA-CASE-XMS-06740-1] c 07 N71-26579
Solar panel fabrication Patent
[NASA-CASE-XNP-03413] c 03 N71-26726
Method for removing oxygen impurities from cesium Patent
[NASA-CASE-XNP-04262-2] c 17 N71-26773
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c 07 N72-11148
Conical reflector antenna
[NASA-CASE-NPO-10303] c 07 N72-22127
Injector for use in high voltage isolators for liquid feed lines
[NASA-CASE-NPO-11377] c 15 N73-27406
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c 32 N74-20863
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c 37 N74-21058
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c 74 N74-21304
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c 74 N77-26942
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c 35 N77-27366
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c 33 N78-32340
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c 32 N79-20296
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c 32 N81-15179
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c 32 N81-27341
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826

Hughes Research Labs., Malibu, Calif.
Thrust dynamometer Patent
[NASA-CASE-XLE-05260] c 14 N71-20429

I

IIT Research Inst., Chicago, Ill.
Spectral method for monitoring atmospheric contamination of inert-gas welding shields Patent
[NASA-CASE-XMF-02039] c 15 N71-15871
Lightweight refractory insulation and method of preparing the same Patent
[NASA-CASE-XMF-05279] c 18 N71-16124
Stabilized zinc oxide coating compositions Patent
[NASA-CASE-XMF-07770-2] c 18 N71-26772
Synthesis of zinc titanate pigment and coatings containing the same
[NASA-CASE-MFS-13532] c 18 N72-17532
Junction range finder
[NASA-CASE-KSC-10108] c 14 N73-25461
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c 27 N77-30237

ILC Technology, Inc., Sunnyvale, Calif.
Direct current ballast circuit for metal halide lamp
[NASA-CASE-MSC-18407-1] c 33 N82-24427

Illinois Univ., Urbana.
Spillage detector for liquid chromatography systems
[NASA-CASE-MSC-20206-1] c 25 N86-27431

Image Information, Inc., Danbury, Conn.
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c 35 N74-15831

Inca Engineering Corp., San Gabriel, Calif.
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c 34 N74-27730

Institute for Research, Inc., Houston, Tex.
Method of making a perspiration resistant biopotential electrode
[NASA-CASE-MSC-90153-2] c 05 N72-25120

Institute of Research and Instrumentation, Houston, Tex.
Pressed disc type sensing electrodes with ion- screening means Patent
[NASA-CASE-XMS-04212-1] c 05 N71-12346

International Business Machines Corp., Hopewell Junction, N. Y.
Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c 76 N79-23798

International Business Machines Corp., New York.
Electrical connector pin with wiping action
[NASA-CASE-XMF-04238] c 09 N69-39734
Tool attachment for spreading loose elements away from work Patent
[NASA-CASE-XMF-02107] c 15 N71-10809
Redundant memory organization Patent
[NASA-CASE-GSC-10564] c 10 N71-29135

International Business Machines Corp., Poughkeepsie, N.Y.
Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c 76 N80-32245

International Harvester Co., San Diego, Calif.
Silicide coatings for refractory metals Patent
[NASA-CASE-XLE-10910] c 18 N71-29040

International Laser Systems, Inc., Orlando, Fla.
Active lamp pulse driver circuit
[NASA-CASE-GSC-12566-1] c 33 N83-34189
Laser Resonator
[NASA-CASE-GSC-12565-1] c 36 N84-14509

International Latex Corp., Dover, Del.
Space suit
[NASA-CASE-MSC-12609-1] c 05 N73-32012

Isomet Corp., Palisades Park, N.J.
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c 52 N79-21750

ITT Corp., Nutley, N.J.
Time division radio relay synchronizing system using different sync code words for in sync and out of sync conditions Patent
[NASA-CASE-GSC-10373-1] c 07 N71-19773
Tracking receiver Patent
[NASA-CASE-XGS-08679] c 10 N71-21473
Satellite interlace synchronization system
[NASA-CASE-GSC-10390-1] c 07 N72-11149

J

James and Associates, Lancaster, Calif.
System for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c 06 N82-16075

Jet Propulsion Lab., California Inst. of Tech., Pasadena.
Pressure variable capacitor
[NASA-CASE-XNP-09752] c 14 N69-21541
Rock drill for recovering samples
[NASA-CASE-XNP-07478] c 14 N69-21923
Data compression system
[NASA-CASE-XNP-09785] c 08 N69-21928
Magnetohydrodynamic induction machine
[NASA-CASE-XNP-07481] c 25 N69-21929
Electromechanical actuator
[NASA-CASE-XNP-05975] c 15 N69-23185
Refrigeration apparatus
[NASA-CASE-NPO-10309] c 15 N69-23190
Direct radiation cooling of the collector of linear beam tubes
[NASA-CASE-XNP-09227] c 15 N69-24319
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c 09 N69-24329
Telemetry word forming unit
[NASA-CASE-XNP-09225] c 09 N69-24333
Solid state switch
[NASA-CASE-XNP-09228] c 09 N69-27500
Belleville spring assembly with elastic guides
[NASA-CASE-XNP-09452] c 15 N69-27504
Trifunctional alcohol
[NASA-CASE-NPO-10714] c 06 N69-31244
Plurality of photosensitive cells on a pyramidical base for planetary trackers
[NASA-CASE-XNP-04180] c 07 N69-39736
Coating process
[NASA-CASE-XNP-06508] c 18 N69-39895
Bimetallic power controlled actuator
[NASA-CASE-XNP-09776] c 09 N69-39929
Piping arrangement through a double chamber structure
[NASA-CASE-XNP-08882] c 15 N69-39935
Micropacked column for a chromatographic system
[NASA-CASE-XNP-04816] c 06 N69-39936

Temperature sensitive capacitor device
[NASA-CASE-XNP-09750] c 14 N69-39937
Thermionic tantalum emitter doped with oxygen Patent Application
[NASA-CASE-NPO-11138] c 03 N70-34646
Data handling system based on source significance, storage availability and data received from the source Patent Application
[NASA-CASE-XNP-04162-1] c 08 N70-34675
Electro-optical scanning apparatus Patent Application
[NASA-CASE-NPO-11106] c 14 N70-34697
Liquid junction and method of fabricating the same Patent Application
[NASA-CASE-NPO-10682] c 15 N70-34699
Helium refining by superfluidity Patent
[NASA-CASE-XNP-00733] c 06 N70-34946
Means and methods of depositing thin films on substrates Patent
[NASA-CASE-XNP-00595] c 15 N70-34967
Photosensitive device to detect bearing deviation Patent
[NASA-CASE-XNP-00438] c 21 N70-35089
Antenna beam-shaping apparatus Patent
[NASA-CASE-XNP-00611] c 09 N70-35219
Temperature-compensating means for cavity resonator of amplifier Patent
[NASA-CASE-XNP-00449] c 14 N70-35220
Parabolic reflector horn feed with spillover correction Patent
[NASA-CASE-XNP-00540] c 09 N70-35382
Means for visually indicating flight paths of vehicles between the Earth, Venus, and Mercury Patent
[NASA-CASE-XNP-00708] c 14 N70-35394
Space vehicle attitude control Patent
[NASA-CASE-XNP-00465] c 21 N70-35395
Binary to binary-coded-decimal converter Patent
[NASA-CASE-XNP-00432] c 08 N70-35423
Cassegrainian antenna subflector flange for suppressing ground noise Patent
[NASA-CASE-XNP-00683] c 09 N70-35425
Ionization vacuum gauge Patent
[NASA-CASE-XNP-00646] c 14 N70-35666
Two-fluid magnetohydrodynamic system and method for thermal-electric power conversion Patent
[NASA-CASE-XNP-00644] c 03 N70-36803
Mechanical coordinate converter Patent
[NASA-CASE-XNP-00614] c 14 N70-36907
High pressure four-way valve Patent
[NASA-CASE-XNP-00214] c 15 N70-36908
Liquid rocket system Patent
[NASA-CASE-XNP-00610] c 28 N70-36910
Radar ranging receiver Patent
[NASA-CASE-XNP-00748] c 07 N70-36911
Attitude control for spacecraft Patent
[NASA-CASE-XNP-00294] c 21 N70-36938
Elastic universal joint Patent
[NASA-CASE-XNP-00416] c 15 N70-36947
Apparatus and method for control of a solid fueled rocket vehicle Patent
[NASA-CASE-XNP-00217] c 28 N70-38181
Expulsion bladder-equipped storage tank structure Patent
[NASA-CASE-XNP-00612] c 11 N70-38182
High-voltage cable Patent
[NASA-CASE-XNP-00738] c 09 N70-38201
Umbilical separator for rockets Patent
[NASA-CASE-XNP-00425] c 11 N70-38202
Multiple Belleville spring assembly Patent
[NASA-CASE-XNP-00840] c 15 N70-38225
Ignition system for monopropellant combustion devices Patent
[NASA-CASE-XNP-00249] c 28 N70-38249
Pressure regulating system Patent
[NASA-CASE-XNP-00450] c 15 N70-38603
Slit regulated gas journal bearing Patent
[NASA-CASE-XNP-00476] c 15 N70-38620
Steerable solid propellant rocket motor Patent
[NASA-CASE-XNP-00234] c 28 N70-38645
Space simulator Patent
[NASA-CASE-XNP-00459] c 11 N70-38675
Ejection unit Patent
[NASA-CASE-XNP-00676] c 15 N70-38996
Time-division multiplexer Patent
[NASA-CASE-XNP-00431] c 09 N70-38998
Trajectory-correction propulsion system Patent
[NASA-CASE-XNP-01104] c 28 N70-39931
Electrically-operated rotary shutter Patent
[NASA-CASE-XNP-00637] c 14 N70-40273
Zero gravity starting means for liquid propellant motors Patent
[NASA-CASE-XNP-01390] c 28 N70-41275
Parallel motion suspension device Patent
[NASA-CASE-XNP-01567] c 15 N70-41310
Ignition means for monopropellant Patent
[NASA-CASE-XNP-00876] c 28 N70-41311
Reinforcing means for diaphragms Patent
[NASA-CASE-XNP-01962] c 32 N70-41370
High pressure filter Patent
[NASA-CASE-XNP-00732] c 28 N70-41447
Phase-locked loop with sideband rejecting properties Patent
[NASA-CASE-XNP-02723] c 07 N70-41680
Digital television camera control system Patent
[NASA-CASE-XNP-01472] c 14 N70-41807
Antiflutter ball check valve Patent
[NASA-CASE-XNP-01152] c 15 N70-41811
Roll attitude star sensor system Patent
[NASA-CASE-XNP-01307] c 21 N70-41856
Process for preparing sterile solid propellants Patent
[NASA-CASE-XNP-01749] c 27 N70-41897
Solenoid construction Patent
[NASA-CASE-XNP-01951] c 09 N70-41929
Closed loop ranging system Patent
[NASA-CASE-XNP-01501] c 21 N70-41930
Printed circuit board with bellows rivet connection Patent
[NASA-CASE-XNP-05082] c 15 N70-41960
Phase-shift data transmission system having a pseudo-noise SYNC code modulated with the data in a single channel Patent
[NASA-CASE-XNP-00911] c 08 N70-41961
Baseline stabilization system for ionization detector Patent
[NASA-CASE-XNP-03128] c 10 N70-41991
Single or joint amplitude distribution analyzer Patent
[NASA-CASE-XNP-01383] c 09 N71-10659
Dual waveguide mode source having control means for adjusting the relative amplitude of two modes Patent
[NASA-CASE-XNP-03134] c 07 N71-10676
Method for determining the state of charge of batteries by the use of tracers Patent
[NASA-CASE-XNP-01464] c 03 N71-10728
High pressure regulator valve Patent
[NASA-CASE-XNP-00710] c 15 N71-10778
Solar battery with interconnecting means for plural cells Patent
[NASA-CASE-XNP-06506] c 03 N71-11050
Sealed battery gas manifold construction Patent
[NASA-CASE-XNP-03378] c 03 N71-11051
Solar cell submodule Patent
[NASA-CASE-XNP-05821] c 03 N71-11056
Reflectometer for receiver input impedance match measurement Patent
[NASA-CASE-XNP-10843] c 07 N71-11267
Means for generating a sync signal in an FM communication system Patent
[NASA-CASE-XNP-10830] c 07 N71-11281
Multi-feed cone Cassegrain antenna Patent
[NASA-CASE-NPO-10539] c 07 N71-11285
Thermionic diode switch Patent
[NASA-CASE-NPO-10404] c 03 N71-12255
Anti-backlash circuit for hydraulic drive system Patent
[NASA-CASE-XNP-01020] c 03 N71-12260
Binary number sorter Patent
[NASA-CASE-NPO-10112] c 08 N71-12502
Linear three-tap feedback shift register Patent
[NASA-CASE-NPO-10351] c 08 N71-12503
Binary sequence detector Patent
[NASA-CASE-XNP-05415] c 08 N71-12505
Data compression system with a minimum time delay unit Patent
[NASA-CASE-XNP-08832] c 08 N71-12506
Magnetic counter Patent
[NASA-CASE-XNP-08836] c 09 N71-12515
Operational integrator Patent
[NASA-CASE-NPO-10230] c 09 N71-12520
Starting circuit for vapor lamps and the like Patent
[NASA-CASE-XNP-01058] c 09 N71-12540
Matched thermistors for microwave power meters Patent
[NASA-CASE-NPO-10348] c 10 N71-12554
Micro current measuring device using plural logarithmic response heated filamentary type diodes Patent
[NASA-CASE-XNP-00384] c 09 N71-13530
Automatic thermal switch Patent
[NASA-CASE-XNP-03796] c 23 N71-15467
Photoelectric energy spectrometer Patent
[NASA-CASE-XNP-04161] c 14 N71-15599
Anti-glare improvement for optical imaging systems Patent
[NASA-CASE-NPO-10337] c 14 N71-15604
Fluid flow restrictor Patent
[NASA-CASE-NPO-10117] c 15 N71-15608
High temperature lens construction Patent
[NASA-CASE-XNP-04111] c 14 N71-15622
Solder flux which leaves corrosion-resistant coating Patent
[NASA-CASE-XNP-03459-2] c 18 N71-15688
Intermittent type silica gel adsorption refrigerator Patent
[NASA-CASE-XNP-00920] c 15 N71-15906
Dual mode horn antenna Patent
[NASA-CASE-XNP-01057] c 07 N71-15907
Means for controlling rupture of shock tube diaphragms Patent
[NASA-CASE-XAC-00731] c 11 N71-15960
Insertion loss measuring apparatus having transformer means connected across a pair of bolometers Patent
[NASA-CASE-XNP-01193] c 10 N71-16057
Polarimeter for transient measurement Patent
[NASA-CASE-XNP-08883] c 23 N71-16101
Flexible composite membrane Patent
[NASA-CASE-XNP-08837] c 18 N71-16210
Mount for thermal control system Patent
[NASA-CASE-NPO-10138] c 33 N71-16357
Optical characteristics measuring apparatus Patent
[NASA-CASE-XNP-08840] c 23 N71-16365
Parallel plate viscometer Patent
[NASA-CASE-XNP-09462] c 14 N71-17584
Means and method of measuring viscoelastic strain Patent
[NASA-CASE-XNP-01153] c 32 N71-17645
Interferometer direction sensor Patent
[NASA-CASE-NPO-10320] c 14 N71-17655
Interferometer servo system Patent
[NASA-CASE-NPO-10300] c 14 N71-17662
Electrical spot terminal assembly Patent
[NASA-CASE-NPO-10034] c 15 N71-17685
Sealed separable connection Patent
[NASA-CASE-NPO-10064] c 15 N71-17693
Incremental motion drive system Patent
[NASA-CASE-XNP-08897] c 15 N71-17694
Microbalance including crystal oscillators for measuring contaminates in a gas system Patent
[NASA-CASE-NPO-10144] c 14 N71-17701
Apparatus and method for protecting a photographic device Patent
[NASA-CASE-NPO-10174] c 14 N71-18465
Ranging system Patent
[NASA-CASE-NPO-10066] c 09 N71-18598
High impact pressure regulator Patent
[NASA-CASE-NPO-10175] c 14 N71-18625
Magnetic core current steering commutator Patent
[NASA-CASE-NPO-10201] c 08 N71-18694
Method of using photovoltaic cell using poly-N-vinylcarbazole complex Patent
[NASA-CASE-NPO-10373] c 03 N71-18698
A dc-coupled noninverting one-shot Patent
[NASA-CASE-XNP-09450] c 10 N71-18723
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c 09 N71-18843
Data compression processor Patent
[NASA-CASE-NPO-10068] c 08 N71-19288
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c 08 N71-19420
High voltage transistor circuit Patent
[NASA-CASE-XNP-06937] c 09 N71-19516
Solar cell matrix Patent
[NASA-CASE-NPO-10821] c 03 N71-19545
Electrical switching device Patent
[NASA-CASE-NPO-10037] c 09 N71-19610
Drift compensation circuit for analog to digital converter Patent
[NASA-CASE-XNP-04780] c 08 N71-19687
Roll-up solar array Patent
[NASA-CASE-NPO-10188] c 03 N71-20273
Method and device for determining battery state of charge Patent
[NASA-CASE-NPO-10194] c 03 N71-20407
Soil particles separator, collector and viewer Patent
[NASA-CASE-XNP-09770] c 15 N71-20440
Transmission line thermal short Patent
[NASA-CASE-XNP-09775] c 09 N71-20445
Synchronous servo loop control system Patent
[NASA-CASE-XNP-03744] c 10 N71-20448
Processing for producing a sterilized instrument Patent
[NASA-CASE-XNP-09763] c 14 N71-20461
Signal-to-noise ratio estimating by taking ratio of mean and standard deviation of integrated signal samples Patent
[NASA-CASE-XNP-05254] c 07 N71-20791
Elimination of frequency shift in a multiplex communication system Patent
[NASA-CASE-XNP-01306] c 07 N71-20814
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c 09 N71-20842
Coaxial cable connector Patent
[NASA-CASE-XNP-04732] c 09 N71-20851
Soldering with solder flux which leaves corrosion resistant coating Patent
[NASA-CASE-XNP-03459] c 15 N71-21078
Miniature stress transducer Patent
[NASA-CASE-XNP-02983] c 14 N71-21091

Holder for crystal resonators Patent
[NASA-CASE-XNP-03637] c 15 N71-21311
Correlation function apparatus Patent
[NASA-CASE-XNP-00746] c 07 N71-21476
Split nut separation system Patent
[NASA-CASE-XNP-06914] c 15 N71-21489
Light position locating system Patent
[NASA-CASE-XNP-01059] c 23 N71-21821
Electron bombardment ion engine Patent
[NASA-CASE-XNP-04124] c 28 N71-21822
Data compressor Patent
[NASA-CASE-XNP-04067] c 08 N71-22707
Error correcting method and apparatus Patent
[NASA-CASE-XNP-02748] c 08 N71-22749
Counter and shift register Patent
[NASA-CASE-XNP-01753] c 08 N71-22897
Friction measuring apparatus Patent
[NASA-CASE-XNP-08680] c 14 N71-22995
Hybrid lubrication system and bearing Patent
[NASA-CASE-XNP-01641] c 15 N71-22997
Filler valve Patent
[NASA-CASE-XNP-01747] c 15 N71-23024
Refrigeration apparatus Patent
[NASA-CASE-XNP-08877] c 15 N71-23025
Reduced bandwidth video communication system utilizing sampling techniques Patent
[NASA-CASE-XNP-02791] c 07 N71-23026
Model launcher for wind tunnels Patent
[NASA-CASE-XNP-03578] c 11 N71-23030
Drive circuit utilizing two cores Patent
[NASA-CASE-XNP-01318] c 10 N71-23033
Solar vane actuator Patent
[NASA-CASE-XNP-05535] c 14 N71-23040
Time of flight mass spectrometer with feedback means from the detector to the low source and a specific counter Patent
[NASA-CASE-XNP-01056] c 14 N71-23041
Connector internal force gauge Patent
[NASA-CASE-XNP-03918] c 14 N71-23087
Circulator having quarter wavelength resonant post and parametric amplifier circuits utilizing the same Patent
[NASA-CASE-XNP-02140] c 09 N71-23097
Method of resolving clock synchronization error and means therefor Patent
[NASA-CASE-XNP-08875] c 10 N71-23099
Impact testing machine Patent
[NASA-CASE-XNP-04817] c 14 N71-23225
Zeta potential flowmeter Patent
[NASA-CASE-XNP-06509] c 14 N71-23226
Comparator for the comparison of two binary numbers Patent
[NASA-CASE-XNP-04819] c 08 N71-23295
Decontamination of petroleum products Patent
[NASA-CASE-XNP-03835] c 06 N71-23499
Dicyanoacetylene polymers Patent
[NASA-CASE-XNP-03250] c 06 N71-23500
Indexing microwave switch Patent
[NASA-CASE-XNP-06507] c 09 N71-23548
Millimeter wave radiometer for radio astronomy Patent
[NASA-CASE-XNP-09832] c 30 N71-23723
Radiant energy intensity measurement system Patent
[NASA-CASE-XNP-06510] c 14 N71-23797
High speed phase detector Patent
[NASA-CASE-XNP-01306-2] c 09 N71-24596
Apparatus for testing polymeric materials Patent
[NASA-CASE-XNP-09699] c 06 N71-24607
Digital synchronizer Patent
[NASA-CASE-NPO-10851] c 07 N71-24613
Signal processing apparatus for multiplex transmission Patent
[NASA-CASE-NPO-10388] c 07 N71-24622
Self-testing and repairing computer Patent
[NASA-CASE-NPO-10567] c 08 N71-24633
Serial digital decoder Patent
[NASA-CASE-NPO-10150] c 08 N71-24650
Detenting servomotor Patent
[NASA-CASE-XNP-06936] c 15 N71-24695
Reversible motion drive system Patent
[NASA-CASE-NPO-10173] c 15 N71-24696
Decoder system Patent
[NASA-CASE-NPO-10118] c 07 N71-24741
Television signal processing system Patent
[NASA-CASE-NPO-10140] c 07 N71-24742
Switching circuit Patent
[NASA-CASE-XNP-06505] c 10 N71-24799
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c 09 N71-24803
Remodulator filter Patent
[NASA-CASE-NPO-10198] c 09 N71-24806
Broadband microwave waveguide window Patent
[NASA-CASE-XNP-08880] c 09 N71-24808
Cavity radiometer Patent
[NASA-CASE-XNP-08961] c 14 N71-24809
High-gain, broadband traveling wave maser Patent
[NASA-CASE-NPO-10548] c 16 N71-24831
Fluid containers and resealable septum therefor Patent
[NASA-CASE-NPO-10123] c 15 N71-24835
Temperature telemetric transmitter Patent
[NASA-CASE-NPO-10649] c 07 N71-24840
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c 09 N71-24841
Noise limiter Patent
[NASA-CASE-NPO-10169] c 10 N71-24844
Noninterruptable digital counting system Patent
[NASA-CASE-XNP-09759] c 08 N71-24891
Drive circuit for minimizing power consumption in inductive load Patent
[NASA-CASE-NPO-10716] c 09 N71-24892
Space simulator Patent
[NASA-CASE-NPO-10141] c 11 N71-24964
Process for reducing secondary electron emission Patent
[NASA-CASE-XNP-09469] c 24 N71-25555
Minimal logic block encoder Patent
[NASA-CASE-NPO-10595] c 10 N71-25917
Novel polycarboxylic prepolymeric materials and polymers thereof Patent
[NASA-CASE-NPO-10596] c 06 N71-25929
Current steering switch Patent
[NASA-CASE-XNP-08567] c 09 N71-26000
Dual polarity full wave dc motor drive Patent
[NASA-CASE-XNP-07477] c 09 N71-26092
High impact antenna Patent
[NASA-CASE-NPO-10231] c 07 N71-26101
Video communication system and apparatus Patent
[NASA-CASE-XNP-06611] c 07 N71-26102
Parallel generation of the check bits of a PN sequence Patent
[NASA-CASE-XNP-04623] c 10 N71-26103
Phase multiplying electronic scanning system Patent
[NASA-CASE-NPO-10302] c 10 N71-26142
Electron beam tube containing a multiple cathode array employing indexing means for cathode substitution Patent
[NASA-CASE-NPO-10625] c 09 N71-26182
Fluid phase analyzer Patent
[NASA-CASE-NPO-10691] c 14 N71-26199
Variable frequency nuclear magnetic resonance spectrometer Patent
[NASA-CASE-XNP-09830] c 14 N71-26266
Time synchronization system utilizing moon reflected coded signals Patent
[NASA-CASE-NPO-10143] c 10 N71-26326
Broadband stable power multiplier Patent
[NASA-CASE-XNP-10854] c 10 N71-26331
Cascaded complementary pair broadband transistor amplifiers Patent
[NASA-CASE-NPO-10003] c 10 N71-26415
Digital memory in which the driving of each word location is controlled by a switch core Patent
[NASA-CASE-XNP-01466] c 10 N71-26434
Conically shaped cavity radiometer with a dual purpose cone winding Patent
[NASA-CASE-XNP-09701] c 14 N71-26475
Analog signal integration and reconstruction system Patent
[NASA-CASE-NPO-10344] c 10 N71-26544
Rapid sync acquisition system Patent
[NASA-CASE-NPO-10214] c 10 N71-26577
Cryogenic cooling system Patent
[NASA-CASE-NPO-10467] c 23 N71-26654
Vacuum evaporator with electromagnetic ion steering Patent
[NASA-CASE-NPO-10331] c 09 N71-26701
Automated fluid chemical analyzer Patent
[NASA-CASE-XNP-09451] c 06 N71-26754
Material handling device Patent
[NASA-CASE-XNP-09770-3] c 11 N71-27036
Pressure seal Patent
[NASA-CASE-NPO-10796] c 15 N71-27068
Multiducted electromagnetic pump Patent
[NASA-CASE-NPO-10755] c 15 N71-27084
Peak acceleration limiter for vibrational tester Patent
[NASA-CASE-NPO-10556] c 14 N71-27185
Thin film capacitive bolometer and temperature sensor Patent
[NASA-CASE-NPO-10607] c 09 N71-27232
Black body cavity radiometer Patent
[NASA-CASE-NPO-10810] c 14 N71-27323
Video signal enhancement system with dynamic range compression and modulation index expansion Patent
[NASA-CASE-NPO-10343] c 07 N71-27341
Force-balanced, throttle valve Patent
[NASA-CASE-NPO-10808] c 15 N71-27432
Cavity emitter for thermionic converter Patent
[NASA-CASE-NPO-10412] c 09 N71-28421
Frictionless universal joint Patent
[NASA-CASE-NPO-10646] c 15 N71-28467
Epoxy-aziridine polymer product Patent
[NASA-CASE-NPO-10701] c 06 N71-28620
Fluid impervious barrier including liquid metal alloy and method of making same Patent
[NASA-CASE-XNP-08881] c 17 N71-28747
Wind tunnel microphone structure Patent
[NASA-CASE-XNP-00250] c 11 N71-28779
Trialkyl-dihalotantalum and niobium compounds Patent
[NASA-CASE-XNP-04023] c 06 N71-28808
Digital memory sense amplifying means Patent
[NASA-CASE-XNP-01012] c 08 N71-28925
Digital filter for reducing sampling jitter in digital control systems Patent
[NASA-CASE-NPO-11088] c 08 N71-29034
Method and apparatus for aligning a laser beam projector Patent
[NASA-CASE-NPO-11087] c 23 N71-29125
Rotable accurate reflector system for telscopes Patent
[NASA-CASE-NPO-10468] c 23 N71-33229
Encoder/decoder system for a rapidly synchronizable binary code Patent
[NASA-CASE-NPO-10342] c 10 N71-33407
High power microwave power divider Patent
[NASA-CASE-NPO-11031] c 07 N71-33606
A dc servosystem including an ac motor Patent
[NASA-CASE-NPO-10700] c 07 N71-33613
Solar cell matrix
[NASA-CASE-NPO-11190] c 03 N71-34044
Manually actuated heat pump
[NASA-CASE-NPO-10677] c 05 N72-11084
Virtual wall slot circularly polarized planar array antenna
[NASA-CASE-NPO-10301] c 07 N72-11148
System for controlling the operation of a variable signal device
[NASA-CASE-NPO-11064] c 07 N72-11150
Method and apparatus for data compression by a decreasing slope threshold test
[NASA-CASE-NPO-10769] c 08 N72-11171
Apparatus for remote measurement of displacement of marks on a specimen undergoing a tensile test
[NASA-CASE-NPO-10778] c 14 N72-11364
Vibration isolation system using compression springs
[NASA-CASE-NPO-11012] c 15 N72-11391
Feed system for an ion thruster
[NASA-CASE-NPO-10737] c 28 N72-11709
Thermostatic actuator
[NASA-CASE-NPO-10637] c 15 N72-12409
High voltage transistor amplifier with constant current load
[NASA-CASE-NPO-11023] c 09 N72-17155
Reference voltage switching unit
[NASA-CASE-NPO-11253] c 09 N72-17157
Valving device for automatic refilling in cryogenic liquid systems
[NASA-CASE-NPO-11177] c 15 N72-17453
Expansible support means
[NASA-CASE-NPO-11059] c 15 N72-17454
Breakaway connector
[NASA-CASE-NPO-11140] c 15 N72-17455
Modular encoder
[NASA-CASE-NPO-10629] c 08 N72-18184
Transition tracking bit synchronization system
[NASA-CASE-NPO-10844] c 07 N72-20140
Data compression system
[NASA-CASE-NPO-11243] c 07 N72-20154
Digital quasi-exponential function generator
[NASA-CASE-NPO-11130] c 08 N72-20176
Method and apparatus for high resolution spectral analysis
[NASA-CASE-NPO-10748] c 08 N72-20177
Flow rate switch
[NASA-CASE-NPO-10722] c 09 N72-20199
Electrical connector
[NASA-CASE-NPO-10694] c 09 N72-20200
Wide band doubler and sine wave quadrature generator
[NASA-CASE-NPO-11133] c 10 N72-20223
Signal phase estimator
[NASA-CASE-NPO-11203] c 10 N72-20224
Optimal control system for an electric motor driven vehicle
[NASA-CASE-NPO-11210] c 11 N72-20244
Impact energy absorbing system utilizing fracturable material
[NASA-CASE-NPO-10671] c 15 N72-20443
Torsional disconnect unit
[NASA-CASE-NPO-10704] c 15 N72-20445
Solid propellant rocket motor
[NASA-CASE-XNP-03282] c 28 N72-20758
Shell side liquid metal boiler
[NASA-CASE-NPO-10831] c 33 N72-20915
Method and apparatus for mapping planets
[NASA-CASE-NPO-11001] c 07 N72-21118

Current steering commutator
[NASA-CASE-NPO-10743] c 08 N72-21199
Automated equipotential plotter
[NASA-CASE-NPO-11134] c 09 N72-21246
Pressure transducer
[NASA-CASE-NPO-10832] c 14 N72-21405
Positioning mechanism
[NASA-CASE-NPO-10679] c 15 N72-21462
Solid state matrices
[NASA-CASE-NPO-10591] c 03 N72-22041
Solar cell panels with light transmitting plate
[NASA-CASE-NPO-10747] c 03 N72-22042
Data multiplexer using tree switching configuration
[NASA-CASE-NPO-11333] c 08 N72-22162
System for quantizing graphic displays
[NASA-CASE-NPO-10745] c 08 N72-22164
Digital function generator
[NASA-CASE-NPO-11104] c 08 N72-22165
Analog-to-digital converter analyzing system
[NASA-CASE-NPO-10560] c 08 N72-22166
Feedback shift register with states decomposed into cycles of equal length
[NASA-CASE-NPO-11082] c 08 N72-22167
Self-obturating, gas operated launcher
[NASA-CASE-NPO-11013] c 11 N72-22247
Optical binocular scanning apparatus
[NASA-CASE-NPO-11002] c 14 N72-22441
Ionene membrane separator
[NASA-CASE-NPO-11091] c 18 N72-22567
Deployable solar cell array
[NASA-CASE-NPO-10883] c 31 N72-22874
Thermal to electrical power conversion system with solid-state switches with Seebeck effect compensation
[NASA-CASE-NPO-11388] c 03 N72-23048
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c 23 N72-23695
Bipropellant injector
[NASA-CASE-XNP-09461] c 28 N72-23809
Solid propellant rocket motor nozzle
[NASA-CASE-NPO-11458] c 28 N72-23810
Analysis of hydrogen-deuterium mixtures
[NASA-CASE-NPO-11322] c 06 N72-25146
Flexible computer accessed telemetry
[NASA-CASE-NPO-11358] c 07 N72-25172
Multi-purpose antenna employing dish reflector with plural coaxial horn feeds
[NASA-CASE-NPO-11264] c 07 N72-25174
Communications link for computers
[NASA-CASE-NPO-11161] c 08 N72-25207
Method and apparatus for frequency-division multiplex communications by digital phase shift of carrier
[NASA-CASE-NPO-11338] c 08 N72-25208
Binary coded sequential acquisition ranging system
[NASA-CASE-NPO-11194] c 08 N72-25209
MOD 2 sequential function generator for multibit binary sequence
[NASA-CASE-NPO-10636] c 08 N72-25210
Digital video display system using cathode ray tube
[NASA-CASE-NPO-11342] c 09 N72-25248
Inverter oscillator with voltage feedback
[NASA-CASE-NPO-10760] c 09 N72-25254
Thermal motor
[NASA-CASE-NPO-11283] c 09 N72-25260
Two phase flow system with discrete impinging two-phase jets
[NASA-CASE-NPO-11556] c 12 N72-25292
Atmospheric sampling devices
[NASA-CASE-NPO-11373] c 13 N72-25323
Light sensor
[NASA-CASE-NPO-11311] c 14 N72-25414
Quick disconnect coupling
[NASA-CASE-NPO-11202] c 15 N72-25450
Coaxial injector for reaction motors
[NASA-CASE-NPO-11095] c 15 N72-25455
Ball screw linear actuator
[NASA-CASE-NPO-11222] c 15 N72-25456
Helium refrigerator and method for decontaminating the refrigerator
[NASA-CASE-NPO-10634] c 23 N72-25619
Uninsulated in-core thermionic diode
[NASA-CASE-NPO-10542] c 09 N72-27228
Audio frequency marker system
[NASA-CASE-NPO-11147] c 14 N72-27408
Light direction sensor
[NASA-CASE-NPO-11201] c 14 N72-27409
Adjustable support
[NASA-CASE-NPO-10721] c 15 N72-27484
Method for controlling vapor content of a gas
[NASA-CASE-NPO-10633] c 03 N72-28025
Maser for frequencies in the 7-20 GHz range
[NASA-CASE-NPO-11437] c 16 N72-28521
Thin film temperature sensor and method of making same
[NASA-CASE-NPO-11775] c 26 N72-28761
Circularly polarized antenna
[NASA-CASE-ERC-10214] c 09 N72-31235
Singly-curved reflector for use in high-gain antennas
[NASA-CASE-NPO-11361] c 07 N72-32169
Digital slope threshold data compressor
[NASA-CASE-NPO-11630] c 08 N72-33172
Continuously variable voltage controlled phase shifter
[NASA-CASE-NPO-11129] c 09 N72-33204
Pseudonoise sequence generators with three tap linear feedback shift registers
[NASA-CASE-NPO-11406] c 08 N73-12175
Versatile arithmetic unit for high speed sequential decoder
[NASA-CASE-NPO-11371] c 08 N73-12177
Dual frequency microwave reflex feed
[NASA-CASE-NPO-13091-1] c 09 N73-12214
Audio system with means for reducing noise effects
[NASA-CASE-NPO-11631] c 10 N73-12244
Interferometer-polarimeter
[NASA-CASE-NPO-11239] c 14 N73-12446
Irradiance measuring device
[NASA-CASE-NPO-11493] c 14 N73-12447
Program for computer aided reliability estimation
[NASA-CASE-NPO-13086-1] c 15 N73-12495
Apparatus for deriving synchronizing pulses from pulses in a single channel PCM communications system
[NASA-CASE-NPO-11302-1] c 07 N73-13149
Rotary vane attenuator wherin rotor has orthogonally disposed resistive and dielectric cards
[NASA-CASE-NPO-11418-1] c 14 N73-13420
Gas flow control device
[NASA-CASE-NPO-11479] c 15 N73-13462
Electrolytic gas operated actuator
[NASA-CASE-NPO-11369] c 15 N73-13467
Dual purpose momentum wheels for spacecraft with magnetic recording
[NASA-CASE-NPO-11481] c 21 N73-13644
Multiple reflection conical microwave antenna
[NASA-CASE-NPO-11661] c 07 N73-14130
Cyclically operable optical shutter
[NASA-CASE-NPO-10758] c 14 N73-14427
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-1] c 14 N73-14428
Parallel-plate viscometer with double diaphragm suspension
[NASA-CASE-NPO-11387] c 14 N73-14429
Rotary actuator
[NASA-CASE-NPO-10680] c 31 N73-14855
Magnetically actuated tuning method for Gunn oscillators
[NASA-CASE-NPO-12106] c 09 N73-15235
Multichannel telemetry system
[NASA-CASE-NPO-11572] c 07 N73-16121
Data-aided carrier tracking loops
[NASA-CASE-NPO-11282] c 10 N73-16205
Stacked solar cell arrays
[NASA-CASE-NPO-11771] c 03 N73-20040
A m-ary linear feedback shift register with binary logic
[NASA-CASE-NPO-11868] c 10 N73-20254
Apparatus for recovering matter adhered to a host surface
[NASA-CASE-NPO-11213] c 15 N73-20514
Scan converting video tape recorder
[NASA-CASE-NPO-10166-1] c 07 N73-22076
Collapsible structure for an antenna reflector
[NASA-CASE-NPO-11751] c 07 N73-24176
Pump for delivering heated fluids
[NASA-CASE-NPO-11417] c 15 N73-24513
Ion thruster with a combination keeper electrode and electron baffle
[NASA-CASE-NPO-11880] c 28 N73-24783
Solid propellant rocket motor
[NASA-CASE-NPO-11559] c 28 N73-24784
Code regenerative clean-up loop transponder for a mu-type ranging system
[NASA-CASE-NPO-11707] c 07 N73-25161
Numerical computer peripheral interactive device with manual controls
[NASA-CASE-NPO-11497] c 08 N73-25206
Radiant source tracker independent of nonconstant irradiance
[NASA-CASE-NPO-11686] c 14 N73-25462
Two carrier communication system with single transmitter
[NASA-CASE-NPO-11548] c 07 N73-26118
High pulse rate high resolution optical radar system
[NASA-CASE-NPO-11426] c 07 N73-26119
Counting digital filters
[NASA-CASE-NPO-11821-1] c 08 N73-26175
Automated attendance accounting system
[NASA-CASE-NPO-11456] c 08 N73-26176
Low phase noise digital frequency divider
[NASA-CASE-NPO-11569] c 10 N73-26229
Vehicle for use in planetary exploration
[NASA-CASE-NPO-11366] c 11 N73-26238
Temperature control system with a pulse width modulated bridge
[NASA-CASE-NPO-11304] c 14 N73-26430
Disconnect unit
[NASA-CASE-NPO-11330] c 33 N73-26958
Filter for third order phase locked loops
[NASA-CASE-NPO-11941-1] c 10 N73-27171
Receiver with an improved phase lock loop in a multichannel telemetry system with suppressed carrier
[NASA-CASE-NPO-11593-1] c 07 N73-28012
Analog-to-digital converter
[NASA-CASE-XNP-00477] c 08 N73-28045
Pseudonoise (PN) synchronization of data system with derivation of clock frequency from received signal for clocking receiver PN generator
[NASA-CASE-XNP-03623] c 09 N73-28084
Apparatus and method for measuring the Seebeck coefficient and resistivity of materials
[NASA-CASE-NPO-11749] c 14 N73-28486
Dual purpose optical instrument capable of simultaneously acting as spectrometer and diffractometer
[NASA-CASE-XNP-05231] c 14 N73-28491
Continuous magnetic flux pump
[NASA-CASE-XNP-01187] c 15 N73-28516
Preparation of alkali metal dispersions
[NASA-CASE-XNP-08876] c 17 N73-28573
Superconductive magnetic-field-trapping device
[NASA-CASE-XNP-01185] c 26 N73-28710
Automatic carrier acquisition system
[NASA-CASE-NPO-11628-1] c 07 N73-30113
Ferrofluidic solenoid
[NASA-CASE-NPO-11738-1] c 09 N73-30185
Silent emergency alarm system for schools and the like
[NASA-CASE-NPO-11307-1] c 10 N73-30205
RF-source resistance meters
[NASA-CASE-NPO-11291-1] c 14 N73-30388
Event sequence detector
[NASA-CASE-NPO-11703-1] c 10 N73-32144
Soil penetrometer
[NASA-CASE-XNP-05530] c 14 N73-32321
Quadrupole mass filter with means to generate a noise spectrum exclusive of the resonant frequency of the desired ions to deflect stable ions
[NASA-CASE-XNP-04231] c 14 N73-32325
Magnetic-flux pump
[NASA-CASE-XNP-01188] c 15 N73-32361
Burrowing apparatus
[NASA-CASE-XNP-07169] c 15 N73-32362
Electrostatically controlled heat shutter
[NASA-CASE-NPO-11942-1] c 33 N73-32818
Method and apparatus for a single channel digital communications system
[NASA-CASE-NPO-11302-2] c 32 N74-10132
Controlled oscillator system with a time dependent output frequency
[NASA-CASE-NPO-11962-1] c 33 N74-10194
Low loss dichroic plate
[NASA-CASE-NPO-13171-1] c 32 N74-11000
Image data rate converter having a drum with a fixed head and a rotatable head
[NASA-CASE-NPO-11659-1] c 35 N74-11283
Monitoring atmospheric pollutants with a heterodyne radiometer transmitter-receiver
[NASA-CASE-NPO-11919-1] c 35 N74-11284
Digital second-order phase-locked loop
[NASA-CASE-NPO-11905-1] c 33 N74-12887
Automatic vehicle location system
[NASA-CASE-NPO-11850-1] c 32 N74-12912
Thermomagnetic recording and magneto-optic playback system having constant intensity laser beam control
[NASA-CASE-NPO-11317-2] c 36 N74-13205
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c 35 N74-15090
Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c 35 N74-15094
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c 35 N74-15127
Short range laser obstacle detector
[NASA-CASE-NPO-11856-1] c 36 N74-15145
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c 33 N74-17927
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c 44 N74-19693
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c 32 N74-19788
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c 36 N74-20009
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c 32 N74-20811
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c 37 N74-21060
Thin film gauge
[NASA-CASE-NPO-10617-1] c 35 N74-22095

High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c 33 N74-22814
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c 35 N74-23040
Scanning nozzle plating system
[NASA-CASE-NPO-11758-1] c 31 N74-23065
Rock sampling
[NASA-CASE-XNP-10007-1] c 46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c 46 N74-23069
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c 52 N74-26625
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c 73 N74-26767
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c 28 N74-27425
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c 32 N74-30523
Digital servo control of random sound test excitation
[NASA-CASE-NPO-11623-1] c 71 N74-31148
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c 31 N74-32917
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c 37 N74-32918
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c 28 N74-33209
Geneva mechanism
[NASA-CASE-NPO-13281-1] c 37 N75-13266
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c 36 N75-15029
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c 37 N75-15050
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c 32 N75-15854
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c 37 N75-18573
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c 33 N75-19519
Motor run-up system
[NASA-CASE-NPO-13374-1] c 33 N75-19524
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c 36 N75-19652
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c 37 N75-19684
Wide angle sun sensor
[NASA-CASE-NPO-13327-1] c 35 N75-23910
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c 12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c 20 N75-24837
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c 32 N75-24982
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c 35 N75-25122
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c 35 N75-25123
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c 32 N75-26194
Asynchronous, multiplexing, single line transmission and recovery data system
[NASA-CASE-NPO-13321-1] c 32 N75-26195
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c 45 N75-27585
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c 54 N75-27758
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c 54 N75-27761
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c 33 N75-30430
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c 36 N75-30524
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c 33 N75-31329
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c 33 N75-31330
Stored charge transistor
[NASA-CASE-NPO-11156-2] c 33 N75-31331
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c 33 N75-31332
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c 36 N75-31427
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c 36 N75-32441
Helium refrigerator
[NASA-CASE-NPO-13435-1] c 31 N76-14284
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c 33 N76-14373
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c 35 N76-14430
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c 44 N76-14602
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c 60 N76-14818
Cermet composition and method of fabrication
[NASA-CASE-NPO-13120-1] c 27 N76-15311
Dichroic plate
[NASA-CASE-NPO-13506-1] c 35 N76-15435
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c 35 N76-16390
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c 35 N76-16391
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c 37 N76-16446
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c 25 N76-18245
Analog to digital converter
[NASA-CASE-NPO-13385-1] c 33 N76-18345
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c 35 N76-18401
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c 36 N76-18427
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c 36 N76-18428
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c 37 N76-18457
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c 44 N76-18641
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c 44 N76-18642
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c 44 N76-18643
Priority interrupt system
[NASA-CASE-NPO-13067-1] c 60 N76-18800
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c 33 N76-19338
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c 37 N76-20480
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c 76 N76-20994
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c 45 N76-21742
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c 60 N76-21914
Wind sensor
[NASA-CASE-NPO-13462-1] c 35 N76-24524
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c 36 N76-24553
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c 36 N76-29575
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c 37 N76-29590
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c 44 N76-29700
Solar-powered pump
[NASA-CASE-NPO-13567-1] c 44 N76-29701
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c 44 N76-29704
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c 52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c 52 N76-29896
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c 32 N76-31372
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c 35 N76-31490
Reflected-wave maser
[NASA-CASE-NPO-13490-1] c 36 N76-31512
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c 37 N76-31524
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c 44 N76-31666
Furlable antenna
[NASA-CASE-NPO-13553-1] c 33 N76-32457
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c 09 N77-10071
Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c 31 N77-10229
The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c 33 N77-10428
Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c 35 N77-10492
Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c 44 N77-10636
Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c 32 N77-12240
Computer interface system
[NASA-CASE-NPO-13428-1] c 60 N77-12721
High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c 27 N77-13217
Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c 33 N77-13315
Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c 35 N77-14406
Thermocouple installation
[NASA-CASE-NPO-13540-1] c 35 N77-14409
Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c 35 N77-14411
Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c 73 N77-18891
Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c 32 N77-20289
Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c 33 N77-21314
Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c 33 N77-21315
Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c 33 N77-21316
Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c 35 N77-21392
Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c 35 N77-21393
Uniform variable light source
[NASA-CASE-NPO-11429-1] c 74 N77-21941
Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c 33 N77-22386
Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c 37 N77-22479
Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c 37 N77-22480
Sun direction detection system
[NASA-CASE-NPO-13722-1] c 74 N77-22951
Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c 36 N77-26477
Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c 71 N77-26919
Penetrometer
[NASA-CASE-NPO-11103-1] c 35 N77-27367
Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c 74 N77-28933
Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c 27 N77-30236
Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c 33 N77-30365
Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c 27 N77-31308
Combustion engine
[NASA-CASE-NPO-13671-1] c 37 N77-31497
Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c 25 N77-32255
Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c 32 N77-32342
Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c 35 N77-32455
Solar photolysis of water
[NASA-CASE-NPO-13675-1] c 44 N77-32580
Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c 44 N77-32581
Solar energy collection system
[NASA-CASE-NPO-13810-1] c 44 N77-32582
Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c 44 N77-32583
Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c 33 N78-10377
Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c 35 N78-10429
Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c 39 N78-10493

Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c 44 N78-10554
Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c 71 N78-10837
High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c 44 N78-13526
Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c 27 N78-14164
Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c 32 N78-15323
Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c 35 N78-15461
Motion restraining device
[NASA-CASE-NPO-13619-1] c 37 N78-16369
Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c 27 N78-17214
Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c 27 N78-17215
Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c 31 N78-17238
Pressure transducer
[NASA-CASE-NPO-11150] c 35 N78-17359
Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c 38 N78-17395
Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c 38 N78-17396
Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c 44 N78-17460
Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c 74 N78-17867
Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c 35 N78-18391
Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c 35 N78-18395
Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c 36 N78-18410
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-1] c 27 N78-19302
Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c 32 N78-24391
Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c 31 N78-25256
Swept group delay measurement
[NASA-CASE-NPO-13909-1] c 33 N78-25319
Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c 35 N78-25391
Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c 36 N78-27402
RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c 44 N78-28594
Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c 73 N78-28913
Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c 35 N78-29421
Nitramine propellants
[NASA-CASE-NPO-14103-1] c 28 N78-31255
Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c 32 N78-31321
Solar pond
[NASA-CASE-NPO-13581-2] c 44 N78-31525
Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c 44 N78-31526
Coal desulfurization process
[NASA-CASE-NPO-13937-1] c 44 N78-31527
Solid propellant motor
[NASA-CASE-NPO-11458A] c 20 N78-32179
Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c 27 N78-33228
Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c 44 N78-33526
Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c 74 N78-33913
Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c 25 N79-10163
Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c 32 N79-10262
Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c 35 N79-10391
Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c 37 N79-10420

Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c 44 N79-10513
Combuster
[NASA-CASE-NPO-13958-1] c 25 N79-11151
Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c 25 N79-11152
Electroexplosive device
[NASA-CASE-NPO-13858-1] c 28 N79-11231
Space-charge-limited solid-state triode
[NASA-CASE-NPO-13064-1] c 33 N79-11314
Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c 37 N79-11405
Non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c 44 N79-11471
Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c 76 N79-11920
Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c 44 N79-12541
Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c 52 N79-12694
Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c 32 N79-13214
Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c 72 N79-13826
High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c 27 N79-14213
Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c 28 N79-14228
Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c 32 N79-14267
Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c 32 N79-14268
Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c 35 N79-14348
High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c 37 N79-14383
Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c 44 N79-14526
Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c 44 N79-14529
Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c 52 N79-14749
Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c 52 N79-14751
Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c 35 N79-16246
Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c 76 N79-16678
Multispectral imaging and analysis system
[NASA-CASE-NPO-13691-1] c 43 N79-17288
Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c 44 N79-17314
Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c 85 N79-17747
Thermal energy transformer
[NASA-CASE-NPO-14058-1] c 44 N79-18443
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c 32 N79-19195
Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c 34 N79-20335
Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c 60 N79-20751
Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c 71 N79-20827
System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c 74 N79-20856
Seismic vibration source
[NASA-CASE-NPO-14112-1] c 46 N79-22679
Underwater seismic source
[NASA-CASE-NPO-14255-1] c 46 N79-23555
Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c 71 N79-23753
Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c 32 N79-24210
Module failure isolation circuit for paralleled inverters
[NASA-CASE-NPO-14000-1] c 33 N79-24254

Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c 33 N79-24257
Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431
Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c 44 N79-24432
Solar energy collection system
[NASA-CASE-NPO-13579-2] c 44 N79-24433
Compact artificial hand
[NASA-CASE-NPO-13906-1] c 54 N79-24652
Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c 44 N79-25482
Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c 52 N79-27836
Chemical vapor deposition reactor
[NASA-CASE-NPO-13650-1] c 25 N79-28253
High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c 28 N79-28342
Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c 35 N79-28527
Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c 74 N79-34011
Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c 28 N80-10374
System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c 39 N80-10507
Borehole geological assessment
[NASA-CASE-NPO-14231-1] c 46 N80-10709
Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c 32 N80-14281
Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c 33 N80-14330
Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c 33 N80-14332
Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c 44 N80-14474
Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c 45 N80-14579
System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c 46 N80-14603
Dialysis system
[NASA-CASE-NPO-14101-1] c 52 N80-14687
High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c 72 N80-14877
Strong thin membrane structure
[NASA-CASE-NPO-14021-2] c 27 N80-16163
Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c 32 N80-16261
High-speed data link for moderate distances and noisy environments
[NASA-CASE-NPO-14152-1] c 32 N80-18252
Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c 32 N80-18253
High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c 33 N80-18285
Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c 33 N80-18287
Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c 35 N80-18357
Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c 35 N80-18364
Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c 36 N80-18372
Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c 44 N80-18551
Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c 25 N80-20334
Satellite personal communications system
[NASA-CASE-NPO-14480-1] c 32 N80-20448
Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c 35 N80-20563
Portable heatable container
[NASA-CASE-NPO-14237-1] c 44 N80-20808
Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c 32 N80-23524
Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c 33 N80-23559
Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510
Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c 44 N80-24741

Geological assessment probe
[NASA-CASE-NPO-14558-1] c 46 N80-24906
Cooled echelle grating spectrometer
[NASA-CASE-NPO-14372-1] c 35 N80-26635
Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c 52 N80-27072
Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c 72 N80-27163
Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c 28 N80-28536
System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c 37 N80-29703
Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c 44 N80-29835
Interferometric locating system
[NASA-CASE-NPO-14173-1] c 04 N80-32359
Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c 27 N80-32514
Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c 27 N80-32515
System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c 31 N80-32584
Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c 32 N80-32605
Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c 25 N81-14015
Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c 27 N81-14076
Frequency translating phase conjugation circuit for active retrodirective antenna array
[NASA-CASE-NPO-14536-1] c 32 N81-14185
Precise RF timing signal distribution to remote stations
[NASA-CASE-NPO-14749-1] c 32 N81-14186
Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c 33 N81-14220
Low cost cryostat
[NASA-CASE-NPO-14513-1] c 35 N81-14287
Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c 37 N81-14318
Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c 27 N81-15104
Continuous coal processing method
[NASA-CASE-NPO-13758-2] c 31 N81-15154
Speed control device for a heavy duty shaft
[NASA-CASE-NPO-14170-1] c 37 N81-15364
Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c 60 N81-15706
Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c 25 N81-17187
Molten salt pyrolysis of latex
[NASA-CASE-NPO-14315-1] c 27 N81-17261
Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c 37 N81-17432
Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c 44 N81-17518
System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c 74 N81-17886
Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c 74 N81-17887
Interferometer
[NASA-CASE-NPO-14502-1] c 74 N81-17888
Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c 25 N81-19244
Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c 33 N81-19393
Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c 44 N81-19558
System and method for character recognition
[NASA-CASE-NPO-11337-1] c 74 N81-19896
X-ray position detector
[NASA-CASE-NPO-12087-1] c 74 N81-19898
Controller for computer control of brushless dc motors
[NASA-CASE-NPO-13970-1] c 33 N81-20352
Multifunctional transducer
[NASA-CASE-NPO-14329-1] c 52 N81-20703
Polymeric compositions and their method of manufacture
[NASA-CASE-NPO-10424-1] c 27 N81-24258
Low current linearization of magnetic amplifier for dc transducer
[NASA-CASE-NPO-14617-1] c 33 N81-24338
Stark effect spectrophone for continuous absorption spectra monitoring
[NASA-CASE-NPO-15102-1] c 25 N81-25159
Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c 37 N81-25370
Sandblasting nozzle
[NASA-CASE-NPO-13823-1] c 37 N81-25371
Photomechanical transducer
[NASA-CASE-NPO-14363-1] c 39 N81-25400
Underground mineral extraction
[NASA-CASE-NPO-14140-1] c 43 N81-26509
CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c 33 N81-27396
Terminal guidance sensor system
[NASA-CASE-NPO-14521-1] c 37 N81-27519
Medical diagnosis system and method with multispectral imaging
[NASA-CASE-NPO-14402-1] c 52 N81-27783
High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c 60 N81-27814
Coal desulfurization
[NASA-CASE-NPO-14272-1] c 25 N81-33246
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c 31 N81-33319
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c 33 N81-33404
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c 35 N81-33448
Head for high speed spinner having a vacuum chuck
[NASA-CASE-NPO-15227-1] c 37 N81-33482
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c 25 N82-11144
Scriber for silicon wafers
[NASA-CASE-NPO-15539-1] c 37 N82-11469
Sewage sludge additive
[NASA-CASE-NPO-13877-1] c 45 N82-11634
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c 32 N82-12297
Microwave limb sounder
[NASA-CASE-NPO-14544-1] c 46 N82-12685
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c 35 N82-15381
Solar heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c 44 N82-16475
Method for shaping and aiming narrow beams
[NASA-CASE-NPO-14632-1] c 32 N82-18443
Fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c 74 N82-19029
Suspension system for a wheel rolling on a flat track
[NASA-CASE-NPO-14395-1] c 37 N82-21587
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c 32 N82-23376
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c 74 N82-24072
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c 33 N82-24418
Hermetic seal for a shaft
[NASA-CASE-NPO-15115-1] c 37 N82-24493
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NASA-CASE-NPO-15494-1] c 35 N82-25484
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183-1] c 44 N82-26776
Efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c 44 N82-26777
Acoustic levitation methods and apparatus
[NASA-CASE-NPO-15562-1] c 71 N82-27086
Thermochemical generation of hydrogen
[NASA-CASE-NPO-15015-1] c 25 N82-28368
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c 27 N82-28442
High power metallic halide laser
[NASA-CASE-NPO-14782-1] c 36 N82-28616
Method of Fabricating Schottky Barrier solar cell
[NASA-CASE-NPO-13689-4] c 44 N82-28780
Coal desulfurization by aqueous chlorination
[NASA-CASE-NPO-14902-1] c 25 N82-29371
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c 33 N82-29538
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c 36 N82-29589
Solid electrolyte cell
[NASA-CASE-NPO-15269-1] c 44 N82-29710
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c 76 N82-30105
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c 06 N83-10040
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c 36 N83-10417
Thermal reactor
[NASA-CASE-NPO-14369-1] c 44 N83-10501
Enhancement of in vitro guayule propagation
[NASA-CASE-NPO-15213-1] c 51 N83-17045
Servomechanism for Doppler shift compensation in optical correlator for synthetic aperture radar
[NASA-CASE-NPO-14998-1] c 32 N83-18975
Synchronized voltage contrast display analysis system
[NASA-CASE-NPO-14567-1] c 33 N83-18996
Broadband optical radiation detector
[US-PATENT-4,262,198] c 74 N83-19597
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900
Thin wire pointing method
[NASA-CASE-NPO-15789-1] c 31 N83-19947
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c 32 N83-19968
Controlled in situ etch-back
[NASA-CASE-NPO-15625-1] c 76 N83-20789
Stabilized lanthanum sulphur compounds
[NASA-CASE-NPO-16135-1] c 25 N83-24572
Mobile sampler for use in acquiring samples of terrestrial atmospheric gases
[NASA-CASE-NPO-15220-1] c 45 N83-25217
System and method for moving a probe to follow movements of tissue
[NASA-CASE-NPO-15197-1] c 52 N83-25346
Waveguide cooling system
[NASA-CASE-NPO-15401-1] c 32 N83-27085
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184
Hydrodesulfurization of chlorinized coal
[NASA-CASE-NPO-15304-1] c 25 N83-31743
Method and apparatus for producing gas-filled hollow spheres
[NASA-CASE-NPO-14596-3] c 31 N83-31896
Cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c 31 N83-31897
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c 32 N83-31918
Method and device for detection of a substance
[NASA-CASE-NPO-14940-1] c 33 N83-31954
System for monitoring physical characteristics of fluids
[NASA-CASE-NPO-15400-1] c 34 N83-31993
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c 47 N83-32232
Distributed multiport memory architecture
[NASA-CASE-NPO-15342-1] c 60 N83-32342
Acoustic system for material transport
[NASA-CASE-NPO-15453-1] c 71 N83-32515
System for controlled acoustic rotation of objects
[NASA-CASE-NPO-15522-1] c 71 N83-32516
Mixed polyvalent-monovalent metal coating for carbon-graphite fibers
[NASA-CASE-NPO-14987-1] c 24 N83-33950
Antenna grout replacement system
[NASA-CASE-NPO-15202-1] c 27 N83-34043
Sphere forming method and apparatus
[NASA-CASE-NPO-15070-1] c 31 N83-35176
Resonant isolator for maser amplifier
[NASA-CASE-NPO-15201-1] c 36 N83-35350
Acoustic bubble removal method
[NASA-CASE-NPO-15334-1] c 71 N83-35781
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
Acoustic suspension system
[NASA-CASE-NPO-15435-1] c 71 N83-36846
Optical fiber tactile sensor
[NASA-CASE-NPO-15375-1] c 74 N84-11921
Photoelectrochemical electrodes
[NASA-CASE-NPO-15458-1] c 25 N84-12262
Method and apparatus for minimizing convection during crystal growth from solution
[NASA-CASE-NPO-15811-1] c 76 N84-12968
Pressure letdown method and device for coal conversion systems
[NASA-CASE-NPO-15100-1] c 44 N84-14583
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255
Electrodes for solid state devices
[NASA-CASE-NPO-15161-1] c 33 N84-16456
Contactless pellet fabrication
[NASA-CASE-NPO-15592-1] c 71 N84-16940
Ion beam accelerator system
[NASA-CASE-NPO-15547-1] c 72 N84-16959
Apparatus and method for destructive removal of particles contained in flowing fluid
[NASA-CASE-NPO-15426-1] c 35 N84-17555

Oil shale extraction using super-critical extraction
[NASA-CASE-NPO-15656-1] c 43 N84-23012
Laser pulse detection method and apparatus
[NASA-CASE-NPO-16030-1] c 36 N84-25037
Synthetic aperture radar target simulator
[NASA-CASE-NPO-15024-1] c 32 N84-27951
Ion mass spectrometer
[NASA-CASE-NPO-15423-1] c 35 N84-28016
Shaft transducer having dc output proportional to angular velocity
[NASA-CASE-NPO-15706-1] c 35 N84-28017
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-2] c 37 N84-28081
Solar energy modulator
[NASA-CASE-NPO-15388-1] c 44 N84-28203
Integrating IR detector imaging systems
[NASA-CASE-NPO-15805-1] c 74 N84-28590
Glass heating panels and method for preparing the same from architectural reflective glass
[NASA-CASE-NPO-15753-1] c 27 N84-33589
Portable reflectance spectrometer
[NASA-CASE-NPO-13556-1] c 35 N84-33766
Means and method for calibrating a photon detector utilizing electron-photon coincidence
[NASA-CASE-NPO-15644-1] c 35 N84-33767
Phase sensitive guidance sensor for wire-following vehicles
[NASA-CASE-NPO-15341-1] c 35 N84-33769
System for indicating fuel-efficient aircraft altitude
[NASA-CASE-NPO-15351-2] c 06 N84-34443
Pipelined digital SAR azimuth correlator using hybrid FFT-transversal filter
[NASA-CASE-NPO-15519-1] c 32 N84-34651
Correlation spectrometer having high resolution and multiplexing capability
[NASA-CASE-NPO-15558-1] c 35 N84-34705
Saltless solar pond
[NASA-CASE-NPO-15808-1] c 44 N84-34792
Epitaxial thinning process
[NASA-CASE-NPO-15786-1] c 76 N84-35112
Process and apparatus for growing a crystal ribbon
[NASA-CASE-NPO-15629-1] c 76 N84-35113
Multicomputer communication system
[NASA-CASE-NPO-15433-1] c 32 N85-21428
Hollow cathode apparatus
[NASA-CASE-NPO-15560-1] c 33 N85-21491
Method and apparatus for self-calibration and phasing of array antenna
[NASA-CASE-NPO-15920-1] c 33 N85-21493
State-of-charge coulometer
[NASA-CASE-NPO-15759-1] c 35 N85-21596
Carbon granule probe microphone for leak detection
[NASA-CASE-NPO-16027-1] c 35 N85-21597
Portable remote laser sensor for methane leak detection
[NASA-CASE-NPO-15790-1] c 36 N85-21631
Ingot slicing machine and method
[NASA-CASE-NPO-15483-1] c 37 N85-21650
Apparatus and method to keep the walls of a free-space reactor free from deposits of solid materials
[NASA-CASE-NPO-15851-1] c 37 N85-21652
Method of measuring sea surface water temperature with a satellite including wideband passive synthetic-aperture multichannel receiver
[NASA-CASE-NPO-15651-1] c 43 N85-21723
Method and apparatus for calibrating the ionosphere and application to surveillance of geophysical events
[NASA-CASE-NPO-15430-1] c 46 N85-21846
Automatic multi-banking of memory for microprocessors
[NASA-CASE-NPO-15295-1] c 60 N85-21992
Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104
High temperature acoustic levitator
[NASA-CASE-NPO-16022-1] c 71 N85-22105
Focal plane array optical proximity sensor
[NASA-CASE-NPO-15155-1] c 74 N85-22139
Optical system
[NASA-CASE-NPO-15801-1] c 74 N85-23396
Corrosion resistant coating
[NASA-CASE-NPO-15928-1] c 26 N85-29005
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043
Reciprocating magnetic refrigerator employing tandem porous matrices within a reciprocating displacer
[NASA-CASE-NPO-16257-1] c 31 N85-29082
Retinally stabilized differential resolution television display
[NASA-CASE-NPO-15432-1] c 32 N85-29117
Beam forming network
[NASA-CASE-NPO-15743-1] c 32 N85-29118
Closed loop electrostatic levitation system
[NASA-CASE-NPO-15553-1] c 33 N85-29142
Maser cavity servo-tuning system
[NASA-CASE-NPO-15890-1-CU] c 33 N85-29143
Jet pump-drive system for heat removal
[NASA-CASE-NPO-16494-1-CU] c 34 N85-29182
Trace water sensor
[NASA-CASE-NPO-15722-1] c 35 N85-29212
Digital control of diode laser for atmospheric spectroscopy
[NASA-CASE-NPO-16000-1] c 36 N85-29264
Method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-2] c 37 N85-29282
Gravity enhanced acoustic levitation method and apparatus
[NASA-CASE-NPO-16147-1-CU] c 71 N85-29693
Optical fiber coupling method and apparatus
[NASA-CASE-NPO-15464-1] c 74 N85-29749
Method for growth of crystals by pressure reduction of supercritical or subcritical solution
[NASA-CASE-NPO-15772-1] c 76 N85-29800
Split-cross-bridge resistor for testing for proper fabrication of integrated circuits
[NASA-CASE-NPO-16021-1] c 33 N85-30187
Arrangement for damping the resonance in a laser diode
[NASA-CASE-NPO-15980-1] c 36 N85-30305
Stable density stratification solar pond
[NASA-CASE-NPO-15419-2] c 44 N85-30474
Increased voltage photovoltaic cell
[NASA-CASE-NPO-16155-1] c 44 N85-30475
Acoustic particle separation
[NASA-CASE-NPO-15559-1] c 71 N85-30765
Low defect, high purity crystalline layers grown by selective deposition
[NASA-CASE-NPO-15813-1] c 76 N85-30922
Ribbon growing method and apparatus
[NASA-CASE-NPO-16306-1-CU] c 76 N85-30934
Method and apparatus for Delta Kappa synthetic aperture radar measurement of ocean current
[NASA-CASE-NPO-15704-1] c 32 N85-34327
Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629
Shuttle car loading system
[NASA-CASE-NPO-15949-1] c 85 N85-34722
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253
Memory metal actuator
[NASA-CASE-NPO-15960-1] c 37 N86-19604
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19605
Method and apparatus for contour mapping using synthetic aperture radar
[NASA-CASE-NPO-15939-1] c 43 N86-19711
Brushless DC motor control system responsive to control signals generated by a computer or the like
[NASA-CASE-NPO-16420-1] c 33 N86-20681
Self-locking double retention redundant full pin release
[NASA-CASE-NPO-16233-1] c 37 N86-20801
Neighborhood comparison operator
[NASA-CASE-NPO-16464-1CU] c 60 N86-24224
High dynamic global positioning system receiver
[NASA-CASE-NPO-16171-1CU] c 04 N86-27270
Protective telescoping shield for solar concentrator
[NASA-CASE-NPO-16236-1] c 44 N86-27706
Oxygen chemisorption cryogenic refrigerator
[NASA-CASE-NPO-16734-1-CU] c 31 N88-14223
Energy efficient continuous flow ash lockhopper
[NASA-CASE-NPO-16985-1-CU] c 31 N88-24814
Tower evaporator
[NASA-CASE-NPO-15609-2] c 31 N88-24815
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818
Apparatus for using a time interval counter to measure frequency stability
[NASA-CASE-NPO-17325-1-CU] c 32 N88-24846
Timing control system
[NASA-CASE-NPO-16882-1-CU] c 33 N88-24863
A universal computer control system for motors
[NASA-CASE-NPO-17134-1-CU] c 33 N88-24864
Noncontact temperature pattern measuring device
[NASA-CASE-NPO-17024-1-CU] c 35 N88-24943
Atmospheric autorotating imaging device
[NASA-CASE-NPO-17390-1-CU] c 35 N88-24944
Articulated suspension system
[NASA-CASE-NPO-17354-1-CU] c 37 N88-24973
Trochoidal analysis of scattered electrons in a merged electron-ion beam
[NASA-CASE-NPO-16789-1-CU] c 72 N88-25281
Real-time optical multiple object recognition and tracking system and method
[NASA-CASE-NPO-17139-1-CU] c 74 N88-25301
Low-loss, high-isolation, fiber-optic isolator
[NASA-CASE-NPO-17207-1-CU] c 74 N88-25304
Real-time image difference detection using a polarization rotation spacial light modulator
[NASA-CASE-NPO-17144-1-CU] c 74 N88-25305
Improved properties of SiGe/GaP alloys
[NASA-CASE-NPO-17259-1-CU] c 76 N88-25358

Johns Hopkins Univ., Laurel, Md.
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c 17 N76-22245

Johns Hopkins Univ., Silver Spring, Md.
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c 33 N77-24375

K

Kelsey-Hayes Co., Romulus, Mich.
Variable thrust ion engine utilizing thermally decomposable solid fuel Patent
[NASA-CASE-XMF-00923] c 28 N70-36802

Keltec Industries, Inc., Alexandria, Va.
Unfurlable structure including coiled strips thrust launched upon tension release Patent
[NASA-CASE-HQN-00937] c 07 N71-28979

Kentucky Univ., Lexington.
Apparatus for determining changes in limb volume
[NASA-CASE-MSC-18759-1] c 52 N83-27578

Kinelogic Corp., Pasadena, Calif.
Excitation and detection circuitry for a flux responsive magnetic head
[NASA-CASE-XNP-04183] c 09 N69-24329
Tape guidance system and apparatus for the provision thereof Patent
[NASA-CASE-XNP-09453] c 08 N71-19420
Incremental tape recorder and data rate converter Patent
[NASA-CASE-XNP-02778] c 08 N71-22710

Kollsman Instrument Corp., Elmhurst, N.Y.
Wide angle long eye relief eyepiece Patent
[NASA-CASE-XMS-06056-1] c 23 N71-24857

Kollsman Instrument Corp., Syosset, N.Y.
Digital modulator and demodulator Patent
[NASA-CASE-ERC-10041] c 08 N71-29138
Ritchey-Chretien Telescope
[NASA-CASE-GSC-11487-1] c 14 N73-30393

Konigsberg Instruments, Inc., Pasadena, Calif.
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c 17 N76-29347

Korad Corp., New York.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c 16 N71-20400

L

Life Systems, Inc., Beachwood, Ohio.
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c 54 N78-14784

Ling-Temco-Vought, Inc., Dallas, Tex.
Latch/ejector unit Patent
[NASA-CASE-XLA-03538] c 15 N71-24897

Little (Arthur D.), Inc., Cambridge, Mass.
Apparatus for measuring thermal conductivity Patent
[NASA-CASE-XGS-01052] c 14 N71-15992
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c 27 N76-24405
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c 27 N78-17213
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c 27 N78-32262
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c 27 N82-16238
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-2] c 27 N84-14324
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-2] c 54 N84-23113
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-1] c 54 N84-28484

Litton Industries, Beverly Hills, Calif.
Life support system
[NASA-CASE-MSC-12411-1] c 05 N72-20096

Litton Industries, College Park, Md.
Shrink-fit gas valve Patent
[NASA-CASE-XGS-00587] c 15 N70-35087
Litton Industries, San Carlos, Calif.
Very high intensity light source using a cathode ray tube
[NASA-CASE-XNP-01296] c 33 N75-27250
Litton Systems, Inc., Minneapolis, Minn.
Apparatus for sampling particulates in gases
[NASA-CASE-HQN-10037-1] c 14 N73-27376
Lockheed Aircraft Corp., Burbank, Calif.
Aerodynamic protection for space flight vehicles Patent
[NASA-CASE-XNP-02507] c 31 N71-17679
Lockheed-California Co., Burbank.
Absorptive splitter for closely spaced supersonic engine air inlets Patent
[NASA-CASE-XLA-02865] c 28 N71-15563
Multistage aerospace craft
[NASA-CASE-XMF-02263] c 05 N74-10907
Lockheed Electronics Co., Houston, Tex.
Television signal scan rate conversion system Patent
[NASA-CASE-XMS-07168] c 07 N71-11300
Burst synchronization detection system Patent
[NASA-CASE-XMS-05605-1] c 10 N71-19468
Automatic signal range selector for metering devices Patent
[NASA-CASE-XMS-06497] c 14 N71-26244
Monostable multivibrator with complementary NOR gates Patent
[NASA-CASE-MSC-13492-1] c 10 N71-28860
Ultrastable calibrated light source
[NASA-CASE-MSC-12293-1] c 14 N72-27411
Data storage, image tube type
[NASA-CASE-MSC-14053-1] c 60 N74-12888
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c 32 N74-26654
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c 33 N74-27705
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c 32 N74-32598
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c 33 N74-32711
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c 33 N75-18479
Random pulse generator
[NASA-CASE-MSC-14131-1] c 33 N75-19515
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c 32 N75-21486
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c 32 N76-16249
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c 74 N77-18893
Phased array antenna control
[NASA-CASE-MSC-14939-1] c 32 N79-11264
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c 33 N79-11313
Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c 32 N80-32604
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c 74 N80-33210
Random digital encryption secure communication system
[NASA-CASE-MSC-16462-1] c 32 N82-31583
Lockheed Engineering and Management Services Co., Inc., Las Cruces, N. Mex.
Device and method for frictionally testing materials for ignitability
[NASA-CASE-MSC-20622-1] c 25 N86-19413
Lockheed Missiles and Space Co., Huntsville, Ala.
Diffuser/ejector system for a very high vacuum environment
[NASA-CASE-MFS-25791-1] c 09 N84-27749
Lockheed Missiles and Space Co., Sunnyvale, Calif.
Device for handling heavy loads
[NASA-CASE-XNP-04969] c 11 N69-27466
Transient heat transfer gauge Patent
[NASA-CASE-XNP-09802] c 33 N71-15641
Dual solid cryogens for spacecraft refrigeration Patent
[NASA-CASE-GSC-10188-1] c 23 N71-24725
Apparatus for detecting the amount of material in a resonant cavity container Patent
[NASA-CASE-XNP-02500] c 18 N71-27397
Emergency earth orbital escape device
[NASA-CASE-MSC-13281] c 31 N72-18859
Solar energy powered heliotrope
[NASA-CASE-GSC-10945-1] c 21 N72-31637
Coaxial inverted geometry transistor having buried emitter
[NASA-CASE-ARC-10330-1] c 09 N73-32112
Whole body measurement systems
[NASA-CASE-MSC-13972-1] c 52 N74-10975
Four phase logic systems
[NASA-CASE-MSC-14240-1] c 33 N75-14957
Strain arrestor plate for fused silica tile
[NASA-CASE-MSC-14182-1] c 27 N76-14264
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c 27 N76-22377
Optical alignment device
[NASA-CASE-ARC-10932-1] c 74 N76-22993
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c 27 N76-23426
Process of forming catalytic surfaces for wet oxidation reactions
[NASA-CASE-MSC-14831-1] c 25 N78-10225
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c 74 N79-14891
Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c 44 N80-18550
Lockheed Propulsion Co., Redlands, Calif.
Propellant grain for rocket motors Patent
[NASA-CASE-XGS-03556] c 27 N70-35534
LTV Aerospace Corp., Dallas, Tex.
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c 37 N76-18455
LTV Aerospace Corp., Hampton, Va.
Explosively activated egress area
[NASA-CASE-LAR-12624-1] c 01 N83-35992

M

Macon-Rust Co., Lexington, Ky.
Stretcher Patent
[NASA-CASE-XMF-06589] c 05 N71-23159
Marlin-Rockwell Corp., Jamestown, N.Y.
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c 37 N75-31446
Marquardt Corp., Van Nuys, Calif.
Fuel injection pump for internal combustion engines Patent
[NASA-CASE-MSC-12139-1] c 28 N71-14058
Multislot film cooled pyrolytic graphite rocket nozzle Patent
[NASA-CASE-XNP-04389] c 28 N71-20942
Tube sealing device Patent
[NASA-CASE-NPO-10431] c 15 N71-29132
Martin Marietta Aerospace, Denver, Colo.
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c 35 N76-18400
Pulse transducer with artifact signal attenuator
[NASA-CASE-FRC-11012-1] c 52 N80-23969
Urine collection apparatus
[NASA-CASE-MSC-18381-1] c 52 N81-28740
Martin Marietta Corp., Baltimore, Md.
Landing gear Patent
[NASA-CASE-XMF-01174] c 02 N70-41589
Emergency escape system Patent
[NASA-CASE-XKS-02342] c 05 N71-11199
Martin Marietta Corp., Denver, Colo.
Flexible/rigidifiable cable assembly
[NASA-CASE-MSC-13512-1] c 15 N72-22485
Derivation of a tangent function using an integrated circuit four-quadrant multiplier
[NASA-CASE-MSC-13907-1] c 10 N73-26230
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c 33 N74-22885
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c 18 N75-27041
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c 34 N75-33342
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c 33 N76-14372
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c 37 N76-18456
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c 33 N78-10375
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c 37 N79-11402
Urine collection device
[NASA-CASE-MSC-16433-1] c 52 N81-24711
Amplifier for measuring low-level signals in the presence of high common mode voltage
[NASA-CASE-MFS-25868-1] c 33 N86-20670
Maryland Univ., College Park.
Method and apparatus for optical modulating a light signal Patent
[NASA-CASE-GSC-10216-1] c 23 N71-26722
Massachusetts Inst. of Tech., Cambridge.
Pretreatment method for anti-wettable materials
[NASA-CASE-XMS-03537] c 15 N69-21471
Hydraulic drive mechanism Patent
[NASA-CASE-XMS-03252] c 15 N71-10658
Electronic amplifier with power supply switching Patent
[NASA-CASE-XMS-00945] c 09 N71-10798
Method and apparatus for stabilizing a gaseous optical maser Patent
[NASA-CASE-XGS-03644] c 16 N71-18614
Power supply Patent
[NASA-CASE-XMS-02159] c 10 N71-22961
Optical frequency waveguide Patent
[NASA-CASE-HQN-10541-1] c 07 N71-26291
Laser machining apparatus Patent
[NASA-CASE-HQN-10541-2] c 15 N71-27135
Optical frequency waveguide and transmission system Patent
[NASA-CASE-HQN-10541-4] c 16 N71-27183
Compact spectroradiometer
[NASA-CASE-HQN-10683] c 14 N71-34389
Optical frequency waveguide and transmission system
[NASA-CASE-HQN-10541-3] c 23 N72-23695
Display research collision warning system
[NASA-CASE-HQN-10703] c 21 N73-13643
Transparent switchboard
[NASA-CASE-MSC-13746-1] c 10 N73-32143
Vapor deposition apparatus
[NASA-CASE-HQN-10462] c 25 N75-29192
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c 35 N75-30504
MB Associates, San Ramon, Calif.
Hypervelocity gun
[NASA-CASE-XLE-03186-1] c 09 N79-21084
McDonnell Aircraft Co., St. Louis, Mo.
Method for making a heat insulating and ablative structure
[NASA-CASE-XMS-01108] c 15 N69-24322
Heat flux sensor assembly
[NASA-CASE-XMS-05909-1] c 14 N69-27459
Apparatus for purging systems handling toxic, corrosive, noxious and other fluids Patent
[NASA-CASE-XMS-01905] c 12 N71-21089
Power supply circuit Patent
[NASA-CASE-XMS-00913] c 10 N71-23543
Multiple circuit protector device
[NASA-CASE-XMS-02744] c 33 N75-27249
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c 37 N75-27376
Fused switch
[NASA-CASE-XMS-01244-1] c 33 N79-33393
Cooling system for high speed aircraft
[NASA-CASE-LAR-12406-1] c 05 N81-26114
McDonnell-Douglas Astronautics Co., Huntington Beach, Calif.
Heat transfer device
[NASA-CASE-MFS-22938-1] c 34 N76-18374
McDonnell-Douglas Astronautics Co., Santa Monica, Calif.
New polymers of perfluorobutadiene and method of manufacture Patent application
[NASA-CASE-NPO-10863] c 06 N70-11251
Method of polymerizing perfluorobutadiene Patent application
[NASA-CASE-NPO-10447] c 06 N70-11252
McDonnell-Douglas Astronautics Co., St. Louis, Mo.
Passive propellant system
[NASA-CASE-MFS-23642-2] c 20 N78-27176
McDonnell-Douglas Corp., Huntington Beach, Calif.
Variable direction force coupler
[NASA-CASE-MFS-20317] c 15 N73-13463
Potable water dispenser
[NASA-CASE-MFS-21115-1] c 54 N74-12779
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c 54 N74-17853
Airlock
[NASA-CASE-MFS-20922-1] c 18 N74-22136
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c 35 N74-26945
Thrust-isolating mounting
[NASA-CASE-MFS-21680-1] c 18 N74-27397
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c 35 N74-27865
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c 19 N74-29410
Phase-locked servo system
[NASA-CASE-MFS-22073-1] c 33 N75-13139
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c 35 N75-19612
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c 35 N75-19615
Latching device
[NASA-CASE-MFS-21606-1] c 37 N75-19685

Device for use in loading tension members
[NASA-CASE-MFS-21488-1] c 14 N75-24794
McDonnell-Douglas Corp., Long Beach, Calif.
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630
McDonnell-Douglas Corp., Newport Beach, Calif.
Method of making membranes
[NASA-CASE-XNP-04264] c 03 N69-21337
McDonnell-Douglas Corp., Santa Monica, Calif.
Rocket nozzle test method Patent
[NASA-CASE-NPO-10311] c 31 N71-15643
Reaction of fluorine with polyperfluoropolyenes
[NASA-CASE-NPO-10862] c 06 N72-22107
Polymers of perfluorobutadiene and method of manufacture
[NASA-CASE-NPO-10863-2] c 06 N72-25152
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c 33 N75-27252
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions
[NASA-CASE-NPO-12122-1] c 24 N76-14203
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c 27 N76-16228
McDonnell-Douglas Corp., St. Louis, Mo.
Thermally conductive polymers
[NASA-CASE-GSC-11304-1] c 06 N72-21105
Passive propellant system
[NASA-CASE-MFS-23642-1] c 20 N80-10278
Medical Sciences Research Foundation, San Francisco, Calif.
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c 52 N75-15270
Mellon Inst., Pittsburgh, Pa.
Instrument for measuring torsional creep and recovery Patent
[NASA-CASE-XLE-01481] c 14 N71-10781
Melpar, Inc., Falls Church, Va.
Television simulation for aircraft and space flight Patent
[NASA-CASE-XFR-03107] c 09 N71-19449
Compact solar still Patent
[NASA-CASE-XMS-04533] c 15 N71-23086
Metcom, Inc., Salem, Mass.
Tuning arrangement for an electron discharge device or the like Patent
[NASA-CASE-XNP-09771] c 09 N71-24841
Methodist Hospital, Houston, Tex.
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c 52 N77-28717
Microwave Electronics Corp., Palo Alto, Calif.
Folded traveling wave maser structure Patent
[NASA-CASE-XNP-05219] c 16 N71-15550
Superconducting magnet Patent
[NASA-CASE-XNP-06503] c 23 N71-29049
Microwave Research Corp., North Andover, Mass.
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c 32 N76-21365
Multifrequency broadband polarized horn antenna
[NASA-CASE-NPO-14588-1] c 32 N81-25278
Midwest Research Inst., Kansas City, Mo.
Preparation of ordered poly /arylenesiloxane/ polymers
[NASA-CASE-XMF-10753] c 06 N71-11237
Inorganic solid film lubricants Patent
[NASA-CASE-XMF-03988] c 15 N71-21403
Fluorinated esters of polycarboxylic acids
[NASA-CASE-MFS-21040-1] c 06 N73-30098
Milliken (D. B.) Co., Arcadia, Calif.
Film feed camera having a detent means Patent
[NASA-CASE-LAR-10686] c 14 N71-28935
Minneapolis-Honeywell Regulator Co., Minn.
Microelectronic module package Patent
[NASA-CASE-XMS-02182] c 10 N71-28783
Modern Machine and Tool Co., Newport News, Va.
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c 33 N74-22865
Monsanto Co., St. Louis, Mo.
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c 76 N79-21910
Monsanto Research Corp., Dayton, Ohio.
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c 23 N75-30256
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c 23 N76-15268
Motorola, Inc., Phoenix, Ariz.
Automatic frequency discriminators and control for a phase-lock loop providing frequency preset capabilities Patent
[NASA-CASE-XMF-08665] c 10 N71-19467
Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c 26 N80-14229
Quartz ball value
[NASA-CASE-NPO-14473-1] c 37 N80-23654
Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c 33 N81-15192
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c 33 N81-33405
Motorola, Inc., Scottsdale, Ariz.
Sealed cabinetry Patent
[NASA-CASE-MSC-12168-1] c 09 N71-18600
Digital frequency discriminator Patent
[NASA-CASE-MFS-14322] c 08 N71-18692
Phase modulator Patent
[NASA-CASE-MSC-13201-1] c 07 N71-28429
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c 33 N74-32712
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c 33 N78-32338
Discriminator aided phase lock acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c 33 N82-29539

N

National Academy of Sciences - National Research Council, Washington, D. C.
Gyrator employing field effect transistors
[NASA-CASE-MFS-21433] c 09 N73-20232
Suppression of flutter
[NASA-CASE-LAR-10682-1] c 02 N73-26004
Optical data processing using paraboloidal mirror segments
[NASA-CASE-GSC-11296-1] c 23 N73-30666
Power supply for carbon dioxide lasers
[NASA-CASE-GSC-11222-1] c 16 N73-32391
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c 35 N74-18088
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c 35 N74-26946
Stagnation pressure probe
[NASA-CASE-LAR-11139-1] c 35 N74-32878
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c 33 N74-34638
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c 25 N75-12086
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c 25 N75-12087
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c 74 N75-12732
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c 36 N75-19654
Anti-gravity device
[NASA-CASE-MFS-22758-1] c 70 N75-26789
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c 35 N75-27331
Integrable power gyrator
[NASA-CASE-MFS-22342-1] c 33 N75-30428
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c 75 N76-14931
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c 35 N76-15433
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c 35 N76-16393
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c 75 N76-17951
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c 35 N76-24525
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c 35 N77-14408
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c 35 N77-24454
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c 36 N77-25499
Method of growing composites of the type exhibiting the Soret effect
[NASA-CASE-MFS-22926-1] c 24 N77-27187
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c 73 N78-32848
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c 37 N79-10418
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c 37 N79-28549
Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c 52 N80-33081
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c 52 N81-14612
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c 33 N81-17348
Autonomous navigation system
[NASA-CASE-ARC-11257-1] c 04 N81-21047
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c 27 N81-27272
Synthesis of polyformals
[NASA-CASE-ARC-11244-1] c 23 N82-16174
Nicral ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c 26 N82-31505
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c 60 N83-25378
Non-invasive method and apparatus for measuring pressure within a pliable vessel
[NASA-CASE-ARC-11264-2] c 52 N83-29991
Elastomer-modified phosphorus-containing imide resins
[NASA-CASE-ARC-11400-1] c 27 N84-14322
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-3] c 27 N84-22745
Method for the preparation of thin-skinned asymmetric reverse osmosis membranes and products thereof
[NASA-CASE-ARC-11359-1] c 51 N84-28361
Synthesis of 2,4,8,10-tetroxaspiro5,5undecane
[NASA-CASE-ARC-11243-2] c 23 N85-33187
Fire-resistant phosphorus containing polyimides and copolyimides
[NASA-CASE-ARC-11522-2] c 27 N85-34280
Metal (2) 4,4',4',4" phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-1] c 24 N86-19380
Metal phthalocyanine intermediates for the preparation of polymers
[NASA-CASE-ARC-11405-2] c 27 N86-19455
National Aeronautics and Space Administration, Washington, D.C.
Optical spin compensator
[NASA-CASE-XGS-02401] c 14 N69-27485
Waveguide mixer
[NASA-CASE-ERC-10179] c 07 N72-20141
Semiconductor-ferroelectric memory device
[NASA-CASE-ERC-10307] c 08 N72-21198
Shielded cathode mode bulk effect devices
[NASA-CASE-ERC-10119] c 26 N72-21701
Fabrication of single crystal film semiconductor devices
[NASA-CASE-ERC-10222] c 09 N72-22199
Two color horizon sensor
[NASA-CASE-ERC-10174] c 14 N72-25409
Ultraviolet atomic emission detector
[NASA-CASE-HQN-10756-1] c 14 N72-25428
Optical pump and driver system for lasers
[NASA-CASE-ERC-10283] c 16 N72-25485
Clear air turbulence detector
[NASA-CASE-ERC-10081] c 14 N72-28437
Head-up attitude display
[NASA-CASE-ERC-10392] c 21 N73-14692
System for indicating direction of intruder aircraft
[NASA-CASE-ERC-10226-1] c 14 N73-16483
Aircraft control system
[NASA-CASE-ERC-10439] c 02 N73-19004
Display system
[NASA-CASE-ERC-10350] c 14 N73-20474
Method and apparatus for measuring solar activity and atmospheric radiation effects
[NASA-CASE-ERC-10276] c 14 N73-26432
Doppler shift system
[NASA-CASE-HQN-10740-1] c 72 N74-19310
Auditory display for the blind
[NASA-CASE-HQN-10832-1] c 71 N74-21014
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c 36 N75-19653
Physical correction filter for improving the optical quality of an image
[NASA-CASE-HQN-10542-1] c 74 N75-25706
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c 18 N75-27040
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c 33 N75-27251
Vapor deposition apparatus
[NASA-CASE-HQN-10462] c 25 N75-29192
Resistive anode image converter
[NASA-CASE-HQN-10876-1] c 33 N76-27473
Rechargeable battery which combats shape change of the zinc anode
[NASA-CASE-HQN-10862-1] c 44 N76-29695
System and method for tracking a signal source
[NASA-CASE-HQN-10880-1] c 17 N78-17140
Non-equilibrium radiation nuclear reactor
[NASA-CASE-HQN-10841-1] c 73 N78-19920

Cooling system for removing metabolic heat from an hermetically sealed spacesuit
[NASA-CASE-ARC-11059-1] c 54 N78-32721

Safety flywheel
[NASA-CASE-HQN-10888-1] c 44 N79-14527

Flow diverter valve and flow diversion method
[NASA-CASE-HQN-00573-1] c 37 N79-33468

Glass compositions with a high modulus of elasticity
[NASA-CASE-HQN-10274-1] c 27 N82-29451

High modulus invert analog glass compositions containing beryllia
[NASA-CASE-HQN-10931-2] c 27 N82-29452

Non-toxic invert analog glass compositions of high modulus
[NASA-CASE-HQN-10328-2] c 27 N82-29454

High modulus rare earth and beryllium containing silicate glass compositions
[NASA-CASE-HQN-10595-1] c 27 N82-29455

High resistance and raised modulus carbon fibers
[NASA-TM-76884] c 24 N85-25436

National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.

Nonmagnetic thermal motor for a magnetometer
[NASA-CASE-XAR-03786] c 09 N69-21313

Balanced bellows spirometer
[NASA-CASE-XAR-01547] c 05 N69-21473

Cryogenic apparatus for measuring the intensity of magnetic fields
[NASA-CASE-XAC-02407] c 14 N69-27423

Variable stiffness polymeric damper
[NASA-CASE-XAC-11225] c 14 N69-27486

Shock-layer radiation measurement
[NASA-CASE-XAC-02970] c 14 N69-39896

Protective circuit of the spark gap type
[NASA-CASE-XAC-08981] c 09 N69-39897

Apparatus for coupling a plurality of ungrounded circuits to a grounded circuit Patent
[NASA-CASE-XAC-00086] c 09 N70-33182

Two-plane balance Patent
[NASA-CASE-XAC-00073] c 14 N70-34813

Centrifuge mounted motion simulator Patent
[NASA-CASE-XAC-00399] c 11 N70-34815

Differential pressure cell Patent
[NASA-CASE-XAC-00042] c 14 N70-34816

High-temperature, high-pressure spherical segment valve Patent
[NASA-CASE-XAC-00074] c 15 N70-34817

Magnetically centered liquid column float Patent
[NASA-CASE-XAC-00030] c 14 N70-34820

Propeller blade loading control Patent
[NASA-CASE-XAC-00139] c 02 N70-34856

Temperature compensated solid state differential amplifier Patent
[NASA-CASE-XAC-00435] c 09 N70-35440

High speed low level electrical stepping switch Patent
[NASA-CASE-XAC-00060] c 09 N70-39915

Analog-to-digital conversion system Patent
[NASA-CASE-XAC-00404] c 08 N70-40125

Null-type vacuum microbalance Patent
[NASA-CASE-XAC-00472] c 15 N70-40180

Thermo-protective device for balances Patent
[NASA-CASE-XAC-00648] c 14 N70-40400

Three-axis controller Patent
[NASA-CASE-XAC-01404] c 05 N70-41581

Electric arc device for heating gases Patent
[NASA-CASE-XAC-00319] c 25 N70-41628

Dynamic sensor Patent
[NASA-CASE-XAC-02877] c 14 N70-41681

Universal pilot restraint suit and body support therefor Patent
[NASA-CASE-XAC-00405] c 05 N70-41819

Proportional controller Patent
[NASA-CASE-XAC-03392] c 03 N70-41954

Force transducer Patent
[NASA-CASE-XAC-01101] c 14 N70-41957

Electrode construction Patent
[NASA-CASE-ARC-10043-1] c 05 N71-11193

Telemeter adaptable for implanting in an animal Patent
[NASA-CASE-XAC-05706] c 05 N71-12342

Gyrator type circuit Patent
[NASA-CASE-XAC-10608-1] c 09 N71-12517

Ultraviolet resonance lamp Patent
[NASA-CASE-ARC-10030] c 09 N71-12521

Differential temperature transducer Patent
[NASA-CASE-XAC-00812] c 14 N71-15598

Multiple circuit switch apparatus with improved pivot actuator structure Patent
[NASA-CASE-XAC-03777] c 10 N71-15909

Method of planetary atmospheric investigation using a split-trajectory dual flyby mode Patent
[NASA-CASE-XAC-08494] c 30 N71-15990

High efficiency multivibrator Patent
[NASA-CASE-XAC-00942] c 10 N71-16042

Apparatus for measuring conductivity and velocity of plasma utilizing a plurality of sensing coils positioned in the plasma Patent
[NASA-CASE-XAC-05695] c 25 N71-16073

Flight craft Patent
[NASA-CASE-XAC-02058] c 02 N71-16087

Three-axis finger tip controller for switches Patent
[NASA-CASE-XAC-02405] c 09 N71-16089

Electrostatic charged particle analyzer having deflection members shaped according to the periodic voltage applied thereto Patent
[NASA-CASE-XAC-05506-1] c 24 N71-16095

Inertial reference apparatus Patent
[NASA-CASE-XAC-03107] c 23 N71-16098

Fastener apparatus Patent
[NASA-CASE-ARC-10140-1] c 15 N71-17653

Stabilization of gravity oriented satellites Patent
[NASA-CASE-XAC-01591] c 31 N71-17729

Microwave flaw detector Patent
[NASA-CASE-ARC-10009-1] c 15 N71-17822

Hypervelocity gun Patent
[NASA-CASE-XAC-05902] c 11 N71-18578

Nonlinear analog-to-digital converter Patent
[NASA-CASE-XAC-04031] c 08 N71-18594

Demodulation system Patent
[NASA-CASE-XAC-04030] c 10 N71-19472

Phase quadrature-plural channel data transmission system Patent
[NASA-CASE-XAC-06302] c 08 N71-19763

Two force component measuring device Patent
[NASA-CASE-XAC-04886-1] c 14 N71-20439

Attitude controls for VTOL aircraft Patent
[NASA-CASE-XAC-08972] c 02 N71-20570

Electric arc apparatus Patent
[NASA-CASE-XAC-01677] c 09 N71-20816

Inertia diaphragm pressure transducer Patent
[NASA-CASE-XAC-02981] c 14 N71-21072

Stirring apparatus for plural test tubes Patent
[NASA-CASE-XAC-06956] c 15 N71-21177

Exposure system for animals Patent
[NASA-CASE-XAC-05333] c 11 N71-22875

Vibrating element electrometer with output signal magnified over input signal by a function of the mechanical Q of the vibrating element Patent
[NASA-CASE-XAC-02807] c 09 N71-23021

Hall current measuring apparatus having a series resistor for temperature compensation Patent
[NASA-CASE-XAC-01662] c 14 N71-23037

Transfer valve Patent
[NASA-CASE-XAC-01158] c 15 N71-23051

Hard space suit Patent
[NASA-CASE-XAC-07043] c 05 N71-23161

Method and apparatus for continuously monitoring blood oxygenation, blood pressure, pulse rate and the pressure pulse curve utilizing an ear oximeter as transducer Patent
[NASA-CASE-XAC-05422] c 04 N71-23185

Feedback integrator with grounded capacitor Patent
[NASA-CASE-XAC-10607] c 10 N71-23669

Floating two force component measuring device Patent
[NASA-CASE-XAC-04885] c 14 N71-23790

Control device Patent
[NASA-CASE-XAC-10019] c 15 N71-23809

Means for suppressing or attenuating bending motion of elastic bodies Patent
[NASA-CASE-XAC-05632] c 32 N71-23971

Device for measuring pressure Patent
[NASA-CASE-XAC-04458] c 14 N71-24232

Transducer circuit and catheter transducer Patent
[NASA-CASE-ARC-10132-1] c 09 N71-24597

Skeletal stressing method and apparatus Patent
[NASA-CASE-ARC-10100-1] c 05 N71-24738

Modified polyurethane foams for fuel-fire Patent
[NASA-CASE-ARC-10098-1] c 06 N71-24739

Deep space monitor communication satellite system Patent
[NASA-CASE-XAC-06029-1] c 31 N71-24813

Laser fluid velocity detector Patent
[NASA-CASE-XAC-10770-1] c 16 N71-24828

Transient video signal recording with expanded playback Patent
[NASA-CASE-ARC-10003-1] c 09 N71-25866

Thermally cycled magnetometer Patent
[NASA-CASE-XAC-03740] c 14 N71-26135

Optical machine tool alignment indicator Patent
[NASA-CASE-XAC-09489-1] c 15 N71-26673

Energy limiter for hydraulic actuators Patent
[NASA-CASE-ARC-10131-1] c 15 N71-27754

Multivibrator circuit with means to prevent false triggering from supply voltage fluctuations Patent
[NASA-CASE-ARC-10137-1] c 09 N71-28468

Locomotion and restraint aid Patent
[NASA-CASE-ARC-10153] c 05 N71-28619

Line following servosystem Patent
[NASA-CASE-XAC-00001] c 15 N71-28952

Mechanically limited, electrically operated hydraulic valve system for aircraft controls Patent
[NASA-CASE-XAC-00048] c 02 N71-29128

Precision rectifier with FET switching means Patent
[NASA-CASE-ARC-10101-1] c 09 N71-33109

Solar cell Patent
[NASA-CASE-ARC-10050] c 03 N71-33409

Phase shift circuit apparatus
[NASA-CASE-ARC-10269-1] c 10 N72-16172

High intensity radiant energy pulse source having means for opening shutter when light flux has reached a desired level
[NASA-CASE-ARC-10178-1] c 09 N72-17152

Telemetry actuated switch
[NASA-CASE-ARC-10105] c 09 N72-17153

Active RC networks
[NASA-CASE-ARC-10020] c 10 N72-17172

Apparatus for automatically stabilizing the attitude of a nonguided vehicle
[NASA-CASE-ARC-10134] c 30 N72-17873

Method and apparatus for swept-frequency impedance measurements of welds
[NASA-CASE-ARC-10176-1] c 15 N72-21464

Space suit having improved waist and torso movement
[NASA-CASE-ARC-10275-1] c 05 N72-22092

RF controlled solid state switch
[NASA-CASE-ARC-10136-1] c 09 N72-22202

Wide range dynamic pressure sensor
[NASA-CASE-ARC-10263-1] c 14 N72-22438

Method and apparatus for measuring the damping characteristics of a structure
[NASA-CASE-ARC-10154-1] c 14 N72-22440

Magnetic position detection method and apparatus
[NASA-CASE-ARC-10179-1] c 21 N72-22619

Fluidic proportional thruster system
[NASA-CASE-ARC-10106-1] c 28 N72-22769

Thermodielectric radiometer utilizing polymer film
[NASA-CASE-ARC-10138-1] c 14 N72-24477

Polymeric vehicles as carriers for sulfonic acid salt of nitrosubstituted aromatic amines
[NASA-CASE-ARC-10325] c 06 N72-25147

Stereoscopic television system and apparatus
[NASA-CASE-ARC-10160-1] c 23 N72-27728

Metallic intrusion detector system
[NASA-CASE-ARC-10265-1] c 10 N72-28240

Apparatus for ionization analysis
[NASA-CASE-ARC-10017-1] c 14 N72-29464

Nondispersive gas analyzing method and apparatus wherein radiation is serially passed through a reference and unknown gas
[NASA-CASE-ARC-10308-1] c 06 N72-31141

Two degree inverted flexure
[NASA-CASE-ARC-10345-1] c 15 N73-12488

Intumescent paint containing nitrile rubber
[NASA-CASE-ARC-10196-1] c 18 N73-13562

Temperature compensated light source using a light emitting diode
[NASA-CASE-ARC-10467-1] c 09 N73-14214

Self-tuning bandpass filter
[NASA-CASE-ARC-10264-1] c 09 N73-20231

Micrometeoroid analyzer
[NASA-CASE-ARC-10443-1] c 14 N73-20477

Multiple pass reimaging optical system
[NASA-CASE-ARC-10194-1] c 23 N73-20741

Intruder detection system
[NASA-CASE-ARC-10097-2] c 07 N73-25160

Interferometric rotation sensor
[NASA-CASE-ARC-10278-1] c 14 N73-25463

Dual-fuselage aircraft having yawable wing and horizontal stabilizer
[NASA-CASE-ARC-10470-1] c 02 N73-26005

Temperature controller for a fluid cooled garment
[NASA-CASE-ARC-10599-1] c 05 N73-26071

Visual examination apparatus
[NASA-CASE-ARC-10329-1] c 05 N73-26072

Intumescent composition, foamed product prepared therewith, and process for making same
[NASA-CASE-ARC-10304-1] c 18 N73-26572

Infrared tunable laser
[NASA-CASE-ARC-10463-1] c 09 N73-32111

Low power electromagnetic flowmeter providing accurate zero set
[NASA-CASE-ARC-10362-1] c 14 N73-32326

Hand-held photomicroscope
[NASA-CASE-ARC-10468-1] c 14 N73-33361

Alignment apparatus using a laser having a gravitationally sensitive cavity reflector
[NASA-CASE-ARC-10444-1] c 16 N73-33397

Polyimide foam for the thermal insulation and fire protection
[NASA-CASE-ARC-10464-1] c 27 N74-12812

Flexible fire retardant polyisocyanate modified neoprene foam
[NASA-CASE-ARC-10180-1] c 27 N74-12814

Heater-mixer for stored fluids
[NASA-CASE-ARC-10442-1] c 35 N74-15093
Bimetallic fluid displacement apparatus
[NASA-CASE-ARC-10441-1] c 35 N74-15126
Automatic real-time pair-feeding system for animals
[NASA-CASE-ARC-10302-1] c 51 N74-15778
Overvoltage protection network
[NASA-CASE-ARC-10197-1] c 33 N74-17929
Ultrasonic biomedical measuring and recording apparatus
[NASA-CASE-ARC-10597-1] c 52 N74-20726
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-1] c 27 N74-21156
High speed shutter
[NASA-CASE-ARC-10516-1] c 70 N74-21300
Bio-isolated dc operational amplifier
[NASA-CASE-ARC-10596-1] c 33 N74-21851
Programmable physiological infusion
[NASA-CASE-ARC-10447-1] c 52 N74-22771
Chromato-fluorographic drug detector
[NASA-CASE-ARC-10633-1] c 25 N74-26947
Intumescent composition, foamed product prepared therewith and process for making same
[NASA-CASE-ARC-10304-2] c 27 N74-27037
Photomultiplier circuit including means for rapidly reducing the sensitivity thereof
[NASA-CASE-ARC-10593-1] c 33 N74-27682
Concentric differential gearing arrangement
[NASA-CASE-ARC-10462-1] c 37 N74-27901
Measurement of plasma temperature and density using radiation absorption
[NASA-CASE-ARC-10598-1] c 75 N74-30156
Abating exhaust noises in jet engines
[NASA-CASE-ARC-10712-1] c 07 N74-33218
Solid medium thermal engine
[NASA-CASE-ARC-10461-1] c 44 N74-33379
Automated analysis of oxidative metabolites
[NASA-CASE-ARC-10469-1] c 25 N75-12086
Method of preparing water purification membranes
[NASA-CASE-ARC-10643-1] c 25 N75-12087
Method of forming aperture plate for electron microscope
[NASA-CASE-ARC-10448-2] c 74 N75-12732
Integrated lift/drag controller for aircraft
[NASA-CASE-ARC-10456-1] c 05 N75-12930
Wind tunnel flow generation section
[NASA-CASE-ARC-10710-1] c 09 N75-12969
Continuous Fourier transform method and apparatus
[NASA-CASE-ARC-10466-1] c 60 N75-13539
Dual wavelength scanning Doppler velocimeter
[NASA-CASE-ARC-10637-1] c 35 N75-16783
Signal conditioning circuit apparatus
[NASA-CASE-ARC-10348-1] c 33 N75-19518
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-3] c 33 N75-19520
Reversed cowl flap inlet thrust augmentor
[NASA-CASE-ARC-10754-1] c 07 N75-24736
Diode-quad bridge circuit means
[NASA-CASE-ARC-10364-2] c 33 N75-25041
Rotary plant growth accelerating apparatus
[NASA-CASE-ARC-10722-1] c 51 N75-25503
Shoulder harness and lap belt restraint system
[NASA-CASE-ARC-10519-2] c 05 N75-25915
Gas chromatograph injection system
[NASA-CASE-ARC-10344-2] c 35 N75-26334
Reference apparatus for medical ultrasonic transducer
[NASA-CASE-ARC-10753-1] c 54 N75-27760
Electric arc light source having undercut recessed anode
[NASA-CASE-ARC-10266-1] c 33 N75-29318
G-load measuring and indicator apparatus
[NASA-CASE-ARC-10806-1] c 35 N75-29381
NDIR gas analyzer based on absorption modulation ratios for known and unknown samples
[NASA-CASE-ARC-10802-1] c 35 N75-30502
Diatomic infrared gasdynamic laser
[NASA-CASE-ARC-10370-1] c 36 N75-31426
Pneumatic load compensating or controlling system
[NASA-CASE-ARC-10907-1] c 37 N75-32465
Combined dual scatter, local oscillator laser Doppler velocimeter
[NASA-CASE-ARC-10642-1] c 36 N76-14447
Fiber modified polyurethane foam for ballistic protection
[NASA-CASE-ARC-10714-1] c 27 N76-15310
Transparent fire resistant polymeric structures
[NASA-CASE-ARC-10813-1] c 27 N76-16230
Modulated hydrogen ion flame detector
[NASA-CASE-ARC-10322-1] c 35 N76-18403
Electrical conductivity cell and method for fabricating the same
[NASA-CASE-ARC-10810-1] c 33 N76-19339
Method and apparatus for compensating reflection losses in a path length modulated absorption-absorption trace gas detector
[NASA-CASE-ARC-10631-1] c 74 N76-20958
Trielectrode capacitive pressure transducer
[NASA-CASE-ARC-10711-2] c 33 N76-21390
Nulling device for detection of trace gases by NDIR absorption
[NASA-CASE-ARC-10760-1] c 25 N76-22323
Silica reusable surface insulation
[NASA-CASE-ARC-10721-1] c 27 N76-22376
Optical alignment device
[NASA-CASE-ARC-10932-1] c 74 N76-22993
Vehicle simulator binocular multiplanar visual display system
[NASA-CASE-ARC-10808-1] c 09 N76-24280
Readout electrode assembly for measuring biological impedance
[NASA-CASE-ARC-10816-1] c 35 N76-24525
System for measuring Reynolds in a turbulently flowing fluid
[NASA-CASE-ARC-10755-2] c 34 N76-27517
Oblique-wing supersonic aircraft
[NASA-CASE-ARC-10470-3] c 05 N76-29217
Accelerometer telemetry system
[NASA-CASE-ARC-10849-1] c 17 N76-29347
Miniature ingestible telemeter devices to measure deep-body temperature
[NASA-CASE-ARC-10583-1] c 52 N76-29894
Visual examination apparatus
[US-PATENT-RE-28,921] c 52 N76-30793
Integrated structure vacuum tube
[NASA-CASE-ARC-10445-1] c 31 N76-31365
Ultraviolet and thermally stable polymer compositions
[NASA-CASE-ARC-10592-2] c 27 N76-32315
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-1] c 52 N76-33835
Thermistor holder for skin temperature measurements
[NASA-CASE-ARC-10855-1] c 52 N77-10780
Smoke generator
[NASA-CASE-ARC-10905-1] c 37 N77-13418
Electron microscope aperture system
[NASA-CASE-ARC-10448-3] c 35 N77-14408
Liquid cooled brassiere and method of diagnosing malignant tumors therewith
[NASA-CASE-ARC-11007-1] c 52 N77-14736
Hingeless helicopter rotor with improved stability
[NASA-CASE-ARC-10807-1] c 05 N77-17029
The engine air intake system
[NASA-CASE-ARC-10761-1] c 07 N77-18154
Spring operated accelerator and constant force spring mechanism therefor
[NASA-CASE-ARC-10898-1] c 35 N77-18417
Rotating launch device for a remotely piloted aircraft
[NASA-CASE-ARC-10979-1] c 09 N77-19076
Tubular sublimatory evaporator heat sink
[NASA-CASE-ARC-10912-1] c 34 N77-19353
Selective data segment monitoring system
[NASA-CASE-ARC-10899-1] c 60 N77-19760
All sky pointing attitude control system
[NASA-CASE-ARC-10716-1] c 35 N77-20399
Metallic hot wire anemometer
[NASA-CASE-ARC-10911-1] c 35 N77-20400
Optical instrument employing reticle having preselected visual response pattern formed thereon
[NASA-CASE-ARC-10976-1] c 74 N77-22950
Sampling video compression system
[NASA-CASE-ARC-10984-1] c 32 N77-24328
Method for making a hot wire anemometer and product thereof
[NASA-CASE-ARC-10900-1] c 35 N77-24454
Pseudo-backscatter laser Doppler velocimeter employing antiparallel-reflector in the forward direction
[NASA-CASE-ARC-10970-1] c 36 N77-25501
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c 34 N77-27345
Twin-capacitive shaft angle encoder with analog output signal
[NASA-CASE-ARC-10897-1] c 33 N77-31404
Anthropomorphic master/slave manipulator system
[NASA-CASE-ARC-10756-1] c 54 N77-32721
Mechanical energy storage device for hip disarticulation
[NASA-CASE-ARC-10916-1] c 52 N78-10686
Optically selective, acoustically resonant gas detecting transducer
[NASA-CASE-ARC-10639-1] c 35 N78-13400
Intumescent coatings containing 4,4'-dinitrosulfanilide
[NASA-CASE-ARC-11042-1] c 24 N78-14096
Automatic multiple-sample applicator and electrophoresis apparatus
[NASA-CASE-ARC-10991-1] c 25 N78-14104
Flow separation detector
[NASA-CASE-ARC-11046-1] c 35 N78-14364
Honeycomb-laminate composite structure
[NASA-CASE-ARC-10913-1] c 24 N78-15180
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c 34 N78-17336
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c 34 N78-17337
Walking boot assembly
[NASA-CASE-ARC-11101-1] c 54 N78-17675
Full color hybrid display for aircraft simulators
[NASA-CASE-ARC-10903-1] c 09 N78-18083
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c 35 N78-19465
Automatic fluid dispenser
[NASA-CASE-ARC-10820-1] c 35 N78-19466
Intumescent-ablator coatings using endothermic fillers
[NASA-CASE-ARC-11043-1] c 24 N78-27180
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-2] c 24 N78-27184
Rotary leveling base platform
[NASA-CASE-ARC-10981-1] c 37 N78-27425
Tread drum for animals
[NASA-CASE-ARC-10917-1] c 51 N78-27733
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c 27 N78-31232
Boron trifluoride coatings for thermoplastic materials and method of applying same in glow discharge
[NASA-CASE-ARC-11057-1] c 27 N78-31233
Spacesuit mobility joints
[NASA-CASE-ARC-11058-1] c 54 N78-31735
Spacesuit torso closure
[NASA-CASE-ARC-11100-1] c 54 N78-31736
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c 26 N78-32229
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c 27 N78-32260
Angle detector
[NASA-CASE-ARC-11036-1] c 35 N78-32395
Process for producing a well-adhered durable optical coating on an optical plastic substrate
[NASA-CASE-ARC-11039-1] c 74 N78-32854
Process for the preparation of calcium superoxide
[NASA-CASE-ARC-11053-1] c 25 N79-10162
Contour detector and data acquisition system for the left ventricular outline
[NASA-CASE-ARC-10985-1] c 52 N79-10724
Ambient cure polyimide foams
[NASA-CASE-ARC-11170-1] c 27 N79-11215
Microelectrophoretic apparatus and process
[NASA-CASE-ARC-11121-1] c 25 N79-14169
Preparation of dielectric coating of variable dielectric constant by plasma polymerization
[NASA-CASE-ARC-10892-2] c 27 N79-14214
Electric discharge for treatment of trace contaminants
[NASA-CASE-ARC-10975-1] c 33 N79-15245
Low density bismaleimide-carbon microballoon composites
[NASA-CASE-ARC-11040-1] c 24 N79-16915
Constant lift rotor for a heavier than air craft
[NASA-CASE-ARC-11045-1] c 05 N79-17847
Oxygen post-treatment of plastic surface coated with plasma polymerized silicon-containing monomers
[NASA-CASE-ARC-10915-2] c 27 N79-18052
Miniature implantable ultrasonic echosonometer
[NASA-CASE-ARC-11035-1] c 52 N79-18580
Preparation of heterocyclic block copolymer omega-diamidoximes
[NASA-CASE-ARC-11060-1] c 27 N79-22300
Fibrous refractory composite insulation
[NASA-CASE-ARC-11169-1] c 24 N79-24062
Spacesuit mobility knee joints
[NASA-CASE-ARC-11058-2] c 54 N79-24651
Fire protection covering for small diameter missiles
[NASA-CASE-ARC-11104-1] c 15 N79-26100
Biomedical ultrasonoscope
[NASA-CASE-ARC-10994-2] c 52 N79-26771
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c 37 N79-28551
Acoustically swept rotor
[NASA-CASE-ARC-11106-1] c 05 N80-14107
Catalysts for polyimide foams from aromatic isocyanates and aromatic dianhydrides
[NASA-CASE-ARC-11107-1] c 25 N80-16116
Cryogenic container compound suspension strap
[NASA-CASE-ARC-11157-1] c 37 N80-18393
Induction powered biological radiosonde
[NASA-CASE-ARC-11120-1] c 52 N80-18691
Chelate-modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c 25 N80-23383
Reverse osmosis membrane of high urea rejection properties
[NASA-CASE-ARC-10980-1] c 27 N80-23452
Reduction of nitric oxide emissions from a combustor
[NASA-CASE-ARC-10814-2] c 07 N80-26298
Aircraft engine nozzle
[NASA-CASE-ARC-10977-1] c 07 N80-32392

Pocket ECG electrode
[NASA-CASE-ARC-11258-1] c 52 N80-33081
Structural wood panels with improved fire resistance
[NASA-CASE-ARC-11174-1] c 24 N81-13999
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c 25 N81-14016
Micro-fluid exchange coupling apparatus
[NASA-CASE-ARC-11114-1] c 51 N81-14605
Subcutaneous electrode structure
[NASA-CASE-ARC-11117-1] c 52 N81-14612
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c 52 N81-14613
Process for the preparation of fluorine containing crosslinked elastomeric polytriazine and product so produced
[NASA-CASE-ARC-11248-1] c 27 N81-17259
The 1,2,4-oxadiazole elastomers
[NASA-CASE-ARC-11253-1] c 27 N81-17262
Pressure control valve
[NASA-CASE-ARC-11251-1] c 37 N81-17433
Autonomous navigation system
[NASA-CASE-ARC-11257-1] c 04 N81-21047
Bifunctional monomers having terminal oxime and cyano or amidine groups
[NASA-CASE-ARC-11253-3] c 27 N81-24256
Spine immobilization apparatus
[NASA-CASE-ARC-11167-1] c 52 N81-25662
Process for the preparation of polycarboranylphosphazenes
[NASA-CASE-ARC-11176-2] c 27 N81-27271
Phosphorus-containing bisimide resins
[NASA-CASE-ARC-11321-1] c 27 N81-27272
Sweat collection capsule
[NASA-CASE-ARC-11031-1] c 52 N81-29763
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c 52 N81-29764
Spectrally balanced chromatic landing approach lighting system
[NASA-CASE-ARC-10990-1] c 04 N82-16059
Synthesis of polyformals
[NASA-CASE-ARC-11244-1] c 23 N82-16174
Carboranylcyclotriphosphazenes and their polymers
[NASA-CASE-ARC-11176-1] c 27 N82-18389
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c 28 N82-18401
Clutchless multiple drive source for output shaft
[NASA-CASE-ARC-11325-1] c 37 N82-22496
Environmental fog/rain visual display system for aircraft simulators
[NASA-CASE-ARC-11158-1] c 09 N82-24212
High acceleration cable deployment system
[NASA-CASE-ARC-11256-1] c 15 N82-24272
The 1,1,1-triaryl-2,2,2-trifluoroethanes and process for their synthesis
[NASA-CASE-ARC-11097-1] c 25 N82-24312
Preparation of crosslinked 1,2,4-oxadiazole polymer
[NASA-CASE-ARC-11253-2] c 27 N82-24338
Adjustable high emittance gap filler
[NASA-CASE-ARC-11310-1] c 27 N82-24339
Test apparatus for locating shorts during assembly of electrical buses
[NASA-CASE-ARC-11116-1] c 33 N82-24420
Spray coating apparatus having a rotatable workpiece holder
[NASA-CASE-ARC-11110-1] c 37 N82-24492
Pressure suit joint analyzer
[NASA-CASE-ARC-11314-1] c 54 N82-26987
Preparation of perfluorinated 1,2,4-oxadiazoles
[NASA-CASE-ARC-11267-2] c 23 N82-28353
High performance channel injection sealant invention abstract
[NASA-CASE-ARC-14408-1] c 27 N82-33523
Rhomboid prism pair for rotating the plane of parallel light beams
[NASA-CASE-ARC-11311-1] c 74 N83-13978
Dual-beam skin friction interferometer
[NASA-CASE-ARC-11354-1] c 74 N83-21949
Method of carbonizing polyacrylonitrile fibers
[NASA-CASE-ARC-11261-1] c 24 N83-25789
Method for detecting coliform organisms
[NASA-CASE-ARC-11322-1] c 51 N83-28849
Non-invasive method and apparatus for measuring pressure within a pliable vessel
[NASA-CASE-ARC-11264-2] c 52 N83-29991
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-1] c 27 N83-31854
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c 07 N83-33884
Synthesis of dawsonites
[NASA-CASE-ARC-11326-1] c 25 N83-33977
Method of tracing contour patterns for use in making gradual contour resin matrix composites
[NASA-CASE-ARC-11246-1] c 31 N83-34073
Scanning seismic intrusion detection method and apparatus
[NASA-CASE-ARC-11317-1] c 35 N83-34272
Sidelooking laser altimeter for a flight simulator
[NASA-CASE-ARC-11312-1] c 36 N83-34304
High temperature glass thermal control structure and coating
[NASA-CASE-ARC-11164-1] c 44 N83-34448
Fire extinguishant materials
[NASA-CASE-ARC-11252-1] c 25 N83-36118
Fluoroether modified epoxy composites
[NASA-CASE-ARC-11418-1] c 24 N84-11213
Visual accommodation trainer-tester
[NASA-CASE-ARC-11426-1] c 09 N84-12193
Elastomer-modified phosphorus-containing imide resins
[NASA-CASE-ARC-11400-1] c 27 N84-14322
Space station architecture, module, berthing hub, shell assembly, berthing mechanism and utility connection channel
[NASA-CASE-ARC-11505-1] c 18 N84-22612
Process for preparing perfluorotriazine elastomers and precursors thereof
[NASA-CASE-ARC-11402-1] c 27 N84-22744
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-3] c 27 N84-22745
Carboranylmethylene-substituted phosphazenes and polymers thereof
[NASA-CASE-ARC-11370-1] c 27 N84-22750
Electronic scanning pressure measuring system and transducer package
[NASA-CASE-ARC-11361-1] c 35 N84-22934
Metal phthalocyanine polymers
[NASA-CASE-ARC-11405-1] c 27 N84-27884
Method for the preparation of thin-skinned asymmetric reverse osmosis membranes and products thereof
[NASA-CASE-ARC-11359-1] c 51 N84-28361
Fire blocking systems for aircraft seat cushions
[NASA-CASE-ARC-11423-1] c 03 N84-33394
Phosphorus-containing imide resins
[NASA-CASE-ARC-11368-2] c 27 N85-21347
Phthalocyanine polymers
[NASA-CASE-ARC-11413-1] c 27 N85-21348
Aircraft rotor blade with passive tuned tab
[NASA-CASE-ARC-11444-1] c 05 N85-29947
LDV multiplexer interface
[NASA-CASE-ARC-11536-1] c 33 N85-30202
Synthesis of 2,4,8,10-tetroxaspiro5,5undecane
[NASA-CASE-ARC-11243-2] c 23 N85-33187
Fire-resistant phosphorus containing polyimides and copolyimides
[NASA-CASE-ARC-11522-2] c 27 N85-34280
Metal (2) 4,4',4',4'' phthalocyanine tetraamines as curing agents for epoxy resins
[NASA-CASE-ARC-11424-1] c 27 N85-34281
Modulated voltage metastable ionization detector
[NASA-CASE-ARC-11503-1] c 35 N85-34374
Maleimido substituted aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-1] c 23 N86-19376
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-1] c 24 N86-19380
Metal phthalocyanine intermediates for the preparation of polymers
[NASA-CASE-ARC-11405-2] c 27 N86-19455
Optical system with reflective baffles
[NASA-CASE-ARC-11502-1] c 74 N86-20125
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide
[NASA-CASE-ARC-11429-1-CU] c 27 N86-20560
Laboratory glassware rack for seismic safety
[NASA-CASE-ARC-11422-1] c 35 N86-20751
Segmented tubular cushion springs and spring assembly
[NASA-CASE-ARC-11349-1] c 37 N86-20797
Perfluoro (Imidoylamidine) diamidines
[NASA-CASE-ARC-11402-3] c 23 N86-21582
High performance mixed bisimide resins and composites based thereon
[NASA-CASE-ARC-11538-1SB] c 24 N86-21590
Laminate comprising fibers embedded in cured amine terminated bis-imide
[NASA-CASE-ARC-11421-3] c 24 N86-25416
Thumb-actuated two-axis controller
[NASA-CASE-ARC-11372-1] c 08 N86-27288
Toughening reinforced epoxy composites with brominated polymeric additives
[NASA-CASE-ARC-11427-2] c 27 N86-27451
Load positioning system with gravity compensation
[NASA-CASE-ARC-11525-1] c 37 N86-27629
Light weight fire resistant graphite composites
[US-PATENT-4,598,007] c 24 N86-28131
Torso sizing ring construction for hard space suit
[NASA-CASE-ARC-11616-1] c 54 N86-28618
Elbow and knee joint for hard space suits
[NASA-CASE-ARC-11610-1] c 54 N86-28619
Shoulder and hip joint for hard space suits
[NASA-CASE-ARC-11543-1] c 54 N86-28620
Shoulder and hip joints for hard space suits and the like
[NASA-CASE-ARC-11534-1] c 54 N86-29507
Amine terminated bisaspartimide polymer
[NASA-CASE-ARC-11421-2] c 27 N86-31726
Simulator scene display evaluation device
[NASA-CASE-ARC-11504-1] c 09 N86-32447
Polymer of phosphonylmethyl-2,4- and -2,6-diamino benzene and polyfunctional monomer
[NASA-CASE-ARC-11506-2] c 23 N86-32525
Fire resistant polyamide based on 1-(diorganooxyphosphonyl)methyl-2,4- and -2,6diamino benzene
[NASA-CASE-ARC-11512-2] c 27 N86-32568
Spinning disk calibration method and apparatus for laser Doppler velocimeter
[NASA-CASE-ARC-11510-1] c 35 N86-32697
Process for curing bismaleimide resins
[NASA-CASE-ARC-11429-4CU] c 27 N87-15304
Vinyl stilbazoles
[NASA-CASE-ARC-11429-3CU] c 27 N87-16908
Fire and heat resistant laminating resins based on maleimido substituted aromatic cyclotriphosphazene polymer
[NASA-CASE-ARC-11428-2] c 27 N87-16909
Elevated waterproof access floor system and method of making the same
[NASA-CASE-ARC-11363-1] c 31 N87-16918
Projection lens scanning laser velocimeter system
[NASA-CASE-ARC-11547-1] c 36 N87-17026
Process for preparing phthalocyanine polymer from imide containing bisphthalonitrile
[NASA-CASE-ARC-11511-2] c 27 N87-21112
Liquid seeding atomizer
[NASA-CASE-ARC-11631-1] c 34 N87-21255
Structural panels
[NASA-CASE-ARC-11429-2-CU] c 27 N87-22845
Swashplate control system
[NASA-CASE-ARC-11633-1] c 08 N87-23631
Preparation of B-trichloroborazine
[NASA-CASE-ARC-11643-1-SB] c 23 N87-23698
Ceramic honeycomb structures and the method thereof
[NASA-CASE-ARC-11652-1] c 27 N87-23737
Fire and heat resistant laminating resins based on malemeido and citraconimido substituted 1 -2,4- and -2,6-diaminobenzenes
[NASA-CASE-ARC-11533-1] c 27 N87-23751
Fire and heat resistant laminating resins based on maleimido and citraconimido substituted 1-(diorgano oxyphosphonyl) methyl -2,4- and -2,6- diaminobenzenes
[NASA-CASE-ARC-11533-3] c 27 N87-24564
Weightlessness simulation system and process
[NASA-CASE-ARC-11646-1] c 14 N87-25344
Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates, adhesives and structures thereof
[NASA-CASE-ARC-11548-1] c 27 N87-25469
Self-compensating solenoid valve
[NASA-CASE-ARC-11620-1] c 37 N87-25573
Liquid encapsulated crystal growth
[NASA-CASE-NPO-16808-1-CU] c 76 N87-25868
Method and apparatus for making an optical element having a dielectric film
[NASA-CASE-ARC-11611-1] c 74 N87-28416
The 1-((diorganooxy phosphonyl) methyl)-2,4- and -2,6-diamino benzenes and their derivatives
[NASA-CASE-ARC-11425-2] c 23 N87-28605
Electro-expulsive separation system
[NASA-CASE-ARC-11613-1] c 33 N87-28833
Dual mode laser velocimeter
[NASA-CASE-ARC-11634-1] c 36 N88-14350
Airborne tracking sunphotometer apparatus and system
[NASA-CASE-ARC-11622-1] c 44 N88-14492
Ceramic-ceramic shell tile thermal protection system and method thereof
[NASA-CASE-ARC-11641-1] c 24 N88-18628
Aromatic cyclotriphosphazenes
[NASA-CASE-ARC-11428-3] c 23 N88-24692
High performance forward swept wing aircraft
[NASA-CASE-ARC-11636-1] c 05 N88-28914
Boron-containing organosilane polymers and ceramic materials thereof
[NASA-CASE-ARC-11649-1-SB] c 27 N88-29040

National Aeronautics and Space Administration. Electronics Research Center, Cambridge, Mass.

Method and apparatus for wavelength tuning of liquid lasers
[NASA-CASE-ERC-10187] c 16 N69-31343
A method for the deposition of beta-silicon carbide by isoepitaxy
[NASA-CASE-ERC-10120] c 26 N69-33482

Full flow with shut off and selective drainage control valve Patent application
[NASA-CASE-ERC-10208] c 15 N70-10867
A method for selective gold diffusion of monolithic silicon devices and/or circuits Patent application
[NASA-CASE-ERC-10072] c 09 N70-11148
Method and means for an improved electron beam scanning system Patent
[NASA-CASE-ERC-10552] c 09 N71-12539
Apparatus and method for separating a semiconductor wafer Patent
[NASA-CASE-ERC-10138] c 26 N71-14354
Focused image holography with extended sources Patent
[NASA-CASE-ERC-10019] c 16 N71-15551
Recording and reconstructing focused image holograms Patent
[NASA-CASE-ERC-10017] c 16 N71-15567
Sorption vacuum trap Patent
[NASA-CASE-XER-09519] c 14 N71-18483
Voltage tunable Gunn-type microwave generator Patent
[NASA-CASE-XER-07894] c 09 N71-18721
Array phasing device Patent
[NASA-CASE-ERC-10046] c 10 N71-18722
Parametric microwave noise generator Patent
[NASA-CASE-XER-11019] c 09 N71-23598
Saturation current protection apparatus for saturable core transformers Patent
[NASA-CASE-ERC-10075] c 09 N71-24800
Repetitively pulsed, wavelength selective laser Patent
[NASA-CASE-ERC-10178] c 16 N71-24832
Optical mirror apparatus Patent
[NASA-CASE-ERC-10001] c 23 N71-24868
Unsaturating saturable core transformer Patent
[NASA-CASE-ERC-10125] c 09 N71-24893
Leak detector wherein a probe is monitored with ultraviolet radiation Patent
[NASA-CASE-ERC-10034] c 15 N71-24896
Method for detecting leaks in hermetically sealed containers Patent
[NASA-CASE-ERC-10045] c 15 N71-24910
Satellite aided vehicle avoidance system Patent
[NASA-CASE-ERC-10090] c 21 N71-24948
Transverse piezoresistance and pinch effect electromechanical transducers Patent
[NASA-CASE-ERC-10088] c 26 N71-25490
A solid state acoustic variable time delay line Patent
[NASA-CASE-ERC-10032] c 10 N71-25900
Method and means for recording and reconstructing holograms without use of a reference beam Patent
[NASA-CASE-ERC-10020] c 16 N71-26154
Electromechanical control actuator system Patent
[NASA-CASE-ERC-10022] c 15 N71-26635
Method and apparatus for detecting gross leaks Patent
[NASA-CASE-ERC-10033] c 14 N71-26672
Field ionization electrodes Patent
[NASA-CASE-ERC-10013] c 09 N71-26678
Voltage regulator Patent
[NASA-CASE-ERC-10113] c 09 N71-27053
A multichannel photoionization chamber for absorption analysis Patent
[NASA-CASE-ERC-10044-1] c 14 N71-27090
Pressure sensitive transducers Patent
[NASA-CASE-ERC-10087] c 14 N71-27334
Constant frequency output two stage induction machine systems Patent
[NASA-CASE-ERC-10065] c 09 N71-27364
Fluid power transmitting gas bearing Patent
[NASA-CASE-ERC-10097] c 15 N71-28465
Color television systems using a single gun color cathode ray tube Patent
[NASA-CASE-ERC-10098] c 09 N71-28618
Ion microprobe mass spectrometer for analyzing fluid materials Patent
[NASA-CASE-ERC-10014] c 14 N71-28863
Orifice gross leak tester Patent
[NASA-CASE-ERC-10150] c 14 N71-28992
Device for measuring light scattering wherein the measuring beam is successively reflected between a pair of parallel reflectors Patent
[NASA-CASE-XER-11203] c 14 N71-28994
Quasi-optical microwave component Patent
[NASA-CASE-ERC-10011] c 07 N71-29065
Multiple hologram recording and readout system Patent
[NASA-CASE-ERC-10151] c 16 N71-29131
Plasma fluidic hybrid display Patent
[NASA-CASE-ERC-10100] c 09 N71-33519
Optical systems having spatially invariant outputs
[NASA-CASE-ERC-10248] c 14 N72-17323
Method of detecting impending saturation of magnetic cores
[NASA-CASE-ERC-10089] c 23 N72-17747
Logarithmic function generator utilizing an exponentially varying signal in an inverse manner
[NASA-CASE-ERC-10267] c 09 N72-23173
Method and apparatus for limiting field emission current
[NASA-CASE-ERC-10015-2] c 10 N72-27246

National Aeronautics and Space Administration. Flight Research Center, Edwards, Calif.

Rocket chamber leak test fixture
[NASA-CASE-XFR-09479] c 14 N69-27503
Three axis controller Patent
[NASA-CASE-XFR-00181] c 21 N70-33279
Catalyst bed removing tool Patent
[NASA-CASE-XFR-00811] c 15 N70-36901
Two-axis controller Patent
[NASA-CASE-XFR-04104] c 03 N70-42073
Controlled visibility device for an aircraft Patent
[NASA-CASE-XFR-04147] c 11 N71-10748
Biomedical electrode arrangement Patent
[NASA-CASE-XFR-10856] c 05 N71-11189
Lifting body Patent Application
[NASA-CASE-FRC-10063] c 01 N71-12217
Energy management system for glider type vehicle Patent
[NASA-CASE-XFR-00756] c 02 N71-13421
Quick attach mechanism Patent
[NASA-CASE-XFR-05421] c 15 N71-22994
Heat flux measuring system Patent
[NASA-CASE-XFR-03802] c 33 N71-23085
Threadless fastener apparatus Patent
[NASA-CASE-XFR-05302] c 15 N71-23254
Traversing probe Patent
[NASA-CASE-XFR-02007] c 12 N71-24692
Layout tool Patent
[NASA-CASE-FRC-10005] c 15 N71-26145
Pulsed excitation voltage circuit for transducers
[NASA-CASE-FRC-10036] c 09 N72-22200
Acoustical transducer calibrating system and apparatus
[NASA-CASE-FRC-10060-1] c 14 N73-27379
Three-axis adjustable loading structure
[NASA-CASE-FRC-10051-1] c 35 N74-13129
Terminal guidance system
[NASA-CASE-FRC-10049-1] c 04 N74-13420
Full wave modulator-demodulator amplifier apparatus
[NASA-CASE-FRC-10072-1] c 33 N74-14939
Rotating raster generator
[NASA-CASE-FRC-10071-1] c 32 N74-20813
Inflatable device for installing strain gage bridges
[NASA-CASE-FRC-11068-1] c 35 N84-12443

National Aeronautics and Space Administration. Goddard Inst. for Space Studies, New York, N.Y.

Application of luciferase assay for ATP to antimicrobial drug susceptibility
[NASA-CASE-GSC-12039-1] c 51 N77-22794
Method for fabricating a mass spectrometer inlet leak
[NASA-CASE-GSC-12077-1] c 35 N77-24455
Length controlled stabilized mode-lock ND:YAG laser
[NASA-CASE-GSC-11571-1] c 36 N77-25499
Three phase full wave dc motor decoder
[NASA-CASE-GSC-11824-1] c 33 N77-26386
Gregorian all-reflective optical system
[NASA-CASE-GSC-12058-1] c 74 N77-26942
Opto-mechanical subsystem with temperature compensation through isothemal design
[NASA-CASE-GSC-12059-1] c 35 N77-27366
Controlled caging and uncaging mechanism
[NASA-CASE-GSC-11063-1] c 37 N77-27400
Wideband heterodyne receiver for laser communication system
[NASA-CASE-GSC-12053-1] c 32 N77-28346
Method and apparatus for producing an image from a transparent object
[NASA-CASE-GSC-11989-1] c 74 N77-28932
Pseudo noise code and data transmission method and apparatus
[NASA-CASE-GSC-12017-1] c 32 N77-30308
Speech analyzer
[NASA-CASE-GSC-11898-1] c 32 N77-30309
Automatic transponder
[NASA-CASE-GSC-12075-1] c 32 N77-31350
Method of treating the surface of a glass member
[NASA-CASE-GSC-12110-1] c 27 N77-32308
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c 34 N77-32413
Fluid sampling device
[NASA-CASE-GSC-12143-1] c 35 N77-32456
Analog to digital converter for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-3] c 60 N77-32731
Remote sensing of vegetation and soil using microwave ellipsometry
[NASA-CASE-GSC-11976-1] c 43 N78-10529
Memory device for two-dimensional radiant energy array computers
[NASA-CASE-GSC-11839-2] c 60 N78-10709

National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, Md.

Regulated dc to dc converter
[NASA-CASE-XGS-03429] c 03 N69-21330
Apparatus for measuring swelling characteristics of membranes
[NASA-CASE-XGS-03865] c 14 N69-21363
Tumbler system to provide random motion
[NASA-CASE-XGS-02437] c 15 N69-21472
Automatic acquisition system for phase-lock loop
[NASA-CASE-XGS-04994] c 09 N69-21543
Low power drain semi-conductor circuit
[NASA-CASE-XGS-04999] c 09 N69-24317
Spacecraft battery seals
[NASA-CASE-XGS-03864] c 15 N69-24320
Scanning aspect sensor employing an apertured disc and a commutator
[NASA-CASE-XGS-08266] c 14 N69-27432
Monopulse system with an electronic scanner
[NASA-CASE-XGS-05582] c 07 N69-27460
Ring counter
[NASA-CASE-XGS-03095] c 09 N69-27463
Retrodirective optical system
[NASA-CASE-XGS-04480] c 16 N69-27491
Time division multiplex system
[NASA-CASE-XGS-05918] c 07 N69-39974
Doppler frequency spread correction device for multiplex transmissions
[NASA-CASE-XGS-02749] c 07 N69-39978
Alkali-metal silicate protective coating
[NASA-CASE-XGS-04119] c 18 N69-39979
Device for measuring electron-beam intensities and for subjecting materials to electron irradiation in an electron microscope
[NASA-CASE-XGS-01725] c 14 N69-39982
Light sensitive digital aspect sensor Patent
[NASA-CASE-XGS-00359] c 14 N70-34158
Method and apparatus for determining satellite orientation utilizing spatial energy sources Patent
[NASA-CASE-XGS-00466] c 21 N70-34297
Binary magnetic memory device Patent
[NASA-CASE-XGS-00174] c 08 N70-34743
Full binary adder Patent
[NASA-CASE-XGS-00689] c 08 N70-34787
Ultra-long monostable multivibrator employing bistable semiconductor switch to allow charging of timing circuit Patent
[NASA-CASE-XGS-00381] c 09 N70-34819
Space and atmospheric reentry vehicle Patent
[NASA-CASE-XGS-00260] c 31 N70-37924
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00458] c 09 N70-38604
Switching mechanism with energy storage means Patent
[NASA-CASE-XGS-00473] c 03 N70-38713
Variable frequency magnetic multivibrator Patent
[NASA-CASE-XGS-00131] c 09 N70-38995
Stretch de-spin mechanism Patent
[NASA-CASE-XGS-00619] c 30 N70-40016
Folding boom assembly Patent
[NASA-CASE-XGS-00938] c 32 N70-41367
Cryogenic connector for vacuum use Patent
[NASA-CASE-XGS-02441] c 15 N70-41629
Endless tape cartridge Patent
[NASA-CASE-XGS-00769] c 14 N70-41647
Apparatus for producing three-dimensional recordings of flourescence spectra Patent
[NASA-CASE-XGS-01231] c 14 N70-41676
Method and apparatus for determining electromagnetic characteristics of large surface area passive reflectors Patent
[NASA-CASE-XGS-02608] c 07 N70-41678
Prevention of pressure build-up in electrochemical cells Patent
[NASA-CASE-XGS-01419] c 03 N70-41864
Variable time constant smoothing circuit Patent
[NASA-CASE-XGS-01983] c 10 N70-41964
Endless tape transport mechanism Patent
[NASA-CASE-XGS-01223] c 07 N71-10609
Reversible ring counter employing cascaded single SCR stages Patent
[NASA-CASE-XGS-01473] c 09 N71-10673
Electronic beam switching commutator Patent
[NASA-CASE-XGS-01451] c 09 N71-10677
Sun tracker with rotatable plane-parallel plate and two photocells Patent
[NASA-CASE-XGS-01159] c 21 N71-10678
Non-magnetic battery case Patent
[NASA-CASE-XGS-00886] c 03 N71-11053
Interconnection of solar cells Patent
[NASA-CASE-XGS-01475] c 03 N71-11058
Frequency shift keyed demodulator Patent
[NASA-CASE-XGS-02889] c 07 N71-11282
Bi-polar phase detector and corrector for split phase PCM data signals Patent
[NASA-CASE-XGS-01590] c 07 N71-12392

Data processor having multiple sections activated at different times by selective power coupling to the sections Patent
[NASA-CASE-XGS-04767] c 08 N71-12494
Position location system and method Patent
[NASA-CASE-GSC-10087-2] c 21 N71-13958
Fire resistant coating composition Patent
[NASA-CASE-GSC-10072] c 18 N71-14014
Passively regulated water electrolysis rocket engine Patent
[NASA-CASE-XGS-08729] c 28 N71-14044
Attitude control system Patent
[NASA-CASE-XGS-04393] c 21 N71-14159
Retrodirective modulator Patent
[NASA-CASE-GSC-10062] c 14 N71-15605
Spacecraft attitude detection system by stellar reference Patent
[NASA-CASE-XGS-03431] c 21 N71-15642
Cartwheel satellite synchronization system Patent
[NASA-CASE-XGS-05579] c 31 N71-15676
Wide range linear fluxgate magnetometer Patent
[NASA-CASE-XGS-01587] c 14 N71-15962
Low friction magnetic recording tape Patent
[NASA-CASE-XGS-00373] c 23 N71-15978
Method for etching copper Patent
[NASA-CASE-XGS-06306] c 17 N71-16044
Bacteriostatic conformal coating and methods of application Patent
[NASA-CASE-GSC-10007] c 18 N71-16046
Serrodyne frequency converter re-entrant amplifier system Patent
[NASA-CASE-XGS-01022] c 07 N71-16088
Position location and data collection system and method Patent
[NASA-CASE-GSC-10083-1] c 30 N71-16090
Position sensing device employing misaligned magnetic field generating and detecting apparatus Patent
[NASA-CASE-XGS-07514] c 23 N71-16099
Optical tracker having overlapping reticles on parallel axes Patent
[NASA-CASE-XGS-05715] c 23 N71-16100
Self-erecting reflector Patent
[NASA-CASE-XGS-09190] c 31 N71-16102
Dust particle injector for hypervelocity accelerators Patent
[NASA-CASE-XGS-06628] c 24 N71-16213
Ellipsoidal mirror reflectometer including means for averaging the radiation reflected from the sample Patent
[NASA-CASE-XGS-05291] c 23 N71-16341
Angular position and velocity sensing apparatus Patent
[NASA-CASE-XGS-05680] c 14 N71-17585
Apparatus for controlling the velocity of an electromechanical drive for interferometers and the like Patent
[NASA-CASE-XGS-03532] c 14 N71-17627
Omni-directional anisotropic molecular trap Patent
[NASA-CASE-XGS-00783] c 30 N71-17788
Method of making tubes Patent
[NASA-CASE-XGS-04175] c 15 N71-18579
Pulse-type magnetic core memory element circuit with blocking oscillator feedback Patent
[NASA-CASE-XGS-03303] c 08 N71-18595
Ripple add and ripple subtract binary counters Patent
[NASA-CASE-XGS-04766] c 08 N71-18602
Computing apparatus Patent
[NASA-CASE-XGS-04765] c 08 N71-18693
Stepping motor control circuit Patent
[NASA-CASE-GSC-10366-1] c 10 N71-18772
Traffic control system and method Patent
[NASA-CASE-GSC-10087-1] c 02 N71-19287
Apparatus for measuring current flow Patent
[NASA-CASE-XGS-02439] c 14 N71-19431
Synchronous counter Patent
[NASA-CASE-XGS-02440] c 08 N71-19432
Wide range data compression system Patent
[NASA-CASE-XGS-02612] c 08 N71-19435
Apparatus for computing square roots Patent
[NASA-CASE-XGS-04768] c 08 N71-19437
Method and apparatus for battery charge control Patent
[NASA-CASE-XGS-05432] c 03 N71-19438
Stable amplifier having a stable quiescent point Patent
[NASA-CASE-XGS-02812] c 09 N71-19466
Tracking antenna system Patent
[NASA-CASE-GSC-10553-1] c 07 N71-19854
Electrochemical coulometer and method of forming same Patent
[NASA-CASE-XGS-05434] c 03 N71-20491
Display for binary characters Patent
[NASA-CASE-XGS-04987] c 08 N71-20571
Amplifier clamping circuit for horizon scanner Patent
[NASA-CASE-XGS-01784] c 10 N71-20782
Diversity receiving system with diversity phase lock Patent
[NASA-CASE-XGS-01222] c 10 N71-20841
Signal detection and tracking apparatus Patent
[NASA-CASE-XGS-03502] c 10 N71-20852
Polarization diversity monopulse tracking receiver Patent
[NASA-CASE-XGS-03501] c 09 N71-20864
System for recording and reproducing pulse code modulated data Patent
[NASA-CASE-XGS-01021] c 08 N71-21042
Satellite appendage tie down cord Patent
[NASA-CASE-XGS-02554] c 31 N71-21064
Reaction wheel scanner Patent
[NASA-CASE-XGS-02629] c 14 N71-21082
Nonmagnetic, explosive actuated indexing device Patent
[NASA-CASE-XGS-02422] c 15 N71-21529
Bidirectional step torque filter with zero backlash characteristic Patent
[NASA-CASE-XGS-04227] c 15 N71-21744
Conforming polisher for aspheric surface of revolution Patent
[NASA-CASE-XGS-02884] c 15 N71-22705
Precision thrust gage Patent
[NASA-CASE-XGS-02319] c 14 N71-22965
Sealing device for an electrochemical cell Patent
[NASA-CASE-XGS-02630] c 03 N71-22974
Rotary bead dropper and selector for testing micrometeorite detectors Patent
[NASA-CASE-XGS-03304] c 09 N71-22988
Moment of inertia test fixture Patent
[NASA-CASE-XGS-01023] c 14 N71-22992
Fluid flow meter with comparator reference means Patent
[NASA-CASE-XGS-01331] c 14 N71-22996
Foamed in place ceramic refractory insulating material Patent
[NASA-CASE-XGS-02435] c 18 N71-22998
Digital telemetry system Patent
[NASA-CASE-XGS-01812] c 07 N71-23001
Bonded elastomeric seal for electrochemical cells Patent
[NASA-CASE-XGS-02631] c 03 N71-23006
Apparatus providing a directive field pattern and attitude sensing of a spin stabilized satellite Patent
[NASA-CASE-XGS-02607] c 31 N71-23009
Complementary regenerative switch Patent
[NASA-CASE-XGS-02751] c 09 N71-23015
Solid state pulse generator with constant output width, for variable input width, in nanosecond range Patent
[NASA-CASE-XGS-03427] c 10 N71-23029
Sidereal frequency generator Patent
[NASA-CASE-XGS-02610] c 14 N71-23174
Solar cell and circuit array and process for nullifying magnetic fields Patent
[NASA-CASE-XGS-03390] c 03 N71-23187
Passive synchronized spike generator with high input impedance and low output impedance and capacitor power supply Patent
[NASA-CASE-XGS-03632] c 09 N71-23311
Sealed electrochemical cell provided with a flexible casing Patent
[NASA-CASE-XGS-01513] c 03 N71-23336
Digitally controlled frequency synthesizer Patent
[NASA-CASE-XGS-02317] c 09 N71-23525
Radio frequency coaxial high pass filter Patent
[NASA-CASE-XGS-01418] c 09 N71-23573
Apparatus for phase stability determination Patent
[NASA-CASE-XGS-01118] c 10 N71-23662
Tape recorder Patent
[NASA-CASE-XGS-08259] c 14 N71-23698
Balance torquemeter Patent
[NASA-CASE-XGS-01013] c 14 N71-23725
Mechanical actuator Patent
[NASA-CASE-XGS-04548] c 15 N71-24045
Selective plating of etched circuits without removing previous plating Patent
[NASA-CASE-XGS-03120] c 15 N71-24047
Alkali metal silicate protective coating Patent
[NASA-CASE-XGS-04799] c 18 N71-24183
Strain gauge measuring techniques Patent
[NASA-CASE-XGS-04478] c 14 N71-24233
Electromagnetic polarization systems and methods Patent
[NASA-CASE-GSC-10021-1] c 09 N71-24595
Redundant actuating mechanism Patent
[NASA-CASE-XGS-08718] c 15 N71-24600
Satellite communication system and method Patent
[NASA-CASE-GSC-10118-1] c 07 N71-24621
Programmable telemetry system Patent
[NASA-CASE-GSC-10131-1] c 07 N71-24624
Coulometer and third electrode battery charging circuit Patent
[NASA-CASE-GSC-10487-1] c 03 N71-24719
Electronic scanning of 2-channel monopulse patterns Patent
[NASA-CASE-GSC-10299-1] c 09 N71-24804
Annular slit colloid thrustor Patent
[NASA-CASE-GSC-10709-1] c 28 N71-25213
Voltage to frequency converter Patent
[NASA-CASE-GSC-10022-1] c 10 N71-25882
Direct current motor with stationary armature and field Patent
[NASA-CASE-XGS-05290] c 09 N71-25999
Buck boost voltage regulation circuit Patent
[NASA-CASE-GSC-10735-1] c 10 N71-26085
Adaptive system and method for signal generation Patent
[NASA-CASE-GSC-11367] c 10 N71-26374
Control apparatus for applying pulses of selectively predetermined duration to a sequence of loads Patent
[NASA-CASE-XGS-04224] c 10 N71-26418
Turn on transient limiter Patent
[NASA-CASE-GSC-10413] c 10 N71-26531
Voltage regulator with plural parallel power source sections Patent
[NASA-CASE-GSC-10891-1] c 10 N71-26626
Method for generating ultra-precise angles Patent
[NASA-CASE-XGS-04173] c 19 N71-26674
Resettable monostable pulse generator Patent
[NASA-CASE-GSC-11139] c 09 N71-27016
Micro-pound extended range thrust stand Patent
[NASA-CASE-GSC-10710-1] c 28 N71-27094
Synchronous dc direct drive system Patent
[NASA-CASE-GSC-10065-1] c 10 N71-27136
Antenna array at focal plane of reflector with coupling network for beam switching Patent
[NASA-CASE-GSC-10220-1] c 07 N71-27233
Gravity gradient attitude control system Patent
[NASA-CASE-GSC-10555-1] c 21 N71-27324
Segmented superconducting magnet for a broadband traveling wave maser Patent
[NASA-CASE-XGS-10518] c 16 N71-28554
Millimeter wave antenna system Patent Application
[NASA-CASE-GSC-10949-1] c 07 N71-28965
Sampled data controller Patent
[NASA-CASE-GSC-10554-1] c 08 N71-29033
Variable digital processor including a register for shifting and rotating bits in either direction Patent
[NASA-CASE-GSC-10186] c 08 N71-33110
Combustion products generating and metering device
[NASA-CASE-GSC-11095-1] c 14 N72-10375
Analog spatial maneuver computer
[NASA-CASE-GSC-10880-1] c 08 N72-11172
Helical recorder arrangement for multiple channel recording on both sides of the tape
[NASA-CASE-GSC-10614-1] c 09 N72-11224
Method and apparatus for eliminating coherent noise in a coherent energy imaging system without destroying spatial coherence
[NASA-CASE-GSC-11133-1] c 23 N72-11568
Position location system and method
[NASA-CASE-GSC-10087-3] c 07 N72-12080
Facsimile video remodulation network
[NASA-CASE-GSC-10185-1] c 07 N72-12081
Frangible electrochemical cell
[NASA-CASE-XGS-10010] c 03 N72-15986
Caterpillar micro positioner
[NASA-CASE-GSC-10780-1] c 14 N72-16283
Minimech self-deploying boom mechanism
[NASA-CASE-GSC-10566-1] c 15 N72-18477
Heated porous plug microthrustor
[NASA-CASE-GSC-10640-1] c 28 N72-18766
Optimum performance spacecraft solar cell system
[NASA-CASE-GSC-10669-1] c 03 N72-20031
Monostable multivibrator
[NASA-CASE-GSC-10082-1] c 10 N72-20221
Roll alignment detector
[NASA-CASE-GSC-10514-1] c 14 N72-20379
Cosmic dust sensor
[NASA-CASE-GSC-10503-1] c 14 N72-20381
Solenoid valve including guide for armature and valve member
[NASA-CASE-GSC-10607-1] c 15 N72-20442
Fast response low power drain logic circuits
[NASA-CASE-GSC-10878-1] c 10 N72-22236
Trap for preventing diffusion pump backstreaming
[NASA-CASE-GSC-10518-1] c 15 N72-22489
Resistance soldering apparatus
[NASA-CASE-GSC-10913] c 15 N72-22491
Optical system support apparatus
[NASA-CASE-XER-07896-2] c 23 N72-22673
SCR lamp driver
[NASA-CASE-GSC-10221-1] c 09 N72-23171
Potassium silicate zinc coatings
[NASA-CASE-GSC-10361-1] c 18 N72-23581
Synchronous orbit battery cycler
[NASA-CASE-GSC-11211-1] c 03 N72-25020
Flavin coenzyme assay
[NASA-CASE-GSC-10565-1] c 06 N72-25149

Location identification system
[NASA-CASE-ERC-10324] c 07 N72-25173
A dc to ac to dc converter having transistor synchronous rectifiers
[NASA-CASE-GSC-11126-1] c 09 N72-25253
Tungsten contacts on silicon substrates
[NASA-CASE-GSC-10695-1] c 09 N72-25259
Bacterial contamination monitor
[NASA-CASE-GSC-10879-1] c 14 N72-25413
Honeycomb panels formed of minimal surface periodic tubule layers
[NASA-CASE-ERC-10364] c 18 N72-25540
Honeycomb core structures of minimal surface tubule sections
[NASA-CASE-ERC-10363] c 18 N72-25541
Gunn-type solid state devices
[NASA-CASE-XER-07895] c 26 N72-25679
Use of unilluminated solar cells as shunt diodes for a solar array
[NASA-CASE-GSC-10344-1] c 03 N72-27053
Active tuned circuit
[NASA-CASE-GSC-11340-1] c 10 N72-33230
Electric motive machine including magnetic bearing
[NASA-CASE-XGS-07805] c 15 N72-33476
Cosmic dust or other similar outer space particles impact location detector
[NASA-CASE-GSC-11291-1] c 25 N72-33696
Method and apparatus for determining the contents of contained gas samples
[NASA-CASE-GSC-10903-1] c 14 N73-12444
System for stabilizing torque between a balloon and gondola
[NASA-CASE-GSC-11077-1] c 02 N73-13008
Diffuse reflective coating
[NASA-CASE-GSC-11214-1] c 06 N73-13128
Data processor with conditionally supplied clock signals
[NASA-CASE-GSC-10975-1] c 08 N73-13187
Apparatus for vibrational testing of articles
[NASA-CASE-GSC-11302-1] c 14 N73-13416
Method and system for ejecting fairing sections from a rocket vehicle
[NASA-CASE-GSC-10590-1] c 31 N73-14853
Plural beam antenna
[NASA-CASE-GSC-11013-1] c 09 N73-19234
Star tracking reticles and process for the production thereof
[NASA-CASE-GSC-11188-2] c 21 N73-19630
Delayed simultaneous release mechanism
[NASA-CASE-GSC-10814-1] c 03 N73-20039
Doppler compensation by shifting transmitted object frequency within limits
[NASA-CASE-GSC-10087-4] c 07 N73-20174
Signal-to-noise ratio determination circuit
[NASA-CASE-GSC-11239-1] c 10 N73-25241
Nutation damper
[NASA-CASE-GSC-11205-1] c 15 N73-25513
Low outgassing polydimethylsiloxane material and preparation thereof
[NASA-CASE-GSC-11358-1] c 06 N73-26100
Method of detecting and counting bacteria in body fluids
[NASA-CASE-GSC-11092-2] c 04 N73-27052
Protein sterilization method of firefly luciferase using reduced pressure and molecular sieves
[NASA-CASE-GSC-10225-1] c 06 N73-27086
Process for making RF shielded cable connector assemblies and the products formed thereby
[NASA-CASE-GSC-11215-1] c 09 N73-28083
Device for determining relative angular position between a spacecraft and a radiation emitting celestial body
[NASA-CASE-GSC-11444-1] c 14 N73-28490
Fastener stretcher
[NASA-CASE-GSC-11149-1] c 15 N73-30457
Spacecraft attitude sensor
[NASA-CASE-GSC-10890-1] c 21 N73-30640
Automatic instrument for chemical processing to detect microorganism in biological samples by measuring light reactions
[NASA-CASE-GSC-11169-2] c 05 N73-32011
Star tracking reticles
[NASA-CASE-GSC-11188-1] c 14 N73-32320
Peen plating
[NASA-CASE-GSC-11163-1] c 15 N73-32360
Recorder/processor apparatus
[NASA-CASE-GSC-11553-1] c 35 N74-15831
Method of making porous conductive supports for electrodes
[NASA-CASE-GSC-11367-1] c 44 N74-19692
Formation of star tracking reticles
[NASA-CASE-GSC-11188-3] c 74 N74-20008
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-1] c 76 N74-20329
Amplitude steered array
[NASA-CASE-GSC-11446-1] c 33 N74-20860
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c 33 N74-20861
Ultra-stable oscillator with complementary transistors
[NASA-CASE-GSC-11513-1] c 33 N74-20862
High efficiency multifrequency feed
[NASA-CASE-GSC-11909] c 32 N74-20863
Turnstile slot antenna
[NASA-CASE-GSC-11428-1] c 32 N74-20864
Method and apparatus for checking fire detectors
[NASA-CASE-GSC-11600-1] c 35 N74-21019
Long range laser traversing system
[NASA-CASE-GSC-11262-1] c 36 N74-21091
Method and apparatus for optically monitoring the angular position of a rotating mirror
[NASA-CASE-GSC-11353-1] c 74 N74-21304
Image tube
[NASA-CASE-GSC-11602-1] c 33 N74-21850
Apparatus for controlling the temperature of balloon-borne equipment
[NASA-CASE-GSC-11620-1] c 34 N74-23039
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c 35 N74-26949
Arterial pulse wave pressure transducer
[NASA-CASE-GSC-11531-1] c 52 N74-27566
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c 34 N74-27859
Air conditioning system and component therefore distributing air flow from opposite directions
[NASA-CASE-GSC-11445-1] c 31 N74-27902
Passive dual spin misalignment compensators
[NASA-CASE-GSC-11479-1] c 35 N74-28097
Star scanner
[NASA-CASE-GSC-11569-1] c 89 N74-30886
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c 33 N74-32660
Structural heat pipe
[NASA-CASE-GSC-11619-1] c 34 N75-12222
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c 15 N75-13007
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-1] c 37 N75-15992
Magnetic bearing
[NASA-CASE-GSC-11079-1] c 37 N75-18574
Dish antenna having switchable beamwidth
[NASA-CASE-GSC-11760-1] c 33 N75-19516
X-Y alphanumeric character generator for oscilloscopes
[NASA-CASE-GSC-11582-1] c 33 N75-19517
Controllable high voltage source having fast settling time
[NASA-CASE-GSC-11844-1] c 33 N75-19522
Dually mode locked Nd:YAG laser
[NASA-CASE-GSC-11746-1] c 36 N75-19654
Self-regulating proportionally controlled heating apparatus and technique
[NASA-CASE-GSC-11752-1] c 77 N75-20140
Low speed phaselock speed control system
[NASA-CASE-GSC-11127-1] c 09 N75-24758
Modulator for tone and binary signals
[NASA-CASE-GSC-11743-1] c 32 N75-24981
Digital phase-locked loop
[NASA-CASE-GSC-11623-1] c 33 N75-25040
Radiation hardening of MOS devices by boron
[NASA-CASE-GSC-11425-2] c 76 N75-25730
Correlation type phase detector
[NASA-CASE-GSC-11744-1] c 33 N75-26243
Process for making sheets with parallel pores of uniform size
[NASA-CASE-GSC-10984-1] c 37 N75-26371
Impact position detector for outer space particles
[NASA-CASE-GSC-11829-1] c 35 N75-27331
Single frequency, two feed dish antenna having switchable beamwidth
[NASA-CASE-GSC-11968-1] c 32 N76-15329
Micrometeoroid velocity and trajectory analyzer
[NASA-CASE-GSC-11892-1] c 35 N76-15433
Atomic standard with variable storage volume
[NASA-CASE-GSC-11895-1] c 35 N76-15436
High voltage distributor
[NASA-CASE-GSC-11849-1] c 33 N76-16332
Moving particle composition analyzer
[NASA-CASE-GSC-11889-1] c 35 N76-16393
Variable beamwidth antenna
[NASA-CASE-GSC-11862-1] c 32 N76-18295
Automatic character skew and spacing checking network
[NASA-CASE-GSC-11925-1] c 33 N76-18353
Axially and radially controllable magnetic bearing
[NASA-CASE-GSC-11551-1] c 37 N76-18459
Apparatus for simulating optical transmission links
[NASA-CASE-GSC-11877-1] c 74 N76-18913
Telemetry synchronizer
[NASA-CASE-GSC-11868-1] c 17 N76-22245
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-1] c 54 N76-22914
Ultraviolet light reflective coating
[NASA-CASE-GSC-11786-1] c 24 N76-24363
Switchable beamwidth monopulse method and system
[NASA-CASE-GSC-11924-1] c 33 N76-27472
Fabrication of polycrystalline solar cells on low-cost substrates
[NASA-CASE-GSC-12022-1] c 44 N76-28635
Method of detecting and counting bacteria
[NASA-CASE-GSC-11917-2] c 51 N76-29891
Polarization compensator for optical communications
[NASA-CASE-GSC-11782-1] c 74 N76-30053
Static coefficient test method and apparatus
[NASA-CASE-GSC-11893-1] c 35 N76-31489
Digital plus analog output encoder
[NASA-CASE-GSC-12115-1] c 62 N76-31946
Method and apparatus for neutralizing potentials induced on spacecraft surfaces
[NASA-CASE-GSC-11963-1] c 33 N77-10429
Inrush current limiter
[NASA-CASE-GSC-11789-1] c 33 N77-14333
Linear phase demodulator including a phase locked loop with auxiliary feedback loop
[NASA-CASE-GSC-12018-1] c 33 N77-14334
Reel safety brake
[NASA-CASE-GSC-11960-1] c 37 N77-14479
Two-dimensional radiant energy array computers and computing devices
[NASA-CASE-GSC-11839-1] c 60 N77-14751
Magnetic bearing system
[NASA-CASE-GSC-11978-1] c 37 N77-17464
Method and apparatus for measuring web material wound on a reel
[NASA-CASE-GSC-11902-1] c 38 N77-17495
Cyclical bi-directional rotary actuator
[NASA-CASE-GSC-11883-1] c 37 N77-19458
The 2 deg/90 deg laboratory scattering photometer
[NASA-CASE-GSC-12088-1] c 74 N78-13874
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c 33 N78-17295
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c 33 N78-17296
Binary to binary coded decimal converter
[NASA-CASE-GSC-12044-1] c 60 N78-17691
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c 74 N78-18905
Energy storage apparatus
[NASA-CASE-GSC-12030-1] c 44 N78-24608
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c 44 N78-24609
Actuator mechanism
[NASA-CASE-GSC-11883-2] c 37 N78-31426
Quadraphase demodulation
[NASA-CASE-GSC-12137-1] c 33 N78-32338
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c 33 N78-32339
Wide power range microwave feedback controller
[NASA-CASE-GSC-12146-1] c 33 N78-32340
Method and apparatus for splitting a beam of energy
[NASA-CASE-GSC-12083-1] c 73 N78-32848
Time domain phase measuring apparatus
[NASA-CASE-GSC-12228-1] c 33 N79-10338
System for and method of freezing biological tissue
[NASA-CASE-GSC-12173-1] c 51 N79-10694
Systems and methods for determining radio frequency interference
[NASA-CASE-GSC-12150-1] c 32 N79-11265
Complementary DMOS-VMOS integrated circuit structure
[NASA-CASE-GSC-12190-1] c 33 N79-12321
Electrically conductive thermal control coatings
[NASA-CASE-GSC-12207-1] c 24 N79-14156
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c 36 N79-14362
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750
Partial polarizer filter
[NASA-CASE-GSC-12225-1] c 74 N79-14891
Thermal compensator for closed-cycle helium refrigerator
[NASA-CASE-GSC-12168-1] c 31 N79-17029
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c 44 N79-19447
System for synchronizing synthesizers of communication systems
[NASA-CASE-GSC-12148-1] c 32 N79-20296
Rotary electric device
[NASA-CASE-GSC-12138-1] c 33 N79-20314
Low intensity X-ray and gamma-ray imaging device
[NASA-CASE-GSC-12263-1] c 74 N79-20857
Bonding of sapphire to sapphire by eutectic mixture of aluminum oxide and zirconium oxide
[NASA-CASE-GSC-11577-3] c 24 N79-25143

Microwave dichroic plate
[NASA-CASE-GSC-12171-1] c 33 N79-28416
Shock isolator for operating a diode laser on a closed-cycle refrigerator
[NASA-CASE-GSC-12297-1] c 37 N79-28549
Toggle mechanism for pinching metal tubes
[NASA-CASE-GSC-12274-1] c 37 N79-28550
Alkali-metal silicate binders and methods of manufacture
[NASA-CASE-GSC-12303-1] c 24 N79-31347
Thermal control canister
[NASA-CASE-GSC-12253-1] c 34 N79-31523
Wedge immersed thermistor bolometers
[NASA-CASE-XGS-01245-1] c 35 N79-33449
Bakeable McLeod gauge
[NASA-CASE-XGS-01293-1] c 35 N79-33450
Fluid pressure balanced seal
[NASA-CASE-XGS-01286-1] c 37 N79-33469
Antenna deployment mechanism for use with a spacecraft
[NASA-CASE-GSC-12331-1] c 18 N80-14183
Laser apparatus
[NASA-CASE-GSC-12237-1] c 36 N80-14384
Coupling device for moving vehicles
[NASA-CASE-GSC-12322-1] c 37 N80-14398
Voltage feed through apparatus having reduced partial discharge
[NASA-CASE-GSC-12347-1] c 33 N80-18286
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c 35 N80-18359
Method and apparatus for slicing crystals
[NASA-CASE-GSC-12291-1] c 76 N80-18951
Diffractoid grating configuration for X-ray and ultraviolet focusing
[NASA-CASE-GSC-12357-1] c 74 N80-21140
Active nutation controller
[NASA-CASE-GSC-12273-1] c 35 N80-21719
Method and apparatus for holding two separate metal pieces together for welding
[NASA-CASE-GSC-12318-1] c 37 N80-23655
Method of forming a sharp edge on an optical device
[NASA-CASE-GSC-12348-1] c 74 N80-24149
Scannable beam forming interferometer antenna array system
[NASA-CASE-GSC-12365-1] c 32 N80-28578
Apparatus for supplying conditioned air at a substantially constant temperature and humidity
[NASA-CASE-GSC-12191-1] c 31 N80-32583
Belt for transmitting power from a cogged driving member to a cogged driven member
[NASA-CASE-GSC-12289-1] c 37 N80-32717
System for a displaying at a remote station data generated at a central station and for powering the remote station from the central station
[NASA-CASE-GSC-12411-1] c 33 N81-14221
Device for coupling a first vehicle to a second vehicle
[NASA-CASE-GSC-12429-1] c 37 N81-14320
Safety shield for vacuum/pressure chamber viewing port
[NASA-CASE-GSC-12513-1] c 31 N81-19343
Buck/boost regulator
[NASA-CASE-GSC-12360-1] c 33 N81-19392
Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-1] c 36 N81-22344
Fluorescent radiation converter
[NASA-CASE-GSC-12528-1] c 74 N81-24900
Portable appliance security apparatus
[NASA-CASE-GSC-12399-1] c 33 N81-25299
Locking mechanism for orthopedic braces
[NASA-CASE-GSC-12082-2] c 52 N81-25661
Method of making V-MOS field effect transistors utilizing a two-step anisotropic etching and ion implantation
[NASA-CASE-GSC-12515-1] c 33 N81-26360
Apparatus and method for determining the position of a radiant energy source
[NASA-CASE-GSC-12147-1] c 32 N81-27341
Interleaving device
[NASA-CASE-GSC-12111-2] c 33 N81-29342
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c 33 N81-33403
Scanner
[NASA-CASE-GSC-12032-2] c 43 N82-13465
Microwave switching power divider
[NASA-CASE-GSC-12420-1] c 33 N82-16340
Laser measuring system for incremental assemblies
[NASA-CASE-GSC-12321-1] c 36 N82-16396
Memory-based frame synchronizer
[NASA-CASE-GSC-12430-1] c 60 N82-16747
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-2] c 20 N82-18314
Cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer
[NASA-CASE-GSC-12081-2] c 52 N82-22875
Automatic thermal switch
[NASA-CASE-GSC-12415-1] c 33 N82-24419
Linear magnetic motor/generator
[NASA-CASE-GSC-12518-1] c 33 N82-24421
Non-contacting power transfer device
[NASA-CASE-GSC-12595-1] c 33 N82-24422
Inorganic spark chamber frame and method of making the same
[NASA-CASE-GSC-12354-1] c 35 N82-24471
Process of treating cellulosic membrane and alkaline with membrane separator
[NASA-CASE-GSC-10019-1] c 44 N82-24641
Separator for alkaline batteries and method of making same
[NASA-CASE-GSC-10350-1] c 44 N82-24642
Separator for alkaline electric cells and method of making
[NASA-CASE-GSC-10017-1] c 44 N82-24643
Separator for alkaline electric batteries and method of making
[NASA-CASE-GSC-10018-1] c 44 N82-24644
Alkaline electrochemical cells and method of making
[NASA-CASE-GSC-10349-1] c 44 N82-24645
Aqueous alkali metal hydroxide insoluble cellulose ether membrane
[NASA-CASE-XGS-05584-1] c 25 N82-29370
Implantable electrical device
[NASA-CASE-GSC-12560-1] c 52 N82-29863
Low intensity X-ray and gamma-ray spectrometer
[NASA-CASE-GSC-12587-1] c 35 N82-32659
Crystal cleaving machine
[NASA-CASE-GSC-12584-1] c 37 N82-32730
Multiprism collimator
[NASA-CASE-GSC-12608-1] c 74 N83-10900
Massively parallel processor computer
[NASA-CASE-GSC-12223-1] c 60 N83-25378
Variable speed drive
[NASA-CASE-GSC-12643-1] c 37 N83-26078
Method for milling and drilling glass
[NASA-CASE-GSC-12636-1] c 31 N83-27058
Rapid, quantitative determination of bacteria in water
[NASA-CASE-GSC-12158-1] c 51 N83-27569
Method of damping nutation motion with minimum spin axis attitude disturbance
[NASA-CASE-GSC-12551-1] c 18 N83-28064
Automatic thermal switch
[NASA-CASE-GSC-12553-1] c 34 N83-28356
Cooling by conversion of para to ortho-hydrogen
[NASA-CASE-GSC-12770-1] c 25 N83-29324
Geodetic distance measuring apparatus
[NASA-CASE-GSC-12609-2] c 36 N83-29681
Linear magnetic bearing
[NASA-CASE-GSC-12517-1] c 37 N83-32067
Interferometric angle monitor
[NASA-CASE-GSC-12614-1] c 74 N83-32577
Method of neutralizing the corrosive surface of amine-cured epoxy resins
[NASA-CASE-GSC-12686-1] c 27 N83-34039
Active lamp pulse driver circuit
[NASA-CASE-GSC-12566-1] c 33 N83-34189
High stability amplifier
[NASA-CASE-GSC-12646-1] c 33 N83-34191
Magnetic bearing and motor
[NASA-CASE-GSC-12726-1] c 37 N83-34323
Heat pipe thermal switch
[NASA-CASE-GSC-12812-1] c 34 N83-35307
Focal axis resolver for offset reflector antennas
[NASA-CASE-GSC-12630-1] c 33 N83-36355
High speed multi focal plane optical system
[NASA-CASE-GSC-12683-1] c 74 N83-36898
Real-time 3-D X-ray and gamma-ray viewer
[NASA-CASE-GSC-12640-1] c 74 N84-11920
Holding fixture for a hot stamping press
[NASA-CASE-GSC-12619-1] c 37 N84-12491
Unidirectional flexural pivot
[NASA-CASE-GSC-12622-1] c 37 N84-12492
Tuned analog network
[NASA-CASE-GSC-12650-1] c 33 N84-14421
Thermal control system
[NASA-CASE-GSC-12771-1] c 34 N84-14461
Laser Resonator
[NASA-CASE-GSC-12565-1] c 36 N84-14509
High stability buffered phase comparator
[NASA-CASE-GSC-12645-1] c 33 N84-16454
Navigation system and method
[NASA-CASE-GSC-12508-1] c 04 N84-22546
Low noise tuned amplifier
[NASA-CASE-GSC-12567-1] c 33 N84-22887
Dual aperture multispectral Schmidt objective
[NASA-CASE-GSC-12756-1] c 74 N84-23248
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c 36 N84-28065
Apparatus for and method of compensating dynamic unbalance
[NASA-CASE-GSC-12550-1] c 37 N84-28082
Workpiece positioning vise
[NASA-CASE-GSC-12762-1] c 37 N84-28083
Memory-based parallel data output controller
[NASA-CASE-GSC-12447-2] c 60 N84-28491
Imaging X-ray spectrometer
[NASA-CASE-GSC-12682-1] c 35 N84-33765
Apparatus for disintegrating kidney stones
[NASA-CASE-GSC-12652-1] c 52 N84-34913
Improved legislated emergency locating transmitters and emergency position indicating radio beacons
[NASA-CASE-GSC-12892-1] c 32 N85-20226
Portable pallet weighing apparatus
[NASA-CASE-GSC-12789-1] c 35 N85-20294
Linear magnetic bearings
[NASA-CASE-GSC-12582-2] c 37 N85-20337
Method and apparatus for mapping the distribution of chemical elements in an extended medium
[NASA-CASE-GSC-12808-1] c 25 N85-21279
Magentically actuated compressor
[NASA-CASE-GSC-12799-1] c 31 N85-21404
Method of and apparatus for measuring temperature and pressure
[NASA-CASE-GSC-12558-1] c 36 N85-21639
Diffusely reflecting paints including polytetrafluoroethylene and method of manufacture
[NASA-CASE-GSC-12883-1] c 27 N85-29044
Reactanceless synthesized impedance bandpass amplifier
[NASA-CASE-GSC-12788-1] c 33 N85-29145
High voltage isolation transformer
[NASA-CASE-GSC-12817-1] c 33 N85-29146
High voltage power supply
[NASA-CASE-GSC-12818-1] c 33 N85-29147
Three-dimensional and tomographic imaging device for X-ray and gamma-ray emitting objects
[NASA-CASE-GSC-12851-1] c 35 N85-30281
JFET reflection oscillator
[NASA-CASE-GSC-12555-1] c 33 N86-19515
Temperature averaging thermal probe
[NASA-CASE-GSC-12795-1] c 35 N86-19580
Cutting head for ultrasonic lithotripsy
[NASA-CASE-GSC-12944-1] c 52 N86-19885
GaAs Schottky barrier photo-responsive device and method of fabrication
[NASA-CASE-GSC-12816-1] c 76 N86-20150
Automatic oscillator frequency control system
[NASA-CASE-GSC-12804-1] c 33 N86-20668
Rotatable electric cable connecting system
[NASA-CASE-GSC-12899-1] c 33 N86-20669
Optical multiple sample vacuum integrating sphere
[NASA-CASE-GSC-12849-1] c 74 N86-26190
Wide-angle flat field telescope
[NASA-CASE-GSC-12825-1] c 74 N86-28732
Multispectral linear array multiband selection device
[NASA-CASE-GSC-12911-1] c 74 N86-29650
Optical distance measuring instrument
[NASA-CASE-GSC-12761-1] c 74 N86-32266
Method of coating a substrate with a rapidly solidified metal
[NASA-CASE-GSC-12880-1] c 26 N86-32550
Temperature sensitive oscillator
[NASA-CASE-GSC-12958-1] c 33 N86-32624
Method of fabricating an imaging X-ray spectrometer
[NASA-CASE-GSC-12956-1] c 35 N87-14671
Radial and torsionally controlled magnetic bearing
[NASA-CASE-GSC-12957-1] c 37 N87-17038
Low phase noise oscillator using two parallel connected amplifiers
[NASA-CASE-GSC-13018-1] c 33 N87-21232
Optical scanner
[NASA-CASE-GSC-12897-1] c 74 N87-21679
Programmable electronic synthesized capacitance
[NASA-CASE-GSC-12961-1] c 33 N87-22895
Reciprocating linear motor
[NASA-CASE-GSC-12773-2] c 33 N87-23904
Integrated photo-responsive metal oxide semiconductor circuit
[NASA-CASE-GSC-12782-1] c 33 N88-14271
Three axis attitude control system
[NASA-CASE-GSC-12970-1] c 08 N88-23808
Cellular thermosetting fluoropolymers and process for making them
[NASA-CASE-GSC-13008-1] c 27 N88-23894
Surface Tension Confined Liquid Cryogen Cooler (STCLCC)
[NASA-CASE-GSC-13112-1] c 31 N88-29050
Polymeric heat pipe wick
[NASA-CASE-GSC-13019-1] c 34 N88-29133

National Aeronautics and Space Administration. Hugh L. Dryden Flight Research Center, Edwards, Calif.

Fifth wheel
[NASA-CASE-FRC-10081-1] c 37 N77-14477
Window comparator
[NASA-CASE-FRC-10090-1] c 33 N78-18308
Wire stripper
[NASA-CASE-FRC-10111-1] c 37 N79-10419
Free wing assembly for an aircraft
[NASA-CASE-FRC-10092-1] c 05 N79-12061

Voltage regulator for battery power source
[NASA-CASE-FRC-10116-1] c 33 N79-23345
Air speed and attitude probe
[NASA-CASE-FRC-11009-1] c 06 N80-18036
Attaching of strain gages to substrates
[NASA-CASE-FRC-10093-1] c 35 N80-20560
Pulse transducer with artifact signal attenuator
[NASA-CASE-FRC-11012-1] c 52 N80-23969
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c 33 N80-26599
System for use in conducting wake investigation for a wing in flight
[NASA-CASE-FRC-11024-1] c 02 N80-28300
Active notch filter network with variable notch depth, width and frequency
[NASA-CASE-FRC-11055-1] c 33 N80-29583
Skin friction measuring device for aircraft
[NASA-CASE-FRC-11029-1] c 06 N81-17057
Method for observing the features characterizing the surface of a land mass
[NASA-CASE-FRC-11013-1] c 43 N81-17499
Thermocouple, multiple junction reference oven
[NASA-CASE-FRC-10112-1] c 35 N81-26431
Electrical servo actuator bracket
[NASA-CASE-FRC-11044-1] c 37 N81-33483
System for providing an integrated display of instantaneous information relative to aircraft attitude, heading, altitude, and horizontal situation
[NASA-CASE-FRC-11005-1] c 06 N82-16075
Multiple pure tone elimination strut assembly
[NASA-CASE-FRC-11062-1] c 71 N82-16800
Apparatus for damping operator induced oscillations of a controlled system
[NASA-CASE-FRC-11041-1] c 33 N82-18493
Power converter
[NASA-CASE-FRC-11014-1] c 33 N82-18494
Sun sensing guidance system for high altitude aircraft
[NASA-CASE-FRC-11052-1] c 04 N82-23231
Superplastically formed diffusion bonded metallic structure
[NASA-CASE-FRC-11026-1] c 24 N82-24296
Smoothing filter for digital to analog conversion
[NASA-CASE-FRC-11025-1] c 33 N82-24417
Computer circuit card puller
[NASA-CASE-FRC-11042-1] c 60 N82-24839
Annular wing
[NASA-CASE-FRC-11007-2] c 05 N82-26277
Low-drag ground vehicle particularly suited for use in safely transporting livestock
[NASA-CASE-FRC-11058-1] c 85 N82-33288
Aircraft canopy lock
[NASA-CASE-FRC-11065-1] c 05 N83-19737
Adapter for mounting a microphone flush with the external surface of the skin of a pressurized aircraft
[NASA-CASE-FRC-11072-1] c 05 N83-27975
Aircraft body-axis rotation measurement system
[NASA-CASE-FRC-11043-1] c 06 N83-33882

National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, Fla.

Device for determining the accuracy of the flare on a flared tube
[NASA-CASE-XKS-03495] c 14 N69-39785
Quick attach and release fluid coupling assembly Patent
[NASA-CASE-XKS-01985] c 15 N71-10782
Parasitic probe antenna Patent
[NASA-CASE-XKS-09348] c 09 N71-13521
Electronic checkout system for space vehicles Patent
[NASA-CASE-XKS-08012-2] c 31 N71-15566
Apparatus for tensile testing Patent
[NASA-CASE-XKS-06250] c 14 N71-15600
Weatherproof helix antenna Patent
[NASA-CASE-XKS-08485] c 07 N71-19493
Valve seat with resilient support member Patent
[NASA-CASE-XKS-02582] c 15 N71-21234
Diode and protection fuse unit Patent
[NASA-CASE-XKS-03381] c 09 N71-22796
Optical monitor panel Patent
[NASA-CASE-XKS-03509] c 14 N71-23175
Separation simulator Patent
[NASA-CASE-XKS-04631] c 10 N71-23663
Controlled release device Patent
[NASA-CASE-XKS-03338] c 15 N71-24043
Phonocardiogram simulator Patent
[NASA-CASE-XKS-10804] c 05 N71-24606
VHF/UHF parasitic probe antenna Patent
[NASA-CASE-XKS-09340] c 07 N71-24614
BCD to decimal decoder Patent
[NASA-CASE-XKS-06167] c 08 N71-24890
Flammability test chamber Patent
[NASA-CASE-KSC-10126] c 11 N71-24985
Video sync processor Patent
[NASA-CASE-KSC-10002] c 10 N71-25865
Weld preparation machine Patent
[NASA-CASE-XKS-07953] c 15 N71-26134
Validation device for spacecraft checkout equipment Patent
[NASA-CASE-XKS-10543] c 07 N71-26292
Internal work light Patent
[NASA-CASE-XKS-05932] c 09 N71-26787
Emergency escape system Patent
[NASA-CASE-XKS-07814] c 15 N71-27067
Voltage dropout sensor Patent
[NASA-CASE-KSC-10020] c 10 N71-27338
Autoignition test cell Patent
[NASA-CASE-KSC-10198] c 11 N71-28629
Protective suit having an audio transceiver Patent
[NASA-CASE-KSC-10164] c 07 N71-33108
Ripple indicator
[NASA-CASE-KSC-10162] c 09 N72-11225
High speed photo-optical time recording
[NASA-CASE-KSC-10294] c 14 N72-18411
High speed direct binary-to-binary coded decimal converter
[NASA-CASE-KSC-10326] c 08 N72-21197
Automatic frequency control loop including synchronous switching circuits
[NASA-CASE-KSC-10393] c 09 N72-21247
Zero gravity shadow shield aligner
[NASA-CASE-KSC-10622-1] c 31 N72-21893
Universal environment package with sectional component housing
[NASA-CASE-KSC-10031] c 15 N72-22486
Buffered analog converter
[NASA-CASE-KSC-10397] c 08 N72-25206
Lamp modulator
[NASA-CASE-KSC-10565] c 09 N72-25250
Cable stabilizer for open shaft cable operated elevators
[NASA-CASE-KSC-10513] c 15 N72-25453
Pressurized lighting system
[NASA-CASE-KSC-10644] c 09 N72-27227
High speed direct binary to binary coded decimal converter and scaler
[NASA-CASE-KSC-10595] c 08 N73-12176
Geysering inhibitor for vertical cryogenic transfer pipe
[NASA-CASE-KSC-10615] c 15 N73-12486
Electronic video editor
[NASA-CASE-KSC-10003] c 10 N73-13235
Collapsible high gain antenna
[NASA-CASE-KSC-10392] c 07 N73-26117
Floating baffle to improve efficiency of liquid transfer from tanks
[NASA-CASE-KSC-10639] c 15 N73-26472
Zero gravity liquid transfer screen
[NASA-CASE-KSC-10626] c 14 N73-27378
Television multiplexing system
[NASA-CASE-KSC-10654-1] c 07 N73-30115
Lightning tracking system
[NASA-CASE-KSC-10729-1] c 09 N73-32110
Rocket borne instrument to measure electric fields inside electrified clouds
[NASA-CASE-KSC-10730-1] c 14 N73-32318
Electric field measuring and display system
[NASA-CASE-KSC-10731-1] c 33 N74-27862
Digital servo controller
[NASA-CASE-KSC-10769-1] c 33 N74-29556
Signal conditioner test set
[NASA-CASE-KSC-10750-1] c 35 N75-12270
Variable resistance constant tension and lubrication device
[NASA-CASE-KSC-10723-1] c 37 N75-13265
Voltage monitoring system
[NASA-CASE-KSC-10736-1] c 33 N75-19521
Lightning current measuring systems
[NASA-CASE-KSC-10807-1] c 33 N75-26246
Dual digital video switcher
[NASA-CASE-KSC-10782-1] c 33 N75-30431
Compact-bi-phase pulse coded modulation decoder
[NASA-CASE-KSC-10834-1] c 33 N76-14371
Percutaneous connector device
[NASA-CASE-KSC-10849-1] c 52 N77-14738
Magnetic electrical connectors for biomedical percutaneous implants
[NASA-CASE-KSC-11030-1] c 52 N77-25772
Rotational joint assembly for the prosthetic leg
[NASA-CASE-KSC-11004-1] c 54 N77-30749
Fiber optic multiplex optical transmission system
[NASA-CASE-KSC-11047-1] c 74 N78-14889
Microcomputerized electric field meter diagnostic and calibration system
[NASA-CASE-KSC-11035-1] c 35 N78-28411
Ocean thermal plant
[NASA-CASE-KSC-11034-1] c 44 N78-32542
Lightning current waveform measuring system
[NASA-CASE-KSC-11018-1] c 33 N79-10337
Remote lightning monitor system
[NASA-CASE-KSC-11031-1] c 33 N79-11315
Illumination control apparatus for compensating solar light
[NASA-CASE-KSC-11010-1] c 74 N79-12890
Lightning current detector
[NASA-CASE-KSC-11057-1] c 33 N79-14305
Apparatus including a plurality of spaced transformers for locating short circuits in cables
[NASA-CASE-KSC-10899-1] c 33 N79-18193
Digital automatic gain amplifier
[NASA-CASE-KSC-11008-1] c 33 N79-22373
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c 32 N79-23310
Prosthesis coupling
[NASA-CASE-KSC-11069-1] c 52 N79-26772
Fire extinguishing apparatus having a slidable mass for a penetrator nozzle
[NASA-CASE-KSC-11064-1] c 31 N81-14137
System for sterilizing objects
[NASA-CASE-KSC-11085-1] c 54 N81-24724
Common data buffer system
[NASA-CASE-KSC-11048-1] c 62 N81-24779
System and method for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-2] c 02 N81-26073
Decommutator patchboard verifier
[NASA-CASE-KSC-11065-1] c 33 N81-26359
Automatic flowmeter calibration system
[NASA-CASE-KSC-11076-1] c 34 N81-26402
Lightning discharge identification system
[NASA-CASE-KSC-11099-1] c 47 N82-24779
Method for refurbishing and processing parachutes
[NASA-CASE-KSC-11042-1] c 09 N82-29330
Method for repair of thin glass coatings
[NASA-CASE-KSC-11097-1] c 27 N82-33520
Serial data correlator/code translator
[NASA-CASE-KSC-11025-1] c 32 N83-13323
Fiber optic crossbar switch for automatically patching optical signals
[NASA-CASE-KSC-11104-1] c 74 N83-29032
Automatic level control circuit
[NASA-CASE-KSC-11170-1] c 33 N83-36356
Inflight IFR procedures simulator
[NASA-CASE-KSC-11218-1] c 09 N85-19990
Video processor for air traffic control beacon system
[NASA-CASE-KSC-11155-1] c 04 N86-19304
Liquid hydrogen polygeneration system and process
[NASA-CASE-KSC-11304-2] c 28 N86-23744
Method and apparatus for operating on companded PCM voice data
[NASA-CASE-KSC-11285-1] c 32 N86-27513
Personnel emergency carrier vehicle
[NASA-CASE-KSC-11282-1] c 85 N87-21755
Multi-adjustable headband
[NASA-CASE-KSC-11322-1] c 54 N87-25765

National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, Tex.

Coupling device
[NASA-CASE-XMS-07846-1] c 09 N69-21927
Flow test device
[NASA-CASE-XMS-04917] c 14 N69-24257
Visual target for retrofire attitude control
[NASA-CASE-XMS-12158-1] c 31 N69-27499
System for monitoring signal amplitude ranges
[NASA-CASE-XMS-04061-1] c 09 N69-39885
Amplifier drift tester
[NASA-CASE-XMS-05562-1] c 09 N69-39986
System for improving signal-to-noise ratio of a communication signal Patent Application
[NASA-CASE-MSC-12259-1] c 07 N70-12616
Two-step rocket engine bipropellant valve Patent
[NASA-CASE-XMS-04890-1] c 15 N70-22192
Heat shield Patent
[NASA-CASE-XMS-00486] c 33 N70-33344
Life raft Patent
[NASA-CASE-XMS-00863] c 05 N70-34857
Shock absorbing support and restraint means Patent
[NASA-CASE-XMS-01240] c 05 N70-35152
Energy absorbing structure Patent Application
[NASA-CASE-MSC-12279-1] c 15 N70-35679
Bonded solid lubricant coating Patent
[NASA-CASE-XMS-00259] c 18 N70-36400
Life preserver Patent
[NASA-CASE-XMS-00864] c 05 N70-36493
Resuscitation apparatus Patent
[NASA-CASE-XMS-01115] c 05 N70-39922
Inflatable radar reflector unit Patent
[NASA-CASE-XMS-00893] c 07 N70-40063
Measuring device Patent
[NASA-CASE-XMS-01546] c 14 N70-40233
Liquid-gas separator for zero gravity environment Patent
[NASA-CASE-XMS-01492] c 05 N70-41297
Instrument for use in performing a controlled Valsalva maneuver Patent
[NASA-CASE-XMS-01615] c 05 N70-41329
Radial module space station Patent
[NASA-CASE-XMS-01906] c 31 N70-41373

Hypersonic reentry vehicle Patent
[NASA-CASE-XMS-04142] c 31 N70-41631
Angular accelerometer Patent
[NASA-CASE-XMS-05936] c 14 N70-41682
Indexed keyed connection Patent
[NASA-CASE-XMS-02532] c 15 N70-41808
Discrete local altitude sensing device Patent
[NASA-CASE-XMS-03792] c 14 N70-41812
Cryogenic storage system Patent
[NASA-CASE-XMS-04390] c 31 N70-41871
Mass measuring system Patent
[NASA-CASE-XMS-03371] c 05 N70-42000
Line cutter Patent
[NASA-CASE-XMS-04072] c 15 N70-42017
Transpirationally cooled heat ablation system Patent
[NASA-CASE-XMS-02677] c 31 N70-42075
Voltage-current characteristic simulator Patent
[NASA-CASE-XMS-01554] c 10 N71-10578
Training vehicle for controlling attitude Patent
[NASA-CASE-XMS-02977] c 11 N71-10746
Gravity stabilized flying vehicle Patent
[NASA-CASE-MSC-12111-1] c 02 N71-11039
Helmet assembly and latch means therefor Patent
[NASA-CASE-XMS-04935] c 05 N71-11190
Pressure suit tie-down mechanism Patent
[NASA-CASE-XMS-00784] c 05 N71-12335
Hand-held self-maneuvering unit Patent
[NASA-CASE-XMS-05304] c 05 N71-12336
Pressure garment joint Patent
[NASA-CASE-XMS-09636] c 05 N71-12344
Emergency escape system Patent
[NASA-CASE-MSC-12086-1] c 05 N71-12345
Dynamic Doppler simulator Patent
[NASA-CASE-XMS-05454-1] c 07 N71-12391
Electrical load protection device Patent
[NASA-CASE-MSC-12135-1] c 09 N71-12526
High voltage pulse generator Patent
[NASA-CASE-MSC-12178-1] c 09 N71-13518
Process for conditioning tanned sharkskin and articles made therefrom Patent
[NASA-CASE-XMS-09691-1] c 18 N71-15545
Ablation structures Patent
[NASA-CASE-XMS-01816] c 33 N71-15623
Fluid power transmission Patent
[NASA-CASE-XMS-01445] c 12 N71-16031
Spacecraft radiator cover Patent
[NASA-CASE-MSC-12049] c 31 N71-16080
Method of improving heat transfer characteristics in a nucleate boiling process Patent
[NASA-CASE-XMS-04268] c 33 N71-16277
Heated element fluid flow sensor Patent
[NASA-CASE-MSC-12084-1] c 12 N71-17569
Biological isolation garment Patent
[NASA-CASE-MSC-12206-1] c 05 N71-17599
Metal valve pintle with encapsulated elastomeric body Patent
[NASA-CASE-MSC-12116-1] c 15 N71-17648
Method for forming plastic materials Patent
[NASA-CASE-XMS-05516] c 15 N71-17803
Flexible blade antenna Patent
[NASA-CASE-MSC-12101] c 09 N71-18720
Space suit heat exchanger Patent
[NASA-CASE-XMS-09571] c 05 N71-19439
Light intensity modulator controller Patent
[NASA-CASE-XMS-04300] c 09 N71-19479
Solar optical telescope dome control system Patent
[NASA-CASE-MSC-10966] c 14 N71-19568
Subgravity simulator Patent
[NASA-CASE-XMS-04798] c 11 N71-21474
Shock absorber Patent
[NASA-CASE-XMS-03722] c 15 N71-21530
Apparatus for machining geometric cones Patent
[NASA-CASE-XMS-04292] c 15 N71-22722
Rescue litter flotation assembly Patent
[NASA-CASE-XMS-04170] c 05 N71-22748
Aligning and positioning device Patent
[NASA-CASE-XMS-04178] c 15 N71-22798
Tension measurement device Patent
[NASA-CASE-XMS-04545] c 15 N71-22878
Amplitude modulated laser transmitter Patent
[NASA-CASE-XMS-04269] c 16 N71-22895
Digital cardiotachometer system Patent
[NASA-CASE-XMS-02399] c 05 N71-22896
Phonocardiograph transducer Patent
[NASA-CASE-XMS-05365] c 14 N71-22993
Multiple environment materials test chamber having a multiple port X-ray tube for irradiating a plurality of samples Patent
[NASA-CASE-XMS-02930] c 11 N71-23042
Soft frame adjustable eyeglasses Patent
[NASA-CASE-XMS-06064] c 05 N71-23096
Blood pressure measuring system for separating and separately recording dc signal and an ac signal Patent
[NASA-CASE-XMS-06061] c 05 N71-23317
Signal ratio system utilizing voltage controlled oscillators Patent
[NASA-CASE-XMF-04367] c 09 N71-23545
Winch having cable position and load indicators Patent
[NASA-CASE-MSC-12052-1] c 15 N71-24599
Radar antenna system for acquisition and tracking Patent
[NASA-CASE-XMS-09610] c 07 N71-24625
Extravehicular tunnel suit system Patent
[NASA-CASE-MSC-12243-1] c 05 N71-24728
Broadband modified turnstile antenna Patent
[NASA-CASE-MSC-12209] c 09 N71-24842
Quick release hook tape Patent
[NASA-CASE-XMS-10660-1] c 15 N71-25975
Plated electrodes Patent
[NASA-CASE-XMS-04213-1] c 09 N71-26002
Audio signal processor Patent
[NASA-CASE-MSC-12223-1] c 07 N71-26181
Fabric for micrometeoroid protection garment Patent
[NASA-CASE-MSC-12109] c 18 N71-26285
Antenna array phase quadrature tracking system Patent
[NASA-CASE-MSC-12205-1] c 07 N71-27056
Radiometric temperature reference Patent
[NASA-CASE-MSC-13276-1] c 14 N71-27058
Pneumatic amplifier Patent
[NASA-CASE-MSC-12121-1] c 15 N71-27147
Orbital escape device Patent
[NASA-CASE-XMS-06162] c 31 N71-28851
Inflatable tether Patent
[NASA-CASE-XMS-10993] c 15 N71-28936
Ion-exchange membrane with platinum electrode assembly Patent
[NASA-CASE-XMS-02063] c 03 N71-29044
Color television system
[NASA-CASE-MSC-12146-1] c 07 N72-17109
Current dependent filter inductance
[NASA-CASE-ERC-10139] c 09 N72-17154
Low onset rate energy absorber
[NASA-CASE-MSC-12279] c 15 N72-17450
Stand-off type ablative heat shield
[NASA-CASE-MSC-12143-1] c 33 N72-17947
Optical range finder having nonoverlapping complete images
[NASA-CASE-MSC-12105-1] c 14 N72-21409
Open type urine receptacle
[NASA-CASE-MSC-12324-1] c 05 N72-22093
Family of frequency to amplitude converters
[NASA-CASE-MSC-12395] c 09 N72-25257
Foldable construction block
[NASA-CASE-MSC-12233-1] c 15 N72-25454
Method and apparatus for detecting surface ions on silicon diodes and transistors
[NASA-CASE-ERC-10325] c 15 N72-25457
Scientific experiment flexible mount
[NASA-CASE-MSC-12372-1] c 31 N72-25842
Burn rate testing apparatus
[NASA-CASE-XMS-09690] c 33 N72-25913
System for improving signal-to-noise ratio of a communication signal
[NASA-CASE-MSC-12259-2] c 07 N72-33146
Altitude measuring system
[NASA-CASE-ERC-10412-1] c 09 N73-12211
A method of delivering a vehicle to earth orbit and returning the reusable portion thereof to earth
[NASA-CASE-MSC-12391] c 30 N73-12884
Multispectral imaging system
[NASA-CASE-MSC-12404-1] c 23 N73-13661
Foldable construction block
[NASA-CASE-MSC-12233-2] c 32 N73-13921
Space shuttle vehicle and system
[NASA-CASE-MSC-12433] c 31 N73-14854
Apparatus for statistical time-series analysis of electrical signals
[NASA-CASE-MSC-12428-1] c 10 N73-25240
Life raft stabilizer
[NASA-CASE-MSC-12393-1] c 02 N73-26006
On-film optical recording of camera lens settings
[NASA-CASE-MSC-12363-1] c 14 N73-26431
Powerplexer
[NASA-CASE-MSC-12396-1] c 03 N73-31988
Foot pedal operated fluid type exercising device
[NASA-CASE-MSC-11561-1] c 05 N73-32014
Digital to analog conversion apparatus
[NASA-CASE-MSC-12458-1] c 08 N73-32081
Solid state controller three axes controller
[NASA-CASE-MSC-12394-1] c 08 N74-10942
Method for obtaining oxygen from lunar or similar soil
[NASA-CASE-MSC-12408-1] c 46 N74-13011
Adaptive voting computer system
[NASA-CASE-MSC-13932-1] c 62 N74-14920
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c 33 N74-14956
Optical instruments
[NASA-CASE-MSC-14096-1] c 74 N74-15095
Multifunction audio digitizer
[NASA-CASE-MSC-13855-1] c 35 N74-17885
Method and apparatus for stable silicon dioxide layers on silicon grown in silicon nitride ambient
[NASA-CASE-ERC-10073-1] c 24 N74-19769
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12462-1] c 32 N74-20809
Pulse code modulated signal synchronizer
[NASA-CASE-MSC-12494-1] c 32 N74-20810
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c 52 N74-26626
Differential phase shift keyed communication system
[NASA-CASE-MSC-14065-1] c 32 N74-26654
Technique for recovery of voice data from heat damaged magnetic tape
[NASA-CASE-MSC-14219-1] c 32 N74-27612
Differential phase shift keyed signal resolver
[NASA-CASE-MSC-14066-1] c 33 N74-27705
Specific wavelength colorimeter
[NASA-CASE-MSC-14081-1] c 35 N74-27860
Latch mechanism
[NASA-CASE-MSC-12549-1] c 37 N74-27903
Digital communication system
[NASA-CASE-MSC-13912-1] c 32 N74-30524
Flexible joint for pressurizable garment
[NASA-CASE-MSC-11072] c 54 N74-32546
Method and apparatus for decoding compatible convolutional codes
[NASA-CASE-MSC-14070-1] c 32 N74-32598
Pulse stretcher for narrow pulses
[NASA-CASE-MSC-14130-1] c 33 N74-32711
Method and device for detection of surface discontinuities or defects
[NASA-CASE-MSC-14187-1] c 35 N74-32879
Anti-fog composition
[NASA-CASE-MSC-13530-2] c 23 N75-14834
Four phase logic systems
[NASA-CASE-MSC-14240-1] c 33 N75-14957
Peak holding circuit for extremely narrow pulses
[NASA-CASE-MSC-14129-1] c 33 N75-18479
Random pulse generator
[NASA-CASE-MSC-14131-1] c 33 N75-19515
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c 37 N75-19683
Condensate removal device for heat exchanger
[NASA-CASE-MSC-14143-1] c 77 N75-20139
Television noise reduction device
[NASA-CASE-MSC-12607-1] c 32 N75-21485
Digital transmitter for data bus communications system
[NASA-CASE-MSC-14558-1] c 32 N75-21486
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c 05 N75-24716
Variable ratio mixed-mode bilateral master-slave control system for shuttle remote manipulator system
[NASA-CASE-MSC-14245-1] c 18 N75-27041
Multiple circuit protector device
[NASA-CASE-XMS-02744] c 33 N75-27249
Apparatus for welding sheet material
[NASA-CASE-XMS-01330] c 37 N75-27376
Multiparameter vision testing apparatus
[NASA-CASE-MSC-13601-2] c 54 N75-27759
Thrust measurement
[NASA-CASE-XMS-05731] c 35 N75-29382
Fault tolerant clock apparatus utilizing a controlled minority of clock elements
[NASA-CASE-MSC-12531-1] c 35 N75-30504
Filter regeneration systems
[NASA-CASE-MSC-14273-1] c 34 N75-33342
Spacecraft docking and alignment system
[NASA-CASE-MSC-12559-1] c 18 N76-14186
Reconstituted asbestos matrix
[NASA-CASE-MSC-12568-1] c 24 N76-14204
Strain arrestor plate for fused silica tile
[NASA-CASE-MSC-14182-1] c 27 N76-14264
Medical subject monitoring systems
[NASA-CASE-MSC-14180-1] c 52 N76-14757
Automatic biowaste sampling
[NASA-CASE-MSC-14640-1] c 54 N76-14804
Method for manufacturing mirrors in zero gravity environment
[NASA-CASE-MSC-12611-1] c 12 N76-15189
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c 35 N76-15431
Low distortion receiver for bi-level baseband PCM waveforms
[NASA-CASE-MSC-14557-1] c 32 N76-16249
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c 33 N76-16331
Space vehicle system
[NASA-CASE-MSC-12561-1] c 18 N76-17185
Method of fluxless brazing and diffusion bonding of aluminum containing components
[NASA-CASE-MSC-14435-1] c 37 N76-18455

Auger attachment method for insulation
[NASA-CASE-MSC-12615-1] c 37 N76-19437
Position determination systems
[NASA-CASE-MSC-12593-1] c 17 N76-21250
Two-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-1] c 27 N76-22377
Three-component ceramic coating for silica insulation
[NASA-CASE-MSC-14270-2] c 27 N76-23426
Binary concatenated coding system
[NASA-CASE-MSC-14082-1] c 60 N76-23850
Non-flammable elastomeric fiber from a fluorinated elastomer and containing an halogenated flame retardant
[NASA-CASE-MSC-14331-1] c 27 N76-24405
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c 54 N76-24900
Sun angle calculator
[NASA-CASE-MSC-12617-1] c 35 N76-29552
Meteoroid capture cell construction
[NASA-CASE-MSC-12423-1] c 91 N76-30131
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c 39 N76-31562
Optical noise suppression device and method
[NASA-CASE-MSC-12640-1] c 74 N76-31998
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c 43 N77-10584
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c 74 N77-10899
Differential pulse code modulation
[NASA-CASE-MSC-12506-1] c 32 N77-12239
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c 52 N77-14737
Analysis of volatile organic compounds
[NASA-CASE-MSC-14428-1] c 23 N77-17161
System for producing chroma signals
[NASA-CASE-MSC-14683-1] c 74 N77-18893
Fluid mass sensor for a zero gravity environment
[NASA-CASE-MSC-14653-1] c 35 N77-19385
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c 37 N77-22482
Unbalanced quadriphase demodulator
[NASA-CASE-MSC-14840-1] c 32 N77-24331
Open loop digital frequency multiplier
[NASA-CASE-MSC-12709-1] c 33 N77-24375
Platinum resistance thermometer circuit
[NASA-CASE-MSC-12327-1] c 35 N77-27368
Surface finishing
[NASA-CASE-MSC-12631-1] c 24 N77-28225
Pressure modulating valve
[NASA-CASE-MSC-14905-1] c 37 N77-28487
Snap-in compressible biomedical electrode
[NASA-CASE-MSC-14623-1] c 52 N77-28717
Load regulating latch
[NASA-CASE-MSC-19535-1] c 37 N77-32499
Regenerable device for scrubbing breathable air of CO2 and moisture without special heat exchanger equipment
[NASA-CASE-MSC-14771-1] c 54 N77-32722
Process of forming catalytic surfaces for wet oxidation reactions
[NASA-CASE-MSC-14831-1] c 25 N78-10225
Hearing aid malfunction detection system
[NASA-CASE-MSC-14916-1] c 33 N78-10375
Gas compression apparatus
[NASA-CASE-MSC-14757-1] c 35 N78-10428
Low gravity phase separator
[NASA-CASE-MSC-14773-1] c 35 N78-12390
Iodine generator for reclaimed water purification
[NASA-CASE-MSC-14632-1] c 54 N78-14784
Flame retardant spandex type polyurethanes
[NASA-CASE-MSC-14331-2] c 27 N78-17213
Temperature compensated current source
[NASA-CASE-MSC-11235] c 33 N78-17294
Microbalance
[NASA-CASE-MSC-11242] c 35 N78-17358
Adjustable securing base
[NASA-CASE-MSC-19666-1] c 37 N78-17383
Restraining mechanism
[NASA-CASE-MSC-13054] c 54 N78-17677
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c 54 N78-17678
Protective garment ventilation system
[NASA-CASE-XMS-04928] c 54 N78-17679
Helmet feedport
[NASA-CASE-XMS-09653] c 54 N78-17680
Optical conversion method
[NASA-CASE-MSC-12618-1] c 74 N78-17865
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c 54 N78-18761
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c 26 N78-24333
Stator rotor tools
[NASA-CASE-MSC-16000-1] c 37 N78-24544
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c 34 N78-25350
Fluid valve assembly
[NASA-CASE-MSC-12731-1] c 37 N78-25426
Variable contour securing system
[NASA-CASE-MSC-16270-1] c 37 N78-27423
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c 09 N78-31129
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c 27 N78-32256
Condition sensor system and method
[NASA-CASE-MSC-14805-1] c 54 N78-32720
Bit error rate measurement above and below bit rate tracking threshold
[NASA-CASE-MSC-12743-1] c 32 N79-10263
Phased array antenna control
[NASA-CASE-MSC-14939-1] c 32 N79-11264
Apparatus and method for stabilized phase detection for binary signal tracking loops
[NASA-CASE-MSC-16461-1] c 33 N79-11313
Positive isolation disconnect
[NASA-CASE-MSC-16043-1] c 37 N79-11402
Thermal insulation attaching means
[NASA-CASE-MSC-12619-2] c 27 N79-12221
Lightweight electrically-powered flexible thermal laminate
[NASA-CASE-MSC-12662-1] c 33 N79-12331
Simultaneous treatment of SO2 containing stack gases and waste water
[NASA-CASE-MSC-16258-1] c 45 N79-12584
Length mode piezoelectric ultrasonic transducer for inspection of solid objects
[NASA-CASE-MSC-19672-1] c 38 N79-14398
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c 32 N79-20297
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c 37 N79-20377
Water separator
[NASA-CASE-XMS-01295-1] c 37 N79-21345
Metabolic rate meter and method
[NASA-CASE-MSC-12239-1] c 52 N79-21750
Fluid sample collection and distribution system
[NASA-CASE-MSC-16841-1] c 34 N79-24285
Thermal insulation protection means
[NASA-CASE-MSC-12737-1] c 24 N79-25142
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c 33 N79-28415
Fused switch
[NASA-CASE-XMS-01244-1] c 33 N79-33393
Chassis unit insert tightening-extract device
[NASA-CASE-XMS-01077-1] c 37 N79-33467
Compound oxidized styrylphosphine
[NASA-CASE-MSC-14903-2] c 27 N80-10358
Portable breathing system
[NASA-CASE-MSC-16182-1] c 54 N80-10799
Method and apparatus for eliminating luminol interference material
[NASA-CASE-MSC-16260-1] c 51 N80-16714
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c 20 N80-18097
Floating nut retention system
[NASA-CASE-MSC-16938-1] c 37 N80-23653
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c 27 N80-24438
Vitra-violet process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c 27 N80-26446
Method and automated apparatus for detecting coliform organisms
[NASA-CASE-MSC-16777-1] c 51 N80-27067
Multiple band circularly polarized microstrip antenna
[NASA-CASE-MSC-18334-1] c 32 N80-32604
Multispectral scanner optical system
[NASA-CASE-MSC-18255-1] c 74 N80-33210
Surface finishing
[NASA-CASE-MSC-12631-3] c 27 N81-14077
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c 32 N81-14187
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c 37 N81-14317
Pseudonoise code tracking loop
[NASA-CASE-MSC-18035-1] c 32 N81-15179
Thermal barrier pressure seal
[NASA-CASE-MSC-18134-1] c 37 N81-15363
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c 33 N81-17349
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c 35 N81-19427
Cell and method for electrolysis of water and anode
[NASA-CASE-MSC-16394-1] c 28 N81-24280
Urine collection device
[NASA-CASE-MSC-16433-1] c 52 N81-24711
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c 27 N81-25209
Structural members, method and apparatus
[NASA-CASE-MSC-16217-1] c 31 N81-27323
Shielded conductor cable system
[NASA-CASE-MSC-12745-1] c 33 N81-27397
Urine collection apparatus
[NASA-CASE-MSC-18381-1] c 52 N81-28740
Reciprocating engines
[NASA-CASE-MSC-16239-1] c 37 N81-32510
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c 32 N82-11336
Low temperature latching solenoid
[NASA-CASE-MSC-18106-1] c 33 N82-11357
Logic-controlled occlusive cuff system
[NASA-CASE-MSC-14836-1] c 52 N82-11770
Electrophotolysis oxidation system for measurement of organic concentration in water
[NASA-CASE-MSC-16497-1] c 25 N82-12166
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-1] c 27 N82-16238
Surface conforming thermal/pressure seal
[NASA-CASE-MSC-18422-1] c 37 N82-16408
Direct current ballast circuit for metal halide lamp
[NASA-CASE-MSC-18407-1] c 33 N82-24427
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c 37 N82-24491
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c 37 N82-24494
A method and technique for installing light-weight fragile, high-temperature fiber insulation
[NASA-CASE-MSC-18934-3] c 24 N82-26387
Open ended tubing cutters
[NASA-CASE-MSC-18538-1] c 37 N82-26672
Reusable captive blind fastener
[NASA-CASE-MSC-18742-1] c 37 N82-26673
Spiral slotted phased antenna array
[NASA-CASE-MSC-18532-1] c 32 N82-27558
Thermal garment
[NASA-CASE-XMS-03694-1] c 54 N82-29002
Reconfiguring redundancy management
[NASA-CASE-MSC-18498-1] c 60 N82-29013
Absorbent product to absorb fluids
[NASA-CASE-MSC-18223-1] c 24 N82-29362
Attachment system for silica tiles
[NASA-CASE-MSC-18741-1] c 27 N82-29456
Optical crystal temperature gauge with fiber optic connections
[NASA-CASE-MSC-18627-1] c 74 N82-30071
Random digital encryption secure communication system
[NASA-CASE-MSC-16462-1] c 32 N82-31583
CAM controlled retractable door latch
[NASA-CASE-MSC-20304-1] c 37 N82-31690
Densification of porous refractory substrates
[NASA-CASE-MSC-18737-1] c 24 N83-13171
Method of repairing surface damage to porous refractory substrates
[NASA-CASE-MSC-18736-1] c 24 N83-13172
Gas-to-hydraulic power converter
[NASA-CASE-MSC-18794-1] c 44 N83-14693
High temperature silicon carbide impregnated insulating fabrics
[NASA-CASE-MSC-18832-1] c 27 N83-18908
Kinesimetric method and apparatus
[NASA-CASE-MSC-18929-1] c 39 N83-20280
Compression test apparatus
[NASA-CASE-MSC-18723-1] c 35 N83-21312
Bio-medical flow sensor
[NASA-CASE-MSC-18761-1] c 52 N83-27577
Apparatus for determining changes in limb volume
[NASA-CASE-MSC-18759-1] c 52 N83-27578
Degassifying and mixing apparatus for liquids
[NASA-CASE-MSC-18936-1] c 35 N83-29652
Apparatus for accurately preloading auger attachment means for frangible protective material
[NASA-CASE-MSC-18791-1] c 37 N83-36482
Automatic compression adjusting mechanism for internal combustion engines
[NASA-CASE-MSC-18807-1] c 37 N83-36483
Absorbent product and articles made therefrom
[NASA-CASE-MSC-18223-2] c 54 N84-11758
Method and technique for installing light-weight, fragile, high-temperature fiber insulation
[NASA-CASE-MSC-16934-3] c 24 N84-16262
Method and apparatus for simulating gravitational forces on a living organism
[NASA-CASE-MSC-20202-1] c 54 N84-16803
Pre-stressed thermal protection systems
[NASA-CASE-MSC-20254-1] c 16 N84-22601
Apparatus for releasably connecting first and second objects in predetermined space relationship
[NASA-CASE-MSC-18969-1] c 18 N84-22605

Tanker orbit transfer vehicle and method
[NASA-CASE-MSC-20543-1] c 18 N84-22610
Doppler radar having phase modulation of both transmitted and reflected return signals
[NASA-CASE-MSC-18675-1] c 32 N84-22820
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-2] c 54 N84-23113
Method and apparatus for receiving and tracking phase modulated signals
[NASA-CASE-MSC-16170-2] c 32 N84-27952
Heat resistant protective hand covering
[NASA-CASE-MSC-20261-1] c 54 N84-28484
Digital interface for bi-directional communication between a computer and a peripheral device
[NASA-CASE-MSC-20258-1] c 60 N84-28492
Slow opening valve
[NASA-CASE-MSC-20112-1] c 37 N85-20338
Television camera video level control system
[NASA-CASE-MSC-18578-1] c 32 N85-21427
Self-charging metering and dispensing device for fluids
[NASA-CASE-MSC-20275-1] c 35 N85-21595
Connection system
[NASA-CASE-MSC-20319-1] c 37 N85-21649
Monogroove heat pipe design: Insulated liquid channel with bridging wick
[NASA-CASE-MSC-20497-1] c 34 N85-29180
Moisture content and gas sampling device
[NASA-CASE-MSC-18866-1] c 35 N85-29213
Low gravity exothermic heating/cooling apparatus
[NASA-CASE-MSC-25707-1] c 35 N85-29214
Spray applicator for spraying coatings and other fluids in space
[NASA-CASE-MSC-18852-1] c 37 N85-29283
Linear motion valve
[NASA-CASE-MSC-20148-1] c 37 N85-29284
Light transmitting window assembly
[NASA-CASE-MSC-18417-1] c 74 N85-29750
Slide release mechanism
[NASA-CASE-MSC-20080-1] c 37 N85-30334
Liquid crystal light valve structures
[NASA-CASE-MSC-20036-1] c 76 N85-33826
Reactant pressure differential control for fuel cell gases
[NASA-CASE-MSC-20127-2] c 37 N85-34403
Fluid leak indicator
[NASA-CASE-MSC-20783-1] c 35 N86-20756
Spillage detector for liquid chromatography systems
[NASA-CASE-MSC-20206-1] c 25 N86-27431
Multi-leg heat pipe evaporator
[NASA-CASE-MSC-20812-1] c 34 N86-27593
Foldable self-erecting joint
[NASA-CASE-MSC-20635-1] c 18 N87-14373
Real-time garbage collection for list processing
[NASA-CASE-MSC-20964-1] c 60 N87-14863
Infusion extractor
[NASA-CASE-MSC-20761-1] c 37 N87-15465
Self-contained, single-use hose and tubing cleaning module
[NASA-CASE-MSC-20857-1] c 37 N87-17035
Sun shield
[NASA-CASE-MSC-20162-1] c 37 N87-17036
Method and apparatus for measuring frequency and phase difference
[NASA-CASE-MSC-20865-1] c 32 N87-18692
Multi-path peristaltic pump
[NASA-CASE-MSC-20907-1] c 37 N87-18818
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-1] c 34 N87-22950
Apparatus and method of capturing an orbiting spacecraft
[NASA-CASE-MSC-20979-1] c 37 N87-22985
Method of making a flexible diaphragm
[NASA-CASE-MSC-20797-1] c 37 N87-23981
Method and apparatus for telemetry adaptive bandwidth compression
[NASA-CASE-MSC-20821-1] c 17 N87-25348
Method of controlling a resin curing process
[NASA-CASE-MSC-21169-1] c 27 N87-25473
Improved method and apparatus for waste collection and storage
[NASA-CASE-MSC-21025-1] c 31 N87-25495
Processing circuit with asymmetry corrector and convolutional encoder for digital data
[NASA-CASE-MSC-20187-1] c 33 N87-25531
Four-terminal electrical testing device
[NASA-CASE-MSC-21166-1] c 35 N87-25555
Preloadable vector sensitive latch
[NASA-CASE-MSC-20910-1] c 37 N87-25582
Monogroove cold plate
[NASA-CASE-MSC-20946-1] c 34 N87-28867
Tapered, tubular polyester fabric
[NASA-CASE-MSC-21082-1] c 27 N87-29672
Locking hinge
[NASA-CASE-MSC-21056-1] c 18 N88-23827
Doppler radar with multiphase modulation of transmitted and reflected signal
[NASA-CASE-MSC-18808-1] c 32 N88-23923
Hermetically sealable package for hybrid solid-state electronic devices and the like
[NASA-CASE-MSC-20181-1] c 33 N88-23941
Pumped two-phase heat transfer loop
[NASA-CASE-MSC-20841-2] c 34 N88-23958
Acoustic emission frequency discrimination
[NASA-CASE-MSC-20467-1] c 35 N88-23966
Magnetic drive coupling
[NASA-CASE-MSC-21171-1] c 37 N88-23973
Payload deployment method and system
[NASA-CASE-MSC-21330-1] c 16 N88-24660
Adaptive data acquisition multiplexing system and method
[NASA-CASE-MSC-21170-1] c 17 N88-24662
Hatch cover
[NASA-CASE-MSC-21356-1] c 18 N88-24671
Nozzle fabrication technique
[NASA-CASE-MSC-21299-1] c 20 N88-24684
Linear force device
[NASA-CASE-MSC-20549-2] c 35 N88-24927
Electrostatic discharge test apparatus
[NASA-CASE-MSC-21094-1] c 35 N88-24941
Range and range rate system
[NASA-CASE-MSC-20867-1] c 36 N88-24958
Toggle release
[NASA-CASE-MSC-21354-1] c 37 N88-24969
Mobile remote manipulator system for a tetrahedral truss
[NASA-CASE-MSC-20985-1] c 18 N88-26398
Method and apparatus for measuring distance
[NASA-CASE-MSC-20912-1] c 32 N88-26568
Expandable pallet for space station interface attachments
[NASA-CASE-MSC-21117-1] c 18 N88-28958
Method of forming dynamic membrane on stainless steel support
[NASA-CASE-MSC-18172-2] c 31 N88-29052
High effectiveness contour matching contact heat exchanger
[NASA-CASE-MSC-20840-1] c 34 N88-29132
Collet lock joint for space station truss
[NASA-CASE-MSC-21207-1] c 37 N88-29180
Preloaded brake disc
[NASA-CASE-MSC-21132-1] c 37 N88-29181
ARC length control for plasma welding
[NASA-CASE-MSC-20900-1] c 37 N88-30131

National Aeronautics and Space Administration. Langley Research Center, Hampton, Va.

Jet shoes
[NASA-CASE-XLA-08491] c 05 N69-21380
Condenser - Separator
[NASA-CASE-XLA-08645] c 15 N69-21465
Connector - Electrical
[NASA-CASE-XLA-01288] c 09 N69-21470
A support technique for vertically oriented launch vehicles
[NASA-CASE-XLA-02704] c 11 N69-21540
Electromagnetic mirror drive system
[NASA-CASE-XLA-03724] c 14 N69-27461
Evaporant holder
[NASA-CASE-XLA-03105] c 15 N69-27483
Compensating radiometer
[NASA-CASE-XLA-04556] c 14 N69-27484
Tubular coupling having frangible connecting means
[NASA-CASE-XLA-02854] c 15 N69-27490
Fatigue-resistant shear pin
[NASA-CASE-XLA-09122] c 15 N69-27505
Ablation sensor
[NASA-CASE-XLA-01781] c 14 N69-39975
Aeroflexible structures
[NASA-CASE-XLA-06095] c 01 N69-39981
Transient-compensated SCR inverter
[NASA-CASE-XLA-08507] c 09 N69-39984
Disk pack cleaning table Patent Application
[NASA-CASE-LAR-10590-1] c 15 N70-26819
Folding apparatus Patent
[NASA-CASE-XLA-00137] c 15 N70-33180
Infrared scanner Patent
[NASA-CASE-XLA-00120] c 21 N70-33181
Reentry vehicle leading edge Patent
[NASA-CASE-XLA-00165] c 31 N70-33242
Motion picture camera for optical pyrometry Patent
[NASA-CASE-XLA-00062] c 14 N70-33254
Variable sweep wing configuration Patent
[NASA-CASE-XLA-00230] c 02 N70-33255
Variable sweep wing aircraft Patent
[NASA-CASE-XLA-00221] c 02 N70-33266
Plasma accelerator Patent
[NASA-CASE-XLA-00675] c 25 N70-33267
Survival couch Patent
[NASA-CASE-XLA-00118] c 05 N70-33285
Landing arrangement for aerial vehicles Patent
[NASA-CASE-XLA-00142] c 02 N70-33286
Wind tunnel airstream oscillating apparatus Patent
[NASA-CASE-XLA-00112] c 11 N70-33287
Hydrofoil Patent
[NASA-CASE-XLA-00229] c 12 N70-33305
High intensity heat and light unit Patent
[NASA-CASE-XLA-00141] c 09 N70-33312
Particle detection apparatus Patent
[NASA-CASE-XLA-00135] c 14 N70-33322
Runway light Patent
[NASA-CASE-XLA-00119] c 11 N70-33329
Spherical solid-propellant rocket motor Patent
[NASA-CASE-XLA-00105] c 28 N70-33331
Jet aircraft configuration Patent
[NASA-CASE-XLA-00087] c 02 N70-33332
Aerial capsule emergency separation device Patent
[NASA-CASE-XLA-00115] c 03 N70-33343
Nozzle Patent
[NASA-CASE-XLA-00154] c 28 N70-33374
Air frame drag balance Patent
[NASA-CASE-XLA-00113] c 14 N70-33386
Flexible foam erectable space structures Patent
[NASA-CASE-XLA-00686] c 31 N70-34135
Nose gear steering system for vehicle with main skids Patent
[NASA-CASE-XLA-01804] c 02 N70-34160
Surface roughness detector Patent
[NASA-CASE-XLA-00203] c 14 N70-34161
Variable-span aircraft Patent
[NASA-CASE-XLA-00166] c 02 N70-34178
Dynamic precession damper for spin stabilized vehicles Patent
[NASA-CASE-XLA-01989] c 21 N70-34295
Erectable modular space station Patent
[NASA-CASE-XLA-00678] c 31 N70-34296
Electric-arc heater Patent
[NASA-CASE-XLA-00330] c 33 N70-34540
Ac power amplifier Patent Application
[NASA-CASE-LAR-10218-1] c 09 N70-34559
Method and apparatus for producing a plasma Patent
[NASA-CASE-XLA-00147] c 25 N70-34661
Gas actuated bolt disconnect Patent
[NASA-CASE-XLA-00326] c 03 N70-34667
Logarithmic converter Patent
[NASA-CASE-XLA-00471] c 08 N70-34778
Mandrel for shaping solid propellant rocket fuel into a motor casing Patent
[NASA-CASE-XLA-00304] c 27 N70-34783
Impact simulator Patent
[NASA-CASE-XLA-00493] c 11 N70-34786
Accelerometer with FM output Patent
[NASA-CASE-XLA-00492] c 14 N70-34799
Frangible tube energy dissipation Patent
[NASA-CASE-XLA-00754] c 15 N70-34850
Landing arrangement for aerial vehicle Patent
[NASA-CASE-XLA-00806] c 02 N70-34858
Method and apparatus for shock protection Patent
[NASA-CASE-XLA-00482] c 15 N70-36409
Inflatable honeycomb Patent
[NASA-CASE-XLA-00204] c 32 N70-36536
Thermal control of space vehicles Patent
[NASA-CASE-XLA-01291] c 33 N70-36617
Foam generator Patent
[NASA-CASE-XLA-00838] c 03 N70-36778
Parachute glider Patent
[NASA-CASE-XLA-00898] c 02 N70-36804
Production of high purity silicon carbide Patent
[NASA-CASE-XLA-00158] c 26 N70-36805
Airplane take-off performance indicator Patent
[NASA-CASE-XLA-00100] c 14 N70-36807
Aerodynamic measuring device Patent
[NASA-CASE-XLA-00481] c 14 N70-36824
Aircraft wheel spray drag alleviator Patent
[NASA-CASE-XLA-01583] c 02 N70-36825
Attitude orientation of spin-stabilized space vehicles Patent
[NASA-CASE-XLA-00281] c 21 N70-36943
Continuously operating induction plasma accelerator Patent
[NASA-CASE-XLA-01354] c 25 N70-36946
Check valve assembly for a probe Patent
[NASA-CASE-XLA-00128] c 15 N70-37925
Space capsule Patent
[NASA-CASE-XLA-00149] c 31 N70-37938
Sandwich panel construction Patent
[NASA-CASE-XLA-00349] c 33 N70-37979
Reflector space satellite Patent
[NASA-CASE-XLA-00138] c 31 N70-37981
Variable-geometry winged reentry vehicle Patent
[NASA-CASE-XLA-00241] c 31 N70-37986
Vehicle parachute and equipment jettison system Patent
[NASA-CASE-XLA-00195] c 02 N70-38009
Landing arrangement for aerospace vehicle Patent
[NASA-CASE-XLA-00805] c 31 N70-38010

Antenna system using parasitic elements and two driven elements at 90 deg angle fed 180 deg out of phase Patent
[NASA-CASE-XLA-00414] c 07 N70-38200

Despin weight release Patent
[NASA-CASE-XLA-00679] c 15 N70-38601

Manned space station Patent
[NASA-CASE-XLA-00258] c 31 N70-38676

Missile stage separation indicator and stage initiator Patent
[NASA-CASE-XLA-00791] c 03 N70-39930

Apparatus for producing high purity silicon carbide crystals Patent
[NASA-CASE-XLA-02057] c 26 N70-40015

Miniature vibration isolator Patent
[NASA-CASE-XLA-01019] c 15 N70-40156

Aircraft instrument Patent
[NASA-CASE-XLA-00487] c 14 N70-40157

Radiation direction detector including means for compensating for photocell aging Patent
[NASA-CASE-XLA-00183] c 14 N70-40239

Passive communication satellite Patent
[NASA-CASE-XLA-00210] c 30 N70-40309

Electrostatic plasma modulator for space vehicle re-entry communication Patent
[NASA-CASE-XLA-01400] c 07 N70-41331

Micrometeoroid velocity measuring device Patent
[NASA-CASE-XLA-00495] c 14 N70-41332

Method of obtaining permanent record of surface flow phenomena Patent
[NASA-CASE-XLA-01353] c 14 N70-41366

Means for communicating through a layer of ionized gases Patent
[NASA-CASE-XLA-01127] c 07 N70-41372

Quick release separation mechanism Patent
[NASA-CASE-XLA-01441] c 15 N70-41679

Flexible wing deployment device Patent
[NASA-CASE-XLA-01220] c 02 N70-41863

Self-sealing, unbonded, rocket motor nozzle closure Patent
[NASA-CASE-XLA-02651] c 28 N70-41967

Fatigue testing device Patent
[NASA-CASE-XLA-02131] c 32 N70-42003

Techniques for insulating cryogenic fuel containers Patent
[NASA-CASE-XLA-01967] c 31 N70-42015

Double hinged flap Patent
[NASA-CASE-XLA-01290] c 02 N70-42016

Spacecraft separation system for spinning vehicles and/or payloads Patent
[NASA-CASE-XLA-02132] c 31 N71-10582

Method for molding compounds Patent
[NASA-CASE-XLA-01091] c 15 N71-10672

Automatic force measuring system Patent
[NASA-CASE-XLA-02605] c 14 N71-10773

Gas analyzer for bi-gaseous mixtures Patent
[NASA-CASE-XLA-01131] c 14 N71-10774

Multiple input radio receiver Patent
[NASA-CASE-XLA-00901] c 07 N71-10775

Rotating space station simulator Patent
[NASA-CASE-XLA-03127] c 11 N71-10776

Composite powerplant and shroud therefor Patent
[NASA-CASE-XLA-01043] c 28 N71-10780

All-directional fastener Patent
[NASA-CASE-XLA-01807] c 15 N71-10799

Hot air ballon deceleration and recovery system Patent
[NASA-CASE-XLA-06824-2] c 02 N71-11037

Control for flexible parawing Patent
[NASA-CASE-XLA-06958] c 02 N71-11038

Variable sweep aircraft Patent
[NASA-CASE-XLA-03659] c 02 N71-11041

Translating horizontal tail Patent
[NASA-CASE-XLA-08801-1] c 02 N71-11043

Space suit pressure stabilizer Patent
[NASA-CASE-XLA-05332] c 05 N71-11194

Equipotential space suit Patent
[NASA-CASE-LAR-10007-1] c 05 N71-11195

Recovery of potable water from human wastes in below-G conditions Patent
[NASA-CASE-XLA-03213] c 05 N71-11207

Process for interfacial polymerization of pyromellitic dianhydride and 1,2,4, 5-tetraamino-benzene Patent
[NASA-CASE-XLA-03104] c 06 N71-11235

Imidazopyrrolone/imide copolymers Patent
[NASA-CASE-XLA-08802] c 06 N71-11238

Adaptive compression of communication signals Patent
[NASA-CASE-XLA-03076] c 07 N71-11266

Reentry communication by material addition Patent
[NASA-CASE-XLA-01552] c 07 N71-11284

Cooperative Doppler radar system Patent
[NASA-CASE-LAR-10403] c 21 N71-11766

Supersonic aircraft Patent
[NASA-CASE-XLA-04451] c 02 N71-12243

Umbilical disconnect Patent
[NASA-CASE-XLA-00711] c 03 N71-12258

Remote controlled tubular disconnect Patent
[NASA-CASE-XLA-01396] c 03 N71-12259

Backpack carrier Patent
[NASA-CASE-LAR-10056] c 05 N71-12351

Optical communications system Patent
[NASA-CASE-XLA-01090] c 07 N71-12389

Analog to digital converter Patent
[NASA-CASE-XLA-00670] c 08 N71-12501

Integrated time shared instrumentation display Patent
[NASA-CASE-XLA-01952] c 08 N71-12507

SCR blocking pulse gate amplifier Patent
[NASA-CASE-XLA-07497] c 09 N71-12514

Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-00755] c 01 N71-13410

Minimum induced drag airfoil body Patent
[NASA-CASE-XLA-05828] c 01 N71-13411

Mechanical stability augmentation system Patent
[NASA-CASE-XLA-06339] c 02 N71-13422

Automatic balancing device Patent
[NASA-CASE-LAR-10774] c 10 N71-13545

Quick release connector Patent
[NASA-CASE-XLA-01141] c 15 N71-13789

Spacecraft experiment pointing and attitude control system Patent
[NASA-CASE-XLA-05464] c 21 N71-14132

Pressurized cell micrometeoroid detector Patent
[NASA-CASE-XLA-00936] c 14 N71-14996

Crossed-field MHD plasma generator/ accelerator Patent
[NASA-CASE-XLA-03374] c 25 N71-15562

Adjustable attitude guide device Patent
[NASA-CASE-XLA-07911] c 15 N71-15571

Control system for rocket vehicles Patent
[NASA-CASE-XLA-01163] c 21 N71-15582

Excessive temperature warning system Patent
[NASA-CASE-XLA-01926] c 14 N71-15620

Alleviation of divergence during rocket launch Patent
[NASA-CASE-XLA-00256] c 31 N71-15663

Space capsule Patent
[NASA-CASE-XLA-01332] c 31 N71-15664

Variable geometry manned orbital vehicle Patent
[NASA-CASE-XLA-03691] c 31 N71-15674

Payload/burned-out motor case separation system Patent
[NASA-CASE-XLA-05369] c 31 N71-15687

Velocity package Patent
[NASA-CASE-XLA-01339] c 31 N71-15692

File card marker Patent
[NASA-CASE-XLA-02705] c 08 N71-15908

Hypersonic test facility Patent
[NASA-CASE-XLA-00378] c 11 N71-15925

Test unit free-flight suspension system Patent
[NASA-CASE-XLA-00939] c 11 N71-15926

Reduced gravity simulator Patent
[NASA-CASE-XLA-01787] c 11 N71-16028

Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00284] c 15 N71-16075

Method of coating carbonaceous base to prevent oxidation destruction and coated base Patent
[NASA-CASE-XLA-00302] c 15 N71-16077

Separator Patent
[NASA-CASE-XLA-00415] c 15 N71-16079

Omnidirectional multiple impact landing system Patent
[NASA-CASE-XLA-09881] c 31 N71-16085

Flexible ring slosh damping baffle Patent
[NASA-CASE-LAR-10317-1] c 32 N71-16103

Buoyant anti-slosh system Patent
[NASA-CASE-XLA-04605] c 32 N71-16106

Detector panels-micrometeoroid impact Patent
[NASA-CASE-XLA-05906] c 31 N71-16221

Wind velocity probing device and method Patent
[NASA-CASE-XLA-02081] c 20 N71-16281

Vibrating structure displacement measuring instrument Patent
[NASA-CASE-XLA-03135] c 32 N71-16428

Viscous-pendulum-damper Patent
[NASA-CASE-XLA-02079] c 12 N71-16894

Leak detector Patent
[NASA-CASE-LAR-10323-1] c 12 N71-17573

Logic AND gate for fluid circuits Patent
[NASA-CASE-XLA-07391] c 12 N71-17579

Contour surveying system Patent
[NASA-CASE-XLA-08646] c 14 N71-17586

Cable arrangement for rigid tethering Patent
[NASA-CASE-XLA-02332] c 32 N71-17609

Thermal pump-compressor for space use Patent
[NASA-CASE-XLA-00377] c 33 N71-17610

Viscous pendulum damper Patent
[NASA-CASE-LAR-10274-1] c 14 N71-17626

Self supporting space vehicle Patent
[NASA-CASE-XLA-00117] c 31 N71-17680

Technique for control of free-flight rocket vehicles Patent
[NASA-CASE-XLA-00937] c 31 N71-17691

Hydraulic grip Patent
[NASA-CASE-XLA-05100] c 15 N71-17696

Heat protection apparatus Patent
[NASA-CASE-XLA-00892] c 33 N71-17897

Thermopile vacuum gage tube simulator Patent
[NASA-CASE-XLA-02758] c 14 N71-18481

Ionization vacuum gauge with all but the end of the ion collector shielded Patent
[NASA-CASE-XLA-07424] c 14 N71-18482

Safe-arm initiator Patent
[NASA-CASE-LAR-10372] c 09 N71-18599

Controlled glass bead peening Patent
[NASA-CASE-XLA-07390] c 15 N71-18616

Exclusive-Or digital logic module Patent
[NASA-CASE-XLA-07732] c 08 N71-18751

Slosh alleviator Patent
[NASA-CASE-XLA-05749] c 15 N71-19569

G conditioning suit Patent
[NASA-CASE-XLA-02898] c 05 N71-20268

Dosimeter for high levels of absorbed radiation Patent
[NASA-CASE-XLA-03645] c 14 N71-20430

Flow field simulation Patent
[NASA-CASE-LAR-11138] c 12 N71-20436

Variable pulse width multiplier Patent
[NASA-CASE-XLA-02850] c 09 N71-20447

Means for measuring the electron density gradients of the plasma sheath formed around a space vehicle Patent
[NASA-CASE-XLA-06232] c 25 N71-20563

Null device for hand controller Patent
[NASA-CASE-XLA-01808] c 15 N71-20740

Event recorder Patent
[NASA-CASE-XLA-01832] c 14 N71-21006

Inflatable support structure Patent
[NASA-CASE-XLA-01731] c 32 N71-21045

Fast opening diaphragm Patent
[NASA-CASE-XLA-03660] c 15 N71-21060

Ellipsograph for pantograph Patent
[NASA-CASE-XLA-03102] c 14 N71-21079

Random function tracer Patent
[NASA-CASE-XLA-01401] c 15 N71-21179

Method and apparatus for bonding a plastics sleeve onto a metallic body Patent
[NASA-CASE-XLA-01262] c 15 N71-21404

Hypersonic test facility Patent
[NASA-CASE-XLA-05378] c 11 N71-21475

Multilegged support system Patent
[NASA-CASE-XLA-01326] c 11 N71-21481

Nacelle afterbody for jet engines Patent
[NASA-CASE-XLA-10450] c 28 N71-21493

Canister closing device Patent
[NASA-CASE-XLA-01446] c 15 N71-21528

Ablation sensor Patent
[NASA-CASE-XLA-01794] c 33 N71-21586

Self-repeating plasma generator having communicating annular and linear arc discharge passages Patent
[NASA-CASE-XLA-03103] c 25 N71-21693

Attitude control and damping system for spacecraft Patent
[NASA-CASE-XLA-02551] c 21 N71-21708

Method of making inflatable honeycomb Patent
[NASA-CASE-XLA-03492] c 15 N71-22713

Lunar penetrometer Patent
[NASA-CASE-XLA-00934] c 14 N71-22765

Thermal control wall panel Patent
[NASA-CASE-XLA-01243] c 33 N71-22792

Attitude sensor for space vehicles Patent
[NASA-CASE-XLA-00793] c 21 N71-22880

Omnidirectional microwave spacecraft antenna Patent
[NASA-CASE-XLA-03114] c 09 N71-22888

Thermal control panel Patent
[NASA-CASE-XLA-07728] c 33 N71-22890

Spacecraft airlock Patent
[NASA-CASE-XLA-02050] c 31 N71-22968

Station keeping of a gravity gradient stabilized satellite Patent
[NASA-CASE-XLA-03132] c 31 N71-22969

Semi-linear ball bearing Patent
[NASA-CASE-XLA-02809] c 15 N71-22982

Heat sensing instrument Patent
[NASA-CASE-XLA-01551] c 14 N71-22989

Ablation sensor Patent
[NASA-CASE-XLA-01791] c 14 N71-22991

Self-calibrating displacement transducer Patent
[NASA-CASE-XLA-00781] c 09 N71-22999

Lateral displacement system for separated rocket stages Patent
[NASA-CASE-XLA-04804] c 31 N71-23008

Thermal control coating Patent
[NASA-CASE-XLA-01995] c 18 N71-23047

Method of making an inflatable panel Patent
[NASA-CASE-XLA-03497] c 15 N71-23052

Variable duration pulse integrator Patent
[NASA-CASE-XLA-01219] c 10 N71-23084
Impact energy absorber Patent
[NASA-CASE-XLA-01530] c 14 N71-23092
Micrometeoroid penetration measuring device Patent
[NASA-CASE-XLA-00941] c 14 N71-23240
Combined optical attitude and altitude indicating instrument Patent
[NASA-CASE-XLA-01907] c 14 N71-23268
Solar sensor having coarse and fine sensing with matched preirradiated cells and method of selecting cells Patent
[NASA-CASE-XLA-01584] c 14 N71-23269
Variable width pulse integrator Patent
[NASA-CASE-XLA-03356] c 10 N71-23315
Leading edge curvature based on convective heating Patent
[NASA-CASE-XLA-01486] c 01 N71-23497
Measurement of time differences between luminous events Patent
[NASA-CASE-XLA-01987] c 23 N71-23976
Method for measuring the characteristics of a gas Patent
[NASA-CASE-XLA-03375] c 16 N71-24074
Laser grating interferometer Patent
[NASA-CASE-XLA-04295] c 16 N71-24170
Automatic fatigue test temperature programmer Patent
[NASA-CASE-XLA-02059] c 33 N71-24276
Ring wing tension vehicle Patent
[NASA-CASE-XLA-04901] c 31 N71-24315
Process for applying black coating to metals Patent
[NASA-CASE-XLA-06199] c 15 N71-24875
Velocity limiting safety system Patent
[NASA-CASE-XLA-07473] c 15 N71-24895
Strain coupled servo control system Patent
[NASA-CASE-XLA-08530] c 32 N71-25360
Method of temperature compensating semiconductor strain gages Patent
[NASA-CASE-XLA-04555-1] c 14 N71-25892
Method for improving the signal-to-noise ratio of the Wheatstone bridge type bolometer Patent
[NASA-CASE-XLA-02810] c 14 N71-25901
Method of plating copper on aluminum Patent
[NASA-CASE-XLA-08966-1] c 17 N71-25903
Laser calibrator Patent
[NASA-CASE-XLA-03410] c 16 N71-25914
Thermal protection ablation spray system Patent
[NASA-CASE-XLA-04251] c 18 N71-26100
Direct lift control system Patent
[NASA-CASE-LAR-10249-1] c 02 N71-26110
Light shield and infrared reflector for fatigue testing Patent
[NASA-CASE-XLA-01782] c 14 N71-26136
Dual resonant cavity absorption cell Patent
[NASA-CASE-LAR-10305] c 14 N71-26137
Resilience testing device Patent
[NASA-CASE-XLA-08254] c 14 N71-26161
Precipitation detector Patent
[NASA-CASE-XLA-02619] c 10 N71-26334
Instrument for measuring the dynamic behavior of liquids Patent
[NASA-CASE-XLA-05541] c 12 N71-26387
Arbitrarily shaped model survey system Patent
[NASA-CASE-LAR-10098] c 32 N71-26681
Dielectric molding apparatus Patent
[NASA-CASE-LAR-10121-1] c 15 N71-26721
Method of making a solid propellant rocket motor Patent
[NASA-CASE-XLA-04126] c 28 N71-26779
Dynamic vibration absorber Patent
[NASA-CASE-LAR-10083-1] c 15 N71-27006
Rate augmented digital to analog converter Patent
[NASA-CASE-XLA-07828] c 08 N71-27057
High speed flight vehicle control Patent
[NASA-CASE-XLA-08967] c 02 N71-27088
Suspended mass impact damper Patent
[NASA-CASE-LAR-10193-1] c 15 N71-27146
Active vibration isolator for flexible bodies Patent
[NASA-CASE-LAR-10106-1] c 15 N71-27169
Soldering device Patent
[NASA-CASE-XLA-08911] c 15 N71-27214
Fringe counter for interferometers Patent
[NASA-CASE-LAR-10204] c 14 N71-27215
Wideband VCO with high phase stability Patent
[NASA-CASE-XLA-03893] c 10 N71-27271
Plural position switch status and operativeness checker Patent
[NASA-CASE-XLA-08799] c 10 N71-27272
Angular displacement indicating gas bearing support system Patent
[NASA-CASE-XLA-09346] c 15 N71-28740
Solid state thermal control polymer coating Patent
[NASA-CASE-XLA-01745] c 33 N71-28903
Specialized halogen generator for purification of water Patent
[NASA-CASE-XLA-08913] c 14 N71-28933
Antenna design for surface wave suppression Patent
[NASA-CASE-XLA-10772] c 07 N71-28980
Analog to digital converter tester Patent
[NASA-CASE-XLA-06713] c 14 N71-28991
Method of making pressurized panel Patent
[NASA-CASE-XLA-08916] c 15 N71-29018
Maksutov spectrograph Patent
[NASA-CASE-XLA-10402] c 14 N71-29041
Two component bearing Patent
[NASA-CASE-XLA-00013] c 15 N71-29136
Digital pulse width selection circuit Patent
[NASA-CASE-XLA-07788] c 09 N71-29139
Magnetically controlled plasma accelerator Patent
[NASA-CASE-XLA-00327] c 25 N71-29184
Boring bar drive mechanism Patent
[NASA-CASE-XLA-03661] c 15 N71-33518
Wind tunnel model damper Patent
[NASA-CASE-XLA-09480] c 11 N71-33612
Variable geometry rotor system
[NASA-CASE-LAR-10557] c 02 N72-11018
Flared tube strainer
[NASA-CASE-XLA-05056] c 15 N72-11389
Impact measuring technique
[NASA-CASE-LAR-10913] c 14 N72-16282
Technique of duplicating fragile core
[NASA-CASE-XLA-07829] c 15 N72-16329
Tube fabricating process
[NASA-CASE-LAR-10203-1] c 15 N72-16330
Air bearing
[NASA-CASE-WLP-10002] c 15 N72-17451
Extensometer frame
[NASA-CASE-XLA-10322] c 15 N72-17452
Split range transducer
[NASA-CASE-XLA-11189] c 10 N72-20222
Stereo photomicrography system
[NASA-CASE-LAR-10176-1] c 14 N72-20380
Radar calibration sphere
[NASA-CASE-XLA-11154] c 07 N72-21117
Recorder using selective noise filter
[NASA-CASE-ERC-10112] c 07 N72-21119
Stacked array of omnidirectional antennas
[NASA-CASE-LAR-10545-1] c 09 N72-21244
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-10503-1] c 09 N72-21248
Lathe tool bit and holder for machining fiberglass materials
[NASA-CASE-XLA-10470] c 15 N72-21489
Pressure operated electrical switch responsive to a pressure decrease after a pressure increase
[NASA-CASE-LAR-10137-1] c 09 N72-22204
Variable geometry wind tunnels
[NASA-CASE-XLA-07430] c 11 N72-22246
Magnifying scratch gage force transducer
[NASA-CASE-LAR-10496-1] c 14 N72-22437
Star image motion compensator
[NASA-CASE-LAR-10523-1] c 14 N72-22444
Absolute focus lock for microscopes
[NASA-CASE-LAR-10184] c 14 N72-22445
Cryogenic feedthrough
[NASA-CASE-LAR-10031] c 15 N72-22484
A technique for breaking ice in the path of a ship
[NASA-CASE-LAR-10815-1] c 16 N72-22520
One hand backpack harness
[NASA-CASE-LAR-10102-1] c 05 N72-23085
Method and apparatus for mapping the sensitivity of the face of a photodetector specifically a PMT
[NASA-CASE-LAR-10320-1] c 09 N72-23172
Omnidirectional slot antenna for mounting on cylindrical space vehicle
[NASA-CASE-LAR-10163-1] c 09 N72-25247
Hall effect transducer
[NASA-CASE-LAR-10620-1] c 09 N72-25255
Radio frequency filter device
[NASA-CASE-XLA-02609] c 09 N72-25256
Parametric amplifiers with idler circuit feedback
[NASA-CASE-LAR-10253-1] c 09 N72-25258
Variable angle tube holder
[NASA-CASE-LAR-10507-1] c 11 N72-25284
Low mass truss structure
[NASA-CASE-LAR-10546-1] c 11 N72-25287
Liquid waste feed system
[NASA-CASE-LAR-10365-1] c 05 N72-27102
Microcircuit negative cutter
[NASA-CASE-XLA-09843] c 15 N72-27485
Light regulator
[NASA-CASE-LAR-10836-1] c 26 N72-27784
Linear explosive comparison
[NASA-CASE-LAR-10800-1] c 33 N72-27959
Spherical measurement device
[NASA-CASE-XLA-06683] c 14 N72-28436
Method of making semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980-2] c 14 N72-28438
Screened circuit capacitors
[NASA-CASE-LAR-10294-1] c 26 N72-28762
Deposition apparatus
[NASA-CASE-LAR-10541-1] c 15 N72-32487
Lift balancing device
[NASA-CASE-LAR-10348-1] c 11 N73-12264
Air removal device
[NASA-CASE-XLA-08914] c 15 N73-12492
Nondestructive spot test method for titanium and titanium alloys
[NASA-CASE-LAR-10539-1] c 17 N73-12547
Logical function generator
[NASA-CASE-XLA-05099] c 09 N73-13209
Ferry system
[NASA-CASE-LAR-10574-1] c 11 N73-13257
Flow velocity and directional instrument
[NASA-CASE-LAR-10855-1] c 14 N73-13415
Vortex breech high pressure gas generator
[NASA-CASE-LAR-10549-1] c 31 N73-13898
Butt welder for fine gauge tungsten/rhenium thermocouple wire
[NASA-CASE-LAR-10103-1] c 15 N73-14468
Method of detecting oxygen in a gas
[NASA-CASE-LAR-10668-1] c 06 N73-16106
Combustion detector
[NASA-CASE-LAR-10739-1] c 14 N73-16484
Laser communication system for controlling several functions at a location remote to the laser
[NASA-CASE-LAR-10311-1] c 16 N73-16536
Apparatus for photographing meteors
[NASA-CASE-LAR-10226-1] c 14 N73-19419
Zero gravity liquid mixer
[NASA-CASE-LAR-10195-1] c 15 N73-19458
Rate data encoder
[NASA-CASE-LAR-10128-1] c 08 N73-20217
Function generator for synthesizing complex vibration mode patterns
[NASA-CASE-LAR-10310-1] c 10 N73-20253
Infrared horizon locator
[NASA-CASE-LAR-10726-1] c 14 N73-20475
Light intensity strain analysis
[NASA-CASE-LAR-10765-1] c 32 N73-20740
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10578-1] c 12 N73-25262
Cable restraint
[NASA-CASE-LAR-10129-1] c 15 N73-25512
Electronic strain-level counter
[NASA-CASE-LAR-10756-1] c 32 N73-26910
Nondestructive spot test method for magnesium and magnesium alloys
[NASA-CASE-LAR-10953-1] c 17 N73-27446
Ablation article and method
[NASA-CASE-LAR-10439-1] c 33 N73-27796
Apparatus and method for generating large mass flow of high temperature air at hypersonic speeds
[NASA-CASE-LAR-10612-1] c 12 N73-28144
Pressurized panel
[NASA-CASE-XLA-08916-2] c 14 N73-28487
Apparatus for aiding a pilot in avoiding a midair collision between aircraft
[NASA-CASE-LAR-10717-1] c 21 N73-30641
Exposure interlock for oscilloscope cameras
[NASA-CASE-LAR-10319-1] c 14 N73-32322
Meteoroid detector
[NASA-CASE-LAR-10483-1] c 14 N73-32327
Lightweight, variable solidity knitted parachute fabric
[NASA-CASE-LAR-10776-1] c 02 N74-10034
Technique for extending the frequency range of digital dividers
[NASA-CASE-LAR-10730-1] c 33 N74-10223
Fluid pressure amplifier and system
[NASA-CASE-LAR-10868-1] c 33 N74-11050
Method of making pressure tight seal for super alloy
[NASA-CASE-LAR-10170-1] c 37 N74-11301
System for calibrating pressure transducer
[NASA-CASE-LAR-10910-1] c 35 N74-13132
Molding process for imidazopyrrolone polymers
[NASA-CASE-LAR-10547-1] c 31 N74-13177
Lyophilized spore dispenser
[NASA-CASE-LAR-10544-1] c 37 N74-13178
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-2] c 70 N74-13436
Evacuated displacement compression molding
[NASA-CASE-LAR-10782-1] c 31 N74-14133
Modification of one man life raft
[NASA-CASE-LAR-10241-1] c 54 N74-14845
Attitude sensor
[NASA-CASE-LAR-10586-1] c 19 N74-15089
Mossbauer spectrometer radiation detector
[NASA-CASE-LAR-11155-1] c 35 N74-15091
In situ transfer standard for ultrahigh vacuum gage calibration
[NASA-CASE-LAR-10862-1] c 35 N74-15092
Dual measurement ablation sensor
[NASA-CASE-LAR-10105-1] c 34 N74-15652
Ejectable underwater sound source recovery assembly
[NASA-CASE-LAR-10595-1] c 35 N74-16135

Wind tunnel model and method
[NASA-CASE-LAR-10812-1] c 09 N74-17955
High field CdS detector for infrared radiation
[NASA-CASE-LAR-11027-1] c 35 N74-18088
Method of fabricating an article with cavities
[NASA-CASE-LAR-10318-1] c 31 N74-18089
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c 37 N74-18123
Method for compression molding of thermosetting plastics utilizing a temperature gradient across the plastic to cure the article
[NASA-CASE-LAR-10489-1] c 31 N74-18124
Method for determining thermo-physical properties of specimens
[NASA-CASE-LAR-11053-1] c 25 N74-18551
Anti-buckling fatigue test assembly
[NASA-CASE-LAR-10426-1] c 09 N74-19528
Reefing system
[NASA-CASE-LAR-10129-2] c 37 N74-20063
A synchronous binary array divider
[NASA-CASE-ERC-10180-1] c 60 N74-20836
Orbital and entry tracking accessory for globes
[NASA-CASE-LAR-10626-1] c 19 N74-21015
Digital controller for a Baum folding machine
[NASA-CASE-LAR-10688-1] c 37 N74-21056
Totally confined explosive welding
[NASA-CASE-LAR-10941-1] c 37 N74-21057
Method of fabricating an object with a thin wall having a precisely shaped slit
[NASA-CASE-LAR-10409-1] c 31 N74-21059
Deployable pressurized cell structure for a micrometeoroid detector
[NASA-CASE-LAR-10295-1] c 35 N74-21062
Means for accommodating large overstrain in lead wires
[NASA-CASE-LAR-10168-1] c 33 N74-22865
Bonded joint and method
[NASA-CASE-LAR-10900-1] c 37 N74-23064
Light shield and cooling apparatus
[NASA-CASE-LAR-10089-1] c 34 N74-23066
Method of laminating structural members
[NASA-CASE-XLA-11028-1] c 24 N74-27035
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c 15 N74-27360
Apparatus for inserting and removing specimens from high temperature vacuum furnaces
[NASA-CASE-LAR-10841-1] c 31 N74-27900
Grinding arrangement for ball nose milling cutters
[NASA-CASE-LAR-10450-1] c 37 N74-27905
Method of repairing discontinuity in fiberglass structures
[NASA-CASE-LAR-10416-1] c 24 N74-30001
Deployable flexible ventral fins for use as an emergency spin recovery device in aircraft
[NASA-CASE-LAR-10753-1] c 08 N74-30421
Apparatus for applying simulator g-forces to an arm of an aircraft simulator pilot
[NASA-CASE-LAR-10550-1] c 09 N74-30597
Centrifugal lyophobic separator
[NASA-CASE-LAR-10194-1] c 34 N74-30608
Variably positioned guide vanes for aerodynamic choking
[NASA-CASE-LAR-10642-1] c 07 N74-31270
Noise suppressor
[NASA-CASE-LAR-11141-1] c 07 N74-32418
Measuring probe position recorder
[NASA-CASE-LAR-10806-1] c 35 N74-32877
Stagnation pressure probe
[NASA-CASE-LAR-11139-1] c 35 N74-32878
Molding apparatus
[NASA-CASE-LAR-10489-2] c 31 N74-32920
Remote fire stack igniter
[NASA-CASE-MFS-21675-1] c 25 N74-33378
Open tube guideway for high speed air cushioned vehicles
[NASA-CASE-LAR-10256-1] c 85 N74-34672
Fast scan control for deflection type mass spectrometers
[NASA-CASE-LAR-11428-1] c 35 N74-34857
Apparatus for microbiological sampling
[NASA-CASE-LAR-11069-1] c 35 N75-12272
Method of making an explosively welded scarf joint
[NASA-CASE-LAR-11211-1] c 37 N75-12326
Determining particle density using known material Hugeniot curves
[NASA-CASE-LAR-11059-1] c 76 N75-12810
Method for making conductors for ferrite memory arrays
[NASA-CASE-LAR-10994-1] c 24 N75-13032
Evacuated, displacement compression mold
[NASA-CASE-LAR-10782-2] c 31 N75-13111
Automatic inoculating apparatus
[NASA-CASE-LAR-11074-1] c 51 N75-13502
Automatic focus control for facsimile cameras
[NASA-CASE-LAR-11213-1] c 35 N75-15014
Kinesthetic control simulator
[NASA-CASE-LAR-10276-1] c 09 N75-15662
Electrostatic measurement system
[NASA-CASE-MFS-22129-1] c 33 N75-18477
Automatic liquid inventory collecting and dispensing unit
[NASA-CASE-LAR-11071-1] c 35 N75-19611
Vacuum leak detector
[NASA-CASE-LAR-11237-1] c 35 N75-19612
Spectrometer integrated with a facsimile camera
[NASA-CASE-LAR-11207-1] c 35 N75-19613
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c 35 N75-19614
Laser head for simultaneous optical pumping of several dye lasers
[NASA-CASE-LAR-11341-1] c 36 N75-19655
High lift aircraft
[NASA-CASE-LAR-11252-1] c 05 N75-25914
Vapor phase growth of groups 3-5 compounds by hydrogen chloride transport of the elements
[NASA-CASE-LAR-11144-1] c 25 N75-26043
Resonant waveguide stark cell
[NASA-CASE-LAR-11352-1] c 33 N75-26245
Fluid control apparatus and method
[NASA-CASE-LAR-11110-1] c 34 N75-26282
Electrolytic cell structure
[NASA-CASE-LAR-11042-1] c 33 N75-27252
Automatic microbial transfer device
[NASA-CASE-LAR-11354-1] c 35 N75-27330
Polyimide adhesives
[NASA-CASE-LAR-11397-1] c 27 N75-29263
Bonding method in the manufacture of continuous regression rate sensor devices
[NASA-CASE-LAR-10337-1] c 24 N75-30260
Meteoroid impact position locator aid for manned space station
[NASA-CASE-LAR-10629-1] c 35 N75-33367
Measurement of gas production of microorganisms
[NASA-CASE-LAR-11326-1] c 35 N75-33368
Self-supporting strain transducer
[NASA-CASE-LAR-11263-1] c 35 N75-33369
Annular momentum control device used for stabilization of space vehicles and the like
[NASA-CASE-LAR-11051-1] c 15 N76-14158
Multichannel logarithmic RF level detector
[NASA-CASE-LAR-11021-1] c 32 N76-14321
Turnstile and flared cone UHF antenna
[NASA-CASE-LAR-10970-1] c 33 N76-14372
Static pressure probe
[NASA-CASE-LAR-11552-1] c 35 N76-14429
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c 32 N76-15330
Ultrasonic calibration device
[NASA-CASE-LAR-11435-1] c 35 N76-15432
Deploy/release system
[NASA-CASE-LAR-11575-1] c 02 N76-16014
Clock setter
[NASA-CASE-LAR-11458-1] c 35 N76-16392
Heat exchanger system and method
[NASA-CASE-LAR-10799-2] c 34 N76-17317
Stack plume visualization system
[NASA-CASE-LAR-11675-1] c 45 N76-17656
Cascade plug nozzle
[NASA-CASE-LAR-11674-1] c 07 N76-18117
Exhaust flow deflector
[NASA-CASE-LAR-11570-1] c 34 N76-18364
Method and apparatus for tensile testing of metal foil
[NASA-CASE-LAR-10208-1] c 35 N76-18400
Method and apparatus for fluffing, separating, and cleaning fibers
[NASA-CASE-LAR-11224-1] c 37 N76-18456
Therapeutic hand exerciser
[NASA-CASE-LAR-11667-1] c 52 N76-19785
Magnetic heading reference
[NASA-CASE-LAR-11387-1] c 04 N76-20114
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c 37 N76-21554
Airfoil shape for flight at subsonic speeds
[NASA-CASE-LAR-10585-1] c 02 N76-22154
Particulate and aerosol detector
[NASA-CASE-LAR-11434-1] c 35 N76-22509
High temperature strain gage calibration fixture
[NASA-CASE-LAR-11500-1] c 35 N76-24523
Vacuum pressure molding technique
[NASA-CASE-LAR-10073-1] c 37 N76-24575
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c 07 N76-27232
Connector
[NASA-CASE-LAR-11709-1] c 37 N76-27567
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c 37 N76-27568
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c 35 N76-29551
Method for detecting pollutants
[NASA-CASE-LAR-11405-1] c 45 N76-31714
Wingtip vortex dissipator for aircraft
[NASA-CASE-LAR-11645-1] c 02 N77-10001
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c 28 N77-10213
Anti-multipath digital signal detector
[NASA-CASE-LAR-11827-1] c 32 N77-10392
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c 37 N77-11397
Phase modulating with odd and even finite power series of a modulating signal
[NASA-CASE-LAR-11607-1] c 32 N77-14292
Miniature biaxial strain transducer
[NASA-CASE-LAR-11648-1] c 35 N77-14407
Precision alinement apparatus for cutting a workpiece
[NASA-CASE-LAR-11658-1] c 37 N77-14478
Solid propellant rocket motor and method of making same
[NASA-CASE-XLA-01349] c 20 N77-17143
Particulate and solar radiation stable coating for spacecraft
[NASA-CASE-LAR-10805-2] c 34 N77-18382
Magnetic heading reference
[NASA-CASE-LAR-11387-2] c 04 N77-19056
Binocular device for displaying numerical information in field of view
[NASA-CASE-LAR-11782-1] c 74 N77-20882
Method of locating persons in distress
[NASA-CASE-LAR-11390-1] c 32 N77-21267
Amplifying ribbon extensometer
[NASA-CASE-LAR-11825-1] c 35 N77-22449
Method of forming shrink-fit compression seal
[NASA-CASE-LAR-11563-1] c 37 N77-23482
Vortex generator for controlling the dispersion of effluents in a flowing liquid
[NASA-CASE-LAR-12045-1] c 34 N77-24423
Process for control of cell division
[NASA-CASE-LAR-10773-3] c 51 N77-25769
Electro-mechanical sine/cosine generator
[NASA-CASE-LAR-11389-1] c 33 N77-26387
Apparatus for determining thermophysical properties of test specimens
[NASA-CASE-LAR-11883-1] c 09 N77-27131
Automated single-slide staining device
[NASA-CASE-LAR-11649-1] c 51 N77-27677
Dual cycle aircraft turbine engine
[NASA-CASE-LAR-11310-1] c 07 N77-28118
Composite sandwich lattice structure
[NASA-CASE-LAR-11898-1] c 24 N78-10214
Differential sound level meter
[NASA-CASE-LAR-12106-1] c 71 N78-14867
Thermoluminescent aerosol analysis
[NASA-CASE-LAR-12046-1] c 25 N78-15210
CW ultrasonic bolt tensioning monitor
[NASA-CASE-LAR-12016-1] c 39 N78-15512
Solar heating system
[NASA-CASE-LAR-12009-1] c 44 N78-15560
Transmitting and reflecting diffuser
[NASA-CASE-LAR-10385-3] c 74 N78-15879
TV fatigue crack monitoring system
[NASA-CASE-LAR-11490-1] c 39 N78-16387
Method of making a composite sandwich lattice structure
[NASA-CASE-LAR-11898-2] c 24 N78-17149
Composite lamination method
[NASA-CASE-LAR-12019-1] c 24 N78-17150
Polyimide adhesives
[NASA-CASE-LAR-12181-1] c 27 N78-17205
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c 27 N78-17206
Optical scanner
[NASA-CASE-LAR-11711-1] c 74 N78-17866
Molded composite pyrogen igniter for rocket motors
[NASA-CASE-LAR-12018-1] c 20 N78-24275
Non-destructive method for applying and removing instrumentation on helicopter rotor blades
[NASA-CASE-LAR-11201-1] c 35 N78-24515
Two dimensional wedge/translating shroud nozzle
[NASA-CASE-LAR-11919-1] c 07 N78-27121
Remote water monitoring system
[NASA-CASE-LAR-11973-1] c 35 N78-27384
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-2] c 37 N78-27424
Device for measuring the contour of a surface
[NASA-CASE-LAR-11869-1] c 74 N78-27904
Supersonic transport
[NASA-CASE-LAR-11932-1] c 05 N78-32086
Hypersonic airbreathing missile
[NASA-CASE-LAR-12264-1] c 15 N78-32168

Process for preparing thermoplastic aromatic polyimides
[NASA-CASE-LAR-11828-1] c 27 N78-32261
Magnetometer with a miniature transducer and automatic scanning
[NASA-CASE-LAR-11617-2] c 35 N78-32397
Independent power generator
[NASA-CASE-LAR-11208-1] c 44 N78-32539
Pseudo continuous wave instrument
[NASA-CASE-LAR-12260-1] c 35 N79-10390
Nozzle extraction process and handlemeter for measuring handle
[NASA-CASE-LAR-12147-1] c 31 N79-11246
Fluid velocity measuring device
[NASA-CASE-LAR-11729-1] c 34 N79-12359
Totally confined explosive welding
[NASA-CASE-LAR-10941-2] c 37 N79-13364
Vortex-lift roll-control device
[NASA-CASE-LAR-11868-2] c 08 N79-14108
Electronically scanned pressure sensor module with in SITU calibration capability
[NASA-CASE-LAR-12230-1] c 35 N79-14347
Versatile LDV burst simulator
[NASA-CASE-LAR-11859-1] c 35 N79-14349
Locking redundant link
[NASA-CASE-LAR-11900-1] c 37 N79-14382
Apparatus for measuring an aircraft's speed and height
[NASA-CASE-LAR-12275-1] c 35 N79-18296
Volumetric direct nuclear pumped laser
[NASA-CASE-LAR-12183-1] c 36 N79-18307
Wind tunnel
[NASA-CASE-LAR-10135-1] c 09 N79-21083
Fatigue failure load indicator
[NASA-CASE-LAR-12027-1] c 39 N79-22537
Filtering technique based on high-frequency plant modeling for high-gain control
[NASA-CASE-LAR-12215-1] c 08 N79-23097
Electrochemical detection device
[NASA-CASE-LAR-11922-1] c 25 N79-24079
High-temperature microphone system
[NASA-CASE-LAR-12375-1] c 32 N79-24203
Magnetic suspension and pointing system
[NASA-CASE-LAR-11889-1] c 35 N79-26372
Seat cushion to provide realistic acceleration cues to aircraft simulator pilot
[NASA-CASE-LAR-12149-2] c 09 N79-31228
Mixed diamines for lower melting addition polyimide preparation and utilization
[NASA-CASE-LAR-12054-1] c 27 N79-33316
Displacement probes with self-contained exciting medium
[NASA-CASE-LAR-11690-1] c 35 N80-14371
Crystalline polyimides
[NASA-CASE-LAR-12099-1] c 27 N80-16158
Laser Doppler velocity simulator
[NASA-CASE-LAR-12176-1] c 36 N80-16321
Static pressure orifice system testing method and apparatus
[NASA-CASE-LAR-12269-1] c 35 N80-18358
Radar target for remotely sensing hydrological phenomena
[NASA-CASE-LAR-12344-1] c 43 N80-18498
Solar cell angular position transducer
[NASA-CASE-LAR-11999-1] c 44 N80-18552
Detection of the transitional layer between laminar and turbulent flow areas on a wing surface
[NASA-CASE-LAR-12261-1] c 02 N80-20224
CDS solid state phase insensitive ultrasonic transducer
[NASA-CASE-LAR-12304-1] c 35 N80-20559
Combined solar collector and energy storage system
[NASA-CASE-LAR-12205-1] c 44 N80-20810
Noncontacting method for measuring angular deflection
[NASA-CASE-LAR-12178-1] c 74 N80-21138
Chromatically corrected virtual image visual display
[NASA-CASE-LAR-12251-1] c 74 N80-27185
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c 26 N80-28492
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c 35 N80-28686
Visible and infrared polarization ratio spectroreflectometer
[NASA-CASE-LAR-12285-1] c 35 N80-28687
Collapsible corrugated horn antenna
[NASA-CASE-LAR-11745-1] c 32 N80-29539
Natural turbulence electrical power generator
[NASA-CASE-LAR-11551-1] c 44 N80-29834
Partial interlaminar separation system for composites
[NASA-CASE-LAR-12065-1] c 24 N81-14000
Method for preparing addition type polyimide prepregs
[NASA-CASE-LAR-12054-2] c 27 N81-14078
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c 37 N81-14319
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c 02 N81-14968
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c 05 N81-19087
Thrust augmented spin recovery device
[NASA-CASE-LAR-11970-2] c 08 N81-19130
Velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c 08 N81-24106
Direction sensitive laser velocimeter
[NASA-CASE-LAR-12177-1] c 36 N81-24422
Tire/wheel concept
[NASA-CASE-LAR-11695-2] c 37 N81-24443
Lightweight structural columns
[NASA-CASE-LAR-12095-1] c 31 N81-25258
Foldable beam
[NASA-CASE-LAR-12077-1] c 31 N81-25259
Cooling system for high speed aircraft
[NASA-CASE-LAR-12406-1] c 05 N81-26114
Pitch attitude stabilization system utilizing engine pressure ratio feedback signals
[NASA-CASE-LAR-12562-1] c 08 N81-26152
Oribter/launch system
[NASA-CASE-LAR-12250-1] c 14 N81-26161
Adaptive polarization separation
[NASA-CASE-LAR-12196-1] c 33 N81-26358
Telescoping columns
[NASA-CASE-LAR-12195-1] c 31 N81-27324
Helmet weight simulator
[NASA-CASE-LAR-12320-1] c 54 N81-27806
Indirect microbial detection
[NASA-CASE-LAR-12520-1] c 51 N81-28698
Rim inertial measuring system
[NASA-CASE-LAR-12052-1] c 18 N81-29152
Tackifier for addition polyimides containing monoethylphthalate
[NASA-CASE-LAR-12642-1] c 27 N81-29229
Automated syringe sampler
[NASA-CASE-LAR-12308-1] c 35 N81-29407
Method of making a partial interlaminar separation composite system
[NASA-CASE-LAR-12065-2] c 24 N81-33235
Wind tunnel supplementary Mach number minimum section insert
[NASA-CASE-LAR-12532-1] c 09 N82-11088
Aluminum ion-containing polyimide adhesives
[NASA-CASE-LAR-12640-1] c 27 N82-11206
Small conductive particle sensor
[NASA-CASE-LAR-12552-1] c 35 N82-11431
Large volume multiple-path nuclear pumped laser
[NASA-CASE-LAR-12592-1] c 36 N82-13415
Moving body velocity arresting line
[NASA-CASE-LAR-12372-1] c 37 N82-18601
Air removal device
[NASA-CASE-XLA-08914-2] c 25 N82-21269
Metric half-span model support system
[NASA-CASE-LAR-12441-1] c 09 N82-23254
Hydraulic actuator mechanism to control aircraft spoiler movements through dual input commands
[NASA-CASE-LAR-12412-1] c 08 N82-24205
Image readout device with electronically variable spatial resolution
[NASA-CASE-LAR-12633-1] c 33 N82-24416
Hot foil transducer skin friction sensor
[NASA-CASE-LAR-12321-1] c 35 N82-24470
Continuous self-locking spiral wound seal
[NASA-CASE-LAR-12315-1] c 37 N82-24490
Solar engine
[NASA-CASE-LAR-12148-1] c 44 N82-24640
Fuselage structure using advanced technology fiber reinforced composites
[NASA-CASE-LAR-11688-1] c 24 N82-26384
Electrically conductive palladium containing polyimide films
[NASA-CASE-LAR-12705-1] c 25 N82-26396
Digital demodulator
[NASA-CASE-LAR-12659-1] c 33 N82-26570
One-step dual purpose joining technique
[NASA-CASE-LAR-12595-1] c 33 N82-26571
Liquid-immersible electrostatic ultrasonic transducer
[NASA-CASE-LAR-12465-1] c 33 N82-26572
Film advance indicator
[NASA-CASE-LAR-12474-1] c 35 N82-26628
Means for controlling aerodynamically induced twist
[NASA-CASE-LAR-12175-1] c 05 N82-28279
Apparatus and process for microbial detection and enumeration
[NASA-CASE-LAR-12709-1] c 35 N82-28604
Method for forming pyrrone molding powders and products of said method
[NASA-CASE-LAR-10423-1] c 23 N82-29358
Acoustic tooth cleaner
[NASA-CASE-LAR-12471-1] c 52 N82-29862
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-1] c 35 N82-31659
Decoupler pylon: wing/store flutter suppressor
[NASA-CASE-LAR-12468-1] c 08 N82-32373
Multiwall thermal protection system
[NASA-CASE-LAR-12620-1] c 24 N82-32417
Scanning afocal laser velocimeter projection lens system
[NASA-CASE-LAR-12328-1] c 36 N82-32712
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c 37 N82-32732
Photocapacitive image converter
[NASA-CASE-LAR-12513-1] c 44 N82-32841
Pulsed phase locked loop strain monitor
[NASA-CASE-LAR-12772-1] c 33 N83-16626
Ampoule sealing apparatus and process
[NASA-CASE-LAR-12847-1] c 33 N83-16633
Sound shield
[NASA-CASE-LAR-12883-1] c 71 N83-17235
Modified spiral wound retaining ring
[NASA-CASE-LAR-12361-1] c 37 N83-19091
Miniature spectrally selective dosimeter
[NASA-CASE-LAR-12469-1] c 35 N83-21311
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12458-1] c 44 N83-21503
Aeroelastic instability stoppers for wind tunnel models
[NASA-CASE-LAR-12720-1] c 44 N83-21504
Pyroelectric detector arrays
[NASA-CASE-LAR-12363-2] c 33 N83-24763
Elastomer toughened polyimide adhesives
[NASA-CASE-LAR-12775-1] c 27 N83-28240
Solar driven liquid metal MHD power generator
[NASA-CASE-LAR-12495-1] c 44 N83-28573
Stirling cycle cryogenic cooler
[US-PATENT-4,389,849] c 44 N83-28574
Instrument for determining coincidence and elapse time between independent sources of random sequential events
[NASA-CASE-LAR-12531-1] c 35 N83-29651
Flow resistivity instrument
[NASA-CASE-LAR-12053-1] c 43 N83-29782
Vibration isolation and pressure compensation apparatus for sensitive instrumentation
[NASA-CASE-LAR-12728-1] c 35 N83-32026
Fixture for environmental exposure of structural materials under compression load
[NASA-CASE-LAR-12602-1] c 39 N83-32081
Polyphenylquinoxalines containing pendant phenylethynyl and ethynyl groups
[NASA-CASE-LAR-12838-1] c 27 N83-34040
Solvent resistant thermoplastic aromatic poly(imidesulfone) and process for preparing same
[NASA-CASE-LAR-12858-1] c 27 N83-34041
Heating and cooling system
[NASA-CASE-LAR-12393-1] c 34 N83-34221
Variable anodic thermal control coating
[NASA-CASE-LAR-12719-1] c 44 N83-34449
Explosively activated egress area
[NASA-CASE-LAR-12624-1] c 01 N83-35992
Error correction method and apparatus for electronic timepieces
[NASA-CASE-LAR-12654-1] c 33 N83-36357
Family of airfoil shapes for rotating blades
[NASA-CASE-LAR-12843-1] c 02 N84-11136
Metal matrix composite structural panel construction
[NASA-CASE-LAR-12807-1] c 24 N84-11214
Solar powered aircraft
[NASA-CASE-LAR-12615-1] c 05 N84-12154
Low energy electron magnetometer using a monoenergetic electron beam
[NASA-CASE-LAR-12706-1] c 35 N84-12444
Ride quality meter
[NASA-CASE-LAR-12882-1] c 35 N84-12445
Vertical shaft windmill
[NASA-CASE-LAR-12923-1] c 37 N84-12493
Magnetic heading reference
[NASA-CASE-LAR-12638-1] c 04 N84-14132
Hot melt recharge system
[NASA-CASE-LAR-12881-1] c 27 N84-14323
Self-correcting electronically scanned pressure sensor
[NASA-CASE-LAR-12686-1] c 35 N84-14491
Apparatus and method for jet noise suppression
[NASA-CASE-LAR-11903-2] c 71 N84-14873
Missile rolling tail brake torque system
[NASA-CASE-LAR-12751-1] c 15 N84-16231
Rotary target V-block
[NASA-CASE-LAR-12007-3] c 35 N84-16523
Solar pumped laser
[NASA-CASE-LAR-12870-1] c 36 N84-16542
Powder fed sheared dispersal particle generator
[NASA-CASE-LAR-12785-1] c 37 N84-16561
Slotted variable camber flap
[NASA-CASE-LAR-12541-1] c 05 N84-22551
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-2] c 27 N84-22746

Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-1] c 27 N84-22747
Polyphenylene ethers with imide linking groups
[NASA-CASE-LAR-12980-1] c 27 N84-22749
Ultrasonic transducer with Gaussian radial pressure distribution
[NASA-CASE-LAR-12967-1] c 35 N84-22932
Acoustic ground impedance meter
[NASA-CASE-LAR-12995-1] c 35 N84-22933
Photoelectrochemical cells including chalcogenophosphate photoelectrodes
[NASA-CASE-LAR-12958-1] c 44 N84-23019
Heads up display
[NASA-CASE-LAR-12630-1] c 06 N84-27733
Shell tile thermal protection system
[NASA-CASE-LAR-12862-1] c 27 N84-27886
Strain gage calibration
[NASA-CASE-LAR-12743-1] c 35 N84-28019
Directional gear ratio transmissions
[NASA-CASE-LAR-12644-1] c 37 N84-28084
Tubing and cable cutting tool
[NASA-CASE-LAR-12786-1] c 37 N84-28085
Radionuclide counting technique for measuring wind velocity and direction
[NASA-CASE-LAR-12971-1] c 47 N84-28292
Medical clip
[NASA-CASE-LAR-12650-1] c 52 N84-28388
Process of making medical clip
[NASA-CASE-LAR-12650-2] c 52 N84-28389
Shapes for rotating airfoils
[NASA-CASE-LAR-12396-1] c 02 N84-28732
A system for controlling the oxygen content of a gas produced by combustion
[NASA-CASE-LAR-13257-1] c 25 N84-32447
Helicopter anti-torque system using strakes
[NASA-CASE-LAR-13233-1] c 05 N84-33400
Curved cap corrugated sheet
[NASA-CASE-LAR-12884-1] c 18 N84-33450
Model mount system for testing flutter
[NASA-CASE-LAR-12950-1] c 09 N84-34448
Process for improving mechanical properties of epoxy resins by addition of cobalt ions
[NASA-CASE-LAR-13230-1] c 24 N84-34571
Leading edge flap system for aircraft control augmentation
[NASA-CASE-LAR-12787-2] c 08 N85-19985
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-1] c 27 N85-20123
Process for preparing solvent resistant, thermoplastic aromatic poly(imidesulfone)
[NASA-CASE-LAR-12858-2] c 27 N85-20124
Hot melt adhesive attachment pad
[NASA-CASE-LAR-12894-1] c 27 N85-20125
Miniature electrooptical air flow sensor
[NASA-CASE-LAR-13065-1] c 35 N85-20295
Extended moment arm anti-spin device
[NASA-CASE-LAR-12979-1] c 05 N85-21147
Continuous laminar smoke generator
[NASA-CASE-LAR-13014-1] c 09 N85-21178
Elastomer toughened polyimide adhesives
[NASA-CASE-LAR-12775-2] c 27 N85-21349
Heat pipe cooled probe
[NASA-CASE-LAR-12588-1] c 34 N85-21568
Reusable thermal cycling clamp
[NASA-CASE-LAR-12868-1] c 37 N85-21651
Phenoxy resins containing pendent ethynyl groups and cured resins obtained therefrom
[NASA-CASE-LAR-13262-1] c 23 N85-28973
Induction heating gun
[NASA-CASE-LAR-13181-1] c 31 N85-29083
Daze fasteners
[NASA-CASE-LAR-13009-1] c 37 N85-29285
Precision manipulator heating and cooling apparatus for use in UHV systems with sample transfer capability
[NASA-CASE-LAR-13040-1] c 37 N85-29286
Dual differential interferometer
[NASA-CASE-LAR-12966-1] c 35 N85-30282
Mechanical fastener
[NASA-CASE-LAR-12738-2] c 37 N85-30335
Self-locking mechanical center joint
[NASA-CASE-LAR-12864-1] c 37 N85-30336
Method for thermal monitoring subcutaneous tissue
[NASA-CASE-LAR-13028-1] c 52 N85-30618
Method for determining the point of zero zeta potential of semiconductor
[NASA-CASE-LAR-12893-1] c 76 N85-30923
Process for improving moisture resistance of epoxy resins by addition of chromium ions
[NASA-CASE-LAR-13226-1] c 27 N85-34282
Tensile testing apparatus
[NASA-CASE-LAR-13243-1] c 35 N85-34375
Wingtip vortex propeller
[NASA-CASE-LAR-13019-1] c 07 N85-35194
Dual towline spin-recovery device
[NASA-CASE-LAR-13076-1] c 08 N85-35200
Technique for measuring gas conversion factors
[NASA-CASE-LAR-13220-1] c 34 N86-12547
Aerospace vehicle
[NASA-CASE-LAR-13155-1] c 05 N86-19310
Process of end-capping a polyimide system
[NASA-CASE-LAR-13135-1] c 27 N86-19456
Sequentially deployable maneuverable tetrahedral beam
[NASA-CASE-LAR-13098-1] c 31 N86-19479
High temperature polyimide film laminates and process for preparation thereof
[NASA-CASE-LAR-13384-1] c 27 N86-20561
Auto covariance computer
[NASA-CASE-LAR-12968-1] c 60 N86-21154
Ultrasonic angle beam standard reflector
[NASA-CASE-LAR-13153-1] c 71 N86-21276
Ethynyl and substituted ethynyl-terminated polysulfones
[NASA-CASE-LAR-12931-2] c 27 N86-21675
Drop foot corrective device
[NASA-CASE-LAR-12259-2] c 54 N86-22112
Process for crosslinking methylene-containing aromatic polymers with ionizing radiation
[NASA-CASE-LAR-13448-1] c 27 N86-24840
Poly(carbonate-mide) polymer
[NASA-CASE-LAR-13292-1] c 27 N86-24841
Synchronously deployable truss structure
[NASA-CASE-LAR-13117-1] c 37 N86-25789
Latching mechanism for deployable/re-stowable columns useful in satellite construction
[NASA-CASE-LAR-13169-1] c 37 N86-25791
Active control of boundary layer transition and turbulence
[NASA-CASE-LAR-13532-1] c 34 N86-26575
Aircraft liftmeter
[NASA-CASE-LAR-12518-1] c 06 N86-27280
Sulfone-ester polymers containing pendent ethynl groups
[NASA-CASE-LAR-13316-1] c 27 N86-27450
Optimized bolted joint
[NASA-CASE-LAR-13250-1] c 37 N86-27630
Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines
[NASA-CASE-LAR-13353-1] c 27 N86-29039
Nebulization reflux concentrator
[NASA-CASE-LAR-13254-1CU] c 35 N86-29174
Long gain length solar pumped box laser
[NASA-CASE-LAR-13256-1] c 36 N86-29204
Process for preparing highly optically transparent/colorless aromatic polyimide film
[NASA-CASE-LAR-13351-1] c 27 N86-31727
Polyarylene ethers with improved properties
[NASA-CASE-LAR-13555-1] c 23 N86-32526
Isotope exchange in oxide-containing catalyst
[NASA-CASE-LAR-13542-1SB] c 25 N86-32540
Remotely controllable mixing system
[NASA-CASE-MFS-28153-1] c 31 N86-32589
Two-axis, self-nulling skin friction balance
[NASA-CASE-LAR-13294-1] c 35 N86-32696
Deployable M-braced truss structure
[NASA-CASE-LAR-13081-1] c 37 N86-32737
High lift, low pitching moment airfoils
[NASA-CASE-LAR-13215-1] c 02 N87-14282
Remote pivot decoupler pylon: Wing/store flutter suppressor
[NASA-CASE-LAR-13173-1] c 05 N87-14314
Synchronously deployable double fold beam and planar truss structure
[NASA-CASE-LAR-13490-1] c 18 N87-14413
The 5-(4-Ethynylophenoxy) isophthalic chloride
[NASA-CASE-LAR-13316-2] c 27 N87-14515
Acetylene (ethynyl) terminated polyimide siloxane and process for preparation thereof
[NASA-CASE-LAR-13318-1] c 27 N87-14516
Double reference pulsed phase locked loop
[NASA-CASE-LAR-13310-1] c 32 N87-14559
Vibration-free Raman Doppler velocimeter
[NASA-CASE-LAR-13268-1] c 35 N87-14669
Geometries for roughness shapes in laminar flow
[NASA-CASE-LAR-13255-1] c 02 N87-16793
Over-the-wing propeller
[NASA-CASE-LAR-13134-2] c 07 N87-16828
Single frequency multitransmitter telemetry
[NASA-CASE-LAR-13006-1] c 17 N87-16863
Ethynyl terminated ester oligomers and polymers therefrom
[NASA-CASE-LAR-13118-2] c 27 N87-16907
Seamless metal-clad fiber-reinforced organic matrix composite structures and process for their manufacture
[NASA-CASE-LAR-13562-1] c 24 N87-18613
Frequency domain laser velocimeter signal
[NASA-CASE-LAR-13552-1-CU] c 33 N87-18761
Airplane automatic control force trimming device for asymmetric engine failures
[NASA-CASE-LAR-13280-1] c 08 N87-20999
Measurement apparatus and procedure for the determination of surface emissivities
[NASA-CASE-LAR-13455-1] c 32 N87-21206
Comparator with noise suppression
[NASA-CASE-LAR-13151-1] c 33 N87-21235
Acoustic guide for noise-transmission testing of aircraft
[NASA-CASE-LAR-13111-1-CU] c 71 N87-21652
Acoustic radiation stress measurement
[NASA-CASE-LAR-13440-1] c 71 N87-21653
Aircraft control position indicator
[NASA-CASE-LAR-12984-1] c 06 N87-22678
Polyenamines from aromatic diacetylenic diketones and diamines
[NASA-CASE-LAR-13444-1-CU] c 27 N87-22847
Process for crosslinking and extending conjugated diene-containing polymers
[NASA-CASE-LAR-13452-1] c 27 N87-22848
Daze fasteners
[NASA-CASE-LAR-13009-2] c 37 N87-22976
Apparatus and procedure to detect a liquid-solid interface during crystal growth in a bridgman furnace
[NASA-CASE-LAR-13597-1-CU] c 25 N87-23713
Rapid quantification of an internal property
[NASA-CASE-LAR-13689-1-NP] c 35 N87-23941
Adjustable mount for electro-optic transducers in an evacuated cryogenic system
[NASA-CASE-LAR-13100-1] c 37 N87-23982
Fully redundant mechanical release actuator
[NASA-CASE-LAR-13198-1] c 37 N87-23983
Polyimides containing carbonyl and ether connecting groups
[NASA-CASE-LAR-13633-1] c 27 N87-24575
Optical data transfer system for crossing a rotary joint
[NASA-CASE-LAR-13613-1-SB] c 74 N87-24984
Airfoil flutter model suspension system
[NASA-CASE-LAR-13522-1-SB] c 09 N87-25334
Oxygen diffusion barrier coating
[NASA-CASE-LAR-13474-1-SB] c 26 N87-25455
Process for developing crystallinity in linear aromatic polyimides
[NASA-CASE-LAR-13732-1] c 27 N87-25474
Polyphenylquinoxalines containing alkylenedioxy groups
[NASA-CASE-LAR-13601-1-CU] c 27 N87-25475
Deployable geodesic truss structure
[NASA-CASE-LAR-13113-1] c 31 N87-25492
Miniature remote dead weight calibrator
[NASA-CASE-LAR-13564-1] c 35 N87-25558
Vapor fragrancer
[NASA-CASE-LAR-13680-1] c 35 N87-25561
Auxiliary data input device
[NASA-CASE-LAR-13626-1] c 37 N87-25584
Depolarization measurement method and device
[NASA-CASE-LAR-13621-1] c 70 N87-25822
Preloaded space structural coupling joints
[NASA-CASE-LAR-13489-1] c 18 N87-27713
Lightweight piston
[NASA-CASE-LAR-13150-1] c 24 N87-27742
Semi-2-interpenetrating networks of high temperature systems
[NASA-CASE-LAR-13450-1] c 27 N87-28657
Flat-panel, full-color, electroluminescent display
[NASA-CASE-LAR-13407-1] c 33 N87-28831
Device for quick changeover between wind tunnel force and pressure testing
[NASA-CASE-LAR-13512-1] c 35 N87-28884
Mobile remote manipulator vehicle system
[NASA-CASE-LAR-13393-1] c 54 N87-29118
Procedure to prepare transparent silica gels
[NASA-CASE-LAR-13476-1-CU] c 76 N87-29360
Braille reading system
[NASA-CASE-LAR-13306-1] c 82 N87-29372
Earth-to-orbit vehicle providing a reusable orbital stage and method of utilizing same
[NASA-CASE-LAR-13486-1] c 16 N87-29582
Space vehicle thermal rejection system
[NASA-CASE-LAR-13738-1] c 18 N87-29586
Elevated temperature aluminum alloys
[NASA-CASE-LAR-13632-1] c 26 N87-29650
Combined riblet and lebu drag reduction system
[NASA-CASE-LAR-13286-1] c 02 N88-14071
Lightning discharge protection rod
[NASA-CASE-LAR-13470-1] c 03 N88-14083
Tool and process for miniature explosive joining of tubes
[NASA-CASE-LAR-13662-1] c 37 N88-14359
Device for measuring hole elongation in a bolted joint
[NASA-CASE-LAR-13453-1] c 37 N88-14361
Polyether-polyester graft copolymer
[NASA-CASE-LAR-13447-1] c 27 N88-18725
Crossflow vorticity sensor
[NASA-CASE-LAR-13436-1-CU] c 02 N88-23759

Multi-body aircraft with an all-movable center fuselage actively controlling fuselage pressure drag
[NASA-CASE-LAR-13511-1] c 05 N88-23765
Helicopter anti-torque system using fuselage strakes
[NASA-CASE-LAR-13630-1] c 08 N88-23809
Space spider crane
[NASA-CASE-LAR-13411-1-SB] c 18 N88-23828
Arc lamp power supply using a voltage multiplier
[NASA-CASE-LAR-13202-1] c 33 N88-23942
Pressure measuring probe
[NASA-CASE-LAR-13853-1] c 35 N88-23961
Thermal remote anemometer system
[NASA-CASE-LAR-13508-1] c 35 N88-23962
Mining volume measurement system
[NASA-CASE-LAR-13519-1] c 35 N88-23963
Bearing-bypass material system test
[NASA-CASE-LAR-13458-1] c 35 N88-23967
Composite piston
[NASA-CASE-LAR-13435-1] c 37 N88-23981
Variable response load limiting device
[NASA-CASE-LAR-12801-1] c 37 N88-23982
Method of radiographic inspection of wooden members
[NASA-CASE-LAR-13724-1] c 38 N88-23983
Navigation system for land vehicles
[NASA-CASE-LAR-13322-1] c 04 N88-24620
Airplane runway performance monitoring system
[NASA-CASE-LAR-13854-1-CU] c 04 N88-24621
Actuated forebody strakes
[NASA-CASE-LAR-13983-1] c 05 N88-24628
Dual-fuel, dual-mode rocket engine
[NASA-CASE-LAR-13773-1] c 20 N88-24685
Aluminum alloy
[NASA-CASE-LAR-13924-1-CU] c 26 N88-24753
Stiffened titanium panels
[NASA-CASE-LAR-13814-1] c 31 N88-24816
Aimond test body
[NASA-CASE-LAR-13747-1] c 32 N88-24845
Method and apparatus for detecting laminar flow separation and reattachment
[NASA-CASE-LAR-13952-1-SB] c 34 N88-24910
Thermal compensating mount
[NASA-CASE-LAR-13794-1] c 35 N88-24942
Structurally tailorable non-linear snap-through spring system
[NASA-CASE-LAR-13729-1] c 37 N88-24970
Radio Frequency (RF) strain monitor
[NASA-CASE-LAR-13705-1] c 39 N88-25011
Phase length optical phase-locked-loop sensor
[NASA-CASE-LAR-13387-1] c 74 N88-25302
Method of forming a multiple layer dielectric and a hot film sensor therewith
[NASA-CASE-LAR-13678-1] c 76 N88-25355
Method and device for determining heats of combustion of gaseous hydrocarbons
[NASA-CASE-LAR-13528-1] c 25 N88-29002
Method and apparatus for non-destructive testing of temper embrittlement in steels
[NASA-CASE-LAR-13817-1] c 26 N88-29012
Method of dispensing reagent chemicals in space
[NASA-CASE-LAR-13607-1-CU] c 29 N88-29048
Method for maintaining precise suction strip porosities
[NASA-CASE-LAR-13638-1] c 31 N88-29051
Skin friction balance
[NASA-CASE-LAR-13710-1] c 35 N88-29145
Ice detector
[NASA-CASE-LAR-13776-1] c 35 N88-29149
Liquid thickness gauge
[NASA-CASE-LAR-13826-1] c 35 N88-29150
Compression pylon
[NASA-CASE-LAR-13777-1] c 05 N88-29789
Quantitative surface temperature measurement using two-color thermographic phosphors and video equipment
[NASA-CASE-LAR-13740-1] c 35 N88-30105
Method of attaching strain gauges to various materials
[NASA-CASE-LAR-13797-1] c 35 N88-30108
Clevis joint for deployable space structures
[NASA-CASE-LAR-13898-1] c 37 N88-30130
Ultrasonic method and apparatus for determining crack opening load
[NASA-CASE-LAR-13889-1] c 39 N88-30160

ational Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.

Foil seal
[NASA-CASE-XLE-05130] c 15 N69-21362
Fluid jet amplifier
[NASA-CASE-XLE-03512] c 12 N69-21466
Electrode and insulator with shielded dielectric junction
[NASA-CASE-XLE-03778] c 09 N69-21542
Thin window, drifted silicon, charged particle detector
[NASA-CASE-XLE-10529] c 14 N69-23191
Probes having ring and primary sensor at same potential to prevent collection of stray wall currents in ionized gases
[NASA-CASE-XLE-00690] c 25 N69-39884
Ion thrustor cathode
[NASA-CASE-XLE-07087] c 06 N69-39889
Superconducting alternator
[NASA-CASE-XLE-02824] c 03 N69-39890
Triode thermionic energy converter
[NASA-CASE-XLE-01015] c 03 N69-39898
Slug flow magnetohydrodynamic generator
[NASA-CASE-XLE-02083] c 03 N69-39983
Reduced gravity liquid configuration simulator
[NASA-CASE-XLE-02624] c 12 N69-39988
Transpiration cooled turbine blade manufactured from wires Patent
[NASA-CASE-XLE-00020] c 15 N70-33226
Rocket propellant injector Patent
[NASA-CASE-XLE-00103] c 28 N70-33241
Modification and improvements to cooled blades Patent
[NASA-CASE-XLE-00092] c 15 N70-33264
Colloid propulsion method and apparatus Patent
[NASA-CASE-XLE-00817] c 28 N70-33265
High-vacuum condenser tank for ion rocket tests Patent
[NASA-CASE-XLE-00168] c 11 N70-33278
High temperature nickel-base alloy Patent
[NASA-CASE-XLE-00151] c 17 N70-33283
Annular rocket motor and nozzle configuration Patent
[NASA-CASE-XLE-00078] c 28 N70-33284
Reinforced metallic composites Patent
[NASA-CASE-XLE-02428] c 17 N70-33288
Process for applying a protective coating for salt bath brazing Patent
[NASA-CASE-XLE-00046] c 15 N70-33311
Wire grid forming apparatus Patent
[NASA-CASE-XLE-00023] c 15 N70-33330
Electro-thermal rocket Patent
[NASA-CASE-XLE-00267] c 28 N70-33356
External liquid-spray cooling of turbine blades Patent
[NASA-CASE-XLE-00037] c 28 N70-33372
Apparatus for igniting solid propellants Patent
[NASA-CASE-XLE-00207] c 28 N70-33375
Flexible seal for valves Patent
[NASA-CASE-XLE-00101] c 15 N70-33376
Apparatus for making a metal slurry product Patent
[NASA-CASE-XLE-00010] c 15 N70-33382
Energy conversion apparatus Patent
[NASA-CASE-XLE-00212] c 03 N70-34134
Enthalpy and stagnation temperature determination of a high temperature laminar flow gas stream Patent
[NASA-CASE-XLE-00266] c 14 N70-34156
Electrothermal rockets having improved heat exchangers Patent
[NASA-CASE-XLE-01783] c 28 N70-34175
Venting vapor apparatus Patent
[NASA-CASE-XLE-00288] c 15 N70-34247
Thrust vector control apparatus Patent
[NASA-CASE-XLE-00208] c 28 N70-34294
High temperature heat source Patent
[NASA-CASE-XLE-00490] c 33 N70-34545
Inlet deflector for jet engines Patent
[NASA-CASE-XLE-00388] c 28 N70-34788
Radiant heater having formed filaments Patent
[NASA-CASE-XLE-00387] c 33 N70-34812
Optical torquemeter Patent
[NASA-CASE-XLE-00503] c 14 N70-34818
Electric propulsion engine test chamber Patent
[NASA-CASE-XLE-00252] c 11 N70-34844
Conical valve plug Patent
[NASA-CASE-XLE-00715] c 15 N70-34859
Channel-type shell construction for rocket engines and the like Patent
[NASA-CASE-XLE-00144] c 28 N70-34860
Non-reusuable kinetic energy absorber Patent
[NASA-CASE-XLE-00810] c 15 N70-34861
High temperature testing apparatus Patent
[NASA-CASE-XLE-00335] c 14 N70-35368
Ion thruster cathode Patent Application
[NASA-CASE-LEW-10814-1] c 28 N70-35422
Formed metal ribbon wrap Patent
[NASA-CASE-XLE-00164] c 15 N70-36411
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00170] c 15 N70-36412
Fluid coupling Patent
[NASA-CASE-XLE-00397] c 15 N70-36492
Injector-valve device Patent
[NASA-CASE-XLE-00303] c 15 N70-36535
Nickel-base alloy Patent
[NASA-CASE-XLE-00283] c 17 N70-36616
Apparatus having coaxial capacitor structure for measuring fluid density Patent
[NASA-CASE-XLE-00143] c 14 N70-36618
Rocket thrust chamber Patent
[NASA-CASE-XLE-00145] c 28 N70-36806
Ion rocket Patent
[NASA-CASE-XLE-00376] c 28 N70-37245
Annular supersonic decelerator or drogue Patent
[NASA-CASE-XLE-00222] c 02 N70-37939
Rocket engine Patent
[NASA-CASE-XLE-00342] c 28 N70-37980
Variable sweep aircraft wing Patent
[NASA-CASE-XLA-00350] c 02 N70-38011
Apparatus for transferring cryogenic liquids Patent
[NASA-CASE-XLE-00345] c 15 N70-38020
Method of producing porous tungsten ionizers for ion rocket engines Patent
[NASA-CASE-XLE-00455] c 28 N70-38197
Method of making fiber reinforced metallic composites Patent
[NASA-CASE-XLE-00231] c 17 N70-38198
Rocket engine injector Patent
[NASA-CASE-XLE-00111] c 28 N70-38199
Reinforced metallic composites Patent
[NASA-CASE-XLE-00228] c 17 N70-38490
Rocket motor system Patent
[NASA-CASE-XLE-00323] c 28 N70-38505
Particle beam measurement apparatus using beam kinetic energy to change the heat sensitive resistance of the detection probe Patent
[NASA-CASE-XLE-00243] c 14 N70-38602
Penshape exhaust nozzle for supersonic engine Patent
[NASA-CASE-XLE-00057] c 28 N70-38711
Multistage multiple-reentry turbine Patent
[NASA-CASE-XLE-00085] c 28 N70-39895
Gas lubricant compositions Patent
[NASA-CASE-XLE-00353] c 18 N70-39897
Telescoping-spike supersonic inlet for aircraft engines Patent
[NASA-CASE-XLE-00005] c 28 N70-39899
High temperature spark plug Patent
[NASA-CASE-XLE-00660] c 28 N70-39925
Low viscosity magnetic fluid obtained by the colloidal suspension of magnetic particles Patent
[NASA-CASE-XLE-01512] c 12 N70-40124
Apparatus for absorbing and measuring power Patent
[NASA-CASE-XLE-00720] c 14 N70-40201
Device for directionally controlling electromagnetic radiation Patent
[NASA-CASE-XLE-01716] c 09 N70-40234
Method for continuous variation of propellant flow and thrust in propulsive devices Patent
[NASA-CASE-XLE-00177] c 28 N70-40367
Apparatus for increasing ion engine beam density Patent
[NASA-CASE-XLE-00519] c 28 N70-41576
Foldable conduit Patent
[NASA-CASE-XLE-00620] c 32 N70-41579
Liquid storage tank venting device for zero gravity environment Patent
[NASA-CASE-XLE-01449] c 15 N70-41646
Method of making a regeneratively cooled combustion chamber Patent
[NASA-CASE-XLE-00150] c 28 N70-41818
Instrument for the quantitative measurement of radiation at multiple wave lengths Patent
[NASA-CASE-XLE-00011] c 14 N70-41946
Small rocket engine Patent
[NASA-CASE-XLE-00685] c 28 N70-41992
Apparatus for positioning and loading a test specimen Patent
[NASA-CASE-XLE-01300] c 15 N70-41993
Liquid flow sight assembly Patent
[NASA-CASE-XLE-02998] c 14 N70-42074
Inductive liquid level detection system Patent
[NASA-CASE-XLE-01609] c 14 N71-10500
Method of forming thin window drifted silicon charged particle detector Patent
[NASA-CASE-XLE-00808] c 24 N71-10560
Electrostatic thrustor with improved insulators Patent
[NASA-CASE-XLE-01902] c 28 N71-10574
Thin-walled pressure vessel Patent
[NASA-CASE-XLE-04677] c 15 N71-10577
Method of making a silicon semiconductor device Patent
[NASA-CASE-XLE-02792] c 26 N71-10607
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-01765] c 18 N71-10772
Molecular beam velocity selector Patent
[NASA-CASE-XLE-01533] c 11 N71-10777
Meteoroid sensing apparatus having a coincidence network connected to a pair of capacitors Patent
[NASA-CASE-XLE-01246] c 14 N71-10797
Capacitor and method of making same Patent
[NASA-CASE-LEW-10364-1] c 09 N71-13522
Capillary radiator Patent
[NASA-CASE-XLE-03307] c 33 N71-14035
Electrostatic ion engine having a permanent magnetic circuit Patent
[NASA-CASE-XLE-01124] c 28 N71-14043

Split welding chamber Patent
[NASA-CASE-LEW-11531] c 15 N71-14932
Method and apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917] c 15 N71-15597
Method of making a diffusion bonded refractory coating Patent
[NASA-CASE-XLE-01604-2] c 15 N71-15610
Black-body furnace Patent
[NASA-CASE-XLE-01399] c 33 N71-15625
Method of igniting solid propellants Patent
[NASA-CASE-XLE-01988] c 27 N71-15634
Fluid dispensing apparatus and method Patent
[NASA-CASE-XLE-01182] c 27 N71-15635
Automatically deploying nozzle exit cone extension Patent
[NASA-CASE-XLE-01640] c 31 N71-15637
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-00726] c 17 N71-15644
Method of making a rocket motor casing Patent
[NASA-CASE-XLE-00409] c 28 N71-15658
Rocket motor casing Patent
[NASA-CASE-XLE-05689] c 28 N71-15659
Electrostatic ion rocket engine Patent
[NASA-CASE-XLE-02066] c 28 N71-15661
High temperature cobalt-base alloy Patent
[NASA-CASE-XLE-02991] c 17 N71-16025
Nickel-base alloy containing Mo-W-Al-Cr- Ta-Zr-C-Nb-B Patent
[NASA-CASE-XLE-02082] c 17 N71-16026
Method of improving the reliability of a rolling element system Patent
[NASA-CASE-XLE-02999] c 15 N71-16052
Process of casting heavy slips Patent
[NASA-CASE-XLE-00106] c 15 N71-16076
Boiler for generating high quality vapor Patent
[NASA-CASE-XLE-00785] c 33 N71-16104
Method of making self lubricating fluoride- metal composite materials Patent
[NASA-CASE-XLE-08511-2] c 18 N71-16105
Thrust and direction control apparatus Patent
[NASA-CASE-XLE-03583] c 31 N71-17629
Linear magnetic brake with two windings Patent
[NASA-CASE-XLE-05079] c 15 N71-17652
Method of lubricating rolling element bearings Patent
[NASA-CASE-XLE-09527] c 15 N71-17688
Hot wire liquid level detector for cryogenic fluids Patent
[NASA-CASE-XLE-00454] c 23 N71-17802
Pulsed differential comparator circuit Patent
[NASA-CASE-XLE-03804] c 10 N71-19471
Foil seal Patent
[NASA-CASE-XLE-05130-2] c 15 N71-19570
Generator for a space power system Patent
[NASA-CASE-XLE-04250] c 09 N71-20446
Method of making electrical contact on silicon solar cell and resultant product Patent
[NASA-CASE-XLE-04787] c 03 N71-20492
Small plasma probe Patent
[NASA-CASE-XLE-02578] c 25 N71-20747
Combined electrolysis device and fuel cell and method of operation Patent
[NASA-CASE-XLE-01645] c 03 N71-20904
Pressure monitoring with a plurality of ionization gauges controlled at a central location Patent
[NASA-CASE-XLE-00787] c 14 N71-21090
Control of transverse instability in rocket combustors Patent
[NASA-CASE-XLE-04603] c 33 N71-21507
High voltage divider system Patent
[NASA-CASE-XLE-02008] c 09 N71-21583
Plasma device feed system Patent
[NASA-CASE-XLE-02902] c 25 N71-21694
Burning rate control of solid propellants Patent
[NASA-CASE-XLE-03494] c 27 N71-21819
Protective device for machine and metalworking tools Patent
[NASA-CASE-XLE-01092] c 15 N71-22797
Cryogenic insulation system Patent
[NASA-CASE-XLE-04222] c 23 N71-22881
Method for producing fiber reinforced metallic composites Patent
[NASA-CASE-XLE-03925] c 18 N71-22894
Thermal shock apparatus Patent
[NASA-CASE-XLE-02024] c 14 N71-22964
Arc electrode of graphite with ball tip Patent
[NASA-CASE-XLE-04788] c 09 N71-22987
Gas purged dry box glove Patent
[NASA-CASE-XLE-02531] c 05 N71-23080
Automatic recording McLeod gauge Patent
[NASA-CASE-XLE-03280] c 14 N71-23093
Electronic cathode having a brush-like structure and a relatively thick oxide emissive coating Patent
[NASA-CASE-XLE-04501] c 09 N71-23190
High temperature ferromagnetic cobalt-base alloy Patent
[NASA-CASE-XLE-03629] c 17 N71-23248
Induction furnace with perforated tungsten foil shielding Patent
[NASA-CASE-XLE-04026] c 14 N71-23267
Gd or Sm doped silicon semiconductor composition Patent
[NASA-CASE-XLE-10715] c 26 N71-23292
Protection of serially connected solar cells against open circuits by the use of shunting diode Patent
[NASA-CASE-XLE-04535] c 03 N71-23354
Superconducting alternator Patent
[NASA-CASE-XLE-02823] c 09 N71-23443
Silicon solar cell with cover glass bonded to cell by metal pattern Patent
[NASA-CASE-XLE-08569] c 03 N71-23449
Analytical test apparatus and method for determining oxide content of alkali metal Patent
[NASA-CASE-XLE-01997] c 06 N71-23527
Thermionic converter with current augmented by self induced magnetic field Patent
[NASA-CASE-XLE-01903] c 22 N71-23599
Semiconductor material and method of making same Patent
[NASA-CASE-XLE-02798] c 26 N71-23654
Insulation system Patent
[NASA-CASE-XLE-02647] c 18 N71-23658
Self-lubricating fluoride metal composite materials Patent
[NASA-CASE-XLE-08511] c 18 N71-23710
Alloys for bearings Patent
[NASA-CASE-XLE-05033] c 15 N71-23810
Extrusion die for refractory metals Patent
[NASA-CASE-XLE-06773] c 15 N71-23817
Combustion chamber Patent
[NASA-CASE-XLE-04857] c 28 N71-23968
Metallic film diffusion for boundary lubrication Patent
[NASA-CASE-XLE-10337] c 15 N71-24046
Process for producing dispersion strengthened nickel with aluminum Patent
[NASA-CASE-XLE-06969] c 17 N71-24142
Thermal radiation shielding Patent
[NASA-CASE-XLE-03432] c 33 N71-24145
Method of attaching a cover glass to a silicon solar cell Patent
[NASA-CASE-XLE-08569-2] c 03 N71-24681
Rocket engine injector Patent
[NASA-CASE-XLE-03157] c 28 N71-24736
Multialarm summary alarm Patent
[NASA-CASE-XLE-03061-1] c 10 N71-24798
Apparatus for making curved reflectors Patent
[NASA-CASE-XLE-08917-2] c 15 N71-24836
Flow angle sensor and read out system Patent
[NASA-CASE-XLE-04503] c 14 N71-24864
Shock tube powder dispersing apparatus Patent
[NASA-CASE-XLE-04946] c 17 N71-24911
Pneumatic oscillator Patent
[NASA-CASE-LEW-10345-1] c 10 N71-25899
Heat activated cell with alkali anode and alkali salt electrolyte Patent
[NASA-CASE-LEW-11358] c 03 N71-26084
Method of producing refractory composites containing tantalum carbide, hafnium carbide, and hafnium boride Patent
[NASA-CASE-XLE-03940] c 18 N71-26153
Ion beam deflector Patent
[NASA-CASE-LEW-10689-1] c 28 N71-26173
Rolling element bearings Patent
[NASA-CASE-XLE-09527-2] c 15 N71-26189
Ion thruster accelerator system Patent
[NASA-CASE-LEW-10106-1] c 28 N71-26642
Propellant feed isolator Patent
[NASA-CASE-LEW-10210-1] c 28 N71-26781
Heat activated cell Patent
[NASA-CASE-LEW-11359] c 03 N71-28579
Process for glass coating an ion accelerator grid Patent
[NASA-CASE-LEW-10278-1] c 15 N71-28582
Fluid jet amplifier Patent
[NASA-CASE-XLE-09341] c 12 N71-28741
Gas core nuclear reactor Patent
[NASA-CASE-LEW-10250-1] c 22 N71-28759
Gas turbine combustor Patent
[NASA-CASE-LEW-10286-1] c 28 N71-28915
Cyclic switch Patent
[NASA-CASE-LEW-10155-1] c 09 N71-29035
Temperature reducing coating for metals subject to flame exposure Patent
[NASA-CASE-XLE-00035] c 33 N71-29151
Liquid spray cooling method Patent
[NASA-CASE-XLE-00027] c 33 N71-29152
Turbo-machine blade vibration damper Patent
[NASA-CASE-XLE-00155] c 28 N71-29154
Corrosion resistant beryllium Patent
[NASA-CASE-LEW-10327] c 17 N71-33408
Integrated thermoelectric generator/space antenna combination
[NASA-CASE-XER-09521] c 09 N72-12136
Sensing probe
[NASA-CASE-LEW-10281-1] c 14 N72-17327
Method of making emf cell
[NASA-CASE-LEW-11359-2] c 03 N72-20034
Gaseous control system for nuclear reactors
[NASA-CASE-XLE-04599] c 22 N72-20597
Switching regulator
[NASA-CASE-LEW-11005-1] c 09 N72-21243
Saturation current protection apparatus for saturable core transformers
[NASA-CASE-ERC-10075-2] c 09 N72-22196
Pulse coupling circuit
[NASA-CASE-LEW-10433-1] c 09 N72-22197
Solid state remote circuit selector switch
[NASA-CASE-LEW-10387] c 09 N72-22201
Load-insensitive electrical device
[NASA-CASE-XER-11046] c 09 N72-22203
High speed rolling element bearing
[NASA-CASE-LEW-10856-1] c 15 N72-22490
Production of metal powders
[NASA-CASE-XLE-06461] c 17 N72-22530
Nickel bas alloy
[NASA-CASE-LEW-10874-1] c 17 N72-22535
Ion thruster magnetic field control
[NASA-CASE-LEW-10835-1] c 28 N72-22771
Electrically conductive fluorocarbon polymer
[NASA-CASE-XLE-06774-2] c 06 N72-25150
Analog Signal to Discrete Time Interval Converter (ASDTIC)
[NASA-CASE-ERC-10048] c 09 N72-25251
Controllable load insensitive power converters
[NASA-CASE-ERC-10268] c 09 N72-25252
Angular velocity and acceleration measuring apparatus
[NASA-CASE-ERC-10292] c 14 N72-25410
Electrical insulating layer process
[NASA-CASE-LEW-10489-1] c 15 N72-25447
Method for producing dispersion strengthened alloys by converting metal to a halide, comminuting, reducing the metal halide to the metal and sintering
[NASA-CASE-LEW-10450-1] c 15 N72-25448
Selective nickel deposition
[NASA-CASE-LEW-10965-1] c 15 N72-25452
Method of making fiber composites
[NASA-CASE-LEW-10424-2-2] c 18 N72-25539
Electricity measurement devices employing liquid crystalline materials
[NASA-CASE-ERC-10275] c 26 N72-25680
Ablative system
[NASA-CASE-LEW-10359] c 33 N72-25911
Inductance device with vacuum insulation
[NASA-CASE-LEW-10330-1] c 09 N72-27226
Apparatus for sensing temperature
[NASA-CASE-XLE-05230] c 14 N72-27410
Apparatus for producing metal powders
[NASA-CASE-XLE-06461-2] c 17 N72-28535
Refractory metal base alloy composites
[NASA-CASE-XLE-03940-2] c 17 N72-28536
Spiral groove seal
[NASA-CASE-XLE-10326-2] c 15 N72-29488
Production of high purity I-123
[NASA-CASE-LEW-10518-1] c 24 N72-33681
Electrostatic collector for charged particles
[NASA-CASE-LEW-11192-1] c 09 N73-13208
Method of making apparatus for sensing temperature
[NASA-CASE-XLE-05230-2] c 14 N73-13417
Method of forming superalloys
[NASA-CASE-LEW-10805-1] c 15 N73-13465
Rocket thrust throttling system
[NASA-CASE-LEW-10374-1] c 28 N73-13773
Gas turbine engine fuel control
[NASA-CASE-LEW-11187-1] c 28 N73-19793
Thermocouple tape
[NASA-CASE-LEW-11072-1] c 14 N73-24472
Method and apparatus for sputtering utilizing ar apertured electrode and a pulsed substrate bias
[NASA-CASE-LEW-10920-1] c 17 N73-24569
Magneto-plasma-dynamic arc thruster
[NASA-CASE-LEW-11180-1] c 25 N73-25760
Ablative system
[NASA-CASE-LEW-10359-2] c 33 N73-25952
Parasitic suppressing circuit
[NASA-CASE-ERC-10403-1] c 10 N73-26220
Twisted multifilament superconductor
[NASA-CASE-LEW-11726-1] c 26 N73-26752
Ophthalmic method and apparatus
[NASA-CASE-LEW-11669-1] c 05 N73-27060
Single grid accelerator for an ion thrustor
[NASA-CASE-XLE-10453-2] c 28 N73-27690
Preparation of polyimides from mixtures of monomeri diamines and esters of polycarboxylic acids
[NASA-CASE-LEW-11325-1] c 06 N73-27980

Method and apparatus for measuring electromagnetic radiation
[NASA-CASE-LEW-11159-1] c 14 N73-28488
Welding blades to rotors
[NASA-CASE-LEW-10533-1] c 15 N73-28515
Low mass rolling element for bearings
[NASA-CASE-LEW-11087-1] c 15 N73-30458
Swirl can primary combustor
[NASA-CASE-LEW-11326-1] c 23 N73-30665
Enhanced diffusion welding
[NASA-CASE-LEW-11388-1] c 15 N73-32358
High speed hybrid bearing comprising a fluid bearing and a rolling bearing convected in series
[NASA-CASE-LEW-11152-1] c 15 N73-32359
Nickel aluminide coated low alloy stainless steel
[NASA-CASE-LEW-11267-1] c 17 N73-32414
Cobalt-base alloy
[NASA-CASE-LEW-10436-1] c 17 N73-32415
Nuclear fuel elements
[NASA-CASE-XLE-00209] c 22 N73-32528
Method of fabricating a twisted composite superconductor
[NASA-CASE-LEW-11015] c 26 N73-32571
Space vehicle with artificial gravity and earth-like environment
[NASA-CASE-LEW-11101-1] c 31 N73-32750
Production of hollow components for rolling element bearings by diffusion welding
[NASA-CASE-LEW-11026-1] c 15 N73-33383
Electron beam controller
[NASA-CASE-LEW-11617-1] c 33 N74-10195
Spiral groove seal
[NASA-CASE-LEW-10326-3] c 37 N74-10474
Method of heat treating a formed powder product material
[NASA-CASE-LEW-10805-3] c 26 N74-10521
Apparatus for welding blades to rotors
[NASA-CASE-LEW-10533-2] c 37 N74-11300
High powered arc electrodes
[NASA-CASE-LEW-11162-1] c 33 N74-12913
Method of forming articles of manufacture from superalloy powders
[NASA-CASE-LEW-10805-2] c 37 N74-13179
Deposition of alloy films
[NASA-CASE-LEW-11262-1] c 27 N74-13270
Supersonic-combustion rocket
[NASA-CASE-LEW-11058-1] c 20 N74-13502
Method of making silicon solar cell array
[NASA-CASE-LEW-11069-1] c 44 N74-14784
Spiral groove seal
[NASA-CASE-XLE-10326-4] c 37 N74-15125
Method of making rolling element bearings
[NASA-CASE-LEW-11087-2] c 37 N74-15128
Gas turbine exhaust nozzle
[NASA-CASE-LEW-11569-1] c 07 N74-15453
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c 33 N74-17930
Diffusion welding in air
[NASA-CASE-LEW-11387-1] c 37 N74-18128
Airflow control system for supersonic inlets
[NASA-CASE-LEW-11188-1] c 02 N74-20646
Rapidly pulsed, high intensity, incoherent light source
[NASA-CASE-XLE-2529-3] c 33 N74-20859
Electromagnetic flow rate meter
[NASA-CASE-LEW-10981-1] c 35 N74-21018
Diffusion welding
[NASA-CASE-LEW-11388-2] c 37 N74-21055
Journal bearings
[NASA-CASE-LEW-11076-1] c 37 N74-21061
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c 37 N74-21063
Hollow rolling element bearings
[NASA-CASE-LEW-11087-3] c 37 N74-21064
Low level signal limiter
[NASA-CASE-XLE-04791] c 32 N74-22096
Load insensitive electrical device
[NASA-CASE-XER-11046-2] c 33 N74-22864
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c 27 N74-23125
Jet exhaust noise suppressor
[NASA-CASE-LEW-11286-1] c 07 N74-27490
High current electrical lead
[NASA-CASE-LEW-10950-1] c 33 N74-27683
Magnetocaloric pump
[NASA-CASE-LEW-11672-1] c 37 N74-27904
Supersonic fan blading
[NASA-CASE-LEW-11402-1] c 07 N74-28226
Production of pure metals
[NASA-CASE-LEW-10906-1] c 25 N74-30502
Sputtering holes with ion beamlets
[NASA-CASE-LEW-11646-1] c 20 N74-31269
Method of electroforming a rocket chamber
[NASA-CASE-LEW-11118-1] c 20 N74-32919
Journal Bearings
[NASA-CASE-LEW-11076-2] c 37 N74-32921
Hall effect magnetometer
[NASA-CASE-LEW-11632-2] c 35 N75-13213
Method of protecting the surface of a substrate
[NASA-CASE-LEW-11696-1] c 37 N75-13261
Circuit for detecting initial systole and dicrotic notch
[NASA-CASE-LEW-11581-1] c 54 N75-13531
Method of making dished ion thruster grids
[NASA-CASE-LEW-11694-1] c 20 N75-18310
Duplex aluminized coatings
[NASA-CASE-LEW-11696-2] c 26 N75-19408
High speed, self-acting shaft seal
[NASA-CASE-LEW-11274-1] c 37 N75-21631
High power laser apparatus and system
[NASA-CASE-XLE-2529-2] c 36 N75-27364
Combination automatic-starting electrical plasma torch and gas shutoff valve
[NASA-CASE-XLE-10717] c 37 N75-29426
Flow measuring apparatus
[NASA-CASE-LEW-12078-1] c 35 N75-30503
Lubricated journal bearing
[NASA-CASE-LEW-11076-3] c 37 N75-30562
Protected isotope heat source
[NASA-CASE-LEW-11227-1] c 73 N75-30876
Drilled ball bearing with a one piece anti-tipping cage assembly
[NASA-CASE-LEW-11925-1] c 37 N75-31446
Method of making an insulation foil
[NASA-CASE-LEW-11484-1] c 24 N75-33181
Ophthalmic liquifaction pump
[NASA-CASE-LEW-12051-1] c 52 N75-33640
Controlled separation combustor
[NASA-CASE-LEW-11593-1] c 20 N76-14190
Rocket chamber and method of making
[NASA-CASE-LEW-11118-2] c 20 N76-14191
Shock position sensor for supersonic inlets
[NASA-CASE-LEW-11915-1] c 35 N76-14431
Apparatus for forming dished ion thruster grids
[NASA-CASE-LEW-11694-2] c 37 N76-14461
Covered silicon solar cells and method of manufacture
[NASA-CASE-LEW-11065-2] c 44 N76-14600
High temperature beryllium oxide capacitor
[NASA-CASE-LEW-11938-1] c 33 N76-15373
Thermocouple tape
[NASA-CASE-LEW-11072-2] c 35 N76-15434
Fluid journal bearings
[NASA-CASE-LEW-11076-4] c 37 N76-15461
Deuterium pass through target
[NASA-CASE-LEW-11866-1] c 72 N76-15860
Fused silicide coatings containing discrete particles for protecting niobium alloys
[NASA-CASE-LEW-11179-1] c 27 N76-16229
Process for making anhydrous metal halides
[NASA-CASE-LEW-11860-1] c 37 N76-18458
Method of constructing dished ion thruster grids to provide hole array spacing compensation
[NASA-CASE-LEW-11876-1] c 20 N76-21276
Bearing material
[NASA-CASE-LEW-11930-1] c 24 N76-22309
Fluid seal for rotating shafts
[NASA-CASE-LEW-11676-1] c 37 N76-22541
Method of making an apertured casting
[NASA-CASE-LEW-11169-1] c 37 N76-23570
Process for fabricating SiC semiconductor devices
[NASA-CASE-LEW-12094-1] c 76 N76-25049
Method of producing I-123
[NASA-CASE-LEW-11390-2] c 25 N76-27383
Production of I-123
[NASA-CASE-LEW-11390-3] c 25 N76-29379
Thrust bearing
[NASA-CASE-LEW-11949-1] c 37 N76-29588
Ion beam thruster shield
[NASA-CASE-LEW-12082-1] c 20 N77-10148
Dual output variable pitch turbofan actuation system
[NASA-CASE-LEW-12419-1] c 07 N77-14025
Silicon nitride coated, plastic covered solar cell
[NASA-CASE-LEW-11496-1] c 44 N77-14580
Electrically rechargeable REDOX flow cell
[NASA-CASE-LEW-12220-1] c 44 N77-14581
Reverse pitch fan with divided splitter
[NASA-CASE-LEW-12760-1] c 07 N77-17059
Electronic analog divider
[NASA-CASE-LEW-11881-1] c 33 N77-17354
Leading edge protection for composite blades
[NASA-CASE-LEW-12550-1] c 24 N77-19170
Method of making reinforced composite structure
[NASA-CASE-LEW-12619-1] c 24 N77-19171
Solar cell assembly
[NASA-CASE-LEW-11549-1] c 44 N77-19571
Anode for ion thruster
[NASA-CASE-LEW-12048-1] c 20 N77-20162
Zirconium modified nickel-copper alloy
[NASA-CASE-LEW-12245-1] c 26 N77-20201
Gels as battery separators for soluable electrode cells
[NASA-CASE-LEW-12364-1] c 44 N77-22606
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12830-1] c 07 N77-23106
Process for preparing liquid metal electrical contact device
[NASA-CASE-LEW-11978-1] c 33 N77-26385
Blade retainer assembly
[NASA-CASE-LEW-12608-1] c 07 N77-27116
Hybrid composite laminate structures
[NASA-CASE-LEW-12118-1] c 24 N77-27188
Bimetallic junctions
[NASA-CASE-LEW-11573-1] c 26 N77-28265
Sustained arc ignition system
[NASA-CASE-LEW-12444-1] c 33 N77-28385
Hydrostatic bearing support
[NASA-CASE-LEW-11158-1] c 37 N77-28486
Corneal seal device
[NASA-CASE-LEW-12258-1] c 52 N77-28716
Solar cell shingle
[NASA-CASE-LEW-12587-1] c 44 N77-31601
Platform for a swing root turbomachinery blade
[NASA-CASE-LEW-12312-1] c 07 N77-32148
Directionally solidified eutectic gamma plus beta nickel-base superalloys
[NASA-CASE-LEW-12906-1] c 26 N77-32279
Nickel base alloy
[NASA-CASE-LEW-12270-1] c 26 N77-32280
Thermocouples of tantalum and rhenium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12050-1] c 35 N77-32454
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c 36 N77-32478
Deformable bearing seat
[NASA-CASE-LEW-12527-1] c 37 N77-32500
Bearing seat usable in a gas turbine engine
[NASA-CASE-LEW-12477-1] c 37 N77-32501
Fuel combustor
[NASA-CASE-LEW-12137-1] c 25 N78-10224
Oil cooling system for a gas turbine engine
[NASA-CASE-LEW-12321-1] c 37 N78-10467
Impact absorbing blade mounts for variable pitch blades
[NASA-CASE-LEW-12313-1] c 37 N78-10468
Method of forming metal hydride films
[NASA-CASE-LEW-12083-1] c 37 N78-13436
In-situ laser retorting of oil shale
[NASA-CASE-LEW-12217-1] c 43 N78-14452
Multi-cell battery protection system
[NASA-CASE-LEW-12039-1] c 44 N78-14625
Tissue macerating instrument
[NASA-CASE-LEW-12668-1] c 52 N78-14773
Trimerization of aromatic nitriles
[NASA-CASE-LEW-12053-1] c 27 N78-15276
Variable thrust nozzle for quiet turbofan engine and method of operating same
[NASA-CASE-LEW-12317-1] c 07 N78-17055
Gas turbine engine with convertible accessories
[NASA-CASE-LEW-12390-1] c 07 N78-17056
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-1] c 31 N78-17237
Particle parameter analyzing system
[NASA-CASE-XLE-06094] c 33 N78-17293
Magnetic heat pumping
[NASA-CASE-LEW-12508-1] c 34 N78-17335
Variable cycle gas turbine engines
[NASA-CASE-LEW-12916-1] c 37 N78-17384
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-2] c 07 N78-18066
Variable mixer propulsion cycle
[NASA-CASE-LEW-12917-1] c 07 N78-18067
Tantalum modified ferritic iron base alloys
[NASA-CASE-LEW-12095-1] c 26 N78-18182
Directionally solidified eutectic gamma-gamma nickel-base superalloys
[NASA-CASE-LEW-12905-1] c 26 N78-18183
Thermal barrier coating system
[NASA-CASE-LEW-12554-1] c 34 N78-18355
Selective coating for solar panels
[NASA-CASE-LEW-12159-1] c 44 N78-19599
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-1] c 28 N78-24365
Automotive gas turbine fuel control
[NASA-CASE-LEW-12785-1] c 37 N78-24545
Gas turbine engine with recirculating bleed
[NASA-CASE-LEW-12452-1] c 07 N78-25089
Counter pumping debris excluder and separator
[NASA-CASE-LEW-11855-1] c 07 N78-25090
Apparatus for extraction and separation of a preferentially photo-dissociated molecular isotope into positive and negative ions by means of an electric field
[NASA-CASE-LEW-12465-1] c 25 N78-25148
Flow compensating pressure regulator
[NASA-CASE-LEW-12718-1] c 34 N78-25351
Solar cell collector
[NASA-CASE-LEW-12552-1] c 44 N78-25527
Method of making encapsulated solar cell modules
[NASA-CASE-LEW-12185-1] c 44 N78-25528

Method for producing solar energy panels by automation
[NASA-CASE-LEW-12541-1] c 44 N78-25529
Inorganic-organic separators for alkaline batteries
[NASA-CASE-LEW-12649-1] c 44 N78-25530
Targets for producing high purity I-123
[NASA-CASE-LEW-10518-3] c 25 N78-27226
Direct heating surface combustor
[NASA-CASE-LEW-11877-1] c 34 N78-27357
Regulated high efficiency, lightweight capacitor-diode multiplier dc to dc converter
[NASA-CASE-LEW-12791-1] c 33 N78-32341
Redundant disc
[NASA-CASE-LEW-12496-1] c 07 N78-33101
Apparatus and method for reducing thermal stress in a turbine rotor
[NASA-CASE-LEW-12232-1] c 07 N79-10057
Traveling wave tube circuit
[NASA-CASE-LEW-12013-1] c 33 N79-10339
Cantilever mounted resilient pad gas bearing
[NASA-CASE-LEW-12569-1] c 37 N79-10418
Fuel delivery system including heat exchanger means
[NASA-CASE-LEW-12793-1] c 37 N79-11403
Solar cells having integral collector grids
[NASA-CASE-LEW-12819-1] c 44 N79-11467
Application of semiconductor diffusants to solar cells by screen printing
[NASA-CASE-LEW-12775-1] c 44 N79-11468
Solar cell collector and method for producing same
[NASA-CASE-LEW-12552-2] c 44 N79-11472
Heat exchanger
[NASA-CASE-LEW-12252-1] c 34 N79-13288
Heat exchanger and method of making
[NASA-CASE-LEW-12441-1] c 34 N79-13289
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c 07 N79-14095
Integrated gas turbine engine-nacelle
[NASA-CASE-LEW-12389-3] c 07 N79-14096
Variable area exhaust nozzle
[NASA-CASE-LEW-12378-1] c 07 N79-14097
Indicated mean-effective pressure instrument
[NASA-CASE-LEW-12661-1] c 35 N79-14345
Thermocouples of molybdenum and iridium alloys for more stable vacuum-high temperature performance
[NASA-CASE-LEW-12174-2] c 35 N79-14346
Back wall solar cell
[NASA-CASE-LEW-12236-2] c 44 N79-14528
Sound-suppressing structure with thermal relief
[NASA-CASE-LEW-12658-1] c 71 N79-14871
Fine particulate capture device
[NASA-CASE-LEW-11583-1] c 35 N79-17192
Formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-1] c 44 N79-17313
Method of making bearing materials
[NASA-CASE-LEW-11930-4] c 24 N79-17916
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-1] c 37 N79-18318
Method for fabricating solar cells having integrated collector grits
[NASA-CASE-LEW-12819-2] c 44 N79-18444
Closed Loop solar array-ion thruster system with power control circuitry
[NASA-CASE-LEW-12780-1] c 20 N79-20179
Closed loop spray cooling apparatus
[NASA-CASE-LEW-11981-2] c 34 N79-20336
Hypervelocity gun
[NASA-CASE-XLE-03186-1] c 09 N79-21084
Low heat leak connector for cryogenic system
[NASA-CASE-XLE-02367-1] c 31 N79-21225
Method for the preparation of inorganic single crystal and polycrystalline electronic materials
[NASA-CASE-XLE-02545-1] c 76 N79-21910
Method and device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c 25 N79-22235
Process for making a high toughness-high strength ion alloy
[NASA-CASE-LEW-12542-2] c 26 N79-22271
Shaft seal assembly for high speed and high pressure applications
[NASA-CASE-LEW-11873-1] c 37 N79-22475
Self stabilizing sonic inlet
[NASA-CASE-LEW-11890-1] c 05 N79-24976
In situ self cross-linking of polyvinyl alcohol battery separators
[NASA-CASE-LEW-12972-1] c 44 N79-25481
Electrochemical cell for rebalancing REDOX flow system
[NASA-CASE-LEW-13150-1] c 44 N79-26474
Catalytic trimerization of aromatic nitriles and triaryl-s-triazine ring cross-linked high temperature resistant polymers and copolymers made thereby
[NASA-CASE-LEW-12053-2] c 27 N79-28307
Supercharged topping rocket propellant feed system
[NASA-CASE-XLE-02062-1] c 20 N80-14188
Self-reconfiguring solar cell system
[NASA-CASE-LEW-12586-1] c 44 N80-14472
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12955-1] c 52 N80-14684
Method and apparatus for rapid thrust increases in a turbofan engine
[NASA-CASE-LEW-12971-1] c 07 N80-18039
Gas path seal
[NASA-CASE-NPO-12131-3] c 37 N80-18400
Intra-ocular pressure normalization technique and equipment
[NASA-CASE-LEW-12723-1] c 52 N80-18690
Atomic hydrogen storage
[NASA-CASE-LEW-12081-2] c 28 N80-20402
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-1] c 33 N80-20487
Modification of the electrical and optical properties of polymers
[NASA-CASE-LEW-13027-1] c 27 N80-24437
Heat exchanger and method of making
[NASA-CASE-LEW-12441-2] c 34 N80-24573
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-2] c 37 N80-26658
Circumferential shaft seal
[NASA-CASE-LEW-12119-1] c 37 N80-28711
Free-piston regenerative hot gas hydraulic engine
[NASA-CASE-LEW-12274-1] c 37 N80-31790
High toughness-high strength iron alloy
[NASA-CASE-LEW-12542-3] c 26 N80-32484
Method of cross-linking polyvinyl alcohol and other water soluble resins
[NASA-CASE-LEW-13103-1] c 27 N80-32516
Hydrogen hollow cathode ion source
[NASA-CASE-LEW-12940-1] c 72 N80-33186
Method of making bearing material
[NASA-CASE-LEW-11930-3] c 24 N80-33482
Solar cell system having alternating current output
[NASA-CASE-LEW-12806-2] c 44 N81-12542
Atomic hydrogen storage method and apparatus
[NASA-CASE-LEW-12081-3] c 28 N81-14103
Curved centerline air intake for a gas turbine engine
[NASA-CASE-LEW-13201-1] c 07 N81-14999
Improved refractory coatings
[NASA-CASE-LEW-23169-2] c 26 N81-16209
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-1] c 24 N81-17170
Curing agent for polyepoxides and epoxy resins and composites cured therewith
[NASA-CASE-LEW-13226-1] c 27 N81-17260
Apparatus for sensor failure detection and correction in a gas turbine engine control system
[NASA-CASE-LEW-12907-2] c 07 N81-19115
Integrated control system for a gas turbine engine
[NASA-CASE-LEW-12594-2] c 07 N81-19116
Composition and method for making polyimide resin-reinforced fabric
[NASA-CASE-LEW-12933-1] c 27 N81-19296
Method of cold welding using ion beam technology
[NASA-CASE-LEW-12982-1] c 37 N81-19455
Multiple plate hydrostatic viscous damper
[NASA-CASE-LEW-12445-1] c 37 N81-22360
In-situ cross linking of polyvinyl alcohol
[NASA-CASE-LEW-13135-2] c 27 N81-24257
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c 37 N81-24442
Heat exchanger and method of making
[NASA-CASE-LEW-12441-3] c 44 N81-24519
Toroidal cell and battery
[NASA-CASE-LEW-12918-1] c 44 N81-24521
Corrosion resistant thermal barrier coating
[NASA-CASE-LEW-13088-1] c 26 N81-25188
Method for alleviating thermal stress damage in laminates
[NASA-CASE-LEW-12493-2] c 24 N81-26179
Circumferential shaft seal
[NASA-CASE-LEW-12119-2] c 37 N81-26447
Polyvinyl alcohol battery separator containing inert filler
[NASA-CASE-LEW-13556-1] c 44 N81-27615
Supercritical fuel injection system
[NASA-CASE-LEW-12990-1] c 07 N81-29129
Cross-linked polyvinyl alcohol and method of making same
[NASA-CASE-LEW-13101-2] c 23 N81-29160
Catalyst surfaces for the chromous/chromic redox couple
[NASA-CASE-LEW-13148-2] c 44 N81-29524
High thermal power density heat transfer
[NASA-CASE-LEW-12950-1] c 34 N82-11399
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c 37 N82-12442
Composite seal for turbomachinery
[NASA-CASE-LEW-12131-3] c 37 N82-19540
Method of making formulated plastic separators for soluble electrode cells
[NASA-CASE-LEW-12358-2] c 25 N82-21268
Multistage depressed collector for dual mode operation
[NASA-CASE-LEW-13282-1] c 33 N82-24415
Thrust reverser for a long duct fan engine
[NASA-CASE-LEW-13199-1] c 07 N82-26293
Coupled cavity traveling wave tube with velocity tapering
[NASA-CASE-LEW-12296-1] c 33 N82-26568
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-2] c 37 N82-26674
Texturing polymer surfaces by transfer casting
[NASA-CASE-LEW-13120-1] c 27 N82-28440
Method of protecting a surface with a silicon-slurry/aluminide coating
[NASA-CASE-LEW-13343-1] c 27 N82-28441
Refractory coatings and method of producing the same
[NASA-CASE-LEW-13169-1] c 26 N82-29415
Fully plasma-sprayed compliant backed ceramic turbine seal
[NASA-CASE-LEW-13268-1] c 27 N82-29453
Advanced inorganic separators for alkaline batteries
[NASA-CASE-LEW-13171-1] c 44 N82-29708
Method of making a high voltage V-groove solar cell
[NASA-CASE-LEW-13401-1] c 44 N82-29709
Refractory coatings
[NASA-CASE-LEW-13169-2] c 26 N82-30371
Nicral ternary alloy having improved cyclic oxidation resistance
[NASA-CASE-LEW-13339-1] c 26 N82-31505
High voltage planar multijunction solar cell
[NASA-CASE-LEW-13400-1] c 44 N82-31764
Active clearance control system for a turbomachine
[NASA-CASE-LEW-12938-1] c 07 N82-32366
Surface texturing of fluoropolymers
[NASA-CASE-LEW-13028-1] c 27 N82-33521
Ion sputter textured graphite
[NASA-CASE-LEW-12919-1] c 24 N83-10117
Mechanical bonding of metal method
[NASA-CASE-LEW-12941-1] c 26 N83-10170
Method for depositing an oxide coating
[NASA-CASE-LEW-13131-1] c 44 N83-10494
Polyvinyl alcohol cross-linked with two aldehydes
[NASA-CASE-LEW-13504-1] c 25 N83-13188
Solar cell having improved back surface reflector
[NASA-CASE-LEW-13620-1] c 44 N83-13579
Heat transparent high intensity high efficiency solar cell
[NASA-CASE-LEW-12892-1] c 44 N83-14692
Steam cooled rich-burn combustor liner
[NASA-CASE-LEW-13609-1] c 25 N83-17628
Heat pipes containing alkali metal working fluid
[NASA-CASE-LEW-12253-1] c 74 N83-19596
Laser surface fusion of plasma sprayed ceramic turbine seals
[NASA-CASE-LEW-13269-1] c 18 N83-20996
Ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-1] c 52 N83-21785
Curved film cooling admission tube
[NASA-CASE-LEW-13174-1] c 34 N83-27144
Zirconium carbide as an electrocatalyst for the chromous-chromic redox couple
[NASA-CASE-LEW-13246-1] c 44 N83-27344
Method of forming oxide coatings
[NASA-CASE-LEW-13132-1] c 27 N83-29388
Low temperature cross linking polyimides
[NASA-CASE-LEW-12876-2] c 27 N83-29392
Magnetic heat pumping
[NASA-CASE-LEW-12508-3] c 34 N83-29625
Control means for a gas turbine engine
[NASA-CASE-LEW-14586-1] c 07 N83-31603
Silicon-slurry/aluminide coating
[NASA-CASE-LEW-13343] c 26 N83-31795
Thermal barrier coating system having improved adhesion
[NASA-CASE-LEW-1335901] c 27 N83-31855
Gyrotron transmitting tube
[NASA-CASE-LEW-13429-1] c 33 N83-31952
Thermionic energy converters
[NASA-CASE-LEW-12443-1] c 44 N83-32175
Advanced inorganic separators for alkaline batteries and method of making the same
[NASA-CASE-LEW-13171-2] c 44 N83-32176
High voltage v-groove solar cell
[NASA-CASE-LEW-13401-2] c 44 N83-32177
Piezoelectric composite materials
[NASA-CASE-LEW-12582-1] c 76 N83-34796
Covering solid, film cooled surfaces with a duplex thermal barrier coating
[NASA-CASE-LEW-13450-1] c 31 N83-35177

Joining lead wires to thin platinum alloy films
[NASA-CASE-LEW-13934-1] c 35 N83-35338
Apparatus for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-1] c 07 N83-36029
Additive for zinc electrodes
[NASA-CASE-LEW-13286-1] c 33 N84-14422
Micronized coal burner facility
[NASA-CASE-LEW-13426-1] c 25 N84-16276
Ladder supported ring bar circuit
[NASA-CASE-LEW-13570-1] c 33 N84-16452
Real time pressure signal system for a rotary engine
[NASA-CASE-LEW-13622-1] c 07 N84-22559
Tip cap for a rotor blade
[NASA-CASE-LEW-13654-1] c 07 N84-22560
Diamondlike flake composites
[NASA-CASE-LEW-13837-1] c 24 N84-22695
Method of making a light weight battery plaque
[NASA-CASE-LEW-13349-1] c 26 N84-22734
Multicolor printing plate joining
[NASA-CASE-LEW-13598-1] c 35 N84-22930
Method and apparatus for coating substrates using a laser
[NASA-CASE-LEW-13526-1] c 36 N84-22944
Method of fabricating an abradable gas path seal
[NASA-CASE-LEW-13269-2] c 37 N84-22957
Heat pipes to reduce engine exhaust emissions
[NASA-CASE-LEW-12590-1] c 37 N84-22958
Method of making an ion beam sputter-etched ventricular catheter for hydrocephalus shunt
[NASA-CASE-LEW-13107-2] c 52 N84-23095
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577
Method and apparatus for gripping uniaxial fibrous composite materials
[NASA-CASE-LEW-13758-1] c 24 N84-27829
Coating with overlay metallic-cermet alloy systems
[NASA-CASE-LEW-13639-2] c 26 N84-27855
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-1] c 27 N84-27885
Dielectric based submillimeter backward wave oscillator circuit
[NASA-CASE-LEW-13736-1] c 33 N84-27974
Chromium electrodes for REDOX cells
[NASA-CASE-LEW-13653-1] c 44 N84-28205
Ion sputter textured graphite electrode plates
[NASA-CASE-LEW-12919-2] c 70 N84-28565
Air modulation apparatus
[NASA-CASE-LEW-13524-1] c 07 N84-33410
Overlay metallic-cermet alloy coating systems
[NASA-CASE-LEW-13639-1] c 26 N84-33555
Simplified dc to dc converter
[NASA-CASE-LEW-13495-1] c 33 N84-33663
Diesel engine catalytic combustor system
[NASA-CASE-LEW-12995-1] c 37 N84-33808
Deposition of diamondlike carbon films
[NASA-CASE-LEW-14080-1] c 31 N85-20153
Screen printed interdigitated back contact solar cell
[NASA-CASE-LEW-13414-1] c 44 N85-20530
Ring-cusp ion thruster with shell anode
[NASA-CASE-LEW-13881-1] c 20 N85-21256
Thermal barrier coating system
[NASA-CASE-LEW-13324-2] c 24 N85-21266
Diamondlike flakes
[NASA-CASE-LEW-13837-2] c 24 N85-21267
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-3] c 27 N85-21350
Chemical approach for controlling nadimide cure temperature and rate with maleimide
[NASA-CASE-LEW-13770-4] c 27 N85-21351
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-5] c 27 N85-21352
Inelastic tunnel diodes
[NASA-CASE-LEW-13833-1] c 33 N85-21492
Solar energy converter using surface plasma waves
[NASA-CASE-LEW-13827-1] c 44 N85-21768
Chemical control of nadimide cure temperature and rate
[NASA-CASE-LEW-13770-2] c 25 N85-28982
Alkaline battery containing a separator of a cross-linked copolymer of vinyl alcohol and unsaturated carboxylic acid
[NASA-CASE-LEW-13102-1] c 33 N85-29144
High thermal power density heat transfer apparatus providing electrical isolation at high temperature using heat pipes
[NASA-CASE-LEW-12950-2] c 34 N85-29179
Arc spray fabrication of metal matrix composite monotape
[NASA-CASE-LEW-13828-1] c 24 N85-30027
Chemical approach for controlling nadimide cure temperature and rate
[NASA-CASE-LEW-13770-6] c 25 N85-30039
Variable force, eddy-current or magnetic damper
[NASA-CASE-LEW-13717-1] c 37 N85-30333
Vortex generating flow passage design for increased film cooling effectiveness
[NASA-CASE-LEW-14039-1] c 34 N85-33433
Multistage spent particle collector and a method for making same
[NASA-CASE-LEW-13914-1] c 37 N85-33489
Dual clearance squeeze film damper
[NASA-CASE-LEW-13506-1] c 37 N85-33490
Thermionic photovoltaic energy converter
[NASA-CASE-LEW-14077-1] c 44 N85-34441
Flow modifying device
[NASA-CASE-LEW-13562-2] c 07 N85-35195
Thermal barrier coating system
[NASA-CASE-LEW-14057-1] c 24 N85-35233
Oxidation resistant slurry coating for carbon-based materials
[NASA-CASE-LEW-13923-1] c 26 N85-35267
High temperature resistant polyimide from tetra ester, diamine, diester and N-arylnadimide
[NASA-CASE-LEW-13864-1] c 27 N86-19457
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-1] c 27 N86-19458
Compliant hydrodynamic fluid journal bearing
[NASA-CASE-LEW-13670-1] c 37 N86-19606
Negative electrode catalyst for the iron chromium redox energy storage system
[NASA-CASE-LEW-14028-1] c 44 N86-19721
Method for improving the fuel efficiency of a gas turbine engine
[NASA-CASE-LEW-13142-2] c 07 N86-20389
Piezoelectric deicing device
[NASA-CASE-LEW-13773-2] c 33 N86-20671
Hybrid power semiconductor
[NASA-CASE-LEW-13922-1] c 33 N86-20672
Method and apparatus for rebalancing a REDOX flow cell system
[NASA-CASE-LEW-14127-1] c 33 N86-20680
Linearized traveling wave amplifier with hard limiter characteristics
[NASA-CASE-LEW-13981-2] c 33 N86-21742
Variable friction secondary seal for face seals
[NASA-CASE-LEW-14170-1] c 37 N86-25790
Oxygen recombination in individual pressure vessel nickel-hydrogen batteries
[NASA-CASE-LEW-13822-1] c 44 N86-25874
Apparatus for producing oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-2] c 27 N86-32569
Textured carbon surfaces on copper by sputtering
[NASA-CASE-LEW-14130-1] c 31 N86-32587
Lithium counterdoped silicon solar cell
[NASA-CASE-LEW-14177-1] c 44 N86-32875
Coaxial tube tether/transmission line for manned nuclear space power
[NASA-CASE-LEW-14338-1] c 20 N87-10174
New condensation polyimides containing 1,1,1-triaryl-2,2,2-trifluoroethane structures
[NASA-CASE-LEW-14346-1] c 23 N87-14433
Nickel base coating alloy
[NASA-CASE-LEW-13834-1] c 26 N87-14482
Heat exchanger for electrothermal devices
[NASA-CASE-LEW-14037-1] c 20 N87-16875
Ion beam sputter etching
[NASA-CASE-LEW-13899-1] c 31 N87-21160
Precision tunable resonant microwave cavity
[NASA-CASE-LEW-13935-1] c 33 N87-21234
Oxidation protection coatings for polymers
[NASA-CASE-LEW-14072-3] c 27 N87-23736
Carbide-fluoride-silver self-lubricating composite
[NASA-CASE-LEW-14196-2] c 37 N87-25585
Fiber reinforced ceramic material
[NASA-CASE-LEW-14392-2] c 27 N87-27810
Heat treatment for superalloy
[NASA-CASE-LEW-14262-1] c 26 N87-28647
Method of preparing fiber reinforced ceramic material
[NASA-CASE-LEW-14392-1] c 27 N87-28656
Apparatus for mounting a field emission cathode
[NASA-CASE-LEW-14108-1] c 33 N87-28832
Ion-beam nitriding of steels
[NASA-CASE-LEW-14104-2] c 26 N88-14179
Miniature traveling wave tube and method of making
[NASA-CASE-LEW-14520-1] c 33 N88-23936
Thermal stress minimized, two component, turbine shroud seal
[NASA-CASE-LEW-14212-1] c 37 N88-23978
Substituted 1,1,1-Triaryl-2,2,2-Trifluoroethanes and processes for their synthesis
[NASA-CASE-LEW-14345-1] c 23 N88-26404
Arcjet power supply and start circuit
[NASA-CASE-LEW-14374-1] c 09 N88-28939
Brominated graphite fibers and method of producing the same
[NASA-CASE-LEW-14698-1] c 24 N88-29888
Novel ladder polymers for use as high temperature stable resins or coatings
[NASA-CASE-LEW-14203-1] c 27 N88-29984

National Aeronautics and Space Administration. Manned Spacecraft Center, Cape Canaveral, Fla.

Electrode for biological recording
[NASA-CASE-XMS-02872] c 05 N69-21925

National Aeronautics and Space Administration. Manned Spacecraft Center, Langley Station, Va.

Plural recorder system
[NASA-CASE-XMS-06949] c 09 N69-21467

National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, Ala.

Electrical feed-through connection for printed circuit boards and printed cable
[NASA-CASE-XMF-01483] c 14 N69-27431
Method for detecting hydrogen gas
[NASA-CASE-XMF-03873] c 06 N69-39733
Electrical connector Patent Application
[NASA-CASE-MFS-14741] c 09 N70-20737
Angular measurement system Patent
[NASA-CASE-XMF-00447] c 14 N70-33179
Insulating structure Patent
[NASA-CASE-XMF-00341] c 15 N70-33323
Space vehicle electrical system Patent
[NASA-CASE-XMF-00517] c 03 N70-34157
Pivotal shock absorbing pad assembly Patent
[NASA-CASE-XMF-03856] c 31 N70-34159
Gimbaled, partially submerged rocket nozzle Patent
[NASA-CASE-XMF-01544] c 28 N70-34162
Recoverable rocket vehicle Patent
[NASA-CASE-XMF-00389] c 31 N70-34176
Electrical discharge apparatus for forming Patent
[NASA-CASE-XMF-00375] c 15 N70-34249
Optical inspection apparatus Patent
[NASA-CASE-XMF-00462] c 14 N70-34298
Relay binary circuit Patent
[NASA-CASE-XMF-00421] c 09 N70-34502
Attitude and propellant flow control system and method Patent
[NASA-CASE-XMF-00185] c 21 N70-34539
Electrical connector for flat cables Patent
[NASA-CASE-XMF-00324] c 09 N70-34596
Externally pressurized fluid bearing Patent
[NASA-CASE-XMF-00515] c 15 N70-34664
Force measuring instrument Patent
[NASA-CASE-XMF-00456] c 14 N70-34705
Seismic displacement transducer Patent
[NASA-CASE-XMF-00479] c 14 N70-34794
Electric arc welding Patent
[NASA-CASE-XMF-00392] c 15 N70-34814
Assembly for recovering a capsule Patent
[NASA-CASE-XMF-00641] c 31 N70-36410
Printed cable connector Patent
[NASA-CASE-XMF-00369] c 09 N70-36494
Landing pad assembly for aerospace vehicles Patent
[NASA-CASE-XMF-02853] c 31 N70-36654
Electric arc driven wind tunnel Patent
[NASA-CASE-XMF-00411] c 11 N70-36913
Gravity device Patent
[NASA-CASE-XMF-00424] c 11 N70-38196
Injector for bipropellant rocket engines Patent
[NASA-CASE-XMF-00148] c 28 N70-38710
Electronic motor control system Patent
[NASA-CASE-XMF-01129] c 09 N70-38712
Slosh suppressing device and method Patent
[NASA-CASE-XMF-00658] c 12 N70-38997
Air bearing Patent
[NASA-CASE-XMF-00339] c 15 N70-39896
Instrument support with precise lateral adjustment Patent
[NASA-CASE-XMF-00480] c 14 N70-39898
Segmented back-up bar Patent
[NASA-CASE-XMF-00640] c 15 N70-39924
Collapsible loop antenna for space vehicle Patent
[NASA-CASE-XMF-00437] c 07 N70-40202
Flexible back-up bar Patent
[NASA-CASE-XMF-00722] c 15 N70-40204
Electro-optical alignment control system Patent
[NASA-CASE-XMF-00908] c 14 N70-40238
Missile launch release system Patent
[NASA-CASE-XMF-03198] c 30 N70-40353
Double-acting shock absorber Patent
[NASA-CASE-XMF-01045] c 15 N70-40354
Portable alignment tool Patent
[NASA-CASE-XMF-01452] c 15 N70-41371
Device for suppressing sound and heat produced by high-velocity exhaust jets Patent
[NASA-CASE-XMF-01813] c 28 N70-41582
Unfired-ceramic flame-resistant insulation and method of making the same Patent
[NASA-CASE-XMF-01030] c 18 N70-41583
Pulse counting circuit which simultaneously indicates the occurrence of the nth pulse Patent
[NASA-CASE-XMF-00906] c 09 N70-41655

Support apparatus for dynamic testing Patent
[NASA-CASE-XMF-01772] c 11 N70-41677
Locking device with rolling detents Patent
[NASA-CASE-XMF-01371] c 15 N70-41829
Tank construction for space vehicles Patent
[NASA-CASE-XMF-01899] c 31 N70-41948
Positive displacement flowmeter Patent
[NASA-CASE-XMF-02822] c 14 N70-41994
Hydraulic support for dynamic testing Patent
[NASA-CASE-XMF-03248] c 11 N71-10604
Fiber optic vibration transducer and analyzer Patent
[NASA-CASE-XMF-02433] c 14 N71-10616
Method and means for damping nutation in a satellite Patent
[NASA-CASE-XMF-00442] c 31 N71-10747
Heat pipe thermionic diode power system Patent
[NASA-CASE-XMF-05843] c 03 N71-11055
Synthesis of siloxane-containing epoxy polymers Patent
[NASA-CASE-MFS-13994-1] c 06 N71-11240
Bi-carrier demodulator with modulation Patent
[NASA-CASE-XMF-01160] c 07 N71-11298
Harness assembly Patent
[NASA-CASE-MFS-14671] c 05 N71-12341
Magnetic matrix memory system Patent
[NASA-CASE-XMF-05835] c 08 N71-12504
Pulse amplitude and width detector Patent
[NASA-CASE-XMF-06519] c 09 N71-12519
Microwave power receiving antenna Patent
[NASA-CASE-MFS-20333] c 09 N71-13486
Hybrid holographic system using reflected and transmitted object beams simultaneously Patent
[NASA-CASE-MFS-20074] c 16 N71-15565
Reactance control system Patent
[NASA-CASE-XMF-01598] c 21 N71-15583
Apparatus for welding torch angle and seam tracking control Patent
[NASA-CASE-XMF-03287] c 15 N71-15607
Multiway vortex valve system Patent
[NASA-CASE-XMF-04709] c 15 N71-15609
Injector assembly for liquid fueled rocket engines Patent
[NASA-CASE-XMF-00968] c 28 N71-15660
Space capsule ejection assembly Patent
[NASA-CASE-XMF-03169] c 31 N71-15675
Air cushion lift pad Patent
[NASA-CASE-MFS-14685] c 31 N71-15689
Method of making a molded connector Patent
[NASA-CASE-XMF-03498] c 15 N71-15986
Regenerative braking system Patent
[NASA-CASE-XMF-01096] c 10 N71-16030
Condition and condition duration indicator Patent
[NASA-CASE-XMF-01097] c 10 N71-16058
Method and apparatus for securing to a spacecraft Patent
[NASA-CASE-MFS-11133] c 31 N71-16222
Method and apparatus of simulating zero gravity conditions Patent
[NASA-CASE-MFS-12750] c 27 N71-16223
Passive optical wind and turbulence detection system Patent
[NASA-CASE-XMF-14032] c 20 N71-16340
Serpentuator Patent
[NASA-CASE-XMF-05344] c 31 N71-16345
Gravimeter Patent
[NASA-CASE-XMF-05844] c 14 N71-17587
High pressure gas filter system Patent
[NASA-CASE-MFS-12806] c 14 N71-17588
Burst diaphragm flow initiator Patent
[NASA-CASE-MFS-12915] c 11 N71-17600
Vacuum deposition apparatus Patent
[NASA-CASE-XMF-01667] c 15 N71-17647
Quick disconnect latch and handle combination Patent
[NASA-CASE-MFS-11132] c 15 N71-17649
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114] c 15 N71-17650
Low temperature flexure fatigue cryostat Patent
[NASA-CASE-XMF-02964] c 14 N71-17659
Precision stepping drive Patent
[NASA-CASE-MFS-14772] c 15 N71-17692
Multi-mission module Patent
[NASA-CASE-XMF-01543] c 31 N71-17730
Ratchet mechanism Patent
[NASA-CASE-MFS-12805] c 15 N71-17805
Method of making impurity-type semiconductor electrical contacts Patent
[NASA-CASE-XMF-01016] c 26 N71-17818
Apparatus for the determination of the existance or non-existence of a bonding between two members Patent
[NASA-CASE-MFS-13686] c 15 N71-18132
Static inverters which sum a plurality of waves Patent
[NASA-CASE-XMF-00663] c 08 N71-18752
Space environmental work simulator Patent
[NASA-CASE-XMF-07488] c 11 N71-18773
Space manufacturing machine Patent
[NASA-CASE-MFS-20410] c 15 N71-19214
Extensometer Patent
[NASA-CASE-XMF-04680] c 15 N71-19489
Mechanical simulator of low gravity conditions Patent
[NASA-CASE-MFS-10555] c 11 N71-19494
Weld control system using thermocouple wire Patent
[NASA-CASE-MFS-06074] c 15 N71-20393
Evaporant source for vapor deposition Patent
[NASA-CASE-XMF-06065] c 15 N71-20395
Satellite despin device Patent
[NASA-CASE-XMF-08523] c 31 N71-20396
Method of coating circuit paths on printed circuit boards with solder Patent
[NASA-CASE-XMF-01599] c 09 N71-20705
Elastomeric silazane polymers and process for preparing the same Patent
[NASA-CASE-XMF-04133] c 06 N71-20717
Method of producing alternating ether siloxane copolymers Patent
[NASA-CASE-XMF-02584] c 06 N71-20905
Honeycomb panel and method of making same Patent
[NASA-CASE-XMF-01402] c 18 N71-21651
Portable milling tool Patent
[NASA-CASE-XMF-03511] c 15 N71-22799
Energy absorbing device Patent
[NASA-CASE-XMF-10040] c 15 N71-22877
Continuous detonation reaction engine Patent
[NASA-CASE-XMF-06926] c 28 N71-22983
Adaptive tracking notch filter system Patent
[NASA-CASE-XMF-01892] c 10 N71-22986
Meteorological balloon Patent
[NASA-CASE-XMF-04163] c 02 N71-23007
Continuous turning slip ring assembly Patent
[NASA-CASE-XMF-01049] c 15 N71-23049
Automatic welding speed controller Patent
[NASA-CASE-XMF-01730] c 15 N71-23050
Positive dc to positive dc converter Patent
[NASA-CASE-XMF-14301] c 09 N71-23188
Zero gravity apparatus Patent
[NASA-CASE-XMF-06515] c 14 N71-23227
Positive dc to negative dc converter Patent
[NASA-CASE-XMF-08217] c 03 N71-23239
Evacuation port seal Patent
[NASA-CASE-XMF-03290] c 15 N71-23256
Azimuth laying system Patent
[NASA-CASE-XMF-01669] c 21 N71-23289
Electron beam instrument for measuring electric fields Patent
[NASA-CASE-XMF-10289] c 14 N71-23699
Anemometer with braking mechanism Patent
[NASA-CASE-XMF-05224] c 14 N71-23726
Apparatus for testing a pressure responsive instrument Patent
[NASA-CASE-XMF-04134] c 14 N71-23755
Electric welding torch Patent
[NASA-CASE-XMF-02330] c 15 N71-23798
Swivel support for gas bearings Patent
[NASA-CASE-XMF-07808] c 15 N71-23812
Welding skate with computerized control Patent
[NASA-CASE-XMF-07069] c 15 N71-23815
Docking structure for spacecraft Patent
[NASA-CASE-XMF-05941] c 31 N71-23912
High pressure helium purifier Patent
[NASA-CASE-XMF-06888] c 15 N71-24044
Horizontal cryostat for fatigue testing Patent
[NASA-CASE-XMF-10968] c 14 N71-24234
Method for leakage testing of tanks Patent
[NASA-CASE-XMF-02392] c 32 N71-24285
Internal flare angle gauge Patent
[NASA-CASE-XMF-04415] c 14 N71-24693
Pulse rise time and amplitude detector Patent
[NASA-CASE-XMF-08804] c 09 N71-24717
System for maintaining a motor at a predetermined speed utilizing digital feedback means Patent
[NASA-CASE-XMF-06892] c 09 N71-24805
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114-2] c 09 N71-24807
Magnetomotive metal working device Patent
[NASA-CASE-XMF-03793] c 15 N71-24833
Apparatus for determining the deflection of an electron beam impinging on a target Patent
[NASA-CASE-XMF-06617] c 09 N71-24843
Transistor servo system including a unique differential amplifier circuit Patent
[NASA-CASE-XMF-05195] c 10 N71-24861
RC rate generator for slow speed measurement Patent
[NASA-CASE-XMF-02966] c 10 N71-24863
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-3] c 15 N71-24865
Duct coupling for single-handed operation Patent
[NASA-CASE-MFS-20395] c 15 N71-24903
Brushless direct current tachometer Patent
[NASA-CASE-MFS-20385] c 09 N71-24904
Self-lubricating gears and other mechanical parts Patent
[NASA-CASE-MFS-14971] c 15 N71-24984
Pulse width inverter Patent
[NASA-CASE-MFS-10068] c 10 N71-25139
Isothermal cover with thermal reservoirs Patent
[NASA-CASE-MFS-20355] c 33 N71-25353
Storage container for electronic devices Patent
[NASA-CASE-MFS-20075] c 09 N71-26133
Method and apparatus for precision sizing and joining of large diameter tubes Patent
[NASA-CASE-XMF-05114-2] c 15 N71-26148
Filter system for control of outgas contamination in vacuum Patent
[NASA-CASE-MFS-14711] c 15 N71-26185
Image magnification adapter for cameras Patent
[NASA-CASE-XMF-03844-1] c 14 N71-26474
Thickness measuring and injection device Patent
[NASA-CASE-MFS-20261] c 14 N71-27005
Personal propulsion unit Patent
[NASA-CASE-MFS-20130] c 28 N71-27585
Power system with heat pipe liquid coolant lines Patent
[NASA-CASE-MFS-14114] c 33 N71-27862
Method of making shielded flat cable Patent
[NASA-CASE-MFS-13687] c 09 N71-28691
A dc motor speed control system Patent
[NASA-CASE-MFS-14610] c 09 N71-28886
Cryogenic thermal insulation Patent
[NASA-CASE-XMF-05046] c 33 N71-28892
Method of coating through-holes Patent
[NASA-CASE-XMF-05999] c 15 N71-29032
Response analyzers for sensors Patent
[NASA-CASE-MFS-11204] c 14 N71-29134
Current regulating voltage divider
[NASA-CASE-MFS-20935] c 09 N71-34212
Nuclear mass flowmeter
[NASA-CASE-MFS-20485] c 14 N72-11365
Fine adjustment mount
[NASA-CASE-MFS-20249] c 15 N72-11386
Method of making foamed materials in zero gravity
[NASA-CASE-XMF-09902] c 15 N72-11387
Air bearing assembly for curved surfaces
[NASA-CASE-MFS-20423] c 15 N72-11388
Stud-bonding gun
[NASA-CASE-MFS-20299] c 15 N72-11392
Apparatus for obtaining isotropic irradiation of a specimen
[NASA-CASE-MFS-20095] c 24 N72-11595
Wind tunnel test section
[NASA-CASE-MFS-20509] c 11 N72-17183
Multiple image storing system for high speed projectile holography
[NASA-CASE-MFS-20596] c 14 N72-17324
Method of manufacturing semiconductor devices using refractory dielectrics
[NASA-CASE-XER-08476-1] c 26 N72-17820
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332] c 05 N72-20097
Apparatus for making diamonds
[NASA-CASE-MFS-20698] c 15 N72-20446
An airlock
[NASA-CASE-MFS-20922] c 31 N72-20840
Photoetching of metal-oxide layers
[NASA-CASE-ERC-10108] c 06 N72-21094
Liquid aerosol dispenser
[NASA-CASE-MFS-20829] c 12 N72-21310
Optical probing of supersonic flows with statistical correlation
[NASA-CASE-MFS-20642] c 14 N72-21407
Mechanically actuated triggered hand
[NASA-CASE-MFS-20413] c 15 N72-21463
Hermetically sealed elbow actuator
[NASA-CASE-MFS-14710] c 09 N72-22195
Shielded flat cable
[NASA-CASE-MFS-13687-2] c 09 N72-22198
Shock wave convergence apparatus
[NASA-CASE-MFS-20890] c 14 N72-22439
Bonding of reinforced Teflon to metals
[NASA-CASE-MFS-20482] c 15 N72-22492
Inorganic thermal control coatings
[NASA-CASE-MFS-20011] c 18 N72-22566
High temperature furnace for melting materials in space
[NASA-CASE-MFS-20710] c 11 N72-23215
Siloxane containing epoxide compounds
[NASA-CASE-MFS-13994-2] c 06 N72-25148
Silphenylenesiloxane polymers having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979] c 06 N72-25151
Emergency lunar communications system
[NASA-CASE-MFS-21042] c 07 N72-25171
Lead attachment to high temperature devices
[NASA-CASE-ERC-10224] c 09 N72-25261

Device for measuring bearing preload
[NASA-CASE-MFS-20434] c 11 N72-25288
Altitude simulation chamber for rocket engine testing
[NASA-CASE-MFS-20620] c 11 N72-27262
Fixture for supporting articles during vibration tests
[NASA-CASE-MFS-20523] c 14 N72-27412
Electrical connector
[NASA-CASE-MFS-20757] c 09 N72-28225
Remote control manipulator for zero gravity environment
[NASA-CASE-MFS-14405] c 15 N72-28495
Thermal compensating structural member
[NASA-CASE-MFS-20433] c 15 N72-28496
Semiconductor transducer device
[NASA-CASE-ERC-10087-2] c 14 N72-31446
Coaxial high density, hypervelocity plasma generator and accelerator with ionizable metal disc
[NASA-CASE-MFS-20589] c 25 N72-32688
Process for the preparation of brushite crystals
[NASA-CASE-ERC-10338] c 04 N72-33072
Adjustable force probe
[NASA-CASE-MFS-20760] c 14 N72-33377
Polyimide resin-fiberglass cloth laminates for printed circuit boards
[NASA-CASE-MFS-20408] c 18 N73-12604
Differential pressure control
[NASA-CASE-MFS-14216] c 14 N73-13418
Redundant hydraulic control system for actuators
[NASA-CASE-MFS-20944] c 15 N73-13466
Device and method for determining X ray reflection efficiency of optical surfaces
[NASA-CASE-MFS-20243] c 23 N73-13662
Process for making diamonds
[NASA-CASE-MFS-20698-2] c 15 N73-19457
Test stand system for vacuum chambers
[NASA-CASE-MFS-21362] c 11 N73-20267
Material fatigue testing system
[NASA-CASE-MFS-20673] c 14 N73-20476
Ratemeter
[NASA-CASE-MFS-20418] c 14 N73-24473
Underwater space suit pressure control regulator
[NASA-CASE-MFS-20332-2] c 05 N73-25125
Maxometers (peak wind speed anemometers)
[NASA-CASE-MFS-20916] c 14 N73-25460
Monitoring deposition of films
[NASA-CASE-MFS-20675] c 26 N73-26751
Docking structure for spacecraft
[NASA-CASE-MFS-20863] c 31 N73-26876
Wide temperature range electronic device with lead attachment
[NASA-CASE-ERC-10224-2] c 09 N73-27150
Restraint system for ergometer
[NASA-CASE-MFS-21046-1] c 14 N73-27377
Apparatus and method for skin packaging articles
[NASA-CASE-MFS-20855] c 15 N73-27405
Ergometer
[NASA-CASE-MFS-21109-1] c 05 N73-27941
Tilting table for ergometer and for other biomedical devices
[NASA-CASE-MFS-21010-1] c 05 N73-30078
Measurement system
[NASA-CASE-MFS-20658-1] c 14 N73-30386
Collimator of multiple plates with axially aligned identical random arrays of apertures
[NASA-CASE-MFS-20546-2] c 14 N73-30389
Holographic thin film analyzer
[NASA-CASE-MFS-20823-1] c 16 N73-30476
Semiconductor surface protection material
[NASA-CASE-ERC-10339-1] c 18 N73-30532
Polymerizable disilanols having in-chain perfluoroalkyl groups
[NASA-CASE-MFS-20979-2] c 06 N73-32030
Redundant speed control for brushless Hall effect motor
[NASA-CASE-MFS-20207-1] c 09 N73-32107
Induction motor control system with voltage controlled oscillator circuit
[NASA-CASE-MFS-21465-1] c 10 N73-32145
Synthesis of superconducting compounds by explosive compaction of powders
[NASA-CASE-MFS-20861-1] c 18 N73-32437
Ultrasonic scanner for radial and flat panels
[NASA-CASE-MFS-20335-1] c 35 N74-10415
Digital computing cardiotachometer
[NASA-CASE-MFS-20284-1] c 52 N74-12778
Integrated circuit package with lead structure and method of preparing the same
[NASA-CASE-MFS-21374-1] c 33 N74-12951
Vee-notching device
[NASA-CASE-MFS-20730-1] c 39 N74-13131
Ultrasonic scanning system for in-place inspection of brazed tube joints
[NASA-CASE-MFS-20767-1] c 38 N74-15130
Method and apparatus for checking the stability of a setup for making reflection type holograms
[NASA-CASE-MFS-21455-1] c 35 N74-15146
Method and apparatus for nondestructive testing
[NASA-CASE-MFS-21233-1] c 38 N74-15395
Real time moving scene holographic camera system
[NASA-CASE-MFS-21087-1] c 35 N74-17153
Nonflammable coating compositions
[NASA-CASE-MFS-20486-2] c 27 N74-17283
Metering gun for dispensing precisely measured charges of fluid
[NASA-CASE-MFS-21163-1] c 54 N74-17853
Omnidirectional wheel
[NASA-CASE-MFS-21309-1] c 37 N74-18125
Reinforced polyquinoxaline gasket and method of preparing the same
[NASA-CASE-MFS-21364-1] c 37 N74-18126
Manual actuator
[NASA-CASE-MFS-21481-1] c 37 N74-18127
Cryogenic gyroscope housing
[NASA-CASE-MFS-21136-1] c 35 N74-18323
Automatic frequency control for FM transmitter
[NASA-CASE-MFS-21540-1] c 32 N74-19790
Microwave power transmission system wherein level of transmitted power is controlled by reflections from receiver
[NASA-CASE-MFS-21470-1] c 44 N74-19870
Reduced gravity fecal collector seat and urinal
[NASA-CASE-MFS-22102-1] c 54 N74-20725
Metabolic analyzer
[NASA-CASE-MFS-21415-1] c 52 N74-20728
Automatic quadrature control and measuring system
[NASA-CASE-MFS-21660-1] c 35 N74-21017
Thiophenyl ether disiloxanes and trisiloxanes useful as lubricant fluids
[NASA-CASE-MFS-22411-1] c 37 N74-21058
Airlock
[NASA-CASE-MFS-20922-1] c 18 N74-22136
Low distortion automatic phase control circuit
[NASA-CASE-MFS-21671-1] c 33 N74-22885
Two speed drive system
[NASA-CASE-MFS-20645-1] c 37 N74-23070
Insert facing tool
[NASA-CASE-MFS-21485-1] c 37 N74-25968
LC-oscillator with automatic stabilized amplitude via bias current control
[NASA-CASE-MFS-21698-1] c 33 N74-26732
Device for monitoring a change in mass in varying gravimetric environments
[NASA-CASE-MFS-21556-1] c 35 N74-26945
Holography utilizing surface plasmon resonances
[NASA-CASE-MFS-22040-1] c 35 N74-26946
Electrophoretic sample insertion
[NASA-CASE-MFS-21395-1] c 25 N74-26948
Sprag solenoid brake
[NASA-CASE-MFS-21846-1] c 37 N74-26976
Device for configuring multiple leads
[NASA-CASE-MFS-22133-1] c 33 N74-26977
Thrust-isolating mounting
[NASA-CASE-MFS-21680-1] c 18 N74-27397
Battery testing device
[NASA-CASE-MFS-20761-1] c 44 N74-27519
Apparatus for establishing flow of a fluid mass having a known velocity
[NASA-CASE-MFS-21424-1] c 34 N74-27730
Apparatus for conducting flow electrophoresis in the substantial absence of gravity
[NASA-CASE-MFS-21394-1] c 34 N74-27744
Steady state thermal radiometers
[NASA-CASE-MFS-21108-1] c 34 N74-27861
Conductive elastomeric extensometer
[NASA-CASE-MFS-21049-1] c 52 N74-27864
Device for measuring tensile forces
[NASA-CASE-MFS-21728-1] c 35 N74-27865
Three mirror glancing incidence system for X-ray telescope
[NASA-CASE-MFS-21372-1] c 74 N74-27866
Flame detector operable in presence of proton radiation
[NASA-CASE-MFS-21577-1] c 19 N74-29410
Integrated P-channel MOS gyrator
[NASA-CASE-MFS-22343-1] c 33 N74-34638
System for depositing thin films
[NASA-CASE-MFS-20775-1] c 31 N75-12161
Ultrasonic bone densitometer
[NASA-CASE-MFS-20994-1] c 35 N75-12271
Strain gauge ambiguity sensor for segmented mirror active optical system
[NASA-CASE-MFS-20506-1] c 35 N75-12273
Orthotic arm joint
[NASA-CASE-MFS-21611-1] c 54 N75-12616
Automatically operable self-leveling load table
[NASA-CASE-MFS-22039-1] c 09 N75-12968
Phase-locked servo system
[NASA-CASE-MFS-22073-1] c 33 N75-13139
Self-energized plasma compressor
[NASA-CASE-MFS-22145-1] c 75 N75-13625
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
Variable frequency inverter for ac induction motors with torque, speed and braking control
[NASA-CASE-MFS-22088-1] c 33 N75-15874
Leak detector
[NASA-CASE-MFS-21761-1] c 35 N75-15931
Ergometer calibrator
[NASA-CASE-MFS-21045-1] c 35 N75-15932
Space vehicle
[NASA-CASE-MFS-22734-1] c 18 N75-19329
Meter for use in detecting tension in straps having predetermined elastic characteristics
[NASA-CASE-MFS-22189-1] c 35 N75-19615
Multiplate focusing collimator
[NASA-CASE-MFS-20932-1] c 35 N75-19616
Latching device
[NASA-CASE-MFS-21606-1] c 37 N75-19685
Internally supported flexible duct joint
[NASA-CASE-MFS-19193-1] c 37 N75-19686
Pseudo-noise test set for communication system evaluation
[NASA-CASE-MFS-22671-1] c 35 N75-21582
Device for use in loading tension members
[NASA-CASE-MFS-21488-1] c 14 N75-24794
Holographic system for nondestructive testing
[NASA-CASE-MFS-21704-1] c 35 N75-25124
Hole cutter
[NASA-CASE-MFS-22649-1] c 37 N75-25186
Apparatus for calibrating an image dissector tube
[NASA-CASE-MFS-22208-1] c 33 N75-26244
Method of determining bond quality of power transistors attached to substrates
[NASA-CASE-MFS-21931-1] c 37 N75-26372
Anti-gravity device
[NASA-CASE-MFS-22758-1] c 70 N75-26789
Brazing alloy binder
[NASA-CASE-XMF-05868] c 26 N75-27125
Brazing alloy composition
[NASA-CASE-XMF-05053] c 26 N75-27126
Refractory porcelain enamel passive control coating for high temperature alloys
[NASA-CASE-MFS-22324-1] c 27 N75-27160
Real time, large volume, moving scene holographic camera system
[NASA-CASE-MFS-22537-1] c 35 N75-27328
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c 35 N75-27329
Method of preparing graphite reinforced aluminum composite
[NASA-CASE-MFS-21077-1] c 24 N75-28135
Carbon monoxide monitor
[NASA-CASE-MFS-22060-1] c 35 N75-29380
Perfluoro alkylene dioxy-bis-(4-phthalic anhydrides and oxy-bis-(perfluoroalkyleneoxyphathalic anhydrides
[NASA-CASE-MFS-22356-1] c 23 N75-30256
Integrable power gyrator
[NASA-CASE-MFS-22342-1] c 33 N75-30428
Isolated output system for a class D switching-mode amplifier
[NASA-CASE-MFS-21616-1] c 33 N75-30429
Solar energy power system
[NASA-CASE-MFS-21628-1] c 44 N75-32581
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c 37 N75-33395
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c 37 N76-14460
Quick disconnect filter coupling
[NASA-CASE-MFS-22323-1] c 37 N76-14463
Panel for selectively absorbing solar thermal energy and the method of producing said panel
[NASA-CASE-MFS-22562-1] c 44 N76-14595
Rapid activation and checkout device for batteries
[NASA-CASE-MFS-22749-1] c 44 N76-14601
Two stage light gas-plasma projectile accelerator
[NASA-CASE-MFS-22287-1] c 75 N76-14931
Polyimides of ether-linked aryl tetracarboxylic dianhydrides
[NASA-CASE-MFS-22355-1] c 23 N76-15268
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c 37 N76-15457
Remote manipulator system
[NASA-CASE-MFS-22022-1] c 37 N76-15460
Thermoelectric power system
[NASA-CASE-MFS-22002-1] c 44 N76-16612
Self-energized plasma compressor
[NASA-CASE-MFS-22145-2] c 75 N76-17951
Device for measuring the ferrite content in an austenitic stainless-steel weld
[NASA-CASE-MFS-22907-1] c 26 N76-18257
Heat transfer device
[NASA-CASE-MFS-22938-1] c 34 N76-18374
Holographic motion picture camera with Doppler shift compensation
[NASA-CASE-MFS-22517-1] c 35 N76-18402

Method of peening and portable peening gun
[NASA-CASE-MFS-23047-1] c 37 N76-18454
Mixing insert for foam dispensing apparatus
[NASA-CASE-MFS-20607-1] c 37 N76-19436
Traffic survey system
[NASA-CASE-MFS-22631-1] c 66 N76-19888
Electronic optical transfer function analyzer
[NASA-CASE-MFS-21672-1] c 74 N76-19935
System for imposing directional stability on a rocket-propelled vehicle
[NASA-CASE-MFS-21311-1] c 20 N76-21275
Filtering device
[NASA-CASE-MFS-22729-1] c 32 N76-21366
Translatory shock absorber for attitude sensors
[NASA-CASE-MFS-22905-1] c 19 N76-22284
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c 20 N76-22296
Deployable flexible tunnel
[NASA-CASE-MFS-22636-1] c 37 N76-22540
Solar energy absorber
[NASA-CASE-MFS-22743-1] c 44 N76-22657
Apparatus for reducing aerodynamic noise in a wind tunnel
[NASA-CASE-MFS-23099-1] c 09 N76-23273
Solar energy power system
[NASA-CASE-MFS-21628-2] c 44 N76-23675
Solar energy trap
[NASA-CASE-MFS-22744-1] c 44 N76-24696
Failure detection and control means for improved drift performance of a gimballed platform system
[NASA-CASE-MFS-23551-1] c 04 N76-26175
Lead-oxygen dc power supply system having a closed loop oxygen and water system
[NASA-CASE-MFS-23059-1] c 44 N76-27664
Thermal energy storage system
[NASA-CASE-MFS-23167-1] c 44 N76-31667
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c 03 N76-32140
Multiple in-line docking capability for rotating space stations
[NASA-CASE-MFS-20855-1] c 15 N77-10112
Attitude control system
[NASA-CASE-MFS-22787-1] c 15 N77-10113
Heat exchanger
[NASA-CASE-MFS-22991-1] c 34 N77-10463
Focused laser Doppler velocimeter
[NASA-CASE-MFS-23178-1] c 35 N77-10493
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c 44 N77-10635
Wind measurement system
[NASA-CASE-MFS-23362-1] c 47 N77-10753
Mechanical thermal motor
[NASA-CASE-MFS-23062-1] c 37 N77-12402
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c 33 N77-14335
Actuator device for artificial leg
[NASA-CASE-MFS-23225-1] c 52 N77-14735
Frequency modulated oscillator
[NASA-CASE-MFS-23181-1] c 33 N77-17351
Method of and means for testing a tape record/playback system
[NASA-CASE-MFS-22671-2] c 35 N77-17426
Notch filter
[NASA-CASE-MFS-23303-1] c 32 N77-18307
Guide for a typewriter
[NASA-CASE-MFS-15218-1] c 37 N77-19457
Mount for continuously orienting a collector dish in a system adapted to perform both diurnal and seasonal solar tracking
[NASA-CASE-MFS-23267-1] c 35 N77-20401
Emergency descent device
[NASA-CASE-MFS-23074-1] c 54 N77-21844
Device for tensioning test specimens within an hermetically sealed chamber
[NASA-CASE-MFS-23281-1] c 35 N77-22450
Combined docking and grasping device
[NASA-CASE-MFS-23088-1] c 37 N77-23483
Method of growing composites of the type exhibiting the Soret effect
[NASA-CASE-MFS-22926-1] c 24 N77-27187
Method for measuring biaxial stress in a body subjected to stress inducing loads
[NASA-CASE-MFS-23299-1] c 39 N77-28511
Method for attaching a fused-quartz mirror to a conductive metal substrate
[NASA-CASE-MFS-23405-1] c 26 N77-29260
Method of preparing zinc orthotitanate pigment
[NASA-CASE-MFS-23345-1] c 27 N77-30237
Accumulator
[NASA-CASE-MFS-19287-1] c 34 N77-30399
Tachometer
[NASA-CASE-MFS-23175-1] c 35 N77-30436
Real time reflectometer
[NASA-CASE-MFS-23118-1] c 35 N77-31465
Method of crystallization
[NASA-CASE-MFS-23001-1] c 76 N77-32919
Power factor control system for AC induction motors
[NASA-CASE-MFS-23280-1] c 33 N78-10376
Germanium coated microbridge and method
[NASA-CASE-MFS-23274-1] c 33 N78-13320
Laser extensometer
[NASA-CASE-MFS-19259-1] c 36 N78-14380
Method of and means for testing a glancing-incidence mirror system of an X-ray telescope
[NASA-CASE-MFS-22409-2] c 74 N78-15880
Projection system for display of parallax and perspective
[NASA-CASE-MFS-23194-1] c 35 N78-17357
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c 36 N78-17366
Wrist joint assembly
[NASA-CASE-MFS-23311-1] c 54 N78-17676
Semiconductor projectile impact detector
[NASA-CASE-MFS-23008-1] c 35 N78-18390
Sprayable low density ablator and application process
[NASA-CASE-MFS-23506-1] c 24 N78-24290
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c 76 N78-24950
Tetherline system for orbiting satellites
[NASA-CASE-MFS-23564-1] c 15 N78-25119
Method and apparatus for conditioning of nickel-cadmium batteries
[NASA-CASE-MFS-23270-1] c 44 N78-25531
Passive propellant system
[NASA-CASE-MFS-23642-2] c 20 N78-27176
Field effect transistor and method of construction thereof
[NASA-CASE-MFS-23312-1] c 33 N78-27326
Plasma cleaning device
[NASA-CASE-MFS-22906-1] c 75 N78-27913
Process for spinning flame retardant elastomeric compositions
[NASA-CASE-MSC-14331-3] c 27 N78-32262
Velocity measurement system
[NASA-CASE-MFS-23363-1] c 35 N78-32396
Hybrid holographic non-destructive test system
[NASA-CASE-MFS-23114-1] c 38 N78-32447
FM/CW radar system
[NASA-CASE-MFS-22234-1] c 32 N79-10264
Method of obtaining intensified image from developed photographic films and plates
[NASA-CASE-MFS-23461-1] c 35 N79-10389
Computerized system for translating a torch head
[NASA-CASE-MFS-23620-1] c 37 N79-10421
Rotatable mass for a flywheel
[NASA-CASE-MFS-23051-1] c 37 N79-10422
Water system virus detection
[NASA-CASE-MSC-16098-1] c 51 N79-10693
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c 89 N79-10969
Apparatus for assembling space structure
[NASA-CASE-MFS-23579-1] c 18 N79-11108
Spherical bearing
[NASA-CASE-MFS-23447-1] c 37 N79-11404
Method for making an aluminum or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-1] c 44 N79-11469
System for the measurement of ultra-low stray light levels
[NASA-CASE-MFS-23513-1] c 74 N79-11865
Simulator method and apparatus for practicing the mating of an observer-controlled object with a target
[NASA-CASE-MFS-23052-2] c 74 N79-13855
Multilevel metallization method for fabricating a metal oxide semiconductor device
[NASA-CASE-MFS-23541-1] c 76 N79-14906
Direct current transformer
[NASA-CASE-MFS-23659-1] c 33 N79-17133
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c 20 N79-21123
Fluid thrust control system
[NASA-CASE-XMF-05964-1] c 20 N79-21124
Rocket injector head
[NASA-CASE-XMF-04592-1] c 20 N79-21125
Infusible silazane polymer and process for producing same
[NASA-CASE-XMF-02526-1] c 27 N79-21190
Fluorine-containing polyformals
[NASA-CASE-XMF-06900-1] c 27 N79-21191
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c 31 N79-21226
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c 31 N79-21227
Stable superconducting magnet
[NASA-CASE-XMF-05373-1] c 33 N79-21264
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c 37 N79-22474
Horizontally mounted solar collector
[NASA-CASE-MFS-23349-1] c 44 N79-23481
Coal-shale interface detection
[NASA-CASE-MFS-23720-3] c 43 N79-25443
General purpose rocket furnace
[NASA-CASE-MFS-23460-1] c 12 N79-26075
Contour measurement system
[NASA-CASE-MFS-23726-1] c 43 N79-26439
Method of construction of a multi-cell solar array
[NASA-CASE-MFS-23540-1] c 44 N79-26475
Thickness measurement system
[NASA-CASE-MFS-23721-1] c 31 N79-28370
Coal-rock interface detector
[NASA-CASE-MFS-23725-1] c 43 N79-31706
Calibrating pressure switch
[NASA-CASE-XMF-04494-1] c 33 N79-33392
Passive propellant system
[NASA-CASE-MFS-23642-1] c 20 N80-10278
Electrophoretic fractional elution apparatus employing a rotational seal fraction collector
[NASA-CASE-MFS-23284-1] c 37 N80-14397
Coal-shale interface detection system
[NASA-CASE-MFS-23720-2] c 43 N80-14423
Solar concentrator
[NASA-CASE-MFS-23727-1] c 44 N80-14473
Aluminium or copper substrate panel for selective absorption of solar energy
[NASA-CASE-MFS-23518-3] c 44 N80-16452
Method for separating biological cells
[NASA-CASE-MFS-23883-1] c 51 N80-16715
Oceanic wave measurement system
[NASA-CASE-MFS-23862-1] c 48 N80-18667
Wind wheel electric power generator
[NASA-CASE-MFS-23515-1] c 44 N80-21828
Preparation of monotectic alloys having a controlled microstructure by directional solidification under dopant-induced interface breakdown
[NASA-CASE-MFS-23816-1] c 26 N80-23419
Coal-shale interface detector
[NASA-CASE-MFS-23720-1] c 43 N80-23711
Cork-resin ablative insulation for complex surfaces and method for applying the same
[NASA-CASE-MFS-23626-1] c 24 N80-26388
Redundant motor drive system
[NASA-CASE-MFS-23777-1] c 37 N80-32716
Three phase power factor controller
[NASA-CASE-MFS-25535-1] c 33 N81-12330
Method and apparatus for shaping and enhancing acoustical levitation forces
[NASA-CASE-MFS-25050-1] c 71 N81-15767
Microwave integrated circuit for Josephson voltage standards
[NASA-CASE-MFS-23845-1] c 33 N81-17348
Process for preparation of large-particle-size monodisperse latexes
[NASA-CASE-MFS-25000-1] c 25 N81-19242
Containerless high temperature calorimeter apparatus
[NASA-CASE-MFS-23923-1] c 35 N81-19426
Electrical power generating system
[NASA-CASE-MFS-24368-3] c 33 N81-22280
Solar tracking system
[NASA-CASE-MFS-23999-1] c 44 N81-24520
Prosthetic urinary sphincter
[NASA-CASE-MFS-23717-1] c 52 N81-25660
Pneumatic inflatable end effector
[NASA-CASE-MFS-23696-1] c 54 N81-26718
Power factor control system for ac induction motors
[NASA-CASE-MFS-23988-1] c 33 N81-27395
Method of manufacture of bonded fiber flywheel
[NASA-CASE-MFS-23674-1] c 24 N81-29163
Biocentrifuge system capable of exchanging specimen cages while in operational mode
[NASA-CASE-MFS-23825-1] c 51 N81-32829
Motor power factor controller with a reduced voltage starter
[NASA-CASE-MFS-25586-1] c 33 N82-11360
Method for retarding dye fading during archival storage of developed color photographic film
[NASA-CASE-MFS-23250-1] c 35 N82-11432
Liquid immersion apparatus for minute articles
[NASA-CASE-MFS-25363-1] c 37 N82-12441
Controlled overspray spray nozzle
[NASA-CASE-MFS-25139-1] c 34 N82-13376
Multi-channel temperature measurement amplification system
[NASA-CASE-MFS-23775-1] c 44 N82-16474
Solar energy control system
[NASA-CASE-MFS-25287-1] c 44 N82-18686
Method of bonding plasticized elastomer to metal and articles produced thereby
[NASA-CASE-MFS-25181-1] c 27 N82-24340
Amplified wind turbine apparatus
[NASA-CASE-MFS-23830-1] c 44 N82-24639
Magnetic field control
[NASA-CASE-MFS-23828-1] c 33 N82-26569
Exothermic furnace module
[NASA-CASE-MFS-25707-1] c 35 N82-26631

Photoelectric detection system
[NASA-CASE-MFS-23776-1] c 33 N82-28545
Apparatus for sequentially transporting containers
[NASA-CASE-MFS-23846-1] c 37 N82-32731
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-15670-1] c 33 N82-33634
Electrophoresis device
[NASA-CASE-MFS-25426-1] c 25 N83-10126
Combinational logic for generating gate drive signals for phase control rectifiers
[NASA-CASE-MFS-25208-1] c 33 N83-10345
Static continuous electrophoresis device
[NASA-CASE-MFS-25306-1] c 25 N83-13187
Collimated beam manifold with the number of output beams variable at a given output angle
[NASA-CASE-MFS-25312-1] c 74 N83-17305
Method and apparatus for suppressing ignition overpressure in solid rocket propulsion systems
[NASA-CASE-MFS-25843-1] c 20 N83-17588
Extended range X-ray telescope
[NASA-CASE-MFS-25282-1] c 34 N83-19015
Automatic weld torch guidance control system
[NASA-CASE-MFS-25807] c 37 N83-20154
Electrical rotary joint apparatus for large space structures
[NASA-CASE-MFS-23981-1] c 07 N83-20944
Gas levitator having fixed levitation node for containerless processing
[NASA-CASE-MFS-25509-1] c 35 N83-24828
Electrical power generating system
[NASA-CASE-MFS-25302-1] c 33 N83-28319
Satellite retrieval system
[NASA-CASE-MFS-25403-1] c 18 N83-29303
Method and apparatus for supercooling and solidifying substances
[NASA-CASE-MFS-25242-1] c 35 N83-29650
Dual laser optical system and method for studying fluid flow
[NASA-CASE-MFS-25315-1] c 36 N83-29680
Beam connector apparatus and assembly
[NASA-CASE-MFS-25134-1] c 31 N83-31895
Adaptive reference voltage generator for firing angle control of line-commutated inverters
[NASA-CASE-MFS-25215-1] c 33 N83-31953
Triac failure detector
[NASA-CASE-MFS-25607-1] c 33 N83-34190
Adaptive control system for line-commutated inverters
[NASA-CASE-MFS-25209-1] c 33 N83-35227
Apparatus and method for heating a material in a transparent ampoule
[NASA-CASE-MFS-25436-1] c 27 N83-36220
Resilient seal ring assembly with spring means applying force to wedge member
[NASA-CASE-MFS-25678-1] c 37 N84-11497
Prosthetic occlusive device for an internal passageway
[NASA-CASE-MFS-25740-1] c 52 N84-11744
Constant-output atomizer
[NASA-CASE-MFS-25631-1] c 34 N84-12406
Heat sealable, flame and abrasion resistant coated fabric
[NASA-CASE-MSC-18382-2] c 27 N84-14324
Electrical self-aligning connector
[NASA-CASE-MFS-25211-2] c 33 N84-14423
Control system for an induction motor with energy recovery
[NASA-CASE-MFS-25477-1] c 33 N84-14424
A dc to dc converter
[NASA-CASE-MFS-25430-1] c 33 N84-16453
Pulsed thyristor trigger control circuit
[NASA-CASE-MFS-25616-1] c 33 N84-16455
Clamp-mount device
[NASA-CASE-MFS-25510-1] c 37 N84-16560
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-15429-1] c 18 N84-22609
Method for sequentially processing a multi-level interconnect circuit in a vacuum chamber
[NASA-CASE-MFS-256704-1] c 33 N84-22884
Three phase power factor controller
[NASA-CASE-MFS-25535-2] c 33 N84-22885
Motor power control circuit for ac induction motors
[NASA-CASE-MFS-25323-1] c 33 N84-22886
Two-dimensional scanner apparatus
[NASA-CASE-MFS-25687-1] c 35 N84-22928
Method of and apparatus for double-exposure holographic interferometry
[NASA-CASE-MFS-25405-1] c 35 N84-22929
Diffuser/ejector system for a very high vacuum environment
[NASA-CASE-MFS-25791-1] c 09 N84-27749
Space Shuttle with rail system and aft thrust structure securing solid rocket boosters to external tank
[NASA-CASE-MFS-25853-1] c 16 N84-27784
Three stage rocket vehicle with parallel staging
[NASA-CASE-MFS-25878-1] c 18 N84-27787
Phase detector for three-phase power factor controller
[NASA-CASE-MFS-25854-1] c 33 N84-27975
Device for determining frost depth and density
[NASA-CASE-MFS-25754-1] c 35 N84-28018
Sonic levitation apparatus
[NASA-CASE-MFS-25828-1] c 71 N84-28568
Apparatus for measuring charged particle beam
[NASA-CASE-MFS-25641-1] c 72 N84-28575
Warm fog dissipation using large volume water sprays
[NASA-CASE-MFS-25962-1] c 09 N84-32398
Coupling an induction motor type generator to ac power lines
[NASA-CASE-MFS-25302-2] c 33 N84-33660
Three-phase power factor controller with induced EMF sensing
[NASA-CASE-MFS-25852-1] c 33 N84-33661
Longwall shearer tracking system
[NASA-CASE-MFS-25717-1] c 35 N84-33768
Impacting device for testing insulation
[NASA-CASE-MFS-25862-2] c 37 N84-33807
Insulation bonding test system
[NASA-CASE-MFS-25862-1] c 27 N85-20126
Adjustable indicating device for load position
[NASA-CASE-MFS-28008-1] c 35 N85-20300
Process for producing tris s(n-methylamino) methylsilane
[NASA-CASE-MFS-25721-1] c 25 N85-21280
Solar powered actuator with continuously variable auxiliary power control
[NASA-CASE-MFS-25637-1] c 44 N85-21769
Power control for ac motor
[NASA-CASE-MFS-25861-1] c 33 N85-22877
Hemispherical latching apparatus
[NASA-CASE-MFS-25837-1] c 18 N85-29991
Method of and apparatus for generating an interstitial point in a data stream having an even number of data points
[NASA-CASE-MFS-25319-1] c 60 N85-33701
Variable length strut with longitudinal compliance and locking capability
[NASA-CASE-MFS-25907-1] c 37 N85-34401
Device and method for frictionally testing materials for ignitability
[NASA-CASE-MSC-20622-1] c 25 N86-19413
Portable 90 degree proof loading device
[NASA-CASE-MSC-20250-1] c 35 N86-19581
Apparatus for adapting an end effector device remotely controlled manipulator arm
[NASA-CASE-MFS-25949-1] c 37 N86-19603
Spectral slicing X-ray telescope with variable magnification
[NASA-CASE-MFS-25942-1] c 74 N86-20124
X-ray determination of parts alignment
[NASA-CASE-MSC-20418-1] c 74 N86-20126
Space probe/satellite ejection apparatus for spacecraft
[NASA-CASE-MFS-25429-1] c 18 N86-20469
Wind dynamic range video camera
[NASA-CASE-MFS-25750-1] c 32 N86-20647
Amplifier for measuring low-level signals in the presence of high common mode voltage
[NASA-CASE-MFS-25868-1] c 33 N86-20670
High gradient directional solidification furnace
[NASA-CASE-MFS-25963-1] c 35 N86-20750
Damping seal for turbomachinery
[NASA-CASE-MFS-25842-2] c 37 N86-20788
Self-locking telescoping manipulator arm
[NASA-CASE-MFS-25906-1] c 37 N86-20789
Cryogenic insulation strength and bond tester
[NASA-CASE-MFS-25910-1] c 39 N86-20841
Optical stereo video signal processor
[NASA-CASE-MFS-25752-1] c 74 N86-21348
Containerless high purity pulling process and apparatus for glass fiber
[NASA-CASE-MFS-25905-2] c 31 N86-21718
Automated weld torch guidance control system
[NASA-CASE-MFS-25807-2] c 37 N86-21850
Multispectral glancing incidence X-ray telescope
[NASA-CASE-MFS-28013-1] c 89 N86-22459
Shuttle-launch triangular space station
[NASA-CASE-MSC-20676-1] c 18 N86-24729
Fluid flow meter for measuring the rate of fluid flow in a conduit
[NASA-CASE-MFS-28030-1] c 35 N86-25752
Magnetic spin reduction system for free spinning objects
[NASA-CASE-MFS-25966-1] c 16 N86-26352
Propulsion apparatus and method using boil-off gas from a cryogenic liquid
[NASA-CASE-MFS-25946-1] c 20 N86-26368
Solid sorbent air sampler
[NASA-CASE-MSC-20653-1] c 35 N86-26595
Planar oscillatory stirring apparatus
[NASA-CASE-MFS-26002-1-CU] c 35 N86-26598
Angular measurement system
[NASA-CASE-MFS-25825-1] c 31 N86-29055
Apparatus and method for inspecting a bearing ball
[NASA-CASE-MFS-25833-1] c 35 N86-32698
Method of repairing hidden leaks in tubes
[NASA-CASE-MFS-19796-1] c 37 N86-32736
Remotely operable peristaltic pump
[NASA-CASE-MFS-28059-1] c 37 N86-32738
Double window viewing chamber assembly
[NASA-CASE-MFS-28057-1] c 09 N87-14355
Low loss injector for liquid propellant rocket engines
[NASA-CASE-MFS-25989-1] c 20 N87-14420
Emitted vibration measurement device and method
[NASA-CASE-MFS-25981-1] c 35 N87-14670
High-temperature, high-pressure optical cell
[NASA-CASE-MFS-26000-1] c 74 N87-14971
Non-backdriveable free wheeling coupling
[NASA-CASE-MSC-20475-1] c 37 N87-17037
Welding torch with arc light reflector
[NASA-CASE-MFS-29134-1] c 74 N87-17493
Space ultra-vacuum facility and method of operation
[NASA-CASE-MFS-28139-1] c 29 N87-18679
Orbital maneuvering end effectors
[NASA-CASE-MFS-28161-1] c 37 N87-18817
Quasi-containerless glass formation method and apparatus
[NASA-CASE-MFS-28090-1] c 27 N87-21111
Four quadrant control circuit for a brushless three-phase dc motor
[NASA-CASE-MFS-28080-1] c 33 N87-21233
Dual motion valve with single motion input
[NASA-CASE-MFS-28058-1] c 37 N87-21332
Self indexing latch system
[NASA-CASE-MFS-25956-1] c 37 N87-21333
Bidirectional control system for energy flow in solar powered flywheel
[NASA-CASE-MFS-25978-1] c 44 N87-21410
Tube coupling device
[NASA-CASE-MFS-25964-2] c 37 N87-22977
Apparatus ad method for quiescent containerless processing of high temperature metals and alloys in low gravity
[NASA-CASE-MFS-28087-1] c 35 N87-23944
Remotely controlled spray gun
[NASA-CASE-MFS-28110-1] c 37 N87-24689
Photorefractor ocular screening system
[NASA-CASE-MFS-26011-1-SB] c 52 N87-24874
Method for machining holes in composite materials
[NASA-CASE-MFS-28044-1] c 31 N87-25491
Fatigue testing a plurality of test specimens and method
[NASA-CASE-MFS-28118-1] c 39 N87-25601
Self-clamping arc light reflector for welding torch
[NASA-CASE-MFS-29207-1] c 74 N87-25843
Laser schlieren crystal monitor
[NASA-CASE-MFS-28060-1] c 76 N87-25862
A digitally controlled system for effecting and presenting a selected electrical resistance
[NASA-CASE-MFS-29149-1] c 33 N87-29737
Alignment and assembly tool for very large diameter cylinders
[NASA-CASE-MFS-28001-2] c 37 N88-14360
Welding monitoring system
[NASA-CASE-MFS-29177-1] c 37 N88-14362
Method for investigating the formation of crystals in a transparent material
[NASA-CASE-MFS-26008-1-CU] c 76 N88-14835
Moving wall, continuous flow electronphoresis apparatus
[NASA-CASE-MFS-28142-1] c 25 N88-23845
Cylindrical surface profile and diameter measuring tool and method
[NASA-CASE-MFS-28287-1] c 35 N88-23959
Dual wavelength holographic interferometry system
[NASA-CASE-MFS-28242-1] c 35 N88-23960
Rotor self-lubricating axial stop
[NASA-CASE-MFS-28273-1] c 37 N88-23974
Bi-stem gripping apparatus
[NASA-CASE-MFS-28185-1] c 37 N88-23979
Welding torch gas cup extension
[NASA-CASE-MFS-29252-1] c 37 N88-23980
Reconfigurable work station for a video display unit and keyboard
[NASA-CASE-MFS-26009-1-SB] c 54 N88-24163
Ion generator and ion application system
[NASA-CASE-MFS-28122-1] c 72 N88-24253
Method and apparatus for growing crystals
[NASA-CASE-MFS-28137-1] c 76 N88-24544
Liquid encapsulated float zone process and apparatus
[NASA-CASE-MFS-28144-1] c 76 N88-24545
Low temperature storage container for transporting perishables to space station
[NASA-CASE-MFS-28248-1] c 31 N88-24817
Universal precision sine bar attachment
[NASA-CASE-MFS-28253-1] c 37 N88-24971

Trailer shield assembly for a welding torch
[NASA-CASE-MFS-29260-1] c 37 N88-24972
Optical pressure sealing couping (light joint)
[NASA-CASE-MFS-29348-1] c 74 N88-25303
Hanging drop crystal growth apparatus and method
[NASA-CASE-MFS-28206-1-SB] c 76 N88-25356
Crystal growth apparatus
[NASA-CASE-MFS-28182-1] c 76 N88-25357
High temperature electric arc furnace
[NASA-CASE-MFS-28281-1] c 09 N88-28938
Planar thin film SQUID with integral flux concentrator
[NASA-CASE-MFS-28282-1] c 76 N88-29602

National Aeronautics and Space Administration. National Space Technology Labs., Bay Saint Louis, Miss.

Method for treating wastewater using microorganisms and vascular aquatic plants
[NASA-CASE-NSTL-10] c 45 N84-12654

National Aeronautics and Space Administration. Pasadena Office, Calif.

Phase control circuits using frequency multiplications for phased array antennas
[NASA-CASE-ERC-10285] c 10 N73-16206
Method of forming difunctional polyisobutylene
[NASA-CASE-NPO-10893] c 27 N73-22710
Radiation and particle detector and amplifier
[NASA-CASE-NPO-12128-1] c 14 N73-32317
Expandable space frames
[NASA-CASE-ERC-10365-1] c 31 N73-32749
Use of thin film light detector
[NASA-CASE-NPO-11432-2] c 35 N74-15090
Temperature compensated digital inertial sensor
[NASA-CASE-NPO-13044-1] c 35 N74-15094
Compact hydrogenator
[NASA-CASE-NPO-11682-1] c 35 N74-15127
Short range laser obstacle detector
[NASA-CASE-NPO-11856-1] c 36 N74-15145
System for stabilizing cable phase delay utilizing a coaxial cable under pressure
[NASA-CASE-NPO-13138-1] c 33 N74-17927
Banded transformer cores
[NASA-CASE-NPO-11966-1] c 33 N74-17928
Inverter ratio failure detector
[NASA-CASE-NPO-13160-1] c 35 N74-18090
Heat transfer device
[NASA-CASE-NPO-11120-1] c 34 N74-18552
Storage battery comprising negative plates of a wedge shaped configuration
[NASA-CASE-NPO-11806-1] c 44 N74-19693
Gated compressor, distortionless signal limiter
[NASA-CASE-NPO-11820-1] c 32 N74-19788
Apparatus for scanning the surface of a cylindrical body
[NASA-CASE-NPO-11861-1] c 36 N74-20009
Decision feedback loop for tracking a polyphase modulated carrier
[NASA-CASE-NPO-13103-1] c 32 N74-20811
Optically actuated two position mechanical mover
[NASA-CASE-NPO-13105-1] c 37 N74-21060
Flow control valve
[NASA-CASE-NPO-11951-1] c 37 N74-21065
Thin film gauge
[NASA-CASE-NPO-10617-1] c 35 N74-22095
High isolation RF signal selection switches
[NASA-CASE-NPO-13081-1] c 33 N74-22814
Single reflector interference spectrometer and drive system therefor
[NASA-CASE-NPO-11932-1] c 35 N74-23040
Scanning nozzle plating system
[NASA-CASE-NPO-11758-1] c 31 N74-23065
Rock sampling
[NASA-CASE-XNP-10007-1] c 46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c 46 N74-23069
Miniature multichannel biotelemeter system
[NASA-CASE-NPO-13065-1] c 52 N74-26625
Dispensing targets for ion beam particle generators
[NASA-CASE-NPO-13112-1] c 73 N74-26767
Optically detonated explosive device
[NASA-CASE-NPO-11743-1] c 28 N74-27425
Coherent receiver employing nonlinear coherence detection for carrier tracking
[NASA-CASE-NPO-11921-1] c 32 N74-30523
Digital servo control of random sound test excitation
[NASA-CASE-NPO-11623-1] c 71 N74-31148
Capacitance multiplier and filter synthesizing network
[NASA-CASE-NPO-11948-1] c 33 N74-32712
Apparatus for forming drive belts
[NASA-CASE-NPO-13205-1] c 31 N74-32917
Tool for use in lifting pin supported objects
[NASA-CASE-NPO-13157-1] c 37 N74-32918
Preparing oxidizer coated metal fuel particles
[NASA-CASE-NPO-11975-1] c 28 N74-33209
Geneva mechanism
[NASA-CASE-NPO-13281-1] c 37 N75-13266
Amino acid analysis
[NASA-CASE-NPO-12130-1] c 25 N75-14844
Method of producing a storage bulb for an atomic hydrogen maser
[NASA-CASE-NPO-13050-1] c 36 N75-15029
Combined pressure regulator and shutoff valve
[NASA-CASE-NPO-13201-1] c 37 N75-15050
Reduction of blood serum cholesterol
[NASA-CASE-NPO-12119-1] c 52 N75-15270
Simultaneous acquisition of tracking data from two stations
[NASA-CASE-NPO-13292-1] c 32 N75-15854
Shock absorbing mount for electrical components
[NASA-CASE-NPO-13253-1] c 37 N75-18573
System for generating timing and control signals
[NASA-CASE-NPO-13125-1] c 33 N75-19519
Motor run-up system
[NASA-CASE-NPO-13374-1] c 33 N75-19524
Deep trap, laser activated image converting system
[NASA-CASE-NPO-13131-1] c 36 N75-19652
Multitarget sequential sputtering apparatus
[NASA-CASE-NPO-13345-1] c 37 N75-19684
Wide angle sun sensor
[NASA-CASE-NPO-13327-1] c 35 N75-23910
Material suspension within an acoustically excited resonant chamber
[NASA-CASE-NPO-13263-1] c 12 N75-24774
Heat operated cryogenic electrical generator
[NASA-CASE-NPO-13303-1] c 20 N75-24837
System for interference signal nulling by polarization adjustment
[NASA-CASE-NPO-13140-1] c 32 N75-24982
Heat detection and compositions and devices therefor
[NASA-CASE-NPO-10764-2] c 35 N75-25122
Servo-controlled intravital microscope system
[NASA-CASE-NPO-13214-1] c 35 N75-25123
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c 37 N75-25185
Vehicle locating system utilizing AM broadcasting station carriers
[NASA-CASE-NPO-13217-1] c 32 N75-26194
Asynchronous, multiplexing, single line transmission and recovery data system
[NASA-CASE-NPO-13321-1] c 32 N75-26195
Brazing alloy
[NASA-CASE-XNP-03878] c 26 N75-27127
Very high intensity light source using a cathode ray tube
[NASA-CASE-XNP-01296] c 33 N75-27250
Fluorescence detector for monitoring atmospheric pollutants
[NASA-CASE-NPO-13231-1] c 45 N75-27585
Cooperative multiaxis sensor for teleoperation of article manipulating apparatus
[NASA-CASE-NPO-13386-1] c 54 N75-27758
Heat sterilizable patient ventilator
[NASA-CASE-NPO-13313-1] c 54 N75-27761
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c 26 N75-29236
Satellite aided vehicle avoidance system
[NASA-CASE-ERC-10419-1] c 03 N75-30132
Refrigerated coaxial coupling
[NASA-CASE-NPO-13504-1] c 33 N75-30430
Electric power generation system directory from laser power
[NASA-CASE-NPO-13308-1] c 36 N75-30524
Subminiature insertable force transducer
[NASA-CASE-NPO-13423-1] c 33 N75-31329
Symmetrical odd-modulus frequency divider
[NASA-CASE-NPO-13426-1] c 33 N75-31330
Stored charge transistor
[NASA-CASE-NPO-11156-2] c 33 N75-31331
Doped Josephson tunneling junction for use in a sensitive IR detector
[NASA-CASE-NPO-13348-1] c 33 N75-31332
Acoustically controlled distributed feedback laser
[NASA-CASE-NPO-13175-1] c 36 N75-31427
Inert gas metallic vapor laser
[NASA-CASE-NPO-13449-1] c 36 N75-32441
Prevention of hydrogen embrittlement of high strength steel by hydrazine compositions
[NASA-CASE-NPO-12122-1] c 24 N76-14203
Helium refrigerator
[NASA-CASE-NPO-13435-1] c 31 N76-14284
Nonlinear nonsingular feedback shift registers
[NASA-CASE-NPO-13451-1] c 33 N76-14373
Strain gage mounting assembly
[NASA-CASE-NPO-13170-1] c 35 N76-14430
Thermostatically controlled non-tracking type solar energy concentrator
[NASA-CASE-NPO-13497-1] c 44 N76-14602
Multi-computer multiple data path hardware exchange system
[NASA-CASE-NPO-13422-1] c 60 N76-14818
Cermet composition and method of fabrication
[NASA-CASE-NPO-13120-1] c 27 N76-15311
Dichroic plate
[NASA-CASE-NPO-13506-1] c 35 N76-15435
Utilization of oxygen difluoride for syntheses of fluoropolymers
[NASA-CASE-NPO-12061-1] c 27 N76-16228
Magnetometer using superconducting rotating body
[NASA-CASE-NPO-13388-1] c 35 N76-16390
Scan converting video tape recorder
[NASA-CASE-NPO-10166-2] c 35 N76-16391
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-1] c 37 N76-16446
Automated system for identifying traces of organic chemical compounds in aqueous solutions
[NASA-CASE-NPO-13063-1] c 25 N76-18245
Analog to digital converter
[NASA-CASE-NPO-13385-1] c 33 N76-18345
Sampler of gas borne particles
[NASA-CASE-NPO-13396-1] c 35 N76-18401
Stark-effect modulation of CO2 laser with NH2D
[NASA-CASE-NPO-11945-1] c 36 N76-18427
Diffused waveguiding capillary tube with distributed feedback for a gas laser
[NASA-CASE-NPO-13544-1] c 36 N76-18428
System for minimizing internal combustion engine pollution emission
[NASA-CASE-NPO-13402-1] c 37 N76-18457
Hydrogen-bromine secondary battery
[NASA-CASE-NPO-13237-1] c 44 N76-18641
Hydrogen-rich gas generator
[NASA-CASE-NPO-13464-1] c 44 N76-18642
Zinc-halide battery with molten electrolyte
[NASA-CASE-NPO-11961-1] c 44 N76-18643
Priority interrupt system
[NASA-CASE-NPO-13067-1] c 60 N76-18800
Miniature muscle displacement transducer
[NASA-CASE-NPO-13519-1] c 33 N76-19338
Zero torque gear head wrench
[NASA-CASE-NPO-13059-1] c 37 N76-20480
Method and apparatus for measurement of trap density and energy distribution in dielectric films
[NASA-CASE-NPO-13443-1] c 76 N76-20994
Highly efficient antenna system using a corrugated horn and scanning hyperbolic reflector
[NASA-CASE-NPO-13568-1] c 32 N76-21365
Indicator providing continuous indication of the presence of a specific pollutant in air
[NASA-CASE-NPO-13474-1] c 45 N76-21742
Shared memory for a fault-tolerant computer
[NASA-CASE-NPO-13139-1] c 60 N76-21914
Wind sensor
[NASA-CASE-NPO-13462-1] c 35 N76-24524
Fiber distributed feedback laser
[NASA-CASE-NPO-13531-1] c 36 N76-24553
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c 34 N76-27515
Method and apparatus for nondestructive testing of pressure vessels
[NASA-CASE-NPO-12142-1] c 38 N76-28563
Method and apparatus for generating coherent radiation in the ultra-violet region and above by use of distributed feedback
[NASA-CASE-NPO-13346-1] c 36 N76-29575
Stirling cycle engine and refrigeration systems
[NASA-CASE-NPO-13613-1] c 37 N76-29590
Hydrogen rich gas generator
[NASA-CASE-NPO-13342-2] c 44 N76-29700
Solar-powered pump
[NASA-CASE-NPO-13567-1] c 44 N76-29701
Hydrogen rich gas generator
[NASA-CASE-NPO-13464-2] c 44 N76-29704
Myocardium wall thickness transducer and measuring method
[NASA-CASE-NPO-13644-1] c 52 N76-29895
Catheter tip force transducer for cardiovascular research
[NASA-CASE-NPO-13643-1] c 52 N76-29896
Real time analysis of voiced sounds
[NASA-CASE-NPO-13465-1] c 32 N76-31372
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c 33 N76-31409
High resolution Fourier interferometer-spectrophotopolarimeter
[NASA-CASE-NPO-13604-1] c 35 N76-31490
Reflected-wave maser
[NASA-CASE-NPO-13490-1] c 36 N76-31512
Method of making hollow elastomeric bodies
[NASA-CASE-NPO-13535-1] c 37 N76-31524
Solar cell grid patterns
[NASA-CASE-NPO-13087-2] c 44 N76-31666
Furlable antenna
[NASA-CASE-NPO-13553-1] c 33 N76-32457
Annular arc accelerator shock tube
[NASA-CASE-NPO-13528-1] c 09 N77-10071

Cryostat system for temperatures on the order of 2 deg K or less
[NASA-CASE-NPO-13459-1] c 31 N77-10229

The dc-to-dc converters employing staggered-phase power switches with two-loop control
[NASA-CASE-NPO-13512-1] c 33 N77-10428

Ion and electron detector for use in an ICR spectrometer
[NASA-CASE-NPO-13479-1] c 35 N77-10492

Hydrogen-rich gas generator
[NASA-CASE-NPO-13560-1] c 44 N77-10636

Space communication system for compressed data with a concatenated Reed-Solomon-Viterbi coding channel
[NASA-CASE-NPO-13545-1] c 32 N77-12240

Computer interface system
[NASA-CASE-NPO-13428-1] c 60 N77-12721

High temperature oxidation resistant cermet compositions
[NASA-CASE-NPO-13666-1] c 27 N77-13217

Frequency discriminator and phase detector circuit
[NASA-CASE-NPO-11515-1] c 33 N77-13315

Mass spectrometer with magnetic pole pieces providing the magnetic fields for both the magnetic sector and an ion-type vacuum pump
[NASA-CASE-NPO-13663-1] c 35 N77-14406

Thermocouple installation
[NASA-CASE-NPO-13540-1] c 35 N77-14409

Method and apparatus for background signal reduction in opto-acoustic absorption measurement
[NASA-CASE-NPO-13683-1] c 35 N77-14411

Nuclear thermionic converter
[NASA-CASE-NPO-13121-1] c 73 N77-18891

Continuous plasma laser
[NASA-CASE-XNP-04167-3] c 36 N77-19416

Multiple rate digital command detection system with range clean-up capability
[NASA-CASE-NPO-13753-1] c 32 N77-20289

Charge storage diode modulators and demodulators
[NASA-CASE-NPO-10189-1] c 33 N77-21314

Compact, high intensity arc lamp with internal magnetic field producing means
[NASA-CASE-NPO-11510-1] c 33 N77-21315

Depressurization of arc lamps
[NASA-CASE-NPO-10790-1] c 33 N77-21316

Electromagnetic transducer recording head having a laminated core section and tapered gap
[NASA-CASE-NPO-10711-1] c 35 N77-21392

Cryogenic liquid sensor
[NASA-CASE-NPO-10619-1] c 35 N77-21393

Uniform variable light source
[NASA-CASE-NPO-11429-1] c 74 N77-21941

Arc control in compact arc lamps
[NASA-CASE-NPO-10870-1] c 33 N77-22386

Hydraulic drain means for servo-systems
[NASA-CASE-NPO-10316-1] c 37 N77-22479

Automated multi-level vehicle parking system
[NASA-CASE-NPO-13058-1] c 37 N77-22480

Solar hydrogen generator
[NASA-CASE-LAR-11361-1] c 44 N77-22607

Sun direction detection system
[NASA-CASE-NPO-13722-1] c 74 N77-22951

Compact pulsed laser having improved heat conductance
[NASA-CASE-NPO-13147-1] c 36 N77-25502

Isotope separation using metallic vapor lasers
[NASA-CASE-NPO-13550-1] c 36 N77-26477

Distributed feedback acoustic surface wave oscillator
[NASA-CASE-NPO-13673-1] c 71 N77-26919

Penetrometer
[NASA-CASE-NPO-11103-1] c 35 N77-27367

Lightweight reflector assembly
[NASA-CASE-NPO-13707-1] c 74 N77-28933

Aldehyde-containing urea-absorbing polysaccharides
[NASA-CASE-NPO-13620-1] c 27 N77-30236

Phase substitution of spare converter for a failed one of parallel phase staggered converters
[NASA-CASE-NPO-13812-1] c 33 N77-30365

Oil and fat absorbing polymers
[NASA-CASE-NPO-11609-2] c 27 N77-31308

Combustion engine
[NASA-CASE-NPO-13671-1] c 37 N77-31497

Apparatus for photon excited catalysis
[NASA-CASE-NPO-13566-1] c 25 N77-32255

Charge-coupled device data processor for an airborne imaging radar system
[NASA-CASE-NPO-13587-1] c 32 N77-32342

Direct reading inductance meter
[NASA-CASE-NPO-13792-1] c 35 N77-32455

Solar photolysis of water
[NASA-CASE-NPO-13675-1] c 44 N77-32580

Low to high temperature energy conversion system
[NASA-CASE-NPO-13510-1] c 44 N77-32581

Solar energy collection system
[NASA-CASE-NPO-13810-1] c 44 N77-32582

Three-dimensional tracking solar energy concentrator and method for making same
[NASA-CASE-NPO-13736-1] c 44 N77-32583

Overload protection system for power inverter
[NASA-CASE-NPO-13872-1] c 33 N78-10377

Photoelectron spectrometer with means for stabilizing sample surface potential
[NASA-CASE-NPO-13772-1] c 35 N78-10429

Machine for use in monitoring fatigue life for a plurality of elastomeric specimens
[NASA-CASE-NPO-13731-1] c 39 N78-10493

Portable linear-focused solar thermal energy collecting system
[NASA-CASE-NPO-13734-1] c 44 N78-10554

Acoustic energy shaping
[NASA-CASE-NPO-13802-1] c 71 N78-10837

High voltage, high current Schottky barrier solar cell
[NASA-CASE-NPO-13482-1] c 44 N78-13526

Durable antistatic coating for polymethylmethacrylate
[NASA-CASE-NPO-13867-1] c 27 N78-14164

Ultra stable frequency distribution system
[NASA-CASE-NPO-13836-1] c 32 N78-15323

Selective image area control of X-ray film exposure density
[NASA-CASE-NPO-13808-1] c 35 N78-15461

Motion restraining device
[NASA-CASE-NPO-13619-1] c 37 N78-16369

Ruler for making navigational computations
[NASA-CASE-XNP-01458] c 04 N78-17031

Nuclear alkylated pyridine aldehyde polymers and conductive compositions thereof
[NASA-CASE-NPO-10557] c 27 N78-17214

Method of adhering bone to a rigid substrate using a graphite fiber reinforced bone cement
[NASA-CASE-NPO-13764-1] c 27 N78-17215

Purging means and method for Xenon arc lamps
[NASA-CASE-NPO-11978] c 31 N78-17238

Pressure transducer
[NASA-CASE-NPO-11150] c 35 N78-17359

Wabble gear drive mechanism
[NASA-CASE-WOO-00625] c 37 N78-17385

Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c 37 N78-17386

Cross correlation anomaly detection system
[NASA-CASE-NPO-13283] c 38 N78-17395

Automatic visual inspection system for microelectronics
[NASA-CASE-NPO-13282] c 38 N78-17396

Low cost solar energy collection system
[NASA-CASE-NPO-13579-1] c 44 N78-17460

Differential optoacoustic absorption detector
[NASA-CASE-NPO-13759-1] c 74 N78-17867

Interferometer mirror tilt correcting system
[NASA-CASE-NPO-13687-1] c 35 N78-18391

Over-under double-pass interferometer
[NASA-CASE-NPO-13999-1] c 35 N78-18395

Independent gain and bandwidth control of a traveling wave maser
[NASA-CASE-NPO-13801-1] c 36 N78-18410

High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-1] c 27 N78-19302

Thin conformal antenna array for microwave power conversions
[NASA-CASE-NPO-13886-1] c 32 N78-24391

Multistation refrigeration system
[NASA-CASE-NPO-13839-1] c 31 N78-25256

Swept group delay measurement
[NASA-CASE-NPO-13909-1] c 33 N78-25319

Polymeric electrolytic hygrometer
[NASA-CASE-NPO-13948-1] c 35 N78-25391

Charge transfer reaction laser with preionization means
[NASA-CASE-NPO-13945-1] c 36 N78-27402

Hexagon solar power panel
[NASA-CASE-NPO-12148-1] c 44 N78-27515

RF beam center location method and apparatus for power transmission system
[NASA-CASE-NPO-13821-1] c 44 N78-28594

Control for nuclear thermionic power source
[NASA-CASE-NPO-13114-2] c 73 N78-28913

Magneto-optic detection system with noise cancellation
[NASA-CASE-NPO-11954-1] c 35 N78-29421

Nitramine propellants
[NASA-CASE-NPO-14103-1] c 28 N78-31255

Reflex feed system for dual frequency antenna with frequency cutoff means
[NASA-CASE-NPO-14022-1] c 32 N78-31321

Solar pond
[NASA-CASE-NPO-13581-2] c 44 N78-31525

Non-tracking solar energy collector system
[NASA-CASE-NPO-13813-1] c 44 N78-31526

Coal desulfurization process
[NASA-CASE-NPO-13937-1] c 44 N78-31527

Solid propellant motor
[NASA-CASE-NPO-11458A] c 20 N78-32179

Thermoplastic rubber comprising ethylene-vinyl acetate copolymer, asphalt and fluxing oil
[NASA-CASE-NPO-08835-1] c 27 N78-33228

Hydrogen-fueled engine
[NASA-CASE-NPO-13763-1] c 44 N78-33526

Plural output optimetric sample cell and analysis system
[NASA-CASE-NPO-10233-1] c 74 N78-33913

Portable electrophoresis apparatus using minimum electrolyte
[NASA-CASE-NPO-13274-1] c 25 N79-10163

Automatic communication signal monitoring system
[NASA-CASE-NPO-13941-1] c 32 N79-10262

Surface roughness measuring system
[NASA-CASE-NPO-13862-1] c 35 N79-10391

Vehicular impact absorption system
[NASA-CASE-NPO-14014-1] c 37 N79-10420

Dual membrane hollow fiber fuel cell and method of operating same
[NASA-CASE-NPO-13732-1] c 44 N79-10513

Combuster
[NASA-CASE-NPO-13958-1] c 25 N79-11151

Surfactant-assisted liquefaction of particulate carbonaceous substances
[NASA-CASE-NPO-13904-1] c 25 N79-11152

Electroexplosive device
[NASA-CASE-NPO-13858-1] c 28 N79-11231

Space-charge-limited solid-state triode
[NASA-CASE-NPO-13064-1] c 33 N79-11314

Plasma igniter for internal combustion engine
[NASA-CASE-NPO-13828-1] c 37 N79-11405

Solar photolysis of water
[NASA-CASE-NPO-14126-1] c 44 N79-11470

Non-tracking solar energy collector system
[NASA-CASE-NPO-13817-1] c 44 N79-11471

Method of controlling defect orientation in silicon crystal ribbon growth
[NASA-CASE-NPO-13918-1] c 76 N79-11920

Method and apparatus for measuring minority carrier lifetimes and bulk diffusion length in P-N junction solar cells
[NASA-CASE-NPO-14100-1] c 44 N79-12541

Automated clinical system for chromosome analysis
[NASA-CASE-NPO-13913-1] c 52 N79-12694

Conical scan tracking system employing a large antenna
[NASA-CASE-NPO-14009-1] c 32 N79-13214

Stabilization of He2(a 3 Sigma u+ molecules in liquid helium by optical pumping for vacuum UV laser 6
[NASA-CASE-NPO-13993-1] c 72 N79-13826

High temperature resistant cermet and ceramic compositions
[NASA-CASE-NPO-13690-2] c 27 N79-14213

Inhibited solid propellant composition containing beryllium hydride
[NASA-CASE-NPO-10866-1] c 28 N79-14228

Digital demodulator-correlator
[NASA-CASE-NPO-13982-1] c 32 N79-14267

Azimuth correlator for real-time synthetic aperture radar image processing
[NASA-CASE-NPO-14019-1] c 32 N79-14268

Apparatus for providing a servo drive signal in a high-speed stepping interferometer
[NASA-CASE-NPO-13569-2] c 35 N79-14348

High-torque open-end wrench
[NASA-CASE-NPO-13541-1] c 37 N79-14383

Sun tracking solar energy collector
[NASA-CASE-NPO-13921-1] c 44 N79-14526

Primary reflector for solar energy collection systems
[NASA-CASE-NPO-13579-4] c 44 N79-14529

Gas diffusion liquid storage bag and method of use for storing blood
[NASA-CASE-NPO-13930-1] c 52 N79-14749

Coupling apparatus for ultrasonic medical diagnostic system
[NASA-CASE-NPO-13935-1] c 52 N79-14751

Thermomagnetic recording and magnetic-optic playback system
[NASA-CASE-NPO-10872-1] c 35 N79-16246

Manganese bismuth films with narrow transfer characteristics for Curie-point switching
[NASA-CASE-NPO-11336-1] c 76 N79-16678

Multispectral imaging and analysis system
[NASA-CASE-NPO-13691-1] c 43 N79-17288

Solar array strip and a method for forming the same
[NASA-CASE-NPO-13652-1] c 44 N79-17314

Process for purification of waste water produced by a Kraft process pulp and paper mill
[NASA-CASE-NPO-13847-2] c 85 N79-17747

Thermal energy transformer
[NASA-CASE-NPO-14058-1] c 44 N79-18443

Electromagnetic radiation energy arrangement
[NASA-CASE-WOO-00428-1] c 32 N79-19186

Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-1] c 32 N79-19195

Method and turbine for extracting kinetic energy from a stream of two-phase fluid
[NASA-CASE-NPO-14130-1] c 34 N79-20335

Digital data reformatter/deserializer
[NASA-CASE-NPO-13676-1] c 60 N79-20751

Acoustic driving of rotor
[NASA-CASE-NPO-14005-1] c 71 N79-20827

System and method for obtaining wide screen Schlieren photographs
[NASA-CASE-NPO-14174-1] c 74 N79-20856

Dynamic capacitor having a peripherally driven element and system incorporating the same
[NASA-CASE-XNP-02899-1] c 33 N79-21265

Seismic vibration source
[NASA-CASE-NPO-14112-1] c 46 N79-22679

Underwater seismic source
[NASA-CASE-NPO-14255-1] c 46 N79-23555

Resolution enhanced sound detecting apparatus
[NASA-CASE-NPO-14134-1] c 71 N79-23753

Growth of silicon carbide crystals on a seed while pulling silicon crystals from a melt
[NASA-CASE-NPO-13969-1] c 76 N79-23798

Phase conjugation method and apparatus for an active retrodirective antenna array
[NASA-CASE-NPO-13641-1] c 32 N79-24210

Module failure isolation circuit for paralleled inverters
[NASA-CASE-NPO-14000-1] c 33 N79-24254

Circuit for automatic load sharing in parallel converter modules
[NASA-CASE-NPO-14056-1] c 33 N79-24257

Bonding machine for forming a solar array strip
[NASA-CASE-NPO-13652-2] c 44 N79-24431

Primary reflector for solar energy collection systems and method of making same
[NASA-CASE-NPO-13579-3] c 44 N79-24432

Solar energy collection system
[NASA-CASE-NPO-13579-2] c 44 N79-24433

Compact artificial hand
[NASA-CASE-NPO-13906-1] c 54 N79-24652

Double-sided solar cell package
[NASA-CASE-NPO-14199-1] c 44 N79-25482

Apparatus and method of inserting a microelectrode in body tissue or the like using vibration means
[NASA-CASE-NPO-13910-1] c 52 N79-27836

Chemical vapor deposition reactor
[NASA-CASE-NPO-13650-1] c 25 N79-28253

High performance ammonium nitrate propellant
[NASA-CASE-NPO-14260-1] c 28 N79-28342

Biocontamination and particulate detection system
[NASA-CASE-NPO-13953-1] c 35 N79-28527

Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c 44 N79-31752

Solar cell module
[NASA-CASE-NPO-14467-1] c 44 N79-31753

Multi-channel rotating optical interface for data transmission
[NASA-CASE-NPO-14066-1] c 74 N79-34011

Start up system for hydrogen generator used with an internal combustion engine
[NASA-CASE-NPO-13849-1] c 28 N80-10374

Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c 37 N80-10494

System for detecting substructure microfractures and method therefore
[NASA-CASE-NPO-14192-1] c 39 N80-10507

Borehole geological assessment
[NASA-CASE-NPO-14231-1] c 46 N80-10709

Method of purifying metallurgical grade silicon employing reduced pressure atmospheric control
[NASA-CASE-NPO-14474-1] c 26 N80-14229

Electromagnetic power absorber
[NASA-CASE-NPO-13830-1] c 32 N80-14281

Multiple anode arc lamp system
[NASA-CASE-NPO-10857-1] c 33 N80-14330

Method for analyzing radiation sensitivity of integrated circuits
[NASA-CASE-NPO-14350-1] c 33 N80-14332

Apparatus for electrolytically tapered or contoured cavities
[NASA-CASE-XNP-08835-1] c 37 N80-14395

Method for forming a solar array strip
[NASA-CASE-NPO-13652-3] c 44 N80-14474

Ozonation of cooling tower waters
[NASA-CASE-NPO-14340-1] c 45 N80-14579

System for real-time crustal deformation monitoring
[NASA-CASE-NPO-14124-1] c 46 N80-14603

Dialysis system
[NASA-CASE-NPO-14101-1] c 52 N80-14687

High resolution threshold photoelectron spectroscopy by electron attachment
[NASA-CASE-NPO-14078-1] c 72 N80-14877

Strong thin membrane structure
[NASA-CASE-NPO-14021-2] c 27 N80-16163

Antenna feed system for receiving circular polarization and transmitting linear polarization
[NASA-CASE-NPO-14362-1] c 32 N80-16261

Apparatus for endoscopic examination
[NASA-CASE-NPO-14092-1] c 52 N80-16725

Method of producing silicon
[NASA-CASE-NPO-14382-1] c 31 N80-18231

High-speed data link for moderate distances and noisy environments
[NASA-CASE-NPO-14152-1] c 32 N80-18252

Radio frequency arraying method for receivers
[NASA-CASE-NPO-14328-1] c 32 N80-18253

High power RF coaxial switch
[NASA-CASE-NPO-14229-1] c 33 N80-18285

Microwave power transmission beam safety system
[NASA-CASE-NPO-14224-1] c 33 N80-18287

Viscosity measuring instrument
[NASA-CASE-NPO-14501-1] c 35 N80-18357

Frequency-scanning particle size spectrometer
[NASA-CASE-NPO-13606-2] c 35 N80-18364

Dielectric-loaded waveguide circulator for cryogenically cooled and cascaded maser waveguide structures
[NASA-CASE-NPO-14254-1] c 36 N80-18372

Method of fabricating a photovoltaic module of a substantially transparent construction
[NASA-CASE-NPO-14303-1] c 44 N80-18550

Driver for solar cell I-V characteristic plots
[NASA-CASE-NPO-14096-1] c 44 N80-18551

Method and means for helium/hydrogen ratio measurement by alpha scattering
[NASA-CASE-NPO-14079-1] c 25 N80-20334

Satellite personal communications system
[NASA-CASE-NPO-14480-1] c 32 N80-20448

Velocity servo for continuous scan Fourier interference spectrometer
[NASA-CASE-NPO-14093-1] c 35 N80-20563

Portable heatable container
[NASA-CASE-NPO-14237-1] c 44 N80-20808

Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c 28 N80-23471

Dual band combiner for horn antenna
[NASA-CASE-NPO-14519-1] c 32 N80-23524

Passive intrusion detection system
[NASA-CASE-NPO-13804-1] c 33 N80-23559

Quartz ball value
[NASA-CASE-NPO-14473-1] c 37 N80-23654

Method and apparatus for Doppler frequency modulation of radiation
[NASA-CASE-NPO-14524-1] c 32 N80-24510

Method of mitigating titanium impurities effects in p-type silicon material for solar cells
[NASA-CASE-NPO-14635-1] c 44 N80-24741

Geological assessment probe
[NASA-CASE-NPO-14558-1] c 46 N80-24906

Cooled echelle grating spectrometer
[NASA-CASE-NPO-14372-1] c 35 N80-26635

Simultaneous muscle force and displacement transducer
[NASA-CASE-NPO-14212-1] c 52 N80-27072

Miniature cyclotron resonance ion source using small permanent magnet
[NASA-CASE-NPO-14324-1] c 72 N80-27163

Silicone containing solid propellant
[NASA-CASE-NPO-14477-1] c 28 N80-28536

System for slicing silicon wafers
[NASA-CASE-NPO-14406-1] c 37 N80-29703

Induced junction solar cell and method of fabrication
[NASA-CASE-NPO-13786-1] c 44 N80-29835

Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c 76 N80-32244

Method of growing a ribbon crystal particularly suited for facilitating automated control of ribbon width
[NASA-CASE-NPO-14295-1] c 76 N80-32245

Interferometric locating system
[NASA-CASE-NPO-14173-1] c 04 N80-32359

Curable liquid hydrocarbon prepolymers containing hydroxyl groups and process for producing same
[NASA-CASE-NPO-13137-1] c 27 N80-32514

Prepolymer dianhydrides
[NASA-CASE-NPO-13899-1] c 27 N80-32515

System for plotting subsoil structure and method therefor
[NASA-CASE-NPO-14191-1] c 31 N80-32584

Support assembly for cryogenically coolable low-noise choke waveguide
[NASA-CASE-NPO-14253-1] c 32 N80-32605

Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c 33 N80-32650

Stark cell optoacoustic detection of constituent gases in sample
[NASA-CASE-NPO-14143-1] c 25 N81-14015

Membrane consisting of polyquaternary amine ion exchange polymer network interpenetrating the chains of thermoplastic matrix polymer
[NASA-CASE-NPO-14001-1] c 27 N81-14076

Frequency translating phase conjugation circuit for active retrodirective antenna array
[NASA-CASE-NPO-14536-1] c 32 N81-14185

Precise RF timing signal distribution to remote stations
[NASA-CASE-NPO-14749-1] c 32 N81-14186

Base drive for paralleled inverter systems
[NASA-CASE-NPO-14163-1] c 33 N81-14220

Low cost cryostat
[NASA-CASE-NPO-14513-1] c 35 N81-14287

Power control for hot gas engines
[NASA-CASE-NPO-14220-1] c 37 N81-14318

Method and apparatus for fabricating improved solar cell modules
[NASA-CASE-NPO-14416-1] c 44 N81-14389

Viscoelastic cationic polymers containing the urethane linkage
[NASA-CASE-NPO-10830-1] c 27 N81-15104

Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c 28 N81-15119

Continuous coal processing method
[NASA-CASE-NPO-13758-2] c 31 N81-15154

Method and apparatus for quadriphase-shift-key and linear phase modulation
[NASA-CASE-NPO-14444-1] c 33 N81-15192

Speed control device for a heavy duty shaft
[NASA-CASE-NPO-14170-1] c 37 N81-15364

Redundant operation of counter modules
[NASA-CASE-NPO-14162-1] c 60 N81-15706

Insoluble polyelectrolyte and ion-exchange hollow fiber impregnated therewith
[NASA-CASE-NPO-13530-1] c 25 N81-17187

Molten salt pyrolysis of latex
[NASA-CASE-NPO-14315-1] c 27 N81-17261

Phase-angle controller for Stirling engines
[NASA-CASE-NPO-14388-1] c 37 N81-17432

Solar energy receiver for a Stirling engine
[NASA-CASE-NPO-14619-1] c 44 N81-17518

System for forming a quadrified image comprising angularly related fields of view of a three dimensional object
[NASA-CASE-NPO-14219-1] c 74 N81-17886

Double-beam optical method and apparatus for measuring thermal diffusivity and other molecular dynamic processes in utilizing the transient thermal lens effect
[NASA-CASE-NPO-14657-1] c 74 N81-17887

Interferometer
[NASA-CASE-NPO-14502-1] c 74 N81-17888

Ion-exchange hollow fibers
[NASA-CASE-NPO-13309-1] c 25 N81-19244

Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c 33 N81-19389

Elimination of current spikes in buck power converters
[NASA-CASE-NPO-14505-1] c 33 N81-19393

Copper doped polycrystalline silicon solar cell
[NASA-CASE-NPO-14670-1] c 44 N81-19558

System and method for character recognition
[NASA-CASE-NPO-11337-1] c 74 N81-19896

X-ray position detector
[NASA-CASE-NPO-12087-1] c 74 N81-19898

Controller for computer control of brushless dc motors
[NASA-CASE-NPO-13970-1] c 33 N81-20352

Multifunctional transducer
[NASA-CASE-NPO-14329-1] c 52 N81-20703

Polymeric compositions and their method of manufacture
[NASA-CASE-NPO-10424-1] c 27 N81-24258

Low current linearization of magnetic amplifier for dc transducer
[NASA-CASE-NPO-14617-1] c 33 N81-24338

Stark effect spectrophone for continuous absorption spectra monitoring
[NASA-CASE-NPO-15102-1] c 25 N81-25159

Multifrequency broadband polarized horn antenna
[NASA-CASE-NPO-14588-1] c 32 N81-25278

Hot gas engine with dual crankshafts
[NASA-CASE-NPO-14221-1] c 37 N81-25370

Sandblasting nozzle
[NASA-CASE-NPO-13823-1] c 37 N81-25371

Photomechanical transducer
[NASA-CASE-NPO-14363-1] c 39 N81-25400

Underground mineral extraction
[NASA-CASE-NPO-14140-1] c 43 N81-26509

CCD correlated quadruple sampling processor
[NASA-CASE-NPO-14426-1] c 33 N81-27396

Terminal guidance sensor system
[NASA-CASE-NPO-14521-1] c 37 N81-27519

Medical diagnosis system and method with multispectral imaging
[NASA-CASE-NPO-14402-1] c 52 N81-27783

High-speed multiplexing of keyboard data inputs
[NASA-CASE-NPO-14554-1] c 60 N81-27814

Baseband signal combiner for large aperture antenna array
[NASA-CASE-NPO-14641-1] c 32 N81-29308
Schottky barrier solar cell
[NASA-CASE-NPO-13689-2] c 44 N81-29525
Interferometer
[NASA-CASE-NPO-14448-1] c 74 N81-29963
Coal desulfurization
[NASA-CASE-NPO-14272-1] c 25 N81-33246
Method and apparatus for producing concentric hollow spheres
[NASA-CASE-NPO-14596-1] c 31 N81-33319
Push-pull converter with energy saving circuit for protecting switching transistors from peak power stress
[NASA-CASE-NPO-14316-1] c 33 N81-33404
PN lock indicator for dithered PN code tracking loop
[NASA-CASE-NPO-14435-1] c 33 N81-33405
Optical gyroscope system
[NASA-CASE-NPO-14258-1] c 35 N81-33448
Head for high speed spinner having a vacuum chuck
[NASA-CASE-NPO-15227-1] c 37 N81-33482
Fluidized bed coal combustion reactor
[NASA-CASE-NPO-14273-1] c 25 N82-11144
Scriber for silicon wafers
[NASA-CASE-NPO-15539-1] c 37 N82-11469
Sewage sludge additive
[NASA-CASE-NPO-13877-1] c 45 N82-11634
Real-time multiple-look synthetic aperture radar processor for spacecraft applications
[NASA-CASE-NPO-14054-1] c 32 N82-12297
Microwave limb sounder
[NASA-CASE-NPO-14544-1] c 46 N82-12685
Faraday rotation measurement method and apparatus
[NASA-CASE-NPO-14839-1] c 35 N82-15381
Solar heated fluidized bed gasification system
[NASA-CASE-NPO-15071-1] c 44 N82-16475
Method for shaping and aiming narrow beams
[NASA-CASE-NPO-14092-1] c 32 N82-16440
Fiber optic transmission line stabilization apparatus and method
[NASA-CASE-NPO-15036-1] c 74 N82-19029
Suspension system for a wheel rolling on a flat track
[NASA-CASE-NPO-14395-1] c 37 N82-21587
Crude oil desulfurization
[NASA-CASE-NPO-14542-1] c 25 N82-23282
Echo tracker/range finder for radars and sonars
[NASA-CASE-NPO-14361-1] c 32 N82-23376
Constant magnification optical tracking system
[NASA-CASE-NPO-14813-1] c 74 N82-24072
Pulse switching for high energy lasers
[NASA-CASE-NPO-14556-1] c 33 N82-24418
Hermetic seal for a shaft
[NASA-CASE-NPO-15115-1] c 37 N82-24493
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NASA-CASE-NPO-15494-1] c 35 N82-25484
Automotive absorption air conditioner utilizing solar and motor waste heat
[NASA-CASE-NPO-15183-1] c 44 N82-26776
Efficiency of silicon solar cells containing chromium
[NASA-CASE-NPO-15179-1] c 44 N82-26777
Acoustic levitation methods and apparatus
[NASA-CASE-NPO-15562-1] c 71 N82-27086
Thermochemical generation of hydrogen
[NASA-CASE-NPO-15015-1] c 25 N82-28368
Method of forming frozen spheres in a force-free drop tower
[NASA-CASE-NPO-14845-1] c 27 N82-28442
High power metallic halide laser
[NASA-CASE-NPO-14782-1] c 36 N82-28616
Method of Fabricating Schottky Barrier solar cell
[NASA-CASE-NPO-13689-4] c 44 N82-28780
Coal desulfurization by aqueous chlorination
[NASA-CASE-NPO-14902-1] c 25 N82-29371
Control means for a solid state crossbar switch
[NASA-CASE-NPO-15066-1] c 33 N82-29538
Discriminator aided phase lock acquisition for suppressed carrier signals
[NASA-CASE-NPO-14311-1] c 33 N82-29539
Coherently pulsed laser source
[NASA-CASE-NPO-15111-1] c 36 N82-29589
Solid electrolyte cell
[NASA-CASE-NPO-15269-1] c 44 N82-29710
Electromigration process for the purification of molten silicon during crystal growth
[NASA-CASE-NPO-14831-1] c 76 N82-30105
Hyperthermia heating apparatus
[NASA-CASE-NPO-14549-2] c 52 N82-33996
CAT altitude avoidance system
[NASA-CASE-NPO-15351-1] c 06 N83-10040
Method and apparatus for convection control of metallic halide vapor density in a metallic halide laser
[NASA-CASE-NPO-15021-1] c 36 N83-10417
Thermal reactor
[NASA-CASE-NPO-14369-1] c 44 N83-10501
Enhancement of in vitro guayule propagation
[NASA-CASE-NPO-15213-1] c 51 N83-17045
Servomechanism for Doppler shift compensation in optical correlator for synthetic aperture radar
[NASA-CASE-NPO-14998-1] c 32 N83-18975
Synchronized voltage contrast display analysis system
[NASA-CASE-NPO-14567-1] c 33 N83-18996
Broadband optical radiation detector
[US-PATENT-4,262,198] c 74 N83-19597
Elastomer coated filler and composites thereof comprising at least 60% by weight of a hydrated filler and an elastomer containing an acid substituent
[NASA-CASE-NPO-14857-1] c 27 N83-19900
Thin wire pointing method
[NASA-CASE-NPO-15789-1] c 31 N83-19947
Clutter free synthetic aperture radar correlator
[NASA-CASE-NPO-14035-1] c 32 N83-19968
Controlled in situ etch-back
[NASA-CASE-NPO-15625-1] c 76 N83-20789
Stabilized lanthanum sulphur compounds
[NASA-CASE-NPO-16135-1] c 25 N83-24572
Mobile sampler for use in acquiring samples of terrestrial atmospheric gases
[NASA-CASE-NPO-15220-1] c 45 N83-25217
System and method for moving a probe to follow movements of tissue
[NASA-CASE-NPO-15197-1] c 52 N83-25346
Waveguide cooling system
[NASA-CASE-NPO-15401-1] c 32 N83-27085
Electronic system for high power load control
[NASA-CASE-NPO-15358-1] c 33 N83-27126
Particle analyzing method and apparatus
[NASA-CASE-NPO-15292-1] c 35 N83-27184
Hydrodesulfurization of chlorinized coal
[NASA-CASE-NPO-15304-1] c 25 N83-31743
Method and apparatus for producing gas-filled hollow spheres
[NASA-CASE-NPO-14596-3] c 31 N83-31896
Cycling Joule Thomson refrigerator
[NASA-CASE-NPO-15251-1] c 31 N83-31897
Multibeam single frequency synthetic aperture radar processor for imaging separate range swaths
[NASA-CASE-NPO-14525-2] c 32 N83-31918
Method and device for detection of a substance
[NASA-CASE-NPO-14940-1] c 33 N83-31954
System for monitoring physical characteristics of fluids
[NASA-CASE-NPO-15400-1] c 34 N83-31993
Cloud cover sensor
[NASA-CASE-NPO-14936-1] c 47 N83-32232
Distributed multiport memory architecture
[NASA-CASE-NPO-15342-1] c 60 N83-32342
Acoustic system for material transport
[NASA-CASE-NPO-15453-1] c 71 N83-32515
System for controlled acoustic rotation of objects
[NASA-CASE-NPO-15522-1] c 71 N83-32516
Mixed polyvalent-monovalent metal coating for carbon-graphite fibers
[NASA-CASE-NPO-14987-1] c 24 N83-33950
Antenna grout replacement system
[NASA-CASE-NPO-15202-1] c 27 N83-34043
Sphere forming method and apparatus
[NASA-CASE-NPO-15070-1] c 31 N83-35176
Resonant isolator for maser amplifier
[NASA-CASE-NPO-15201-1] c 36 N83-35350
Acoustic bubble removal method
[NASA-CASE-NPO-15334-1] c 71 N83-35781
Method of increasing minority carrier lifetime in silicon web or the like
[NASA-CASE-NPO-15530-1] c 76 N83-35888
Acoustic suspension system
[NASA-CASE-NPO-15435-1] c 71 N83-36846
Optical fiber tactile sensor
[NASA-CASE-NPO-15375-1] c 74 N84-11921
Photoelectrochemical electrodes
[NASA-CASE-NPO-15458-1] c 25 N84-12262
Method and apparatus for minimizing convection during crystal growth from solution
[NASA-CASE-NPO-15811-1] c 76 N84-12968
Pressure letdown method and device for coal conversion systems
[NASA-CASE-NPO-15100-1] c 44 N84-14583
Supercritical multicomponent solvent coal extraction
[NASA-CASE-NPO-15767-1] c 23 N84-16255
Electrodes for solid state devices
[NASA-CASE-NPO-15161-1] c 33 N84-16456
Contactless pellet fabrication
[NASA-CASE-NPO-15592-1] c 71 N84-16940
Ion beam accelerator system
[NASA-CASE-NPO-15547-1] c 72 N84-16959
Apparatus and method for destructive removal of particles contained in flowing fluid
[NASA-CASE-NPO-15426-1] c 35 N84-17555
Supercritical solvent coal extraction
[NASA-CASE-NPO-15210-1] c 25 N84-22709
Absorbable-susceptor joining of ceramic surfaces
[NASA-CASE-NPO-15640-1] c 27 N84-22748
Radiative cooler
[NASA-CASE-NPO-15465-1] c 34 N84-22903
Method and apparatus for precision control of radiometer
[NASA-CASE-NPO-15398-1] c 35 N84-22931
Spectrophone stabilized laser with line center offset frequency control
[NASA-CASE-NPO-15516-1] c 36 N84-22943
Oil shale extraction using super-critical extraction
[NASA-CASE-NPO-15656-1] c 43 N84-23012
Wind and solar powered turbine
[NASA-CASE-NPO-15496-1] c 44 N84-23018
Acoustic rotation control
[NASA-CASE-NPO-15689-1] c 71 N84-23233
Programmable scan/read circuitry for charge coupled device imaging detectors
[NASA-CASE-NPO-15345-1] c 74 N84-23247
Laser pulse detection method and apparatus
[NASA-CASE-NPO-16030-1] c 36 N84-25037
Low-frequency radio navigation system
[NASA-CASE-NPO-15264-1] c 04 N84-27713
Synthetic aperture radar target simulator
[NASA-CASE-NPO-15024-1] c 32 N84-27951
Ion mass spectrometer
[NASA-CASE-NPO-15423-1] c 35 N84-28016
Shaft transducer having dc output proportional to angular velocity
[NASA-CASE-NPO-15706-1] c 35 N84-28017
Centrifugal-reciprocating compressor
[NASA-CASE-NPO-14597-2] c 37 N84-28081
Solar energy modulator
[NASA-CASE-NPO-15388-1] c 44 N84-28203
Solar concentrator protective system
[NASA-CASE-NPO-15662-1] c 44 N84-28204
Integrating IR detector imaging systems
[NASA-CASE-NPO-15805-1] c 74 N84-28590
Glass heating panels and method for preparing the same from architectural reflective glass
[NASA-CASE-NPO-15753-1] c 27 N84-33589
Portable reflectance spectrometer
[NASA-CASE-NPO-13556-1] c 35 N84-33766
Means and method for calibrating a photon detector utilizing electron-photon coincidence
[NASA-CASE-NPO-15644-1] c 35 N84-33767
Phase sensitive guidance sensor for wire-following vehicles
[NASA-CASE-NPO-15341-1] c 35 N84-33769
System for indicating fuel-efficient aircraft altitude
[NASA-CASE-NPO-15351-2] c 06 N84-34443
Pipelined digital SAR azimuth correlator using hybrid FFT-transversal filter
[NASA-CASE-NPO-15519-1] c 32 N84-34651
Correlation spectrometer having high resolution and multiplexing capability
[NASA-CASE-NPO-15558-1] c 35 N84-34705
Saltless solar pond
[NASA-CASE-NPO-15808-1] c 44 N84-34792
Epitaxial thinning process
[NASA-CASE-NPO-15786-1] c 76 N84-35112
Process and apparatus for growing a crystal ribbon
[NASA-CASE-NPO-15629-1] c 76 N84-35113
Multicomputer communication system
[NASA-CASE-NPO-15433-1] c 32 N85-21428
Hollow cathode apparatus
[NASA-CASE-NPO-15560-1] c 33 N85-21491
Method and apparatus for self-calibration and phasing of array antenna
[NASA-CASE-NPO-15920-1] c 33 N85-21493
State-of-charge coulometer
[NASA-CASE-NPO-15759-1] c 35 N85-21596
Carbon granule probe microphone for leak detection
[NASA-CASE-NPO-16027-1] c 35 N85-21597
Portable remote laser sensor for methane leak detection
[NASA-CASE-NPO-15790-1] c 36 N85-21631
Ingot slicing machine and method
[NASA-CASE-NPO-15483-1] c 37 N85-21650
Apparatus and method to keep the walls of a free-space reactor free from deposits of solid materials
[NASA-CASE-NPO-15851-1] c 37 N85-21652
Method of measuring sea surface water temperature with a satellite including wideband passive synthetic-aperture multichannel receiver
[NASA-CASE-NPO-15651-1] c 43 N85-21723
Method and apparatus for calibrating the ionosphere and application to surveillance of geophysical events
[NASA-CASE-NPO-15430-1] c 46 N85-21846
Automatic multi-banking of memory for microprocessors
[NASA-CASE-NPO-15295-1] c 60 N85-21992
Acoustic agglomeration methods and apparatus
[NASA-CASE-NPO-15466-1] c 71 N85-22104
High temperature acoustic levitator
[NASA-CASE-NPO-16022-1] c 71 N85-22105
Focal plane array optical proximity sensor
[NASA-CASE-NPO-15155-1] c 74 N85-22139

Optical system
[NASA-CASE-NPO-15801-1] c 74 N85-23396
Corrosion resistant coating
[NASA-CASE-NPO-15928-1] c 26 N85-29005
Stabilized unsaturated polyesters
[NASA-CASE-NPO-16103-1] c 27 N85-29043
Reciprocating magnetic refrigerator employing tandem porous matrices within a reciprocating displacer
[NASA-CASE-NPO-16257-1] c 31 N85-29082
Retinally stabilized differential resolution television display
[NASA-CASE-NPO-15432-1] c 32 N85-29117
Beam forming network
[NASA-CASE-NPO-15743-1] c 32 N85-29118
Closed loop electrostatic levitation system
[NASA-CASE-NPO-15553-1] c 33 N85-29142
Maser cavity servo-tuning system
[NASA-CASE-NPO-15890-1-CU] c 33 N85-29143
Jet pump-drive system for heat removal
[NASA-CASE-NPO-16494-1-CU] c 34 N85-29182
Trace water sensor
[NASA-CASE-NPO-15722-1] c 35 N85-29212
Digital control of diode laser for atmospheric spectroscopy
[NASA-CASE-NPO-16000-1] c 36 N85-29264
Method for driving two-phase turbines with enhanced efficiency
[NASA-CASE-NPO-15037-2] c 37 N85-29282
Gravity enhanced acoustic levitation method and apparatus
[NASA-CASE-NPO-16147-1-CU] c 71 N85-29693
Optical fiber coupling method and apparatus
[NASA-CASE-NPO-15464-1] c 74 N85-29749
Method for growth of crystals by pressure reduction of supercritical or subcritical solution
[NASA-CASE-NPO-15772-1] c 76 N85-29800
Split-cross-bridge resistor for testing for proper fabrication of integrated circuits
[NASA-CASE-NPO-16021-1] c 33 N85-30187
Arrangement for damping the resonance in a laser diode
[NASA-CASE-NPO-15980-1] c 36 N85-30305
Stable density stratification solar pond
[NASA-CASE-NPO-15419-2] c 44 N85-30474
Increased voltage photovoltaic cell
[NASA-CASE-NPO-16155-1] c 44 N85-30475
Acoustic particle separation
[NASA-CASE-NPO-15559-1] c 71 N85-30765
Low defect, high purity crystalline layers grown by selective deposition
[NASA-CASE-NPO-15813-1] c 76 N85-30922
Ribbon growing method and apparatus
[NASA-CASE-NPO-16306-1-CU] c 76 N85-30934
Method and apparatus for Delta Kappa synthetic aperture radar measurement of ocean current
[NASA-CASE-NPO-15704-1] c 32 N85-34327
Method and apparatus for transfer function simulator for testing complex systems
[NASA-CASE-NPO-15696-1] c 33 N85-34333
Instrumentation for sensing moisture content of material using a transient thermal pulse
[NAS 1.71:NPO-15494-2] c 35 N85-34373
Ranging system which compares an object reflected component of a light beam to a reference component of the light beam
[NASA-CASE-NPO-15865-1] c 74 N85-34629
Shuttle car loading system
[NASA-CASE-NPO-15949-1] c 85 N85-34722
Production of butanol by fermentation in the presence of cocultures of clostridium
[NASA-CASE-NPO-16203-1] c 23 N85-35227
Fluidized bed desulfurization
[NASA-CASE-NPO-15924-1] c 25 N85-35253
Laser activated MTOS microwave device
[NASA-CASE-NPO-16112-1] c 33 N86-19516
Memory metal actuator
[NASA-CASE-NPO-15960-1] c 37 N86-19604
Joint for deployable structures
[NASA-CASE-NPO-16038-1] c 37 N86-19605
Method and apparatus for contour mapping using synthetic aperture radar
[NASA-CASE-NPO-15939-1] c 43 N86-19711
Brushless DC motor control system responsive to control signals generated by a computer or the like
[NASA-CASE-NPO-16420-1] c 33 N86-20681
Vibrating-chamber levitation systems
[NASA-CASE-NPO-16142-1-CU] c 35 N86-20752
Self-locking double retention redundant full pin release
[NASA-CASE-NPO-16233-1] c 37 N86-20801
Programmable pipelined image processor
[NASA-CASE-NPO-16461-1CU] c 60 N86-23283
Neighborhood comparison operator
[NASA-CASE-NPO-16464-1CU] c 60 N86-24224
Method of measuring field funneling and range straggling in semiconductor charge-collecting junctions
[NASA-CASE-NPO-16584-1-CU] c 76 N86-25269
Solar heated oil shale pyrolysis process
[NASA-CASE-NPO-16392-1] c 25 N86-25428
Discharge cell for optogalvanic spectroscopy having orthogonal relationship between the probe laser and discharge axis
[NASA-CASE-NPO-16271-1] c 35 N86-25753
High dynamic global positioning system receiver
[NASA-CASE-NPO-16171-1CU] c 04 N86-27270
Protective telescoping shield for solar concentrator
[NASA-CASE-NPO-16236-1] c 44 N86-27706
Method of making macrocrystalline or single crystal semiconductor material
[NASA-CASE-NPO-15904-1] c 76 N86-28760
Apparatus for production of ultrapure amorphous metals utilizing acoustic cooling
[NASA-CASE-NPO-15658-1] c 26 N86-32551
Fluidic angular velocity sensor
[NASA-CASE-NPO-16479-ICU] c 35 N86-32695
Double photon excitation of high-Rydberg atoms as a long-lived submillimeter detector
[NASA-CASE-NPO-16372-1] c 72 N86-33127
Compensation for primary reflector wavefront error
[NASA-CASE-NPO-16869-1CU] c 74 N86-33138
Cross-contact chain
[NASA-CASE-NPO-16784-1] c 33 N87-10231
FET charge sensor and voltage probe
[NASA-CASE-NPO-16045-1] c 76 N87-13313
Method of examining microcircuit patterns
[NASA-CASE-NPO-16299-1] c 33 N87-14594
Active hold-down for heat treating
[NASA-CASE-NPO-16892-1-CU] c 37 N87-14704
High intensity casting system
[NASA-CASE-NPO-16901-1-CU] c 31 N87-15327
Ground plane interference elimination by passive element
[NASA-CASE-NPO-16632-1-CU] c 32 N87-15390
Large TV display system
[NASA-CASE-NPO-16932-1CU] c 33 N87-15413
Method for growing low defect, high purity crystalline layers utilizing lateral overgrowth of a patterned mask
[NASA-CASE-NPO-15813-2] c 76 N87-15882
Tank tread assemblies with track-linking mechanism
[NASA-CASE-NPO-16321-1CU] c 37 N87-17034
High band gap 2-6 and 3-5 tunneling junctions for silicon multijunction solar cells
[NASA-CASE-NPO-16526-1CU] c 44 N87-17399
Local area network with fault-checking, priorities and redundant backup
[NASA-CASE-NPO-16949-1-CU] c 62 N87-19021
Ten degree Kelvin hydride refrigerator
[NASA-CASE-NPO-16393-1-CU] c 31 N87-21159
Synchronization tracking in pulse position modulation receiver
[NASA-CASE-NPO-16256-1] c 32 N87-21207
Low noise lead screw positioner
[NASA-CASE-NPO-15617-1] c 35 N87-21304
Method for forming hermetic seals
[NASA-CASE-NPO-16423-1-CU] c 37 N87-21334
Reed-Solomon decoder
[NASA-CASE-NPO-15982-1] c 60 N87-21591
Generation of intense negative ion beams
[NASA-CASE-NPO-16061-1-CU] c 72 N87-21660
Variable energy, high flux, ground-state atomic oxygen source
[NASA-CASE-NPO-16640-1-CU] c 72 N87-21661
Method and apparatus for measuring minority carrier lifetime in a direct band-gap semiconductor
[NASA-CASE-NPO-16337-1-CU] c 33 N87-22894
Water-absorbing capacitor system for measuring relative humidity
[NASA-CASE-NPO-16544-1-CU] c 35 N87-22953
Closed loop fiber optic rotation sensor
[NASA-CASE-NPO-16558-1-CU] c 74 N87-23259
Total immersion crystal growth
[NASA-CASE-NPO-15800-2] c 76 N87-23286
Floating emitter solar cell
[NASA-CASE-NPO-16467-1-CU] c 33 N87-23879
Means for phase locking the outputs of a surface emitting laser diode array
[NASA-CASE-NPO-16542-1-CU] c 36 N87-23960
Multiplex electric discharge gas laser system
[NASA-CASE-NPO-16433-1] c 36 N87-23961
Rotary stepping device with memory metal actuator
[NASA-CASE-NPO-15482-1] c 37 N87-23970
Sample levitation and melt in microgravity
[NASA-CASE-NPO-17022-1-CU] c 29 N87-25489
Antimultipath communication by injecting tone into null in signal spectrum
[NASA-CASE-NPO-16414-1-CU] c 32 N87-25511
Method and means for generation of tunable laser sidebands in the far-infrared region
[NASA-CASE-NPO-16497-1-CU] c 36 N87-25567
Hybrid analog-digital associative neural network
[NASA-CASE-NPO-17058-1-CU] c 62 N87-25803
Systolic VLSI array for implementing the Kalman filter Algorithm
[NASA-CASE-NPO-17108-1-CU] c 33 N87-27926
Method and apparatus for enhancing laser absorption sensitivity
[NASA-CASE-NPO-16567-1-CU] c 36 N87-28006
Coaxial cable connector
[NASA-CASE-NPO-16764-1-CU] c 33 N88-14270
Tailorable infrared sensing device with strain layer superlattice structure
[NASA-CASE-NPO-16607-1-CU] c 76 N88-14836
Method of evaporation
[NASA-CASE-NPO-15609-2] c 25 N88-23846
Krypton based adsorption type cryogenic refrigerator
[NASA-CASE-NPO-17334-1-CU] c 31 N88-23917
Television monitor field shifter and an opto-electronic method for obtaining a stereo image of optimal depth resolution and reduced depth distrotion on a single screen
[NASA-CASE-NPO-17249-1-CU] c 32 N88-23924
Low power consumption current transducer
[NASA-CASE-NPO-16888-1-CU] c 33 N88-23937
Cryogenic regenerator including saran-carbon heat conduction matrix
[NASA-CASE-NPO-17291-1-CU] c 34 N88-23946
Real time pipelined system for forming the sum of products in the processing of video data
[NASA-CASE-NPO-16462-1-CU] c 60 N88-24169
Single mode levitation and translation
[NASA-CASE-NPO-16675-1-CU] c 71 N88-24241
Dynamic range compression/expansion of light beams by photorefractive crystals
[NASA-CASE-NPO-17140-1-CU] c 74 N88-24508
Method of producing high T(subc) superconducting NBN films
[NASA-CASE-NPO-16681-1-CU] c 76 N88-24543
Isotope separation using tuned laser and electron beam
[NASA-CASE-NPO-16907-1-CU] c 25 N88-24732
Energy efficient continuous flow ash lockhopper
[NASA-CASE-NPO-16985-1-CU] c 31 N88-24814
Tower evaporator
[NASA-CASE-NPO-15609-2] c 31 N88-24815
Acoustic convective system
[NASA-CASE-NPO-17278-1-CU] c 31 N88-24818
Apparatus for using a time interval counter to measure frequency stability
[NASA-CASE-NPO-17325-1-CU] c 32 N88-24846
Magnetically switched power supply system for lasers
[NASA-CASE-NPO-16402-2] c 33 N88-24862
Timing control system
[NASA-CASE-NPO-16882-1-CU] c 33 N88-24863
A universal computer control system for motors
[NASA-CASE-NPO-17134-1-CU] c 33 N88-24864
Noncontact temperature pattern measuring device
[NASA-CASE-NPO-17024-1-CU] c 35 N88-24943
Atmospheric autorotating imaging device
[NASA-CASE-NPO-17390-1-CU] c 35 N88-24944
Articulated suspension system
[NASA-CASE-NPO-17354-1-CU] c 37 N88-24973
Trochoidal analysis of scattered electrons in a merged electron-ion beam
[NASA-CASE-NPO-16789-1-CU] c 72 N88-25281
Real-time optical multiple object recognition and tracking system and method
[NASA-CASE-NPO-17139-1-CU] c 74 N88-25301
Low-loss, high-isolation, fiber-optic isolator
[NASA-CASE-NPO-17207-1-CU] c 74 N88-25304
Real-time image difference detection using a polarization rotation spacial light modulator
[NASA-CASE-NPO-17144-1-CU] c 74 N88-25305
Improved properties of SiGe/GaP alloys
[NASA-CASE-NPO-17259-1-CU] c 76 N88-25358
Data volume reduction for imaging radar polarimetry
[NASA-CASE-NPO-17184-1-CU] c 32 N88-26541
Low noise cryogenic dielectric resonator oscillator
[NASA-CASE-NPO-17157-1-CU] c 33 N88-26596
A VLSI single-chip (225,223) Reed-Solomon encoder with interleaver
[NASA-CASE-NPO-17280-1-CU] c 17 N88-27220
Method for Veterbi decoding of large constraint length convolutional codes
[NASA-CASE-NPO-17310-1-CU] c 17 N88-28946
Digital phase-lock loop having an estimator and predictor of error
[NASA-CASE-NPO-17196-1-CU] c 32 N88-29076
Power supply conditioning circuit
[NASA-CASE-NPO-17233-1-CU] c 33 N88-29095
Thermocouple for heating and cooling of memory metal actuators
[NASA-CASE-NPO-17068-1-CU] c 35 N88-29151
Nanosequencer digital logic controller
[NASA-CASE-NPO-16116-2] c 60 N88-29310
Doppler-corrected differential detection system
[NASA-CASE-NPO-16987-1-CU] c 32 N88-30001

National Aeronautics and Space Administration. Wallops Flight Center, Wallops Island, Va.
Thin film strain transducer
[NASA-CASE-WLP-10055-1] c 35 N84-28015
Thin film strain transducer
[NASA-CASE-WLP-10055-2] c 35 N85-21598

National Aeronautics and Space Administration. Western Operations Office, Santa Monica, Calif.
Automatic pump Patent
[NASA-CASE-XNP-04731] c 15 N71-24042

National Bureau of Standards, Boulder, Colo.
Densitometer Patent
[NASA-CASE-XLE-00688] c 14 N70-41330

National Oceanic and Atmospheric Administration, Boulder, Colo.
Determining distance to lightning strokes from a single station
[NASA-CASE-KSC-10698] c 07 N73-20175

National Research Corp., Cambridge, Mass.
Gauge calibration by diffusion
[NASA-CASE-XGS-07752] c 14 N73-30390
Ultrahigh vacuum measuring ionization gauge
[NASA-CASE-XLA-05087] c 14 N73-30391
Apparatus for absolute pressure measurement
[NASA-CASE-LAR-10000] c 14 N73-30394
Ultrahigh vacuum gauge having two collector electrodes
[NASA-CASE-LAR-02743] c 14 N73-32324
Rock sampling
[NASA-CASE-XNP-10007-1] c 46 N74-23068
Rock sampling
[NASA-CASE-XNP-09755] c 46 N74-23069

National Science Foundation, Washington, D.C.
Laser apparatus
[NASA-CASE-GSC-12237-1] c 36 N80-14384

Nevada Univ. System, Reno.
Constant-output atomizer
[NASA-CASE-MFS-25631-1] c 34 N84-12406

New England Medical Center Hospitals, Boston, Mass.
Determination of antimicrobial susceptibilities on infected urines without isolation
[NASA-CASE-GSC-12046-1] c 52 N79-14750

North American Aviation, Inc., Canoga Park, Calif.
Method of joining aluminum to stainless steel Patent
[NASA-CASE-MFS-07369] c 15 N71-20443
Propellent mass distribution metering apparatus Patent
[NASA-CASE-NPO-10185] c 10 N71-26339
Safety-type locking pin
[NASA-CASE-MFS-18495] c 15 N72-11385
Hydrogen fire detection system with logic circuit to analyze the spectrum of temporal variations of the optical spectrum
[NASA-CASE-MFS-13130] c 10 N72-17173

North American Aviation, Inc., Downey, Calif.
Heat shield oven
[NASA-CASE-XMS-04318] c 15 N69-27871
Extensible cable support Patent
[NASA-CASE-XMF-07587] c 15 N71-18701
High pressure air valve Patent
[NASA-CASE-MSC-11010] c 15 N71-19485
Load relieving device Patent
[NASA-CASE-XMS-06329-1] c 15 N71-20441
Optical projector system Patent
[NASA-CASE-XNP-03853] c 23 N71-21882
Brazing alloy Patent
[NASA-CASE-XNP-03063] c 17 N71-23365
Vibrophonocardiograph Patent
[NASA-CASE-XFR-07172] c 05 N71-27234

North American Aviation, Inc., El Segundo, Calif.
Aerodynamic spike nozzle Patent
[NASA-CASE-XGS-01143] c 31 N71-15647
Expanding center probe and drogue Patent
[NASA-CASE-XMS-03613] c 31 N71-16346
Radio frequency shielded enclosure Patent
[NASA-CASE-XMF-09422] c 07 N71-19436
High impedance measuring apparatus Patent
[NASA-CASE-XMS-08589-1] c 09 N71-20569
Latching mechanism Patent
[NASA-CASE-XMS-03745] c 15 N71-21076
Tube dimpling tool Patent
[NASA-CASE-XMS-06876] c 15 N71-21536
Positive locking check valve Patent
[NASA-CASE-XMS-09310] c 15 N71-22706
Etching of aluminum for bonding Patent
[NASA-CASE-XMF-02303] c 17 N71-23828
Method and apparatus for varying thermal conductivity Patent
[NASA-CASE-XNP-05524] c 33 N71-24876
Purge device for thrust engines Patent
[NASA-CASE-XMS-04826] c 28 N71-28849
Method and construction for protecting heat sensitive bodies from thermal radiation and convective heat Patent
[NASA-CASE-XNP-01310] c 33 N71-28852
Propellant tank pressurization system Patent
[NASA-CASE-XNP-00650] c 27 N71-28929
Spherical shield Patent
[NASA-CASE-XNP-01855] c 15 N71-28937
Universal restrainer and joint Patent
[NASA-CASE-XNP-02278] c 15 N71-28951
Method and device for cooling Patent
[NASA-CASE-HQN-00938] c 33 N71-29053

North American Aviation, Inc., Los Angeles, Calif.
Method and system for respiration analysis Patent
[NASA-CASE-XFR-08403] c 05 N71-11202

North American Aviation, Inc., Torrance, Calif.
Method and apparatus for detection and location of microleaks Patent
[NASA-CASE-XMF-02307] c 14 N71-10779

North American Aviation, Inc., Woodland Hills, Calif.
Fluid pressure balanced seal
[NASA-CASE-XGS-01286-1] c 37 N79-33469

North American Philips Co., Inc., Briarcliff Manor, N. Y.
Linear magnetic bearings
[NASA-CASE-GSC-12582-2] c 37 N85-20337

North American Rockwell Corp., Canoga Park, Calif.
Noncontaminating swabs
[NASA-CASE-MFS-18100] c 15 N72-11390
Observation window for a gas confining chamber
[NASA-CASE-NPO-10890] c 11 N73-12265
Droplet monitoring probe
[NASA-CASE-NPO-10985] c 14 N73-20478
Circuit board package with wedge shaped covers
[NASA-CASE-MFS-21919-1] c 10 N73-25243
Heat flow calorimeter
[NASA-CASE-GSC-11434-1] c 34 N74-27859

North American Rockwell Corp., Downey, Calif.
Spacecraft Patent
[NASA-CASE-MSC-13047-1] c 31 N71-25434
Latching mechanism Patent
[NASA-CASE-MSC-15474-1] c 15 N71-26162
Dye penetrant for surfaces subsequently contacted by liquid oxygen Patent
[NASA-CASE-XMF-02221] c 18 N71-27170
Frangible link
[NASA-CASE-MSC-11849-1] c 15 N72-22488
Impact monitoring apparatus
[NASA-CASE-MSC-15626-1] c 14 N72-25411
Bonding or repairing process
[NASA-CASE-MSC-12357] c 15 N73-12489
Self-cycling fluid heater
[NASA-CASE-MSC-15567-1] c 33 N73-16918
Phase protection system for ac power lines
[NASA-CASE-MSC-17832-1] c 33 N74-14956
Apparatus for remote handling of materials
[NASA-CASE-LAR-10634-1] c 37 N74-18123
Grain refinement control in TIG arc welding
[NASA-CASE-MSC-19095-1] c 37 N75-19683

North American Rockwell Corp., El Segundo, Calif.
Apparatus for testing wiring harness by vibration generating means
[NASA-CASE-MSC-15158-1] c 14 N72-17325

North American Rockwell Corp., Los Angeles, Calif.
Tactile sensing means for prosthetic limbs
[NASA-CASE-MFS-16570-1] c 05 N73-32013

North Carolina State Univ., Raleigh.
Thermal shock resistant hafnia ceramic material
[NASA-CASE-LAR-10894-1] c 18 N73-14584
Thermal shock and erosion resistant tantalum carbide ceramic material
[NASA-CASE-LAR-11902-1] c 27 N78-17206

Northeastern Univ., Boston, Mass.
Pulse-width modulation multiplier Patent
[NASA-CASE-XER-09213] c 07 N71-12390

Northrop Corp., Hawthorne, Calif.
Shock tube bypass piston tunnel
[NASA-CASE-NPO-12109] c 11 N72-22245
Folding structure fabricated of rigid panels
[NASA-CASE-XHQ-02146] c 18 N75-27040

Northrop Nortronics, Palos Verdes Peninsula, Calif.
Method of making dry electrodes
[NASA-CASE-FRC-10029-2] c 05 N72-25121
Valve seat
[NASA-CASE-NPO-10606] c 15 N72-25451

Northrop Space Labs., Hawthorne, Calif.
Method of evaluating moisture barrier properties of encapsulating materials Patent
[NASA-CASE-NPO-10051] c 18 N71-24934

Nortronics, Palos Verdes Peninsula, Calif.
Flexible conductive disc electrode Patent
[NASA-CASE-FRC-10029] c 09 N71-24618
Gas low pressure low flow rate metering system Patent
[NASA-CASE-FRC-10022] c 12 N71-26546
Method of removing insulated material from insulated wires
[NASA-CASE-FRC-10038] c 15 N72-20444

Notre Dame Univ., Ind.
Synthesis of polymeric schiff bases by schiff-base exchange reactions Patent
[NASA-CASE-XMF-08651] c 06 N71-11236
Direct synthesis of polymeric schiff bases from two amines and two aldehydes Patent
[NASA-CASE-XMF-08655] c 06 N71-11239
Azine polymers and process for preparing the same Patent
[NASA-CASE-XMF-08656] c 06 N71-11242
Synthesis of polymeric schiff bases by reaction of acetals and amine compounds Patent
[NASA-CASE-XMF-08652] c 06 N71-11243
Aromatic diamine-aromatic dialdehyde high molecular weight Schiff base polymers prepared in a monofunctional Schiff base Patent
[NASA-CASE-XMF-03074] c 06 N71-24740

O

Oakland Univ., Rochester, Mich.
Optical process for producing classification maps from multispectral data
[NASA-CASE-MSC-14472-1] c 43 N77-10584
Interactive color display for multispectral imagery using correlation clustering
[NASA-CASE-MSC-16253-1] c 32 N79-20297

Occidental Research Corp., La Verne, Calif.
Process for preparing higher oxides of the alkali and alkaline earth metals
[NASA-CASE-ARC-10992-1] c 26 N78-32229

Ohio State Univ., Columbus.
Horn antenna having V-shaped corrugated slots
[NASA-CASE-LAR-11112-1] c 32 N76-15330
Distributed-switch Dicke radiometers
[NASA-CASE-GSC-12219-1] c 35 N80-18359
Almond test body
[NASA-CASE-LAR-13747-1] c 32 N88-24845

Old Dominion Univ., Norfolk, Va.
Instrumentation for measuring aircraft noise and sonic boom
[NASA-CASE-LAR-11476-1] c 07 N76-27232
Differential sound level meter
[NASA-CASE-LAR-12106-1] c 71 N78-14867
High-temperature microphone system
[NASA-CASE-LAR-12375-1] c 32 N79-24203
Aerodynamic side-force alleviator means
[NASA-CASE-LAR-12326-1] c 02 N81-14968
Leading edge flap system for aircraft control augmentation
[NASA-CASE-LAR-12787-2] c 08 N85-19985

Oregon Univ., Portland.
Method for separating biological cells
[NASA-CASE-MFS-23883-1] c 51 N80-16715

Organon Diagnostics, El Monte, Calif.
Water system virus detection
[NASA-CASE-MSC-16098-1] c 51 N79-10693

P

Packard-Bell Electronics Corp., Newbury Park, Calif.
Optical alignment system Patent
[NASA-CASE-XNP-02029] c 14 N70-41955

Panaura Corp., Pennsauken, N. J.
Method of forming transparent films of ZnO
[NASA-CASE-FRC-10019] c 15 N73-12487

PCR, Inc., Gainesville, Fla.
Perfluoroalkyl polytriazines containing pendent iododifluoromethyl groups
[NASA-CASE-ARC-11241-1] c 25 N81-14016

Peninsular ChemResearch, Inc., Gainesville, Fla.
Hydroxy terminated perfluoro ethers Patent
[NASA-CASE-NPO-10768] c 06 N71-27254
Perfluoro polyether acyl fluorides
[NASA-CASE-NPO-10765] c 06 N72-20121
Polyurethane resins from hydroxy terminated perfluoro ethers
[NASA-CASE-NPO-10768-2] c 06 N72-27144
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-2] c 06 N72-27151
Highly fluorinated polyurethanes
[NASA-CASE-NPO-10767-1] c 06 N73-33076

Pennsylvania State Univ., University Park.
Process for the preparation of polycarboranylphosphazenes
[NASA-CASE-ARC-11176-2] c 27 N81-27271
Carboranylcyclotriphosphazenes and their polymers
[NASA-CASE-ARC-11176-1] c 27 N82-18389
Carboranylmethylene-substituted phosphazenes and polymers thereof
[NASA-CASE-ARC-11370-1] c 27 N84-22750

Philco-Ford Corp., Houston, Tex.
Frequency modulation demodulator threshold extension device Patent
[NASA-CASE-MSC-12165-1] c 07 N71-33696
Philco-Ford Corp., Newport Beach, Calif.
Mechanically extendible telescoping boom
[NASA-CASE-NPO-11118] c 03 N72-25021
Philco-Ford Corp., Palo Alto, Calif.
Composite antenna feed
[NASA-CASE-GSC-11046-1] c 07 N73-28013
Amplitude steered array
[NASA-CASE-GSC-11446-1] c 33 N74-20860
Phoenix Corp., McLean, Va.
External bulb variable volume maser
[NASA-CASE-GSC-12334-1] c 36 N79-14362
Off-axis coherently pumped laser
[NASA-CASE-GSC-12592-1] c 36 N84-28065
Pittsburgh Univ., Pa.
Method and device for the detection of phenol and related compounds
[NASA-CASE-LEW-12513-1] c 25 N79-22235
Planning Research Corp., McLean, Va.
Telephone multiline signaling using common signal pair
[NASA-CASE-KSC-11023-1] c 32 N79-23310
Pratt and Whitney Aircraft, East Hartford, Conn.
Liquid-gas separation system Patent
[NASA-CASE-XMS-01624] c 15 N70-40062
Vibration damping system Patent
[NASA-CASE-XMS-01620] c 23 N71-15673
Vapor pressure measuring system and method Patent
[NASA-CASE-XMS-01618] c 14 N71-20741
Sealing member and combination thereof and method of producing said sealing member Patent
[NASA-CASE-XMS-01625] c 15 N71-23022
Proteon, Inc., Waltham, Mass.
Improved legislated emergency locating transmitters and emergency position indicating radio beacons
[NASA-CASE-GSC-12892-1] c 32 N85-20226

Q

Quantum Dynamics Co., Inc., Tarzana, Calif.
Respiratory analysis system and method
[NASA-CASE-MSC-13436-1] c 05 N73-32015

R

Radiation, Inc., Melbourne, Fla.
Remote platform power conserving system
[NASA-CASE-GSC-11182-1] c 15 N75-13007
Radiation Instrument Development Lab., Inc., Melrose Park, Ill.
High speed binary to decimal conversion system Patent
[NASA-CASE-XGS-01230] c 08 N71-19544
Radiation Systems, Inc., McLean, Va.
Monopulse tracking system Patent
[NASA-CASE-XGS-01155] c 10 N71-21483
Radio Corp. of America, Lancaster, Pa.
Bonding graphite with fused silver chloride
[NASA-CASE-XGS-00963] c 15 N69-39735
Radio Corp. of America, New York.
Water cooled contactor for anode in carbon arc mechanism
[NASA-CASE-XMS-03700] c 15 N69-24266
Apparatus for ballasting high frequency transistors
[NASA-CASE-XGS-05003] c 09 N69-24318
Helical coaxial resonator RF filter
[NASA-CASE-XGS-02816] c 07 N69-24323
Radiation resistant silicon semiconductor devices Patent
[NASA-CASE-XGS-07801] c 09 N71-12513
GaAs solar detector using manganese as a doping agent Patent
[NASA-CASE-XNP-01328] c 26 N71-18064
Thermocouple assembly Patent
[NASA-CASE-XNP-01659] c 14 N71-23039
Method of erasing target material of a vidicon tube or the like Patent
[NASA-CASE-XNP-06028] c 09 N71-23189
Transient augmentation circuit for pulse amplifiers Patent
[NASA-CASE-XNP-01068] c 10 N71-28739
Radio Corp. of America, Princeton, N. J.
Connector strips-positive, negative and T tabs
[NASA-CASE-XGS-01395] c 03 N69-21539
Solar cell including second surface mirrors Patent
[NASA-CASE-NPO-10109] c 03 N71-11049
Collapsible reflector Patent
[NASA-CASE-XMS-03454] c 09 N71-20658
Simple method of making photovoltaic junctions Patent
[NASA-CASE-XNP-01960] c 09 N71-23027
Method of electrolytically binding a layer of semiconductors together Patent
[NASA-CASE-XNP-01959] c 26 N71-23043
Method and apparatus for distillation of liquids Patent
[NASA-CASE-XNP-08124] c 15 N71-27184
Maximum power point tracker Patent
[NASA-CASE-GSC-10376-1] c 14 N71-27407
Method of changing the conductivity of vapor deposited gallium arsenide by the introduction of water into the vapor deposition atmosphere Patent
[NASA-CASE-XNP-01961] c 26 N71-29156
Radial heat flux transformer
[NASA-CASE-NPO-10828] c 33 N72-17948
Target acquisition antenna
[NASA-CASE-GSC-10064-1] c 10 N72-22235
Method for distillation of liquids
[NASA-CASE-XNP-08124-2] c 06 N73-13129
Hermetically sealed semiconductor
[NASA-CASE-GSC-10791-1] c 15 N73-14469
Thermal flux transfer system
[NASA-CASE-NPO-12070-1] c 28 N73-32606
Rotary solenoid shutter drive assembly and rotary inertia damper and stop plate assembly
[NASA-CASE-GSC-11560-1] c 33 N74-20861
Frequency measurement by coincidence detection with standard frequency
[NASA-CASE-MSC-14649-1] c 33 N76-16331
Means for growing ribbon crystals without subjecting the crystals to thermal shock-induced strains
[NASA-CASE-NPO-14298-1] c 76 N80-32244
Apparatus for use in the production of ribbon-shaped crystals from a silicon melt
[NASA-CASE-NPO-14297-1] c 33 N81-19389
Television camera video level control system
[NASA-CASE-MSC-18578-1] c 32 N85-21427
RAND Corp., Santa Monica, Calif.
Satellite communication system Patent
[NASA-CASE-XNP-02389] c 07 N71-28900
Raymond Engineering Lab., Inc., Middletown, Conn.
Synchronous servo loop control system Patent
[NASA-CASE-XNP-03744] c 10 N71-20448
Raytheon Co., Sudbury, Mass.
Laser Doppler system for measuring three dimensional vector velocity Patent
[NASA-CASE-MFS-20386] c 21 N71-19212
Clear air turbulence detector
[NASA-CASE-MFS-21244-1] c 36 N75-15028
RCA Labs., Princeton, N. J.
Solar cell with improved N-region contact and method of forming the same
[NASA-CASE-NPO-14205-1] c 44 N79-31752
RCA Service Co., Inc., Camden, N. J.
Apparatus for inspecting microfilm Patent
[NASA-CASE-MFS-20240] c 14 N71-26788
Rensselaer Polytechnic Inst., Troy, N.Y.
Coincidence apparatus for detecting particles
[NASA-CASE-XLA-07813] c 14 N72-17328
Dual acting slit control mechanism
[NASA-CASE-LAR-11370-1] c 35 N80-28686
Research Triangle Inst., Durham, N. C.
Semiconductor p-n junction stress and strain sensor
[NASA-CASE-XLA-04980] c 09 N69-27422
Rochester General Hospital, N. Y.
Prosthetic occlusive device for an internal passageway
[NASA-CASE-MFS-25740-1] c 52 N84-11744
Rochester Univ., N. Y.
Concave grating spectrometer Patent
[NASA-CASE-XGS-01036] c 14 N70-40003
Rockwell International Corp., Canoga Park, Calif.
Frequency to analog converter Patent
[NASA-CASE-XNP-07040] c 08 N71-12500
Load cell protection device Patent
[NASA-CASE-XMS-06782] c 32 N71-15974
Thermobulb mount Patent
[NASA-CASE-NPO-10158] c 33 N71-16356
Laminar flow enhancement Patent
[NASA-CASE-NPO-10122] c 12 N71-17631
Temperature sensitive flow regulator Patent
[NASA-CASE-MFS-14259] c 15 N71-19213
Hydrogen leak detection device Patent
[NASA-CASE-MFS-11537] c 14 N71-20442
Technique of elbow bending small jacketed transfer lines Patent
[NASA-CASE-XNP-10475] c 15 N71-24679
Gas liquefication and dispensing apparatus Patent
[NASA-CASE-NPO-10070] c 15 N71-27372
Locking device for turbine rotor blades Patent
[NASA-CASE-XNP-00816] c 28 N71-28928
Laser camera and diffusion filter therefore Patent
[NASA-CASE-NPO-10417] c 16 N71-33410
Hydrazinium nitroformate propellant stabilized with nitroguanidine
[NASA-CASE-NPO-12000] c 27 N72-25699
Hydrazinium nitroformate propellant with saturated polymeric hydrocarbon binder
[NASA-CASE-NPO-12015] c 27 N73-16764
Novel polymers and method of preparing same
[NASA-CASE-NPO-10998-1] c 06 N73-32029
Internally supported flexible duct joint
[NASA-CASE-MFS-19193-1] c 37 N75-19686
Brazing alloy binder
[NASA-CASE-XMF-05868] c 26 N75-27125
Brazing alloy composition
[NASA-CASE-XMF-06053] c 26 N75-27126
Brazing alloy
[NASA-CASE-XNP-03878] c 26 N75-27127
Method and apparatus for vibration analysis utilizing the Mossbauer effect
[NASA-CASE-XMF-05882] c 35 N75-27329
Method of heat treating age-hardenable alloys
[NASA-CASE-XNP-01311] c 26 N75-29236
Thrust measurement
[NASA-CASE-XMS-05731] c 35 N75-29382
Externally supported internally stabilized flexible duct joint
[NASA-CASE-MFS-19194-1] c 37 N76-14460
Device for installing rocket engines
[NASA-CASE-MFS-19220-1] c 20 N76-22296
Accumulator
[NASA-CASE-MFS-19287-1] c 34 N77-30399
Laser extensometer
[NASA-CASE-MFS-19259-1] c 36 N78-14380
Stable superconducting magnet
[NASA-CASE-XMF-05373-1] c 33 N79-21264
Rockwell International Corp., Downey, Calif.
Apparatus for positioning modular components on a vertical or overhead surface
[NASA-CASE-LAR-11465-1] c 37 N76-21554
Flanged major modular assembly jig
[NASA-CASE-MSC-19372-1] c 39 N76-31562
Aircraft-mounted crash-activated transmitter device
[NASA-CASE-MFS-16609-3] c 03 N76-32140
Window defect planar mapping technique
[NASA-CASE-MSC-19442-1] c 74 N77-10899
Mechanical sequencer
[NASA-CASE-MSC-19536-1] c 37 N77-22482
Load regulating latch
[NASA-CASE-MSC-19535-1] c 37 N77-32499
Adjustable securing base
[NASA-CASE-MSC-19666-1] c 37 N78-17383
Method of producing complex aluminum alloy parts of high temper, and products thereof
[NASA-CASE-MSC-19693-1] c 26 N78-24333
Flexible pile thermal barrier insulator
[NASA-CASE-MSC-19568-1] c 34 N78-25350
Variable contour securing system
[NASA-CASE-MSC-16270-1] c 37 N78-27423
Multi-purpose wind tunnel reaction control model block
[NASA-CASE-MSC-19706-1] c 09 N78-31129
Sequencing device utilizing planetary gear set
[NASA-CASE-MSC-19514-1] c 37 N79-20377
System for automatically switching transformer coupled lines
[NASA-CASE-MSC-16697-1] c 33 N79-28415
Pressure limiting propellant actuating system
[NASA-CASE-MSC-18179-1] c 20 N80-18097
Floating nut retention system
[NASA-CASE-MSC-16938-1] c 37 N80-23653
Heat treat fixture and method of heat treating
[NASA-CASE-LAR-11821-1] c 26 N80-28492
Coaxial phased array antenna
[NASA-CASE-MSC-16800-1] c 32 N81-14187
Installing fiber insulation
[NASA-CASE-MSC-16973-1] c 37 N81-14317
Thermal barrier pressure seal
[NASA-CASE-MSC-18134-1] c 37 N81-15363
Cavity-backed, micro-strip dipole antenna array
[NASA-CASE-MSC-18606-1] c 32 N82-11336
Precision heat forming of tetrafluoroethylene tubing
[NASA-CASE-MSC-18430-1] c 37 N82-24491
High temperature penetrator assembly with bayonet plug and ramp-activated lock
[NASA-CASE-MSC-18526-1] c 37 N82-24494
A method and technique for installing light-weight fragile, high-temperature fiber insulation
[NASA-CASE-MSC-18934-3] c 24 N82-26387
Spiral slotted phased antenna array
[NASA-CASE-MSC-18532-1] c 32 N82-27558
Attachment system for silica tiles
[NASA-CASE-MSC-18741-1] c 27 N82-29456
Method for repair of thin glass coatings
[NASA-CASE-KSC-11097-1] c 27 N82-33520
Degassifying and mixing apparatus for liquids
[NASA-CASE-MSC-18936-1] c 35 N83-29652
Apparatus for accurately preloading auger attachment means for frangible protective material
[NASA-CASE-MSC-18791-1] c 37 N83-36482

Method and technique for installing light-weight, fragile, high-temperature fiber insulation
[NASA-CASE-MSC-16934-3] c 24 N84-16262
Directional gear ratio transmissions
[NASA-CASE-LAR-12644-1] c 37 N84-28084
Portable 90 degree proof loading device
[NASA-CASE-MSC-20250-1] c 35 N86-19581

Rockwell International Corp., Houston, Tex.
Reusable captive blind fastener
[NASA-CASE-MSC-18742-1] c 37 N82-26673

Rockwell International Corp., Los Angeles, Calif.
Length mode piezoelectric ultrasonic transducer for inspection of solid objects
[NASA-CASE-MSC-19672-1] c 38 N79-14398

Rockwell International Corp., Pittsburgh, Pa.
CAM controlled retractable door latch
[NASA-CASE-MSC-20304-1] c 37 N82-31690
Fluid leak indicator
[NASA-CASE-MSC-20783-1] c 35 N86-20756

Roph Corp., Chula Vista, Calif.
Method of forming shapes from planar sheets of thermosetting materials
[NASA-CASE-NPO-11036] c 15 N72-24522

Royal Aircraft Establishment, Farnborough (England).
Garments for controlling the temperature of the body Patent
[NASA-CASE-XMS-10269] c 05 N71-24147

Ryan Aeronautical Co., San Diego, Calif.
Wing deployment method and apparatus Patent
[NASA-CASE-XMS-00907] c 02 N70-41630
Masking device Patent
[NASA-CASE-XNP-02092] c 15 N70-42033

S

San Jose State Univ., Calif.
Cholate modified polymers for atmospheric gas chromatography
[NASA-CASE-ARC-11154-1] c 25 N80-23383
Indometh acin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-2] c 52 N81-14613
Indomethacin-antihistamine combination for gastric ulceration control
[NASA-CASE-ARC-11118-1] c 52 N81-29764
Use of glow discharge in fluidized beds
[NASA-CASE-ARC-11245-1] c 28 N82-18401
Preparation of crosslinked 1,2,4-oxadiazole polymer
[NASA-CASE-ARC-11253-2] c 27 N82-24338
Fire extinguishant materials
[NASA-CASE-ARC-11252-1] c 25 N83-36118
Fluoroether modified epoxy composites
[NASA-CASE-ARC-11418-1] c 24 N84-11213
Process for preparing perfluorotriazine elastomers and precursors thereof
[NASA-CASE-ARC-11402-1] c 27 N84-22744
Perfluoro (Imidoylamidine) diamidines
[NASA-CASE-ARC-11402-3] c 23 N86-21582

Sanders Associates, Inc., Nashua, N. H.
Increasing efficiency of switching type regulator circuits Patent
[NASA-CASE-XMS-09352] c 09 N71-23316

Sandia Labs., Albuquerque, N. Mex.
Fluid sampling device
[NASA-CASE-GSC-12143-1] c 35 N77-32456

Santa Barbara Research Center, Goleta, Calif.
Scanner
[NASA-CASE-GSC-12032-2] c 43 N82-13465

Santa Clara Univ., Calif.
Reversed cowl flap inlet thrust augmentor
[NASA-CASE-ARC-10754-1] c 07 N75-24736
System for measuring Reynolds in a turbulently flowing fluid
[NASA-CASE-ARC-10755-2] c 34 N76-27517
System for measuring three fluctuating velocity components in a turbulently flowing fluid
[NASA-CASE-ARC-10974-1] c 34 N77-27345
Noise suppressor for turbo fan jet engines
[NASA-CASE-ARC-10812-1] c 07 N83-33884

Schjeldahl (G. T.) Co., Northfield, Minn.
Rotating mandrel for assembly of inflatable devices Patent
[NASA-CASE-XLA-04143] c 15 N71-17687
Traveling sealer for contoured table Patent
[NASA-CASE-XLA-01494] c 15 N71-24164

Science Applications, Inc., La Jolla, Calif.
Vitra-violet process for producing flame resistant polyamides and products produced thereby
[NASA-CASE-MSC-16074-1] c 27 N80-26446

Scott Aviation Corp., Lancaster, N. Y.
Self-contained breathing apparatus
[NASA-CASE-MSC-14733-1] c 54 N76-24900

Serv-Air, Inc., Edwards, Calif.
Portable device for use in starting air-start-units for aircraft and having cable lead testing capability
[NASA-CASE-FRC-10113-1] c 33 N80-26599

Serv-Air, Inc., Houston, Tex.
Stator rotor tools
[NASA-CASE-MSC-16000-1] c 37 N78-24544

Sheldahl Co., Northfield, Minn.
Method and apparatus for preparing multiconductor cable with flat conductors
[NASA-CASE-MFS-10946-1] c 31 N79-21226
Edge coating of flat wires
[NASA-CASE-XMF-05757-1] c 31 N79-21227

Sikorsky Aircraft, Stratford, Conn.
Locking redundant link
[NASA-CASE-LAR-11900-1] c 37 N79-14382
Aircraft rotor blade with passive tuned tab
[NASA-CASE-ARC-11444-1] c 05 N85-29947

Singer Co., Binghamton, N.Y.
Digital interface for bi-directional communication between a computer and a peripheral device
[NASA-CASE-MSC-20258-1] c 60 N84-28492

Singer-General Precision, Inc., Binghamton, N. Y.
CRT blanking and brightness control circuit
[NASA-CASE-KSC-10647-1] c 10 N72-31273

Smith Electronics, Inc., Cleveland, Ohio.
Phase detector assembly Patent
[NASA-CASE-XMF-00701] c 09 N70-40272

Smith (Stephen F.), Knoxville, Tenn.
Automatic oscillator frequency control system
[NASA-CASE-GSC-12804-1] c 33 N86-20668

Smithsonian Astrophysical Observatory, Cambridge, Mass.
Atomic hydrogen maser with bulb temperature control to remove wall shift in maser output frequency
[NASA-CASE-HQN-10654-1] c 16 N73-13489
Tunable cavity resonator with ramp shaped supports
[NASA-CASE-HQN-10790-1] c 36 N74-11313

Solid State Radiations, Inc., Los Angeles, Calif.
Biomedical radiation detecting probe Patent
[NASA-CASE-XMS-01177] c 05 N71-19440

Southern Methodist Univ., Dallas, Tex.
Process for utilizing low-cost graphite substrates for polycrystalline solar cells
[NASA-CASE-GSC-12022-2] c 44 N78-24609

Southern Research Inst., Birmingham, Ala.
Infusible silazane polymer and process for producing same
[NASA-CASE-XMF-02526-1] c 27 N79-21190

Southwest Research Inst., San Antonio, Tex.
Thin film strain transducer
[NASA-CASE-WLP-10055-1] c 35 N84-28015
Thin film strain transducer
[NASA-CASE-WLP-10055-2] c 35 N85-21598

Space Sciences, Inc., Waltham, Mass.
Doppler shift system
[NASA-CASE-HQN-10740-1] c 72 N74-19310

Space Technology Labs., Inc., Redondo Beach, Calif.
AC logic flip-flop circuits Patent
[NASA-CASE-XGS-00823] c 10 N71-15910
Apparatus for field strength measurement of a space vehicle Patent
[NASA-CASE-XLE-00820] c 14 N71-16014
Hermetically sealed explosive release mechanism Patent
[NASA-CASE-XGS-00824] c 15 N71-16078
Apparatus for measuring electric field strength on the surface of a model vehicle Patent
[NASA-CASE-XLE-02038] c 09 N71-16086
Solar cell mounting Patent
[NASA-CASE-XNP-00826] c 03 N71-20895
Prestressed refractory structure Patent
[NASA-CASE-XNP-02888] c 18 N71-21068
Linear accelerator frequency control system Patent
[NASA-CASE-XGS-05441] c 10 N71-22962
Fluid lubricant system Patent
[NASA-CASE-XNP-03972] c 15 N71-23048
Compensating bandwidth switching transients in an amplifier circuit Patent
[NASA-CASE-XNP-01107] c 10 N71-28859

Spacelabs, Inc., Van Nuys, Calif.
Peak polarity selector Patent
[NASA-CASE-FRC-10010] c 10 N71-24862
Respiration monitor
[NASA-CASE-FRC-10012] c 14 N72-17329

Spaco, Inc., Huntsville, Ala.
Sight switch using an infrared source and sensor Patent
[NASA-CASE-XMF-03934] c 09 N71-22985
Method and device for detecting voids in low density material Patent
[NASA-CASE-MFS-20044] c 14 N71-28993

Spectra-Physics, Inc., Mountain View, Calif.
Optically pumped resonance magnetometer for determining vectoral components in a spatial coordinate system Patent
[NASA-CASE-XGS-04879] c 14 N71-20428

Spectrolab, Inc., Sylmar, Calif.
Ultraviolet filter
[NASA-CASE-XNP-02340] c 23 N69-24332
Central spar and module joint Patent
[NASA-CASE-XNP-02341] c 15 N71-21531
Apparatus for applying cover slides
[NASA-CASE-NPO-10575] c 03 N72-25019

Sperry Gyroscope Co., Great Neck, N. Y.
Automatic gain control system
[NASA-CASE-XMS-05307] c 09 N69-24330

Sperry Rand Corp., Blue Bell, Pa.
Flipflop interrogator and bi-polar current driver Patent
[NASA-CASE-XGS-03058] c 10 N71-19547

Sperry Rand Corp., Huntsville, Ala.
Optical tracking mount Patent
[NASA-CASE-MFS-14017] c 14 N71-26627
Collapsible antenna boom and transmission line Patent
[NASA-CASE-MFS-20068] c 07 N71-27191
Device for handling printed circuit cards Patent
[NASA-CASE-MFS-20453] c 15 N71-29133
Frequency division multiplex technique
[NASA-CASE-KSC-10521] c 07 N73-20176
Device for configuring multiple leads
[NASA-CASE-MFS-22133-1] c 33 N74-26977
System for enhancing tool-exchange capabilities of a portable wrench
[NASA-CASE-MFS-22283-1] c 37 N75-33395
Remotely operable articulated manipulator
[NASA-CASE-MFS-22707-1] c 37 N76-15457
Photovoltaic cell array
[NASA-CASE-MFS-22458-1] c 44 N77-10635
Notch filter
[NASA-CASE-MFS-23303-1] c 32 N77-18307
FM/CW radar system
[NASA-CASE-MFS-22234-1] c 32 N79-10264
Anastigmatic three-mirror telescope
[NASA-CASE-MFS-23675-1] c 89 N79-10969

Sperry Rand Corp., Phoenix, Ariz.
Isolation coupling arrangement for a torque measuring system
[NASA-CASE-XLA-04897] c 15 N72-22482

Stanford Research Inst., Menlo Park, Calif.
Automatic fault correction system for parallel signal channels Patent
[NASA-CASE-XNP-03263] c 09 N71-18843
Mercury capillary interrupter Patent
[NASA-CASE-XNP-02251] c 12 N71-20896
Magnetic power switch Patent
[NASA-CASE-NPO-10242] c 09 N71-24803
Procedure and apparatus for determination of water in nitrogen tetroxide
[NASA-CASE-NPO-10234] c 06 N72-17094

Stanford Univ., Calif.
Active RC networks
[NASA-CASE-ARC-10042-2] c 10 N72-11256
Multiloop RC active filter apparatus having low parameter sensitivity with low amplifier gain
[NASA-CASE-ARC-10192] c 09 N72-21245
Spacecraft attitude control method and apparatus
[NASA-CASE-HQN-10439] c 21 N72-21624
Laser system with an antiresonant optical ring
[NASA-CASE-HQN-10844-1] c 36 N75-19653
Traveling wave solid state amplifier utilizing a semiconductor with negative differential mobility
[NASA-CASE-HQN-10069] c 33 N75-27251
Reaction cured glass and glass coatings
[NASA-CASE-ARC-11051-1] c 27 N78-32260
Fibrous refractory composite insulation
[NASA-CASE-ARC-11169-1] c 24 N79-24062
Controller arm for a remotely related slave arm
[NASA-CASE-ARC-11052-1] c 37 N79-28551
High temperature glass thermal control structure and coating
[NASA-CASE-ARC-11164-1] c 44 N83-34448
Planar oscillatory stirring apparatus
[NASA-CASE-MFS-26002-1-CU] c 35 N86-26598

Stanford Univ., Palo Alto, Calif.
RC networks and amplifiers employing the same
[NASA-CASE-XAC-05462-2] c 10 N72-17171

State Univ. of Iowa, Iowa City.
Mixture separation cell Patent
[NASA-CASE-XMS-02952] c 18 N71-20742

Sylvania Electronic Systems-Central, Williamsville, N. Y.
Acquisition and tracking system for optical radar
[NASA-CASE-MFS-20125] c 16 N72-13437
Altitude sensing device
[NASA-CASE-XMS-01994-1] c 14 N72-17326

Taag Designs, Inc., College Park, Md.

T

Taag Designs, Inc., College Park, Md.
Recovery of radiation damaged solar cells through thermal annealing
[NASA-CASE-XGS-04047-2] c 03 N72-11062
Phototropic composition of matter
[NASA-CASE-XGS-03736] c 14 N72-22443

Taft Broadcasting Corp., Houston, Tex.
Television noise reduction device
[NASA-CASE-MSC-12607-1] c 32 N75-21485

Tamarack Scientific Co., Inc., Orange, Calif.
Detector absorptivity measuring method and apparatus
[NASA-CASE-LAR-10907-1] c 35 N76-29551

Technicolor, Inc., Paramus, N.J.
Automatic lightning detection and photographic system
[NASA-CASE-KSC-10728-1] c 14 N73-32319

Technidyne, Inc., West Chester, Pa.
Methods and apparatus employing vibratory energy for wrenching Patent
[NASA-CASE-MFS-20586] c 15 N71-17686

Technion - Israel Inst. of Tech., Haifa.
Modified face seal for positive film stiffness
[NASA-CASE-LEW-12989-1] c 37 N82-12442

Technion Research and Development Foundation Ltd., Haifa (Israel).
Self-stabilizing radial face seal
[NASA-CASE-LEW-12991-1] c 37 N81-24442

Technology, Inc., Houston, Tex.
Apparatus and method for processing Korotkov sounds
[NASA-CASE-MSC-13999-1] c 52 N74-26626

Technology, Inc., San Antonio, Tex.
Contourograph system for monitoring electrocardiograms
[NASA-CASE-MSC-13407-1] c 10 N72-20225
Modification of the physical properties of freeze-dried rice
[NASA-CASE-MSC-13540-1] c 05 N72-33096

Teledyne Brown Engineering, Huntsville, Ala.
Self-recording portable soil penetrometer
[NASA-CASE-MFS-20774] c 14 N73-19420

Temple Univ. Research Inst., Philadelphia, Pa.
Barium release system
[NASA-CASE-LAR-10670-1] c 06 N73-30097
Rocket having barium release system to create ion clouds in the upper atmosphere
[NASA-CASE-LAR-10670-2] c 15 N74-27360

Texas A&M Univ., College Station.
Apparatus for use in examining the lattice of a semiconductor wafer by X-ray diffraction
[NASA-CASE-MFS-23315-1] c 76 N78-24950

Texas Instruments, Inc., Dallas.
Integrated circuit including field effect transistor and cermet resistor
[NASA-CASE-GSC-10835-1] c 09 N72-33205
Apparatus for measuring semiconductor device resistance
[NASA-CASE-NPO-14424-1] c 33 N80-32650

Texas Technological Univ., Lubbock.
Insulated electrocardiographic electrodes
[NASA-CASE-MSC-14339-1] c 05 N75-24716

Thiokol Chemical Corp., Bristol, Pa.
Casting propellant in rocket engine
[NASA-CASE-LAR-11995-1] c 28 N77-10213

Thiokol Corp., Brigham City, Utah.
Process for the leaching of AP from propellant
[NASA-CASE-NPO-14109-1] c 28 N80-23471
Recovery of aluminum from composite propellants
[NASA-CASE-NPO-14110-1] c 28 N81-15119

Thompson Ramo Wooldridge, Inc., Cleveland, Ohio.
Electromagnetic radiation energy arrangement
[NASA-CASE-WOO-00428-1] c 32 N79-19186

Tisdale (Henry F., Sr.), Treasure Island, Fla.
Velocity vector control system augmented with direct lift control
[NASA-CASE-LAR-12268-1] c 08 N81-24106

Trans-Sonics, Inc., Lexington, Mass.
Capacitive tank gaging apparatus being independent of liquid distribution
[NASA-CASE-MFS-21629] c 14 N72-22442

TransTechnology Corp., Canyon Country, Calif.
Slide release mechanism
[NASA-CASE-MSC-20080-1] c 37 N85-30334

Trident Engineering Associates, Inc., Annapolis, Md.
Spectroscope equipment using a slender cylindrical reflector as a substitute for a slit Patent
[NASA-CASE-XGS-08269] c 23 N71-26206

TRW Defense and Space Systems Group, Redondo Beach, Calif.
Optical crystal temperature gauge with fiber optic connections
[NASA-CASE-MSC-18627-1] c 74 N82-30071

TRW Equipment Labs., Cleveland, Ohio.
Pulsed energy power system Patent
[NASA-CASE-MSC-13112] c 03 N71-11057

TRW, Inc., Redondo Beach, Calif.
Method of and device for determining the characteristics and flux distribution of micrometeorites
[NASA-CASE-NPO-12127-1] c 91 N74-13130
Reinforced structural plastics
[NASA-CASE-LEW-10199-1] c 27 N74-23125
Capillary flow weld-bonding
[NASA-CASE-LAR-11726-1] c 37 N76-27568
Ruler for making navigational computations
[NASA-CASE-XNP-01458] c 04 N78-17031
Particle parameter analyzing system
[NASA-CASE-XLE-06094] c 33 N78-17293
Temperature compensated current source
[NASA-CASE-MSC-11235] c 33 N78-17294
Shunt regulation electric power system
[NASA-CASE-GSC-10135] c 33 N78-17296
Heat pipe with dual working fluids
[NASA-CASE-ARC-10198] c 34 N78-17336
Multi-chamber controllable heat pipe
[NASA-CASE-ARC-10199] c 34 N78-17337
Microbalance
[NASA-CASE-MSC-11242] c 35 N78-17358
Gas ion laser construction for electrically isolating the pressure gauge thereof
[NASA-CASE-MFS-22597] c 36 N78-17366
Wabble gear drive mechanism
[NASA-CASE-WOO-00625] c 37 N78-17385
Apparatus for handling micron size range particulate material
[NASA-CASE-NPO-10151] c 37 N78-17386
Solar cell module assembly jig
[NASA-CASE-XGS-00829-1] c 44 N79-19447
Low thrust monopropellant engine
[NASA-CASE-GSC-12194-2] c 20 N82-18314
Moisture content and gas sampling device
[NASA-CASE-MSC-18866-1] c 35 N85-29213

TRW Systems, Redondo Beach, Calif.
Electromechanical actuator
[NASA-CASE-XNP-05975] c 15 N69-23185
Control valve and co-axial variable injector Patent
[NASA-CASE-XNP-09702] c 15 N71-17654
Multiple orifice throttle valve Patent
[NASA-CASE-XNP-09698] c 15 N71-18580
Semitoroidal diaphragm cavitating valve Patent
[NASA-CASE-XNP-09704] c 12 N71-18615
Electrohydrodynamic control valve Patent
[NASA-CASE-NPO-10416] c 12 N71-27332

TRW Systems Group, Redondo Beach, Calif.
Ablative resin Patent
[NASA-CASE-XLE-05913] c 33 N71-14032
Passive caging mechanism Patent
[NASA-CASE-GSC-10306-1] c 15 N71-24694
Multiple varactor frequency doubler Patent
[NASA-CASE-XMF-04958-1] c 10 N71-26414
Booster tank system Patent
[NASA-CASE-MSC-12390] c 27 N71-29155
Resonant infrasonic gauging apparatus
[NASA-CASE-MSC-11847-1] c 14 N72-11363
Wide range analog-to-digital converter with a variable gain amplifier
[NASA-CASE-NPO-11018] c 08 N72-21200
System for preconditioning a combustible vapor
[NASA-CASE-NPO-12072] c 28 N72-22772
Failsafe multiple transformer circuit configuration
[NASA-CASE-NPO-11078] c 09 N72-25262
Digital control and information system
[NASA-CASE-NPO-11016] c 08 N72-31226
Ultrasonically bonded value assembly
[NASA-CASE-NPO-13360-1] c 37 N75-25185
Cosmic dust analyzer
[NASA-CASE-MSC-13802-2] c 35 N76-15431
Weld-bonded titanium structures
[NASA-CASE-LAR-11549-1] c 37 N77-11397
Flat-plate heat pipe
[NASA-CASE-GSC-11998-1] c 34 N77-32413
Spatial filter for Q-switched lasers
[NASA-CASE-LEW-12164-1] c 36 N77-32478
Digital numerically controlled oscillator
[NASA-CASE-MSC-16747-1] c 33 N81-17349
Self-calibrating threshold detector
[NASA-CASE-MSC-16370-1] c 35 N81-19427

Tyco Labs., Inc., Waltham, Mass.
Bonding thermoelectric elements to nonmagnetic refractory metal electrodes
[NASA-CASE-XGS-04554] c 15 N69-39786
Segmenting lead telluride-silicon germanium thermoelements Patent
[NASA-CASE-XGS-05718] c 26 N71-16037
Electrocatalyst for oxygen reduction
[NASA-CASE-HQN-10537-1] c 06 N72-10138

U

Ultrasystems, Inc., Irvine, Calif.
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-1] c 27 N78-32256
Compound oxidized styrylphosphine
[NASA-CASE-MSC-14903-2] c 27 N80-10358
Heat resistant polymers of oxidized styrylphosphine
[NASA-CASE-MSC-14903-3] c 27 N80-24438

Unified Science Associates, Inc., Pasadena, Calif.
Method of producing crystalline materials
[NASA-CASE-NPO-10440] c 15 N72-21466

Union Carbide Corp., New York.
Laser apparatus for removing material from rotating objects Patent
[NASA-CASE-MFS-11279] c 16 N71-20400

United Aircraft Corp., East Hartford, Conn.
Supporting and protecting device Patent
[NASA-CASE-XMF-00580] c 11 N70-35383
Spherical tank gauge Patent
[NASA-CASE-XMS-06236] c 14 N71-21007
Omnidirectional joint Patent
[NASA-CASE-XMS-09635] c 05 N71-24623
Foreshortened convolute section for a pressurized suit Patent
[NASA-CASE-XMS-09637-1] c 05 N71-24730
Tertiary flow injection thrust vectoring system Patent
[NASA-CASE-MFS-20831] c 28 N71-29153
Restraint torso for a pressurized suit
[NASA-CASE-MSC-12397-1] c 05 N72-25119
Transformer regulated self-stabilizing chopper
[NASA-CASE-XGS-09186] c 33 N78-17295
Restraining mechanism
[NASA-CASE-MSC-13054] c 54 N78-17677
Helmet latching and attaching ring
[NASA-CASE-XMS-04670] c 54 N78-17678
Protective garment ventilation system
[NASA-CASE-XMS-04928] c 54 N78-17679
Helmet feedport
[NASA-CASE-XMS-09653] c 54 N78-17680
Emergency space-suit helmet
[NASA-CASE-MSC-10954-1] c 54 N78-18761
Flow diverter value and flow diversion method
[NASA-CASE-HQN-00573-1] c 37 N79-33468
Thermal garment
[NASA-CASE-XMS-03694-1] c 54 N82-29002
Glass compositions with a high modulus of elasticity
[NASA-CASE-HQN-10274-1] c 27 N82-29451
High modulus invert analog glass compositions containing beryllia
[NASA-CASE-HQN-10931-2] c 27 N82-29452
Non-toxic invert analog glass compositions of high modulus
[NASA-CASE-HQN-10328-2] c 27 N82-29454

United Aircraft Corp., Stratford, Conn.
Bonded joint and method
[NASA-CASE-LAR-10900-1] c 37 N74-23064
Compensating linkage for main rotor control
[NASA-CASE-LAR-11797-1] c 05 N81-19087

United Aircraft Corp., Sunnyvale, Calif.
Method and tool for machining a transverse slot about a bore
[NASA-CASE-LAR-11855-1] c 37 N81-14319

United Aircraft Corp., West Palm Beach, Fla.
Inherent redundacy electric heater
[NASA-CASE-MFS-21462-1] c 33 N74-14935

United Aircraft Corp., Windsor Locks, Conn.
Water separating system Patent
[NASA-CASE-XMS-13052] c 14 N71-20427
Method of forming a root cord restrained convolute section
[NASA-CASE-MSC-12398] c 05 N72-20098

United States Radium Corp., Parsippany, N. J.
Method for applying photographic resists to otherwise incompatible substrates
[NASA-CASE-MSC-18107-1] c 27 N81-25209

United Technologies Corp., East Hartford, Conn.
Method of making a rocket nozzle
[NASA-CASE-XMF-06884-1] c 20 N79-21123
Fluid thrust control system
[NASA-CASE-XMF-05964-1] c 20 N79-21124
Rocket injector head
[NASA-CASE-XMF-04592-1] c 20 N79-21125
Retractable environmental seal
[NASA-CASE-MFS-23646-1] c 37 N79-22474
Portable breathing system
[NASA-CASE-MSC-16182-1] c 54 N80-10799
High modulus rare earth and beryllium containing silicate glass compositions
[NASA-CASE-HQN-10595-1] c 27 N82-29455
Joining lead wires to thin platinum alloy films
[NASA-CASE-LEW-13934-1] c 35 N83-35338
Combustor liner construction
[NASA-CASE-LEW-14035-1] c 07 N84-24577

United Technologies Corp., South Windsor, Conn.
Reactant pressure differential control for fuel cell gases
[NASA-CASE-MSC-20127-2] c 37 N85-34403
United Technologies Corp., Windsor Locks, Conn.
Cam-operated pitch-change apparatus
[NASA-CASE-LEW-13050-1] c 07 N79-14095
United Technology Center, Sunnyvale, Calif.
Solid propellant liner Patent
[NASA-CASE-XNP-09744] c 27 N71-16392
University of Southern Mississippi, Hattiesburg.
Low energy electron magnetometer using a monoenergetic electron beam
[NASA-CASE-LAR-12706-1] c 35 N84-12444

V

Vanderbilt Univ., Nashville, Tenn.
Solar driven liquid metal MHD power generator
[NASA-CASE-LAR-12495-1] c 44 N83-28573
Vapor Corp., Chicago, Ill.
Method and apparatus for controllably heating fluid Patent
[NASA-CASE-XMF-04237] c 33 N71-16278
Varian Associates, Palo Alto, Calif.
High power-high voltage waterload Patent
[NASA-CASE-XNP-05381] c 09 N71-20842
III-V photocathode with nitrogen doping for increased quantum efficiency
[NASA-CASE-NPO-12134-1] c 33 N76-31409
Virginia Associated Research Center, Newport News.
Method for thermal monitoring subcutaneous tissue
[NASA-CASE-LAR-13028-1] c 52 N85-30618
Virginia Polytechnic Inst. and State Univ., Blacksburg.
Logarithmic circuit with wide dynamic range
[NASA-CASE-GSC-12145-1] c 33 N78-32339
Polyphenylquinoxalines containing pendant phenylethynyl and ethynyl groups
[NASA-CASE-LAR-12838-1] c 27 N83-34040
Thermoset-thermoplastic aromatic polyamide containing N-propargyl groups
[NASA-CASE-LAR-12723-2] c 27 N84-22746
Ultrasonic transducer with Gaussian radial pressure distribution
[NASA-CASE-LAR-12967-1] c 35 N84-22932
Dual differential interferometer
[NASA-CASE-LAR-12966-1] c 35 N85-30282
Virginia Univ., Charlottesville.
Depositing semiconductor films utilizing a thermal gradient
[NASA-CASE-XKS-04614] c 15 N69-21460
Active microwave irises and windows
[NASA-CASE-LAR-10513-1] c 07 N72-25170
Thin film microwave iris
[NASA-CASE-LAR-10511-1] c 09 N72-29172
Apparatus for measuring a sorbate dispersed in a fluid stream
[NASA-CASE-ARC-10896-1] c 35 N78-19465
Vivonex Corp., Mountain View, Calif.
Amino acid analysis
[NASA-CASE-NPO-12130-1] c 25 N75-14844
Vought Corp., Hampton, Va.
Mechanical end joint system for structural column elements
[NASA-CASE-LAR-12482-1] c 37 N82-32732


W

Weber Aircraft Corp., Burbank, Calif.
Articulated multiple couch assembly Patent
[NASA-CASE-MSC-11253] c 05 N71-12343
Device for separating occupant from an ejection seat Patent
[NASA-CASE-XMS-04625] c 05 N71-20718
Collapsible Apollo couch
[NASA-CASE-MSC-13140] c 05 N72-11085
Westinghouse Electric Corp., Baltimore, Md.
Broadband choke for antenna structure
[NASA-CASE-XMS-05303] c 07 N69-27462
Electronic background suppression method and apparatus for a field scanning sensor
[NASA-CASE-XGS-05211] c 07 N69-39980
Solid-state current transformer
[NASA-CASE-MFS-22560-1] c 33 N77-14335
Time delay and integration detectors using charge transfer devices
[NASA-CASE-GSC-12324-1] c 33 N81-33403
Westinghouse Electric Corp., Huntsville, Ala.
Solid state television camera system Patent
[NASA-CASE-XMF-06092] c 07 N71-24612
Phototransistor
[NASA-CASE-MFS-20407] c 09 N73-19235
Westinghouse Electric Corp., Lima, Ohio.
Transistor drive regulator Patent
[NASA-CASE-LEW-10233] c 10 N71-27126
Westinghouse Electric Corp., Pittsburgh, Pa.
Linear sawtooth voltage-wave generator employing transistor timing circuit having capacitor-zener diode combination feedback Patent
[NASA-CASE-XMS-01315] c 09 N70-41675
Thermal conductive connection and method of making same Patent
[NASA-CASE-XMS-02087] c 09 N70-41717
Gas cooled high temperature thermocouple Patent
[NASA-CASE-XLE-09475-1] c 33 N71-15568
High resolution developing of photosensitive resists Patent
[NASA-CASE-XGS-04993] c 14 N71-17574
Regulated power supply Patent
[NASA-CASE-XMS-01991] c 09 N71-21449
Pulse modulator providing fast rise and fall times Patent
[NASA-CASE-XMS-04919] c 09 N71-23270
Extended area semiconductor radiation detectors and a novel readout arrangement Patent
[NASA-CASE-XGS-03230] c 14 N71-23401
Frequency shift keying apparatus Patent
[NASA-CASE-XGS-01537] c 07 N71-23405
Phase locked phase modulator including a voltage controlled oscillator Patent
[NASA-CASE-XNP-05382] c 10 N71-23544
Bearing and gimbal lock mechanism and spiral flex lead module Patent
[NASA-CASE-GSC-10556-1] c 31 N71-26537
Multiple slope sweep generator Patent
[NASA-CASE-XMS-03542] c 09 N71-28926
Self-adjusting multisegment, deployable, natural circulation radiator Patent
[NASA-CASE-XHQ-03673] c 33 N71-29046
Thermally cascaded thermoelectric generator
[NASA-CASE-NPO-10753] c 03 N72-26031
Phototransistor imaging system
[NASA-CASE-MFS-20809] c 23 N73-13660
Demodulator for carrier transducers
[NASA-CASE-NUC-10107-1] c 33 N74-17930
Heat transfer device
[NASA-CASE-NPO-11120-1] c 34 N74-18552
Amplitude steered array
[NASA-CASE-GSC-11446-1] c 33 N74-20860
Glass-to-metal seals comprising relatively high expansion metals
[NASA-CASE-LEW-10698-1] c 37 N74-21063
Millimeter wave pumped parametric amplifier
[NASA-CASE-GSC-11617-1] c 33 N74-32660
Method of forming a wick for a heat pipe
[NASA-CASE-NPO-13391-1] c 34 N76-27515
Magnifying image intensifier
[NASA-CASE-GSC-12010-1] c 74 N78-18905
Westinghouse Electric Corp., Trafford, Pa.
Sodium storage and injection system
[NASA-CASE-NPO-14384-1] c 37 N80-10494
Method of producing silicon
[NASA-CASE-NPO-14382-1] c 31 N80-18231
Weston Instruments, Inc., College Park, Md.
Electronically resettable fuse Patent
[NASA-CASE-XGS-11177] c 09 N71-27001
Whirlpool Corp., St. Joseph, Mich.
Relief container
[NASA-CASE-XMS-06761] c 05 N69-23192
Fluid sample collector Patent
[NASA-CASE-XMS-06767-1] c 14 N71-20435
Whittaker Corp., Los Angeles, Calif.
Polyurethanes of fluorine containing polycarbonates
[NASA-CASE-MFS-10512] c 06 N73-30099
Polyurethanes from fluoroalkyl propyleneglycol polyethers
[NASA-CASE-MFS-10506] c 06 N73-30100
Fluorohydroxy ethers
[NASA-CASE-MFS-10507] c 06 N73-30101
Highly fluorinated polymers
[NASA-CASE-MFS-11492] c 06 N73-30102
Fluorine containing polyurethane
[NASA-CASE-MFS-10509] c 06 N73-30103
Fluorine-containing polyformals
[NASA-CASE-XMF-06900-1] c 27 N79-21191
Whittaker Corp., San Diego, Calif.
Reinforced polyquinoxaline gasket and method of preparing the same
[NASA-CASE-MFS-21364-1] c 37 N74-18126
Polymeric foams from cross-linkable poly-n-arylenebenzimidazoles
[NASA-CASE-ARC-11008-1] c 27 N78-31232
Wisconsin Univ., Madison.
Coaxial anode wire for gas radiation counters
[NASA-CASE-GSC-11492-1] c 35 N74-26949
Method and system for in vivo measurement of bone tissue using a two level energy source
[NASA-CASE-MSC-14276-1] c 52 N77-14737

Y

Youngstown State Univ., Ohio.
Instrumentation for measurement of aircraft noise and sonic boom
[NASA-CASE-LAR-11173-1] c 35 N75-19614

Typical Contract Number Index Listing




Listings in this index are arranged alpha-numerically by contract number. Under each contract number, the accession numbers denoting documents that have been produced as a result of research done under that contract are arranged in ascending accession number order. The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located.

JPL-950596	c 15	N69-23185
JPL-950850	c 09	N69-24329
JPL-951531	c 09	N69-21926
NASA-ORDER L-79510-B	c 25	N86-32540
NASA-ORDER L-83135-B	c 25	N86-32540
NASW-1233	c 06	N72-10138
NASW-4004	c 24	N85-25436
NAS1-17993	c 25	N86-32540
NAS1-2593	c 11	N69-24321
NAS12-2135	c 09	N72-20206
NAS12-514	c 14	N71-34389
NAS2-10334	c 27	N82-33523
NAS3-2510	c 10	N69-39888
NAS3-3232	c 14	N69-24331
NAS4-1403	c 14	N70-35587
NAS5-10260	c 06	N72-21105
NAS5-519	c 23	N69-24332
NAS7-100	c 15	N69-23185
	c 15	N69-23190
	c 15	N69-24319
	c 09	N69-24329
	c 09	N69-24333
	c 06	N69-31244
	c 07	N69-39736
	c 18	N69-39895
	c 09	N69-39929
	c 15	N69-39935
	c 06	N69-39936
	c 14	N69-39937
	c 03	N70-34646
	c 08	N70-34675
	c 14	N70-34697
	c 15	N70-34699
	c 03	N71-34044
	c 07	N72-20154
	c 09	N73-12214
	c 15	N73-12495
	c 37	N76-16446
	c 35	N78-18395
	c 32	N79-19195
	c 27	N80-16163
	c 32	N80-16261
	c 35	N80-18364
	c 37	N82-11469
	c 35	N82-25484
	c 71	N82-27086
	c 25	N83-24572
	c 76	N84-12968
	c 43	N84-23012
	c 36	N84-25037
	c 76	N85-30922
	c 33	N86-20681
	c 37	N86-20801
	c 31	N88-24815
NAS7-150	c 03	N69-21337
NAS7-603	c 06	N70-11251
	c 06	N70-11252
NAS7-746	c 06	N72-27151
NAS7-918	c 34	N85-29182
	c 76	N85-30934
	c 60	N86-23283
	c 60	N86-24224
	c 76	N86-25269
	c 74	N86-33138
	c 33	N87-10231
	c 37	N87-14704
	c 31	N87-15327
	c 32	N87-15390
	c 33	N87-15413
	c 62	N87-19021
	c 29	N87-25489
	c 62	N87-25803
	c 76	N87-25868
	c 33	N87-27926
	c 31	N88-23917
	c 32	N88-23924
	c 33	N88-23937
	c 34	N88-23946
	c 74	N88-24508
	c 31	N88-24814
	c 31	N88-24818
	c 32	N88-24846
	c 33	N88-24863
	c 33	N88-24864
	c 35	N88-24943
	c 35	N88-24944
	c 37	N88-24973
	c 72	N88-25281
	c 74	N88-25301
	c 74	N88-25304
	c 74	N88-25305
	c 76	N88-25358
	c 32	N88-26541
	c 17	N88-27220
	c 33	N88-29095
	c 32	N88-30001
NAS8-11561	c 09	N69-39734
NAS8-34872	c 35	N86-26598
NAS9-10963	c 05	N72-15098

NASA PATENT ABSTRACTS BIBLIOGRAPHY
Section 2

JANUARY 1989

Typical Number Index Listing



Listings in this index are arranged alpha-numerically by "patent" number. The subject category number indicates the category in Section 1 (Abstracts) in which the citation is located. The NASA accession number denotes the number by which the citation is identified within the subject category. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

NAS 1.15:76884 ..... c 24 N85-25436 * #
NAS 1.71:ARC-11349-1 ..... c 37 N86-20797 * #
NAS 1.71:ARC-11368-2 ..... c 27 N85-21347 *
NAS 1.71:ARC-11423-1 ..... c 03 N84-33394 *
NAS 1.71:ARC-11510-1 ..... c 35 N86-32697 *
NAS 1.71:ARC-11536-1 ..... c 33 N85-30202 * #
NAS 1.71:ARC-11641-1 ..... c 24 N88-18628 *
NAS 1.71:ARC-11652-1 ..... c 27 N87-23737 * #
NAS 1.71:GSC-12558-1 ..... c 36 N85-21639 *
NAS 1.71:GSC-12582-2 ..... c 37 N85-20337 *
NAS 1.71:GSC-12682-1 ..... c 35 N84-33765 *
NAS 1.71:GSC-12789-1 ..... c 35 N85-20294 *
NAS 1.71:GSC-12799-1 ..... c 31 N85-21404 *
NAS 1.71:GSC-12808-1 ..... c 25 N85-21279 *
NAS 1.71:GSC-12892-1 ..... c 32 N85-20226 * #
NAS 1.71:GSC-12944-1 ..... c 52 N86-19885 * #
NAS 1.71:GSC-13112-1 ..... c 31 N88-29050 * #
NAS 1.71:KSC-11218-1 ..... c 09 N85-19990 *
NAS 1.71:KSC-11304-2 ..... c 28 N86-23744 * #
NAS 1.71:LAR-12588-1 ..... c 34 N85-21568 *
NAS 1.71:LAR-12723-1 ..... c 27 N85-20123 *
NAS 1.71:LAR-12775-2 ..... c 27 N85-21349 *
NAS 1.71:LAR-12787-2 ..... c 08 N85-19985 *
NAS 1.71:LAR-12858-2 ..... c 27 N85-20124 *
NAS 1.71:LAR-12868-1 ..... c 37 N85-21651 *
NAS 1.71:LAR-12884 ..... c 18 N84-33450 *
NAS 1.71:LAR-12894-1 ..... c 27 N85-20125 *
NAS 1.71:LAR-12979-1 ..... c 05 N85-21147 *
NAS 1.71:LAR-13014-1 ..... c 09 N85-21178 *
NAS 1.71:LAR-13065-1 ..... c 35 N85-20295 *
NAS 1.71:LAR-13215-1 ..... c 02 N87-14282 * #
NAS 1.71:LAR-13230-1 ..... c 24 N84-34571 *
NAS 1.71:LAR-13233-1 ..... c 05 N84-33400 * #
NAS 1.71:LAR-13256-1 ..... c 36 N86-29204 *
NAS 1.71:LAR-13257-1 ..... c 25 N84-32447 * #
NAS 1.71:LAR-13292-1 ..... c 27 N86-24841 * #
NAS 1.71:LAR-13322-1 ..... c 04 N88-24620 * #
NAS 1.71:LAR-13387-1 ..... c 74 N88-25302 * #
NAS 1.71:LAR-13447-1 ..... c 27 N88-18725 *
NAS 1.71:LAR-13448-1 ..... c 27 N86-24840 * #
NAS 1.71:LAR-13486-1 ..... c 16 N87-29582 * #
NAS 1.71:LAR-13490-1 ..... c 18 N87-14413 * #
NAS 1.71:LAR-13508-1 ..... c 35 N88-23962 * #
NAS 1.71:LAR-13519-1 ..... c 35 N88-23963 * #
NAS 1.71:LAR-13532-1 ..... c 34 N86-26575 * #
NAS 1.71:LAR-13542 ..... c 25 N86-32540 * #
NAS 1.71:LAR-13552-1-CU ..... c 33 N87-18761 * #
NAS 1.71:LAR-13555-1 ..... c 23 N86-32526 * #
NAS 1.71:LAR-13562-1 ..... c 24 N87-18613 * #
NAS 1.71:LAR-13607-1-CU ..... c 29 N88-29048 * #
NAS 1.71:LAR-13613-1-SB ..... c 74 N87-24984 * #
NAS 1.71:LAR-13632-1 ..... c 26 N87-29650 * #
NAS 1.71:LAR-13633-1 ..... c 27 N87-24575 * #
NAS 1.71:LAR-13638-1 ..... c 31 N88-29051 * #
NAS 1.71:LAR-13678-1 ..... c 76 N88-25355 * #
NAS 1.71:LAR-13689-1 ..... c 35 N87-23941 * #
NAS 1.71:LAR-13705-1 ..... c 39 N88-25011 * #
NAS 1.71:LAR-13710-1 ..... c 35 N88-29145 * #
NAS 1.71:LAR-13724-1 ..... c 38 N88-23983 * #
NAS 1.71:LAR-13729-1 ..... c 37 N88-24970 * #
NAS 1.71:LAR-13738-1 ..... c 18 N87-29586 * #
NAS 1.71:LAR-13740-1 ..... c 35 N88-30105 * #
NAS 1.71:LAR-13747-1 ..... c 32 N88-24845 * #
NAS 1.71:LAR-13773-1 ..... c 20 N88-24685 * #
NAS 1.71:LAR-13777-1 ..... c 05 N88-29789 * #
NAS 1.71:LAR-13794-1 ..... c 35 N88-24942 * #
NAS 1.71:LAR-13814-1 ..... c 31 N88-24816 * #
NAS 1.71:LAR-13817-1 ..... c 26 N88-29012 * #
NAS 1.71:LAR-13853-1 ..... c 35 N88-23961 * #
NAS 1.71:LAR-13854-1-CU ..... c 04 N88-24621 * #
NAS 1.71:LAR-13889-1 ..... c 39 N88-30160 * #
NAS 1.71:LAR-13898-1 ..... c 37 N88-30130 * #
NAS 1.71:LAR-13924-1-CU ..... c 26 N88-24753 * #
NAS 1.71:LAR-13952-1-SB ..... c 34 N88-24910 * #
NAS 1.71:LAR-13983-1 ..... c 05 N88-24628 * #
NAS 1.71:LEW-12995-1 ..... c 37 N84-33808 *
NAS 1.71:LEW-13324-2 ..... c 24 N85-21266 *
NAS 1.71:LEW-13414-1 ..... c 44 N85-20530 *
NAS 1.71:LEW-13495-1 ..... c 33 N84-33663 *
NAS 1.71:LEW-13524-1 ..... c 07 N84-33410 *
NAS 1.71:LEW-13639-1 ..... c 26 N84-33555 *
NAS 1.71:LEW-13770-3 ..... c 27 N85-21350 *
NAS 1.71:LEW-13770-4 ..... c 27 N85-21351 *
NAS 1.71:LEW-13770-5 ..... c 27 N85-21352 *
NAS 1.71:LEW-13827-1 ..... c 44 N85-21768 *
NAS 1.71:LEW-13833-1 ..... c 33 N85-21492 *
NAS 1.71:LEW-13837-2 ..... c 24 N85-21267 *
NAS 1.71:LEW-13881-1 ..... c 20 N85-21256 *
NAS 1.71:LEW-14080-1 ..... c 31 N85-20153 *
NAS 1.71:LEW-14127-1 ..... c 33 N86-20680 * #
NAS 1.71:LEW-14203-1 ..... c 27 N88-29984 * #
NAS 1.71:LEW-14338-1 ..... c 20 N87-10174 * #
NAS 1.71:LEW-14346-1 ..... c 23 N87-14433 *
NAS 1.71:LEW-14392-2 ..... c 27 N87-27810 * #
NAS 1.71:LEW-14520-1 ..... c 33 N88-23936 * #
NAS 1.71:LEW-14698-1 ..... c 24 N88-29888 * #
NAS 1.71:MFS-25302-2 ..... c 33 N84-33660 *
NAS 1.71:MFS-25637-1 ..... c 44 N85-21769 *
NAS 1.71:MFS-25717-1 ..... c 35 N84-33768 *
NAS 1.71:MFS-25721-1 ..... c 25 N85-21280 *
NAS 1.71:MFS-25852-1 ..... c 33 N84-33661 *
NAS 1.71:MFS-25861-1 ..... c 33 N85-22877 *
NAS 1.71:MFS-25862-1 ..... c 27 N85-20126 *
NAS 1.71:MFS-25862-2 ..... c 37 N84-33807 *
NAS 1.71:MFS-25962-1 ..... c 09 N84-32398 * #
NAS 1.71:MFS-26002-1-CU ..... c 35 N86-26598 * #
NAS 1.71:MFS-28008-1 ..... c 35 N85-20300 * #
NAS 1.71:MFS-28013-1 ..... c 89 N86-22459 * #
NAS 1.71:MFS-28139-1 ..... c 29 N87-18679 * #
NAS 1.71:MFS-28153-1 ..... c 31 N86-32589 * #
NAS 1.71:MFS-28161-1 ..... c 37 N87-18817 * #
NAS 1.71:MFS-28182-1 ..... c 76 N88-25357 * #
NAS 1.71:MFS-28206-1-SB ..... c 76 N88-25356 * #
NAS 1.71:MFS-28242-1 ..... c 35 N88-23960 * #
NAS 1.71:MFS-28248-1 ..... c 31 N88-24817 * #
NAS 1.71:MFS-28253-1 ..... c 37 N88-24971 * #
NAS 1.71:MFS-28273-1 ..... c 37 N88-23974 * #
NAS 1.71:MFS-28281-1 ..... c 09 N88-28938 * #
NAS 1.71:MFS-28282-1 ..... c 76 N88-29602 * #
NAS 1.71:MFS-28287-1 ..... c 35 N88-23959 * #
NAS 1.71:MFS-29149-1 ..... c 33 N87-29737 * #
NAS 1.71:MFS-29260-1 ..... c 37 N88-24972 * #
NAS 1.71:MFS-29348-1 ..... c 74 N88-25303 * #
NAS 1.71:MSC-18578-1 ..... c 32 N85-21427 *
NAS 1.71:MSC-18808-1 ..... c 32 N88-23923 * #
NAS 1.71:MSC-20112-1 ..... c 37 N85-20338 *
NAS 1.71:MSC-20275-1 ..... c 35 N85-21595 *
NAS 1.71:MSC-20319-1 ..... c 37 N85-21649 *
NAS 1.71:MSC-20761-1 ..... c 37 N87-15465 * #
NAS 1.71:MSC-20783-1 ..... c 35 N86-20756 * #
NAS 1.71:MSC-20865-1 ..... c 32 N87-18692 * #
NAS 1.71:MSC-20907-1 ..... c 37 N87-18818 * #
NAS 1.71:MSC-20964-1 ..... c 60 N87-14863 * #
NAS 1.71:MSC-21082-1 ..... c 27 N87-29672 * #
NAS 1.71:MSC-21094-1 ..... c 35 N88-24941 * #
NAS 1.71:MSC-21170-1 ..... c 17 N88-24662 * #
NAS 1.71:MSC-21171-1 ..... c 37 N88-23973 * #
NAS 1.71:MSC-21299-1 ..... c 20 N88-24684 * #
NAS 1.71:MSC-21330-1 ..... c 16 N88-24660 * #
NAS 1.71:MSC-21354-1 ..... c 37 N88-24969 * #
NAS 1.71:MSC-21356-1 ..... c 18 N88-24671 * #
NAS 1.71:NPO-13556-1 ..... c 35 N84-33766 *
NAS 1.71:NPO-15155-1 ..... c 74 N85-22139 *
NAS 1.71:NPO-15295-1 ..... c 60 N85-21992 *
NAS 1.71:NPO-15341-1 ..... c 35 N84-33769 *
NAS 1.71:NPO-15430-1 ..... c 46 N85-21846 *
NAS 1.71:NPO-15433-1 ..... c 32 N85-21428 *
NAS 1.71:NPO-15466-1 ..... c 71 N85-22104 *
NAS 1.71:NPO-15483-1 ..... c 37 N85-21650 *
NAS 1.71:NPO-15493-2 ..... c 35 N85-34373 *
NAS 1.71:NPO-15494-2 ..... c 35 N85-34373 *
NAS 1.71:NPO-15519-1 ..... c 32 N84-34651 *
NAS 1.71:NPO-15558-1 ..... c 35 N84-34705 *
NAS 1.71:NPO-15560-1 ..... c 33 N85-21491 *
NAS 1.71:NPO-15609-2 ..... c 31 N88-24815 * #
NAS 1.71:NPO-15644-1 ..... c 35 N84-33767 *
NAS 1.71:NPO-15651-1 ..... c 43 N85-21723 *
NAS 1.71:NPO-15753-1 ..... c 27 N84-33589 *
NAS 1.71:NPO-15759-1 ..... c 35 N85-21596 *
NAS 1.71:NPO-15790-1 ..... c 36 N85-21631 *
NAS 1.71:NPO-15801-1 ..... c 74 N85-23396 *
NAS 1.71:NPO-15808-1 ..... c 44 N84-34792 *
NAS 1.71:NPO-15851-1 ..... c 37 N85-21652 *
NAS 1.71:NPO-15920-1 ..... c 33 N85-21493 *
NAS 1.71:NPO-16022-1 ..... c 71 N85-22105 *
NAS 1.71:NPO-16027-1 ..... c 35 N85-21597 *
NAS 1.71:NPO-16233-1 ..... c 37 N86-20801 * #
NAS 1.71:NPO-16306-1-CU ..... c 76 N85-30934 * #
NAS 1.71:NPO-16420-1 ..... c 33 N86-20681 * #
NAS 1.71:NPO-16461-1CU ..... c 60 N86-23283 * #
NAS 1.71:NPO-16464-1CU ..... c 60 N86-24224 * #
NAS 1.71:NPO-16494-1-CU ..... c 34 N85-29182 * #
NAS 1.71:NPO-16584-1-CU ..... c 76 N86-25269 * #
NAS 1.71:NPO-16632-1-CU ..... c 32 N87-15390 * #
NAS 1.71:NPO-16784-1 ..... c 33 N87-10231 * #
NAS 1.71:NPO-16789-1-CU ..... c 72 N88-25281 * #
NAS 1.71:NPO-16869 ..... c 74 N86-33138 * #
NAS 1.71:NPO-16882-1-CU ..... c 33 N88-24863 * #
NAS 1.71:NPO-16888-1-CU ..... c 33 N88-23937 * #
NAS 1.71:NPO-16892-1-CU ..... c 37 N87-14704 * #
NAS 1.71:NPO-16901-1-CU ..... c 31 N87-15327 * #
NAS 1.71:NPO-16932-1 ..... c 33 N87-15413 * #
NAS 1.71:NPO-16949-1-CU ..... c 62 N87-19021 * #
NAS 1.71:NPO-16985-1-CU ..... c 31 N88-24814 * #
NAS 1.71:NPO-16987-1-CU ..... c 32 N88-30001 * #
NAS 1.71:NPO-17024-1-CU ..... c 35 N88-24943 * #
NAS 1.71:NPO-17108-1-CU ..... c 33 N87-27926 * #
NAS 1.71:NPO-17134-1-CU ..... c 33 N88-24864 * #
NAS 1.71:NPO-17139-1-CU ..... c 74 N88-25301 * #
NAS 1.71:NPO-17140-1-CU ..... c 74 N88-24508 * #
NAS 1.71:NPO-17144-1-CU ..... c 74 N88-25305 * #
NAS 1.71:NPO-17184-1-CU ..... c 32 N88-26541 * #
NAS 1.71:NPO-17207-1-CU ..... c 74 N88-25304 * #
NAS 1.71:NPO-17233-1-CU ..... c 33 N88-29095 * #
NAS 1.71:NPO-17249-1-CU ..... c 32 N88-23924 * #
NAS 1.71:NPO-17259-1-CU ..... c 76 N88-25358 * #
NAS 1.71:NPO-17278-1-CU ..... c 31 N88-24818 * #
NAS 1.71:NPO-17280-1-CU ..... c 17 N88-27220 * #
NAS 1.71:NPO-17291-1-CU ..... c 34 N88-23946 * #
NAS 1.71:NPO-17310-1-CU ..... c 17 N88-28946 * #
NAS 1.71:NPO-17325-1-CU ..... c 32 N88-24846 * #
NAS 1.71:NPO-17334-1-CU ..... c 31 N88-23917 * #
NAS 1.71:NPO-17354-1-CU ..... c 37 N88-24973 * #
NAS 1.71:NPO-17390-1-CU ..... c 35 N88-24944 * #
NAS 1.71:WLP-10055-2 ..... c 35 N85-21598 *

NASA-CASE-ARC-10003-1 ..... c 09 N71-25866 *
NASA-CASE-ARC-10009-1 ..... c 15 N71-17822 *
NASA-CASE-ARC-10017-1 ..... c 14 N72-29464 *
NASA-CASE-ARC-10020 ..... c 10 N72-17172 *
NASA-CASE-ARC-10030 ..... c 09 N71-12521 *
NASA-CASE-ARC-10042-2 ..... c 10 N72-11256 *
NASA-CASE-ARC-10043-1 ..... c 05 N71-11193 *
NASA-CASE-ARC-10050 ..... c 03 N71-33409 *
NASA-CASE-ARC-10097-2 ..... c 07 N73-25160 *
NASA-CASE-ARC-10098-1 ..... c 06 N71-24739 *
NASA-CASE-ARC-10099-1 ..... c 18 N71-15469 *
NASA-CASE-ARC-10100-1 ..... c 05 N71-24738 *
NASA-CASE-ARC-10101-1 ..... c 09 N71-33109 *

NASA-CASE-ARC-10105 ..... c 09 N72-17153 *
NASA-CASE-ARC-10106-1 ..... c 28 N72-22769 *
NASA-CASE-ARC-10131-1 ..... c 15 N71-27754 *
NASA-CASE-ARC-10132-1 ..... c 09 N71-24597 *
NASA-CASE-ARC-10134 ..... c 30 N72-17873 *
NASA-CASE-ARC-10136-1 ..... c 09 N72-22202 *
NASA-CASE-ARC-10137-1 ..... c 09 N71-28468 *
NASA-CASE-ARC-10138-1 ..... c 14 N72-24477 *
NASA-CASE-ARC-10140-1 ..... c 15 N71-17653 *
NASA-CASE-ARC-10153 ..... c 05 N71-28619 *
NASA-CASE-ARC-10154-1 ..... c 14 N72-22440 *
NASA-CASE-ARC-10160-1 ..... c 23 N72-27728 *
NASA-CASE-ARC-10176-1 ..... c 15 N72-21464 *
NASA-CASE-ARC-10178-1 ..... c 09 N72-17152 *
NASA-CASE-ARC-10179-1 ..... c 21 N72-22619 *
NASA-CASE-ARC-10180-1 ..... c 27 N74-12814 *
NASA-CASE-ARC-10192 ..... c 09 N72-21245 *
NASA-CASE-ARC-10194-1 ..... c 23 N73-20741 *
NASA-CASE-ARC-10196-1 ..... c 18 N73-13562 *
NASA-CASE-ARC-10197-1 ..... c 33 N74-17929 *
NASA-CASE-ARC-10198 ..... c 34 N78-17336 *
NASA-CASE-ARC-10199 ..... c 34 N78-17337 *
NASA-CASE-ARC-10263-1 ..... c 14 N72-22438 *
NASA-CASE-ARC-10264-1 ..... c 09 N73-20231 *
NASA-CASE-ARC-10265-1 ..... c 10 N72-28240 *
NASA-CASE-ARC-10266-1 ..... c 33 N75-29318 *
NASA-CASE-ARC-10269-1 ..... c 10 N72-16172 *
NASA-CASE-ARC-10275-1 ..... c 05 N72-22092 *
NASA-CASE-ARC-10278-1 ..... c 14 N73-25463 *
NASA-CASE-ARC-10302-1 ..... c 51 N74-15778 *
NASA-CASE-ARC-10304-1 ..... c 18 N73-26572 *
NASA-CASE-ARC-10304-2 ..... c 27 N74-27037 *
NASA-CASE-ARC-10308-1 ..... c 06 N72-31141 *
NASA-CASE-ARC-10322-1 ..... c 35 N76-18403 *
NASA-CASE-ARC-10325 ..... c 06 N72-25147 *
NASA-CASE-ARC-10329-1 ..... c 05 N73-26072 *
NASA-CASE-ARC-10330-1 ..... c 09 N73-32112 *
NASA-CASE-ARC-10344-2 ..... c 35 N75-26334 *
NASA-CASE-ARC-10345-1 ..... c 15 N73-12488 *
NASA-CASE-ARC-10348-1 ..... c 33 N75-19518 *
NASA-CASE-ARC-10362-1 ..... c 14 N73-32326 *
NASA-CASE-ARC-10364-2 ..... c 33 N75-25041 *
NASA-CASE-ARC-10364-3 ..... c 33 N75-19520 *
NASA-CASE-ARC-10370-1 ..... c 36 N75-31426 *
NASA-CASE-ARC-10441-1 ..... c 35 N74-15126 *
NASA-CASE-ARC-10442-1 ..... c 35 N74-15093 *
NASA-CASE-ARC-10443-1 ..... c 14 N73-20477 *
NASA-CASE-ARC-10444-1 ..... c 16 N73-33397 *
NASA-CASE-ARC-10445-1 ..... c 31 N76-31365 *
NASA-CASE-ARC-10447-1 ..... c 52 N74-22771 *
NASA-CASE-ARC-10448-2 ..... c 74 N75-12732 *
NASA-CASE-ARC-10448-3 ..... c 35 N77-14408 *
NASA-CASE-ARC-10456-1 ..... c 05 N75-12930 *
NASA-CASE-ARC-10461-1 ..... c 44 N74-33379 *
NASA-CASE-ARC-10462-1 ..... c 37 N74-27901 *
NASA-CASE-ARC-10463-1 ..... c 09 N73-32111 *
NASA-CASE-ARC-10464-1 ..... c 27 N74-12812 *
NASA-CASE-ARC-10466-1 ..... c 60 N75-13539 *
NASA-CASE-ARC-10467-1 ..... c 09 N73-14214 *
NASA-CASE-ARC-10468-1 ..... c 14 N73-33361 *
NASA-CASE-ARC-10469-1 ..... c 25 N75-12086 *
NASA-CASE-ARC-10470-1 ..... c 02 N73-26005 *
NASA-CASE-ARC-10470-3 ..... c 05 N76-29217 *
NASA-CASE-ARC-10516-1 ..... c 70 N74-21300 *
NASA-CASE-ARC-10519-2 ..... c 05 N75-25915 *
NASA-CASE-ARC-10583-1 ..... c 52 N76-29894 *
NASA-CASE-ARC-10592-1 ..... c 27 N74-21156 *
NASA-CASE-ARC-10592-2 ..... c 27 N76-32315 *
NASA-CASE-ARC-10593-1 ..... c 33 N74-27682 *
NASA-CASE-ARC-10596-1 ..... c 33 N74-21851 *
NASA-CASE-ARC-10597-1 ..... c 52 N74-20726 *
NASA-CASE-ARC-10598-1 ..... c 75 N74-30156 *
NASA-CASE-ARC-10599-1 ..... c 05 N73-26071 *
NASA-CASE-ARC-10631-1 ..... c 74 N76-20958 *
NASA-CASE-ARC-10633-1 ..... c 25 N74-26947 *
NASA-CASE-ARC-10637-1 ..... c 35 N75-16783 *
NASA-CASE-ARC-10639-1 ..... c 35 N78-13400 *
NASA-CASE-ARC-10642-1 ..... c 36 N76-14447 *
NASA-CASE-ARC-10643-1 ..... c 25 N75-12087 *
NASA-CASE-ARC-10710-1 ..... c 09 N75-12969 *
NASA-CASE-ARC-10711-2 ..... c 33 N76-21390 *
NASA-CASE-ARC-10712-1 ..... c 07 N74-33218 *
NASA-CASE-ARC-10714-1 ..... c 27 N76-15310 *
NASA-CASE-ARC-10716-1 ..... c 35 N77-20399 *
NASA-CASE-ARC-10721-1 ..... c 27 N76-22376 *
NASA-CASE-ARC-10722-1 ..... c 51 N75-25503 *
NASA-CASE-ARC-10753-1 ..... c 54 N75-27760 *
NASA-CASE-ARC-10754-1 ..... c 07 N75-24736 *
NASA-CASE-ARC-10755-2 ..... c 34 N76-27517 *
NASA-CASE-ARC-10756-1 ..... c 54 N77-32721 *
NASA-CASE-ARC-10760-1 ..... c 25 N76-22323 *
NASA-CASE-ARC-10761-1 ..... c 07 N77-18154 *
NASA-CASE-ARC-10802-1 ..... c 35 N75-30502 *
NASA-CASE-ARC-10806-1 ..... c 35 N75-29381 *
NASA-CASE-ARC-10807-1 ..... c 05 N77-17029 *
NASA-CASE-ARC-10808-1 ..... c 09 N76-24280 *
NASA-CASE-ARC-10810-1 ..... c 33 N76-19339 *
NASA-CASE-ARC-10812-1 ..... c 07 N83-33884 *
NASA-CASE-ARC-10813-1 ..... c 27 N76-16230 *
NASA-CASE-ARC-10814-2 ..... c 07 N80-26298 *
NASA-CASE-ARC-10816-1 ..... c 35 N76-24525 *
NASA-CASE-ARC-10820-1 ..... c 35 N78-19466 *
NASA-CASE-ARC-10849-1 ..... c 17 N76-29347 *
NASA-CASE-ARC-10855-1 ..... c 52 N77-10780 *
NASA-CASE-ARC-10892-2 ..... c 27 N79-14214 *
NASA-CASE-ARC-10896-1 ..... c 35 N78-19465 *
NASA-CASE-ARC-10897-1 ..... c 33 N77-31404 *
NASA-CASE-ARC-10898-1 ..... c 35 N77-18417 *
NASA-CASE-ARC-10899-1 ..... c 60 N77-19760 *
NASA-CASE-ARC-10900-1 ..... c 35 N77-24454 *
NASA-CASE-ARC-10903-1 ..... c 09 N78-18083 *
NASA-CASE-ARC-10905-1 ..... c 37 N77-13418 *
NASA-CASE-ARC-10907-1 ..... c 37 N75-32465 * #
NASA-CASE-ARC-10911-1 ..... c 35 N77-20400 *
NASA-CASE-ARC-10912-1 ..... c 34 N77-19353 *
NASA-CASE-ARC-10913-1 ..... c 24 N78-15180 *
NASA-CASE-ARC-10915-2 ..... c 27 N79-18052 *
NASA-CASE-ARC-10916-1 ..... c 52 N78-10686 *
NASA-CASE-ARC-10917-1 ..... c 51 N78-27733 *
NASA-CASE-ARC-10932-1 ..... c 74 N76-22993 *
NASA-CASE-ARC-10970-1 ..... c 36 N77-25501 *
NASA-CASE-ARC-10974-1 ..... c 34 N77-27345 *
NASA-CASE-ARC-10975-1 ..... c 33 N79-15245 *
NASA-CASE-ARC-10976-1 ..... c 74 N77-22950 *
NASA-CASE-ARC-10977-1 ..... c 07 N80-32392 *
NASA-CASE-ARC-10979-1 ..... c 09 N77-19076 *
NASA-CASE-ARC-10980-1 ..... c 27 N80-23452 *
NASA-CASE-ARC-10981-1 ..... c 37 N78-27425 *
NASA-CASE-ARC-10984-1 ..... c 32 N77-24328 *
NASA-CASE-ARC-10985-1 ..... c 52 N79-10724 *
NASA-CASE-ARC-10990-1 ..... c 04 N82-16059 *
NASA-CASE-ARC-10991-1 ..... c 25 N78-14104 *
NASA-CASE-ARC-10992-1 ..... c 26 N78-32229 *
NASA-CASE-ARC-10994-1 ..... c 52 N76-33835 * #
NASA-CASE-ARC-10994-2 ..... c 52 N79-26771 *
NASA-CASE-ARC-11007-1 ..... c 52 N77-14736 *
NASA-CASE-ARC-11008-1 ..... c 27 N78-31232 *
NASA-CASE-ARC-11031-1 ..... c 52 N81-29763 *
NASA-CASE-ARC-11035-1 ..... c 52 N79-18580 *
NASA-CASE-ARC-11036-1 ..... c 35 N78-32395 *
NASA-CASE-ARC-11039-1 ..... c 74 N78-32854 *
NASA-CASE-ARC-11040-1 ..... c 24 N79-16915 *
NASA-CASE-ARC-11040-2 ..... c 24 N78-27184 * #
NASA-CASE-ARC-11042-1 ..... c 24 N78-14096 *
NASA-CASE-ARC-11043-1 ..... c 24 N78-27180 *
NASA-CASE-ARC-11045-1 ..... c 05 N79-17847 *
NASA-CASE-ARC-11046-1 ..... c 35 N78-14364 *
NASA-CASE-ARC-11051-1 ..... c 27 N78-32260 *
NASA-CASE-ARC-11052-1 ..... c 37 N79-28551 *
NASA-CASE-ARC-11053-1 ..... c 25 N79-10162 *
NASA-CASE-ARC-11057-1 ..... c 27 N78-31233 *
NASA-CASE-ARC-11058-1 ..... c 54 N78-31735 *
NASA-CASE-ARC-11058-2 ..... c 54 N79-24651 *
NASA-CASE-ARC-11059-1 ..... c 54 N78-32721 *
NASA-CASE-ARC-11060-1 ..... c 27 N79-22300 *
NASA-CASE-ARC-11097-1 ..... c 25 N82-24312 *
NASA-CASE-ARC-11100-1 ..... c 54 N78-31736 *
NASA-CASE-ARC-11101-1 ..... c 54 N78-17675 *
NASA-CASE-ARC-11104-1 ..... c 15 N79-26100 *
NASA-CASE-ARC-11106-1 ..... c 05 N80-14107 *
NASA-CASE-ARC-11107-1 ..... c 25 N80-16116 *
NASA-CASE-ARC-11110-1 ..... c 37 N82-24492 *
NASA-CASE-ARC-11114-1 ..... c 51 N81-14605 *
NASA-CASE-ARC-11116-1 ..... c 33 N82-24420 *
NASA-CASE-ARC-11117-1 ..... c 52 N81-14612 *
NASA-CASE-ARC-11118-1 ..... c 52 N81-29764 *
NASA-CASE-ARC-11118-2 ..... c 52 N81-14613 *
NASA-CASE-ARC-11120-1 ..... c 52 N80-18691 *
NASA-CASE-ARC-11121-1 ..... c 25 N79-14169 *
NASA-CASE-ARC-11154-1 ..... c 25 N80-23383 *
NASA-CASE-ARC-11157-1 ..... c 37 N80-18393 *
NASA-CASE-ARC-11158-1 ..... c 09 N82-24212 *
NASA-CASE-ARC-11164-1 ..... c 44 N83-34448 *
NASA-CASE-ARC-11167-1 ..... c 52 N81-25662 *
NASA-CASE-ARC-11169-1 ..... c 24 N79-24062 *
NASA-CASE-ARC-11170-1 ..... c 27 N79-11215 * #
NASA-CASE-ARC-11174-1 ..... c 24 N81-13999 *
NASA-CASE-ARC-11176-1 ..... c 27 N82-18389 *
NASA-CASE-ARC-11176-2 ..... c 27 N81-27271 *
NASA-CASE-ARC-11241-1 ..... c 25 N81-14016 *
NASA-CASE-ARC-11243-2 ..... c 23 N85-33187 *
NASA-CASE-ARC-11244-1 ..... c 23 N82-16174 *
NASA-CASE-ARC-11245-1 ..... c 28 N82-18401 *
NASA-CASE-ARC-11246-1 ..... c 31 N83-34073 *
NASA-CASE-ARC-11248-1 ..... c 27 N81-17259 *
NASA-CASE-ARC-11251-1 ..... c 37 N81-17433 *
NASA-CASE-ARC-11252-1 ..... c 25 N83-36118 *
NASA-CASE-ARC-11253-1 ..... c 27 N81-17262 *
NASA-CASE-ARC-11253-2 ..... c 27 N82-24338 *
NASA-CASE-ARC-11253-3 ..... c 27 N81-24256 *
NASA-CASE-ARC-11256-1 ..... c 15 N82-24272 *
NASA-CASE-ARC-11257-1 ..... c 04 N81-21047 *
NASA-CASE-ARC-11258-1 ..... c 52 N80-33081 * #
NASA-CASE-ARC-11261-1 ..... c 24 N83-25789 *
NASA-CASE-ARC-11264-2 ..... c 52 N83-29991 * #
NASA-CASE-ARC-11267-2 ..... c 23 N82-28353 *
NASA-CASE-ARC-11310-1 ..... c 27 N82-24339 *
NASA-CASE-ARC-11311-1 ..... c 74 N83-13978 *
NASA-CASE-ARC-11312-1 ..... c 36 N83-34304 *
NASA-CASE-ARC-11314-1 ..... c 54 N82-26987 *
NASA-CASE-ARC-11317-1 ..... c 35 N83-34272 *
NASA-CASE-ARC-11321-1 ..... c 27 N81-27272 *
NASA-CASE-ARC-11322-1 ..... c 51 N83-28849 *
NASA-CASE-ARC-11325-1 ..... c 37 N82-22496 * #
NASA-CASE-ARC-11326-1 ..... c 25 N83-33977 *
NASA-CASE-ARC-11349-1 ..... c 37 N86-20797 * #
NASA-CASE-ARC-11354-1 ..... c 74 N83-21949 *
NASA-CASE-ARC-11359-1 ..... c 51 N84-28361 *
NASA-CASE-ARC-11361-1 ..... c 35 N84-22934 *
NASA-CASE-ARC-11363-1 ..... c 31 N87-16918 *
NASA-CASE-ARC-11368-1 ..... c 27 N83-31854 *
NASA-CASE-ARC-11368-2 ..... c 27 N85-21347 *
NASA-CASE-ARC-11368-3 ..... c 27 N84-22745 *
NASA-CASE-ARC-11370-1 ..... c 27 N84-22750 *
NASA-CASE-ARC-11372-1 ..... c 08 N86-27288 *
NASA-CASE-ARC-11400-1 ..... c 27 N84-14322 *
NASA-CASE-ARC-11402-1 ..... c 27 N84-22744 *
NASA-CASE-ARC-11402-3 ..... c 23 N86-21582 *
NASA-CASE-ARC-11405-1 ..... c 27 N84-27884 *
NASA-CASE-ARC-11405-2 ..... c 27 N86-19455 *
NASA-CASE-ARC-11413-1 ..... c 27 N85-21348 *
NASA-CASE-ARC-11418-1 ..... c 24 N84-11213 *
NASA-CASE-ARC-11421-2 ..... c 27 N86-31726 * #
NASA-CASE-ARC-11421-3 ..... c 24 N86-25416 *
NASA-CASE-ARC-11422-1 ..... c 35 N86-20751 *
NASA-CASE-ARC-11423-1 ..... c 03 N84-33394 *
NASA-CASE-ARC-11424-1 ..... c 27 N85-34281 *
NASA-CASE-ARC-11425-2 ..... c 23 N87-28605 *
NASA-CASE-ARC-11426-1 ..... c 09 N84-12193 * #
NASA-CASE-ARC-11427-1 ..... c 24 N86-19380 *
NASA-CASE-ARC-11427-2 ..... c 27 N86-27451 *
NASA-CASE-ARC-11428-1 ..... c 23 N86-19376 *
NASA-CASE-ARC-11428-2 ..... c 27 N87-16909 *
NASA-CASE-ARC-11428-3 ..... c 23 N88-24692 *
NASA-CASE-ARC-11429-1-CU .... c 27 N86-20560 *
NASA-CASE-ARC-11429-2-CU .... c 27 N87-22845 *
NASA-CASE-ARC-11429-3CU ..... c 27 N87-16908 *
NASA-CASE-ARC-11429-4CU ..... c 27 N87-15304 *
NASA-CASE-ARC-11444-1 ..... c 05 N85-29947 *
NASA-CASE-ARC-11502-1 ..... c 74 N86-20125 *
NASA-CASE-ARC-11503-1 ..... c 35 N85-34374 *
NASA-CASE-ARC-11504-1 ..... c 09 N86-32447 *
NASA-CASE-ARC-11505-1 ..... c 18 N84-22612 * #
NASA-CASE-ARC-11506-2 ..... c 23 N86-32525 *
NASA-CASE-ARC-11510-1 ..... c 35 N86-32697 *
NASA-CASE-ARC-11511-2 ..... c 27 N87-21112 *
NASA-CASE-ARC-11512-2 ..... c 27 N86-32568 * #
NASA-CASE-ARC-11522-2 ..... c 27 N85-34280 *
NASA-CASE-ARC-11525-1 ..... c 37 N86-27629 *
NASA-CASE-ARC-11533-1 ..... c 27 N87-23751 *
NASA-CASE-ARC-11533-3 ..... c 27 N87-24564 *
NASA-CASE-ARC-11534-1 ..... c 54 N86-29507 * #
NASA-CASE-ARC-11536-1 ..... c 33 N85-30202 * #
NASA-CASE-ARC-11538-1SB ..... c 24 N86-21590 *
NASA-CASE-ARC-11543-1 ..... c 54 N86-28620 *
NASA-CASE-ARC-11547-1 ..... c 36 N87-17026 *
NASA-CASE-ARC-11548-1 ..... c 27 N87-25469 *
NASA-CASE-ARC-11610-1 ..... c 54 N86-28619 *
NASA-CASE-ARC-11611-1 ..... c 74 N87-28416 *
NASA-CASE-ARC-11613-1 ..... c 33 N87-28833 *
NASA-CASE-ARC-11615-1SB ..... c 24 N86-28131 *
NASA-CASE-ARC-11616-1 ..... c 54 N86-28618 *
NASA-CASE-ARC-11620-1 ..... c 37 N87-25573 *
NASA-CASE-ARC-11622-1 ..... c 44 N88-14492 *
NASA-CASE-ARC-11631-1 ..... c 34 N87-21255 *
NASA-CASE-ARC-11633-1 ..... c 08 N87-23631 *
NASA-CASE-ARC-11634-1 ..... c 36 N88-14350 *
NASA-CASE-ARC-11636-1 ..... c 05 N88-28914 *
NASA-CASE-ARC-11641-1 ..... c 24 N88-18628 *
NASA-CASE-ARC-11643-1-SB ..... c 23 N87-23698 *
NASA-CASE-ARC-11646-1 ..... c 14 N87-25344 *
NASA-CASE-ARC-11649-1-SB ..... c 27 N88-29040 *
NASA-CASE-ARC-11652-1 ..... c 27 N87-23737 * #
NASA-CASE-ARC-14408-1 ..... c 27 N82-33523 * #

NASA-CASE-ERC-10001 ..... c 23 N71-24868 *
NASA-CASE-ERC-10011 ..... c 07 N71-29065 *
NASA-CASE-ERC-10013 ..... c 09 N71-26678 *
NASA-CASE-ERC-10014 ..... c 14 N71-28863 *
NASA-CASE-ERC-10015-2 ..... c 10 N72-27246 *
NASA-CASE-ERC-10017 ..... c 16 N71-15567 *
NASA-CASE-ERC-10019 ..... c 16 N71-15551 *
NASA-CASE-ERC-10020 ..... c 16 N71-26154 *
NASA-CASE-ERC-10022 ..... c 15 N71-26635 *
NASA-CASE-ERC-10031 ..... c 12 N71-18603 *
NASA-CASE-ERC-10032 ..... c 10 N71-25900 *
NASA-CASE-ERC-10033 ..... c 14 N71-26672 *
NASA-CASE-ERC-10034 ..... c 15 N71-24896 *

NASA-CASE-ERC-10041 ..... c 08 N71-29138 *
NASA-CASE-ERC-10044-1 ..... c 14 N71-27090 *
NASA-CASE-ERC-10045 ..... c 15 N71-24910 *
NASA-CASE-ERC-10046 ..... c 10 N71-18722 *
NASA-CASE-ERC-10048 ..... c 09 N72-25251 *
NASA-CASE-ERC-10065 ..... c 09 N71-27364 *
NASA-CASE-ERC-10072 ..... c 09 N70-11148 * #
NASA-CASE-ERC-10073-1 ..... c 24 N74-19769 *
NASA-CASE-ERC-10075-2 ..... c 09 N72-22196 *
NASA-CASE-ERC-10075 ..... c 09 N71-24800 *
NASA-CASE-ERC-10081 ..... c 14 N72-28437 *
NASA-CASE-ERC-10087-2 ..... c 14 N72-31446 *
NASA-CASE-ERC-10087 ..... c 14 N71-27334 *
NASA-CASE-ERC-10088 ..... c 26 N71-25490 *
NASA-CASE-ERC-10089 ..... c 23 N72-17747 *
NASA-CASE-ERC-10090 ..... c 21 N71-24948 *
NASA-CASE-ERC-10097 ..... c 15 N71-28465 *
NASA-CASE-ERC-10098 ..... c 09 N71-28618 *
NASA-CASE-ERC-10100 ..... c 09 N71-33519 *
NASA-CASE-ERC-10108 ..... c 06 N72-21094 *
NASA-CASE-ERC-10112 ..... c 07 N72-21119 *
NASA-CASE-ERC-10113 ..... c 09 N71-27053 *
NASA-CASE-ERC-10119 ..... c 26 N72-21701 *
NASA-CASE-ERC-10120 ..... c 26 N69-33482 * #
NASA-CASE-ERC-10125 ..... c 09 N71-24893 *
NASA-CASE-ERC-10138 ..... c 26 N71-14354 *
NASA-CASE-ERC-10139 ..... c 09 N72-17154 *
NASA-CASE-ERC-10150 ..... c 14 N71-28992 *
NASA-CASE-ERC-10151 ..... c 16 N71-29131 *
NASA-CASE-ERC-10174 ..... c 14 N72-25409 *
NASA-CASE-ERC-10178 ..... c 16 N71-24832 *
NASA-CASE-ERC-10179 ..... c 07 N72-20141 *
NASA-CASE-ERC-10180-1 ..... c 60 N74-20836 *
NASA-CASE-ERC-10187 ..... c 16 N69-31343 * #
NASA-CASE-ERC-10208 ..... c 15 N70-10867 * #
NASA-CASE-ERC-10214 ..... c 09 N72-31235 *
NASA-CASE-ERC-10222 ..... c 09 N72-22199 *
NASA-CASE-ERC-10224-2 ..... c 09 N73-27150 * #
NASA-CASE-ERC-10224 ..... c 09 N72-25261 *
NASA-CASE-ERC-10226-1 ..... c 14 N73-16483 *
NASA-CASE-ERC-10248 ..... c 14 N72-17323 *
NASA-CASE-ERC-10267 ..... c 09 N72-23173 *
NASA-CASE-ERC-10268 ..... c 09 N72-25252 *
NASA-CASE-ERC-10275 ..... c 26 N72-25680 *
NASA-CASE-ERC-10276 ..... c 14 N73-26432 *
NASA-CASE-ERC-10283 ..... c 16 N72-25485 *
NASA-CASE-ERC-10285 ..... c 10 N73-16206 *
NASA-CASE-ERC-10292 ..... c 14 N72-25410 *
NASA-CASE-ERC-10307 ..... c 08 N72-21198 *
NASA-CASE-ERC-10324 ..... c 07 N72-25173 *
NASA-CASE-ERC-10325 ..... c 15 N72-25457 *
NASA-CASE-ERC-10338 ..... c 04 N72-33072 *
NASA-CASE-ERC-10339-1 ..... c 18 N73-30532 *
NASA-CASE-ERC-10350 ..... c 14 N73-20474 *
NASA-CASE-ERC-10363 ..... c 18 N72-25541 *
NASA-CASE-ERC-10364 ..... c 18 N72-25540 *
NASA-CASE-ERC-10365-1 ..... c 31 N73-32749 *
NASA-CASE-ERC-10392 ..... c 21 N73-14692 *
NASA-CASE-ERC-10403-1 ..... c 10 N73-26228 *
NASA-CASE-ERC-10412-1 ..... c 09 N73-12211 *
NASA-CASE-ERC-10419-1 ..... c 03 N75-30132 *
NASA-CASE-ERC-10439 ..... c 02 N73-19004 *
NASA-CASE-ERC-10468 ..... c 09 N72-20206 * #
NASA-CASE-ERC-10552 ..... c 09 N71-12539 *
NASA-CASE-ERC-11020 ..... c 14 N71-26774 *

NASA-CASE-FRC-10005 ..... c 15 N71-26145 *
NASA-CASE-FRC-10010 ..... c 10 N71-24862 *
NASA-CASE-FRC-10012 ..... c 14 N72-17329 *
NASA-CASE-FRC-10019 ..... c 15 N73-12487 *
NASA-CASE-FRC-10022 ..... c 12 N71-26546 *
NASA-CASE-FRC-10029-2 ..... c 05 N72-25121 *
NASA-CASE-FRC-10029 ..... c 09 N71-24618 *
NASA-CASE-FRC-10036 ..... c 09 N72-22200 *
NASA-CASE-FRC-10038 ..... c 15 N72-20444 *
NASA-CASE-FRC-10049-1 ..... c 04 N74-13420 *
NASA-CASE-FRC-10051-1 ..... c 35 N74-13129 *
NASA-CASE-FRC-10053 ..... c 14 N70-35587 * #
NASA-CASE-FRC-10060-1 ..... c 14 N73-27379 *
NASA-CASE-FRC-10063 ..... c 01 N71-12217 * #
NASA-CASE-FRC-10071-1 ..... c 32 N74-20813 *
NASA-CASE-FRC-10072-1 ..... c 33 N74-14939 *
NASA-CASE-FRC-10081-1 ..... c 37 N77-14477 *
NASA-CASE-FRC-10090-1 ..... c 33 N78-18308 *
NASA-CASE-FRC-10092-1 ..... c 05 N79-12061 *
NASA-CASE-FRC-10093-1 ..... c 35 N80-20560 *
NASA-CASE-FRC-10111-1 ..... c 37 N79-10419 *
NASA-CASE-FRC-10112-1 ..... c 35 N81-26431 *
NASA-CASE-FRC-10113-1 ..... c 33 N80-26599 *
NASA-CASE-FRC-10116-1 ..... c 33 N79-23345 *
NASA-CASE-FRC-11005-1 ..... c 06 N82-16075 *
NASA-CASE-FRC-11007-2 ..... c 05 N82-26277 *
NASA-CASE-FRC-11009-1 ..... c 06 N80-18036 *
NASA-CASE-FRC-11012-1 ..... c 52 N80-23969 *
NASA-CASE-FRC-11013-1 ..... c 43 N81-17499 *
NASA-CASE-FRC-11014-1 ..... c 33 N82-18494 *
NASA-CASE-FRC-11024-1 ..... c 02 N80-28300 *
NASA-CASE-FRC-11025-1 ..... c 33 N82-24417 *
NASA-CASE-FRC-11026-1 ..... c 24 N82-24296 *
NASA-CASE-FRC-11029-1 ..... c 06 N81-17057 *
NASA-CASE-FRC-11041-1 ..... c 33 N82-18493 *
NASA-CASE-FRC-11042-1 ..... c 60 N82-24839 *
NASA-CASE-FRC-11043-1 ..... c 06 N83-33882 *
NASA-CASE-FRC-11044-1 ..... c 37 N81-33483 *
NASA-CASE-FRC-11052-1 ..... c 04 N82-23231 *
NASA-CASE-FRC-11055-1 ..... c 33 N80-29583 * #
NASA-CASE-FRC-11058-1 ..... c 85 N82-33288 *
NASA-CASE-FRC-11062-1 ..... c 71 N82-16800 *
NASA-CASE-FRC-11065-1 ..... c 05 N83-19737 *
NASA-CASE-FRC-11068-1 ..... c 35 N84-12443 *
NASA-CASE-FRC-11072-1 ..... c 05 N83-27975 *

NASA-CASE-GSC-10007 ..... c 18 N71-16046 *
NASA-CASE-GSC-10017-1 ..... c 44 N82-24643 *
NASA-CASE-GSC-10018-1 ..... c 44 N82-24644 *
NASA-CASE-GSC-10019-1 ..... c 44 N82-24641 *
NASA-CASE-GSC-10021-1 ..... c 09 N71-24595 *
NASA-CASE-GSC-10022-1 ..... c 10 N71-25882 *
NASA-CASE-GSC-10041-1 ..... c 10 N71-19418 *
NASA-CASE-GSC-10062 ..... c 14 N71-15605 *
NASA-CASE-GSC-10064-1 ..... c 10 N72-22235 *
NASA-CASE-GSC-10065-1 ..... c 10 N71-27136 *
NASA-CASE-GSC-10072 ..... c 18 N71-14014 *
NASA-CASE-GSC-10082-1 ..... c 10 N72-20221 *
NASA-CASE-GSC-10083-1 ..... c 30 N71-16090 *
NASA-CASE-GSC-10087-1 ..... c 02 N71-19287 *
NASA-CASE-GSC-10087-2 ..... c 21 N71-13958 *
NASA-CASE-GSC-10087-3 ..... c 07 N72-12080 *
NASA-CASE-GSC-10087-4 ..... c 07 N73-20174 *
NASA-CASE-GSC-10097-1 ..... c 08 N71-27210 *
NASA-CASE-GSC-10114-1 ..... c 10 N71-27366 *
NASA-CASE-GSC-10118-1 ..... c 07 N71-24621 *
NASA-CASE-GSC-10131-1 ..... c 07 N71-24624 *
NASA-CASE-GSC-10135 ..... c 33 N78-17296 *
NASA-CASE-GSC-10185-1 ..... c 07 N72-12081 *
NASA-CASE-GSC-10186 ..... c 08 N71-33110 *
NASA-CASE-GSC-10188-1 ..... c 23 N71-24725 *
NASA-CASE-GSC-10216-1 ..... c 23 N71-26722 *
NASA-CASE-GSC-10218-1 ..... c 15 N72-21465 *
NASA-CASE-GSC-10220-1 ..... c 07 N71-27233 *
NASA-CASE-GSC-10221-1 ..... c 09 N72-23171 *
NASA-CASE-GSC-10225-1 ..... c 06 N73-27086 *
NASA-CASE-GSC-10299-1 ..... c 09 N71-24804 *
NASA-CASE-GSC-10303 ..... c 15 N72-22487 *
NASA-CASE-GSC-10306-1 ..... c 15 N71-24694 *
NASA-CASE-GSC-10344-1 ..... c 03 N72-27053 *
NASA-CASE-GSC-10349-1 ..... c 44 N82-24645 *
NASA-CASE-GSC-10350-1 ..... c 44 N82-24642 *
NASA-CASE-GSC-10361-1 ..... c 18 N72-23581 *
NASA-CASE-GSC-10366-1 ..... c 10 N71-18772 *
NASA-CASE-GSC-10373-1 ..... c 07 N71-19773 *
NASA-CASE-GSC-10376-1 ..... c 14 N71-27407 *
NASA-CASE-GSC-10390-1 ..... c 07 N72-11149 *
NASA-CASE-GSC-10413 ..... c 10 N71-26531 *
NASA-CASE-GSC-10441-1 ..... c 14 N71-27325 *
NASA-CASE-GSC-10452 ..... c 07 N71-12396 *
NASA-CASE-GSC-10487-1 ..... c 03 N71-24719 *
NASA-CASE-GSC-10503-1 ..... c 14 N72-20381 *
NASA-CASE-GSC-10514-1 ..... c 14 N72-20379 *
NASA-CASE-GSC-10518-1 ..... c 15 N72-22489 *
NASA-CASE-GSC-10553-1 ..... c 07 N71-19854 *
NASA-CASE-GSC-10554-1 ..... c 08 N71-29033 *
NASA-CASE-GSC-10555-1 ..... c 21 N71-27324 *
NASA-CASE-GSC-10556-1 ..... c 31 N71-26537 *
NASA-CASE-GSC-10557-1 ..... c 31 N71-26537 *
NASA-CASE-GSC-10564 ..... c 10 N71-29135 *
NASA-CASE-GSC-10565-1 ..... c 06 N72-25149 *
NASA-CASE-GSC-10566-1 ..... c 15 N72-18477 *
NASA-CASE-GSC-10590-1 ..... c 31 N73-14853 *
NASA-CASE-GSC-10607-1 ..... c 15 N72-20442 *
NASA-CASE-GSC-10614-1 ..... c 09 N72-11224 *
NASA-CASE-GSC-10640-1 ..... c 28 N72-18766 *
NASA-CASE-GSC-10656-1 ..... c 09 N72-25249 *
NASA-CASE-GSC-10667-1 ..... c 10 N71-33129 *
NASA-CASE-GSC-10668-1 ..... c 07 N71-28430 *
NASA-CASE-GSC-10669-1 ..... c 03 N72-20031 *
NASA-CASE-GSC-10695-1 ..... c 09 N72-25259 *
NASA-CASE-GSC-10700 ..... c 23 N71-30027 *
NASA-CASE-GSC-10709-1 ..... c 28 N71-25213 *
NASA-CASE-GSC-10710-1 ..... c 28 N71-27094 *
NASA-CASE-GSC-10735-1 ..... c 10 N71-26085 *
NASA-CASE-GSC-10780-1 ..... c 14 N72-16283 *
NASA-CASE-GSC-10786-1 ..... c 10 N72-28241 *
NASA-CASE-GSC-10791-1 ..... c 15 N73-14469 *
NASA-CASE-GSC-10814-1 ..... c 03 N73-20039 *
NASA-CASE-GSC-10835-1 ..... c 09 N72-33205 *
NASA-CASE-GSC-10878-1 ..... c 10 N72-22236 *
NASA-CASE-GSC-10879-1 ..... c 14 N72-25413 *
NASA-CASE-GSC-10880-1 ..... c 08 N72-11172 *
NASA-CASE-GSC-10890-1 ..... c 21 N73-30640 *
NASA-CASE-GSC-10891-1 ..... c 10 N71-26626 *
NASA-CASE-GSC-10903-1 ..... c 14 N73-12444 *
NASA-CASE-GSC-10913 ..... c 15 N72-22491 *
NASA-CASE-GSC-10945-1 ..... c 21 N72-31637 *
NASA-CASE-GSC-10949-1 ..... c 07 N71-28965 * #
NASA-CASE-GSC-10975-1 ..... c 08 N73-13187 *
NASA-CASE-GSC-10984-1 ..... c 37 N75-26371 *
NASA-CASE-GSC-10990-1 ..... c 09 N73-26195 *
NASA-CASE-GSC-11013-1 ..... c 09 N73-19234 *
NASA-CASE-GSC-11018-1 ..... c 31 N73-30829 *
NASA-CASE-GSC-11046-1 ..... c 07 N73-28013 *
NASA-CASE-GSC-11063-1 ..... c 37 N77-27400 *
NASA-CASE-GSC-11074-1 ..... c 14 N73-28489 *
NASA-CASE-GSC-11077-1 ..... c 02 N73-13008 *
NASA-CASE-GSC-11079-1 ..... c 37 N75-18574 *
NASA-CASE-GSC-11092-2 ..... c 04 N73-27052 *
NASA-CASE-GSC-11095-1 ..... c 14 N72-10375 * #
NASA-CASE-GSC-11126-1 ..... c 09 N72-25253 *
NASA-CASE-GSC-11127-1 ..... c 09 N75-24758 *
NASA-CASE-GSC-11133-1 ..... c 23 N72-11568 * #
NASA-CASE-GSC-11139 ..... c 09 N71-27016 *
NASA-CASE-GSC-11149-1 ..... c 15 N73-30457 *
NASA-CASE-GSC-11163-1 ..... c 15 N73-32360 *
NASA-CASE-GSC-11169-2 ..... c 05 N73-32011 *
NASA-CASE-GSC-11182-1 ..... c 15 N75-13007 *
NASA-CASE-GSC-11188-1 ..... c 14 N73-32320 *
NASA-CASE-GSC-11188-2 ..... c 21 N73-19630 * #
NASA-CASE-GSC-11188-3 ..... c 74 N74-20008 *
NASA-CASE-GSC-11205-1 ..... c 15 N73-25513 *
NASA-CASE-GSC-11211-1 ..... c 03 N72-25020 *
NASA-CASE-GSC-11214-1 ..... c 06 N73-13128 *
NASA-CASE-GSC-11215-1 ..... c 09 N73-28083 *
NASA-CASE-GSC-11222-1 ..... c 16 N73-32391 *
NASA-CASE-GSC-11239-1 ..... c 10 N73-25241 *
NASA-CASE-GSC-11262-1 ..... c 36 N74-21091 *
NASA-CASE-GSC-11291-1 ..... c 25 N72-33696 *
NASA-CASE-GSC-11296-1 ..... c 23 N73-30666 *
NASA-CASE-GSC-11302-1 ..... c 14 N73-13416 *
NASA-CASE-GSC-11304-1 ..... c 06 N72-21105 * #
NASA-CASE-GSC-11340-1 ..... c 10 N72-33230 *
NASA-CASE-GSC-11353-1 ..... c 74 N74-21304 *
NASA-CASE-GSC-11358-1 ..... c 06 N73-26100 *
NASA-CASE-GSC-11367-1 ..... c 44 N74-19692 *
NASA-CASE-GSC-11367 ..... c 10 N71-26374 *
NASA-CASE-GSC-11368-1 ..... c 09 N73-32108 *
NASA-CASE-GSC-11394-1 ..... c 09 N73-32109 *
NASA-CASE-GSC-11425-1 ..... c 76 N74-20329 *
NASA-CASE-GSC-11425-2 ..... c 76 N75-25730 *
NASA-CASE-GSC-11428-1 ..... c 32 N74-20864 *
NASA-CASE-GSC-11434-1 ..... c 34 N74-27859 *
NASA-CASE-GSC-11444-1 ..... c 14 N73-28490 *
NASA-CASE-GSC-11445-1 ..... c 31 N74-27902 *
NASA-CASE-GSC-11446-1 ..... c 33 N74-20860 *
NASA-CASE-GSC-11479-1 ..... c 35 N74-28097 *
NASA-CASE-GSC-11487-1 ..... c 14 N73-30393 *
NASA-CASE-GSC-11492-1 ..... c 35 N74-26949 *
NASA-CASE-GSC-11513-1 ..... c 33 N74-20862 *
NASA-CASE-GSC-11514-1 ..... c 03 N72-24037 *
NASA-CASE-GSC-11531-1 ..... c 52 N74-27566 *
NASA-CASE-GSC-11533-1 ..... c 14 N73-13435 * #
NASA-CASE-GSC-11551-1 ..... c 37 N76-18459 *
NASA-CASE-GSC-11553-1 ..... c 35 N74-15831 *
NASA-CASE-GSC-11560-1 ..... c 33 N74-20861 *
NASA-CASE-GSC-11569-1 ..... c 89 N74-30886 *
NASA-CASE-GSC-11571-1 ..... c 36 N77-25499 *
NASA-CASE-GSC-11577-1 ..... c 37 N75-15992 *
NASA-CASE-GSC-11577-3 ..... c 24 N79-25143 *
NASA-CASE-GSC-11582-1 ..... c 33 N75-19517 *
NASA-CASE-GSC-11600-1 ..... c 35 N74-21019 *
NASA-CASE-GSC-11602-1 ..... c 33 N74-21850 *
NASA-CASE-GSC-11617-1 ..... c 33 N74-32660 *
NASA-CASE-GSC-11619-1 ..... c 34 N75-12222 *
NASA-CASE-GSC-11620-1 ..... c 34 N74-23039 *
NASA-CASE-GSC-11623-1 ..... c 33 N75-25040 *
NASA-CASE-GSC-11743-1 ..... c 32 N75-24981 *
NASA-CASE-GSC-11744-1 ..... c 33 N75-26243 *
NASA-CASE-GSC-11746-1 ..... c 36 N75-19654 *
NASA-CASE-GSC-11752-1 ..... c 77 N75-20140 *
NASA-CASE-GSC-11760-1 ..... c 33 N75-19516 *
NASA-CASE-GSC-11782-1 ..... c 74 N76-30053 *
NASA-CASE-GSC-11783-1 ..... c 33 N75-19516 *
NASA-CASE-GSC-11786-1 ..... c 24 N76-24363 *
NASA-CASE-GSC-11789-1 ..... c 33 N77-14333 *
NASA-CASE-GSC-11824-1 ..... c 33 N77-26386 *
NASA-CASE-GSC-11829-1 ..... c 35 N75-27331 *
NASA-CASE-GSC-11839-1 ..... c 60 N77-14751 *
NASA-CASE-GSC-11839-2 ..... c 60 N78-10709 *
NASA-CASE-GSC-11839-3 ..... c 60 N77-32731 *
NASA-CASE-GSC-11844-1 ..... c 33 N75-19522 *
NASA-CASE-GSC-11849-1 ..... c 33 N76-16332 *
NASA-CASE-GSC-11862-1 ..... c 32 N76-18295 *
NASA-CASE-GSC-11868-1 ..... c 17 N76-22245 *
NASA-CASE-GSC-11877-1 ..... c 74 N76-18913 *
NASA-CASE-GSC-11883-1 ..... c 37 N77-19458 *
NASA-CASE-GSC-11883-2 ..... c 37 N78-31426 *
NASA-CASE-GSC-11889-1 ..... c 35 N76-16393 *
NASA-CASE-GSC-11892-1 ..... c 35 N76-15433 *
NASA-CASE-GSC-11893-1 ..... c 35 N76-31489 *

NASA-CASE-GSC-11895-1 ..... c 35 N76-15436 *
NASA-CASE-GSC-11898-1 ..... c 32 N77-30309 *
NASA-CASE-GSC-11902-1 ..... c 38 N77-17495 *
NASA-CASE-GSC-11909 ..... c 32 N74-20863 *
NASA-CASE-GSC-11917-2 ..... c 51 N76-29891 *
NASA-CASE-GSC-11924-1 ..... c 33 N76-27472 *
NASA-CASE-GSC-11925-1 ..... c 33 N76-18353 *
NASA-CASE-GSC-11960-1 ..... c 37 N77-14479 *
NASA-CASE-GSC-11963-1 ..... c 33 N77-10429 *
NASA-CASE-GSC-11968-1 ..... c 32 N76-15329 *
NASA-CASE-GSC-11974-1 ..... c 37 N77-19458 *
NASA-CASE-GSC-11975-1 ..... c 37 N77-19458 *
NASA-CASE-GSC-11976-1 ..... c 43 N78-10529 *
NASA-CASE-GSC-11978-1 ..... c 37 N77-17464 *
NASA-CASE-GSC-11989-1 ..... c 74 N77-28932 *
NASA-CASE-GSC-11998-1 ..... c 34 N77-32413 *
NASA-CASE-GSC-12010-1 ..... c 74 N78-18905 *
NASA-CASE-GSC-12017-1 ..... c 32 N77-30308 *
NASA-CASE-GSC-12018-1 ..... c 33 N77-14334 *
NASA-CASE-GSC-12022-1 ..... c 44 N76-28635 *
NASA-CASE-GSC-12022-2 ..... c 44 N78-24609 *
NASA-CASE-GSC-12023-1 ..... c 44 N76-28635 *
NASA-CASE-GSC-12030-1 ..... c 44 N78-24608 *
NASA-CASE-GSC-12032-2 ..... c 43 N82-13465 *
NASA-CASE-GSC-12039-1 ..... c 51 N77-22794 *
NASA-CASE-GSC-12044-1 ..... c 60 N78-17691 *
NASA-CASE-GSC-12046-1 ..... c 52 N79-14750 *
NASA-CASE-GSC-12053-1 ..... c 32 N77-28346 *
NASA-CASE-GSC-12058-1 ..... c 74 N77-26942 *
NASA-CASE-GSC-12059-1 ..... c 35 N77-27366 *
NASA-CASE-GSC-12075-1 ..... c 32 N77-31350 *
NASA-CASE-GSC-12077-1 ..... c 35 N77-24455 *
NASA-CASE-GSC-12081-2 ..... c 52 N82-22875 *
NASA-CASE-GSC-12082-1 ..... c 54 N76-22914 *
NASA-CASE-GSC-12082-2 ..... c 52 N81-25661 *
NASA-CASE-GSC-12083-1 ..... c 73 N78-32848 *
NASA-CASE-GSC-12088-1 ..... c 74 N78-13874 *
NASA-CASE-GSC-12110-1 ..... c 27 N77-32308 *
NASA-CASE-GSC-12111-2 ..... c 33 N81-29342 *
NASA-CASE-GSC-12115-1 ..... c 62 N76-31946 *
NASA-CASE-GSC-12137-1 ..... c 33 N78-32338 *
NASA-CASE-GSC-12138-1 ..... c 33 N79-20314 *
NASA-CASE-GSC-12143-1 ..... c 35 N77-32456 *
NASA-CASE-GSC-12145-1 ..... c 33 N78-32339 *
NASA-CASE-GSC-12146-1 ..... c 33 N78-32340 *
NASA-CASE-GSC-12147-1 ..... c 32 N81-27341 *
NASA-CASE-GSC-12148-1 ..... c 32 N79-20296 *
NASA-CASE-GSC-12150-1 ..... c 32 N79-11265 *
NASA-CASE-GSC-12158-1 ..... c 51 N83-27569 *
NASA-CASE-GSC-12168-1 ..... c 31 N79-17029 *
NASA-CASE-GSC-12171-1 ..... c 33 N79-28416 *
NASA-CASE-GSC-12173-1 ..... c 51 N79-10694 *
NASA-CASE-GSC-12190-1 ..... c 33 N79-12321 *
NASA-CASE-GSC-12191-1 ..... c 31 N80-32583 *
NASA-CASE-GSC-12194-2 ..... c 20 N82-18314 *
NASA-CASE-GSC-12207-1 ..... c 24 N79-14156 *
NASA-CASE-GSC-12219-1 ..... c 35 N80-18359 *
NASA-CASE-GSC-12223-1 ..... c 60 N83-25378 *
NASA-CASE-GSC-12225-1 ..... c 74 N79-14891 *
NASA-CASE-GSC-12228-1 ..... c 33 N79-10338 *
NASA-CASE-GSC-12237-1 ..... c 36 N80-14384 *
NASA-CASE-GSC-12253-1 ..... c 34 N79-31523 *
NASA-CASE-GSC-12263-1 ..... c 74 N79-20857 *
NASA-CASE-GSC-12273-1 ..... c 35 N80-21719 *
NASA-CASE-GSC-12274-1 ..... c 37 N79-28550 *
NASA-CASE-GSC-12289-1 ..... c 37 N80-32717 *
NASA-CASE-GSC-12291-1 ..... c 76 N80-18951 *
NASA-CASE-GSC-12297-1 ..... c 37 N79-28549 *
NASA-CASE-GSC-12303-1 ..... c 24 N79-31347 *
NASA-CASE-GSC-12318-1 ..... c 37 N80-23655 *
NASA-CASE-GSC-12321-1 ..... c 36 N82-16396 *
NASA-CASE-GSC-12322-1 ..... c 37 N80-14398 *
NASA-CASE-GSC-12324-1 ..... c 33 N81-33403 *
NASA-CASE-GSC-12331-1 ..... c 18 N80-14183 *
NASA-CASE-GSC-12334-1 ..... c 36 N79-14362 *
NASA-CASE-GSC-12347-1 ..... c 33 N80-18286 *
NASA-CASE-GSC-12348-1 ..... c 74 N80-24149 *
NASA-CASE-GSC-12354-1 ..... c 35 N82-24471 *
NASA-CASE-GSC-12357-1 ..... c 74 N80-21140 *
NASA-CASE-GSC-12360-1 ..... c 33 N81-19392 *
NASA-CASE-GSC-12365-1 ..... c 32 N80-28578 *
NASA-CASE-GSC-12399-1 ..... c 33 N81-25299 *
NASA-CASE-GSC-12411-1 ..... c 33 N81-14221 *
NASA-CASE-GSC-12415-1 ..... c 33 N82-24419 *
NASA-CASE-GSC-12420-1 ..... c 33 N82-16340 *
NASA-CASE-GSC-12429-1 ..... c 37 N81-14320 *
NASA-CASE-GSC-12430-1 ..... c 60 N82-16747 *
NASA-CASE-GSC-12447-2 ..... c 60 N84-28491 *
NASA-CASE-GSC-12508-1 ..... c 04 N84-22546 *
NASA-CASE-GSC-12513-1 ..... c 31 N81-19343 *
NASA-CASE-GSC-12515-1 ..... c 33 N81-26360 *
NASA-CASE-GSC-12517-1 ..... c 37 N83-32067 *
NASA-CASE-GSC-12518-1 ..... c 33 N82-24421 *
NASA-CASE-GSC-12528-1 ..... c 74 N81-24900 *
NASA-CASE-GSC-12550-1 ..... c 37 N84-28082 *
NASA-CASE-GSC-12551-1 ..... c 18 N83-28064 *
NASA-CASE-GSC-12553-1 ..... c 34 N83-28356 *
NASA-CASE-GSC-12555-1 ..... c 33 N86-19515 *
NASA-CASE-GSC-12558-1 ..... c 36 N85-21639 *
NASA-CASE-GSC-12560-1 ..... c 52 N82-29863 *
NASA-CASE-GSC-12565-1 ..... c 36 N84-14509 *
NASA-CASE-GSC-12566-1 ..... c 33 N83-34189 *
NASA-CASE-GSC-12567-1 ..... c 33 N84-22887 *
NASA-CASE-GSC-12582-2 ..... c 37 N85-20337 *
NASA-CASE-GSC-12584-1 ..... c 37 N82-32730 *
NASA-CASE-GSC-12587-1 ..... c 35 N82-32659 *
NASA-CASE-GSC-12592-1 ..... c 36 N84-28065 *
NASA-CASE-GSC-12595-1 ..... c 33 N82-24422 *
NASA-CASE-GSC-12608-1 ..... c 74 N83-10900 *
NASA-CASE-GSC-12609-1 ..... c 36 N81-22344 * #
NASA-CASE-GSC-12609-2 ..... c 36 N83-29681 * #
NASA-CASE-GSC-12614-1 ..... c 74 N83-32577 *
NASA-CASE-GSC-12619-1 ..... c 37 N84-12491 *
NASA-CASE-GSC-12622-1 ..... c 37 N84-12492 *
NASA-CASE-GSC-12630-1 ..... c 33 N83-36355 *
NASA-CASE-GSC-12636-1 ..... c 31 N83-27058 *
NASA-CASE-GSC-12640-1 ..... c 74 N84-11920 *
NASA-CASE-GSC-12643-1 ..... c 37 N83-26078 *
NASA-CASE-GSC-12645-1 ..... c 33 N84-16454 *
NASA-CASE-GSC-12646-1 ..... c 33 N83-34191 *
NASA-CASE-GSC-12650-1 ..... c 33 N84-14421 *
NASA-CASE-GSC-12652-1 ..... c 52 N84-34913 *
NASA-CASE-GSC-12682-1 ..... c 35 N84-33765 *
NASA-CASE-GSC-12683-1 ..... c 74 N83-36898 *
NASA-CASE-GSC-12686-1 ..... c 27 N83-34039 *
NASA-CASE-GSC-12697-1 ..... c 44 N83-28574 *
NASA-CASE-GSC-12726-1 ..... c 37 N83-34323 *
NASA-CASE-GSC-12756-1 ..... c 74 N84-23248 *
NASA-CASE-GSC-12761-1 ..... c 74 N86-32266 *
NASA-CASE-GSC-12762-1 ..... c 37 N84-28083 *
NASA-CASE-GSC-12770-1 ..... c 25 N83-29324 *
NASA-CASE-GSC-12771-1 ..... c 34 N84-14461 *
NASA-CASE-GSC-12773-2 ..... c 33 N87-23904 *
NASA-CASE-GSC-12782-1 ..... c 33 N88-14271 *
NASA-CASE-GSC-12788-1 ..... c 33 N85-29145 *
NASA-CASE-GSC-12789-1 ..... c 35 N85-20294 *
NASA-CASE-GSC-12795-1 ..... c 35 N86-19580 *
NASA-CASE-GSC-12799-1 ..... c 31 N85-21404 *
NASA-CASE-GSC-12804-1 ..... c 33 N86-20668 *
NASA-CASE-GSC-12808-1 ..... c 25 N85-21279 *
NASA-CASE-GSC-12812-1 ..... c 34 N83-35307 *
NASA-CASE-GSC-12816-1 ..... c 76 N86-20150 *
NASA-CASE-GSC-12817-1 ..... c 33 N85-29146 *
NASA-CASE-GSC-12818-1 ..... c 33 N85-29147 *
NASA-CASE-GSC-12825-1 ..... c 74 N86-28732 *
NASA-CASE-GSC-12849-1 ..... c 74 N86-26190 *
NASA-CASE-GSC-12851-1 ..... c 35 N85-30281 *
NASA-CASE-GSC-12880-1 ..... c 26 N86-32550 *
NASA-CASE-GSC-12883-1 ..... c 27 N85-29044 *
NASA-CASE-GSC-12892-1 ..... c 32 N85-20226 * #
NASA-CASE-GSC-12897-1 ..... c 74 N87-21679 *
NASA-CASE-GSC-12899-1 ..... c 33 N86-20669 *
NASA-CASE-GSC-12911-1 ..... c 74 N86-29650 * #
NASA-CASE-GSC-12944-1 ..... c 52 N86-19885 * #
NASA-CASE-GSC-12956-1 ..... c 35 N87-14671 *
NASA-CASE-GSC-12957-1 ..... c 37 N87-17038 *
NASA-CASE-GSC-12958-1 ..... c 33 N86-32624 *
NASA-CASE-GSC-12961-1 ..... c 33 N87-22895 *
NASA-CASE-GSC-12970-1 ..... c 08 N88-23808 *
NASA-CASE-GSC-13008-1 ..... c 27 N88-23894 *
NASA-CASE-GSC-13018-1 ..... c 33 N87-21232 *
NASA-CASE-GSC-13019-1 ..... c 34 N88-29133 *
NASA-CASE-GSC-13112-1 ..... c 31 N88-29050 * #
NASA-CASE-HQN-00573-1 ..... c 37 N79-33468 *
NASA-CASE-HQN-00936 ..... c 31 N71-29050 *
NASA-CASE-HQN-00937 ..... c 07 N71-28979 *
NASA-CASE-HQN-00938 ..... c 33 N71-29053 *
NASA-CASE-HQN-10037-1 ..... c 14 N73-27376 * #
NASA-CASE-HQN-10069 ..... c 33 N75-27251 *
NASA-CASE-HQN-10274-1 ..... c 27 N82-29451 *
NASA-CASE-HQN-10328-2 ..... c 27 N82-29454 *
NASA-CASE-HQN-10364 ..... c 06 N71-27363 *
NASA-CASE-HQN-10439 ..... c 21 N72-21624 *
NASA-CASE-HQN-10462 ..... c 25 N75-29192 *
NASA-CASE-HQN-10537-1 ..... c 06 N72-10138 * #
NASA-CASE-HQN-10541-1 ..... c 07 N71-26291 *
NASA-CASE-HQN-10541-2 ..... c 15 N71-27135 *
NASA-CASE-HQN-10541-3 ..... c 23 N72-23695 *
NASA-CASE-HQN-10541-4 ..... c 16 N71-27183 *
NASA-CASE-HQN-10542-1 ..... c 74 N75-25706 *
NASA-CASE-HQN-10595-1 ..... c 27 N82-29455 *
NASA-CASE-HQN-10638-1 ..... c 15 N73-30460 *
NASA-CASE-HQN-10654-1 ..... c 16 N73-13489 *
NASA-CASE-HQN-10683 ..... c 14 N71-34389 * #
NASA-CASE-HQN-10703 ..... c 21 N73-13643 *
NASA-CASE-HQN-10740-1 ..... c 72 N74-19310 *
NASA-CASE-HQN-10756-1 ..... c 14 N72-25428 * #
NASA-CASE-HQN-10780 ..... c 14 N71-30265 *
NASA-CASE-HQN-10781 ..... c 23 N71-30292 *
NASA-CASE-HQN-10790-1 ..... c 36 N74-11313 *
NASA-CASE-HQN-10792-1 ..... c 33 N74-11049 *
NASA-CASE-HQN-10832-1 ..... c 71 N74-21014 *
NASA-CASE-HQN-10841-1 ..... c 73 N78-19920 *
NASA-CASE-HQN-10844-1 ..... c 36 N75-19653 *
NASA-CASE-HQN-10862-1 ..... c 44 N76-29699 *
NASA-CASE-HQN-10876-1 ..... c 33 N76-27473 *
NASA-CASE-HQN-10880-1 ..... c 17 N78-17140 *
NASA-CASE-HQN-10888-1 ..... c 44 N79-14527 *
NASA-CASE-HQN-10931-2 ..... c 27 N82-29452 *
NASA-CASE-KSC-10002 ..... c 10 N71-25865 *
NASA-CASE-KSC-10003 ..... c 10 N73-13235 *
NASA-CASE-KSC-10020 ..... c 10 N71-27338 *
NASA-CASE-KSC-10031 ..... c 15 N72-22486 *
NASA-CASE-KSC-10108 ..... c 14 N73-25461 *
NASA-CASE-KSC-10126 ..... c 11 N71-24985 *
NASA-CASE-KSC-10162 ..... c 09 N72-11225 *
NASA-CASE-KSC-10164 ..... c 07 N71-33108 *
NASA-CASE-KSC-10198 ..... c 11 N71-28629 *
NASA-CASE-KSC-10242 ..... c 15 N72-23497 *
NASA-CASE-KSC-10278 ..... c 05 N72-16015 *
NASA-CASE-KSC-10294 ..... c 14 N72-18411 *
NASA-CASE-KSC-10326 ..... c 08 N72-21197 *
NASA-CASE-KSC-10392 ..... c 07 N73-26117 *
NASA-CASE-KSC-10393 ..... c 09 N72-21247 *
NASA-CASE-KSC-10397 ..... c 08 N72-25206 *
NASA-CASE-KSC-10513 ..... c 15 N72-25453 *
NASA-CASE-KSC-10521 ..... c 07 N73-20176 *
NASA-CASE-KSC-10565 ..... c 09 N72-25250 *
NASA-CASE-KSC-10595 ..... c 08 N73-12176 *
NASA-CASE-KSC-10615 ..... c 15 N73-12486 *
NASA-CASE-KSC-10622-1 ..... c 31 N72-21893 * #
NASA-CASE-KSC-10626 ..... c 14 N73-27378 *
NASA-CASE-KSC-10639 ..... c 15 N73-26472 *
NASA-CASE-KSC-10644 ..... c 09 N72-27227 *
NASA-CASE-KSC-10647-1 ..... c 10 N72-31273 *
NASA-CASE-KSC-10654-1 ..... c 07 N73-30115 *
NASA-CASE-KSC-10698 ..... c 07 N73-20175 *
NASA-CASE-KSC-10723-1 ..... c 37 N75-13265 *
NASA-CASE-KSC-10728-1 ..... c 14 N73-32319 *
NASA-CASE-KSC-10729-1 ..... c 09 N73-32110 *
NASA-CASE-KSC-10730-1 ..... c 14 N73-32318 *
NASA-CASE-KSC-10731-1 ..... c 33 N74-27862 *
NASA-CASE-KSC-10736-1 ..... c 33 N75-19521 *
NASA-CASE-KSC-10750-1 ..... c 35 N75-12270 *
NASA-CASE-KSC-10769-1 ..... c 33 N74-29556 *
NASA-CASE-KSC-10782-1 ..... c 33 N75-30431 *
NASA-CASE-KSC-10807-1 ..... c 33 N75-26246 *
NASA-CASE-KSC-10834-1 ..... c 33 N76-14371 *
NASA-CASE-KSC-10849-1 ..... c 52 N77-14738 *
NASA-CASE-KSC-10899-1 ..... c 33 N79-18193 *
NASA-CASE-KSC-11004-1 ..... c 54 N77-30749 *
NASA-CASE-KSC-11008-1 ..... c 33 N79-22373 *
NASA-CASE-KSC-11010-1 ..... c 74 N79-12890 *
NASA-CASE-KSC-11018-1 ..... c 33 N79-10337 *
NASA-CASE-KSC-11023-1 ..... c 32 N79-23310 *
NASA-CASE-KSC-11025-1 ..... c 32 N83-13323 *
NASA-CASE-KSC-11030-1 ..... c 52 N77-25772 *
NASA-CASE-KSC-11031-1 ..... c 33 N79-11315 *
NASA-CASE-KSC-11034-1 ..... c 44 N78-32542 *
NASA-CASE-KSC-11035-1 ..... c 35 N78-28411 *
NASA-CASE-KSC-11042-1 ..... c 09 N82-29330 *
NASA-CASE-KSC-11042-2 ..... c 02 N81-26073 * #
NASA-CASE-KSC-11047-1 ..... c 74 N78-14889 *
NASA-CASE-KSC-11048-1 ..... c 62 N81-24779 *
NASA-CASE-KSC-11057-1 ..... c 33 N79-14305 *
NASA-CASE-KSC-11064-1 ..... c 31 N81-14137 *
NASA-CASE-KSC-11065-1 ..... c 33 N81-26359 *
NASA-CASE-KSC-11069-1 ..... c 52 N79-26772 *
NASA-CASE-KSC-11076-1 ..... c 34 N81-26402 *
NASA-CASE-KSC-11085-1 ..... c 54 N81-24724 *
NASA-CASE-KSC-11097-1 ..... c 27 N82-33520 *
NASA-CASE-KSC-11099-1 ..... c 47 N82-24779 *
NASA-CASE-KSC-11104-1 ..... c 74 N83-29032 *
NASA-CASE-KSC-11155-1 ..... c 04 N86-19304 *
NASA-CASE-KSC-11170-1 ..... c 33 N83-36356 *
NASA-CASE-KSC-11218-1 ..... c 09 N85-19990 *
NASA-CASE-KSC-11282-1 ..... c 85 N87-21755 *
NASA-CASE-KSC-11285-1 ..... c 32 N86-27513 *
NASA-CASE-KSC-11304-2 ..... c 28 N86-23744 * #
NASA-CASE-KSC-11322-1 ..... c 54 N87-25765 * #
NASA-CASE-LAR-02743 ..... c 14 N73-32324 *
NASA-CASE-LAR-10000 ..... c 14 N73-30394 *
NASA-CASE-LAR-10007-1 ..... c 05 N71-11195 *
NASA-CASE-LAR-10031 ..... c 15 N72-22484 *
NASA-CASE-LAR-10056 ..... c 05 N71-12351 *
NASA-CASE-LAR-10061-1 ..... c 15 N72-31483 *
NASA-CASE-LAR-10073-1 ..... c 37 N76-24575 *
NASA-CASE-LAR-10076-1 ..... c 05 N73-20137 *
NASA-CASE-LAR-10083-1 ..... c 15 N71-27006 *
NASA-CASE-LAR-10089-1 ..... c 34 N74-23066 *
NASA-CASE-LAR-10098 ..... c 32 N71-26681 *
NASA-CASE-LAR-10102-1 ..... c 05 N72-23085 *
NASA-CASE-LAR-10103-1 ..... c 15 N73-14468 *
NASA-CASE-LAR-10105-1 ..... c 34 N74-15652 *
NASA-CASE-LAR-10106-1 ..... c 15 N71-27169 *

NASA-CASE-LAR-10121-1 ..... c 15 N71-26721 *
NASA-CASE-LAR-10128-1 ..... c 08 N73-20217 *
NASA-CASE-LAR-10129-1 ..... c 15 N73-25512 *
NASA-CASE-LAR-10129-2 ..... c 37 N74-20063 *
NASA-CASE-LAR-10135-1 ..... c 09 N79-21083 *
NASA-CASE-LAR-10137-1 ..... c 09 N72-22204 *
NASA-CASE-LAR-10163-1 ..... c 09 N72-25247 *
NASA-CASE-LAR-10168-1 ..... c 33 N74-22865 *
NASA-CASE-LAR-10170-1 ..... c 37 N74-11301 *
NASA-CASE-LAR-10173-1 ..... c 27 N71-14090 *
NASA-CASE-LAR-10176-1 ..... c 14 N72-20380 *
NASA-CASE-LAR-10180-1 ..... c 06 N71-13461 *
NASA-CASE-LAR-10184 ..... c 14 N72-22445 *
NASA-CASE-LAR-10193-1 ..... c 15 N71-27146 *
NASA-CASE-LAR-10194-1 ..... c 34 N74-30608 *
NASA-CASE-LAR-10195-1 ..... c 15 N73-19458 *
NASA-CASE-LAR-10203-1 ..... c 15 N72-16330 *
NASA-CASE-LAR-10204 ..... c 14 N71-27215 *
NASA-CASE-LAR-10208-1 ..... c 35 N76-18400 *
NASA-CASE-LAR-10218-1 ..... c 09 N70-34559 * #
NASA-CASE-LAR-10226-1 ..... c 14 N73-19419 *
NASA-CASE-LAR-10241-1 ..... c 54 N74-14845 *
NASA-CASE-LAR-10249-1 ..... c 02 N71-26110 *
NASA-CASE-LAR-10253-1 ..... c 09 N72-25258 *
NASA-CASE-LAR-10256-1 ..... c 85 N74-34672 *
NASA-CASE-LAR-10270-1 ..... c 32 N72-25877 *
NASA-CASE-LAR-10274-1 ..... c 14 N71-17626 *
NASA-CASE-LAR-10276-1 ..... c 09 N75-15662 *
NASA-CASE-LAR-10294-1 ..... c 26 N72-28762 *
NASA-CASE-LAR-10295-1 ..... c 35 N74-21062 *
NASA-CASE-LAR-10305 ..... c 14 N71-26137 *
NASA-CASE-LAR-10310-1 ..... c 10 N73-20253 *
NASA-CASE-LAR-10311-1 ..... c 16 N73-16536 *
NASA-CASE-LAR-10317-1 ..... c 32 N71-16103 *
NASA-CASE-LAR-10318-1 ..... c 31 N74-18089 *
NASA-CASE-LAR-10319-1 ..... c 14 N73-32322 *
NASA-CASE-LAR-10320-1 ..... c 09 N72-23172 *
NASA-CASE-LAR-10323-1 ..... c 12 N71-17573 *
NASA-CASE-LAR-10337-1 ..... c 24 N75-30260 *
NASA-CASE-LAR-10348-1 ..... c 11 N73-12264 *
NASA-CASE-LAR-10365-1 ..... c 05 N72-27102 *
NASA-CASE-LAR-10372 ..... c 09 N71-18599 *
NASA-CASE-LAR-10373-1 ..... c 18 N71-26155 *
NASA-CASE-LAR-10385-2 ..... c 70 N74-13436 *
NASA-CASE-LAR-10385-3 ..... c 74 N78-15879 *
NASA-CASE-LAR-10403 ..... c 21 N71-11766 *
NASA-CASE-LAR-10409-1 ..... c 31 N74-21059 *
NASA-CASE-LAR-10416-1 ..... c 24 N74-30001 *
NASA-CASE-LAR-10423-1 ..... c 23 N82-29358 *
NASA-CASE-LAR-10426-1 ..... c 09 N74-19528 *
NASA-CASE-LAR-10439-1 ..... c 33 N73-27796 *
NASA-CASE-LAR-10440-1 ..... c 14 N73-32323 *
NASA-CASE-LAR-10450-1 ..... c 37 N74-27905 *
NASA-CASE-LAR-10483-1 ..... c 14 N73-32327 *
NASA-CASE-LAR-10489-1 ..... c 31 N74-18124 *
NASA-CASE-LAR-10489-2 ..... c 31 N74-32920 *
NASA-CASE-LAR-10496-1 ..... c 14 N72-22437 *
NASA-CASE-LAR-10503-1 ..... c 09 N72-21248 * #
NASA-CASE-LAR-10507-1 ..... c 11 N72-25284 *
NASA-CASE-LAR-10511-1 ..... c 09 N72-29172 *
NASA-CASE-LAR-10513-1 ..... c 07 N72-25170 *
NASA-CASE-LAR-10523-1 ..... c 14 N72-22444 *
NASA-CASE-LAR-10539-1 ..... c 17 N73-12547 *
NASA-CASE-LAR-10541-1 ..... c 15 N72-32487 *
NASA-CASE-LAR-10544-1 ..... c 37 N74-13178 *
NASA-CASE-LAR-10545-1 ..... c 09 N72-21244 *
NASA-CASE-LAR-10546-1 ..... c 11 N72-25287 *
NASA-CASE-LAR-10547-1 ..... c 31 N74-13177 *
NASA-CASE-LAR-10549-1 ..... c 31 N73-13898 *
NASA-CASE-LAR-10550-1 ..... c 09 N74-30597 *
NASA-CASE-LAR-10551-1 ..... c 25 N74-12813 *
NASA-CASE-LAR-10557 ..... c 02 N72-11018 *
NASA-CASE-LAR-10574-1 ..... c 11 N73-13257 *
NASA-CASE-LAR-10578-1 ..... c 12 N73-25262 *
NASA-CASE-LAR-10585-1 ..... c 02 N76-22154 *
NASA-CASE-LAR-10586-1 ..... c 19 N74-15089 *
NASA-CASE-LAR-10590-1 ..... c 15 N70-26819 * #
NASA-CASE-LAR-10595-1 ..... c 35 N74-16135 *
NASA-CASE-LAR-10612-1 ..... c 12 N73-28144 *
NASA-CASE-LAR-10620-1 ..... c 09 N72-25255 *
NASA-CASE-LAR-10623-1 ..... c 14 N73-30395 *
NASA-CASE-LAR-10626-1 ..... c 19 N74-21015 *
NASA-CASE-LAR-10629-1 ..... c 35 N75-33367 *
NASA-CASE-LAR-10634-1 ..... c 37 N74-18123 *
NASA-CASE-LAR-10642-1 ..... c 07 N74-31270 *
NASA-CASE-LAR-10668-1 ..... c 06 N73-16106 *
NASA-CASE-LAR-10670-1 ..... c 06 N73-30097 *
NASA-CASE-LAR-10670-2 ..... c 15 N74-27360 *
NASA-CASE-LAR-10682-1 ..... c 02 N73-26004 *
NASA-CASE-LAR-10686 ..... c 14 N71-28935 *
NASA-CASE-LAR-10688-1 ..... c 37 N74-21056 *
NASA-CASE-LAR-10717-1 ..... c 21 N73-30641 *
NASA-CASE-LAR-10726-1 ..... c 14 N73-20475 *
NASA-CASE-LAR-10728-1 ..... c 14 N73-12445 *
NASA-CASE-LAR-10730-1 ..... c 33 N74-10223 *
NASA-CASE-LAR-10739-1 ..... c 14 N73-16484 *
NASA-CASE-LAR-10753-1 ..... c 08 N74-30421 *
NASA-CASE-LAR-10756-1 ..... c 32 N73-26910 *
NASA-CASE-LAR-10765-1 ..... c 32 N73-20740 *
NASA-CASE-LAR-10773-3 ..... c 51 N77-25769 *
NASA-CASE-LAR-10774 ..... c 10 N71-13545 *
NASA-CASE-LAR-10776-1 ..... c 02 N74-10034 *
NASA-CASE-LAR-10782-1 ..... c 31 N74-14133 *
NASA-CASE-LAR-10782-2 ..... c 31 N75-13111 *
NASA-CASE-LAR-10799-2 ..... c 34 N76-17317 *
NASA-CASE-LAR-10800-1 ..... c 33 N72-27959 *
NASA-CASE-LAR-10805-2 ..... c 34 N77-18382 *
NASA-CASE-LAR-10806-1 ..... c 35 N74-32877 *
NASA-CASE-LAR-10812-1 ..... c 09 N74-17955 *
NASA-CASE-LAR-10815-1 ..... c 16 N72-22520 * #
NASA-CASE-LAR-10836-1 ..... c 26 N72-27784 *
NASA-CASE-LAR-10841-1 ..... c 31 N74-27900 *
NASA-CASE-LAR-10855-1 ..... c 14 N73-13415 *
NASA-CASE-LAR-10862-1 ..... c 35 N74-15092 *
NASA-CASE-LAR-10868-1 ..... c 33 N74-11050 *
NASA-CASE-LAR-10894-1 ..... c 18 N73-14584 *
NASA-CASE-LAR-10900-1 ..... c 37 N74-23064 *
NASA-CASE-LAR-10907-1 ..... c 35 N76-29551 *
NASA-CASE-LAR-10910-1 ..... c 35 N74-13132 *
NASA-CASE-LAR-10913 ..... c 14 N72-16282 *
NASA-CASE-LAR-10941-1 ..... c 37 N74-21057 *
NASA-CASE-LAR-10941-2 ..... c 37 N79-13364 *
NASA-CASE-LAR-10953-1 ..... c 17 N73-27446 *
NASA-CASE-LAR-10970-1 ..... c 33 N76-14372 *
NASA-CASE-LAR-10994-1 ..... c 24 N75-13032 *
NASA-CASE-LAR-11021-1 ..... c 32 N76-14321 *
NASA-CASE-LAR-11027-1 ..... c 35 N74-18088 *
NASA-CASE-LAR-11042-1 ..... c 33 N75-27252 *
NASA-CASE-LAR-11051-1 ..... c 15 N76-14158 *
NASA-CASE-LAR-11053-1 ..... c 25 N74-18551 *
NASA-CASE-LAR-11059-1 ..... c 76 N75-12810 *
NASA-CASE-LAR-11069-1 ..... c 35 N75-12272 *
NASA-CASE-LAR-11071-1 ..... c 35 N75-19611 *
NASA-CASE-LAR-11074-1 ..... c 51 N75-13502 *
NASA-CASE-LAR-11110-1 ..... c 34 N75-26282 *
NASA-CASE-LAR-11112-1 ..... c 32 N76-15330 *
NASA-CASE-LAR-11138 ..... c 12 N71-20436 *
NASA-CASE-LAR-11139-1 ..... c 35 N74-32878 *
NASA-CASE-LAR-11141-1 ..... c 07 N74-32418 *
NASA-CASE-LAR-11144-1 ..... c 25 N75-26043 *
NASA-CASE-LAR-11155-1 ..... c 35 N74-15091 *
NASA-CASE-LAR-11173-1 ..... c 35 N75-19614 *
NASA-CASE-LAR-11201-1 ..... c 35 N78-24515 *
NASA-CASE-LAR-11207-1 ..... c 35 N75-19613 *
NASA-CASE-LAR-11208-1 ..... c 44 N78-32539 *
NASA-CASE-LAR-11211-1 ..... c 37 N75-12326 *
NASA-CASE-LAR-11213-1 ..... c 35 N75-15014 *
NASA-CASE-LAR-11224-1 ..... c 37 N76-18456 *
NASA-CASE-LAR-11237-1 ..... c 35 N75-19612 *
NASA-CASE-LAR-11252-1 ..... c 05 N75-25914 *
NASA-CASE-LAR-11263-1 ..... c 35 N75-33369 *
NASA-CASE-LAR-11310-1 ..... c 07 N77-28118 *
NASA-CASE-LAR-11326-1 ..... c 35 N75-33368 *
NASA-CASE-LAR-11341-1 ..... c 36 N75-19655 *
NASA-CASE-LAR-11352-1 ..... c 33 N75-26245 *
NASA-CASE-LAR-11354-1 ..... c 35 N75-27330 *
NASA-CASE-LAR-11361-1 ..... c 44 N77-22607 *
NASA-CASE-LAR-11370-1 ..... c 35 N80-28686 *
NASA-CASE-LAR-11387-1 ..... c 04 N76-20114 *
NASA-CASE-LAR-11387-2 ..... c 04 N77-19056 *
NASA-CASE-LAR-11389-1 ..... c 33 N77-26387 *
NASA-CASE-LAR-11390-1 ..... c 32 N77-21267 *
NASA-CASE-LAR-11397-1 ..... c 27 N75-29263 * #
NASA-CASE-LAR-11405-1 ..... c 45 N76-31714 *
NASA-CASE-LAR-11428-1 ..... c 35 N74-34857 *
NASA-CASE-LAR-11434-1 ..... c 35 N76-22509 *
NASA-CASE-LAR-11435-1 ..... c 35 N76-15432 *
NASA-CASE-LAR-11458-1 ..... c 35 N76-16392 *
NASA-CASE-LAR-11465-1 ..... c 37 N76-21554 *
NASA-CASE-LAR-11476-1 ..... c 07 N76-27232 *
NASA-CASE-LAR-11490-1 ..... c 39 N78-16387 *
NASA-CASE-LAR-11500-1 ..... c 35 N76-24523 *
NASA-CASE-LAR-11549-1 ..... c 37 N77-11397 *
NASA-CASE-LAR-11551-1 ..... c 44 N80-29834 *
NASA-CASE-LAR-11552-1 ..... c 35 N76-14429 *
NASA-CASE-LAR-11563-1 ..... c 37 N77-23482 *
NASA-CASE-LAR-11570-1 ..... c 34 N76-18364 *
NASA-CASE-LAR-11575-1 ..... c 02 N76-16014 *
NASA-CASE-LAR-11607-1 ..... c 32 N77-14292 *
NASA-CASE-LAR-11617-2 ..... c 35 N78-32397 *
NASA-CASE-LAR-11645-1 ..... c 02 N77-10001 *
NASA-CASE-LAR-11648-1 ..... c 35 N77-14407 *
NASA-CASE-LAR-11649-1 ..... c 51 N77-27677 *
NASA-CASE-LAR-11658-1 ..... c 37 N77-14478 *
NASA-CASE-LAR-11667-1 ..... c 52 N76-19785 *
NASA-CASE-LAR-11674-1 ..... c 07 N76-18117 *
NASA-CASE-LAR-11675-1 ..... c 45 N76-17656 *
NASA-CASE-LAR-11688-1 ..... c 24 N82-26384 *
NASA-CASE-LAR-11690-1 ..... c 35 N80-14371 *
NASA-CASE-LAR-11695-2 ..... c 37 N81-24443 *
NASA-CASE-LAR-11709-1 ..... c 37 N76-27567 *
NASA-CASE-LAR-11711-1 ..... c 74 N78-17866 *
NASA-CASE-LAR-11726-1 ..... c 37 N76-27568 *
NASA-CASE-LAR-11729-1 ..... c 34 N79-12359 *
NASA-CASE-LAR-11745-1 ..... c 32 N80-29539 *
NASA-CASE-LAR-11782-1 ..... c 74 N77-20882 *
NASA-CASE-LAR-11797-1 ..... c 05 N81-19087 *
NASA-CASE-LAR-11821-1 ..... c 26 N80-28492 *
NASA-CASE-LAR-11825-1 ..... c 35 N77-22449 *
NASA-CASE-LAR-11827-1 ..... c 32 N77-10392 *
NASA-CASE-LAR-11828-1 ..... c 27 N78-32261 *
NASA-CASE-LAR-11855-1 ..... c 37 N81-14319 *
NASA-CASE-LAR-11859-1 ..... c 35 N79-14349 *
NASA-CASE-LAR-11868-2 ..... c 08 N79-14108 *
NASA-CASE-LAR-11869-1 ..... c 74 N78-27904 *
NASA-CASE-LAR-11883-1 ..... c 09 N77-27131 *
NASA-CASE-LAR-11889-1 ..... c 35 N79-26372 *
NASA-CASE-LAR-11889-2 ..... c 37 N78-27424 *
NASA-CASE-LAR-11898-1 ..... c 24 N78-10214 *
NASA-CASE-LAR-11898-2 ..... c 24 N78-17149 *
NASA-CASE-LAR-11900-1 ..... c 37 N79-14382 *
NASA-CASE-LAR-11902-1 ..... c 27 N78-17206 *
NASA-CASE-LAR-11903-2 ..... c 71 N84-14873 *
NASA-CASE-LAR-11919-1 ..... c 07 N78-27121 *
NASA-CASE-LAR-11922-1 ..... c 25 N79-24073 *
NASA-CASE-LAR-11932-1 ..... c 05 N78-32086 *
NASA-CASE-LAR-11970-2 ..... c 08 N81-19130 *
NASA-CASE-LAR-11973-1 ..... c 35 N78-27384 *
NASA-CASE-LAR-11995-1 ..... c 28 N77-10213 *
NASA-CASE-LAR-11999-1 ..... c 44 N80-18552 *
NASA-CASE-LAR-12007-3 ..... c 35 N84-16523 *
NASA-CASE-LAR-12009-1 ..... c 44 N78-15560 *
NASA-CASE-LAR-12016-1 ..... c 39 N78-15512 *
NASA-CASE-LAR-12018-1 ..... c 20 N78-24275 *
NASA-CASE-LAR-12019-1 ..... c 24 N78-17150 *
NASA-CASE-LAR-12027-1 ..... c 39 N79-22537 *
NASA-CASE-LAR-12045-1 ..... c 34 N77-24423 *
NASA-CASE-LAR-12046-1 ..... c 25 N78-15210 *
NASA-CASE-LAR-12052-1 ..... c 18 N81-29152 *
NASA-CASE-LAR-12054-1 ..... c 27 N79-33316 *
NASA-CASE-LAR-12054-2 ..... c 27 N81-14078 *
NASA-CASE-LAR-12065-1 ..... c 24 N81-14000 *
NASA-CASE-LAR-12065-2 ..... c 24 N81-33235 *
NASA-CASE-LAR-12077-1 ..... c 31 N81-25259 *
NASA-CASE-LAR-12095-1 ..... c 31 N81-25258 *
NASA-CASE-LAR-12099-1 ..... c 27 N80-16158 *
NASA-CASE-LAR-12106-1 ..... c 71 N78-14867 *
NASA-CASE-LAR-12147-1 ..... c 31 N79-11246 *
NASA-CASE-LAR-12148-1 ..... c 44 N82-24640 *
NASA-CASE-LAR-12149-2 ..... c 09 N79-31228 *
NASA-CASE-LAR-12175-1 ..... c 05 N82-28279 *
NASA-CASE-LAR-12176-1 ..... c 36 N80-16321 *
NASA-CASE-LAR-12177-1 ..... c 36 N81-24422 *
NASA-CASE-LAR-12178-1 ..... c 74 N80-21138 *
NASA-CASE-LAR-12181-1 ..... c 27 N78-17205 *
NASA-CASE-LAR-12183-1 ..... c 36 N79-18307 *
NASA-CASE-LAR-12195-1 ..... c 31 N81-27324 *
NASA-CASE-LAR-12196-1 ..... c 33 N81-26358 *
NASA-CASE-LAR-12205-1 ..... c 44 N80-20810 *
NASA-CASE-LAR-12215-1 ..... c 08 N79-23097 *
NASA-CASE-LAR-12230-1 ..... c 35 N79-14347 *
NASA-CASE-LAR-12250-1 ..... c 14 N81-26161 *
NASA-CASE-LAR-12251-1 ..... c 74 N80-27185 *
NASA-CASE-LAR-12259-2 ..... c 54 N86-22112 *
NASA-CASE-LAR-12260-1 ..... c 35 N79-10390 *
NASA-CASE-LAR-12261-1 ..... c 02 N80-20224 *
NASA-CASE-LAR-12264-1 ..... c 15 N78-32168 * #
NASA-CASE-LAR-12268-1 ..... c 08 N81-24106 *
NASA-CASE-LAR-12269-1 ..... c 35 N80-18358 *
NASA-CASE-LAR-12275-1 ..... c 35 N79-18296 *
NASA-CASE-LAR-12285-1 ..... c 35 N80-28687 *
NASA-CASE-LAR-12304-1 ..... c 35 N80-20559 *
NASA-CASE-LAR-12308-1 ..... c 35 N81-29407 *
NASA-CASE-LAR-12315-1 ..... c 37 N82-24490 *
NASA-CASE-LAR-12320-1 ..... c 54 N81-27806 *
NASA-CASE-LAR-12321-1 ..... c 35 N82-24470 *
NASA-CASE-LAR-12326-1 ..... c 02 N81-14968 *
NASA-CASE-LAR-12328-1 ..... c 36 N82-32712 *
NASA-CASE-LAR-12344-1 ..... c 43 N80-18498 *
NASA-CASE-LAR-12361-1 ..... c 37 N83-19091 *
NASA-CASE-LAR-12363-1 ..... c 35 N82-31659 *
NASA-CASE-LAR-12363-2 ..... c 33 N83-24763 *
NASA-CASE-LAR-12372-1 ..... c 37 N82-18601 *
NASA-CASE-LAR-12375-1 ..... c 32 N79-24203 *
NASA-CASE-LAR-12393-1 ..... c 34 N83-34221 *
NASA-CASE-LAR-12396-1 ..... c 02 N84-28732 *
NASA-CASE-LAR-12406-1 ..... c 05 N81-26114 *
NASA-CASE-LAR-12412-1 ..... c 08 N82-24205 *
NASA-CASE-LAR-12441-1 ..... c 09 N82-23254 *
NASA-CASE-LAR-12458-1 ..... c 44 N83-21503 *
NASA-CASE-LAR-12465-1 ..... c 33 N82-26572 *
NASA-CASE-LAR-12468-1 ..... c 08 N82-32373 *
NASA-CASE-LAR-12469-1 ..... c 35 N83-21311 *
NASA-CASE-LAR-12471-1 ..... c 52 N82-29862 *
NASA-CASE-LAR-12474-1 ..... c 35 N82-26628 *
NASA-CASE-LAR-12482-1 ..... c 37 N82-32732 *
NASA-CASE-LAR-12495-1 ..... c 44 N83-28573 *
NASA-CASE-LAR-12513-1 ..... c 44 N82-32841 *

NASA-CASE-LAR-12518-1 ..... c 06 N86-27280 *
NASA-CASE-LAR-12520-1 ..... c 51 N81-28698 *
NASA-CASE-LAR-12531-1 ..... c 35 N83-29651 *
NASA-CASE-LAR-12532-1 ..... c 09 N82-11088 *
NASA-CASE-LAR-12541-1 ..... c 05 N84-22551 *
NASA-CASE-LAR-12552-1 ..... c 35 N82-11431 *
NASA-CASE-LAR-12562-1 ..... c 08 N81-26152 *
NASA-CASE-LAR-12588-1 ..... c 34 N85-21568 *
NASA-CASE-LAR-12592-1 ..... c 36 N82-13415 *
NASA-CASE-LAR-12595-1 ..... c 33 N82-26571 *
NASA-CASE-LAR-12602-1 ..... c 39 N83-32081 *
NASA-CASE-LAR-12615-1 ..... c 05 N84-12154 *
NASA-CASE-LAR-12620-1 ..... c 24 N82-32417 *
NASA-CASE-LAR-12624-1 ..... c 01 N83-35992 *
NASA-CASE-LAR-12630-1 ..... c 06 N84-27733 *
NASA-CASE-LAR-12633-1 ..... c 33 N82-24416 *
NASA-CASE-LAR-12638-1 ..... c 04 N84-14132 *
NASA-CASE-LAR-12640-1 ..... c 27 N82-11206 *
NASA-CASE-LAR-12642-1 ..... c 27 N81-29229 *
NASA-CASE-LAR-12644-1 ..... c 37 N84-28084 *
NASA-CASE-LAR-12650-1 ..... c 52 N84-28388 *
NASA-CASE-LAR-12650-2 ..... c 52 N84-28389 *
NASA-CASE-LAR-12654-1 ..... c 33 N83-36357 *
NASA-CASE-LAR-12659-1 ..... c 33 N82-26570 *
NASA-CASE-LAR-12686-1 ..... c 35 N84-14491 *
NASA-CASE-LAR-12705-1 ..... c 25 N82-26396 *
NASA-CASE-LAR-12706-1 ..... c 35 N84-12444 *
NASA-CASE-LAR-12709-1 ..... c 35 N82-28604 *
NASA-CASE-LAR-12719-1 ..... c 44 N83-34449 *
NASA-CASE-LAR-12720-1 ..... c 44 N83-21504 *
NASA-CASE-LAR-12723-1 ..... c 27 N85-20123 *
NASA-CASE-LAR-12723-2 ..... c 27 N84-22746 *
NASA-CASE-LAR-12728-1 ..... c 35 N83-32026 *
NASA-CASE-LAR-12738-2 ..... c 37 N85-30335 *
NASA-CASE-LAR-12743-1 ..... c 35 N84-28019 *
NASA-CASE-LAR-12751-1 ..... c 15 N84-16231 *
NASA-CASE-LAR-12772-1 ..... c 33 N83-16626 *
NASA-CASE-LAR-12775-1 ..... c 27 N83-28240 *
NASA-CASE-LAR-12775-2 ..... c 27 N85-21349 *
NASA-CASE-LAR-12785-1 ..... c 37 N84-16561 *
NASA-CASE-LAR-12786-1 ..... c 37 N84-28085 *
NASA-CASE-LAR-12787-2 ..... c 08 N85-19985 *
NASA-CASE-LAR-12801-1 ..... c 37 N88-23982 *
NASA-CASE-LAR-12807-1 ..... c 24 N84-11214 *
NASA-CASE-LAR-12838-1 ..... c 27 N83-34040 *
NASA-CASE-LAR-12843-1 ..... c 02 N84-11136 *
NASA-CASE-LAR-12847-1 ..... c 33 N83-16633 * #
NASA-CASE-LAR-12858-1 ..... c 27 N83-34041 *
NASA-CASE-LAR-12858-2 ..... c 27 N85-20124 *
NASA-CASE-LAR-12862-1 ..... c 27 N84-27886 *
NASA-CASE-LAR-12864-1 ..... c 37 N85-30336 *
NASA-CASE-LAR-12868-1 ..... c 37 N85-21651 *
NASA-CASE-LAR-12870-1 ..... c 36 N84-16542 *
NASA-CASE-LAR-12881-1 ..... c 27 N84-14323 *
NASA-CASE-LAR-12882-1 ..... c 35 N84-12445 *
NASA-CASE-LAR-12883-1 ..... c 71 N83-17235 *
NASA-CASE-LAR-12884-1 ..... c 18 N84-33450 *
NASA-CASE-LAR-12893-1 ..... c 76 N85-30923 *
NASA-CASE-LAR-12894-1 ..... c 27 N85-20125 *
NASA-CASE-LAR-12923-1 ..... c 37 N84-12493 *
NASA-CASE-LAR-12931-1 ..... c 27 N84-22747 *
NASA-CASE-LAR-12931-2 ..... c 27 N86-21675 *
NASA-CASE-LAR-12950-1 ..... c 09 N84-34448 *
NASA-CASE-LAR-12958-1 ..... c 44 N84-23019 *
NASA-CASE-LAR-12966-1 ..... c 35 N85-30282 *
NASA-CASE-LAR-12967-1 ..... c 35 N84-22932 *
NASA-CASE-LAR-12968-1 ..... c 60 N86-21154 *
NASA-CASE-LAR-12971-1 ..... c 47 N84-28292 *
NASA-CASE-LAR-12979-1 ..... c 05 N85-21147 *
NASA-CASE-LAR-12980-1 ..... c 27 N84-22749 *
NASA-CASE-LAR-12984-1 ..... c 06 N87-22678 *
NASA-CASE-LAR-12995-1 ..... c 35 N84-22933 *
NASA-CASE-LAR-13006-1 ..... c 17 N87-16863 *
NASA-CASE-LAR-13009-1 ..... c 37 N85-29285 *
NASA-CASE-LAR-13009-2 ..... c 37 N87-22976 *
NASA-CASE-LAR-13014-1 ..... c 09 N85-21178 *
NASA-CASE-LAR-13019-1 ..... c 07 N85-35194 *
NASA-CASE-LAR-13028-1 ..... c 52 N85-30618 *
NASA-CASE-LAR-13040-1 ..... c 37 N85-29286 *
NASA-CASE-LAR-13053-1 ..... c 43 N83-29783 * #
NASA-CASE-LAR-13065-1 ..... c 35 N85-20295 *
NASA-CASE-LAR-13076-1 ..... c 08 N85-35200 *
NASA-CASE-LAR-13081-1 ..... c 37 N86-32737 *
NASA-CASE-LAR-13098-1 ..... c 31 N86-19479 *
NASA-CASE-LAR-13100-1 ..... c 37 N87-23982 *
NASA-CASE-LAR-13111-1-CU ..... c 71 N87-21652 *
NASA-CASE-LAR-13113-1 ..... c 31 N87-25492 *
NASA-CASE-LAR-13117-1 ..... c 37 N86-25789 *
NASA-CASE-LAR-13118-2 ..... c 27 N87-16907 *
NASA-CASE-LAR-13134-2 ..... c 07 N87-16828 *
NASA-CASE-LAR-13135-1 ..... c 27 N86-19456 *
NASA-CASE-LAR-13150-1 ..... c 24 N87-27742 * #
NASA-CASE-LAR-13151-1 ..... c 33 N87-21235 *
NASA-CASE-LAR-13153-1 ..... c 71 N86-21276 *
NASA-CASE-LAR-13155-1 ..... c 05 N86-19310 *
NASA-CASE-LAR-13169-1 ..... c 37 N86-25791 *
NASA-CASE-LAR-13173-1 ..... c 05 N87-14314 *
NASA-CASE-LAR-13181-1 ..... c 31 N85-29083 *
NASA-CASE-LAR-13198-1 ..... c 37 N87-23983 *
NASA-CASE-LAR-13202-1 ..... c 33 N88-23942 *
NASA-CASE-LAR-13215-1 ..... c 02 N87-14282 * #
NASA-CASE-LAR-13220-1 ..... c 34 N86-12547 *
NASA-CASE-LAR-13226-1 ..... c 27 N85-34282 *
NASA-CASE-LAR-13230-1 ..... c 24 N84-34571 *
NASA-CASE-LAR-13233-1 ..... c 05 N84-33400 * #
NASA-CASE-LAR-13243-1 ..... c 35 N85-34375 *
NASA-CASE-LAR-13250-1 ..... c 37 N86-27630 *
NASA-CASE-LAR-13254-1CU ..... c 35 N86-29174 *
NASA-CASE-LAR-13255-1 ..... c 02 N87-16793 *
NASA-CASE-LAR-13256-1 ..... c 36 N86-29204 *
NASA-CASE-LAR-13257-1 ..... c 25 N84-32447 * #
NASA-CASE-LAR-13262-1 ..... c 23 N85-28973 *
NASA-CASE-LAR-13268-1 ..... c 35 N87-14669 *
NASA-CASE-LAR-13280-1 ..... c 08 N87-20999 *
NASA-CASE-LAR-13286-1 ..... c 02 N88-14071 *
NASA-CASE-LAR-13292-1 ..... c 27 N86-24841 * #
NASA-CASE-LAR-13294-1 ..... c 35 N86-32696 *
NASA-CASE-LAR-13306-1 ..... c 82 N87-29372 *
NASA-CASE-LAR-13310-1 ..... c 32 N87-14559 *
NASA-CASE-LAR-13316-1 ..... c 27 N86-27450 *
NASA-CASE-LAR-13316-2 ..... c 27 N87-14515 *
NASA-CASE-LAR-13318-1 ..... c 27 N87-14516 *
NASA-CASE-LAR-13322-1 ..... c 04 N88-24620 * #
NASA-CASE-LAR-13351-1 ..... c 27 N86-31727 *
NASA-CASE-LAR-13353-1 ..... c 27 N86-29039 *
NASA-CASE-LAR-13384-1 ..... c 27 N86-20561 *
NASA-CASE-LAR-13387-1 ..... c 74 N88-25302 * #
NASA-CASE-LAR-13393-1 ..... c 54 N87-29118 *
NASA-CASE-LAR-13407-1 ..... c 33 N87-28831 *
NASA-CASE-LAR-13411-1-SB ..... c 18 N88-23828 *
NASA-CASE-LAR-13435-1 ..... c 37 N88-23981 *
NASA-CASE-LAR-13436-1-CU ..... c 02 N88-23759 *
NASA-CASE-LAR-13440-1 ..... c 71 N87-21653 *
NASA-CASE-LAR-13444-1-CU ..... c 27 N87-22847 *
NASA-CASE-LAR-13447-1 ..... c 27 N88-18725 *
NASA-CASE-LAR-13448-1 ..... c 27 N86-24840 * #
NASA-CASE-LAR-13450-1 ..... c 27 N87-28657 *
NASA-CASE-LAR-13452-1 ..... c 27 N87-22848 *
NASA-CASE-LAR-13453-1 ..... c 37 N88-14361 *
NASA-CASE-LAR-13455-1 ..... c 32 N87-21206 *
NASA-CASE-LAR-13458-1 ..... c 35 N88-23967 *
NASA-CASE-LAR-13470-1 ..... c 03 N88-14083 *
NASA-CASE-LAR-13474-1-SB ..... c 26 N87-25455 *
NASA-CASE-LAR-13476-1-CU ..... c 76 N87-29360 *
NASA-CASE-LAR-13486-1 ..... c 16 N87-29582 * #
NASA-CASE-LAR-13489-1 ..... c 18 N87-27713 *
NASA-CASE-LAR-13490-1 ..... c 18 N87-14413 * #
NASA-CASE-LAR-13508-1 ..... c 35 N88-23962 * #
NASA-CASE-LAR-13511-1 ..... c 05 N88-23765 *
NASA-CASE-LAR-13512-1 ..... c 35 N87-28884 *
NASA-CASE-LAR-13519-1 ..... c 35 N88-23963 * #
NASA-CASE-LAR-13522-1-SB ..... c 09 N87-25334 *
NASA-CASE-LAR-13528-1 ..... c 25 N88-29002 *
NASA-CASE-LAR-13532-1 ..... c 34 N86-26575 * #
NASA-CASE-LAR-13542-1SB ..... c 25 N86-32540 * #
NASA-CASE-LAR-13552-1-CU ..... c 33 N87-18761 * #
NASA-CASE-LAR-13555-1 ..... c 23 N86-32526 * #
NASA-CASE-LAR-13562-1 ..... c 24 N87-18613 * #
NASA-CASE-LAR-13564-1 ..... c 35 N87-25558 * #
NASA-CASE-LAR-13597-1-CU ..... c 25 N87-23713 * #
NASA-CASE-LAR-13601-1-CU ..... c 27 N87-25475 * #
NASA-CASE-LAR-13607-1-CU ..... c 29 N88-29048 * #
NASA-CASE-LAR-13613-1-SB ..... c 74 N87-24984 * #
NASA-CASE-LAR-13621-1 ..... c 70 N87-25822 * #
NASA-CASE-LAR-13626-1 ..... c 37 N87-25584 * #
NASA-CASE-LAR-13630-1 ..... c 08 N88-23809 *
NASA-CASE-LAR-13632-1 ..... c 26 N87-29650 * #
NASA-CASE-LAR-13633-1 ..... c 27 N87-24575 * #
NASA-CASE-LAR-13638-1 ..... c 31 N88-29051 * #
NASA-CASE-LAR-13662-1 ..... c 37 N88-14359 *
NASA-CASE-LAR-13678-1 ..... c 76 N88-25355 * #
NASA-CASE-LAR-13680-1 ..... c 35 N87-25561 * #
NASA-CASE-LAR-13689-1-NP ..... c 35 N87-23941 * #
NASA-CASE-LAR-13705-1 ..... c 39 N88-25011 * #
NASA-CASE-LAR-13710-1 ..... c 35 N88-29145 * #
NASA-CASE-LAR-13724-1 ..... c 38 N88-23983 * #
NASA-CASE-LAR-13729-1 ..... c 37 N88-24970 * #
NASA-CASE-LAR-13732-1 ..... c 27 N87-25474 * #
NASA-CASE-LAR-13738-1 ..... c 18 N87-29586 * #
NASA-CASE-LAR-13740-1 ..... c 35 N88-30105 * #
NASA-CASE-LAR-13747-1 ..... c 32 N88-24845 * #
NASA-CASE-LAR-13773-1 ..... c 20 N88-24685 * #
NASA-CASE-LAR-13776-1 ..... c 35 N88-29149 *
NASA-CASE-LAR-13777-1 ..... c 05 N88-29789 * #
NASA-CASE-LAR-13794-1 ..... c 35 N88-24942 * #
NASA-CASE-LAR-13797-1 ..... c 35 N88-30108 *
NASA-CASE-LAR-13814-1 ..... c 31 N88-24816 * #
NASA-CASE-LAR-13817-1 ..... c 26 N88-29012 * #
NASA-CASE-LAR-13826-1 ..... c 35 N88-29150 *
NASA-CASE-LAR-13853-1 ..... c 35 N88-23961 * #
NASA-CASE-LAR-13854-1-CU ..... c 04 N88-24621 * #
NASA-CASE-LAR-13889-1 ..... c 39 N88-30160 * #
NASA-CASE-LAR-13898-1 ..... c 37 N88-30130 * #
NASA-CASE-LAR-13924-1-CU ..... c 26 N88-24753 * #
NASA-CASE-LAR-13952-1-SB ..... c 34 N88-24910 * #
NASA-CASE-LAR-13983-1 ..... c 05 N88-24628 * #

NASA-CASE-LEW-10106-1 ..... c 28 N71-26642 *
NASA-CASE-LEW-10155-1 ..... c 09 N71-29035 *
NASA-CASE-LEW-10199-1 ..... c 27 N74-23125 *
NASA-CASE-LEW-10210-1 ..... c 28 N71-26781 *
NASA-CASE-LEW-10219-1 ..... c 18 N71-28729 *
NASA-CASE-LEW-10233 ..... c 10 N71-27126 *
NASA-CASE-LEW-10250-1 ..... c 22 N71-28759 *
NASA-CASE-LEW-10278-1 ..... c 15 N71-28582 *
NASA-CASE-LEW-10281-1 ..... c 14 N72-17327 *
NASA-CASE-LEW-10286-1 ..... c 28 N71-28915 *
NASA-CASE-LEW-10326-3 ..... c 37 N74-10474 *
NASA-CASE-LEW-10327 ..... c 17 N71-33408 *
NASA-CASE-LEW-10330-1 ..... c 09 N72-27226 *
NASA-CASE-LEW-10345-1 ..... c 10 N71-25899 *
NASA-CASE-LEW-10359-2 ..... c 33 N73-25952 *
NASA-CASE-LEW-10359 ..... c 33 N72-25911 *
NASA-CASE-LEW-10364-1 ..... c 09 N71-13522 *
NASA-CASE-LEW-10374-1 ..... c 28 N73-13773 *
NASA-CASE-LEW-10387 ..... c 09 N72-22201 *
NASA-CASE-LEW-10393-1 ..... c 17 N71-15468 *
NASA-CASE-LEW-10424-2-2 ..... c 18 N72-25539 *
NASA-CASE-LEW-10433-1 ..... c 09 N72-22197 *
NASA-CASE-LEW-10436-1 ..... c 17 N73-32415 *
NASA-CASE-LEW-10450-1 ..... c 15 N72-25448 *
NASA-CASE-LEW-10489-1 ..... c 15 N72-25447 *
NASA-CASE-LEW-10518-1 ..... c 24 N72-33681 *
NASA-CASE-LEW-10518-3 ..... c 25 N78-27226 *
NASA-CASE-LEW-10533-1 ..... c 15 N73-28515 *
NASA-CASE-LEW-10533-2 ..... c 37 N74-11300 *
NASA-CASE-LEW-10689-1 ..... c 28 N71-26173 *
NASA-CASE-LEW-10698-1 ..... c 37 N74-21063 *
NASA-CASE-LEW-10770-1 ..... c 28 N72-22770 *
NASA-CASE-LEW-10794-1 ..... c 06 N72-17093 *
NASA-CASE-LEW-10805-1 ..... c 15 N73-13465 *
NASA-CASE-LEW-10805-2 ..... c 37 N74-13179 *
NASA-CASE-LEW-10805-3 ..... c 26 N74-10521 *
NASA-CASE-LEW-10814-1 ..... c 28 N70-35422 * #
NASA-CASE-LEW-10835-1 ..... c 28 N72-22771 *
NASA-CASE-LEW-10856-1 ..... c 15 N72-22490 *
NASA-CASE-LEW-10874-1 ..... c 17 N72-22535 *
NASA-CASE-LEW-10906-1 ..... c 25 N74-30502 *
NASA-CASE-LEW-10920-1 ..... c 17 N73-24569 *
NASA-CASE-LEW-10950-1 ..... c 33 N74-27683 *
NASA-CASE-LEW-10965-1 ..... c 15 N72-25452 *
NASA-CASE-LEW-10981-1 ..... c 35 N74-21018 *
NASA-CASE-LEW-11005-1 ..... c 09 N72-21243 *
NASA-CASE-LEW-11015 ..... c 26 N73-32571 *
NASA-CASE-LEW-11026-1 ..... c 15 N73-33383 *
NASA-CASE-LEW-11058-1 ..... c 20 N74-13502 *
NASA-CASE-LEW-11065-2 ..... c 44 N76-14600 *
NASA-CASE-LEW-11069-1 ..... c 44 N74-14784 *
NASA-CASE-LEW-11072-1 ..... c 14 N73-24472 *
NASA-CASE-LEW-11072-2 ..... c 35 N76-15434 *
NASA-CASE-LEW-11076-1 ..... c 37 N74-21061 *
NASA-CASE-LEW-11076-2 ..... c 37 N74-32921 *
NASA-CASE-LEW-11076-3 ..... c 37 N75-30562 *
NASA-CASE-LEW-11076-4 ..... c 37 N76-15461 *
NASA-CASE-LEW-11087-1 ..... c 15 N73-30458 *
NASA-CASE-LEW-11087-2 ..... c 37 N74-15128 *
NASA-CASE-LEW-11087-3 ..... c 37 N74-21064 *
NASA-CASE-LEW-11101-1 ..... c 31 N73-32750 *
NASA-CASE-LEW-11118-1 ..... c 20 N74-32919 *
NASA-CASE-LEW-11118-2 ..... c 20 N76-14191 *
NASA-CASE-LEW-11152-1 ..... c 15 N73-32359 *
NASA-CASE-LEW-11158-1 ..... c 37 N77-28486 *
NASA-CASE-LEW-11159-1 ..... c 14 N73-28488 *
NASA-CASE-LEW-11162-1 ..... c 33 N74-12913 *
NASA-CASE-LEW-11169-1 ..... c 37 N76-23570 *
NASA-CASE-LEW-11179-1 ..... c 27 N76-16229 *
NASA-CASE-LEW-11180-1 ..... c 25 N73-25760 *
NASA-CASE-LEW-11187-1 ..... c 28 N73-19793 *
NASA-CASE-LEW-11188-1 ..... c 02 N74-20646 *
NASA-CASE-LEW-11192-1 ..... c 09 N73-13208 *
NASA-CASE-LEW-11227-1 ..... c 73 N75-30876 *
NASA-CASE-LEW-11262-1 ..... c 27 N74-13270 *
NASA-CASE-LEW-11267-1 ..... c 17 N73-32414 *
NASA-CASE-LEW-11274-1 ..... c 37 N75-21631 *
NASA-CASE-LEW-11286-1 ..... c 07 N74-27490 *
NASA-CASE-LEW-11325-1 ..... c 06 N73-27980 *
NASA-CASE-LEW-11326-1 ..... c 23 N73-30665 *
NASA-CASE-LEW-11358 ..... c 03 N71-26084 *
NASA-CASE-LEW-11359-2 ..... c 03 N72-20034 *
NASA-CASE-LEW-11359 ..... c 03 N71-28579 *
NASA-CASE-LEW-11387-1 ..... c 37 N74-18128 *
NASA-CASE-LEW-11388-1 ..... c 15 N73-32358 *
NASA-CASE-LEW-11388-2 ..... c 37 N74-21055 *
NASA-CASE-LEW-11390-2 ..... c 25 N76-27383 *
NASA-CASE-LEW-11390-3 ..... c 25 N76-29379 *
NASA-CASE-LEW-11402-1 ..... c 07 N74-28226 *
NASA-CASE-LEW-11484-1 ..... c 24 N75-33181 *
NASA-CASE-LEW-11496-1 ..... c 44 N77-14580 *

NASA-CASE-LEW-11531 ..... c 15 N71-14932 *
NASA-CASE-LEW-11549-1 ..... c 44 N77-19571 *
NASA-CASE-LEW-11569-1 ..... c 07 N74-15453 *
NASA-CASE-LEW-11573-1 ..... c 26 N77-28265 *
NASA-CASE-LEW-11581-1 ..... c 54 N75-13531 *
NASA-CASE-LEW-11583-1 ..... c 35 N79-17192 *
NASA-CASE-LEW-11593-1 ..... c 20 N76-14190 *
NASA-CASE-LEW-11617-1 ..... c 33 N74-10195 *
NASA-CASE-LEW-11632-2 ..... c 35 N75-13213 *
NASA-CASE-LEW-11646-1 ..... c 20 N74-31269 *
NASA-CASE-LEW-11669-1 ..... c 05 N73-27062 *
NASA-CASE-LEW-11672-1 ..... c 37 N74-27904 *
NASA-CASE-LEW-11676-1 ..... c 37 N76-22541 *
NASA-CASE-LEW-11694-1 ..... c 20 N75-18310 *
NASA-CASE-LEW-11694-2 ..... c 37 N76-14461 *
NASA-CASE-LEW-11696-1 ..... c 37 N75-13261 *
NASA-CASE-LEW-11696-2 ..... c 26 N75-19408 *
NASA-CASE-LEW-11726-1 ..... c 26 N73-26752 *
NASA-CASE-LEW-11855-1 ..... c 07 N78-25090 *
NASA-CASE-LEW-11860-1 ..... c 37 N76-18458 *
NASA-CASE-LEW-11866-1 ..... c 72 N76-15860 *
NASA-CASE-LEW-11873-1 ..... c 37 N79-22475 *
NASA-CASE-LEW-11876-1 ..... c 20 N76-21276 *
NASA-CASE-LEW-11877-1 ..... c 34 N78-27357 *
NASA-CASE-LEW-11881-1 ..... c 33 N77-17354 *
NASA-CASE-LEW-11890-1 ..... c 05 N79-24976 *
NASA-CASE-LEW-11915-1 ..... c 35 N76-14431 *
NASA-CASE-LEW-11925-1 ..... c 37 N75-31446 *
NASA-CASE-LEW-11930-1 ..... c 24 N76-22309 *
NASA-CASE-LEW-11930-3 ..... c 24 N80-33482 *
NASA-CASE-LEW-11930-4 ..... c 24 N79-17916 *
NASA-CASE-LEW-11938-1 ..... c 33 N76-15373 *
NASA-CASE-LEW-11949-1 ..... c 37 N76-29588 *
NASA-CASE-LEW-11978-1 ..... c 33 N77-26385 *
NASA-CASE-LEW-11981-1 ..... c 31 N78-17237 *
NASA-CASE-LEW-11981-2 ..... c 34 N79-20336 *
NASA-CASE-LEW-12010-1 ..... c 33 N79-10339 *
NASA-CASE-LEW-12039-1 ..... c 44 N78-14625 *
NASA-CASE-LEW-12048-1 ..... c 20 N77-20162 *
NASA-CASE-LEW-12050-1 ..... c 35 N77-32454 *
NASA-CASE-LEW-12051-1 ..... c 52 N75-33640 *
NASA-CASE-LEW-12053-1 ..... c 27 N78-15276 *
NASA-CASE-LEW-12053-2 ..... c 27 N79-28307 *
NASA-CASE-LEW-12078-1 ..... c 35 N75-30503 *
NASA-CASE-LEW-12081-1 ..... c 28 N78-24365 *
NASA-CASE-LEW-12081-2 ..... c 28 N80-20402 *
NASA-CASE-LEW-12081-3 ..... c 28 N81-14103 *
NASA-CASE-LEW-12082-1 ..... c 20 N77-10148 *
NASA-CASE-LEW-12083-1 ..... c 37 N78-13436 *
NASA-CASE-LEW-12094-1 ..... c 76 N76-25049 *
NASA-CASE-LEW-12095-1 ..... c 26 N78-18182 *
NASA-CASE-LEW-12118-1 ..... c 24 N77-27188 *
NASA-CASE-LEW-12119-1 ..... c 37 N80-28711 *
NASA-CASE-LEW-12119-2 ..... c 37 N81-26447 *
NASA-CASE-LEW-12131-1 ..... c 37 N79-18318 *
NASA-CASE-LEW-12131-2 ..... c 37 N80-26658 *
NASA-CASE-LEW-12131-3 ..... c 37 N82-19540 *
NASA-CASE-LEW-12137-1 ..... c 25 N78-10224 *
NASA-CASE-LEW-12159-1 ..... c 44 N78-19599 *
NASA-CASE-LEW-12164-1 ..... c 36 N77-32478 *
NASA-CASE-LEW-12174-2 ..... c 35 N79-14346 *
NASA-CASE-LEW-12185-1 ..... c 44 N78-25528 *
NASA-CASE-LEW-12217-1 ..... c 43 N78-14452 *
NASA-CASE-LEW-12220-1 ..... c 44 N77-14581 *
NASA-CASE-LEW-12232-1 ..... c 07 N79-10057 *
NASA-CASE-LEW-12236-2 ..... c 44 N79-14528 *
NASA-CASE-LEW-12245-1 ..... c 26 N77-20201 *
NASA-CASE-LEW-12252-1 ..... c 34 N79-13288 *
NASA-CASE-LEW-12253-1 ..... c 74 N83-19596 *
NASA-CASE-LEW-12258-1 ..... c 52 N77-28716 *
NASA-CASE-LEW-12270-1 ..... c 26 N77-32280 *
NASA-CASE-LEW-12274-1 ..... c 37 N80-31790 *
NASA-CASE-LEW-12296-1 ..... c 33 N82-26568 *
NASA-CASE-LEW-12312-1 ..... c 07 N77-32148 *
NASA-CASE-LEW-12313-1 ..... c 37 N78-10468 *
NASA-CASE-LEW-12317-1 ..... c 07 N78-17055 *
NASA-CASE-LEW-12321-1 ..... c 37 N78-10467 *
NASA-CASE-LEW-12358-1 ..... c 44 N79-17313 *
NASA-CASE-LEW-12358-2 ..... c 25 N82-21268 *
NASA-CASE-LEW-12364-1 ..... c 44 N77-22606 *
NASA-CASE-LEW-12378-1 ..... c 07 N79-14097 *
NASA-CASE-LEW-12389-2 ..... c 07 N78-18066 *
NASA-CASE-LEW-12389-3 ..... c 07 N79-14096 *
NASA-CASE-LEW-12390-1 ..... c 07 N78-17056 *
NASA-CASE-LEW-12419-1 ..... c 07 N77-14025 *
NASA-CASE-LEW-12441-1 ..... c 34 N79-13289 *
NASA-CASE-LEW-12441-2 ..... c 34 N80-24573 *
NASA-CASE-LEW-12441-3 ..... c 44 N81-24519 *
NASA-CASE-LEW-12443-1 ..... c 44 N83-32175 *
NASA-CASE-LEW-12444-1 ..... c 33 N77-28385 *
NASA-CASE-LEW-12445-1 ..... c 37 N81-22360 * #
NASA-CASE-LEW-12452-1 ..... c 07 N78-25089 *
NASA-CASE-LEW-12465-1 ..... c 25 N78-25148 *
NASA-CASE-LEW-12477-1 ..... c 37 N77-32501 *
NASA-CASE-LEW-12493-1 ..... c 24 N81-17170 *
NASA-CASE-LEW-12493-2 ..... c 24 N81-26179 *
NASA-CASE-LEW-12496-1 ..... c 07 N78-33101 *
NASA-CASE-LEW-12508-1 ..... c 34 N78-17335 *
NASA-CASE-LEW-12508-3 ..... c 34 N83-29625 *
NASA-CASE-LEW-12513-1 ..... c 25 N79-22235 *
NASA-CASE-LEW-12527-1 ..... c 37 N77-32500 *
NASA-CASE-LEW-12541-1 ..... c 44 N78-25529 *
NASA-CASE-LEW-12542-2 ..... c 26 N79-22271 *
NASA-CASE-LEW-12542-3 ..... c 26 N80-32484 *
NASA-CASE-LEW-12550-1 ..... c 24 N77-19170 *
NASA-CASE-LEW-12552-1 ..... c 44 N78-25527 *
NASA-CASE-LEW-12552-2 ..... c 44 N79-11472 *
NASA-CASE-LEW-12554-1 ..... c 34 N78-18355 *
NASA-CASE-LEW-12569-1 ..... c 37 N79-10418 *
NASA-CASE-LEW-12582-1 ..... c 76 N83-34796 *
NASA-CASE-LEW-12586-1 ..... c 44 N80-14472 *
NASA-CASE-LEW-12587-1 ..... c 44 N77-31601 *
NASA-CASE-LEW-12590-1 ..... c 37 N84-22958 *
NASA-CASE-LEW-12594-2 ..... c 07 N81-19116 *
NASA-CASE-LEW-12608-1 ..... c 07 N77-27116 *
NASA-CASE-LEW-12619-1 ..... c 24 N77-19171 *
NASA-CASE-LEW-12649-1 ..... c 44 N78-25530 *
NASA-CASE-LEW-12658-1 ..... c 71 N79-14871 *
NASA-CASE-LEW-12661-1 ..... c 35 N79-14345 *
NASA-CASE-LEW-12668-1 ..... c 52 N78-14773 *
NASA-CASE-LEW-12718-1 ..... c 34 N78-25351 *
NASA-CASE-LEW-12723-1 ..... c 52 N80-18690 *
NASA-CASE-LEW-12760-1 ..... c 07 N77-17059 *
NASA-CASE-LEW-12775-1 ..... c 44 N79-11468 *
NASA-CASE-LEW-12780-1 ..... c 20 N79-20179 *
NASA-CASE-LEW-12785-1 ..... c 37 N78-24545 *
NASA-CASE-LEW-12791-1 ..... c 33 N78-32341 *
NASA-CASE-LEW-12793-1 ..... c 37 N79-11403 *
NASA-CASE-LEW-12806-2 ..... c 44 N81-12542 *
NASA-CASE-LEW-12819-1 ..... c 44 N79-11467 *
NASA-CASE-LEW-12819-2 ..... c 44 N79-18444 *
NASA-CASE-LEW-12830-1 ..... c 07 N77-23106 *
NASA-CASE-LEW-12876-2 ..... c 27 N83-29392 * #
NASA-CASE-LEW-12892-1 ..... c 44 N83-14692 *
NASA-CASE-LEW-12905-1 ..... c 26 N78-18183 *
NASA-CASE-LEW-12906-1 ..... c 26 N77-32279 *
NASA-CASE-LEW-12907-2 ..... c 07 N81-19115 *
NASA-CASE-LEW-12916-1 ..... c 37 N78-17384 *
NASA-CASE-LEW-12917-1 ..... c 07 N78-18067 *
NASA-CASE-LEW-12918-1 ..... c 44 N81-24521 *
NASA-CASE-LEW-12919-1 ..... c 24 N83-10117 *
NASA-CASE-LEW-12919-2 ..... c 70 N84-28565 *
NASA-CASE-LEW-12933-1 ..... c 27 N81-19296 *
NASA-CASE-LEW-12938-1 ..... c 07 N82-32366 *
NASA-CASE-LEW-12940-1 ..... c 72 N80-33186 *
NASA-CASE-LEW-12941-1 ..... c 26 N83-10170 *
NASA-CASE-LEW-12950-1 ..... c 34 N82-11399 * #
NASA-CASE-LEW-12950-2 ..... c 34 N85-29179 *
NASA-CASE-LEW-12955-1 ..... c 52 N80-14684 *
NASA-CASE-LEW-12971-1 ..... c 07 N80-18039 *
NASA-CASE-LEW-12972-1 ..... c 44 N79-25481 *
NASA-CASE-LEW-12982-1 ..... c 37 N81-19455 *
NASA-CASE-LEW-12989-1 ..... c 37 N82-12442 *
NASA-CASE-LEW-12990-1 ..... c 07 N81-29129 *
NASA-CASE-LEW-12991-1 ..... c 37 N81-24442 *
NASA-CASE-LEW-12995-1 ..... c 37 N84-33808 *
NASA-CASE-LEW-13027-1 ..... c 27 N80-24437 *
NASA-CASE-LEW-13028-1 ..... c 27 N82-33521 *
NASA-CASE-LEW-13050-1 ..... c 07 N79-14095 *
NASA-CASE-LEW-13088-1 ..... c 26 N81-25188 *
NASA-CASE-LEW-13101-2 ..... c 23 N81-29160 *
NASA-CASE-LEW-13102-1 ..... c 33 N85-29144 *
NASA-CASE-LEW-13103-1 ..... c 27 N80-32516 *
NASA-CASE-LEW-13107-1 ..... c 52 N83-21785 *
NASA-CASE-LEW-13107-2 ..... c 52 N84-23095 *
NASA-CASE-LEW-13120-1 ..... c 27 N82-28440 *
NASA-CASE-LEW-13131-1 ..... c 44 N83-10494 *
NASA-CASE-LEW-13132-1 ..... c 27 N83-29388 *
NASA-CASE-LEW-13135-2 ..... c 27 N81-24257 *
NASA-CASE-LEW-13142-1 ..... c 07 N83-36029 *
NASA-CASE-LEW-13142-2 ..... c 07 N86-20389 *
NASA-CASE-LEW-13148-1 ..... c 33 N80-20487 *
NASA-CASE-LEW-13148-2 ..... c 44 N81-29524 *
NASA-CASE-LEW-13150-1 ..... c 44 N79-26474 *
NASA-CASE-LEW-13169-1 ..... c 26 N82-29415 *
NASA-CASE-LEW-13169-2 ..... c 26 N82-30371 *
NASA-CASE-LEW-13171-1 ..... c 44 N82-29708 *
NASA-CASE-LEW-13171-2 ..... c 44 N83-32176 *
NASA-CASE-LEW-13174-1 ..... c 34 N83-27144 *
NASA-CASE-LEW-13199-1 ..... c 07 N82-26293 *
NASA-CASE-LEW-13201-1 ..... c 07 N81-14999 *
NASA-CASE-LEW-13226-1 ..... c 27 N81-17260 *
NASA-CASE-LEW-13246-1 ..... c 44 N83-27344 *
NASA-CASE-LEW-13268-1 ..... c 27 N82-29453 *
NASA-CASE-LEW-13268-2 ..... c 37 N82-26674 * #
NASA-CASE-LEW-13269-1 ..... c 18 N83-20996 *
NASA-CASE-LEW-13269-2 ..... c 37 N84-22957 *
NASA-CASE-LEW-13282-1 ..... c 33 N82-24415 *
NASA-CASE-LEW-13286-1 ..... c 33 N84-14422 *
NASA-CASE-LEW-13324-2 ..... c 24 N85-21266 *
NASA-CASE-LEW-13339-1 ..... c 26 N82-31505 *
NASA-CASE-LEW-13343-1 ..... c 27 N82-28441 *
NASA-CASE-LEW-13343 ..... c 26 N83-31795 *
NASA-CASE-LEW-13349-1 ..... c 26 N84-22734 *
NASA-CASE-LEW-1335901 ..... c 27 N83-31855 *
NASA-CASE-LEW-13400-1 ..... c 44 N82-31764 *
NASA-CASE-LEW-13401-1 ..... c 44 N82-29709 *
NASA-CASE-LEW-13401-2 ..... c 44 N83-32177 *
NASA-CASE-LEW-13414-1 ..... c 44 N85-20530 *
NASA-CASE-LEW-13426-1 ..... c 25 N84-16276 *
NASA-CASE-LEW-13429-1 ..... c 33 N83-31952 *
NASA-CASE-LEW-13450-1 ..... c 31 N83-35177 *
NASA-CASE-LEW-13495-1 ..... c 33 N84-33663 *
NASA-CASE-LEW-13504-1 ..... c 25 N83-13188 *
NASA-CASE-LEW-13506-1 ..... c 37 N85-33490 *
NASA-CASE-LEW-13524-1 ..... c 07 N84-33410 *
NASA-CASE-LEW-13526-1 ..... c 36 N84-22944 *
NASA-CASE-LEW-13556-1 ..... c 44 N81-27615 * #
NASA-CASE-LEW-13562-2 ..... c 07 N85-35195 *
NASA-CASE-LEW-13570-1 ..... c 33 N84-16452 *
NASA-CASE-LEW-13598-1 ..... c 35 N84-22930 *
NASA-CASE-LEW-13609-1 ..... c 25 N83-17628 * #
NASA-CASE-LEW-13620-1 ..... c 44 N83-13579 *
NASA-CASE-LEW-13622-1 ..... c 07 N84-22559 *
NASA-CASE-LEW-13639-1 ..... c 26 N84-33555 *
NASA-CASE-LEW-13639-2 ..... c 26 N84-27855 *
NASA-CASE-LEW-13653-1 ..... c 44 N84-28205 *
NASA-CASE-LEW-13654-1 ..... c 07 N84-22560 *
NASA-CASE-LEW-13670-1 ..... c 37 N86-19606 *
NASA-CASE-LEW-13717-1 ..... c 37 N85-30333 *
NASA-CASE-LEW-13736-1 ..... c 33 N84-27974 *
NASA-CASE-LEW-13758-1 ..... c 24 N84-27829 *
NASA-CASE-LEW-13770-1 ..... c 27 N84-27885 *
NASA-CASE-LEW-13770-2 ..... c 25 N85-28982 *
NASA-CASE-LEW-13770-3 ..... c 27 N85-21350 *
NASA-CASE-LEW-13770-4 ..... c 27 N85-21351 *
NASA-CASE-LEW-13770-5 ..... c 27 N85-21352 *
NASA-CASE-LEW-13770-6 ..... c 25 N85-30039 *
NASA-CASE-LEW-13773-2 ..... c 33 N86-20671 *
NASA-CASE-LEW-13822-1 ..... c 44 N86-25874 *
NASA-CASE-LEW-13827-1 ..... c 44 N85-21768 *
NASA-CASE-LEW-13828-1 ..... c 24 N85-30027 *
NASA-CASE-LEW-13833-1 ..... c 33 N85-21492 *
NASA-CASE-LEW-13834-1 ..... c 26 N87-14482 *
NASA-CASE-LEW-13837-1 ..... c 24 N84-22695 *
NASA-CASE-LEW-13837-2 ..... c 24 N85-21267 *
NASA-CASE-LEW-13864-1 ..... c 27 N86-19457 *
NASA-CASE-LEW-13881-1 ..... c 20 N85-21256 *
NASA-CASE-LEW-13899-1 ..... c 31 N87-21160 *
NASA-CASE-LEW-13914-1 ..... c 37 N85-33489 *
NASA-CASE-LEW-13922-1 ..... c 33 N86-20672 *
NASA-CASE-LEW-13923-1 ..... c 26 N85-35267 *
NASA-CASE-LEW-13934-1 ..... c 35 N83-35338 *
NASA-CASE-LEW-13935-1 ..... c 33 N87-21234 *
NASA-CASE-LEW-13981-2 ..... c 33 N86-21742 *
NASA-CASE-LEW-14028-1 ..... c 44 N86-19721 *
NASA-CASE-LEW-14035-1 ..... c 07 N84-24577 *
NASA-CASE-LEW-14037-1 ..... c 20 N87-16875 *
NASA-CASE-LEW-14039-1 ..... c 34 N85-33433 *
NASA-CASE-LEW-14057-1 ..... c 24 N85-35233 *
NASA-CASE-LEW-14072-1 ..... c 27 N86-19458 *
NASA-CASE-LEW-14072-2 ..... c 27 N86-32569 *
NASA-CASE-LEW-14072-3 ..... c 27 N87-23736 *
NASA-CASE-LEW-14077-1 ..... c 44 N85-34441 *
NASA-CASE-LEW-14080-1 ..... c 31 N85-20153 *
NASA-CASE-LEW-14104-2 ..... c 26 N88-14179 *
NASA-CASE-LEW-14108-1 ..... c 33 N87-28832 *
NASA-CASE-LEW-14127-1 ..... c 33 N86-20680 * #
NASA-CASE-LEW-14130-1 ..... c 31 N86-32587 *
NASA-CASE-LEW-14170-1 ..... c 37 N86-25790 *
NASA-CASE-LEW-14177-1 ..... c 44 N86-32875 *
NASA-CASE-LEW-14196-2 ..... c 37 N87-25585 * #
NASA-CASE-LEW-14203-1 ..... c 27 N88-29984 * #
NASA-CASE-LEW-14212-1 ..... c 37 N88-23978 *
NASA-CASE-LEW-14262-1 ..... c 26 N87-28647 *
NASA-CASE-LEW-14338-1 ..... c 20 N87-10174 * #
NASA-CASE-LEW-14345-1 ..... c 23 N88-26404 *
NASA-CASE-LEW-14346-1 ..... c 23 N87-14433 *
NASA-CASE-LEW-14374-1 ..... c 09 N88-28939 *
NASA-CASE-LEW-14392-1 ..... c 27 N87-28656 *
NASA-CASE-LEW-14392-2 ..... c 27 N87-27810 * #
NASA-CASE-LEW-14520-1 ..... c 33 N88-23936 * #
NASA-CASE-LEW-14586-1 ..... c 07 N83-31603 *
NASA-CASE-LEW-14698-1 ..... c 24 N88-29888 * #
NASA-CASE-LEW-23169-2 ..... c 26 N81-16209 * #

NASA-CASE-MFS-06074 ..... c 15 N71-20393 *
NASA-CASE-MFS-07369 ..... c 15 N71-20443 *
NASA-CASE-MFS-10068 ..... c 10 N71-25139 *
NASA-CASE-MFS-10340 ..... c 15 N71-17628 *
NASA-CASE-MFS-10412 ..... c 12 N71-17578 *
NASA-CASE-MFS-10506 ..... c 06 N73-30100 *
NASA-CASE-MFS-10507 ..... c 06 N73-30101 *
NASA-CASE-MFS-10509 ..... c 06 N73-30103 *
NASA-CASE-MFS-10512 ..... c 06 N73-30099 *
NASA-CASE-MFS-10555 ..... c 11 N71-19494 *
NASA-CASE-MFS-10946-1 ..... c 31 N79-21226 *
NASA-CASE-MFS-11132 ..... c 15 N71-17649 *

NASA-CASE-MFS-11133 ..... c 31 N71-16222 *
NASA-CASE-MFS-11204 ..... c 14 N71-29134 *
NASA-CASE-MFS-11279 ..... c 16 N71-20400 *
NASA-CASE-MFS-11492 ..... c 06 N73-30102 *
NASA-CASE-MFS-11497 ..... c 28 N71-16224 *
NASA-CASE-MFS-11537 ..... c 14 N71-20442 *
NASA-CASE-MFS-12750 ..... c 27 N71-16223 *
NASA-CASE-MFS-12805 ..... c 15 N71-17805 *
NASA-CASE-MFS-12806 ..... c 14 N71-17588 *
NASA-CASE-MFS-12827 ..... c 14 N71-17656 *
NASA-CASE-MFS-12915 ..... c 11 N71-17600 *
NASA-CASE-MFS-13046 ..... c 07 N71-19433 *
NASA-CASE-MFS-13130 ..... c 10 N72-17173 *
NASA-CASE-MFS-13532 ..... c 18 N72-17532 *
NASA-CASE-MFS-13686 ..... c 15 N71-18132 *
NASA-CASE-MFS-13687-2 ..... c 09 N72-22198 *
NASA-CASE-MFS-13687 ..... c 09 N71-28691 *
NASA-CASE-MFS-13929 ..... c 15 N71-27091 *
NASA-CASE-MFS-13994-1 ..... c 06 N71-11240 *
NASA-CASE-MFS-13994-2 ..... c 06 N72-25148 *
NASA-CASE-MFS-14017 ..... c 14 N71-26627 *
NASA-CASE-MFS-14023 ..... c 33 N71-25351 *
NASA-CASE-MFS-14114-2 ..... c 09 N71-24807 *
NASA-CASE-MFS-14114 ..... c 33 N71-27862 *
NASA-CASE-MFS-14216 ..... c 14 N73-13418 *
NASA-CASE-MFS-14253 ..... c 33 N71-24858 *
NASA-CASE-MFS-14259 ..... c 15 N71-19213 *
NASA-CASE-MFS-14322 ..... c 08 N71-18692 *
NASA-CASE-MFS-14405 ..... c 15 N72-28495 *
NASA-CASE-MFS-14610 ..... c 09 N71-28886 *
NASA-CASE-MFS-14671 ..... c 05 N71-12341 *
NASA-CASE-MFS-14685 ..... c 31 N71-15689 *
NASA-CASE-MFS-14710 ..... c 09 N72-22195 *
NASA-CASE-MFS-14711 ..... c 15 N71-26185 *
NASA-CASE-MFS-14741 ..... c 09 N70-20737 * #
NASA-CASE-MFS-14772 ..... c 15 N71-17692 *
NASA-CASE-MFS-14971 ..... c 15 N71-24984 *
NASA-CASE-MFS-15063 ..... c 14 N72-25412 *
NASA-CASE-MFS-15162 ..... c 14 N72-32452 *
NASA-CASE-MFS-15218-1 ..... c 37 N77-19457 *
NASA-CASE-MFS-15429-1 ..... c 18 N84-22609 * #
NASA-CASE-MFS-15670-1 ..... c 33 N82-33634 * #
NASA-CASE-MFS-16570-1 ..... c 05 N73-32013 *
NASA-CASE-MFS-16609-3 ..... c 03 N76-32140 *
NASA-CASE-MFS-18100 ..... c 15 N72-11390 *
NASA-CASE-MFS-18495 ..... c 15 N72-11385 *
NASA-CASE-MFS-19193-1 ..... c 37 N75-19686 *
NASA-CASE-MFS-19194-1 ..... c 37 N76-14460 *
NASA-CASE-MFS-19220-1 ..... c 20 N76-22296 *
NASA-CASE-MFS-19259-1 ..... c 36 N78-14380 *
NASA-CASE-MFS-19287-1 ..... c 34 N77-30399 *
NASA-CASE-MFS-19796-1 ..... c 37 N86-32736 * #
NASA-CASE-MFS-20011 ..... c 18 N72-22566 *
NASA-CASE-MFS-20044 ..... c 14 N71-28993 *
NASA-CASE-MFS-20068 ..... c 07 N71-27191 *
NASA-CASE-MFS-20074 ..... c 16 N71-15565 *
NASA-CASE-MFS-20075 ..... c 09 N71-26133 *
NASA-CASE-MFS-20095 ..... c 24 N72-11595 *
NASA-CASE-MFS-20096 ..... c 14 N71-30026 *
NASA-CASE-MFS-20125 ..... c 16 N72-13437 *
NASA-CASE-MFS-20130 ..... c 28 N71-27585 *
NASA-CASE-MFS-20180 ..... c 16 N72-12440 *
NASA-CASE-MFS-20207-1 ..... c 09 N73-32107 *
NASA-CASE-MFS-20240 ..... c 14 N71-26788 *
NASA-CASE-MFS-20242 ..... c 14 N73-19421 *
NASA-CASE-MFS-20243 ..... c 23 N73-13662 *
NASA-CASE-MFS-20249 ..... c 15 N72-11386 *
NASA-CASE-MFS-20261 ..... c 14 N71-27005 *
NASA-CASE-MFS-20284-1 ..... c 52 N74-12778 *
NASA-CASE-MFS-20299 ..... c 15 N72-11392 *
NASA-CASE-MFS-20317 ..... c 15 N73-13463 *
NASA-CASE-MFS-20325 ..... c 28 N71-27095 *
NASA-CASE-MFS-20332-2 ..... c 05 N73-25125 *
NASA-CASE-MFS-20332 ..... c 05 N72-20097 *
NASA-CASE-MFS-20333 ..... c 09 N71-13486 *
NASA-CASE-MFS-20335-1 ..... c 35 N74-10415 *
NASA-CASE-MFS-20355 ..... c 33 N71-25353 *
NASA-CASE-MFS-20385 ..... c 09 N71-24904 *
NASA-CASE-MFS-20386 ..... c 21 N71-19212 *
NASA-CASE-MFS-20395 ..... c 15 N71-24903 *
NASA-CASE-MFS-20400 ..... c 31 N71-18611 *
NASA-CASE-MFS-20407 ..... c 09 N73-19235 *
NASA-CASE-MFS-20408 ..... c 18 N73-12604 *
NASA-CASE-MFS-20410 ..... c 15 N71-19214 *
NASA-CASE-MFS-20413 ..... c 15 N72-21463 *
NASA-CASE-MFS-20418 ..... c 14 N73-24473 *
NASA-CASE-MFS-20423 ..... c 15 N72-11388 *
NASA-CASE-MFS-20433 ..... c 15 N72-28496 *
NASA-CASE-MFS-20434 ..... c 11 N72-25288 *
NASA-CASE-MFS-20453 ..... c 15 N71-29133 *
NASA-CASE-MFS-20482 ..... c 15 N72-22492 *
NASA-CASE-MFS-20485 ..... c 14 N72-11365 *
NASA-CASE-MFS-20486-2 ..... c 27 N74-17283 *
NASA-CASE-MFS-20506-1 ..... c 35 N75-12273 *
NASA-CASE-MFS-20509 ..... c 11 N72-17183 *
NASA-CASE-MFS-20523 ..... c 14 N72-27412 *
NASA-CASE-MFS-20546-2 ..... c 14 N73-30389 *
NASA-CASE-MFS-20586 ..... c 15 N71-17686 *
NASA-CASE-MFS-20589 ..... c 25 N72-32688 *
NASA-CASE-MFS-20596 ..... c 14 N72-17324 *
NASA-CASE-MFS-20607-1 ..... c 37 N76-19436 *
NASA-CASE-MFS-20619 ..... c 28 N72-11708 *
NASA-CASE-MFS-20620 ..... c 11 N72-27262 *
NASA-CASE-MFS-20642 ..... c 14 N72-21407 *
NASA-CASE-MFS-20645-1 ..... c 37 N74-23070 *
NASA-CASE-MFS-20658-1 ..... c 14 N73-30386 *
NASA-CASE-MFS-20673 ..... c 14 N73-20476 *
NASA-CASE-MFS-20675 ..... c 26 N73-26751 *
NASA-CASE-MFS-20698-2 ..... c 15 N73-19457 *
NASA-CASE-MFS-20698 ..... c 15 N72-20446 *
NASA-CASE-MFS-20710 ..... c 11 N72-23215 *
NASA-CASE-MFS-20730-1 ..... c 39 N74-13131 *
NASA-CASE-MFS-20757 ..... c 09 N72-28225 *
NASA-CASE-MFS-20760 ..... c 14 N72-33377 *
NASA-CASE-MFS-20761-1 ..... c 44 N74-27519 *
NASA-CASE-MFS-20767-1 ..... c 38 N74-15130 *
NASA-CASE-MFS-20774 ..... c 14 N73-19420 *
NASA-CASE-MFS-20775-1 ..... c 31 N75-12161 *
NASA-CASE-MFS-20809 ..... c 23 N73-13660 *
NASA-CASE-MFS-20823-1 ..... c 16 N73-30476 *
NASA-CASE-MFS-20829 ..... c 12 N72-21310 *
NASA-CASE-MFS-20830 ..... c 15 N71-30028 *
NASA-CASE-MFS-20831 ..... c 28 N71-29153 *
NASA-CASE-MFS-20855-1 ..... c 15 N77-10112 *
NASA-CASE-MFS-20855 ..... c 15 N73-27405 *
NASA-CASE-MFS-20861-1 ..... c 18 N73-32437 *
NASA-CASE-MFS-20863 ..... c 31 N73-26876 *
NASA-CASE-MFS-20890 ..... c 14 N72-22439 *
NASA-CASE-MFS-20916 ..... c 14 N73-25460 *
NASA-CASE-MFS-20922-1 ..... c 18 N74-22136 *
NASA-CASE-MFS-20922 ..... c 31 N72-20840 * #
NASA-CASE-MFS-20932-1 ..... c 35 N75-19616 *
NASA-CASE-MFS-20935 ..... c 09 N71-34212 * #
NASA-CASE-MFS-20944 ..... c 15 N73-13466 *
NASA-CASE-MFS-20979-2 ..... c 06 N73-32030 *
NASA-CASE-MFS-20979 ..... c 06 N72-25151 *
NASA-CASE-MFS-20994-1 ..... c 35 N75-12271 *
NASA-CASE-MFS-21010-1 ..... c 05 N73-30078 *
NASA-CASE-MFS-21040-1 ..... c 06 N73-30098 *
NASA-CASE-MFS-21042 ..... c 07 N72-25171 *
NASA-CASE-MFS-21045-1 ..... c 35 N75-15932 *
NASA-CASE-MFS-21046-1 ..... c 14 N73-27377 *
NASA-CASE-MFS-21049-1 ..... c 52 N74-27864 *
NASA-CASE-MFS-21077-1 ..... c 24 N75-28135 *
NASA-CASE-MFS-21087-1 ..... c 35 N74-17153 *
NASA-CASE-MFS-21108-1 ..... c 34 N74-27861 *
NASA-CASE-MFS-21109-1 ..... c 05 N73-27941 *
NASA-CASE-MFS-21115-1 ..... c 54 N74-12779 *
NASA-CASE-MFS-21136-1 ..... c 35 N74-18323 *
NASA-CASE-MFS-21163-1 ..... c 54 N74-17853 *
NASA-CASE-MFS-21214-1 ..... c 09 N73-30181 *
NASA-CASE-MFS-21233-1 ..... c 38 N74-15395 *
NASA-CASE-MFS-21244-1 ..... c 36 N75-15028 *
NASA-CASE-MFS-21309-1 ..... c 37 N74-18125 *
NASA-CASE-MFS-21311-1 ..... c 20 N76-21275 *
NASA-CASE-MFS-21362 ..... c 11 N73-20267 *
NASA-CASE-MFS-21364-1 ..... c 37 N74-18126 *
NASA-CASE-MFS-21372-1 ..... c 74 N74-27866 *
NASA-CASE-MFS-21374-1 ..... c 33 N74-12951 *
NASA-CASE-MFS-21394-1 ..... c 34 N74-27744 *
NASA-CASE-MFS-21395-1 ..... c 25 N74-26948 *
NASA-CASE-MFS-21415-1 ..... c 52 N74-20728 *
NASA-CASE-MFS-21424-1 ..... c 34 N74-27730 *
NASA-CASE-MFS-21433 ..... c 09 N73-20232 *
NASA-CASE-MFS-21441-1 ..... c 14 N73-30392 *
NASA-CASE-MFS-21455-1 ..... c 35 N74-15146 *
NASA-CASE-MFS-21462-1 ..... c 33 N74-14935 *
NASA-CASE-MFS-21465-1 ..... c 10 N73-32145 *
NASA-CASE-MFS-21470-1 ..... c 44 N74-19870 *
NASA-CASE-MFS-21481-1 ..... c 37 N74-18127 *
NASA-CASE-MFS-21485-1 ..... c 37 N74-25968 *
NASA-CASE-MFS-21488-1 ..... c 14 N75-24794 *
NASA-CASE-MFS-21540-1 ..... c 32 N74-19790 *
NASA-CASE-MFS-21556-1 ..... c 35 N74-26945 *
NASA-CASE-MFS-21577-1 ..... c 19 N74-29410 *
NASA-CASE-MFS-21606-1 ..... c 37 N75-19685 *
NASA-CASE-MFS-21611-1 ..... c 54 N75-12616 *
NASA-CASE-MFS-21616-1 ..... c 33 N75-30429 *
NASA-CASE-MFS-21628-1 ..... c 44 N75-32581 *
NASA-CASE-MFS-21628-2 ..... c 44 N76-23675 *
NASA-CASE-MFS-21629 ..... c 14 N72-22442 *
NASA-CASE-MFS-21660-1 ..... c 35 N74-21017 *
NASA-CASE-MFS-21671-1 ..... c 33 N74-22885 *
NASA-CASE-MFS-21672-1 ..... c 74 N76-19935 *
NASA-CASE-MFS-21675-1 ..... c 25 N74-33378 *
NASA-CASE-MFS-21680-1 ..... c 18 N74-27397 *
NASA-CASE-MFS-21681-1 ..... c 18 N74-27397 *
NASA-CASE-MFS-21698-1 ..... c 33 N74-26732 *
NASA-CASE-MFS-21704-1 ..... c 35 N75-25124 *
NASA-CASE-MFS-21728-1 ..... c 35 N74-27865 *
NASA-CASE-MFS-21761-1 ..... c 35 N75-15931 *
NASA-CASE-MFS-21846-1 ..... c 37 N74-26976 *
NASA-CASE-MFS-21919-1 ..... c 10 N73-25243 *
NASA-CASE-MFS-21931-1 ..... c 37 N75-26372 *
NASA-CASE-MFS-22002-1 ..... c 44 N76-16612 *
NASA-CASE-MFS-22022-1 ..... c 37 N76-15460 *
NASA-CASE-MFS-22039-1 ..... c 09 N75-12968 *
NASA-CASE-MFS-22040-1 ..... c 35 N74-26946 *
NASA-CASE-MFS-22060-1 ..... c 35 N75-29380 *
NASA-CASE-MFS-22073-1 ..... c 33 N75-13139 *
NASA-CASE-MFS-22088-1 ..... c 33 N75-15874 *
NASA-CASE-MFS-22102-1 ..... c 54 N74-20725 *
NASA-CASE-MFS-22129-1 ..... c 33 N75-18477 *
NASA-CASE-MFS-22133-1 ..... c 33 N74-26977 *
NASA-CASE-MFS-22145-1 ..... c 75 N75-13625 *
NASA-CASE-MFS-22145-2 ..... c 75 N76-17951 *
NASA-CASE-MFS-22189-1 ..... c 35 N75-19615 *
NASA-CASE-MFS-22208-1 ..... c 33 N75-26244 *
NASA-CASE-MFS-22234-1 ..... c 32 N79-10264 *
NASA-CASE-MFS-22283-1 ..... c 37 N75-33395 *
NASA-CASE-MFS-22287-1 ..... c 75 N76-14931 *
NASA-CASE-MFS-22323-1 ..... c 37 N76-14463 *
NASA-CASE-MFS-22324-1 ..... c 27 N75-27160 *
NASA-CASE-MFS-22342-1 ..... c 33 N75-30428 *
NASA-CASE-MFS-22343-1 ..... c 33 N74-34638 *
NASA-CASE-MFS-22355-1 ..... c 23 N76-15268 *
NASA-CASE-MFS-22356-1 ..... c 23 N75-30256 *
NASA-CASE-MFS-22409-2 ..... c 74 N78-15880 *
NASA-CASE-MFS-22411-1 ..... c 37 N74-21058 *
NASA-CASE-MFS-22458-1 ..... c 44 N77-10635 *
NASA-CASE-MFS-22517-1 ..... c 35 N76-18402 *
NASA-CASE-MFS-22537-1 ..... c 35 N75-27328 *
NASA-CASE-MFS-22560-1 ..... c 33 N77-14335 *
NASA-CASE-MFS-22562-1 ..... c 44 N76-14595 *
NASA-CASE-MFS-22597 ..... c 36 N78-17366 *
NASA-CASE-MFS-22631-1 ..... c 66 N76-19888 *
NASA-CASE-MFS-22636-1 ..... c 37 N76-22540 *
NASA-CASE-MFS-22649-1 ..... c 37 N75-25186 *
NASA-CASE-MFS-22671-1 ..... c 35 N75-21582 *
NASA-CASE-MFS-22671-2 ..... c 35 N77-17426 *
NASA-CASE-MFS-22707-1 ..... c 37 N76-15457 *
NASA-CASE-MFS-22729-1 ..... c 32 N76-21366 *
NASA-CASE-MFS-22734-1 ..... c 18 N75-19329 *
NASA-CASE-MFS-22743-1 ..... c 44 N76-22657 *
NASA-CASE-MFS-22744-1 ..... c 44 N76-24696 *
NASA-CASE-MFS-22749-1 ..... c 44 N76-14601 *
NASA-CASE-MFS-22758-1 ..... c 70 N75-26789 *
NASA-CASE-MFS-22787-1 ..... c 15 N77-10113 *
NASA-CASE-MFS-22905-1 ..... c 19 N76-22284 *
NASA-CASE-MFS-22906-1 ..... c 75 N78-27913 *
NASA-CASE-MFS-22907-1 ..... c 26 N76-18257 *
NASA-CASE-MFS-22926-1 ..... c 24 N77-27187 *
NASA-CASE-MFS-22938-1 ..... c 34 N76-18374 *
NASA-CASE-MFS-22991-1 ..... c 34 N77-10463 *
NASA-CASE-MFS-23001-1 ..... c 76 N77-32919 *
NASA-CASE-MFS-23008-1 ..... c 35 N78-18390 *
NASA-CASE-MFS-23047-1 ..... c 37 N76-18454 *
NASA-CASE-MFS-23051-1 ..... c 37 N79-10422 *
NASA-CASE-MFS-23052-2 ..... c 74 N79-13855 *
NASA-CASE-MFS-23059-1 ..... c 44 N76-27664 *
NASA-CASE-MFS-23062-1 ..... c 37 N77-12402 *
NASA-CASE-MFS-23074-1 ..... c 54 N77-21844 *
NASA-CASE-MFS-23088-1 ..... c 37 N77-23483 *
NASA-CASE-MFS-23099-1 ..... c 09 N76-23273 *
NASA-CASE-MFS-23114-1 ..... c 38 N78-32447 *
NASA-CASE-MFS-23118-1 ..... c 35 N77-31465 *
NASA-CASE-MFS-23167-1 ..... c 44 N76-31667 *
NASA-CASE-MFS-23175-1 ..... c 35 N77-30436 *
NASA-CASE-MFS-23178-1 ..... c 35 N77-10493 *
NASA-CASE-MFS-23181-1 ..... c 33 N77-17351 *
NASA-CASE-MFS-23194-1 ..... c 35 N78-17357 *
NASA-CASE-MFS-23225-1 ..... c 52 N77-14735 *
NASA-CASE-MFS-23250-1 ..... c 35 N82-11432 *
NASA-CASE-MFS-23267-1 ..... c 35 N77-20401 *
NASA-CASE-MFS-23270-1 ..... c 44 N78-25531 *
NASA-CASE-MFS-23274-1 ..... c 33 N78-13320 *
NASA-CASE-MFS-23280-1 ..... c 33 N78-10376 *
NASA-CASE-MFS-23281-1 ..... c 35 N77-22450 *
NASA-CASE-MFS-23284-1 ..... c 37 N80-14397 *
NASA-CASE-MFS-23299-1 ..... c 39 N77-28511 *
NASA-CASE-MFS-23303-1 ..... c 32 N77-18307 *
NASA-CASE-MFS-23311-1 ..... c 54 N78-17676 *
NASA-CASE-MFS-23312-1 ..... c 33 N78-27326 *
NASA-CASE-MFS-23315-1 ..... c 76 N78-24950 *
NASA-CASE-MFS-23345-1 ..... c 27 N77-30237 *
NASA-CASE-MFS-23349-1 ..... c 44 N79-23481 *
NASA-CASE-MFS-23362-1 ..... c 47 N77-10753 *
NASA-CASE-MFS-23363-1 ..... c 35 N78-32396 *
NASA-CASE-MFS-23405-1 ..... c 26 N77-29260 *
NASA-CASE-MFS-23447-1 ..... c 37 N79-11404 *
NASA-CASE-MFS-23460-1 ..... c 12 N79-26075 *
NASA-CASE-MFS-23461-1 ..... c 35 N79-10389 *
NASA-CASE-MFS-23506-1 ..... c 24 N78-24290 *
NASA-CASE-MFS-23513-1 ..... c 74 N79-11865 *
NASA-CASE-MFS-23515-1 ..... c 44 N80-21828 *
NASA-CASE-MFS-23518-1 ..... c 44 N79-11469 *
NASA-CASE-MFS-23518-3 ..... c 44 N80-16452 *
NASA-CASE-MFS-23540-1 ..... c 44 N79-26475 *

NASA-CASE-MFS-23541-1 ..... c 76 N79-14906 *
NASA-CASE-MFS-23551-1 ..... c 04 N76-26175 *
NASA-CASE-MFS-23564-1 ..... c 15 N78-25119 *
NASA-CASE-MFS-23579-1 ..... c 18 N79-11108 *
NASA-CASE-MFS-23620-1 ..... c 37 N79-10421 *
NASA-CASE-MFS-23626-1 ..... c 24 N80-26388 *
NASA-CASE-MFS-23642-1 ..... c 20 N80-10278 *
NASA-CASE-MFS-23642-2 ..... c 20 N78-27176 * #
NASA-CASE-MFS-23646-1 ..... c 37 N79-22474 *
NASA-CASE-MFS-23659-1 ..... c 33 N79-17133 *
NASA-CASE-MFS-23674-1 ..... c 24 N81-29163 *
NASA-CASE-MFS-23675-1 ..... c 89 N79-10969 *
NASA-CASE-MFS-23696-1 ..... c 54 N81-26718 *
NASA-CASE-MFS-23717-1 ..... c 52 N81-25660 *
NASA-CASE-MFS-23720-1 ..... c 43 N80-23711 *
NASA-CASE-MFS-23720-2 ..... c 43 N80-14423 *
NASA-CASE-MFS-23720-3 ..... c 43 N79-25443 *
NASA-CASE-MFS-23721-1 ..... c 31 N79-28370 *
NASA-CASE-MFS-23725-1 ..... c 43 N79-31706 *
NASA-CASE-MFS-23726-1 ..... c 43 N79-26439 *
NASA-CASE-MFS-23727-1 ..... c 44 N80-14473 *
NASA-CASE-MFS-23775-1 ..... c 44 N82-16474 *
NASA-CASE-MFS-23776-1 ..... c 33 N82-28545 *
NASA-CASE-MFS-23777-1 ..... c 37 N80-32716 *
NASA-CASE-MFS-23816-1 ..... c 26 N80-23419 *
NASA-CASE-MFS-23825-1 ..... c 51 N81-32829 *
NASA-CASE-MFS-23828-1 ..... c 33 N82-26569 *
NASA-CASE-MFS-23830-1 ..... c 44 N82-24639 *
NASA-CASE-MFS-23845-1 ..... c 33 N81-17348 *
NASA-CASE-MFS-23846-1 ..... c 37 N82-32731 *
NASA-CASE-MFS-23862-1 ..... c 48 N80-18667 *
NASA-CASE-MFS-23883-1 ..... c 51 N80-16715 *
NASA-CASE-MFS-23923-1 ..... c 35 N81-19426 *
NASA-CASE-MFS-23981-1 ..... c 07 N83-20944 *
NASA-CASE-MFS-23988-1 ..... c 33 N81-27395 *
NASA-CASE-MFS-23999-1 ..... c 44 N81-24520 *
NASA-CASE-MFS-24368-3 ..... c 33 N81-22280 * #
NASA-CASE-MFS-25000-1 ..... c 25 N81-19242 *
NASA-CASE-MFS-25050-1 ..... c 71 N81-15767 *
NASA-CASE-MFS-25134-1 ..... c 31 N83-31895 *
NASA-CASE-MFS-25139-1 ..... c 34 N82-13376 *
NASA-CASE-MFS-25181-1 ..... c 27 N82-24340 *
NASA-CASE-MFS-25208-1 ..... c 33 N83-10345 *
NASA-CASE-MFS-25209-1 ..... c 33 N83-35227 *
NASA-CASE-MFS-25211-2 ..... c 33 N84-14423 *
NASA-CASE-MFS-25215-1 ..... c 33 N83-31953 *
NASA-CASE-MFS-25242-1 ..... c 35 N83-29650 *
NASA-CASE-MFS-25282-1 ..... c 34 N83-19015 *
NASA-CASE-MFS-25287-1 ..... c 44 N82-18686 *
NASA-CASE-MFS-25302-1 ..... c 33 N83-28319 *
NASA-CASE-MFS-25302-2 ..... c 33 N84-33660 *
NASA-CASE-MFS-25306-1 ..... c 25 N83-13187 *
NASA-CASE-MFS-25312-1 ..... c 74 N83-17305 *
NASA-CASE-MFS-25315-1 ..... c 36 N83-29680 *
NASA-CASE-MFS-25319-1 ..... c 60 N85-33701 *
NASA-CASE-MFS-25323-1 ..... c 33 N84-22886 *
NASA-CASE-MFS-25363-1 ..... c 37 N82-12441 *
NASA-CASE-MFS-25403-1 ..... c 18 N83-29303 *
NASA-CASE-MFS-25405-1 ..... c 35 N84-22929 *
NASA-CASE-MFS-25426-1 ..... c 25 N83-10126 *
NASA-CASE-MFS-25429-1 ..... c 18 N86-20469 *
NASA-CASE-MFS-25430-1 ..... c 33 N84-16453 *
NASA-CASE-MFS-25436-1 ..... c 27 N83-36220 *
NASA-CASE-MFS-25477-1 ..... c 33 N84-14424 *
NASA-CASE-MFS-25509-1 ..... c 35 N83-24828 *
NASA-CASE-MFS-25510-1 ..... c 37 N84-16560 *
NASA-CASE-MFS-25535-1 ..... c 33 N81-12330 * #
NASA-CASE-MFS-25535-2 ..... c 33 N84-22885 *
NASA-CASE-MFS-25586-1 ..... c 33 N82-11360 * #
NASA-CASE-MFS-25607-1 ..... c 33 N83-34190 *
NASA-CASE-MFS-25616-1 ..... c 33 N84-16455 *
NASA-CASE-MFS-25631-1 ..... c 34 N84-12406 *
NASA-CASE-MFS-25637-1 ..... c 44 N85-21769 *
NASA-CASE-MFS-25641-1 ..... c 72 N84-28575 *
NASA-CASE-MFS-256704-1 ..... c 33 N84-22884 *
NASA-CASE-MFS-25678-1 ..... c 37 N84-11497 *
NASA-CASE-MFS-25687-1 ..... c 35 N84-22928 *
NASA-CASE-MFS-25707-1 ..... c 35 N82-26631 * #
NASA-CASE-MFS-25717-1 ..... c 35 N84-33768 *
NASA-CASE-MFS-25721-1 ..... c 25 N85-21280 *
NASA-CASE-MFS-25740-1 ..... c 52 N84-11744 *
NASA-CASE-MFS-25750-1 ..... c 32 N86-20647 *
NASA-CASE-MFS-25752-1 ..... c 74 N86-21348 *
NASA-CASE-MFS-25754-1 ..... c 35 N84-28018 *
NASA-CASE-MFS-25791-1 ..... c 09 N84-27749 *
NASA-CASE-MFS-25807-2 ..... c 37 N86-21850 *
NASA-CASE-MFS-25807 ..... c 37 N83-20154 * #
NASA-CASE-MFS-25825-1 ..... c 31 N86-29055 *
NASA-CASE-MFS-25828-1 ..... c 71 N84-28568 *
NASA-CASE-MFS-25833-1 ..... c 35 N86-32698 *
NASA-CASE-MFS-25837-1 ..... c 18 N85-29991 *
NASA-CASE-MFS-25842-2 ..... c 37 N86-20788 *
NASA-CASE-MFS-25843-1 ..... c 20 N83-17588 * #
NASA-CASE-MFS-25852-1 ..... c 33 N84-33661 *
NASA-CASE-MFS-25853-1 ..... c 16 N84-27784 *
NASA-CASE-MFS-25854-1 ..... c 33 N84-27975 *
NASA-CASE-MFS-25861-1 ..... c 33 N85-22877 *
NASA-CASE-MFS-25862-1 ..... c 27 N85-20126 *
NASA-CASE-MFS-25862-2 ..... c 37 N84-33807 *
NASA-CASE-MFS-25868-1 ..... c 33 N86-20670 *
NASA-CASE-MFS-25878-1 ..... c 18 N84-27787 *
NASA-CASE-MFS-25905-2 ..... c 31 N86-21718 *
NASA-CASE-MFS-25906-1 ..... c 37 N86-20789 *
NASA-CASE-MFS-25907-1 ..... c 37 N85-34401 *
NASA-CASE-MFS-25910-1 ..... c 39 N86-20841 *
NASA-CASE-MFS-25942-1 ..... c 74 N86-20124 *
NASA-CASE-MFS-25946-1 ..... c 20 N86-26368 *
NASA-CASE-MFS-25949-1 ..... c 37 N86-19603 *
NASA-CASE-MFS-25956-1 ..... c 37 N87-21333 *
NASA-CASE-MFS-25962-1 ..... c 09 N84-32398 * #
NASA-CASE-MFS-25963-1 ..... c 35 N86-20750 *
NASA-CASE-MFS-25964-2 ..... c 37 N87-22977 *
NASA-CASE-MFS-25966-1 ..... c 16 N86-26352 *
NASA-CASE-MFS-25978-1 ..... c 44 N87-21410 *
NASA-CASE-MFS-25981-1 ..... c 35 N87-14670 *
NASA-CASE-MFS-25989-1 ..... c 20 N87-14420 *
NASA-CASE-MFS-26000-1 ..... c 74 N87-14971 *
NASA-CASE-MFS-26002-1-CU .... c 35 N86-26598 * #
NASA-CASE-MFS-26008-1-CU .... c 76 N88-14835 *
NASA-CASE-MFS-26009-1-SB .... c 54 N88-24163 *
NASA-CASE-MFS-26011-1-SB .... c 52 N87-24874 *
NASA-CASE-MFS-28001-2 ..... c 37 N88-14360 *
NASA-CASE-MFS-28008-1 ..... c 35 N85-20300 * #
NASA-CASE-MFS-28013-1 ..... c 89 N86-22459 * #
NASA-CASE-MFS-28030-1 ..... c 35 N86-25752 *
NASA-CASE-MFS-28044-1 ..... c 31 N87-25491 *
NASA-CASE-MFS-28057-1 ..... c 09 N87-14355 *
NASA-CASE-MFS-28058-1 ..... c 37 N87-21332 *
NASA-CASE-MFS-28059-1 ..... c 37 N86-32738 *
NASA-CASE-MFS-28060-1 ..... c 76 N87-25862 *
NASA-CASE-MFS-28080-1 ..... c 33 N87-21233 *
NASA-CASE-MFS-28087-1 ..... c 35 N87-23944 *
NASA-CASE-MFS-28090-1 ..... c 27 N87-21111 *
NASA-CASE-MFS-28110-1 ..... c 37 N87-24689 *
NASA-CASE-MFS-28118-1 ..... c 39 N87-25601 *
NASA-CASE-MFS-28122-1 ..... c 72 N88-24253 *
NASA-CASE-MFS-28137-1 ..... c 76 N88-24544 *
NASA-CASE-MFS-28139-1 ..... c 29 N87-18679 * #
NASA-CASE-MFS-28142-1 ..... c 25 N88-23845 *
NASA-CASE-MFS-28144-1 ..... c 76 N88-24545 *
NASA-CASE-MFS-28153-1 ..... c 31 N86-32589 * #
NASA-CASE-MFS-28161-1 ..... c 37 N87-18817 * #
NASA-CASE-MFS-28182-1 ..... c 76 N88-25357 * #
NASA-CASE-MFS-28185-1 ..... c 37 N88-23979 *
NASA-CASE-MFS-28206-1-SB ..... c 76 N88-25356 * #
NASA-CASE-MFS-28242-1 ..... c 35 N88-23960 * #
NASA-CASE-MFS-28248-1 ..... c 31 N88-24817 * #
NASA-CASE-MFS-28253-1 ..... c 37 N88-24971 * #
NASA-CASE-MFS-28273-1 ..... c 37 N88-23974 * #
NASA-CASE-MFS-28281-1 ..... c 09 N88-28938 * #
NASA-CASE-MFS-28282-1 ..... c 76 N88-29602 * #
NASA-CASE-MFS-28287-1 ..... c 35 N88-23959 * #
NASA-CASE-MFS-29134-1 ..... c 74 N87-17493 *
NASA-CASE-MFS-29149-1 ..... c 33 N87-29737 * #
NASA-CASE-MFS-29177-1 ..... c 37 N88-14362 *
NASA-CASE-MFS-29207-1 ..... c 74 N87-25843 *
NASA-CASE-MFS-29252-1 ..... c 37 N88-23980 *
NASA-CASE-MFS-29260-1 ..... c 37 N88-24972 * #
NASA-CASE-MFS-29348-1 ..... c 74 N88-25303 * #

NASA-CASE-MSC-10954-1 ..... c 54 N78-18761 *
NASA-CASE-MSC-10959 ..... c 15 N71-26243 *
NASA-CASE-MSC-10960-1 ..... c 03 N71-24718 *
NASA-CASE-MSC-10966 ..... c 14 N71-19568 *
NASA-CASE-MSC-11010 ..... c 15 N71-19485 *
NASA-CASE-MSC-11072 ..... c 54 N74-32546 *
NASA-CASE-MSC-11235 ..... c 33 N78-17294 *
NASA-CASE-MSC-11242 ..... c 35 N78-17358 *
NASA-CASE-MSC-11253 ..... c 05 N71-12343 *
NASA-CASE-MSC-11277 ..... c 09 N71-29008 *
NASA-CASE-MSC-11561-1 ..... c 05 N73-32014 *
NASA-CASE-MSC-11817-1 ..... c 15 N71-26611 *
NASA-CASE-MSC-11847-1 ..... c 14 N72-11363 *
NASA-CASE-MSC-11849-1 ..... c 15 N72-22488 *
NASA-CASE-MSC-12033-1 ..... c 09 N71-13531 *
NASA-CASE-MSC-12049 ..... c 31 N71-16080 *
NASA-CASE-MSC-12052-1 ..... c 15 N71-24599 *
NASA-CASE-MSC-12084-1 ..... c 12 N71-17569 *
NASA-CASE-MSC-12086-1 ..... c 05 N71-12345 *
NASA-CASE-MSC-12101 ..... c 09 N71-18720 *
NASA-CASE-MSC-12105-1 ..... c 14 N72-21409 *
NASA-CASE-MSC-12109 ..... c 18 N71-26285 *
NASA-CASE-MSC-12111-1 ..... c 02 N71-11039 *
NASA-CASE-MSC-12116-1 ..... c 15 N71-17648 *
NASA-CASE-MSC-12121-1 ..... c 15 N71-27147 *
NASA-CASE-MSC-12135-1 ..... c 09 N71-12526 *
NASA-CASE-MSC-12139-1 ..... c 28 N71-14058 *
NASA-CASE-MSC-12143-1 ..... c 33 N72-17947 *
NASA-CASE-MSC-12146-1 ..... c 07 N72-17109 *
NASA-CASE-MSC-12165-1 ..... c 07 N71-33696 *
NASA-CASE-MSC-12168-1 ..... c 09 N71-18600 *
NASA-CASE-MSC-12178-1 ..... c 09 N71-13518 *
NASA-CASE-MSC-12205-1 ..... c 07 N71-27056 *
NASA-CASE-MSC-12206-1 ..... c 05 N71-17599 *
NASA-CASE-MSC-12209 ..... c 09 N71-24842 *
NASA-CASE-MSC-12223-1 ..... c 07 N71-26181 *
NASA-CASE-MSC-12233-1 ..... c 15 N72-25454 *
NASA-CASE-MSC-12233-2 ..... c 32 N73-13921 *
NASA-CASE-MSC-12239-1 ..... c 52 N79-21750 *
NASA-CASE-MSC-12243-1 ..... c 05 N71-24728 *
NASA-CASE-MSC-12259-1 ..... c 07 N70-12616 * #
NASA-CASE-MSC-12259-2 ..... c 07 N72-33146 *
NASA-CASE-MSC-12279-1 ..... c 15 N70-35679 * #
NASA-CASE-MSC-12279 ..... c 15 N72-17450 *
NASA-CASE-MSC-12280 ..... c 27 N71-16348 *
NASA-CASE-MSC-12293-1 ..... c 14 N72-27411 *
NASA-CASE-MSC-12297 ..... c 14 N72-23457 *
NASA-CASE-MSC-12324-1 ..... c 05 N72-22093 *
NASA-CASE-MSC-12327-1 ..... c 35 N77-27368 *
NASA-CASE-MSC-12357 ..... c 15 N73-12489 *
NASA-CASE-MSC-12363-1 ..... c 14 N73-26431 *
NASA-CASE-MSC-12372-1 ..... c 31 N72-25842 *
NASA-CASE-MSC-12389 ..... c 33 N71-29052 *
NASA-CASE-MSC-12390 ..... c 27 N71-29155 *
NASA-CASE-MSC-12391 ..... c 30 N73-12884 *
NASA-CASE-MSC-12393-1 ..... c 02 N73-26006 *
NASA-CASE-MSC-12394-1 ..... c 08 N74-10942 *
NASA-CASE-MSC-12395 ..... c 09 N72-25257 *
NASA-CASE-MSC-12396-1 ..... c 03 N73-31988 *
NASA-CASE-MSC-12397-1 ..... c 05 N72-25119 *
NASA-CASE-MSC-12398 ..... c 05 N72-20098 *
NASA-CASE-MSC-12404-1 ..... c 23 N73-13661 *
NASA-CASE-MSC-12408-1 ..... c 46 N74-13011 *
NASA-CASE-MSC-12411-1 ..... c 05 N72-20096 *
NASA-CASE-MSC-12423-1 ..... c 91 N76-30131 *
NASA-CASE-MSC-12428-1 ..... c 10 N73-25240 *
NASA-CASE-MSC-12433 ..... c 31 N73-14854 *
NASA-CASE-MSC-12458-1 ..... c 08 N73-32081 *
NASA-CASE-MSC-12462-1 ..... c 32 N74-20809 *
NASA-CASE-MSC-12494-1 ..... c 32 N74-20810 *
NASA-CASE-MSC-12506-1 ..... c 32 N77-12239 *
NASA-CASE-MSC-12531-1 ..... c 35 N75-30504 *
NASA-CASE-MSC-12549-1 ..... c 37 N74-27903 *
NASA-CASE-MSC-12559-1 ..... c 18 N76-14186 *
NASA-CASE-MSC-12561-1 ..... c 18 N76-17185 *
NASA-CASE-MSC-12568-1 ..... c 24 N76-14204 *
NASA-CASE-MSC-12593-1 ..... c 17 N76-21250 *
NASA-CASE-MSC-12607-1 ..... c 32 N75-21485 *
NASA-CASE-MSC-12609-1 ..... c 05 N73-32012 *
NASA-CASE-MSC-12611-1 ..... c 12 N76-15189 *
NASA-CASE-MSC-12615-1 ..... c 37 N76-19437 *
NASA-CASE-MSC-12617-1 ..... c 35 N76-29552 *
NASA-CASE-MSC-12618-1 ..... c 74 N78-17865 *
NASA-CASE-MSC-12619-2 ..... c 27 N79-12221 *
NASA-CASE-MSC-12631-1 ..... c 24 N77-28225 *
NASA-CASE-MSC-12631-3 ..... c 27 N81-14077 *
NASA-CASE-MSC-12640-1 ..... c 74 N76-31998 *
NASA-CASE-MSC-12662-1 ..... c 33 N79-12331 *
NASA-CASE-MSC-12709-1 ..... c 33 N77-24375 *
NASA-CASE-MSC-12731-1 ..... c 37 N78-25426 *
NASA-CASE-MSC-12737-1 ..... c 24 N79-25142 *
NASA-CASE-MSC-12743-1 ..... c 32 N79-10263 *
NASA-CASE-MSC-12745-1 ..... c 33 N81-27397 *
NASA-CASE-MSC-13047-1 ..... c 31 N71-25434 *
NASA-CASE-MSC-13054 ..... c 54 N78-17677 *
NASA-CASE-MSC-13110-1 ..... c 08 N72-22163 *
NASA-CASE-MSC-13112 ..... c 03 N71-11057 *
NASA-CASE-MSC-13140 ..... c 05 N72-11085 *
NASA-CASE-MSC-13201-1 ..... c 07 N71-28429 *
NASA-CASE-MSC-13276-1 ..... c 14 N71-27058 *
NASA-CASE-MSC-13281 ..... c 31 N72-18859 *
NASA-CASE-MSC-13282-1 ..... c 05 N71-24729 *
NASA-CASE-MSC-13332-1 ..... c 14 N72-21408 *
NASA-CASE-MSC-13335-1 ..... c 06 N72-31140 *
NASA-CASE-MSC-13397-1 ..... c 21 N72-25595 *
NASA-CASE-MSC-13407-1 ..... c 10 N72-20225 *
NASA-CASE-MSC-13436-1 ..... c 05 N73-32015 *
NASA-CASE-MSC-13492-1 ..... c 10 N71-28860 *
NASA-CASE-MSC-13512-1 ..... c 15 N72-22485 *
NASA-CASE-MSC-13530-2 ..... c 23 N75-14834 *
NASA-CASE-MSC-13540-1 ..... c 05 N72-33096 *
NASA-CASE-MSC-13587-1 ..... c 15 N73-30459 *
NASA-CASE-MSC-13601-2 ..... c 54 N75-27759 *
NASA-CASE-MSC-13604-1 ..... c 05 N73-13114 *
NASA-CASE-MSC-13609-1 ..... c 05 N72-25122 *
NASA-CASE-MSC-13648 ..... c 05 N72-27103 *
NASA-CASE-MSC-13746-1 ..... c 10 N73-32143 *
NASA-CASE-MSC-13789-1 ..... c 11 N73-32152 *
NASA-CASE-MSC-13802-2 ..... c 35 N76-15431 *
NASA-CASE-MSC-13855-1 ..... c 35 N74-17885 *
NASA-CASE-MSC-13907-1 ..... c 10 N73-26230 *
NASA-CASE-MSC-13912-1 ..... c 32 N74-30524 *
NASA-CASE-MSC-13917-1 ..... c 05 N72-15098 * #
NASA-CASE-MSC-13932-1 ..... c 62 N74-14920 *
NASA-CASE-MSC-13972-1 ..... c 52 N74-10975 *
NASA-CASE-MSC-13999-1 ..... c 52 N74-26626 *
NASA-CASE-MSC-14053-1 ..... c 60 N74-12888 *
NASA-CASE-MSC-14065-1 ..... c 32 N74-26654 *

NASA-CASE-MSC-14066-1 ..... c 33 N74-27705 *
NASA-CASE-MSC-14070-1 ..... c 32 N74-32598 *
NASA-CASE-MSC-14081-1 ..... c 35 N74-27860 *
NASA-CASE-MSC-14082-1 ..... c 60 N76-23850 *
NASA-CASE-MSC-14096-1 ..... c 74 N74-15095 *
NASA-CASE-MSC-14129-1 ..... c 33 N75-18479 *
NASA-CASE-MSC-14130-1 ..... c 33 N74-32711 *
NASA-CASE-MSC-14131-1 ..... c 33 N75-19515 *
NASA-CASE-MSC-14143-1 ..... c 77 N75-20139 *
NASA-CASE-MSC-14180-1 ..... c 52 N76-14757 *
NASA-CASE-MSC-14182-1 ..... c 27 N76-14264 *
NASA-CASE-MSC-14187-1 ..... c 35 N74-32879 *
NASA-CASE-MSC-14219-1 ..... c 32 N74-27612 *
NASA-CASE-MSC-14240-1 ..... c 33 N75-14957 *
NASA-CASE-MSC-14245-1 ..... c 18 N75-27041 *
NASA-CASE-MSC-14270-1 ..... c 27 N76-22377 *
NASA-CASE-MSC-14270-2 ..... c 27 N76-23426 *
NASA-CASE-MSC-14273-1 ..... c 34 N75-33342 *
NASA-CASE-MSC-14276-1 ..... c 52 N77-14737 *
NASA-CASE-MSC-14331-1 ..... c 27 N76-24405 *
NASA-CASE-MSC-14331-2 ..... c 27 N78-17213 *
NASA-CASE-MSC-14331-3 ..... c 27 N78-32262 *
NASA-CASE-MSC-14339-1 ..... c 05 N75-24716 *
NASA-CASE-MSC-14428-1 ..... c 23 N77-17161 *
NASA-CASE-MSC-14435-1 ..... c 37 N76-18455 *
NASA-CASE-MSC-14472-1 ..... c 43 N77-10584 *
NASA-CASE-MSC-14557-1 ..... c 32 N76-16249 *
NASA-CASE-MSC-14558-1 ..... c 32 N75-21486 *
NASA-CASE-MSC-14623-1 ..... c 52 N77-28717 *
NASA-CASE-MSC-14632-1 ..... c 54 N78-14784 *
NASA-CASE-MSC-14640-1 ..... c 54 N76-14804 *
NASA-CASE-MSC-14649-1 ..... c 33 N76-16331 *
NASA-CASE-MSC-14653-1 ..... c 35 N77-19385 *
NASA-CASE-MSC-14683-1 ..... c 74 N77-18893 *
NASA-CASE-MSC-14733-1 ..... c 54 N76-24900 *
NASA-CASE-MSC-14735-1 ..... c 54 N76-24900 *
NASA-CASE-MSC-14757-1 ..... c 35 N78-10428 *
NASA-CASE-MSC-14771-1 ..... c 54 N77-32722 *
NASA-CASE-MSC-14773-1 ..... c 35 N78-12390 *
NASA-CASE-MSC-14805-1 ..... c 54 N78-32720 *
NASA-CASE-MSC-14831-1 ..... c 25 N78-10225 *
NASA-CASE-MSC-14836-1 ..... c 52 N82-11770 *
NASA-CASE-MSC-14840-1 ..... c 32 N77-24331 *
NASA-CASE-MSC-14903-1 ..... c 27 N78-32256 *
NASA-CASE-MSC-14903-2 ..... c 27 N80-10358 *
NASA-CASE-MSC-14903-3 ..... c 27 N80-24438 *
NASA-CASE-MSC-14905-1 ..... c 37 N77-28487 *
NASA-CASE-MSC-14916-1 ..... c 33 N78-10375 *
NASA-CASE-MSC-14939-1 ..... c 32 N79-11264 *
NASA-CASE-MSC-15158-1 ..... c 14 N72-17325 *
NASA-CASE-MSC-15474-1 ..... c 15 N71-26162 *
NASA-CASE-MSC-15567-1 ..... c 33 N73-16918 *
NASA-CASE-MSC-15626-1 ..... c 14 N72-25411 *
NASA-CASE-MSC-16000-1 ..... c 37 N78-24544 *
NASA-CASE-MSC-16043-1 ..... c 37 N79-11402 *
NASA-CASE-MSC-16074-1 ..... c 27 N80-26446 *
NASA-CASE-MSC-16098-1 ..... c 51 N79-10693 *
NASA-CASE-MSC-16170-2 ..... c 32 N84-27952 *
NASA-CASE-MSC-16182-1 ..... c 54 N80-10799 *
NASA-CASE-MSC-16217-1 ..... c 31 N81-27323 *
NASA-CASE-MSC-16239-1 ..... c 37 N81-32510 *
NASA-CASE-MSC-16253-1 ..... c 32 N79-20297 *
NASA-CASE-MSC-16258-1 ..... c 45 N79-12584 *
NASA-CASE-MSC-16260-1 ..... c 51 N80-16714 *
NASA-CASE-MSC-16270-1 ..... c 37 N78-27423 *
NASA-CASE-MSC-16370-1 ..... c 35 N81-19427 *
NASA-CASE-MSC-16394-1 ..... c 28 N81-24280 *
NASA-CASE-MSC-16433-1 ..... c 52 N81-24711 *
NASA-CASE-MSC-16461-1 ..... c 33 N79-11313 *
NASA-CASE-MSC-16462-1 ..... c 32 N82-31583 *
NASA-CASE-MSC-16497-1 ..... c 25 N82-12166 *
NASA-CASE-MSC-16697-1 ..... c 33 N79-28415 *
NASA-CASE-MSC-16747-1 ..... c 33 N81-17349 *
NASA-CASE-MSC-16777-1 ..... c 51 N80-27067 *
NASA-CASE-MSC-16800-1 ..... c 32 N81-14187 *
NASA-CASE-MSC-16841-1 ..... c 34 N79-24285 *
NASA-CASE-MSC-16934-3 ..... c 24 N84-16262 *
NASA-CASE-MSC-16938-1 ..... c 37 N80-23653 *
NASA-CASE-MSC-16973-1 ..... c 37 N81-14317 *
NASA-CASE-MSC-17832-1 ..... c 33 N74-14956 *
NASA-CASE-MSC-18035-1 ..... c 32 N81-15179 *
NASA-CASE-MSC-18106-1 ..... c 33 N82-11357 *
NASA-CASE-MSC-18107-1 ..... c 27 N81-25209 *
NASA-CASE-MSC-18134-1 ..... c 37 N81-15363 *
NASA-CASE-MSC-18172-3 ..... c 31 N88-29052 *
NASA-CASE-MSC-18179-1 ..... c 20 N80-18097 *
NASA-CASE-MSC-18223-1 ..... c 24 N82-29362 *
NASA-CASE-MSC-18223-2 ..... c 54 N84-11758 *
NASA-CASE-MSC-18255-1 ..... c 74 N80-33210 *
NASA-CASE-MSC-18334-1 ..... c 32 N80-32604 *
NASA-CASE-MSC-18381-1 ..... c 52 N81-28740 *
NASA-CASE-MSC-18382-1 ..... c 27 N82-16238 *
NASA-CASE-MSC-18382-2 ..... c 27 N84-14324 *
NASA-CASE-MSC-18407-1 ..... c 33 N82-24427 * #
NASA-CASE-MSC-18417-1 ..... c 74 N85-29750 *
NASA-CASE-MSC-18422-1 ..... c 37 N82-16408 *
NASA-CASE-MSC-18430-1 ..... c 37 N82-24491 *
NASA-CASE-MSC-18498-1 ..... c 60 N82-29013 *
NASA-CASE-MSC-18526-1 ..... c 37 N82-24494 *
NASA-CASE-MSC-18532-1 ..... c 32 N82-27558 *
NASA-CASE-MSC-18538-1 ..... c 37 N82-26672 *
NASA-CASE-MSC-18578-1 ..... c 32 N85-21427 *
NASA-CASE-MSC-18606-1 ..... c 32 N82-11336 *
NASA-CASE-MSC-18627-1 ..... c 74 N82-30071 *
NASA-CASE-MSC-18675-1 ..... c 32 N84-22820 *
NASA-CASE-MSC-18723-1 ..... c 35 N83-21312 *
NASA-CASE-MSC-18736-1 ..... c 24 N83-13172 *
NASA-CASE-MSC-18737-1 ..... c 24 N83-13171 *
NASA-CASE-MSC-18741-1 ..... c 27 N82-29456 *
NASA-CASE-MSC-18742-1 ..... c 37 N82-26673 * #
NASA-CASE-MSC-18759-1 ..... c 52 N83-27578 *
NASA-CASE-MSC-18761-1 ..... c 52 N83-27577 *
NASA-CASE-MSC-18791-1 ..... c 37 N83-36482 *
NASA-CASE-MSC-18794-1 ..... c 44 N83-14693 *
NASA-CASE-MSC-18807-1 ..... c 37 N83-36483 *
NASA-CASE-MSC-18808-1 ..... c 32 N88-23923 * #
NASA-CASE-MSC-18832-1 ..... c 27 N83-18908 *
NASA-CASE-MSC-18852-1 ..... c 37 N85-29283 *
NASA-CASE-MSC-18866-1 ..... c 35 N85-29213 *
NASA-CASE-MSC-18929-1 ..... c 39 N83-20280 *
NASA-CASE-MSC-18934-3 ..... c 24 N82-26387 * #
NASA-CASE-MSC-18936-1 ..... c 35 N83-29652 *
NASA-CASE-MSC-18969-1 ..... c 18 N84-22605 *
NASA-CASE-MSC-19095-1 ..... c 37 N75-19683 *
NASA-CASE-MSC-19372-1 ..... c 39 N76-31562 *
NASA-CASE-MSC-19442-1 ..... c 74 N77-10899 *
NASA-CASE-MSC-19514-1 ..... c 37 N79-20377 *
NASA-CASE-MSC-19535-1 ..... c 37 N77-32499 *
NASA-CASE-MSC-19536-1 ..... c 37 N77-22482 *
NASA-CASE-MSC-19568-1 ..... c 34 N78-25350 *
NASA-CASE-MSC-19666-1 ..... c 37 N78-17383 *
NASA-CASE-MSC-19672-1 ..... c 38 N79-14398 *
NASA-CASE-MSC-19693-1 ..... c 26 N78-24333 *
NASA-CASE-MSC-19706-1 ..... c 09 N78-31129 *
NASA-CASE-MSC-20036-1 ..... c 76 N85-33826 *
NASA-CASE-MSC-20080-1 ..... c 37 N85-30334 *
NASA-CASE-MSC-20112-1 ..... c 37 N85-20338 *
NASA-CASE-MSC-20127-2 ..... c 37 N85-34403 *
NASA-CASE-MSC-20148-1 ..... c 37 N85-29284 *
NASA-CASE-MSC-20162-1 ..... c 37 N87-17036 *
NASA-CASE-MSC-20181-1 ..... c 33 N88-23941 *
NASA-CASE-MSC-20187-1 ..... c 33 N87-25531 *
NASA-CASE-MSC-20202-1 ..... c 54 N84-16803 *
NASA-CASE-MSC-20206-1 ..... c 25 N86-27431 *
NASA-CASE-MSC-20250-1 ..... c 35 N86-19581 *
NASA-CASE-MSC-20254-1 ..... c 16 N84-22601 *
NASA-CASE-MSC-20258-1 ..... c 60 N84-28492 *
NASA-CASE-MSC-20261-1 ..... c 54 N84-28484 *
NASA-CASE-MSC-20261-2 ..... c 54 N84-23113 *
NASA-CASE-MSC-20275-1 ..... c 35 N85-21595 *
NASA-CASE-MSC-20304-1 ..... c 37 N82-31690 * #
NASA-CASE-MSC-20319-1 ..... c 37 N85-21649 *
NASA-CASE-MSC-20418-1 ..... c 74 N86-20126 *
NASA-CASE-MSC-20467-1 ..... c 35 N88-23966 *
NASA-CASE-MSC-20475-1 ..... c 37 N87-17037 *
NASA-CASE-MSC-20497-1 ..... c 34 N85-29180 *
NASA-CASE-MSC-20543-1 ..... c 18 N84-22610 * #
NASA-CASE-MSC-20549-2 ..... c 35 N88-24927 *
NASA-CASE-MSC-20622-1 ..... c 25 N86-19413 *
NASA-CASE-MSC-20635-1 ..... c 18 N87-14373 *
NASA-CASE-MSC-20653-1 ..... c 35 N86-26595 *
NASA-CASE-MSC-20676-1 ..... c 18 N86-24729 *
NASA-CASE-MSC-20761-1 ..... c 37 N87-15465 * #
NASA-CASE-MSC-20783-1 ..... c 35 N86-20756 * #
NASA-CASE-MSC-20797-1 ..... c 37 N87-23981 *
NASA-CASE-MSC-20812-1 ..... c 34 N86-27593 *
NASA-CASE-MSC-20821-1 ..... c 17 N87-25348 *
NASA-CASE-MSC-20840-1 ..... c 34 N88-29132 *
NASA-CASE-MSC-20841-1 ..... c 34 N87-22950 *
NASA-CASE-MSC-20841-2 ..... c 34 N88-23958 *
NASA-CASE-MSC-20857-1 ..... c 37 N87-17035 *
NASA-CASE-MSC-20865-1 ..... c 32 N87-18692 * #
NASA-CASE-MSC-20867-1 ..... c 36 N88-24958 *
NASA-CASE-MSC-20900-1 ..... c 37 N88-30131 *
NASA-CASE-MSC-20907-1 ..... c 37 N87-18818 * #
NASA-CASE-MSC-20910-1 ..... c 37 N87-25582 *
NASA-CASE-MSC-20912-1 ..... c 32 N88-26568 *
NASA-CASE-MSC-20946-1 ..... c 34 N87-28867 *
NASA-CASE-MSC-20964-1 ..... c 60 N87-14863 * #
NASA-CASE-MSC-20979-1 ..... c 37 N87-22985 *
NASA-CASE-MSC-20985-1 ..... c 18 N88-26398 *
NASA-CASE-MSC-21025-1 ..... c 31 N87-25495 * #
NASA-CASE-MSC-21056-1 ..... c 18 N88-23827 *
NASA-CASE-MSC-21082-1 ..... c 27 N87-29672 * #
NASA-CASE-MSC-21094-1 ..... c 35 N88-24941 * #
NASA-CASE-MSC-21117-1 ..... c 18 N88-28958 *
NASA-CASE-MSC-21132-1 ..... c 37 N88-29181 *
NASA-CASE-MSC-21166-1 ..... c 35 N87-25555 * #
NASA-CASE-MSC-21169-1 ..... c 27 N87-25473 * #
NASA-CASE-MSC-21170-1 ..... c 17 N88-24662 * #
NASA-CASE-MSC-21171-1 ..... c 37 N88-23973 * #
NASA-CASE-MSC-21207-1 ..... c 37 N88-29180 *
NASA-CASE-MSC-21299-1 ..... c 20 N88-24684 * #
NASA-CASE-MSC-21330-1 ..... c 16 N88-24660 * #
NASA-CASE-MSC-21354-1 ..... c 37 N88-24969 * #
NASA-CASE-MSC-21356-1 ..... c 18 N88-24671 * #
NASA-CASE-MSC-25707-1 ..... c 35 N85-29214 *
NASA-CASE-MSC-90153-2 ..... c 05 N72-25120 *

NASA-CASE-NPO-08835-1 ..... c 27 N78-33228 *
NASA-CASE-NPO-10003 ..... c 10 N71-26415 *
NASA-CASE-NPO-10034 ..... c 15 N71-17685 *
NASA-CASE-NPO-10037 ..... c 09 N71-19610 *
NASA-CASE-NPO-10046 ..... c 28 N72-17843 *
NASA-CASE-NPO-10051 ..... c 18 N71-24934 *
NASA-CASE-NPO-10064 ..... c 15 N71-17693 *
NASA-CASE-NPO-10066 ..... c 09 N71-18598 *
NASA-CASE-NPO-10068 ..... c 08 N71-19288 *
NASA-CASE-NPO-10070 ..... c 15 N71-27372 *
NASA-CASE-NPO-10096 ..... c 07 N71-24583 *
NASA-CASE-NPO-10109 ..... c 03 N71-11049 *
NASA-CASE-NPO-10112 ..... c 08 N71-12502 *
NASA-CASE-NPO-10117 ..... c 15 N71-15608 *
NASA-CASE-NPO-10118 ..... c 07 N71-24741 *
NASA-CASE-NPO-10122 ..... c 12 N71-17631 *
NASA-CASE-NPO-10123 ..... c 15 N71-24835 *
NASA-CASE-NPO-10138 ..... c 33 N71-16357 *
NASA-CASE-NPO-10140 ..... c 07 N71-24742 *
NASA-CASE-NPO-10141 ..... c 11 N71-24964 *
NASA-CASE-NPO-10143 ..... c 10 N71-26326 *
NASA-CASE-NPO-10144 ..... c 14 N71-17701 *
NASA-CASE-NPO-10150 ..... c 08 N71-24650 *
NASA-CASE-NPO-10151 ..... c 37 N78-17386 *
NASA-CASE-NPO-10158 ..... c 33 N71-16356 *
NASA-CASE-NPO-10166-1 ..... c 07 N73-22076 * #
NASA-CASE-NPO-10166-2 ..... c 35 N76-16391 *
NASA-CASE-NPO-10169 ..... c 10 N71-24844 *
NASA-CASE-NPO-10173 ..... c 15 N71-24696 *
NASA-CASE-NPO-10174 ..... c 14 N71-18465 *
NASA-CASE-NPO-10175 ..... c 14 N71-18625 *
NASA-CASE-NPO-10185 ..... c 10 N71-26339 *
NASA-CASE-NPO-10188 ..... c 03 N71-20273 *
NASA-CASE-NPO-10189-1 ..... c 33 N77-21314 *
NASA-CASE-NPO-10194 ..... c 03 N71-20407 *
NASA-CASE-NPO-10198 ..... c 09 N71-24806 *
NASA-CASE-NPO-10199 ..... c 09 N72-17156 *
NASA-CASE-NPO-10201 ..... c 08 N71-18694 *
NASA-CASE-NPO-10214 ..... c 10 N71-26577 *
NASA-CASE-NPO-10230 ..... c 09 N71-12520 *
NASA-CASE-NPO-10231 ..... c 07 N71-26101 *
NASA-CASE-NPO-10233-1 ..... c 74 N78-33913 *
NASA-CASE-NPO-10234 ..... c 06 N72-17094 *
NASA-CASE-NPO-10242 ..... c 09 N71-24803 *
NASA-CASE-NPO-10244 ..... c 15 N72-26371 *
NASA-CASE-NPO-10250 ..... c 23 N71-16212 *
NASA-CASE-NPO-10251 ..... c 10 N71-27365 *
NASA-CASE-NPO-10271 ..... c 17 N71-16393 *
NASA-CASE-NPO-10298 ..... c 12 N71-17661 *
NASA-CASE-NPO-10300 ..... c 14 N71-17662 *
NASA-CASE-NPO-10301 ..... c 07 N72-11148 *
NASA-CASE-NPO-10302 ..... c 10 N71-26142 *
NASA-CASE-NPO-10303 ..... c 07 N72-22127 *
NASA-CASE-NPO-10309 ..... c 15 N69-23190 * #
NASA-CASE-NPO-10311 ..... c 31 N71-15643 *
NASA-CASE-NPO-10316-1 ..... c 37 N77-22479 *
NASA-CASE-NPO-10320 ..... c 14 N71-17655 *
NASA-CASE-NPO-10331 ..... c 09 N71-26701 *
NASA-CASE-NPO-10337 ..... c 14 N71-15604 *
NASA-CASE-NPO-10342 ..... c 10 N71-33407 *
NASA-CASE-NPO-10343 ..... c 07 N71-27341 *
NASA-CASE-NPO-10344 ..... c 10 N71-26544 *
NASA-CASE-NPO-10348 ..... c 10 N71-12554 *
NASA-CASE-NPO-10351 ..... c 08 N71-12503 *
NASA-CASE-NPO-10373 ..... c 03 N71-18698 *
NASA-CASE-NPO-10388 ..... c 07 N71-24622 *
NASA-CASE-NPO-10401 ..... c 03 N72-20033 *
NASA-CASE-NPO-10404 ..... c 03 N71-12255 *
NASA-CASE-NPO-10412 ..... c 09 N71-28421 *
NASA-CASE-NPO-10416 ..... c 12 N71-27332 *
NASA-CASE-NPO-10417 ..... c 16 N71-33410 *
NASA-CASE-NPO-10424-1 ..... c 27 N81-24258 *
NASA-CASE-NPO-10431 ..... c 15 N71-29132 *
NASA-CASE-NPO-10440 ..... c 15 N72-21466 *
NASA-CASE-NPO-10447 ..... c 06 N70-11252 * #
NASA-CASE-NPO-10467 ..... c 23 N71-26654 *
NASA-CASE-NPO-10468 ..... c 23 N71-33229 *
NASA-CASE-NPO-10539 ..... c 07 N71-11285 *
NASA-CASE-NPO-10542 ..... c 09 N72-27228 *
NASA-CASE-NPO-10548 ..... c 16 N71-24831 *
NASA-CASE-NPO-10556 ..... c 14 N71-27185 *
NASA-CASE-NPO-10557 ..... c 27 N78-17214 *
NASA-CASE-NPO-10560 ..... c 08 N72-22166 *
NASA-CASE-NPO-10567 ..... c 08 N71-24633 *
NASA-CASE-NPO-10575 ..... c 03 N72-25019 *
NASA-CASE-NPO-10591 ..... c 03 N72-22041 *
NASA-CASE-NPO-10595 ..... c 10 N71-25917 *
NASA-CASE-NPO-10596 ..... c 06 N71-25929 *
NASA-CASE-NPO-10606 ..... c 15 N72-25451 *

NASA-CASE-NPO-10607 ..... c 09 N71-27232 *
NASA-CASE-NPO-10617-1 ..... c 35 N74-22095 *
NASA-CASE-NPO-10619-1 ..... c 35 N77-21393 *
NASA-CASE-NPO-10625 ..... c 09 N71-26182 *
NASA-CASE-NPO-10629 ..... c 08 N72-18184 *
NASA-CASE-NPO-10633 ..... c 03 N72-28025 *
NASA-CASE-NPO-10634 ..... c 23 N72-25619 *
NASA-CASE-NPO-10636 ..... c 08 N72-25210 *
NASA-CASE-NPO-10637 ..... c 15 N72-12409 *
NASA-CASE-NPO-10646 ..... c 15 N71-28467 *
NASA-CASE-NPO-10649 ..... c 07 N71-24840 *
NASA-CASE-NPO-10671 ..... c 15 N72-20443 *
NASA-CASE-NPO-10677 ..... c 05 N72-11084 *
NASA-CASE-NPO-10679 ..... c 15 N72-21462 *
NASA-CASE-NPO-10680 ..... c 31 N73-14855 *
NASA-CASE-NPO-10682 ..... c 15 N70-34699 * #
NASA-CASE-NPO-10691 ..... c 14 N71-26199 *
NASA-CASE-NPO-10694 ..... c 09 N72-20200 *
NASA-CASE-NPO-10700 ..... c 07 N71-33613 *
NASA-CASE-NPO-10701 ..... c 06 N71-28620 *
NASA-CASE-NPO-10704 ..... c 15 N72-20445 *
NASA-CASE-NPO-10711-1 ..... c 35 N77-21392 *
NASA-CASE-NPO-10714 ..... c 06 N69-31244 * #
NASA-CASE-NPO-10716 ..... c 09 N71-24892 *
NASA-CASE-NPO-10721 ..... c 15 N72-27484 *
NASA-CASE-NPO-10722 ..... c 09 N72-20199 *
NASA-CASE-NPO-10737 ..... c 28 N72-11709 *
NASA-CASE-NPO-10743 ..... c 08 N72-21199 *
NASA-CASE-NPO-10745 ..... c 08 N72-22164 *
NASA-CASE-NPO-10747 ..... c 03 N72-22042 *
NASA-CASE-NPO-10748 ..... c 08 N72-20177 *
NASA-CASE-NPO-10753 ..... c 03 N72-26031 *
NASA-CASE-NPO-10755 ..... c 15 N71-27084 *
NASA-CASE-NPO-10758 ..... c 14 N73-14427 *
NASA-CASE-NPO-10760 ..... c 09 N72-25254 *
NASA-CASE-NPO-10764-1 ..... c 14 N73-14428 *
NASA-CASE-NPO-10764-2 ..... c 35 N75-25122 *
NASA-CASE-NPO-10765 ..... c 06 N72-20121 *
NASA-CASE-NPO-10767-1 ..... c 06 N73-33076 *
NASA-CASE-NPO-10767-2 ..... c 06 N72-27151 * #
NASA-CASE-NPO-10768-2 ..... c 06 N72-27144 *
NASA-CASE-NPO-10768 ..... c 06 N71-27254 *
NASA-CASE-NPO-10769 ..... c 08 N72-11171 *
NASA-CASE-NPO-10774 ..... c 06 N72-17095 *
NASA-CASE-NPO-10778 ..... c 14 N72-11364 *
NASA-CASE-NPO-10781-1 ..... c 33 N77-21314 *
NASA-CASE-NPO-10790-1 ..... c 33 N77-21316 *
NASA-CASE-NPO-10796 ..... c 15 N71-27068 *
NASA-CASE-NPO-10808 ..... c 15 N71-27432 *
NASA-CASE-NPO-10810 ..... c 14 N71-27323 *
NASA-CASE-NPO-10812 ..... c 15 N73-13464 *
NASA-CASE-NPO-10817-1 ..... c 08 N73-30135 *
NASA-CASE-NPO-10821 ..... c 03 N71-19545 *
NASA-CASE-NPO-10828 ..... c 33 N72-17948 *
NASA-CASE-NPO-10830-1 ..... c 27 N81-15104 *
NASA-CASE-NPO-10831 ..... c 33 N72-20915 *
NASA-CASE-NPO-10832 ..... c 14 N72-21405 *
NASA-CASE-NPO-10844 ..... c 07 N72-20140 *
NASA-CASE-NPO-10851 ..... c 07 N71-24613 *
NASA-CASE-NPO-10857-1 ..... c 33 N80-14330 *
NASA-CASE-NPO-10862 ..... c 06 N72-22107 *
NASA-CASE-NPO-10863-2 ..... c 06 N72-25152 *
NASA-CASE-NPO-10863 ..... c 06 N70-11251 * #
NASA-CASE-NPO-10866-1 ..... c 28 N79-14228 *
NASA-CASE-NPO-10870-1 ..... c 33 N77-22386 *
NASA-CASE-NPO-10872-1 ..... c 35 N79-16246 *
NASA-CASE-NPO-10883 ..... c 31 N72-22874 *
NASA-CASE-NPO-10890 ..... c 11 N73-12265 *
NASA-CASE-NPO-10893 ..... c 27 N73-22710 *
NASA-CASE-NPO-10985 ..... c 14 N73-20478 *
NASA-CASE-NPO-10998-1 ..... c 06 N73-32029 *
NASA-CASE-NPO-10999-1 ..... c 06 N73-32029 *
NASA-CASE-NPO-11001 ..... c 07 N72-21118 *
NASA-CASE-NPO-11002 ..... c 14 N72-22441 *
NASA-CASE-NPO-11012 ..... c 15 N72-11391 *
NASA-CASE-NPO-11013 ..... c 11 N72-22247 *
NASA-CASE-NPO-11016 ..... c 08 N72-31226 *
NASA-CASE-NPO-11018 ..... c 08 N72-21200 *
NASA-CASE-NPO-11021 ..... c 03 N72-20032 *
NASA-CASE-NPO-11023 ..... c 09 N72-17155 *
NASA-CASE-NPO-11031 ..... c 07 N71-33606 *
NASA-CASE-NPO-11036 ..... c 15 N72-24522 *
NASA-CASE-NPO-11059 ..... c 15 N72-17454 *
NASA-CASE-NPO-11064 ..... c 07 N72-11150 *
NASA-CASE-NPO-11078 ..... c 09 N72-25262 *
NASA-CASE-NPO-11082 ..... c 08 N72-22167 *
NASA-CASE-NPO-11087 ..... c 23 N71-29125 *
NASA-CASE-NPO-11088 ..... c 08 N71-29034 *
NASA-CASE-NPO-11091 ..... c 18 N72-22567 *
NASA-CASE-NPO-11095 ..... c 15 N72-25455 *
NASA-CASE-NPO-11103-1 ..... c 35 N77-27367 *
NASA-CASE-NPO-11104 ..... c 08 N72-22165 *
NASA-CASE-NPO-11106 ..... c 14 N70-34697 * #
NASA-CASE-NPO-11118 ..... c 03 N72-25021 *
NASA-CASE-NPO-11120-1 ..... c 34 N74-18552 *
NASA-CASE-NPO-11129 ..... c 09 N72-33204 *
NASA-CASE-NPO-11130 ..... c 08 N72-20176 *
NASA-CASE-NPO-11133 ..... c 10 N72-20223 *
NASA-CASE-NPO-11134 ..... c 09 N72-21246 *
NASA-CASE-NPO-11138 ..... c 03 N70-34646 * #
NASA-CASE-NPO-11140 ..... c 15 N72-17455 *
NASA-CASE-NPO-11147 ..... c 14 N72-27408 *
NASA-CASE-NPO-11150 ..... c 35 N78-17359 *
NASA-CASE-NPO-11156-2 ..... c 33 N75-31331 *
NASA-CASE-NPO-11161 ..... c 08 N72-25207 *
NASA-CASE-NPO-11177 ..... c 15 N72-17453 *
NASA-CASE-NPO-11190 ..... c 03 N71-34044 * #
NASA-CASE-NPO-11191-1 ..... c 33 N77-22386 *
NASA-CASE-NPO-11194 ..... c 08 N72-25209 *
NASA-CASE-NPO-11201 ..... c 14 N72-27409 *
NASA-CASE-NPO-11202 ..... c 15 N72-25450 *
NASA-CASE-NPO-11203 ..... c 10 N72-20224 *
NASA-CASE-NPO-11210 ..... c 11 N72-20244 *
NASA-CASE-NPO-11213 ..... c 15 N73-20514 *
NASA-CASE-NPO-11222 ..... c 15 N72-25456 *
NASA-CASE-NPO-11239 ..... c 14 N73-12446 *
NASA-CASE-NPO-11243 ..... c 07 N72-20154 * #
NASA-CASE-NPO-11253 ..... c 09 N72-17157 *
NASA-CASE-NPO-11264 ..... c 07 N72-25174 *
NASA-CASE-NPO-11282 ..... c 10 N73-16205 *
NASA-CASE-NPO-11283 ..... c 09 N72-25260 *
NASA-CASE-NPO-11291-1 ..... c 14 N73-30388 *
NASA-CASE-NPO-11302-1 ..... c 07 N73-13149 *
NASA-CASE-NPO-11302-2 ..... c 32 N74-10132 *
NASA-CASE-NPO-11304 ..... c 14 N73-26430 *
NASA-CASE-NPO-11307-1 ..... c 10 N73-30205 *
NASA-CASE-NPO-11311 ..... c 14 N72-25414 *
NASA-CASE-NPO-11317-2 ..... c 36 N74-13205 *
NASA-CASE-NPO-11322 ..... c 06 N72-25146 *
NASA-CASE-NPO-11330 ..... c 33 N73-26958 *
NASA-CASE-NPO-11333 ..... c 08 N72-22162 *
NASA-CASE-NPO-11336-1 ..... c 76 N79-16678 *
NASA-CASE-NPO-11337-1 ..... c 74 N81-19896 *
NASA-CASE-NPO-11338 ..... c 06 N72-25206 *
NASA-CASE-NPO-11340 ..... c 15 N72-33477 *
NASA-CASE-NPO-11342 ..... c 09 N72-25248 *
NASA-CASE-NPO-11358 ..... c 07 N72-25172 *
NASA-CASE-NPO-11361 ..... c 07 N72-32169 *
NASA-CASE-NPO-11366 ..... c 11 N73-26238 *
NASA-CASE-NPO-11369 ..... c 15 N73-13467 *
NASA-CASE-NPO-11371 ..... c 08 N73-12177 *
NASA-CASE-NPO-11373 ..... c 13 N72-25323 *
NASA-CASE-NPO-11377 ..... c 15 N73-27406 *
NASA-CASE-NPO-11387 ..... c 14 N73-14429 *
NASA-CASE-NPO-11388 ..... c 03 N72-23048 *
NASA-CASE-NPO-11403-1 ..... c 33 N77-22386 *
NASA-CASE-NPO-11406 ..... c 08 N73-12175 *
NASA-CASE-NPO-11417 ..... c 15 N73-24513 *
NASA-CASE-NPO-11418-1 ..... c 14 N73-13420 *
NASA-CASE-NPO-11426 ..... c 07 N73-26119 *
NASA-CASE-NPO-11429-1 ..... c 74 N77-21941 *
NASA-CASE-NPO-11432-2 ..... c 35 N74-15090 *
NASA-CASE-NPO-11437 ..... c 16 N72-28521 *
NASA-CASE-NPO-11456 ..... c 08 N73-26176 *
NASA-CASE-NPO-11458A ..... c 20 N78-32179 *
NASA-CASE-NPO-11458 ..... c 28 N72-23810 *
NASA-CASE-NPO-11479 ..... c 15 N73-13462 *
NASA-CASE-NPO-11481 ..... c 21 N73-13644 *
NASA-CASE-NPO-11493 ..... c 14 N73-12447 *
NASA-CASE-NPO-11497 ..... c 08 N73-25206 *
NASA-CASE-NPO-11510-1 ..... c 33 N77-21315 *
NASA-CASE-NPO-11515-1 ..... c 33 N77-13315 *
NASA-CASE-NPO-11548 ..... c 07 N73-26118 *
NASA-CASE-NPO-11556 ..... c 12 N72-25292 *
NASA-CASE-NPO-11559 ..... c 28 N73-24784 *
NASA-CASE-NPO-11569 ..... c 10 N73-26229 *
NASA-CASE-NPO-11572 ..... c 07 N73-16121 *
NASA-CASE-NPO-11575-1 ..... c 74 N81-19896 *
NASA-CASE-NPO-11593-1 ..... c 07 N73-28012 *
NASA-CASE-NPO-11609-2 ..... c 27 N77-31308 *
NASA-CASE-NPO-11623-1 ..... c 71 N74-31148 *
NASA-CASE-NPO-11628-1 ..... c 07 N73-30113 *
NASA-CASE-NPO-11630 ..... c 08 N72-33172 *
NASA-CASE-NPO-11631 ..... c 10 N73-12244 *
NASA-CASE-NPO-11659-1 ..... c 35 N74-11283 *
NASA-CASE-NPO-11661 ..... c 07 N73-14130 *
NASA-CASE-NPO-11682-1 ..... c 35 N74-15127 *
NASA-CASE-NPO-11686 ..... c 14 N73-25462 *
NASA-CASE-NPO-11703-1 ..... c 10 N73-32144 *
NASA-CASE-NPO-11707 ..... c 07 N73-25161 *
NASA-CASE-NPO-11738-1 ..... c 09 N73-30185 *
NASA-CASE-NPO-11743-1 ..... c 28 N74-27425 *
NASA-CASE-NPO-11749 ..... c 14 N73-28486 *
NASA-CASE-NPO-11751 ..... c 07 N73-24176 *
NASA-CASE-NPO-11758-1 ..... c 31 N74-23065 *
NASA-CASE-NPO-11771 ..... c 03 N73-20040 *
NASA-CASE-NPO-11775 ..... c 26 N72-28761 *
NASA-CASE-NPO-11806-1 ..... c 44 N74-19693 *
NASA-CASE-NPO-11820-1 ..... c 32 N74-19788 *
NASA-CASE-NPO-11821-1 ..... c 08 N73-26175 *
NASA-CASE-NPO-11850-1 ..... c 32 N74-12912 *
NASA-CASE-NPO-11856-1 ..... c 36 N74-15145 *
NASA-CASE-NPO-11861-1 ..... c 36 N74-20009 *
NASA-CASE-NPO-11868 ..... c 10 N73-20254 *
NASA-CASE-NPO-11880 ..... c 28 N73-24783 *
NASA-CASE-NPO-11905-1 ..... c 33 N74-12887 *
NASA-CASE-NPO-11919-1 ..... c 35 N74-11284 *
NASA-CASE-NPO-11921-1 ..... c 32 N74-30523 *
NASA-CASE-NPO-11932-1 ..... c 35 N74-23040 *
NASA-CASE-NPO-11941-1 ..... c 10 N73-27171 *
NASA-CASE-NPO-11942-1 ..... c 33 N73-32818 *
NASA-CASE-NPO-11945-1 ..... c 36 N76-18427 *
NASA-CASE-NPO-11948-1 ..... c 33 N74-32712 *
NASA-CASE-NPO-11951-1 ..... c 37 N74-21065 *
NASA-CASE-NPO-11954-1 ..... c 35 N78-29421 *
NASA-CASE-NPO-11961-1 ..... c 44 N76-18643 *
NASA-CASE-NPO-11962-1 ..... c 33 N74-10194 *
NASA-CASE-NPO-11966-1 ..... c 33 N74-17928 *
NASA-CASE-NPO-11975-1 ..... c 28 N74-33209 *
NASA-CASE-NPO-11978 ..... c 31 N78-17238 *
NASA-CASE-NPO-12000 ..... c 27 N72-25699 *
NASA-CASE-NPO-12015 ..... c 27 N73-16764 *
NASA-CASE-NPO-12061-1 ..... c 27 N76-16228 *
NASA-CASE-NPO-12070-1 ..... c 28 N73-32606 *
NASA-CASE-NPO-12072 ..... c 28 N72-22772 *
NASA-CASE-NPO-12087-1 ..... c 74 N81-19898 *
NASA-CASE-NPO-12106 ..... c 09 N73-15235 *
NASA-CASE-NPO-12107 ..... c 08 N71-27255 *
NASA-CASE-NPO-12109 ..... c 11 N72-22245 *
NASA-CASE-NPO-12119-1 ..... c 52 N75-15270 *
NASA-CASE-NPO-12122-1 ..... c 24 N76-14203 *
NASA-CASE-NPO-12127-1 ..... c 91 N74-13130 *
NASA-CASE-NPO-12128-1 ..... c 14 N73-32317 *
NASA-CASE-NPO-12130-1 ..... c 25 N75-14844 *
NASA-CASE-NPO-12131-3 ..... c 37 N80-18400 * #
NASA-CASE-NPO-12134-1 ..... c 33 N76-31409 *
NASA-CASE-NPO-12142-1 ..... c 38 N76-28563 *
NASA-CASE-NPO-12148-1 ..... c 44 N78-27515 *
NASA-CASE-NPO-13044-1 ..... c 35 N74-15094 *
NASA-CASE-NPO-13050-1 ..... c 36 N75-15029 *
NASA-CASE-NPO-13058-1 ..... c 37 N77-22480 *
NASA-CASE-NPO-13059-1 ..... c 37 N76-20480 *
NASA-CASE-NPO-13063-1 ..... c 25 N76-18245 *
NASA-CASE-NPO-13064-1 ..... c 33 N79-11314 *
NASA-CASE-NPO-13065-1 ..... c 52 N74-26625 *
NASA-CASE-NPO-13067-1 ..... c 60 N76-18800 *
NASA-CASE-NPO-13081-1 ..... c 33 N74-22814 *
NASA-CASE-NPO-13086-1 ..... c 15 N73-12495 * #
NASA-CASE-NPO-13087-2 ..... c 44 N76-31666 *
NASA-CASE-NPO-13091-1 ..... c 09 N73-12214 * #
NASA-CASE-NPO-13096-1 ..... c 37 N77-22480 *
NASA-CASE-NPO-13103-1 ..... c 32 N74-20811 *
NASA-CASE-NPO-13105-1 ..... c 37 N74-21060 *
NASA-CASE-NPO-13112-1 ..... c 73 N74-26767 *
NASA-CASE-NPO-13114-2 ..... c 73 N78-28913 *
NASA-CASE-NPO-13120-1 ..... c 27 N76-15311 *
NASA-CASE-NPO-13121-1 ..... c 73 N77-18891 *
NASA-CASE-NPO-13125-1 ..... c 33 N75-19519 *
NASA-CASE-NPO-13127-1 ..... c 35 N74-23040 *
NASA-CASE-NPO-13131-1 ..... c 36 N75-19652 *
NASA-CASE-NPO-13137-1 ..... c 27 N80-32514 *
NASA-CASE-NPO-13138-1 ..... c 33 N74-17927 *
NASA-CASE-NPO-13139-1 ..... c 60 N76-21914 *
NASA-CASE-NPO-13140-1 ..... c 32 N75-24982 *
NASA-CASE-NPO-13147-1 ..... c 36 N77-25502 *
NASA-CASE-NPO-13157-1 ..... c 37 N74-32918 *
NASA-CASE-NPO-13159-1 ..... c 33 N74-17928 *
NASA-CASE-NPO-13160-1 ..... c 35 N74-18090 *
NASA-CASE-NPO-13170-1 ..... c 35 N76-14430 *
NASA-CASE-NPO-13171-1 ..... c 32 N74-11000 *
NASA-CASE-NPO-13175-1 ..... c 36 N75-31427 *
NASA-CASE-NPO-13201-1 ..... c 37 N75-15050 *
NASA-CASE-NPO-13205-1 ..... c 31 N74-32917 *
NASA-CASE-NPO-13214-1 ..... c 35 N75-25123 *
NASA-CASE-NPO-13215-1 ..... c 35 N75-25123 *
NASA-CASE-NPO-13217-1 ..... c 32 N75-26194 *
NASA-CASE-NPO-13231-1 ..... c 45 N75-27585 *
NASA-CASE-NPO-13237-1 ..... c 44 N76-18641 *
NASA-CASE-NPO-13247-1 ..... c 76 N79-16678 *
NASA-CASE-NPO-13253-1 ..... c 37 N75-18573 *
NASA-CASE-NPO-13263-1 ..... c 12 N75-24774 *
NASA-CASE-NPO-13274-1 ..... c 25 N79-10163 *
NASA-CASE-NPO-13281-1 ..... c 37 N75-13266 *
NASA-CASE-NPO-13282 ..... c 38 N78-17396 *
NASA-CASE-NPO-13283 ..... c 38 N78-17395 *
NASA-CASE-NPO-13292-1 ..... c 32 N75-15854 *
NASA-CASE-NPO-13303-1 ..... c 20 N75-24837 *
NASA-CASE-NPO-13308-1 ..... c 36 N75-30524 *
NASA-CASE-NPO-13309-1 ..... c 25 N81-19244 *
NASA-CASE-NPO-13313-1 ..... c 54 N75-27761 *
NASA-CASE-NPO-13321-1 ..... c 32 N75-26195 *
NASA-CASE-NPO-13327-1 ..... c 35 N75-23910 *
NASA-CASE-NPO-13342-1 ..... c 37 N76-16446 * #
NASA-CASE-NPO-13342-2 ..... c 44 N76-29700 *
NASA-CASE-NPO-13345-1 ..... c 37 N75-19684 *
NASA-CASE-NPO-13346-1 ..... c 36 N76-29575 *
NASA-CASE-NPO-13348-1 ..... c 33 N75-31332 *
NASA-CASE-NPO-13360-1 ..... c 37 N75-25185 *

NASA-CASE-NPO-13374-1 ..... c 33 N75-19524 *
NASA-CASE-NPO-13385-1 ..... c 33 N76-18345 *
NASA-CASE-NPO-13386-1 ..... c 54 N75-27758 *
NASA-CASE-NPO-13388-1 ..... c 35 N76-16390 *
NASA-CASE-NPO-13391-1 ..... c 34 N76-27515 *
NASA-CASE-NPO-13396-1 ..... c 35 N76-18401 *
NASA-CASE-NPO-13402-1 ..... c 37 N76-18457 *
NASA-CASE-NPO-13422-1 ..... c 60 N76-14818 *
NASA-CASE-NPO-13423-1 ..... c 33 N75-31329 *
NASA-CASE-NPO-13426-1 ..... c 33 N75-31330 *
NASA-CASE-NPO-13428-1 ..... c 60 N77-12721 *
NASA-CASE-NPO-13435-1 ..... c 31 N76-14284 *
NASA-CASE-NPO-13436-1 ..... c 37 N76-20480 *
NASA-CASE-NPO-13443-1 ..... c 76 N76-20994 *
NASA-CASE-NPO-13447-1 ..... c 60 N77-12721 *
NASA-CASE-NPO-13449-1 ..... c 36 N75-32441 *
NASA-CASE-NPO-13451-1 ..... c 33 N76-14373 *
NASA-CASE-NPO-13459-1 ..... c 31 N77-10229 *
NASA-CASE-NPO-13462-1 ..... c 35 N76-24524 *
NASA-CASE-NPO-13464-1 ..... c 44 N76-18642 *
NASA-CASE-NPO-13464-2 ..... c 44 N76-29704 *
NASA-CASE-NPO-13465-1 ..... c 32 N76-31372 *
NASA-CASE-NPO-13474-1 ..... c 45 N76-21742 *
NASA-CASE-NPO-13479-1 ..... c 35 N77-10492 *
NASA-CASE-NPO-13482-1 ..... c 44 N78-13526 *
NASA-CASE-NPO-13490-1 ..... c 36 N76-31512 *
NASA-CASE-NPO-13497-1 ..... c 44 N76-14602 *
NASA-CASE-NPO-13504-1 ..... c 33 N75-30430 *
NASA-CASE-NPO-13506-1 ..... c 35 N76-15435 *
NASA-CASE-NPO-13510-1 ..... c 44 N77-32581 *
NASA-CASE-NPO-13512-1 ..... c 33 N77-10428 *
NASA-CASE-NPO-13519-1 ..... c 33 N76-19338 *
NASA-CASE-NPO-13528-1 ..... c 09 N77-10071 *
NASA-CASE-NPO-13530-1 ..... c 25 N81-17187 *
NASA-CASE-NPO-13531-1 ..... c 36 N76-24553 *
NASA-CASE-NPO-13535-1 ..... c 37 N76-31524 *
NASA-CASE-NPO-13540-1 ..... c 35 N77-14409 *
NASA-CASE-NPO-13541-1 ..... c 37 N79-14383 *
NASA-CASE-NPO-13543-1 ..... c 32 N77-12240 *
NASA-CASE-NPO-13544-1 ..... c 36 N76-18428 *
NASA-CASE-NPO-13545-1 ..... c 32 N77-12240 *
NASA-CASE-NPO-13550-1 ..... c 36 N77-26477 *
NASA-CASE-NPO-13553-1 ..... c 33 N76-32457 *
NASA-CASE-NPO-13556-1 ..... c 35 N84-33766 *
NASA-CASE-NPO-13560-1 ..... c 44 N77-10636 *
NASA-CASE-NPO-13561-1 ..... c 44 N77-10636 *
NASA-CASE-NPO-13566-1 ..... c 25 N77-32255 *
NASA-CASE-NPO-13567-1 ..... c 44 N76-29701 *
NASA-CASE-NPO-13568-1 ..... c 32 N76-21365 *
NASA-CASE-NPO-13569-2 ..... c 35 N79-14348 *
NASA-CASE-NPO-13579-1 ..... c 44 N78-17460 *
NASA-CASE-NPO-13579-2 ..... c 44 N79-24433 *
NASA-CASE-NPO-13579-3 ..... c 44 N79-24432 *
NASA-CASE-NPO-13579-4 ..... c 44 N79-14529 *
NASA-CASE-NPO-13581-2 ..... c 44 N78-31525 *
NASA-CASE-NPO-13587-1 ..... c 32 N77-32342 *
NASA-CASE-NPO-13604-1 ..... c 35 N76-31490 *
NASA-CASE-NPO-13606-2 ..... c 35 N80-18364 * #
NASA-CASE-NPO-13613-1 ..... c 37 N76-29590 *
NASA-CASE-NPO-13619-1 ..... c 37 N78-16369 *
NASA-CASE-NPO-13620-1 ..... c 27 N77-30236 *
NASA-CASE-NPO-13641-1 ..... c 32 N79-24210 *
NASA-CASE-NPO-13643-1 ..... c 52 N76-29896 *
NASA-CASE-NPO-13644-1 ..... c 52 N76-29895 *
NASA-CASE-NPO-13650-1 ..... c 25 N79-28253 *
NASA-CASE-NPO-13652-1 ..... c 44 N79-17314 *
NASA-CASE-NPO-13652-2 ..... c 44 N79-24431 *
NASA-CASE-NPO-13652-3 ..... c 44 N80-14474 *
NASA-CASE-NPO-13663-1 ..... c 35 N77-14406 *
NASA-CASE-NPO-13666-1 ..... c 27 N77-13217 *
NASA-CASE-NPO-13671-1 ..... c 37 N77-31497 *
NASA-CASE-NPO-13673-1 ..... c 71 N77-26919 *
NASA-CASE-NPO-13675-1 ..... c 44 N77-32580 *
NASA-CASE-NPO-13676-1 ..... c 60 N79-20751 *
NASA-CASE-NPO-13683-1 ..... c 35 N77-14411 *
NASA-CASE-NPO-13687-1 ..... c 35 N78-18391 *
NASA-CASE-NPO-13689-2 ..... c 44 N81-29525 *
NASA-CASE-NPO-13689-4 ..... c 44 N82-28780 *
NASA-CASE-NPO-13690-1 ..... c 27 N78-19302 *
NASA-CASE-NPO-13690-2 ..... c 27 N79-14213 *
NASA-CASE-NPO-13691-1 ..... c 43 N79-17288 *
NASA-CASE-NPO-13707-1 ..... c 74 N77-28933 *
NASA-CASE-NPO-13722-1 ..... c 74 N77-22951 *
NASA-CASE-NPO-13731-1 ..... c 39 N78-10493 *
NASA-CASE-NPO-13732-1 ..... c 44 N79-10513 *
NASA-CASE-NPO-13734-1 ..... c 44 N78-10554 *
NASA-CASE-NPO-13736-1 ..... c 44 N77-32583 *
NASA-CASE-NPO-13753-1 ..... c 32 N77-20289 *
NASA-CASE-NPO-13758-2 ..... c 31 N81-15154 *
NASA-CASE-NPO-13759-1 ..... c 74 N78-17867 *
NASA-CASE-NPO-13763-1 ..... c 44 N78-33526 *
NASA-CASE-NPO-13764-1 ..... c 27 N78-17215 *
NASA-CASE-NPO-13772-1 ..... c 35 N78-10429 *
NASA-CASE-NPO-13786-1 ..... c 44 N80-29835 *
NASA-CASE-NPO-13792-1 ..... c 35 N77-32455 *
NASA-CASE-NPO-13801-1 ..... c 36 N78-18410 *
NASA-CASE-NPO-13802-1 ..... c 71 N78-10837 *
NASA-CASE-NPO-13804-1 ..... c 33 N80-23559 *
NASA-CASE-NPO-13808-1 ..... c 35 N78-15461 *
NASA-CASE-NPO-13810-1 ..... c 44 N77-32582 *
NASA-CASE-NPO-13812-1 ..... c 33 N77-30365 *
NASA-CASE-NPO-13813-1 ..... c 44 N78-31526 *
NASA-CASE-NPO-13817-1 ..... c 44 N79-11471 *
NASA-CASE-NPO-13821-1 ..... c 44 N78-28594 *
NASA-CASE-NPO-13823-1 ..... c 37 N81-25371 *
NASA-CASE-NPO-13828-1 ..... c 37 N79-11405 *
NASA-CASE-NPO-13830-1 ..... c 32 N80-14281 *
NASA-CASE-NPO-13836-1 ..... c 32 N78-15323 *
NASA-CASE-NPO-13839-1 ..... c 31 N78-25256 *
NASA-CASE-NPO-13847-2 ..... c 85 N79-17747 *
NASA-CASE-NPO-13848-2 ..... c 85 N79-17747 *
NASA-CASE-NPO-13849-1 ..... c 28 N80-10374 *
NASA-CASE-NPO-13858-1 ..... c 28 N79-11231 *
NASA-CASE-NPO-13859-1 ..... c 28 N79-11231 *
NASA-CASE-NPO-13862-1 ..... c 35 N79-10391 *
NASA-CASE-NPO-13867-1 ..... c 27 N78-14164 *
NASA-CASE-NPO-13872-1 ..... c 33 N78-10377 *
NASA-CASE-NPO-13877-1 ..... c 45 N82-11634 *
NASA-CASE-NPO-13886-1 ..... c 32 N78-24391 *
NASA-CASE-NPO-13899-1 ..... c 27 N80-32515 *
NASA-CASE-NPO-13904-1 ..... c 25 N79-11152 *
NASA-CASE-NPO-13906-1 ..... c 54 N79-24652 *
NASA-CASE-NPO-13907-1 ..... c 28 N80-10374 *
NASA-CASE-NPO-13909-1 ..... c 33 N78-25319 *
NASA-CASE-NPO-13910-1 ..... c 52 N79-27836 *
NASA-CASE-NPO-13913-1 ..... c 52 N79-12694 *
NASA-CASE-NPO-13914-1 ..... c 44 N78-31526 *
NASA-CASE-NPO-13918-1 ..... c 76 N79-11920 *
NASA-CASE-NPO-13921-1 ..... c 44 N79-14526 *
NASA-CASE-NPO-13930-1 ..... c 52 N79-14749 *
NASA-CASE-NPO-13935-1 ..... c 52 N79-14751 *
NASA-CASE-NPO-13937-1 ..... c 44 N78-31527 *
NASA-CASE-NPO-13941-1 ..... c 32 N79-10262 *
NASA-CASE-NPO-13944-1 ..... c 52 N79-14751 *
NASA-CASE-NPO-13945-1 ..... c 36 N78-27402 *
NASA-CASE-NPO-13948-1 ..... c 35 N78-25391 *
NASA-CASE-NPO-13953-1 ..... c 35 N79-28527 *
NASA-CASE-NPO-13958-1 ..... c 25 N79-11151 *
NASA-CASE-NPO-13969-1 ..... c 76 N79-23798 *
NASA-CASE-NPO-13970-1 ..... c 33 N81-20352 * #
NASA-CASE-NPO-13982-1 ..... c 32 N79-14267 *
NASA-CASE-NPO-13993-1 ..... c 72 N79-13826 *
NASA-CASE-NPO-13999-1 ..... c 35 N78-18395 * #
NASA-CASE-NPO-14000-1 ..... c 33 N79-24254 *
NASA-CASE-NPO-14001-1 ..... c 27 N81-14076 *
NASA-CASE-NPO-14005-1 ..... c 71 N79-20827 *
NASA-CASE-NPO-14009-1 ..... c 32 N79-13214 *
NASA-CASE-NPO-14014-1 ..... c 37 N79-10420 *
NASA-CASE-NPO-14019-1 ..... c 32 N79-14268 *
NASA-CASE-NPO-14021-2 ..... c 27 N80-16163 * #
NASA-CASE-NPO-14022-1 ..... c 32 N78-31321 *
NASA-CASE-NPO-14035-1 ..... c 32 N83-19968 *
NASA-CASE-NPO-14054-1 ..... c 32 N82-12297 *
NASA-CASE-NPO-14056-1 ..... c 33 N79-24257 *
NASA-CASE-NPO-14058-1 ..... c 44 N79-18443 *
NASA-CASE-NPO-14066-1 ..... c 74 N79-34011 *
NASA-CASE-NPO-14078-1 ..... c 72 N80-14877 *
NASA-CASE-NPO-14079-1 ..... c 25 N80-20334 *
NASA-CASE-NPO-14092-1 ..... c 52 N80-16725 *
NASA-CASE-NPO-14093-1 ..... c 35 N80-20563 *
NASA-CASE-NPO-14096-1 ..... c 44 N80-18551 *
NASA-CASE-NPO-14100-1 ..... c 44 N79-12541 *
NASA-CASE-NPO-14101-1 ..... c 52 N80-14687 *
NASA-CASE-NPO-14103-1 ..... c 28 N78-31255 *
NASA-CASE-NPO-14109-1 ..... c 28 N80-23471 *
NASA-CASE-NPO-14110-1 ..... c 28 N81-15119 *
NASA-CASE-NPO-14112-1 ..... c 46 N79-22679 *
NASA-CASE-NPO-14124-1 ..... c 46 N80-14603 *
NASA-CASE-NPO-14126-1 ..... c 44 N79-11470 *
NASA-CASE-NPO-14130-1 ..... c 34 N79-20335 *
NASA-CASE-NPO-14134-1 ..... c 71 N79-23753 *
NASA-CASE-NPO-14140-1 ..... c 43 N81-26509 *
NASA-CASE-NPO-14143-1 ..... c 25 N81-14015 *
NASA-CASE-NPO-14152-1 ..... c 32 N80-18252 *
NASA-CASE-NPO-14162-1 ..... c 60 N81-15706 *
NASA-CASE-NPO-14163-1 ..... c 33 N81-14220 *
NASA-CASE-NPO-14167-1 ..... c 60 N81-15706 *
NASA-CASE-NPO-14169-1 ..... c 60 N81-15706 *
NASA-CASE-NPO-14170-1 ..... c 37 N81-15364 *
NASA-CASE-NPO-14173-1 ..... c 04 N80-32359 *
NASA-CASE-NPO-14174-1 ..... c 74 N79-20856 *
NASA-CASE-NPO-14191-1 ..... c 31 N80-32584 *
NASA-CASE-NPO-14192-1 ..... c 39 N80-10507 *
NASA-CASE-NPO-14199-1 ..... c 44 N79-25482 *
NASA-CASE-NPO-14200-1 ..... c 44 N79-25482 *
NASA-CASE-NPO-14205-1 ..... c 44 N79-31752 *
NASA-CASE-NPO-14212-1 ..... c 52 N80-27072 *
NASA-CASE-NPO-14219-1 ..... c 74 N81-17886 *
NASA-CASE-NPO-14220-1 ..... c 37 N81-14318 *
NASA-CASE-NPO-14221-1 ..... c 37 N81-25370 *
NASA-CASE-NPO-14224-1 ..... c 33 N80-18287 *
NASA-CASE-NPO-14229-1 ..... c 33 N80-18285 *
NASA-CASE-NPO-14231-1 ..... c 46 N80-10709 *
NASA-CASE-NPO-14237-1 ..... c 44 N80-20808 *
NASA-CASE-NPO-14253-1 ..... c 32 N80-32605 *
NASA-CASE-NPO-14254-1 ..... c 36 N80-18372 *
NASA-CASE-NPO-14255-1 ..... c 46 N79-23555 *
NASA-CASE-NPO-14258-1 ..... c 35 N81-33448 *
NASA-CASE-NPO-14260-1 ..... c 28 N79-28342 *
NASA-CASE-NPO-14272-1 ..... c 25 N81-33246 *
NASA-CASE-NPO-14273-1 ..... c 25 N82-11144 *
NASA-CASE-NPO-14295-1 ..... c 76 N80-32245 *
NASA-CASE-NPO-14297-1 ..... c 33 N81-19389 *
NASA-CASE-NPO-14298-1 ..... c 76 N80-32244 *
NASA-CASE-NPO-14303-1 ..... c 44 N80-18550 *
NASA-CASE-NPO-14305-1 ..... c 44 N80-18550 *
NASA-CASE-NPO-14311-1 ..... c 33 N82-29539 *
NASA-CASE-NPO-14315-1 ..... c 27 N81-17261 *
NASA-CASE-NPO-14316-1 ..... c 33 N81-33404 *
NASA-CASE-NPO-14324-1 ..... c 72 N80-27163 *
NASA-CASE-NPO-14328-1 ..... c 32 N80-18253 *
NASA-CASE-NPO-14329-1 ..... c 52 N81-20703 *
NASA-CASE-NPO-14340-1 ..... c 45 N80-14579 *
NASA-CASE-NPO-14350-1 ..... c 33 N80-14332 *
NASA-CASE-NPO-14361-1 ..... c 32 N82-23376 *
NASA-CASE-NPO-14362-1 ..... c 32 N80-16261 * #
NASA-CASE-NPO-14363-1 ..... c 39 N81-25400 *
NASA-CASE-NPO-14369-1 ..... c 44 N83-10501 *
NASA-CASE-NPO-14372-1 ..... c 35 N80-26635 *
NASA-CASE-NPO-14382-1 ..... c 31 N80-18231 *
NASA-CASE-NPO-14384-1 ..... c 37 N80-10494 *
NASA-CASE-NPO-14387-1 ..... c 43 N81-26509 *
NASA-CASE-NPO-14388-1 ..... c 37 N81-17432 *
NASA-CASE-NPO-14395-1 ..... c 37 N82-21587 *
NASA-CASE-NPO-14402-1 ..... c 52 N81-27783 *
NASA-CASE-NPO-14406-1 ..... c 37 N80-29703 *
NASA-CASE-NPO-14416-1 ..... c 44 N81-14389 *
NASA-CASE-NPO-14424-1 ..... c 33 N80-32650 *
NASA-CASE-NPO-14426-1 ..... c 33 N81-27396 *
NASA-CASE-NPO-14430-1 ..... c 33 N80-32650 *
NASA-CASE-NPO-14435-1 ..... c 33 N81-33405 *
NASA-CASE-NPO-14444-1 ..... c 33 N81-15192 *
NASA-CASE-NPO-14448-1 ..... c 74 N81-29963 *
NASA-CASE-NPO-14467-1 ..... c 44 N79-31753 *
NASA-CASE-NPO-14473-1 ..... c 37 N80-23654 *
NASA-CASE-NPO-14474-1 ..... c 26 N80-14229 *
NASA-CASE-NPO-14477-1 ..... c 28 N80-28536 *
NASA-CASE-NPO-14480-1 ..... c 32 N80-20448 *
NASA-CASE-NPO-14501-1 ..... c 35 N80-18357 *
NASA-CASE-NPO-14502-1 ..... c 74 N81-17888 *
NASA-CASE-NPO-14505-1 ..... c 33 N81-19393 *
NASA-CASE-NPO-14513-1 ..... c 35 N81-14287 *
NASA-CASE-NPO-14519-1 ..... c 32 N80-23524 *
NASA-CASE-NPO-14521-1 ..... c 37 N81-27519 *
NASA-CASE-NPO-14524-1 ..... c 32 N80-24510 *
NASA-CASE-NPO-14525-1 ..... c 32 N79-19195 * #
NASA-CASE-NPO-14525-2 ..... c 32 N83-31918 *
NASA-CASE-NPO-14527-1 ..... c 32 N80-24510 *
NASA-CASE-NPO-14536-1 ..... c 32 N81-14185 *
NASA-CASE-NPO-14542-1 ..... c 25 N82-23282 *
NASA-CASE-NPO-14544-1 ..... c 46 N82-12685 *
NASA-CASE-NPO-14549-2 ..... c 52 N82-33996 *
NASA-CASE-NPO-14554-1 ..... c 60 N81-27814 *
NASA-CASE-NPO-14556-1 ..... c 33 N82-24418 *
NASA-CASE-NPO-14558-1 ..... c 46 N80-24906 *
NASA-CASE-NPO-14567-1 ..... c 33 N83-18996 *
NASA-CASE-NPO-14579-1 ..... c 32 N80-18253 *
NASA-CASE-NPO-14588-1 ..... c 32 N81-25278 *
NASA-CASE-NPO-14590-1 ..... c 32 N80-18253 *
NASA-CASE-NPO-14596-1 ..... c 31 N81-33319 *
NASA-CASE-NPO-14596-3 ..... c 31 N83-31896 *
NASA-CASE-NPO-14597-2 ..... c 37 N84-28081 *
NASA-CASE-NPO-14617-1 ..... c 33 N81-24338 *
NASA-CASE-NPO-14619-1 ..... c 44 N81-17518 *
NASA-CASE-NPO-14632-1 ..... c 32 N82-18443 *
NASA-CASE-NPO-14635-1 ..... c 44 N80-24741 *
NASA-CASE-NPO-14640-1 ..... c 32 N80-32605 *
NASA-CASE-NPO-14641-1 ..... c 32 N81-29308 *
NASA-CASE-NPO-14657-1 ..... c 74 N81-17887 *
NASA-CASE-NPO-14670-1 ..... c 44 N81-19558 *
NASA-CASE-NPO-14749-1 ..... c 32 N81-14186 *
NASA-CASE-NPO-14782-1 ..... c 36 N82-28616 *
NASA-CASE-NPO-14813-1 ..... c 74 N82-24072 *
NASA-CASE-NPO-14831-1 ..... c 76 N82-30105 *
NASA-CASE-NPO-14839-1 ..... c 35 N82-15381 *
NASA-CASE-NPO-14845-1 ..... c 27 N82-28442 *
NASA-CASE-NPO-14857-1 ..... c 27 N83-19900 *
NASA-CASE-NPO-14864-1 ..... c 74 N83-19597 *
NASA-CASE-NPO-14902-1 ..... c 25 N82-29371 *
NASA-CASE-NPO-14936-1 ..... c 47 N83-32232 *
NASA-CASE-NPO-14940-1 ..... c 33 N83-31954 *
NASA-CASE-NPO-14987-1 ..... c 24 N83-33950 *
NASA-CASE-NPO-14998-1 ..... c 32 N83-18975 *
NASA-CASE-NPO-15015-1 ..... c 25 N82-28368 *
NASA-CASE-NPO-15021-1 ..... c 36 N83-10417 *
NASA-CASE-NPO-15024-1 ..... c 32 N84-27951 *
NASA-CASE-NPO-15036-1 ..... c 74 N82-19029 *
NASA-CASE-NPO-15037-2 ..... c 37 N85-29282 *

NASA-CASE-NPO-15066-1 ..... c 33 N82-29538 *
NASA-CASE-NPO-15070-1 ..... c 31 N83-35176 *
NASA-CASE-NPO-15071-1 ..... c 44 N82-16475 *
NASA-CASE-NPO-15100-1 ..... c 44 N84-14583 *
NASA-CASE-NPO-15102-1 ..... c 25 N81-25159 *
NASA-CASE-NPO-15111-1 ..... c 36 N82-29589 *
NASA-CASE-NPO-15115-1 ..... c 37 N82-24493 *
NASA-CASE-NPO-15155-1 ..... c 74 N85-22139 *
NASA-CASE-NPO-15161-1 ..... c 33 N84-16456 *
NASA-CASE-NPO-15179-1 ..... c 44 N82-26777 *
NASA-CASE-NPO-15183-1 ..... c 44 N82-26776 *
NASA-CASE-NPO-15197-1 ..... c 52 N83-25346 *
NASA-CASE-NPO-15201-1 ..... c 36 N83-35350 *
NASA-CASE-NPO-15202-1 ..... c 27 N83-34043 *
NASA-CASE-NPO-15210-1 ..... c 25 N84-22709 *
NASA-CASE-NPO-15213-1 ..... c 51 N83-17045 *
NASA-CASE-NPO-15220-1 ..... c 45 N83-25217 *
NASA-CASE-NPO-15227-1 ..... c 37 N81-33482 *
NASA-CASE-NPO-15251-1 ..... c 31 N83-31897 *
NASA-CASE-NPO-15264-1 ..... c 04 N84-27713 *
NASA-CASE-NPO-15269-1 ..... c 44 N82-29710 *
NASA-CASE-NPO-15292-1 ..... c 35 N83-27184 *
NASA-CASE-NPO-15295-1 ..... c 60 N85-21992 *
NASA-CASE-NPO-15304-1 ..... c 25 N83-31743 *
NASA-CASE-NPO-15334-1 ..... c 71 N83-35781 *
NASA-CASE-NPO-15341-1 ..... c 35 N84-33769 *
NASA-CASE-NPO-15342-1 ..... c 60 N83-32342 *
NASA-CASE-NPO-15345-1 ..... c 74 N84-23247 *
NASA-CASE-NPO-15351-1 ..... c 06 N83-10040 *
NASA-CASE-NPO-15351-2 ..... c 06 N84-34443 *
NASA-CASE-NPO-15358-1 ..... c 33 N83-27126 *
NASA-CASE-NPO-15375-1 ..... c 74 N84-11921 *
NASA-CASE-NPO-15388-1 ..... c 44 N84-28203 *
NASA-CASE-NPO-15398-1 ..... c 35 N84-22931 *
NASA-CASE-NPO-15400-1 ..... c 34 N83-31993 *
NASA-CASE-NPO-15401-1 ..... c 32 N83-27085 *
NASA-CASE-NPO-15419-2 ..... c 44 N85-30474 *
NASA-CASE-NPO-15423-1 ..... c 35 N84-28016 *
NASA-CASE-NPO-15426-1 ..... c 35 N84-17555 *
NASA-CASE-NPO-15430-1 ..... c 46 N85-21846 *
NASA-CASE-NPO-15432-1 ..... c 32 N85-29117 *
NASA-CASE-NPO-15433-1 ..... c 32 N85-21428 *
NASA-CASE-NPO-15435-1 ..... c 71 N83-36846 *
NASA-CASE-NPO-15453-1 ..... c 71 N83-32515 *
NASA-CASE-NPO-15458-1 ..... c 25 N84-12262 *
NASA-CASE-NPO-15464-1 ..... c 74 N85-29749 *
NASA-CASE-NPO-15465-1 ..... c 34 N84-22903 *
NASA-CASE-NPO-15466-1 ..... c 71 N85-22104 *
NASA-CASE-NPO-15482-1 ..... c 37 N87-23970 *
NASA-CASE-NPO-15483-1 ..... c 37 N85-21650 *
NASA-CASE-NPO-15494-1 ..... c 35 N82-25484 * #
NASA-CASE-NPO-15496-1 ..... c 44 N84-23018 *
NASA-CASE-NPO-15516-1 ..... c 36 N84-22943 *
NASA-CASE-NPO-15519-1 ..... c 32 N84-34651 *
NASA-CASE-NPO-15522-1 ..... c 71 N83-32516 *
NASA-CASE-NPO-15530-1 ..... c 76 N83-35888 *
NASA-CASE-NPO-15539-1 ..... c 37 N82-11469 * #
NASA-CASE-NPO-15547-1 ..... c 72 N84-16959 * #
NASA-CASE-NPO-15553-1 ..... c 33 N85-29142 *
NASA-CASE-NPO-15558-1 ..... c 35 N84-34705 *
NASA-CASE-NPO-15559-1 ..... c 71 N85-30765 *
NASA-CASE-NPO-15560-1 ..... c 33 N85-21491 *
NASA-CASE-NPO-15562-1 ..... c 71 N82-27086 * #
NASA-CASE-NPO-15592-1 ..... c 71 N84-16940 *
NASA-CASE-NPO-15609-2 ..... c 25 N88-23846 *
NASA-CASE-NPO-15609-2 ..... c 31 N88-24815 * #
NASA-CASE-NPO-15617-1 ..... c 35 N87-21304 *
NASA-CASE-NPO-15625-1 ..... c 76 N83-20789 *
NASA-CASE-NPO-15629-1 ..... c 76 N84-35113 *
NASA-CASE-NPO-15640-1 ..... c 27 N84-22748 *
NASA-CASE-NPO-15644-1 ..... c 35 N84-33767 *
NASA-CASE-NPO-15651-1 ..... c 43 N85-21723 *
NASA-CASE-NPO-15656-1 ..... c 43 N84-23012 * #
NASA-CASE-NPO-15658-1 ..... c 26 N86-32551 *
NASA-CASE-NPO-15662-1 ..... c 44 N84-28204 *
NASA-CASE-NPO-15689-1 ..... c 71 N84-23233 *
NASA-CASE-NPO-15696-1 ..... c 33 N85-34333 *
NASA-CASE-NPO-15704-1 ..... c 32 N85-34327 *
NASA-CASE-NPO-15706-1 ..... c 35 N84-28017 *
NASA-CASE-NPO-15722-1 ..... c 35 N85-29212 *
NASA-CASE-NPO-15743-1 ..... c 32 N85-29118 *
NASA-CASE-NPO-15753-1 ..... c 27 N84-33589 *
NASA-CASE-NPO-15759-1 ..... c 35 N85-21596 *
NASA-CASE-NPO-15767-1 ..... c 23 N84-16255 *
NASA-CASE-NPO-15772-1 ..... c 76 N85-29800 *
NASA-CASE-NPO-15786-1 ..... c 76 N84-35112 * #
NASA-CASE-NPO-15789-1 ..... c 31 N83-19947 *
NASA-CASE-NPO-15790-1 ..... c 36 N85-21631 *
NASA-CASE-NPO-15800-2 ..... c 76 N87-23286 *
NASA-CASE-NPO-15801-1 ..... c 74 N85-23396 *
NASA-CASE-NPO-15805-1 ..... c 74 N84-28590 *
NASA-CASE-NPO-15808-1 ..... c 44 N84-34792 *
NASA-CASE-NPO-15811-1 ..... c 76 N84-12968 * #
NASA-CASE-NPO-15813-1 ..... c 76 N85-30922 *
NASA-CASE-NPO-15813-2 ..... c 76 N87-15882 *
NASA-CASE-NPO-15851-1 ..... c 37 N85-21652 *
NASA-CASE-NPO-15865-1 ..... c 74 N85-34629 *
NASA-CASE-NPO-15890-1-CU .... c 33 N85-29143 *
NASA-CASE-NPO-15904-1 ..... c 76 N86-28760 *
NASA-CASE-NPO-15920-1 ..... c 33 N85-21493 *
NASA-CASE-NPO-15924-1 ..... c 25 N85-35253 *
NASA-CASE-NPO-15928-1 ..... c 26 N85-29005 *
NASA-CASE-NPO-15939-1 ..... c 43 N86-19711 *
NASA-CASE-NPO-15949-1 ..... c 85 N85-34722 *
NASA-CASE-NPO-15960-1 ..... c 37 N86-19604 *
NASA-CASE-NPO-15980-1 ..... c 36 N85-30305 *
NASA-CASE-NPO-15982-1 ..... c 60 N87-21591 *
NASA-CASE-NPO-16000-1 ..... c 36 N85-29264 *
NASA-CASE-NPO-16021-1 ..... c 33 N85-30187 *
NASA-CASE-NPO-16022-1 ..... c 71 N85-22105 *
NASA-CASE-NPO-16027-1 ..... c 35 N85-21597 *
NASA-CASE-NPO-16030-1 ..... c 36 N84-25037 * #
NASA-CASE-NPO-16038-1 ..... c 37 N86-19605 *
NASA-CASE-NPO-16045-1 ..... c 76 N87-13313 *
NASA-CASE-NPO-16061-1-CU .... c 72 N87-21660 *
NASA-CASE-NPO-16103-1 ..... c 27 N85-29043 *
NASA-CASE-NPO-16112-1 ..... c 33 N86-19516 *
NASA-CASE-NPO-16116-2 ..... c 60 N88-29310 *
NASA-CASE-NPO-16135-1 ..... c 25 N83-24572 * #
NASA-CASE-NPO-16142-1-CU .... c 35 N86-20752 *
NASA-CASE-NPO-16147-1-CU .... c 71 N85-29693 *
NASA-CASE-NPO-16155-1 ..... c 44 N85-30475 *
NASA-CASE-NPO-16171-1CU ..... c 04 N86-27270 *
NASA-CASE-NPO-16203-1 ..... c 23 N85-35227 *
NASA-CASE-NPO-16233-1 ..... c 37 N86-20801 * #
NASA-CASE-NPO-16236-1 ..... c 44 N86-27706 *
NASA-CASE-NPO-16256-1 ..... c 32 N87-21207 *
NASA-CASE-NPO-16257-1 ..... c 31 N85-29082 *
NASA-CASE-NPO-16271-1 ..... c 35 N86-25753 *
NASA-CASE-NPO-16299-1 ..... c 33 N87-14594 *
NASA-CASE-NPO-16306-1-CU .... c 76 N85-30934 * #
NASA-CASE-NPO-16321-1CU ..... c 37 N87-17034 *
NASA-CASE-NPO-16337-1-CU .... c 33 N87-22894 *
NASA-CASE-NPO-16372-1 ..... c 72 N86-33127 *
NASA-CASE-NPO-16392-1 ..... c 25 N86-25428 *
NASA-CASE-NPO-16393-1-CU .... c 31 N87-21159 *
NASA-CASE-NPO-16402-2 ..... c 33 N88-24862 *
NASA-CASE-NPO-16414-1-CU .... c 32 N87-25511 *
NASA-CASE-NPO-16420-1 ..... c 33 N86-20681 * #
NASA-CASE-NPO-16423-1-CU .... c 37 N87-21334 *
NASA-CASE-NPO-16433-1 ..... c 36 N87-23961 *
NASA-CASE-NPO-16461-1CU ..... c 60 N86-23283 * #
NASA-CASE-NPO-16462-1-CU .... c 60 N88-24169 *
NASA-CASE-NPO-16464-1CU ..... c 60 N86-24224 * #
NASA-CASE-NPO-16467-1-CU .... c 33 N87-23879 *
NASA-CASE-NPO-16479-ICU ..... c 35 N86-32695 * #
NASA-CASE-NPO-16494-1-CU .... c 34 N85-29182 * #
NASA-CASE-NPO-16497-1-CU .... c 36 N87-25567 *
NASA-CASE-NPO-16526-1CU ..... c 44 N87-17399 *
NASA-CASE-NPO-16542-1-CU .... c 36 N87-23960 *
NASA-CASE-NPO-16544-1-CU .... c 35 N87-22953 *
NASA-CASE-NPO-16558-1-CU .... c 74 N87-23259 *
NASA-CASE-NPO-16567-1-CU .... c 36 N87-28006 *
NASA-CASE-NPO-16584-1-CU .... c 76 N86-25269 * #
NASA-CASE-NPO-16607-1-CU .... c 76 N88-14836 *
NASA-CASE-NPO-16632-1-CU .... c 32 N87-15390 * #
NASA-CASE-NPO-16640-1-CU .... c 72 N87-21661 *
NASA-CASE-NPO-16675-1-CU .... c 71 N88-24241 *
NASA-CASE-NPO-16681-1-CU .... c 76 N88-24543 *
NASA-CASE-NPO-16734-1-CU .... c 31 N88-14223 *
NASA-CASE-NPO-16764-1-CU .... c 33 N88-14270 *
NASA-CASE-NPO-16784-1 ..... c 33 N87-10231 * #
NASA-CASE-NPO-16789-1-CU .... c 72 N88-25281 * #
NASA-CASE-NPO-16808-1-CU .... c 76 N87-25868 * #
NASA-CASE-NPO-16869-1CU ..... c 74 N86-33138 * #
NASA-CASE-NPO-16882-1-CU .... c 33 N88-24863 * #
NASA-CASE-NPO-16888-1-CU .... c 33 N88-23937 * #
NASA-CASE-NPO-16892-1-CU .... c 37 N87-14704 * #
NASA-CASE-NPO-16901-1-CU .... c 31 N87-15327 * #
NASA-CASE-NPO-16907-1-CU .... c 25 N88-24732 *
NASA-CASE-NPO-16932-1CU ..... c 33 N87-15413 * #
NASA-CASE-NPO-16949-1-CU .... c 62 N87-19021 * #
NASA-CASE-NPO-16985-1-CU .... c 31 N88-24814 * #
NASA-CASE-NPO-16987-1-CU .... c 32 N88-30001 * #
NASA-CASE-NPO-17022-1-CU .... c 29 N87-25489 * #
NASA-CASE-NPO-17024-1-CU .... c 35 N88-24943 * #
NASA-CASE-NPO-17058-1-CU .... c 62 N87-25803 * #
NASA-CASE-NPO-17068-1-CU .... c 35 N88-29151 *
NASA-CASE-NPO-17108-1-CU .... c 33 N87-27926 * #
NASA-CASE-NPO-17134-1-CU .... c 33 N88-24864 * #
NASA-CASE-NPO-17139-1-CU .... c 74 N88-25301 * #
NASA-CASE-NPO-17140-1-CU .... c 74 N88-24508 * #
NASA-CASE-NPO-17144-1-CU .... c 74 N88-25305 * #
NASA-CASE-NPO-17157-1-CU .... c 33 N88-26596 *
NASA-CASE-NPO-17184-1-CU .... c 32 N88-26541 * #
NASA-CASE-NPO-17196-1-CU .... c 32 N88-29076 *
NASA-CASE-NPO-17207-1-CU .... c 74 N88-25304 * #
NASA-CASE-NPO-17233-1-CU .... c 33 N88-29095 * #
NASA-CASE-NPO-17249-1-CU .... c 32 N88-23924 * #
NASA-CASE-NPO-17259-1-CU .... c 76 N88-25358 * #
NASA-CASE-NPO-17278-1-CU .... c 31 N88-24818 * #
NASA-CASE-NPO-17280-1-CU .... c 17 N88-27220 * #
NASA-CASE-NPO-17291-1-CU .... c 34 N88-23946 * #
NASA-CASE-NPO-17310-1-CU .... c 17 N88-28946 * #
NASA-CASE-NPO-17325-1-CU .... c 32 N88-24846 * #
NASA-CASE-NPO-17334-1-CU .... c 31 N88-23917 * #
NASA-CASE-NPO-17354-1-CU .... c 37 N88-24973 * #
NASA-CASE-NPO-17390-1-CU .... c 35 N88-24944 * #

NASA-CASE-NSTL-10 ..... c 45 N84-12654 *

NASA-CASE-NUC-10107-1 ..... c 33 N74-17930 *

NASA-CASE-WLP-10002 ..... c 15 N72-17451 *
NASA-CASE-WLP-10055-1 ..... c 35 N84-28015 *
NASA-CASE-WLP-10055-2 ..... c 35 N85-21598 *

NASA-CASE-WOO-00428-1 ..... c 32 N79-19186 *
NASA-CASE-WOO-00625 ..... c 37 N78-17385 *

NASA-CASE-XAC-00001 ..... c 15 N71-28952 *
NASA-CASE-XAC-00030 ..... c 14 N70-34820 *
NASA-CASE-XAC-00042 ..... c 14 N70-34816 *
NASA-CASE-XAC-00048 ..... c 02 N71-29128 *
NASA-CASE-XAC-00060 ..... c 09 N70-39915 *
NASA-CASE-XAC-00073 ..... c 14 N70-34813 *
NASA-CASE-XAC-00074 ..... c 15 N70-34817 *
NASA-CASE-XAC-00086 ..... c 09 N70-33182 *
NASA-CASE-XAC-00139 ..... c 02 N70-34856 *
NASA-CASE-XAC-00319 ..... c 25 N70-41628 *
NASA-CASE-XAC-00399 ..... c 11 N70-34815 *
NASA-CASE-XAC-00404 ..... c 08 N70-40125 *
NASA-CASE-XAC-00405 ..... c 05 N70-41819 *
NASA-CASE-XAC-00435 ..... c 09 N70-35440 *
NASA-CASE-XAC-00472 ..... c 15 N70-40180 *
NASA-CASE-XAC-00648 ..... c 14 N70-40400 *
NASA-CASE-XAC-00731 ..... c 11 N71-15960 *
NASA-CASE-XAC-00812 ..... c 14 N71-15598 *
NASA-CASE-XAC-00942 ..... c 10 N71-16042 *
NASA-CASE-XAC-01101 ..... c 14 N70-41957 *
NASA-CASE-XAC-01158 ..... c 15 N71-23051 *
NASA-CASE-XAC-01404 ..... c 05 N70-41581 *
NASA-CASE-XAC-01591 ..... c 31 N71-17729 *
NASA-CASE-XAC-01662 ..... c 14 N71-23037 *
NASA-CASE-XAC-01677 ..... c 09 N71-20816 *
NASA-CASE-XAC-02058 ..... c 02 N71-16087 *
NASA-CASE-XAC-02405 ..... c 09 N71-16089 *
NASA-CASE-XAC-02407 ..... c 14 N69-27423 * #
NASA-CASE-XAC-02807 ..... c 09 N71-23021 *
NASA-CASE-XAC-02877 ..... c 14 N70-41681 *
NASA-CASE-XAC-02970 ..... c 14 N69-39896 * #
NASA-CASE-XAC-02981 ..... c 14 N71-21072 *
NASA-CASE-XAC-03107 ..... c 23 N71-16098 *
NASA-CASE-XAC-03392 ..... c 03 N70-41954 *
NASA-CASE-XAC-03740 ..... c 14 N71-26135 *
NASA-CASE-XAC-03777 ..... c 10 N71-15909 *
NASA-CASE-XAC-04030 ..... c 10 N71-19472 *
NASA-CASE-XAC-04031 ..... c 08 N71-18594 *
NASA-CASE-XAC-04458 ..... c 14 N71-24232 *
NASA-CASE-XAC-04885 ..... c 14 N71-23790 *
NASA-CASE-XAC-04886-1 ..... c 14 N71-20439 *
NASA-CASE-XAC-05333 ..... c 11 N71-22875 *
NASA-CASE-XAC-05422 ..... c 04 N71-23185 *
NASA-CASE-XAC-05462-2 ..... c 10 N72-17171 *
NASA-CASE-XAC-05506-1 ..... c 24 N71-16095 *
NASA-CASE-XAC-05632 ..... c 32 N71-23971 *
NASA-CASE-XAC-05695 ..... c 25 N71-16073 *
NASA-CASE-XAC-05706 ..... c 05 N71-12342 *
NASA-CASE-XAC-05902 ..... c 11 N71-18578 *
NASA-CASE-XAC-06029-1 ..... c 31 N71-24813 *
NASA-CASE-XAC-06302 ..... c 08 N71-19763 *
NASA-CASE-XAC-06956 ..... c 15 N71-21177 *
NASA-CASE-XAC-07043 ..... c 05 N71-23161 *
NASA-CASE-XAC-08494 ..... c 30 N71-15990 *
NASA-CASE-XAC-08972 ..... c 02 N71-20570 *
NASA-CASE-XAC-08981 ..... c 09 N69-39897 * #
NASA-CASE-XAC-09489-1 ..... c 15 N71-26673 *
NASA-CASE-XAC-10019 ..... c 15 N71-23809 *
NASA-CASE-XAC-10607 ..... c 10 N71-23669 *
NASA-CASE-XAC-10608-1 ..... c 09 N71-12517 *
NASA-CASE-XAC-10768 ..... c 09 N71-18830 *
NASA-CASE-XAC-10770-1 ..... c 16 N71-24828 *
NASA-CASE-XAC-11225 ..... c 14 N69-27486 * #

NASA-CASE-XAR-01547 ..... c 05 N69-21473 * #
NASA-CASE-XAR-03786 ..... c 09 N69-21313 * #

NASA-CASE-XER-07894 ..... c 09 N71-18721 *
NASA-CASE-XER-07895 ..... c 26 N72-25679 *
NASA-CASE-XER-07896-2 ..... c 23 N72-22673 *
NASA-CASE-XER-08476-1 ..... c 26 N72-17820 *
NASA-CASE-XER-09213 ..... c 07 N71-12390 *
NASA-CASE-XER-09519 ..... c 14 N71-18483 *
NASA-CASE-XER-09521 ..... c 09 N72-12136 *
NASA-CASE-XER-11019 ..... c 09 N71-23598 *
NASA-CASE-XER-11046-2 ..... c 33 N74-22864 *
NASA-CASE-XER-11046 ..... c 09 N72-22203 *
NASA-CASE-XER-11203 ..... c 14 N71-28994 *

NASA-CASE-XFR-00181 ..... c 21 N70-33279 *
NASA-CASE-XFR-00756 ..... c 02 N71-13421 *
NASA-CASE-XFR-00811 ..... c 15 N70-36901 *
NASA-CASE-XFR-00929 ..... c 31 N70-34966 *
NASA-CASE-XFR-02007 ..... c 12 N71-24692 *
NASA-CASE-XFR-03107 ..... c 09 N71-19449 *
NASA-CASE-XFR-03802 ..... c 33 N71-23085 *
NASA-CASE-XFR-04104 ..... c 03 N70-42073 *
NASA-CASE-XFR-04147 ..... c 11 N71-10748 *
NASA-CASE-XFR-05302 ..... c 15 N71-23254 *
NASA-CASE-XFR-05421 ..... c 15 N71-22994 *
NASA-CASE-XFR-05637 ..... c 09 N71-19480 *
NASA-CASE-XFR-07172 ..... c 05 N71-27234 *
NASA-CASE-XFR-07658-1 ..... c 05 N71-26293 *
NASA-CASE-XFR-08403 ..... c 05 N71-11202 *
NASA-CASE-XFR-09479 ..... c 14 N69-27503 * #
NASA-CASE-XFR-10856 ..... c 05 N71-11189 *

NASA-CASE-XGS-00131 ..... c 09 N70-38995 *
NASA-CASE-XGS-00174 ..... c 08 N70-34743 *
NASA-CASE-XGS-00260 ..... c 31 N70-37924 *
NASA-CASE-XGS-00359 ..... c 14 N70-34158 *
NASA-CASE-XGS-00373 ..... c 23 N71-15978 *
NASA-CASE-XGS-00381 ..... c 09 N70-34819 *
NASA-CASE-XGS-00458 ..... c 09 N70-38604 *
NASA-CASE-XGS-00466 ..... c 21 N70-34297 *
NASA-CASE-XGS-00473 ..... c 03 N70-38713 *
NASA-CASE-XGS-00587 ..... c 15 N70-35087 *
NASA-CASE-XGS-00619 ..... c 30 N70-40016 *
NASA-CASE-XGS-00689 ..... c 08 N70-34787 *
NASA-CASE-XGS-00740 ..... c 07 N71-23098 *
NASA-CASE-XGS-00769 ..... c 14 N70-41647 *
NASA-CASE-XGS-00783 ..... c 30 N71-17788 *
NASA-CASE-XGS-00809 ..... c 21 N70-35427 *
NASA-CASE-XGS-00823 ..... c 10 N71-15910 *
NASA-CASE-XGS-00824 ..... c 15 N71-16078 *
NASA-CASE-XGS-00829-1 ..... c 44 N79-19447 *
NASA-CASE-XGS-00886 ..... c 03 N71-11053 *
NASA-CASE-XGS-00938 ..... c 32 N70-41367 *
NASA-CASE-XGS-00963 ..... c 15 N69-39735 * #
NASA-CASE-XGS-01013 ..... c 14 N71-23725 *
NASA-CASE-XGS-01021 ..... c 08 N71-21042 *
NASA-CASE-XGS-01022 ..... c 07 N71-16088 *
NASA-CASE-XGS-01023 ..... c 14 N71-22992 *
NASA-CASE-XGS-01036 ..... c 14 N70-40003 *
NASA-CASE-XGS-01052 ..... c 14 N71-15992 *
NASA-CASE-XGS-01110 ..... c 07 N69-24334 * #
NASA-CASE-XGS-01118 ..... c 10 N71-23662 *
NASA-CASE-XGS-01143 ..... c 31 N71-15647 *
NASA-CASE-XGS-01155 ..... c 10 N71-21483 *
NASA-CASE-XGS-01159 ..... c 21 N71-10678 *
NASA-CASE-XGS-01222 ..... c 10 N71-20841 *
NASA-CASE-XGS-01223 ..... c 07 N71-10609 *
NASA-CASE-XGS-01230 ..... c 08 N71-19544 *
NASA-CASE-XGS-01231 ..... c 14 N70-41676 *
NASA-CASE-XGS-01245-1 ..... c 35 N79-33449 *
NASA-CASE-XGS-01286-1 ..... c 37 N79-33469 *
NASA-CASE-XGS-01293-1 ..... c 35 N79-33450 *
NASA-CASE-XGS-01331 ..... c 14 N71-22996 *
NASA-CASE-XGS-01395 ..... c 03 N69-21539 * #
NASA-CASE-XGS-01418 ..... c 09 N71-23573 *
NASA-CASE-XGS-01419 ..... c 03 N70-41864 *
NASA-CASE-XGS-01451 ..... c 09 N71-10677 *
NASA-CASE-XGS-01473 ..... c 09 N71-10673 *
NASA-CASE-XGS-01475 ..... c 03 N71-11058 *
NASA-CASE-XGS-01504 ..... c 16 N70-41578 *
NASA-CASE-XGS-01513 ..... c 03 N71-23336 *
NASA-CASE-XGS-01537 ..... c 07 N71-23405 *
NASA-CASE-XGS-01587 ..... c 14 N71-15962 *
NASA-CASE-XGS-01590 ..... c 07 N71-12392 *
NASA-CASE-XGS-01593 ..... c 03 N70-35408 *
NASA-CASE-XGS-01654 ..... c 31 N71-24750 *
NASA-CASE-XGS-01674 ..... c 03 N71-29129 *
NASA-CASE-XGS-01725 ..... c 14 N69-39982 * #
NASA-CASE-XGS-01784 ..... c 10 N71-20782 *
NASA-CASE-XGS-01812 ..... c 07 N71-23001 *
NASA-CASE-XGS-01881 ..... c 09 N70-40123 *
NASA-CASE-XGS-01971 ..... c 15 N71-15922 *
NASA-CASE-XGS-01983 ..... c 10 N70-41964 *
NASA-CASE-XGS-02011 ..... c 15 N71-20739 *
NASA-CASE-XGS-02171 ..... c 09 N69-24324 * #
NASA-CASE-XGS-02290 ..... c 07 N71-28809 *
NASA-CASE-XGS-02317 ..... c 09 N71-23525 *
NASA-CASE-XGS-02319 ..... c 14 N71-22965 *
NASA-CASE-XGS-02401 ..... c 14 N69-27485 * #
NASA-CASE-XGS-02422 ..... c 15 N71-21529 *
NASA-CASE-XGS-02435 ..... c 18 N71-22998 *
NASA-CASE-XGS-02437 ..... c 15 N69-21472 * #
NASA-CASE-XGS-02439 ..... c 14 N71-19431 *
NASA-CASE-XGS-02440 ..... c 08 N71-19432 *
NASA-CASE-XGS-02441 ..... c 15 N70-41629 *
NASA-CASE-XGS-02554 ..... c 31 N71-21064 *
NASA-CASE-XGS-02607 ..... c 31 N71-23009 *
NASA-CASE-XGS-02608 ..... c 07 N70-41678 *
NASA-CASE-XGS-02610 ..... c 14 N71-23174 *
NASA-CASE-XGS-02612 ..... c 08 N71-19435 *

NASA-CASE-XGS-02629 ..... c 14 N71-21082 *
NASA-CASE-XGS-02630 ..... c 03 N71-22974 *
NASA-CASE-XGS-02631 ..... c 03 N71-23006 *
NASA-CASE-XGS-02749 ..... c 07 N69-39978 * #
NASA-CASE-XGS-02751 ..... c 09 N71-23015 *
NASA-CASE-XGS-02812 ..... c 09 N71-19466 *
NASA-CASE-XGS-02816 ..... c 07 N69-24323 * #
NASA-CASE-XGS-02884 ..... c 15 N71-22705 *
NASA-CASE-XGS-02889 ..... c 07 N71-11282 *
NASA-CASE-XGS-03058 ..... c 10 N71-19547 *
NASA-CASE-XGS-03095 ..... c 09 N69-27463 * #
NASA-CASE-XGS-03120 ..... c 15 N71-24047 *
NASA-CASE-XGS-03230 ..... c 14 N71-23401 *
NASA-CASE-XGS-03303 ..... c 08 N71-18595 *
NASA-CASE-XGS-03304 ..... c 09 N71-22988 *
NASA-CASE-XGS-03351 ..... c 31 N71-16081 *
NASA-CASE-XGS-03390 ..... c 03 N71-23187 *
NASA-CASE-XGS-03427 ..... c 10 N71-23029 *
NASA-CASE-XGS-03429 ..... c 03 N69-21330 * #
NASA-CASE-XGS-03431 ..... c 21 N71-15642 *
NASA-CASE-XGS-03501 ..... c 09 N71-20864 *
NASA-CASE-XGS-03502 ..... c 10 N71-20852 *
NASA-CASE-XGS-03505 ..... c 03 N71-10608 *
NASA-CASE-XGS-03532 ..... c 14 N71-17627 *
NASA-CASE-XGS-03556 ..... c 27 N70-35534 *
NASA-CASE-XGS-03632 ..... c 09 N71-23311 *
NASA-CASE-XGS-03644 ..... c 16 N71-18614 *
NASA-CASE-XGS-03736 ..... c 14 N72-22443 *
NASA-CASE-XGS-03864 ..... c 15 N69-24320 * #
NASA-CASE-XGS-03865 ..... c 14 N69-21363 * #
NASA-CASE-XGS-04047-2 ..... c 03 N72-11062 *
NASA-CASE-XGS-04119 ..... c 18 N69-39979 * #
NASA-CASE-XGS-04173 ..... c 19 N71-26674 *
NASA-CASE-XGS-04175 ..... c 15 N71-18579 *
NASA-CASE-XGS-04224 ..... c 10 N71-26418 *
NASA-CASE-XGS-04227 ..... c 15 N71-21744 *
NASA-CASE-XGS-04393 ..... c 21 N71-14159 *
NASA-CASE-XGS-04478 ..... c 14 N71-24233 *
NASA-CASE-XGS-04480 ..... c 16 N69-27491 * #
NASA-CASE-XGS-04531 ..... c 03 N69-24267 * #
NASA-CASE-XGS-04548 ..... c 15 N71-24045 *
NASA-CASE-XGS-04554 ..... c 15 N69-39786 * #
NASA-CASE-XGS-04765 ..... c 08 N71-18693 *
NASA-CASE-XGS-04766 ..... c 08 N71-18602 *
NASA-CASE-XGS-04767 ..... c 08 N71-12494 *
NASA-CASE-XGS-04768 ..... c 08 N71-19437 *
NASA-CASE-XGS-04799 ..... c 18 N71-24183 *
NASA-CASE-XGS-04808 ..... c 03 N69-25146 * #
NASA-CASE-XGS-04879 ..... c 14 N71-20428 *
NASA-CASE-XGS-04987 ..... c 08 N71-20571 *
NASA-CASE-XGS-04993 ..... c 14 N71-17574 *
NASA-CASE-XGS-04994 ..... c 09 N69-21543 * #
NASA-CASE-XGS-04999 ..... c 09 N69-24317 * #
NASA-CASE-XGS-05003 ..... c 09 N69-24318 * #
NASA-CASE-XGS-05180 ..... c 18 N71-25881 *
NASA-CASE-XGS-05211 ..... c 07 N69-39980 * #
NASA-CASE-XGS-05289 ..... c 09 N71-19470 *
NASA-CASE-XGS-05290 ..... c 09 N71-25999 *
NASA-CASE-XGS-05291 ..... c 23 N71-16341 *
NASA-CASE-XGS-05432 ..... c 03 N71-19438 *
NASA-CASE-XGS-05434 ..... c 03 N71-20491 *
NASA-CASE-XGS-05441 ..... c 10 N71-22962 *
NASA-CASE-XGS-05532 ..... c 06 N71-17705 *
NASA-CASE-XGS-05533 ..... c 04 N69-27487 * #
NASA-CASE-XGS-05534 ..... c 23 N71-16355 *
NASA-CASE-XGS-05579 ..... c 31 N71-15676 *
NASA-CASE-XGS-05582 ..... c 07 N69-27460 * #
NASA-CASE-XGS-05584-1 ..... c 25 N82-29370 *
NASA-CASE-XGS-05680 ..... c 14 N71-17585 *
NASA-CASE-XGS-05715 ..... c 23 N71-16100 *
NASA-CASE-XGS-05718 ..... c 26 N71-16037 *
NASA-CASE-XGS-05918 ..... c 07 N69-39974 * #
NASA-CASE-XGS-06226 ..... c 10 N71-25950 *
NASA-CASE-XGS-06306 ..... c 17 N71-16044 *
NASA-CASE-XGS-06628 ..... c 24 N71-16213 *
NASA-CASE-XGS-07375-1 ..... c 25 N82-29370 *
NASA-CASE-XGS-07397-1 ..... c 25 N82-29370 *
NASA-CASE-XGS-07514 ..... c 23 N71-16099 *
NASA-CASE-XGS-07752 ..... c 14 N73-30390 *
NASA-CASE-XGS-07801 ..... c 09 N71-12513 *
NASA-CASE-XGS-07805 ..... c 15 N72-33476 *
NASA-CASE-XGS-08259 ..... c 14 N71-23698 *
NASA-CASE-XGS-08266 ..... c 14 N69-27432 * #
NASA-CASE-XGS-08269 ..... c 23 N71-26206 *
NASA-CASE-XGS-08679 ..... c 10 N71-21473 *
NASA-CASE-XGS-08718 ..... c 15 N71-24600 *
NASA-CASE-XGS-08729 ..... c 28 N71-14044 *
NASA-CASE-XGS-09186 ..... c 33 N78-17295 *
NASA-CASE-XGS-09190 ..... c 31 N71-16102 *
NASA-CASE-XGS-10010 ..... c 03 N72-15986 *
NASA-CASE-XGS-10518 ..... c 16 N71-28554 *
NASA-CASE-XGS-11177 ..... c 09 N71-27001 *

NASA-CASE-XHQ-01208 ..... c 15 N70-35409 *
NASA-CASE-XHQ-01897 ..... c 28 N70-35381 *
NASA-CASE-XHQ-02146 ..... c 18 N75-27040 *
NASA-CASE-XHQ-03673 ..... c 33 N71-29046 *
NASA-CASE-XHQ-03903 ..... c 15 N69-21922 * #
NASA-CASE-XHQ-04106 ..... c 14 N70-40240 *

NASA-CASE-XKS-01985 ..... c 15 N71-10782 *
NASA-CASE-XKS-02342 ..... c 05 N71-11199 *
NASA-CASE-XKS-02582 ..... c 15 N71-21234 *
NASA-CASE-XKS-03338 ..... c 15 N71-24043 *
NASA-CASE-XKS-03381 ..... c 09 N71-22796 *
NASA-CASE-XKS-03495 ..... c 14 N69-39785 * #
NASA-CASE-XKS-03509 ..... c 14 N71-23175 *
NASA-CASE-XKS-04614 ..... c 15 N69-21460 * #
NASA-CASE-XKS-04631 ..... c 10 N71-23663 *
NASA-CASE-XKS-05932 ..... c 09 N71-26787 *
NASA-CASE-XKS-06167 ..... c 08 N71-24890 *
NASA-CASE-XKS-06250 ..... c 14 N71-15600 *
NASA-CASE-XKS-07814 ..... c 15 N71-27067 *
NASA-CASE-XKS-07953 ..... c 15 N71-26134 *
NASA-CASE-XKS-08012-2 ..... c 31 N71-15566 *
NASA-CASE-XKS-08485 ..... c 07 N71-19493 *
NASA-CASE-XKS-09340 ..... c 07 N71-24614 *
NASA-CASE-XKS-09348 ..... c 09 N71-13521 *
NASA-CASE-XKS-10543 ..... c 07 N71-26292 *
NASA-CASE-XKS-10804 ..... c 05 N71-24606 *

NASA-CASE-XLA-00013 ..... c 15 N71-29136 *
NASA-CASE-XLA-00062 ..... c 14 N70-33254 *
NASA-CASE-XLA-00087 ..... c 02 N70-33332 *
NASA-CASE-XLA-00100 ..... c 14 N70-36807 *
NASA-CASE-XLA-00105 ..... c 28 N70-33331 *
NASA-CASE-XLA-00112 ..... c 11 N70-33287 *
NASA-CASE-XLA-00113 ..... c 14 N70-33386 *
NASA-CASE-XLA-00115 ..... c 03 N70-33343 *
NASA-CASE-XLA-00117 ..... c 31 N71-17680 *
NASA-CASE-XLA-00118 ..... c 05 N70-33285 *
NASA-CASE-XLA-00119 ..... c 11 N70-33329 *
NASA-CASE-XLA-00120 ..... c 21 N70-33181 *
NASA-CASE-XLA-00128 ..... c 15 N70-37925 *
NASA-CASE-XLA-00135 ..... c 14 N70-33322 *
NASA-CASE-XLA-00137 ..... c 15 N70-33180 *
NASA-CASE-XLA-00138 ..... c 31 N70-37981 *
NASA-CASE-XLA-00141 ..... c 09 N70-33312 *
NASA-CASE-XLA-00142 ..... c 02 N70-33286 *
NASA-CASE-XLA-00147 ..... c 25 N70-34661 *
NASA-CASE-XLA-00149 ..... c 31 N70-37938 *
NASA-CASE-XLA-00154 ..... c 28 N70-33374 *
NASA-CASE-XLA-00158 ..... c 26 N70-36805 *
NASA-CASE-XLA-00165 ..... c 31 N70-33242 *
NASA-CASE-XLA-00166 ..... c 02 N70-34178 *
NASA-CASE-XLA-00183 ..... c 14 N70-40239 *
NASA-CASE-XLA-00188 ..... c 15 N71-22874 *
NASA-CASE-XLA-00189 ..... c 33 N70-36846 *
NASA-CASE-XLA-00195 ..... c 02 N70-38009 *
NASA-CASE-XLA-00203 ..... c 14 N70-34161 *
NASA-CASE-XLA-00204 ..... c 32 N70-36536 *
NASA-CASE-XLA-00210 ..... c 30 N70-40309 *
NASA-CASE-XLA-00221 ..... c 02 N70-33266 *
NASA-CASE-XLA-00229 ..... c 12 N70-33305 *
NASA-CASE-XLA-00230 ..... c 02 N70-33255 *
NASA-CASE-XLA-00241 ..... c 31 N70-37986 *
NASA-CASE-XLA-00256 ..... c 31 N71-15663 *
NASA-CASE-XLA-00258 ..... c 31 N70-38676 *
NASA-CASE-XLA-00281 ..... c 21 N70-36943 *
NASA-CASE-XLA-00284 ..... c 15 N71-16075 *
NASA-CASE-XLA-00302 ..... c 15 N71-16077 *
NASA-CASE-XLA-00304 ..... c 27 N70-34783 *
NASA-CASE-XLA-00326 ..... c 03 N70-34667 *
NASA-CASE-XLA-00327 ..... c 25 N71-29184 *
NASA-CASE-XLA-00330 ..... c 33 N70-34540 *
NASA-CASE-XLA-00349 ..... c 33 N70-37979 *
NASA-CASE-XLA-00350 ..... c 02 N70-38011 *
NASA-CASE-XLA-00377 ..... c 33 N71-17610 *
NASA-CASE-XLA-00378 ..... c 11 N71-15925 *
NASA-CASE-XLA-00414 ..... c 07 N70-38200 *
NASA-CASE-XLA-00415 ..... c 15 N71-16079 *
NASA-CASE-XLA-00471 ..... c 08 N70-34778 *
NASA-CASE-XLA-00481 ..... c 14 N70-36824 *
NASA-CASE-XLA-00482 ..... c 15 N70-36409 *
NASA-CASE-XLA-00487 ..... c 14 N70-40157 *
NASA-CASE-XLA-00492 ..... c 14 N70-34799 *
NASA-CASE-XLA-00493 ..... c 11 N70-34786 *
NASA-CASE-XLA-00495 ..... c 14 N70-41332 *
NASA-CASE-XLA-00670 ..... c 08 N71-12501 *
NASA-CASE-XLA-00675 ..... c 25 N70-33267 *
NASA-CASE-XLA-00678 ..... c 31 N70-34296 *
NASA-CASE-XLA-00679 ..... c 15 N70-38601 *
NASA-CASE-XLA-00686 ..... c 31 N70-34135 *
NASA-CASE-XLA-00711 ..... c 03 N71-12258 *
NASA-CASE-XLA-00754 ..... c 15 N70-34850 *
NASA-CASE-XLA-00755 ..... c 01 N71-13410 *
NASA-CASE-XLA-00781 ..... c 09 N71-22999 *
NASA-CASE-XLA-00791 ..... c 03 N70-39930 *
NASA-CASE-XLA-00793 ..... c 21 N71-22880 *
NASA-CASE-XLA-00805 ..... c 31 N70-38010 *
NASA-CASE-XLA-00806 ..... c 02 N70-34858 *
NASA-CASE-XLA-00838 ..... c 03 N70-36778 *

NASA-CASE-XLA-00892 ..... c 33 N71-17897 *
NASA-CASE-XLA-00898 ..... c 02 N70-36804 *
NASA-CASE-XLA-00901 ..... c 07 N71-10775 *
NASA-CASE-XLA-00934 ..... c 14 N71-22765 *
NASA-CASE-XLA-00936 ..... c 14 N71-14996 *
NASA-CASE-XLA-00937 ..... c 31 N71-17691 *
NASA-CASE-XLA-00939 ..... c 11 N71-15926 *
NASA-CASE-XLA-00941 ..... c 14 N71-23240 *
NASA-CASE-XLA-01019 ..... c 15 N70-40156 *
NASA-CASE-XLA-01027 ..... c 31 N71-24035 *
NASA-CASE-XLA-01043 ..... c 28 N71-10780 *
NASA-CASE-XLA-01090 ..... c 07 N71-12389 *
NASA-CASE-XLA-01091 ..... c 15 N71-10672 *
NASA-CASE-XLA-01127 ..... c 07 N70-41372 *
NASA-CASE-XLA-01131 ..... c 14 N71-10774 *
NASA-CASE-XLA-01141 ..... c 15 N71-13789 *
NASA-CASE-XLA-01163 ..... c 21 N71-15582 *
NASA-CASE-XLA-01219 ..... c 10 N71-23084 *
NASA-CASE-XLA-01220 ..... c 02 N70-41863 *
NASA-CASE-XLA-01243 ..... c 33 N71-22792 *
NASA-CASE-XLA-01262 ..... c 15 N71-21404 *
NASA-CASE-XLA-01288 ..... c 09 N69-21470 * #
NASA-CASE-XLA-01290 ..... c 02 N70-42016 *
NASA-CASE-XLA-01291 ..... c 33 N70-36617 *
NASA-CASE-XLA-01326 ..... c 11 N71-21481 *
NASA-CASE-XLA-01332 ..... c 31 N71-15664 *
NASA-CASE-XLA-01339 ..... c 31 N71-15692 *
NASA-CASE-XLA-01349 ..... c 20 N77-17143 *
NASA-CASE-XLA-01353 ..... c 14 N70-41366 *
NASA-CASE-XLA-01354 ..... c 25 N70-36946 *
NASA-CASE-XLA-01396 ..... c 03 N71-12259 *
NASA-CASE-XLA-01400 ..... c 07 N70-41331 *
NASA-CASE-XLA-01401 ..... c 15 N71-21179 *
NASA-CASE-XLA-01441 ..... c 15 N70-41679 *
NASA-CASE-XLA-01446 ..... c 15 N71-21528 *
NASA-CASE-XLA-01486 ..... c 01 N71-23497 *
NASA-CASE-XLA-01494 ..... c 15 N71-24104 *
NASA-CASE-XLA-01530 ..... c 14 N71-23092 *
NASA-CASE-XLA-01551 ..... c 14 N71-22989 *
NASA-CASE-XLA-01552 ..... c 07 N71-11284 *
NASA-CASE-XLA-01583 ..... c 02 N70-36825 *
NASA-CASE-XLA-01584 ..... c 14 N71-23269 *
NASA-CASE-XLA-01731 ..... c 32 N71-21045 *
NASA-CASE-XLA-01745 ..... c 33 N71-28903 *
NASA-CASE-XLA-01781 ..... c 14 N69-39975 * #
NASA-CASE-XLA-01782 ..... c 14 N71-26136 *
NASA-CASE-XLA-01787 ..... c 11 N71-16028 *
NASA-CASE-XLA-01791 ..... c 14 N71-22991 *
NASA-CASE-XLA-01794 ..... c 33 N71-21586 *
NASA-CASE-XLA-01804 ..... c 02 N70-34160 *
NASA-CASE-XLA-01807 ..... c 15 N71-10799 *
NASA-CASE-XLA-01808 ..... c 15 N71-20740 *
NASA-CASE-XLA-01832 ..... c 14 N71-21006 *
NASA-CASE-XLA-01907 ..... c 14 N71-23268 *
NASA-CASE-XLA-01926 ..... c 14 N71-15620 *
NASA-CASE-XLA-01952 ..... c 08 N71-12507 *
NASA-CASE-XLA-01967 ..... c 31 N70-42015 *
NASA-CASE-XLA-01987 ..... c 23 N71-23976 *
NASA-CASE-XLA-01989 ..... c 21 N70-34295 *
NASA-CASE-XLA-01995 ..... c 18 N71-23047 *
NASA-CASE-XLA-02050 ..... c 31 N71-22968 *
NASA-CASE-XLA-02057 ..... c 26 N70-40015 *
NASA-CASE-XLA-02059 ..... c 33 N71-24276 *
NASA-CASE-XLA-02079 ..... c 12 N71-16894 *
NASA-CASE-XLA-02081 ..... c 20 N71-16281 *
NASA-CASE-XLA-02131 ..... c 32 N70-42003 *
NASA-CASE-XLA-02132 ..... c 31 N71-10582 *
NASA-CASE-XLA-02332 ..... c 32 N71-17609 *
NASA-CASE-XLA-02551 ..... c 21 N71-21708 *
NASA-CASE-XLA-02605 ..... c 14 N71-10773 *
NASA-CASE-XLA-02609 ..... c 09 N72-25256 *
NASA-CASE-XLA-02619 ..... c 10 N71-26334 *
NASA-CASE-XLA-02651 ..... c 28 N70-41967 *
NASA-CASE-XLA-02704 ..... c 11 N69-21540 * #
NASA-CASE-XLA-02705 ..... c 08 N71-15908 *
NASA-CASE-XLA-02758 ..... c 14 N71-18481 *
NASA-CASE-XLA-02809 ..... c 15 N71-22982 *
NASA-CASE-XLA-02810 ..... c 14 N71-25901 *
NASA-CASE-XLA-02850 ..... c 09 N71-20447 *
NASA-CASE-XLA-02854 ..... c 15 N69-27490 * #
NASA-CASE-XLA-02865 ..... c 28 N71-15563 *
NASA-CASE-XLA-02898 ..... c 05 N71-20268 *
NASA-CASE-XLA-03076 ..... c 07 N71-11266 *
NASA-CASE-XLA-03102 ..... c 14 N71-21079 *
NASA-CASE-XLA-03103 ..... c 25 N71-21693 *
NASA-CASE-XLA-03104 ..... c 06 N71-11235 *
NASA-CASE-XLA-03105 ..... c 15 N69-27483 * #
NASA-CASE-XLA-03114 ..... c 09 N71-22888 *
NASA-CASE-XLA-03127 ..... c 11 N71-10776 *
NASA-CASE-XLA-03132 ..... c 31 N71-22969 *
NASA-CASE-XLA-03135 ..... c 32 N71-16428 *
NASA-CASE-XLA-03213 ..... c 05 N71-11207 *
NASA-CASE-XLA-03271 ..... c 11 N69-24321 * #
NASA-CASE-XLA-03273 ..... c 14 N71-18699 *
NASA-CASE-XLA-03356 ..... c 10 N71-23315 *
NASA-CASE-XLA-03374 ..... c 25 N71-15562 *
NASA-CASE-XLA-03375 ..... c 16 N71-24074 *
NASA-CASE-XLA-03410 ..... c 16 N71-25914 *
NASA-CASE-XLA-03492 ..... c 15 N71-22713 *
NASA-CASE-XLA-03497 ..... c 15 N71-23052 *
NASA-CASE-XLA-03538 ..... c 15 N71-24897 *
NASA-CASE-XLA-03645 ..... c 14 N71-20430 *
NASA-CASE-XLA-03659 ..... c 02 N71-11041 * #
NASA-CASE-XLA-03660 ..... c 15 N71-21060 *
NASA-CASE-XLA-03661 ..... c 15 N71-33518 *
NASA-CASE-XLA-03691 ..... c 31 N71-15674 *
NASA-CASE-XLA-03724 ..... c 14 N69-27461 * #
NASA-CASE-XLA-03893 ..... c 10 N71-27271 *
NASA-CASE-XLA-04063 ..... c 31 N71-33160 *
NASA-CASE-XLA-04126 ..... c 28 N71-26779 *
NASA-CASE-XLA-04143 ..... c 15 N71-17687 *
NASA-CASE-XLA-04251 ..... c 18 N71-26100 *
NASA-CASE-XLA-04295 ..... c 16 N71-24170 *
NASA-CASE-XLA-04451 ..... c 02 N71-12243 *
NASA-CASE-XLA-04555-1 ..... c 14 N71-25892 *
NASA-CASE-XLA-04556 ..... c 14 N69-27484 * #
NASA-CASE-XLA-04605 ..... c 32 N71-16106 *
NASA-CASE-XLA-04622 ..... c 03 N70-41580 *
NASA-CASE-XLA-04804 ..... c 31 N71-23008 *
NASA-CASE-XLA-04897 ..... c 15 N72-22482 *
NASA-CASE-XLA-04901 ..... c 31 N71-24315 *
NASA-CASE-XLA-04980-2 ..... c 14 N72-28438 *
NASA-CASE-XLA-04980 ..... c 09 N69-27422 * #
NASA-CASE-XLA-05056 ..... c 15 N72-11389 *
NASA-CASE-XLA-05087 ..... c 14 N73-30391 *
NASA-CASE-XLA-05099 ..... c 09 N73-13209 *
NASA-CASE-XLA-05100 ..... c 15 N71-17696 *
NASA-CASE-XLA-05332 ..... c 05 N71-11194 *
NASA-CASE-XLA-05369 ..... c 31 N71-15687 *
NASA-CASE-XLA-05378 ..... c 11 N71-21475 *
NASA-CASE-XLA-05464 ..... c 21 N71-14132 *
NASA-CASE-XLA-05541 ..... c 12 N71-26387 *
NASA-CASE-XLA-05749 ..... c 15 N71-10560 *
NASA-CASE-XLA-05828 ..... c 01 N71-13411 *
NASA-CASE-XLA-05906 ..... c 31 N71-16221 *
NASA-CASE-XLA-05966 ..... c 15 N72-12408 *
NASA-CASE-XLA-06095 ..... c 01 N69-39981 * #
NASA-CASE-XLA-06199 ..... c 15 N71-24875 *
NASA-CASE-XLA-06232 ..... c 25 N71-20563 *
NASA-CASE-XLA-06339 ..... c 02 N71-13422 *
NASA-CASE-XLA-06683 ..... c 14 N72-28436 *
NASA-CASE-XLA-06713 ..... c 14 N71-28991 *
NASA-CASE-XLA-06824-2 ..... c 02 N71-11037 *
NASA-CASE-XLA-06958 ..... c 02 N71-11038 *
NASA-CASE-XLA-07390 ..... c 15 N71-18616 *
NASA-CASE-XLA-07391 ..... c 12 N71-17579 *
NASA-CASE-XLA-07424 ..... c 14 N71-18482 *
NASA-CASE-XLA-07430 ..... c 11 N72-22246 *
NASA-CASE-XLA-07473 ..... c 15 N71-24895 *
NASA-CASE-XLA-07497 ..... c 09 N71-12514 *
NASA-CASE-XLA-07728 ..... c 33 N71-22890 *
NASA-CASE-XLA-07732 ..... c 08 N71-18751 *
NASA-CASE-XLA-07788 ..... c 09 N71-29139 *
NASA-CASE-XLA-07813 ..... c 14 N72-17328 *
NASA-CASE-XLA-07828 ..... c 08 N71-27057 *
NASA-CASE-XLA-07829 ..... c 15 N72-16329 *
NASA-CASE-XLA-07911 ..... c 15 N71-15571 *
NASA-CASE-XLA-08254 ..... c 14 N71-26161 *
NASA-CASE-XLA-08491 ..... c 05 N69-21380 * #
NASA-CASE-XLA-08493 ..... c 10 N71-19421 *
NASA-CASE-XLA-08507 ..... c 09 N69-39984 * #
NASA-CASE-XLA-08530 ..... c 32 N71-25360 *
NASA-CASE-XLA-08645 ..... c 15 N69-21465 * #
NASA-CASE-XLA-08646 ..... c 14 N71-17586 *
NASA-CASE-XLA-08799 ..... c 10 N71-27272 *
NASA-CASE-XLA-08801-1 ..... c 02 N71-11043 *
NASA-CASE-XLA-08802 ..... c 06 N71-11238 *
NASA-CASE-XLA-08911 ..... c 15 N71-27214 *
NASA-CASE-XLA-08913 ..... c 14 N71-28933 *
NASA-CASE-XLA-08914-2 ..... c 25 N82-21269 *
NASA-CASE-XLA-08914 ..... c 15 N73-12492 * #
NASA-CASE-XLA-08916-2 ..... c 14 N73-28487 *
NASA-CASE-XLA-08916 ..... c 15 N71-29018 *
NASA-CASE-XLA-08966-1 ..... c 17 N71-25903 *
NASA-CASE-XLA-08967 ..... c 02 N71-27088 *
NASA-CASE-XLA-09122 ..... c 15 N69-27505 * #
NASA-CASE-XLA-09346 ..... c 15 N71-28740 *
NASA-CASE-XLA-09371 ..... c 10 N71-18724 *
NASA-CASE-XLA-09480 ..... c 11 N71-33612 *
NASA-CASE-XLA-09843 ..... c 15 N72-27485 *
NASA-CASE-XLA-09881 ..... c 31 N71-16085 *
NASA-CASE-XLA-10322 ..... c 15 N72-17452 *
NASA-CASE-XLA-10402 ..... c 14 N71-29041 *
NASA-CASE-XLA-10450 ..... c 28 N71-21493 *
NASA-CASE-XLA-10470 ..... c 15 N72-21489 * #
NASA-CASE-XLA-10772 ..... c 07 N71-28980 *
NASA-CASE-XLA-11028-1 ..... c 24 N74-27035 *
NASA-CASE-XLA-11154 ..... c 07 N72-21117 *
NASA-CASE-XLA-11189 ..... c 10 N72-20222 *

NASA-CASE-XLE-00005 ..... c 28 N70-39899 *
NASA-CASE-XLE-00010 ..... c 15 N70-33382 *
NASA-CASE-XLE-00011 ..... c 14 N70-41946 *
NASA-CASE-XLE-00020 ..... c 15 N70-33226 *
NASA-CASE-XLE-00023 ..... c 15 N70-33330 *
NASA-CASE-XLE-00027 ..... c 33 N71-29152 *
NASA-CASE-XLE-00035 ..... c 33 N71-29151 *
NASA-CASE-XLE-00037 ..... c 28 N70-33372 *
NASA-CASE-XLE-00046 ..... c 15 N70-33311 *
NASA-CASE-XLE-00057 ..... c 28 N70-38711 *
NASA-CASE-XLE-00078 ..... c 28 N70-33284 *
NASA-CASE-XLE-00085 ..... c 28 N70-39895 *
NASA-CASE-XLE-00092 ..... c 15 N70-33264 *
NASA-CASE-XLE-00101 ..... c 15 N70-33376 *
NASA-CASE-XLE-00103 ..... c 28 N70-33241 *
NASA-CASE-XLE-00106 ..... c 15 N71-16076 *
NASA-CASE-XLE-00111 ..... c 28 N70-38199 *
NASA-CASE-XLE-00143 ..... c 14 N70-36618 *
NASA-CASE-XLE-00144 ..... c 28 N70-34860 *
NASA-CASE-XLE-00145 ..... c 28 N70-36806 *
NASA-CASE-XLE-00150 ..... c 28 N70-41818 *
NASA-CASE-XLE-00151 ..... c 17 N70-33283 *
NASA-CASE-XLE-00155 ..... c 28 N71-29154 *
NASA-CASE-XLE-00164 ..... c 15 N70-36411 *
NASA-CASE-XLE-00168 ..... c 11 N70-33278 *
NASA-CASE-XLE-00170 ..... c 15 N70-36412 *
NASA-CASE-XLE-00177 ..... c 28 N70-40367 *
NASA-CASE-XLE-00207 ..... c 28 N70-33375 *
NASA-CASE-XLE-00208 ..... c 28 N70-34294 *
NASA-CASE-XLE-00209 ..... c 22 N73-32528 *
NASA-CASE-XLE-00212 ..... c 03 N70-34134 *
NASA-CASE-XLE-00222 ..... c 02 N70-37939 *
NASA-CASE-XLE-00228 ..... c 17 N70-38490 *
NASA-CASE-XLE-00231 ..... c 17 N70-38198 *
NASA-CASE-XLE-00243 ..... c 14 N70-38602 *
NASA-CASE-XLE-00252 ..... c 11 N70-34844 *
NASA-CASE-XLE-00266 ..... c 14 N70-34156 *
NASA-CASE-XLE-00267 ..... c 28 N70-33356 *
NASA-CASE-XLE-00283 ..... c 17 N70-36616 *
NASA-CASE-XLE-00288 ..... c 15 N70-34247 *
NASA-CASE-XLE-00303 ..... c 15 N70-36535 *
NASA-CASE-XLE-00323 ..... c 28 N70-38505 *
NASA-CASE-XLE-00335 ..... c 14 N70-35368 *
NASA-CASE-XLE-00342 ..... c 28 N70-37980 *
NASA-CASE-XLE-00345 ..... c 15 N70-38020 *
NASA-CASE-XLE-00353 ..... c 18 N70-39897 *
NASA-CASE-XLE-00376 ..... c 28 N70-37245 *
NASA-CASE-XLE-00387 ..... c 33 N70-34812 *
NASA-CASE-XLE-00388 ..... c 28 N70-34788 *
NASA-CASE-XLE-00397 ..... c 15 N70-36492 *
NASA-CASE-XLE-00409 ..... c 28 N71-15658 *
NASA-CASE-XLE-00454 ..... c 23 N71-17802 *
NASA-CASE-XLE-00455 ..... c 28 N70-38197 *
NASA-CASE-XLE-00490 ..... c 33 N70-34545 *
NASA-CASE-XLE-00503 ..... c 14 N70-34818 *
NASA-CASE-XLE-00519 ..... c 28 N70-41576 *
NASA-CASE-XLE-00586 ..... c 15 N71-15968 *
NASA-CASE-XLE-00620 ..... c 32 N70-41579 *
NASA-CASE-XLE-00660 ..... c 28 N70-39925 *
NASA-CASE-XLE-00685 ..... c 28 N70-41992 *
NASA-CASE-XLE-00688 ..... c 14 N70-41330 *
NASA-CASE-XLE-00690 ..... c 25 N69-39884 * #
NASA-CASE-XLE-00702 ..... c 14 N70-40203 *
NASA-CASE-XLE-00703 ..... c 15 N71-15967 *
NASA-CASE-XLE-00715 ..... c 15 N70-34859 *
NASA-CASE-XLE-00720 ..... c 14 N70-40201 *
NASA-CASE-XLE-00726 ..... c 17 N71-15644 *
NASA-CASE-XLE-00785 ..... c 33 N71-16104 *
NASA-CASE-XLE-00787 ..... c 14 N71-21090 *
NASA-CASE-XLE-00808 ..... c 24 N71-10560 *
NASA-CASE-XLE-00810 ..... c 15 N70-34861 *
NASA-CASE-XLE-00815 ..... c 15 N70-35407 *
NASA-CASE-XLE-00817 ..... c 28 N70-33265 *
NASA-CASE-XLE-00820 ..... c 14 N71-16014 *
NASA-CASE-XLE-00953 ..... c 15 N71-15966 *
NASA-CASE-XLE-01015 ..... c 03 N69-39898 * #
NASA-CASE-XLE-01092 ..... c 15 N71-22797 *
NASA-CASE-XLE-01124 ..... c 28 N71-14043 *
NASA-CASE-XLE-01182 ..... c 27 N71-15635 *
NASA-CASE-XLE-01246 ..... c 14 N71-10797 *
NASA-CASE-XLE-01300 ..... c 15 N70-41993 *
NASA-CASE-XLE-01399 ..... c 33 N71-15625 *
NASA-CASE-XLE-01449 ..... c 15 N70-41646 *
NASA-CASE-XLE-01481 ..... c 14 N71-10781 *
NASA-CASE-XLE-01512 ..... c 12 N70-40124 *
NASA-CASE-XLE-01533 ..... c 11 N71-10777 *
NASA-CASE-XLE-01604-2 ..... c 15 N71-15610 *
NASA-CASE-XLE-01609 ..... c 14 N71-10500 *
NASA-CASE-XLE-01640 ..... c 31 N71-15637 *
NASA-CASE-XLE-01645 ..... c 03 N71-20904 *
NASA-CASE-XLE-01716 ..... c 09 N70-40234 *
NASA-CASE-XLE-01765 ..... c 18 N71-10772 *
NASA-CASE-XLE-01783 ..... c 28 N70-34175 *
NASA-CASE-XLE-01902 ..... c 28 N71-10574 *
NASA-CASE-XLE-01903 ..... c 22 N71-23599 *
NASA-CASE-XLE-01988 ..... c 27 N71-15634 *
NASA-CASE-XLE-01997 ..... c 06 N71-23527 *
NASA-CASE-XLE-02008 ..... c 09 N71-21583 *

NASA-CASE-XLE-02024 ..... c 14 N71-22964 *
NASA-CASE-XLE-02038 ..... c 09 N71-16086 *
NASA-CASE-XLE-02062-1 ..... c 20 N80-14188 *
NASA-CASE-XLE-02066 ..... c 28 N71-15661 *
NASA-CASE-XLE-02082 ..... c 17 N71-16026 *
NASA-CASE-XLE-02083 ..... c 03 N69-39983 * #
NASA-CASE-XLE-02367-1 ..... c 31 N79-21225 *
NASA-CASE-XLE-02428 ..... c 17 N70-33288 *
NASA-CASE-XLE-02531 ..... c 05 N71-23080 *
NASA-CASE-XLE-02545-1 ..... c 76 N79-21910 *
NASA-CASE-XLE-02578 ..... c 25 N71-20747 *
NASA-CASE-XLE-02624 ..... c 12 N69-39988 * #
NASA-CASE-XLE-02647 ..... c 18 N71-23658 *
NASA-CASE-XLE-02792 ..... c 26 N71-10607 *
NASA-CASE-XLE-02798 ..... c 26 N71-23654 *
NASA-CASE-XLE-02823 ..... c 09 N71-23443 *
NASA-CASE-XLE-02824 ..... c 03 N69-39890 * #
NASA-CASE-XLE-02902 ..... c 25 N71-21694 *
NASA-CASE-XLE-02991 ..... c 17 N71-16025 *
NASA-CASE-XLE-02998 ..... c 14 N70-42074 *
NASA-CASE-XLE-02999 ..... c 15 N71-16052 *
NASA-CASE-XLE-03061-1 ..... c 10 N71-24798 *
NASA-CASE-XLE-03157 ..... c 28 N71-24736 *
NASA-CASE-XLE-03186-1 ..... c 09 N79-21084 *
NASA-CASE-XLE-03280 ..... c 14 N71-23093 *
NASA-CASE-XLE-03307 ..... c 33 N71-14035 *
NASA-CASE-XLE-03432 ..... c 33 N71-24145 *
NASA-CASE-XLE-03494 ..... c 27 N71-21819 *
NASA-CASE-XLE-03512 ..... c 12 N69-21466 * #
NASA-CASE-XLE-03583 ..... c 31 N71-17629 *
NASA-CASE-XLE-03629 ..... c 17 N71-23248 *
NASA-CASE-XLE-03778 ..... c 09 N69-21542 * #
NASA-CASE-XLE-03803-2 ..... c 15 N71-17651 *
NASA-CASE-XLE-03803 ..... c 15 N71-23816 *
NASA-CASE-XLE-03804 ..... c 10 N71-19471 *
NASA-CASE-XLE-03925 ..... c 18 N71-22894 *
NASA-CASE-XLE-03940-2 ..... c 17 N72-28536 *
NASA-CASE-XLE-03940 ..... c 18 N71-26153 *
NASA-CASE-XLE-04026 ..... c 14 N71-23267 *
NASA-CASE-XLE-04222 ..... c 23 N71-22881 *
NASA-CASE-XLE-04250 ..... c 09 N71-20446 *
NASA-CASE-XLE-04501 ..... c 09 N71-23190 *
NASA-CASE-XLE-04503 ..... c 14 N71-24864 *
NASA-CASE-XLE-04526 ..... c 03 N71-11052 *
NASA-CASE-XLE-04535 ..... c 03 N71-23354 *
NASA-CASE-XLE-04599 ..... c 22 N72-20597 *
NASA-CASE-XLE-04603 ..... c 33 N71-21507 *
NASA-CASE-XLE-04677 ..... c 15 N71-10577 *
NASA-CASE-XLE-04787 ..... c 03 N71-20492 *
NASA-CASE-XLE-04788 ..... c 09 N71-22987 *
NASA-CASE-XLE-04791 ..... c 32 N74-22096 *
NASA-CASE-XLE-04857 ..... c 28 N71-23968 *
NASA-CASE-XLE-04946 ..... c 17 N71-24911 *
NASA-CASE-XLE-05033 ..... c 15 N71-23810 *
NASA-CASE-XLE-05079 ..... c 15 N71-17652 *
NASA-CASE-XLE-05130-2 ..... c 15 N71-19570 *
NASA-CASE-XLE-05130 ..... c 15 N69-21362 * #
NASA-CASE-XLE-05230-2 ..... c 14 N73-13417 *
NASA-CASE-XLE-05230 ..... c 14 N72-27410 *
NASA-CASE-XLE-05260 ..... c 14 N71-20429 *
NASA-CASE-XLE-05641-1 ..... c 15 N71-26346 *
NASA-CASE-XLE-05689 ..... c 28 N71-15659 *
NASA-CASE-XLE-05913 ..... c 33 N71-14032 *
NASA-CASE-XLE-06094 ..... c 33 N78-17293 *
NASA-CASE-XLE-06461-2 ..... c 17 N72-28535 *
NASA-CASE-XLE-06461 ..... c 17 N72-22530 *
NASA-CASE-XLE-06773 ..... c 15 N71-23817 *
NASA-CASE-XLE-06774-2 ..... c 06 N72-25150 *
NASA-CASE-XLE-06969 ..... c 17 N71-24142 *
NASA-CASE-XLE-07087 ..... c 06 N69-39889 * #
NASA-CASE-XLE-08511-2 ..... c 18 N71-16105 *
NASA-CASE-XLE-08511 ..... c 18 N71-23710 *
NASA-CASE-XLE-08569-2 ..... c 03 N71-24681 *
NASA-CASE-XLE-08569 ..... c 03 N71-23449 *
NASA-CASE-XLE-08917-2 ..... c 15 N71-24836 *
NASA-CASE-XLE-08917 ..... c 15 N71-15597 *
NASA-CASE-XLE-09341 ..... c 12 N71-28741 *
NASA-CASE-XLE-09475-1 ..... c 33 N71-15568 *
NASA-CASE-XLE-09527-2 ..... c 15 N71-26189 *
NASA-CASE-XLE-09527 ..... c 15 N71-17688 *
NASA-CASE-XLE-10326-2 ..... c 15 N72-29488 *
NASA-CASE-XLE-10326-4 ..... c 37 N74-15125 *
NASA-CASE-XLE-10337 ..... c 15 N71-24046 *
NASA-CASE-XLE-103477-1 ..... c 28 N71-20330 *
NASA-CASE-XLE-10453-2 ..... c 28 N73-27699 *
NASA-CASE-XLE-10466 ..... c 17 N69-25147 * #
NASA-CASE-XLE-10529 ..... c 14 N69-23191 * #
NASA-CASE-XLE-10715 ..... c 26 N71-23292 *
NASA-CASE-XLE-10717 ..... c 37 N75-29426 *
NASA-CASE-XLE-10910 ..... c 18 N71-29040 *
NASA-CASE-XLE-2529-2 ..... c 36 N75-27364 *
NASA-CASE-XLE-2529-3 ..... c 33 N74-20859 *

NASA-CASE-XMF-00148 ..... c 28 N70-38710 *
NASA-CASE-XMF-00185 ..... c 21 N70-34539 *
NASA-CASE-XMF-00324 ..... c 09 N70-34596 *
NASA-CASE-XMF-00339 ..... c 15 N70-39896 *
NASA-CASE-XMF-00341 ..... c 15 N70-33323 *
NASA-CASE-XMF-00369 ..... c 09 N70-36494 *
NASA-CASE-XMF-00375 ..... c 15 N70-34249 *
NASA-CASE-XMF-00389 ..... c 31 N70-34176 *
NASA-CASE-XMF-00392 ..... c 15 N70-34814 *
NASA-CASE-XMF-00411 ..... c 11 N70-36913 *
NASA-CASE-XMF-00421 ..... c 09 N70-34502 *
NASA-CASE-XMF-00424 ..... c 11 N70-38196 *
NASA-CASE-XMF-00437 ..... c 07 N70-40202 *
NASA-CASE-XMF-00442 ..... c 31 N71-10747 *
NASA-CASE-XMF-00447 ..... c 14 N70-33179 *
NASA-CASE-XMF-00456 ..... c 14 N70-34705 *
NASA-CASE-XMF-00462 ..... c 14 N70-34298 *
NASA-CASE-XMF-00479 ..... c 14 N70-34794 *
NASA-CASE-XMF-00480 ..... c 14 N70-39898 *
NASA-CASE-XMF-00515 ..... c 15 N70-34664 *
NASA-CASE-XMF-00517 ..... c 03 N70-34157 *
NASA-CASE-XMF-00580 ..... c 11 N70-35383 *
NASA-CASE-XMF-00640 ..... c 15 N70-39924 *
NASA-CASE-XMF-00641 ..... c 31 N70-36410 *
NASA-CASE-XMF-00658 ..... c 12 N70-38997 *
NASA-CASE-XMF-00663 ..... c 08 N71-18752 *
NASA-CASE-XMF-00684 ..... c 21 N71-21688 *
NASA-CASE-XMF-00701 ..... c 09 N70-40272 *
NASA-CASE-XMF-00722 ..... c 15 N70-40204 *
NASA-CASE-XMF-00906 ..... c 09 N70-41655 *
NASA-CASE-XMF-00908 ..... c 14 N70-40238 *
NASA-CASE-XMF-00923 ..... c 28 N70-36802 *
NASA-CASE-XMF-00968 ..... c 28 N71-15660 *
NASA-CASE-XMF-01016 ..... c 26 N71-17818 *
NASA-CASE-XMF-01030 ..... c 18 N70-41583 *
NASA-CASE-XMF-01045 ..... c 15 N70-40354 *
NASA-CASE-XMF-01049 ..... c 15 N71-23049 *
NASA-CASE-XMF-01083 ..... c 15 N71-22723 *
NASA-CASE-XMF-01096 ..... c 10 N71-16030 *
NASA-CASE-XMF-01097 ..... c 10 N71-16058 *
NASA-CASE-XMF-01099 ..... c 14 N71-15969 *
NASA-CASE-XMF-01129 ..... c 09 N70-38712 *
NASA-CASE-XMF-01160 ..... c 07 N71-11298 *
NASA-CASE-XMF-01174 ..... c 02 N70-41589 *
NASA-CASE-XMF-01371 ..... c 15 N70-41829 *
NASA-CASE-XMF-01402 ..... c 18 N71-21651 *
NASA-CASE-XMF-01452 ..... c 15 N70-41371 *
NASA-CASE-XMF-01483 ..... c 14 N69-27431 * #
NASA-CASE-XMF-01543 ..... c 31 N71-17730 *
NASA-CASE-XMF-01544 ..... c 28 N70-34162 *
NASA-CASE-XMF-01598 ..... c 21 N71-15583 *
NASA-CASE-XMF-01599 ..... c 09 N71-20705 *
NASA-CASE-XMF-01667 ..... c 15 N71-17647 *
NASA-CASE-XMF-01669 ..... c 21 N71-23289 *
NASA-CASE-XMF-01730 ..... c 15 N71-23050 *
NASA-CASE-XMF-01772 ..... c 11 N70-41677 *
NASA-CASE-XMF-01779 ..... c 12 N71-20815 *
NASA-CASE-XMF-01813 ..... c 28 N70-41582 *
NASA-CASE-XMF-01887 ..... c 15 N71-10617 *
NASA-CASE-XMF-01892 ..... c 10 N71-22986 *
NASA-CASE-XMF-01899 ..... c 31 N70-41948 *
NASA-CASE-XMF-01973 ..... c 31 N70-41588 *
NASA-CASE-XMF-01974 ..... c 14 N71-22752 *
NASA-CASE-XMF-02039 ..... c 15 N71-15871 *
NASA-CASE-XMF-02107 ..... c 15 N71-10809 *
NASA-CASE-XMF-02108 ..... c 31 N70-36845 *
NASA-CASE-XMF-02221 ..... c 18 N71-27170 *
NASA-CASE-XMF-02263 ..... c 05 N74-10907 *
NASA-CASE-XMF-02303 ..... c 17 N71-23828 *
NASA-CASE-XMF-02307 ..... c 14 N71-10779 *
NASA-CASE-XMF-02330 ..... c 15 N71-23798 *
NASA-CASE-XMF-02392 ..... c 32 N71-24285 *
NASA-CASE-XMF-02433 ..... c 14 N71-10616 *
NASA-CASE-XMF-02526-1 ..... c 27 N79-21190 *
NASA-CASE-XMF-02527-1 ..... c 27 N79-21190 *
NASA-CASE-XMF-02584 ..... c 06 N71-20905 *
NASA-CASE-XMF-02783-1 ..... c 27 N79-21190 *
NASA-CASE-XMF-02786 ..... c 17 N71-20743 *
NASA-CASE-XMF-02822 ..... c 14 N70-41994 *
NASA-CASE-XMF-02853 ..... c 31 N70-36654 *
NASA-CASE-XMF-02964 ..... c 14 N71-17659 *
NASA-CASE-XMF-02966 ..... c 10 N71-24863 *
NASA-CASE-XMF-03074 ..... c 06 N71-24740 *
NASA-CASE-XMF-03169 ..... c 31 N71-15675 *
NASA-CASE-XMF-03198 ..... c 30 N70-40353 *
NASA-CASE-XMF-03212 ..... c 15 N71-22721 *
NASA-CASE-XMF-03248 ..... c 11 N71-10604 *
NASA-CASE-XMF-03287 ..... c 15 N71-15607 *
NASA-CASE-XMF-03290 ..... c 15 N71-23256 *
NASA-CASE-XMF-03498 ..... c 15 N71-15986 *
NASA-CASE-XMF-03511 ..... c 15 N71-22799 *
NASA-CASE-XMF-03793 ..... c 15 N71-24833 *
NASA-CASE-XMF-03844-1 ..... c 14 N71-26474 *
NASA-CASE-XMF-03856 ..... c 31 N70-34159 *
NASA-CASE-XMF-03873 ..... c 06 N69-39733 * #
NASA-CASE-XMF-03934 ..... c 09 N71-22985 *
NASA-CASE-XMF-03968 ..... c 14 N71-27186 *
NASA-CASE-XMF-03988 ..... c 15 N71-21403 *
NASA-CASE-XMF-04042 ..... c 15 N71-23023 *
NASA-CASE-XMF-04132 ..... c 15 N69-27502 * #
NASA-CASE-XMF-04133 ..... c 06 N71-20717 *
NASA-CASE-XMF-04134 ..... c 14 N71-23755 *
NASA-CASE-XMF-04163 ..... c 02 N71-23007 *
NASA-CASE-XMF-04208 ..... c 33 N71-29051 *
NASA-CASE-XMF-04237 ..... c 33 N71-16278 *
NASA-CASE-XMF-04238 ..... c 09 N69-39734 * #
NASA-CASE-XMF-04367 ..... c 09 N71-23545 *
NASA-CASE-XMF-04415 ..... c 14 N71-24693 *
NASA-CASE-XMF-04494-1 ..... c 33 N79-33392 *
NASA-CASE-XMF-04592-1 ..... c 20 N79-21125 *
NASA-CASE-XMF-04593-1 ..... c 20 N79-21125 *
NASA-CASE-XMF-04680 ..... c 15 N71-19489 *
NASA-CASE-XMF-04709 ..... c 15 N71-15609 *
NASA-CASE-XMF-04958-1 ..... c 10 N71-26414 *
NASA-CASE-XMF-04966 ..... c 14 N71-17658 *
NASA-CASE-XMF-05046 ..... c 33 N71-28892 *
NASA-CASE-XMF-05114-2 ..... c 15 N71-26148 *
NASA-CASE-XMF-05114-3 ..... c 15 N71-24865 *
NASA-CASE-XMF-05114 ..... c 15 N71-17650 *
NASA-CASE-XMF-05195 ..... c 10 N71-24861 *
NASA-CASE-XMF-05224 ..... c 14 N71-23726 *
NASA-CASE-XMF-05279 ..... c 18 N71-16124 *
NASA-CASE-XMF-05344 ..... c 31 N71-16345 *
NASA-CASE-XMF-05373-1 ..... c 33 N79-21264 *
NASA-CASE-XMF-05757-1 ..... c 31 N79-21227 *
NASA-CASE-XMF-05835 ..... c 08 N71-12504 *
NASA-CASE-XMF-05843 ..... c 03 N71-11055 *
NASA-CASE-XMF-05844 ..... c 14 N71-17587 *
NASA-CASE-XMF-05868 ..... c 26 N75-27125 *
NASA-CASE-XMF-05882 ..... c 35 N75-27329 *
NASA-CASE-XMF-05941 ..... c 31 N71-23912 *
NASA-CASE-XMF-05964-1 ..... c 20 N79-21124 *
NASA-CASE-XMF-05999 ..... c 15 N71-29032 *
NASA-CASE-XMF-06053 ..... c 26 N75-27126 *
NASA-CASE-XMF-06065 ..... c 15 N71-20395 *
NASA-CASE-XMF-06092 ..... c 07 N71-24612 *
NASA-CASE-XMF-06409 ..... c 06 N71-23230 *
NASA-CASE-XMF-06515 ..... c 14 N71-23227 *
NASA-CASE-XMF-06519 ..... c 09 N71-12519 *
NASA-CASE-XMF-06531 ..... c 14 N71-17575 *
NASA-CASE-XMF-06589 ..... c 05 N71-23159 *
NASA-CASE-XMF-06617 ..... c 09 N71-24843 *
NASA-CASE-XMF-06884-1 ..... c 20 N79-21123 *
NASA-CASE-XMF-06888 ..... c 15 N71-24044 *
NASA-CASE-XMF-06892 ..... c 09 N71-24805 *
NASA-CASE-XMF-06900-1 ..... c 27 N79-21191 *
NASA-CASE-XMF-06926 ..... c 28 N71-22983 *
NASA-CASE-XMF-07069 ..... c 15 N71-23815 *
NASA-CASE-XMF-07488 ..... c 11 N71-18773 *
NASA-CASE-XMF-07587 ..... c 15 N71-18701 *
NASA-CASE-XMF-07770-2 ..... c 18 N71-26772 *
NASA-CASE-XMF-07808 ..... c 15 N71-23812 *
NASA-CASE-XMF-08217 ..... c 03 N71-23239 *
NASA-CASE-XMF-08522 ..... c 15 N71-19486 *
NASA-CASE-XMF-08523 ..... c 31 N71-20396 *
NASA-CASE-XMF-08651 ..... c 06 N71-11236 *
NASA-CASE-XMF-08652 ..... c 06 N71-11243 *
NASA-CASE-XMF-08655 ..... c 06 N71-11239 *
NASA-CASE-XMF-08656 ..... c 06 N71-11242 *
NASA-CASE-XMF-08665 ..... c 10 N71-19467 *
NASA-CASE-XMF-08674 ..... c 06 N71-28807 *
NASA-CASE-XMF-08804 ..... c 09 N71-24717 *
NASA-CASE-XMF-09422 ..... c 07 N71-19436 *
NASA-CASE-XMF-09902 ..... c 15 N72-11387 *
NASA-CASE-XMF-10040 ..... c 15 N71-22877 *
NASA-CASE-XMF-10289 ..... c 14 N71-23699 *
NASA-CASE-XMF-10753 ..... c 06 N71-11237 *
NASA-CASE-XMF-10968 ..... c 14 N71-24234 *
NASA-CASE-XMF-14032 ..... c 20 N71-16340 *
NASA-CASE-XMF-14301 ..... c 09 N71-23188 *

NASA-CASE-XMS-00259 ..... c 18 N70-36400 *
NASA-CASE-XMS-00486 ..... c 33 N70-33344 *
NASA-CASE-XMS-00583 ..... c 28 N70-38504 *
NASA-CASE-XMS-00784 ..... c 05 N71-12335 *
NASA-CASE-XMS-00863 ..... c 05 N70-34857 *
NASA-CASE-XMS-00864 ..... c 05 N70-36493 *
NASA-CASE-XMS-00893 ..... c 07 N70-40063 *
NASA-CASE-XMS-00907 ..... c 02 N70-41630 *
NASA-CASE-XMS-00913 ..... c 10 N71-23543 *
NASA-CASE-XMS-00945 ..... c 09 N71-10798 *
NASA-CASE-XMS-01077-1 ..... c 37 N79-33467 *
NASA-CASE-XMS-01108 ..... c 15 N69-24322 * #
NASA-CASE-XMS-01115 ..... c 05 N70-39922 *
NASA-CASE-XMS-01177 ..... c 05 N71-19440 *
NASA-CASE-XMS-01240 ..... c 05 N70-35152 *
NASA-CASE-XMS-01244-1 ..... c 33 N79-33393 *
NASA-CASE-XMS-01295-1 ..... c 37 N79-21345 *
NASA-CASE-XMS-01315 ..... c 09 N70-41675 *
NASA-CASE-XMS-01330 ..... c 37 N75-27376 *
NASA-CASE-XMS-01445 ..... c 12 N71-16031 *
NASA-CASE-XMS-01492 ..... c 05 N70-41297 *
NASA-CASE-XMS-01546 ..... c 14 N70-40233 *
NASA-CASE-XMS-01554 ..... c 10 N71-10578 *
NASA-CASE-XMS-01615 ..... c 05 N70-41329 *

NASA-CASE-XMS-01618 ..... c 14 N71-20741 *
NASA-CASE-XMS-01620 ..... c 23 N71-15673 *
NASA-CASE-XMS-01624 ..... c 15 N70-40062 *
NASA-CASE-XMS-01625 ..... c 15 N71-23022 *
NASA-CASE-XMS-01816 ..... c 33 N71-15623 *
NASA-CASE-XMS-01905 ..... c 12 N71-21089 *
NASA-CASE-XMS-01906 ..... c 31 N70-41373 *
NASA-CASE-XMS-01991 ..... c 09 N71-21449 *
NASA-CASE-XMS-01994-1 ..... c 14 N72-17326 *
NASA-CASE-XMS-02009 ..... c 33 N71-20834 *
NASA-CASE-XMS-02063 ..... c 03 N71-29044 *
NASA-CASE-XMS-02087 ..... c 09 N70-41717 *
NASA-CASE-XMS-02159 ..... c 10 N71-22961 *
NASA-CASE-XMS-02182 ..... c 10 N71-28783 *
NASA-CASE-XMS-02184 ..... c 15 N71-20813 *
NASA-CASE-XMS-02383 ..... c 15 N71-15918 *
NASA-CASE-XMS-02399 ..... c 05 N71-22896 *
NASA-CASE-XMS-02532 ..... c 15 N70-41808 *
NASA-CASE-XMS-02677 ..... c 31 N70-42075 *
NASA-CASE-XMS-02744 ..... c 33 N75-27249 *
NASA-CASE-XMS-02872 ..... c 05 N69-21925 * #
NASA-CASE-XMS-02930 ..... c 11 N71-23042 *
NASA-CASE-XMS-02952 ..... c 18 N71-20742 *
NASA-CASE-XMS-02977 ..... c 11 N71-10746 *
NASA-CASE-XMS-03252 ..... c 15 N71-10658 *
NASA-CASE-XMS-03371 ..... c 05 N70-42000 *
NASA-CASE-XMS-03454 ..... c 09 N71-20658 *
NASA-CASE-XMS-03537 ..... c 15 N69-21471 * #
NASA-CASE-XMS-03542 ..... c 09 N71-28926 *
NASA-CASE-XMS-03613 ..... c 31 N71-16346 *
NASA-CASE-XMS-03694-1 ..... c 54 N82-29002 *
NASA-CASE-XMS-03700 ..... c 15 N69-24266 * #
NASA-CASE-XMS-03722 ..... c 15 N71-21530 *
NASA-CASE-XMS-03745 ..... c 15 N71-21076 *
NASA-CASE-XMS-03792 ..... c 14 N70-41812 *
NASA-CASE-XMS-04061-1 ..... c 09 N69-39885 * #
NASA-CASE-XMS-04072 ..... c 15 N70-42017 *
NASA-CASE-XMS-04142 ..... c 31 N70-41631 *
NASA-CASE-XMS-04170 ..... c 05 N71-22748 *
NASA-CASE-XMS-04178 ..... c 15 N71-22798 *
NASA-CASE-XMS-04201 ..... c 14 N71-22990 *
NASA-CASE-XMS-04212-1 ..... c 05 N71-12346 *
NASA-CASE-XMS-04213-1 ..... c 09 N71-26002 *
NASA-CASE-XMS-04215-1 ..... c 09 N69-39987 * #
NASA-CASE-XMS-04268 ..... c 33 N71-16277 *
NASA-CASE-XMS-04269 ..... c 16 N71-22895 *
NASA-CASE-XMS-04292 ..... c 15 N71-22722 *
NASA-CASE-XMS-04300 ..... c 09 N71-19479 *
NASA-CASE-XMS-04312 ..... c 07 N71-22984 *
NASA-CASE-XMS-04318 ..... c 15 N69-27871 * #
NASA-CASE-XMS-04390 ..... c 31 N70-41871 *
NASA-CASE-XMS-04533 ..... c 15 N71-23086 *
NASA-CASE-XMS-04545 ..... c 15 N71-22878 *
NASA-CASE-XMS-04625 ..... c 05 N71-20718 *
NASA-CASE-XMS-04670 ..... c 54 N78-17678 *
NASA-CASE-XMS-04798 ..... c 11 N71-21474 *
NASA-CASE-XMS-04826 ..... c 28 N71-28849 *
NASA-CASE-XMS-04843 ..... c 03 N69-21469 * #
NASA-CASE-XMS-04890-1 ..... c 15 N70-22192 * #
NASA-CASE-XMS-04917 ..... c 14 N69-24257 * #
NASA-CASE-XMS-04919 ..... c 09 N71-23270 *
NASA-CASE-XMS-04928 ..... c 54 N78-17679 *
NASA-CASE-XMS-04935 ..... c 05 N71-11190 *
NASA-CASE-XMS-05303 ..... c 07 N69-27462 * #
NASA-CASE-XMS-05304 ..... c 05 N71-12336 *
NASA-CASE-XMS-05307 ..... c 09 N69-24330 * #
NASA-CASE-XMS-05365 ..... c 14 N71-22993 *
NASA-CASE-XMS-05454-1 ..... c 07 N71-12391 *
NASA-CASE-XMS-05516 ..... c 15 N71-17803 *
NASA-CASE-XMS-05562-1 ..... c 09 N69-39986 * #
NASA-CASE-XMS-05605-1 ..... c 10 N71-19468 *
NASA-CASE-XMS-05731 ..... c 35 N75-29382 *
NASA-CASE-XMS-05890 ..... c 09 N71-23191 *
NASA-CASE-XMS-05894-1 ..... c 15 N69-21924 * #
NASA-CASE-XMS-05909-1 ..... c 14 N69-27459 * #
NASA-CASE-XMS-05936 ..... c 14 N70-41682 *
NASA-CASE-XMS-06056-1 ..... c 23 N71-24857 *
NASA-CASE-XMS-06061 ..... c 05 N71-23317 *
NASA-CASE-XMS-06064 ..... c 05 N71-23096 *
NASA-CASE-XMS-06162 ..... c 31 N71-28851 *
NASA-CASE-XMS-06236 ..... c 14 N71-21007 *
NASA-CASE-XMS-06329-1 ..... c 15 N71-20441 *
NASA-CASE-XMS-06497 ..... c 14 N71-26244 *
NASA-CASE-XMS-06740-1 ..... c 07 N71-26579 *
NASA-CASE-XMS-06761 ..... c 05 N69-23192 * #
NASA-CASE-XMS-06767-1 ..... c 14 N71-20435 *
NASA-CASE-XMS-06782 ..... c 32 N71-15974 *
NASA-CASE-XMS-06876 ..... c 15 N71-21536 *
NASA-CASE-XMS-06949 ..... c 09 N69-21467 * #
NASA-CASE-XMS-07168 ..... c 07 N71-11300 *
NASA-CASE-XMS-07487 ..... c 15 N71-23255 *
NASA-CASE-XMS-07846-1 ..... c 09 N69-21927 * #
NASA-CASE-XMS-08589-1 ..... c 09 N71-20569 *
NASA-CASE-XMS-09310 ..... c 15 N71-22706 *
NASA-CASE-XMS-09352 ..... c 09 N71-23316 *
NASA-CASE-XMS-09571 ..... c 05 N71-19439 *
NASA-CASE-XMS-09610 ..... c 07 N71-24625 *
NASA-CASE-XMS-09632-1 ..... c 05 N71-11203 *
NASA-CASE-XMS-09635 ..... c 05 N71-24623 *
NASA-CASE-XMS-09636 ..... c 05 N71-12344 *
NASA-CASE-XMS-09637-1 ..... c 05 N71-24730 *
NASA-CASE-XMS-09652-1 ..... c 05 N71-26333 *
NASA-CASE-XMS-09653 ..... c 54 N78-17680 *
NASA-CASE-XMS-09690 ..... c 33 N72-25913 *
NASA-CASE-XMS-09691-1 ..... c 18 N71-15545 *
NASA-CASE-XMS-10269 ..... c 05 N71-24147 *
NASA-CASE-XMS-10660-1 ..... c 15 N71-25975 *
NASA-CASE-XMS-10984-1 ..... c 10 N71-19417 *
NASA-CASE-XMS-10993 ..... c 15 N71-28936 *
NASA-CASE-XMS-12158-1 ..... c 31 N69-27499 * #
NASA-CASE-XMS-13052 ..... c 14 N71-20427 *
NASA-CASE-XNP-00214 ..... c 15 N70-36908 *
NASA-CASE-XNP-00217 ..... c 28 N70-38181 *
NASA-CASE-XNP-00234 ..... c 28 N70-38645 *
NASA-CASE-XNP-00249 ..... c 28 N70-38249 *
NASA-CASE-XNP-00250 ..... c 11 N71-28779 *
NASA-CASE-XNP-00294 ..... c 21 N70-36938 *
NASA-CASE-XNP-00384 ..... c 09 N71-13530 *
NASA-CASE-XNP-00416 ..... c 15 N70-36947 *
NASA-CASE-XNP-00425 ..... c 11 N70-38202 *
NASA-CASE-XNP-00431 ..... c 09 N70-38998 *
NASA-CASE-XNP-00432 ..... c 08 N70-35423 *
NASA-CASE-XNP-00438 ..... c 21 N70-35089 *
NASA-CASE-XNP-00449 ..... c 14 N70-35220 *
NASA-CASE-XNP-00450 ..... c 15 N70-38603 *
NASA-CASE-XNP-00459 ..... c 11 N70-38675 *
NASA-CASE-XNP-00463 ..... c 33 N70-36847 *
NASA-CASE-XNP-00465 ..... c 21 N70-35395 *
NASA-CASE-XNP-00476 ..... c 15 N70-38620 *
NASA-CASE-XNP-00477 ..... c 08 N73-28045 *
NASA-CASE-XNP-00540 ..... c 09 N70-35382 *
NASA-CASE-XNP-00595 ..... c 15 N70-34967 *
NASA-CASE-XNP-00597 ..... c 18 N71-23088 *
NASA-CASE-XNP-00610 ..... c 28 N70-36910 *
NASA-CASE-XNP-00611 ..... c 09 N70-35219 *
NASA-CASE-XNP-00612 ..... c 11 N70-38182 *
NASA-CASE-XNP-00614 ..... c 14 N70-36907 *
NASA-CASE-XNP-00637 ..... c 14 N70-40273 *
NASA-CASE-XNP-00644 ..... c 03 N70-36803 *
NASA-CASE-XNP-00646 ..... c 14 N70-35666 *
NASA-CASE-XNP-00650 ..... c 27 N71-28929 *
NASA-CASE-XNP-00676 ..... c 15 N70-38996 *
NASA-CASE-XNP-00683 ..... c 09 N70-35425 *
NASA-CASE-XNP-00708 ..... c 14 N70-35394 *
NASA-CASE-XNP-00710 ..... c 15 N71-10778 *
NASA-CASE-XNP-00732 ..... c 28 N70-41447 *
NASA-CASE-XNP-00733 ..... c 06 N70-34946 *
NASA-CASE-XNP-00738 ..... c 09 N70-38201 *
NASA-CASE-XNP-00745 ..... c 10 N71-28960 *
NASA-CASE-XNP-00746 ..... c 07 N71-21476 *
NASA-CASE-XNP-00748 ..... c 07 N70-36911 *
NASA-CASE-XNP-00777 ..... c 10 N71-19469 *
NASA-CASE-XNP-00816 ..... c 28 N71-28928 *
NASA-CASE-XNP-00826 ..... c 03 N71-20895 *
NASA-CASE-XNP-00840 ..... c 15 N70-38225 *
NASA-CASE-XNP-00876 ..... c 28 N70-41311 *
NASA-CASE-XNP-00911 ..... c 08 N70-41961 *
NASA-CASE-XNP-00920 ..... c 15 N71-15906 *
NASA-CASE-XNP-00952 ..... c 10 N71-23271 *
NASA-CASE-XNP-01012 ..... c 08 N71-28925 *
NASA-CASE-XNP-01020 ..... c 03 N71-12260 *
NASA-CASE-XNP-01056 ..... c 14 N71-23041 *
NASA-CASE-XNP-01057 ..... c 07 N71-15907 *
NASA-CASE-XNP-01058 ..... c 09 N71-12540 *
NASA-CASE-XNP-01059 ..... c 23 N71-21821 *
NASA-CASE-XNP-01068 ..... c 10 N71-28739 *
NASA-CASE-XNP-01104 ..... c 28 N70-39931 *
NASA-CASE-XNP-01107 ..... c 10 N71-28859 *
NASA-CASE-XNP-01152 ..... c 15 N70-41811 *
NASA-CASE-XNP-01153 ..... c 32 N71-17645 *
NASA-CASE-XNP-01185 ..... c 26 N73-28710 *
NASA-CASE-XNP-01187 ..... c 15 N73-28516 *
NASA-CASE-XNP-01188 ..... c 15 N73-32361 *
NASA-CASE-XNP-01193 ..... c 10 N71-16057 *
NASA-CASE-XNP-01263-2 ..... c 15 N71-26312 *
NASA-CASE-XNP-01296 ..... c 33 N75-27250 *
NASA-CASE-XNP-01306-2 ..... c 09 N71-24596 *
NASA-CASE-XNP-01306 ..... c 07 N71-20814 *
NASA-CASE-XNP-01307 ..... c 21 N70-41856 *
NASA-CASE-XNP-01310 ..... c 33 N71-28852 *
NASA-CASE-XNP-01311 ..... c 26 N75-29236 *
NASA-CASE-XNP-01318 ..... c 10 N71-23033 *
NASA-CASE-XNP-01328 ..... c 26 N71-18064 *
NASA-CASE-XNP-01383 ..... c 09 N71-10659 *
NASA-CASE-XNP-01390 ..... c 28 N70-41275 *
NASA-CASE-XNP-01412 ..... c 15 N70-42034 *
NASA-CASE-XNP-01458 ..... c 04 N78-17031 *
NASA-CASE-XNP-01464 ..... c 03 N71-10728 *
NASA-CASE-XNP-01466 ..... c 10 N71-26434 *
NASA-CASE-XNP-01472 ..... c 14 N70-41807 *
NASA-CASE-XNP-01501 ..... c 21 N70-41930 *
NASA-CASE-XNP-01567 ..... c 15 N70-41310 *
NASA-CASE-XNP-01641 ..... c 15 N71-22997 *
NASA-CASE-XNP-01659 ..... c 14 N71-23039 *
NASA-CASE-XNP-01660 ..... c 14 N71-23036 *
NASA-CASE-XNP-01735 ..... c 07 N71-22750 *
NASA-CASE-XNP-01747 ..... c 15 N71-23024 *
NASA-CASE-XNP-01749 ..... c 27 N70-41897 *
NASA-CASE-XNP-01753 ..... c 08 N71-22897 *
NASA-CASE-XNP-01848 ..... c 15 N71-28959 *
NASA-CASE-XNP-01855 ..... c 15 N71-28937 *
NASA-CASE-XNP-01951 ..... c 09 N70-41929 *
NASA-CASE-XNP-01954 ..... c 28 N71-28850 *
NASA-CASE-XNP-01959 ..... c 26 N71-23043 *
NASA-CASE-XNP-01960 ..... c 09 N71-23027 *
NASA-CASE-XNP-01961 ..... c 26 N71-29156 *
NASA-CASE-XNP-01962 ..... c 32 N70-41370 *
NASA-CASE-XNP-02029 ..... c 14 N70-41955 *
NASA-CASE-XNP-02092 ..... c 15 N70-42033 *
NASA-CASE-XNP-02139 ..... c 18 N71-24184 *
NASA-CASE-XNP-02140 ..... c 09 N71-23097 *
NASA-CASE-XNP-02251 ..... c 12 N71-20896 *
NASA-CASE-XNP-02278 ..... c 15 N71-28951 *
NASA-CASE-XNP-02340 ..... c 23 N69-24332 * #
NASA-CASE-XNP-02341 ..... c 15 N71-21531 *
NASA-CASE-XNP-02389 ..... c 07 N71-28900 *
NASA-CASE-XNP-02500 ..... c 18 N71-27397 *
NASA-CASE-XNP-02507 ..... c 31 N71-17679 *
NASA-CASE-XNP-02588 ..... c 15 N71-18613 *
NASA-CASE-XNP-02592 ..... c 24 N71-20518 *
NASA-CASE-XNP-02595 ..... c 31 N71-21881 *
NASA-CASE-XNP-02654 ..... c 10 N70-42032 *
NASA-CASE-XNP-02713 ..... c 10 N69-39888 * #
NASA-CASE-XNP-02723 ..... c 07 N70-41680 *
NASA-CASE-XNP-02748 ..... c 08 N71-22749 *
NASA-CASE-XNP-02778 ..... c 08 N71-22710 *
NASA-CASE-XNP-02791 ..... c 07 N71-23026 *
NASA-CASE-XNP-02792 ..... c 14 N71-28958 *
NASA-CASE-XNP-02839 ..... c 28 N70-41922 *
NASA-CASE-XNP-02862-1 ..... c 15 N71-26294 *
NASA-CASE-XNP-02888 ..... c 18 N71-21068 *
NASA-CASE-XNP-02899-1 ..... c 33 N79-21265 *
NASA-CASE-XNP-02923 ..... c 28 N71-23081 *
NASA-CASE-XNP-02982 ..... c 31 N70-41855 *
NASA-CASE-XNP-02983 ..... c 14 N71-21091 *
NASA-CASE-XNP-03063 ..... c 17 N71-23365 *
NASA-CASE-XNP-03128 ..... c 10 N70-41991 *
NASA-CASE-XNP-03134 ..... c 07 N71-10676 *
NASA-CASE-XNP-03250 ..... c 06 N71-23500 *
NASA-CASE-XNP-03263 ..... c 09 N71-18843 *
NASA-CASE-XNP-03282 ..... c 28 N72-20758 *
NASA-CASE-XNP-03332 ..... c 09 N71-10618 *
NASA-CASE-XNP-03378 ..... c 03 N71-11051 *
NASA-CASE-XNP-03413 ..... c 03 N71-26726 *
NASA-CASE-XNP-03459-2 ..... c 18 N71-15688 *
NASA-CASE-XNP-03459 ..... c 15 N71-21078 *
NASA-CASE-XNP-03578 ..... c 11 N71-23030 *
NASA-CASE-XNP-03623 ..... c 09 N73-28084 *
NASA-CASE-XNP-03637 ..... c 15 N71-21311 *
NASA-CASE-XNP-03692 ..... c 28 N71-24321 *
NASA-CASE-XNP-03744 ..... c 10 N71-20448 *
NASA-CASE-XNP-03796 ..... c 23 N71-15467 *
NASA-CASE-XNP-03835 ..... c 06 N71-23499 *
NASA-CASE-XNP-03853 ..... c 23 N71-21882 *
NASA-CASE-XNP-03878 ..... c 26 N75-27127 *
NASA-CASE-XNP-03914 ..... c 21 N71-10771 *
NASA-CASE-XNP-03916 ..... c 09 N71-28810 *
NASA-CASE-XNP-03918 ..... c 14 N71-23087 *
NASA-CASE-XNP-03930 ..... c 14 N69-24331 * #
NASA-CASE-XNP-03972 ..... c 15 N71-23048 *
NASA-CASE-XNP-04023 ..... c 06 N71-28808 *
NASA-CASE-XNP-04067 ..... c 08 N71-22707 *
NASA-CASE-XNP-04111 ..... c 14 N71-15622 *
NASA-CASE-XNP-04124 ..... c 28 N71-21822 *
NASA-CASE-XNP-04148 ..... c 17 N71-24830 *
NASA-CASE-XNP-04161 ..... c 14 N71-15599 *
NASA-CASE-XNP-04162-1 ..... c 08 N70-34675 * #
NASA-CASE-XNP-04167-2 ..... c 25 N72-24753 *
NASA-CASE-XNP-04167-3 ..... c 36 N77-19416 *
NASA-CASE-XNP-04180 ..... c 07 N69-39736 * #
NASA-CASE-XNP-04183 ..... c 09 N69-24329 * #
NASA-CASE-XNP-04231 ..... c 14 N73-32325 *
NASA-CASE-XNP-04262-2 ..... c 17 N71-26773 *
NASA-CASE-XNP-04264 ..... c 03 N69-21337 * #
NASA-CASE-XNP-04338 ..... c 17 N71-23046 *
NASA-CASE-XNP-04339 ..... c 17 N71-29137 *
NASA-CASE-XNP-04389 ..... c 28 N71-20942 *
NASA-CASE-XNP-04623 ..... c 10 N71-26103 *
NASA-CASE-XNP-04731 ..... c 15 N71-24042 *
NASA-CASE-XNP-04732 ..... c 09 N71-20851 *
NASA-CASE-XNP-04758 ..... c 03 N71-24605 *
NASA-CASE-XNP-04780 ..... c 08 N71-19687 *
NASA-CASE-XNP-04816 ..... c 06 N69-39936 * #
NASA-CASE-XNP-04817 ..... c 14 N71-23225 *
NASA-CASE-XNP-04819 ..... c 08 N71-23295 *
NASA-CASE-XNP-04969 ..... c 11 N69-27466 * #
NASA-CASE-XNP-05082 ..... c 15 N70-41960 *

NASA-CASE-XNP-05219 ..... c 16 N71-15550 *
NASA-CASE-XNP-05231 ..... c 14 N73-28491 *
NASA-CASE-XNP-05254 ..... c 07 N71-20791 *
NASA-CASE-XNP-05297 ..... c 15 N71-23811 *
NASA-CASE-XNP-05381 ..... c 09 N71-20842 *
NASA-CASE-XNP-05382 ..... c 10 N71-23544 *
NASA-CASE-XNP-05415 ..... c 08 N71-12505 *
NASA-CASE-XNP-05429 ..... c 26 N71-21824 *
NASA-CASE-XNP-05524 ..... c 33 N71-24876 *
NASA-CASE-XNP-05530 ..... c 14 N73-32321 *
NASA-CASE-XNP-05535 ..... c 14 N71-23040 *
NASA-CASE-XNP-05612 ..... c 09 N69-21468 * #
NASA-CASE-XNP-05634 ..... c 15 N71-24834 *
NASA-CASE-XNP-05821 ..... c 03 N71-11056 *
NASA-CASE-XNP-05975 ..... c 15 N69-23185 * #
NASA-CASE-XNP-06028 ..... c 09 N71-23189 *
NASA-CASE-XNP-06031 ..... c 15 N71-15606 *
NASA-CASE-XNP-06032 ..... c 09 N69-21926 * #
NASA-CASE-XNP-06234 ..... c 10 N71-27137 *
NASA-CASE-XNP-06503 ..... c 23 N71-29049 *
NASA-CASE-XNP-06505 ..... c 10 N71-24799 *
NASA-CASE-XNP-06506 ..... c 03 N71-11050 *
NASA-CASE-XNP-06507 ..... c 09 N71-23548 *
NASA-CASE-XNP-06508 ..... c 18 N69-39895 * #
NASA-CASE-XNP-06509 ..... c 14 N71-23226 *
NASA-CASE-XNP-06510 ..... c 14 N71-23797 *
NASA-CASE-XNP-06611 ..... c 07 N71-26102 *
NASA-CASE-XNP-06914 ..... c 15 N71-21489 *
NASA-CASE-XNP-06933 ..... c 14 N73-32321 *
NASA-CASE-XNP-06936 ..... c 15 N71-24695 *
NASA-CASE-XNP-06937 ..... c 09 N71-19516 *
NASA-CASE-XNP-06942 ..... c 28 N71-23293 *
NASA-CASE-XNP-06957 ..... c 14 N71-21088 *
NASA-CASE-XNP-07040 ..... c 08 N71-12500 *
NASA-CASE-XNP-07169 ..... c 15 N73-32362 *
NASA-CASE-XNP-07477 ..... c 09 N71-26092 *
NASA-CASE-XNP-07478 ..... c 14 N69-21923 * #
NASA-CASE-XNP-07481 ..... c 25 N69-21929 * #
NASA-CASE-XNP-07659 ..... c 06 N71-22975 *
NASA-CASE-XNP-08124-2 ..... c 06 N73-13129 *
NASA-CASE-XNP-08124 ..... c 15 N71-27184 *
NASA-CASE-XNP-08274 ..... c 10 N71-13537 *
NASA-CASE-XNP-08567 ..... c 09 N71-26000 *
NASA-CASE-XNP-08680 ..... c 14 N71-22995 *
NASA-CASE-XNP-08832 ..... c 08 N71-12506 *
NASA-CASE-XNP-08835-1 ..... c 37 N80-14395 *
NASA-CASE-XNP-08836 ..... c 09 N71-12515 *
NASA-CASE-XNP-08837 ..... c 18 N71-16210 *
NASA-CASE-XNP-08840 ..... c 23 N71-16365 *
NASA-CASE-XNP-08875 ..... c 10 N71-23099 *
NASA-CASE-XNP-08876 ..... c 17 N73-28573 *
NASA-CASE-XNP-08877 ..... c 15 N71-23025 *
NASA-CASE-XNP-08880 ..... c 09 N71-24808 *
NASA-CASE-XNP-08881 ..... c 17 N71-28747 *
NASA-CASE-XNP-08882 ..... c 15 N69-39935 * #
NASA-CASE-XNP-08883 ..... c 23 N71-16101 *
NASA-CASE-XNP-08897 ..... c 15 N71-17694 *
NASA-CASE-XNP-08907 ..... c 23 N71-29123 *
NASA-CASE-XNP-08961 ..... c 14 N71-24809 *
NASA-CASE-XNP-09205 ..... c 14 N71-17657 *
NASA-CASE-XNP-09225 ..... c 09 N69-24333 * #
NASA-CASE-XNP-09227 ..... c 15 N69-24319 * #
NASA-CASE-XNP-09228 ..... c 09 N69-27500 * #
NASA-CASE-XNP-09450 ..... c 10 N71-18723 *
NASA-CASE-XNP-09451 ..... c 06 N71-26754 *
NASA-CASE-XNP-09452 ..... c 15 N69-27504 * #
NASA-CASE-XNP-09453 ..... c 08 N71-19420 *
NASA-CASE-XNP-09461 ..... c 28 N72-23809 *
NASA-CASE-XNP-09462 ..... c 14 N71-17584 *
NASA-CASE-XNP-09469 ..... c 24 N71-25555 *
NASA-CASE-XNP-09572 ..... c 14 N71-15621 *
NASA-CASE-XNP-09698 ..... c 15 N71-18580 *
NASA-CASE-XNP-09699 ..... c 06 N71-24607 *
NASA-CASE-XNP-09701 ..... c 14 N71-26475 *
NASA-CASE-XNP-09702 ..... c 15 N71-17654 *
NASA-CASE-XNP-09704 ..... c 12 N71-18615 *
NASA-CASE-XNP-09744 ..... c 27 N71-16392 *
NASA-CASE-XNP-09750 ..... c 14 N69-39937 * #
NASA-CASE-XNP-09752 ..... c 14 N69-21541 * #
NASA-CASE-XNP-09755 ..... c 46 N74-23069 *
NASA-CASE-XNP-09759 ..... c 08 N71-24891 *
NASA-CASE-XNP-09763 ..... c 14 N71-20461 *
NASA-CASE-XNP-09768 ..... c 09 N71-12516 *
NASA-CASE-XNP-09770-2 ..... c 15 N72-22483 *
NASA-CASE-XNP-09770-3 ..... c 11 N71-27036 *
NASA-CASE-XNP-09770 ..... c 15 N71-20440 *
NASA-CASE-XNP-09771 ..... c 09 N71-24841 *
NASA-CASE-XNP-09775 ..... c 09 N71-20445 *
NASA-CASE-XNP-09776 ..... c 09 N69-39929 * #
NASA-CASE-XNP-09785 ..... c 08 N69-21928 * #
NASA-CASE-XNP-09802 ..... c 33 N71-15641 *
NASA-CASE-XNP-09808 ..... c 09 N71-12518 *
NASA-CASE-XNP-09830 ..... c 14 N71-26266 *
NASA-CASE-XNP-09832 ..... c 30 N71-23723 *
NASA-CASE-XNP-10007-1 ..... c 46 N74-23068 *
NASA-CASE-XNP-10475 ..... c 15 N71-24679 *
NASA-CASE-XNP-10830 ..... c 07 N71-11281 *
NASA-CASE-XNP-10843 ..... c 07 N71-11267 *
NASA-CASE-XNP-10854 ..... c 10 N71-26331 *

NASA-TM-76884 ..... c 24 N85-25436 * #

US-PATENT-APPL-SN-003676 ..... c 02 N88-23759 *
US-PATENT-APPL-SN-003693 ..... c 52 N81-14612 *
US-PATENT-APPL-SN-004282 ..... c 60 N88-29310 *
US-PATENT-APPL-SN-006952 ..... c 27 N81-14077 *
US-PATENT-APPL-SN-007083 ..... c 26 N80-32484 *
US-PATENT-APPL-SN-008199 ..... c 25 N87-23713 * #
US-PATENT-APPL-SN-008207 ..... c 32 N80-23524 *
US-PATENT-APPL-SN-008208 ..... c 37 N81-17432 *
US-PATENT-APPL-SN-008209 ..... c 32 N81-25278 *
US-PATENT-APPL-SN-008210 ..... c 05 N81-26114 *
US-PATENT-APPL-SN-008211 ..... c 74 N81-17887 *
US-PATENT-APPL-SN-008212 ..... c 44 N80-24741 *
US-PATENT-APPL-SN-008242 ..... c 27 N87-23737 * #
US-PATENT-APPL-SN-008895 ..... c 08 N88-23809 *
US-PATENT-APPL-SN-009886 ..... c 31 N80-32583 *
US-PATENT-APPL-SN-009887 ..... c 28 N81-14103 *
US-PATENT-APPL-SN-009888 ..... c 37 N81-14320 *
US-PATENT-APPL-SN-009889 ..... c 33 N81-27396 *
US-PATENT-APPL-SN-010942 ..... c 37 N88-14362 *
US-PATENT-APPL-SN-010950 ..... c 37 N88-14361 *
US-PATENT-APPL-SN-011693 ..... c 27 N87-24575 * #
US-PATENT-APPL-SN-011737 ..... c 27 N81-14078 *
US-PATENT-APPL-SN-013801 ..... c 05 N88-23765 *
US-PATENT-APPL-SN-013802 ..... c 35 N88-23967 *
US-PATENT-APPL-SN-013803 ..... c 33 N88-24862 *
US-PATENT-APPL-SN-014663 ..... c 31 N81-25259 *
US-PATENT-APPL-SN-014664 ..... c 44 N81-14389 *
US-PATENT-APPL-SN-015983 ..... c 02 N80-28300 *
US-PATENT-APPL-SN-015995 ..... c 08 N81-26152 *
US-PATENT-APPL-SN-015996 ..... c 08 N81-24106 *
US-PATENT-APPL-SN-017885 ..... c 32 N79-19195 * #
US-PATENT-APPL-SN-017886 ..... c 33 N81-33405 *
US-PATENT-APPL-SN-017887 ..... c 33 N81-26358 *
US-PATENT-APPL-SN-017888 ..... c 51 N80-16715 *
US-PATENT-APPL-SN-017889 ..... c 02 N84-28732 *
US-PATENT-APPL-SN-017890 ..... c 33 N81-15192 *
US-PATENT-APPL-SN-019541 ..... c 02 N81-14968 *
US-PATENT-APPL-SN-021100 ..... c 72 N88-24253 *
US-PATENT-APPL-SN-023436 ..... c 07 N80-32392 *
US-PATENT-APPL-SN-023437 ..... c 62 N81-24779 *
US-PATENT-APPL-SN-023439 ..... c 37 N81-27519 *
US-PATENT-APPL-SN-023484 ..... c 33 N81-20352 * #
US-PATENT-APPL-SN-023485 ..... c 33 N82-24418 *
US-PATENT-APPL-SN-023501 ..... c 26 N80-28492 *
US-PATENT-APPL-SN-025039 ..... c 37 N88-14360 *
US-PATENT-APPL-SN-025162 ..... c 35 N81-14287 *
US-PATENT-APPL-SN-025163 ..... c 74 N80-33210 *
US-PATENT-APPL-SN-025301 ..... c 07 N82-26293 *
US-PATENT-APPL-SN-027557 ..... c 27 N81-19296 *
US-PATENT-APPL-SN-027558 ..... c 36 N81-24422 *
US-PATENT-APPL-SN-027559 ..... c 44 N81-17518 *
US-PATENT-APPL-SN-027981 ..... c 76 N87-25868 * #
US-PATENT-APPL-SN-028300 ..... c 27 N81-17259 *
US-PATENT-APPL-SN-028301 ..... c 27 N81-17262 *
US-PATENT-APPL-SN-028301 ..... c 27 N81-24256 *
US-PATENT-APPL-SN-028301 ..... c 27 N82-24338 *
US-PATENT-APPL-SN-028831 ..... c 27 N87-25475 * #
US-PATENT-APPL-SN-030831 ..... c 25 N82-23282 *
US-PATENT-APPL-SN-032305 ..... c 15 N82-24272 *
US-PATENT-APPL-SN-032307 ..... c 44 N81-24519 *
US-PATENT-APPL-SN-032679 ..... c 34 N88-23958 *
US-PATENT-APPL-SN-032685 ..... c 35 N87-25555 * #
US-PATENT-APPL-SN-032818 ..... c 37 N88-29180 *
US-PATENT-APPL-SN-032819 ..... c 33 N87-27926 * #
US-PATENT-APPL-SN-034104 ..... c 08 N81-19130 *
US-PATENT-APPL-SN-034531 ..... c 52 N81-28740 *
US-PATENT-APPL-SN-035401 ..... c 31 N87-25495 * #
US-PATENT-APPL-SN-035430 ..... c 27 N87-25474 * #
US-PATENT-APPL-SN-037066 ..... c 25 N81-14016 *
US-PATENT-APPL-SN-037072 ..... c 31 N81-33319 *
US-PATENT-APPL-SN-037194 ..... c 37 N84-28081 *
US-PATENT-APPL-SN-037560 ..... c 74 N81-29963 *
US-PATENT-APPL-SN-038550 ..... c 33 N83-18996 *
US-PATENT-APPL-SN-038560 ..... c 27 N87-27810 * #
US-PATENT-APPL-SN-038980 ..... c 07 N81-14999 *
US-PATENT-APPL-SN-039031 ..... c 32 N80-28578 *
US-PATENT-APPL-SN-041141 ..... c 36 N82-13415 *
US-PATENT-APPL-SN-041142 ..... c 32 N81-15179 *
US-PATENT-APPL-SN-041143 ..... c 60 N83-25378 *
US-PATENT-APPL-SN-041145 ..... c 25 N82-12166 *
US-PATENT-APPL-SN-041164 ..... c 33 N81-19392 *
US-PATENT-APPL-SN-041388 ..... c 74 N87-24984 * #
US-PATENT-APPL-SN-043911 ..... c 05 N82-26277 *
US-PATENT-APPL-SN-043912 ..... c 43 N81-17499 *
US-PATENT-APPL-SN-043913 ..... c 54 N81-27806 *
US-PATENT-APPL-SN-043941 ..... c 44 N81-19558 *
US-PATENT-APPL-SN-043942 ..... c 06 N82-16075 *
US-PATENT-APPL-SN-043943 ..... c 33 N82-24419 *
US-PATENT-APPL-SN-043944 ..... c 24 N82-24296 *
US-PATENT-APPL-SN-043945 ..... c 47 N82-24779 *
US-PATENT-APPL-SN-044180 ..... c 35 N87-25558 * #
US-PATENT-APPL-SN-044181 ..... c 37 N88-23980 *
US-PATENT-APPL-SN-044183 ..... c 27 N87-25473 * #
US-PATENT-APPL-SN-044431 ..... c 33 N81-27395 *
US-PATENT-APPL-SN-044432 ..... c 52 N81-20703 *
US-PATENT-APPL-SN-045743 ..... c 35 N88-24927 *
US-PATENT-APPL-SN-045984 ..... c 36 N88-24958 *
US-PATENT-APPL-SN-046739 ..... c 54 N81-24724 *
US-PATENT-APPL-SN-051269 ..... c 33 N81-24338 *
US-PATENT-APPL-SN-051270 ..... c 32 N80-32604 *
US-PATENT-APPL-SN-051271 ..... c 33 N81-26359 *
US-PATENT-APPL-SN-051274 ..... c 34 N81-26402 *
US-PATENT-APPL-SN-051275 ..... c 44 N82-24640 *
US-PATENT-APPL-SN-051276 ..... c 33 N81-33404 *
US-PATENT-APPL-SN-052941 ..... c 35 N87-25561 * #
US-PATENT-APPL-SN-053566 ..... c 09 N82-24212 *
US-PATENT-APPL-SN-053569 ..... c 35 N81-19426 *
US-PATENT-APPL-SN-053571 ..... c 31 N81-19343 *
US-PATENT-APPL-SN-053572 ..... c 32 N82-23376 *
US-PATENT-APPL-SN-053652 ..... c 33 N82-18494 *
US-PATENT-APPL-SN-054501 ..... c 23 N82-16174 *
US-PATENT-APPL-SN-054980 ..... c 35 N88-29149 *
US-PATENT-APPL-SN-054983 ..... c 37 N87-25585 * #
US-PATENT-APPL-SN-056930 ..... c 37 N88-23979 *
US-PATENT-APPL-SN-057465 ..... c 37 N81-17433 *
US-PATENT-APPL-SN-057466 ..... c 71 N81-15767 *
US-PATENT-APPL-SN-057526 ..... c 52 N81-25662 *
US-PATENT-APPL-SN-060200 ..... c 09 N88-28939 *
US-PATENT-APPL-SN-060201 ..... c 62 N87-25803 * #
US-PATENT-APPL-SN-060435 ..... c 44 N81-24520 *
US-PATENT-APPL-SN-060449 ..... c 07 N82-32366 *
US-PATENT-APPL-SN-061327 ..... c 32 N83-13323 *
US-PATENT-APPL-SN-061555 ..... c 44 N81-29524 *
US-PATENT-APPL-SN-061556 ..... c 35 N81-19427 *
US-PATENT-APPL-SN-061822 ..... c 74 N83-19597 *
US-PATENT-APPL-SN-063354 ..... c 70 N87-25822 * #
US-PATENT-APPL-SN-063557 ..... c 37 N87-25584 * #
US-PATENT-APPL-SN-065676 ..... c 35 N80-18364 * #
US-PATENT-APPL-SN-065676 ..... c 44 N81-12542 *
US-PATENT-APPL-SN-066450 ..... c 29 N87-25489 * #
US-PATENT-APPL-SN-067595 ..... c 08 N82-24205 *
US-PATENT-APPL-SN-067596 ..... c 51 N81-28698 *
US-PATENT-APPL-SN-069485 ..... c 33 N82-24420 *
US-PATENT-APPL-SN-070366 ..... c 35 N82-11431 *
US-PATENT-APPL-SN-070771 ..... c 27 N81-17260 *
US-PATENT-APPL-SN-070774 ..... c 33 N82-26571 *
US-PATENT-APPL-SN-072857 ..... c 24 N82-32417 *
US-PATENT-APPL-SN-073477 ..... c 36 N82-32712 *
US-PATENT-APPL-SN-073539 ..... c 18 N87-29586 * #
US-PATENT-APPL-SN-073541 ..... c 33 N87-29737 * #
US-PATENT-APPL-SN-073579 ..... c 33 N82-24415 *
US-PATENT-APPL-SN-074792 ..... c 35 N88-30108 *
US-PATENT-APPL-SN-076643 ..... c 32 N81-29308 *
US-PATENT-APPL-SN-076955 ..... c 16 N87-29582 * #
US-PATENT-APPL-SN-076956 ..... c 35 N88-29151 *
US-PATENT-APPL-SN-078521 ..... c 32 N81-14186 *
US-PATENT-APPL-SN-078611 ..... c 04 N81-21047 *
US-PATENT-APPL-SN-078612 ..... c 46 N82-12685 *
US-PATENT-APPL-SN-079316 ..... c 26 N87-29650 * #
US-PATENT-APPL-SN-079317 ..... c 37 N88-30131 *
US-PATENT-APPL-SN-079320 ..... c 27 N87-29672 * #
US-PATENT-APPL-SN-079913 ..... c 05 N82-28279 *
US-PATENT-APPL-SN-084770 ..... c 32 N88-29076 *
US-PATENT-APPL-SN-088663 ..... c 28 N82-18401 *
US-PATENT-APPL-SN-089779 ..... c 26 N81-25188 *
US-PATENT-APPL-SN-090584 ..... c 74 N81-19896 *
US-PATENT-APPL-SN-0914 ..... c 28 N70-38711 *
US-PATENT-APPL-SN-092141 ..... c 27 N81-29229 *
US-PATENT-APPL-SN-092142 ..... c 27 N82-11206 *
US-PATENT-APPL-SN-092143 ..... c 32 N82-18443 *
US-PATENT-APPL-SN-092145 ..... c 37 N82-12442 *
US-PATENT-APPL-SN-093714 ..... c 44 N81-29525 *
US-PATENT-APPL-SN-095217 ..... c 74 N81-19898 *
US-PATENT-APPL-SN-096255 ..... c 37 N80-18400 * #
US-PATENT-APPL-SN-096255 ..... c 37 N82-19540 *
US-PATENT-APPL-SN-096257 ..... c 37 N82-24490 *
US-PATENT-APPL-SN-098568 ..... c 33 N82-11357 *
US-PATENT-APPL-SN-098569 ..... c 44 N82-16474 *
US-PATENT-APPL-SN-098570 ..... c 44 N82-18686 *
US-PATENT-APPL-SN-100611 ..... c 37 N82-32732 *
US-PATENT-APPL-SN-100637 ..... c 37 N75-18574 *
US-PATENT-APPL-SN-100639 ..... c 14 N72-32452 *
US-PATENT-APPL-SN-100774 ..... c 06 N72-25151 *
US-PATENT-APPL-SN-100774 ..... c 06 N73-32030 *
US-PATENT-APPL-SN-100996 ..... c 08 N73-13187 *
US-PATENT-APPL-SN-101029 ..... c 31 N70-38676 *
US-PATENT-APPL-SN-101214 ..... c 14 N73-26430 *
US-PATENT-APPL-SN-101354 ..... c 10 N73-16205 *
US-PATENT-APPL-SN-10161 ..... c 33 N72-20915 *
US-PATENT-APPL-SN-102001 ..... c 36 N82-16396 *
US-PATENT-APPL-SN-102002 ..... c 18 N81-29152 *
US-PATENT-APPL-SN-102003 ..... c 26 N82-29415 *
US-PATENT-APPL-SN-102003 ..... c 26 N82-30371 *
US-PATENT-APPL-SN-102004 ..... c 37 N81-26447 *
US-PATENT-APPL-SN-102412 ..... c 25 N72-33696 *
US-PATENT-APPL-SN-102593 ..... c 37 N82-16408 *

US-PATENT-APPL-SN-102705 ..... c 35 N88-29150 *
US-PATENT-APPL-SN-103077 ..... c 25 N72-32688 *
US-PATENT-APPL-SN-103078 ..... c 15 N73-12486 *
US-PATENT-APPL-SN-103091 ..... c 37 N74-23070 *
US-PATENT-APPL-SN-103229 ..... c 14 N72-22439 *
US-PATENT-APPL-SN-103230 ..... c 15 N73-14468 *
US-PATENT-APPL-SN-10329 ..... c 09 N72-25251 *
US-PATENT-APPL-SN-103551 ..... c 31 N73-14854 *
US-PATENT-APPL-SN-103836 ..... c 37 N81-24443 *
US-PATENT-APPL-SN-104047 ..... c 15 N72-31483 *
US-PATENT-APPL-SN-104048 ..... c 31 N73-14855 *
US-PATENT-APPL-SN-104187 ..... c 14 N70-36618 *
US-PATENT-APPL-SN-104188 ..... c 09 N70-34819 *
US-PATENT-APPL-SN-104346 ..... c 14 N73-28488 *
US-PATENT-APPL-SN-104884 ..... c 15 N72-33476 *
US-PATENT-APPL-SN-104885 ..... c 14 N73-24472 *
US-PATENT-APPL-SN-105518 ..... c 23 N71-15978 *
US-PATENT-APPL-SN-106106 ..... c 91 N74-13130 *
US-PATENT-APPL-SN-106118 ..... c 32 N80-16261 * #
US-PATENT-APPL-SN-106119 ..... c 35 N82-15381 *
US-PATENT-APPL-SN-106135 ..... c 28 N70-34294 *
US-PATENT-APPL-SN-106136 ..... c 33 N82-26572 *
US-PATENT-APPL-SN-106188 ..... c 27 N80-16163 * #
US-PATENT-APPL-SN-106192 ..... c 34 N83-28356 *
US-PATENT-APPL-SN-106424 ..... c 17 N73-24569 *
US-PATENT-APPL-SN-106465 ..... c 30 N73-12884 *
US-PATENT-APPL-SN-107298 ..... c 32 N73-13921 *
US-PATENT-APPL-SN-107376 ..... c 15 N73-25513 *
US-PATENT-APPL-SN-107379 ..... c 10 N72-33230 *
US-PATENT-APPL-SN-107380 ..... c 28 N73-13773 *
US-PATENT-APPL-SN-107659 ..... c 23 N73-20741 *
US-PATENT-APPL-SN-107866 ..... c 17 N70-36616 *
US-PATENT-APPL-SN-107870 ..... c 15 N70-36411 *
US-PATENT-APPL-SN-108107 ..... c 37 N82-18601 *
US-PATENT-APPL-SN-10812 ..... c 28 N70-40367 *
US-PATENT-APPL-SN-10827 ..... c 14 N72-28436 *
US-PATENT-APPL-SN-108810 ..... c 33 N77-22386 *
US-PATENT-APPL-SN-108824 ..... c 31 N73-13898 *
US-PATENT-APPL-SN-109789 ..... c 09 N70-34596 *
US-PATENT-APPL-SN-110402 ..... c 09 N72-27226 *
US-PATENT-APPL-SN-110591 ..... c 15 N70-39896 *
US-PATENT-APPL-SN-111436 ..... c 33 N82-26569 *
US-PATENT-APPL-SN-111438 ..... c 35 N81-29407 *
US-PATENT-APPL-SN-111439 ..... c 74 N81-24900 *
US-PATENT-APPL-SN-111998 ..... c 21 N73-30640 *
US-PATENT-APPL-SN-11220 ..... c 14 N73-30389 *
US-PATENT-APPL-SN-112366 ..... c 06 N72-10138 * #
US-PATENT-APPL-SN-112988 ..... c 07 N72-32169 *
US-PATENT-APPL-SN-112998 ..... c 14 N73-12445 *
US-PATENT-APPL-SN-112999 ..... c 23 N72-25619 *
US-PATENT-APPL-SN-112999 ..... c 32 N79-19186 *
US-PATENT-APPL-SN-113014 ..... c 27 N81-24257 *
US-PATENT-APPL-SN-113015 ..... c 37 N82-24491 *
US-PATENT-APPL-SN-114772 ..... c 04 N76-26175 *
US-PATENT-APPL-SN-114846 ..... c 14 N73-12444 *
US-PATENT-APPL-SN-114847 ..... c 15 N72-28496 *
US-PATENT-APPL-SN-114848 ..... c 11 N72-23215 *
US-PATENT-APPL-SN-114849 ..... c 09 N72-27227 *
US-PATENT-APPL-SN-114873 ..... c 09 N73-28083 *
US-PATENT-APPL-SN-115082 ..... c 18 N73-13562 *
US-PATENT-APPL-SN-115083 ..... c 07 N73-25160 *
US-PATENT-APPL-SN-115134 ..... c 06 N73-13128 *
US-PATENT-APPL-SN-115536 ..... c 33 N82-24417 *
US-PATENT-APPL-SN-115944 ..... c 03 N71-34044 * #
US-PATENT-APPL-SN-116777 ..... c 09 N73-19235 *
US-PATENT-APPL-SN-116778 ..... c 09 N72-33205 *
US-PATENT-APPL-SN-116786 ..... c 07 N72-25172 *
US-PATENT-APPL-SN-116790 ..... c 14 N73-30388 *
US-PATENT-APPL-SN-116810 ..... c 33 N88-26596 *
US-PATENT-APPL-SN-117575 ..... c 08 N73-12177 *
US-PATENT-APPL-SN-118169 ..... c 14 N70-35220 *
US-PATENT-APPL-SN-118200 ..... c 15 N70-34247 *
US-PATENT-APPL-SN-118202 ..... c 28 N70-38710 *
US-PATENT-APPL-SN-118203 ..... c 14 N70-38602 *
US-PATENT-APPL-SN-118269 ..... c 33 N73-26958 *
US-PATENT-APPL-SN-118270 ..... c 09 N72-25260 *
US-PATENT-APPL-SN-11853 ..... c 15 N71-28951 *
US-PATENT-APPL-SN-118992 ..... c 37 N88-29181 *
US-PATENT-APPL-SN-119282 ..... c 03 N72-23048 *
US-PATENT-APPL-SN-119334 ..... c 31 N88-29052 *
US-PATENT-APPL-SN-119335 ..... c 37 N82-24494 *
US-PATENT-APPL-SN-119336 ..... c 33 N82-24421 *
US-PATENT-APPL-SN-119337 ..... c 24 N81-33235 *
US-PATENT-APPL-SN-119339 ..... c 36 N82-28616 *
US-PATENT-APPL-SN-119340 ..... c 35 N82-11432 *
US-PATENT-APPL-SN-120241 ..... c 15 N73-24513 *
US-PATENT-APPL-SN-120795 ..... c 07 N70-40202 *
US-PATENT-APPL-SN-120797 ..... c 14 N70-36824 *
US-PATENT-APPL-SN-120803 ..... c 08 N70-34743 *
US-PATENT-APPL-SN-121328 ..... c 23 N72-11568 * #
US-PATENT-APPL-SN-122740 ..... c 35 N88-23959 * #
US-PATENT-APPL-SN-122965 ..... c 35 N81-26431 *
US-PATENT-APPL-SN-122966 ..... c 33 N82-26568 *
US-PATENT-APPL-SN-122967 ..... c 24 N81-26179 *
US-PATENT-APPL-SN-123253 ..... c 10 N73-12244 *
US-PATENT-APPL-SN-123597 ..... c 21 N70-34297 *
US-PATENT-APPL-SN-124909 ..... c 14 N73-16483 *
US-PATENT-APPL-SN-125021 ..... c 74 N88-24508 * #
US-PATENT-APPL-SN-125234 ..... c 07 N73-16121 *
US-PATENT-APPL-SN-125235 ..... c 51 N77-25769 *
US-PATENT-APPL-SN-125236 ..... c 14 N73-26431 *
US-PATENT-APPL-SN-125666 ..... c 32 N88-23924 * #
US-PATENT-APPL-SN-125678 ..... c 38 N88-23983 * #
US-PATENT-APPL-SN-125979 ..... c 09 N72-25255 *
US-PATENT-APPL-SN-126063 ..... c 44 N83-10501 *
US-PATENT-APPL-SN-126064 ..... c 33 N82-18493 *
US-PATENT-APPL-SN-126138 ..... c 34 N82-13376 *
US-PATENT-APPL-SN-12661 ..... c 14 N72-22437 *
US-PATENT-APPL-SN-127234 ..... c 08 N70-35423 *
US-PATENT-APPL-SN-127480 ..... c 37 N75-26371 *
US-PATENT-APPL-SN-127481 ..... c 24 N75-28135 *
US-PATENT-APPL-SN-127618 ..... c 02 N73-13008 *
US-PATENT-APPL-SN-127647 ..... c 15 N73-27405 *
US-PATENT-APPL-SN-127915 ..... c 02 N73-26004 *
US-PATENT-APPL-SN-127984 ..... c 33 N75-27250 *
US-PATENT-APPL-SN-128229 ..... c 35 N82-24471 *
US-PATENT-APPL-SN-128230 ..... c 60 N84-28491 *
US-PATENT-APPL-SN-128419 ..... c 14 N73-20477 *
US-PATENT-APPL-SN-129071 ..... c 09 N72-25254 *
US-PATENT-APPL-SN-129072 ..... c 15 N73-13467 *
US-PATENT-APPL-SN-129073 ..... c 15 N73-13464 *
US-PATENT-APPL-SN-129379 ..... c 37 N79-33468 *
US-PATENT-APPL-SN-129579 ..... c 28 N70-35381 *
US-PATENT-APPL-SN-129778 ..... c 60 N82-24839 *
US-PATENT-APPL-SN-129779 ..... c 60 N82-16747 *
US-PATENT-APPL-SN-129780 ..... c 44 N82-24639 *
US-PATENT-APPL-SN-129783 ..... c 04 N82-23231 *
US-PATENT-APPL-SN-129793 ..... c 33 N82-16340 *
US-PATENT-APPL-SN-129798 ..... c 27 N81-27271 *
US-PATENT-APPL-SN-129799 ..... c 27 N82-18389 *
US-PATENT-APPL-SN-130058 ..... c 33 N88-23936 * #
US-PATENT-APPL-SN-130353 ..... c 31 N73-14853 *
US-PATENT-APPL-SN-130496 ..... c 36 N83-10417 *
US-PATENT-APPL-SN-132364 ..... c 07 N83-36029 *
US-PATENT-APPL-SN-13266 ..... c 05 N72-23085 *
US-PATENT-APPL-SN-133412 ..... c 33 N88-23937 * #
US-PATENT-APPL-SN-134479 ..... c 14 N70-33179 *
US-PATENT-APPL-SN-134481 ..... c 11 N70-34815 *
US-PATENT-APPL-SN-134567 ..... c 14 N73-16484 *
US-PATENT-APPL-SN-134568 ..... c 06 N72-31141 *
US-PATENT-APPL-SN-134571 ..... c 21 N73-13644 *
US-PATENT-APPL-SN-134573 ..... c 09 N72-25257 *
US-PATENT-APPL-SN-134619 ..... c 35 N79-33449 *
US-PATENT-APPL-SN-134658 ..... c 15 N73-28515 *
US-PATENT-APPL-SN-134782 ..... c 09 N70-36494 *
US-PATENT-APPL-SN-134855 ..... c 44 N81-24521 *
US-PATENT-APPL-SN-135038 ..... c 33 N83-31954 *
US-PATENT-APPL-SN-135039 ..... c 33 N82-24416 *
US-PATENT-APPL-SN-135040 ..... c 09 N82-11088 *
US-PATENT-APPL-SN-135056 ..... c 37 N81-33483 *
US-PATENT-APPL-SN-135057 ..... c 08 N82-32373 *
US-PATENT-APPL-SN-135058 ..... c 25 N82-26396 *
US-PATENT-APPL-SN-135120 ..... c 37 N88-23973 * #
US-PATENT-APPL-SN-136006 ..... c 09 N72-28225 *
US-PATENT-APPL-SN-136007 ..... c 09 N71-34212 * #
US-PATENT-APPL-SN-136008 ..... c 27 N74-13270 *
US-PATENT-APPL-SN-136085 ..... c 17 N73-12547 *
US-PATENT-APPL-SN-136086 ..... c 15 N73-19457 *
US-PATENT-APPL-SN-136253 ..... c 27 N74-12814 *
US-PATENT-APPL-SN-136652 ..... c 07 N84-24577 *
US-PATENT-APPL-SN-136660 ..... c 31 N83-34073 *
US-PATENT-APPL-SN-137391 ..... c 36 N75-31426 *
US-PATENT-APPL-SN-137912 ..... c 06 N72-21105 * #
US-PATENT-APPL-SN-138227 ..... c 26 N72-27784 *
US-PATENT-APPL-SN-138229 ..... c 15 N72-32487 *
US-PATENT-APPL-SN-138230 ..... c 32 N73-20740 *
US-PATENT-APPL-SN-138944 ..... c 37 N82-26672 *
US-PATENT-APPL-SN-139006 ..... c 09 N70-38604 *
US-PATENT-APPL-SN-139007 ..... c 28 N70-37245 *
US-PATENT-APPL-SN-139012 ..... c 03 N70-38713 *
US-PATENT-APPL-SN-139094 ..... c 05 N73-32011 *
US-PATENT-APPL-SN-139250 ..... c 04 N73-27052 *
US-PATENT-APPL-SN-139528 ..... c 03 N72-25020 *
US-PATENT-APPL-SN-139596 ..... c 33 N77-13315 *
US-PATENT-APPL-SN-140439 ..... c 33 N75-19518 *
US-PATENT-APPL-SN-140443 ..... c 09 N70-35219 *
US-PATENT-APPL-SN-140509 ..... c 09 N70-35382 *
US-PATENT-APPL-SN-140946 ..... c 18 N73-26572 *
US-PATENT-APPL-SN-140946 ..... c 27 N74-27037 *
US-PATENT-APPL-SN-141220 ..... c 33 N70-37979 *
US-PATENT-APPL-SN-142583 ..... c 37 N79-33469 *
US-PATENT-APPL-SN-142662 ..... c 23 N73-13661 *
US-PATENT-APPL-SN-142719 ..... c 14 N73-14429 *
US-PATENT-APPL-SN-143078 ..... c 08 N72-33172 *
US-PATENT-APPL-SN-143436 ..... c 35 N88-23961 * #
US-PATENT-APPL-SN-143508 ..... c 33 N74-12913 *
US-PATENT-APPL-SN-144139 ..... c 11 N73-26238 *
US-PATENT-APPL-SN-144803 ..... c 11 N70-34844 *
US-PATENT-APPL-SN-144804 ..... c 14 N70-39898 *
US-PATENT-APPL-SN-14488 ..... c 09 N70-38995 *
US-PATENT-APPL-SN-144958 ..... c 09 N72-20206 * #
US-PATENT-APPL-SN-145007 ..... c 18 N70-36400 *
US-PATENT-APPL-SN-145026 ..... c 06 N72-25152 *
US-PATENT-APPL-SN-145027 ..... c 06 N73-32029 *
US-PATENT-APPL-SN-145107 ..... c 27 N82-16238 *
US-PATENT-APPL-SN-145206 ..... c 32 N82-11336 *
US-PATENT-APPL-SN-145207 ..... c 25 N82-28368 *
US-PATENT-APPL-SN-145208 ..... c 34 N83-34221 *
US-PATENT-APPL-SN-145209 ..... c 27 N82-29453 *
US-PATENT-APPL-SN-145210 ..... c 09 N82-23254 *
US-PATENT-APPL-SN-145271 ..... c 23 N81-29160 *
US-PATENT-APPL-SN-145272 ..... c 33 N82-28545 *
US-PATENT-APPL-SN-145273 ..... c 51 N81-32829 *
US-PATENT-APPL-SN-145282 ..... c 74 N82-24072 *
US-PATENT-APPL-SN-145283 ..... c 27 N81-24256 *
US-PATENT-APPL-SN-145284 ..... c 27 N82-24338 *
US-PATENT-APPL-SN-146217 ..... c 14 N71-34389 * #
US-PATENT-APPL-SN-146935 ..... c 14 N73-20475 *
US-PATENT-APPL-SN-146938 ..... c 35 N88-23963 * #
US-PATENT-APPL-SN-146939 ..... c 73 N75-30876 *
US-PATENT-APPL-SN-146939 ..... c 35 N88-23962 * #
US-PATENT-APPL-SN-146940 ..... c 05 N73-32014 *
US-PATENT-APPL-SN-147099 ..... c 14 N73-13417 *
US-PATENT-APPL-SN-147103 ..... c 10 N73-20253 *
US-PATENT-APPL-SN-147695 ..... c 32 N84-27952 *
US-PATENT-APPL-SN-147700 ..... c 27 N82-24339 *
US-PATENT-APPL-SN-147922 ..... c 28 N73-19793 *
US-PATENT-APPL-SN-147940 ..... c 14 N72-10375 * #
US-PATENT-APPL-SN-147996 ..... c 28 N73-24784 *
US-PATENT-APPL-SN-147997 ..... c 15 N72-33477 *
US-PATENT-APPL-SN-148001 ..... c 14 N70-34298 *
US-PATENT-APPL-SN-148756 ..... c 15 N73-13466 *
US-PATENT-APPL-SN-149283 ..... c 35 N74-17153 *
US-PATENT-APPL-SN-149526 ..... c 52 N82-33996 *
US-PATENT-APPL-SN-149821 ..... c 31 N88-23917 * #
US-PATENT-APPL-SN-149822 ..... c 35 N88-23960 * #
US-PATENT-APPL-SN-149830 ..... c 37 N88-23974 * #
US-PATENT-APPL-SN-149983 ..... c 31 N72-21893 * #
US-PATENT-APPL-SN-150040 ..... c 36 N82-29589 *
US-PATENT-APPL-SN-150115 ..... c 44 N82-16475 *
US-PATENT-APPL-SN-15019 ..... c 15 N72-17455 *
US-PATENT-APPL-SN-15020 ..... c 14 N70-34697 * #
US-PATENT-APPL-SN-150215 ..... c 33 N73-25952 *
US-PATENT-APPL-SN-15022 ..... c 15 N72-21465 *
US-PATENT-APPL-SN-15023 ..... c 15 N70-34699 * #
US-PATENT-APPL-SN-15024 ..... c 09 N72-21245 *
US-PATENT-APPL-SN-15025 ..... c 03 N72-20033 *
US-PATENT-APPL-SN-150690 ..... c 35 N79-33450 *
US-PATENT-APPL-SN-151112 ..... c 15 N70-34814 *
US-PATENT-APPL-SN-151114 ..... c 31 N70-34176 *
US-PATENT-APPL-SN-151411 ..... c 07 N73-26118 *
US-PATENT-APPL-SN-151412 ..... c 09 N73-32112 *
US-PATENT-APPL-SN-151413 ..... c 14 N73-12447 *
US-PATENT-APPL-SN-151598 ..... c 03 N70-34134 *
US-PATENT-APPL-SN-151678 ..... c 31 N88-24816 * #
US-PATENT-APPL-SN-15222 ..... c 18 N72-25539 *
US-PATENT-APPL-SN-152328 ..... c 02 N74-20646 *
US-PATENT-APPL-SN-152849 ..... c 15 N73-30457 *
US-PATENT-APPL-SN-153240 ..... c 33 N86-19515 *
US-PATENT-APPL-SN-153245 ..... c 74 N83-29032 *
US-PATENT-APPL-SN-153246 ..... c 52 N82-29863 *
US-PATENT-APPL-SN-153266 ..... c 02 N70-38011 *
US-PATENT-APPL-SN-153542 ..... c 28 N73-32606 *
US-PATENT-APPL-SN-153543 ..... c 08 N73-26176 *
US-PATENT-APPL-SN-153624 ..... c 37 N75-27376 *
US-PATENT-APPL-SN-154094 ..... c 33 N72-27959 *
US-PATENT-APPL-SN-154663 ..... c 02 N81-26073 * #
US-PATENT-APPL-SN-154663 ..... c 09 N82-29330 *
US-PATENT-APPL-SN-154711 ..... c 33 N88-24863 * #
US-PATENT-APPL-SN-154712 ..... c 37 N88-24969 * #
US-PATENT-APPL-SN-154713 ..... c 72 N88-25281 * #
US-PATENT-APPL-SN-154716 ..... c 74 N88-25302 * #
US-PATENT-APPL-SN-154718 ..... c 74 N88-25301 * #
US-PATENT-APPL-SN-154725 ..... c 37 N82-24493 *
US-PATENT-APPL-SN-154726 ..... c 25 N81-25159 *
US-PATENT-APPL-SN-154930 ..... c 44 N76-14600 *
US-PATENT-APPL-SN-154933 ..... c 14 N73-25463 *
US-PATENT-APPL-SN-154935 ..... c 11 N72-27262 *
US-PATENT-APPL-SN-155565 ..... c 08 N73-25206 *
US-PATENT-APPL-SN-155584 ..... c 09 N70-40123 *
US-PATENT-APPL-SN-155595 ..... c 26 N73-28710 *
US-PATENT-APPL-SN-155596 ..... c 15 N73-32361 *
US-PATENT-APPL-SN-155598 ..... c 15 N73-28516 *
US-PATENT-APPL-SN-156059 ..... c 37 N88-24972 * #
US-PATENT-APPL-SN-156393 ..... c 35 N88-24941 * #
US-PATENT-APPL-SN-156518 ..... c 74 N88-25303 * #
US-PATENT-APPL-SN-156724 ..... c 21 N73-13643 *
US-PATENT-APPL-SN-156725 ..... c 14 N73-27377 *
US-PATENT-APPL-SN-156778 ..... c 17 N72-28535 *
US-PATENT-APPL-SN-156790 ..... c 25 N82-29371 *
US-PATENT-APPL-SN-157150 ..... c 37 N84-33808 *
US-PATENT-APPL-SN-158530 ..... c 27 N83-19900 *
US-PATENT-APPL-SN-158914 ..... c 11 N70-36913 *
US-PATENT-APPL-SN-158916 ..... c 05 N70-41819 *
US-PATENT-APPL-SN-159613 ..... c 35 N88-24943 * #
US-PATENT-APPL-SN-159804 ..... c 11 N70-38196 *
US-PATENT-APPL-SN-159857 ..... c 05 N73-26072 *
US-PATENT-APPL-SN-159966 ..... c 31 N73-26876 *

US-PATENT-APPL-SN-160093 ..... c 04 N78-17031 *
US-PATENT-APPL-SN-160859 ..... c 32 N73-26910 *
US-PATENT-APPL-SN-160860 ..... c 18 N73-32437 *
US-PATENT-APPL-SN-161028 ..... c 14 N73-19420 *
US-PATENT-APPL-SN-161254 ..... c 27 N82-28441 *
US-PATENT-APPL-SN-161255 ..... c 28 N81-24280 *
US-PATENT-APPL-SN-161256 ..... c 44 N82-32841 *
US-PATENT-APPL-SN-161257 ..... c 37 N85-29282 *
US-PATENT-APPL-SN-161681 ..... c 76 N88-25357 * #
US-PATENT-APPL-SN-162100 ..... c 33 N74-14939 *
US-PATENT-APPL-SN-162101 ..... c 14 N73-24473 *
US-PATENT-APPL-SN-162230 ..... c 26 N72-28761 *
US-PATENT-APPL-SN-162380 ..... c 36 N74-21091 *
US-PATENT-APPL-SN-163122 ..... c 07 N83-31603 *
US-PATENT-APPL-SN-163151 ..... c 74 N75-25706 *
US-PATENT-APPL-SN-163152 ..... c 17 N73-27446 *
US-PATENT-APPL-SN-163837 ..... c 47 N83-32232 *
US-PATENT-APPL-SN-163838 ..... c 23 N82-28353 *
US-PATENT-APPL-SN-163840 ..... c 37 N81-33482 *
US-PATENT-APPL-SN-164-584 ... c 24 N83-33950 *
US-PATENT-APPL-SN-164428 ..... c 09 N70-35440 *
US-PATENT-APPL-SN-164617 ..... c 06 N81-17057 *
US-PATENT-APPL-SN-165910 ..... c 32 N83-31918 *
US-PATENT-APPL-SN-165943 ..... c 37 N88-24971 * #
US-PATENT-APPL-SN-165946 ..... c 20 N88-24685 * #
US-PATENT-APPL-SN-165956 ..... c 18 N88-24671 * #
US-PATENT-APPL-SN-166487 ..... c 11 N73-32152 *
US-PATENT-APPL-SN-166541 ..... c 14 N73-13415 *
US-PATENT-APPL-SN-166969 ..... c 15 N70-34249 *
US-PATENT-APPL-SN-166970 ..... c 15 N70-36409 *
US-PATENT-APPL-SN-167719 ..... c 16 N73-33397 *
US-PATENT-APPL-SN-168065 ..... c 35 N88-24942 * #
US-PATENT-APPL-SN-16808 ..... c 14 N72-22445 *
US-PATENT-APPL-SN-168560 ..... c 02 N70-34856 *
US-PATENT-APPL-SN-168650 ..... c 14 N73-13416 *
US-PATENT-APPL-SN-168943 ..... c 54 N82-26987 *
US-PATENT-APPL-SN-168944 ..... c 37 N82-32731 *
US-PATENT-APPL-SN-169671 ..... c 10 N73-30205 *
US-PATENT-APPL-SN-169962 ..... c 34 N74-30608 *
US-PATENT-APPL-SN-169977 ..... c 14 N70-34794 *
US-PATENT-APPL-SN-170440 ..... c 15 N73-13462 *
US-PATENT-APPL-SN-170544 ..... c 36 N77-19416 *
US-PATENT-APPL-SN-170680 ..... c 34 N74-15652 *
US-PATENT-APPL-SN-170681 ..... c 10 N73-25240 *
US-PATENT-APPL-SN-17101 ..... c 28 N72-18766 *
US-PATENT-APPL-SN-171928 ..... c 33 N82-26570 *
US-PATENT-APPL-SN-171933 ..... c 37 N82-12441 *
US-PATENT-APPL-SN-171934 ..... c 35 N82-26628 *
US-PATENT-APPL-SN-172098 ..... c 33 N80-29583 * #
US-PATENT-APPL-SN-172099 ..... c 32 N82-27558 *
US-PATENT-APPL-SN-172100 ..... c 27 N82-33520 *
US-PATENT-APPL-SN-172100 ..... c 31 N88-24818 * #
US-PATENT-APPL-SN-172101 ..... c 76 N88-25356 * #
US-PATENT-APPL-SN-172102 ..... c 26 N88-24753 * #
US-PATENT-APPL-SN-172105 ..... c 33 N88-24864 * #
US-PATENT-APPL-SN-172459 ..... c 06 N73-16106 *
US-PATENT-APPL-SN-172727 ..... c 33 N81-26360 *
US-PATENT-APPL-SN-172807 ..... c 07 N73-28012 *
US-PATENT-APPL-SN-173081 ..... c 28 N70-36806 *
US-PATENT-APPL-SN-173178 ..... c 33 N77-21315 *
US-PATENT-APPL-SN-173185 ..... c 23 N73-13660 *
US-PATENT-APPL-SN-173190 ..... c 05 N73-32015 *
US-PATENT-APPL-SN-173518 ..... c 60 N82-29013 *
US-PATENT-APPL-SN-173519 ..... c 44 N82-26776 *
US-PATENT-APPL-SN-173520 ..... c 31 N83-27058 *
US-PATENT-APPL-SN-173524 ..... c 35 N82-32659 *
US-PATENT-APPL-SN-173981 ..... c 14 N70-35666 *
US-PATENT-APPL-SN-174684 ..... c 33 N75-31331 *
US-PATENT-APPL-SN-175267 ..... c 14 N73-28486 *
US-PATENT-APPL-SN-175452 ..... c 27 N81-27272 *
US-PATENT-APPL-SN-175452 ..... c 27 N85-21347 *
US-PATENT-APPL-SN-175453 ..... c 85 N82-33288 *
US-PATENT-APPL-SN-175497 ..... c 08 N73-28045 *
US-PATENT-APPL-SN-175852 ..... c 25 N73-25760 *
US-PATENT-APPL-SN-175881 ..... c 09 N73-15235 *
US-PATENT-APPL-SN-175981 ..... c 16 N73-30476 *
US-PATENT-APPL-SN-175983 ..... c 31 N73-32750 *
US-PATENT-APPL-SN-176544 ..... c 37 N88-24970 * #
US-PATENT-APPL-SN-176545 ..... c 31 N88-24817 * #
US-PATENT-APPL-SN-176547 ..... c 76 N88-25355 * #
US-PATENT-APPL-SN-176587 ..... c 20 N88-24684 * #
US-PATENT-APPL-SN-177684 ..... c 28 N70-34860 *
US-PATENT-APPL-SN-177753 ..... c 07 N72-20154 * #
US-PATENT-APPL-SN-177985 ..... c 35 N74-15831 *
US-PATENT-APPL-SN-178192 ..... c 25 N83-33977 *
US-PATENT-APPL-SN-178193 ..... c 52 N82-29862 *
US-PATENT-APPL-SN-178195 ..... c 35 N82-24470 *
US-PATENT-APPL-SN-178213 ..... c 25 N70-33267 *
US-PATENT-APPL-SN-178215 ..... c 25 N70-34661 *
US-PATENT-APPL-SN-178721 ..... c 03 N70-35408 *
US-PATENT-APPL-SN-178771 ..... c 23 N75-14834 *
US-PATENT-APPL-SN-180230 ..... c 33 N83-18996 *
US-PATENT-APPL-SN-180370 ..... c 28 N70-33375 *
US-PATENT-APPL-SN-180374 ..... c 28 N70-38181 *
US-PATENT-APPL-SN-180377 ..... c 15 N70-36908 *
US-PATENT-APPL-SN-180379 ..... c 21 N70-35395 *
US-PATENT-APPL-SN-180380 ..... c 09 N70-38998 *
US-PATENT-APPL-SN-180381 ..... c 21 N70-35089 *
US-PATENT-APPL-SN-180382 ..... c 28 N70-38645 *
US-PATENT-APPL-SN-180384 ..... c 11 N70-38675 *
US-PATENT-APPL-SN-180391 ..... c 28 N70-38249 *
US-PATENT-APPL-SN-180392 ..... c 09 N71-13530 *
US-PATENT-APPL-SN-180394 ..... c 15 N70-38603 *
US-PATENT-APPL-SN-180395 ..... c 15 N70-36947 *
US-PATENT-APPL-SN-180396 ..... c 11 N70-38202 *
US-PATENT-APPL-SN-180473 ..... c 28 N73-27699 *
US-PATENT-APPL-SN-180683 ..... c 10 N73-25241 *
US-PATENT-APPL-SN-180963 ..... c 14 N73-27378 *
US-PATENT-APPL-SN-181023 ..... c 15 N73-26472 *
US-PATENT-APPL-SN-181024 ..... c 07 N73-26117 *
US-PATENT-APPL-SN-181828 ..... c 02 N70-34858 *
US-PATENT-APPL-SN-181829 ..... c 31 N70-38010 *
US-PATENT-APPL-SN-182000 ..... c 16 N88-24660 * #
US-PATENT-APPL-SN-182033 ..... c 33 N73-27796 *
US-PATENT-APPL-SN-182266 ..... c 17 N88-24662 * #
US-PATENT-APPL-SN-182399 ..... c 07 N73-28013 *
US-PATENT-APPL-SN-182692 ..... c 15 N70-36535 *
US-PATENT-APPL-SN-182696 ..... c 21 N70-36938 *
US-PATENT-APPL-SN-182698 ..... c 15 N70-38620 *
US-PATENT-APPL-SN-182699 ..... c 28 N70-38504 *
US-PATENT-APPL-SN-182879 ..... c 37 N82-32730 *
US-PATENT-APPL-SN-182880 ..... c 37 N83-19091 *
US-PATENT-APPL-SN-182881 ..... c 18 N83-28064 *
US-PATENT-APPL-SN-182977 ..... c 39 N74-13131 *
US-PATENT-APPL-SN-182978 ..... c 16 N73-13489 *
US-PATENT-APPL-SN-183240 ..... c 06 N73-30098 *
US-PATENT-APPL-SN-183707 ..... c 23 N85-33187 *
US-PATENT-APPL-SN-183977 ..... c 28 N70-38505 *
US-PATENT-APPL-SN-183978 ..... c 15 N70-38020 *
US-PATENT-APPL-SN-184090 ..... c 14 N73-32327 *
US-PATENT-APPL-SN-184234 ..... c 76 N88-25358 * #
US-PATENT-APPL-SN-184235 ..... c 32 N88-24846 * #
US-PATENT-APPL-SN-184236 ..... c 37 N88-24973 * #
US-PATENT-APPL-SN-18427 ..... c 09 N72-23172 *
US-PATENT-APPL-SN-184649 ..... c 07 N70-36911 *
US-PATENT-APPL-SN-184960 ..... c 06 N73-27980 *
US-PATENT-APPL-SN-185865 ..... c 52 N80-33081 * #
US-PATENT-APPL-SN-185867 ..... c 44 N82-26777 *
US-PATENT-APPL-SN-185868 ..... c 24 N84-16262 *
US-PATENT-APPL-SN-185869 ..... c 71 N82-16800 *
US-PATENT-APPL-SN-186700 ..... c 32 N74-12912 *
US-PATENT-APPL-SN-186881 ..... c 74 N82-30071 *
US-PATENT-APPL-SN-187106 ..... c 74 N83-17305 *
US-PATENT-APPL-SN-187143 ..... c 36 N74-13205 *
US-PATENT-APPL-SN-187262 ..... c 15 N73-27406 *
US-PATENT-APPL-SN-187365 ..... c 35 N74-15127 *
US-PATENT-APPL-SN-187446 ..... c 31 N70-37924 *
US-PATENT-APPL-SN-187716 ..... c 74 N88-25305 * #
US-PATENT-APPL-SN-18776 ..... c 28 N70-33284 *
US-PATENT-APPL-SN-18780 ..... c 12 N70-33305 *
US-PATENT-APPL-SN-188160 ..... c 74 N82-19029 *
US-PATENT-APPL-SN-188594 ..... c 15 N70-34967 *
US-PATENT-APPL-SN-188836 ..... c 35 N74-34857 *
US-PATENT-APPL-SN-188927 ..... c 08 N73-32081 *
US-PATENT-APPL-SN-188928 ..... c 37 N74-13178 *
US-PATENT-APPL-SN-189290 ..... c 14 N73-27379 *
US-PATENT-APPL-SN-189375 ..... c 18 N73-14584 *
US-PATENT-APPL-SN-189438 ..... c 35 N76-15431 *
US-PATENT-APPL-SN-189648 ..... c 32 N70-36536 *
US-PATENT-APPL-SN-18982 ..... c 28 N72-11708 *
US-PATENT-APPL-SN-190185 ..... c 74 N88-25304 * #
US-PATENT-APPL-SN-190316 ..... c 17 N73-32414 *
US-PATENT-APPL-SN-191301 ..... c 25 N74-12813 *
US-PATENT-APPL-SN-191744 ..... c 33 N82-29538 *
US-PATENT-APPL-SN-191746 ..... c 26 N81-16209 * #
US-PATENT-APPL-SN-191746 ..... c 26 N82-30371 *
US-PATENT-APPL-SN-191748 ..... c 35 N82-31659 *
US-PATENT-APPL-SN-192016 ..... c 03 N70-36778 *
US-PATENT-APPL-SN-192101 ..... c 10 N73-20254 *
US-PATENT-APPL-SN-192141 ..... c 07 N73-24176 *
US-PATENT-APPL-SN-192562 ..... c 04 N88-24621 * #
US-PATENT-APPL-SN-192563 ..... c 05 N88-24628 * #
US-PATENT-APPL-SN-192803 ..... c 07 N73-22076 * #
US-PATENT-APPL-SN-192803 ..... c 35 N76-16391 *
US-PATENT-APPL-SN-192970 ..... c 23 N73-30665 *
US-PATENT-APPL-SN-193456 ..... c 10 N73-25243 *
US-PATENT-APPL-SN-193671 ..... c 15 N73-12488 *
US-PATENT-APPL-SN-193672 ..... c 54 N74-14845 *
US-PATENT-APPL-SN-193814 ..... c 14 N73-30393 *
US-PATENT-APPL-SN-193947 ..... c 14 N73-13420 *
US-PATENT-APPL-SN-193980 ..... c 31 N74-13177 *
US-PATENT-APPL-SN-195061 ..... c 05 N73-25125 *
US-PATENT-APPL-SN-195221 ..... c 04 N88-24620 * #
US-PATENT-APPL-SN-195222 ..... c 31 N88-24814 * #
US-PATENT-APPL-SN-195223 ..... c 35 N83-21311 *
US-PATENT-APPL-SN-195225 ..... c 32 N88-26541 * #
US-PATENT-APPL-SN-195226 ..... c 31 N83-31895 *
US-PATENT-APPL-SN-195226 ..... c 17 N88-27220 * #
US-PATENT-APPL-SN-195227 ..... c 74 N83-32577 *
US-PATENT-APPL-SN-195228 ..... c 74 N83-10900 *
US-PATENT-APPL-SN-195346 ..... c 15 N70-36492 *
US-PATENT-APPL-SN-195347 ..... c 31 N70-34135 *
US-PATENT-APPL-SN-195547 ..... c 32 N83-18975 *
US-PATENT-APPL-SN-19572 ..... c 35 N77-27368 *
US-PATENT-APPL-SN-19585 ..... c 15 N72-25455 *
US-PATENT-APPL-SN-196399 ..... c 07 N73-25161 *
US-PATENT-APPL-SN-196877 ..... c 35 N84-17555 *
US-PATENT-APPL-SN-196898 ..... c 38 N74-15130 *
US-PATENT-APPL-SN-196931 ..... c 35 N74-17885 *
US-PATENT-APPL-SN-196970 ..... c 15 N73-33383 *
US-PATENT-APPL-SN-197183 ..... c 02 N76-22154 *
US-PATENT-APPL-SN-197191 ..... c 32 N88-24845 * #
US-PATENT-APPL-SN-197548 ..... c 09 N70-34502 *
US-PATENT-APPL-SN-197551 ..... c 31 N70-34296 *
US-PATENT-APPL-SN-197553 ..... c 08 N70-34778 *
US-PATENT-APPL-SN-197554 ..... c 14 N70-35368 *
US-PATENT-APPL-SN-197689 ..... c 31 N74-14133 *
US-PATENT-APPL-SN-197689 ..... c 31 N75-13111 *
US-PATENT-APPL-SN-197870 ..... c 14 N73-32322 *
US-PATENT-APPL-SN-198093 ..... c 39 N83-20280 *
US-PATENT-APPL-SN-198285 ..... c 09 N73-13208 *
US-PATENT-APPL-SN-198289 ..... c 14 N73-32326 *
US-PATENT-APPL-SN-198355 ..... c 05 N72-15098 * #
US-PATENT-APPL-SN-198362 ..... c 14 N73-28489 *
US-PATENT-APPL-SN-198379 ..... c 15 N73-32359 *
US-PATENT-APPL-SN-198472 ..... c 27 N74-12812 *
US-PATENT-APPL-SN-198763 ..... c 31 N74-18124 *
US-PATENT-APPL-SN-198763 ..... c 31 N74-32920 *
US-PATENT-APPL-SN-198885 ..... c 05 N73-27062 *
US-PATENT-APPL-SN-199199 ..... c 25 N71-29184 *
US-PATENT-APPL-SN-199202 ..... c 14 N70-40239 *
US-PATENT-APPL-SN-19971 ..... c 09 N70-33312 *
US-PATENT-APPL-SN-199765 ..... c 33 N81-12330 * #
US-PATENT-APPL-SN-199766 ..... c 36 N84-28065 *
US-PATENT-APPL-SN-199767 ..... c 33 N83-16626 *
US-PATENT-APPL-SN-199768 ..... c 27 N84-22746 *
US-PATENT-APPL-SN-199768 ..... c 27 N85-20123 *
US-PATENT-APPL-SN-199769 ..... c 26 N82-31505 *
US-PATENT-APPL-SN-199957 ..... c 10 N73-26229 *
US-PATENT-APPL-SN-200040 ..... c 52 N74-10975 *
US-PATENT-APPL-SN-200085 ..... c 26 N73-26751 *
US-PATENT-APPL-SN-200634 ..... c 34 N83-27144 *
US-PATENT-APPL-SN-200682 ..... c 07 N73-14130 *
US-PATENT-APPL-SN-200717 ..... c 09 N73-19234 *
US-PATENT-APPL-SN-200762 ..... c 03 N73-20040 *
US-PATENT-APPL-SN-200770 ..... c 09 N79-21084 *
US-PATENT-APPL-SN-200874 ..... c 17 N88-28946 * #
US-PATENT-APPL-SN-201700 ..... c 33 N74-17930 *
US-PATENT-APPL-SN-201782 ..... c 15 N73-19458 *
US-PATENT-APPL-SN-201904 ..... c 15 N73-30458 *
US-PATENT-APPL-SN-201904 ..... c 37 N74-15128 *
US-PATENT-APPL-SN-201904 ..... c 37 N74-21064 *
US-PATENT-APPL-SN-202024 ..... c 14 N70-34156 *
US-PATENT-APPL-SN-202029 ..... c 11 N70-34786 *
US-PATENT-APPL-SN-202030 ..... c 31 N71-10747 *
US-PATENT-APPL-SN-202228 ..... c 34 N82-11399 * #
US-PATENT-APPL-SN-202228 ..... c 34 N85-29179 *
US-PATENT-APPL-SN-202750 ..... c 19 N74-21015 *
US-PATENT-APPL-SN-202769 ..... c 05 N73-27941 *
US-PATENT-APPL-SN-203177 ..... c 39 N88-25011 * #
US-PATENT-APPL-SN-203178 ..... c 34 N88-24910 * #
US-PATENT-APPL-SN-203271 ..... c 51 N74-15778 *
US-PATENT-APPL-SN-203376 ..... c 32 N88-30001 * #
US-PATENT-APPL-SN-203405 ..... c 02 N73-26006 *
US-PATENT-APPL-SN-203409 ..... c 28 N70-38197 *
US-PATENT-APPL-SN-203411 ..... c 33 N70-34812 *
US-PATENT-APPL-SN-20370 ..... c 33 N79-33393 *
US-PATENT-APPL-SN-204015 ..... c 09 N70-38201 *
US-PATENT-APPL-SN-205047 ..... c 15 N73-32360 *
US-PATENT-APPL-SN-205470 ..... c 08 N71-18752 *
US-PATENT-APPL-SN-205675 ..... c 14 N73-30386 *
US-PATENT-APPL-SN-205771 ..... c 31 N88-29050 * #
US-PATENT-APPL-SN-205898 ..... c 09 N88-28938 * #
US-PATENT-APPL-SN-205899 ..... c 35 N88-24944 * #
US-PATENT-APPL-SN-205900 ..... c 35 N88-30105 * #
US-PATENT-APPL-SN-206266 ..... c 76 N74-20329 *
US-PATENT-APPL-SN-206266 ..... c 76 N75-25730 *
US-PATENT-APPL-SN-206279 ..... c 02 N73-26005 *
US-PATENT-APPL-SN-206279 ..... c 05 N76-29217 *
US-PATENT-APPL-SN-206506 ..... c 33 N82-24422 *
US-PATENT-APPL-SN-206698 ..... c 15 N73-30459 *
US-PATENT-APPL-SN-207135 ..... c 35 N83-27184 *
US-PATENT-APPL-SN-207211 ..... c 07 N73-30113 *
US-PATENT-APPL-SN-209478 ..... c 07 N70-38200 *
US-PATENT-APPL-SN-209479 ..... c 15 N70-34850 *
US-PATENT-APPL-SN-209535 ..... c 28 N73-24783 *
US-PATENT-APPL-SN-20960 ..... c 15 N72-17453 *
US-PATENT-APPL-SN-209618 ..... c 33 N75-19520 *
US-PATENT-APPL-SN-209618 ..... c 33 N75-25041 *
US-PATENT-APPL-SN-209801 ..... c 08 N70-40125 *
US-PATENT-APPL-SN-210277 ..... c 39 N88-30160 * #
US-PATENT-APPL-SN-210405 ..... c 74 N84-11921 *
US-PATENT-APPL-SN-210445 ..... c 29 N88-29048 * #
US-PATENT-APPL-SN-210480 ..... c 05 N88-29789 * #
US-PATENT-APPL-SN-210486 ..... c 26 N88-29012 * #
US-PATENT-APPL-SN-210487 ..... c 35 N88-29145 * #
US-PATENT-APPL-SN-210498 ..... c 35 N84-12444 *
US-PATENT-APPL-SN-210506 ..... c 39 N83-32081 *

US-PATENT-APPL-SN-210632 ..... c 26 N83-10170 *
US-PATENT-APPL-SN-211332 ..... c 02 N74-10034 *
US-PATENT-APPL-SN-211411 ..... c 11 N73-20267 *
US-PATENT-APPL-SN-211464 ..... c 28 N70-36910 *
US-PATENT-APPL-SN-212028 ..... c 09 N73-14214 *
US-PATENT-APPL-SN-212165 ..... c 14 N73-25460 *
US-PATENT-APPL-SN-212173 ..... c 02 N71-13421 *
US-PATENT-APPL-SN-212174 ..... c 15 N70-34859 *
US-PATENT-APPL-SN-212496 ..... c 03 N70-36803 *
US-PATENT-APPL-SN-212497 ..... c 11 N71-28779 *
US-PATENT-APPL-SN-21263 ..... c 01 N71-12217 * #
US-PATENT-APPL-SN-212900 ..... c 14 N73-25462 *
US-PATENT-APPL-SN-212921 ..... c 07 N73-20176 *
US-PATENT-APPL-SN-212949 ..... c 35 N83-35338 *
US-PATENT-APPL-SN-212977 ..... c 15 N73-30460 *
US-PATENT-APPL-SN-213004 ..... c 14 N73-19421 *
US-PATENT-APPL-SN-213836 ..... c 15 N70-38601 *
US-PATENT-APPL-SN-213949 ..... c 07 N73-20175 *
US-PATENT-APPL-SN-214006 ..... c 37 N74-18126 *
US-PATENT-APPL-SN-214084 ..... c 37 N74-18123 *
US-PATENT-APPL-SN-214086 ..... c 14 N73-30395 *
US-PATENT-APPL-SN-214089 ..... c 35 N74-21018 *
US-PATENT-APPL-SN-214361 ..... c 37 N83-32067 *
US-PATENT-APPL-SN-21508 ..... c 08 N72-20176 *
US-PATENT-APPL-SN-21644 ..... c 05 N72-22092 *
US-PATENT-APPL-SN-216710 ..... c 12 N70-38997 *
US-PATENT-APPL-SN-216711 ..... c 03 N70-34157 *
US-PATENT-APPL-SN-216939 ..... c 14 N70-40400 *
US-PATENT-APPL-SN-217213 ..... c 37 N74-11301 *
US-PATENT-APPL-SN-21732 ..... c 15 N70-26819 * #
US-PATENT-APPL-SN-217336 ..... c 27 N82-29456 *
US-PATENT-APPL-SN-217533 ..... c 76 N88-29602 * #
US-PATENT-APPL-SN-218585 ..... c 27 N82-24340 *
US-PATENT-APPL-SN-218586 ..... c 36 N81-22344 * #
US-PATENT-APPL-SN-218587 ..... c 27 N82-28440 *
US-PATENT-APPL-SN-218588 ..... c 27 N82-33521 *
US-PATENT-APPL-SN-218965 ..... c 10 N73-32145 *
US-PATENT-APPL-SN-219016 ..... c 24 N88-29888 * #
US-PATENT-APPL-SN-21906 ..... c 09 N72-17157 *
US-PATENT-APPL-SN-219435 ..... c 24 N74-27035 *
US-PATENT-APPL-SN-219436 ..... c 15 N72-21489 * #
US-PATENT-APPL-SN-219590 ..... c 06 N73-32030 *
US-PATENT-APPL-SN-219640 ..... c 74 N83-13978 *
US-PATENT-APPL-SN-219677 ..... c 44 N82-31764 *
US-PATENT-APPL-SN-219678 ..... c 44 N82-29709 *
US-PATENT-APPL-SN-219680 ..... c 27 N82-28442 *
US-PATENT-APPL-SN-219681 ..... c 24 N82-29362 *
US-PATENT-APPL-SN-219681 ..... c 54 N84-11758 *
US-PATENT-APPL-SN-219722 ..... c 03 N75-30132 *
US-PATENT-APPL-SN-219806 ..... c 07 N74-28226 *
US-PATENT-APPL-SN-219968 ..... c 33 N83-27126 *
US-PATENT-APPL-SN-220212 ..... c 33 N83-31952 *
US-PATENT-APPL-SN-220213 ..... c 37 N85-20337 *
US-PATENT-APPL-SN-220214 ..... c 44 N82-29710 *
US-PATENT-APPL-SN-220251 ..... c 37 N74-15125 *
US-PATENT-APPL-SN-220274 ..... c 31 N72-20840 * #
US-PATENT-APPL-SN-220274 ..... c 18 N74-22136 *
US-PATENT-APPL-SN-220785 ..... c 85 N74-34672 *
US-PATENT-APPL-SN-221093 ..... c 17 N73-32415 *
US-PATENT-APPL-SN-221276 ..... c 14 N70-41955 *
US-PATENT-APPL-SN-221634 ..... c 05 N70-34857 *
US-PATENT-APPL-SN-221637 ..... c 26 N70-36805 *
US-PATENT-APPL-SN-221670 ..... c 35 N77-14408 *
US-PATENT-APPL-SN-221685 ..... c 35 N74-21062 *
US-PATENT-APPL-SN-221714 ..... c 09 N73-32110 *
US-PATENT-APPL-SN-221833 ..... c 09 N73-27150 * #
US-PATENT-APPL-SN-221945 ..... c 31 N70-36410 *
US-PATENT-APPL-SN-22265 ..... c 14 N72-21405 *
US-PATENT-APPL-SN-223003 ..... c 33 N70-36846 *
US-PATENT-APPL-SN-223124 ..... c 31 N88-29051 * #
US-PATENT-APPL-SN-22320 ..... c 14 N72-11365 *
US-PATENT-APPL-SN-223560 ..... c 10 N73-32144 *
US-PATENT-APPL-SN-224231 ..... c 06 N83-10040 *
US-PATENT-APPL-SN-224231 ..... c 06 N84-34443 *
US-PATENT-APPL-SN-224232 ..... c 36 N83-29680 *
US-PATENT-APPL-SN-224489 ..... c 31 N74-18089 *
US-PATENT-APPL-SN-225427 ..... c 37 N88-30130 * #
US-PATENT-APPL-SN-225499 ..... c 37 N84-12491 *
US-PATENT-APPL-SN-225501 ..... c 44 N82-28780 *
US-PATENT-APPL-SN-226476 ..... c 10 N73-32143 *
US-PATENT-APPL-SN-226477 ..... c 74 N74-27866 *
US-PATENT-APPL-SN-226551 ..... c 06 N73-26100 *
US-PATENT-APPL-SN-227682 ..... c 14 N70-34161 *
US-PATENT-APPL-SN-227683 ..... c 02 N70-36804 *
US-PATENT-APPL-SN-227692 ..... c 14 N70-40003 *
US-PATENT-APPL-SN-227977 ..... c 25 N76-18245 *
US-PATENT-APPL-SN-228049 ..... c 37 N79-33467 *
US-PATENT-APPL-SN-228150 ..... c 05 N73-32013 *
US-PATENT-APPL-SN-228163 ..... c 44 N74-19693 *
US-PATENT-APPL-SN-228189 ..... c 35 N74-11283 *
US-PATENT-APPL-SN-228190 ..... c 23 N73-30666 *
US-PATENT-APPL-SN-228229 ..... c 27 N77-31308 *
US-PATENT-APPL-SN-228507 ..... c 11 N70-38182 *
US-PATENT-APPL-SN-228569 ..... c 14 N71-16014 *
US-PATENT-APPL-SN-229128 ..... c 14 N73-28490 *
US-PATENT-APPL-SN-229143 ..... c 09 N72-21248 * #
US-PATENT-APPL-SN-229143 ..... c 33 N77-26387 *
US-PATENT-APPL-SN-229231 ..... c 35 N83-34272 *
US-PATENT-APPL-SN-229233 ..... c 27 N83-31855 *
US-PATENT-APPL-SN-229239 ..... c 31 N83-31897 *
US-PATENT-APPL-SN-229286 ..... c 33 N71-29052 *
US-PATENT-APPL-SN-229287 ..... c 35 N78-29421 *
US-PATENT-APPL-SN-229354 ..... c 62 N74-14920 *
US-PATENT-APPL-SN-229413 ..... c 14 N73-32323 *
US-PATENT-APPL-SN-229693 ..... c 37 N84-22958 *
US-PATENT-APPL-SN-229916 ..... c 46 N74-13011 *
US-PATENT-APPL-SN-230613 ..... c 05 N83-27975 *
US-PATENT-APPL-SN-231025 ..... c 33 N88-29095 * #
US-PATENT-APPL-SN-231026 ..... c 27 N88-29984 * #
US-PATENT-APPL-SN-23132 ..... c 08 N72-22163 *
US-PATENT-APPL-SN-231520 ..... c 27 N71-29155 *
US-PATENT-APPL-SN-231543 ..... c 07 N83-20944 *
US-PATENT-APPL-SN-231604 ..... c 28 N70-39925 *
US-PATENT-APPL-SN-231662 ..... c 14 N73-30392 *
US-PATENT-APPL-SN-232021 ..... c 04 N74-13420 *
US-PATENT-APPL-SN-232318 ..... c 11 N71-15960 *
US-PATENT-APPL-SN-232914 ..... c 15 N70-36412 *
US-PATENT-APPL-SN-233098 ..... c 12 N73-25262 *
US-PATENT-APPL-SN-233173 ..... c 12 N73-28144 *
US-PATENT-APPL-SN-233269 ..... c 76 N82-30105 *
US-PATENT-APPL-SN-233270 ..... c 52 N83-27578 *
US-PATENT-APPL-SN-233271 ..... c 27 N83-34043 *
US-PATENT-APPL-SN-233519 ..... c 20 N74-13502 *
US-PATENT-APPL-SN-233587 ..... c 16 N72-22520 * #
US-PATENT-APPL-SN-233743 ..... c 37 N74-13179 *
US-PATENT-APPL-SN-234222 ..... c 34 N85-21568 *
US-PATENT-APPL-SN-234223 ..... c 35 N83-21312 *
US-PATENT-APPL-SN-234224 ..... c 36 N83-34304 *
US-PATENT-APPL-SN-234225 ..... c 33 N83-36357 *
US-PATENT-APPL-SN-234568 ..... c 28 N70-34788 *
US-PATENT-APPL-SN-235162 ..... c 08 N71-12501 *
US-PATENT-APPL-SN-235266 ..... c 26 N73-32571 *
US-PATENT-APPL-SN-235268 ..... c 36 N74-15145 *
US-PATENT-APPL-SN-235269 ..... c 09 N73-30181 *
US-PATENT-APPL-SN-235295 ..... c 09 N73-30185 *
US-PATENT-APPL-SN-23532 ..... c 07 N72-21117 *
US-PATENT-APPL-SN-235338 ..... c 71 N74-31148 *
US-PATENT-APPL-SN-235472 ..... c 60 N84-28492 *
US-PATENT-APPL-SN-235588 ..... c 28 N71-28928 *
US-PATENT-APPL-SN-235796 ..... c 35 N82-28604 *
US-PATENT-APPL-SN-235797 ..... c 44 N83-32175 *
US-PATENT-APPL-SN-235868 ..... c 34 N83-29625 *
US-PATENT-APPL-SN-235957 ..... c 14 N73-27376 * #
US-PATENT-APPL-SN-235962 ..... c 36 N74-11313 *
US-PATENT-APPL-SN-236052 ..... c 14 N72-25428 * #
US-PATENT-APPL-SN-236281 ..... c 09 N73-20232 *
US-PATENT-APPL-SN-236285 ..... c 08 N73-26175 *
US-PATENT-APPL-SN-236748 ..... c 14 N70-40157 *
US-PATENT-APPL-SN-236749 ..... c 15 N70-40180 *
US-PATENT-APPL-SN-236985 ..... c 44 N74-19692 *
US-PATENT-APPL-SN-237029 ..... c 09 N73-32108 *
US-PATENT-APPL-SN-237491 ..... c 05 N75-12930 *
US-PATENT-APPL-SN-237694 ..... c 35 N74-11284 *
US-PATENT-APPL-SN-238047 ..... c 33 N74-12951 *
US-PATENT-APPL-SN-238257 ..... c 07 N84-33410 *
US-PATENT-APPL-SN-238263 ..... c 35 N74-10415 *
US-PATENT-APPL-SN-238264 ..... c 37 N74-21061 *
US-PATENT-APPL-SN-238264 ..... c 37 N74-32921 *
US-PATENT-APPL-SN-238264 ..... c 37 N76-15461 *
US-PATENT-APPL-SN-238421 ..... c 28 N71-29153 *
US-PATENT-APPL-SN-238785 ..... c 44 N83-14693 *
US-PATENT-APPL-SN-238786 ..... c 37 N83-26078 *
US-PATENT-APPL-SN-238790 ..... c 44 N82-29708 *
US-PATENT-APPL-SN-238791 ..... c 71 N84-14873 *
US-PATENT-APPL-SN-238826 ..... c 28 N77-10213 *
US-PATENT-APPL-SN-238887 ..... c 37 N81-22360 * #
US-PATENT-APPL-SN-238888 ..... c 37 N84-28082 *
US-PATENT-APPL-SN-239573 ..... c 33 N74-10223 *
US-PATENT-APPL-SN-239574 ..... c 09 N73-32107 *
US-PATENT-APPL-SN-239575 ..... c 09 N74-19528 *
US-PATENT-APPL-SN-239576 ..... c 33 N74-14935 *
US-PATENT-APPL-SN-239577 ..... c 35 N74-13132 *
US-PATENT-APPL-SN-239803 ..... c 70 N74-13436 *
US-PATENT-APPL-SN-240760 ..... c 15 N71-16075 *
US-PATENT-APPL-SN-241061 ..... c 06 N72-27151 * #
US-PATENT-APPL-SN-241061 ..... c 06 N73-33076 *
US-PATENT-APPL-SN-241085 ..... c 14 N70-40238 *
US-PATENT-APPL-SN-241154 ..... c 04 N84-27713 *
US-PATENT-APPL-SN-241155 ..... c 27 N84-14324 *
US-PATENT-APPL-SN-24154 ..... c 15 N70-35679 * #
US-PATENT-APPL-SN-24154 ..... c 15 N72-17450 *
US-PATENT-APPL-SN-24155 ..... c 14 N73-26432 *
US-PATENT-APPL-SN-241614 ..... c 10 N73-27171 *
US-PATENT-APPL-SN-241615 ..... c 09 N73-32111 *
US-PATENT-APPL-SN-242027 ..... c 52 N74-12778 *
US-PATENT-APPL-SN-242028 ..... c 21 N73-30641 *
US-PATENT-APPL-SN-24224 ..... c 09 N72-20200 *
US-PATENT-APPL-SN-242662 ..... c 74 N74-15095 *
US-PATENT-APPL-SN-242790 ..... c 06 N83-33882 *
US-PATENT-APPL-SN-242795 ..... c 18 N83-20996 *
US-PATENT-APPL-SN-242795 ..... c 37 N84-22957 *
US-PATENT-APPL-SN-242796 ..... c 44 N83-13579 *
US-PATENT-APPL-SN-242797 ..... c 74 N85-22139 *
US-PATENT-APPL-SN-243374 ..... c 15 N77-10112 *
US-PATENT-APPL-SN-243682 ..... c 74 N83-19596 *
US-PATENT-APPL-SN-243683 ..... c 33 N81-22280 * #
US-PATENT-APPL-SN-243683 ..... c 33 N83-28319 *
US-PATENT-APPL-SN-243683 ..... c 33 N84-14424 *
US-PATENT-APPL-SN-243683 ..... c 33 N84-33660 *
US-PATENT-APPL-SN-243684 ..... c 37 N84-12492 *
US-PATENT-APPL-SN-244158 ..... c 32 N74-20863 *
US-PATENT-APPL-SN-244440 ..... c 21 N73-19630 * #
US-PATENT-APPL-SN-244440 ..... c 14 N73-32320 *
US-PATENT-APPL-SN-244519 ..... c 37 N74-18125 *
US-PATENT-APPL-SN-244523 ..... c 31 N73-30829 *
US-PATENT-APPL-SN-244566 ..... c 74 N74-20008 *
US-PATENT-APPL-SN-245063 ..... c 33 N74-11049 *
US-PATENT-APPL-SN-245279 ..... c 25 N74-30502 *
US-PATENT-APPL-SN-245571 ..... c 07 N84-22560 *
US-PATENT-APPL-SN-245941 ..... c 33 N71-17897 *
US-PATENT-APPL-SN-246056 ..... c 38 N74-15395 *
US-PATENT-APPL-SN-246294 ..... c 27 N82-29454 *
US-PATENT-APPL-SN-246295 ..... c 27 N82-29452 *
US-PATENT-APPL-SN-246772 ..... c 44 N83-10494 *
US-PATENT-APPL-SN-246773 ..... c 35 N83-29650 *
US-PATENT-APPL-SN-246774 ..... c 34 N83-31993 *
US-PATENT-APPL-SN-246777 ..... c 45 N83-25217 *
US-PATENT-APPL-SN-246778 ..... c 36 N83-35350 *
US-PATENT-APPL-SN-247055 ..... c 37 N74-11300 *
US-PATENT-APPL-SN-247090 ..... c 37 N74-18128 *
US-PATENT-APPL-SN-247136 ..... c 14 N71-30265 *
US-PATENT-APPL-SN-247419 ..... c 14 N70-36907 *
US-PATENT-APPL-SN-247423 ..... c 01 N71-13410 *
US-PATENT-APPL-SN-247434 ... c 25 N76-29379 *
US-PATENT-APPL-SN-247434 ..... c 25 N76-27383 *
US-PATENT-APPL-SN-247481 ..... c 05 N73-26071 *
US-PATENT-APPL-SN-248469 ..... c 14 N73-32318 *
US-PATENT-APPL-SN-248471 ..... c 31 N74-27902 *
US-PATENT-APPL-SN-248744 ..... c 05 N83-19737 *
US-PATENT-APPL-SN-248745 ..... c 18 N83-29303 *
US-PATENT-APPL-SN-248746 ..... c 37 N83-36482 *
US-PATENT-APPL-SN-248761 ..... c 15 N74-27360 *
US-PATENT-APPL-SN-248985 ..... c 03 N71-29129 *
US-PATENT-APPL-SN-249304 ..... c 35 N84-14491 *
US-PATENT-APPL-SN-249537 ..... c 14 N71-10797 *
US-PATENT-APPL-SN-249539 ..... c 28 N71-15658 *
US-PATENT-APPL-SN-249540 ..... c 15 N70-34861 *
US-PATENT-APPL-SN-249542 ..... c 28 N70-41576 *
US-PATENT-APPL-SN-250451 ..... c 08 N70-34787 *
US-PATENT-APPL-SN-250567 ..... c 33 N71-24876 *
US-PATENT-APPL-SN-250585 ..... c 32 N85-21428 *
US-PATENT-APPL-SN-250766 ..... c 07 N73-30115 *
US-PATENT-APPL-SN-250974 ..... c 31 N71-15664 *
US-PATENT-APPL-SN-251009 ..... c 33 N84-16452 *
US-PATENT-APPL-SN-251449 ..... c 07 N70-40063 *
US-PATENT-APPL-SN-251451 ..... c 09 N70-35425 *
US-PATENT-APPL-SN-251609 ..... c 05 N73-30078 *
US-PATENT-APPL-SN-251621 ..... c 16 N73-32391 *
US-PATENT-APPL-SN-251752 ..... c 24 N74-30001 *
US-PATENT-APPL-SN-25175 ..... c 28 N70-39895 *
US-PATENT-APPL-SN-252259 ..... c 33 N70-34545 *
US-PATENT-APPL-SN-253249 ..... c 33 N74-11050 *
US-PATENT-APPL-SN-253405 ..... c 10 N73-26228 *
US-PATENT-APPL-SN-253725 ..... c 35 N74-13129 *
US-PATENT-APPL-SN-253774 ..... c 25 N70-36946 *
US-PATENT-APPL-SN-254173 ..... c 35 N75-13213 *
US-PATENT-APPL-SN-254177 ..... c 10 N73-26230 *
US-PATENT-APPL-SN-254323 ..... c 35 N76-15434 *
US-PATENT-APPL-SN-254575 ..... c 25 N83-10126 *
US-PATENT-APPL-SN-254688 ..... c 52 N83-27577 *
US-PATENT-APPL-SN-254847 ..... c 15 N71-22874 *
US-PATENT-APPL-SN-25487 ..... c 08 N72-21197 *
US-PATENT-APPL-SN-25488 ..... c 08 N72-25206 *
US-PATENT-APPL-SN-255132 ..... c 14 N71-15598 *
US-PATENT-APPL-SN-256317 ..... c 52 N74-26626 *
US-PATENT-APPL-SN-256484 ..... c 06 N70-34946 *
US-PATENT-APPL-SN-256493 ..... c 20 N77-17143 *
US-PATENT-APPL-SN-257346 ..... c 15 N70-36901 *
US-PATENT-APPL-SN-258152 ..... c 35 N74-15090 *
US-PATENT-APPL-SN-258171 ..... c 34 N74-27744 *
US-PATENT-APPL-SN-258331 ..... c 03 N73-31988 *
US-PATENT-APPL-SN-258623 ..... c 60 N83-32342 *
US-PATENT-APPL-SN-258931 ..... c 14 N70-40203 *
US-PATENT-APPL-SN-258932 ..... c 05 N70-36493 *
US-PATENT-APPL-SN-259056 ..... c 27 N82-29455 *
US-PATENT-APPL-SN-259208 ..... c 44 N85-30474 *
US-PATENT-APPL-SN-259209 ..... c 01 N83-35992 *
US-PATENT-APPL-SN-259210 ..... c 32 N83-27085 *
US-PATENT-APPL-SN-259211 ..... c 44 N84-14583 *
US-PATENT-APPL-SN-259212 ..... c 35 N84-22931 *
US-PATENT-APPL-SN-259487 ..... c 33 N70-36847 *
US-PATENT-APPL-SN-260087 ..... c 21 N71-21688 *
US-PATENT-APPL-SN-260093 ..... c 25 N74-26948 *
US-PATENT-APPL-SN-260241 ..... c 74 N74-21304 *
US-PATENT-APPL-SN-261183 ..... c 09 N74-30597 *
US-PATENT-APPL-SN-261912 ..... c 14 N70-34818 *
US-PATENT-APPL-SN-261917 ..... c 09 N70-40272 *
US-PATENT-APPL-SN-261918 ..... c 28 N70-41447 *

US-PATENT-APPL-SN-262430 ..... c 35 N74-18323 *
US-PATENT-APPL-SN-262596 ..... c 14 N71-28958 *
US-PATENT-APPL-SN-262596 ..... c 62 N76-31946 *
US-PATENT-APPL-SN-263230 ..... c 33 N74-20860 *
US-PATENT-APPL-SN-263498 ..... c 34 N74-27859 *
US-PATENT-APPL-SN-26375 ..... c 02 N70-33286 *
US-PATENT-APPL-SN-26375 ..... c 02 N70-34858 *
US-PATENT-APPL-SN-263815 ..... c 09 N74-17955 *
US-PATENT-APPL-SN-263828 ..... c 34 N83-19015 *
US-PATENT-APPL-SN-263829 ..... c 05 N84-12154 *
US-PATENT-APPL-SN-263830 ..... c 44 N83-28573 *
US-PATENT-APPL-SN-263957 ..... c 52 N83-25346 *
US-PATENT-APPL-SN-264268 ..... c 31 N78-17238 *
US-PATENT-APPL-SN-264378 ..... c 24 N83-10117 *
US-PATENT-APPL-SN-264378 ..... c 70 N84-28565 *
US-PATENT-APPL-SN-264380 ..... c 44 N83-14692 *
US-PATENT-APPL-SN-264381 ..... c 52 N84-28388 *
US-PATENT-APPL-SN-264381 ..... c 52 N84-28389 *
US-PATENT-APPL-SN-264728 ..... c 30 N70-40016 *
US-PATENT-APPL-SN-264729 ..... c 33 N70-34540 *
US-PATENT-APPL-SN-264731 ..... c 09 N70-41655 *
US-PATENT-APPL-SN-264735 ..... c 28 N70-33265 *
US-PATENT-APPL-SN-264736 ..... c 28 N70-36802 *
US-PATENT-APPL-SN-26573 ..... c 31 N72-22874 *
US-PATENT-APPL-SN-266107 ..... c 11 N71-15925 *
US-PATENT-APPL-SN-266253 ..... c 04 N84-22546 *
US-PATENT-APPL-SN-266254 ..... c 24 N83-13172 *
US-PATENT-APPL-SN-266255 ..... c 44 N83-27344 *
US-PATENT-APPL-SN-266256 ..... c 24 N83-13171 *
US-PATENT-APPL-SN-266687 ..... c 32 N84-22820 *
US-PATENT-APPL-SN-266688 ..... c 37 N83-36483 *
US-PATENT-APPL-SN-266771 ..... c 37 N74-18127 *
US-PATENT-APPL-SN-266820 ..... c 07 N74-31270 *
US-PATENT-APPL-SN-266822 ..... c 32 N74-10132 *
US-PATENT-APPL-SN-266832 ..... c 33 N74-10195 *
US-PATENT-APPL-SN-266866 ..... c 33 N73-32818 *
US-PATENT-APPL-SN-266899 ..... c 60 N74-12888 *
US-PATENT-APPL-SN-266911 ..... c 36 N74-20009 *
US-PATENT-APPL-SN-266912 ..... c 32 N74-19788 *
US-PATENT-APPL-SN-266913 ..... c 31 N74-23065 *
US-PATENT-APPL-SN-266925 ..... c 54 N74-17853 *
US-PATENT-APPL-SN-266928 ..... c 26 N74-10521 *
US-PATENT-APPL-SN-266930 ..... c 54 N74-12779 *
US-PATENT-APPL-SN-266940 ..... c 32 N74-32598 *
US-PATENT-APPL-SN-266943 ..... c 72 N74-19310 *
US-PATENT-APPL-SN-267178 ..... c 74 N84-11920 *
US-PATENT-APPL-SN-267179 ..... c 35 N84-12445 *
US-PATENT-APPL-SN-267572 ..... c 73 N74-26767 *
US-PATENT-APPL-SN-267768 ..... c 70 N74-21300 *
US-PATENT-APPL-SN-267862 ..... c 33 N74-21851 *
US-PATENT-APPL-SN-267935 ..... c 71 N83-17235 *
US-PATENT-APPL-SN-269073 ..... c 52 N74-26625 *
US-PATENT-APPL-SN-269212 ..... c 07 N71-10775 *
US-PATENT-APPL-SN-269215 ..... c 14 N70-41332 *
US-PATENT-APPL-SN-269222 ..... c 15 N70-38225 *
US-PATENT-APPL-SN-269450 ..... c 36 N76-18427 *
US-PATENT-APPL-SN-270118 ..... c 33 N71-17610 *
US-PATENT-APPL-SN-270763 ..... c 36 N84-14509 *
US-PATENT-APPL-SN-271821 ..... c 15 N71-10778 *
US-PATENT-APPL-SN-271822 ..... c 15 N71-15967 *
US-PATENT-APPL-SN-271823 ..... c 27 N71-28929 *
US-PATENT-APPL-SN-271824 ..... c 07 N71-21476 *
US-PATENT-APPL-SN-271951 ..... c 35 N74-15092 *
US-PATENT-APPL-SN-272152 ..... c 27 N83-29388 *
US-PATENT-APPL-SN-272233 ..... c 44 N81-27615 * #
US-PATENT-APPL-SN-272234 ..... c 25 N83-13188 *
US-PATENT-APPL-SN-272406 ..... c 33 N84-14422 *
US-PATENT-APPL-SN-272407 ..... c 52 N83-21785 *
US-PATENT-APPL-SN-272837 ..... c 71 N83-36846 *
US-PATENT-APPL-SN-273222 ..... c 33 N74-27683 *
US-PATENT-APPL-SN-273240 ..... c 35 N74-16135 *
US-PATENT-APPL-SN-27340 ..... c 15 N72-20442 *
US-PATENT-APPL-SN-273519 ..... c 35 N75-25122 *
US-PATENT-APPL-SN-273534 ..... c 09 N70-38712 *
US-PATENT-APPL-SN-274348 ..... c 60 N76-18800 *
US-PATENT-APPL-SN-274360 ..... c 32 N74-20809 *
US-PATENT-APPL-SN-274705 ..... c 44 N83-21503 *
US-PATENT-APPL-SN-274706 ..... c 44 N83-21504 *
US-PATENT-APPL-SN-274708 ..... c 35 N84-22929 *
US-PATENT-APPL-SN-275118 ..... c 35 N74-18088 *
US-PATENT-APPL-SN-275909 ..... c 33 N85-21491 *
US-PATENT-APPL-SN-276076 ..... c 72 N84-16959 * #
US-PATENT-APPL-SN-276599 ..... c 74 N81-19896 *
US-PATENT-APPL-SN-276748 ..... c 33 N83-34189 *
US-PATENT-APPL-SN-276749 ..... c 74 N84-23247 *
US-PATENT-APPL-SN-277404 ..... c 05 N70-39922 *
US-PATENT-APPL-SN-277436 ..... c 37 N74-25968 *
US-PATENT-APPL-SN-277833 ..... c 03 N70-41580 *
US-PATENT-APPL-SN-277904 ..... c 28 N74-27425 *
US-PATENT-APPL-SN-277961 ..... c 33 N70-36617 *
US-PATENT-APPL-SN-278790 ..... c 15 N70-34664 *
US-PATENT-APPL-SN-2792 ..... c 14 N70-33386 *
US-PATENT-APPL-SN-279646 ..... c 08 N71-21042 *
US-PATENT-APPL-SN-280029 ..... c 35 N74-15126 *
US-PATENT-APPL-SN-280031 ..... c 26 N73-26752 *
US-PATENT-APPL-SN-280032 ..... c 35 N74-15093 *
US-PATENT-APPL-SN-280151 ..... c 27 N83-36220 *
US-PATENT-APPL-SN-280152 ..... c 54 N86-22112 *
US-PATENT-APPL-SN-280153 ..... c 51 N83-17045 *
US-PATENT-APPL-SN-280154 ..... c 33 N83-10345 *
US-PATENT-APPL-SN-280155 ..... c 24 N84-11214 *
US-PATENT-APPL-SN-280305 ..... c 34 N74-23039 *
US-PATENT-APPL-SN-280362 ..... c 14 N71-28935 *
US-PATENT-APPL-SN-280390 ..... c 37 N74-15128 *
US-PATENT-APPL-SN-280580 ..... c 12 N71-21089 *
US-PATENT-APPL-SN-280776 ..... c 14 N70-40273 *
US-PATENT-APPL-SN-280777 ..... c 08 N70-41961 *
US-PATENT-APPL-SN-281069 ..... c 14 N70-35394 *
US-PATENT-APPL-SN-28175 ..... c 21 N70-33279 *
US-PATENT-APPL-SN-281875 ..... c 25 N74-18551 *
US-PATENT-APPL-SN-281876 ..... c 52 N74-20726 *
US-PATENT-APPL-SN-281877 ..... c 35 N74-15146 *
US-PATENT-APPL-SN-281908 ..... c 25 N75-12086 *
US-PATENT-APPL-SN-282129 ..... c 24 N83-25789 *
US-PATENT-APPL-SN-282191 ..... c 35 N83-29651 *
US-PATENT-APPL-SN-282192 ..... c 74 N83-21949 *
US-PATENT-APPL-SN-282298 ..... c 33 N85-29144 *
US-PATENT-APPL-SN-28235 ..... c 10 N72-17171 *
US-PATENT-APPL-SN-282817 ..... c 15 N70-40156 *
US-PATENT-APPL-SN-282818 ..... c 14 N71-14996 *
US-PATENT-APPL-SN-283502 ..... c 37 N74-21060 *
US-PATENT-APPL-SN-284245 ..... c 33 N74-17928 *
US-PATENT-APPL-SN-284265 ..... c 14 N70-34799 *
US-PATENT-APPL-SN-284266 ..... c 15 N71-16077 *
US-PATENT-APPL-SN-284286 ..... c 44 N84-28203 *
US-PATENT-APPL-SN-284287 ..... c 32 N84-27951 *
US-PATENT-APPL-SN-284288 ..... c 33 N83-36356 *
US-PATENT-APPL-SN-284289 ..... c 34 N84-22903 *
US-PATENT-APPL-SN-284290 ..... c 33 N83-34191 *
US-PATENT-APPL-SN-284314 ..... c 33 N84-16454 *
US-PATENT-APPL-SN-285705 ..... c 37 N74-21056 *
US-PATENT-APPL-SN-286620 ..... c 15 N71-30028 *
US-PATENT-APPL-SN-286824 ..... c 44 N79-19447 *
US-PATENT-APPL-SN-287149 ..... c 35 N74-32878 *
US-PATENT-APPL-SN-287150 ..... c 37 N74-21065 *
US-PATENT-APPL-SN-288267 ..... c 27 N83-31854 *
US-PATENT-APPL-SN-288267 ..... c 27 N84-22745 *
US-PATENT-APPL-SN-288267 ..... c 27 N85-21347 *
US-PATENT-APPL-SN-288847 ..... c 33 N74-27862 *
US-PATENT-APPL-SN-288856 ..... c 33 N74-20859 *
US-PATENT-APPL-SN-288857 ..... c 14 N73-33361 *
US-PATENT-APPL-SN-289017 ..... c 37 N74-27905 *
US-PATENT-APPL-SN-289018 ..... c 08 N74-30421 *
US-PATENT-APPL-SN-289033 ..... c 15 N73-32358 *
US-PATENT-APPL-SN-289033 ..... c 37 N74-21055 *
US-PATENT-APPL-SN-289048 ..... c 37 N74-21057 *
US-PATENT-APPL-SN-289049 ..... c 19 N74-15089 *
US-PATENT-APPL-SN-289050 ..... c 20 N74-32919 *
US-PATENT-APPL-SN-290021 ..... c 37 N74-23064 *
US-PATENT-APPL-SN-290022 ..... c 09 N73-12214 * #
US-PATENT-APPL-SN-290030 ..... c 33 N74-12887 *
US-PATENT-APPL-SN-290043 ..... c 18 N75-27040 *
US-PATENT-APPL-SN-290867 ..... c 28 N70-39931 *
US-PATENT-APPL-SN-290868 ..... c 31 N70-34966 *
US-PATENT-APPL-SN-290870 ..... c 15 N70-38996 *
US-PATENT-APPL-SN-290873 ..... c 10 N71-16058 *
US-PATENT-APPL-SN-290915 ..... c 32 N74-11000 *
US-PATENT-APPL-SN-291131 ..... c 33 N83-31953 *
US-PATENT-APPL-SN-291132 ..... c 33 N83-35227 *
US-PATENT-APPL-SN-291645 ..... c 60 N85-21992 *
US-PATENT-APPL-SN-291845 ..... c 52 N74-27566 *
US-PATENT-APPL-SN-292340 ..... c 52 N79-21750 *
US-PATENT-APPL-SN-292382 ..... c 27 N74-17283 *
US-PATENT-APPL-SN-292477 ..... c 15 N73-12495 * #
US-PATENT-APPL-SN-292596 ..... c 10 N71-29135 *
US-PATENT-APPL-SN-292681 ..... c 33 N74-10194 *
US-PATENT-APPL-SN-292682 ..... c 14 N73-32319 *
US-PATENT-APPL-SN-292685 ..... c 32 N74-20864 *
US-PATENT-APPL-SN-292686 ..... c 20 N74-31269 *
US-PATENT-APPL-SN-292698 ..... c 09 N73-32109 *
US-PATENT-APPL-SN-293412 ..... c 27 N83-34039 *
US-PATENT-APPL-SN-293414 ..... c 37 N84-16560 *
US-PATENT-APPL-SN-293417 ..... c 37 N82-26673 * #
US-PATENT-APPL-SN-293418 ..... c 26 N83-31795 *
US-PATENT-APPL-SN-293419 ..... c 33 N82-24427 * #
US-PATENT-APPL-SN-293725 ..... c 89 N74-30886 *
US-PATENT-APPL-SN-293726 ..... c 37 N74-21055 *
US-PATENT-APPL-SN-293727 ..... c 33 N74-14956 *
US-PATENT-APPL-SN-293739 ..... c 35 N74-28097 *
US-PATENT-APPL-SN-294727 ..... c 73 N77-18891 *
US-PATENT-APPL-SN-294738 ..... c 73 N78-28913 *
US-PATENT-APPL-SN-295855 ..... c 23 N71-17802 *
US-PATENT-APPL-SN-296137 ..... c 74 N84-28590 *
US-PATENT-APPL-SN-296622 ..... c 44 N76-31666 *
US-PATENT-APPL-SN-296879 ..... c 26 N71-18064 *
US-PATENT-APPL-SN-297127 ..... c 33 N74-27705 *
US-PATENT-APPL-SN-297128 ..... c 32 N74-26654 *
US-PATENT-APPL-SN-297436 ..... c 33 N79-11314 *
US-PATENT-APPL-SN-297486 ..... c 35 N83-24828 *
US-PATENT-APPL-SN-297488 ..... c 37 N84-16561 *
US-PATENT-APPL-SN-297524 ..... c 33 N84-14424 *
US-PATENT-APPL-SN-297524 ..... c 33 N84-22886 *
US-PATENT-APPL-SN-298156 ..... c 37 N75-13261 *
US-PATENT-APPL-SN-298156 ..... c 26 N75-19408 *
US-PATENT-APPL-SN-298157 ..... c 33 N74-21850 *
US-PATENT-APPL-SN-298799 ..... c 14 N71-15962 *
US-PATENT-APPL-SN-298800 ..... c 14 N70-34705 *
US-PATENT-APPL-SN-299042 ..... c 15 N71-15918 *
US-PATENT-APPL-SN-29917 ..... c 15 N73-13465 *
US-PATENT-APPL-SN-29917 ..... c 26 N74-10521 *
US-PATENT-APPL-SN-29917 ..... c 37 N74-13179 *
US-PATENT-APPL-SN-29979 ..... c 09 N75-15662 *
US-PATENT-APPL-SN-300113 ..... c 33 N70-33344 *
US-PATENT-APPL-SN-300712 ..... c 15 N70-35407 *
US-PATENT-APPL-SN-300957 ..... c 33 N71-29053 *
US-PATENT-APPL-SN-301039 ..... c 37 N74-27903 *
US-PATENT-APPL-SN-301075 ..... c 25 N83-29324 *
US-PATENT-APPL-SN-301077 ..... c 33 N84-14421 *
US-PATENT-APPL-SN-301078 ..... c 08 N85-19985 *
US-PATENT-APPL-SN-301417 ..... c 71 N74-21014 *
US-PATENT-APPL-SN-301418 ..... c 52 N76-29894 *
US-PATENT-APPL-SN-301419 ..... c 34 N76-17317 *
US-PATENT-APPL-SN-301683 ..... c 07 N71-15907 *
US-PATENT-APPL-SN-302681 ..... c 37 N75-12326 *
US-PATENT-APPL-SN-302749 ..... c 14 N70-40201 *
US-PATENT-APPL-SN-302913 ..... c 76 N79-16678 *
US-PATENT-APPL-SN-303670 ..... c 37 N82-11469 * #
US-PATENT-APPL-SN-303671 ..... c 31 N83-31896 *
US-PATENT-APPL-SN-303672 ..... c 71 N83-32516 *
US-PATENT-APPL-SN-304430 ..... c 52 N74-27864 *
US-PATENT-APPL-SN-304698 ..... c 32 N70-41579 *
US-PATENT-APPL-SN-304705 ..... c 32 N74-20810 *
US-PATENT-APPL-SN-304749 ..... c 11 N71-16028 *
US-PATENT-APPL-SN-30498 ..... c 37 N74-21063 *
US-PATENT-APPL-SN-305012 ..... c 35 N74-15094 *
US-PATENT-APPL-SN-305013 ..... c 14 N73-13435 * #
US-PATENT-APPL-SN-305020 ..... c 21 N70-34295 *
US-PATENT-APPL-SN-305638 ..... c 34 N74-23066 *
US-PATENT-APPL-SN-305639 ..... c 37 N74-27904 *
US-PATENT-APPL-SN-306652 ..... c 33 N74-32712 *
US-PATENT-APPL-SN-307269 ..... c 24 N71-10560 *
US-PATENT-APPL-SN-307270 ..... c 10 N71-16030 *
US-PATENT-APPL-SN-307271 ..... c 09 N71-22999 *
US-PATENT-APPL-SN-307714 ..... c 03 N76-32140 *
US-PATENT-APPL-SN-307727 ..... c 32 N74-20813 *
US-PATENT-APPL-SN-307728 ..... c 34 N74-27861 *
US-PATENT-APPL-SN-307729 ..... c 31 N74-27900 *
US-PATENT-APPL-SN-308007 ..... c 44 N83-34448 *
US-PATENT-APPL-SN-308009 ..... c 33 N83-36355 *
US-PATENT-APPL-SN-308201 ..... c 27 N83-28240 *
US-PATENT-APPL-SN-308201 ..... c 27 N85-21349 *
US-PATENT-APPL-SN-308203 ..... c 34 N84-12406 *
US-PATENT-APPL-SN-308204 ..... c 44 N83-28574 *
US-PATENT-APPL-SN-308918 ..... c 27 N71-15634 *
US-PATENT-APPL-SN-309291 ..... c 37 N88-23982 *
US-PATENT-APPL-SN-309292 ..... c 37 N84-28085 *
US-PATENT-APPL-SN-309293 ..... c 25 N83-13187 *
US-PATENT-APPL-SN-309354 ..... c 11 N71-15926 *
US-PATENT-APPL-SN-310034 ..... c 32 N74-30524 *
US-PATENT-APPL-SN-310193 ..... c 33 N74-27682 *
US-PATENT-APPL-SN-310506 ..... c 10 N71-16042 *
US-PATENT-APPL-SN-310507 ..... c 07 N71-11298 *
US-PATENT-APPL-SN-310615 ..... c 37 N74-27901 *
US-PATENT-APPL-SN-310616 ..... c 35 N74-21017 *
US-PATENT-APPL-SN-310624 ..... c 33 N74-17929 *
US-PATENT-APPL-SN-310714 ..... c 33 N82-11360 * #
US-PATENT-APPL-SN-311175 ..... c 52 N74-22771 *
US-PATENT-APPL-SN-311234 ..... c 35 N74-23040 *
US-PATENT-APPL-SN-311387 ..... c 23 N71-30027 *
US-PATENT-APPL-SN-312269 ..... c 28 N71-14043 *
US-PATENT-APPL-SN-31242 ..... c 28 N70-33374 *
US-PATENT-APPL-SN-312443 ..... c 10 N71-21473 *
US-PATENT-APPL-SN-313132 ..... c 28 N70-34175 *
US-PATENT-APPL-SN-313135 ..... c 15 N70-35087 *
US-PATENT-APPL-SN-313136 ..... c 09 N71-12540 *
US-PATENT-APPL-SN-313381 ..... c 35 N74-15091 *
US-PATENT-APPL-SN-314074 ..... c 15 N71-16079 *
US-PATENT-APPL-SN-314570 ..... c 10 N71-28960 *
US-PATENT-APPL-SN-314572 ..... c 14 N71-15992 *
US-PATENT-APPL-SN-314656 ..... c 51 N77-25769 *
US-PATENT-APPL-SN-314702 ..... c 71 N84-16940 *
US-PATENT-APPL-SN-314928 ..... c 32 N84-34651 *
US-PATENT-APPL-SN-314929 ..... c 71 N83-32515 *
US-PATENT-APPL-SN-315048 ..... c 34 N74-27730 *
US-PATENT-APPL-SN-315069 ..... c 33 N74-20862 *
US-PATENT-APPL-SN-315070 ..... c 60 N76-23850 *
US-PATENT-APPL-SN-315096 ..... c 12 N70-40124 *
US-PATENT-APPL-SN-3151 ..... c 05 N72-27102 *
US-PATENT-APPL-SN-315278 ..... c 51 N83-28849 *
US-PATENT-APPL-SN-315583 ..... c 35 N84-33769 *
US-PATENT-APPL-SN-315584 ..... c 23 N84-16255 *
US-PATENT-APPL-SN-315587 ..... c 25 N83-31743 *
US-PATENT-APPL-SN-315588 ..... c 05 N84-22551 *
US-PATENT-APPL-SN-316477 ..... c 18 N71-10772 *
US-PATENT-APPL-SN-316618 ..... c 07 N74-15453 *
US-PATENT-APPL-SN-31702 ..... c 16 N73-16536 *
US-PATENT-APPL-SN-31703 ..... c 09 N72-21244 *
US-PATENT-APPL-SN-317310 ..... c 36 N77-25502 *

US-PATENT-APPL-SN-317389 ..... c 18 N70-41583 *
US-PATENT-APPL-SN-317391 ..... c 15 N71-15968 *
US-PATENT-APPL-SN-317567 ..... c 36 N75-15029 *
US-PATENT-APPL-SN-317658 ..... c 36 N84-16542 *
US-PATENT-APPL-SN-317977 ..... c 25 N83-36118 *
US-PATENT-APPL-SN-318151 ..... c 75 N74-30156 *
US-PATENT-APPL-SN-318152 ..... c 52 N74-20728 *
US-PATENT-APPL-SN-318357 ..... c 35 N74-21019 *
US-PATENT-APPL-SN-318358 ..... c 27 N74-27037 *
US-PATENT-APPL-SN-318443 ..... c 03 N70-34667 *
US-PATENT-APPL-SN-318848 ..... c 35 N77-14408 *
US-PATENT-APPL-SN-31885 ..... c 10 N72-17172 *
US-PATENT-APPL-SN-319150 ..... c 33 N75-19519 *
US-PATENT-APPL-SN-319410 ..... c 37 N74-20063 *
US-PATENT-APPL-SN-319892 ..... c 07 N71-10609 *
US-PATENT-APPL-SN-319893 ..... c 14 N70-41647 *
US-PATENT-APPL-SN-319894 ..... c 03 N71-11053 *
US-PATENT-APPL-SN-319905 ..... c 14 N71-10781 *
US-PATENT-APPL-SN-320233 ..... c 33 N71-15625 *
US-PATENT-APPL-SN-320595 ..... c 26 N70-40015 *
US-PATENT-APPL-SN-320621 ..... c 27 N83-34040 *
US-PATENT-APPL-SN-321179 ..... c 27 N74-21156 *
US-PATENT-APPL-SN-321180 ..... c 05 N76-29217 *
US-PATENT-APPL-SN-321656 ..... c 14 N70-41807 *
US-PATENT-APPL-SN-322312 ..... c 25 N84-22709 *
US-PATENT-APPL-SN-322314 ..... c 35 N84-12443 *
US-PATENT-APPL-SN-322316 ..... c 31 N83-19947 *
US-PATENT-APPL-SN-322317 ..... c 46 N85-21846 *
US-PATENT-APPL-SN-322321 ..... c 37 N85-21651 *
US-PATENT-APPL-SN-322545 ..... c 14 N71-10774 *
US-PATENT-APPL-SN-322565 ..... c 37 N75-27376 *
US-PATENT-APPL-SN-322997 ..... c 37 N75-15992 *
US-PATENT-APPL-SN-322997 ..... c 24 N79-25143 *
US-PATENT-APPL-SN-322998 ..... c 35 N74-32877 *
US-PATENT-APPL-SN-323182 ..... c 03 N70-41864 *
US-PATENT-APPL-SN-324029 ..... c 32 N74-27612 *
US-PATENT-APPL-SN-32496 ..... c 15 N70-37925 *
US-PATENT-APPL-SN-325082 ..... c 35 N83-29652 *
US-PATENT-APPL-SN-325083 ..... c 33 N84-16456 *
US-PATENT-APPL-SN-325784 ..... c 24 N76-14204 *
US-PATENT-APPL-SN-325885 ..... c 35 N82-25484 * #
US-PATENT-APPL-SN-325886 ..... c 33 N83-34190 *
US-PATENT-APPL-SN-325931 ..... c 37 N82-26674 * #
US-PATENT-APPL-SN-325932 ..... c 33 N84-16455 *
US-PATENT-APPL-SN-325933 ..... c 76 N83-20789 *
US-PATENT-APPL-SN-326198 ..... c 35 N75-12272 *
US-PATENT-APPL-SN-326298 ..... c 14 N71-22765 *
US-PATENT-APPL-SN-326299 ..... c 26 N71-17818 *
US-PATENT-APPL-SN-326326 ..... c 35 N74-32879 *
US-PATENT-APPL-SN-326327 ..... c 44 N74-27519 *
US-PATENT-APPL-SN-326364 ..... c 51 N75-13502 *
US-PATENT-APPL-SN-32664 ..... c 11 N72-25287 *
US-PATENT-APPL-SN-32665 ..... c 14 N72-22444 *
US-PATENT-APPL-SN-327163 ..... c 03 N71-20895 *
US-PATENT-APPL-SN-327565 ..... c 02 N70-36825 *
US-PATENT-APPL-SN-327921 ..... c 54 N75-13531 *
US-PATENT-APPL-SN-327969 ..... c 35 N75-13213 *
US-PATENT-APPL-SN-328140 ..... c 18 N71-21651 *
US-PATENT-APPL-SN-328760 ..... c 31 N83-35177 *
US-PATENT-APPL-SN-328792 ..... c 35 N75-12273 *
US-PATENT-APPL-SN-329237 ..... c 33 N74-34638 *
US-PATENT-APPL-SN-329243 ..... c 28 N74-33209 *
US-PATENT-APPL-SN-329331 ..... c 15 N71-15906 *
US-PATENT-APPL-SN-329595 ..... c 05 N70-41329 *
US-PATENT-APPL-SN-329958 ..... c 33 N74-22885 *
US-PATENT-APPL-SN-330209 ..... c 15 N70-41646 *
US-PATENT-APPL-SN-330210 ..... c 14 N71-21090 *
US-PATENT-APPL-SN-331323 ..... c 07 N71-16088 *
US-PATENT-APPL-SN-331324 ..... c 05 N70-35152 *
US-PATENT-APPL-SN-33159 ..... c 10 N72-11256 *
US-PATENT-APPL-SN-331759 ..... c 07 N76-18117 *
US-PATENT-APPL-SN-331760 ..... c 35 N74-27860 *
US-PATENT-APPL-SN-332123 ..... c 27 N80-32514 *
US-PATENT-APPL-SN-332313 ..... c 21 N71-10678 *
US-PATENT-APPL-SN-332339 ..... c 07 N71-11284 *
US-PATENT-APPL-SN-333535 ..... c 74 N83-36898 *
US-PATENT-APPL-SN-333537 ..... c 44 N83-32176 *
US-PATENT-APPL-SN-333766 ..... c 31 N71-15663 *
US-PATENT-APPL-SN-333770 ..... c 21 N71-15583 *
US-PATENT-APPL-SN-333912 ..... c 32 N74-19790 *
US-PATENT-APPL-SN-33398 ..... c 14 N70-35587 * #
US-PATENT-APPL-SN-334349 ..... c 35 N75-19611 *
US-PATENT-APPL-SN-334672 ..... c 14 N70-41330 *
US-PATENT-APPL-SN-334678 ..... c 11 N71-10777 *
US-PATENT-APPL-SN-335036 ..... c 45 N84-12654 *
US-PATENT-APPL-SN-335201 ..... c 33 N74-17927 *
US-PATENT-APPL-SN-33535 ..... c 06 N72-17093 *
US-PATENT-APPL-SN-335441 ..... c 14 N71-23268 *
US-PATENT-APPL-SN-336103 ..... c 16 N71-15550 *
US-PATENT-APPL-SN-336319 ..... c 44 N74-33379 *
US-PATENT-APPL-SN-336320 ..... c 15 N71-15966 *
US-PATENT-APPL-SN-336607 ..... c 10 N71-15910 *
US-PATENT-APPL-SN-336608 ..... c 32 N71-17645 *
US-PATENT-APPL-SN-337487 ..... c 33 N74-26977 *
US-PATENT-APPL-SN-337816 ..... c 35 N75-15931 *
US-PATENT-APPL-SN-338386 ..... c 15 N84-16231 *
US-PATENT-APPL-SN-338484 ..... c 32 N74-20811 *
US-PATENT-APPL-SN-339040 ..... c 31 N70-41373 *
US-PATENT-APPL-SN-339806 ..... c 07 N74-27490 *
US-PATENT-APPL-SN-339821 ..... c 17 N70-33288 *
US-PATENT-APPL-SN-339825 ..... c 28 N71-15660 *
US-PATENT-APPL-SN-340113 ..... c 16 N70-41578 *
US-PATENT-APPL-SN-340791 ..... c 35 N74-26945 *
US-PATENT-APPL-SN-340862 ..... c 33 N77-26387 *
US-PATENT-APPL-SN-340863 ..... c 25 N76-27383 *
US-PATENT-APPL-SN-340864 ..... c 31 N74-21059 *
US-PATENT-APPL-SN-340871 ..... c 44 N74-19870 *
US-PATENT-APPL-SN-341406 ..... c 71 N83-35781 *
US-PATENT-APPL-SN-341467 ..... c 15 N70-39924 *
US-PATENT-APPL-SN-341621 ..... c 54 N74-20725 *
US-PATENT-APPL-SN-341662 ..... c 08 N74-10942 *
US-PATENT-APPL-SN-3417 ..... c 15 N72-22490 *
US-PATENT-APPL-SN-3418 ..... c 15 N72-20446 *
US-PATENT-APPL-SN-3418 ..... c 15 N73-19457 *
US-PATENT-APPL-SN-342572 ..... c 02 N71-16087 *
US-PATENT-APPL-SN-342574 ..... c 03 N71-20904 *
US-PATENT-APPL-SN-342828 ..... c 74 N85-29749 *
US-PATENT-APPL-SN-342857 ..... c 72 N84-28575 *
US-PATENT-APPL-SN-342871 ..... c 27 N84-33589 *
US-PATENT-APPL-SN-343308 ..... c 19 N74-29410 *
US-PATENT-APPL-SN-343425 ..... c 11 N70-35383 *
US-PATENT-APPL-SN-343426 ..... c 07 N71-20814 *
US-PATENT-APPL-SN-343607 ..... c 18 N74-27397 *
US-PATENT-APPL-SN-343760 ..... c 07 N71-28979 *
US-PATENT-APPL-SN-344410 ..... c 07 N74-33218 *
US-PATENT-APPL-SN-344793 ..... c 03 N71-11058 *
US-PATENT-APPL-SN-345372 ..... c 33 N74-22814 *
US-PATENT-APPL-SN-346356 ..... c 14 N70-41676 *
US-PATENT-APPL-SN-346361 ..... c 37 N74-21064 *
US-PATENT-APPL-SN-346372 ..... c 35 N75-12270 *
US-PATENT-APPL-SN-346483 ..... c 37 N74-32921 *
US-PATENT-APPL-SN-346483 ..... c 37 N76-15461 *
US-PATENT-APPL-SN-347101 ..... c 09 N70-41675 *
US-PATENT-APPL-SN-347626 ..... c 15 N70-40204 *
US-PATENT-APPL-SN-347952 ..... c 37 N75-13265 *
US-PATENT-APPL-SN-347953 ..... c 05 N75-24716 *
US-PATENT-APPL-SN-347960 ..... c 03 N70-39930 *
US-PATENT-APPL-SN-348422 ..... c 27 N76-15311 *
US-PATENT-APPL-SN-348600 ..... c 28 N71-29154 *
US-PATENT-APPL-SN-348787 ..... c 33 N75-19521 *
US-PATENT-APPL-SN-349778 ..... c 09 N70-40234 *
US-PATENT-APPL-SN-349781 ..... c 31 N71-15647 *
US-PATENT-APPL-SN-349782 ..... c 09 N71-16086 *
US-PATENT-APPL-SN-34989 ..... c 36 N74-13205 *
US-PATENT-APPL-SN-350249 ..... c 36 N75-15028 *
US-PATENT-APPL-SN-350250 ..... c 27 N75-27160 *
US-PATENT-APPL-SN-350300 ..... c 31 N74-32920 *
US-PATENT-APPL-SN-350471 ..... c 35 N85-29213 *
US-PATENT-APPL-SN-350472 ..... c 33 N84-14424 *
US-PATENT-APPL-SN-350473 ..... c 07 N84-22559 *
US-PATENT-APPL-SN-350474 ..... c 35 N84-22928 *
US-PATENT-APPL-SN-350475 ..... c 35 N84-28017 *
US-PATENT-APPL-SN-350476 ..... c 26 N84-22734 *
US-PATENT-APPL-SN-350477 ..... c 35 N84-33765 *
US-PATENT-APPL-SN-351259 ..... c 15 N71-10672 *
US-PATENT-APPL-SN-351929 ..... c 33 N75-14957 *
US-PATENT-APPL-SN-351950 ..... c 33 N75-27249 *
US-PATENT-APPL-SN-352381 ..... c 20 N75-18310 *
US-PATENT-APPL-SN-352381 ..... c 37 N76-14461 *
US-PATENT-APPL-SN-352382 ..... c 60 N75-13539 *
US-PATENT-APPL-SN-352383 ..... c 35 N75-16783 *
US-PATENT-APPL-SN-352400 ..... c 26 N71-10607 *
US-PATENT-APPL-SN-352821 ..... c 44 N84-28205 *
US-PATENT-APPL-SN-352827 ..... c 35 N84-28015 *
US-PATENT-APPL-SN-352827 ..... c 35 N85-21598 *
US-PATENT-APPL-SN-352831 ..... c 35 N84-16523 *
US-PATENT-APPL-SN-353162 ..... c 33 N75-26243 *
US-PATENT-APPL-SN-353632 ..... c 15 N71-13789 *
US-PATENT-APPL-SN-353634 ..... c 15 N70-41829 *
US-PATENT-APPL-SN-353637 ..... c 02 N70-34160 *
US-PATENT-APPL-SN-353644 ..... c 07 N71-23098 *
US-PATENT-APPL-SN-353645 ..... c 15 N71-15922 *
US-PATENT-APPL-SN-354060 ..... c 74 N76-19935 *
US-PATENT-APPL-SN-354126 ..... c 37 N82-22496 * #
US-PATENT-APPL-SN-354182 ..... c 10 N71-20841 *
US-PATENT-APPL-SN-354406 ..... c 52 N76-14757 *
US-PATENT-APPL-SN-354407 ..... c 33 N74-22865 *
US-PATENT-APPL-SN-354408 ..... c 35 N75-19614 *
US-PATENT-APPL-SN-354611 ..... c 25 N74-26947 *
US-PATENT-APPL-SN-354612 ..... c 35 N75-30504 *
US-PATENT-APPL-SN-355126 ..... c 17 N71-15644 *
US-PATENT-APPL-SN-355129 ..... c 14 N70-41957 *
US-PATENT-APPL-SN-355130 ..... c 15 N70-40354 *
US-PATENT-APPL-SN-356488 ..... c 08 N71-19544 *
US-PATENT-APPL-SN-356554 ..... c 24 N75-33181 *
US-PATENT-APPL-SN-356555 ..... c 37 N75-19685 *
US-PATENT-APPL-SN-356664 ..... c 31 N75-12161 *
US-PATENT-APPL-SN-356692 ..... c 15 N70-41371 *
US-PATENT-APPL-SN-357126 ..... c 35 N74-34857 *
US-PATENT-APPL-SN-357312 ..... c 27 N76-16229 *
US-PATENT-APPL-SN-357334 ..... c 03 N71-12258 *
US-PATENT-APPL-SN-357336 ..... c 03 N71-12259 *
US-PATENT-APPL-SN-357337 ..... c 15 N71-10782 *
US-PATENT-APPL-SN-357340 ..... c 23 N71-15673 *
US-PATENT-APPL-SN-358088 ..... c 35 N84-33767 *
US-PATENT-APPL-SN-358089 ..... c 71 N84-23233 *
US-PATENT-APPL-SN-358127 ..... c 05 N71-12335 *
US-PATENT-APPL-SN-358398 ..... c 36 N84-22944 *
US-PATENT-APPL-SN-359039 ..... c 32 N74-30523 *
US-PATENT-APPL-SN-359156 ..... c 14 N75-24794 *
US-PATENT-APPL-SN-359157 ..... c 35 N74-18090 *
US-PATENT-APPL-SN-359382 ..... c 32 N85-34327 *
US-PATENT-APPL-SN-359388 ..... c 44 N83-32177 *
US-PATENT-APPL-SN-359532 ..... c 15 N71-28959 *
US-PATENT-APPL-SN-359626 ..... c 35 N84-28018 *
US-PATENT-APPL-SN-359627 ..... c 35 N82-26631 * #
US-PATENT-APPL-SN-359627 ..... c 35 N85-29214 *
US-PATENT-APPL-SN-359957 ..... c 07 N74-32418 *
US-PATENT-APPL-SN-359958 ..... c 37 N74-26976 *
US-PATENT-APPL-SN-360180 ..... c 17 N71-16026 *
US-PATENT-APPL-SN-360182 ..... c 31 N70-36654 *
US-PATENT-APPL-SN-360878 ..... c 03 N71-11051 *
US-PATENT-APPL-SN-361215 ..... c 27 N84-14323 *
US-PATENT-APPL-SN-361216 ..... c 35 N84-28016 *
US-PATENT-APPL-SN-361217 ..... c 71 N85-22104 *
US-PATENT-APPL-SN-361666 ..... c 33 N75-30428 *
US-PATENT-APPL-SN-361711 ..... c 24 N82-26387 * #
US-PATENT-APPL-SN-361711 ..... c 24 N84-16262 *
US-PATENT-APPL-SN-361906 ..... c 33 N74-20861 *
US-PATENT-APPL-SN-361907 ..... c 35 N74-27865 *
US-PATENT-APPL-SN-362145 ..... c 32 N75-26194 *
US-PATENT-APPL-SN-362146 ..... c 33 N75-18479 *
US-PATENT-APPL-SN-362261 ..... c 14 N73-32325 *
US-PATENT-APPL-SN-362278 ..... c 37 N78-17385 *
US-PATENT-APPL-SN-363130 ..... c 25 N81-19244 *
US-PATENT-APPL-SN-363348 ..... c 05 N70-41581 *
US-PATENT-APPL-SN-363653 ..... c 07 N70-41331 *
US-PATENT-APPL-SN-363654 ..... c 07 N70-41372 *
US-PATENT-APPL-SN-363691 ..... c 20 N76-14190 *
US-PATENT-APPL-SN-364041 ..... c 76 N85-30923 *
US-PATENT-APPL-SN-364072 ..... c 70 N84-28565 *
US-PATENT-APPL-SN-364092 ..... c 76 N83-35888 *
US-PATENT-APPL-SN-364093 ..... c 37 N83-34323 *
US-PATENT-APPL-SN-364094 ..... c 37 N84-28083 *
US-PATENT-APPL-SN-364097 ..... c 71 N82-27086 * #
US-PATENT-APPL-SN-364126 ..... c 36 N84-22943 *
US-PATENT-APPL-SN-364867 ..... c 09 N71-10673 *
US-PATENT-APPL-SN-365244 ..... c 37 N78-17386 *
US-PATENT-APPL-SN-36531 ..... c 07 N72-25174 *
US-PATENT-APPL-SN-36534 ..... c 21 N73-14692 *
US-PATENT-APPL-SN-3654 ..... c 35 N77-27367 *
US-PATENT-APPL-SN-365644 ..... c 35 N74-26946 *
US-PATENT-APPL-SN-365950 ..... c 27 N83-18908 *
US-PATENT-APPL-SN-366025 ..... c 27 N84-22744 *
US-PATENT-APPL-SN-366103 ..... c 76 N84-35112 * #
US-PATENT-APPL-SN-366226 ..... c 10 N71-16057 *
US-PATENT-APPL-SN-367132 ..... c 32 N85-21427 *
US-PATENT-APPL-SN-367134 ..... c 44 N83-34449 *
US-PATENT-APPL-SN-367136 ..... c 35 N85-21596 *
US-PATENT-APPL-SN-367187 ..... c 04 N84-14132 *
US-PATENT-APPL-SN-367268 ..... c 05 N75-25914 *
US-PATENT-APPL-SN-367293 ..... c 36 N75-19655 *
US-PATENT-APPL-SN-367294 ..... c 76 N75-12810 *
US-PATENT-APPL-SN-367606 ..... c 75 N75-13625 *
US-PATENT-APPL-SN-367606 ..... c 75 N76-17951 *
US-PATENT-APPL-SN-368123 ..... c 09 N71-10618 *
US-PATENT-APPL-SN-368187 ..... c 54 N84-11758 *
US-PATENT-APPL-SN-368188 ..... c 33 N84-33663 *
US-PATENT-APPL-SN-368189 ..... c 18 N84-22605 *
US-PATENT-APPL-SN-36819 ..... c 23 N72-22673 *
US-PATENT-APPL-SN-36926 ..... c 28 N72-23810 *
US-PATENT-APPL-SN-369334 ..... c 21 N71-22880 *
US-PATENT-APPL-SN-369336 ..... c 09 N71-10659 *
US-PATENT-APPL-SN-369337 ..... c 15 N70-41811 *
US-PATENT-APPL-SN-369338 ..... c 08 N71-28925 *
US-PATENT-APPL-SN-369640 ..... c 32 N70-41370 *
US-PATENT-APPL-SN-3696 ..... c 10 N72-20224 *
US-PATENT-APPL-SN-370134 ..... c 30 N70-40353 *
US-PATENT-APPL-SN-370135 ..... c 11 N70-41677 *
US-PATENT-APPL-SN-370255 ..... c 33 N75-18477 *
US-PATENT-APPL-SN-370271 ..... c 32 N75-24981 *
US-PATENT-APPL-SN-37050 ..... c 33 N74-26732 *
US-PATENT-APPL-SN-370582 ..... c 18 N76-14186 *
US-PATENT-APPL-SN-370872 ..... c 37 N74-32918 *
US-PATENT-APPL-SN-370989 ..... c 23 N71-29049 *
US-PATENT-APPL-SN-370999 ..... c 74 N78-15879 *
US-PATENT-APPL-SN-371322 ..... c 44 N76-14600 *
US-PATENT-APPL-SN-371351 ..... c 76 N84-35113 *
US-PATENT-APPL-SN-371352 ..... c 52 N84-11744 *
US-PATENT-APPL-SN-371856 ..... c 15 N70-42033 *
US-PATENT-APPL-SN-371857 ..... c 07 N70-41680 *
US-PATENT-APPL-SN-372148 ..... c 35 N74-26949 *
US-PATENT-APPL-SN-372149 ..... c 37 N75-15050 *
US-PATENT-APPL-SN-372279 ..... c 35 N84-28019 *
US-PATENT-APPL-SN-372438 ..... c 30 N71-17788 *
US-PATENT-APPL-SN-372648 ..... c 27 N71-16348 *
US-PATENT-APPL-SN-372727 ..... c 31 N70-36845 *
US-PATENT-APPL-SN-372730 ..... c 28 N71-28850 *

US-PATENT-APPL-SN-373587 ..... c 33 N74-32711 *
US-PATENT-APPL-SN-373588 ..... c 33 N75-19515 *
US-PATENT-APPL-SN-373591 ..... c 31 N71-15692 *
US-PATENT-APPL-SN-373770 ..... c 35 N84-34705 *
US-PATENT-APPL-SN-373771 ..... c 35 N84-22934 *
US-PATENT-APPL-SN-373839 ..... c 33 N84-22887 *
US-PATENT-APPL-SN-374421 ..... c 27 N76-24405 *
US-PATENT-APPL-SN-374422 ..... c 32 N75-24982 *
US-PATENT-APPL-SN-374423 ..... c 36 N75-31427 *
US-PATENT-APPL-SN-374424 ..... c 74 N75-12732 *
US-PATENT-APPL-SN-374441 ..... c 35 N75-19616 *
US-PATENT-APPL-SN-374583 ..... c 33 N74-29556 *
US-PATENT-APPL-SN-374810 ..... c 27 N80-32514 *
US-PATENT-APPL-SN-375401 ..... c 17 N71-16025 *
US-PATENT-APPL-SN-375405 ..... c 31 N71-15675 *
US-PATENT-APPL-SN-375620 ..... c 43 N85-21723 *
US-PATENT-APPL-SN-375674 ..... c 28 N70-41582 *
US-PATENT-APPL-SN-375680 ..... c 10 N71-28739 *
US-PATENT-APPL-SN-375682 ..... c 31 N70-41588 *
US-PATENT-APPL-SN-375684 ..... c 44 N85-21769 *
US-PATENT-APPL-SN-375784 ..... c 24 N85-21266 *
US-PATENT-APPL-SN-375784 ..... c 24 N85-35233 *
US-PATENT-APPL-SN-376306 ..... c 25 N84-12262 *
US-PATENT-APPL-SN-377146 ..... c 14 N71-23041 *
US-PATENT-APPL-SN-377777 ..... c 32 N70-42003 *
US-PATENT-APPL-SN-377780 ..... c 11 N71-10604 *
US-PATENT-APPL-SN-377784 ..... c 28 N70-41311 *
US-PATENT-APPL-SN-377891 ..... c 52 N84-34913 *
US-PATENT-APPL-SN-377892 ..... c 33 N83-24763 *
US-PATENT-APPL-SN-378080 ..... c 12 N71-24692 *
US-PATENT-APPL-SN-378126 ..... c 44 N76-18643 *
US-PATENT-APPL-SN-378127 ..... c 44 N76-18641 *
US-PATENT-APPL-SN-378533 ..... c 37 N84-11497 *
US-PATENT-APPL-SN-378535 ..... c 74 N84-23248 *
US-PATENT-APPL-SN-379019 ..... c 09 N75-12969 *
US-PATENT-APPL-SN-379049 ..... c 31 N75-13111 *
US-PATENT-APPL-SN-379072 ..... c 15 N71-16078 *
US-PATENT-APPL-SN-379417 ..... c 02 N70-41863 *
US-PATENT-APPL-SN-379601 ..... c 71 N85-30765 *
US-PATENT-APPL-SN-379602 ..... c 44 N84-23018 *
US-PATENT-APPL-SN-379768 ..... c 28 N71-10780 *
US-PATENT-APPL-SN-379771 ..... c 33 N71-28852 *
US-PATENT-APPL-SN-380046 ..... c 25 N76-29379 *
US-PATENT-APPL-SN-380630 ..... c 37 N75-21631 *
US-PATENT-APPL-SN-380960 ..... c 15 N70-41993 *
US-PATENT-APPL-SN-380965 ..... c 10 N71-23033 *
US-PATENT-APPL-SN-381940 ..... c 09 N71-20705 *
US-PATENT-APPL-SN-382261 ..... c 35 N76-14430 *
US-PATENT-APPL-SN-382262 ..... c 37 N74-21058 *
US-PATENT-APPL-SN-38262 ..... c 28 N70-35422 * #
US-PATENT-APPL-SN-382976 ..... c 15 N71-21179 *
US-PATENT-APPL-SN-383063 ..... c 37 N84-12493 *
US-PATENT-APPL-SN-383068 ..... c 44 N84-34792 *
US-PATENT-APPL-SN-383083 ..... c 33 N84-16453 *
US-PATENT-APPL-SN-383086 ..... c 36 N85-21639 *
US-PATENT-APPL-SN-383384 ..... c 06 N84-27733 *
US-PATENT-APPL-SN-384010 ..... c 10 N71-28859 *
US-PATENT-APPL-SN-384547 ..... c 36 N85-29264 *
US-PATENT-APPL-SN-384773 ..... c 15 N76-14158 *
US-PATENT-APPL-SN-384811 ..... c 15 N71-10809 *
US-PATENT-APPL-SN-385013 ..... c 35 N75-19613 *
US-PATENT-APPL-SN-385059 ..... c 33 N77-21315 *
US-PATENT-APPL-SN-385220 ..... c 36 N85-30305 *
US-PATENT-APPL-SN-385520 ..... c 14 N71-23037 *
US-PATENT-APPL-SN-385522 ..... c 34 N75-33342 *
US-PATENT-APPL-SN-385526 ..... c 12 N71-16031 *
US-PATENT-APPL-SN-385527 ..... c 31 N71-17729 *
US-PATENT-APPL-SN-385530 ..... c 09 N71-10798 *
US-PATENT-APPL-SN-386467 ..... c 14 N70-40233 *
US-PATENT-APPL-SN-386789 ..... c 35 N75-12271 *
US-PATENT-APPL-SN-386790 ..... c 09 N75-12968 *
US-PATENT-APPL-SN-386793 ..... c 35 N75-25124 *
US-PATENT-APPL-SN-386800 ..... c 15 N71-21404 *
US-PATENT-APPL-SN-387094 ..... c 37 N77-19457 *
US-PATENT-APPL-SN-387095 ..... c 37 N75-33395 *
US-PATENT-APPL-SN-387266 ..... c 35 N75-27328 *
US-PATENT-APPL-SN-387332 ..... c 15 N70-33226 *
US-PATENT-APPL-SN-387342 ..... c 37 N76-18457 *
US-PATENT-APPL-SN-387646 ..... c 37 N85-30336 *
US-PATENT-APPL-SN-387647 ..... c 33 N85-34333 *
US-PATENT-APPL-SN-387648 ..... c 37 N85-21650 *
US-PATENT-APPL-SN-387649 ..... c 09 N85-19990 *
US-PATENT-APPL-SN-387728 ..... c 37 N84-28084 *
US-PATENT-APPL-SN-388023 ..... c 10 N70-41964 *
US-PATENT-APPL-SN-388024 ..... c 32 N71-17609 *
US-PATENT-APPL-SN-38814 ..... c 15 N72-11385 *
US-PATENT-APPL-SN-38816 ..... c 70 N74-13436 *
US-PATENT-APPL-SN-38816 ..... c 74 N78-15879 *
US-PATENT-APPL-SN-388966 ..... c 31 N70-41855 *
US-PATENT-APPL-SN-388967 ..... c 10 N71-23271 *
US-PATENT-APPL-SN-389916 ..... c 18 N75-27041 *
US-PATENT-APPL-SN-389929 ..... c 33 N75-25040 *
US-PATENT-APPL-SN-390049 ..... c 37 N76-16446 * #
US-PATENT-APPL-SN-390049 ..... c 44 N76-29700 *
US-PATENT-APPL-SN-390250 ..... c 21 N70-41856 *
US-PATENT-APPL-SN-390251 ..... c 07 N71-23026 *
US-PATENT-APPL-SN-390466 ..... c 24 N75-13032 *
US-PATENT-APPL-SN-390468 ..... c 36 N75-19652 *
US-PATENT-APPL-SN-391343 ..... c 05 N69-21473 * #
US-PATENT-APPL-SN-39185 ..... c 16 N72-25485 *
US-PATENT-APPL-SN-392092 ..... c 51 N84-28361 *
US-PATENT-APPL-SN-392093 ..... c 33 N88-23941 *
US-PATENT-APPL-SN-392094 ..... c 37 N85-29283 *
US-PATENT-APPL-SN-392096 ..... c 02 N84-11136 *
US-PATENT-APPL-SN-392103 ..... c 44 N84-28204 *
US-PATENT-APPL-SN-392104 ..... c 37 N85-20338 *
US-PATENT-APPL-SN-392823 ..... c 25 N74-33378 *
US-PATENT-APPL-SN-392944 ..... c 76 N85-29800 *
US-PATENT-APPL-SN-392965 ..... c 18 N71-22998 *
US-PATENT-APPL-SN-392969 ..... c 09 N71-23573 *
US-PATENT-APPL-SN-392970 ..... c 32 N70-41367 *
US-PATENT-APPL-SN-392973 ..... c 07 N71-23001 *
US-PATENT-APPL-SN-392992 ..... c 15 N71-23052 *
US-PATENT-APPL-SN-39342 ..... c 09 N72-25252 *
US-PATENT-APPL-SN-39343 ..... c 34 N74-18552 *
US-PATENT-APPL-SN-39344 ..... c 14 N72-25409 *
US-PATENT-APPL-SN-393451 ..... c 02 N70-42016 *
US-PATENT-APPL-SN-393456 ..... c 33 N83-16633 * #
US-PATENT-APPL-SN-393461 ..... c 31 N71-17691 *
US-PATENT-APPL-SN-393464 ..... c 23 N71-21821 *
US-PATENT-APPL-SN-393523 ..... c 12 N75-24774 *
US-PATENT-APPL-SN-393524 ..... c 60 N76-21914 *
US-PATENT-APPL-SN-393525 ..... c 31 N74-32917 *
US-PATENT-APPL-SN-393526 ..... c 77 N75-20139 *
US-PATENT-APPL-SN-393527 ..... c 15 N75-13007 *
US-PATENT-APPL-SN-393528 ..... c 36 N75-19654 *
US-PATENT-APPL-SN-393581 ..... c 54 N84-23113 *
US-PATENT-APPL-SN-393582 ..... c 37 N85-21649 *
US-PATENT-APPL-SN-393583 ..... c 27 N83-29392 * #
US-PATENT-APPL-SN-393584 ..... c 37 N85-30334 *
US-PATENT-APPL-SN-393585 ..... c 37 N82-31690 * #
US-PATENT-APPL-SN-393586 ..... c 54 N84-28484 *
US-PATENT-APPL-SN-393588 ..... c 25 N84-16276 *
US-PATENT-APPL-SN-394149 ..... c 35 N75-25123 *
US-PATENT-APPL-SN-394206 ..... c 76 N75-25730 *
US-PATENT-APPL-SN-394207 ..... c 25 N78-27226 *
US-PATENT-APPL-SN-394280 ..... c 54 N82-29002 *
US-PATENT-APPL-SN-394638 ..... c 28 N70-34162 *
US-PATENT-APPL-SN-394898 ..... c 07 N77-28118 *
US-PATENT-APPL-SN-395348 ..... c 15 N71-22713 *
US-PATENT-APPL-SN-395493 ..... c 37 N79-13364 *
US-PATENT-APPL-SN-395495 ..... c 54 N75-27759 *
US-PATENT-APPL-SN-395687 ..... c 37 N75-18573 *
US-PATENT-APPL-SN-395868 ..... c 33 N75-19516 *
US-PATENT-APPL-SN-395895 ..... c 36 N78-17366 *
US-PATENT-APPL-SN-396443 ..... c 15 N71-15986 *
US-PATENT-APPL-SN-396444 ..... c 10 N71-20782 *
US-PATENT-APPL-SN-397281 ..... c 76 N83-34796 *
US-PATENT-APPL-SN-397476 ..... c 34 N75-12222 *
US-PATENT-APPL-SN-397477 ..... c 33 N75-19517 *
US-PATENT-APPL-SN-397478 ..... c 52 N75-33640 *
US-PATENT-APPL-SN-39755 ..... c 08 N72-21198 *
US-PATENT-APPL-SN-397665 ..... c 10 N70-41991 *
US-PATENT-APPL-SN-398131 ..... c 05 N70-41297 *
US-PATENT-APPL-SN-398132 ..... c 15 N70-41808 *
US-PATENT-APPL-SN-398885 ..... c 27 N76-15310 *
US-PATENT-APPL-SN-398886 ..... c 07 N75-24736 *
US-PATENT-APPL-SN-398901 ..... c 37 N75-25186 *
US-PATENT-APPL-SN-399074 ..... c 33 N88-14271 *
US-PATENT-APPL-SN-399419 ..... c 21 N71-23289 *
US-PATENT-APPL-SN-400467 ..... c 33 N75-30431 *
US-PATENT-APPL-SN-400613 ..... c 15 N71-21528 *
US-PATENT-APPL-SN-400617 ..... c 31 N71-17629 *
US-PATENT-APPL-SN-400857 ..... c 31 N79-21225 *
US-PATENT-APPL-SN-401224 ..... c 38 N78-17396 *
US-PATENT-APPL-SN-401225 ..... c 38 N78-17395 *
US-PATENT-APPL-SN-401282 ..... c 18 N85-29991 *
US-PATENT-APPL-SN-401288 ..... c 37 N84-28081 *
US-PATENT-APPL-SN-401466 ..... c 09 N75-24758 *
US-PATENT-APPL-SN-401919 ..... c 24 N76-24363 *
US-PATENT-APPL-SN-401920 ..... c 37 N75-25185 *
US-PATENT-APPL-SN-401921 ..... c 24 N76-14203 *
US-PATENT-APPL-SN-402205 ..... c 33 N85-30187 *
US-PATENT-APPL-SN-402365 ..... c 31 N71-17730 *
US-PATENT-APPL-SN-402865 ..... c 33 N74-32660 *
US-PATENT-APPL-SN-402867 ..... c 35 N75-33367 *
US-PATENT-APPL-SN-402868 ..... c 35 N75-19612 *
US-PATENT-APPL-SN-402978 ..... c 10 N71-23084 *
US-PATENT-APPL-SN-403154 ..... c 37 N77-22480 *
US-PATENT-APPL-SN-403371 ..... c 27 N82-33523 * #
US-PATENT-APPL-SN-403378 ..... c 26 N84-33555 *
US-PATENT-APPL-SN-403694 ..... c 54 N75-12616 *
US-PATENT-APPL-SN-403695 ..... c 35 N77-20399 *
US-PATENT-APPL-SN-403847 ..... c 31 N83-35176 *
US-PATENT-APPL-SN-403848 ..... c 33 N85-21493 *
US-PATENT-APPL-SN-403849 ..... c 35 N87-21304 *
US-PATENT-APPL-SN-403959 ..... c 14 N70-41994 *
US-PATENT-APPL-SN-403960 ..... c 14 N70-41366 *
US-PATENT-APPL-SN-404212 ..... c 14 N73-32324 *
US-PATENT-APPL-SN-404809 ..... c 27 N84-27885 *
US-PATENT-APPL-SN-404809 ..... c 25 N85-28982 *
US-PATENT-APPL-SN-405341 ..... c 37 N76-15460 *
US-PATENT-APPL-SN-405342 ..... c 35 N75-19615 *
US-PATENT-APPL-SN-405346 ..... c 37 N75-30562 *
US-PATENT-APPL-SN-405629 ..... c 09 N71-10677 *
US-PATENT-APPL-SN-405630 ..... c 14 N71-10616 *
US-PATENT-APPL-SN-405632 ..... c 21 N71-15582 *
US-PATENT-APPL-SN-406097 ..... c 14 N71-21088 *
US-PATENT-APPL-SN-406296 ..... c 25 N79-10163 *
US-PATENT-APPL-SN-406715 ..... c 35 N75-15014 *
US-PATENT-APPL-SN-406820 ..... c 74 N86-32266 *
US-PATENT-APPL-SN-407240 ..... c 27 N83-34041 *
US-PATENT-APPL-SN-407240 ..... c 27 N85-20124 *
US-PATENT-APPL-SN-407323 ..... c 32 N75-21485 *
US-PATENT-APPL-SN-407595 ..... c 28 N70-41992 *
US-PATENT-APPL-SN-407599 ..... c 14 N71-21091 *
US-PATENT-APPL-SN-407603 ..... c 05 N71-11199 *
US-PATENT-APPL-SN-408435 ..... c 15 N71-28937 *
US-PATENT-APPL-SN-408438 ..... c 07 N71-22750 *
US-PATENT-APPL-SN-408442 ..... c 10 N71-23662 *
US-PATENT-APPL-SN-408575 ..... c 35 N83-32026 *
US-PATENT-APPL-SN-409126 ..... c 18 N71-21068 *
US-PATENT-APPL-SN-409678 ..... c 09 N84-27749 *
US-PATENT-APPL-SN-409679 ..... c 33 N82-33634 * #
US-PATENT-APPL-SN-409679 ..... c 33 N84-22884 *
US-PATENT-APPL-SN-409680 ..... c 35 N85-20294 *
US-PATENT-APPL-SN-409990 ..... c 35 N75-27330 *
US-PATENT-APPL-SN-409991 ..... c 33 N75-13139 *
US-PATENT-APPL-SN-410325 ..... c 18 N71-23088 *
US-PATENT-APPL-SN-410326 ..... c 09 N71-21449 *
US-PATENT-APPL-SN-410330 ..... c 26 N71-23043 *
US-PATENT-APPL-SN-410331 ..... c 02 N70-41589 *
US-PATENT-APPL-SN-410332 ..... c 14 N71-23039 *
US-PATENT-APPL-SN-411572 ..... c 35 N75-15932 *
US-PATENT-APPL-SN-411944 ..... c 15 N70-41629 *
US-PATENT-APPL-SN-411945 ..... c 18 N71-23047 *
US-PATENT-APPL-SN-411949 ..... c 27 N71-15635 *
US-PATENT-APPL-SN-412039 ..... c 06 N84-34443 *
US-PATENT-APPL-SN-412079 ..... c 37 N75-13266 *
US-PATENT-APPL-SN-412080 ..... c 36 N75-19653 *
US-PATENT-APPL-SN-412379 ..... c 32 N77-10392 *
US-PATENT-APPL-SN-413101 ..... c 07 N86-20389 *
US-PATENT-APPL-SN-41345 ..... c 09 N72-29172 *
US-PATENT-APPL-SN-41346 ..... c 15 N72-24522 *
US-PATENT-APPL-SN-41347 ..... c 09 N72-25256 *
US-PATENT-APPL-SN-41348 ..... c 09 N72-23173 *
US-PATENT-APPL-SN-413661 ..... c 15 N71-23024 *
US-PATENT-APPL-SN-413662 ..... c 09 N70-41929 *
US-PATENT-APPL-SN-414042 ..... c 35 N79-17192 *
US-PATENT-APPL-SN-414043 ..... c 27 N76-32315 *
US-PATENT-APPL-SN-41404 ..... c 03 N73-20039 *
US-PATENT-APPL-SN-414106 ..... c 54 N84-16803 *
US-PATENT-APPL-SN-414107 ..... c 35 N84-22932 *
US-PATENT-APPL-SN-414237 ..... c 35 N85-30282 *
US-PATENT-APPL-SN-41430 ..... c 10 N72-20221 *
US-PATENT-APPL-SN-41431 ..... c 37 N77-27400 *
US-PATENT-APPL-SN-414482 ..... c 10 N71-10578 *
US-PATENT-APPL-SN-41455 ..... c 02 N70-33255 *
US-PATENT-APPL-SN-415486 ..... c 37 N75-19683 *
US-PATENT-APPL-SN-415878 ..... c 08 N86-27288 *
US-PATENT-APPL-SN-415879 ..... c 37 N85-21652 *
US-PATENT-APPL-SN-415880 ..... c 27 N84-27884 *
US-PATENT-APPL-SN-415960 ..... c 37 N85-20337 *
US-PATENT-APPL-SN-416135 ..... c 32 N75-15854 *
US-PATENT-APPL-SN-416938 ..... c 11 N71-10746 *
US-PATENT-APPL-SN-416940 ..... c 21 N71-21708 *
US-PATENT-APPL-SN-416941 ..... c 31 N70-34159 *
US-PATENT-APPL-SN-416943 ..... c 14 N71-23269 *
US-PATENT-APPL-SN-416945 ..... c 10 N71-23543 *
US-PATENT-APPL-SN-416946 ..... c 28 N71-15563 *
US-PATENT-APPL-SN-417253 ..... c 11 N71-23042 *
US-PATENT-APPL-SN-418137 ..... c 16 N84-22601 *
US-PATENT-APPL-SN-418138 ..... c 16 N84-27784 *
US-PATENT-APPL-SN-418139 ..... c 24 N84-27829 *
US-PATENT-APPL-SN-418362 ..... c 14 N71-20741 *
US-PATENT-APPL-SN-418931 ..... c 05 N70-42000 *
US-PATENT-APPL-SN-418933 ..... c 15 N71-23022 *
US-PATENT-APPL-SN-419319 ..... c 34 N76-17317 *
US-PATENT-APPL-SN-419747 ..... c 17 N76-21250 *
US-PATENT-APPL-SN-419748 ..... c 27 N76-14264 *
US-PATENT-APPL-SN-419831 ..... c 35 N75-21582 *
US-PATENT-APPL-SN-419831 ..... c 35 N77-17426 *
US-PATENT-APPL-SN-42022 ..... c 15 N70-35409 *
US-PATENT-APPL-SN-420245 ..... c 08 N71-22749 *
US-PATENT-APPL-SN-420250 ..... c 15 N71-23051 *
US-PATENT-APPL-SN-420424 ..... c 34 N75-26282 *
US-PATENT-APPL-SN-420466 ..... c 14 N71-23092 *
US-PATENT-APPL-SN-420813 ..... c 36 N75-32441 *
US-PATENT-APPL-SN-42088 ..... c 34 N78-17336 *
US-PATENT-APPL-SN-421702 ..... c 44 N75-32581 *
US-PATENT-APPL-SN-421702 ..... c 44 N76-23675 *
US-PATENT-APPL-SN-422092 ..... c 14 N71-22989 *
US-PATENT-APPL-SN-422095 ..... c 07 N71-10676 *
US-PATENT-APPL-SN-422096 ..... c 03 N71-29044 *
US-PATENT-APPL-SN-422097 ..... c 11 N71-21481 *
US-PATENT-APPL-SN-422098 ..... c 15 N71-22797 *
US-PATENT-APPL-SN-422099 ..... c 14 N71-22964 *
US-PATENT-APPL-SN-422864 ..... c 05 N69-21925 * #

US-PATENT-APPL-SN-422865 ..... c 31 N70-41631 *
US-PATENT-APPL-SN-422867 ..... c 15 N70-40062 *
US-PATENT-APPL-SN-422868 ..... c 15 N71-10617 *
US-PATENT-APPL-SN-422869 ..... c 14 N71-10779 *
US-PATENT-APPL-SN-423016 ..... c 36 N85-21631 *
US-PATENT-APPL-SN-423412 ..... c 08 N71-22897 *
US-PATENT-APPL-SN-424013 ..... c 34 N76-27517 *
US-PATENT-APPL-SN-424038 ..... c 24 N75-30260 *
US-PATENT-APPL-SN-424153 ..... c 15 N71-21234 *
US-PATENT-APPL-SN-424156 ..... c 02 N71-23007 *
US-PATENT-APPL-SN-424157 ..... c 28 N70-41275 *
US-PATENT-APPL-SN-425096 ..... c 05 N71-23080 *
US-PATENT-APPL-SN-425201 ..... c 04 N86-19304 *
US-PATENT-APPL-SN-425202 ..... c 74 N85-34629 *
US-PATENT-APPL-SN-425203 ..... c 35 N84-22930 *
US-PATENT-APPL-SN-425204 ..... c 32 N85-29117 *
US-PATENT-APPL-SN-425205 ..... c 35 N85-21595 *
US-PATENT-APPL-SN-425362 ..... c 15 N71-10658 *
US-PATENT-APPL-SN-425363 ..... c 09 N71-20658 *
US-PATENT-APPL-SN-425364 ..... c 33 N71-15623 *
US-PATENT-APPL-SN-425365 ..... c 32 N71-21045 *
US-PATENT-APPL-SN-425972 ..... c 03 N71-23006 *
US-PATENT-APPL-SN-426155 ..... c 33 N75-15874 *
US-PATENT-APPL-SN-426405 ..... c 25 N75-26043 *
US-PATENT-APPL-SN-426455 ..... c 28 N71-15661 *
US-PATENT-APPL-SN-426702 ..... c 15 N70-42034 *
US-PATENT-APPL-SN-427395 ..... c 54 N75-27760 *
US-PATENT-APPL-SN-427775 ..... c 27 N76-22376 *
US-PATENT-APPL-SN-427990 ..... c 06 N71-23527 *
US-PATENT-APPL-SN-428444 ..... c 44 N76-18642 *
US-PATENT-APPL-SN-428444 ..... c 44 N76-29704 *
US-PATENT-APPL-SN-428882 ..... c 31 N70-41948 *
US-PATENT-APPL-SN-428887 ..... c 33 N71-29051 *
US-PATENT-APPL-SN-428890 ..... c 02 N70-41630 *
US-PATENT-APPL-SN-428992 ..... c 34 N77-18382 *
US-PATENT-APPL-SN-428993 ..... c 45 N75-27585 *
US-PATENT-APPL-SN-428994 ..... c 32 N75-21486 *
US-PATENT-APPL-SN-428994 ..... c 32 N76-16249 *
US-PATENT-APPL-SN-429365 ..... c 51 N75-25503 *
US-PATENT-APPL-SN-429437 ..... c 35 N75-23910 *
US-PATENT-APPL-SN-429932 ..... c 05 N71-20268 *
US-PATENT-APPL-SN-430192 ..... c 18 N71-27170 *
US-PATENT-APPL-SN-430226 ..... c 18 N71-23658 *
US-PATENT-APPL-SN-430496 ..... c 26 N75-29236 *
US-PATENT-APPL-SN-430748 ..... c 76 N79-21910 *
US-PATENT-APPL-SN-430776 ..... c 03 N70-41954 *
US-PATENT-APPL-SN-430777 ..... c 18 N71-24184 *
US-PATENT-APPL-SN-430778 ..... c 03 N71-10728 *
US-PATENT-APPL-SN-430780 ..... c 03 N71-12260 *
US-PATENT-APPL-SN-431235 ..... c 15 N71-16052 *
US-PATENT-APPL-SN-431420 ..... c 37 N85-29282 *
US-PATENT-APPL-SN-431448 ..... c 37 N84-22957 *
US-PATENT-APPL-SN-431886 ..... c 18 N84-27787 *
US-PATENT-APPL-SN-432025 ..... c 15 N71-21531 *
US-PATENT-APPL-SN-432026 ..... c 07 N71-23405 *
US-PATENT-APPL-SN-432027 ..... c 21 N70-41930 *
US-PATENT-APPL-SN-432028 ..... c 15 N71-22723 *
US-PATENT-APPL-SN-432030 ..... c 12 N71-20896 *
US-PATENT-APPL-SN-432032 ..... c 15 N69-24322 * #
US-PATENT-APPL-SN-432057 ..... c 33 N84-14423 *
US-PATENT-APPL-SN-432433 ..... c 15 N71-22705 *
US-PATENT-APPL-SN-433196 ..... c 44 N84-23019 *
US-PATENT-APPL-SN-43327 ..... c 15 N72-26371 *
US-PATENT-APPL-SN-433598 ..... c 27 N84-22747 *
US-PATENT-APPL-SN-433821 ..... c 09 N71-16089 *
US-PATENT-APPL-SN-433968 ..... c 33 N75-25041 *
US-PATENT-APPL-SN-434084 ..... c 33 N84-27974 *
US-PATENT-APPL-SN-434085 ..... c 33 N85-29145 *
US-PATENT-APPL-SN-434087 ..... c 27 N86-19457 *
US-PATENT-APPL-SN-434143 ..... c 15 N71-15871 *
US-PATENT-APPL-SN-434148 ..... c 31 N71-24750 *
US-PATENT-APPL-SN-434672 ..... c 34 N84-14461 *
US-PATENT-APPL-SN-434674 ..... c 34 N83-35307 *
US-PATENT-APPL-SN-435387 ..... c 10 N70-42032 *
US-PATENT-APPL-SN-435433 ..... c 14 N71-30026 *
US-PATENT-APPL-SN-435511 ..... c 27 N84-27886 *
US-PATENT-APPL-SN-435756 ..... c 12 N71-16894 *
US-PATENT-APPL-SN-436313 ..... c 54 N77-32721 *
US-PATENT-APPL-SN-436315 ..... c 26 N75-19408 *
US-PATENT-APPL-SN-436316 ..... c 20 N76-14191 *
US-PATENT-APPL-SN-436317 ..... c 37 N76-24575 *
US-PATENT-APPL-SN-437556 ..... c 27 N76-16230 *
US-PATENT-APPL-SN-437611 ..... c 09 N71-22796 *
US-PATENT-APPL-SN-437912 ..... c 33 N85-29142 *
US-PATENT-APPL-SN-437917 ..... c 60 N85-33701 *
US-PATENT-APPL-SN-438135 ..... c 09 N71-23027 *
US-PATENT-APPL-SN-438147 ..... c 75 N76-14931 *
US-PATENT-APPL-SN-438446 ..... c 74 N86-20126 *
US-PATENT-APPL-SN-438797 ..... c 14 N71-10500 *
US-PATENT-APPL-SN-43883 ..... c 18 N73-30532 *
US-PATENT-APPL-SN-43884 ..... c 15 N72-25457 *
US-PATENT-APPL-SN-439489 ..... c 09 N70-41717 *
US-PATENT-APPL-SN-439490 ..... c 23 N69-24332 * #
US-PATENT-APPL-SN-440033 ..... c 27 N70-41897 *
US-PATENT-APPL-SN-440036 ..... c 09 N71-23097 *
US-PATENT-APPL-SN-440039 ..... c 09 N71-22888 *
US-PATENT-APPL-SN-440656 ..... c 27 N85-21348 *
US-PATENT-APPL-SN-440916 ..... c 33 N75-27252 *
US-PATENT-APPL-SN-440917 ..... c 37 N76-18459 *
US-PATENT-APPL-SN-441279 ..... c 35 N75-29382 *
US-PATENT-APPL-SN-441897 ..... c 35 N84-33768 *
US-PATENT-APPL-SN-441899 ..... c 27 N84-14322 *
US-PATENT-APPL-SN-441936 ..... c 14 N69-39975 * #
US-PATENT-APPL-SN-442558 ..... c 15 N71-10799 *
US-PATENT-APPL-SN-442815 ..... c 76 N87-23286 *
US-PATENT-APPL-SN-442835 ..... c 26 N71-29156 *
US-PATENT-APPL-SN-444087 ..... c 02 N71-11041 * #
US-PATENT-APPL-SN-444124 ..... c 52 N84-23095 *
US-PATENT-APPL-SN-444125 ..... c 20 N83-17588 * #
US-PATENT-APPL-SN-444149 ..... c 47 N84-28292 *
US-PATENT-APPL-SN-444150 ..... c 35 N84-22933 *
US-PATENT-APPL-SN-445178 ..... c 37 N76-15461 *
US-PATENT-APPL-SN-445292 ..... c 11 N71-23030 *
US-PATENT-APPL-SN-445398 ..... c 74 N78-15880 *
US-PATENT-APPL-SN-445807 ..... c 14 N71-22996 *
US-PATENT-APPL-SN-446071 ..... c 25 N82-29370 *
US-PATENT-APPL-SN-446131 ..... c 14 N71-22992 *
US-PATENT-APPL-SN-446560 ..... c 12 N76-15189 *
US-PATENT-APPL-SN-446562 ..... c 36 N76-14447 *
US-PATENT-APPL-SN-446564 ..... c 35 N75-26334 *
US-PATENT-APPL-SN-446567 ..... c 34 N76-27515 *
US-PATENT-APPL-SN-446568 ..... c 37 N76-23570 *
US-PATENT-APPL-SN-446569 ..... c 77 N75-20140 *
US-PATENT-APPL-SN-447124 ..... c 35 N75-30503 *
US-PATENT-APPL-SN-447371 ..... c 27 N84-22746 *
US-PATENT-APPL-SN-447927 ..... c 11 N71-10776 *
US-PATENT-APPL-SN-447928 ..... c 15 N71-10577 *
US-PATENT-APPL-SN-447930 ..... c 14 N69-39896 * #
US-PATENT-APPL-SN-447933 ..... c 03 N69-21337 * #
US-PATENT-APPL-SN-448320 ..... c 91 N76-30131 *
US-PATENT-APPL-SN-448321 ..... c 27 N78-32261 *
US-PATENT-APPL-SN-448323 ..... c 18 N76-17185 *
US-PATENT-APPL-SN-448325 ..... c 33 N75-26244 *
US-PATENT-APPL-SN-448365 ..... c 10 N71-26414 *
US-PATENT-APPL-SN-448881 ..... c 32 N85-29118 *
US-PATENT-APPL-SN-448898 ..... c 15 N70-41310 *
US-PATENT-APPL-SN-449118 ..... c 33 N75-19524 *
US-PATENT-APPL-SN-449153 ..... c 54 N75-27761 *
US-PATENT-APPL-SN-449901 ..... c 28 N70-41967 *
US-PATENT-APPL-SN-449902 ..... c 14 N70-41681 *
US-PATENT-APPL-SN-450166 ..... c 33 N84-27975 *
US-PATENT-APPL-SN-450319 ..... c 33 N84-33661 *
US-PATENT-APPL-SN-450500 ..... c 37 N76-18455 *
US-PATENT-APPL-SN-450502 ..... c 37 N76-18456 *
US-PATENT-APPL-SN-450504 ..... c 23 N77-17161 *
US-PATENT-APPL-SN-450505 ..... c 37 N75-31446 *
US-PATENT-APPL-SN-45053 ..... c 33 N75-31330 *
US-PATENT-APPL-SN-451596 ..... c 17 N71-29137 *
US-PATENT-APPL-SN-451896 ..... c 26 N86-32551 *
US-PATENT-APPL-SN-452464 ..... c 24 N84-11213 *
US-PATENT-APPL-SN-452465 ..... c 25 N83-17628 * #
US-PATENT-APPL-SN-452466 ..... c 03 N84-33394 *
US-PATENT-APPL-SN-452761 ..... c 33 N75-19522 *
US-PATENT-APPL-SN-452767 ..... c 05 N75-25915 *
US-PATENT-APPL-SN-452768 ..... c 52 N76-30793 *
US-PATENT-APPL-SN-452769 ..... c 44 N76-16612 *
US-PATENT-APPL-SN-452770 ..... c 33 N75-31332 *
US-PATENT-APPL-SN-452944 ..... c 18 N71-24183 *
US-PATENT-APPL-SN-452945 ..... c 18 N69-39979 * #
US-PATENT-APPL-SN-453115 ..... c 32 N76-14321 *
US-PATENT-APPL-SN-453225 ..... c 15 N71-24833 *
US-PATENT-APPL-SN-453227 ..... c 31 N71-10582 *
US-PATENT-APPL-SN-453229 ..... c 17 N71-23828 *
US-PATENT-APPL-SN-453231 ..... c 23 N71-15467 *
US-PATENT-APPL-SN-453232 ..... c 15 N71-21311 *
US-PATENT-APPL-SN-453232 ..... c 18 N75-19329 *
US-PATENT-APPL-SN-453241 ..... c 33 N75-29318 *
US-PATENT-APPL-SN-455163 ..... c 32 N75-26195 *
US-PATENT-APPL-SN-455165 ..... c 36 N75-30524 *
US-PATENT-APPL-SN-45519 ..... c 14 N72-25410 *
US-PATENT-APPL-SN-455352 ..... c 33 N71-20834 *
US-PATENT-APPL-SN-455477 ..... c 08 N71-19687 *
US-PATENT-APPL-SN-45549 ..... c 27 N76-16228 *
US-PATENT-APPL-SN-456460 ..... c 26 N84-27855 *
US-PATENT-APPL-SN-456578 ..... c 07 N70-41678 *
US-PATENT-APPL-SN-456581 ..... c 09 N71-23021 *
US-PATENT-APPL-SN-456874 ..... c 06 N71-23499 *
US-PATENT-APPL-SN-457295 ..... c 20 N75-24837 *
US-PATENT-APPL-SN-457874 ..... c 09 N71-23545 *
US-PATENT-APPL-SN-457875 ..... c 31 N70-42015 *
US-PATENT-APPL-SN-457876 ..... c 02 N71-12243 *
US-PATENT-APPL-SN-457879 ..... c 15 N71-21078 *
US-PATENT-APPL-SN-457990 ..... c 85 N85-34722 *
US-PATENT-APPL-SN-457992 ..... c 35 N85-29212 *
US-PATENT-APPL-SN-458484 ..... c 44 N76-14595 *
US-PATENT-APPL-SN-459138 ..... c 14 N71-10773 *
US-PATENT-APPL-SN-459407 ..... c 14 N73-30391 *
US-PATENT-APPL-SN-459736 ..... c 33 N75-26245 *
US-PATENT-APPL-SN-459842 ..... c 35 N85-30281 *
US-PATENT-APPL-SN-460509 ..... c 37 N84-33807 *
US-PATENT-APPL-SN-460733 ..... c 37 N83-20154 * #
US-PATENT-APPL-SN-460876 ..... c 09 N69-21470 * #
US-PATENT-APPL-SN-460877 ..... c 33 N71-23085 *
US-PATENT-APPL-SN-461073 ..... c 33 N75-26246 *
US-PATENT-APPL-SN-461477 ..... c 37 N75-19686 *
US-PATENT-APPL-SN-461724 ..... c 31 N85-21404 *
US-PATENT-APPL-SN-461765 ..... c 17 N71-23046 *
US-PATENT-APPL-SN-461788 ..... c 27 N85-21349 *
US-PATENT-APPL-SN-462341 ..... c 44 N76-31666 *
US-PATENT-APPL-SN-462424 ..... c 24 N77-19171 *
US-PATENT-APPL-SN-462497 ..... c 25 N85-21279 *
US-PATENT-APPL-SN-462508 ..... c 35 N86-19580 *
US-PATENT-APPL-SN-462705 ..... c 37 N75-19684 *
US-PATENT-APPL-SN-462762 ..... c 12 N69-21466 * #
US-PATENT-APPL-SN-462763 ..... c 14 N71-22991 *
US-PATENT-APPL-SN-462844 ..... c 33 N75-19520 *
US-PATENT-APPL-SN-462903 ..... c 37 N76-14461 *
US-PATENT-APPL-SN-463456 ..... c 37 N85-30333 *
US-PATENT-APPL-SN-463925 ..... c 74 N76-30053 *
US-PATENT-APPL-SN-464720 ..... c 32 N76-16249 *
US-PATENT-APPL-SN-464721 ..... c 37 N75-26372 *
US-PATENT-APPL-SN-464722 ..... c 35 N76-22509 *
US-PATENT-APPL-SN-464723 ..... c 33 N75-30429 *
US-PATENT-APPL-SN-464878 ..... c 10 N71-22986 *
US-PATENT-APPL-SN-464879 ..... c 14 N71-21072 *
US-PATENT-APPL-SN-464880 ..... c 33 N71-21586 *
US-PATENT-APPL-SN-464885 ..... c 15 N71-22997 *
US-PATENT-APPL-SN-465363 ..... c 52 N84-28389 *
US-PATENT-APPL-SN-465364 ..... c 44 N85-20530 *
US-PATENT-APPL-SN-465365 ..... c 43 N86-19711 *
US-PATENT-APPL-SN-465366 ..... c 27 N85-20126 *
US-PATENT-APPL-SN-465367 ..... c 27 N84-22748 *
US-PATENT-APPL-SN-465369 ..... c 76 N86-28760 *
US-PATENT-APPL-SN-465370 ..... c 52 N83-29991 * #
US-PATENT-APPL-SN-466390 ..... c 28 N71-20330 *
US-PATENT-APPL-SN-466868 ..... c 22 N71-23599 *
US-PATENT-APPL-SN-466873 ..... c 17 N71-20743 *
US-PATENT-APPL-SN-466875 ..... c 08 N71-22707 *
US-PATENT-APPL-SN-467820 ..... c 28 N71-26779 *
US-PATENT-APPL-SN-468614 ..... c 60 N77-14751 *
US-PATENT-APPL-SN-468614 ..... c 60 N77-32731 *
US-PATENT-APPL-SN-468614 ..... c 60 N78-10709 *
US-PATENT-APPL-SN-468647 ..... c 21 N71-10771 *
US-PATENT-APPL-SN-468655 ..... c 15 N69-21471 * #
US-PATENT-APPL-SN-469011 ..... c 11 N69-21540 * #
US-PATENT-APPL-SN-469012 ..... c 25 N71-20747 *
US-PATENT-APPL-SN-469013 ..... c 14 N69-27423 * #
US-PATENT-APPL-SN-469371 ..... c 05 N86-19310 *
US-PATENT-APPL-SN-469864 ..... c 37 N86-19605 *
US-PATENT-APPL-SN-469866 ..... c 27 N84-22749 *
US-PATENT-APPL-SN-470113 ..... c 17 N87-16863 *
US-PATENT-APPL-SN-470114 ..... c 25 N83-24572 * #
US-PATENT-APPL-SN-470428 ..... c 33 N76-16332 *
US-PATENT-APPL-SN-470429 ..... c 33 N75-31329 *
US-PATENT-APPL-SN-47061 ..... c 26 N72-25680 *
US-PATENT-APPL-SN-47062 ..... c 15 N72-17451 *
US-PATENT-APPL-SN-47063 ..... c 33 N72-25911 *
US-PATENT-APPL-SN-47063 ..... c 33 N73-25952 *
US-PATENT-APPL-SN-470902 ..... c 06 N71-28808 *
US-PATENT-APPL-SN-471154 ..... c 09 N73-28084 *
US-PATENT-APPL-SN-47120 ..... c 31 N70-33242 *
US-PATENT-APPL-SN-47121 ..... c 09 N70-39915 *
US-PATENT-APPL-SN-47122 ..... c 14 N70-34813 *
US-PATENT-APPL-SN-47123 ..... c 15 N70-34817 *
US-PATENT-APPL-SN-472066 ..... c 31 N70-42075 *
US-PATENT-APPL-SN-472372 ..... c 07 N71-20791 *
US-PATENT-APPL-SN-472643 ..... c 33 N79-21265 *
US-PATENT-APPL-SN-472747 ..... c 31 N71-16081 *
US-PATENT-APPL-SN-472775 ..... c 35 N75-33369 *
US-PATENT-APPL-SN-473498 ..... c 20 N85-21256 *
US-PATENT-APPL-SN-473499 ..... c 74 N86-21348 *
US-PATENT-APPL-SN-473535 ..... c 31 N71-15637 *
US-PATENT-APPL-SN-473537 ..... c 08 N71-15908 *
US-PATENT-APPL-SN-473827 ..... c 35 N86-32698 *
US-PATENT-APPL-SN-473973 ..... c 02 N77-10001 *
US-PATENT-APPL-SN-47440 ..... c 07 N73-20174 *
US-PATENT-APPL-SN-47441 ..... c 09 N70-34559 * #
US-PATENT-APPL-SN-47443 ..... c 09 N72-17152 *
US-PATENT-APPL-SN-474531 ..... c 31 N71-23009 *
US-PATENT-APPL-SN-474744 ..... c 35 N76-14431 *
US-PATENT-APPL-SN-474745 ..... c 37 N76-14463 *
US-PATENT-APPL-SN-474815 ..... c 33 N79-21264 *
US-PATENT-APPL-SN-475299 ..... c 31 N71-17679 *
US-PATENT-APPL-SN-475336 ..... c 54 N75-27758 *
US-PATENT-APPL-SN-475337 ... c 51 N76-29891 *
US-PATENT-APPL-SN-475338 ..... c 35 N76-15431 *
US-PATENT-APPL-SN-476244 ..... c 33 N84-22885 *
US-PATENT-APPL-SN-476759 ..... c 03 N70-42073 *
US-PATENT-APPL-SN-476761 ..... c 11 N71-10748 *
US-PATENT-APPL-SN-476763 ..... c 09 N69-21313 * #
US-PATENT-APPL-SN-477333 ..... c 28 N70-41922 *
US-PATENT-APPL-SN-478129 ..... c 25 N86-27431 *
US-PATENT-APPL-SN-478130 ..... c 74 N85-23396 *
US-PATENT-APPL-SN-478131 ..... c 26 N87-14482 *
US-PATENT-APPL-SN-478491 ..... c 14 N69-21363 * #
US-PATENT-APPL-SN-478800 ..... c 37 N76-19436 *
US-PATENT-APPL-SN-478802 ..... c 35 N75-29381 *
US-PATENT-APPL-SN-478803 ..... c 31 N76-14284 *

US-PATENT-APPL-SN-479353

US-PATENT-APPL-SN-479353 ..... c 15 N71-23256 *
US-PATENT-APPL-SN-479357 ..... c 36 N77-19416 *
US-PATENT-APPL-SN-480210 ..... c 11 N71-21474 *
US-PATENT-APPL-SN-480211 ..... c 14 N71-26135 *
US-PATENT-APPL-SN-481020 ..... c 36 N83-29681 * #
US-PATENT-APPL-SN-481086 ..... c 33 N84-33660 *
US-PATENT-APPL-SN-481106 ..... c 09 N84-34448 *
US-PATENT-APPL-SN-482104 ..... c 27 N76-22377 *
US-PATENT-APPL-SN-482105 ..... c 27 N76-23426 *
US-PATENT-APPL-SN-482307 ..... c 15 N71-21060 *
US-PATENT-APPL-SN-482311 ..... c 05 N71-22748 *
US-PATENT-APPL-SN-482313 ..... c 11 N69-24321 * #
US-PATENT-APPL-SN-482670 ..... c 14 N71-21007 *
US-PATENT-APPL-SN-482952 ..... c 09 N71-28926 *
US-PATENT-APPL-SN-482953 ..... c 74 N76-18913 *
US-PATENT-APPL-SN-482967 ..... c 34 N76-18364 *
US-PATENT-APPL-SN-483301 ..... c 36 N77-26477 *
US-PATENT-APPL-SN-483817 ..... c 27 N79-21190 *
US-PATENT-APPL-SN-483850 ..... c 37 N76-14460 *
US-PATENT-APPL-SN-483851 ..... c 35 N76-15435 *
US-PATENT-APPL-SN-483852 ..... c 33 N75-30430 *
US-PATENT-APPL-SN-483857 ..... c 44 N76-14601 *
US-PATENT-APPL-SN-483858 ..... c 35 N76-18400 *
US-PATENT-APPL-SN-483885 ..... c 04 N71-23185 *
US-PATENT-APPL-SN-483886 ..... c 09 N71-22988 *
US-PATENT-APPL-SN-483891 ..... c 14 N69-39982 * #
US-PATENT-APPL-SN-484156 ..... c 11 N71-21475 *
US-PATENT-APPL-SN-484208 ..... c 35 N75-30502 *
US-PATENT-APPL-SN-484209 ..... c 35 N76-18403 *
US-PATENT-APPL-SN-484485 ..... c 01 N71-23497 *
US-PATENT-APPL-SN-484489 ..... c 10 N71-15909 *
US-PATENT-APPL-SN-484490 ..... c 24 N71-20518 *
US-PATENT-APPL-SN-484745 ..... c 35 N85-20295 *
US-PATENT-APPL-SN-484855 ..... c 09 N71-19480 *
US-PATENT-APPL-SN-485058 ..... c 06 N71-23500 *
US-PATENT-APPL-SN-485656 ..... c 28 N71-10574 *
US-PATENT-APPL-SN-485957 ..... c 25 N71-21694 *
US-PATENT-APPL-SN-485958 ..... c 15 N71-24047 *
US-PATENT-APPL-SN-485960 ..... c 15 N70-42017 *
US-PATENT-APPL-SN-48621 ..... c 20 N78-32179 *
US-PATENT-APPL-SN-486470 ..... c 44 N85-21768 *
US-PATENT-APPL-SN-486471 ..... c 33 N85-21492 *
US-PATENT-APPL-SN-486573 ..... c 10 N71-19469 *
US-PATENT-APPL-SN-486884 ..... c 15 N73-32362 *
US-PATENT-APPL-SN-487156 ..... c 44 N77-10636 *
US-PATENT-APPL-SN-487341 ..... c 14 N71-19431 *
US-PATENT-APPL-SN-487342 ..... c 09 N71-21583 *
US-PATENT-APPL-SN-487343 ..... c 03 N69-39890 * #
US-PATENT-APPL-SN-487344 ..... c 15 N69-21472 * #
US-PATENT-APPL-SN-487352 ..... c 14 N71-18699 *
US-PATENT-APPL-SN-487852 ..... c 23 N76-15268 *
US-PATENT-APPL-SN-487929 ..... c 33 N74-20859 *
US-PATENT-APPL-SN-487934 ..... c 15 N71-21530 *
US-PATENT-APPL-SN-487939 ..... c 14 N71-23040 *
US-PATENT-APPL-SN-487940 ..... c 10 N71-26434 *
US-PATENT-APPL-SN-488381 ..... c 14 N73-32321 *
US-PATENT-APPL-SN-488616 ..... c 07 N76-18117 *
US-PATENT-APPL-SN-488745 ..... c 26 N75-27127 *
US-PATENT-APPL-SN-489008 ..... c 23 N75-30256 *
US-PATENT-APPL-SN-489009 ..... c 33 N76-19339 *
US-PATENT-APPL-SN-489442 ..... c 25 N69-39884 * #
US-PATENT-APPL-SN-489675 ..... c 05 N85-29947 *
US-PATENT-APPL-SN-491054 ..... c 14 N71-23174 *
US-PATENT-APPL-SN-491058 ..... c 09 N71-23443 *
US-PATENT-APPL-SN-491059 ..... c 09 N71-23015 *
US-PATENT-APPL-SN-491113 ..... c 35 N86-19581 *
US-PATENT-APPL-SN-491125 ..... c 27 N84-22750 *
US-PATENT-APPL-SN-491416 ..... c 35 N75-33368 *
US-PATENT-APPL-SN-491417 ..... c 37 N76-19437 *
US-PATENT-APPL-SN-491418 ..... c 31 N76-31365 *
US-PATENT-APPL-SN-491419 ..... c 32 N76-15330 *
US-PATENT-APPL-SN-491845 ..... c 28 N71-15659 *
US-PATENT-APPL-SN-492282 ..... c 27 N85-20124 *
US-PATENT-APPL-SN-492344 ..... c 05 N71-22896 *
US-PATENT-APPL-SN-492964 ..... c 25 N85-21280 *
US-PATENT-APPL-SN-493179 ..... c 23 N85-35227 *
US-PATENT-APPL-SN-493359 ..... c 20 N76-21275 *
US-PATENT-APPL-SN-493363 ..... c 33 N76-21390 *
US-PATENT-APPL-SN-493865 ..... c 24 N86-19380 *
US-PATENT-APPL-SN-493866 ..... c 71 N84-28568 *
US-PATENT-APPL-SN-493942 ..... c 14 N71-17659 *
US-PATENT-APPL-SN-493943 ..... c 15 N71-21529 *
US-PATENT-APPL-SN-494280 ..... c 28 N71-23081 *
US-PATENT-APPL-SN-494282 ..... c 15 N69-39735 * #
US-PATENT-APPL-SN-494283 ..... c 31 N71-24035 *
US-PATENT-APPL-SN-494287 ..... c 03 N71-22974 *
US-PATENT-APPL-SN-494739 ..... c 07 N71-26291 *
US-PATENT-APPL-SN-495021 ..... c 44 N78-13526 *
US-PATENT-APPL-SN-495022 ..... c 60 N77-12721 *
US-PATENT-APPL-SN-495380 ..... c 37 N85-29285 *
US-PATENT-APPL-SN-495380 ..... c 37 N87-22976 *
US-PATENT-APPL-SN-495381 ..... c 24 N84-22695 *
US-PATENT-APPL-SN-495381 ..... c 24 N85-21267 *
US-PATENT-APPL-SN-496205 ..... c 14 N71-22965 *
US-PATENT-APPL-SN-496779 ..... c 05 N76-29217 *
US-PATENT-APPL-SN-498167 ..... c 03 N71-10608 *
US-PATENT-APPL-SN-498168 ..... c 28 N71-21822 *
US-PATENT-APPL-SN-499122 ..... c 15 N71-24164 *
US-PATENT-APPL-SN-499126 ..... c 23 N86-19376 *
US-PATENT-APPL-SN-500044 ..... c 35 N85-21597 *
US-PATENT-APPL-SN-500046 ..... c 31 N87-16918 *
US-PATENT-APPL-SN-500435 ..... c 14 N71-21082 *
US-PATENT-APPL-SN-500446 ..... c 10 N71-23029 *
US-PATENT-APPL-SN-500651 ..... c 07 N85-35195 *
US-PATENT-APPL-SN-500979 ..... c 32 N76-18295 *
US-PATENT-APPL-SN-500980 ..... c 72 N76-15860 *
US-PATENT-APPL-SN-500981 ..... c 35 N77-10492 *
US-PATENT-APPL-SN-500982 ..... c 75 N76-17951 *
US-PATENT-APPL-SN-501011 ..... c 33 N76-18345 *
US-PATENT-APPL-SN-501012 ..... c 33 N76-14373 *
US-PATENT-APPL-SN-501060 ..... c 60 N84-28491 *
US-PATENT-APPL-SN-50206 ..... c 07 N72-17109 *
US-PATENT-APPL-SN-50207 ..... c 07 N72-20141 *
US-PATENT-APPL-SN-50208 ..... c 14 N73-13418 *
US-PATENT-APPL-SN-502124 ..... c 35 N76-16393 *
US-PATENT-APPL-SN-502135 ..... c 35 N76-15433 *
US-PATENT-APPL-SN-502136 ..... c 35 N75-27331 *
US-PATENT-APPL-SN-502137 ..... c 37 N76-21554 *
US-PATENT-APPL-SN-502138 ..... c 43 N77-10584 *
US-PATENT-APPL-SN-502693 ..... c 15 N71-20739 *
US-PATENT-APPL-SN-502701 ..... c 08 N71-23295 *
US-PATENT-APPL-SN-502709 ..... c 31 N71-21881 *
US-PATENT-APPL-SN-502710 ..... c 15 N71-23048 *
US-PATENT-APPL-SN-502729 ..... c 31 N70-41871 *
US-PATENT-APPL-SN-502739 ..... c 09 N71-23311 *
US-PATENT-APPL-SN-502740 ..... c 14 N69-27485 * #
US-PATENT-APPL-SN-502743 ..... c 08 N71-19435 *
US-PATENT-APPL-SN-502746 ..... c 03 N69-39898 * #
US-PATENT-APPL-SN-502750 ..... c 09 N71-19466 *
US-PATENT-APPL-SN-502753 ..... c 07 N69-39978 * #
US-PATENT-APPL-SN-502756 ..... c 03 N71-23336 *
US-PATENT-APPL-SN-502820 ..... c 27 N85-21347 *
US-PATENT-APPL-SN-50339 ..... c 04 N72-33072 *
US-PATENT-APPL-SN-504225 ..... c 35 N76-16392 *
US-PATENT-APPL-SN-504266 ..... c 31 N71-21064 *
US-PATENT-APPL-SN-504345 ..... c 33 N85-22877 *
US-PATENT-APPL-SN-505320 ..... c 16 N71-18614 *
US-PATENT-APPL-SN-505321 ..... c 10 N71-22962 *
US-PATENT-APPL-SN-505765 ..... c 15 N71-23816 *
US-PATENT-APPL-SN-505819 ..... c 33 N76-16331 *
US-PATENT-APPL-SN-505881 ..... c 09 N76-24280 *
US-PATENT-APPL-SN-506135 ..... c 06 N71-20905 *
US-PATENT-APPL-SN-506137 ..... c 15 N71-23049 *
US-PATENT-APPL-SN-506477 ..... c 33 N85-29146 *
US-PATENT-APPL-SN-506803 ..... c 24 N79-25143 *
US-PATENT-APPL-SN-506804 ..... c 35 N76-18402 *
US-PATENT-APPL-SN-506908 ..... c 09 N71-18843 *
US-PATENT-APPL-SN-507254 ..... c 14 N71-22990 *
US-PATENT-APPL-SN-507257 ..... c 09 N71-19449 *
US-PATENT-APPL-SN-507623 ..... c 31 N85-29083 *
US-PATENT-APPL-SN-507624 ..... c 76 N85-30922 *
US-PATENT-APPL-SN-507625 ..... c 76 N86-20150 *
US-PATENT-APPL-SN-507626 ..... c 34 N85-29179 *
US-PATENT-APPL-SN-508169 ..... c 18 N71-27397 *
US-PATENT-APPL-SN-508170 ..... c 08 N71-22710 *
US-PATENT-APPL-SN-508371 ..... c 05 N85-21147 *
US-PATENT-APPL-SN-508372 ..... c 43 N83-29783 * #
US-PATENT-APPL-SN-508601 ..... c 15 N71-22878 *
US-PATENT-APPL-SN-508784 ..... c 76 N76-25049 *
US-PATENT-APPL-SN-508873 ..... c 14 N71-23240 *
US-PATENT-APPL-SN-509460 ..... c 01 N71-13411 *
US-PATENT-APPL-SN-510136 ..... c 18 N84-33450 *
US-PATENT-APPL-SN-510137 ..... c 37 N85-34401 *
US-PATENT-APPL-SN-510150 ..... c 10 N71-26103 *
US-PATENT-APPL-SN-510155 ..... c 06 N71-11235 *
US-PATENT-APPL-SN-510474 ..... c 15 N71-23810 *
US-PATENT-APPL-SN-510475 ..... c 14 N71-23087 *
US-PATENT-APPL-SN-510677 ..... c 44 N77-19571 *
US-PATENT-APPL-SN-511299 ..... c 15 N71-22798 *
US-PATENT-APPL-SN-511334 ..... c 36 N77-32478 *
US-PATENT-APPL-SN-511346 ..... c 15 N77-10113 *
US-PATENT-APPL-SN-511362 ..... c 33 N85-29147 *
US-PATENT-APPL-SN-511363 ..... c 25 N88-23846 *
US-PATENT-APPL-SN-5114 ..... c 06 N72-25150 *
US-PATENT-APPL-SN-511564 ..... c 09 N69-39885 * #
US-PATENT-APPL-SN-511567 ..... c 05 N71-12336 *
US-PATENT-APPL-SN-511887 ..... c 35 N76-15436 *
US-PATENT-APPL-SN-511894 ..... c 03 N76-32140 *
US-PATENT-APPL-SN-512352 ..... c 15 N70-33330 *
US-PATENT-APPL-SN-512509 ..... c 26 N75-27125 *
US-PATENT-APPL-SN-512559 ..... c 23 N71-22881 *
US-PATENT-APPL-SN-512561 ..... c 16 N71-25914 *
US-PATENT-APPL-SN-512562 ..... c 16 N71-24074 *
US-PATENT-APPL-SN-512795 ..... c 27 N84-22745 *
US-PATENT-APPL-SN-512825 ..... c 32 N76-15329 *
US-PATENT-APPL-SN-51317 ..... c 14 N73-30389 *
US-PATENT-APPL-SN-513346 ..... c 07 N79-14095 *
US-PATENT-APPL-SN-513389 ..... c 25 N75-12087 *
US-PATENT-APPL-SN-513576 ..... c 35 N76-29552 *
US-PATENT-APPL-SN-513611 ..... c 24 N76-22309 *
US-PATENT-APPL-SN-513611 ..... c 24 N80-33482 *
US-PATENT-APPL-SN-513612 ..... c 05 N77-17029 *
US-PATENT-APPL-SN-513613 ..... c 27 N78-15276 *
US-PATENT-APPL-SN-513690 ..... c 37 N76-20480 *
US-PATENT-APPL-SN-514117 ..... c 27 N86-19455 *
US-PATENT-APPL-SN-514407 ..... c 18 N71-22894 *
US-PATENT-APPL-SN-514546 ..... c 74 N76-20958 *
US-PATENT-APPL-SN-51473 ..... c 02 N70-33266 *
US-PATENT-APPL-SN-51477 ..... c 14 N72-25412 *
US-PATENT-APPL-SN-515484 ..... c 14 N71-22993 *
US-PATENT-APPL-SN-516087 ..... c 27 N85-20125 *
US-PATENT-APPL-SN-516150 ..... c 05 N71-19440 *
US-PATENT-APPL-SN-516151 ..... c 15 N70-41679 *
US-PATENT-APPL-SN-516152 ..... c 14 N71-23225 *
US-PATENT-APPL-SN-516153 ..... c 10 N71-28783 *
US-PATENT-APPL-SN-516154 ..... c 09 N69-24330 * #
US-PATENT-APPL-SN-516155 ..... c 09 N71-23270 *
US-PATENT-APPL-SN-516158 ..... c 09 N71-19479 *
US-PATENT-APPL-SN-516159 ..... c 14 N70-41812 *
US-PATENT-APPL-SN-516160 ..... c 33 N71-16277 *
US-PATENT-APPL-SN-516162 ..... c 07 N71-28900 *
US-PATENT-APPL-SN-516217 ..... c 27 N85-21350 *
US-PATENT-APPL-SN-516217 ..... c 27 N85-21351 *
US-PATENT-APPL-SN-516217 ..... c 27 N85-21352 *
US-PATENT-APPL-SN-516217 ..... c 25 N85-28982 *
US-PATENT-APPL-SN-516217 ..... c 25 N85-30039 *
US-PATENT-APPL-SN-516793 ..... c 16 N71-22895 *
US-PATENT-APPL-SN-516794 ..... c 14 N70-42074 *
US-PATENT-APPL-SN-517100 ..... c 28 N70-33241 *
US-PATENT-APPL-SN-517156 ..... c 14 N71-23093 *
US-PATENT-APPL-SN-517157 ..... c 15 N71-22722 *
US-PATENT-APPL-SN-517158 ..... c 14 N71-23401 *
US-PATENT-APPL-SN-517159 ..... c 15 N71-20740 *
US-PATENT-APPL-SN-517858 ..... c 14 N71-21006 *
US-PATENT-APPL-SN-517869 ..... c 15 N71-23050 *
US-PATENT-APPL-SN-517995 ..... c 39 N76-31562 *
US-PATENT-APPL-SN-518487 ..... c 05 N71-11190 *
US-PATENT-APPL-SN-518544 ..... c 44 N76-24696 *
US-PATENT-APPL-SN-518545 ..... c 19 N76-22284 *
US-PATENT-APPL-SN-518546 ..... c 26 N76-18257 *
US-PATENT-APPL-SN-518684 ..... c 44 N76-22657 *
US-PATENT-APPL-SN-518685 ..... c 35 N76-14429 *
US-PATENT-APPL-SN-519160 ..... c 18 N71-20742 *
US-PATENT-APPL-SN-519161 ..... c 05 N71-20718 *
US-PATENT-APPL-SN-519395 ..... c 09 N69-24317 * #
US-PATENT-APPL-SN-520838 ..... c 08 N71-18595 *
US-PATENT-APPL-SN-520839 ..... c 10 N71-19472 *
US-PATENT-APPL-SN-521006 ..... c 34 N77-10463 *
US-PATENT-APPL-SN-521601 ..... c 60 N76-14818 *
US-PATENT-APPL-SN-521602 ..... c 37 N76-18454 *
US-PATENT-APPL-SN-521603 ..... c 35 N75-29380 *
US-PATENT-APPL-SN-521620 ..... c 09 N77-10071 *
US-PATENT-APPL-SN-521753 ..... c 15 N70-41960 *
US-PATENT-APPL-SN-521754 ..... c 07 N71-22984 *
US-PATENT-APPL-SN-521755 ..... c 28 N71-28849 *
US-PATENT-APPL-SN-521816 ..... c 35 N77-19385 *
US-PATENT-APPL-SN-521817 ..... c 45 N76-21742 *
US-PATENT-APPL-SN-521994 ..... c 17 N71-23365 *
US-PATENT-APPL-SN-521996 ..... c 15 N69-27871 * #
US-PATENT-APPL-SN-521998 ..... c 07 N69-24323 * #
US-PATENT-APPL-SN-521999 ..... c 12 N71-20815 *
US-PATENT-APPL-SN-522109 ..... c 07 N78-17056 *
US-PATENT-APPL-SN-522551 ..... c 76 N76-20994 *
US-PATENT-APPL-SN-522552 ..... c 35 N76-16390 *
US-PATENT-APPL-SN-522556 ..... c 35 N76-15432 *
US-PATENT-APPL-SN-5226628 .. c 08 N85-19985 *
US-PATENT-APPL-SN-522794 ..... c 09 N71-23190 *
US-PATENT-APPL-SN-522795 ..... c 20 N71-16281 *
US-PATENT-APPL-SN-522971 ..... c 54 N76-24900 *
US-PATENT-APPL-SN-523297 ..... c 24 N85-21266 *
US-PATENT-APPL-SN-523297 ..... c 24 N85-35233 *
US-PATENT-APPL-SN-523511 ..... c 28 N71-20942 *
US-PATENT-APPL-SN-523559 ..... c 74 N85-29750 *
US-PATENT-APPL-SN-523560 ..... c 60 N86-21154 *
US-PATENT-APPL-SN-523632 ..... c 33 N78-17293 *
US-PATENT-APPL-SN-523991 ..... c 35 N86-20751 *
US-PATENT-APPL-SN-524746 ..... c 14 N73-28491 *
US-PATENT-APPL-SN-526438 ..... c 25 N76-22323 *
US-PATENT-APPL-SN-526448 ..... c 44 N76-14602 *
US-PATENT-APPL-SN-526449 ..... c 54 N76-14804 *
US-PATENT-APPL-SN-526450 ..... c 35 N77-14409 *
US-PATENT-APPL-SN-526631 ..... c 10 N71-19471 *
US-PATENT-APPL-SN-526664 ..... c 07 N69-24334 * #
US-PATENT-APPL-SN-526665 ..... c 14 N69-24331 * #
US-PATENT-APPL-SN-526739 ..... c 37 N87-23970 *
US-PATENT-APPL-SN-526741 ..... c 09 N84-12193 * #
US-PATENT-APPL-SN-526750 ..... c 71 N85-22105 *
US-PATENT-APPL-SN-526768 ..... c 25 N85-35253 *
US-PATENT-APPL-SN-526770 ..... c 35 N85-21598 *
US-PATENT-APPL-SN-527331 ..... c 17 N73-28573 *
US-PATENT-APPL-SN-527613 ..... c 37 N86-19604 *
US-PATENT-APPL-SN-527727 ..... c 02 N76-16014 *
US-PATENT-APPL-SN-527728 ..... c 37 N76-18458 *
US-PATENT-APPL-SN-527790 ..... c 33 N76-14372 *
US-PATENT-APPL-SN-527914 ..... c 27 N86-21675 *
US-PATENT-APPL-SN-527918 ..... c 09 N85-21178 *
US-PATENT-APPL-SN-528031 ..... c 10 N69-39888 * #
US-PATENT-APPL-SN-529593 ..... c 27 N71-21819 *

US-PATENT-APPL-SN-529594 ..... c 15 N69-27483 * #
US-PATENT-APPL-SN-529594 ..... c 33 N71-29152 *
US-PATENT-APPL-SN-529609 ..... c 09 N69-39986 * #
US-PATENT-APPL-SN-529803 ..... c 33 N86-20668 *
US-PATENT-APPL-SN-529884 ..... c 54 N78-18761 *
US-PATENT-APPL-SN-530185 ..... c 32 N86-20647 *
US-PATENT-APPL-SN-530339 ..... c 31 N86-19479 *
US-PATENT-APPL-SN-530958 ..... c 09 N71-22985 *
US-PATENT-APPL-SN-531565 ..... c 36 N76-24553 *
US-PATENT-APPL-SN-53156 ..... c 10 N71-28860 *
US-PATENT-APPL-SN-531572 ..... c 66 N76-19888 *
US-PATENT-APPL-SN-531575 ..... c 32 N76-31372 *
US-PATENT-APPL-SN-531642 ..... c 25 N71-21693 *
US-PATENT-APPL-SN-531647 ..... c 04 N76-20114 *
US-PATENT-APPL-SN-531647 ..... c 04 N77-19056 *
US-PATENT-APPL-SN-532006 ..... c 23 N71-24857 *
US-PATENT-APPL-SN-532342 ..... c 08 N85-35200 *
US-PATENT-APPL-SN-532784 ..... c 27 N75-29263 * #
US-PATENT-APPL-SN-532784 ..... c 27 N78-17205 *
US-PATENT-APPL-SN-533555 ..... c 36 N76-18428 *
US-PATENT-APPL-SN-533556 ..... c 36 N76-29575 *
US-PATENT-APPL-SN-533608 ..... c 32 N76-21366 *
US-PATENT-APPL-SN-533650 ..... c 35 N75-27329 *
US-PATENT-APPL-SN-533659 ..... c 14 N73-30390 *
US-PATENT-APPL-SN-533734 ..... c 33 N77-10428 *
US-PATENT-APPL-SN-534265 ..... c 32 N76-21365 *
US-PATENT-APPL-SN-534266 ..... c 35 N76-24523 *
US-PATENT-APPL-SN-534295 ..... c 15 N71-21076 *
US-PATENT-APPL-SN-534564 ..... c 10 N71-22961 *
US-PATENT-APPL-SN-534901 ..... c 14 N70-36807 *
US-PATENT-APPL-SN-534931 ..... c 37 N80-14395 *
US-PATENT-APPL-SN-534966 ..... c 15 N71-24042 *
US-PATENT-APPL-SN-534975 ..... c 14 N71-24232 *
US-PATENT-APPL-SN-535169 ..... c 54 N78-17678 *
US-PATENT-APPL-SN-535304 ..... c 09 N71-28810 *
US-PATENT-APPL-SN-535410 ..... c 37 N76-15457 *
US-PATENT-APPL-SN-536210 ..... c 17 N71-24830 *
US-PATENT-APPL-SN-536216 ..... c 10 N71-23315 *
US-PATENT-APPL-SN-536217 ..... c 10 N71-23544 *
US-PATENT-APPL-SN-536535 ..... c 33 N76-14371 *
US-PATENT-APPL-SN-536761 ..... c 33 N76-19338 *
US-PATENT-APPL-SN-536762 ..... c 37 N76-22540 *
US-PATENT-APPL-SN-536785 ..... c 33 N76-31409 *
US-PATENT-APPL-SN-536786 ..... c 44 N77-32581 *
US-PATENT-APPL-SN-537024 ..... c 44 N76-27664 *
US-PATENT-APPL-SN-537480 ..... c 45 N76-31714 *
US-PATENT-APPL-SN-537614 ..... c 33 N86-20672 *
US-PATENT-APPL-SN-537615 ..... c 28 N71-22983 *
US-PATENT-APPL-SN-537615 ..... c 37 N85-33489 *
US-PATENT-APPL-SN-537616 ..... c 26 N85-29005 *
US-PATENT-APPL-SN-537617 ..... c 09 N71-22987 *
US-PATENT-APPL-SN-537757 ..... c 37 N86-20789 *
US-PATENT-APPL-SN-537979 ..... c 37 N77-11397 *
US-PATENT-APPL-SN-538047 ..... c 37 N76-27568 *
US-PATENT-APPL-SN-538063 ..... c 37 N86-19603 *
US-PATENT-APPL-SN-538166 ..... c 15 N71-21177 *
US-PATENT-APPL-SN-538168 ..... c 23 N71-16098 *
US-PATENT-APPL-SN-538863 ..... c 54 N78-17680 *
US-PATENT-APPL-SN-538905 ..... c 08 N71-18594 *
US-PATENT-APPL-SN-538907 ..... c 33 N71-28903 *
US-PATENT-APPL-SN-538908 ..... c 33 N71-22890 *
US-PATENT-APPL-SN-538911 ..... c 33 N71-22792 *
US-PATENT-APPL-SN-538913 ..... c 14 N71-17627 *
US-PATENT-APPL-SN-538982 ..... c 33 N77-14333 *
US-PATENT-APPL-SN-538983 ..... c 33 N76-18353 *
US-PATENT-APPL-SN-539230 ..... c 37 N85-30335 *
US-PATENT-APPL-SN-539237 ..... c 33 N71-16278 *
US-PATENT-APPL-SN-539255 ..... c 18 N71-26153 *
US-PATENT-APPL-SN-539255 ..... c 17 N72-28536 *
US-PATENT-APPL-SN-540414 ..... c 15 N71-22799 *
US-PATENT-APPL-SN-540779 ..... c 33 N79-12331 *
US-PATENT-APPL-SN-541399 ..... c 14 N71-20428 *
US-PATENT-APPL-SN-541526 ..... c 33 N87-14594 *
US-PATENT-APPL-SN-542157 ..... c 20 N76-21276 *
US-PATENT-APPL-SN-542192 ..... c 26 N75-27126 *
US-PATENT-APPL-SN-542232 ..... c 33 N86-19516 *
US-PATENT-APPL-SN-542557 ..... c 44 N85-30474 *
US-PATENT-APPL-SN-54270 ..... c 07 N72-25173 *
US-PATENT-APPL-SN-542713 ..... c 23 N71-23976 *
US-PATENT-APPL-SN-54271 ..... c 02 N73-19004 *
US-PATENT-APPL-SN-542754 ..... c 34 N76-18374 *
US-PATENT-APPL-SN-543206 ..... c 05 N71-23159 *
US-PATENT-APPL-SN-543774 ..... c 06 N69-39733 * #
US-PATENT-APPL-SN-544611 ..... c 33 N76-15373 *
US-PATENT-APPL-SN-544895 ..... c 07 N71-28809 *
US-PATENT-APPL-SN-544899 ..... c 09 N71-20569 *
US-PATENT-APPL-SN-545223 ..... c 03 N71-11056 *
US-PATENT-APPL-SN-545224 ..... c 15 N69-21362 * #
US-PATENT-APPL-SN-545228 ..... c 07 N69-39736 * #
US-PATENT-APPL-SN-545229 ..... c 03 N69-21469 * #
US-PATENT-APPL-SN-545282 ..... c 35 N76-24524 *
US-PATENT-APPL-SN-545283 ..... c 32 N77-12239 *
US-PATENT-APPL-SN-545284 ..... c 34 N76-27517 *
US-PATENT-APPL-SN-54540 ..... c 15 N72-29488 *
US-PATENT-APPL-SN-54540 ..... c 37 N74-15125 *
US-PATENT-APPL-SN-54552 ..... c 27 N70-34783 *
US-PATENT-APPL-SN-54552 ..... c 20 N77-17143 *
US-PATENT-APPL-SN-545535 ..... c 03 N69-21539 * #
US-PATENT-APPL-SN-545793 ..... c 20 N80-14188 *
US-PATENT-APPL-SN-545805 ..... c 15 N71-21744 *
US-PATENT-APPL-SN-546142 ..... c 09 N69-24329 * #
US-PATENT-APPL-SN-546148 ..... c 11 N71-22875 *
US-PATENT-APPL-SN-546149 ..... c 16 N71-24170 *
US-PATENT-APPL-SN-547072 ..... c 15 N71-24043 *
US-PATENT-APPL-SN-547072 ..... c 35 N78-32397 *
US-PATENT-APPL-SN-547175 ..... c 76 N84-12968 * #
US-PATENT-APPL-SN-547176 ..... c 37 N85-29286 *
US-PATENT-APPL-SN-547643 ..... c 33 N79-33392 *
US-PATENT-APPL-SN-547677 ..... c 10 N71-20448 *
US-PATENT-APPL-SN-548468 ..... c 37 N76-27567 *
US-PATENT-APPL-SN-548559 ..... c 44 N76-29700 *
US-PATENT-APPL-SN-548582 ..... c 39 N86-20841 *
US-PATENT-APPL-SN-548583 ..... c 27 N85-34282 *
US-PATENT-APPL-SN-548584 ..... c 24 N84-34571 *
US-PATENT-APPL-SN-548808 ..... c 14 N71-23227 *
US-PATENT-APPL-SN-549418 ..... c 36 N76-31512 *
US-PATENT-APPL-SN-549860 ..... c 03 N71-19438 *
US-PATENT-APPL-SN-550088 ..... c 07 N71-24612 *
US-PATENT-APPL-SN-550681 ..... c 02 N87-16793 *
US-PATENT-APPL-SN-551182 ..... c 03 N71-23187 *
US-PATENT-APPL-SN-551184 ..... c 37 N76-22541 *
US-PATENT-APPL-SN-551536 ..... c 04 N86-27270 *
US-PATENT-APPL-SN-551694 ..... c 31 N71-18611 *
US-PATENT-APPL-SN-551815 ..... c 02 N71-11038 *
US-PATENT-APPL-SN-551846 ..... c 03 N71-20492 *
US-PATENT-APPL-SN-551933 ..... c 33 N71-14032 *
US-PATENT-APPL-SN-551961 ..... c 15 N70-33376 *
US-PATENT-APPL-SN-552108 ..... c 07 N79-14096 *
US-PATENT-APPL-SN-552344 ..... c 09 N69-27463 * #
US-PATENT-APPL-SN-552454 ..... c 35 N76-24525 *
US-PATENT-APPL-SN-553339 ..... c 27 N86-20560 *
US-PATENT-APPL-SN-553339 ..... c 27 N87-22845 *
US-PATENT-APPL-SN-55333 ..... c 10 N73-16206 *
US-PATENT-APPL-SN-553687 ..... c 44 N76-29704 *
US-PATENT-APPL-SN-553891 ..... c 23 N71-16341 *
US-PATENT-APPL-SN-554277 ..... c 07 N71-26579 *
US-PATENT-APPL-SN-554897 ..... c 15 N71-22982 *
US-PATENT-APPL-SN-554899 ..... c 15 N70-33382 *
US-PATENT-APPL-SN-554949 ..... c 06 N71-20717 *
US-PATENT-APPL-SN-554950 ..... c 17 N71-23248 *
US-PATENT-APPL-SN-554959 ..... c 27 N79-21191 *
US-PATENT-APPL-SN-555189 ..... c 08 N71-27255 *
US-PATENT-APPL-SN-555336 ..... c 33 N76-27473 *
US-PATENT-APPL-SN-55534 ..... c 11 N72-25288 *
US-PATENT-APPL-SN-55535 ..... c 14 N73-20474 *
US-PATENT-APPL-SN-55536 ..... c 14 N72-29464 *
US-PATENT-APPL-SN-55537 ..... c 18 N72-25540 *
US-PATENT-APPL-SN-555641 ..... c 51 N76-29891 *
US-PATENT-APPL-SN-555750 ..... c 27 N79-12221 *
US-PATENT-APPL-SN-556481 ..... c 74 N86-26190 *
US-PATENT-APPL-SN-556512 ..... c 37 N86-25789 *
US-PATENT-APPL-SN-556513 ..... c 33 N85-29143 *
US-PATENT-APPL-SN-556514 ..... c 35 N86-25753 *
US-PATENT-APPL-SN-556784 ..... c 09 N71-20447 *
US-PATENT-APPL-SN-556830 ..... c 15 N71-26294 *
US-PATENT-APPL-SN-557016 ..... c 15 N71-23086 *
US-PATENT-APPL-SN-557430 ..... c 52 N77-14737 *
US-PATENT-APPL-SN-557448 ..... c 45 N76-17656 *
US-PATENT-APPL-SN-557565 ..... c 24 N77-27187 *
US-PATENT-APPL-SN-557584 ..... c 09 N71-20851 *
US-PATENT-APPL-SN-557861 ..... c 03 N71-24605 *
US-PATENT-APPL-SN-557868 ..... c 14 N70-41682 *
US-PATENT-APPL-SN-557871 ..... c 10 N71-21483 *
US-PATENT-APPL-SN-55806 ..... c 06 N72-31140 *
US-PATENT-APPL-SN-558600 ..... c 74 N77-10899 *
US-PATENT-APPL-SN-559055 ..... c 33 N71-29046 *
US-PATENT-APPL-SN-559349 ..... c 33 N71-24145 *
US-PATENT-APPL-SN-559350 ..... c 33 N71-28892 *
US-PATENT-APPL-SN-559351 ..... c 14 N69-39785 * #
US-PATENT-APPL-SN-559845 ..... c 35 N76-29551 *
US-PATENT-APPL-SN-559846 ..... c 34 N79-13289 *
US-PATENT-APPL-SN-559846 ..... c 34 N80-24573 *
US-PATENT-APPL-SN-559847 ..... c 34 N79-13288 *
US-PATENT-APPL-SN-559988 ..... c 71 N85-29693 *
US-PATENT-APPL-SN-560035 ..... c 24 N85-30027 *
US-PATENT-APPL-SN-560891 ..... c 73 N78-19920 *
US-PATENT-APPL-SN-560967 ..... c 15 N69-21922 * #
US-PATENT-APPL-SN-560968 ..... c 10 N71-24863 *
US-PATENT-APPL-SN-560969 ..... c 14 N71-15622 *
US-PATENT-APPL-SN-561020 ..... c 44 N76-23675 *
US-PATENT-APPL-SN-561223 ..... c 14 N71-20427 *
US-PATENT-APPL-SN-561369 ..... c 35 N84-33766 *
US-PATENT-APPL-SN-561429 ..... c 27 N85-21351 *
US-PATENT-APPL-SN-561431 ..... c 27 N85-21350 *
US-PATENT-APPL-SN-561432 ..... c 20 N86-26368 *
US-PATENT-APPL-SN-561433 ..... c 35 N86-20752 *
US-PATENT-APPL-SN-561434 ..... c 25 N85-30039 *
US-PATENT-APPL-SN-561435 ..... c 27 N85-21352 *
US-PATENT-APPL-SN-561764 ..... c 32 N77-10392 *
US-PATENT-APPL-SN-561956 ..... c 35 N77-17426 *
US-PATENT-APPL-SN-562443 ..... c 09 N69-39734 * #
US-PATENT-APPL-SN-562444 ..... c 14 N71-22995 *
US-PATENT-APPL-SN-562445 ..... c 14 N71-23797 *
US-PATENT-APPL-SN-562499 ..... c 32 N77-31350 *
US-PATENT-APPL-SN-562558 ..... c 31 N79-21227 *
US-PATENT-APPL-SN-562933 ..... c 10 N71-24799 *
US-PATENT-APPL-SN-562934 ..... c 09 N69-21468 * #
US-PATENT-APPL-SN-562992 ..... c 27 N78-32261 *
US-PATENT-APPL-SN-563049 ..... c 17 N76-29347 *
US-PATENT-APPL-SN-563050 ..... c 37 N76-31524 *
US-PATENT-APPL-SN-563283 ..... c 35 N76-18401 *
US-PATENT-APPL-SN-563644 ..... c 15 N71-18613 *
US-PATENT-APPL-SN-563646 ..... c 05 N71-23096 *
US-PATENT-APPL-SN-563648 ..... c 15 N71-17803 *
US-PATENT-APPL-SN-563650 ..... c 25 N69-21929 * #
US-PATENT-APPL-SN-563651 ..... c 28 N71-23293 *
US-PATENT-APPL-SN-563890 ..... c 35 N85-34373 *
US-PATENT-APPL-SN-564622 ..... c 37 N77-31497 *
US-PATENT-APPL-SN-564919 ..... c 09 N71-23316 *
US-PATENT-APPL-SN-565162 ..... c 35 N79-14348 *
US-PATENT-APPL-SN-565289 ..... c 38 N77-17495 *
US-PATENT-APPL-SN-565290 ..... c 17 N76-22245 *
US-PATENT-APPL-SN-565481 ..... c 09 N86-32447 *
US-PATENT-APPL-SN-566392 ..... c 14 N71-23175 *
US-PATENT-APPL-SN-566397 ..... c 05 N71-23161 *
US-PATENT-APPL-SN-566493 ..... c 44 N76-29701 *
US-PATENT-APPL-SN-566494 ..... c 32 N77-30309 *
US-PATENT-APPL-SN-566495 ..... c 33 N77-17351 *
US-PATENT-APPL-SN-566717 ..... c 14 N71-24233 *
US-PATENT-APPL-SN-567686 ..... c 15 N71-22994 *
US-PATENT-APPL-SN-567806 ..... c 06 N71-22975 *
US-PATENT-APPL-SN-56791 ..... c 10 N72-16172 *
US-PATENT-APPL-SN-568067 ..... c 31 N71-22968 *
US-PATENT-APPL-SN-568071 ..... c 14 N69-27461 * #
US-PATENT-APPL-SN-568160 ..... c 10 N71-18724 *
US-PATENT-APPL-SN-568346 ..... c 04 N69-27487 * #
US-PATENT-APPL-SN-568352 ..... c 09 N71-20842 *
US-PATENT-APPL-SN-568354 ..... c 14 N71-22752 *
US-PATENT-APPL-SN-568355 ..... c 32 N71-23971 *
US-PATENT-APPL-SN-568356 ..... c 14 N71-15599 *
US-PATENT-APPL-SN-568362 ..... c 03 N69-39983 * #
US-PATENT-APPL-SN-568364 ..... c 10 N71-26418 *
US-PATENT-APPL-SN-568541 ..... c 24 N77-28225 *
US-PATENT-APPL-SN-568541 ..... c 27 N81-14077 *
US-PATENT-APPL-SN-568620 ..... c 10 N71-26626 *
US-PATENT-APPL-SN-568987 ..... c 10 N71-19547 *
US-PATENT-APPL-SN-569370 ..... c 43 N84-23012 * #
US-PATENT-APPL-SN-569372 ..... c 76 N85-33826 *
US-PATENT-APPL-SN-569925 ..... c 07 N77-17059 *
US-PATENT-APPL-SN-570093 ..... c 06 N71-17705 *
US-PATENT-APPL-SN-570095 ..... c 14 N71-23226 *
US-PATENT-APPL-SN-570097 ..... c 15 N69-23185 * #
US-PATENT-APPL-SN-570678 ..... c 17 N71-25903 *
US-PATENT-APPL-SN-571458 ..... c 44 N77-10635 *
US-PATENT-APPL-SN-571459 ..... c 54 N78-14784 *
US-PATENT-APPL-SN-571613 ..... c 74 N86-20124 *
US-PATENT-APPL-SN-571614 ..... c 35 N86-20750 *
US-PATENT-APPL-SN-571615 ..... c 74 N87-14971 *
US-PATENT-APPL-SN-571616 ..... c 25 N86-19413 *
US-PATENT-APPL-SN-571617 ..... c 26 N85-35267 *
US-PATENT-APPL-SN-571821 ..... c 20 N76-22296 *
US-PATENT-APPL-SN-57252 ..... c 14 N72-25414 *
US-PATENT-APPL-SN-57253 ..... c 18 N72-25541 *
US-PATENT-APPL-SN-572990 ..... c 37 N78-16369 *
US-PATENT-APPL-SN-572991 ..... c 51 N77-22794 *
US-PATENT-APPL-SN-573029 ..... c 07 N79-14097 *
US-PATENT-APPL-SN-573162 ..... c 37 N86-27630 *
US-PATENT-APPL-SN-573432 ..... c 14 N71-23790 *
US-PATENT-APPL-SN-57399 ..... c 03 N72-20034 *
US-PATENT-APPL-SN-574208 ..... c 37 N76-29590 *
US-PATENT-APPL-SN-574218 ..... c 52 N76-29895 *
US-PATENT-APPL-SN-574219 ..... c 35 N76-31490 *
US-PATENT-APPL-SN-574280 ..... c 15 N69-21460 * #
US-PATENT-APPL-SN-574282 ..... c 15 N69-23190 * #
US-PATENT-APPL-SN-574282 ..... c 15 N71-23025 *
US-PATENT-APPL-SN-574283 ..... c 14 N69-24257 * #
US-PATENT-APPL-SN-574284 ..... c 08 N71-19763 *
US-PATENT-APPL-SN-574290 ..... c 14 N71-20439 *
US-PATENT-APPL-SN-575291 ..... c 33 N71-29151 *
US-PATENT-APPL-SN-575475 ..... c 05 N69-23192 * #
US-PATENT-APPL-SN-575930 ..... c 06 N71-23230 *
US-PATENT-APPL-SN-576182 ..... c 33 N71-24276 *
US-PATENT-APPL-SN-576183 ..... c 09 N71-23525 *
US-PATENT-APPL-SN-576195 ..... c 14 N71-21079 *
US-PATENT-APPL-SN-576308 ..... c 07 N85-35194 *
US-PATENT-APPL-SN-576488 ..... c 44 N76-28635 *
US-PATENT-APPL-SN-576521 ..... c 09 N71-20864 *
US-PATENT-APPL-SN-576774 ..... c 60 N77-19760 *
US-PATENT-APPL-SN-576792 ..... c 14 N71-26136 *
US-PATENT-APPL-SN-576797 ..... c 09 N69-24318 * #
US-PATENT-APPL-SN-577114 ..... c 15 N69-24320 * #
US-PATENT-APPL-SN-577115 ..... c 15 N71-17647 *
US-PATENT-APPL-SN-577545 ..... c 08 N71-18693 *
US-PATENT-APPL-SN-577546 ..... c 31 N71-23008 *
US-PATENT-APPL-SN-577548 ..... c 09 N69-27422 * #
US-PATENT-APPL-SN-577548 ..... c 14 N72-28438 *
US-PATENT-APPL-SN-577549 ..... c 15 N71-22721 *
US-PATENT-APPL-SN-577775 ..... c 14 N71-17574 *

US-PATENT-APPL-SN-577778 ..... c 03 N71-11050 *
US-PATENT-APPL-SN-578240 ..... c 34 N77-18382 *
US-PATENT-APPL-SN-578241 ..... c 52 N76-29896 *
US-PATENT-APPL-SN-578387 ..... c 06 N87-22678 *
US-PATENT-APPL-SN-578388 ..... c 06 N86-27280 *
US-PATENT-APPL-SN-578390 ..... c 44 N85-30475 *
US-PATENT-APPL-SN-578397 ..... c 20 N79-21124 *
US-PATENT-APPL-SN-578700 ..... c 43 N82-13465 *
US-PATENT-APPL-SN-578916 ..... c 14 N71-23036 *
US-PATENT-APPL-SN-578923 ..... c 15 N71-21403 *
US-PATENT-APPL-SN-578925 ..... c 23 N71-16355 *
US-PATENT-APPL-SN-578926 ..... c 06 N69-39936 * #
US-PATENT-APPL-SN-578928 ..... c 26 N71-21824 *
US-PATENT-APPL-SN-578931 ..... c 23 N71-21882 *
US-PATENT-APPL-SN-578932 ..... c 08 N71-12505 *
US-PATENT-APPL-SN-579121 ..... c 15 N71-29136 *
US-PATENT-APPL-SN-579300 ..... c 20 N79-21123 *
US-PATENT-APPL-SN-579375 ..... c 07 N77-14025 *
US-PATENT-APPL-SN-579376 ..... c 20 N79-21125 *
US-PATENT-APPL-SN-579989 ..... c 34 N77-32413 *
US-PATENT-APPL-SN-580365 ..... c 15 N71-23255 *
US-PATENT-APPL-SN-580397 ..... c 37 N87-21333 *
US-PATENT-APPL-SN-580419 ..... c 34 N85-33433 *
US-PATENT-APPL-SN-580573 ..... c 44 N85-34441 *
US-PATENT-APPL-SN-580574 ..... c 18 N84-22610 * #
US-PATENT-APPL-SN-58147 ..... c 28 N70-33356 *
US-PATENT-APPL-SN-581514 ..... c 70 N75-26789 * #
US-PATENT-APPL-SN-581750 ..... c 07 N78-17055 *
US-PATENT-APPL-SN-581751 ..... c 37 N78-10468 *
US-PATENT-APPL-SN-581843 ..... c 31 N79-21226 *
US-PATENT-APPL-SN-582171 ..... c 32 N71-16428 *
US-PATENT-APPL-SN-582213 ..... c 32 N74-22096 *
US-PATENT-APPL-SN-582318 ..... c 33 N76-27472 *
US-PATENT-APPL-SN-582492 ..... c 52 N85-30618 *
US-PATENT-APPL-SN-582494 ..... c 36 N84-25037 * #
US-PATENT-APPL-SN-582495 ..... c 44 N86-27706 *
US-PATENT-APPL-SN-582609 ..... c 10 N71-19467 *
US-PATENT-APPL-SN-582643 ..... c 35 N85-34374 *
US-PATENT-APPL-SN-583055 ..... c 07 N78-18067 *
US-PATENT-APPL-SN-583056 ..... c 37 N78-17384 *
US-PATENT-APPL-SN-583219 ..... c 43 N82-13465 *
US-PATENT-APPL-SN-583485 ..... c 33 N77-28385 *
US-PATENT-APPL-SN-583486 ..... c 33 N77-26386 *
US-PATENT-APPL-SN-583487 ..... c 52 N76-19785 *
US-PATENT-APPL-SN-584015 ..... c 14 N71-26475 *
US-PATENT-APPL-SN-584066 ..... c 10 N71-20852 *
US-PATENT-APPL-SN-584067 ..... c 07 N71-12392 *
US-PATENT-APPL-SN-584070 ..... c 09 N69-27500 * #
US-PATENT-APPL-SN-584071 ..... c 26 N71-16037 *
US-PATENT-APPL-SN-584072 ..... c 15 N69-39786 * #
US-PATENT-APPL-SN-584094 ..... c 26 N77-20201 *
US-PATENT-APPL-SN-584914 ..... c 54 N78-17679 *
US-PATENT-APPL-SN-585217 ..... c 54 N78-17677 *
US-PATENT-APPL-SN-585420 ..... c 35 N76-31489 *
US-PATENT-APPL-SN-585988 ..... c 33 N75-29318 *
US-PATENT-APPL-SN-586324 ..... c 05 N71-26293 *
US-PATENT-APPL-SN-586325 ..... c 31 N71-24315 *
US-PATENT-APPL-SN-586329 ..... c 05 N71-24623 *
US-PATENT-APPL-SN-586330 ..... c 05 N71-12344 *
US-PATENT-APPL-SN-587749 ..... c 60 N88-29310 *
US-PATENT-APPL-SN-587764 ..... c 18 N86-24729 *
US-PATENT-APPL-SN-588036 ..... c 18 N84-22612 * #
US-PATENT-APPL-SN-588039 ..... c 18 N87-14373 *
US-PATENT-APPL-SN-588164 ..... c 31 N85-29082 *
US-PATENT-APPL-SN-588635 ..... c 21 N71-15642 *
US-PATENT-APPL-SN-588651 ..... c 31 N71-24813 *
US-PATENT-APPL-SN-588671 ..... c 03 N71-23354 *
US-PATENT-APPL-SN-588721 ..... c 27 N78-33228 *
US-PATENT-APPL-SN-589119 ..... c 32 N77-32342 *
US-PATENT-APPL-SN-589172 ..... c 27 N79-14214 *
US-PATENT-APPL-SN-589173 ..... c 32 N77-12240 *
US-PATENT-APPL-SN-589233 ..... c 33 N77-14335 *
US-PATENT-APPL-SN-590141 ..... c 03 N69-24267 * #
US-PATENT-APPL-SN-590144 ..... c 15 N71-15606 *
US-PATENT-APPL-SN-590145 ..... c 07 N69-39980 * #
US-PATENT-APPL-SN-590146 ..... c 09 N69-21926 * #
US-PATENT-APPL-SN-590147 ..... c 15 N71-21489 *
US-PATENT-APPL-SN-590158 ..... c 05 N71-24147 *
US-PATENT-APPL-SN-590159 ..... c 09 N69-24324 * #
US-PATENT-APPL-SN-590182 ..... c 37 N76-29588 *
US-PATENT-APPL-SN-590183 ..... c 74 N79-13855 *
US-PATENT-APPL-SN-590921 ..... c 71 N86-21276 *
US-PATENT-APPL-SN-590923 ..... c 35 N85-34375 *
US-PATENT-APPL-SN-590925 ..... c 26 N86-32550 *
US-PATENT-APPL-SN-590975 ..... c 44 N78-31525 *
US-PATENT-APPL-SN-591000 ..... c 15 N71-24044 *
US-PATENT-APPL-SN-591004 ..... c 07 N71-11266 *
US-PATENT-APPL-SN-591007 ..... c 16 N69-27491 * #
US-PATENT-APPL-SN-591014 ..... c 28 N71-24736 *
US-PATENT-APPL-SN-591089 ..... c 24 N85-21267 *
US-PATENT-APPL-SN-591568 ..... c 74 N76-31998 *
US-PATENT-APPL-SN-591569 ..... c 37 N77-12402 *
US-PATENT-APPL-SN-591930 ..... c 03 N69-21330 * #
US-PATENT-APPL-SN-592159 ..... c 07 N76-27232 *
US-PATENT-APPL-SN-592680 ..... c 15 N71-22877 *
US-PATENT-APPL-SN-592694 ..... c 05 N71-12342 *
US-PATENT-APPL-SN-593142 ..... c 37 N77-17464 *
US-PATENT-APPL-SN-593593 ..... c 06 N71-11239 *
US-PATENT-APPL-SN-593594 ..... c 06 N71-11236 *
US-PATENT-APPL-SN-593595 ..... c 06 N71-24740 *
US-PATENT-APPL-SN-593604 ..... c 11 N69-27466 * #
US-PATENT-APPL-SN-593605 ..... c 06 N71-11242 *
US-PATENT-APPL-SN-593606 ..... c 06 N71-11243 *
US-PATENT-APPL-SN-593607 ..... c 07 N71-26102 *
US-PATENT-APPL-SN-594134 ..... c 74 N86-20125 *
US-PATENT-APPL-SN-594584 ..... c 14 N71-25892 *
US-PATENT-APPL-SN-594587 ..... c 28 N71-21493 *
US-PATENT-APPL-SN-594633 ..... c 15 N71-24046 *
US-PATENT-APPL-SN-595197 ..... c 33 N77-10429 *
US-PATENT-APPL-SN-595254 ..... c 17 N78-17140 *
US-PATENT-APPL-SN-595745 ..... c 37 N77-32501 *
US-PATENT-APPL-SN-595747 ..... c 37 N77-32500 *
US-PATENT-APPL-SN-596338 ..... c 09 N71-20816 *
US-PATENT-APPL-SN-596641 ..... c 07 N77-23106 *
US-PATENT-APPL-SN-596641 ..... c 37 N78-10467 *
US-PATENT-APPL-SN-596733 ..... c 15 N72-11389 *
US-PATENT-APPL-SN-596735 ..... c 32 N71-24285 *
US-PATENT-APPL-SN-596787 ..... c 37 N77-19458 *
US-PATENT-APPL-SN-596787 ..... c 37 N78-31426 *
US-PATENT-APPL-SN-596788 ..... c 33 N76-21390 *
US-PATENT-APPL-SN-596905 ..... c 24 N77-19170 *
US-PATENT-APPL-SN-596959 ..... c 18 N84-22609 * #
US-PATENT-APPL-SN-596959 ..... c 18 N86-20469 *
US-PATENT-APPL-SN-596960 ..... c 37 N85-33490 *
US-PATENT-APPL-SN-597430 ..... c 44 N81-29525 *
US-PATENT-APPL-SN-597430 ..... c 44 N82-28780 *
US-PATENT-APPL-SN-598118 ..... c 15 N69-27490 * #
US-PATENT-APPL-SN-598119 ..... c 08 N71-19437 *
US-PATENT-APPL-SN-598120 ..... c 08 N71-18602 *
US-PATENT-APPL-SN-598504 ..... c 37 N77-14477 *
US-PATENT-APPL-SN-598777 ..... c 27 N85-34281 *
US-PATENT-APPL-SN-59892 ..... c 06 N73-30097 *
US-PATENT-APPL-SN-59892 ..... c 15 N74-27360 *
US-PATENT-APPL-SN-59893 ..... c 15 N72-25456 *
US-PATENT-APPL-SN-59894 ..... c 23 N73-13662 *
US-PATENT-APPL-SN-59895 ..... c 15 N72-20445 *
US-PATENT-APPL-SN-598967 ..... c 31 N77-10229 *
US-PATENT-APPL-SN-598968 ..... c 33 N77-17354 *
US-PATENT-APPL-SN-598969 ..... c 44 N78-17460 *
US-PATENT-APPL-SN-599126 ..... c 23 N88-24692 *
US-PATENT-APPL-SN-599284 ..... c 35 N77-14411 *
US-PATENT-APPL-SN-59956 ..... c 14 N72-27411 *
US-PATENT-APPL-SN-59966 ..... c 21 N72-25595 *
US-PATENT-APPL-SN-59968 ..... c 15 N72-27484 *
US-PATENT-APPL-SN-59969 ..... c 09 N72-25249 *
US-PATENT-APPL-SN-599975 ..... c 08 N69-21928 * #
US-PATENT-APPL-SN-600266 ..... c 14 N71-20430 *
US-PATENT-APPL-SN-600682 ..... c 14 N71-20461 *
US-PATENT-APPL-SN-601130 ..... c 31 N86-21718 *
US-PATENT-APPL-SN-601228 ..... c 15 N71-17652 *
US-PATENT-APPL-SN-601229 ..... c 14 N71-26474 *
US-PATENT-APPL-SN-602049 ..... c 35 N86-32697 *
US-PATENT-APPL-SN-602617 ..... c 37 N77-23483 *
US-PATENT-APPL-SN-602618 ..... c 44 N76-31667 *
US-PATENT-APPL-SN-60276 ..... c 22 N73-32528 *
US-PATENT-APPL-SN-602828 ..... c 09 N71-13531 *
US-PATENT-APPL-SN-603374 ..... c 37 N86-19606 *
US-PATENT-APPL-SN-603396 ..... c 14 N69-23191 * #
US-PATENT-APPL-SN-603397 ..... c 26 N71-23292 *
US-PATENT-APPL-SN-604337 ..... c 27 N85-29044 *
US-PATENT-APPL-SN-604374 ..... c 44 N76-29699 *
US-PATENT-APPL-SN-605090 ..... c 15 N71-19485 *
US-PATENT-APPL-SN-605091 ..... c 15 N71-26346 *
US-PATENT-APPL-SN-605092 ..... c 05 N71-23317 *
US-PATENT-APPL-SN-605093 ..... c 17 N71-24911 *
US-PATENT-APPL-SN-605094 ..... c 09 N71-24808 *
US-PATENT-APPL-SN-605095 ..... c 10 N71-19417 *
US-PATENT-APPL-SN-605096 ..... c 15 N71-24834 *
US-PATENT-APPL-SN-605097 ..... c 14 N69-21923 * #
US-PATENT-APPL-SN-605098 ..... c 09 N71-26092 *
US-PATENT-APPL-SN-605099 ..... c 09 N71-23548 *
US-PATENT-APPL-SN-605100 ..... c 15 N71-21536 *
US-PATENT-APPL-SN-605102 ..... c 09 N69-39987 * #
US-PATENT-APPL-SN-60531 ..... c 28 N70-37980 *
US-PATENT-APPL-SN-60536 ..... c 02 N70-38009 *
US-PATENT-APPL-SN-605518 ..... c 15 N71-23023 *
US-PATENT-APPL-SN-605964 ..... c 06 N73-30103 *
US-PATENT-APPL-SN-605994 ..... c 06 N73-30101 *
US-PATENT-APPL-SN-606027 ..... c 06 N73-30099 *
US-PATENT-APPL-SN-606036 ..... c 06 N73-30100 *
US-PATENT-APPL-SN-606426 ..... c 74 N86-29650 * #
US-PATENT-APPL-SN-606431 ..... c 37 N86-25791 *
US-PATENT-APPL-SN-606432 ..... c 74 N87-21679 *
US-PATENT-APPL-SN-606462 ..... c 08 N71-24891 *
US-PATENT-APPL-SN-606463 ..... c 14 N71-24864 *
US-PATENT-APPL-SN-606464 ..... c 15 N71-18579 *
US-PATENT-APPL-SN-606891 ..... c 44 N77-14581 *
US-PATENT-APPL-SN-607461 ..... c 05 N71-12346 *
US-PATENT-APPL-SN-607484 ..... c 09 N71-26002 *
US-PATENT-APPL-SN-607608 ..... c 14 N69-27484 * #
US-PATENT-APPL-SN-607969 ..... c 09 N76-23273 *
US-PATENT-APPL-SN-608247 ..... c 15 N71-20813 *
US-PATENT-APPL-SN-608482 ..... c 74 N77-20882 *
US-PATENT-APPL-SN-608483 ..... c 09 N77-19076 *
US-PATENT-APPL-SN-608741 ..... c 23 N85-28973 *
US-PATENT-APPL-SN-60876 ..... c 15 N72-27485 *
US-PATENT-APPL-SN-60881 ..... c 32 N72-25877 *
US-PATENT-APPL-SN-60882 ..... c 05 N73-32011 *
US-PATENT-APPL-SN-60883 ..... c 10 N73-13235 *
US-PATENT-APPL-SN-608944 ..... c 15 N71-23798 *
US-PATENT-APPL-SN-60950 ..... c 04 N73-27052 *
US-PATENT-APPL-SN-610723 ..... c 14 N71-23755 *
US-PATENT-APPL-SN-610724 ..... c 31 N71-28851 *
US-PATENT-APPL-SN-610728 ..... c 31 N71-22969 *
US-PATENT-APPL-SN-610801 ..... c 76 N77-32919 *
US-PATENT-APPL-SN-610802 ..... c 35 N77-20400 *
US-PATENT-APPL-SN-611414 ..... c 46 N74-23068 *
US-PATENT-APPL-SN-611414 ..... c 46 N74-23069 *
US-PATENT-APPL-SN-612265 ..... c 14 N72-22442 *
US-PATENT-APPL-SN-612568 ..... c 15 N71-28952 *
US-PATENT-APPL-SN-612740 ..... c 25 N71-20563 *
US-PATENT-APPL-SN-612899 ..... c 07 N77-18154 *
US-PATENT-APPL-SN-612964 ..... c 20 N77-10148 *
US-PATENT-APPL-SN-612965 ..... c 52 N77-14735 *
US-PATENT-APPL-SN-612966 ..... c 35 N78-12390 *
US-PATENT-APPL-SN-612967 ..... c 74 N77-18893 *
US-PATENT-APPL-SN-613004 ..... c 71 N77-26919 *
US-PATENT-APPL-SN-613139 ..... c 27 N86-27450 *
US-PATENT-APPL-SN-613140 ..... c 33 N86-20669 *
US-PATENT-APPL-SN-613235 ..... c 14 N73-30394 *
US-PATENT-APPL-SN-61329 ..... c 31 N70-37986 *
US-PATENT-APPL-SN-613734 ..... c 52 N77-14738 *
US-PATENT-APPL-SN-613979 ..... c 33 N71-14035 *
US-PATENT-APPL-SN-615030 ..... c 35 N78-19465 *
US-PATENT-APPL-SN-61535 ..... c 15 N72-25453 *
US-PATENT-APPL-SN-615505 ..... c 34 N85-29180 *
US-PATENT-APPL-SN-616002 ..... c 34 N86-27593 *
US-PATENT-APPL-SN-616332 ..... c 24 N77-27188 *
US-PATENT-APPL-SN-616333 ..... c 33 N76-32457 *
US-PATENT-APPL-SN-616472 ..... c 74 N77-22951 *
US-PATENT-APPL-SN-616528 ..... c 24 N80-33482 *
US-PATENT-APPL-SN-617021 ..... c 23 N71-16101 *
US-PATENT-APPL-SN-617022 ..... c 07 N69-27462 * #
US-PATENT-APPL-SN-617202 ..... c 74 N77-28933 *
US-PATENT-APPL-SN-617612 ..... c 52 N77-10780 *
US-PATENT-APPL-SN-617770 ..... c 14 N71-23267 *
US-PATENT-APPL-SN-617774 ..... c 18 N71-16124 *
US-PATENT-APPL-SN-617775 ..... c 06 N71-28807 *
US-PATENT-APPL-SN-617776 ..... c 18 N69-39895 * #
US-PATENT-APPL-SN-617778 ..... c 14 N71-26244 *
US-PATENT-APPL-SN-617779 ..... c 09 N69-39929 * #
US-PATENT-APPL-SN-617783 ..... c 15 N69-24266 * #
US-PATENT-APPL-SN-617871 ..... c 27 N85-29043 *
US-PATENT-APPL-SN-617895 ..... c 32 N77-14292 *
US-PATENT-APPL-SN-618594 ..... c 37 N77-13418 *
US-PATENT-APPL-SN-61894 ..... c 12 N72-21310 *
US-PATENT-APPL-SN-61895 ..... c 07 N72-33146 *
US-PATENT-APPL-SN-618969 ..... c 05 N71-26333 *
US-PATENT-APPL-SN-619519 ..... c 32 N71-16106 *
US-PATENT-APPL-SN-619520 ..... c 05 N69-21380 * #
US-PATENT-APPL-SN-619521 ..... c 06 N69-39889 * #
US-PATENT-APPL-SN-619903 ..... c 15 N69-27505 * #
US-PATENT-APPL-SN-619907 ..... c 09 N69-21543 * #
US-PATENT-APPL-SN-619908 ..... c 08 N71-20571 *
US-PATENT-APPL-SN-619986 ..... c 37 N75-32465 * #
US-PATENT-APPL-SN-620675 ..... c 35 N78-19466 *
US-PATENT-APPL-SN-621098 ..... c 09 N71-20446 *
US-PATENT-APPL-SN-621714 ..... c 15 N71-19569 *
US-PATENT-APPL-SN-621715 ..... c 05 N71-11207 *
US-PATENT-APPL-SN-621742 ..... c 28 N71-23968 *
US-PATENT-APPL-SN-623156 ..... c 04 N77-19056 *
US-PATENT-APPL-SN-623187 ..... c 34 N77-19353 *
US-PATENT-APPL-SN-623188 ..... c 54 N77-21844 *
US-PATENT-APPL-SN-623238 ..... c 51 N77-25769 *
US-PATENT-APPL-SN-623389 ..... c 31 N81-15154 *
US-PATENT-APPL-SN-623536 ..... c 09 N78-18083 *
US-PATENT-APPL-SN-625077 ..... c 44 N86-25874 *
US-PATENT-APPL-SN-625732 ..... c 35 N77-18417 *
US-PATENT-APPL-SN-625733 ..... c 26 N77-28265 *
US-PATENT-APPL-SN-625734 ..... c 35 N78-10428 *
US-PATENT-APPL-SN-625759 ..... c 37 N77-14478 *
US-PATENT-APPL-SN-625781 ..... c 33 N77-31404 *
US-PATENT-APPL-SN-626376 ..... c 05 N71-11189 *
US-PATENT-APPL-SN-626942 ..... c 51 N77-27677 *
US-PATENT-APPL-SN-627257 ..... c 08 N71-12504 *
US-PATENT-APPL-SN-627537 ..... c 71 N88-24241 *
US-PATENT-APPL-SN-627599 ..... c 18 N71-16046 *
US-PATENT-APPL-SN-628094 ..... c 16 N71-20400 *
US-PATENT-APPL-SN-628221 ..... c 07 N78-18066 *
US-PATENT-APPL-SN-628246 ..... c 15 N71-17687 *
US-PATENT-APPL-SN-628247 ..... c 09 N69-21542 * #
US-PATENT-APPL-SN-628248 ..... c 14 N69-27432 * #
US-PATENT-APPL-SN-628866 ..... c 31 N85-20153 *
US-PATENT-APPL-SN-629456 ..... c 37 N77-14479 *
US-PATENT-APPL-SN-629457 ..... c 35 N77-32454 *
US-PATENT-APPL-SN-629458 ..... c 35 N78-17357 *
US-PATENT-APPL-SN-629759 ..... c 15 N71-16076 *
US-PATENT-APPL-SN-630579 ..... c 35 N77-24454 *

US-PATENT-APPL-SN-630583 ..... c 33 N77-24375 *
US-PATENT-APPL-SN-631341 ..... c 60 N78-17691 *
US-PATENT-APPL-SN-63144 ..... c 16 N72-28521 *
US-PATENT-APPL-SN-631848 ..... c 09 N71-12514 *
US-PATENT-APPL-SN-63195 ..... c 14 N72-27408 *
US-PATENT-APPL-SN-632104 ..... c 09 N71-19470 *
US-PATENT-APPL-SN-632111 ..... c 37 N79-10422 *
US-PATENT-APPL-SN-632112 ..... c 35 N77-22449 *
US-PATENT-APPL-SN-632152 ..... c 10 N71-24798 *
US-PATENT-APPL-SN-632154 ..... c 09 N69-39984 * #
US-PATENT-APPL-SN-632162 ..... c 14 N69-39937 * #
US-PATENT-APPL-SN-632163 ..... c 30 N71-23723 *
US-PATENT-APPL-SN-632164 ..... c 15 N69-24319 * #
US-PATENT-APPL-SN-632165 ..... c 14 N71-26266 *
US-PATENT-APPL-SN-633178 ..... c 25 N84-32447 * #
US-PATENT-APPL-SN-633179 ..... c 34 N86-12547 *
US-PATENT-APPL-SN-633180 ..... c 09 N84-32398 * #
US-PATENT-APPL-SN-633363 ..... c 25 N86-25428 *
US-PATENT-APPL-SN-63383 ..... c 08 N72-20177 *
US-PATENT-APPL-SN-63384 ..... c 05 N72-22093 *
US-PATENT-APPL-SN-633876 ..... c 27 N78-19302 *
US-PATENT-APPL-SN-633877 ..... c 27 N77-13217 *
US-PATENT-APPL-SN-634038 ..... c 25 N71-16073 *
US-PATENT-APPL-SN-634040 ..... c 15 N71-19489 *
US-PATENT-APPL-SN-634060 ..... c 09 N69-39897 * #
US-PATENT-APPL-SN-634205 ..... c 35 N77-14406 *
US-PATENT-APPL-SN-634214 ..... c 73 N78-28913 *
US-PATENT-APPL-SN-634304 ..... c 27 N79-18052 *
US-PATENT-APPL-SN-635325 ..... c 14 N69-27431 * #
US-PATENT-APPL-SN-635326 ..... c 14 N71-18482 *
US-PATENT-APPL-SN-635327 ..... c 12 N69-39988 * #
US-PATENT-APPL-SN-635328 ..... c 09 N69-21467 * #
US-PATENT-APPL-SN-63532 ..... c 08 N72-25209 *
US-PATENT-APPL-SN-635519 ..... c 35 N77-24455 *
US-PATENT-APPL-SN-635531 ..... c 33 N77-14334 *
US-PATENT-APPL-SN-635970 ..... c 15 N69-21465 * #
US-PATENT-APPL-SN-635972 ..... c 18 N71-23710 *
US-PATENT-APPL-SN-63610 ..... c 06 N72-25147 *
US-PATENT-APPL-SN-636193 ..... c 74 N78-15880 *
US-PATENT-APPL-SN-636459 ..... c 44 N87-21410 *
US-PATENT-APPL-SN-636463 ..... c 20 N87-16875 *
US-PATENT-APPL-SN-636465 ..... c 37 N85-29284 *
US-PATENT-APPL-SN-636796 ..... c 35 N78-17358 *
US-PATENT-APPL-SN-636878 ..... c 14 N71-20442 *
US-PATENT-APPL-SN-637247 ..... c 35 N77-10493 *
US-PATENT-APPL-SN-637249 ..... c 38 N76-28563 *
US-PATENT-APPL-SN-637268 ..... c 47 N77-10753 *
US-PATENT-APPL-SN-637269 ..... c 52 N77-28717 *
US-PATENT-APPL-SN-637882 ..... c 15 N71-17650 *
US-PATENT-APPL-SN-638192 ..... c 10 N71-26415 *
US-PATENT-APPL-SN-638194 ..... c 33 N71-21507 *
US-PATENT-APPL-SN-638541 ..... c 33 N86-20671 *
US-PATENT-APPL-SN-638584 ..... c 33 N86-20670 *
US-PATENT-APPL-SN-638586 ..... c 32 N87-21207 *
US-PATENT-APPL-SN-638707 ..... c 14 N69-27486 * #
US-PATENT-APPL-SN-639589 ..... c 28 N70-33372 *
US-PATENT-APPL-SN-640154 ..... c 09 N71-18600 *
US-PATENT-APPL-SN-640447 ..... c 15 N71-19486 *
US-PATENT-APPL-SN-640448 ..... c 08 N71-19420 *
US-PATENT-APPL-SN-640449 ..... c 09 N71-19516 *
US-PATENT-APPL-SN-640450 ..... c 15 N71-17694 *
US-PATENT-APPL-SN-640452 ..... c 09 N71-12513 *
US-PATENT-APPL-SN-640453 ..... c 23 N71-16099 *
US-PATENT-APPL-SN-640454 ..... c 06 N71-11238 *
US-PATENT-APPL-SN-640455 ..... c 10 N71-23099 *
US-PATENT-APPL-SN-640456 ..... c 03 N71-26726 *
US-PATENT-APPL-SN-640457 ..... c 03 N71-11052 *
US-PATENT-APPL-SN-640458 ..... c 15 N71-23811 *
US-PATENT-APPL-SN-640459 ..... c 10 N71-18723 *
US-PATENT-APPL-SN-640460 ..... c 14 N69-21541 * #
US-PATENT-APPL-SN-640462 ..... c 15 N71-20443 *
US-PATENT-APPL-SN-640712 ..... c 24 N85-35233 *
US-PATENT-APPL-SN-640781 ..... c 03 N69-25146 * #
US-PATENT-APPL-SN-640783 ..... c 09 N71-26000 *
US-PATENT-APPL-SN-640784 ..... c 15 N69-39935 * #
US-PATENT-APPL-SN-640785 ..... c 09 N69-24333 * #
US-PATENT-APPL-SN-640786 ..... c 15 N71-24695 *
US-PATENT-APPL-SN-640787 ..... c 28 N71-24321 *
US-PATENT-APPL-SN-640788 ..... c 15 N69-27502 * #
US-PATENT-APPL-SN-640789 ..... c 15 N69-27504 * #
US-PATENT-APPL-SN-641142 ..... c 23 N86-32525 *
US-PATENT-APPL-SN-641143 ..... c 27 N85-34280 *
US-PATENT-APPL-SN-641146 ..... c 76 N87-13313 *
US-PATENT-APPL-SN-641147 ..... c 27 N87-23751 *
US-PATENT-APPL-SN-641152 ..... c 23 N87-28605 *
US-PATENT-APPL-SN-641153 ..... c 27 N86-32568 * #
US-PATENT-APPL-SN-641420 ..... c 03 N71-23449 *
US-PATENT-APPL-SN-641431 ..... c 30 N71-16090 *
US-PATENT-APPL-SN-641441 ..... c 08 N71-18751 *
US-PATENT-APPL-SN-641784 ..... c 37 N77-32499 *
US-PATENT-APPL-SN-641802 ..... c 34 N77-30399 *
US-PATENT-APPL-SN-641803 ..... c 35 N78-18391 *
US-PATENT-APPL-SN-64224 ..... c 17 N70-38490 *
US-PATENT-APPL-SN-64226 ..... c 17 N70-38198 *
US-PATENT-APPL-SN-642310 ..... c 44 N86-19721 *
US-PATENT-APPL-SN-642602 ..... c 54 N86-29507 * #
US-PATENT-APPL-SN-643041 ..... c 44 N78-19599 *
US-PATENT-APPL-SN-643043 ..... c 35 N78-13400 *
US-PATENT-APPL-SN-643332 ..... c 15 N71-14932 *
US-PATENT-APPL-SN-643522 ..... c 16 N86-26352 *
US-PATENT-APPL-SN-643524 ..... c 27 N86-29039 *
US-PATENT-APPL-SN-643589 ..... c 27 N86-31727 *
US-PATENT-APPL-SN-643897 ..... c 73 N78-32848 *
US-PATENT-APPL-SN-64391 ..... c 31 N72-25842 *
US-PATENT-APPL-SN-644444 ..... c 09 N71-18721 *
US-PATENT-APPL-SN-644446 ..... c 14 N71-24693 *
US-PATENT-APPL-SN-644447 ..... c 14 N71-24234 *
US-PATENT-APPL-SN-644448 ..... c 17 N69-25147 * #
US-PATENT-APPL-SN-644799 ..... c 17 N71-15468 *
US-PATENT-APPL-SN-645500 ..... c 74 N77-28932 *
US-PATENT-APPL-SN-645502 ..... c 24 N79-25143 *
US-PATENT-APPL-SN-645507 ..... c 26 N77-32280 *
US-PATENT-APPL-SN-645508 ..... c 44 N77-14580 *
US-PATENT-APPL-SN-645510 ..... c 32 N77-30308 *
US-PATENT-APPL-SN-645563 ..... c 31 N71-20396 *
US-PATENT-APPL-SN-645571 ..... c 35 N77-14407 *
US-PATENT-APPL-SN-645573 ..... c 24 N71-25555 *
US-PATENT-APPL-SN-645584 ..... c 08 N71-12494 *
US-PATENT-APPL-SN-646044 ..... c 37 N85-34403 *
US-PATENT-APPL-SN-646124 ..... c 15 N71-23817 *
US-PATENT-APPL-SN-646333 ..... c 35 N80-26635 *
US-PATENT-APPL-SN-646424 ..... c 07 N69-27460 * #
US-PATENT-APPL-SN-646704 ..... c 36 N77-25499 *
US-PATENT-APPL-SN-646934 ..... c 08 N71-18692 *
US-PATENT-APPL-SN-64709 ..... c 10 N72-28240 *
US-PATENT-APPL-SN-64723 ..... c 07 N72-25170 *
US-PATENT-APPL-SN-647298 ..... c 31 N71-16102 *
US-PATENT-APPL-SN-648034 ..... c 09 N79-21083 *
US-PATENT-APPL-SN-648700 ..... c 74 N78-13874 *
US-PATENT-APPL-SN-649075 ..... c 14 N71-15600 *
US-PATENT-APPL-SN-649076 ..... c 08 N71-24890 *
US-PATENT-APPL-SN-649078 ..... c 07 N71-19493 *
US-PATENT-APPL-SN-649327 ..... c 33 N87-25531 *
US-PATENT-APPL-SN-649328 ..... c 27 N86-19456 *
US-PATENT-APPL-SN-649329 ..... c 05 N84-33400 * #
US-PATENT-APPL-SN-649330 ..... c 27 N86-19458 *
US-PATENT-APPL-SN-649356 ..... c 09 N71-23189 *
US-PATENT-APPL-SN-649357 ..... c 08 N71-12500 *
US-PATENT-APPL-SN-649358 ..... c 07 N71-11267 *
US-PATENT-APPL-SN-649359 ..... c 15 N71-18701 *
US-PATENT-APPL-SN-649360 ..... c 23 N71-16365 *
US-PATENT-APPL-SN-650166 ..... c 09 N71-23191 *
US-PATENT-APPL-SN-651002 ..... c 08 N79-14108 *
US-PATENT-APPL-SN-651007 ..... c 74 N78-17865 *
US-PATENT-APPL-SN-651009 ..... c 26 N78-18182 *
US-PATENT-APPL-SN-651627 ..... c 26 N72-25679 *
US-PATENT-APPL-SN-651972 ..... c 27 N74-23125 *
US-PATENT-APPL-SN-652948 ..... c 52 N77-14736 *
US-PATENT-APPL-SN-652979 ..... c 45 N82-11634 *
US-PATENT-APPL-SN-653277 ..... c 31 N71-23912 *
US-PATENT-APPL-SN-653278 ..... c 14 N69-27503 * #
US-PATENT-APPL-SN-653316 ..... c 25 N77-32255 *
US-PATENT-APPL-SN-653422 ..... c 35 N77-20401 *
US-PATENT-APPL-SN-653682 ..... c 39 N78-10493 *
US-PATENT-APPL-SN-654787 ..... c 07 N77-32148 *
US-PATENT-APPL-SN-655149 ..... c 07 N77-23106 *
US-PATENT-APPL-SN-65548 ..... c 18 N70-39897 *
US-PATENT-APPL-SN-655601 ..... c 32 N86-27513 *
US-PATENT-APPL-SN-655605 ..... c 52 N87-24874 *
US-PATENT-APPL-SN-655606 ..... c 32 N85-20226 * #
US-PATENT-APPL-SN-655675 ..... c 17 N71-24142 *
US-PATENT-APPL-SN-655677 ..... c 08 N71-19432 *
US-PATENT-APPL-SN-655724 ..... c 15 N71-22706 *
US-PATENT-APPL-SN-656952 ..... c 09 N71-12519 *
US-PATENT-APPL-SN-656953 ..... c 14 N71-17585 *
US-PATENT-APPL-SN-656993 ..... c 09 N71-24843 *
US-PATENT-APPL-SN-656995 ..... c 21 N71-14132 *
US-PATENT-APPL-SN-657309 ..... c 31 N86-29055 *
US-PATENT-APPL-SN-657310 ..... c 35 N87-14670 *
US-PATENT-APPL-SN-657742 ..... c 18 N71-26100 *
US-PATENT-APPL-SN-657903 ..... c 07 N83-33884 *
US-PATENT-APPL-SN-657907 ..... c 27 N78-17213 *
US-PATENT-APPL-SN-657995 ..... c 35 N77-22450 *
US-PATENT-APPL-SN-657996 ..... c 60 N78-10709 *
US-PATENT-APPL-SN-657997 ..... c 60 N77-32731 *
US-PATENT-APPL-SN-657998 ..... c 27 N78-32262 *
US-PATENT-APPL-SN-658132 ..... c 44 N77-32580 *
US-PATENT-APPL-SN-658133 ..... c 71 N78-10837 *
US-PATENT-APPL-SN-65840 ..... c 10 N72-20225 *
US-PATENT-APPL-SN-658449 ..... c 32 N77-20289 *
US-PATENT-APPL-SN-658450 ..... c 37 N77-22482 *
US-PATENT-APPL-SN-658487 ..... c 37 N81-25371 *
US-PATENT-APPL-SN-658955 ..... c 14 N71-15605 *
US-PATENT-APPL-SN-658956 ..... c 15 N71-15607 *
US-PATENT-APPL-SN-658957 ..... c 14 N71-17584 *
US-PATENT-APPL-SN-658964 ..... c 19 N71-26674 *
US-PATENT-APPL-SN-658999 ..... c 44 N82-24645 *
US-PATENT-APPL-SN-659474 ..... c 35 N86-26595 *
US-PATENT-APPL-SN-659475 ..... c 31 N86-32587 *
US-PATENT-APPL-SN-659882 ..... c 37 N78-13436 *
US-PATENT-APPL-SN-66004 ..... c 15 N72-25450 *
US-PATENT-APPL-SN-660571 ..... c 26 N71-23654 *
US-PATENT-APPL-SN-660572 ..... c 15 N71-15571 *
US-PATENT-APPL-SN-660573 ..... c 15 N71-28936 *
US-PATENT-APPL-SN-660841 ..... c 14 N71-15621 *
US-PATENT-APPL-SN-660842 ..... c 14 N71-23726 *
US-PATENT-APPL-SN-660843 ..... c 08 N71-24650 *
US-PATENT-APPL-SN-6610 ..... c 15 N72-22492 *
US-PATENT-APPL-SN-661170 ..... c 14 N71-24809 *
US-PATENT-APPL-SN-661481 ..... c 26 N88-14179 *
US-PATENT-APPL-SN-6615 ..... c 03 N72-25019 *
US-PATENT-APPL-SN-6616 ..... c 03 N72-22042 *
US-PATENT-APPL-SN-6617 ..... c 15 N72-22488 *
US-PATENT-APPL-SN-66206 ..... c 11 N73-13257 *
US-PATENT-APPL-SN-662175 ..... c 09 N77-27131 *
US-PATENT-APPL-SN-662176 ..... c 32 N77-21267 *
US-PATENT-APPL-SN-662181 ..... c 25 N82-21269 *
US-PATENT-APPL-SN-662182 ..... c 37 N78-27424 *
US-PATENT-APPL-SN-662182 ..... c 35 N79-26372 *
US-PATENT-APPL-SN-662763 ..... c 15 N73-12489 *
US-PATENT-APPL-SN-662828 ..... c 11 N71-18578 *
US-PATENT-APPL-SN-662829 ..... c 15 N71-15597 *
US-PATENT-APPL-SN-663008 ..... c 37 N77-28486 *
US-PATENT-APPL-SN-663180 ..... c 10 N71-23663 *
US-PATENT-APPL-SN-663840 ..... c 27 N86-20561 *
US-PATENT-APPL-SN-664091 ..... c 43 N79-17288 *
US-PATENT-APPL-SN-665032 ..... c 74 N77-22950 *
US-PATENT-APPL-SN-665033 ..... c 20 N77-20162 *
US-PATENT-APPL-SN-665209 ..... c 14 N71-23725 *
US-PATENT-APPL-SN-665676 ..... c 14 N71-19568 *
US-PATENT-APPL-SN-665679 ..... c 15 N71-20395 *
US-PATENT-APPL-SN-665680 ..... c 24 N71-16213 *
US-PATENT-APPL-SN-665681 ..... c 15 N71-18616 *
US-PATENT-APPL-SN-665734 ..... c 35 N78-18390 *
US-PATENT-APPL-SN-666551 ..... c 14 N71-23698 *
US-PATENT-APPL-SN-666553 ..... c 03 N71-11055 *
US-PATENT-APPL-SN-666554 ..... c 33 N71-16104 *
US-PATENT-APPL-SN-666555 ..... c 07 N71-24614 *
US-PATENT-APPL-SN-666992 ..... c 27 N77-30236 *
US-PATENT-APPL-SN-667010 ..... c 34 N77-27345 *
US-PATENT-APPL-SN-667625 ..... c 31 N71-15674 *
US-PATENT-APPL-SN-667636 ..... c 03 N71-20491 *
US-PATENT-APPL-SN-667637 ..... c 28 N71-14044 *
US-PATENT-APPL-SN-667928 ..... c 35 N77-30436 *
US-PATENT-APPL-SN-667929 ..... c 35 N79-14346 *
US-PATENT-APPL-SN-667930 ..... c 32 N77-28346 *
US-PATENT-APPL-SN-668116 ..... c 35 N76-16391 *
US-PATENT-APPL-SN-668238 ..... c 15 N71-15608 *
US-PATENT-APPL-SN-668241 ..... c 15 N71-17685 *
US-PATENT-APPL-SN-668242 ..... c 10 N71-27272 *
US-PATENT-APPL-SN-668247 ..... c 09 N71-20445 *
US-PATENT-APPL-SN-668248 ..... c 10 N71-26331 *
US-PATENT-APPL-SN-668249 ..... c 03 N71-20407 *
US-PATENT-APPL-SN-668257 ..... c 23 N71-16100 *
US-PATENT-APPL-SN-668302 ..... c 07 N71-12390 *
US-PATENT-APPL-SN-668432 ..... c 35 N86-29174 *
US-PATENT-APPL-SN-668751 ..... c 06 N71-11237 *
US-PATENT-APPL-SN-668755 ..... c 15 N71-17693 *
US-PATENT-APPL-SN-668771 ..... c 35 N78-32397 *
US-PATENT-APPL-SN-668783 ..... c 28 N80-10374 *
US-PATENT-APPL-SN-668968 ..... c 09 N71-12515 *
US-PATENT-APPL-SN-668969 ..... c 08 N71-19288 *
US-PATENT-APPL-SN-668971 ..... c 07 N78-33101 *
US-PATENT-APPL-SN-669140 ..... c 44 N86-32875 *
US-PATENT-APPL-SN-669336 ..... c 15 N71-17651 *
US-PATENT-APPL-SN-669911 ..... c 33 N78-17295 *
US-PATENT-APPL-SN-669928 ..... c 44 N77-22607 *
US-PATENT-APPL-SN-670814 ..... c 03 N71-19545 *
US-PATENT-APPL-SN-670829 ..... c 28 N72-23809 *
US-PATENT-APPL-SN-672209 ..... c 52 N82-22875 *
US-PATENT-APPL-SN-672210 ..... c 25 N78-10224 *
US-PATENT-APPL-SN-672219 ..... c 37 N80-28711 *
US-PATENT-APPL-SN-672219 ..... c 37 N81-26447 *
US-PATENT-APPL-SN-672220 ..... c 31 N78-17237 *
US-PATENT-APPL-SN-672221 ..... c 07 N78-27121 *
US-PATENT-APPL-SN-672222 ..... c 07 N78-25090 *
US-PATENT-APPL-SN-672223 ..... c 51 N78-27733 *
US-PATENT-APPL-SN-672224 ..... c 37 N86-25790 *
US-PATENT-APPL-SN-672382 ..... c 15 N71-23815 *
US-PATENT-APPL-SN-672383 ..... c 15 N71-24045 *
US-PATENT-APPL-SN-672384 ..... c 15 N71-27067 *
US-PATENT-APPL-SN-672388 ..... c 26 N72-17820 *
US-PATENT-APPL-SN-672636 ..... c 37 N79-11405 *
US-PATENT-APPL-SN-672695 ..... c 27 N78-17206 *
US-PATENT-APPL-SN-672815 ..... c 37 N77-23482 *
US-PATENT-APPL-SN-673226 ..... c 08 N71-12502 *
US-PATENT-APPL-SN-673227 ..... c 11 N71-24964 *
US-PATENT-APPL-SN-673228 ..... c 07 N71-19433 *
US-PATENT-APPL-SN-673229 ..... c 33 N71-15641 *
US-PATENT-APPL-SN-673685 ..... c 60 N87-21591 *
US-PATENT-APPL-SN-674194 ..... c 27 N78-17215 *
US-PATENT-APPL-SN-674195 ..... c 74 N78-17866 *
US-PATENT-APPL-SN-674355 ..... c 14 N71-20429 *
US-PATENT-APPL-SN-674356 ..... c 14 N71-23699 *
US-PATENT-APPL-SN-674357 ..... c 05 N71-12351 *
US-PATENT-APPL-SN-674395 ..... c 76 N87-23286 *
US-PATENT-APPL-SN-674700 ..... c 27 N77-31308 *
US-PATENT-APPL-SN-675238 ..... c 10 N71-26374 *

US-PATENT-APPL-SN-675328 ..... c 35 N78-15461 *
US-PATENT-APPL-SN-675351 ..... c 35 N78-10429 *
US-PATENT-APPL-SN-676012 ..... c 05 N71-11193 *
US-PATENT-APPL-SN-676375 ..... c 14 N71-18483 *
US-PATENT-APPL-SN-676386 ..... c 08 N71-12507 *
US-PATENT-APPL-SN-676387 ..... c 10 N71-25950 *
US-PATENT-APPL-SN-676391 ..... c 21 N71-11766 *
US-PATENT-APPL-SN-676432 ..... c 28 N78-24365 *
US-PATENT-APPL-SN-676432 ..... c 28 N80-20402 *
US-PATENT-APPL-SN-676432 ..... c 28 N81-14103 *
US-PATENT-APPL-SN-676433 ..... c 52 N77-28716 *
US-PATENT-APPL-SN-676957 ..... c 32 N77-18307 *
US-PATENT-APPL-SN-676958 ..... c 54 N76-22914 *
US-PATENT-APPL-SN-676958 ..... c 52 N81-25661 *
US-PATENT-APPL-SN-67730 ..... c 15 N73-13463 *
US-PATENT-APPL-SN-677351 ..... c 35 N77-32455 *
US-PATENT-APPL-SN-677352 ..... c 43 N78-10529 *
US-PATENT-APPL-SN-677353 ..... c 52 N78-14773 *
US-PATENT-APPL-SN-677475 ..... c 32 N71-26681 *
US-PATENT-APPL-SN-677476 ..... c 14 N71-17586 *
US-PATENT-APPL-SN-677505 ..... c 09 N71-13521 *
US-PATENT-APPL-SN-677506 ..... c 16 N71-15567 *
US-PATENT-APPL-SN-677508 ..... c 16 N71-15551 *
US-PATENT-APPL-SN-67815 ..... c 28 N72-22771 *
US-PATENT-APPL-SN-678520 ..... c 20 N78-24275 *
US-PATENT-APPL-SN-678700 ..... c 05 N71-19439 *
US-PATENT-APPL-SN-678813 ..... c 33 N81-29342 *
US-PATENT-APPL-SN-679055 ..... c 08 N71-24633 *
US-PATENT-APPL-SN-679862 ..... c 20 N71-16340 *
US-PATENT-APPL-SN-679885 ..... c 09 N71-12521 *
US-PATENT-APPL-SN-679980 ..... c 44 N82-24642 *
US-PATENT-APPL-SN-679987 ..... c 44 N82-24644 *
US-PATENT-APPL-SN-679996 ..... c 44 N82-24643 *
US-PATENT-APPL-SN-680015 ..... c 52 N79-14750 *
US-PATENT-APPL-SN-680048 ..... c 44 N82-24641 *
US-PATENT-APPL-SN-680067 ..... c 07 N77-27116 *
US-PATENT-APPL-SN-68023 ..... c 05 N72-33096 *
US-PATENT-APPL-SN-68024 ..... c 17 N72-22535 *
US-PATENT-APPL-SN-680938 ..... c 74 N77-26942 *
US-PATENT-APPL-SN-680939 ..... c 44 N78-10554 *
US-PATENT-APPL-SN-680957 ..... c 35 N77-27366 *
US-PATENT-APPL-SN-680958 ..... c 74 N78-18905 *
US-PATENT-APPL-SN-681000 ..... c 34 N78-25350 *
US-PATENT-APPL-SN-681001 ..... c 74 N76-22993 *
US-PATENT-APPL-SN-681017 ..... c 44 N77-32583 *
US-PATENT-APPL-SN-681041 ..... c 37 N86-27629 *
US-PATENT-APPL-SN-681096 ..... c 44 N77-32582 *
US-PATENT-APPL-SN-681687 ..... c 03 N71-20273 *
US-PATENT-APPL-SN-681692 ..... c 08 N71-12506 *
US-PATENT-APPL-SN-681693 ..... c 09 N71-18598 *
US-PATENT-APPL-SN-681942 ..... c 18 N71-15688 *
US-PATENT-APPL-SN-682416 ..... c 34 N77-24423 *
US-PATENT-APPL-SN-682435 ..... c 27 N77-32308 *
US-PATENT-APPL-SN-683073 ..... c 44 N81-29525 *
US-PATENT-APPL-SN-683073 ..... c 44 N82-28780 *
US-PATENT-APPL-SN-683101 ..... c 33 N87-21235 *
US-PATENT-APPL-SN-683111 ..... c 33 N87-22894 *
US-PATENT-APPL-SN-683465 ..... c 27 N82-29451 *
US-PATENT-APPL-SN-683507 ..... c 15 N71-15609 *
US-PATENT-APPL-SN-683606 ..... c 09 N71-24717 *
US-PATENT-APPL-SN-683612 ..... c 01 N69-39981 * #
US-PATENT-APPL-SN-683613 ..... c 15 N71-15610 *
US-PATENT-APPL-SN-684045 ..... c 07 N80-26298 *
US-PATENT-APPL-SN-684083 ..... c 09 N71-24596 *
US-PATENT-APPL-SN-684171 ..... c 26 N78-18183 *
US-PATENT-APPL-SN-684178 ..... c 15 N71-23812 *
US-PATENT-APPL-SN-684186 ..... c 35 N88-29150 *
US-PATENT-APPL-SN-684190 ..... c 54 N86-28619 *
US-PATENT-APPL-SN-684192 ..... c 54 N86-28620 *
US-PATENT-APPL-SN-684193 ..... c 54 N86-28618 *
US-PATENT-APPL-SN-684194 ..... c 35 N85-20300 * #
US-PATENT-APPL-SN-684209 ..... c 10 N71-19418 *
US-PATENT-APPL-SN-684807 ..... c 75 N78-27913 *
US-PATENT-APPL-SN-684894 ..... c 17 N71-26773 *
US-PATENT-APPL-SN-685027 ..... c 25 N78-10225 *
US-PATENT-APPL-SN-685463 ..... c 15 N71-23254 *
US-PATENT-APPL-SN-685473 ..... c 17 N71-16044 *
US-PATENT-APPL-SN-685497 ..... c 07 N69-39974 * #
US-PATENT-APPL-SN-685607 ..... c 37 N86-21850 *
US-PATENT-APPL-SN-685748 ..... c 07 N71-11282 *
US-PATENT-APPL-SN-685750 ..... c 27 N71-16392 *
US-PATENT-APPL-SN-685764 ..... c 14 N69-27459 * #
US-PATENT-APPL-SN-685766 ..... c 15 N69-21924 * #
US-PATENT-APPL-SN-685787 ..... c 14 N71-18625 *
US-PATENT-APPL-SN-686209 ..... c 15 N71-23809 *
US-PATENT-APPL-SN-686248 ..... c 14 N71-26774 *
US-PATENT-APPL-SN-686296 ..... c 18 N71-14014 *
US-PATENT-APPL-SN-686331 ..... c 38 N78-32447 *
US-PATENT-APPL-SN-686344 ..... c 15 N71-17688 *
US-PATENT-APPL-SN-686449 ..... c 34 N78-18355 *
US-PATENT-APPL-SN-686796 ..... c 15 N70-33311 *
US-PATENT-APPL-SN-686933 ..... c 14 N71-17588 *
US-PATENT-APPL-SN-686959 ..... c 02 N88-14071 *
US-PATENT-APPL-SN-687251 ..... c 52 N79-12694 *
US-PATENT-APPL-SN-687822 ..... c 44 N78-14625 *
US-PATENT-APPL-SN-688742 ..... c 15 N71-20441 *
US-PATENT-APPL-SN-688743 ..... c 15 N71-20393 *
US-PATENT-APPL-SN-688805 ..... c 14 N71-17701 *
US-PATENT-APPL-SN-688807 ..... c 03 N71-23239 *
US-PATENT-APPL-SN-688852 ..... c 44 N78-28594 *
US-PATENT-APPL-SN-688854 ..... c 54 N77-32722 *
US-PATENT-APPL-SN-688856 ..... c 54 N78-32720 *
US-PATENT-APPL-SN-688868 ..... c 15 N71-17686 *
US-PATENT-APPL-SN-689455 ..... c 54 N74-32546 *
US-PATENT-APPL-SN-690163 ..... c 14 N71-18465 *
US-PATENT-APPL-SN-690172 ..... c 11 N72-22245 *
US-PATENT-APPL-SN-690273 ..... c 20 N87-14420 *
US-PATENT-APPL-SN-690274 ..... c 05 N87-14314 *
US-PATENT-APPL-SN-690815 ..... c 32 N77-24328 *
US-PATENT-APPL-SN-690816 ..... c 37 N78-25426 *
US-PATENT-APPL-SN-690997 ..... c 16 N71-24828 *
US-PATENT-APPL-SN-690998 ..... c 30 N71-15990 *
US-PATENT-APPL-SN-691046 ..... c 36 N77-25501 *
US-PATENT-APPL-SN-691256 ..... c 35 N77-31465 *
US-PATENT-APPL-SN-691647 ..... c 52 N82-11770 *
US-PATENT-APPL-SN-691735 ..... c 09 N71-12520 *
US-PATENT-APPL-SN-691736 ..... c 18 N71-16210 *
US-PATENT-APPL-SN-691737 ..... c 07 N71-24742 *
US-PATENT-APPL-SN-691738 ..... c 08 N71-18694 *
US-PATENT-APPL-SN-691739 ..... c 32 N71-15974 *
US-PATENT-APPL-SN-691909 ..... c 05 N71-24606 *
US-PATENT-APPL-SN-691936 ..... c 26 N77-32279 *
US-PATENT-APPL-SN-69209 ..... c 15 N72-21463 *
US-PATENT-APPL-SN-692284 ..... c 27 N78-14164 *
US-PATENT-APPL-SN-692331 ..... c 10 N71-26326 *
US-PATENT-APPL-SN-692332 ..... c 07 N71-11281 *
US-PATENT-APPL-SN-692413 ..... c 25 N78-25148 *
US-PATENT-APPL-SN-692414 ..... c 32 N77-24331 *
US-PATENT-APPL-SN-692471 ..... c 09 N71-12518 *
US-PATENT-APPL-SN-692636 ..... c 27 N81-24258 *
US-PATENT-APPL-SN-692745 ..... c 36 N87-17026 *
US-PATENT-APPL-SN-692801 ..... c 37 N87-22977 *
US-PATENT-APPL-SN-692802 ..... c 37 N87-17034 *
US-PATENT-APPL-SN-692875 ..... c 37 N86-20788 *
US-PATENT-APPL-SN-693074 ..... c 44 N78-24609 *
US-PATENT-APPL-SN-693419 ..... c 31 N71-16222 *
US-PATENT-APPL-SN-693420 ..... c 31 N71-16080 *
US-PATENT-APPL-SN-694246 ..... c 15 N71-26673 *
US-PATENT-APPL-SN-694247 ..... c 09 N69-21927 * #
US-PATENT-APPL-SN-694317 ..... c 12 N71-20436 *
US-PATENT-APPL-SN-694340 ..... c 11 N71-17600 *
US-PATENT-APPL-SN-694345 ..... c 10 N71-23669 *
US-PATENT-APPL-SN-694406 ..... c 35 N79-10389 *
US-PATENT-APPL-SN-694407 ..... c 27 N80-23452 *
US-PATENT-APPL-SN-694855 ..... c 33 N77-30365 *
US-PATENT-APPL-SN-69488 ..... c 23 N75-14834 *
US-PATENT-APPL-SN-695513 ..... c 07 N78-25089 *
US-PATENT-APPL-SN-695973 ..... c 05 N71-12343 *
US-PATENT-APPL-SN-696374 ..... c 44 N80-29835 *
US-PATENT-APPL-SN-696679 ..... c 38 N79-14398 *
US-PATENT-APPL-SN-696989 ..... c 27 N77-30237 *
US-PATENT-APPL-SN-697075 ..... c 15 N71-27184 *
US-PATENT-APPL-SN-697341 ..... c 09 N71-23188 *
US-PATENT-APPL-SN-698239 ..... c 33 N78-17294 *
US-PATENT-APPL-SN-698279 ..... c 37 N87-22976 *
US-PATENT-APPL-SN-698592 ..... c 15 N71-18580 *
US-PATENT-APPL-SN-698629 ..... c 09 N71-12516 *
US-PATENT-APPL-SN-698630 ..... c 09 N71-24841 *
US-PATENT-APPL-SN-698641 ..... c 74 N86-28732 *
US-PATENT-APPL-SN-698646 ..... c 24 N78-15180 *
US-PATENT-APPL-SN-699002 ..... c 32 N78-15323 *
US-PATENT-APPL-SN-699012 ..... c 33 N78-27326 *
US-PATENT-APPL-SN-700040 ..... c 18 N72-23581 *
US-PATENT-APPL-SN-700120 ..... c 15 N71-20440 *
US-PATENT-APPL-SN-700142 ..... c 21 N71-14159 *
US-PATENT-APPL-SN-700174 ..... c 02 N71-20570 *
US-PATENT-APPL-SN-700255 ..... c 33 N87-21234 *
US-PATENT-APPL-SN-70032 ..... c 11 N73-12264 *
US-PATENT-APPL-SN-700467 ..... c 52 N79-14749 *
US-PATENT-APPL-SN-700541 ..... c 10 N71-25139 *
US-PATENT-APPL-SN-700586 ..... c 15 N71-19570 *
US-PATENT-APPL-SN-700673 ..... c 39 N77-28511 *
US-PATENT-APPL-SN-700984 ..... c 11 N71-19494 *
US-PATENT-APPL-SN-700985 ..... c 15 N69-23190 * #
US-PATENT-APPL-SN-700986 ..... c 12 N71-26387 *
US-PATENT-APPL-SN-700987 ..... c 09 N71-19610 *
US-PATENT-APPL-SN-701244 ..... c 05 N72-20096 *
US-PATENT-APPL-SN-701448 ..... c 52 N78-10686 *
US-PATENT-APPL-SN-701486 ..... c 31 N87-21159 *
US-PATENT-APPL-SN-701635 ..... c 12 N71-17578 *
US-PATENT-APPL-SN-701654 ..... c 03 N71-11049 *
US-PATENT-APPL-SN-701679 ..... c 02 N71-19287 *
US-PATENT-APPL-SN-701679 ..... c 07 N73-20174 *
US-PATENT-APPL-SN-701732 ..... c 24 N71-16095 *
US-PATENT-APPL-SN-701733 ..... c 10 N71-24844 *
US-PATENT-APPL-SN-701744 ..... c 21 N71-13958 *
US-PATENT-APPL-SN-701767 ..... c 07 N71-26101 *
US-PATENT-APPL-SN-702115 ..... c 71 N79-14871 *
US-PATENT-APPL-SN-702396 ..... c 31 N71-16345 *
US-PATENT-APPL-SN-702911 ..... c 15 N71-24875 *
US-PATENT-APPL-SN-702967 ..... c 06 N71-24739 *
US-PATENT-APPL-SN-703107 ..... c 37 N77-22479 *
US-PATENT-APPL-SN-703847 ..... c 72 N86-33127 *
US-PATENT-APPL-SN-703905 ..... c 32 N80-14281 *
US-PATENT-APPL-SN-704180 ..... c 36 N78-27402 *
US-PATENT-APPL-SN-704224 ..... c 18 N71-15469 *
US-PATENT-APPL-SN-704299 ..... c 10 N71-26577 *
US-PATENT-APPL-SN-704420 ..... c 05 N71-11202 *
US-PATENT-APPL-SN-704446 ..... c 10 N71-33407 *
US-PATENT-APPL-SN-704465 ..... c 07 N71-24741 *
US-PATENT-APPL-SN-704468 ..... c 25 N79-28253 *
US-PATENT-APPL-SN-704668 ..... c 10 N71-12554 *
US-PATENT-APPL-SN-706013 ..... c 33 N71-27862 *
US-PATENT-APPL-SN-706073 ..... c 76 N79-11920 *
US-PATENT-APPL-SN-706424 ..... c 27 N78-32256 *
US-PATENT-APPL-SN-706424 ..... c 27 N80-10358 *
US-PATENT-APPL-SN-706424 ..... c 27 N80-24438 *
US-PATENT-APPL-SN-706425 ..... c 33 N78-10376 *
US-PATENT-APPL-SN-706564 ..... c 14 N71-17587 *
US-PATENT-APPL-SN-706564 ..... c 76 N87-15882 *
US-PATENT-APPL-SN-706565 ..... c 76 N87-25862 *
US-PATENT-APPL-SN-706681 ..... c 35 N86-32696 *
US-PATENT-APPL-SN-706682 ..... c 24 N86-28131 *
US-PATENT-APPL-SN-707124 ..... c 44 N77-22606 *
US-PATENT-APPL-SN-707125 ..... c 39 N78-16387 *
US-PATENT-APPL-SN-707440 ..... c 06 N73-30102 *
US-PATENT-APPL-SN-707495 ..... c 11 N71-18773 *
US-PATENT-APPL-SN-708658 ..... c 33 N77-26385 *
US-PATENT-APPL-SN-708660 ..... c 34 N78-27357 *
US-PATENT-APPL-SN-708771 ..... c 26 N78-24333 *
US-PATENT-APPL-SN-708795 ..... c 37 N77-28487 *
US-PATENT-APPL-SN-708796 ..... c 36 N78-18410 *
US-PATENT-APPL-SN-708800 ..... c 54 N78-17676 *
US-PATENT-APPL-SN-708951 ..... c 27 N78-31232 *
US-PATENT-APPL-SN-709255 ..... c 37 N86-32738 *
US-PATENT-APPL-SN-709257 ..... c 32 N87-14559 *
US-PATENT-APPL-SN-709398 ..... c 06 N71-13461 *
US-PATENT-APPL-SN-709399 ..... c 16 N71-26154 *
US-PATENT-APPL-SN-709415 ..... c 44 N78-27515 *
US-PATENT-APPL-SN-709622 ..... c 33 N71-24858 *
US-PATENT-APPL-SN-70967 ..... c 07 N73-13149 *
US-PATENT-APPL-SN-70967 ..... c 32 N74-10132 *
US-PATENT-APPL-SN-709849 ..... c 52 N77-25772 *
US-PATENT-APPL-SN-710032 ..... c 54 N77-30749 *
US-PATENT-APPL-SN-710035 ..... c 44 N78-24608 *
US-PATENT-APPL-SN-710036 ..... c 44 N78-32539 *
US-PATENT-APPL-SN-71047 ..... c 09 N72-21247 *
US-PATENT-APPL-SN-71048 ..... c 18 N73-12604 *
US-PATENT-APPL-SN-710533 ..... c 02 N71-11043 *
US-PATENT-APPL-SN-710561 ..... c 09 N71-12517 *
US-PATENT-APPL-SN-710562 ..... c 31 N71-16085 *
US-PATENT-APPL-SN-710621 ..... c 06 N73-27086 *
US-PATENT-APPL-SN-710945 ..... c 33 N71-15568 *
US-PATENT-APPL-SN-710949 ..... c 12 N71-17631 *
US-PATENT-APPL-SN-711898 ..... c 18 N71-24934 *
US-PATENT-APPL-SN-711903 ..... c 18 N71-26772 *
US-PATENT-APPL-SN-711921 ..... c 18 N71-16105 *
US-PATENT-APPL-SN-711970 ..... c 09 N71-18830 *
US-PATENT-APPL-SN-711971 ..... c 09 N71-23598 *
US-PATENT-APPL-SN-711972 ..... c 06 N71-24607 *
US-PATENT-APPL-SN-712065 ..... c 08 N71-12503 *
US-PATENT-APPL-SN-712099 ..... c 23 N71-24868 *
US-PATENT-APPL-SN-712270 ..... c 52 N79-27836 *
US-PATENT-APPL-SN-712419 ..... c 35 N78-14364 *
US-PATENT-APPL-SN-712658 ..... c 07 N71-19773 *
US-PATENT-APPL-SN-712981 ..... c 31 N78-25256 *
US-PATENT-APPL-SN-713027 ..... c 37 N79-10419 *
US-PATENT-APPL-SN-713162 ..... c 06 N71-26754 *
US-PATENT-APPL-SN-713188 ..... c 08 N71-33110 *
US-PATENT-APPL-SN-713449 ..... c 74 N87-25843 *
US-PATENT-APPL-SN-713616 ..... c 06 N71-27363 *
US-PATENT-APPL-SN-714051 ..... c 33 N86-21742 *
US-PATENT-APPL-SN-714158 ..... c 33 N78-13320 *
US-PATENT-APPL-SN-714296 ..... c 14 N71-15604 *
US-PATENT-APPL-SN-714595 ..... c 15 N71-17822 *
US-PATENT-APPL-SN-715485 ..... c 74 N78-14889 *
US-PATENT-APPL-SN-715975 ..... c 06 N71-11240 *
US-PATENT-APPL-SN-716183 ..... c 15 N71-18132 *
US-PATENT-APPL-SN-716734 ..... c 15 N71-17628 *
US-PATENT-APPL-SN-716795 ..... c 14 N71-20435 *
US-PATENT-APPL-SN-716885 ..... c 74 N78-33913 *
US-PATENT-APPL-SN-717052 ..... c 14 N71-17626 *
US-PATENT-APPL-SN-717319 ..... c 44 N77-31601 *
US-PATENT-APPL-SN-717320 ..... c 44 N78-15560 *
US-PATENT-APPL-SN-717822 ..... c 09 N71-25866 *
US-PATENT-APPL-SN-718095 ..... c 28 N70-39899 *
US-PATENT-APPL-SN-718137 ..... c 44 N78-31527 *
US-PATENT-APPL-SN-718244 ..... c 05 N78-32086 *
US-PATENT-APPL-SN-718266 ..... c 74 N78-17867 *
US-PATENT-APPL-SN-718267 ..... c 26 N77-29260 *
US-PATENT-APPL-SN-718268 ..... c 44 N78-33526 *
US-PATENT-APPL-SN-718279 ..... c 15 N71-26312 *
US-PATENT-APPL-SN-718689 ..... c 14 N71-17655 *
US-PATENT-APPL-SN-718752 ..... c 03 N71-18698 *
US-PATENT-APPL-SN-718769 ..... c 14 N71-17662 *
US-PATENT-APPL-SN-719029 ..... c 14 N71-27186 *
US-PATENT-APPL-SN-719173 ..... c 28 N70-33331 *
US-PATENT-APPL-SN-719794 ..... c 35 N86-32695 * #

US-PATENT-APPL-SN-719796 ..... c 24 N86-21590 *
US-PATENT-APPL-SN-719798 ..... c 76 N85-30934 * #
US-PATENT-APPL-SN-719799 ..... c 35 N86-25752 *
US-PATENT-APPL-SN-719869 ..... c 31 N71-15676 *
US-PATENT-APPL-SN-719870 ..... c 07 N71-26292 *
US-PATENT-APPL-SN-720041 ..... c 05 N71-27234 *
US-PATENT-APPL-SN-720125 ..... c 09 N71-12539 *
US-PATENT-APPL-SN-72024 ..... c 09 N73-12211 *
US-PATENT-APPL-SN-720521 ..... c 44 N78-25530 *
US-PATENT-APPL-SN-720546 ..... c 18 N72-17532 *
US-PATENT-APPL-SN-721150 ..... c 37 N78-17383 *
US-PATENT-APPL-SN-721607 ..... c 18 N71-25881 *
US-PATENT-APPL-SN-723264 ..... c 24 N78-10214 *
US-PATENT-APPL-SN-723264 ..... c 24 N78-17149 *
US-PATENT-APPL-SN-723465 ..... c 15 N72-29488 *
US-PATENT-APPL-SN-723465 ..... c 37 N74-15125 *
US-PATENT-APPL-SN-723476 ..... c 05 N71-12341 *
US-PATENT-APPL-SN-723488 ..... c 09 N71-28691 *
US-PATENT-APPL-SN-723804 ..... c 09 N71-24806 *
US-PATENT-APPL-SN-723805 ..... c 10 N71-26339 *
US-PATENT-APPL-SN-723827 ..... c 10 N71-27137 *
US-PATENT-APPL-SN-724551 ..... c 15 N71-17696 *
US-PATENT-APPL-SN-724874 ..... c 76 N78-24950 *
US-PATENT-APPL-SN-725405 ..... c 15 N71-26134 *
US-PATENT-APPL-SN-725432 ..... c 07 N71-24622 *
US-PATENT-APPL-SN-725475 ..... c 31 N71-15643 *
US-PATENT-APPL-SN-725686 ..... c 27 N87-15304 *
US-PATENT-APPL-SN-725689 ..... c 37 N87-17037 *
US-PATENT-APPL-SN-725714 ..... c 33 N85-30202 * #
US-PATENT-APPL-SN-725719 ..... c 15 N71-26243 *
US-PATENT-APPL-SN-725725 ..... c 27 N87-16908 *
US-PATENT-APPL-SN-725727 ..... c 27 N87-22845 *
US-PATENT-APPL-SN-726898 ..... c 12 N71-17579 *
US-PATENT-APPL-SN-727034 ..... c 35 N87-14669 *
US-PATENT-APPL-SN-727035 ..... c 33 N86-32624 *
US-PATENT-APPL-SN-727444 ..... c 31 N81-15154 *
US-PATENT-APPL-SN-727480 ..... c 14 N71-17658 *
US-PATENT-APPL-SN-727503 ..... c 08 N81-19130 *
US-PATENT-APPL-SN-727838 ..... c 33 N86-20681 * #
US-PATENT-APPL-SN-727931 ..... c 33 N88-24862 *
US-PATENT-APPL-SN-728234 ..... c 03 N71-12255 *
US-PATENT-APPL-SN-728369 ..... c 52 N76-33835 * #
US-PATENT-APPL-SN-729299 ..... c 03 N72-15986 *
US-PATENT-APPL-SN-729704 ..... c 37 N87-23983 *
US-PATENT-APPL-SN-729719 ..... c 32 N87-25511 *
US-PATENT-APPL-SN-729766 ..... c 09 N87-14355 *
US-PATENT-APPL-SN-729767 ..... c 24 N87-27742 * #
US-PATENT-APPL-SN-729768 ..... c 72 N87-21660 *
US-PATENT-APPL-SN-730045 ..... c 32 N78-24391 *
US-PATENT-APPL-SN-730046 ..... c 35 N78-32396 *
US-PATENT-APPL-SN-730162 ..... c 09 N71-18599 *
US-PATENT-APPL-SN-730468 ..... c 25 N79-11152 *
US-PATENT-APPL-SN-730700 ..... c 07 N71-24583 *
US-PATENT-APPL-SN-730701 ..... c 12 N71-18615 *
US-PATENT-APPL-SN-730702 ..... c 33 N71-16356 *
US-PATENT-APPL-SN-730703 ..... c 10 N71-13537 *
US-PATENT-APPL-SN-730733 ..... c 28 N71-16224 *
US-PATENT-APPL-SN-730734 ..... c 15 N71-17654 *
US-PATENT-APPL-SN-730778 ..... c 32 N79-10264 *
US-PATENT-APPL-SN-731388 ..... c 15 N71-24835 *
US-PATENT-APPL-SN-732321 ..... c 33 N87-28832 *
US-PATENT-APPL-SN-732455 ..... c 22 N71-28759 *
US-PATENT-APPL-SN-732630 ..... c 36 N78-14380 *
US-PATENT-APPL-SN-73283 ..... c 15 N72-28495 *
US-PATENT-APPL-SN-732917 ..... c 14 N71-17575 *
US-PATENT-APPL-SN-732921 ..... c 10 N71-26544 *
US-PATENT-APPL-SN-732922 ..... c 17 N71-28747 *
US-PATENT-APPL-SN-733039 ..... c 07 N72-12081 *
US-PATENT-APPL-SN-73310 ..... c 09 N72-25247 *
US-PATENT-APPL-SN-73367 ..... c 14 N71-15969 *
US-PATENT-APPL-SN-733825 ..... c 31 N79-11246 *
US-PATENT-APPL-SN-73422 ..... c 15 N72-25454 *
US-PATENT-APPL-SN-734366 ..... c 27 N87-22847 *
US-PATENT-APPL-SN-734805 ..... c 14 N70-34816 *
US-PATENT-APPL-SN-734901 ..... c 27 N78-17205 *
US-PATENT-APPL-SN-734902 ..... c 24 N78-14096 *
US-PATENT-APPL-SN-735911 ..... c 14 N70-41946 *
US-PATENT-APPL-SN-736286 ..... c 32 N79-11265 *
US-PATENT-APPL-SN-736848 ..... c 23 N71-16212 *
US-PATENT-APPL-SN-736909 ..... c 37 N79-11404 *
US-PATENT-APPL-SN-736910 ..... c 27 N78-32260 *
US-PATENT-APPL-SN-737018 ..... c 37 N86-20801 * #
US-PATENT-APPL-SN-737974 ..... c 33 N78-18308 *
US-PATENT-APPL-SN-737975 ..... c 32 N84-27952 *
US-PATENT-APPL-SN-738119 ..... c 18 N71-15545 *
US-PATENT-APPL-SN-738218 ..... c 37 N78-27425 *
US-PATENT-APPL-SN-738314 ..... c 12 N71-17573 *
US-PATENT-APPL-SN-738315 ..... c 14 N71-27334 *
US-PATENT-APPL-SN-738315 ..... c 14 N72-31446 *
US-PATENT-APPL-SN-73834 ..... c 15 N72-23497 *
US-PATENT-APPL-SN-738931 ..... c 35 N86-20756 * #
US-PATENT-APPL-SN-739072 ..... c 33 N75-27251 *
US-PATENT-APPL-SN-73922 ..... c 14 N73-25461 *
US-PATENT-APPL-SN-73932 ..... c 15 N72-22485 *
US-PATENT-APPL-SN-739391 ..... c 09 N72-17156 *
US-PATENT-APPL-SN-739760 ..... c 27 N86-31726 * #
US-PATENT-APPL-SN-739788 ..... c 37 N88-14360 *
US-PATENT-APPL-SN-739789 ..... c 34 N85-29182 * #
US-PATENT-APPL-SN-739792 ..... c 33 N87-28833 *
US-PATENT-APPL-SN-739908 ..... c 15 N78-25119 *
US-PATENT-APPL-SN-739909 ..... c 37 N78-24545 *
US-PATENT-APPL-SN-739914 ..... c 33 N78-10375 *
US-PATENT-APPL-SN-739915 ..... c 37 N78-24544 *
US-PATENT-APPL-SN-739927 ..... c 32 N71-16103 *
US-PATENT-APPL-SN-740153 ..... c 28 N79-11231 *
US-PATENT-APPL-SN-740155 ..... c 74 N78-27904 *
US-PATENT-APPL-SN-740156 ..... c 71 N78-14867 *
US-PATENT-APPL-SN-740457 ..... c 35 N78-32395 *
US-PATENT-APPL-SN-741056 ..... c 07 N81-19116 *
US-PATENT-APPL-SN-741405 ..... c 23 N86-21582 *
US-PATENT-APPL-SN-741461 ..... c 12 N71-18603 *
US-PATENT-APPL-SN-741749 ..... c 52 N79-14751 *
US-PATENT-APPL-SN-741824 ..... c 07 N71-12389 *
US-PATENT-APPL-SN-742034 ..... c 33 N78-10377 *
US-PATENT-APPL-SN-742816 ..... c 14 N71-17656 *
US-PATENT-APPL-SN-743249 ..... c 35 N77-32456 *
US-PATENT-APPL-SN-743429 ..... c 07 N71-11285 *
US-PATENT-APPL-SN-743525 ..... c 07 N71-28430 *
US-PATENT-APPL-SN-744477 ..... c 33 N78-25319 *
US-PATENT-APPL-SN-744522 ..... c 33 N77-21314 *
US-PATENT-APPL-SN-744573 ..... c 44 N78-25531 *
US-PATENT-APPL-SN-744574 ..... c 25 N78-14104 *
US-PATENT-APPL-SN-744577 ..... c 35 N79-10391 *
US-PATENT-APPL-SN-744910 ..... c 15 N71-17649 *
US-PATENT-APPL-SN-745337 ..... c 28 N72-20758 *
US-PATENT-APPL-SN-745384 ..... c 25 N79-11151 *
US-PATENT-APPL-SN-745766 ..... c 37 N79-11403 *
US-PATENT-APPL-SN-745852 ..... c 12 N71-17661 *
US-PATENT-APPL-SN-745973 ..... c 36 N86-29204 *
US-PATENT-APPL-SN-745977 ..... c 35 N87-14671 *
US-PATENT-APPL-SN-746160 ..... c 37 N86-20797 * #
US-PATENT-APPL-SN-746269 ..... c 44 N78-25528 *
US-PATENT-APPL-SN-746578 ..... c 12 N79-26075 *
US-PATENT-APPL-SN-746579 ..... c 33 N81-27397 *
US-PATENT-APPL-SN-746580 ..... c 34 N78-17335 *
US-PATENT-APPL-SN-746809 ..... c 35 N87-22953 *
US-PATENT-APPL-SN-74759 ..... c 14 N73-20478 *
US-PATENT-APPL-SN-747674 ..... c 27 N80-26446 *
US-PATENT-APPL-SN-747675 ..... c 37 N78-31426 *
US-PATENT-APPL-SN-748536 ..... c 33 N86-20680 * #
US-PATENT-APPL-SN-74861 ..... c 27 N72-25699 *
US-PATENT-APPL-SN-74862 ..... c 27 N73-16764 *
US-PATENT-APPL-SN-749121 ..... c 07 N72-11149 *
US-PATENT-APPL-SN-749148 ..... c 10 N71-19421 *
US-PATENT-APPL-SN-749149 ..... c 15 N71-24897 *
US-PATENT-APPL-SN-749181 ..... c 09 N71-24803 *
US-PATENT-APPL-SN-749320 ..... c 14 N72-22443 *
US-PATENT-APPL-SN-749420 ..... c 04 N82-16059 *
US-PATENT-APPL-SN-749548 ..... c 10 N71-33129 *
US-PATENT-APPL-SN-750031 ..... c 05 N73-32012 *
US-PATENT-APPL-SN-750235 ..... c 25 N75-14844 *
US-PATENT-APPL-SN-750655 ..... c 74 N78-32854 *
US-PATENT-APPL-SN-750786 ..... c 07 N71-27341 *
US-PATENT-APPL-SN-750787 ..... c 10 N71-27126 *
US-PATENT-APPL-SN-750792 ..... c 37 N79-11402 *
US-PATENT-APPL-SN-750798 ..... c 85 N79-17747 *
US-PATENT-APPL-SN-751061 ..... c 18 N71-29040 *
US-PATENT-APPL-SN-751198 ..... c 03 N71-24718 *
US-PATENT-APPL-SN-751215 ..... c 22 N72-20597 *
US-PATENT-APPL-SN-751266 ..... c 15 N71-33518 *
US-PATENT-APPL-SN-751644 ..... c 85 N87-21755 *
US-PATENT-APPL-SN-751691 ..... c 37 N87-21332 *
US-PATENT-APPL-SN-751695 ..... c 71 N87-21652 *
US-PATENT-APPL-SN-752050 ..... c 07 N81-19115 *
US-PATENT-APPL-SN-752729 ..... c 09 N71-26787 *
US-PATENT-APPL-SN-752748 ..... c 35 N78-25391 *
US-PATENT-APPL-SN-752946 ..... c 15 N71-29032 *
US-PATENT-APPL-SN-752947 ..... c 31 N71-15689 *
US-PATENT-APPL-SN-753103 ..... c 37 N80-14397 *
US-PATENT-APPL-SN-753452 ..... c 07 N79-14096 *
US-PATENT-APPL-SN-753964 ..... c 24 N78-27180 *
US-PATENT-APPL-SN-753965 ..... c 54 N78-31735 *
US-PATENT-APPL-SN-753965 ..... c 54 N79-24651 *
US-PATENT-APPL-SN-753971 ..... c 71 N84-14873 *
US-PATENT-APPL-SN-753974 ..... c 16 N71-33410 *
US-PATENT-APPL-SN-753976 ..... c 54 N78-17675 *
US-PATENT-APPL-SN-753977 ..... c 74 N79-12890 *
US-PATENT-APPL-SN-753978 ..... c 54 N78-32721 *
US-PATENT-APPL-SN-754019 ..... c 09 N71-25999 *
US-PATENT-APPL-SN-754020 ..... c 12 N71-27332 *
US-PATENT-APPL-SN-754055 ..... c 07 N71-24624 *
US-PATENT-APPL-SN-754066 ..... c 39 N78-15512 *
US-PATENT-APPL-SN-75431 ..... c 21 N72-31637 *
US-PATENT-APPL-SN-754362 ..... c 27 N87-21112 *
US-PATENT-APPL-SN-754707 ..... c 33 N87-22895 *
US-PATENT-APPL-SN-755288 ..... c 34 N87-22950 *
US-PATENT-APPL-SN-755288 ..... c 34 N88-23958 *
US-PATENT-APPL-SN-755310 ..... c 25 N78-15210 *
US-PATENT-APPL-SN-755323 ..... c 74 N79-11865 *
US-PATENT-APPL-SN-755960 ..... c 31 N88-29052 *
US-PATENT-APPL-SN-756260 ..... c 23 N71-26722 *
US-PATENT-APPL-SN-756266 ..... c 15 N71-26145 *
US-PATENT-APPL-SN-756381 ..... c 06 N71-25929 *
US-PATENT-APPL-SN-756511 ..... c 09 N71-27016 *
US-PATENT-APPL-SN-756834 ..... c 15 N72-21466 *
US-PATENT-APPL-SN-757017 ..... c 35 N77-21393 *
US-PATENT-APPL-SN-757625 ..... c 09 N71-26701 *
US-PATENT-APPL-SN-757857 ..... c 10 N71-25900 *
US-PATENT-APPL-SN-757861 ..... c 05 N71-11194 *
US-PATENT-APPL-SN-757875 ..... c 09 N71-24805 *
US-PATENT-APPL-SN-758082 ..... c 15 N71-17805 *
US-PATENT-APPL-SN-758390 ..... c 28 N71-26642 *
US-PATENT-APPL-SN-758540 ..... c 28 N73-27699 *
US-PATENT-APPL-SN-758721 ..... c 52 N79-18580 *
US-PATENT-APPL-SN-758942 ..... c 27 N71-14090 *
US-PATENT-APPL-SN-759220 ..... c 27 N78-17214 *
US-PATENT-APPL-SN-759256 ..... c 07 N71-27233 *
US-PATENT-APPL-SN-759457 ..... c 33 N71-16357 *
US-PATENT-APPL-SN-759460 ..... c 09 N71-24597 *
US-PATENT-APPL-SN-759665 ..... c 14 N71-18481 *
US-PATENT-APPL-SN-759965 ..... c 52 N79-26771 *
US-PATENT-APPL-SN-760057 ..... c 44 N79-14527 *
US-PATENT-APPL-SN-760114 ..... c 28 N72-11709 *
US-PATENT-APPL-SN-760374 ..... c 27 N87-16909 *
US-PATENT-APPL-SN-760374 ..... c 23 N88-24692 *
US-PATENT-APPL-SN-760378 ..... c 37 N86-32737 *
US-PATENT-APPL-SN-760389 ..... c 09 N71-24618 *
US-PATENT-APPL-SN-760771 ..... c 44 N79-14528 *
US-PATENT-APPL-SN-760790 ..... c 36 N87-28006 *
US-PATENT-APPL-SN-760791 ..... c 27 N87-14515 *
US-PATENT-APPL-SN-760797 ..... c 27 N87-16907 *
US-PATENT-APPL-SN-760799 ..... c 54 N87-29118 *
US-PATENT-APPL-SN-760809 ..... c 24 N78-24290 *
US-PATENT-APPL-SN-760810 ..... c 26 N78-32229 *
US-PATENT-APPL-SN-760819 ..... c 14 N70-34820 *
US-PATENT-APPL-SN-760927 ..... c 26 N71-25490 *
US-PATENT-APPL-SN-760928 ..... c 15 N71-28582 *
US-PATENT-APPL-SN-761007 ..... c 18 N71-26155 *
US-PATENT-APPL-SN-761235 ..... c 27 N80-32509 *
US-PATENT-APPL-SN-761252 ..... c 27 N80-32515 *
US-PATENT-APPL-SN-761310 ..... c 25 N88-23846 *
US-PATENT-APPL-SN-761310 ..... c 31 N88-24815 * #
US-PATENT-APPL-SN-761404 ..... c 09 N71-12526 *
US-PATENT-APPL-SN-762362 ..... c 44 N79-24433 *
US-PATENT-APPL-SN-762363 ..... c 44 N79-24432 *
US-PATENT-APPL-SN-762438 ..... c 12 N71-17569 *
US-PATENT-APPL-SN-762935 ..... c 14 N71-29041 *
US-PATENT-APPL-SN-762936 ..... c 31 N69-27499 * #
US-PATENT-APPL-SN-762956 ..... c 14 N71-26627 *
US-PATENT-APPL-SN-762957 ..... c 08 N71-27210 *
US-PATENT-APPL-SN-763040 ..... c 14 N72-28438 *
US-PATENT-APPL-SN-763355 ..... c 06 N71-28620 *
US-PATENT-APPL-SN-763684 ..... c 15 N72-16329 *
US-PATENT-APPL-SN-763685 ..... c 15 N71-24910 *
US-PATENT-APPL-SN-763705 ..... c 09 N71-18720 *
US-PATENT-APPL-SN-763706 ..... c 15 N71-24896 *
US-PATENT-APPL-SN-763729 ..... c 12 N71-26546 *
US-PATENT-APPL-SN-763743 ..... c 14 N72-21409 *
US-PATENT-APPL-SN-763744 ..... c 10 N72-27246 *
US-PATENT-APPL-SN-763753 ..... c 43 N78-14452 *
US-PATENT-APPL-SN-763868 ..... c 15 N71-24679 *
US-PATENT-APPL-SN-763869 ..... c 17 N71-16393 *
US-PATENT-APPL-SN-764245 ..... c 24 N80-33482 *
US-PATENT-APPL-SN-764252 ..... c 14 N71-25901 *
US-PATENT-APPL-SN-764470 ..... c 16 N71-28554 *
US-PATENT-APPL-SN-764805 ..... c 37 N87-17036 *
US-PATENT-APPL-SN-764812 ..... c 10 N71-19468 *
US-PATENT-APPL-SN-764812 ..... c 76 N88-24543 *
US-PATENT-APPL-SN-764823 ..... c 33 N78-17296 *
US-PATENT-APPL-SN-765123 ..... c 31 N71-15687 *
US-PATENT-APPL-SN-765138 ..... c 44 N79-10513 *
US-PATENT-APPL-SN-765139 ..... c 44 N78-31526 *
US-PATENT-APPL-SN-765165 ..... c 32 N79-11264 *
US-PATENT-APPL-SN-765167 ..... c 32 N79-10263 *
US-PATENT-APPL-SN-765264 ..... c 02 N71-29128 *
US-PATENT-APPL-SN-765738 ..... c 03 N71-11057 *
US-PATENT-APPL-SN-765978 ..... c 37 N87-21334 *
US-PATENT-APPL-SN-765979 ..... c 89 N86-22459 * #
US-PATENT-APPL-SN-765980 ..... c 27 N86-27451 *
US-PATENT-APPL-SN-765981 ..... c 74 N87-28416 *
US-PATENT-APPL-SN-765991 ..... c 35 N86-26598 * #
US-PATENT-APPL-SN-766170 ..... c 07 N71-24625 *
US-PATENT-APPL-SN-766244 ..... c 15 N71-26721 *
US-PATENT-APPL-SN-766245 ..... c 14 N71-27215 *
US-PATENT-APPL-SN-766697 ..... c 09 N71-33519 *
US-PATENT-APPL-SN-7668 ..... c 15 N71-26611 *
US-PATENT-APPL-SN-766999 ..... c 33 N80-23559 *
US-PATENT-APPL-SN-7669 ..... c 31 N72-18859 *
US-PATENT-APPL-SN-767741 ..... c 09 N72-27228 *
US-PATENT-APPL-SN-767911 ..... c 09 N78-31129 *
US-PATENT-APPL-SN-767912 ..... c 27 N79-14214 *
US-PATENT-APPL-SN-768336 ..... c 15 N71-17648 *
US-PATENT-APPL-SN-768470 ..... c 09 N71-28421 *
US-PATENT-APPL-SN-768473 ..... c 14 N71-17657 *
US-PATENT-APPL-SN-768662 ..... c 07 N73-25160 *
US-PATENT-APPL-SN-768795 ..... c 33 N79-10339 *
US-PATENT-APPL-SN-768942 ..... c 46 N74-23068 *
US-PATENT-APPL-SN-76899 ..... c 09 N72-22201 *

US-PATENT-APPL-SN-769148 ..... c 52 N79-10724 *
US-PATENT-APPL-SN-769149 ..... c 33 N78-32339 *
US-PATENT-APPL-SN-769592 ..... c 15 N72-16330 *
US-PATENT-APPL-SN-769665 ..... c 15 N72-11387 *
US-PATENT-APPL-SN-769788 ..... c 07 N71-11300 *
US-PATENT-APPL-SN-770203 ..... c 05 N71-11195 *
US-PATENT-APPL-SN-770209 ..... c 08 N71-27057 *
US-PATENT-APPL-SN-770371 ..... c 15 N71-24599 *
US-PATENT-APPL-SN-770398 ..... c 06 N71-27254 *
US-PATENT-APPL-SN-770398 ..... c 06 N72-27144 *
US-PATENT-APPL-SN-770417 ..... c 06 N73-33076 *
US-PATENT-APPL-SN-770425 ..... c 06 N72-20121 *
US-PATENT-APPL-SN-770869 ..... c 44 N78-25527 *
US-PATENT-APPL-SN-770920 ..... c 37 N86-32736 * #
US-PATENT-APPL-SN-771216 ..... c 14 N72-17329 *
US-PATENT-APPL-SN-771245 ..... c 27 N81-14076 *
US-PATENT-APPL-SN-771523 ..... c 10 N71-18772 *
US-PATENT-APPL-SN-771530 ..... c 09 N72-12136 *
US-PATENT-APPL-SN-771537 ..... c 37 N87-23981 *
US-PATENT-APPL-SN-771538 ..... c 24 N86-25416 *
US-PATENT-APPL-SN-77169 ..... c 14 N72-21408 *
US-PATENT-APPL-SN-771759 ..... c 09 N71-29008 *
US-PATENT-APPL-SN-771760 ..... c 10 N71-25917 *
US-PATENT-APPL-SN-771803 ..... c 07 N71-12391 *
US-PATENT-APPL-SN-771937 ..... c 10 N71-24862 *
US-PATENT-APPL-SN-772006 ..... c 17 N71-33408 *
US-PATENT-APPL-SN-772165 ..... c 74 N79-13855 *
US-PATENT-APPL-SN-772167 ..... c 25 N79-22235 *
US-PATENT-APPL-SN-772168 ..... c 37 N79-20377 *
US-PATENT-APPL-SN-77220 ..... c 14 N72-27409 *
US-PATENT-APPL-SN-77221 ..... c 08 N72-25210 *
US-PATENT-APPL-SN-772434 ..... c 52 N80-14687 *
US-PATENT-APPL-SN-77251 ..... c 25 N70-41628 *
US-PATENT-APPL-SN-77252 ..... c 02 N70-37939 *
US-PATENT-APPL-SN-77256 ..... c 15 N70-33323 *
US-PATENT-APPL-SN-773029 ..... c 09 N71-24893 *
US-PATENT-APPL-SN-773072 ..... c 10 N72-28241 *
US-PATENT-APPL-SN-773530 ..... c 25 N75-29192 *
US-PATENT-APPL-SN-774151 ..... c 15 N71-17692 *
US-PATENT-APPL-SN-774265 ..... c 10 N71-27365 *
US-PATENT-APPL-SN-774266 ..... c 15 N71-26185 *
US-PATENT-APPL-SN-774384 ..... c 32 N79-10262 *
US-PATENT-APPL-SN-774691 ..... c 10 N72-31273 *
US-PATENT-APPL-SN-774733 ..... c 14 N72-24477 *
US-PATENT-APPL-SN-775072 ..... c 16 N71-24831 *
US-PATENT-APPL-SN-775239 ..... c 37 N79-14382 *
US-PATENT-APPL-SN-775548 ..... c 33 N87-21233 *
US-PATENT-APPL-SN-775870 ..... c 09 N71-24800 *
US-PATENT-APPL-SN-775870 ..... c 09 N72-22196 *
US-PATENT-APPL-SN-775877 ..... c 02 N71-11039 *
US-PATENT-APPL-SN-775966 ..... c 02 N71-11037 *
US-PATENT-APPL-SN-775968 ..... c 31 N87-21160 *
US-PATENT-APPL-SN-775989 ..... c 71 N87-21653 *
US-PATENT-APPL-SN-775990 ..... c 17 N87-25348 *
US-PATENT-APPL-SN-776029 ..... c 07 N79-10057 *
US-PATENT-APPL-SN-776146 ..... c 44 N79-17313 *
US-PATENT-APPL-SN-776146 ..... c 25 N82-21268 *
US-PATENT-APPL-SN-776185 ..... c 03 N72-22041 *
US-PATENT-APPL-SN-777764 ..... c 15 N71-27214 *
US-PATENT-APPL-SN-777765 ..... c 15 N71-29018 *
US-PATENT-APPL-SN-777765 ..... c 14 N73-28487 *
US-PATENT-APPL-SN-777766 ..... c 31 N71-16221 *
US-PATENT-APPL-SN-777818 ..... c 09 N71-27364 *
US-PATENT-APPL-SN-77786 ..... c 14 N72-27412 *
US-PATENT-APPL-SN-777983 ..... c 32 N79-24210 *
US-PATENT-APPL-SN-778195 ..... c 24 N79-16915 *
US-PATENT-APPL-SN-77869 ..... c 37 N79-21345 *
US-PATENT-APPL-SN-779024 ..... c 10 N71-27271 *
US-PATENT-APPL-SN-779025 ..... c 09 N72-23171 *
US-PATENT-APPL-SN-779160 ..... c 14 N72-16282 *
US-PATENT-APPL-SN-779169 ..... c 09 N71-28618 *
US-PATENT-APPL-SN-779415 ..... c 60 N79-20751 *
US-PATENT-APPL-SN-779428 ..... c 34 N78-25351 *
US-PATENT-APPL-SN-779429 ..... c 08 N79-14108 *
US-PATENT-APPL-SN-779744 ..... c 74 N87-23259 *
US-PATENT-APPL-SN-779847 ..... c 15 N71-27091 *
US-PATENT-APPL-SN-779871 ..... c 33 N79-20314 *
US-PATENT-APPL-SN-779883 ..... c 27 N79-18052 *
US-PATENT-APPL-SN-780064 ..... c 15 N71-27372 *
US-PATENT-APPL-SN-780065 ..... c 12 N71-28741 *
US-PATENT-APPL-SN-780569 ..... c 54 N78-31736 *
US-PATENT-APPL-SN-78065 ..... c 08 N72-22162 *
US-PATENT-APPL-SN-780728 ..... c 32 N78-31321 *
US-PATENT-APPL-SN-780729 ..... c 33 N79-22373 *
US-PATENT-APPL-SN-780873 ..... c 32 N81-27341 *
US-PATENT-APPL-SN-780874 ..... c 35 N78-28411 *
US-PATENT-APPL-SN-780938 ..... c 54 N80-10799 *
US-PATENT-APPL-SN-781812 ..... c 36 N87-23960 *
US-PATENT-APPL-SN-781813 ..... c 27 N87-14516 *
US-PATENT-APPL-SN-782462 ..... c 33 N79-17133 *
US-PATENT-APPL-SN-782463 ..... c 72 N79-13826 *
US-PATENT-APPL-SN-782464 ..... c 32 N79-14267 *
US-PATENT-APPL-SN-782480 ..... c 33 N78-32340 *
US-PATENT-APPL-SN-782481 ..... c 44 N78-32542 *
US-PATENT-APPL-SN-782482 ..... c 33 N79-11315 *
US-PATENT-APPL-SN-782544 ..... c 14 N71-27325 *
US-PATENT-APPL-SN-782693 ..... c 33 N79-10337 *
US-PATENT-APPL-SN-782955 ..... c 07 N71-33108 *
US-PATENT-APPL-SN-782956 ..... c 10 N71-25865 *
US-PATENT-APPL-SN-783374 ..... c 15 N71-27147 *
US-PATENT-APPL-SN-783375 ..... c 07 N71-24621 *
US-PATENT-APPL-SN-783377 ..... c 05 N71-28619 *
US-PATENT-APPL-SN-783378 ..... c 07 N71-19436 *
US-PATENT-APPL-SN-783379 ..... c 15 N71-17653 *
US-PATENT-APPL-SN-783886 ..... c 37 N87-17035 *
US-PATENT-APPL-SN-783887 ..... c 36 N87-25567 *
US-PATENT-APPL-SN-783888 ..... c 37 N87-25582 *
US-PATENT-APPL-SN-783890 ..... c 74 N87-17493 *
US-PATENT-APPL-SN-783890 ..... c 74 N87-25843 *
US-PATENT-APPL-SN-784055 ..... c 15 N72-11390 *
US-PATENT-APPL-SN-784521 ..... c 14 N71-15620 *
US-PATENT-APPL-SN-784544 ..... c 15 N72-12408 *
US-PATENT-APPL-SN-785078 ..... c 03 N72-27053 *
US-PATENT-APPL-SN-785257 ..... c 44 N79-14526 *
US-PATENT-APPL-SN-785279 ..... c 27 N81-14077 *
US-PATENT-APPL-SN-785546 ..... c 10 N71-25882 *
US-PATENT-APPL-SN-785595 ..... c 10 N71-24861 *
US-PATENT-APPL-SN-785611 ..... c 15 N71-24600 *
US-PATENT-APPL-SN-785613 ..... c 05 N72-25119 *
US-PATENT-APPL-SN-785615 ..... c 05 N72-20098 *
US-PATENT-APPL-SN-785620 ..... c 21 N71-27324 *
US-PATENT-APPL-SN-785710 ..... c 05 N71-24730 *
US-PATENT-APPL-SN-785780 ..... c 18 N71-28729 *
US-PATENT-APPL-SN-786322 ..... c 32 N79-20296 *
US-PATENT-APPL-SN-7867 ..... c 14 N72-17324 *
US-PATENT-APPL-SN-7868 ..... c 10 N72-17173 *
US-PATENT-APPL-SN-786913 ..... c 27 N79-12221 *
US-PATENT-APPL-SN-78703 ..... c 15 N73-20514 *
US-PATENT-APPL-SN-78704 ..... c 05 N72-25121 *
US-PATENT-APPL-SN-78717 ..... c 05 N73-13114 *
US-PATENT-APPL-SN-787393 ..... c 23 N71-26206 *
US-PATENT-APPL-SN-787410 ..... c 15 N71-19213 *
US-PATENT-APPL-SN-78766 ..... c 05 N74-10907 *
US-PATENT-APPL-SN-787846 ..... c 23 N71-33229 *
US-PATENT-APPL-SN-787906 ..... c 03 N71-26084 *
US-PATENT-APPL-SN-787911 ..... c 03 N71-28579 *
US-PATENT-APPL-SN-788045 ..... c 24 N79-25142 *
US-PATENT-APPL-SN-788705 ..... c 35 N78-24515 *
US-PATENT-APPL-SN-789043 ..... c 10 N71-26531 *
US-PATENT-APPL-SN-789044 ..... c 14 N72-20381 *
US-PATENT-APPL-SN-789045 ..... c 15 N72-22489 *
US-PATENT-APPL-SN-789266 ..... c 71 N88-24241 *
US-PATENT-APPL-SN-789278 ..... c 15 N71-24694 *
US-PATENT-APPL-SN-789713 ..... c 28 N86-23744 * #
US-PATENT-APPL-SN-789903 ..... c 07 N71-28429 *
US-PATENT-APPL-SN-790420 ..... c 09 N71-24595 *
US-PATENT-APPL-SN-790556 ..... c 08 N87-20999 *
US-PATENT-APPL-SN-790594 ..... c 36 N87-23961 *
US-PATENT-APPL-SN-790596 ..... c 35 N88-24927 *
US-PATENT-APPL-SN-790597 ..... c 37 N88-14359 *
US-PATENT-APPL-SN-790637 ..... c 44 N78-25529 *
US-PATENT-APPL-SN-791267 ..... c 23 N72-17747 *
US-PATENT-APPL-SN-791268 ..... c 33 N72-17947 *
US-PATENT-APPL-SN-791288 ..... c 28 N71-25213 *
US-PATENT-APPL-SN-791364 ..... c 14 N72-17328 *
US-PATENT-APPL-SN-791693 ..... c 05 N71-11203 *
US-PATENT-APPL-SN-791888 ..... c 23 N71-24725 *
US-PATENT-APPL-SN-792067 ..... c 24 N78-17150 *
US-PATENT-APPL-SN-792068 ..... c 51 N79-10693 *
US-PATENT-APPL-SN-792069 ..... c 37 N79-10418 *
US-PATENT-APPL-SN-792623 ..... c 14 N72-23457 *
US-PATENT-APPL-SN-793006 ..... c 52 N86-19885 * #
US-PATENT-APPL-SN-793657 ..... c 17 N72-28536 *
US-PATENT-APPL-SN-793770 ..... c 25 N71-15562 *
US-PATENT-APPL-SN-793771 ..... c 14 N72-22440 *
US-PATENT-APPL-SN-793772 ..... c 10 N71-18722 *
US-PATENT-APPL-SN-793823 ..... c 09 N71-33109 *
US-PATENT-APPL-SN-794530 ..... c 15 N72-11386 *
US-PATENT-APPL-SN-794968 ..... c 15 N71-27146 *
US-PATENT-APPL-SN-795182 ..... c 07 N71-24840 *
US-PATENT-APPL-SN-795217 ..... c 33 N71-25351 *
US-PATENT-APPL-SN-795805 ..... c 08 N88-23808 *
US-PATENT-APPL-SN-795945 ..... c 37 N87-25573 *
US-PATENT-APPL-SN-796053 ..... c 37 N87-22985 *
US-PATENT-APPL-SN-796256 ..... c 52 N80-18691 *
US-PATENT-APPL-SN-796258 ..... c 52 N82-22875 *
US-PATENT-APPL-SN-796263 ..... c 27 N79-28307 *
US-PATENT-APPL-SN-796358 ..... c 05 N72-11085 *
US-PATENT-APPL-SN-796360 ..... c 15 N71-24696 *
US-PATENT-APPL-SN-796370 ..... c 10 N71-27366 *
US-PATENT-APPL-SN-796405 ..... c 14 N71-27185 *
US-PATENT-APPL-SN-796685 ..... c 26 N72-28762 *
US-PATENT-APPL-SN-796690 ..... c 07 N72-21119 *
US-PATENT-APPL-SN-796691 ..... c 10 N71-26334 *
US-PATENT-APPL-SN-797056 ..... c 15 N71-25975 *
US-PATENT-APPL-SN-797057 ..... c 15 N70-22192 * #
US-PATENT-APPL-SN-797058 ..... c 05 N71-24738 *
US-PATENT-APPL-SN-797059 ..... c 15 N71-28465 *
US-PATENT-APPL-SN-797210 ..... c 28 N78-31255 *
US-PATENT-APPL-SN-797219 ..... c 03 N71-33409 *
US-PATENT-APPL-SN-797794 ..... c 07 N71-12396 *
US-PATENT-APPL-SN-797795 ..... c 07 N71-27191 *
US-PATENT-APPL-SN-797796 ..... c 28 N71-14058 *
US-PATENT-APPL-SN-798277 ..... c 23 N71-26654 *
US-PATENT-APPL-SN-798976 ..... c 52 N81-25661 *
US-PATENT-APPL-SN-799013 ..... c 09 N71-28468 *
US-PATENT-APPL-SN-799023 ..... c 37 N79-10421 *
US-PATENT-APPL-SN-799024 ..... c 24 N78-17149 *
US-PATENT-APPL-SN-799025 ..... c 32 N80-29539 *
US-PATENT-APPL-SN-799026 ..... c 44 N79-11468 *
US-PATENT-APPL-SN-799353 ..... c 09 N71-27232 *
US-PATENT-APPL-SN-799832 ..... c 33 N79-15245 *
US-PATENT-APPL-SN-800193 ..... c 37 N87-17038 *
US-PATENT-APPL-SN-800194 ..... c 76 N88-14835 *
US-PATENT-APPL-SN-800204 ..... c 06 N72-17094 *
US-PATENT-APPL-SN-80029 ..... c 14 N73-32320 *
US-PATENT-APPL-SN-80029 ..... c 74 N74-20008 *
US-PATENT-APPL-SN-800973 ..... c 16 N71-24832 *
US-PATENT-APPL-SN-801290 ..... c 37 N79-18318 *
US-PATENT-APPL-SN-801290 ..... c 37 N80-26658 *
US-PATENT-APPL-SN-801290 ..... c 37 N82-19540 *
US-PATENT-APPL-SN-801312 ..... c 16 N71-15565 *
US-PATENT-APPL-SN-801336 ..... c 02 N71-13422 *
US-PATENT-APPL-SN-801432 ..... c 33 N78-32341 *
US-PATENT-APPL-SN-801452 ..... c 44 N79-11471 *
US-PATENT-APPL-SN-801660 ..... c 14 N71-26672 *
US-PATENT-APPL-SN-802769 ..... c 76 N86-25269 * #
US-PATENT-APPL-SN-802812 ..... c 10 N72-22235 *
US-PATENT-APPL-SN-802813 ..... c 15 N72-22487 *
US-PATENT-APPL-SN-802816 ..... c 31 N71-16346 *
US-PATENT-APPL-SN-802818 ..... c 07 N71-29065 *
US-PATENT-APPL-SN-802820 ..... c 10 N71-13545 *
US-PATENT-APPL-SN-802948 ..... c 31 N71-33160 *
US-PATENT-APPL-SN-802972 ..... c 09 N71-26678 *
US-PATENT-APPL-SN-80368 ..... c 09 N73-20231 *
US-PATENT-APPL-SN-80369 ..... c 09 N72-22198 *
US-PATENT-APPL-SN-803822 ..... c 26 N79-22271 *
US-PATENT-APPL-SN-803822 ..... c 26 N80-32484 *
US-PATENT-APPL-SN-803823 ..... c 44 N79-11467 *
US-PATENT-APPL-SN-804035 ..... c 35 N79-14348 *
US-PATENT-APPL-SN-804039 ..... c 31 N87-25491 *
US-PATENT-APPL-SN-804040 ..... c 32 N87-21206 *
US-PATENT-APPL-SN-804172 ..... c 28 N71-26781 *
US-PATENT-APPL-SN-804196 ..... c 33 N87-28831 *
US-PATENT-APPL-SN-805010 ..... c 35 N87-23944 *
US-PATENT-APPL-SN-805011 ..... c 54 N88-24163 *
US-PATENT-APPL-SN-805012 ..... c 27 N87-21111 *
US-PATENT-APPL-SN-805298 ..... c 10 N71-25899 *
US-PATENT-APPL-SN-805405 ..... c 14 N71-27323 *
US-PATENT-APPL-SN-805406 ..... c 07 N71-24613 *
US-PATENT-APPL-SN-805549 ..... c 35 N79-16246 *
US-PATENT-APPL-SN-806149 ..... c 27 N71-16223 *
US-PATENT-APPL-SN-806226 ..... c 14 N71-27407 *
US-PATENT-APPL-SN-806440 ..... c 51 N79-10694 *
US-PATENT-APPL-SN-806572 ..... c 27 N87-25469 *
US-PATENT-APPL-SN-807597 ..... c 52 N80-16725 *
US-PATENT-APPL-SN-807703 ..... c 37 N78-27424 *
US-PATENT-APPL-SN-807762 ..... c 27 N78-31233 *
US-PATENT-APPL-SN-808192 ..... c 15 N71-27432 *
US-PATENT-APPL-SN-808193 ..... c 31 N71-26537 *
US-PATENT-APPL-SN-808462 ..... c 10 N71-27136 *
US-PATENT-APPL-SN-808510 ..... c 33 N78-32338 *
US-PATENT-APPL-SN-808576 ..... c 15 N71-27754 *
US-PATENT-APPL-SN-808577 ..... c 32 N71-25360 *
US-PATENT-APPL-SN-808822 ..... c 14 N73-16483 *
US-PATENT-APPL-SN-809822 ..... c 28 N71-27585 *
US-PATENT-APPL-SN-809851 ..... c 33 N87-23904 *
US-PATENT-APPL-SN-809890 ..... c 44 N79-17314 *
US-PATENT-APPL-SN-809890 ..... c 44 N80-14474 *
US-PATENT-APPL-SN-809975 ..... c 44 N87-17399 *
US-PATENT-APPL-SN-810575 ..... c 15 N71-27169 *
US-PATENT-APPL-SN-810576 ..... c 15 N73-12492 * #
US-PATENT-APPL-SN-810576 ..... c 25 N82-21269 *
US-PATENT-APPL-SN-810579 ..... c 09 N72-22203 *
US-PATENT-APPL-SN-810579 ..... c 33 N74-22864 *
US-PATENT-APPL-SN-810815 ..... c 06 N72-22107 *
US-PATENT-APPL-SN-81095 ..... c 13 N72-25323 *
US-PATENT-APPL-SN-81096 ..... c 14 N73-14427 *
US-PATENT-APPL-SN-811037 ..... c 14 N71-26137 *
US-PATENT-APPL-SN-811038 ..... c 14 N72-20380 *
US-PATENT-APPL-SN-811401 ..... c 31 N81-25258 *
US-PATENT-APPL-SN-811509 ..... c 02 N70-33332 *
US-PATENT-APPL-SN-811542 ..... c 21 N71-24948 *
US-PATENT-APPL-SN-811815 ..... c 44 N78-31525 *
US-PATENT-APPL-SN-811892 ..... c 14 N71-27090 *
US-PATENT-APPL-SN-812447 ..... c 71 N79-20827 *
US-PATENT-APPL-SN-812998 ..... c 28 N72-22769 *
US-PATENT-APPL-SN-812999 ..... c 05 N71-12345 *
US-PATENT-APPL-SN-813338 ..... c 18 N72-22566 *
US-PATENT-APPL-SN-813488 ..... c 15 N71-28467 *
US-PATENT-APPL-SN-813494 ..... c 08 N72-11171 *
US-PATENT-APPL-SN-814004 ..... c 33 N79-18193 *
US-PATENT-APPL-SN-814005 ..... c 76 N79-14906 *
US-PATENT-APPL-SN-814006 ..... c 37 N79-22475 *
US-PATENT-APPL-SN-814212 ..... c 14 N72-17326 *
US-PATENT-APPL-SN-814378 ..... c 25 N79-10162 *
US-PATENT-APPL-SN-815099 ..... c 60 N86-24224 * #
US-PATENT-APPL-SN-815103 ..... c 60 N86-23283 * #

US-PATENT-APPL-SN-815106 ..... c 60 N88-24169 *
US-PATENT-APPL-SN-815366 ..... c 14 N71-28994 *
US-PATENT-APPL-SN-815367 ..... c 14 N71-28863 *
US-PATENT-APPL-SN-815760 ..... c 15 N71-27068 *
US-PATENT-APPL-SN-816733 ..... c 15 N71-27084 *
US-PATENT-APPL-SN-816988 ..... c 14 N71-26199 *
US-PATENT-APPL-SN-817413 ..... c 33 N79-12321 *
US-PATENT-APPL-SN-817415 ..... c 74 N79-20857 *
US-PATENT-APPL-SN-817481 ..... c 09 N72-11225 *
US-PATENT-APPL-SN-817482 ..... c 10 N71-27338 *
US-PATENT-APPL-SN-817569 ..... c 06 N69-31244 * #
US-PATENT-APPL-SN-818349 ..... c 21 N71-19212 *
US-PATENT-APPL-SN-818916 ..... c 05 N79-17847 *
US-PATENT-APPL-SN-818917 ..... c 32 N79-13214 *
US-PATENT-APPL-SN-819029 ..... c 20 N82-18314 *
US-PATENT-APPL-SN-819599 ..... c 15 N71-19214 *
US-PATENT-APPL-SN-819898 ..... c 30 N72-17873 *
US-PATENT-APPL-SN-8203 ..... c 15 N70-33180 *
US-PATENT-APPL-SN-820453 ..... c 03 N72-24037 *
US-PATENT-APPL-SN-820498 ..... c 89 N79-10969 *
US-PATENT-APPL-SN-820499 ..... c 76 N79-23798 *
US-PATENT-APPL-SN-8204 ..... c 31 N70-37981 *
US-PATENT-APPL-SN-820963 ..... c 07 N71-19854 *
US-PATENT-APPL-SN-820964 ..... c 15 N71-28740 *
US-PATENT-APPL-SN-820965 ..... c 09 N71-13486 *
US-PATENT-APPL-SN-821586 ..... c 26 N71-14354 *
US-PATENT-APPL-SN-821681 ..... c 35 N78-27384 *
US-PATENT-APPL-SN-822039 ..... c 06 N72-25149 *
US-PATENT-APPL-SN-822088 ..... c 15 N71-27135 *
US-PATENT-APPL-SN-822089 ..... c 23 N72-23695 *
US-PATENT-APPL-SN-822090 ..... c 16 N71-27183 *
US-PATENT-APPL-SN-822518 ..... c 09 N71-13522 *
US-PATENT-APPL-SN-822519 ..... c 14 N71-28992 *
US-PATENT-APPL-SN-822534 ..... c 09 N72-11224 *
US-PATENT-APPL-SN-82279 ..... c 03 N76-32140 *
US-PATENT-APPL-SN-82280 ..... c 09 N72-25262 *
US-PATENT-APPL-SN-823061 ..... c 44 N79-23481 *
US-PATENT-APPL-SN-823566 ..... c 74 N79-14891 *
US-PATENT-APPL-SN-823712 ..... c 44 N88-14492 *
US-PATENT-APPL-SN-823713 ..... c 26 N88-14179 *
US-PATENT-APPL-SN-824024 ..... c 44 N79-18443 *
US-PATENT-APPL-SN-824042 ..... c 23 N71-29123 *
US-PATENT-APPL-SN-824628 ..... c 34 N78-17337 *
US-PATENT-APPL-SN-824755 ..... c 09 N70-33182 *
US-PATENT-APPL-SN-825253 ..... c 16 N69-31343 * #
US-PATENT-APPL-SN-825258 ..... c 26 N72-21701 *
US-PATENT-APPL-SN-825259 ..... c 14 N71-26788 *
US-PATENT-APPL-SN-825489 ..... c 27 N81-15104 *
US-PATENT-APPL-SN-826202 ..... c 37 N79-28551 *
US-PATENT-APPL-SN-826204 ..... c 37 N79-10420 *
US-PATENT-APPL-SN-826326 ..... c 46 N79-22679 *
US-PATENT-APPL-SN-82647 ..... c 28 N72-22772 *
US-PATENT-APPL-SN-82648 ..... c 12 N72-25292 *
US-PATENT-APPL-SN-82649 ..... c 08 N73-30135 *
US-PATENT-APPL-SN-82658 ..... c 30 N70-40309 *
US-PATENT-APPL-SN-827464 ..... c 74 N79-34011 *
US-PATENT-APPL-SN-827579 ..... c 15 N71-24984 *
US-PATENT-APPL-SN-827597 ..... c 26 N69-33482 * #
US-PATENT-APPL-SN-828262 ..... c 37 N79-14383 *
US-PATENT-APPL-SN-828909 ..... c 28 N71-27094 *
US-PATENT-APPL-SN-828920 ..... c 35 N74-22095 *
US-PATENT-APPL-SN-828921 ..... c 09 N71-27001 *
US-PATENT-APPL-SN-828983 ..... c 03 N71-24719 *
US-PATENT-APPL-SN-828984 ..... c 08 N71-29033 *
US-PATENT-APPL-SN-829314 ..... c 09 N79-31228 *
US-PATENT-APPL-SN-829315 ..... c 34 N79-20336 *
US-PATENT-APPL-SN-829316 ..... c 18 N79-11108 *
US-PATENT-APPL-SN-829317 ..... c 52 N80-18690 *
US-PATENT-APPL-SN-829318 ..... c 52 N80-14684 *
US-PATENT-APPL-SN-829390 ..... c 44 N79-11469 *
US-PATENT-APPL-SN-829390 ..... c 44 N80-16452 *
US-PATENT-APPL-SN-829825 ..... c 03 N71-24681 *
US-PATENT-APPL-SN-830272 ..... c 33 N81-29342 *
US-PATENT-APPL-SN-830366 ..... c 16 N72-13437 *
US-PATENT-APPL-SN-830458 ..... c 46 N79-23555 *
US-PATENT-APPL-SN-830562 ..... c 39 N80-10507 *
US-PATENT-APPL-SN-830715 ..... c 15 N71-24903 *
US-PATENT-APPL-SN-830846 ..... c 31 N80-32584 *
US-PATENT-APPL-SN-830978 ..... c 28 N71-26173 *
US-PATENT-APPL-SN-831118 ..... c 08 N72-11172 *
US-PATENT-APPL-SN-831193 ..... c 32 N88-26568 *
US-PATENT-APPL-SN-831371 ..... c 31 N87-25492 *
US-PATENT-APPL-SN-831372 ..... c 35 N88-30108 *
US-PATENT-APPL-SN-831377 ..... c 37 N87-23982 *
US-PATENT-APPL-SN-831631 ..... c 32 N79-20297 *
US-PATENT-APPL-SN-831632 ..... c 07 N80-26298 *
US-PATENT-APPL-SN-831633 ..... c 05 N80-14107 *
US-PATENT-APPL-SN-831634 ..... c 05 N79-12061 *
US-PATENT-APPL-SN-832296 ..... c 26 N87-28647 *
US-PATENT-APPL-SN-832603 ..... c 09 N72-22199 *
US-PATENT-APPL-SN-833049 ..... c 06 N72-21094 *
US-PATENT-APPL-SN-833637 ..... c 33 N79-24257 *
US-PATENT-APPL-SN-834257 ..... c 32 N80-14281 *
US-PATENT-APPL-SN-834977 ..... c 27 N87-23736 *
US-PATENT-APPL-SN-834978 ..... c 27 N86-24841 * #
US-PATENT-APPL-SN-835058 ..... c 21 N72-22619 *
US-PATENT-APPL-SN-835059 ..... c 09 N71-26133 *
US-PATENT-APPL-SN-835060 ..... c 02 N71-26110 *
US-PATENT-APPL-SN-835146 ..... c 15 N70-33264 *
US-PATENT-APPL-SN-835152 ..... c 28 N70-38199 *
US-PATENT-APPL-SN-835153 ..... c 31 N71-17680 *
US-PATENT-APPL-SN-835419 ..... c 33 N80-18285 *
US-PATENT-APPL-SN-835544 ..... c 33 N79-14305 *
US-PATENT-APPL-SN-835628 ..... c 35 N79-14347 *
US-PATENT-APPL-SN-836280 ..... c 14 N73-14428 *
US-PATENT-APPL-SN-836280 ..... c 35 N75-25122 *
US-PATENT-APPL-SN-836367 ..... c 09 N71-24804 *
US-PATENT-APPL-SN-837259 ..... c 54 N79-24652 *
US-PATENT-APPL-SN-837260 ..... c 37 N78-27423 *
US-PATENT-APPL-SN-837377 ..... c 15 N71-26148 *
US-PATENT-APPL-SN-837378 ..... c 15 N71-24865 *
US-PATENT-APPL-SN-837513 ..... c 44 N81-29525 *
US-PATENT-APPL-SN-837513 ..... c 44 N82-28780 *
US-PATENT-APPL-SN-837794 ..... c 28 N80-20402 *
US-PATENT-APPL-SN-837794 ..... c 28 N81-14103 *
US-PATENT-APPL-SN-837795 ..... c 36 N80-14384 *
US-PATENT-APPL-SN-837796 ..... c 35 N79-14345 *
US-PATENT-APPL-SN-837825 ..... c 15 N71-27006 *
US-PATENT-APPL-SN-837830 ..... c 02 N71-27088 *
US-PATENT-APPL-SN-83816 ..... c 44 N74-14784 *
US-PATENT-APPL-SN-838278 ..... c 60 N74-20836 *
US-PATENT-APPL-SN-838308 ..... c 52 N80-27072 *
US-PATENT-APPL-SN-838336 ..... c 44 N79-11470 *
US-PATENT-APPL-SN-838337 ..... c 31 N79-17029 *
US-PATENT-APPL-SN-838630 ..... c 14 N71-28993 *
US-PATENT-APPL-SN-838648 ..... c 33 N87-23879 *
US-PATENT-APPL-SN-838649 ..... c 34 N86-26575 * #
US-PATENT-APPL-SN-838654 ..... c 27 N86-24840 * #
US-PATENT-APPL-SN-838655 ..... c 27 N87-22848 *
US-PATENT-APPL-SN-839934 ..... c 07 N72-20140 *
US-PATENT-APPL-SN-839935 ..... c 15 N71-24895 *
US-PATENT-APPL-SN-839941 ..... c 07 N71-26181 *
US-PATENT-APPL-SN-839963 ..... c 27 N81-14078 *
US-PATENT-APPL-SN-839994 ..... c 28 N71-28915 *
US-PATENT-APPL-SN-84002 ..... c 08 N73-20217 *
US-PATENT-APPL-SN-840176 ..... c 28 N71-27095 *
US-PATENT-APPL-SN-840308 ..... c 07 N71-33613 *
US-PATENT-APPL-SN-840359 ..... c 23 N71-29125 *
US-PATENT-APPL-SN-840816 ..... c 27 N87-28657 *
US-PATENT-APPL-SN-840870 ..... c 15 N71-26189 *
US-PATENT-APPL-SN-840900 ..... c 26 N87-25455 *
US-PATENT-APPL-SN-840983 ..... c 05 N70-33285 *
US-PATENT-APPL-SN-841278 ..... c 33 N77-21316 *
US-PATENT-APPL-SN-841845 ..... c 14 N73-32317 *
US-PATENT-APPL-SN-84212 ..... c 27 N74-17283 *
US-PATENT-APPL-SN-842170 ..... c 11 N70-33278 *
US-PATENT-APPL-SN-842171 ..... c 11 N70-33329 *
US-PATENT-APPL-SN-84289 ..... c 15 N73-14469 *
US-PATENT-APPL-SN-84290 ..... c 05 N73-20137 *
US-PATENT-APPL-SN-843022 ..... c 11 N70-33287 *
US-PATENT-APPL-SN-843032 ..... c 28 N70-41818 *
US-PATENT-APPL-SN-843090 ..... c 27 N79-22300 *
US-PATENT-APPL-SN-843251 ..... c 03 N72-11062 *
US-PATENT-APPL-SN-843308 ..... c 32 N79-14268 *
US-PATENT-APPL-SN-844225 ..... c 05 N72-25120 *
US-PATENT-APPL-SN-844243 ..... c 37 N75-29426 *
US-PATENT-APPL-SN-844315 ..... c 35 N77-21392 *
US-PATENT-APPL-SN-844344 ..... c 24 N79-14156 *
US-PATENT-APPL-SN-844346 ..... c 44 N79-11472 *
US-PATENT-APPL-SN-844355 ..... c 03 N72-26031 *
US-PATENT-APPL-SN-845365 ..... c 09 N71-13518 *
US-PATENT-APPL-SN-845584 ..... c 27 N73-22710 *
US-PATENT-APPL-SN-845807 ..... c 15 N72-11391 *
US-PATENT-APPL-SN-845971 ..... c 11 N71-28629 *
US-PATENT-APPL-SN-845972 ..... c 09 N70-11148 * #
US-PATENT-APPL-SN-845973 ..... c 11 N71-24985 *
US-PATENT-APPL-SN-845974 ..... c 33 N71-25353 *
US-PATENT-APPL-SN-845990 ..... c 14 N71-27005 *
US-PATENT-APPL-SN-845991 ..... c 14 N71-29134 *
US-PATENT-APPL-SN-846427 ..... c 36 N88-14350 *
US-PATENT-APPL-SN-846428 ..... c 34 N87-21255 *
US-PATENT-APPL-SN-846429 ..... c 35 N88-29149 *
US-PATENT-APPL-SN-846430 ..... c 82 N87-29372 *
US-PATENT-APPL-SN-846439 ..... c 08 N87-23631 *
US-PATENT-APPL-SN-846462 ..... c 07 N87-16828 *
US-PATENT-APPL-SN-847023 ..... c 31 N70-37938 *
US-PATENT-APPL-SN-847027 ..... c 03 N70-33343 *
US-PATENT-APPL-SN-847276 ..... c 37 N81-32510 *
US-PATENT-APPL-SN-847277 ..... c 31 N79-28370 *
US-PATENT-APPL-SN-847278 ..... c 34 N79-20335 *
US-PATENT-APPL-SN-847596 ..... c 15 N70-10867 * #
US-PATENT-APPL-SN-847815 ..... c 52 N75-15270 *
US-PATENT-APPL-SN-848282 ..... c 15 N72-21462 *
US-PATENT-APPL-SN-848325 ..... c 06 N70-11251 * #
US-PATENT-APPL-SN-848351 ..... c 06 N70-11252 * #
US-PATENT-APPL-SN-848403 ..... c 33 N74-20859 *
US-PATENT-APPL-SN-848403 ..... c 36 N75-27364 *
US-PATENT-APPL-SN-848418 ..... c 43 N79-26439 *
US-PATENT-APPL-SN-848419 ..... c 43 N80-23711 *
US-PATENT-APPL-SN-848420 ..... c 43 N79-25443 *
US-PATENT-APPL-SN-848421 ..... c 43 N80-14423 *
US-PATENT-APPL-SN-848428 ..... c 25 N82-21268 *
US-PATENT-APPL-SN-848481 ..... c 17 N70-33283 *
US-PATENT-APPL-SN-848776 ..... c 07 N72-22127 *
US-PATENT-APPL-SN-848793 ..... c 43 N79-31706 *
US-PATENT-APPL-SN-848794 ..... c 44 N79-24431 *
US-PATENT-APPL-SN-848805 ..... c 06 N72-17095 *
US-PATENT-APPL-SN-848810 ..... c 07 N72-11148 *
US-PATENT-APPL-SN-848811 ..... c 10 N71-26142 *
US-PATENT-APPL-SN-849106 ..... c 09 N72-22197 *
US-PATENT-APPL-SN-849274 ..... c 28 N79-14228 *
US-PATENT-APPL-SN-84961 ..... c 02 N70-34178 *
US-PATENT-APPL-SN-84962 ..... c 21 N70-36943 *
US-PATENT-APPL-SN-8497 ..... c 14 N72-11363 *
US-PATENT-APPL-SN-8498 ..... c 05 N71-24729 *
US-PATENT-APPL-SN-850504 ..... c 52 N81-14613 *
US-PATENT-APPL-SN-850504 ..... c 52 N81-29764 *
US-PATENT-APPL-SN-850507 ..... c 25 N79-14169 *
US-PATENT-APPL-SN-850586 ..... c 31 N71-25434 *
US-PATENT-APPL-SN-850587 ..... c 08 N72-21199 *
US-PATENT-APPL-SN-851298 ..... c 15 N72-12409 *
US-PATENT-APPL-SN-851394 ..... c 09 N71-24892 *
US-PATENT-APPL-SN-852131 ..... c 15 N71-24836 *
US-PATENT-APPL-SN-852466 ..... c 37 N87-24689 *
US-PATENT-APPL-SN-852467 ..... c 27 N87-24564 *
US-PATENT-APPL-SN-852468 ..... c 72 N87-21661 *
US-PATENT-APPL-SN-852843 ..... c 09 N72-22195 *
US-PATENT-APPL-SN-853349 ..... c 35 N81-33448 *
US-PATENT-APPL-SN-853361 ..... c 37 N87-22977 *
US-PATENT-APPL-SN-853641 ..... c 33 N72-25913 *
US-PATENT-APPL-SN-853677 ..... c 34 N79-31523 *
US-PATENT-APPL-SN-853679 ..... c 35 N79-14346 *
US-PATENT-APPL-SN-853705 ..... c 45 N79-12584 *
US-PATENT-APPL-SN-853716 ..... c 09 N71-24904 *
US-PATENT-APPL-SN-853746 ..... c 02 N72-11018 *
US-PATENT-APPL-SN-853763 ..... c 07 N70-12616 * #
US-PATENT-APPL-SN-853763 ..... c 07 N72-33146 *
US-PATENT-APPL-SN-853855 ..... c 17 N72-28535 *
US-PATENT-APPL-SN-853856 ..... c 16 N71-29131 *
US-PATENT-APPL-SN-853983 ..... c 14 N70-33254 *
US-PATENT-APPL-SN-853984 ..... c 21 N70-33181 *
US-PATENT-APPL-SN-854815 ..... c 09 N71-24807 *
US-PATENT-APPL-SN-854920 ..... c 15 N79-26100 *
US-PATENT-APPL-SN-855004 ..... c 24 N72-11595 *
US-PATENT-APPL-SN-855364 ..... c 52 N81-27783 *
US-PATENT-APPL-SN-85585 ..... c 21 N70-35427 *
US-PATENT-APPL-SN-855879 ..... c 27 N88-18725 *
US-PATENT-APPL-SN-855982 ..... c 31 N88-14223 *
US-PATENT-APPL-SN-855983 ..... c 03 N88-14083 *
US-PATENT-APPL-SN-856253 ..... c 24 N74-19769 *
US-PATENT-APPL-SN-856258 ..... c 05 N71-17599 *
US-PATENT-APPL-SN-856279 ..... c 07 N72-21118 *
US-PATENT-APPL-SN-856282 ..... c 08 N72-22166 *
US-PATENT-APPL-SN-856327 ..... c 05 N72-16015 *
US-PATENT-APPL-SN-856328 ..... c 14 N72-22441 *
US-PATENT-APPL-SN-856415 ..... c 09 N71-26182 *
US-PATENT-APPL-SN-856460 ..... c 25 N79-24073 *
US-PATENT-APPL-SN-856461 ..... c 34 N79-12359 *
US-PATENT-APPL-SN-856462 ..... c 34 N80-24573 *
US-PATENT-APPL-SN-856462 ..... c 44 N81-24519 *
US-PATENT-APPL-SN-856464 ..... c 36 N79-14362 *
US-PATENT-APPL-SN-856465 ..... c 44 N80-14473 *
US-PATENT-APPL-SN-856466 ..... c 72 N80-14877 *
US-PATENT-APPL-SN-857241 ..... c 46 N74-23069 *
US-PATENT-APPL-SN-857445 ..... c 05 N71-24728 *
US-PATENT-APPL-SN-857967 ..... c 15 N72-20443 *
US-PATENT-APPL-SN-858596 ..... c 35 N78-18395 * #
US-PATENT-APPL-SN-858695 ..... c 11 N72-22247 *
US-PATENT-APPL-SN-858762 ..... c 08 N79-23097 *
US-PATENT-APPL-SN-858764 ..... c 33 N79-10338 *
US-PATENT-APPL-SN-858765 ..... c 33 N79-11313 *
US-PATENT-APPL-SN-858766 ..... c 27 N79-14213 *
US-PATENT-APPL-SN-858767 ..... c 32 N83-19968 *
US-PATENT-APPL-SN-858936 ..... c 07 N80-18039 *
US-PATENT-APPL-SN-858950 ..... c 35 N78-17359 *
US-PATENT-APPL-SN-86018 ..... c 23 N71-30292 *
US-PATENT-APPL-SN-860404 ..... c 37 N81-15364 *
US-PATENT-APPL-SN-860405 ..... c 26 N79-22271 *
US-PATENT-APPL-SN-860406 ..... c 24 N79-17916 *
US-PATENT-APPL-SN-860492 ..... c 09 N72-20199 *
US-PATENT-APPL-SN-860493 ..... c 14 N72-16283 *
US-PATENT-APPL-SN-860635 ..... c 28 N72-17843 *
US-PATENT-APPL-SN-860750 ..... c 08 N72-22165 *
US-PATENT-APPL-SN-860751 ..... c 08 N72-18184 *
US-PATENT-APPL-SN-860781 ..... c 18 N72-22567 *
US-PATENT-APPL-SN-861152 ..... c 14 N70-33322 *
US-PATENT-APPL-SN-861390 ..... c 28 N79-28342 *
US-PATENT-APPL-SN-861391 ..... c 44 N79-12541 *
US-PATENT-APPL-SN-861392 ..... c 71 N79-23753 *
US-PATENT-APPL-SN-861396 ..... c 35 N79-14349 *
US-PATENT-APPL-SN-861649 ..... c 14 N72-17327 *
US-PATENT-APPL-SN-862878 ..... c 09 N82-29330 *
US-PATENT-APPL-SN-862880 ..... c 24 N79-31347 *
US-PATENT-APPL-SN-862921 ..... c 31 N71-29050 *
US-PATENT-APPL-SN-862925 ..... c 24 N88-18628 *
US-PATENT-APPL-SN-862959 ..... c 33 N87-21232 *

US-PATENT-APPL-SN-863024 ..... c 46 N80-14603 *
US-PATENT-APPL-SN-863276 ..... c 16 N72-12440 *
US-PATENT-APPL-SN-863280 ..... c 24 N72-33681 *
US-PATENT-APPL-SN-8636 ..... c 15 N72-25451 *
US-PATENT-APPL-SN-863770 ..... c 44 N79-18444 *
US-PATENT-APPL-SN-863773 ..... c 44 N79-26475 *
US-PATENT-APPL-SN-863913 ..... c 14 N71-28991 *
US-PATENT-APPL-SN-863914 ..... c 09 N72-31235 *
US-PATENT-APPL-SN-863963 ..... c 10 N71-26085 *
US-PATENT-APPL-SN-863967 ..... c 11 N71-27036 *
US-PATENT-APPL-SN-864020 ..... c 15 N72-17454 *
US-PATENT-APPL-SN-864039 ..... c 15 N72-22483 *
US-PATENT-APPL-SN-864097 ..... c 07 N71-33606 *
US-PATENT-APPL-SN-86417 ..... c 07 N72-25171 *
US-PATENT-APPL-SN-8650 ..... c 03 N72-25021 *
US-PATENT-APPL-SN-865106 ..... c 09 N72-22202 *
US-PATENT-APPL-SN-865109 ..... c 14 N71-28933 *
US-PATENT-APPL-SN-865274 ..... c 09 N72-17155 *
US-PATENT-APPL-SN-865298 ..... c 15 N72-11388 *
US-PATENT-APPL-SN-865329 ..... c 15 N71-29132 *
US-PATENT-APPL-SN-86548 ..... c 09 N72-21243 *
US-PATENT-APPL-SN-865811 ..... c 09 N71-27053 *
US-PATENT-APPL-SN-865909 ..... c 14 N72-11364 *
US-PATENT-APPL-SN-866442 ..... c 25 N72-24753 *
US-PATENT-APPL-SN-867841 ..... c 11 N72-22246 *
US-PATENT-APPL-SN-867842 ..... c 23 N72-27728 *
US-PATENT-APPL-SN-867843 ..... c 14 N71-26161 *
US-PATENT-APPL-SN-867851 ..... c 15 N72-22484 *
US-PATENT-APPL-SN-867986 ..... c 74 N86-33138 * #
US-PATENT-APPL-SN-867987 ..... c 27 N88-23894 *
US-PATENT-APPL-SN-868249 ..... c 33 N80-18286 *
US-PATENT-APPL-SN-868445 ..... c 14 N72-17323 *
US-PATENT-APPL-SN-868529 ..... c 08 N72-22167 *
US-PATENT-APPL-SN-868530 ..... c 05 N72-11084 *
US-PATENT-APPL-SN-868775 ..... c 09 N72-25261 *
US-PATENT-APPL-SN-868775 ..... c 09 N73-27150 * #
US-PATENT-APPL-SN-869260 ..... c 05 N72-20097 *
US-PATENT-APPL-SN-869260 ..... c 05 N73-25125 *
US-PATENT-APPL-SN-870689 ..... c 06 N72-25148 *
US-PATENT-APPL-SN-871207 ..... c 23 N86-32526 * #
US-PATENT-APPL-SN-87222 ..... c 05 N72-27103 *
US-PATENT-APPL-SN-872602 ..... c 09 N72-22200 *
US-PATENT-APPL-SN-872664 ..... c 08 N70-34675 * #
US-PATENT-APPL-SN-873045 ..... c 14 N72-20379 *
US-PATENT-APPL-SN-873259 ..... c 08 N72-21200 *
US-PATENT-APPL-SN-873260 ..... c 33 N72-17948 *
US-PATENT-APPL-SN-873793 ..... c 14 N72-21407 *
US-PATENT-APPL-SN-874177 ..... c 11 N72-25284 *
US-PATENT-APPL-SN-874304 ..... c 25 N86-32540 * #
US-PATENT-APPL-SN-874319 ..... c 35 N88-23966 *
US-PATENT-APPL-SN-874435 ..... c 11 N71-33612 *
US-PATENT-APPL-SN-874673 ..... c 27 N82-29454 *
US-PATENT-APPL-SN-874674 ..... c 27 N82-29452 *
US-PATENT-APPL-SN-874675 ..... c 27 N82-29455 *
US-PATENT-APPL-SN-874732 ..... c 09 N71-29139 *
US-PATENT-APPL-SN-874733 ..... c 15 N71-26635 *
US-PATENT-APPL-SN-874958 ..... c 31 N71-15566 *
US-PATENT-APPL-SN-87550 ..... c 06 N72-25146 *
US-PATENT-APPL-SN-87551 ..... c 33 N73-16918 *
US-PATENT-APPL-SN-875798 ..... c 37 N88-23978 *
US-PATENT-APPL-SN-875799 ..... c 34 N87-28867 *
US-PATENT-APPL-SN-875849 ..... c 07 N71-33696 *
US-PATENT-APPL-SN-875891 ..... c 31 N86-32589 * #
US-PATENT-APPL-SN-87597 ..... c 33 N74-22864 *
US-PATENT-APPL-SN-876299 ..... c 44 N80-18552 *
US-PATENT-APPL-SN-876431 ..... c 33 N79-24254 *
US-PATENT-APPL-SN-876432 ..... c 36 N80-18372 *
US-PATENT-APPL-SN-876438 ..... c 52 N79-26772 *
US-PATENT-APPL-SN-876440 ..... c 51 N80-16714 *
US-PATENT-APPL-SN-876441 ..... c 74 N79-20856 *
US-PATENT-APPL-SN-876588 ..... c 15 N72-25452 *
US-PATENT-APPL-SN-876588 ..... c 25 N74-30502 *
US-PATENT-APPL-SN-877445 ..... c 23 N82-29358 *
US-PATENT-APPL-SN-877717 ..... c 14 N72-27410 *
US-PATENT-APPL-SN-877717 ..... c 14 N73-13417 *
US-PATENT-APPL-SN-877990 ..... c 14 N72-28437 *
US-PATENT-APPL-SN-878253 ..... c 25 N81-33246 *
US-PATENT-APPL-SN-878539 ..... c 35 N80-20560 *
US-PATENT-APPL-SN-878540 ..... c 24 N82-26384 *
US-PATENT-APPL-SN-878541 ..... c 33 N81-14220 *
US-PATENT-APPL-SN-878542 ..... c 33 N79-28416 *
US-PATENT-APPL-SN-878730 ..... c 08 N72-22164 *
US-PATENT-APPL-SN-878731 ..... c 15 N71-26162 *
US-PATENT-APPL-SN-878916 ..... c 60 N87-14863 * #
US-PATENT-APPL-SN-879757 ..... c 33 N87-10231 * #
US-PATENT-APPL-SN-879758 ..... c 33 N88-23942 *
US-PATENT-APPL-SN-880246 ..... c 28 N72-22770 *
US-PATENT-APPL-SN-880247 ..... c 09 N70-20737 * #
US-PATENT-APPL-SN-880248 ..... c 07 N72-11150 *
US-PATENT-APPL-SN-880249 ..... c 15 N72-22482 *
US-PATENT-APPL-SN-880250 ..... c 03 N72-20032 *
US-PATENT-APPL-SN-880271 ..... c 15 N72-25448 *
US-PATENT-APPL-SN-880272 ..... c 14 N71-27058 *
US-PATENT-APPL-SN-880398 ..... c 15 N73-12487 *
US-PATENT-APPL-SN-880726 ..... c 44 N80-21828 *
US-PATENT-APPL-SN-880727 ..... c 35 N79-28527 *
US-PATENT-APPL-SN-880728 ..... c 37 N80-10494 *
US-PATENT-APPL-SN-880729 ..... c 35 N80-20563 *
US-PATENT-APPL-SN-880831 ..... c 11 N72-20244 *
US-PATENT-APPL-SN-880838 ..... c 37 N79-28549 *
US-PATENT-APPL-SN-880885 ..... c 07 N72-12080 *
US-PATENT-APPL-SN-881039 ..... c 09 N71-24842 *
US-PATENT-APPL-SN-881041 ..... c 09 N72-22204 *
US-PATENT-APPL-SN-882122 ..... c 14 N72-22438 *
US-PATENT-APPL-SN-882577 ..... c 07 N71-27056 *
US-PATENT-APPL-SN-883090 ..... c 44 N80-29834 *
US-PATENT-APPL-SN-883094 ..... c 54 N79-24651 *
US-PATENT-APPL-SN-883523 ..... c 09 N72-33204 *
US-PATENT-APPL-SN-883524 ..... c 09 N72-21246 *
US-PATENT-APPL-SN-883961 ..... c 25 N80-16116 *
US-PATENT-APPL-SN-88435 ..... c 35 N74-15090 *
US-PATENT-APPL-SN-885049 ..... c 33 N79-23345 *
US-PATENT-APPL-SN-885065 ..... c 35 N79-18296 *
US-PATENT-APPL-SN-885066 ..... c 33 N80-26599 *
US-PATENT-APPL-SN-885067 ..... c 33 N79-28415 *
US-PATENT-APPL-SN-885521 ..... c 03 N72-28025 *
US-PATENT-APPL-SN-885571 ..... c 09 N71-28886 *
US-PATENT-APPL-SN-885594 ..... c 15 N71-29133 *
US-PATENT-APPL-SN-886121 ..... c 39 N87-25601 *
US-PATENT-APPL-SN-886149 ..... c 27 N87-28656 *
US-PATENT-APPL-SN-887685 ..... c 10 N72-20223 *
US-PATENT-APPL-SN-887698 ..... c 09 N72-17153 *
US-PATENT-APPL-SN-887699 ..... c 15 N72-17452 *
US-PATENT-APPL-SN-887700 ..... c 07 N71-28980 *
US-PATENT-APPL-SN-887701 ..... c 08 N71-29034 *
US-PATENT-APPL-SN-888362 ..... c 33 N80-14330 *
US-PATENT-APPL-SN-888432 ..... c 74 N81-17886 *
US-PATENT-APPL-SN-888434 ..... c 51 N83-27569 *
US-PATENT-APPL-SN-889374 ..... c 08 N72-25207 *
US-PATENT-APPL-SN-889375 ..... c 10 N72-20222 *
US-PATENT-APPL-SN-889376 ..... c 18 N71-26285 *
US-PATENT-APPL-SN-889387 ..... c 09 N71-29035 *
US-PATENT-APPL-SN-889420 ..... c 14 N72-25413 *
US-PATENT-APPL-SN-889422 ..... c 09 N72-25259 *
US-PATENT-APPL-SN-889423 ..... c 10 N72-22236 *
US-PATENT-APPL-SN-889437 ..... c 15 N72-11392 *
US-PATENT-APPL-SN-889438 ..... c 15 N72-18477 *
US-PATENT-APPL-SN-889478 ..... c 08 N71-29138 *
US-PATENT-APPL-SN-889479 ..... c 14 N72-17325 *
US-PATENT-APPL-SN-889551 ..... c 21 N72-21624 *
US-PATENT-APPL-SN-889554 ..... c 15 N72-20444 *
US-PATENT-APPL-SN-889555 ..... c 09 N72-17154 *
US-PATENT-APPL-SN-889556 ..... c 14 N72-18411 *
US-PATENT-APPL-SN-889557 ..... c 11 N72-17183 *
US-PATENT-APPL-SN-889558 ..... c 15 N72-22491 *
US-PATENT-APPL-SN-889583 ..... c 15 N72-21464 *
US-PATENT-APPL-SN-889584 ..... c 08 N72-31226 *
US-PATENT-APPL-SN-889670 ..... c 39 N79-22537 *
US-PATENT-APPL-SN-889671 ..... c 24 N81-14000 *
US-PATENT-APPL-SN-889671 ..... c 24 N81-33235 *
US-PATENT-APPL-SN-889682 ..... c 15 N72-25447 *
US-PATENT-APPL-SN-890445 ..... c 18 N87-27713 *
US-PATENT-APPL-SN-890575 ..... c 09 N87-25334 *
US-PATENT-APPL-SN-890577 ..... c 27 N88-29040 *
US-PATENT-APPL-SN-890586 ..... c 32 N87-15390 * #
US-PATENT-APPL-SN-890683 ..... c 37 N88-23981 *
US-PATENT-APPL-SN-890982 ..... c 35 N88-29150 *
US-PATENT-APPL-SN-891243 ..... c 44 N79-25482 *
US-PATENT-APPL-SN-891244 ..... c 05 N79-24976 *
US-PATENT-APPL-SN-891356 ..... c 35 N80-18359 *
US-PATENT-APPL-SN-891358 ..... c 44 N80-14474 *
US-PATENT-APPL-SN-891370 ..... c 20 N79-20179 *
US-PATENT-APPL-SN-891372 ..... c 37 N79-22474 *
US-PATENT-APPL-SN-891373 ..... c 31 N80-18231 *
US-PATENT-APPL-SN-891872 ..... c 25 N82-24312 *
US-PATENT-APPL-SN-89209 ..... c 09 N72-25248 *
US-PATENT-APPL-SN-89210 ..... c 07 N73-26119 *
US-PATENT-APPL-SN-89211 ..... c 14 N73-12446 *
US-PATENT-APPL-SN-89212 ..... c 08 N72-25208 *
US-PATENT-APPL-SN-893382 ..... c 34 N79-24285 *
US-PATENT-APPL-SN-893383 ..... c 31 N81-27323 *
US-PATENT-APPL-SN-893657 ..... c 51 N80-27067 *
US-PATENT-APPL-SN-893857 ..... c 24 N81-17170 *
US-PATENT-APPL-SN-893857 ..... c 24 N81-26179 *
US-PATENT-APPL-SN-893865 ..... c 37 N81-24443 *
US-PATENT-APPL-SN-893903 ..... c 60 N81-15706 *
US-PATENT-APPL-SN-894213 ..... c 37 N80-23655 *
US-PATENT-APPL-SN-894541 ..... c 54 N87-25765 * #
US-PATENT-APPL-SN-897239 ..... c 20 N87-10174 * #
US-PATENT-APPL-SN-897828 ..... c 52 N81-29763 *
US-PATENT-APPL-SN-897829 ..... c 44 N79-25481 *
US-PATENT-APPL-SN-897830 ..... c 35 N80-21719 *
US-PATENT-APPL-SN-897831 ..... c 44 N80-20808 *
US-PATENT-APPL-SN-897832 ..... c 43 N81-26509 *
US-PATENT-APPL-SN-897840 ..... c 31 N81-14137 *
US-PATENT-APPL-SN-898449 ..... c 31 N88-29052 *
US-PATENT-APPL-SN-899123 ..... c 44 N79-14528 *
US-PATENT-APPL-SN-899683 ..... c 18 N87-14413 * #
US-PATENT-APPL-SN-899828 ..... c 32 N80-18252 *
US-PATENT-APPL-SN-900659 ..... c 27 N81-17261 *
US-PATENT-APPL-SN-900841 ..... c 32 N82-31583 *
US-PATENT-APPL-SN-900842 ..... c 32 N79-24203 *
US-PATENT-APPL-SN-900843 ..... c 44 N80-20810 *
US-PATENT-APPL-SN-901055 ..... c 76 N80-32245 *
US-PATENT-APPL-SN-901113 ..... c 35 N87-28884 *
US-PATENT-APPL-SN-901114 ..... c 76 N88-14836 *
US-PATENT-APPL-SN-901496 ..... c 23 N87-23698 *
US-PATENT-APPL-SN-903019 ..... c 46 N80-10709 *
US-PATENT-APPL-SN-904128 ..... c 25 N88-23845 *
US-PATENT-APPL-SN-904132 ..... c 02 N87-14282 * #
US-PATENT-APPL-SN-904134 ..... c 18 N88-26398 *
US-PATENT-APPL-SN-904513 ..... c 33 N88-14270 *
US-PATENT-APPL-SN-904812 ..... c 37 N88-14359 *
US-PATENT-APPL-SN-90595 ..... c 03 N72-20031 *
US-PATENT-APPL-SN-906297 ..... c 44 N79-14529 *
US-PATENT-APPL-SN-906298 ..... c 76 N80-18951 *
US-PATENT-APPL-SN-906299 ..... c 27 N80-16158 *
US-PATENT-APPL-SN-907421 ..... c 37 N81-14318 *
US-PATENT-APPL-SN-907431 ..... c 37 N81-25370 *
US-PATENT-APPL-SN-907435 ..... c 27 N80-10358 *
US-PATENT-APPL-SN-907436 ..... c 37 N80-14398 *
US-PATENT-APPL-SN-907479 ..... c 27 N80-24438 *
US-PATENT-APPL-SN-909100 ..... c 37 N79-28550 *
US-PATENT-APPL-SN-909235 ..... c 07 N81-19115 *
US-PATENT-APPL-SN-909608 ..... c 07 N81-19116 *
US-PATENT-APPL-SN-910707 ..... c 32 N80-20448 *
US-PATENT-APPL-SN-910708 ..... c 06 N80-18036 *
US-PATENT-APPL-SN-910793 ..... c 44 N80-16452 *
US-PATENT-APPL-SN-910794 ..... c 14 N81-26161 *
US-PATENT-APPL-SN-910992 ..... c 52 N81-24711 *
US-PATENT-APPL-SN-91180 ..... c 14 N70-40240 *
US-PATENT-APPL-SN-911851 ..... c 29 N87-18679 * #
US-PATENT-APPL-SN-912276 ..... c 24 N81-29163 *
US-PATENT-APPL-SN-913432 ..... c 18 N88-23828 *
US-PATENT-APPL-SN-913433 ..... c 33 N87-15413 * #
US-PATENT-APPL-SN-913446 ..... c 37 N87-15465 * #
US-PATENT-APPL-SN-914260 ..... c 44 N79-26474 *
US-PATENT-APPL-SN-915050 ..... c 44 N81-12542 *
US-PATENT-APPL-SN-91642 ..... c 14 N72-31446 *
US-PATENT-APPL-SN-916654 ..... c 07 N81-29129 *
US-PATENT-APPL-SN-916655 ..... c 44 N80-14472 *
US-PATENT-APPL-SN-918533 ..... c 32 N79-23310 *
US-PATENT-APPL-SN-918534 ..... c 33 N80-32650 *
US-PATENT-APPL-SN-918535 ..... c 35 N80-18357 *
US-PATENT-APPL-SN-918537 ..... c 26 N80-14229 *
US-PATENT-APPL-SN-918705 ..... c 52 N82-33996 *
US-PATENT-APPL-SN-920878 ..... c 24 N78-27184 * #
US-PATENT-APPL-SN-920879 ..... c 44 N79-31752 *
US-PATENT-APPL-SN-921572 ..... c 24 N87-18613 * #
US-PATENT-APPL-SN-921573 ..... c 37 N87-14704 * #
US-PATENT-APPL-SN-921574 ..... c 31 N87-15327 * #
US-PATENT-APPL-SN-921626 ..... c 25 N80-23383 *
US-PATENT-APPL-SN-921627 ..... c 33 N80-14332 *
US-PATENT-APPL-SN-923758 ..... c 20 N78-27176 * #
US-PATENT-APPL-SN-923758 ..... c 20 N80-10278 *
US-PATENT-APPL-SN-924398 ..... c 14 N87-25344 *
US-PATENT-APPL-SN-924399 ..... c 76 N88-24545 *
US-PATENT-APPL-SN-924467 ..... c 23 N88-24692 *
US-PATENT-APPL-SN-924472 ..... c 32 N87-18692 * #
US-PATENT-APPL-SN-924474 ..... c 23 N88-26404 *
US-PATENT-APPL-SN-925189 ..... c 76 N88-24544 *
US-PATENT-APPL-SN-9251 ..... c 03 N70-34646 * #
US-PATENT-APPL-SN-927987 ..... c 62 N87-19021 * #
US-PATENT-APPL-SN-927992 ..... c 37 N87-18818 * #
US-PATENT-APPL-SN-928128 ..... c 44 N80-18551 *
US-PATENT-APPL-SN-928129 ..... c 35 N80-14371 *
US-PATENT-APPL-SN-928130 ..... c 35 N80-20559 *
US-PATENT-APPL-SN-928131 ..... c 09 N79-31228 *
US-PATENT-APPL-SN-928133 ..... c 44 N80-18550 *
US-PATENT-APPL-SN-928137 ..... c 52 N80-23969 *
US-PATENT-APPL-SN-929083 ..... c 36 N80-16321 *
US-PATENT-APPL-SN-929084 ..... c 37 N81-19455 *
US-PATENT-APPL-SN-929086 ..... c 24 N81-13999 *
US-PATENT-APPL-SN-929087 ..... c 35 N80-28687 *
US-PATENT-APPL-SN-929088 ..... c 74 N80-24149 *
US-PATENT-APPL-SN-929869 ..... c 35 N87-23941 * #
US-PATENT-APPL-SN-929875 ..... c 18 N88-28958 *
US-PATENT-APPL-SN-930217 ..... c 25 N88-24732 *
US-PATENT-APPL-SN-931090 ..... c 37 N80-26658 *
US-PATENT-APPL-SN-931090 ..... c 37 N82-19540 *
US-PATENT-APPL-SN-931217 ..... c 37 N80-32716 *
US-PATENT-APPL-SN-931218 ..... c 20 N80-18097 *
US-PATENT-APPL-SN-933186 ..... c 27 N80-32515 *
US-PATENT-APPL-SN-93329 ..... c 09 N73-26195 *
US-PATENT-APPL-SN-933941 ..... c 33 N87-18761 * #
US-PATENT-APPL-SN-933961 ..... c 76 N87-29360 *
US-PATENT-APPL-SN-933962 ..... c 25 N88-29002 *
US-PATENT-APPL-SN-933963 ..... c 05 N88-28914 *
US-PATENT-APPL-SN-934397 ..... c 18 N88-23827 *
US-PATENT-APPL-SN-934470 ..... c 23 N87-14433 *
US-PATENT-APPL-SN-934576 ..... c 35 N80-18358 *
US-PATENT-APPL-SN-935827 ..... c 37 N80-18393 *
US-PATENT-APPL-SN-93714 ..... c 44 N82-28780 *
US-PATENT-APPL-SN-938293 ..... c 32 N80-32605 *
US-PATENT-APPL-SN-938297 ..... c 25 N81-14015 *
US-PATENT-APPL-SN-938298 ..... c 33 N81-17348 *
US-PATENT-APPL-SN-938299 ..... c 33 N81-19389 *
US-PATENT-APPL-SN-938300 ..... c 37 N80-23654 *

US-PATENT-APPL-SN-938579 ..... c 76 N80-32244 *
US-PATENT-APPL-SN-938581 ..... c 04 N80-32359 *
US-PATENT-APPL-SN-938582 ..... c 37 N80-23653 *
US-PATENT-APPL-SN-94049 ..... c 14 N73-20476 *
US-PATENT-APPL-SN-940688 ..... c 24 N79-24062 *
US-PATENT-APPL-SN-940689 ..... c 35 N80-28686 *
US-PATENT-APPL-SN-940970 ..... c 72 N80-27163 *
US-PATENT-APPL-SN-941711 ..... c 24 N80-26388 *
US-PATENT-APPL-SN-942158 ..... c 34 N88-29133 *
US-PATENT-APPL-SN-942159 ..... c 37 N87-18817 * #
US-PATENT-APPL-SN-94259 ..... c 27 N70-35534 *
US-PATENT-APPL-SN-943086 ..... c 37 N80-32717 *
US-PATENT-APPL-SN-943087 ..... c 15 N78-32168 * #
US-PATENT-APPL-SN-943088 ..... c 18 N80-14183 *
US-PATENT-APPL-SN-943089 ..... c 74 N80-21140 *
US-PATENT-APPL-SN-943346 ..... c 34 N88-29132 *
US-PATENT-APPL-SN-94347 ..... c 05 N72-25122 *
US-PATENT-APPL-SN-94369 ..... c 07 N71-28965 * #
US-PATENT-APPL-SN-94374 ..... c 14 N72-25411 *
US-PATENT-APPL-SN-945040 ..... c 37 N82-24492 *
US-PATENT-APPL-SN-945041 ..... c 43 N80-18498 *
US-PATENT-APPL-SN-945043 ..... c 33 N81-33403 *
US-PATENT-APPL-SN-945044 ..... c 54 N81-26718 *
US-PATENT-APPL-SN-945436 ..... c 46 N80-24906 *
US-PATENT-APPL-SN-946990 ..... c 28 N80-23471 *
US-PATENT-APPL-SN-946991 ..... c 31 N81-27324 *
US-PATENT-APPL-SN-946992 ..... c 45 N80-14579 *
US-PATENT-APPL-SN-946994 ..... c 44 N79-31753 *
US-PATENT-APPL-SN-947000 ..... c 28 N81-15119 *
US-PATENT-APPL-SN-94952 ..... c 14 N70-34158 *
US-PATENT-APPL-SN-949886 ..... c 33 N80-18285 *
US-PATENT-APPL-SN-950876 ..... c 37 N80-31790 *
US-PATENT-APPL-SN-950877 ..... c 52 N81-25660 *
US-PATENT-APPL-SN-951422 ..... c 51 N81-14605 *
US-PATENT-APPL-SN-951423 ..... c 48 N80-18667 *
US-PATENT-APPL-SN-951828 ..... c 37 N80-29703 *
US-PATENT-APPL-SN-951829 ..... c 33 N80-18287 *
US-PATENT-APPL-SN-951830 ..... c 28 N80-28536 *
US-PATENT-APPL-SN-95183 ..... c 08 N73-12175 *
US-PATENT-APPL-SN-95189 ..... c 74 N77-21941 *
US-PATENT-APPL-SN-953313 ..... c 32 N81-14187 *
US-PATENT-APPL-SN-953314 ..... c 37 N81-14319 *
US-PATENT-APPL-SN-953389 ..... c 74 N80-27185 *
US-PATENT-APPL-SN-953390 ..... c 74 N80-21138 *
US-PATENT-APPL-SN-953391 ..... c 72 N80-33186 *
US-PATENT-APPL-SN-956160 ..... c 32 N80-18253 *
US-PATENT-APPL-SN-956161 ..... c 27 N79-11215 * #
US-PATENT-APPL-SN-956166 ..... c 33 N81-19393 *
US-PATENT-APPL-SN-956168 ..... c 27 N81-25209 *
US-PATENT-APPL-SN-956529 ..... c 35 N80-26635 *
US-PATENT-APPL-SN-957452 ..... c 32 N80-24510 *
US-PATENT-APPL-SN-958573 ..... c 25 N80-20334 *
US-PATENT-APPL-SN-958575 ..... c 27 N80-24437 *
US-PATENT-APPL-SN-961831 ..... c 33 N81-25299 *
US-PATENT-APPL-SN-961832 ..... c 37 N81-24442 *
US-PATENT-APPL-SN-961833 ..... c 37 N82-21587 *
US-PATENT-APPL-SN-964009 ..... c 02 N80-20224 *
US-PATENT-APPL-SN-964754 ..... c 33 N80-20487 *
US-PATENT-APPL-SN-964754 ..... c 44 N81-29524 *
US-PATENT-APPL-SN-965367 ..... c 33 N81-14221 *
US-PATENT-APPL-SN-965368 ..... c 74 N81-17888 *
US-PATENT-APPL-SN-969755 ..... c 05 N81-19087 *
US-PATENT-APPL-SN-969756 ..... c 37 N81-14317 *
US-PATENT-APPL-SN-969757 ..... c 24 N84-16262 *
US-PATENT-APPL-SN-969759 ..... c 25 N82-11144 *
US-PATENT-APPL-SN-969760 ..... c 39 N81-25400 *
US-PATENT-APPL-SN-969761 ..... c 32 N82-12297 *
US-PATENT-APPL-SN-969762 ..... c 33 N82-29539 *
US-PATENT-APPL-SN-97112 ..... c 21 N70-34539 *
US-PATENT-APPL-SN-971473 ..... c 23 N81-29160 *
US-PATENT-APPL-SN-971474 ..... c 20 N82-18314 *
US-PATENT-APPL-SN-971475 ..... c 27 N81-24257 *
US-PATENT-APPL-SN-971596 ..... c 27 N80-32516 *
US-PATENT-APPL-SN-972252 ..... c 35 N81-33448 *
US-PATENT-APPL-SN-97343 ..... c 10 N72-27246 *
US-PATENT-APPL-SN-974292 ..... c 26 N80-23419 *
US-PATENT-APPL-SN-974471 ..... c 32 N81-14185 *
US-PATENT-APPL-SN-974472 ..... c 37 N81-15363 *
US-PATENT-APPL-SN-974473 ..... c 60 N81-27814 *
US-PATENT-APPL-SN-974474 ..... c 25 N81-19242 *
US-PATENT-APPL-SN-974475 ..... c 33 N81-17349 *
US-PATENT-APPL-SN-974476 ..... c 52 N81-14613 *
US-PATENT-APPL-SN-97472 ..... c 14 N73-28487 *
US-PATENT-APPL-SN-97829 ..... c 06 N73-13129 *
US-PATENT-APPL-SN-98517 ..... c 09 N72-25250 *
US-PATENT-APPL-SN-98640 ..... c 09 N72-25253 *
US-PATENT-APPL-SN-98772 ..... c 08 N73-12176 *
US-PATENT-APPL-SN-98773 ..... c 15 N72-22486 *
US-PATENT-APPL-SN-98774 ..... c 14 N73-19419 *
US-PATENT-APPL-SN-98798 ..... c 09 N73-13209 *
US-PATENT-APPL-SN-99174 ..... c 14 N72-33377 *
US-PATENT-APPL-SN-99175 ..... c 09 N72-25256 *
US-PATENT-APPL-SN-99198 ..... c 31 N73-32749 *
US-PATENT-APPL-SN-99201 ..... c 15 N73-25512 *
US-PATENT-APPL-SN-99201 ..... c 37 N74-20063 *
US-PATENT-APPL-SN-99524 ..... c 06 N72-27144 *
US-PATENT-APPL-SN-99901 ..... c 37 N74-10474 *
US-PATENT-APPL-SN-99903 ..... c 11 N73-12265 *

US-PATENT-CASE-165-104.25 .... c 34 N87-28867 *
US-PATENT-CASE-165-104.26 .... c 34 N87-28867 *
US-PATENT-CASE-165-13 ..... c 34 N87-28867 *
US-PATENT-CASE-165-1 ..... c 34 N87-28867 *
US-PATENT-CASE-165-32 ..... c 34 N87-28867 *
US-PATENT-CASE-165-41 ..... c 34 N87-28867 *
US-PATENT-CASE-179-146-R ..... c 05 N83-27975 *
US-PATENT-CASE-179-179 ..... c 05 N83-27975 *
US-PATENT-CASE-244-121 ..... c 05 N83-19737 *
US-PATENT-CASE-244-129.4 ..... c 05 N83-19737 *
US-PATENT-CASE-292-254 ..... c 05 N83-19737 *
US-PATENT-CASE-356-129 ..... c 36 N83-29680 *
US-PATENT-CASE-367-906 ..... c 05 N83-27975 *
US-PATENT-CASE-368-10 ..... c 35 N83-29651 *
US-PATENT-CASE-368-118 ..... c 35 N83-29651 *
US-PATENT-CASE-368-119 ..... c 35 N83-29651 *
US-PATENT-CASE-368-120 ..... c 35 N83-29651 *
US-PATENT-CASE-368-6 ..... c 35 N83-29651 *
US-PATENT-CASE-368-9 ..... c 35 N83-29651 *

US-PATENT-CLAS-165-27 ..... c 34 N83-34221 *
US-PATENT-CLAS-361-90 ..... c 33 N83-34190 *

US-PATENT-CLASS-D12-76 ..... c 05 N75-25914 *
US-PATENT-CLASS-D71-1 ..... c 05 N74-10907 *

US-PATENT-CLASS-100-299 ..... c 15 N72-20446 *
US-PATENT-CLASS-100-8 ..... c 33 N74-17928 *
US-PATENT-CLASS-101-395 ..... c 35 N84-22930 *
US-PATENT-CLASS-101-407BP .. c 37 N84-12491 *
US-PATENT-CLASS-102-101 ..... c 28 N71-26779 *
US-PATENT-CLASS-102-103 ..... c 20 N78-32179 *
US-PATENT-CLASS-102-105 ..... c 33 N72-17947 *
US-PATENT-CLASS-102-105 ..... c 33 N72-25911 *
US-PATENT-CLASS-102-105 ..... c 33 N73-25952 *
US-PATENT-CLASS-102-105 ..... c 27 N74-27037 *
US-PATENT-CLASS-102-105 ..... c 24 N79-25142 *
US-PATENT-CLASS-102-21.6 ..... c 46 N79-22679 *
US-PATENT-CLASS-102-28EB .... c 28 N74-27425 *
US-PATENT-CLASS-102-28R ..... c 28 N79-11231 *
US-PATENT-CLASS-102-289 ..... c 27 N82-24339 *
US-PATENT-CLASS-102-34.4 ..... c 07 N72-25171 *
US-PATENT-CLASS-102-378 ..... c 01 N83-35992 *
US-PATENT-CLASS-102-39 ..... c 20 N78-24275 *
US-PATENT-CLASS-102-49.3 ..... c 20 N77-17143 *
US-PATENT-CLASS-102-49.5 ..... c 31 N71-15687 *
US-PATENT-CLASS-102-49.5 ..... c 15 N71-22874 *
US-PATENT-CLASS-102-49.5 ..... c 31 N71-23008 *
US-PATENT-CLASS-102-49.5 ..... c 31 N73-14853 *
US-PATENT-CLASS-102-49.7 ..... c 28 N73-24784 *
US-PATENT-CLASS-102-49.7 ..... c 20 N78-24275 *
US-PATENT-CLASS-102-49.8 ..... c 28 N73-24784 *
US-PATENT-CLASS-102-49 ..... c 33 N70-36846 *
US-PATENT-CLASS-102-49 ..... c 28 N70-38181 *
US-PATENT-CLASS-102-49 ..... c 03 N70-39930 *
US-PATENT-CLASS-102-49 ..... c 15 N70-41679 *
US-PATENT-CLASS-102-49 ..... c 28 N70-41967 *
US-PATENT-CLASS-102-49 ..... c 31 N71-10582 *
US-PATENT-CLASS-102-49 ..... c 15 N71-13789 *
US-PATENT-CLASS-102-49 ..... c 31 N71-15692 *
US-PATENT-CLASS-102-49 ..... c 31 N71-17730 *
US-PATENT-CLASS-102-504 ..... c 15 N82-24272 *
US-PATENT-CLASS-102-50 ..... c 31 N71-24750 *
US-PATENT-CLASS-102-56R ..... c 02 N81-14968 *
US-PATENT-CLASS-102-70.2A ... c 28 N74-27425 *
US-PATENT-CLASS-102-70.2R ... c 19 N74-15089 *
US-PATENT-CLASS-102-70.2 ..... c 09 N71-18599 *
US-PATENT-CLASS-102-70-2R ... c 28 N74-27425 *
US-PATENT-CLASS-102-70R ..... c 20 N78-24275 *
US-PATENT-CLASS-102-90 ..... c 15 N74-27360 *
US-PATENT-CLASS-102-92.1 ..... c 02 N81-14968 *
US-PATENT-CLASS-102-95 ..... c 11 N73-32152 *
US-PATENT-CLASS-102-99 ..... c 28 N77-10213 *
US-PATENT-CLASS-103.5R ..... c 04 N73-27052 *
US-PATENT-CLASS-103-1 ..... c 26 N71-21824 *
US-PATENT-CLASS-103-37 ..... c 28 N71-14058 *
US-PATENT-CLASS-103-48 ..... c 15 N71-24042 *
US-PATENT-CLASS-104-DIG.4 .... c 44 N84-23019 *
US-PATENT-CLASS-104-138R .... c 85 N74-34672 *
US-PATENT-CLASS-104-139 ..... c 05 N71-28619 *
US-PATENT-CLASS-104-172.1 .... c 18 N88-26398 *
US-PATENT-CLASS-104-1 ..... c 05 N71-28619 *
US-PATENT-CLASS-104-23FS .... c 85 N74-34672 *
US-PATENT-CLASS-104-281 ..... c 37 N85-20337 *
US-PATENT-CLASS-104-282 ..... c 37 N83-32067 *
US-PATENT-CLASS-104-284 ..... c 37 N85-20337 *
US-PATENT-CLASS-104-290 ..... c 37 N83-32067 *
US-PATENT-CLASS-104-35 ..... c 18 N88-26398 *
US-PATENT-CLASS-104-49 ..... c 18 N88-26398 *
US-PATENT-CLASS-104-83 ..... c 37 N82-21587 *
US-PATENT-CLASS-105-1A ..... c 37 N82-21587 *
US-PATENT-CLASS-105-161 ..... c 43 N79-26439 *
US-PATENT-CLASS-105-171 ..... c 37 N82-21587 *
US-PATENT-CLASS-105-180 ..... c 37 N82-21587 *
US-PATENT-CLASS-105-2R ..... c 85 N82-33288 *
US-PATENT-CLASS-105-218R .... c 37 N82-21587 *
US-PATENT-CLASS-106-1.2 ..... c 44 N79-31752 *
US-PATENT-CLASS-106-13 ..... c 23 N75-14834 *
US-PATENT-CLASS-106-15FP .... c 27 N74-27037 *
US-PATENT-CLASS-106-15FP .... c 27 N76-24405 *
US-PATENT-CLASS-106-15FP .... c 24 N78-15180 *
US-PATENT-CLASS-106-15R ..... c 23 N75-14834 *
US-PATENT-CLASS-106-15 ..... c 18 N71-14014 *
US-PATENT-CLASS-106-15 ..... c 18 N71-15469 *
US-PATENT-CLASS-106-18.16 .... c 27 N82-16238 *
US-PATENT-CLASS-106-18.24 .... c 27 N82-16238 *
US-PATENT-CLASS-106-197 ..... c 25 N82-29370 *
US-PATENT-CLASS-106-1 ..... c 44 N79-31752 *
US-PATENT-CLASS-106-209 ..... c 05 N72-25120 *
US-PATENT-CLASS-106-286 ..... c 18 N72-22566 *
US-PATENT-CLASS-106-287SB .. c 23 N75-14834 *
US-PATENT-CLASS-106-288B .... c 18 N72-22566 *
US-PATENT-CLASS-106-292 ..... c 18 N72-17532 *
US-PATENT-CLASS-106-292 ..... c 27 N77-30237 *
US-PATENT-CLASS-106-296 ..... c 18 N71-26772 *
US-PATENT-CLASS-106-296 ..... c 27 N77-30237 *
US-PATENT-CLASS-106-296 ..... c 24 N79-14156 *
US-PATENT-CLASS-106-299 ..... c 18 N72-17532 *
US-PATENT-CLASS-106-299 ..... c 27 N77-30237 *
US-PATENT-CLASS-106-306 ..... c 24 N76-24363 *
US-PATENT-CLASS-106-39.5 ..... c 27 N78-19302 *
US-PATENT-CLASS-106-39R ..... c 18 N73-14584 *
US-PATENT-CLASS-106-39 ..... c 26 N72-28762 *
US-PATENT-CLASS-106-40 ..... c 18 N71-22998 *
US-PATENT-CLASS-106-43 ..... c 27 N78-17206 *
US-PATENT-CLASS-106-43 ..... c 37 N81-25371 *
US-PATENT-CLASS-106-46 ..... c 26 N72-28762 *
US-PATENT-CLASS-106-48 ..... c 27 N75-27160 *
US-PATENT-CLASS-106-48 ..... c 27 N78-32260 *
US-PATENT-CLASS-106-50 ..... c 27 N82-29452 *
US-PATENT-CLASS-106-50 ..... c 27 N82-29454 *
US-PATENT-CLASS-106-50 ..... c 27 N82-29455 *
US-PATENT-CLASS-106-52 ..... c 37 N74-21063 *
US-PATENT-CLASS-106-52 ..... c 27 N82-29451 *
US-PATENT-CLASS-106-52 ..... c 27 N82-29452 *
US-PATENT-CLASS-106-52 ..... c 27 N82-29454 *
US-PATENT-CLASS-106-52 ..... c 27 N82-29455 *
US-PATENT-CLASS-106-54 ..... c 27 N75-27160 *
US-PATENT-CLASS-106-54 ..... c 27 N76-22377 *
US-PATENT-CLASS-106-54 ..... c 27 N76-23426 *
US-PATENT-CLASS-106-54 ..... c 27 N78-32260 *
US-PATENT-CLASS-106-54 ..... c 27 N82-29452 *
US-PATENT-CLASS-106-54 ..... c 27 N82-29454 *
US-PATENT-CLASS-106-55 ..... c 18 N73-14584 *
US-PATENT-CLASS-106-58 ..... c 18 N73-14584 *
US-PATENT-CLASS-106-63 ..... c 18 N73-14584 *
US-PATENT-CLASS-106-65 ..... c 27 N78-19302 *
US-PATENT-CLASS-106-73.5 ..... c 27 N78-19302 *
US-PATENT-CLASS-106-74 ..... c 18 N69-39979 * #
US-PATENT-CLASS-106-74 ..... c 24 N79-31347 *
US-PATENT-CLASS-106-84 ..... c 18 N71-24183 *
US-PATENT-CLASS-106-84 ..... c 18 N71-24184 *
US-PATENT-CLASS-106-84 ..... c 18 N72-22566 *
US-PATENT-CLASS-106-84 ..... c 18 N72-23581 *
US-PATENT-CLASS-106-84 ..... c 24 N79-14156 *
US-PATENT-CLASS-106-84 ..... c 24 N79-31347 *
US-PATENT-CLASS-106-88 ..... c 18 N71-16124 *
US-PATENT-CLASS-108-136 ..... c 09 N75-12968 *
US-PATENT-CLASS-108-3 ..... c 54 N88-24163 *
US-PATENT-CLASS-108-7 ..... c 54 N88-24163 *
US-PATENT-CLASS-109-49.5 ..... c 31 N81-19343 *
US-PATENT-CLASS-109-58.5 ..... c 31 N81-19343 *
US-PATENT-CLASS-110-186 ..... c 25 N84-16276 *
US-PATENT-CLASS-110-218 ..... c 31 N81-15154 *
US-PATENT-CLASS-110-229 ..... c 31 N81-15154 *
US-PATENT-CLASS-110-232 ..... c 31 N81-15154 *
US-PATENT-CLASS-110-234 ..... c 25 N82-11144 *
US-PATENT-CLASS-110-245 ..... c 25 N82-11144 *
US-PATENT-CLASS-110-255 ..... c 25 N82-11144 *
US-PATENT-CLASS-110-262 ..... c 25 N84-16276 *
US-PATENT-CLASS-110-263 ..... c 25 N84-16276 *
US-PATENT-CLASS-110-265 ..... c 25 N84-16276 *
US-PATENT-CLASS-110-266 ..... c 25 N82-11144 *
US-PATENT-CLASS-110-343 ..... c 31 N81-15154 *
US-PATENT-CLASS-110-347 ..... c 31 N81-15154 *
US-PATENT-CLASS-112-402 ..... c 18 N71-26285 *
US-PATENT-CLASS-113-116 ..... c 15 N71-15597 *
US-PATENT-CLASS-114-122 ..... c 02 N73-26006 *
US-PATENT-CLASS-114-16.6 ..... c 37 N76-22540 *
US-PATENT-CLASS-114-66.5 ..... c 12 N70-33305 *
US-PATENT-CLASS-114-67R ..... c 02 N88-14071 *
US-PATENT-CLASS-115-103.5 .... c 51 N75-13502 *
US-PATENT-CLASS-116-114.5 .... c 35 N75-25122 *
US-PATENT-CLASS-116-114AH .. c 14 N72-25411 *
US-PATENT-CLASS-116-114AH .. c 35 N75-33367 *
US-PATENT-CLASS-116-117 ..... c 14 N70-42074 *
US-PATENT-CLASS-117-104 ..... c 18 N71-26100 *
US-PATENT-CLASS-117-105.2 .... c 37 N74-11301 *
US-PATENT-CLASS-117-105.2 .... c 24 N75-33181 *

US-PATENT-CLASS-117-105.5 .... c 15 N73-32360 *
US-PATENT-CLASS-117-105 ..... c 15 N73-32360 *
US-PATENT-CLASS-117-106A .... c 70 N74-13436 *
US-PATENT-CLASS-117-106A .... c 37 N75-15992 *
US-PATENT-CLASS-117-106A .... c 25 N75-26043 *
US-PATENT-CLASS-117-106 ..... c 33 N71-14032 *
US-PATENT-CLASS-117-107.2 .... c 25 N75-26043 *
US-PATENT-CLASS-117-107 ..... c 15 N72-25447 *
US-PATENT-CLASS-117-107 ..... c 76 N79-16678 *
US-PATENT-CLASS-117-119 ..... c 18 N71-16105 *
US-PATENT-CLASS-117-119 ..... c 76 N79-16678 *
US-PATENT-CLASS-117-124C .... c 15 N72-25452 *
US-PATENT-CLASS-117-124F .... c 23 N75-14834 *
US-PATENT-CLASS-117-126GM . c 37 N75-26371 *
US-PATENT-CLASS-117-126GR . c 27 N74-23125 *
US-PATENT-CLASS-117-126R .... c 37 N75-26371 *
US-PATENT-CLASS-117-129 ..... c 37 N74-21063 *
US-PATENT-CLASS-117-129 ..... c 27 N75-27160 *
US-PATENT-CLASS-117-130R .... c 15 N73-32360 *
US-PATENT-CLASS-117-132B .... c 27 N74-23125 *
US-PATENT-CLASS-117-132 ..... c 06 N72-25150 *
US-PATENT-CLASS-117-135.5 .... c 23 N75-14834 *
US-PATENT-CLASS-117-138.8R . c 15 N73-32360 *
US-PATENT-CLASS-117-151 ..... c 15 N73-32360 *
US-PATENT-CLASS-117-152 ..... c 15 N72-25452 *
US-PATENT-CLASS-117-16R ..... c 15 N72-25452 *
US-PATENT-CLASS-117-160R .... c 15 N73-32360 *
US-PATENT-CLASS-117-161P ..... c 06 N73-27980 *
US-PATENT-CLASS-117-161UA .. c 25 N75-12087 *
US-PATENT-CLASS-117-161UN . c 06 N73-27980 *
US-PATENT-CLASS-117-161UN . c 27 N74-23125 *
US-PATENT-CLASS-117-161UN . c 25 N75-12087 *
US-PATENT-CLASS-117-161UZ .. c 25 N75-12087 *
US-PATENT-CLASS-117-161 ..... c 06 N72-25150 *
US-PATENT-CLASS-117-2R ..... c 32 N74-27612 *
US-PATENT-CLASS-117-200 ..... c 09 N72-25259 *
US-PATENT-CLASS-117-201 ..... c 15 N69-21460 * #
US-PATENT-CLASS-117-201 ..... c 18 N71-16046 *
US-PATENT-CLASS-117-201 ..... c 03 N72-24037 *
US-PATENT-CLASS-117-201 ..... c 25 N75-26043 *
US-PATENT-CLASS-117-211 ..... c 15 N72-25447 *
US-PATENT-CLASS-117-212 ..... c 09 N71-20705 *
US-PATENT-CLASS-117-212 ..... c 15 N71-29032 *
US-PATENT-CLASS-117-212 ..... c 26 N72-28762 *
US-PATENT-CLASS-117-217 ..... c 15 N72-25447 *
US-PATENT-CLASS-117-217 ..... c 26 N72-28762 *
US-PATENT-CLASS-117-21 ..... c 18 N69-39895 * #
US-PATENT-CLASS-117-224 ..... c 15 N71-28582 *
US-PATENT-CLASS-117-228 ..... c 06 N73-27980 *
US-PATENT-CLASS-117-234 ..... c 76 N79-16678 *
US-PATENT-CLASS-117-235 ..... c 76 N79-16678 *
US-PATENT-CLASS-117-237 ..... c 76 N79-16678 *
US-PATENT-CLASS-117-239 ..... c 76 N79-16678 *
US-PATENT-CLASS-117-240 ..... c 76 N79-16678 *
US-PATENT-CLASS-117-33.3 ..... c 70 N74-13436 *
US-PATENT-CLASS-117-35R ..... c 06 N73-13128 *
US-PATENT-CLASS-117-35 ..... c 32 N79-19186 *
US-PATENT-CLASS-117-37 ..... c 15 N72-25452 *
US-PATENT-CLASS-117-38 ..... c 24 N75-33181 *
US-PATENT-CLASS-117-43 ..... c 31 N79-21227 *
US-PATENT-CLASS-117-45 ..... c 74 N74-20008 *
US-PATENT-CLASS-117-46FS .... c 24 N75-33181 *
US-PATENT-CLASS-117-46 ..... c 15 N71-16077 *
US-PATENT-CLASS-117-47R ..... c 15 N72-25452 *
US-PATENT-CLASS-117-50 ..... c 15 N71-15610 *
US-PATENT-CLASS-117-62 ..... c 15 N72-25447 *
US-PATENT-CLASS-117-62 ..... c 15 N72-25452 *
US-PATENT-CLASS-117-65.2 ..... c 18 N71-10772 *
US-PATENT-CLASS-117-66 ..... c 15 N73-32360 *
US-PATENT-CLASS-117-69 ..... c 18 N70-36400 *
US-PATENT-CLASS-117-69 ..... c 15 N71-16075 *
US-PATENT-CLASS-117-6 ..... c 14 N71-20461 *
US-PATENT-CLASS-117-6 ..... c 27 N81-15104 *
US-PATENT-CLASS-117-72 ..... c 35 N75-25122 *
US-PATENT-CLASS-117-8.5 ..... c 24 N75-33181 *
US-PATENT-CLASS-117-93.1GD c 25 N75-12087 *
US-PATENT-CLASS-117-93.16D . c 15 N72-25447 *
US-PATENT-CLASS-117-93.3 ..... c 15 N72-25452 *
US-PATENT-CLASS-117-93.3 ..... c 37 N75-15992 *
US-PATENT-CLASS-117-95 ..... c 24 N74-19769 *
US-PATENT-CLASS-117-95 ..... c 36 N75-15029 *
US-PATENT-CLASS-117-97 ..... c 36 N75-15029 *
US-PATENT-CLASS-118-11 ..... c 15 N71-17647 *
US-PATENT-CLASS-118-300 ..... c 71 N84-16940 *
US-PATENT-CLASS-118-308 ..... c 17 N71-24911 *
US-PATENT-CLASS-118-313 ..... c 51 N77-27677 *
US-PATENT-CLASS-118-320 ..... c 37 N82-24492 *
US-PATENT-CLASS-118-423 ..... c 37 N82-12441 *
US-PATENT-CLASS-118-43 ..... c 25 N75-29192 *
US-PATENT-CLASS-118-48 ..... c 25 N75-26043 *
US-PATENT-CLASS-118-49.1 ..... c 15 N72-32487 *
US-PATENT-CLASS-118-49.1 ..... c 31 N75-12161 *
US-PATENT-CLASS-118-49.1 ..... c 25 N75-26043 *
US-PATENT-CLASS-118-49.5 ..... c 09 N71-26701 *
US-PATENT-CLASS-118-49 ..... c 25 N79-28253 *
US-PATENT-CLASS-118-50.1 ..... c 71 N84-16940 *
US-PATENT-CLASS-118-50.1 ..... c 36 N84-22944 *
US-PATENT-CLASS-118-500 ..... c 37 N78-17383 *
US-PATENT-CLASS-118-500 ..... c 37 N82-12441 *
US-PATENT-CLASS-118-500 ..... c 37 N82-24492 *
US-PATENT-CLASS-118-500 ..... c 71 N84-16940 *
US-PATENT-CLASS-118-503 ..... c 37 N82-24492 *
US-PATENT-CLASS-118-505 ..... c 37 N82-24492 *
US-PATENT-CLASS-118-50 ..... c 37 N78-17383 *
US-PATENT-CLASS-118-50 ..... c 37 N81-33482 *
US-PATENT-CLASS-118-50 ..... c 71 N84-16940 *
US-PATENT-CLASS-118-52 ..... c 37 N81-33482 *
US-PATENT-CLASS-118-57 ..... c 71 N84-16940 *
US-PATENT-CLASS-118-624 ..... c 36 N84-22944 *
US-PATENT-CLASS-118-62 ..... c 71 N84-16940 *
US-PATENT-CLASS-118-641 ..... c 36 N84-22944 *
US-PATENT-CLASS-118-6 ..... c 51 N77-27677 *
US-PATENT-CLASS-118-7 ..... c 51 N77-27677 *
US-PATENT-CLASS-118-9 ..... c 51 N77-27677 *
US-PATENT-CLASS-119-15 ..... c 11 N71-22875 *
US-PATENT-CLASS-119-17 ..... c 51 N81-32829 *
US-PATENT-CLASS-119-18 ..... c 51 N81-32829 *
US-PATENT-CLASS-119-29 ..... c 51 N78-27733 *
US-PATENT-CLASS-119-51.11 .... c 35 N78-19466 *
US-PATENT-CLASS-119-51.13 .... c 51 N74-15778 *
US-PATENT-CLASS-119-51.5 ..... c 51 N74-15778 *
US-PATENT-CLASS-119-51R ..... c 51 N74-15778 *
US-PATENT-CLASS-119-52AF .... c 51 N74-15778 *
US-PATENT-CLASS-119-54 ..... c 51 N74-15778 *
US-PATENT-CLASS-119-72.5 ..... c 35 N78-19466 *
US-PATENT-CLASS-119-96 ..... c 05 N71-28619 *
US-PATENT-CLASS-121-38 ..... c 15 N70-35409 *
US-PATENT-CLASS-121-38 ..... c 02 N71-29128 *
US-PATENT-CLASS-122-32 ..... c 33 N72-20915 *
US-PATENT-CLASS-122-366 ..... c 34 N85-29180 *
US-PATENT-CLASS-122-366 ..... c 34 N86-27593 *
US-PATENT-CLASS-122-366 ..... c 34 N88-29133 *
US-PATENT-CLASS-122-4D ..... c 25 N82-11144 *
US-PATENT-CLASS-123-DIG.12 . c 37 N76-18457 *
US-PATENT-CLASS-123-DIG.12 . c 44 N78-33526 *
US-PATENT-CLASS-123-DIG.12 . c 28 N80-10374 *
US-PATENT-CLASS-123-DIG.8 .... c 37 N77-31497 *
US-PATENT-CLASS-123-1A ..... c 44 N76-29700 *
US-PATENT-CLASS-123-1A ..... c 44 N78-33526 *
US-PATENT-CLASS-123-102 ..... c 11 N72-20244 *
US-PATENT-CLASS-123-119A .... c 37 N77-31497 *
US-PATENT-CLASS-123-119E .... c 37 N76-18457 *
US-PATENT-CLASS-123-120 ..... c 37 N76-18457 *
US-PATENT-CLASS-123-121 ..... c 37 N76-18457 *
US-PATENT-CLASS-123-122AB .. c 28 N72-22772 *
US-PATENT-CLASS-123-122AB .. c 37 N77-31497 *
US-PATENT-CLASS-123-122E .... c 07 N77-23106 *
US-PATENT-CLASS-123-122E .... c 37 N78-10467 *
US-PATENT-CLASS-123-148CB .. c 33 N77-28385 *
US-PATENT-CLASS-123-148DC .. c 37 N79-11405 *
US-PATENT-CLASS-123-148E .... c 33 N77-28385 *
US-PATENT-CLASS-123-148E .... c 37 N79-11405 *
US-PATENT-CLASS-123-179R .... c 28 N80-10374 *
US-PATENT-CLASS-123-193-P ... c 37 N88-23981 *
US-PATENT-CLASS-123-197R .... c 37 N83-36483 *
US-PATENT-CLASS-123-37 ..... c 37 N77-31497 *
US-PATENT-CLASS-123-3 ..... c 44 N76-18642 *
US-PATENT-CLASS-123-3 ..... c 44 N76-29700 *
US-PATENT-CLASS-123-3 ..... c 44 N77-10636 *
US-PATENT-CLASS-123-3 ..... c 37 N77-31497 *
US-PATENT-CLASS-123-3 ..... c 44 N78-33526 *
US-PATENT-CLASS-123-3 ..... c 28 N80-10374 *
US-PATENT-CLASS-123-41.33 .... c 07 N77-23106 *
US-PATENT-CLASS-123-41.33 .... c 37 N78-10467 *
US-PATENT-CLASS-123-59E ..... c 37 N77-31497 *
US-PATENT-CLASS-123-78E ..... c 37 N83-36483 *
US-PATENT-CLASS-123-89A ..... c 37 N76-18457 *
US-PATENT-CLASS-124-11R ..... c 75 N76-17951 *
US-PATENT-CLASS-124-1 ..... c 75 N76-17951 *
US-PATENT-CLASS-124-56 ..... c 18 N86-20469 *
US-PATENT-CLASS-124-6 ..... c 09 N77-19076 *
US-PATENT-CLASS-125-13R ..... c 37 N85-21650 *
US-PATENT-CLASS-125-15 ..... c 37 N85-21650 *
US-PATENT-CLASS-125-1 ..... c 46 N74-23069 *
US-PATENT-CLASS-125-20 ..... c 31 N83-27058 *
US-PATENT-CLASS-125-21 ..... c 37 N80-29703 *
US-PATENT-CLASS-125-23R ..... c 76 N80-18951 *
US-PATENT-CLASS-125-23R ..... c 37 N82-32730 *
US-PATENT-CLASS-125-3 ..... c 46 N74-23069 *
US-PATENT-CLASS-126-DIG.1 .... c 44 N85-30474 *
US-PATENT-CLASS-126-263 ..... c 44 N77-32581 *
US-PATENT-CLASS-126-263 ..... c 44 N78-17460 *
US-PATENT-CLASS-126-263 ..... c 44 N80-20808 *
US-PATENT-CLASS-126-263 ..... c 35 N85-29214 *
US-PATENT-CLASS-126-270 ..... c 09 N70-40234 *
US-PATENT-CLASS-126-270 ..... c 03 N70-41580 *
US-PATENT-CLASS-126-270 ..... c 34 N74-23039 *
US-PATENT-CLASS-126-270 ..... c 44 N76-14595 *
US-PATENT-CLASS-126-270 ..... c 44 N76-23675 *
US-PATENT-CLASS-126-270 ..... c 44 N76-24696 *
US-PATENT-CLASS-126-270 ..... c 35 N77-20401 *
US-PATENT-CLASS-126-270 ..... c 44 N77-32582 *
US-PATENT-CLASS-126-270 ..... c 44 N78-15560 *
US-PATENT-CLASS-126-270 ..... c 44 N78-19599 *
US-PATENT-CLASS-126-270 ..... c 44 N78-31526 *
US-PATENT-CLASS-126-270 ..... c 44 N79-11471 *
US-PATENT-CLASS-126-270 ..... c 44 N79-14526 *
US-PATENT-CLASS-126-270 ..... c 44 N79-23481 *
US-PATENT-CLASS-126-270 ..... c 44 N79-24432 *
US-PATENT-CLASS-126-271 ..... c 44 N75-32581 *
US-PATENT-CLASS-126-271 ..... c 44 N76-14602 *
US-PATENT-CLASS-126-271 ..... c 44 N76-22657 *
US-PATENT-CLASS-126-271 ..... c 44 N76-24696 *
US-PATENT-CLASS-126-271 ..... c 35 N77-20401 *
US-PATENT-CLASS-126-271 ..... c 44 N77-32582 *
US-PATENT-CLASS-126-271 ..... c 44 N78-10554 *
US-PATENT-CLASS-126-271 ..... c 44 N78-17460 *
US-PATENT-CLASS-126-271 ..... c 44 N78-31525 *
US-PATENT-CLASS-126-271 ..... c 44 N78-31526 *
US-PATENT-CLASS-126-271 ..... c 44 N79-11471 *
US-PATENT-CLASS-126-271 ..... c 44 N79-14526 *
US-PATENT-CLASS-126-271 ..... c 44 N79-14529 *
US-PATENT-CLASS-126-271 ..... c 44 N79-18443 *
US-PATENT-CLASS-126-271 ..... c 44 N79-23481 *
US-PATENT-CLASS-126-271 ..... c 44 N79-24433 *
US-PATENT-CLASS-126-400 ..... c 44 N78-15560 *
US-PATENT-CLASS-126-400 ..... c 44 N79-24433 *
US-PATENT-CLASS-126-400 ..... c 44 N85-30474 *
US-PATENT-CLASS-126-415 ..... c 44 N84-34792 *
US-PATENT-CLASS-126-415 ..... c 44 N85-30474 *
US-PATENT-CLASS-126-417 ..... c 44 N80-16452 *
US-PATENT-CLASS-126-417 ..... c 34 N84-22903 *
US-PATENT-CLASS-126-418 ..... c 44 N84-28204 *
US-PATENT-CLASS-126-418 ..... c 44 N86-27706 *
US-PATENT-CLASS-126-419 ..... c 44 N80-20810 *
US-PATENT-CLASS-126-419 ..... c 44 N81-17518 *
US-PATENT-CLASS-126-419 ..... c 44 N84-28203 *
US-PATENT-CLASS-126-419 ..... c 44 N85-30474 *
US-PATENT-CLASS-126-419 ..... c 44 N86-27706 *
US-PATENT-CLASS-126-422 ..... c 44 N82-18686 *
US-PATENT-CLASS-126-423 ..... c 34 N88-23958 *
US-PATENT-CLASS-126-425 ..... c 44 N88-14492 *
US-PATENT-CLASS-126-429 ..... c 44 N82-18686 *
US-PATENT-CLASS-126-430 ..... c 44 N82-18686 *
US-PATENT-CLASS-126-434 ..... c 44 N80-20810 *
US-PATENT-CLASS-126-437 ..... c 44 N80-20810 *
US-PATENT-CLASS-126-438 ..... c 44 N80-14473 *
US-PATENT-CLASS-126-438 ..... c 44 N82-16475 *
US-PATENT-CLASS-126-438 ..... c 44 N84-28203 *
US-PATENT-CLASS-126-438 ..... c 44 N84-28204 *
US-PATENT-CLASS-126-438 ..... c 44 N86-27706 *
US-PATENT-CLASS-126-440 ..... c 44 N84-28204 *
US-PATENT-CLASS-126-442 ..... c 44 N80-14473 *
US-PATENT-CLASS-126-451 ..... c 44 N84-28203 *
US-PATENT-CLASS-126-900 ..... c 44 N85-30474 *
US-PATENT-CLASS-126-901 ..... c 44 N80-16452 *
US-PATENT-CLASS-126-901 ..... c 44 N83-34449 *
US-PATENT-CLASS-126-91A ..... c 25 N79-11151 *
US-PATENT-CLASS-128.2.06E .... c 05 N75-24716 *
US-PATENT-CLASS-128.2.07 ..... c 52 N79-21750 *
US-PATENT-CLASS-128-DIG.12 . c 37 N77-28487 *
US-PATENT-CLASS-128-DIG.12 . c 51 N81-14605 *
US-PATENT-CLASS-128-DIG.13 . c 52 N83-27577 *
US-PATENT-CLASS-128-DIG.16 . c 51 N81-14605 *
US-PATENT-CLASS-128-DIG.20 . c 52 N76-19785 *
US-PATENT-CLASS-128-DIG.20 . c 37 N81-17433 *
US-PATENT-CLASS-128-DIG.25 . c 52 N81-25660 *
US-PATENT-CLASS-128-DIG.25 . c 52 N84-11744 *
US-PATENT-CLASS-128-DIG.26 . c 51 N81-14605 *
US-PATENT-CLASS-128-DIG.4 .... c 05 N72-27103 *
US-PATENT-CLASS-128-DIG.4 .... c 05 N75-24716 *
US-PATENT-CLASS-128-DIG.4 .... c 35 N76-24525 *
US-PATENT-CLASS-128-DIG.4 .... c 52 N77-28717 *
US-PATENT-CLASS-128-DIG.6 .... c 51 N81-14605 *
US-PATENT-CLASS-128-DIG.9 .... c 52 N80-16725 *
US-PATENT-CLASS-128-DIG.9 .... c 51 N81-14605 *
US-PATENT-CLASS-128-1.2 ..... c 52 N82-22875 *
US-PATENT-CLASS-128-1A ..... c 05 N73-32012 *
US-PATENT-CLASS-128-1A ..... c 54 N84-16803 *
US-PATENT-CLASS-128-1R ..... c 52 N77-25772 *
US-PATENT-CLASS-128-1R ..... c 52 N77-28716 *
US-PATENT-CLASS-128-1R ..... c 52 N81-25660 *
US-PATENT-CLASS-128-1R ..... c 52 N84-11744 *
US-PATENT-CLASS-128-142.2 .... c 54 N76-24900 *
US-PATENT-CLASS-128-142.5 .... c 05 N71-11190 *
US-PATENT-CLASS-128-142.5 .... c 05 N71-11203 *
US-PATENT-CLASS-128-142.5 .... c 05 N71-17599 *
US-PATENT-CLASS-128-142.5 .... c 05 N72-20096 *
US-PATENT-CLASS-128-142.5 .... c 05 N73-25125 *
US-PATENT-CLASS-128-142.7 .... c 54 N78-32721 *
US-PATENT-CLASS-128-142R .... c 54 N80-10799 *
US-PATENT-CLASS-128-145.8 .... c 54 N75-27761 *
US-PATENT-CLASS-128-15R ..... c 54 N84-16803 *
US-PATENT-CLASS-128-191R .... c 25 N74-12813 *
US-PATENT-CLASS-128-191R .... c 54 N80-10799 *
US-PATENT-CLASS-128-1 ..... c 05 N70-41819 *
US-PATENT-CLASS-128-1 ..... c 05 N71-20268 *
US-PATENT-CLASS-128-2.05A ... c 52 N74-26626 *

US-PATENT-CLASS-128-2.05A ... c 54 N75-13531 *
US-PATENT-CLASS-128-2.05E .... c 52 N74-27566 *
US-PATENT-CLASS-128-2.05E .... c 52 N76-29896 *
US-PATENT-CLASS-128-2.05F .... c 14 N73-32326 *
US-PATENT-CLASS-128-2.05P .... c 54 N75-13531 *
US-PATENT-CLASS-128-2.05R ... c 05 N73-27941 *
US-PATENT-CLASS-128-2.05R ... c 52 N76-29895 *
US-PATENT-CLASS-128-2.05R ... c 52 N79-10724 *
US-PATENT-CLASS-128-2.05S .... c 52 N74-26626 *
US-PATENT-CLASS-128-2.05T .... c 52 N74-12778 *
US-PATENT-CLASS-128-2.05V .... c 35 N76-24525 *
US-PATENT-CLASS-128-2.05Z .... c 54 N75-27760 *
US-PATENT-CLASS-128-2.05Z .... c 52 N79-18580 *
US-PATENT-CLASS-128-2.05 ..... c 05 N70-41329 *
US-PATENT-CLASS-128-2.05 ..... c 04 N71-23185 *
US-PATENT-CLASS-128-2.05 ..... c 05 N71-27234 *
US-PATENT-CLASS-128-2.06B ... c 05 N75-24716 *
US-PATENT-CLASS-128-2.06E .... c 52 N76-29896 *
US-PATENT-CLASS-128-2.06F .... c 52 N74-12778 *
US-PATENT-CLASS-128-2.06R ... c 05 N73-27941 *
US-PATENT-CLASS-128-2.06R ... c 52 N76-14757 *
US-PATENT-CLASS-128-2.06 ..... c 05 N69-21925 * #
US-PATENT-CLASS-128-2.06 ..... c 05 N71-22896 *
US-PATENT-CLASS-128-2.06 ..... c 09 N71-24618 *
US-PATENT-CLASS-128-2.06 ..... c 05 N71-26293 *
US-PATENT-CLASS-128-2.07 ..... c 05 N73-32015 *
US-PATENT-CLASS-128-2.07 ..... c 52 N74-20728 *
US-PATENT-CLASS-128-2.08 ..... c 05 N69-21473 * #
US-PATENT-CLASS-128-2.08 ..... c 05 N73-32015 *
US-PATENT-CLASS-128-2.08 ..... c 52 N74-20728 *
US-PATENT-CLASS-128-2.1A ..... c 09 N72-17153 *
US-PATENT-CLASS-128-2.1A ..... c 09 N72-22202 *
US-PATENT-CLASS-128-2.1A ..... c 52 N74-26625 *
US-PATENT-CLASS-128-2.1A ..... c 52 N76-14757 *
US-PATENT-CLASS-128-2.1A ..... c 52 N76-29894 *
US-PATENT-CLASS-128-2.1A ..... c 52 N79-18580 *
US-PATENT-CLASS-128-2.1E ..... c 05 N72-27103 *
US-PATENT-CLASS-128-2.1E ..... c 35 N76-24525 *
US-PATENT-CLASS-128-2.1E ..... c 52 N77-28717 *
US-PATENT-CLASS-128-2.1R ..... c 05 N73-26072 *
US-PATENT-CLASS-128-2.1Z ..... c 35 N76-24525 *
US-PATENT-CLASS-128-2.1 ..... c 05 N71-11193 *
US-PATENT-CLASS-128-2.1 ..... c 05 N71-12346 *
US-PATENT-CLASS-128-2.1 ..... c 05 N71-24729 *
US-PATENT-CLASS-128-2.1 ..... c 09 N71-26002 *
US-PATENT-CLASS-128-2.1 ..... c 05 N72-25120 *
US-PATENT-CLASS-128-2F ..... c 54 N76-14804 *
US-PATENT-CLASS-128-2H ..... c 52 N76-14757 *
US-PATENT-CLASS-128-2H ..... c 52 N76-29894 *
US-PATENT-CLASS-128-2H ..... c 52 N77-10780 *
US-PATENT-CLASS-128-2H ..... c 52 N77-14736 *
US-PATENT-CLASS-128-2N ..... c 05 N72-25122 *
US-PATENT-CLASS-128-2N ..... c 05 N73-13114 *
US-PATENT-CLASS-128-2P ..... c 52 N76-29894 *
US-PATENT-CLASS-128-2R ..... c 09 N72-22202 *
US-PATENT-CLASS-128-2R ..... c 52 N79-12694 *
US-PATENT-CLASS-128-2S ..... c 52 N74-10975 *
US-PATENT-CLASS-128-2S ..... c 52 N74-27864 *
US-PATENT-CLASS-128-2S ..... c 33 N75-31329 *
US-PATENT-CLASS-128-2S ..... c 33 N76-19338 *
US-PATENT-CLASS-128-2S ..... c 52 N76-29895 *
US-PATENT-CLASS-128-2S ..... c 52 N76-29896 *
US-PATENT-CLASS-128-2V ..... c 52 N74-20726 *
US-PATENT-CLASS-128-2V ..... c 35 N75-12271 *
US-PATENT-CLASS-128-2V ..... c 54 N75-27760 *
US-PATENT-CLASS-128-2V ..... c 52 N79-14751 *
US-PATENT-CLASS-128-2V ..... c 52 N79-18580 *
US-PATENT-CLASS-128-202.11 .. c 54 N86-28618 *
US-PATENT-CLASS-128-203 ..... c 54 N76-24900 *
US-PATENT-CLASS-128-204.18 .. c 51 N81-14605 *
US-PATENT-CLASS-128-206F ..... c 14 N73-24473 *
US-PATENT-CLASS-128-207.14 .. c 51 N81-14605 *
US-PATENT-CLASS-128-207.28 .. c 51 N81-14605 *
US-PATENT-CLASS-128-212 ..... c 54 N80-10799 *
US-PATENT-CLASS-128-214D .... c 52 N79-14749 *
US-PATENT-CLASS-128-214E ..... c 52 N74-22771 *
US-PATENT-CLASS-128-214F ..... c 37 N77-28487 *
US-PATENT-CLASS-128-230 ..... c 52 N75-33640 *
US-PATENT-CLASS-128-236 ..... c 51 N81-14605 *
US-PATENT-CLASS-128-24-A ..... c 52 N84-34913 *
US-PATENT-CLASS-128-24A ..... c 05 N73-27062 *
US-PATENT-CLASS-128-24A ..... c 54 N75-27760 *
US-PATENT-CLASS-128-24 ..... c 05 N71-24738 *
US-PATENT-CLASS-128-25R ..... c 37 N74-18127 *
US-PATENT-CLASS-128-25 ..... c 05 N71-24738 *
US-PATENT-CLASS-128-26 ..... c 52 N76-19785 *
US-PATENT-CLASS-128-272 ..... c 15 N71-24835 *
US-PATENT-CLASS-128-272 ..... c 52 N79-14749 *
US-PATENT-CLASS-128-275 ..... c 15 N71-24835 *
US-PATENT-CLASS-128-275 ..... c 52 N81-29763 *
US-PATENT-CLASS-128-276 ..... c 52 N80-14684 *
US-PATENT-CLASS-128-276 ..... c 52 N80-18690 *
US-PATENT-CLASS-128-280 ..... c 24 N82-29362 *
US-PATENT-CLASS-128-283 ..... c 05 N69-23192 * #
US-PATENT-CLASS-128-283 ..... c 24 N82-29362 *
US-PATENT-CLASS-128-284 ..... c 24 N82-29362 *
US-PATENT-CLASS-128-285 ..... c 24 N82-29362 *
US-PATENT-CLASS-128-288 ..... c 24 N82-29362 *
US-PATENT-CLASS-128-291 ..... c 24 N82-29362 *
US-PATENT-CLASS-128-295 ..... c 05 N72-22093 *
US-PATENT-CLASS-128-295 ..... c 52 N81-24711 *
US-PATENT-CLASS-128-295 ..... c 52 N81-28740 *
US-PATENT-CLASS-128-296 ..... c 24 N82-29362 *
US-PATENT-CLASS-128-29 ..... c 05 N70-39922 *
US-PATENT-CLASS-128-2 ..... c 05 N73-27062 *
US-PATENT-CLASS-128-303B .... c 52 N83-25346 *
US-PATENT-CLASS-128-303R .... c 52 N77-28716 *
US-PATENT-CLASS-128-305 ..... c 05 N73-27062 *
US-PATENT-CLASS-128-305 ..... c 52 N75-33640 *
US-PATENT-CLASS-128-305 ..... c 52 N78-14773 *
US-PATENT-CLASS-128-325 ..... c 52 N84-28388 *
US-PATENT-CLASS-128-327 ..... c 52 N82-11770 *
US-PATENT-CLASS-128-328 ..... c 52 N84-34913 *
US-PATENT-CLASS-128-329R .... c 52 N79-27836 *
US-PATENT-CLASS-128-346 ..... c 52 N81-25660 *
US-PATENT-CLASS-128-346 ..... c 52 N84-11744 *
US-PATENT-CLASS-128-346 ..... c 52 N84-28388 *
US-PATENT-CLASS-128-348 ..... c 52 N80-16725 *
US-PATENT-CLASS-128-379 ..... c 52 N77-14736 *
US-PATENT-CLASS-128-38 ..... c 54 N84-16803 *
US-PATENT-CLASS-128-400 ..... c 52 N77-14736 *
US-PATENT-CLASS-128-402 ..... c 05 N72-20096 *
US-PATENT-CLASS-128-402 ..... c 52 N77-14736 *
US-PATENT-CLASS-128-410 ..... c 52 N77-28717 *
US-PATENT-CLASS-128-417 ..... c 05 N72-25120 *
US-PATENT-CLASS-128-417 ..... c 05 N72-27103 *
US-PATENT-CLASS-128-418 ..... c 52 N76-29896 *
US-PATENT-CLASS-128-418 ..... c 52 N77-14738 *
US-PATENT-CLASS-128-419P .... c 52 N76-29896 *
US-PATENT-CLASS-128-421 ..... c 52 N82-29863 *
US-PATENT-CLASS-128-422 ..... c 52 N82-33996 *
US-PATENT-CLASS-128-62A ..... c 52 N82-29862 *
US-PATENT-CLASS-128-639 ..... c 52 N79-27836 *
US-PATENT-CLASS-128-642 ..... c 52 N80-27072 *
US-PATENT-CLASS-128-642 ..... c 52 N81-14012 *
US-PATENT-CLASS-128-642 ..... c 52 N81-20703 *
US-PATENT-CLASS-128-660 ..... c 52 N79-26771 *
US-PATENT-CLASS-128-660 ..... c 52 N83-27578 *
US-PATENT-CLASS-128-660 ..... c 52 N85-30618 *
US-PATENT-CLASS-128-663 ..... c 52 N83-27578 *
US-PATENT-CLASS-128-665 ..... c 52 N81-27783 *
US-PATENT-CLASS-128-666 ..... c 52 N80-23969 *
US-PATENT-CLASS-128-686 ..... c 52 N82-11770 *
US-PATENT-CLASS-128-690 ..... c 52 N80-23969 *
US-PATENT-CLASS-128-691 ..... c 52 N82-11770 *
US-PATENT-CLASS-128-6 ..... c 52 N80-16725 *
US-PATENT-CLASS-128-736 ..... c 52 N85-30618 *
US-PATENT-CLASS-128-748 ..... c 52 N80-18691 *
US-PATENT-CLASS-128-760 ..... c 52 N80-18690 *
US-PATENT-CLASS-128-760 ..... c 52 N81-29763 *
US-PATENT-CLASS-128-761 ..... c 52 N81-24711 *
US-PATENT-CLASS-128-774 ..... c 52 N80-27072 *
US-PATENT-CLASS-128-774 ..... c 52 N81-20703 *
US-PATENT-CLASS-128-774 ..... c 52 N83-25346 *
US-PATENT-CLASS-128-778 ..... c 52 N82-22875 *
US-PATENT-CLASS-128-782 ..... c 52 N80-27072 *
US-PATENT-CLASS-128-782 ..... c 39 N83-20280 *
US-PATENT-CLASS-128-782 ..... c 52 N83-25346 *
US-PATENT-CLASS-128-784 ..... c 52 N82-33996 *
US-PATENT-CLASS-128-80-E ..... c 54 N86-22112 *
US-PATENT-CLASS-128-80F ..... c 52 N81-25661 *
US-PATENT-CLASS-128-804 ..... c 52 N82-33996 *
US-PATENT-CLASS-128-89R ..... c 52 N81-25662 *
US-PATENT-CLASS-128-903 ..... c 52 N80-18691 *
US-PATENT-CLASS-128-92C ..... c 27 N78-17215 *
US-PATENT-CLASS-128-92G ..... c 27 N78-17215 *
US-PATENT-CLASS-129-16.7 ..... c 08 N71-15908 *
US-PATENT-CLASS-13-20 ..... c 11 N72-23215 *
US-PATENT-CLASS-13-20 ..... c 12 N79-26075 *
US-PATENT-CLASS-13-22 ..... c 12 N79-26075 *
US-PATENT-CLASS-13-24 ..... c 12 N79-26075 *
US-PATENT-CLASS-13-26 ..... c 33 N71-15625 *
US-PATENT-CLASS-13-26 ..... c 14 N71-23267 *
US-PATENT-CLASS-13-31 ..... c 11 N72-23215 *
US-PATENT-CLASS-13-31 ..... c 31 N74-27900 *
US-PATENT-CLASS-13-35 ..... c 33 N71-24145 *
US-PATENT-CLASS-134-137 ..... c 37 N82-12441 *
US-PATENT-CLASS-134-166C .... c 37 N87-17035 *
US-PATENT-CLASS-134-17 ..... c 43 N81-26509 *
US-PATENT-CLASS-134-21 ..... c 37 N76-18456 *
US-PATENT-CLASS-134-37 ..... c 37 N76-18456 *
US-PATENT-CLASS-134-37 ..... c 37 N85-21652 *
US-PATENT-CLASS-134-93 ..... c 37 N87-17035 *
US-PATENT-CLASS-135-1 ..... c 32 N70-36536 *
US-PATENT-CLASS-135-903 ..... c 37 N87-17036 *
US-PATENT-CLASS-136-100R .... c 03 N72-20034 *
US-PATENT-CLASS-136-114 ..... c 44 N76-14601 *
US-PATENT-CLASS-136-132 ..... c 03 N71-11053 *
US-PATENT-CLASS-136-132 ..... c 03 N71-22974 *
US-PATENT-CLASS-136-133 ..... c 15 N69-24320 * #
US-PATENT-CLASS-136-133 ..... c 03 N71-23006 *
US-PATENT-CLASS-136-133 ..... c 03 N72-15986 *
US-PATENT-CLASS-136-135 ..... c 03 N72-15986 *
US-PATENT-CLASS-136-143 ..... c 44 N76-29699 *
US-PATENT-CLASS-136-146 ..... c 03 N69-21337 * #
US-PATENT-CLASS-136-146 ..... c 24 N76-14204 *
US-PATENT-CLASS-136-148 ..... c 24 N76-14204 *
US-PATENT-CLASS-136-148 ..... c 44 N82-24645 *
US-PATENT-CLASS-136-162 ..... c 44 N76-14601 *
US-PATENT-CLASS-136-166 ..... c 03 N71-23336 *
US-PATENT-CLASS-136-166 ..... c 03 N72-20032 *
US-PATENT-CLASS-136-170 ..... c 03 N71-11051 *
US-PATENT-CLASS-136-175 ..... c 03 N72-20034 *
US-PATENT-CLASS-136-179 ..... c 03 N70-41864 *
US-PATENT-CLASS-136-182 ..... c 03 N71-10728 *
US-PATENT-CLASS-136-182 ..... c 03 N71-20407 *
US-PATENT-CLASS-136-182 ..... c 03 N71-20491 *
US-PATENT-CLASS-136-182 ..... c 44 N74-27519 *
US-PATENT-CLASS-136-182 ..... c 44 N76-14601 *
US-PATENT-CLASS-136-202 ..... c 09 N72-12136 *
US-PATENT-CLASS-136-202 ..... c 03 N72-26031 *
US-PATENT-CLASS-136-202 ..... c 44 N76-16612 *
US-PATENT-CLASS-136-202 ..... c 35 N77-32454 *
US-PATENT-CLASS-136-202 ..... c 35 N79-14346 *
US-PATENT-CLASS-136-206 ..... c 03 N72-11062 *
US-PATENT-CLASS-136-206 ..... c 09 N72-12136 *
US-PATENT-CLASS-136-206 ..... c 44 N76-14595 *
US-PATENT-CLASS-136-206 ..... c 44 N76-31666 *
US-PATENT-CLASS-136-20 ..... c 44 N74-19693 *
US-PATENT-CLASS-136-210 ..... c 44 N76-16612 *
US-PATENT-CLASS-136-211 ..... c 35 N76-15434 *
US-PATENT-CLASS-136-212 ..... c 35 N76-15434 *
US-PATENT-CLASS-136-213 ..... c 14 N69-27459 * #
US-PATENT-CLASS-136-213 ..... c 34 N74-27861 *
US-PATENT-CLASS-136-224 ..... c 14 N73-12447 *
US-PATENT-CLASS-136-225 ..... c 14 N73-24472 *
US-PATENT-CLASS-136-225 ..... c 35 N76-15434 *
US-PATENT-CLASS-136-225 ..... c 44 N85-21768 *
US-PATENT-CLASS-136-227 ..... c 09 N72-12136 *
US-PATENT-CLASS-136-228 ..... c 33 N71-15568 *
US-PATENT-CLASS-136-230 ..... c 14 N71-23039 *
US-PATENT-CLASS-136-230 ..... c 34 N74-27861 *
US-PATENT-CLASS-136-232 ..... c 35 N77-14409 *
US-PATENT-CLASS-136-233 ..... c 14 N72-27410 *
US-PATENT-CLASS-136-233 ..... c 14 N73-13417 *
US-PATENT-CLASS-136-233 ..... c 34 N74-27861 *
US-PATENT-CLASS-136-233 ..... c 35 N77-14409 *
US-PATENT-CLASS-136-236R .... c 35 N77-32454 *
US-PATENT-CLASS-136-236 ..... c 35 N79-14346 *
US-PATENT-CLASS-136-240 ..... c 35 N77-32454 *
US-PATENT-CLASS-136-246 ..... c 44 N85-21768 *
US-PATENT-CLASS-136-249 ..... c 44 N81-12542 *
US-PATENT-CLASS-136-249 ..... c 44 N82-29709 *
US-PATENT-CLASS-136-249 ..... c 44 N82-31764 *
US-PATENT-CLASS-136-249 ..... c 44 N83-32177 *
US-PATENT-CLASS-136-249 ..... c 44 N87-17399 *
US-PATENT-CLASS-136-249 ..... c 33 N87-23879 *
US-PATENT-CLASS-136-24 ..... c 09 N73-32108 *
US-PATENT-CLASS-136-253 ..... c 44 N85-34441 *
US-PATENT-CLASS-136-255 ..... c 44 N81-29525 *
US-PATENT-CLASS-136-255 ..... c 44 N83-14692 *
US-PATENT-CLASS-136-255 ..... c 33 N85-21492 *
US-PATENT-CLASS-136-255 ..... c 44 N85-30475 *
US-PATENT-CLASS-136-255 ..... c 76 N86-20150 *
US-PATENT-CLASS-136-255 ..... c 33 N87-23879 *
US-PATENT-CLASS-136-256 ..... c 44 N83-13579 *
US-PATENT-CLASS-136-256 ..... c 44 N83-14692 *
US-PATENT-CLASS-136-256 ..... c 44 N85-20530 *
US-PATENT-CLASS-136-256 ..... c 44 N85-30475 *
US-PATENT-CLASS-136-258 ..... c 44 N81-19558 *
US-PATENT-CLASS-136-258 ..... c 44 N81-29525 *
US-PATENT-CLASS-136-259 ..... c 44 N83-13579 *
US-PATENT-CLASS-136-259 ..... c 44 N83-14692 *
US-PATENT-CLASS-136-261 ..... c 44 N82-26777 *
US-PATENT-CLASS-136-261 ..... c 44 N85-30475 *
US-PATENT-CLASS-136-261 ..... c 44 N86-32875 *
US-PATENT-CLASS-136-262 ..... c 44 N81-29525 *
US-PATENT-CLASS-136-262 ..... c 76 N86-20150 *
US-PATENT-CLASS-136-28 ..... c 03 N71-10608 *
US-PATENT-CLASS-136-290 ..... c 44 N82-26777 *
US-PATENT-CLASS-136-291 ..... c 44 N81-12542 *
US-PATENT-CLASS-136-30 ..... c 44 N74-19693 *
US-PATENT-CLASS-136-30 ..... c 44 N76-18643 *
US-PATENT-CLASS-136-30 ..... c 44 N76-29699 *
US-PATENT-CLASS-136-36 ..... c 44 N74-19692 *
US-PATENT-CLASS-136-6LF ..... c 44 N76-18643 *
US-PATENT-CLASS-136-6 ..... c 03 N71-26084 *
US-PATENT-CLASS-136-6 ..... c 03 N72-15986 *
US-PATENT-CLASS-136-6 ..... c 44 N82-24641 *
US-PATENT-CLASS-136-6 ..... c 44 N82-24642 *
US-PATENT-CLASS-136-6 ..... c 44 N82-24643 *
US-PATENT-CLASS-136-6 ..... c 44 N82-24644 *
US-PATENT-CLASS-136-79 ..... c 03 N72-20032 *
US-PATENT-CLASS-136-81 ..... c 03 N72-20032 *
US-PATENT-CLASS-136-83R ..... c 03 N72-20034 *
US-PATENT-CLASS-136-83R ..... c 44 N76-18641 *
US-PATENT-CLASS-136-83 ..... c 03 N71-28579 *
US-PATENT-CLASS-136-86A ..... c 44 N76-27664 *

US-PATENT-CLASS-136-86S ..... c 44 N76-18641 *
US-PATENT-CLASS-136-86 ..... c 03 N71-11052 *
US-PATENT-CLASS-136-86 ..... c 03 N71-20904 *
US-PATENT-CLASS-136-86 ..... c 15 N71-23022 *
US-PATENT-CLASS-136-86 ..... c 03 N71-29044 *
US-PATENT-CLASS-136-89AC .... c 44 N77-31601 *
US-PATENT-CLASS-136-89CA .... c 44 N79-25482 *
US-PATENT-CLASS-136-89CC .... c 44 N78-25527 *
US-PATENT-CLASS-136-89CC .... c 44 N78-25529 *
US-PATENT-CLASS-136-89CC .... c 44 N79-11467 *
US-PATENT-CLASS-136-89CC .... c 44 N79-17314 *
US-PATENT-CLASS-136-89CC .... c 44 N79-25482 *
US-PATENT-CLASS-136-89CC .... c 44 N79-31752 *
US-PATENT-CLASS-136-89H ..... c 44 N78-25528 *
US-PATENT-CLASS-136-89H ..... c 44 N78-25529 *
US-PATENT-CLASS-136-89PC .... c 44 N79-25482 *
US-PATENT-CLASS-136-89PC .... c 44 N79-31753 *
US-PATENT-CLASS-136-89P ..... c 44 N77-31601 *
US-PATENT-CLASS-136-89P ..... c 44 N78-25528 *
US-PATENT-CLASS-136-89P ..... c 44 N78-25529 *
US-PATENT-CLASS-136-89P ..... c 44 N78-27515 *
US-PATENT-CLASS-136-89P ..... c 44 N79-17314 *
US-PATENT-CLASS-136-89P ..... c 44 N80-14474 *
US-PATENT-CLASS-136-89SG .... c 44 N78-24609 *
US-PATENT-CLASS-136-89SG .... c 44 N80-24741 *
US-PATENT-CLASS-136-89SJ .... c 44 N78-13526 *
US-PATENT-CLASS-136-89SJ .... c 44 N79-11467 *
US-PATENT-CLASS-136-89SJ .... c 44 N79-14528 *
US-PATENT-CLASS-136-89SJ .... c 44 N79-25482 *
US-PATENT-CLASS-136-89 ..... c 03 N69-24267 * #
US-PATENT-CLASS-136-89 ..... c 03 N71-11049 *
US-PATENT-CLASS-136-89 ..... c 03 N71-11050 *
US-PATENT-CLASS-136-89 ..... c 03 N71-11056 *
US-PATENT-CLASS-136-89 ..... c 03 N71-18698 *
US-PATENT-CLASS-136-89 ..... c 03 N71-19545 *
US-PATENT-CLASS-136-89 ..... c 03 N71-20492 *
US-PATENT-CLASS-136-89 ..... c 03 N71-20895 *
US-PATENT-CLASS-136-89 ..... c 26 N71-23043 *
US-PATENT-CLASS-136-89 ..... c 03 N71-23187 *
US-PATENT-CLASS-136-89 ..... c 03 N71-23449 *
US-PATENT-CLASS-136-89 ..... c 03 N71-33409 *
US-PATENT-CLASS-136-89 ..... c 03 N72-20031 *
US-PATENT-CLASS-136-89 ..... c 03 N72-22042 *
US-PATENT-CLASS-136-89 ..... c 31 N72-22874 *
US-PATENT-CLASS-136-89 ..... c 03 N72-24037 *
US-PATENT-CLASS-136-89 ..... c 09 N72-25259 *
US-PATENT-CLASS-136-89 ..... c 03 N72-27053 *
US-PATENT-CLASS-136-89 ..... c 09 N73-32109 *
US-PATENT-CLASS-136-89 ..... c 44 N74-14784 *
US-PATENT-CLASS-136-89 ..... c 44 N76-14600 *
US-PATENT-CLASS-136-89 ..... c 44 N76-28635 *
US-PATENT-CLASS-136-89 ..... c 44 N76-31666 *
US-PATENT-CLASS-136-89 ..... c 44 N77-10635 *
US-PATENT-CLASS-136-89 ..... c 44 N77-14580 *
US-PATENT-CLASS-136-89 ..... c 44 N77-19571 *
US-PATENT-CLASS-136-89 ..... c 44 N79-11468 *
US-PATENT-CLASS-136-90 ..... c 44 N76-14601 *
US-PATENT-CLASS-137-DIG.9 .... c 54 N76-24900 *
US-PATENT-CLASS-137-101 ..... c 07 N77-23106 *
US-PATENT-CLASS-137-104 ..... c 37 N78-10467 *
US-PATENT-CLASS-137-110 ..... c 54 N76-24900 *
US-PATENT-CLASS-137-116.3 .... c 37 N85-34403 *
US-PATENT-CLASS-137-13 ..... c 15 N71-15967 *
US-PATENT-CLASS-137-13 ..... c 15 N72-33477 *
US-PATENT-CLASS-137-14 ..... c 37 N79-33468 *
US-PATENT-CLASS-137-15.1 ..... c 02 N74-20646 *
US-PATENT-CLASS-137-15.1 ..... c 07 N74-31270 *
US-PATENT-CLASS-137-15.1 ..... c 07 N75-24736 *
US-PATENT-CLASS-137-15.1 ..... c 07 N77-18154 *
US-PATENT-CLASS-137-15.1 ..... c 07 N79-14096 *
US-PATENT-CLASS-137-15.1 ..... c 05 N79-24976 *
US-PATENT-CLASS-137-15.1 ..... c 07 N81-14999 *
US-PATENT-CLASS-137-15.2 ..... c 02 N74-20646 *
US-PATENT-CLASS-137-15.2 ..... c 35 N76-14431 *
US-PATENT-CLASS-137-154 ..... c 15 N73-27406 *
US-PATENT-CLASS-137-177 ..... c 20 N80-10278 *
US-PATENT-CLASS-137-197 ..... c 15 N70-41646 *
US-PATENT-CLASS-137-197 ..... c 35 N78-12390 *
US-PATENT-CLASS-137-1 ..... c 12 N70-38997 *
US-PATENT-CLASS-137-1 ..... c 15 N73-27406 *
US-PATENT-CLASS-137-207 ..... c 34 N77-30399 *
US-PATENT-CLASS-137-209 ..... c 34 N77-30399 *
US-PATENT-CLASS-137-209 ..... c 20 N80-10278 *
US-PATENT-CLASS-137-340 ..... c 15 N70-34817 *
US-PATENT-CLASS-137-340 ..... c 15 N70-35087 *
US-PATENT-CLASS-137-341 ..... c 12 N71-17661 *
US-PATENT-CLASS-137-375 ..... c 37 N80-23654 *
US-PATENT-CLASS-137-397 ..... c 15 N73-26472 *
US-PATENT-CLASS-137-469 ..... c 05 N72-20097 *
US-PATENT-CLASS-137-484.2 .... c 34 N78-25351 *
US-PATENT-CLASS-137-487.5 .... c 14 N73-13418 *
US-PATENT-CLASS-137-491 ..... c 15 N69-21924 * #
US-PATENT-CLASS-137-493 ..... c 52 N81-25660 *
US-PATENT-CLASS-137-495 ..... c 15 N70-38603 *
US-PATENT-CLASS-137-496 ..... c 15 N71-22706 *
US-PATENT-CLASS-137-501 ..... c 34 N78-25351 *
US-PATENT-CLASS-137-505.12 .. c 14 N71-18625 *
US-PATENT-CLASS-137-505.16 .. c 34 N78-25351 *
US-PATENT-CLASS-137-505.25 .. c 37 N78-25426 *
US-PATENT-CLASS-137-505.38 .. c 37 N75-15050 *
US-PATENT-CLASS-137-505.42 .. c 37 N75-15050 *
US-PATENT-CLASS-137-515.3 .... c 37 N76-14463 *
US-PATENT-CLASS-137-516.27 .. c 15 N73-30459 *
US-PATENT-CLASS-137-535 ..... c 15 N73-30459 *
US-PATENT-CLASS-137-535 ..... c 05 N73-32014 *
US-PATENT-CLASS-137-538 ..... c 05 N73-25125 *
US-PATENT-CLASS-137-539 ..... c 15 N70-41811 *
US-PATENT-CLASS-137-549 ..... c 37 N81-17433 *
US-PATENT-CLASS-137-550 ..... c 37 N76-14463 *
US-PATENT-CLASS-137-554 ..... c 09 N71-23191 *
US-PATENT-CLASS-137-559 ..... c 11 N73-12265 *
US-PATENT-CLASS-137-574 ..... c 20 N80-10278 *
US-PATENT-CLASS-137-576 ..... c 20 N80-10278 *
US-PATENT-CLASS-137-582 ..... c 32 N71-16103 *
US-PATENT-CLASS-137-582 ..... c 32 N71-16106 *
US-PATENT-CLASS-137-582 ..... c 15 N71-19569 *
US-PATENT-CLASS-137-582 ..... c 15 N73-26472 *
US-PATENT-CLASS-137-590 ..... c 20 N80-10278 *
US-PATENT-CLASS-137-594 ..... c 12 N71-18615 *
US-PATENT-CLASS-137-604 ..... c 15 N73-27406 *
US-PATENT-CLASS-137-606 ..... c 37 N87-21332 *
US-PATENT-CLASS-137-608 ..... c 15 N73-13462 *
US-PATENT-CLASS-137-614.06 .. c 37 N79-11402 *
US-PATENT-CLASS-137-614.11 .. c 37 N87-25573 *
US-PATENT-CLASS-137-614.18 .. c 37 N87-25573 *
US-PATENT-CLASS-137-614 ..... c 15 N70-36492 *
US-PATENT-CLASS-137-615 ..... c 12 N71-16031 *
US-PATENT-CLASS-137-624.11 .. c 35 N78-19466 *
US-PATENT-CLASS-137-624.14 .. c 03 N69-21469 * #
US-PATENT-CLASS-137-625.38 .. c 37 N78-25426 *
US-PATENT-CLASS-137-625.3 .... c 37 N78-25426 *
US-PATENT-CLASS-137-625.4 .... c 37 N80-23654 *
US-PATENT-CLASS-137-625.5 .... c 15 N71-23051 *
US-PATENT-CLASS-137-625.69 .. c 15 N70-36908 *
US-PATENT-CLASS-137-628 ..... c 37 N74-21065 *
US-PATENT-CLASS-137-637.05 .. c 37 N79-11402 *
US-PATENT-CLASS-137-81.5 ..... c 12 N69-21466 * #
US-PATENT-CLASS-137-81.5 ..... c 15 N71-15609 *
US-PATENT-CLASS-137-81.5 ..... c 12 N71-17578 *
US-PATENT-CLASS-137-81.5 ..... c 12 N71-17579 *
US-PATENT-CLASS-137-81.5 ..... c 10 N71-25899 *
US-PATENT-CLASS-137-81.5 ..... c 12 N71-27332 *
US-PATENT-CLASS-137-81.5 ..... c 12 N71-28741 *
US-PATENT-CLASS-137-81.5 ..... c 28 N72-22772 *
US-PATENT-CLASS-137-81.5 ..... c 15 N72-33477 *
US-PATENT-CLASS-137-81.5 ..... c 15 N73-13462 *
US-PATENT-CLASS-137-81.5 ..... c 28 N73-13773 *
US-PATENT-CLASS-137-819 ..... c 33 N74-11050 *
US-PATENT-CLASS-137-81 ..... c 05 N72-20097 *
US-PATENT-CLASS-137-81 ..... c 14 N73-13418 *
US-PATENT-CLASS-137-833 ..... c 33 N74-11050 *
US-PATENT-CLASS-137-838 ..... c 71 N84-28568 *
US-PATENT-CLASS-137-840 ..... c 33 N74-11050 *
US-PATENT-CLASS-137-886 ..... c 37 N81-17433 *
US-PATENT-CLASS-137-887 ..... c 37 N81-17433 *
US-PATENT-CLASS-137-99 ..... c 37 N85-34403 *
US-PATENT-CLASS-138.8R ..... c 27 N81-15104 *
US-PATENT-CLASS-138-103 ..... c 52 N80-16725 *
US-PATENT-CLASS-138-113 ..... c 34 N75-12222 *
US-PATENT-CLASS-138-114 ..... c 34 N75-12222 *
US-PATENT-CLASS-138-119 ..... c 32 N70-41579 *
US-PATENT-CLASS-138-120 ..... c 54 N86-28619 *
US-PATENT-CLASS-138-120 ..... c 54 N86-28620 *
US-PATENT-CLASS-138-120 ..... c 54 N86-29507 * #
US-PATENT-CLASS-138-133 ..... c 52 N80-16725 *
US-PATENT-CLASS-138-148 ..... c 34 N75-12222 *
US-PATENT-CLASS-138-178 ..... c 15 N72-20445 *
US-PATENT-CLASS-138-33 ..... c 52 N80-16725 *
US-PATENT-CLASS-138-38 ..... c 02 N88-14071 *
US-PATENT-CLASS-138-38 ..... c 34 N88-29133 *
US-PATENT-CLASS-138-42 ..... c 15 N71-15608 *
US-PATENT-CLASS-138-42 ..... c 44 N84-14583 *
US-PATENT-CLASS-138-43 ..... c 15 N71-19213 *
US-PATENT-CLASS-138-45 ..... c 15 N71-18580 *
US-PATENT-CLASS-138-45 ..... c 15 N73-13462 *
US-PATENT-CLASS-138-46 ..... c 12 N71-18615 *
US-PATENT-CLASS-138-4 ..... c 15 N71-18580 *
US-PATENT-CLASS-138-96R ..... c 37 N79-22474 *
US-PATENT-CLASS-138-97 ..... c 37 N86-32736 * #
US-PATENT-CLASS-139-425R .... c 28 N72-11708 *
US-PATENT-CLASS-140-105 ..... c 15 N72-12408 *
US-PATENT-CLASS-140-123 ..... c 15 N71-15918 *
US-PATENT-CLASS-140-124 ..... c 15 N71-10809 *
US-PATENT-CLASS-141-197 ..... c 35 N78-10428 *
US-PATENT-CLASS-141-198 ..... c 25 N86-27431 *
US-PATENT-CLASS-141-23 ..... c 15 N72-21465 *
US-PATENT-CLASS-141-258 ..... c 14 N71-27005 *
US-PATENT-CLASS-141-4 ..... c 35 N78-10428 *
US-PATENT-CLASS-141-5 ..... c 33 N71-20834 *
US-PATENT-CLASS-141-91 ..... c 12 N71-21089 *
US-PATENT-CLASS-148-DIG.26 . c 76 N85-30922 *
US-PATENT-CLASS-148-1.5 ..... c 26 N71-10607 *
US-PATENT-CLASS-148-1.5 ..... c 26 N71-23654 *
US-PATENT-CLASS-148-1.5 ..... c 76 N74-20329 *
US-PATENT-CLASS-148-1.5 ..... c 44 N80-29835 *
US-PATENT-CLASS-148-1.5 ..... c 33 N81-26360 *
US-PATENT-CLASS-148-1.5 ..... c 44 N82-26777 *
US-PATENT-CLASS-148-1.5 ..... c 44 N82-29709 *
US-PATENT-CLASS-148-1.5 ..... c 44 N86-32875 *
US-PATENT-CLASS-148-11.5R ... c 15 N73-13465 *
US-PATENT-CLASS-148-12.4 ..... c 26 N79-22271 *
US-PATENT-CLASS-148-12.7A ... c 26 N78-24333 *
US-PATENT-CLASS-148-12.7N ... c 26 N77-20201 *
US-PATENT-CLASS-148-12F ..... c 26 N79-22271 *
US-PATENT-CLASS-148-121 ..... c 76 N79-16678 *
US-PATENT-CLASS-148-125 ..... c 26 N78-24333 *
US-PATENT-CLASS-148-126 ..... c 17 N71-24142 *
US-PATENT-CLASS-148-126 ..... c 18 N71-26153 *
US-PATENT-CLASS-148-126 ..... c 18 N71-28729 *
US-PATENT-CLASS-148-126 ..... c 26 N74-10521 *
US-PATENT-CLASS-148-127 ..... c 26 N75-29236 *
US-PATENT-CLASS-148-131 ..... c 26 N80-28492 *
US-PATENT-CLASS-148-13 ..... c 14 N71-25892 *
US-PATENT-CLASS-148-16.6 ..... c 26 N88-14179 *
US-PATENT-CLASS-148-162 ..... c 26 N77-20201 *
US-PATENT-CLASS-148-162 ..... c 26 N87-28647 *
US-PATENT-CLASS-148-173 ..... c 76 N83-20789 *
US-PATENT-CLASS-148-174 ..... c 26 N71-29156 *
US-PATENT-CLASS-148-174 ..... c 44 N76-28635 *
US-PATENT-CLASS-148-174 ..... c 44 N78-24609 *
US-PATENT-CLASS-148-174 ..... c 76 N85-30922 *
US-PATENT-CLASS-148-174 ..... c 76 N87-15882 *
US-PATENT-CLASS-148-175 ..... c 25 N75-26043 *
US-PATENT-CLASS-148-175 ..... c 76 N76-25049 *
US-PATENT-CLASS-148-175 ..... c 44 N76-28635 *
US-PATENT-CLASS-148-175 ..... c 44 N82-28780 *
US-PATENT-CLASS-148-175 ..... c 76 N83-20789 *
US-PATENT-CLASS-148-175 ..... c 76 N85-30922 *
US-PATENT-CLASS-148-175 ..... c 76 N87-15882 *
US-PATENT-CLASS-148-187 ..... c 26 N72-17820 *
US-PATENT-CLASS-148-187 ..... c 14 N72-28438 *
US-PATENT-CLASS-148-187 ..... c 33 N81-26360 *
US-PATENT-CLASS-148-187 ..... c 35 N87-14671 *
US-PATENT-CLASS-148-188 ..... c 24 N71-10560 *
US-PATENT-CLASS-148-188 ..... c 09 N71-12513 *
US-PATENT-CLASS-148-188 ..... c 44 N79-11468 *
US-PATENT-CLASS-148-188 ..... c 35 N87-14671 *
US-PATENT-CLASS-148-189 ..... c 35 N87-14671 *
US-PATENT-CLASS-148-190 ..... c 35 N87-14671 *
US-PATENT-CLASS-148-20.3 ..... c 26 N77-20201 *
US-PATENT-CLASS-148-2 ..... c 26 N77-20201 *
US-PATENT-CLASS-148-2 ..... c 26 N79-22271 *
US-PATENT-CLASS-148-32 ..... c 26 N78-18183 *
US-PATENT-CLASS-148-32.5 ..... c 17 N72-22535 *
US-PATENT-CLASS-148-32.5 ..... c 26 N77-20201 *
US-PATENT-CLASS-148-32.5 ..... c 26 N77-32280 *
US-PATENT-CLASS-148-32.5 ..... c 26 N78-18183 *
US-PATENT-CLASS-148-32 ..... c 26 N77-32279 *
US-PATENT-CLASS-148-32 ..... c 26 N80-23419 *
US-PATENT-CLASS-148-33.2 ..... c 76 N85-30922 *
US-PATENT-CLASS-148-410 ..... c 26 N87-28647 *
US-PATENT-CLASS-148-428 ..... c 26 N82-31505 *
US-PATENT-CLASS-148-429 ..... c 26 N87-14482 *
US-PATENT-CLASS-148-6.11 ..... c 15 N71-24875 *
US-PATENT-CLASS-148-6.16 ..... c 18 N71-23047 *
US-PATENT-CLASS-148-6.20 ..... c 17 N71-23828 *
US-PATENT-CLASS-148-6.3 ..... c 17 N71-33408 *
US-PATENT-CLASS-148-6.3 ..... c 44 N79-18444 *
US-PATENT-CLASS-148-6.3 ..... c 26 N87-25455 *
US-PATENT-CLASS-148-6 ..... c 18 N71-29040 *
US-PATENT-CLASS-148-6 ..... c 76 N79-16678 *
US-PATENT-CLASS-149-105 ..... c 28 N78-31255 *
US-PATENT-CLASS-149-108.4 .... c 28 N80-23471 *
US-PATENT-CLASS-149-108.4 .... c 28 N81-15119 *
US-PATENT-CLASS-149-109 ..... c 27 N70-41897 *
US-PATENT-CLASS-149-111 ..... c 28 N78-31255 *
US-PATENT-CLASS-149-15 ..... c 44 N80-20808 *
US-PATENT-CLASS-149-17 ..... c 28 N74-33209 *
US-PATENT-CLASS-149-19.2 ..... c 28 N80-28536 *
US-PATENT-CLASS-149-19.4 ..... c 28 N78-31255 *
US-PATENT-CLASS-149-19.4 ..... c 20 N78-32179 *
US-PATENT-CLASS-149-19.4 ..... c 28 N79-28342 *
US-PATENT-CLASS-149-19.8 ..... c 28 N78-31255 *
US-PATENT-CLASS-149-19.92 .... c 28 N79-14228 *
US-PATENT-CLASS-149-19.9 ..... c 28 N79-14228 *
US-PATENT-CLASS-149-19.9 ..... c 28 N79-28342 *
US-PATENT-CLASS-149-19.9 ..... c 28 N80-28536 *
US-PATENT-CLASS-149-19 ..... c 27 N71-14090 *
US-PATENT-CLASS-149-19 ..... c 27 N72-25699 *
US-PATENT-CLASS-149-19 ..... c 27 N73-16764 *
US-PATENT-CLASS-149-1 ..... c 23 N71-16212 *
US-PATENT-CLASS-149-1 ..... c 06 N73-30097 *
US-PATENT-CLASS-149-1 ..... c 28 N80-20402 *
US-PATENT-CLASS-149-1 ..... c 28 N81-14103 *
US-PATENT-CLASS-149-20 ..... c 27 N72-25699 *
US-PATENT-CLASS-149-20 ..... c 28 N79-14228 *
US-PATENT-CLASS-149-20 ..... c 28 N79-28342 *
US-PATENT-CLASS-149-20 ..... c 28 N80-28536 *

US-PATENT-CLASS-149-2 ..... c 12 N70-40124 *
US-PATENT-CLASS-149-36 ..... c 27 N72-25699 *
US-PATENT-CLASS-149-36 ..... c 27 N73-16764 *
US-PATENT-CLASS-149-36 ..... c 06 N73-30097 *
US-PATENT-CLASS-149-36 ..... c 24 N76-14203 *
US-PATENT-CLASS-149-37 ..... c 44 N80-20808 *
US-PATENT-CLASS-149-42 ..... c 20 N78-32179 *
US-PATENT-CLASS-149-43 ..... c 20 N78-32179 *
US-PATENT-CLASS-149-44 ..... c 20 N78-32179 *
US-PATENT-CLASS-149-60 ..... c 28 N74-33209 *
US-PATENT-CLASS-149-76 ..... c 28 N74-33209 *
US-PATENT-CLASS-149-76 ..... c 20 N78-32179 *
US-PATENT-CLASS-149-83 ..... c 20 N78-32179 *
US-PATENT-CLASS-149-85 ..... c 20 N78-32179 *
US-PATENT-CLASS-149-88 ..... c 28 N78-31255 *
US-PATENT-CLASS-149-92 ..... c 27 N72-25699 *
US-PATENT-CLASS-149-92 ..... c 28 N78-31255 *
US-PATENT-CLASS-149-93 ..... c 28 N78-31255 *
US-PATENT-CLASS-15-143 ..... c 15 N72-11390 *
US-PATENT-CLASS-15-210 ..... c 15 N72-11390 *
US-PATENT-CLASS-15-230.16 .... c 37 N79-10422 *
US-PATENT-CLASS-15-230.17 .... c 37 N79-10422 *
US-PATENT-CLASS-15-406 ..... c 37 N85-21652 *
US-PATENT-CLASS-15-415 ..... c 14 N73-30395 *
US-PATENT-CLASS-150-11 ..... c 37 N81-14317 *
US-PATENT-CLASS-150-1 ..... c 52 N79-14749 *
US-PATENT-CLASS-151-41.76 .... c 37 N80-23653 *
US-PATENT-CLASS-152-11 ..... c 31 N71-18611 *
US-PATENT-CLASS-152-225 ..... c 15 N71-27091 *
US-PATENT-CLASS-152-250 ..... c 15 N71-27091 *
US-PATENT-CLASS-152-330RF .. c 37 N81-24443 *
US-PATENT-CLASS-152-353G .... c 37 N81-24443 *
US-PATENT-CLASS-152-353R .... c 37 N81-24443 *
US-PATENT-CLASS-152-379.4 .... c 37 N81-24443 *
US-PATENT-CLASS-156.307.7 .... c 27 N82-11206 *
US-PATENT-CLASS-156-DIG.6-8 c 76 N79-23798 *
US-PATENT-CLASS-156-DIG.62 . c 76 N77-32919 *
US-PATENT-CLASS-156-DIG.62 . c 35 N83-24828 *
US-PATENT-CLASS-156-DIG.62 . c 33 N85-29142 *
US-PATENT-CLASS-156-DIG.64 . c 76 N79-11920 *
US-PATENT-CLASS-156-DIG.64 . c 44 N80-24741 *
US-PATENT-CLASS-156-DIG.64 . c 76 N80-32245 *
US-PATENT-CLASS-156-DIG.64 . c 76 N84-35113 *
US-PATENT-CLASS-156-DIG.65 . c 76 N79-11920 *
US-PATENT-CLASS-156-DIG.65 . c 76 N85-30922 *
US-PATENT-CLASS-156-DIG.6 .... c 76 N83-35888 *
US-PATENT-CLASS-156-DIG.70 . c 76 N88-24544 *
US-PATENT-CLASS-156-DIG.70 . c 76 N88-24545 *
US-PATENT-CLASS-156-DIG.72 . c 76 N88-24544 *
US-PATENT-CLASS-156-DIG.72 . c 76 N88-24545 *
US-PATENT-CLASS-156-DIG.73 . c 76 N83-35888 *
US-PATENT-CLASS-156-DIG.73 . c 27 N83-36220 *
US-PATENT-CLASS-156-DIG.82 . c 76 N88-24544 *
US-PATENT-CLASS-156-DIG.82 . c 76 N88-24545 *
US-PATENT-CLASS-156-DIG.84 . c 76 N88-24545 *
US-PATENT-CLASS-156-DIG.88 . c 76 N79-11920 *
US-PATENT-CLASS-156-DIG.88 . c 76 N80-32245 *
US-PATENT-CLASS-156-DIG.88 . c 76 N84-35113 *
US-PATENT-CLASS-156-DIG.88 . c 76 N85-30922 *
US-PATENT-CLASS-156-DIG.88 . c 76 N86-28760 *
US-PATENT-CLASS-156-DIG.89 . c 27 N83-36220 *
US-PATENT-CLASS-156-DIG.89 . c 76 N88-24545 *
US-PATENT-CLASS-156-DIG.92 . c 76 N88-24545 *
US-PATENT-CLASS-156-DIG.96 . c 76 N80-32244 *
US-PATENT-CLASS-156-DIG.96 . c 33 N81-19389 *
US-PATENT-CLASS-156-DIG.98 . c 76 N84-35113 *
US-PATENT-CLASS-156-104 ..... c 44 N80-18550 *
US-PATENT-CLASS-156-154 ..... c 24 N78-17150 *
US-PATENT-CLASS-156-154 ..... c 27 N81-14077 *
US-PATENT-CLASS-156-157 ..... c 33 N82-26571 *
US-PATENT-CLASS-156-160 ..... c 27 N81-14077 *
US-PATENT-CLASS-156-161 ..... c 24 N81-29163 *
US-PATENT-CLASS-156-163 ..... c 27 N81-14077 *
US-PATENT-CLASS-156-163 ..... c 74 N87-28416 *
US-PATENT-CLASS-156-165 ..... c 24 N81-29163 *
US-PATENT-CLASS-156-166 ..... c 74 N85-29749 *
US-PATENT-CLASS-156-16 ..... c 74 N75-12732 *
US-PATENT-CLASS-156-172 ..... c 15 N71-17651 *
US-PATENT-CLASS-156-17 ..... c 76 N79-21910 *
US-PATENT-CLASS-156-18 ..... c 26 N73-26752 *
US-PATENT-CLASS-156-18 ..... c 74 N75-12732 *
US-PATENT-CLASS-156-191 ..... c 52 N84-28389 *
US-PATENT-CLASS-156-212 ..... c 03 N71-26726 *
US-PATENT-CLASS-156-212 ..... c 24 N80-26388 *
US-PATENT-CLASS-156-212 ..... c 27 N81-14077 *
US-PATENT-CLASS-156-213 ..... c 24 N80-26388 *
US-PATENT-CLASS-156-215 ..... c 35 N84-12443 *
US-PATENT-CLASS-156-218 ..... c 54 N74-32546 *
US-PATENT-CLASS-156-229 ..... c 24 N77-28225 *
US-PATENT-CLASS-156-229 ..... c 74 N87-28416 *
US-PATENT-CLASS-156-230 ..... c 35 N84-12443 *
US-PATENT-CLASS-156-233 ..... c 35 N88-30108 *
US-PATENT-CLASS-156-235 ..... c 35 N84-12443 *
US-PATENT-CLASS-156-242 ..... c 15 N69-24322 * #
US-PATENT-CLASS-156-242 ..... c 37 N76-24575 *
US-PATENT-CLASS-156-242 ..... c 24 N81-33235 *
US-PATENT-CLASS-156-245 ..... c 31 N74-18089 *
US-PATENT-CLASS-156-245 ..... c 24 N78-17149 *
US-PATENT-CLASS-156-245 ..... c 24 N81-33235 *
US-PATENT-CLASS-156-247 ..... c 31 N74-18089 *
US-PATENT-CLASS-156-247 ..... c 35 N88-30108 *
US-PATENT-CLASS-156-250 ..... c 03 N72-25019 *
US-PATENT-CLASS-156-252 ..... c 24 N81-33235 *
US-PATENT-CLASS-156-264 ..... c 05 N72-25121 *
US-PATENT-CLASS-156-264 ..... c 24 N78-17150 *
US-PATENT-CLASS-156-264 ..... c 24 N81-33235 *
US-PATENT-CLASS-156-264 ..... c 31 N83-34073 *
US-PATENT-CLASS-156-267 ..... c 27 N81-14077 *
US-PATENT-CLASS-156-272.4 .... c 31 N85-29083 *
US-PATENT-CLASS-156-272.4 .... c 35 N88-30108 *
US-PATENT-CLASS-156-272 ..... c 27 N80-32516 *
US-PATENT-CLASS-156-272 ..... c 33 N82-26571 *
US-PATENT-CLASS-156-273.7 .... c 27 N85-20125 *
US-PATENT-CLASS-156-273.9 .... c 31 N85-29083 *
US-PATENT-CLASS-156-274.8 .... c 35 N88-30108 *
US-PATENT-CLASS-156-275.5 .... c 35 N88-30108 *
US-PATENT-CLASS-156-278 ..... c 44 N80-18550 *
US-PATENT-CLASS-156-285 ..... c 15 N71-23052 *
US-PATENT-CLASS-156-285 ..... c 18 N73-30532 *
US-PATENT-CLASS-156-285 ..... c 31 N74-18089 *
US-PATENT-CLASS-156-285 ..... c 24 N74-27035 *
US-PATENT-CLASS-156-285 ..... c 24 N78-17149 *
US-PATENT-CLASS-156-285 ..... c 24 N78-17150 *
US-PATENT-CLASS-156-285 ..... c 44 N80-18550 *
US-PATENT-CLASS-156-285 ..... c 24 N80-26388 *
US-PATENT-CLASS-156-285 ..... c 24 N81-29163 *
US-PATENT-CLASS-156-285 ..... c 24 N81-33235 *
US-PATENT-CLASS-156-285 ..... c 52 N84-28389 *
US-PATENT-CLASS-156-286 ..... c 37 N76-21554 *
US-PATENT-CLASS-156-286 ..... c 37 N76-24575 *
US-PATENT-CLASS-156-286 ..... c 24 N78-17150 *
US-PATENT-CLASS-156-286 ..... c 37 N87-23981 *
US-PATENT-CLASS-156-286 ..... c 74 N87-28416 *
US-PATENT-CLASS-156-289 ..... c 24 N78-17149 *
US-PATENT-CLASS-156-289 ..... c 24 N78-17150 *
US-PATENT-CLASS-156-289 ..... c 52 N84-28389 *
US-PATENT-CLASS-156-289 ..... c 37 N87-23981 *
US-PATENT-CLASS-156-290 ..... c 24 N81-33235 *
US-PATENT-CLASS-156-292 ..... c 27 N80-32516 *
US-PATENT-CLASS-156-292 ..... c 24 N81-17170 *
US-PATENT-CLASS-156-294 ..... c 37 N81-14317 *
US-PATENT-CLASS-156-294 ..... c 24 N81-29163 *
US-PATENT-CLASS-156-294 ..... c 35 N84-12443 *
US-PATENT-CLASS-156-295 ..... c 27 N81-14077 *
US-PATENT-CLASS-156-298 ..... c 37 N87-23981 *
US-PATENT-CLASS-156-300 ..... c 24 N78-17150 *
US-PATENT-CLASS-156-303 ..... c 44 N80-18550 *
US-PATENT-CLASS-156-304.3 .... c 27 N84-22748 *
US-PATENT-CLASS-156-304.6 .... c 27 N84-22748 *
US-PATENT-CLASS-156-306 ..... c 24 N78-17150 *
US-PATENT-CLASS-156-307.1 .... c 37 N87-23981 *
US-PATENT-CLASS-156-307.3 .... c 27 N82-11206 *
US-PATENT-CLASS-156-307.3 .... c 37 N87-23981 *
US-PATENT-CLASS-156-307.5 .... c 27 N82-11206 *
US-PATENT-CLASS-156-307.7 .... c 37 N87-23981 *
US-PATENT-CLASS-156-307.7 .... c 35 N88-30108 *
US-PATENT-CLASS-156-307 ..... c 27 N86-20561 *
US-PATENT-CLASS-156-308 ..... c 05 N72-25121 *
US-PATENT-CLASS-156-309.9 .... c 27 N86-20561 *
US-PATENT-CLASS-156-309 ..... c 31 N74-18089 *
US-PATENT-CLASS-156-309 ..... c 27 N78-17205 *
US-PATENT-CLASS-156-311 ..... c 24 N78-17150 *
US-PATENT-CLASS-156-312 ..... c 44 N80-18550 *
US-PATENT-CLASS-156-315 ..... c 27 N82-24340 *
US-PATENT-CLASS-156-320 ..... c 15 N72-11392 *
US-PATENT-CLASS-156-323 ..... c 27 N81-14077 *
US-PATENT-CLASS-156-329 ..... c 27 N82-29456 *
US-PATENT-CLASS-156-330 ..... c 24 N81-14000 *
US-PATENT-CLASS-156-331.5 .... c 27 N82-11206 *
US-PATENT-CLASS-156-331.5 .... c 27 N86-20561 *
US-PATENT-CLASS-156-331 ..... c 37 N74-18126 *
US-PATENT-CLASS-156-331 ..... c 27 N78-17205 *
US-PATENT-CLASS-156-331 ..... c 24 N79-16915 *
US-PATENT-CLASS-156-331 ..... c 27 N81-14077 *
US-PATENT-CLASS-156-338 ..... c 27 N82-24340 *
US-PATENT-CLASS-156-344 ..... c 28 N81-14103 *
US-PATENT-CLASS-156-344 ..... c 31 N83-34073 *
US-PATENT-CLASS-156-345 ..... c 15 N70-42033 *
US-PATENT-CLASS-156-345 ..... c 31 N87-21160 *
US-PATENT-CLASS-156-379.7 .... c 33 N82-26571 *
US-PATENT-CLASS-156-380.2 .... c 31 N85-29083 *
US-PATENT-CLASS-156-382 ..... c 37 N76-21554 *
US-PATENT-CLASS-156-382 ..... c 52 N84-28389 *
US-PATENT-CLASS-156-382 ..... c 74 N87-28416 *
US-PATENT-CLASS-156-391 ..... c 35 N84-12443 *
US-PATENT-CLASS-156-3 ..... c 17 N71-16044 *
US-PATENT-CLASS-156-3 ..... c 15 N71-21404 *
US-PATENT-CLASS-156-3 ..... c 15 N71-24047 *
US-PATENT-CLASS-156-3 ..... c 06 N72-21094 *
US-PATENT-CLASS-156-423 ..... c 35 N84-12443 *
US-PATENT-CLASS-156-494 ..... c 74 N87-28416 *
US-PATENT-CLASS-156-499 ..... c 27 N84-22748 *
US-PATENT-CLASS-156-510 ..... c 15 N71-17687 *
US-PATENT-CLASS-156-510 ..... c 03 N72-25019 *
US-PATENT-CLASS-156-52 ..... c 31 N79-21226 *
US-PATENT-CLASS-156-540 ..... c 35 N84-12443 *
US-PATENT-CLASS-156-545 ..... c 15 N71-24164 *
US-PATENT-CLASS-156-556 ..... c 37 N76-21554 *
US-PATENT-CLASS-156-59 ..... c 31 N83-34073 *
US-PATENT-CLASS-156-600 ..... c 27 N83-36220 *
US-PATENT-CLASS-156-601 ..... c 76 N77-32919 *
US-PATENT-CLASS-156-601 ..... c 76 N80-32245 *
US-PATENT-CLASS-156-602 ..... c 76 N82-30105 *
US-PATENT-CLASS-156-605 ..... c 44 N80-24741 *
US-PATENT-CLASS-156-607 ..... c 76 N87-23286 *
US-PATENT-CLASS-156-607 ..... c 76 N88-24544 *
US-PATENT-CLASS-156-608 ..... c 76 N79-11920 *
US-PATENT-CLASS-156-608 ..... c 33 N81-19389 *
US-PATENT-CLASS-156-608 ..... c 76 N82-30105 *
US-PATENT-CLASS-156-608 ..... c 76 N83-20789 *
US-PATENT-CLASS-156-608 ..... c 76 N83-35888 *
US-PATENT-CLASS-156-608 ..... c 76 N84-35113 *
US-PATENT-CLASS-156-60 ..... c 15 N71-22713 *
US-PATENT-CLASS-156-610 ..... c 76 N76-25049 *
US-PATENT-CLASS-156-610 ..... c 27 N83-36220 *
US-PATENT-CLASS-156-610 ..... c 76 N86-28760 *
US-PATENT-CLASS-156-612 ..... c 76 N76-25049 *
US-PATENT-CLASS-156-612 ..... c 44 N76-28635 *
US-PATENT-CLASS-156-612 ..... c 76 N85-30922 *
US-PATENT-CLASS-156-613 ..... c 76 N76-25049 *
US-PATENT-CLASS-156-613 ..... c 44 N76-28635 *
US-PATENT-CLASS-156-614 ..... c 44 N76-28635 *
US-PATENT-CLASS-156-617-H ... c 76 N87-23286 *
US-PATENT-CLASS-156-617-SP . c 76 N84-35113 *
US-PATENT-CLASS-156-617-SP . c 76 N87-23286 *
US-PATENT-CLASS-156-617-V ... c 76 N84-35113 *
US-PATENT-CLASS-156-617SP .. c 76 N79-11920 *
US-PATENT-CLASS-156-617SP .. c 76 N79-23798 *
US-PATENT-CLASS-156-617SP .. c 44 N80-24741 *
US-PATENT-CLASS-156-617SP .. c 76 N80-32245 *
US-PATENT-CLASS-156-619 ..... c 76 N77-32919 *
US-PATENT-CLASS-156-620.76 .. c 76 N88-24545 *
US-PATENT-CLASS-156-620 ..... c 76 N77-32919 *
US-PATENT-CLASS-156-621 ..... c 76 N88-14835 *
US-PATENT-CLASS-156-621 ..... c 76 N88-24544 *
US-PATENT-CLASS-156-622 ..... c 76 N88-14835 *
US-PATENT-CLASS-156-623Q .... c 76 N85-29800 *
US-PATENT-CLASS-156-624 ..... c 76 N83-20789 *
US-PATENT-CLASS-156-624 ..... c 76 N86-28760 *
US-PATENT-CLASS-156-624 ..... c 76 N88-14835 *
US-PATENT-CLASS-156-624 ..... c 76 N88-24544 *
US-PATENT-CLASS-156-630 ..... c 35 N84-22930 *
US-PATENT-CLASS-156-633 ..... c 44 N78-25529 *
US-PATENT-CLASS-156-635 ..... c 76 N83-20789 *
US-PATENT-CLASS-156-643 ..... c 52 N84-23095 *
US-PATENT-CLASS-156-643 ..... c 31 N87-21160 *
US-PATENT-CLASS-156-644 ..... c 52 N84-23095 *
US-PATENT-CLASS-156-645 ..... c 27 N77-32308 *
US-PATENT-CLASS-156-646 ..... c 31 N87-21160 *
US-PATENT-CLASS-156-647 ..... c 33 N81-26360 *
US-PATENT-CLASS-156-648 ..... c 33 N81-26360 *
US-PATENT-CLASS-156-649 ..... c 33 N81-26360 *
US-PATENT-CLASS-156-654 ..... c 76 N83-20789 *
US-PATENT-CLASS-156-654 ..... c 35 N84-22930 *
US-PATENT-CLASS-156-659.1 .... c 31 N87-21160 *
US-PATENT-CLASS-156-661.1 .... c 31 N87-21160 *
US-PATENT-CLASS-156-662 ..... c 76 N83-20789 *
US-PATENT-CLASS-156-663 ..... c 27 N77-32308 *
US-PATENT-CLASS-156-668 ..... c 52 N84-23095 *
US-PATENT-CLASS-156-66 ..... c 15 N72-11392 *
US-PATENT-CLASS-156-71 ..... c 33 N82-26571 *
US-PATENT-CLASS-156-71 ..... c 35 N84-12443 *
US-PATENT-CLASS-156-74 ..... c 24 N81-29163 *
US-PATENT-CLASS-156-7 ..... c 74 N75-12732 *
US-PATENT-CLASS-156-81 ..... c 27 N84-22748 *
US-PATENT-CLASS-156-84 ..... c 15 N72-16330 *
US-PATENT-CLASS-156-84 ..... c 37 N82-24491 *
US-PATENT-CLASS-156-85 ..... c 37 N82-24491 *
US-PATENT-CLASS-156-86 ..... c 15 N72-16330 *
US-PATENT-CLASS-156-86 ..... c 37 N82-24491 *
US-PATENT-CLASS-156-87 ..... c 37 N87-23981 *
US-PATENT-CLASS-156-89 ..... c 37 N75-15992 *
US-PATENT-CLASS-156-89 ..... c 24 N79-25143 *
US-PATENT-CLASS-156-89 ..... c 27 N84-22748 *
US-PATENT-CLASS-156-904 ..... c 31 N87-21160 *
US-PATENT-CLASS-156-905 ..... c 35 N84-22930 *
US-PATENT-CLASS-156-94 ..... c 32 N74-27612 *
US-PATENT-CLASS-156-94 ..... c 24 N74-30001 *
US-PATENT-CLASS-156-99 ..... c 37 N75-15992 *
US-PATENT-CLASS-159-3 ..... c 25 N88-23846 *
US-PATENT-CLASS-159-48.2 ..... c 25 N88-23846 *
US-PATENT-CLASS-159-900 ..... c 25 N88-23846 *
US-PATENT-CLASS-16-242 ..... c 31 N86-19479 *
US-PATENT-CLASS-16-292 ..... c 18 N88-23827 *
US-PATENT-CLASS-16-294 ..... c 37 N86-19605 *
US-PATENT-CLASS-16-294 ..... c 18 N87-14373 *
US-PATENT-CLASS-16-297 ..... c 18 N88-23827 *
US-PATENT-CLASS-16-326 ..... c 18 N88-23827 *

US-PATENT-CLASS-16-332 ..... c 18 N88-23827 *
US-PATENT-CLASS-16-345 ..... c 18 N88-23827 *
US-PATENT-CLASS-16-347 ..... c 18 N88-23827 *
US-PATENT-CLASS-16-349 ..... c 18 N88-23827 *
US-PATENT-CLASS-16-370 ..... c 18 N87-14373 *
US-PATENT-CLASS-16-390 ..... c 31 N86-19479 *
US-PATENT-CLASS-160-23R ..... c 37 N87-17036 *
US-PATENT-CLASS-160-265 ..... c 37 N87-17036 *
US-PATENT-CLASS-161-115 ..... c 18 N70-41583 *
US-PATENT-CLASS-161-116 ..... c 37 N74-23064 *
US-PATENT-CLASS-161-127 ..... c 18 N72-25540 *
US-PATENT-CLASS-161-127 ..... c 18 N72-25541 *
US-PATENT-CLASS-161-161 ..... c 33 N71-25351 *
US-PATENT-CLASS-161-182 ..... c 15 N69-39735 * #
US-PATENT-CLASS-161-182 ..... c 37 N74-18126 *
US-PATENT-CLASS-161-189 ..... c 23 N71-15978 *
US-PATENT-CLASS-161-192 ..... c 37 N74-18126 *
US-PATENT-CLASS-161-196 ..... c 37 N74-21063 *
US-PATENT-CLASS-161-214 ..... c 06 N73-27980 *
US-PATENT-CLASS-161-227 ..... c 06 N73-27980 *
US-PATENT-CLASS-161-42 ..... c 37 N74-18126 *
US-PATENT-CLASS-161-43 ..... c 37 N74-18126 *
US-PATENT-CLASS-161-67 ..... c 33 N72-17947 *
US-PATENT-CLASS-161-68 ..... c 18 N71-21651 *
US-PATENT-CLASS-161-68 ..... c 18 N72-25540 *
US-PATENT-CLASS-161-68 ..... c 18 N72-25541 *
US-PATENT-CLASS-161-69 ..... c 33 N71-24858 *
US-PATENT-CLASS-161-7 ..... c 18 N72-25540 *
US-PATENT-CLASS-161-7 ..... c 18 N72-25541 *
US-PATENT-CLASS-161-89 ..... c 17 N71-28747 *
US-PATENT-CLASS-161-92 ..... c 37 N75-26371 *
US-PATENT-CLASS-161-93 ..... c 18 N73-12604 *
US-PATENT-CLASS-161-93 ..... c 37 N74-18126 *
US-PATENT-CLASS-161-93 ..... c 37 N75-26371 *
US-PATENT-CLASS-162-102 ..... c 24 N76-14204 *
US-PATENT-CLASS-162-14 ..... c 85 N75-17747 *
US-PATENT-CLASS-162-153 ..... c 24 N76-14204 *
US-PATENT-CLASS-162-222 ..... c 24 N76-14204 *
US-PATENT-CLASS-162-228 ..... c 24 N76-14204 *
US-PATENT-CLASS-162-29 ..... c 85 N79-17747 *
US-PATENT-CLASS-164-105 ..... c 20 N79-21123 *
US-PATENT-CLASS-164-119 ..... c 24 N84-16262 *
US-PATENT-CLASS-164-132 ..... c 37 N76-23570 *
US-PATENT-CLASS-164-331.12 .. c 27 N83-34041 *
US-PATENT-CLASS-164-60 ..... c 24 N77-27187 *
US-PATENT-CLASS-165-DIG.6 .... c 34 N84-22903 *
US-PATENT-CLASS-165-104.14 .. c 05 N81-26114 *
US-PATENT-CLASS-165-104.14 .. c 34 N85-29179 *
US-PATENT-CLASS-165-104.14 .. c 34 N86-27593 *
US-PATENT-CLASS-165-104.14 .. c 34 N87-22950 *
US-PATENT-CLASS-165-104.14 .. c 34 N88-23958 *
US-PATENT-CLASS-165-104.25 .. c 34 N87-22950 *
US-PATENT-CLASS-165-104.26 .. c 74 N83-19596 *
US-PATENT-CLASS-165-104.26 .. c 34 N83-35307 *
US-PATENT-CLASS-165-104.26 .. c 34 N85-21568 *
US-PATENT-CLASS-165-104.26 .. c 34 N85-29180 *
US-PATENT-CLASS-165-104.26 .. c 34 N86-27593 *
US-PATENT-CLASS-165-104.26 .. c 34 N87-22950 *
US-PATENT-CLASS-165-104.26 .. c 34 N88-29133 *
US-PATENT-CLASS-165-104 ..... c 33 N71-25353 *
US-PATENT-CLASS-165-105 ..... c 09 N71-24807 *
US-PATENT-CLASS-165-105 ..... c 33 N71-25353 *
US-PATENT-CLASS-165-105 ..... c 33 N72-17948 *
US-PATENT-CLASS-165-105 ..... c 31 N73-30829 *
US-PATENT-CLASS-165-105 ..... c 28 N73-32606 *
US-PATENT-CLASS-165-105 ..... c 34 N74-18552 *
US-PATENT-CLASS-165-105 ..... c 34 N75-12222 *
US-PATENT-CLASS-165-105 ..... c 44 N75-32581 *
US-PATENT-CLASS-165-105 ..... c 44 N76-16612 *
US-PATENT-CLASS-165-105 ..... c 34 N76-17317 *
US-PATENT-CLASS-165-105 ..... c 34 N76-27515 *
US-PATENT-CLASS-165-105 ..... c 34 N77-32413 *
US-PATENT-CLASS-165-105 ..... c 25 N78-10224 *
US-PATENT-CLASS-165-105 ..... c 34 N78-17336 *
US-PATENT-CLASS-165-105 ..... c 34 N78-17337 *
US-PATENT-CLASS-165-105 ..... c 44 N79-18443 *
US-PATENT-CLASS-165-105 ..... c 37 N79-28549 *
US-PATENT-CLASS-165-105 ..... c 34 N79-31523 *
US-PATENT-CLASS-165-105 ..... c 35 N81-14287 *
US-PATENT-CLASS-165-106 ..... c 33 N73-32818 *
US-PATENT-CLASS-165-106 ..... c 34 N76-17317 *
US-PATENT-CLASS-165-107 ..... c 09 N71-24807 *
US-PATENT-CLASS-165-107 ..... c 44 N77-32581 *
US-PATENT-CLASS-165-109 ..... c 35 N74-15093 *
US-PATENT-CLASS-165-10 ..... c 44 N76-31667 *
US-PATENT-CLASS-165-110 ..... c 77 N75-20139 *
US-PATENT-CLASS-165-111 ..... c 77 N75-20139 *
US-PATENT-CLASS-165-12 ..... c 33 N71-24276 *
US-PATENT-CLASS-165-12 ..... c 34 N83-34221 *
US-PATENT-CLASS-165-133 ..... c 33 N71-16277 *
US-PATENT-CLASS-165-133 ..... c 33 N71-25353 *
US-PATENT-CLASS-165-133 ..... c 33 N72-20915 *
US-PATENT-CLASS-165-133 ..... c 44 N76-23675 *
US-PATENT-CLASS-165-134R .... c 74 N83-19596 *
US-PATENT-CLASS-165-134 ..... c 34 N78-17336 *
US-PATENT-CLASS-165-135 ..... c 34 N84-22903 *
US-PATENT-CLASS-165-138 ..... c 09 N71-24807 *
US-PATENT-CLASS-165-13 ..... c 34 N88-23958 *
US-PATENT-CLASS-165-141 ..... c 28 N73-32606 *
US-PATENT-CLASS-165-146 ..... c 34 N79-13289 *
US-PATENT-CLASS-165-155 ..... c 33 N72-20915 *
US-PATENT-CLASS-165-158 ..... c 33 N72-20915 *
US-PATENT-CLASS-165-161 ..... c 33 N72-20915 *
US-PATENT-CLASS-165-164 ..... c 34 N77-10463 *
US-PATENT-CLASS-165-166 ..... c 54 N77-32722 *
US-PATENT-CLASS-165-169 ..... c 34 N79-13288 *
US-PATENT-CLASS-165-169 ..... c 34 N79-13289 *
US-PATENT-CLASS-165-16 ..... c 31 N80-32583 *
US-PATENT-CLASS-165-170 ..... c 34 N77-10463 *
US-PATENT-CLASS-165-170 ..... c 34 N88-29132 *
US-PATENT-CLASS-165-174 ..... c 33 N72-20915 *
US-PATENT-CLASS-165-185 ..... c 28 N73-32606 *
US-PATENT-CLASS-165-185 ..... c 34 N83-28356 *
US-PATENT-CLASS-165-1 ..... c 09 N70-41717 *
US-PATENT-CLASS-165-1 ..... c 34 N75-12222 *
US-PATENT-CLASS-165-1 ..... c 34 N85-29180 *
US-PATENT-CLASS-165-1 ..... c 34 N87-22950 *
US-PATENT-CLASS-165-1 ..... c 34 N88-23958 *
US-PATENT-CLASS-165-20 ..... c 03 N72-28025 *
US-PATENT-CLASS-165-2 ..... c 33 N71-24876 *
US-PATENT-CLASS-165-2 ..... c 35 N74-15093 *
US-PATENT-CLASS-165-2 ..... c 44 N77-32581 *
US-PATENT-CLASS-165-2 ..... c 44 N78-17460 *
US-PATENT-CLASS-165-2 ..... c 51 N79-10694 *
US-PATENT-CLASS-165-2 ..... c 27 N83-36220 *
US-PATENT-CLASS-165-30 ..... c 51 N79-10694 *
US-PATENT-CLASS-165-30 ..... c 31 N79-17029 *
US-PATENT-CLASS-165-30 ..... c 35 N86-20750 *
US-PATENT-CLASS-165-32 ..... c 31 N73-30829 *
US-PATENT-CLASS-165-32 ..... c 33 N73-32818 *
US-PATENT-CLASS-165-32 ..... c 34 N78-17337 *
US-PATENT-CLASS-165-32 ..... c 34 N79-31523 *
US-PATENT-CLASS-165-32 ..... c 44 N80-20810 *
US-PATENT-CLASS-165-32 ..... c 33 N82-24419 *
US-PATENT-CLASS-165-32 ..... c 34 N83-28356 *
US-PATENT-CLASS-165-32 ..... c 34 N83-35307 *
US-PATENT-CLASS-165-32 ..... c 34 N84-14461 *
US-PATENT-CLASS-165-32 ..... c 34 N85-29179 *
US-PATENT-CLASS-165-34 ..... c 34 N87-22950 *
US-PATENT-CLASS-165-3 ..... c 03 N72-28025 *
US-PATENT-CLASS-165-41 ..... c 34 N84-14461 *
US-PATENT-CLASS-165-41 ..... c 34 N88-23958 *
US-PATENT-CLASS-165-44 ..... c 15 N71-26611 *
US-PATENT-CLASS-165-46 ..... c 05 N71-19439 *
US-PATENT-CLASS-165-46 ..... c 05 N71-24147 *
US-PATENT-CLASS-165-46 ..... c 05 N73-20137 *
US-PATENT-CLASS-165-46 ..... c 05 N73-26071 *
US-PATENT-CLASS-165-46 ..... c 54 N82-29002 *
US-PATENT-CLASS-165-47 ..... c 33 N71-29052 *
US-PATENT-CLASS-165-47 ..... c 31 N73-30829 *
US-PATENT-CLASS-165-47 ..... c 34 N75-12222 *
US-PATENT-CLASS-165-48R ..... c 35 N85-29214 *
US-PATENT-CLASS-165-58 ..... c 27 N83-36220 *
US-PATENT-CLASS-165-61 ..... c 34 N83-34221 *
US-PATENT-CLASS-165-61 ..... c 35 N85-29214 *
US-PATENT-CLASS-165-61 ..... c 35 N86-20750 *
US-PATENT-CLASS-165-64 ..... c 35 N85-29214 *
US-PATENT-CLASS-165-65 ..... c 35 N86-20750 *
US-PATENT-CLASS-165-76 ..... c 34 N83-28356 *
US-PATENT-CLASS-165-76 ..... c 37 N86-32736 * #
US-PATENT-CLASS-165-80E ..... c 34 N83-34221 *
US-PATENT-CLASS-165-81 ..... c 34 N88-29132 *
US-PATENT-CLASS-165-86 ..... c 15 N71-26611 *
US-PATENT-CLASS-165-86 ..... c 33 N71-29046 *
US-PATENT-CLASS-165-905 ..... c 34 N88-29133 *
US-PATENT-CLASS-165-96 ..... c 33 N70-36847 *
US-PATENT-CLASS-165-96 ..... c 33 N71-22890 *
US-PATENT-CLASS-165-96 ..... c 31 N73-30829 *
US-PATENT-CLASS-165-96 ..... c 33 N73-32818 *
US-PATENT-CLASS-165-96 ..... c 34 N78-17337 *
US-PATENT-CLASS-165-96 ..... c 34 N84-14461 *
US-PATENT-CLASS-166-222 ..... c 43 N81-26509 *
US-PATENT-CLASS-166-248 ..... c 43 N78-14452 *
US-PATENT-CLASS-166-259 ..... c 43 N78-14452 *
US-PATENT-CLASS-166-267 ..... c 25 N82-23282 *
US-PATENT-CLASS-166-303 ..... c 25 N82-23282 *
US-PATENT-CLASS-166-63 ..... c 46 N79-22679 *
US-PATENT-CLASS-166-77 ..... c 43 N81-26509 *
US-PATENT-CLASS-169-28 ..... c 12 N72-21310 *
US-PATENT-CLASS-169-36 ..... c 12 N72-21310 *
US-PATENT-CLASS-169-47 ..... c 25 N83-36118 *
US-PATENT-CLASS-169-62 ..... c 31 N81-14137 *
US-PATENT-CLASS-169-70 ..... c 31 N81-14137 *
US-PATENT-CLASS-173-131 ..... c 15 N73-13463 *
US-PATENT-CLASS-173-132 ..... c 37 N76-18454 *
US-PATENT-CLASS-174-DIG.6 .... c 26 N73-26752 *
US-PATENT-CLASS-174-DIG.6 .... c 26 N73-32571 *
US-PATENT-CLASS-174-DIG.8 .... c 33 N74-22865 *
US-PATENT-CLASS-174-106R .... c 09 N72-22198 *
US-PATENT-CLASS-174-110.3 .... c 14 N71-27186 *
US-PATENT-CLASS-174-111 ..... c 33 N74-27683 *
US-PATENT-CLASS-174-115 ..... c 09 N70-38201 *
US-PATENT-CLASS-174-117FF .. c 09 N72-22198 *
US-PATENT-CLASS-174-126CP .. c 26 N73-32571 *
US-PATENT-CLASS-174-142 ..... c 33 N80-18286 *
US-PATENT-CLASS-174-145 ..... c 33 N76-16332 *
US-PATENT-CLASS-174-148 ..... c 33 N76-16332 *
US-PATENT-CLASS-174-15CA .... c 31 N79-17029 *
US-PATENT-CLASS-174-15C ..... c 33 N74-27683 *
US-PATENT-CLASS-174-18 ..... c 09 N69-21542 * #
US-PATENT-CLASS-174-28 ..... c 07 N71-27191 *
US-PATENT-CLASS-174-28 ..... c 33 N74-27683 *
US-PATENT-CLASS-174-35 ..... c 07 N71-19436 *
US-PATENT-CLASS-174-36 ..... c 09 N72-22198 *
US-PATENT-CLASS-174-52-PE ... c 33 N88-23941 *
US-PATENT-CLASS-174-52-R ..... c 33 N88-23941 *
US-PATENT-CLASS-174-52-S ..... c 33 N88-23941 *
US-PATENT-CLASS-174-52S ..... c 15 N73-14469 *
US-PATENT-CLASS-174-68.5 ..... c 15 N70-41960 *
US-PATENT-CLASS-174-69 ..... c 33 N74-22865 *
US-PATENT-CLASS-174-70R ..... c 33 N74-22865 *
US-PATENT-CLASS-174-72 ..... c 03 N69-21539 * #
US-PATENT-CLASS-174-73R ..... c 33 N80-18286 *
US-PATENT-CLASS-174-84 ..... c 15 N72-17455 *
US-PATENT-CLASS-175-1 ..... c 46 N79-22679 *
US-PATENT-CLASS-175-26 ..... c 15 N73-32362 *
US-PATENT-CLASS-175-310 ..... c 15 N70-42034 *
US-PATENT-CLASS-175-323 ..... c 14 N69-21923 * #
US-PATENT-CLASS-175-45 ..... c 35 N84-33768 *
US-PATENT-CLASS-175-78 ..... c 46 N80-10709 *
US-PATENT-CLASS-176-11 ..... c 24 N72-33681 *
US-PATENT-CLASS-176-11 ..... c 25 N76-27383 *
US-PATENT-CLASS-176-11 ..... c 25 N76-29379 *
US-PATENT-CLASS-176-11 ..... c 25 N78-27226 *
US-PATENT-CLASS-176-14 ..... c 25 N76-29379 *
US-PATENT-CLASS-176-169 ..... c 22 N73-32528 *
US-PATENT-CLASS-176-16 ..... c 25 N76-27383 *
US-PATENT-CLASS-176-16 ..... c 25 N76-29379 *
US-PATENT-CLASS-176-16 ..... c 25 N78-27226 *
US-PATENT-CLASS-176-22 ..... c 73 N78-28913 *
US-PATENT-CLASS-176-33 ..... c 73 N78-28913 *
US-PATENT-CLASS-176-39 ..... c 73 N78-19920 *
US-PATENT-CLASS-176-39 ..... c 73 N78-28913 *
US-PATENT-CLASS-176-3 ..... c 75 N75-13625 *
US-PATENT-CLASS-176-45 ..... c 22 N71-28759 *
US-PATENT-CLASS-176-86G ..... c 22 N72-20597 *
US-PATENT-CLASS-177-147 ..... c 35 N85-20294 *
US-PATENT-CLASS-177-1 ..... c 35 N77-19385 *
US-PATENT-CLASS-177-200 ..... c 35 N74-26945 *
US-PATENT-CLASS-177-208 ..... c 35 N77-19385 *
US-PATENT-CLASS-177-210 ..... c 14 N71-10773 *
US-PATENT-CLASS-177-211 ..... c 35 N74-26945 *
US-PATENT-CLASS-177-246 ..... c 35 N74-26945 *
US-PATENT-CLASS-177-260 ..... c 35 N85-20294 *
US-PATENT-CLASS-178-DIG.12 . c 07 N72-12081 *
US-PATENT-CLASS-178-DIG.12 . c 32 N75-21485 *
US-PATENT-CLASS-178-DIG.1 .... c 36 N74-20009 *
US-PATENT-CLASS-178-DIG.1 .... c 33 N75-30431 *
US-PATENT-CLASS-178-DIG.1 .... c 45 N76-17656 *
US-PATENT-CLASS-178-DIG.20 . c 18 N76-14186 *
US-PATENT-CLASS-178-DIG.20 . c 23 N72-27728 *
US-PATENT-CLASS-178-DIG.20 . c 35 N75-19613 *
US-PATENT-CLASS-178-DIG.21 . c 16 N72-13437 *
US-PATENT-CLASS-178-DIG.23 . c 07 N73-30115 *
US-PATENT-CLASS-178-DIG.25 . c 74 N75-25706 *
US-PATENT-CLASS-178-DIG.28 . c 08 N72-22164 *
US-PATENT-CLASS-178-DIG.29 . c 35 N75-25123 *
US-PATENT-CLASS-178-DIG.32 . c 71 N74-21014 *
US-PATENT-CLASS-178-DIG.35 . c 09 N76-24280 *
US-PATENT-CLASS-178-DIG.36 . c 08 N72-22164 *
US-PATENT-CLASS-178-DIG.6 .... c 10 N73-13235 *
US-PATENT-CLASS-178-DIG.8 .... c 14 N72-25412 *
US-PATENT-CLASS-178-DIG.8 .... c 45 N76-17656 *
US-PATENT-CLASS-178-15 ..... c 33 N75-19517 *
US-PATENT-CLASS-178-18 ..... c 10 N73-32143 *
US-PATENT-CLASS-178-22.16 .... c 32 N82-31583 *
US-PATENT-CLASS-178-22.17 .... c 32 N82-31583 *
US-PATENT-CLASS-178-5.2R ..... c 09 N71-28618 *
US-PATENT-CLASS-178-5.2R ..... c 07 N72-17109 *
US-PATENT-CLASS-178-5.4 ..... c 07 N72-17109 *
US-PATENT-CLASS-178-5.8R ..... c 71 N74-21014 *
US-PATENT-CLASS-178-50 ..... c 08 N72-18184 *
US-PATENT-CLASS-178-50 ..... c 08 N72-25208 *
US-PATENT-CLASS-178-52 ..... c 08 N72-22162 *
US-PATENT-CLASS-178-54CF ..... c 09 N71-28618 *
US-PATENT-CLASS-178-54PE ..... c 09 N71-28618 *
US-PATENT-CLASS-178-58A ..... c 32 N75-21486 *
US-PATENT-CLASS-178-58R ..... c 32 N80-18252 *
US-PATENT-CLASS-178-6.5 ..... c 23 N72-27728 *
US-PATENT-CLASS-178-6.6DD ... c 07 N73-30115 *
US-PATENT-CLASS-178-6.6DD ... c 35 N74-11283 *
US-PATENT-CLASS-178-6.6 ..... c 07 N71-11300 *
US-PATENT-CLASS-178-6.6 ..... c 07 N71-26102 *
US-PATENT-CLASS-178-6.7R ..... c 35 N74-15831 *
US-PATENT-CLASS-178-6.7 ..... c 07 N72-17109 *
US-PATENT-CLASS-178-6.8 ..... c 08 N72-22164 *
US-PATENT-CLASS-178-6.8 ..... c 14 N72-25412 *
US-PATENT-CLASS-178-6.8 ..... c 07 N73-30115 *

US-PATENT-CLASS-178-6.8 ..... c 33 N75-30431 *
US-PATENT-CLASS-178-6.8 ..... c 45 N76-17656 *
US-PATENT-CLASS-178-66R ..... c 32 N75-24981 *
US-PATENT-CLASS-178-66 ..... c 09 N71-25866 *
US-PATENT-CLASS-178-66 ..... c 08 N72-18184 *
US-PATENT-CLASS-178-67 ..... c 08 N70-41961 *
US-PATENT-CLASS-178-67 ..... c 32 N74-26654 *
US-PATENT-CLASS-178-69.1 ..... c 32 N78-15323 *
US-PATENT-CLASS-178-69.4R ... c 32 N74-10132 *
US-PATENT-CLASS-178-69.5R ... c 07 N72-20140 *
US-PATENT-CLASS-178-69.5R ... c 32 N75-26195 *
US-PATENT-CLASS-178-69.5R ... c 33 N76-14371 *
US-PATENT-CLASS-178-69.5R ... c 60 N77-19760 *
US-PATENT-CLASS-178-69.5 ..... c 07 N71-11281 *
US-PATENT-CLASS-178-69.5 ..... c 10 N71-19468 *
US-PATENT-CLASS-178-69.5 ..... c 10 N71-25865 *
US-PATENT-CLASS-178-69.5 ..... c 10 N71-33407 *
US-PATENT-CLASS-178-69.5 ..... c 07 N72-25173 *
US-PATENT-CLASS-178-69.5 ..... c 07 N73-13149 *
US-PATENT-CLASS-178-69.5 ..... c 09 N73-28084 *
US-PATENT-CLASS-178-69.5 ..... c 17 N76-22245 *
US-PATENT-CLASS-178-69A ..... c 35 N75-21582 *
US-PATENT-CLASS-178-69C ..... c 32 N76-16249 *
US-PATENT-CLASS-178-6 ..... c 07 N71-19433 *
US-PATENT-CLASS-178-6 ..... c 09 N71-19449 *
US-PATENT-CLASS-178-6 ..... c 07 N71-23026 *
US-PATENT-CLASS-178-6 ..... c 07 N71-26579 *
US-PATENT-CLASS-178-6 ..... c 07 N72-12081 *
US-PATENT-CLASS-178-6 ..... c 16 N72-13437 *
US-PATENT-CLASS-178-6 ..... c 10 N73-13235 *
US-PATENT-CLASS-178-6 ..... c 36 N74-20009 *
US-PATENT-CLASS-178-7.1 ..... c 07 N71-24612 *
US-PATENT-CLASS-178-7.1 ..... c 07 N71-27341 *
US-PATENT-CLASS-178-7.1 ..... c 09 N72-17156 *
US-PATENT-CLASS-178-7.1 ..... c 32 N74-19790 *
US-PATENT-CLASS-178-7.1 ..... c 36 N75-19652 *
US-PATENT-CLASS-178-7.2R ..... c 08 N72-22164 *
US-PATENT-CLASS-178-7.2 ..... c 14 N70-41807 *
US-PATENT-CLASS-178-7.2 ..... c 71 N74-21014 *
US-PATENT-CLASS-178-7.2 ..... c 35 N75-25123 *
US-PATENT-CLASS-178-7.3 ..... c 07 N71-27341 *
US-PATENT-CLASS-178-7.3 ..... c 07 N72-12081 *
US-PATENT-CLASS-178-7.5E ..... c 10 N72-31273 *
US-PATENT-CLASS-178-7.6 ..... c 36 N74-20009 *
US-PATENT-CLASS-178-7.7 ..... c 09 N71-12539 *
US-PATENT-CLASS-178-7.7 ..... c 32 N74-20813 *
US-PATENT-CLASS-178-7.89 ..... c 09 N76-24280 *
US-PATENT-CLASS-178-7.92 ..... c 14 N72-25414 *
US-PATENT-CLASS-178-79 ..... c 32 N75-21486 *
US-PATENT-CLASS-178-88 ..... c 07 N71-12392 *
US-PATENT-CLASS-178-88 ..... c 33 N74-12887 *
US-PATENT-CLASS-178-88 ..... c 32 N74-20809 *
US-PATENT-CLASS-178-88 ..... c 33 N74-27705 *
US-PATENT-CLASS-178-88 ..... c 33 N76-14371 *
US-PATENT-CLASS-178-88 ..... c 32 N76-16249 *
US-PATENT-CLASS-178-88 ..... c 32 N77-10392 *
US-PATENT-CLASS-178-88 ..... c 32 N77-24331 *
US-PATENT-CLASS-179-1DM ..... c 71 N79-23753 *
US-PATENT-CLASS-179-1MF ..... c 71 N79-23753 *
US-PATENT-CLASS-179-1MN ..... c 32 N79-23310 *
US-PATENT-CLASS-179-1P ..... c 10 N73-12244 *
US-PATENT-CLASS-179-1R ..... c 07 N71-33108 *
US-PATENT-CLASS-179-1SA ..... c 10 N73-25240 *
US-PATENT-CLASS-179-1SA ..... c 32 N76-31372 *
US-PATENT-CLASS-179-1SA ..... c 32 N77-30309 *
US-PATENT-CLASS-179-1SP ..... c 32 N77-30309 *
US-PATENT-CLASS-179-1VC ..... c 07 N71-33108 *
US-PATENT-CLASS-179-100.2A . c 21 N73-13644 *
US-PATENT-CLASS-179-100.2A . c 32 N74-27612 *
US-PATENT-CLASS-179-100.2B . c 32 N74-27612 *
US-PATENT-CLASS-179-100.2CH c 36 N74-13205 *
US-PATENT-CLASS-179-100.2CH c 35 N78-29421 *
US-PATENT-CLASS-179-100.2CH c 35 N79-16246 *
US-PATENT-CLASS-179-100.2C . c 35 N77-21392 *
US-PATENT-CLASS-179-100.2K . c 07 N72-21119 *
US-PATENT-CLASS-179-100.2MD c 35 N74-11283 *
US-PATENT-CLASS-179-100.2T .. c 35 N74-11283 *
US-PATENT-CLASS-179-100.2 .... c 09 N69-24329 * #
US-PATENT-CLASS-179-100.2 .... c 09 N71-25866 *
US-PATENT-CLASS-179-100.2 .... c 08 N71-27210 *
US-PATENT-CLASS-179-100.2 .... c 08 N71-27255 *
US-PATENT-CLASS-179-100-2CA c 09 N72-11224 *
US-PATENT-CLASS-179-100-2MD c 09 N72-11224 *
US-PATENT-CLASS-179-107R .... c 33 N78-10375 *
US-PATENT-CLASS-179-15.55R . c 08 N72-11171 *
US-PATENT-CLASS-179-15.55R . c 08 N72-33172 *
US-PATENT-CLASS-179-15AN .... c 07 N73-16121 *
US-PATENT-CLASS-179-15AT .... c 32 N74-30524 *
US-PATENT-CLASS-179-15A ..... c 08 N72-22162 *
US-PATENT-CLASS-179-15A ..... c 07 N73-26118 *
US-PATENT-CLASS-179-15BA .... c 60 N77-12721 *
US-PATENT-CLASS-179-15BA .... c 32 N80-18252 *
US-PATENT-CLASS-179-15BC .... c 08 N72-25208 *
US-PATENT-CLASS-179-15BC .... c 07 N73-16121 *
US-PATENT-CLASS-179-15BC .... c 32 N74-30523 *
US-PATENT-CLASS-179-15BC .... c 33 N75-26243 *

US-PATENT-CLASS-179-15BL .... c 08 N72-22162 *
US-PATENT-CLASS-179-15BM ... c 07 N73-26118 *
US-PATENT-CLASS-179-15BS .... c 10 N71-33407 *
US-PATENT-CLASS-179-15BS .... c 07 N72-20140 *
US-PATENT-CLASS-179-15BS .... c 07 N73-30115 *
US-PATENT-CLASS-179-15BS .... c 32 N75-26195 *
US-PATENT-CLASS-179-15BS .... c 60 N77-19760 *
US-PATENT-CLASS-179-15BV .... c 07 N72-25172 *
US-PATENT-CLASS-179-15BY .... c 32 N74-30524 *
US-PATENT-CLASS-179-15FD .... c 08 N72-25208 *
US-PATENT-CLASS-179-15FS .... c 07 N73-28012 *
US-PATENT-CLASS-179-15 ..... c 07 N69-39978 * #
US-PATENT-CLASS-179-15 ..... c 07 N71-20814 *
US-PATENT-CLASS-179-15 ..... c 07 N71-24621 *
US-PATENT-CLASS-179-15 ..... c 07 N71-24622 *
US-PATENT-CLASS-179-15 ..... c 08 N72-18184 *
US-PATENT-CLASS-179-175.1A . c 14 N73-27379 *
US-PATENT-CLASS-179-175.1A . c 33 N78-10375 *
US-PATENT-CLASS-179-18BC .... c 32 N86-27513 *
US-PATENT-CLASS-179-18GF .... c 33 N82-29538 *
US-PATENT-CLASS-179-1 ..... c 07 N71-26181 *
US-PATENT-CLASS-179-1 ..... c 31 N71-33160 *
US-PATENT-CLASS-179-27CA .... c 32 N79-23310 *
US-PATENT-CLASS-179-78 ..... c 33 N81-27397 *
US-PATENT-CLASS-179-84VF .... c 32 N79-23310 *
US-PATENT-CLASS-179-91R ..... c 74 N78-14889 *
US-PATENT-CLASS-18-26 ..... c 06 N71-22975 *
US-PATENT-CLASS-18-39 ..... c 27 N70-34783 *
US-PATENT-CLASS-18-6 ..... c 15 N71-26721 *
US-PATENT-CLASS-180-105E .... c 11 N72-20244 *
US-PATENT-CLASS-180-118 ..... c 31 N71-15689 *
US-PATENT-CLASS-180-121 ..... c 31 N71-15689 *
US-PATENT-CLASS-180-125 ..... c 15 N72-17451 *
US-PATENT-CLASS-180-127 ..... c 15 N72-17451 *
US-PATENT-CLASS-180-168 ..... c 35 N84-33769 *
US-PATENT-CLASS-180-19.2 ..... c 85 N87-21755 *
US-PATENT-CLASS-180-305 ..... c 85 N87-21755 *
US-PATENT-CLASS-180-41 ..... c 11 N73-26238 *
US-PATENT-CLASS-180-6.5 ..... c 11 N73-26238 *
US-PATENT-CLASS-180-7R ..... c 11 N73-26238 *
US-PATENT-CLASS-180-79.3 ..... c 37 N74-18125 *
US-PATENT-CLASS-180-8.6 ..... c 18 N88-23828 *
US-PATENT-CLASS-180-8A ..... c 11 N73-26238 *
US-PATENT-CLASS-180-9.2R ..... c 11 N73-26238 *
US-PATENT-CLASS-180-9.5 ..... c 11 N73-26238 *
US-PATENT-CLASS-181.5R ..... c 71 N74-31148 *
US-PATENT-CLASS-181-.5 ..... c 11 N71-28779 *
US-PATENT-CLASS-181-0.5 ..... c 71 N85-30765 *
US-PATENT-CLASS-181-0.5 ..... c 71 N88-24241 *
US-PATENT-CLASS-181-102 ..... c 39 N80-10507 *
US-PATENT-CLASS-181-102 ..... c 31 N80-32584 *
US-PATENT-CLASS-181-105 ..... c 39 N80-10507 *
US-PATENT-CLASS-181-106 ..... c 46 N79-22679 *
US-PATENT-CLASS-181-115 ..... c 46 N79-23555 *
US-PATENT-CLASS-181-117 ..... c 46 N79-22679 *
US-PATENT-CLASS-181-120 ..... c 46 N79-23555 *
US-PATENT-CLASS-181-121 ..... c 35 N84-22933 *
US-PATENT-CLASS-181-148 ..... c 71 N79-23753 *
US-PATENT-CLASS-181-190 ..... c 71 N79-14871 *
US-PATENT-CLASS-181-213 ..... c 71 N79-14871 *
US-PATENT-CLASS-181-213 ..... c 07 N83-33884 *
US-PATENT-CLASS-181-214 ..... c 07 N81-14999 *
US-PATENT-CLASS-181-214 ..... c 71 N82-16800 *
US-PATENT-CLASS-181-222 ..... c 71 N79-14871 *
US-PATENT-CLASS-181-293 ..... c 71 N79-14871 *
US-PATENT-CLASS-181-33C ..... c 07 N74-32418 *
US-PATENT-CLASS-181-33F ..... c 07 N74-32418 *
US-PATENT-CLASS-181-33HB .... c 07 N74-27490 *
US-PATENT-CLASS-181-33HC .... c 07 N74-33218 *
US-PATENT-CLASS-181-33HC .... c 07 N76-18117 *
US-PATENT-CLASS-181-33H ..... c 07 N74-32418 *
US-PATENT-CLASS-181-33L ..... c 07 N74-32418 *
US-PATENT-CLASS-181-42 ..... c 07 N74-32418 *
US-PATENT-CLASS-181-43 ..... c 07 N74-15453 *
US-PATENT-CLASS-181-52 ..... c 28 N70-41582 *
US-PATENT-CLASS-182-10 ..... c 15 N71-27067 *
US-PATENT-CLASS-182-152 ..... c 31 N87-25492 *
US-PATENT-CLASS-182-178 ..... c 39 N76-31562 *
US-PATENT-CLASS-182-191 ..... c 05 N71-11199 *
US-PATENT-CLASS-182-223 ..... c 54 N87-29118 *
US-PATENT-CLASS-182-5 ..... c 15 N73-25512 *
US-PATENT-CLASS-182-62.5 ..... c 31 N81-27324 *
US-PATENT-CLASS-182-63 ..... c 54 N87-29118 *
US-PATENT-CLASS-182-82 ..... c 54 N87-29118 *
US-PATENT-CLASS-184-1 ..... c 15 N71-23048 *
US-PATENT-CLASS-185-38 ..... c 37 N78-16369 *
US-PATENT-CLASS-187-1 ..... c 15 N72-25453 *
US-PATENT-CLASS-187-20 ..... c 15 N72-25453 *
US-PATENT-CLASS-187-7.1 ..... c 07 N71-24742 *
US-PATENT-CLASS-187-95 ..... c 15 N72-25453 *
US-PATENT-CLASS-188-1B ..... c 15 N72-20443 *
US-PATENT-CLASS-188-1B ..... c 19 N76-22284 *
US-PATENT-CLASS-188-1C ..... c 15 N72-17450 *
US-PATENT-CLASS-188-1C ..... c 15 N72-20443 *
US-PATENT-CLASS-188-1C ..... c 15 N73-30460 *
US-PATENT-CLASS-188-1C ..... c 11 N73-32152 *

US-PATENT-CLASS-188-1C ..... c 37 N79-10420 *
US-PATENT-CLASS-188-103 ..... c 15 N71-27146 *
US-PATENT-CLASS-188-129 ..... c 15 N72-17450 *
US-PATENT-CLASS-188-134 ..... c 37 N81-15364 *
US-PATENT-CLASS-188-151A .... c 44 N79-14527 *
US-PATENT-CLASS-188-163 ..... c 37 N74-26976 *
US-PATENT-CLASS-188-171 ..... c 37 N74-26976 *
US-PATENT-CLASS-188-180 ..... c 37 N81-15364 *
US-PATENT-CLASS-188-184 ..... c 37 N81-15364 *
US-PATENT-CLASS-188-1 ..... c 15 N70-34861 *
US-PATENT-CLASS-188-1 ..... c 15 N70-38601 *
US-PATENT-CLASS-188-1 ..... c 15 N70-40354 *
US-PATENT-CLASS-188-1 ..... c 14 N71-17626 *
US-PATENT-CLASS-188-1 ..... c 15 N71-22877 *
US-PATENT-CLASS-188-1 ..... c 14 N71-23092 *
US-PATENT-CLASS-188-1 ..... c 15 N71-26243 *
US-PATENT-CLASS-188-1 ..... c 15 N71-27146 *
US-PATENT-CLASS-188-1 ..... c 15 N71-27169 *
US-PATENT-CLASS-188-218-XL . c 37 N88-29181 *
US-PATENT-CLASS-188-251-A ... c 37 N88-29181 *
US-PATENT-CLASS-188-266 ..... c 15 N73-25513 *
US-PATENT-CLASS-188-268 ..... c 15 N72-20443 *
US-PATENT-CLASS-188-269 ..... c 44 N79-14527 *
US-PATENT-CLASS-188-291 ..... c 54 N77-21844 *
US-PATENT-CLASS-188-371 ..... c 37 N82-18601 *
US-PATENT-CLASS-188-373 ..... c 37 N88-23982 *
US-PATENT-CLASS-188-65.1 ..... c 15 N73-25512 *
US-PATENT-CLASS-188-65.5 ..... c 15 N71-27067 *
US-PATENT-CLASS-188-87 ..... c 12 N71-16894 *
US-PATENT-CLASS-188-88 ..... c 15 N71-26611 *
US-PATENT-CLASS-189-36 ..... c 15 N70-36947 *
US-PATENT-CLASS-19-205 ..... c 37 N76-18456 *
US-PATENT-CLASS-191-12.2-R .. c 33 N86-20669 *
US-PATENT-CLASS-192-43.1 ..... c 15 N71-17805 *
US-PATENT-CLASS-192-46 ..... c 37 N87-17037 *
US-PATENT-CLASS-192-67R ..... c 37 N87-17037 *
US-PATENT-CLASS-195-1.8 ..... c 51 N77-25769 *
US-PATENT-CLASS-195-1.8 ..... c 51 N79-10694 *
US-PATENT-CLASS-195-1.8 ..... c 52 N79-14749 *
US-PATENT-CLASS-195-103.5K . c 51 N77-22794 *
US-PATENT-CLASS-195-103.5K . c 52 N79-14750 *
US-PATENT-CLASS-195-103.5L .. c 52 N79-14750 *
US-PATENT-CLASS-195-103.5R . c 06 N72-25149 *
US-PATENT-CLASS-195-103.5R . c 25 N75-12086 *
US-PATENT-CLASS-195-103.5R . c 35 N75-27330 *
US-PATENT-CLASS-195-103.5R . c 35 N75-33368 *
US-PATENT-CLASS-195-103.5R . c 51 N76-29891 *
US-PATENT-CLASS-195-103.5R . c 51 N77-22794 *
US-PATENT-CLASS-195-103.5R . c 25 N79-22235 *
US-PATENT-CLASS-195-120 ..... c 51 N75-13502 *
US-PATENT-CLASS-195-120 ..... c 35 N75-27330 *
US-PATENT-CLASS-195-127 ..... c 15 N72-21465 *
US-PATENT-CLASS-195-127 ..... c 11 N72-25284 *
US-PATENT-CLASS-195-127 ..... c 14 N72-25413 *
US-PATENT-CLASS-195-127 ..... c 15 N73-20514 *
US-PATENT-CLASS-195-127 ..... c 05 N73-32011 *
US-PATENT-CLASS-195-127 ..... c 35 N75-12272 *
US-PATENT-CLASS-195-127 ..... c 51 N75-13502 *
US-PATENT-CLASS-195-127 ..... c 35 N75-27330 *
US-PATENT-CLASS-195-127 ..... c 25 N79-22235 *
US-PATENT-CLASS-195-127 ..... c 25 N79-24073 *
US-PATENT-CLASS-195-141 ..... c 35 N75-27330 *
US-PATENT-CLASS-195-28N ..... c 06 N72-25149 *
US-PATENT-CLASS-195-66R ..... c 06 N73-27086 *
US-PATENT-CLASS-195-68 ..... c 04 N69-27487 * #
US-PATENT-CLASS-195-99 ..... c 06 N71-17705 *
US-PATENT-CLASS-197-188 ..... c 37 N77-19457 *
US-PATENT-CLASS-197-190 ..... c 37 N77-19457 *
US-PATENT-CLASS-198-847 ..... c 37 N80-32717 *
US-PATENT-CLASS-198-848 ..... c 37 N80-32717 *
US-PATENT-CLASS-1 ..... c 14 N71-27005 *
US-PATENT-CLASS-2-115 ..... c 05 N72-25119 *
US-PATENT-CLASS-2-14 ..... c 05 N71-23096 *
US-PATENT-CLASS-2-161R ..... c 54 N84-23113 *
US-PATENT-CLASS-2-161R ..... c 54 N84-28484 *
US-PATENT-CLASS-2-161 ..... c 54 N78-17677 *
US-PATENT-CLASS-2-164 ..... c 54 N84-28484 *
US-PATENT-CLASS-2-167 ..... c 54 N84-23113 *
US-PATENT-CLASS-2-167 ..... c 54 N84-28484 *
US-PATENT-CLASS-2-2.1A ..... c 05 N72-22092 *
US-PATENT-CLASS-2-2.1A ..... c 05 N73-25125 *
US-PATENT-CLASS-2-2.1A ..... c 05 N73-32012 *
US-PATENT-CLASS-2-2.1A ..... c 54 N74-32546 *
US-PATENT-CLASS-2-2.1A ..... c 54 N77-32721 *
US-PATENT-CLASS-2-2.1A ..... c 54 N78-17675 *
US-PATENT-CLASS-2-2.1A ..... c 54 N78-31735 *
US-PATENT-CLASS-2-2.1A ..... c 54 N78-31736 *
US-PATENT-CLASS-2-2.1A ..... c 54 N79-24651 *
US-PATENT-CLASS-2-2.1A ..... c 54 N86-28618 *
US-PATENT-CLASS-2-2.1A ..... c 54 N86-28619 *
US-PATENT-CLASS-2-2.1A ..... c 54 N86-28620 *
US-PATENT-CLASS-2-2.1A ..... c 54 N86-29507 * #
US-PATENT-CLASS-2-2.1R ..... c 54 N86-28618 *
US-PATENT-CLASS-2-2.1R ..... c 54 N86-28619 *
US-PATENT-CLASS-2-2.1 ..... c 05 N71-11194 *
US-PATENT-CLASS-2-2.1 ..... c 05 N71-11195 *

US-PATENT-CLASS-2-2.1 ..... c 05 N71-12335 *
US-PATENT-CLASS-2-2.1 ..... c 05 N71-12344 *
US-PATENT-CLASS-2-2.1 ..... c 05 N71-23161 *
US-PATENT-CLASS-2-2.1 ..... c 05 N71-24623 *
US-PATENT-CLASS-2-2.1 ..... c 05 N71-24730 *
US-PATENT-CLASS-2-2.1 ..... c 05 N72-20096 *
US-PATENT-CLASS-2-2.1 ..... c 05 N72-20098 *
US-PATENT-CLASS-2-2.1 ..... c 05 N72-25119 *
US-PATENT-CLASS-2-2.1 ..... c 05 N73-26071 *
US-PATENT-CLASS-2-2.1 ..... c 34 N78-17337 *
US-PATENT-CLASS-2-2.1 ..... c 54 N78-17678 *
US-PATENT-CLASS-2-2.1 ..... c 54 N78-18761 *
US-PATENT-CLASS-2-275 ..... c 18 N71-26285 *
US-PATENT-CLASS-2-6 ..... c 05 N71-26333 *
US-PATENT-CLASS-2-6 ..... c 54 N78-17680 *
US-PATENT-CLASS-2-81 ..... c 18 N71-26285 *
US-PATENT-CLASS-2-81 ..... c 05 N73-32012 *
US-PATENT-CLASS-2-82 ..... c 54 N74-32546 *
US-PATENT-CLASS-200-114 ..... c 33 N79-33393 *
US-PATENT-CLASS-200-129 ..... c 33 N75-27249 *
US-PATENT-CLASS-200-152 ..... c 09 N71-19610 *
US-PATENT-CLASS-200-153S ..... c 33 N80-18285 *
US-PATENT-CLASS-200-157 ..... c 08 N86-27288 *
US-PATENT-CLASS-200-19 ..... c 09 N70-39915 *
US-PATENT-CLASS-200-304 ..... c 33 N80-18285 *
US-PATENT-CLASS-200-39 ..... c 03 N70-38713 *
US-PATENT-CLASS-200-46 ..... c 74 N79-12890 *
US-PATENT-CLASS-200-61.05 .... c 25 N86-27431 *
US-PATENT-CLASS-200-61.42 .... c 09 N71-12518 *
US-PATENT-CLASS-200-61.45 .... c 14 N70-41812 *
US-PATENT-CLASS-200-61 ..... c 74 N79-12890 *
US-PATENT-CLASS-200-64 ..... c 15 N72-17455 *
US-PATENT-CLASS-200-6 ..... c 10 N71-15909 *
US-PATENT-CLASS-200-6 ..... c 09 N71-16089 *
US-PATENT-CLASS-200-81.9M ... c 09 N72-20199 *
US-PATENT-CLASS-200-81R ..... c 09 N72-22204 *
US-PATENT-CLASS-200-82C ..... c 09 N72-22204 *
US-PATENT-CLASS-200-82 ..... c 10 N71-23663 *
US-PATENT-CLASS-200-83N ..... c 35 N75-15931 *
US-PATENT-CLASS-200-83 ..... c 33 N79-33392 *
US-PATENT-CLASS-201-10 ..... c 27 N81-17261 *
US-PATENT-CLASS-201-17 ..... c 44 N78-31527 *
US-PATENT-CLASS-201-17 ..... c 25 N81-33246 *
US-PATENT-CLASS-201-17 ..... c 25 N82-29371 *
US-PATENT-CLASS-201-17 ..... c 25 N83-31743 *
US-PATENT-CLASS-201-17 ..... c 25 N85-35253 *
US-PATENT-CLASS-201-25 ..... c 27 N81-17261 *
US-PATENT-CLASS-201-8 ..... c 27 N81-17261 *
US-PATENT-CLASS-202-118 ..... c 31 N81-15154 *
US-PATENT-CLASS-202-182 ..... c 05 N71-11207 *
US-PATENT-CLASS-202-234 ..... c 15 N71-23086 *
US-PATENT-CLASS-203-12 ..... c 25 N82-28368 *
US-PATENT-CLASS-203-90 ..... c 25 N88-23846 *
US-PATENT-CLASS-203-91 ..... c 25 N88-23846 *
US-PATENT-CLASS-203-98 ..... c 25 N88-23846 *
US-PATENT-CLASS-204-DIG.11 . c 25 N77-32255 *
US-PATENT-CLASS-204-DIG.3 .... c 25 N84-12262 *
US-PATENT-CLASS-204-DIG.3 .... c 44 N84-23019 *
US-PATENT-CLASS-204-1T ..... c 25 N79-22235 *
US-PATENT-CLASS-204-1T ..... c 51 N81-28698 *
US-PATENT-CLASS-204-1T ..... c 25 N82-12166 *
US-PATENT-CLASS-204-1T ..... c 76 N84-35112 * #
US-PATENT-CLASS-204-1T ..... c 35 N85-29212 *
US-PATENT-CLASS-204-1T ..... c 76 N85-30923 *
US-PATENT-CLASS-204-129.55 .. c 31 N83-19947 *
US-PATENT-CLASS-204-129.75 .. c 31 N83-19947 *
US-PATENT-CLASS-204-129 ..... c 28 N81-24280 *
US-PATENT-CLASS-204-129 ..... c 25 N84-12262 *
US-PATENT-CLASS-204-129 ..... c 44 N84-23019 *
US-PATENT-CLASS-204-130 ..... c 15 N72-21466 *
US-PATENT-CLASS-204-157.1H . c 25 N74-30502 *
US-PATENT-CLASS-204-157.1H . c 37 N76-18458 *
US-PATENT-CLASS-204-157.1R . c 25 N77-32255 *
US-PATENT-CLASS-204-157.1R . c 44 N77-32580 *
US-PATENT-CLASS-204-157.1R . c 44 N79-11470 *
US-PATENT-CLASS-204-157.18AG c 15 N72-25452 *
US-PATENT-CLASS-204-157.22 .. c 25 N88-24732 *
US-PATENT-CLASS-204-158R .... c 25 N77-32255 *
US-PATENT-CLASS-204-159.11 .. c 27 N80-32516 *
US-PATENT-CLASS-204-159.14 .. c 27 N80-32516 *
US-PATENT-CLASS-204-159.15 .. c 27 N80-26446 *
US-PATENT-CLASS-204-159.19 .. c 27 N80-26446 *
US-PATENT-CLASS-204-162R .... c 25 N77-32255 *
US-PATENT-CLASS-204-164 ..... c 26 N78-32229 *
US-PATENT-CLASS-204-168 ..... c 24 N71-25555 *
US-PATENT-CLASS-204-16 ..... c 24 N77-19171 *
US-PATENT-CLASS-204-171 ..... c 27 N80-23452 *
US-PATENT-CLASS-204-175 ..... c 26 N78-32229 *
US-PATENT-CLASS-204-177 ..... c 25 N75-12087 *
US-PATENT-CLASS-204-180.1 .... c 25 N88-23845 *
US-PATENT-CLASS-204-180G .... c 25 N78-14104 *
US-PATENT-CLASS-204-180G .... c 25 N79-14169 *
US-PATENT-CLASS-204-180G .... c 37 N80-14397 *
US-PATENT-CLASS-204-180P .... c 54 N78-14784 *
US-PATENT-CLASS-204-180R .... c 25 N74-26948 *
US-PATENT-CLASS-204-180R .... c 34 N74-27744 *
US-PATENT-CLASS-204-180R .... c 51 N80-16715 *
US-PATENT-CLASS-204-180S .... c 25 N79-10163 *
US-PATENT-CLASS-204-180S .... c 25 N79-14169 *
US-PATENT-CLASS-204-192.15 .. c 26 N87-25455 *
US-PATENT-CLASS-204-192.15 .. c 76 N88-24543 *
US-PATENT-CLASS-204-192.23 .. c 26 N87-25455 *
US-PATENT-CLASS-204-192.24 .. c 76 N88-24543 *
US-PATENT-CLASS-204-192.31 .. c 26 N88-14179 *
US-PATENT-CLASS-204-192-C ... c 27 N86-19458 *
US-PATENT-CLASS-204-192-D ... c 27 N86-19458 *
US-PATENT-CLASS-204-192-R ... c 27 N86-19458 *
US-PATENT-CLASS-204-192C .... c 76 N79-14906 *
US-PATENT-CLASS-204-192C .... c 26 N82-29415 *
US-PATENT-CLASS-204-192C .... c 26 N82-30371 *
US-PATENT-CLASS-204-192C .... c 24 N84-22695 *
US-PATENT-CLASS-204-192C .... c 31 N85-20153 *
US-PATENT-CLASS-204-192C .... c 24 N85-21267 *
US-PATENT-CLASS-204-192C .... c 76 N85-33826 *
US-PATENT-CLASS-204-192C .... c 27 N86-32569 *
US-PATENT-CLASS-204-192C .... c 31 N86-32587 *
US-PATENT-CLASS-204-192D .... c 27 N86-32569 *
US-PATENT-CLASS-204-192D .... c 31 N86-32587 *
US-PATENT-CLASS-204-192EC .. c 27 N82-28440 *
US-PATENT-CLASS-204-192EC .. c 27 N82-33521 *
US-PATENT-CLASS-204-192EC .. c 33 N84-22884 *
US-PATENT-CLASS-204-192E ..... c 37 N81-19455 *
US-PATENT-CLASS-204-192E ..... c 27 N82-28440 *
US-PATENT-CLASS-204-192E ..... c 27 N82-33521 *
US-PATENT-CLASS-204-192E ..... c 24 N83-10117 *
US-PATENT-CLASS-204-192E ..... c 52 N84-23095 *
US-PATENT-CLASS-204-192N .... c 24 N85-21267 *
US-PATENT-CLASS-204-192N .... c 26 N85-29005 *
US-PATENT-CLASS-204-192P .... c 76 N85-33826 *
US-PATENT-CLASS-204-192R .... c 24 N84-22695 *
US-PATENT-CLASS-204-192R .... c 31 N85-20153 *
US-PATENT-CLASS-204-192R .... c 24 N85-21267 *
US-PATENT-CLASS-204-192SP .. c 24 N84-22695 *
US-PATENT-CLASS-204-192SP .. c 31 N85-20153 *
US-PATENT-CLASS-204-192 ..... c 15 N73-12487 *
US-PATENT-CLASS-204-192 ..... c 17 N73-24569 *
US-PATENT-CLASS-204-192 ..... c 27 N74-13270 *
US-PATENT-CLASS-204-192 ..... c 20 N74-31269 *
US-PATENT-CLASS-204-192 ..... c 37 N75-19684 *
US-PATENT-CLASS-204-192 ..... c 44 N77-14580 *
US-PATENT-CLASS-204-195B .... c 25 N79-24073 *
US-PATENT-CLASS-204-195B .... c 51 N80-27067 *
US-PATENT-CLASS-204-195B .... c 51 N81-28698 *
US-PATENT-CLASS-204-195B .... c 35 N82-28604 *
US-PATENT-CLASS-204-195R .... c 33 N76-19339 *
US-PATENT-CLASS-204-195S .... c 25 N82-12166 *
US-PATENT-CLASS-204-195W ... c 35 N78-25391 *
US-PATENT-CLASS-204-195 ..... c 14 N71-17575 *
US-PATENT-CLASS-204-2.1 ..... c 44 N81-29524 *
US-PATENT-CLASS-204-20 ..... c 18 N71-16210 *
US-PATENT-CLASS-204-222 ..... c 31 N74-23065 *
US-PATENT-CLASS-204-224 ..... c 37 N80-14395 *
US-PATENT-CLASS-204-242 ..... c 33 N75-27252 *
US-PATENT-CLASS-204-242 ..... c 25 N84-12262 *
US-PATENT-CLASS-204-252 ..... c 28 N81-24280 *
US-PATENT-CLASS-204-263 ..... c 14 N71-28933 *
US-PATENT-CLASS-204-263 ..... c 25 N82-12166 *
US-PATENT-CLASS-204-264 ..... c 25 N82-12166 *
US-PATENT-CLASS-204-266 ..... c 28 N81-24280 *
US-PATENT-CLASS-204-266 ..... c 25 N82-12166 *
US-PATENT-CLASS-204-267 ..... c 33 N75-27252 *
US-PATENT-CLASS-204-275 ..... c 25 N82-12166 *
US-PATENT-CLASS-204-276 ..... c 25 N82-12166 *
US-PATENT-CLASS-204-278 ..... c 25 N82-12166 *
US-PATENT-CLASS-204-278 ..... c 25 N84-12262 *
US-PATENT-CLASS-204-278 ..... c 44 N84-23019 *
US-PATENT-CLASS-204-279 ..... c 33 N75-27252 *
US-PATENT-CLASS-204-280R .... c 25 N83-13187 *
US-PATENT-CLASS-204-280 ..... c 44 N84-23019 *
US-PATENT-CLASS-204-286 ..... c 33 N75-27252 *
US-PATENT-CLASS-204-290F .... c 28 N81-24280 *
US-PATENT-CLASS-204-290F .... c 44 N82-29710 *
US-PATENT-CLASS-204-290R .... c 33 N75-27252 *
US-PATENT-CLASS-204-290R .... c 28 N81-24280 *
US-PATENT-CLASS-204-290R .... c 44 N82-29710 *
US-PATENT-CLASS-204-290R .... c 25 N84-12262 *
US-PATENT-CLASS-204-290 ..... c 44 N84-28205 *
US-PATENT-CLASS-204-291 ..... c 28 N81-24280 *
US-PATENT-CLASS-204-292 ..... c 25 N78-10225 *
US-PATENT-CLASS-204-298 ..... c 15 N70-34967 *
US-PATENT-CLASS-204-298 ..... c 09 N71-26701 *
US-PATENT-CLASS-204-298 ..... c 15 N72-32487 *
US-PATENT-CLASS-204-298 ..... c 37 N75-19684 *
US-PATENT-CLASS-204-298 ..... c 27 N86-32569 *
US-PATENT-CLASS-204-298 ..... c 31 N86-32587 *
US-PATENT-CLASS-204-298 ..... c 31 N87-21160 *
US-PATENT-CLASS-204-299-R ... c 25 N88-23845 *
US-PATENT-CLASS-204-299R .... c 25 N78-14104 *
US-PATENT-CLASS-204-299R .... c 25 N79-14169 *
US-PATENT-CLASS-204-299R .... c 37 N80-14397 *
US-PATENT-CLASS-204-299R .... c 51 N80-16715 *
US-PATENT-CLASS-204-299R .... c 25 N83-10126 *
US-PATENT-CLASS-204-299R .... c 25 N83-13187 *
US-PATENT-CLASS-204-299 ..... c 34 N74-27744 *
US-PATENT-CLASS-204-299 ..... c 25 N79-10163 *
US-PATENT-CLASS-204-301 ..... c 54 N78-14784 *
US-PATENT-CLASS-204-305 ..... c 03 N71-24718 *
US-PATENT-CLASS-204-30 ..... c 09 N71-28691 *
US-PATENT-CLASS-204-32A ..... c 33 N77-26385 *
US-PATENT-CLASS-204-32R ..... c 44 N76-14595 *
US-PATENT-CLASS-204-324 ..... c 33 N73-16918 *
US-PATENT-CLASS-204-325 ..... c 33 N73-16918 *
US-PATENT-CLASS-204-328 ..... c 33 N73-16918 *
US-PATENT-CLASS-204-32 ..... c 44 N79-11469 *
US-PATENT-CLASS-204-33 ..... c 17 N71-25903 *
US-PATENT-CLASS-204-33 ..... c 44 N76-14595 *
US-PATENT-CLASS-204-33 ..... c 44 N79-11469 *
US-PATENT-CLASS-204-33 ..... c 44 N83-34449 *
US-PATENT-CLASS-204-35N ..... c 27 N83-29388 *
US-PATENT-CLASS-204-35N ..... c 44 N83-34449 *
US-PATENT-CLASS-204-37.6 ..... c 76 N84-35112 * #
US-PATENT-CLASS-204-37R ..... c 44 N79-11469 *
US-PATENT-CLASS-204-37R ..... c 27 N83-29388 *
US-PATENT-CLASS-204-37 ..... c 33 N71-29151 *
US-PATENT-CLASS-204-38A ..... c 44 N76-14595 *
US-PATENT-CLASS-204-38B ..... c 44 N79-11469 *
US-PATENT-CLASS-204-38B ..... c 27 N82-33521 *
US-PATENT-CLASS-204-38 ..... c 17 N71-24830 *
US-PATENT-CLASS-204-40 ..... c 44 N76-14595 *
US-PATENT-CLASS-204-40 ..... c 24 N77-19171 *
US-PATENT-CLASS-204-42 ..... c 44 N76-14595 *
US-PATENT-CLASS-204-430 ..... c 35 N85-29212 *
US-PATENT-CLASS-204-49 ..... c 15 N72-25452 *
US-PATENT-CLASS-204-49 ..... c 44 N76-14595 *
US-PATENT-CLASS-204-56R ..... c 44 N83-10494 *
US-PATENT-CLASS-204-56R ..... c 27 N83-29388 *
US-PATENT-CLASS-204-56R ..... c 76 N84-35112 * #
US-PATENT-CLASS-204-59 ..... c 15 N72-21466 *
US-PATENT-CLASS-204-9 ..... c 20 N74-32919 *
US-PATENT-CLASS-204-9 ..... c 24 N77-19171 *
US-PATENT-CLASS-204/298 ..... c 27 N86-19458 *
US-PATENT-CLASS-2041-195B .. c 25 N79-22235 *
US-PATENT-CLASS-205-343 ..... c 35 N75-30502 *
US-PATENT-CLASS-206-439 ..... c 52 N79-14749 *
US-PATENT-CLASS-206-447 ..... c 27 N84-14323 *
US-PATENT-CLASS-206-582 ..... c 27 N84-14323 *
US-PATENT-CLASS-208-10 ..... c 25 N79-11152 *
US-PATENT-CLASS-208-10 ..... c 23 N84-16255 *
US-PATENT-CLASS-208-10 ..... c 25 N84-22709 *
US-PATENT-CLASS-208-11 ..... c 25 N86-25428 *
US-PATENT-CLASS-208-241 ..... c 25 N82-23282 *
US-PATENT-CLASS-208-8LE ..... c 23 N84-16255 *
US-PATENT-CLASS-208-8LE ..... c 25 N84-22709 *
US-PATENT-CLASS-208-8 ..... c 25 N79-11152 *
US-PATENT-CLASS-209-10 ..... c 15 N71-20440 *
US-PATENT-CLASS-209-127R .... c 35 N76-22509 *
US-PATENT-CLASS-209-250 ..... c 37 N76-18456 *
US-PATENT-CLASS-209-300 ..... c 37 N76-18456 *
US-PATENT-CLASS-209-305 ..... c 37 N76-18456 *
US-PATENT-CLASS-209-349 ..... c 15 N72-22483 *
US-PATENT-CLASS-209-422 ..... c 71 N85-30765 *
US-PATENT-CLASS-209-638 ..... c 71 N85-30765 *
US-PATENT-CLASS-21-207 ..... c 17 N71-16393 *
US-PATENT-CLASS-210-DIG.23 . c 52 N79-14749 *
US-PATENT-CLASS-210-DIG.27 . c 27 N77-31308 *
US-PATENT-CLASS-210-103 ..... c 05 N72-27102 *
US-PATENT-CLASS-210-104 ..... c 05 N72-27102 *
US-PATENT-CLASS-210-108 ..... c 34 N79-24285 *
US-PATENT-CLASS-210-110 ..... c 05 N72-27102 *
US-PATENT-CLASS-210-137 ..... c 05 N72-27102 *
US-PATENT-CLASS-210-142 ..... c 34 N79-24285 *
US-PATENT-CLASS-210-151 ..... c 45 N84-12654 *
US-PATENT-CLASS-210-186 ..... c 37 N80-10494 *
US-PATENT-CLASS-210-188 ..... c 12 N72-25292 *
US-PATENT-CLASS-210-192 ..... c 54 N78-14784 *
US-PATENT-CLASS-210-212 ..... c 03 N72-20033 *
US-PATENT-CLASS-210-222 ..... c 35 N78-12390 *
US-PATENT-CLASS-210-22 ..... c 52 N80-14687 *
US-PATENT-CLASS-210-23F ..... c 51 N79-10693 *
US-PATENT-CLASS-210-23H ..... c 27 N80-23452 *
US-PATENT-CLASS-210-234 ..... c 34 N75-33342 *
US-PATENT-CLASS-210-24R ..... c 27 N81-14076 *
US-PATENT-CLASS-210-24 ..... c 27 N77-30236 *
US-PATENT-CLASS-210-24 ..... c 25 N81-19244 *
US-PATENT-CLASS-210-259 ..... c 34 N75-33342 *
US-PATENT-CLASS-210-282 ..... c 37 N87-17035 *
US-PATENT-CLASS-210-28 ..... c 85 N79-17747 *
US-PATENT-CLASS-210-304 ..... c 34 N75-33342 *
US-PATENT-CLASS-210-314 ..... c 28 N70-41447 *
US-PATENT-CLASS-210-321.1 .... c 25 N82-21269 *
US-PATENT-CLASS-210-321B .... c 52 N80-14687 *
US-PATENT-CLASS-210-333 ..... c 34 N75-33342 *
US-PATENT-CLASS-210-340 ..... c 34 N75-33342 *
US-PATENT-CLASS-210-340 ..... c 37 N80-10494 *
US-PATENT-CLASS-210-40 ..... c 27 N77-31308 *
US-PATENT-CLASS-210-40 ..... c 85 N79-17747 *
US-PATENT-CLASS-210-40 ..... c 45 N82-11634 *
US-PATENT-CLASS-210-411 ..... c 34 N75-33342 *

US-PATENT-CLASS-210-425 ..... c 34 N75-33342 *
US-PATENT-CLASS-210-429 ..... c 37 N76-14463 *
US-PATENT-CLASS-210-433M .... c 51 N79-10693 *
US-PATENT-CLASS-210-445 ..... c 15 N72-11389 *
US-PATENT-CLASS-210-45 ..... c 85 N79-17747 *
US-PATENT-CLASS-210-500.25 .. c 31 N88-29052 *
US-PATENT-CLASS-210-500.35 .. c 31 N88-29052 *
US-PATENT-CLASS-210-500M .... c 27 N80-23452 *
US-PATENT-CLASS-210-500M .... c 25 N81-17187 *
US-PATENT-CLASS-210-500 ..... c 25 N75-12087 *
US-PATENT-CLASS-210-50 ..... c 45 N79-12584 *
US-PATENT-CLASS-210-512 ..... c 34 N75-33342 *
US-PATENT-CLASS-210-54 ..... c 85 N79-17747 *
US-PATENT-CLASS-210-57 ..... c 45 N80-14579 *
US-PATENT-CLASS-210-602 ..... c 45 N84-12654 *
US-PATENT-CLASS-210-605 ..... c 45 N84-12654 *
US-PATENT-CLASS-210-60 ..... c 45 N79-12584 *
US-PATENT-CLASS-210-617 ..... c 45 N84-12654 *
US-PATENT-CLASS-210-63R ..... c 25 N78-10225 *
US-PATENT-CLASS-210-63R ..... c 45 N79-12584 *
US-PATENT-CLASS-210-63Z ..... c 45 N80-14579 *
US-PATENT-CLASS-210-639 ..... c 31 N88-29052 *
US-PATENT-CLASS-210-653 ..... c 31 N88-29052 *
US-PATENT-CLASS-210-66 ..... c 85 N79-17747 *
US-PATENT-CLASS-210-67 ..... c 85 N79-17747 *
US-PATENT-CLASS-210-70 ..... c 85 N79-17747 *
US-PATENT-CLASS-210-71 ..... c 25 N78-10225 *
US-PATENT-CLASS-210-73R ..... c 85 N79-17747 *
US-PATENT-CLASS-210-748 ..... c 71 N83-35781 *
US-PATENT-CLASS-210-748 ..... c 35 N84-17555 *
US-PATENT-CLASS-210-82 ..... c 34 N75-33342 *
US-PATENT-CLASS-210-96M ..... c 54 N78-14784 *
US-PATENT-CLASS-210-96M ..... c 51 N79-10693 *
US-PATENT-CLASS-211-126 ..... c 35 N86-20751 *
US-PATENT-CLASS-211-74 ..... c 35 N86-20751 *
US-PATENT-CLASS-212-11 ..... c 32 N71-17609 *
US-PATENT-CLASS-212-134 ..... c 15 N72-11388 *
US-PATENT-CLASS-212-230 ..... c 37 N86-20789 *
US-PATENT-CLASS-212-267 ..... c 31 N81-27324 *
US-PATENT-CLASS-213-81 ..... c 37 N77-23483 *
US-PATENT-CLASS-214-ICM ..... c 37 N76-15460 *
US-PATENT-CLASS-214-1BC ..... c 54 N77-32721 *
US-PATENT-CLASS-214-1B ..... c 54 N75-27758 *
US-PATENT-CLASS-214-1CM ..... c 15 N72-28495 *
US-PATENT-CLASS-214-1CM ..... c 54 N75-12616 *
US-PATENT-CLASS-214-1CM ..... c 18 N75-27041 *
US-PATENT-CLASS-214-1CM ..... c 54 N75-27758 *
US-PATENT-CLASS-214-1CM ..... c 37 N77-23483 *
US-PATENT-CLASS-214-1CM ..... c 54 N77-32721 *
US-PATENT-CLASS-214-1CM ..... c 54 N78-17676 *
US-PATENT-CLASS-214-1R ..... c 37 N76-15457 *
US-PATENT-CLASS-214-16.1CB . c 37 N77-22480 *
US-PATENT-CLASS-214-1 ..... c 32 N70-41367 *
US-PATENT-CLASS-214-90R ..... c 03 N72-25021 *
US-PATENT-CLASS-215-247 ..... c 33 N76-19339 *
US-PATENT-CLASS-219-10.41 .... c 33 N82-26571 *
US-PATENT-CLASS-219-10.43 .... c 31 N85-29083 *
US-PATENT-CLASS-219-10.49R . c 33 N81-19389 *
US-PATENT-CLASS-219-10.49 .... c 11 N71-15925 *
US-PATENT-CLASS-219-10.49 .... c 31 N85-29083 *
US-PATENT-CLASS-219-10.53 .... c 33 N82-26571 *
US-PATENT-CLASS-219-10.53 .... c 31 N85-29083 *
US-PATENT-CLASS-219-10.67 .... c 33 N81-19389 *
US-PATENT-CLASS-219-10.77 .... c 31 N85-29083 *
US-PATENT-CLASS-219-101 ..... c 15 N73-14468 *
US-PATENT-CLASS-219-101 ..... c 37 N74-11300 *
US-PATENT-CLASS-219-107 ..... c 15 N73-28515 *
US-PATENT-CLASS-219-107 ..... c 37 N74-11300 *
US-PATENT-CLASS-219-109 ..... c 15 N72-23497 *
US-PATENT-CLASS-219-117 ..... c 15 N73-32358 *
US-PATENT-CLASS-219-118 ..... c 37 N76-27568 *
US-PATENT-CLASS-219-118 ..... c 37 N77-11397 *
US-PATENT-CLASS-219-119 ..... c 15 N73-14468 *
US-PATENT-CLASS-219-121.54 .. c 37 N88-30131 *
US-PATENT-CLASS-219-121.56 .. c 37 N88-30131 *
US-PATENT-CLASS-219-121.57 .. c 37 N88-30131 *
US-PATENT-CLASS-219-121LE .. c 26 N86-32551 *
US-PATENT-CLASS-219-121LN .. c 44 N82-26777 *
US-PATENT-CLASS-219-121LY .. c 26 N86-32551 *
US-PATENT-CLASS-219-121P .... c 15 N72-32487 *
US-PATENT-CLASS-219-121 ..... c 15 N69-21471 * #
US-PATENT-CLASS-219-121 ..... c 33 N70-34540 *
US-PATENT-CLASS-219-121 ..... c 15 N71-19486 *
US-PATENT-CLASS-219-121 ..... c 16 N71-20400 *
US-PATENT-CLASS-219-121 ..... c 15 N71-27135 *
US-PATENT-CLASS-219-124.02 .. c 37 N88-30131 *
US-PATENT-CLASS-219-124.2-2 c 37 N79-10421 *
US-PATENT-CLASS-219-124.32 .. c 37 N79-10421 *
US-PATENT-CLASS-219-124.34 .. c 37 N86-21850 *
US-PATENT-CLASS-219-124.34 .. c 74 N87-17493 *
US-PATENT-CLASS-219-124.34 .. c 74 N87-25843 *
US-PATENT-CLASS-219-124.34 .. c 37 N88-14362 *
US-PATENT-CLASS-219-125.1 .... c 37 N79-10421 *
US-PATENT-CLASS-219-125 ..... c 15 N71-23815 *
US-PATENT-CLASS-219-125 ..... c 37 N75-27376 *
US-PATENT-CLASS-219-130.01 .. c 74 N87-17493 *
US-PATENT-CLASS-219-130.01 .. c 74 N87-25843 *
US-PATENT-CLASS-219-130.01 .. c 37 N88-14362 *
US-PATENT-CLASS-219-130.4 .... c 37 N88-30131 *
US-PATENT-CLASS-219-130 ..... c 15 N71-23798 *
US-PATENT-CLASS-219-131 ..... c 15 N71-15871 *
US-PATENT-CLASS-219-136 ..... c 37 N88-14362 *
US-PATENT-CLASS-219-137.42 .. c 37 N88-23980 *
US-PATENT-CLASS-219-137 ..... c 15 N70-34814 *
US-PATENT-CLASS-219-137 ..... c 37 N75-19683 *
US-PATENT-CLASS-219-158 ..... c 15 N72-22491 *
US-PATENT-CLASS-219-160 ..... c 37 N80-23655 *
US-PATENT-CLASS-219-161 ..... c 37 N80-23655 *
US-PATENT-CLASS-219-19 ..... c 33 N70-34812 *
US-PATENT-CLASS-219-201 ..... c 52 N80-16725 *
US-PATENT-CLASS-219-201 ..... c 37 N85-29286 *
US-PATENT-CLASS-219-203 ..... c 11 N73-12265 *
US-PATENT-CLASS-219-203 ..... c 27 N84-33589 *
US-PATENT-CLASS-219-209 ..... c 35 N81-26431 *
US-PATENT-CLASS-219-210 ..... c 35 N81-26431 *
US-PATENT-CLASS-219-216 ..... c 35 N74-15831 *
US-PATENT-CLASS-219-219 ..... c 27 N84-33589 *
US-PATENT-CLASS-219-221 ..... c 15 N72-11392 *
US-PATENT-CLASS-219-221 ..... c 37 N85-29286 *
US-PATENT-CLASS-219-229 ..... c 15 N71-27214 *
US-PATENT-CLASS-219-234 ..... c 15 N72-22491 *
US-PATENT-CLASS-219-234 ..... c 15 N72-23497 *
US-PATENT-CLASS-219-243 ..... c 15 N72-11392 *
US-PATENT-CLASS-219-273 ..... c 15 N72-32487 *
US-PATENT-CLASS-219-275 ..... c 15 N71-20395 *
US-PATENT-CLASS-219-275 ..... c 20 N87-16875 *
US-PATENT-CLASS-219-285 ..... c 37 N85-29286 *
US-PATENT-CLASS-219-299 ..... c 51 N79-10694 *
US-PATENT-CLASS-219-300 ..... c 37 N77-13418 *
US-PATENT-CLASS-219-302 ..... c 51 N79-10694 *
US-PATENT-CLASS-219-304 ..... c 37 N77-13418 *
US-PATENT-CLASS-219-343 ..... c 27 N83-36220 *
US-PATENT-CLASS-219-347 ..... c 15 N69-27871 * #
US-PATENT-CLASS-219-347 ..... c 33 N70-34545 *
US-PATENT-CLASS-219-348 ..... c 15 N73-27405 *
US-PATENT-CLASS-219-34 ..... c 09 N70-33312 *
US-PATENT-CLASS-219-354 ..... c 27 N83-36220 *
US-PATENT-CLASS-219-364 ..... c 33 N71-16278 *
US-PATENT-CLASS-219-378 ..... c 33 N71-25353 *
US-PATENT-CLASS-219-383 ..... c 09 N88-28939 *
US-PATENT-CLASS-219-388 ..... c 35 N74-15831 *
US-PATENT-CLASS-219-390 ..... c 27 N83-36220 *
US-PATENT-CLASS-219-390 ..... c 35 N86-20750 *
US-PATENT-CLASS-219-395 ..... c 35 N86-20750 *
US-PATENT-CLASS-219-396 ..... c 35 N86-20750 *
US-PATENT-CLASS-219-410 ..... c 12 N79-26075 *
US-PATENT-CLASS-219-411 ..... c 17 N69-25147 * #
US-PATENT-CLASS-219-411 ..... c 27 N83-36220 *
US-PATENT-CLASS-219-413 ..... c 14 N71-28958 *
US-PATENT-CLASS-219-477 ..... c 33 N74-14935 *
US-PATENT-CLASS-219-497 ..... c 77 N75-20140 *
US-PATENT-CLASS-219-499 ..... c 14 N73-26430 *
US-PATENT-CLASS-219-501 ..... c 77 N75-20140 *
US-PATENT-CLASS-219-505 ..... c 14 N71-27058 *
US-PATENT-CLASS-219-505 ..... c 77 N75-20140 *
US-PATENT-CLASS-219-50 ..... c 14 N73-26430 *
US-PATENT-CLASS-219-510 ..... c 35 N81-26431 *
US-PATENT-CLASS-219-522 ..... c 11 N73-12265 *
US-PATENT-CLASS-219-522 ..... c 52 N80-16725 *
US-PATENT-CLASS-219-522 ..... c 27 N84-33589 *
US-PATENT-CLASS-219-530 ..... c 33 N71-25353 *
US-PATENT-CLASS-219-539 ..... c 33 N74-14935 *
US-PATENT-CLASS-219-541 ..... c 27 N84-33589 *
US-PATENT-CLASS-219-543 ..... c 27 N84-33589 *
US-PATENT-CLASS-219-545 ..... c 33 N82-26571 *
US-PATENT-CLASS-219-62 ..... c 15 N73-28515 *
US-PATENT-CLASS-219-72 ..... c 15 N71-14932 *
US-PATENT-CLASS-219-74 ..... c 74 N87-25843 *
US-PATENT-CLASS-219-75 ..... c 37 N88-23980 *
US-PATENT-CLASS-219-76.14 .... c 24 N85-30027 *
US-PATENT-CLASS-219-78 ..... c 37 N74-11300 *
US-PATENT-CLASS-219-85CA .... c 35 N80-20560 *
US-PATENT-CLASS-219-85CM ... c 35 N80-20560 *
US-PATENT-CLASS-219-85R ..... c 35 N80-20560 *
US-PATENT-CLASS-219-85 ..... c 15 N72-22491 *
US-PATENT-CLASS-219-85 ..... c 15 N72-23497 *
US-PATENT-CLASS-219-91 ..... c 15 N71-18613 *
US-PATENT-CLASS-219-91 ..... c 15 N73-32358 *
US-PATENT-CLASS-219-92 ..... c 37 N76-27568 *
US-PATENT-CLASS-219-92 ..... c 37 N77-11397 *
US-PATENT-CLASS-22-200 ..... c 15 N71-15966 *
US-PATENT-CLASS-22-203 ..... c 17 N70-38198 *
US-PATENT-CLASS-220-14 ..... c 15 N69-39935 * #
US-PATENT-CLASS-220-15 ..... c 31 N71-15664 *
US-PATENT-CLASS-220-15 ..... c 34 N75-12222 *
US-PATENT-CLASS-220-1 ..... c 31 N71-17680 *
US-PATENT-CLASS-220-2.2 ..... c 24 N79-25143 *
US-PATENT-CLASS-220-266 ..... c 37 N79-22474 *
US-PATENT-CLASS-220-306 ..... c 27 N84-27886 *
US-PATENT-CLASS-220-335 ..... c 45 N83-25217 *
US-PATENT-CLASS-220-378 ..... c 37 N82-24490 *
US-PATENT-CLASS-220-423 ..... c 37 N80-18393 *
US-PATENT-CLASS-220-429 ..... c 44 N80-20808 *
US-PATENT-CLASS-220-445 ..... c 37 N80-18393 *
US-PATENT-CLASS-220-46 ..... c 15 N71-27068 *
US-PATENT-CLASS-220-5R ..... c 15 N72-22486 *
US-PATENT-CLASS-220-55 ..... c 15 N69-27502 * #
US-PATENT-CLASS-220-63 ..... c 11 N70-38182 *
US-PATENT-CLASS-220-67 ..... c 15 N71-10577 *
US-PATENT-CLASS-220-82R ..... c 31 N81-19343 *
US-PATENT-CLASS-220-89A ..... c 31 N81-19343 *
US-PATENT-CLASS-220-89 ..... c 11 N71-15960 *
US-PATENT-CLASS-220-89 ..... c 11 N71-17600 *
US-PATENT-CLASS-220-901 ..... c 37 N80-18393 *
US-PATENT-CLASS-220-9 ..... c 23 N71-22881 *
US-PATENT-CLASS-220-9 ..... c 18 N71-23658 *
US-PATENT-CLASS-220-9 ..... c 15 N71-23816 *
US-PATENT-CLASS-220-9 ..... c 33 N71-25351 *
US-PATENT-CLASS-221-265 ..... c 51 N74-15778 *
US-PATENT-CLASS-222-131 ..... c 31 N79-21225 *
US-PATENT-CLASS-222-135 ..... c 15 N72-21465 *
US-PATENT-CLASS-222-137 ..... c 14 N71-27005 *
US-PATENT-CLASS-222-145 ..... c 37 N76-19436 *
US-PATENT-CLASS-222-193 ..... c 37 N74-13178 *
US-PATENT-CLASS-222-309 ..... c 15 N72-21465 *
US-PATENT-CLASS-222-309 ..... c 54 N74-12779 *
US-PATENT-CLASS-222-309 ..... c 35 N85-21595 *
US-PATENT-CLASS-222-324 ..... c 54 N74-17853 *
US-PATENT-CLASS-222-340 ..... c 54 N74-12779 *
US-PATENT-CLASS-222-340 ..... c 35 N85-21595 *
US-PATENT-CLASS-222-387 ..... c 54 N74-12779 *
US-PATENT-CLASS-222-389 ..... c 15 N70-38996 *
US-PATENT-CLASS-222-414 ..... c 14 N73-27378 *
US-PATENT-CLASS-222-43 ..... c 35 N85-21595 *
US-PATENT-CLASS-222-45 ..... c 14 N70-40233 *
US-PATENT-CLASS-222-48 ..... c 35 N85-21595 *
US-PATENT-CLASS-222-49 ..... c 14 N71-27005 *
US-PATENT-CLASS-222-514 ..... c 54 N74-12779 *
US-PATENT-CLASS-222-61 ..... c 27 N71-29155 *
US-PATENT-CLASS-222-61 ..... c 37 N77-28487 *
US-PATENT-CLASS-222-71 ..... c 15 N72-21465 *
US-PATENT-CLASS-222-95 ..... c 37 N77-28487 *
US-PATENT-CLASS-224-25A ..... c 05 N72-23085 *
US-PATENT-CLASS-224-25 ..... c 05 N71-12351 *
US-PATENT-CLASS-224-444 ..... c 54 N74-17853 *
US-PATENT-CLASS-225-103 ..... c 37 N82-32730 *
US-PATENT-CLASS-225-1 ..... c 15 N71-17628 *
US-PATENT-CLASS-225-2 ..... c 26 N71-14354 *
US-PATENT-CLASS-226-190 ..... c 08 N71-19420 *
US-PATENT-CLASS-226-58 ..... c 14 N71-28935 *
US-PATENT-CLASS-227-27 ..... c 37 N86-25790 *
US-PATENT-CLASS-227-28 ..... c 37 N86-25790 *
US-PATENT-CLASS-228-103 ..... c 35 N83-35338 *
US-PATENT-CLASS-228-107 ..... c 37 N79-13364 *
US-PATENT-CLASS-228-107 ..... c 37 N88-14359 *
US-PATENT-CLASS-228-109 ..... c 37 N88-14359 *
US-PATENT-CLASS-228-116 ..... c 37 N81-19455 *
US-PATENT-CLASS-228-118 ..... c 24 N81-17170 *
US-PATENT-CLASS-228-118 ..... c 24 N81-26179 *
US-PATENT-CLASS-228-119 ..... c 37 N86-32736 * #
US-PATENT-CLASS-228-124 ..... c 26 N77-29260 *
US-PATENT-CLASS-228-124 ..... c 37 N87-21334 *
US-PATENT-CLASS-228-13 ..... c 18 N79-11108 *
US-PATENT-CLASS-228-15.1 ..... c 18 N79-11108 *
US-PATENT-CLASS-228-157 ..... c 24 N82-24296 *
US-PATENT-CLASS-228-157 ..... c 24 N84-11214 *
US-PATENT-CLASS-228-165 ..... c 35 N84-22930 *
US-PATENT-CLASS-228-170 ..... c 24 N81-17170 *
US-PATENT-CLASS-228-173 ..... c 18 N79-11108 *
US-PATENT-CLASS-228-174 ..... c 24 N81-17170 *
US-PATENT-CLASS-228-181 ..... c 24 N84-11214 *
US-PATENT-CLASS-228-190 ..... c 24 N75-28135 *
US-PATENT-CLASS-228-190 ..... c 26 N77-28265 *
US-PATENT-CLASS-228-190 ..... c 24 N81-17170 *
US-PATENT-CLASS-228-190 ..... c 24 N81-26179 *
US-PATENT-CLASS-228-193 ..... c 24 N75-28135 *
US-PATENT-CLASS-228-193 ..... c 37 N76-18455 *
US-PATENT-CLASS-228-193 ..... c 35 N83-35338 *
US-PATENT-CLASS-228-194 ..... c 26 N77-28265 *
US-PATENT-CLASS-228-1 ..... c 37 N75-25185 *
US-PATENT-CLASS-228-2.5 ..... c 37 N79-13364 *
US-PATENT-CLASS-228-2.5 ..... c 37 N88-14359 *
US-PATENT-CLASS-228-205 ..... c 37 N81-19455 *
US-PATENT-CLASS-228-206 ..... c 37 N76-18455 *
US-PATENT-CLASS-228-208 ..... c 37 N87-21334 *
US-PATENT-CLASS-228-209 ..... c 37 N87-21334 *
US-PATENT-CLASS-228-212 ..... c 37 N80-23655 *
US-PATENT-CLASS-228-212 ..... c 24 N84-11214 *
US-PATENT-CLASS-228-214 ..... c 37 N76-18455 *
US-PATENT-CLASS-228-222 ..... c 37 N80-23655 *
US-PATENT-CLASS-228-232 ..... c 26 N77-28265 *
US-PATENT-CLASS-228-238 ..... c 37 N76-18455 *
US-PATENT-CLASS-228-263.18 .. c 35 N83-35338 *
US-PATENT-CLASS-228-263 ..... c 26 N77-29260 *
US-PATENT-CLASS-228-44.1R ... c 37 N80-23655 *
US-PATENT-CLASS-228-5.1 ..... c 44 N79-24431 *
US-PATENT-CLASS-228-50 ..... c 15 N70-39924 *
US-PATENT-CLASS-228-50 ..... c 15 N70-40204 *

US-PATENT-CLASS-228-53

US-PATENT-CLASS-228-53 ..... c 15 N71-27214 *
US-PATENT-CLASS-228-57 ..... c 15 N72-22491 *
US-PATENT-CLASS-228-6 ..... c 44 N79-24431 *
US-PATENT-CLASS-228-7 ..... c 15 N71-15607 *
US-PATENT-CLASS-228-8 ..... c 15 N71-23050 *
US-PATENT-CLASS-228-8 ..... c 37 N79-10421 *
US-PATENT-CLASS-228-9 ..... c 15 N71-20393 *
US-PATENT-CLASS-229-DIG.11 . c 32 N73-13921 *
US-PATENT-CLASS-23-109 ..... c 04 N72-33072 *
US-PATENT-CLASS-23-201 ..... c 06 N72-17095 *
US-PATENT-CLASS-23-208 ..... c 15 N69-21922 * #
US-PATENT-CLASS-23-208 ..... c 26 N70-36805 *
US-PATENT-CLASS-23-209.1 ..... c 15 N72-20446 *
US-PATENT-CLASS-23-230B ..... c 25 N75-14844 *
US-PATENT-CLASS-23-230B ..... c 23 N77-17161 *
US-PATENT-CLASS-23-230B ..... c 25 N79-14169 *
US-PATENT-CLASS-23-230B ..... c 51 N80-27067 *
US-PATENT-CLASS-23-230L ..... c 35 N74-32879 *
US-PATENT-CLASS-23-230M ..... c 25 N76-18245 *
US-PATENT-CLASS-23-230M ..... c 23 N77-17161 *
US-PATENT-CLASS-23-230PC .... c 25 N78-15210 *
US-PATENT-CLASS-23-230PC .... c 25 N82-12166 *
US-PATENT-CLASS-23-230R ..... c 06 N72-17094 *
US-PATENT-CLASS-23-230R ..... c 17 N73-12547 *
US-PATENT-CLASS-23-230R ..... c 17 N73-27446 *
US-PATENT-CLASS-23-230R ..... c 25 N76-18245 *
US-PATENT-CLASS-23-230R ..... c 45 N76-31714 *
US-PATENT-CLASS-23-230R ..... c 23 N77-17161 *
US-PATENT-CLASS-23-230 ..... c 06 N71-23527 *
US-PATENT-CLASS-23-230 ..... c 06 N72-17095 *
US-PATENT-CLASS-23-231 ..... c 23 N77-17161 *
US-PATENT-CLASS-23-232C ..... c 06 N72-17094 *
US-PATENT-CLASS-23-232C ..... c 25 N76-18245 *
US-PATENT-CLASS-23-232C ..... c 23 N77-17161 *
US-PATENT-CLASS-23-232E ..... c 06 N73-16106 *
US-PATENT-CLASS-23-232E ..... c 45 N76-31714 *
US-PATENT-CLASS-23-232E ..... c 25 N78-15210 *
US-PATENT-CLASS-23-232E ..... c 25 N82-12166 *
US-PATENT-CLASS-23-232R ..... c 06 N73-16106 *
US-PATENT-CLASS-23-232R ..... c 45 N76-31714 *
US-PATENT-CLASS-23-232R ..... c 23 N77-17161 *
US-PATENT-CLASS-23-232R ..... c 25 N78-15210 *
US-PATENT-CLASS-23-252R ..... c 25 N74-12813 *
US-PATENT-CLASS-23-252R ..... c 25 N79-10162 *
US-PATENT-CLASS-23-252R ..... c 25 N79-28253 *
US-PATENT-CLASS-23-253A ..... c 51 N77-27677 *
US-PATENT-CLASS-23-253A ..... c 54 N78-14784 *
US-PATENT-CLASS-23-253PC .... c 06 N72-17094 *
US-PATENT-CLASS-23-253PC .... c 37 N74-18123 *
US-PATENT-CLASS-23-253R ..... c 15 N72-21465 *
US-PATENT-CLASS-23-253R ..... c 25 N75-14844 *
US-PATENT-CLASS-23-253R ..... c 25 N76-18245 *
US-PATENT-CLASS-23-253 ..... c 23 N71-16355 *
US-PATENT-CLASS-23-253 ..... c 06 N71-26754 *
US-PATENT-CLASS-23-253 ..... c 06 N72-17095 *
US-PATENT-CLASS-23-254EF .... c 35 N76-18403 *
US-PATENT-CLASS-23-254E ..... c 06 N73-16106 *
US-PATENT-CLASS-23-254E ..... c 33 N75-26245 *
US-PATENT-CLASS-23-254E ..... c 35 N75-29380 *
US-PATENT-CLASS-23-254E ..... c 45 N76-21742 *
US-PATENT-CLASS-23-254R ..... c 06 N73-16106 *
US-PATENT-CLASS-23-254R ..... c 25 N76-18245 *
US-PATENT-CLASS-23-254R ..... c 23 N77-17161 *
US-PATENT-CLASS-23-254 ..... c 14 N71-20442 *
US-PATENT-CLASS-23-255E ..... c 35 N75-29380 *
US-PATENT-CLASS-23-255R ..... c 25 N76-18245 *
US-PATENT-CLASS-23-259 ..... c 15 N71-27372 *
US-PATENT-CLASS-23-259 ..... c 15 N72-21465 *
US-PATENT-CLASS-23-259 ..... c 37 N74-18123 *
US-PATENT-CLASS-23-259 ..... c 51 N77-27677 *
US-PATENT-CLASS-23-277C ..... c 25 N74-33378 *
US-PATENT-CLASS-23-277R ..... c 44 N77-22607 *
US-PATENT-CLASS-23-277 ..... c 26 N70-40015 *
US-PATENT-CLASS-23-281 ..... c 28 N72-18766 *
US-PATENT-CLASS-23-281 ..... c 25 N74-12813 *
US-PATENT-CLASS-23-281 ..... c 44 N76-18642 *
US-PATENT-CLASS-23-281 ..... c 44 N76-29700 *
US-PATENT-CLASS-23-281 ..... c 44 N77-10636 *
US-PATENT-CLASS-23-281 ..... c 44 N77-22607 *
US-PATENT-CLASS-23-284 ..... c 35 N74-15127 *
US-PATENT-CLASS-23-288F ..... c 25 N74-12813 *
US-PATENT-CLASS-23-288J ..... c 25 N74-12813 *
US-PATENT-CLASS-23-288R ..... c 28 N80-10374 *
US-PATENT-CLASS-23-288 ..... c 28 N72-18766 *
US-PATENT-CLASS-23-292 ..... c 51 N77-27677 *
US-PATENT-CLASS-23-293R ..... c 28 N81-15119 *
US-PATENT-CLASS-23-295R ..... c 76 N85-29800 *
US-PATENT-CLASS-23-300 ..... c 28 N80-23471 *
US-PATENT-CLASS-23-302A ..... c 28 N80-23471 *
US-PATENT-CLASS-23-302R ..... c 28 N80-23471 *
US-PATENT-CLASS-23-302T ..... c 28 N80-23471 *
US-PATENT-CLASS-23-313R ..... c 71 N85-22104 *
US-PATENT-CLASS-23-55 ..... c 06 N72-17093 *
US-PATENT-CLASS-23-88 ..... c 06 N72-17093 *
US-PATENT-CLASS-23-927 ..... c 51 N80-16714 *
US-PATENT-CLASS-23-97 ..... c 06 N72-17093 *
US-PATENT-CLASS-230-162 ..... c 33 N71-17610 *
US-PATENT-CLASS-230-221 ..... c 11 N72-22245 *
US-PATENT-CLASS-230-54 ..... c 11 N72-22245 *
US-PATENT-CLASS-233-DIG.1 .... c 34 N75-26282 *
US-PATENT-CLASS-233-11 ..... c 15 N71-16079 *
US-PATENT-CLASS-233-20RP .... c 34 N75-26282 *
US-PATENT-CLASS-233-25 ..... c 34 N75-26282 *
US-PATENT-CLASS-233-46 ..... c 34 N75-26282 *
US-PATENT-CLASS-233-6 ..... c 34 N75-26282 *
US-PATENT-CLASS-235.150.27 .. c 04 N74-13420 *
US-PATENT-CLASS-235-10.2 ..... c 08 N73-25206 *
US-PATENT-CLASS-235-150.1 .... c 08 N71-29033 *
US-PATENT-CLASS-235-150.1 .... c 08 N72-31226 *
US-PATENT-CLASS-235-150.1 .... c 32 N77-10392 *
US-PATENT-CLASS-235-150.22 .. c 02 N71-13421 *
US-PATENT-CLASS-235-150.22 .. c 04 N74-13420 *
US-PATENT-CLASS-235-150.25 .. c 21 N71-21688 *
US-PATENT-CLASS-235-150.25 .. c 35 N77-20399 *
US-PATENT-CLASS-235-150.26 .. c 04 N74-13420 *
US-PATENT-CLASS-235-150.27 .. c 08 N71-29033 *
US-PATENT-CLASS-235-150.2 .... c 08 N71-29033 *
US-PATENT-CLASS-235-150.2 .... c 35 N77-20399 *
US-PATENT-CLASS-235-150.3 .... c 33 N74-10223 *
US-PATENT-CLASS-235-150.52 .. c 08 N72-22165 *
US-PATENT-CLASS-235-150.53 .. c 08 N72-22165 *
US-PATENT-CLASS-235-150.53 .. c 07 N73-13149 *
US-PATENT-CLASS-235-150.53 .. c 33 N75-26243 *
US-PATENT-CLASS-235-151.13 .. c 25 N76-18245 *
US-PATENT-CLASS-235-151.1 .... c 08 N71-29033 *
US-PATENT-CLASS-235-151.1 .... c 08 N72-31226 *
US-PATENT-CLASS-235-151.27 .. c 08 N73-25206 *
US-PATENT-CLASS-235-151.31 .. c 10 N73-25240 *
US-PATENT-CLASS-235-151.34 .. c 35 N76-14431 *
US-PATENT-CLASS-235-151.3 .... c 52 N74-22771 *
US-PATENT-CLASS-235-151.3 .... c 38 N78-17395 *
US-PATENT-CLASS-235-151.3 .... c 38 N78-17396 *
US-PATENT-CLASS-235-151 ..... c 37 N74-21056 *
US-PATENT-CLASS-235-152IE ... c 08 N73-32081 *
US-PATENT-CLASS-235-152 ..... c 07 N71-24741 *
US-PATENT-CLASS-235-152 ..... c 08 N72-20176 *
US-PATENT-CLASS-235-152 ..... c 08 N72-22167 *
US-PATENT-CLASS-235-152 ..... c 08 N72-25210 *
US-PATENT-CLASS-235-152 ..... c 08 N73-12175 *
US-PATENT-CLASS-235-152 ..... c 09 N73-13209 *
US-PATENT-CLASS-235-152 ..... c 08 N73-26175 *
US-PATENT-CLASS-235-152 ..... c 60 N77-14751 *
US-PATENT-CLASS-235-153AE .. c 60 N76-21914 *
US-PATENT-CLASS-235-153AK .. c 62 N74-14920 *
US-PATENT-CLASS-235-153 ..... c 08 N71-24633 *
US-PATENT-CLASS-235-153 ..... c 08 N72-22166 *
US-PATENT-CLASS-235-154 ..... c 08 N70-34778 *
US-PATENT-CLASS-235-154 ..... c 10 N71-23662 *
US-PATENT-CLASS-235-154 ..... c 08 N72-18184 *
US-PATENT-CLASS-235-154 ..... c 08 N72-25206 *
US-PATENT-CLASS-235-155 ..... c 08 N71-24890 *
US-PATENT-CLASS-235-155 ..... c 08 N72-21197 *
US-PATENT-CLASS-235-155 ..... c 08 N73-12176 *
US-PATENT-CLASS-235-156 ..... c 08 N71-18693 *
US-PATENT-CLASS-235-156 ..... c 60 N75-13539 *
US-PATENT-CLASS-235-156 ..... c 32 N76-21366 *
US-PATENT-CLASS-235-156 ..... c 32 N77-10392 *
US-PATENT-CLASS-235-156 ..... c 38 N78-17395 *
US-PATENT-CLASS-235-156 ..... c 38 N78-17396 *
US-PATENT-CLASS-235-158 ..... c 08 N71-19437 *
US-PATENT-CLASS-235-164 ..... c 08 N71-33110 *
US-PATENT-CLASS-235-164 ..... c 08 N73-26175 *
US-PATENT-CLASS-235-164 ..... c 60 N74-20836 *
US-PATENT-CLASS-235-175 ..... c 08 N71-18602 *
US-PATENT-CLASS-235-175 ..... c 08 N71-33110 *
US-PATENT-CLASS-235-176 ..... c 08 N70-34787 *
US-PATENT-CLASS-235-181 ..... c 07 N71-21476 *
US-PATENT-CLASS-235-181 ..... c 07 N73-13149 *
US-PATENT-CLASS-235-181 ..... c 35 N75-21582 *
US-PATENT-CLASS-235-181 ..... c 33 N75-26243 *
US-PATENT-CLASS-235-181 ..... c 43 N77-10584 *
US-PATENT-CLASS-235-181 ..... c 38 N78-17395 *
US-PATENT-CLASS-235-183 ..... c 08 N72-22165 *
US-PATENT-CLASS-235-184 ..... c 74 N76-18913 *
US-PATENT-CLASS-235-186 ..... c 10 N73-26230 *
US-PATENT-CLASS-235-194 ..... c 09 N71-19480 *
US-PATENT-CLASS-235-194 ..... c 08 N72-22165 *
US-PATENT-CLASS-235-194 ..... c 10 N73-26230 *
US-PATENT-CLASS-235-197 ..... c 08 N72-22165 *
US-PATENT-CLASS-235-197 ..... c 09 N72-23173 *
US-PATENT-CLASS-235-197 ..... c 10 N73-20253 *
US-PATENT-CLASS-235-197 ..... c 10 N73-26230 *
US-PATENT-CLASS-235-197 ..... c 60 N75-13539 *
US-PATENT-CLASS-235-201 ..... c 10 N71-25899 *
US-PATENT-CLASS-235-61.6 ..... c 01 N71-13411 *
US-PATENT-CLASS-235-61.6 ..... c 15 N71-21179 *
US-PATENT-CLASS-235-61NV .... c 08 N72-11172 *
US-PATENT-CLASS-235-61NV .... c 35 N76-29552 *
US-PATENT-CLASS-235-70 ..... c 04 N78-17031 *
US-PATENT-CLASS-235-78M ..... c 35 N76-29552 *
US-PATENT-CLASS-235-88M ..... c 35 N76-29552 *
US-PATENT-CLASS-235-92CA .... c 33 N74-10223 *
US-PATENT-CLASS-235-92CA .... c 38 N77-17495 *
US-PATENT-CLASS-235-92CC .... c 08 N72-20176 *
US-PATENT-CLASS-235-92CT .... c 38 N77-17495 *
US-PATENT-CLASS-235-92CV .... c 08 N73-25206 *
US-PATENT-CLASS-235-92DE .... c 08 N72-20176 *
US-PATENT-CLASS-235-92DM ... c 08 N72-20176 *
US-PATENT-CLASS-235-92DM ... c 33 N74-10223 *
US-PATENT-CLASS-235-92DM ... c 33 N75-19519 *
US-PATENT-CLASS-235-92DN .... c 08 N73-25206 *
US-PATENT-CLASS-235-92DN .... c 38 N77-17495 *
US-PATENT-CLASS-235-92EA .... c 08 N73-25206 *
US-PATENT-CLASS-235-92EV .... c 08 N73-25206 *
US-PATENT-CLASS-235-92FQ .... c 08 N73-20217 *
US-PATENT-CLASS-235-92LG .... c 08 N72-20176 *
US-PATENT-CLASS-235-92LG .... c 33 N75-19519 *
US-PATENT-CLASS-235-92MT .... c 08 N72-31226 *
US-PATENT-CLASS-235-92MT .... c 32 N73-26910 *
US-PATENT-CLASS-235-92PC .... c 35 N82-11431 *
US-PATENT-CLASS-235-92PE .... c 37 N74-21056 *
US-PATENT-CLASS-235-92R ..... c 08 N72-20176 *
US-PATENT-CLASS-235-92R ..... c 08 N73-20217 *
US-PATENT-CLASS-235-92R ..... c 08 N73-25206 *
US-PATENT-CLASS-235-92R ..... c 33 N75-19519 *
US-PATENT-CLASS-235-92R ..... c 38 N77-17495 *
US-PATENT-CLASS-235-92SB .... c 37 N74-21056 *
US-PATENT-CLASS-235-92SH .... c 33 N76-14373 *
US-PATENT-CLASS-235-92T ..... c 03 N72-25020 *
US-PATENT-CLASS-235-92T ..... c 08 N73-20217 *
US-PATENT-CLASS-235-92T ..... c 33 N75-19519 *
US-PATENT-CLASS-235-92VA .... c 33 N75-19519 *
US-PATENT-CLASS-235-92 ..... c 08 N71-22897 *
US-PATENT-CLASS-235-92 ..... c 08 N71-24891 *
US-PATENT-CLASS-235-92 ..... c 10 N71-27137 *
US-PATENT-CLASS-235-92 ..... c 14 N71-27215 *
US-PATENT-CLASS-236-1F ..... c 35 N81-26431 *
US-PATENT-CLASS-236-13 ..... c 31 N80-32583 *
US-PATENT-CLASS-236-15-E .... c 25 N88-29002 *
US-PATENT-CLASS-236-1 ..... c 33 N71-16357 *
US-PATENT-CLASS-236-44C ..... c 31 N80-32583 *
US-PATENT-CLASS-236-49 ..... c 31 N74-27902 *
US-PATENT-CLASS-236-49 ..... c 31 N80-32583 *
US-PATENT-CLASS-236-68 ..... c 15 N72-12409 *
US-PATENT-CLASS-237-1A ..... c 44 N76-14602 *
US-PATENT-CLASS-237-1A ..... c 44 N78-10554 *
US-PATENT-CLASS-237-1A ..... c 44 N78-15560 *
US-PATENT-CLASS-237-1A ..... c 44 N78-17460 *
US-PATENT-CLASS-237-1A ..... c 44 N78-31525 *
US-PATENT-CLASS-237-1A ..... c 44 N79-24433 *
US-PATENT-CLASS-237-60 ..... c 34 N76-17317 *
US-PATENT-CLASS-238-134 ..... c 85 N74-34672 *
US-PATENT-CLASS-238-1 ..... c 05 N71-28619 *
US-PATENT-CLASS-239-DIG.23 . c 37 N85-29283 *
US-PATENT-CLASS-239-102 ..... c 37 N80-10494 *
US-PATENT-CLASS-239-127.1 .... c 28 N71-23968 *
US-PATENT-CLASS-239-127.1 .... c 28 N73-32606 *
US-PATENT-CLASS-239-127.1 .... c 34 N79-13288 *
US-PATENT-CLASS-239-127.1 .... c 34 N79-13289 *
US-PATENT-CLASS-239-127.1 .... c 34 N80-24573 *
US-PATENT-CLASS-239-127.1 .... c 44 N81-24519 *
US-PATENT-CLASS-239-127.3 .... c 20 N76-14191 *
US-PATENT-CLASS-239-127.3 .... c 07 N80-32392 *
US-PATENT-CLASS-239-132.5 .... c 20 N87-14420 *
US-PATENT-CLASS-239-171 ..... c 37 N77-13418 *
US-PATENT-CLASS-239-265.11 .. c 18 N71-21068 *
US-PATENT-CLASS-239-265.11 .. c 07 N74-33218 *
US-PATENT-CLASS-239-265.11 .. c 07 N76-18117 *
US-PATENT-CLASS-239-265.15 .. c 37 N79-22474 *
US-PATENT-CLASS-239-265.17 .. c 07 N74-27490 *
US-PATENT-CLASS-239-265.17 .. c 07 N83-33884 *
US-PATENT-CLASS-239-265.17 .. c 71 N84-14873 *
US-PATENT-CLASS-239-265.19 .. c 28 N71-21493 *
US-PATENT-CLASS-239-265.19 .. c 28 N72-11708 *
US-PATENT-CLASS-239-265.25 .. c 07 N78-27121 *
US-PATENT-CLASS-239-265.25 .. c 09 N78-31129 *
US-PATENT-CLASS-239-265.33 .. c 07 N78-27121 *
US-PATENT-CLASS-239-265.33 .. c 07 N80-32392 *
US-PATENT-CLASS-239-265.39 .. c 07 N79-14097 *
US-PATENT-CLASS-239-265.43 .. c 28 N71-16224 *
US-PATENT-CLASS-239-265.43 .. c 28 N72-11708 *
US-PATENT-CLASS-239-288 ..... c 37 N79-22474 *
US-PATENT-CLASS-239-288 ..... c 37 N85-29283 *
US-PATENT-CLASS-239-302 ..... c 37 N80-10494 *
US-PATENT-CLASS-239-322 ..... c 37 N85-29283 *
US-PATENT-CLASS-239-327 ..... c 37 N85-29283 *
US-PATENT-CLASS-239-375 ..... c 37 N85-29283 *
US-PATENT-CLASS-239-402.5 .... c 07 N85-35195 *
US-PATENT-CLASS-239-403 ..... c 20 N87-14420 *
US-PATENT-CLASS-239-416 ..... c 15 N69-23185 * #
US-PATENT-CLASS-239-416 ..... c 15 N71-17654 *
US-PATENT-CLASS-239-418 ..... c 28 N72-23809 *
US-PATENT-CLASS-239-424 ..... c 15 N72-25455 *
US-PATENT-CLASS-239-425 ..... c 20 N87-14420 *
US-PATENT-CLASS-239-426 ..... c 34 N84-12406 *
US-PATENT-CLASS-239-426 ..... c 34 N87-21255 *
US-PATENT-CLASS-239-433 ..... c 28 N72-23809 *
US-PATENT-CLASS-239-433 ..... c 37 N87-24689 *

US-PATENT-CLASS-239-434 ..... c 34 N87-21255 *
US-PATENT-CLASS-239-499 ..... c 34 N82-13376 *
US-PATENT-CLASS-239-543 ..... c 28 N72-23809 *
US-PATENT-CLASS-239-545 ..... c 34 N87-21255 *
US-PATENT-CLASS-239-562 ..... c 43 N81-26509 *
US-PATENT-CLASS-239-568 ..... c 37 N84-16561 *
US-PATENT-CLASS-239-589 ..... c 34 N82-13376 *
US-PATENT-CLASS-239-590 ..... c 37 N85-29283 *
US-PATENT-CLASS-239-591 ..... c 43 N81-26509 *
US-PATENT-CLASS-239-596 ..... c 37 N87-24689 *
US-PATENT-CLASS-239-600 ..... c 37 N87-24689 *
US-PATENT-CLASS-239-601 ..... c 34 N82-13376 *
US-PATENT-CLASS-239-690 ..... c 28 N82-18401 *
US-PATENT-CLASS-24-126 ..... c 15 N71-22994 *
US-PATENT-CLASS-24-134R ..... c 15 N73-25512 *
US-PATENT-CLASS-24-205.17 .... c 15 N71-25975 *
US-PATENT-CLASS-24-211N ..... c 15 N72-11385 *
US-PATENT-CLASS-24-211 ..... c 15 N71-17653 *
US-PATENT-CLASS-24-214 ..... c 31 N83-31895 *
US-PATENT-CLASS-24-263 ..... c 15 N71-21076 *
US-PATENT-CLASS-24-263 ..... c 15 N71-26162 *
US-PATENT-CLASS-24-304 ..... c 27 N85-20125 *
US-PATENT-CLASS-24-447 ..... c 27 N85-20125 *
US-PATENT-CLASS-24-450 ..... c 27 N85-20125 *
US-PATENT-CLASS-24-560 ..... c 52 N84-28388 *
US-PATENT-CLASS-24-693 ..... c 27 N85-20125 *
US-PATENT-CLASS-240-1.2 ..... c 11 N70-33329 *
US-PATENT-CLASS-240-11.2 ..... c 09 N71-26787 *
US-PATENT-CLASS-240-11.4 ..... c 09 N71-26787 *
US-PATENT-CLASS-240-41.35R . c 74 N77-21941 *
US-PATENT-CLASS-240-41B ..... c 36 N75-27364 *
US-PATENT-CLASS-240-41R ..... c 74 N77-21941 *
US-PATENT-CLASS-240-46.13 .... c 74 N77-21941 *
US-PATENT-CLASS-240-47 ..... c 34 N74-23066 *
US-PATENT-CLASS-240-51.11 .... c 09 N71-26787 *
US-PATENT-CLASS-241-95 ..... c 37 N84-16561 *
US-PATENT-CLASS-242-107 ..... c 33 N86-20660 *
US-PATENT-CLASS-242-128 ..... c 15 N82-24272 *
US-PATENT-CLASS-242-187 ..... c 37 N77-14479 *
US-PATENT-CLASS-242-192 ..... c 14 N71-23698 *
US-PATENT-CLASS-242-193 ..... c 37 N77-14479 *
US-PATENT-CLASS-242-204 ..... c 37 N77-14479 *
US-PATENT-CLASS-242-210 ..... c 37 N77-14479 *
US-PATENT-CLASS-242-54-R .... c 33 N86-20669 *
US-PATENT-CLASS-242-54 ..... c 15 N72-18477 *
US-PATENT-CLASS-242-55.19 .... c 14 N70-41647 *
US-PATENT-CLASS-242-55.19 .... c 07 N71-10609 *
US-PATENT-CLASS-242-57 ..... c 37 N77-14479 *
US-PATENT-CLASS-244.12.2 ..... c 05 N82-26277 *
US-PATENT-CLASS-244-ISS ..... c 03 N72-20031 *
US-PATENT-CLASS-244-1.55 ..... c 03 N73-20040 *
US-PATENT-CLASS-244-1-R ..... c 06 N87-22678 *
US-PATENT-CLASS-244-1A ..... c 33 N77-10429 *
US-PATENT-CLASS-244-1R ..... c 34 N79-31523 *
US-PATENT-CLASS-244-1SA ..... c 21 N72-21624 *
US-PATENT-CLASS-244-1SA ..... c 21 N72-25595 *
US-PATENT-CLASS-244-1SA ..... c 03 N73-20039 *
US-PATENT-CLASS-244-1SA ..... c 15 N73-25513 *
US-PATENT-CLASS-244-1SA ..... c 21 N73-30640 *
US-PATENT-CLASS-244-1SA ..... c 19 N74-15089 *
US-PATENT-CLASS-244-1SA ..... c 35 N74-28097 *
US-PATENT-CLASS-244-1SB ..... c 15 N73-12486 *
US-PATENT-CLASS-244-1SC ..... c 31 N73-32750 *
US-PATENT-CLASS-244-1SC ..... c 34 N75-12222 *
US-PATENT-CLASS-244-1SD ..... c 31 N73-26876 *
US-PATENT-CLASS-244-1SD ..... c 37 N74-27903 *
US-PATENT-CLASS-244-1SD ..... c 15 N77-10112 *
US-PATENT-CLASS-244-1SS ..... c 11 N73-13257 *
US-PATENT-CLASS-244-1SS ..... c 03 N73-20039 *
US-PATENT-CLASS-244-1SS ..... c 14 N73-27378 *
US-PATENT-CLASS-244-1SS ..... c 31 N73-30829 *
US-PATENT-CLASS-244-1SS ..... c 31 N73-32750 *
US-PATENT-CLASS-244-1SS ..... c 33 N73-32818 *
US-PATENT-CLASS-244-1SS ..... c 18 N74-22136 *
US-PATENT-CLASS-244-1SS ..... c 18 N74-27397 *
US-PATENT-CLASS-244-1SS ..... c 73 N75-30876 *
US-PATENT-CLASS-244-100 ..... c 15 N70-34850 *
US-PATENT-CLASS-244-100 ..... c 31 N70-36654 *
US-PATENT-CLASS-244-100 ..... c 31 N70-36845 *
US-PATENT-CLASS-244-100 ..... c 02 N70-41589 *
US-PATENT-CLASS-244-103R .... c 37 N81-24443 *
US-PATENT-CLASS-244-103 ..... c 02 N70-36825 *
US-PATENT-CLASS-244-110B .... c 07 N82-26293 *
US-PATENT-CLASS-244-110C .... c 37 N82-18601 *
US-PATENT-CLASS-244-113 ..... c 02 N70-37939 *
US-PATENT-CLASS-244-113 ..... c 31 N71-25434 *
US-PATENT-CLASS-244-113 ..... c 02 N77-10001 *
US-PATENT-CLASS-244-113 ..... c 37 N82-16408 *
US-PATENT-CLASS-244-113 ..... c 08 N85-35200 *
US-PATENT-CLASS-244-114R .... c 04 N82-16059 *
US-PATENT-CLASS-244-114 ..... c 21 N72-22619 *
US-PATENT-CLASS-244-115 ..... c 18 N83-29303 *
US-PATENT-CLASS-244-117-A ... c 24 N88-18628 *
US-PATENT-CLASS-244-117A .... c 33 N73-25952 *
US-PATENT-CLASS-244-117A .... c 34 N76-17317 *
US-PATENT-CLASS-244-117A .... c 37 N76-19437 *
US-PATENT-CLASS-244-117A .... c 34 N77-18382 *
US-PATENT-CLASS-244-117A .... c 05 N81-26114 *
US-PATENT-CLASS-244-117A .... c 27 N84-27886 *
US-PATENT-CLASS-244-117 ..... c 31 N70-33242 *
US-PATENT-CLASS-244-117 ..... c 33 N72-17947 *
US-PATENT-CLASS-244-118.1 .... c 08 N82-32373 *
US-PATENT-CLASS-244-118.1 .... c 18 N85-29991 *
US-PATENT-CLASS-244-118.1 .... c 37 N85-34401 *
US-PATENT-CLASS-244-118.1 .... c 05 N87-14314 *
US-PATENT-CLASS-244-119 ..... c 02 N81-14968 *
US-PATENT-CLASS-244-119 ..... c 24 N82-24296 *
US-PATENT-CLASS-244-119 ..... c 24 N82-26384 *
US-PATENT-CLASS-244-119 ..... c 24 N84-11214 *
US-PATENT-CLASS-244-119 ..... c 05 N88-23765 *
US-PATENT-CLASS-244-12.3 ..... c 05 N88-28914 *
US-PATENT-CLASS-244-12.4 ..... c 05 N88-28914 *
US-PATENT-CLASS-244-12.5 ..... c 08 N81-19130 *
US-PATENT-CLASS-244-120 ..... c 05 N88-23765 *
US-PATENT-CLASS-244-121 ..... c 27 N79-12221 *
US-PATENT-CLASS-244-121 ..... c 24 N79-25142 *
US-PATENT-CLASS-244-121 ..... c 15 N79-26100 *
US-PATENT-CLASS-244-121 ..... c 27 N82-24339 *
US-PATENT-CLASS-244-121 ..... c 27 N82-29456 *
US-PATENT-CLASS-244-121 ..... c 37 N87-17036 *
US-PATENT-CLASS-244-122 ..... c 05 N71-20718 *
US-PATENT-CLASS-244-123 ..... c 24 N77-28225 *
US-PATENT-CLASS-244-123 ..... c 24 N82-24296 *
US-PATENT-CLASS-244-123 ..... c 24 N82-26384 *
US-PATENT-CLASS-244-123 ..... c 24 N84-11214 *
US-PATENT-CLASS-244-127 ..... c 34 N74-23039 *
US-PATENT-CLASS-244-12 ..... c 02 N70-33332 *
US-PATENT-CLASS-244-130 ..... c 02 N77-10001 *
US-PATENT-CLASS-244-130 ..... c 02 N81-14968 *
US-PATENT-CLASS-244-130 ..... c 37 N81-24443 *
US-PATENT-CLASS-244-130 ..... c 02 N87-16793 *
US-PATENT-CLASS-244-130 ..... c 07 N87-16828 *
US-PATENT-CLASS-244-130 ..... c 02 N88-14071 *
US-PATENT-CLASS-244-130 ..... c 05 N88-23765 *
US-PATENT-CLASS-244-132 ..... c 24 N82-26384 *
US-PATENT-CLASS-244-132 ..... c 24 N82-32417 *
US-PATENT-CLASS-244-134-D ... c 33 N86-20671 *
US-PATENT-CLASS-244-134-D ... c 33 N87-28833 *
US-PATENT-CLASS-244-134-F ... c 35 N88-29149 *
US-PATENT-CLASS-244-135R .... c 34 N76-17317 *
US-PATENT-CLASS-244-135R .... c 20 N80-10278 *
US-PATENT-CLASS-244-135 ..... c 31 N70-42015 *
US-PATENT-CLASS-244-135 ..... c 15 N73-12486 *
US-PATENT-CLASS-244-135 ..... c 14 N73-27378 *
US-PATENT-CLASS-244-137-A ... c 05 N87-14314 *
US-PATENT-CLASS-244-137P .... c 31 N73-26876 *
US-PATENT-CLASS-244-137P .... c 37 N76-22540 *
US-PATENT-CLASS-244-137P .... c 01 N83-35992 *
US-PATENT-CLASS-244-137R .... c 08 N82-32373 *
US-PATENT-CLASS-244-138 ..... c 01 N69-39981 * #
US-PATENT-CLASS-244-138 ..... c 02 N70-41630 *
US-PATENT-CLASS-244-138 ..... c 31 N71-16085 *
US-PATENT-CLASS-244-138 ..... c 31 N71-25434 *
US-PATENT-CLASS-244-138 ..... c 31 N71-28851 *
US-PATENT-CLASS-244-139 ..... c 31 N73-13898 *
US-PATENT-CLASS-244-139 ..... c 02 N76-16014 *
US-PATENT-CLASS-244-139 ..... c 05 N85-21147 *
US-PATENT-CLASS-244-139 ..... c 08 N85-35200 *
US-PATENT-CLASS-244-13 ..... c 01 N71-23497 *
US-PATENT-CLASS-244-13 ..... c 02 N73-26005 *
US-PATENT-CLASS-244-13 ..... c 05 N75-25914 *
US-PATENT-CLASS-244-13 ..... c 05 N84-12154 *
US-PATENT-CLASS-244-140 ..... c 02 N70-38009 *
US-PATENT-CLASS-244-145 ..... c 02 N74-10034 *
US-PATENT-CLASS-244-147 ..... c 05 N85-21147 *
US-PATENT-CLASS-244-14 ..... c 14 N70-33322 *
US-PATENT-CLASS-244-15.5 .... c 31 N72-18859 *
US-PATENT-CLASS-244-150 ..... c 15 N71-24600 *
US-PATENT-CLASS-244-151R .... c 33 N74-22865 *
US-PATENT-CLASS-244-152 ..... c 02 N70-36804 *
US-PATENT-CLASS-244-155 ..... c 30 N73-12884 *
US-PATENT-CLASS-244-155 ..... c 31 N73-14854 *
US-PATENT-CLASS-244-158.R ... c 20 N86-26368 *
US-PATENT-CLASS-244-158-A ... c 37 N85-30335 *
US-PATENT-CLASS-244-158-A ... c 05 N86-19310 *
US-PATENT-CLASS-244-158-A ... c 24 N88-18628 *
US-PATENT-CLASS-244-158-R ... c 05 N86-19310 *
US-PATENT-CLASS-244-158-R ... c 18 N86-20469 *
US-PATENT-CLASS-244-158A .... c 27 N82-24339 *
US-PATENT-CLASS-244-158A .... c 27 N82-29456 *
US-PATENT-CLASS-244-158A .... c 24 N82-32417 *
US-PATENT-CLASS-244-158A .... c 24 N83-13172 *
US-PATENT-CLASS-244-158A .... c 16 N84-22601 *
US-PATENT-CLASS-244-158A .... c 27 N84-27886 *
US-PATENT-CLASS-244-158R .... c 31 N81-25258 *
US-PATENT-CLASS-244-158R .... c 16 N84-27784 *
US-PATENT-CLASS-244-158R .... c 18 N85-29991 *
US-PATENT-CLASS-244-158R .... c 37 N85-34401 *
US-PATENT-CLASS-244-158R .... c 37 N87-17036 *
US-PATENT-CLASS-244-158 ..... c 37 N76-22540 *
US-PATENT-CLASS-244-158 ..... c 27 N79-12221 *
US-PATENT-CLASS-244-159 ..... c 18 N79-11108 *
US-PATENT-CLASS-244-159 ..... c 07 N83-20944 *
US-PATENT-CLASS-244-159 ..... c 31 N83-31895 *
US-PATENT-CLASS-244-159 ..... c 18 N86-24729 *
US-PATENT-CLASS-244-159 ..... c 37 N86-25789 *
US-PATENT-CLASS-244-159 ..... c 18 N88-26398 *
US-PATENT-CLASS-244-15 ..... c 05 N75-25914 *
US-PATENT-CLASS-244-15 ..... c 05 N88-23765 *
US-PATENT-CLASS-244-160 ..... c 27 N79-12221 *
US-PATENT-CLASS-244-160 ..... c 43 N81-17499 *
US-PATENT-CLASS-244-160 ..... c 14 N81-26161 *
US-PATENT-CLASS-244-160 ..... c 27 N82-24339 *
US-PATENT-CLASS-244-160 ..... c 27 N82-29456 *
US-PATENT-CLASS-244-161 ..... c 18 N76-14186 *
US-PATENT-CLASS-244-161 ..... c 37 N76-22540 *
US-PATENT-CLASS-244-161 ..... c 37 N77-23483 *
US-PATENT-CLASS-244-161 ..... c 15 N78-25119 *
US-PATENT-CLASS-244-161 ..... c 37 N80-14398 *
US-PATENT-CLASS-244-161 ..... c 37 N81-14320 *
US-PATENT-CLASS-244-161 ..... c 37 N81-27519 *
US-PATENT-CLASS-244-161 ..... c 18 N83-29303 *
US-PATENT-CLASS-244-161 ..... c 18 N84-22605 *
US-PATENT-CLASS-244-161 ..... c 16 N86-26352 *
US-PATENT-CLASS-244-161 ..... c 37 N87-25582 *
US-PATENT-CLASS-244-162 ..... c 18 N75-19329 *
US-PATENT-CLASS-244-162 ..... c 18 N76-17185 *
US-PATENT-CLASS-244-163 ..... c 37 N76-19437 *
US-PATENT-CLASS-244-163 ..... c 24 N79-25142 *
US-PATENT-CLASS-244-163 ..... c 34 N79-31523 *
US-PATENT-CLASS-244-163 ..... c 05 N81-26114 *
US-PATENT-CLASS-244-163 ..... c 37 N82-16408 *
US-PATENT-CLASS-244-163 ..... c 27 N82-29456 *
US-PATENT-CLASS-244-163 ..... c 35 N85-29214 *
US-PATENT-CLASS-244-165 ..... c 15 N76-14158 *
US-PATENT-CLASS-244-165 ..... c 35 N77-20399 *
US-PATENT-CLASS-244-165 ..... c 35 N80-21719 *
US-PATENT-CLASS-244-165 ..... c 08 N88-23808 *
US-PATENT-CLASS-244-167 ..... c 15 N78-25119 *
US-PATENT-CLASS-244-168 ..... c 04 N82-23231 *
US-PATENT-CLASS-244-169 ..... c 15 N77-10113 *
US-PATENT-CLASS-244-169 ..... c 18 N83-28064 *
US-PATENT-CLASS-244-169 ..... c 20 N86-26368 *
US-PATENT-CLASS-244-16 ..... c 02 N70-41863 *
US-PATENT-CLASS-244-17.13 .... c 02 N73-19004 *
US-PATENT-CLASS-244-17.13 .... c 08 N79-23097 *
US-PATENT-CLASS-244-17.19 .... c 08 N88-23809 *
US-PATENT-CLASS-244-17.25 .... c 05 N81-19087 *
US-PATENT-CLASS-244-17.27 .... c 05 N87-14314 *
US-PATENT-CLASS-244-170 ..... c 35 N80-21719 *
US-PATENT-CLASS-244-170 ..... c 18 N83-28064 *
US-PATENT-CLASS-244-171 ..... c 15 N77-10113 *
US-PATENT-CLASS-244-171 ..... c 35 N77-20399 *
US-PATENT-CLASS-244-172 ..... c 18 N76-17185 *
US-PATENT-CLASS-244-172 ..... c 16 N84-27784 *
US-PATENT-CLASS-244-172 ..... c 18 N84-27787 *
US-PATENT-CLASS-244-172 ..... c 05 N86-19310 *
US-PATENT-CLASS-244-173 ..... c 44 N75-32581 *
US-PATENT-CLASS-244-173 ..... c 37 N81-15364 *
US-PATENT-CLASS-244-173 ..... c 07 N83-20944 *
US-PATENT-CLASS-244-173 ..... c 37 N86-25789 *
US-PATENT-CLASS-244-175 ..... c 04 N82-23231 *
US-PATENT-CLASS-244-181 ..... c 08 N81-24106 *
US-PATENT-CLASS-244-181 ..... c 08 N81-26152 *
US-PATENT-CLASS-244-181 ..... c 06 N86-27280 *
US-PATENT-CLASS-244-182 ..... c 08 N81-26152 *
US-PATENT-CLASS-244-190 ..... c 04 N82-23231 *
US-PATENT-CLASS-244-194 ..... c 60 N82-29013 *
US-PATENT-CLASS-244-195 ..... c 08 N79-23097 *
US-PATENT-CLASS-244-195 ..... c 08 N81-24106 *
US-PATENT-CLASS-244-199 ..... c 07 N85-35194 *
US-PATENT-CLASS-244-199 ..... c 02 N88-14071 *
US-PATENT-CLASS-244-1 ..... c 31 N69-27499 * #
US-PATENT-CLASS-244-1 ..... c 03 N70-33343 *
US-PATENT-CLASS-244-1 ..... c 33 N70-33344 *
US-PATENT-CLASS-244-1 ..... c 03 N70-34157 *
US-PATENT-CLASS-244-1 ..... c 31 N70-34176 *
US-PATENT-CLASS-244-1 ..... c 21 N70-34295 *
US-PATENT-CLASS-244-1 ..... c 31 N70-34296 *
US-PATENT-CLASS-244-1 ..... c 21 N70-35395 *
US-PATENT-CLASS-244-1 ..... c 31 N70-36410 *
US-PATENT-CLASS-244-1 ..... c 33 N70-36617 *
US-PATENT-CLASS-244-1 ..... c 21 N70-36943 *
US-PATENT-CLASS-244-1 ..... c 31 N70-37924 *
US-PATENT-CLASS-244-1 ..... c 31 N70-37938 *
US-PATENT-CLASS-244-1 ..... c 31 N70-37986 *
US-PATENT-CLASS-244-1 ..... c 31 N70-38676 *
US-PATENT-CLASS-244-1 ..... c 30 N70-40016 *
US-PATENT-CLASS-244-1 ..... c 31 N70-41373 *
US-PATENT-CLASS-244-1 ..... c 31 N70-41588 *
US-PATENT-CLASS-244-1 ..... c 31 N70-41631 *
US-PATENT-CLASS-244-1 ..... c 31 N70-41855 *
US-PATENT-CLASS-244-1 ..... c 21 N70-41856 *
US-PATENT-CLASS-244-1 ..... c 31 N70-42075 *
US-PATENT-CLASS-244-1 ..... c 03 N71-11058 *
US-PATENT-CLASS-244-1 ..... c 33 N71-14035 *
US-PATENT-CLASS-244-1 ..... c 21 N71-14132 *
US-PATENT-CLASS-244-1 ..... c 21 N71-14159 *

US-PATENT-CLASS-244-1 ..... c 21 N71-15583 *
US-PATENT-CLASS-244-1 ..... c 31 N71-15663 *
US-PATENT-CLASS-244-1 ..... c 31 N71-15674 *
US-PATENT-CLASS-244-1 ..... c 31 N71-15676 *
US-PATENT-CLASS-244-1 ..... c 02 N71-16087 *
US-PATENT-CLASS-244-1 ..... c 31 N71-16222 *
US-PATENT-CLASS-244-1 ..... c 31 N71-16345 *
US-PATENT-CLASS-244-1 ..... c 31 N71-16346 *
US-PATENT-CLASS-244-1 ..... c 31 N71-17679 *
US-PATENT-CLASS-244-1 ..... c 15 N71-17693 *
US-PATENT-CLASS-244-1 ..... c 31 N71-17729 *
US-PATENT-CLASS-244-1 ..... c 15 N71-19214 *
US-PATENT-CLASS-244-1 ..... c 03 N71-20273 *
US-PATENT-CLASS-244-1 ..... c 31 N71-20396 *
US-PATENT-CLASS-244-1 ..... c 31 N71-21064 *
US-PATENT-CLASS-244-1 ..... c 14 N71-21082 *
US-PATENT-CLASS-244-1 ..... c 21 N71-21708 *
US-PATENT-CLASS-244-1 ..... c 31 N71-21881 *
US-PATENT-CLASS-244-1 ..... c 33 N71-22792 *
US-PATENT-CLASS-244-1 ..... c 31 N71-22968 *
US-PATENT-CLASS-244-1 ..... c 31 N71-22969 *
US-PATENT-CLASS-244-1 ..... c 31 N71-23009 *
US-PATENT-CLASS-244-1 ..... c 14 N71-23040 *
US-PATENT-CLASS-244-1 ..... c 31 N71-23912 *
US-PATENT-CLASS-244-1 ..... c 31 N71-24315 *
US-PATENT-CLASS-244-1 ..... c 15 N71-24600 *
US-PATENT-CLASS-244-1 ..... c 05 N71-24728 *
US-PATENT-CLASS-244-1 ..... c 33 N71-25353 *
US-PATENT-CLASS-244-1 ..... c 31 N71-25434 *
US-PATENT-CLASS-244-1 ..... c 31 N71-26537 *
US-PATENT-CLASS-244-1 ..... c 15 N71-26611 *
US-PATENT-CLASS-244-1 ..... c 28 N71-27095 *
US-PATENT-CLASS-244-1 ..... c 21 N71-27324 *
US-PATENT-CLASS-244-1 ..... c 33 N71-28903 *
US-PATENT-CLASS-244-1 ..... c 15 N71-28936 *
US-PATENT-CLASS-244-1 ..... c 31 N71-29050 *
US-PATENT-CLASS-244-1 ..... c 31 N71-33160 *
US-PATENT-CLASS-244-200 ..... c 02 N87-16793 *
US-PATENT-CLASS-244-200 ..... c 02 N88-14071 *
US-PATENT-CLASS-244-204 ..... c 02 N87-16793 *
US-PATENT-CLASS-244-207 ..... c 05 N88-28914 *
US-PATENT-CLASS-244-212 ..... c 05 N84-22551 *
US-PATENT-CLASS-244-213 ..... c 08 N82-24205 *
US-PATENT-CLASS-244-214 ..... c 08 N85-19985 *
US-PATENT-CLASS-244-215 ..... c 05 N84-22551 *
US-PATENT-CLASS-244-216 ..... c 05 N84-22551 *
US-PATENT-CLASS-244-217 ..... c 37 N82-16408 *
US-PATENT-CLASS-244-218 ..... c 05 N78-32086 *
US-PATENT-CLASS-244-218 ..... c 08 N79-14108 *
US-PATENT-CLASS-244-219 ..... c 05 N84-22551 *
US-PATENT-CLASS-244-226 ..... c 08 N82-24205 *
US-PATENT-CLASS-244-23A ..... c 21 N72-25595 *
US-PATENT-CLASS-244-23C ..... c 05 N82-26277 *
US-PATENT-CLASS-244-23D ..... c 34 N76-18364 *
US-PATENT-CLASS-244-234 ..... c 08 N86-27288 *
US-PATENT-CLASS-244-23 ..... c 02 N71-11039 *
US-PATENT-CLASS-244-2 ..... c 14 N81-26161 *
US-PATENT-CLASS-244-2 ..... c 18 N84-27787 *
US-PATENT-CLASS-244-3.14 ..... c 31 N71-17691 *
US-PATENT-CLASS-244-3.16 ..... c 19 N74-15089 *
US-PATENT-CLASS-244-3.21 ..... c 30 N72-17873 *
US-PATENT-CLASS-244-3.21 ..... c 15 N76-14158 *
US-PATENT-CLASS-244-3.21 ..... c 15 N77-10113 *
US-PATENT-CLASS-244-3.21 ..... c 35 N77-20399 *
US-PATENT-CLASS-244-3.22 ..... c 31 N71-17629 *
US-PATENT-CLASS-244-3.22 ..... c 28 N72-22769 *
US-PATENT-CLASS-244-3.22 ..... c 20 N76-21275 *
US-PATENT-CLASS-244-31 ..... c 02 N71-11037 *
US-PATENT-CLASS-244-31 ..... c 31 N71-16081 *
US-PATENT-CLASS-244-31 ..... c 34 N74-23039 *
US-PATENT-CLASS-244-327 ..... c 08 N74-30421 *
US-PATENT-CLASS-244-32 ..... c 02 N73-13008 *
US-PATENT-CLASS-244-34A ..... c 05 N82-26277 *
US-PATENT-CLASS-244-35A ..... c 02 N84-11136 *
US-PATENT-CLASS-244-35R ..... c 02 N76-22154 *
US-PATENT-CLASS-244-35R ..... c 02 N84-11136 *
US-PATENT-CLASS-244-35R ..... c 02 N84-28732 *
US-PATENT-CLASS-244-35R ..... c 02 N87-16793 *
US-PATENT-CLASS-244-35 ..... c 01 N71-13410 *
US-PATENT-CLASS-244-40R ..... c 02 N76-22154 *
US-PATENT-CLASS-244-42CG .... c 33 N77-10429 *
US-PATENT-CLASS-244-42DA .... c 05 N75-25914 *
US-PATENT-CLASS-244-42 ..... c 02 N70-42016 *
US-PATENT-CLASS-244-42 ..... c 02 N71-26110 *
US-PATENT-CLASS-244-43 ..... c 02 N70-33255 *
US-PATENT-CLASS-244-43 ..... c 02 N71-11043 *
US-PATENT-CLASS-244-44 ..... c 02 N71-11038 *
US-PATENT-CLASS-244-45-A .... c 05 N88-28914 *
US-PATENT-CLASS-244-45A ..... c 05 N78-32086 *
US-PATENT-CLASS-244-45R ..... c 05 N84-12154 *
US-PATENT-CLASS-244-45 ..... c 02 N71-12243 *
US-PATENT-CLASS-244-46 ..... c 02 N70-33266 *
US-PATENT-CLASS-244-46 ..... c 02 N70-33286 *
US-PATENT-CLASS-244-46 ..... c 02 N70-34178 *
US-PATENT-CLASS-244-46 ..... c 02 N70-34858 *
US-PATENT-CLASS-244-46 ..... c 31 N70-38010 *
US-PATENT-CLASS-244-46 ..... c 02 N70-38011 *
US-PATENT-CLASS-244-46 ..... c 02 N71-11041 * #
US-PATENT-CLASS-244-46 ..... c 02 N73-26005 *
US-PATENT-CLASS-244-46 ..... c 05 N76-29217 *
US-PATENT-CLASS-244-46 ..... c 05 N78-32086 *
US-PATENT-CLASS-244-46 ..... c 08 N79-14108 *
US-PATENT-CLASS-244-48 ..... c 05 N79-12061 *
US-PATENT-CLASS-244-48 ..... c 05 N82-28279 *
US-PATENT-CLASS-244-49 ..... c 43 N81-17499 *
US-PATENT-CLASS-244-4 ..... c 05 N69-21380 * #
US-PATENT-CLASS-244-4 ..... c 05 N71-12336 *
US-PATENT-CLASS-244-4 ..... c 28 N71-27585 *
US-PATENT-CLASS-244-50 ..... c 02 N70-34160 *
US-PATENT-CLASS-244-51 ..... c 02 N70-34856 *
US-PATENT-CLASS-244-52 ..... c 08 N81-19130 *
US-PATENT-CLASS-244-53A ..... c 07 N78-18066 *
US-PATENT-CLASS-244-53B ..... c 02 N74-20646 *
US-PATENT-CLASS-244-53B ..... c 07 N75-24736 *
US-PATENT-CLASS-244-53B ..... c 07 N77-18154 *
US-PATENT-CLASS-244-53B ..... c 05 N79-24976 *
US-PATENT-CLASS-244-53B ..... c 85 N82-33288 *
US-PATENT-CLASS-244-53R ..... c 05 N84-12154 *
US-PATENT-CLASS-244-53 ..... c 28 N71-15563 *
US-PATENT-CLASS-244-54 ..... c 07 N78-18066 *
US-PATENT-CLASS-244-54 ..... c 07 N79-14096 *
US-PATENT-CLASS-244-55 ..... c 02 N73-26005 *
US-PATENT-CLASS-244-55 ..... c 05 N75-25914 *
US-PATENT-CLASS-244-55 ..... c 05 N84-12154 *
US-PATENT-CLASS-244-55 ..... c 07 N85-35194 *
US-PATENT-CLASS-244-55 ..... c 07 N87-16828 *
US-PATENT-CLASS-244-55 ..... c 05 N88-28914 *
US-PATENT-CLASS-244-57 ..... c 15 N71-26611 *
US-PATENT-CLASS-244-63 ..... c 09 N77-19076 *
US-PATENT-CLASS-244-63 ..... c 14 N81-26161 *
US-PATENT-CLASS-244-63 ..... c 16 N84-27784 *
US-PATENT-CLASS-244-63 ..... c 18 N84-27787 *
US-PATENT-CLASS-244-75-R ..... c 08 N85-35200 *
US-PATENT-CLASS-244-75A ..... c 02 N73-26004 *
US-PATENT-CLASS-244-75R ..... c 05 N75-12930 *
US-PATENT-CLASS-244-75R ..... c 05 N85-21147 *
US-PATENT-CLASS-244-76-R ..... c 08 N87-20999 *
US-PATENT-CLASS-244-76C ..... c 02 N73-26004 *
US-PATENT-CLASS-244-76 ..... c 21 N70-34539 *
US-PATENT-CLASS-244-76 ..... c 02 N71-13422 *
US-PATENT-CLASS-244-76 ..... c 02 N71-20570 *
US-PATENT-CLASS-244-77A ..... c 04 N74-13420 *
US-PATENT-CLASS-244-77B ..... c 04 N74-13420 *
US-PATENT-CLASS-244-77D ..... c 02 N73-19004 *
US-PATENT-CLASS-244-77F ..... c 02 N73-26004 *
US-PATENT-CLASS-244-77G ..... c 02 N73-26004 *
US-PATENT-CLASS-244-77 ..... c 32 N71-23971 *
US-PATENT-CLASS-244-78 ..... c 08 N82-24205 *
US-PATENT-CLASS-244-79 ..... c 04 N76-26175 *
US-PATENT-CLASS-244-82 ..... c 05 N79-12061 *
US-PATENT-CLASS-244-83G ..... c 08 N79-23097 *
US-PATENT-CLASS-244-83R ..... c 05 N75-12930 *
US-PATENT-CLASS-244-83 ..... c 21 N70-33279 *
US-PATENT-CLASS-244-83 ..... c 15 N71-23255 *
US-PATENT-CLASS-244-83 ..... c 31 N71-33160 *
US-PATENT-CLASS-244-83 ..... c 08 N74-10942 *
US-PATENT-CLASS-244-87 ..... c 08 N81-19130 *
US-PATENT-CLASS-244-90R ..... c 08 N74-30421 *
US-PATENT-CLASS-244-90R ..... c 05 N79-12061 *
US-PATENT-CLASS-244-90R ..... c 08 N79-14108 *
US-PATENT-CLASS-244-90R ..... c 08 N85-19985 *
US-PATENT-CLASS-244-90 ..... c 02 N71-27088 *
US-PATENT-CLASS-244-91 ..... c 08 N74-30421 *
US-PATENT-CLASS-244-91 ..... c 05 N84-12154 *
US-PATENT-CLASS-244-91 ..... c 08 N88-23809 *
US-PATENT-CLASS-244-93 ..... c 05 N82-26277 *
US-PATENT-CLASS-244/161 ..... c 37 N87-22985 *
US-PATENT-CLASS-247-171 ..... c 35 N75-23910 *
US-PATENT-CLASS-248-119 ..... c 11 N70-35383 *
US-PATENT-CLASS-248-14 ..... c 15 N72-17454 *
US-PATENT-CLASS-248-16 ..... c 18 N74-27397 *
US-PATENT-CLASS-248-178 ..... c 15 N70-41310 *
US-PATENT-CLASS-248-178 ..... c 37 N78-27425 *
US-PATENT-CLASS-248-183 ..... c 14 N71-26627 *
US-PATENT-CLASS-248-183 ..... c 15 N72-11386 *
US-PATENT-CLASS-248-186 ..... c 37 N78-27425 *
US-PATENT-CLASS-248-188.4 .... c 15 N72-27484 *
US-PATENT-CLASS-248-188.9 .... c 31 N70-34159 *
US-PATENT-CLASS-248-18 ..... c 14 N69-27486 * #
US-PATENT-CLASS-248-18 ..... c 15 N72-11391 *
US-PATENT-CLASS-248-20 ..... c 15 N72-11391 *
US-PATENT-CLASS-248-228 ..... c 37 N84-16560 *
US-PATENT-CLASS-248-22 ..... c 19 N76-22284 *
US-PATENT-CLASS-248-23 ..... c 18 N74-27397 *
US-PATENT-CLASS-248-278 ..... c 15 N72-11386 *
US-PATENT-CLASS-248-27 ..... c 15 N71-20813 *
US-PATENT-CLASS-248-316.4 .... c 37 N87-21333 *
US-PATENT-CLASS-248-317 ..... c 11 N69-27466 * #
US-PATENT-CLASS-248-346 ..... c 14 N70-39898 *
US-PATENT-CLASS-248-358R .... c 37 N75-18573 *
US-PATENT-CLASS-248-358R .... c 19 N76-22284 *
US-PATENT-CLASS-248-358 ..... c 15 N70-40156 *
US-PATENT-CLASS-248-358 ..... c 23 N71-15673 *
US-PATENT-CLASS-248-358 ..... c 15 N71-24694 *
US-PATENT-CLASS-248-36-3 ..... c 37 N78-17383 *
US-PATENT-CLASS-248-360 ..... c 15 N71-17649 *
US-PATENT-CLASS-248-361 ..... c 05 N71-28619 *
US-PATENT-CLASS-248-362 ..... c 37 N76-21554 *
US-PATENT-CLASS-248-363 ..... c 37 N76-21554 *
US-PATENT-CLASS-248-425 ..... c 37 N82-21587 *
US-PATENT-CLASS-248-487 ..... c 15 N72-11386 *
US-PATENT-CLASS-248-503 ..... c 18 N85-29991 *
US-PATENT-CLASS-248-548 ..... c 37 N88-23982 *
US-PATENT-CLASS-248-550 ..... c 37 N85-34401 *
US-PATENT-CLASS-248-550 ..... c 37 N87-21333 *
US-PATENT-CLASS-248-555 ..... c 18 N85-29991 *
US-PATENT-CLASS-248-608 ..... c 37 N88-23982 *
US-PATENT-CLASS-248-636 ..... c 35 N83-32026 *
US-PATENT-CLASS-248-638 ..... c 35 N83-32026 *
US-PATENT-CLASS-248-638 ..... c 05 N87-14314 *
US-PATENT-CLASS-248 ..... c 25 N79-28253 *
US-PATENT-CLASS-249-144 ..... c 31 N75-13111 *
US-PATENT-CLASS-249-145 ..... c 31 N74-32920 *
US-PATENT-CLASS-249-145 ..... c 31 N75-13111 *
US-PATENT-CLASS-249-184 ..... c 31 N74-32920 *
US-PATENT-CLASS-249-59 ..... c 31 N75-13111 *
US-PATENT-CLASS-249-83 ..... c 31 N74-32920 *
US-PATENT-CLASS-249-95 ..... c 31 N74-32920 *
US-PATENT-CLASS-25-156 ..... c 15 N71-16076 *
US-PATENT-CLASS-250-105 ..... c 14 N70-40240 *
US-PATENT-CLASS-250-105 ..... c 14 N73-30389 *
US-PATENT-CLASS-250-199 ..... c 16 N69-27491 * #
US-PATENT-CLASS-250-199 ..... c 07 N71-12389 *
US-PATENT-CLASS-250-199 ..... c 16 N71-22895 *
US-PATENT-CLASS-250-199 ..... c 16 N71-25914 *
US-PATENT-CLASS-250-199 ..... c 16 N71-27183 *
US-PATENT-CLASS-250-199 ..... c 16 N73-16536 *
US-PATENT-CLASS-250-199 ..... c 07 N73-26119 *
US-PATENT-CLASS-250-199 ..... c 74 N76-18913 *
US-PATENT-CLASS-250-199 ..... c 74 N76-30053 *
US-PATENT-CLASS-250-199 ..... c 74 N77-26942 *
US-PATENT-CLASS-250-199 ..... c 32 N77-28346 *
US-PATENT-CLASS-250-199 ..... c 60 N77-32731 *
US-PATENT-CLASS-250-199 ..... c 74 N78-14889 *
US-PATENT-CLASS-250-201 ..... c 14 N70-40238 *
US-PATENT-CLASS-250-201 ..... c 35 N75-15014 *
US-PATENT-CLASS-250-201 ..... c 74 N78-17866 *
US-PATENT-CLASS-250-203R .... c 14 N72-27409 *
US-PATENT-CLASS-250-203R .... c 14 N73-25462 *
US-PATENT-CLASS-250-203R .... c 14 N73-28490 *
US-PATENT-CLASS-250-203R .... c 21 N73-30640 *
US-PATENT-CLASS-250-203R .... c 19 N74-15089 *
US-PATENT-CLASS-250-203R .... c 89 N74-30886 *
US-PATENT-CLASS-250-203R .... c 35 N77-20401 *
US-PATENT-CLASS-250-203R .... c 74 N77-22951 *
US-PATENT-CLASS-250-203R .... c 44 N81-24520 *
US-PATENT-CLASS-250-203R .... c 32 N83-18975 *
US-PATENT-CLASS-250-203R .... c 47 N83-32232 *
US-PATENT-CLASS-250-203R .... c 44 N88-14492 *
US-PATENT-CLASS-250-203X .... c 16 N72-13437 *
US-PATENT-CLASS-250-203 ..... c 14 N69-27432 * #
US-PATENT-CLASS-250-203 ..... c 14 N69-27485 * #
US-PATENT-CLASS-250-203 ..... c 07 N69-39736 * #
US-PATENT-CLASS-250-203 ..... c 14 N70-34158 *
US-PATENT-CLASS-250-203 ..... c 21 N70-35089 *
US-PATENT-CLASS-250-203 ..... c 14 N70-40239 *
US-PATENT-CLASS-250-203 ..... c 21 N71-10678 *
US-PATENT-CLASS-250-203 ..... c 21 N71-10771 *
US-PATENT-CLASS-250-203 ..... c 21 N71-15642 *
US-PATENT-CLASS-250-203 ..... c 14 N71-19568 *
US-PATENT-CLASS-250-203 ..... c 14 N71-23269 *
US-PATENT-CLASS-250-203 ..... c 14 N71-23797 *
US-PATENT-CLASS-250-203 ..... c 14 N72-22444 *
US-PATENT-CLASS-250-203 ..... c 14 N73-30393 *
US-PATENT-CLASS-250-203 ..... c 35 N75-23910 *
US-PATENT-CLASS-250-204 ..... c 36 N74-21091 *
US-PATENT-CLASS-250-205 ..... c 14 N72-27411 *
US-PATENT-CLASS-250-205 ..... c 09 N73-14214 *
US-PATENT-CLASS-250-205 ..... c 36 N74-13205 *
US-PATENT-CLASS-250-206 ..... c 10 N71-20782 *
US-PATENT-CLASS-250-207 ..... c 14 N72-17328 *
US-PATENT-CLASS-250-207 ..... c 14 N73-32317 *
US-PATENT-CLASS-250-207 ..... c 33 N74-27682 *
US-PATENT-CLASS-250-208 ..... c 14 N72-20379 *
US-PATENT-CLASS-250-209 ..... c 07 N69-39980 * #
US-PATENT-CLASS-250-209 ..... c 20 N71-16340 *
US-PATENT-CLASS-250-209 ..... c 10 N72-17173 *
US-PATENT-CLASS-250-209 ..... c 14 N72-25409 *
US-PATENT-CLASS-250-209 ..... c 14 N73-16483 *
US-PATENT-CLASS-250-209 ..... c 14 N73-26432 *
US-PATENT-CLASS-250-209 ..... c 14 N73-28490 *
US-PATENT-CLASS-250-209 ..... c 21 N73-30640 *
US-PATENT-CLASS-250-209 ..... c 44 N81-24520 *
US-PATENT-CLASS-250-211J .... c 09 N72-17152 *
US-PATENT-CLASS-250-211J .... c 09 N73-14214 *
US-PATENT-CLASS-250-211J .... c 35 N74-15090 *
US-PATENT-CLASS-250-211K .... c 74 N77-22951 *
US-PATENT-CLASS-250-211K .... c 44 N80-18552 *

US-PATENT-CLASS-250-211K .... c 08 N86-27288 *
US-PATENT-CLASS-250-211R .... c 36 N75-19652 *
US-PATENT-CLASS-250-211R .... c 35 N75-23910 *
US-PATENT-CLASS-250-212 ..... c 03 N71-23354 *
US-PATENT-CLASS-250-212 ..... c 03 N73-20040 *
US-PATENT-CLASS-250-212 ..... c 09 N73-32109 *
US-PATENT-CLASS-250-213VT .. c 74 N78-18905 *
US-PATENT-CLASS-250-214AL .. c 74 N79-12890 *
US-PATENT-CLASS-250-214A .... c 33 N77-14335 *
US-PATENT-CLASS-250-214R .... c 14 N73-28490 *
US-PATENT-CLASS-250-214R .... c 74 N79-12890 *
US-PATENT-CLASS-250-214 ..... c 14 N73-25462 *
US-PATENT-CLASS-250-214 ..... c 14 N73-25462 *
US-PATENT-CLASS-250-214 ..... c 35 N74-15090 *
US-PATENT-CLASS-250-214 ..... c 33 N82-28545 *
US-PATENT-CLASS-250-215 ..... c 14 N73-16483 *
US-PATENT-CLASS-250-216 ..... c 74 N79-34011 *
US-PATENT-CLASS-250-216 ..... c 74 N82-24072 *
US-PATENT-CLASS-250-217F .... c 14 N73-16484 *
US-PATENT-CLASS-250-217R .... c 14 N73-19419 *
US-PATENT-CLASS-250-217SS .. c 09 N73-14214 *
US-PATENT-CLASS-250-217SS .. c 36 N74-15145 *
US-PATENT-CLASS-250-217 ..... c 14 N69-39896 * #
US-PATENT-CLASS-250-217 ..... c 14 N73-16483 *
US-PATENT-CLASS-250-217 ..... c 36 N74-13205 *
US-PATENT-CLASS-250-218 ..... c 14 N71-22996 *
US-PATENT-CLASS-250-218 ..... c 14 N71-28994 *
US-PATENT-CLASS-250-218 ..... c 74 N78-33913 *
US-PATENT-CLASS-250-219DF .. c 91 N74-13130 *
US-PATENT-CLASS-250-219TH .. c 26 N73-26751 *
US-PATENT-CLASS-250-219 ..... c 14 N71-28993 *
US-PATENT-CLASS-250-221 ..... c 33 N82-28545 *
US-PATENT-CLASS-250-221 ..... c 74 N85-22139 *
US-PATENT-CLASS-250-225 ..... c 14 N71-24864 *
US-PATENT-CLASS-250-225 ..... c 14 N72-27409 *
US-PATENT-CLASS-250-225 ..... c 32 N86-20647 *
US-PATENT-CLASS-250-226 ..... c 14 N72-25409 *
US-PATENT-CLASS-250-226 ..... c 43 N79-17288 *
US-PATENT-CLASS-250-226 ..... c 74 N82-30071 *
US-PATENT-CLASS-250-227 ..... c 14 N71-22991 *
US-PATENT-CLASS-250-227 ..... c 14 N71-23240 *
US-PATENT-CLASS-250-227 ..... c 60 N77-14751 *
US-PATENT-CLASS-250-227 ..... c 74 N78-33913 *
US-PATENT-CLASS-250-227 ..... c 74 N83-19597 *
US-PATENT-CLASS-250-227 ..... c 74 N84-11921 *
US-PATENT-CLASS-250-228 ..... c 74 N86-26190 *
US-PATENT-CLASS-250-229 ..... c 08 N73-30135 *
US-PATENT-CLASS-250-231-GY .. c 74 N87-23259 *
US-PATENT-CLASS-250-231R .... c 74 N82-30071 *
US-PATENT-CLASS-250-231SE .. c 74 N74-21304 *
US-PATENT-CLASS-250-231SE .. c 44 N80-18552 *
US-PATENT-CLASS-250-231 ..... c 14 N73-20475 *
US-PATENT-CLASS-250-232 ..... c 23 N71-21821 *
US-PATENT-CLASS-250-233 ..... c 23 N71-16100 *
US-PATENT-CLASS-250-234 ..... c 03 N73-20040 *
US-PATENT-CLASS-250-235 ..... c 14 N72-11364 *
US-PATENT-CLASS-250-235 ..... c 43 N82-13465 *
US-PATENT-CLASS-250-235 ..... c 74 N82-24072 *
US-PATENT-CLASS-250-236 ..... c 21 N73-30640 *
US-PATENT-CLASS-250-236 ..... c 43 N82-13465 *
US-PATENT-CLASS-250-237G .... c 74 N79-20856 *
US-PATENT-CLASS-250-237R .... c 08 N73-30135 *
US-PATENT-CLASS-250-237R .... c 19 N74-15089 *
US-PATENT-CLASS-250-237 ..... c 14 N69-24331 * #
US-PATENT-CLASS-250-238 ..... c 33 N75-31332 *
US-PATENT-CLASS-250-238 ..... c 32 N77-28346 *
US-PATENT-CLASS-250-238 ..... c 37 N87-23982 *
US-PATENT-CLASS-250-239 ..... c 08 N73-30135 *
US-PATENT-CLASS-250-239 ..... c 74 N78-33913 *
US-PATENT-CLASS-250-251 ..... c 35 N76-15431 *
US-PATENT-CLASS-250-251 ..... c 35 N84-33767 *
US-PATENT-CLASS-250-251 ..... c 72 N87-21661 *
US-PATENT-CLASS-250-251 ..... c 72 N88-24253 *
US-PATENT-CLASS-250-252.1 .... c 35 N84-33767 *
US-PATENT-CLASS-250-253 ..... c 43 N79-31706 *
US-PATENT-CLASS-250-272 ..... c 74 N78-15880 *
US-PATENT-CLASS-250-272 ..... c 43 N79-31706 *
US-PATENT-CLASS-250-277CH .. c 76 N78-24950 *
US-PATENT-CLASS-250-277CH .. c 74 N80-21140 *
US-PATENT-CLASS-250-280 ..... c 76 N78-24950 *
US-PATENT-CLASS-250-280 ..... c 74 N80-21140 *
US-PATENT-CLASS-250-281 ..... c 35 N74-34857 *
US-PATENT-CLASS-250-281 ..... c 35 N76-16393 *
US-PATENT-CLASS-250-281 ..... c 36 N77-26477 *
US-PATENT-CLASS-250-281 ..... c 72 N80-14877 *
US-PATENT-CLASS-250-282 ..... c 36 N77-26477 *
US-PATENT-CLASS-250-282 ..... c 72 N80-14877 *
US-PATENT-CLASS-250-282 ..... c 35 N83-27184 *
US-PATENT-CLASS-250-283 ..... c 36 N77-26477 *
US-PATENT-CLASS-250-287 ..... c 35 N76-15431 *
US-PATENT-CLASS-250-287 ..... c 35 N76-16393 *
US-PATENT-CLASS-250-288 ..... c 35 N76-16393 *
US-PATENT-CLASS-250-288 ..... c 35 N77-32456 *
US-PATENT-CLASS-250-288 ..... c 35 N83-27184 *
US-PATENT-CLASS-250-288 ..... c 72 N87-21660 *
US-PATENT-CLASS-250-289 ..... c 35 N77-14406 *
US-PATENT-CLASS-250-290 ..... c 35 N77-10492 *
US-PATENT-CLASS-250-291 ..... c 35 N77-10492 *
US-PATENT-CLASS-250-295 ..... c 35 N74-34857 *
US-PATENT-CLASS-250-296 ..... c 35 N84-28016 *
US-PATENT-CLASS-250-298 ..... c 35 N77-14406 *
US-PATENT-CLASS-250-304 ..... c 25 N74-26947 *
US-PATENT-CLASS-250-305 ..... c 72 N84-28575 *
US-PATENT-CLASS-250-307 ..... c 25 N80-20334 *
US-PATENT-CLASS-250-308 ..... c 25 N80-20334 *
US-PATENT-CLASS-250-310 ..... c 35 N78-10429 *
US-PATENT-CLASS-250-310 ..... c 33 N80-14332 *
US-PATENT-CLASS-250-311 ..... c 33 N83-18996 *
US-PATENT-CLASS-250-320 ..... c 74 N78-15880 *
US-PATENT-CLASS-250-322 ..... c 35 N78-15461 *
US-PATENT-CLASS-250-330 ..... c 44 N82-32841 *
US-PATENT-CLASS-250-332 ..... c 35 N75-19613 *
US-PATENT-CLASS-250-332 ..... c 31 N78-25256 *
US-PATENT-CLASS-250-332 ..... c 35 N82-31659 *
US-PATENT-CLASS-250-332 ..... c 74 N83-19597 *
US-PATENT-CLASS-250-332 ..... c 74 N84-28590 *
US-PATENT-CLASS-250-335 ..... c 34 N76-18374 *
US-PATENT-CLASS-250-336.1 .... c 72 N86-33127 *
US-PATENT-CLASS-250-336 ..... c 14 N73-28488 *
US-PATENT-CLASS-250-336 ..... c 35 N76-15433 *
US-PATENT-CLASS-250-336 ..... c 33 N76-27473 *
US-PATENT-CLASS-250-336 ..... c 35 N78-13400 *
US-PATENT-CLASS-250-338 ..... c 35 N74-18088 *
US-PATENT-CLASS-250-338 ..... c 35 N77-10493 *
US-PATENT-CLASS-250-338 ..... c 47 N77-10753 *
US-PATENT-CLASS-250-338 ..... c 35 N80-26635 *
US-PATENT-CLASS-250-338 ..... c 35 N83-21311 *
US-PATENT-CLASS-250-338 ..... c 74 N84-28590 *
US-PATENT-CLASS-250-338 ..... c 72 N86-33127 *
US-PATENT-CLASS-250-338 ..... c 76 N87-13313 *
US-PATENT-CLASS-250-339 ..... c 35 N77-10493 *
US-PATENT-CLASS-250-339 ..... c 47 N77-10753 *
US-PATENT-CLASS-250-339 ..... c 35 N80-26635 *
US-PATENT-CLASS-250-339 ..... c 36 N85-21631 *
US-PATENT-CLASS-250-339 ..... c 36 N85-29264 *
US-PATENT-CLASS-250-339 ..... c 36 N87-28006 *
US-PATENT-CLASS-250-340 ..... c 35 N76-29551 *
US-PATENT-CLASS-250-340 ..... c 74 N83-19597 *
US-PATENT-CLASS-250-340 ..... c 72 N86-33127 *
US-PATENT-CLASS-250-341 ..... c 32 N87-21206 *
US-PATENT-CLASS-250-343 ..... c 35 N74-11284 *
US-PATENT-CLASS-250-343 ..... c 25 N74-26947 *
US-PATENT-CLASS-250-343 ..... c 45 N75-27585 *
US-PATENT-CLASS-250-343 ..... c 74 N76-20958 *
US-PATENT-CLASS-250-343 ..... c 25 N76-22323 *
US-PATENT-CLASS-250-343 ..... c 35 N77-14411 *
US-PATENT-CLASS-250-343 ..... c 35 N78-13400 *
US-PATENT-CLASS-250-343 ..... c 25 N81-14015 *
US-PATENT-CLASS-250-343 ..... c 35 N84-34705 *
US-PATENT-CLASS-250-343 ..... c 36 N85-21631 *
US-PATENT-CLASS-250-343 ..... c 36 N87-28006 *
US-PATENT-CLASS-250-344 ..... c 25 N76-22323 *
US-PATENT-CLASS-250-344 ..... c 74 N78-17867 *
US-PATENT-CLASS-250-345 ..... c 45 N75-27585 *
US-PATENT-CLASS-250-347 ..... c 35 N77-10493 *
US-PATENT-CLASS-250-347 ..... c 47 N77-10753 *
US-PATENT-CLASS-250-347 ..... c 74 N80-33210 *
US-PATENT-CLASS-250-350 ..... c 25 N81-25159 *
US-PATENT-CLASS-250-350 ..... c 74 N83-19597 *
US-PATENT-CLASS-250-351 ..... c 35 N75-30502 *
US-PATENT-CLASS-250-351 ..... c 35 N78-13400 *
US-PATENT-CLASS-250-351 ..... c 74 N83-19597 *
US-PATENT-CLASS-250-351 ..... c 35 N84-34705 *
US-PATENT-CLASS-250-352 ..... c 31 N79-17029 *
US-PATENT-CLASS-250-352 ..... c 34 N79-20336 *
US-PATENT-CLASS-250-352 ..... c 35 N80-26635 *
US-PATENT-CLASS-250-352 ..... c 74 N80-33210 *
US-PATENT-CLASS-250-352 ..... c 37 N87-23982 *
US-PATENT-CLASS-250-353 ..... c 35 N76-29551 *
US-PATENT-CLASS-250-353 ..... c 35 N80-26635 *
US-PATENT-CLASS-250-353 ..... c 74 N80-33210 *
US-PATENT-CLASS-250-356.1 .... c 47 N84-28292 *
US-PATENT-CLASS-250-359 ..... c 37 N75-26372 *
US-PATENT-CLASS-250-360 ..... c 35 N74-15091 *
US-PATENT-CLASS-250-361 ..... c 35 N74-15091 *
US-PATENT-CLASS-250-363R .... c 52 N77-14737 *
US-PATENT-CLASS-250-363R .... c 74 N79-20857 *
US-PATENT-CLASS-250-363R .... c 74 N84-11920 *
US-PATENT-CLASS-250-363S .... c 74 N84-11920 *
US-PATENT-CLASS-250-363S .... c 35 N85-30281 *
US-PATENT-CLASS-250-367 ..... c 35 N84-33765 *
US-PATENT-CLASS-250-368 ..... c 74 N81-24900 *
US-PATENT-CLASS-250-368 ..... c 74 N84-11920 *
US-PATENT-CLASS-250-369 ..... c 35 N74-15091 *
US-PATENT-CLASS-250-369 ..... c 35 N82-32659 *
US-PATENT-CLASS-250-369 ..... c 35 N85-30281 *
US-PATENT-CLASS-250-370 ..... c 35 N74-18088 *
US-PATENT-CLASS-250-370 ..... c 33 N75-31332 *
US-PATENT-CLASS-250-370 ..... c 35 N82-31659 *
US-PATENT-CLASS-250-370 ..... c 44 N82-32841 *
US-PATENT-CLASS-250-370 ..... c 76 N87-13313 *
US-PATENT-CLASS-250-371 ..... c 35 N74-18088 *
US-PATENT-CLASS-250-372 ..... c 19 N74-29410 *
US-PATENT-CLASS-250-372 ..... c 24 N76-24363 *
US-PATENT-CLASS-250-372 ..... c 33 N76-27473 *
US-PATENT-CLASS-250-372 ..... c 35 N83-21311 *
US-PATENT-CLASS-250-372 ..... c 35 N84-33767 *
US-PATENT-CLASS-250-373 ..... c 25 N74-26947 *
US-PATENT-CLASS-250-373 ..... c 35 N75-30502 *
US-PATENT-CLASS-250-373 ..... c 45 N76-17656 *
US-PATENT-CLASS-250-373 ..... c 36 N87-28006 *
US-PATENT-CLASS-250-374 ..... c 35 N74-26949 *
US-PATENT-CLASS-250-374 ..... c 35 N85-34374 *
US-PATENT-CLASS-250-379 ..... c 35 N85-34374 *
US-PATENT-CLASS-250-385 ..... c 35 N74-26949 *
US-PATENT-CLASS-250-385 ..... c 35 N75-27331 *
US-PATENT-CLASS-250-385 ..... c 35 N76-15433 *
US-PATENT-CLASS-250-385 ..... c 35 N76-16393 *
US-PATENT-CLASS-250-385 ..... c 35 N82-24471 *
US-PATENT-CLASS-250-385 ..... c 35 N84-33765 *
US-PATENT-CLASS-250-386 ..... c 35 N82-24471 *
US-PATENT-CLASS-250-388 ..... c 33 N83-24763 *
US-PATENT-CLASS-250-389 ..... c 35 N82-24471 *
US-PATENT-CLASS-250-394 ..... c 14 N73-30392 *
US-PATENT-CLASS-250-394 ..... c 19 N74-29410 *
US-PATENT-CLASS-250-396-R ... c 72 N87-21661 *
US-PATENT-CLASS-250-396 ..... c 35 N77-14408 *
US-PATENT-CLASS-250-398 ..... c 35 N78-10429 *
US-PATENT-CLASS-250-400 ..... c 25 N76-29379 *
US-PATENT-CLASS-250-400 ..... c 25 N78-27226 *
US-PATENT-CLASS-250-41.9D ... c 14 N72-29464 *
US-PATENT-CLASS-250-41.9G ... c 14 N73-12444 *
US-PATENT-CLASS-250-41.9S ... c 14 N73-12444 *
US-PATENT-CLASS-250-41.95 .... c 14 N71-28992 *
US-PATENT-CLASS-250-41.9 ..... c 06 N71-13461 *
US-PATENT-CLASS-250-41.9 ..... c 24 N71-16095 *
US-PATENT-CLASS-250-41.9 ..... c 14 N71-23041 *
US-PATENT-CLASS-250-41.9 ..... c 14 N71-28863 *
US-PATENT-CLASS-250-41.9 ..... c 14 N72-17328 *
US-PATENT-CLASS-250-41.9 ..... c 14 N73-32325 *
US-PATENT-CLASS-250-416TV .. c 35 N78-15461 *
US-PATENT-CLASS-250-423-P ... c 72 N87-21661 *
US-PATENT-CLASS-250-423-P ... c 25 N88-24732 *
US-PATENT-CLASS-250-423-R ... c 33 N87-21234 *
US-PATENT-CLASS-250-423-R ... c 72 N87-21660 *
US-PATENT-CLASS-250-423-R ... c 72 N88-24253 *
US-PATENT-CLASS-250-423P .... c 36 N77-26477 *
US-PATENT-CLASS-250-423P .... c 25 N78-25148 *
US-PATENT-CLASS-250-423P .... c 72 N80-14877 *
US-PATENT-CLASS-250-423 ..... c 35 N76-15431 *
US-PATENT-CLASS-250-423 ..... c 35 N76-16393 *
US-PATENT-CLASS-250-423 ..... c 35 N83-27184 *
US-PATENT-CLASS-250-424 ..... c 72 N87-21660 *
US-PATENT-CLASS-250-426 ..... c 33 N85-21491 *
US-PATENT-CLASS-250-427 ..... c 72 N80-27163 *
US-PATENT-CLASS-250-427 ..... c 72 N87-21660 *
US-PATENT-CLASS-250-427 ..... c 72 N88-24253 *
US-PATENT-CLASS-250-427 ..... c 25 N88-24732 *
US-PATENT-CLASS-250-429 ..... c 25 N76-29379 *
US-PATENT-CLASS-250-429 ..... c 25 N78-27226 *
US-PATENT-CLASS-250-43.5FC . c 14 N72-11365 *
US-PATENT-CLASS-250-43.5R ... c 14 N71-27090 *
US-PATENT-CLASS-250-43.5R ... c 14 N72-21408 *
US-PATENT-CLASS-250-43.5R ... c 06 N72-25146 *
US-PATENT-CLASS-250-43.5R ... c 06 N72-31141 *
US-PATENT-CLASS-250-43.5 ..... c 27 N71-16348 *
US-PATENT-CLASS-250-43.5 ..... c 15 N71-24896 *
US-PATENT-CLASS-250-43.5 ..... c 14 N71-25901 *
US-PATENT-CLASS-250-432R .... c 25 N76-22323 *
US-PATENT-CLASS-250-432 ..... c 45 N75-27585 *
US-PATENT-CLASS-250-444 ..... c 52 N77-14737 *
US-PATENT-CLASS-250-457 ..... c 35 N80-28686 *
US-PATENT-CLASS-250-460 ..... c 37 N75-26372 *
US-PATENT-CLASS-250-474.1 .... c 35 N83-21311 *
US-PATENT-CLASS-250-475 ..... c 35 N79-10389 *
US-PATENT-CLASS-250-483.1 .... c 35 N84-33765 *
US-PATENT-CLASS-250-483 ..... c 74 N79-20857 *
US-PATENT-CLASS-250-483 ..... c 74 N81-24900 *
US-PATENT-CLASS-250-489 ..... c 35 N76-15433 *
US-PATENT-CLASS-250-49.5B ... c 24 N72-11595 *
US-PATENT-CLASS-250-49.5TE . c 24 N72-11595 *
US-PATENT-CLASS-250-49.5 ..... c 14 N69-39982 * #
US-PATENT-CLASS-250-49.5 ..... c 14 N71-28863 *
US-PATENT-CLASS-250-49.5 ..... c 14 N72-17328 *
US-PATENT-CLASS-250-491 ..... c 35 N80-28686 *
US-PATENT-CLASS-250-492A .... c 33 N80-14332 *
US-PATENT-CLASS-250-492B .... c 25 N78-27226 *
US-PATENT-CLASS-250-492R .... c 25 N76-29379 *
US-PATENT-CLASS-250-492R .... c 28 N78-24365 *
US-PATENT-CLASS-250-492 ..... c 35 N74-15091 *
US-PATENT-CLASS-250-492 ..... c 37 N75-26372 *
US-PATENT-CLASS-250-493 ..... c 73 N75-30876 *
US-PATENT-CLASS-250-495 ..... c 74 N75-12732 *
US-PATENT-CLASS-250-496 ..... c 73 N75-30876 *
US-PATENT-CLASS-250-498 ..... c 52 N77-14737 *
US-PATENT-CLASS-250-499 ..... c 73 N74-26767 *
US-PATENT-CLASS-250-499 ..... c 72 N76-15860 *
US-PATENT-CLASS-250-499 ..... c 37 N78-13436 *

US-PATENT-CLASS-250-500 ..... c 72 N76-15860 *
US-PATENT-CLASS-250-505 ..... c 74 N74-27866 *
US-PATENT-CLASS-250-505 ..... c 35 N75-19616 *
US-PATENT-CLASS-250-508 ..... c 35 N75-19616 *
US-PATENT-CLASS-250-51.5 ..... c 23 N73-13662 *
US-PATENT-CLASS-250-51.5 ..... c 14 N73-28491 *
US-PATENT-CLASS-250-510 ..... c 35 N75-19616 *
US-PATENT-CLASS-250-511 ..... c 74 N74-27866 *
US-PATENT-CLASS-250-513 ..... c 35 N80-28686 *
US-PATENT-CLASS-250-518 ..... c 14 N73-30392 *
US-PATENT-CLASS-250-51 ..... c 24 N72-11595 *
US-PATENT-CLASS-250-527 ..... c 37 N76-18458 *
US-PATENT-CLASS-250-527 ..... c 25 N77-32255 *
US-PATENT-CLASS-250-527 ..... c 44 N77-32580 *
US-PATENT-CLASS-250-527 ..... c 44 N79-11470 *
US-PATENT-CLASS-250-527 ..... c 44 N82-16475 *
US-PATENT-CLASS-250-528 ..... c 25 N78-25148 *
US-PATENT-CLASS-250-52 ..... c 15 N71-15606 *
US-PATENT-CLASS-250-52 ..... c 11 N71-23042 *
US-PATENT-CLASS-250-52 ..... c 24 N72-11595 *
US-PATENT-CLASS-250-52 ..... c 23 N73-13662 *
US-PATENT-CLASS-250-531 ..... c 25 N78-25148 *
US-PATENT-CLASS-250-531 ..... c 33 N79-15245 *
US-PATENT-CLASS-250-540 ..... c 33 N79-15245 *
US-PATENT-CLASS-250-541 ..... c 33 N79-15245 *
US-PATENT-CLASS-250-551 ..... c 74 N79-34011 *
US-PATENT-CLASS-250-563 ..... c 38 N78-17396 *
US-PATENT-CLASS-250-566 ..... c 74 N75-25706 *
US-PATENT-CLASS-250-571 ..... c 36 N78-14380 *
US-PATENT-CLASS-250-572 ..... c 38 N78-17395 *
US-PATENT-CLASS-250-572 ..... c 38 N78-17396 *
US-PATENT-CLASS-250-573 ..... c 74 N76-20958 *
US-PATENT-CLASS-250-573 ..... c 34 N83-31993 *
US-PATENT-CLASS-250-574 ..... c 45 N76-21742 *
US-PATENT-CLASS-250-574 ..... c 36 N77-25501 *
US-PATENT-CLASS-250-576 ..... c 35 N74-27860 *
US-PATENT-CLASS-250-578 ..... c 36 N75-19652 *
US-PATENT-CLASS-250-65F ..... c 15 N72-25452 *
US-PATENT-CLASS-250-65R ..... c 14 N73-30389 *
US-PATENT-CLASS-250-71.5R ... c 14 N72-29464 *
US-PATENT-CLASS-250-71.5 ..... c 14 N72-17328 *
US-PATENT-CLASS-250-71R ..... c 06 N73-16106 *
US-PATENT-CLASS-250-71 ..... c 14 N70-41676 *
US-PATENT-CLASS-250-83.3H ... c 14 N72-21408 *
US-PATENT-CLASS-250-83.3H ... c 14 N72-24477 *
US-PATENT-CLASS-250-83.3H ... c 14 N73-12445 *
US-PATENT-CLASS-250-83.3H ... c 14 N73-20475 *
US-PATENT-CLASS-250-83.3H ... c 14 N73-25462 *
US-PATENT-CLASS-250-83.3R ... c 14 N73-12445 *
US-PATENT-CLASS-250-83.3R ... c 14 N73-20477 *
US-PATENT-CLASS-250-83.3R ... c 14 N73-32317 *
US-PATENT-CLASS-250-83.3UV . c 10 N72-17173 *
US-PATENT-CLASS-250-83.3UV . c 14 N72-25409 *
US-PATENT-CLASS-250-83.3UV . c 06 N73-16106 *
US-PATENT-CLASS-250-83.3 ..... c 21 N70-33181 *
US-PATENT-CLASS-250-83.3 ..... c 21 N70-34297 *
US-PATENT-CLASS-250-83.3 ..... c 14 N71-15599 *
US-PATENT-CLASS-250-83.3 ..... c 14 N71-18699 *
US-PATENT-CLASS-250-83.3 ..... c 14 N71-21088 *
US-PATENT-CLASS-250-83.3 ..... c 09 N71-22985 *
US-PATENT-CLASS-250-83.3 ..... c 14 N71-25901 *
US-PATENT-CLASS-250-83.3 ..... c 14 N71-26475 *
US-PATENT-CLASS-250-83.3 ..... c 14 N71-27323 *
US-PATENT-CLASS-250-83.3 ..... c 14 N72-17328 *
US-PATENT-CLASS-250-83.3 ..... c 35 N75-27329 *
US-PATENT-CLASS-250-83.6R ... c 14 N71-27090 *
US-PATENT-CLASS-250-83.6R ... c 14 N72-20381 *
US-PATENT-CLASS-250-83.6R ... c 25 N72-33696 *
US-PATENT-CLASS-250-83.6R ... c 74 N81-19898 *
US-PATENT-CLASS-250-83.6 ..... c 10 N70-41991 *
US-PATENT-CLASS-250-83CD .... c 91 N74-13130 *
US-PATENT-CLASS-250-83R ..... c 14 N73-12445 *
US-PATENT-CLASS-250-83R ..... c 14 N73-20477 *
US-PATENT-CLASS-250-83 ..... c 14 N69-27484 * #
US-PATENT-CLASS-250-83 ..... c 14 N69-39937 * #
US-PATENT-CLASS-250-83 ..... c 09 N71-18830 *
US-PATENT-CLASS-250-83 ..... c 05 N71-19440 *
US-PATENT-CLASS-250-83 ..... c 14 N71-20430 *
US-PATENT-CLASS-250-83 ..... c 14 N71-23401 *
US-PATENT-CLASS-250-83 ..... c 09 N71-27232 *
US-PATENT-CLASS-250-84 ..... c 14 N71-24809 *
US-PATENT-CLASS-251-118 ..... c 15 N71-18580 *
US-PATENT-CLASS-251-11 ..... c 15 N70-35407 *
US-PATENT-CLASS-251-120 ..... c 37 N74-21065 *
US-PATENT-CLASS-251-121 ..... c 15 N71-18580 *
US-PATENT-CLASS-251-122 ..... c 15 N73-13462 *
US-PATENT-CLASS-251-122 ..... c 37 N74-21065 *
US-PATENT-CLASS-251-127 ..... c 12 N71-18615 *
US-PATENT-CLASS-251-127 ..... c 44 N84-14583 *
US-PATENT-CLASS-251-129.15 .. c 37 N87-25573 *
US-PATENT-CLASS-251-129 ..... c 15 N72-20442 *
US-PATENT-CLASS-251-138 ..... c 37 N80-23654 *
US-PATENT-CLASS-251-148 ..... c 15 N71-23024 *
US-PATENT-CLASS-251-149.6 .... c 37 N76-14463 *
US-PATENT-CLASS-251-149.9 .... c 37 N79-11402 *
US-PATENT-CLASS-251-165 ..... c 37 N87-21332 *

US-PATENT-CLASS-251-172 ..... c 15 N71-21234 *
US-PATENT-CLASS-251-172 ..... c 37 N79-33469 *
US-PATENT-CLASS-251-173 ..... c 15 N70-33376 *
US-PATENT-CLASS-251-175 ..... c 37 N87-25573 *
US-PATENT-CLASS-251-210 ..... c 37 N74-21065 *
US-PATENT-CLASS-251-216 ..... c 37 N81-17433 *
US-PATENT-CLASS-251-265 ..... c 37 N85-20338 *
US-PATENT-CLASS-251-267 ..... c 37 N85-20338 *
US-PATENT-CLASS-251-284 ..... c 37 N85-20338 *
US-PATENT-CLASS-251-297 ..... c 37 N85-20338 *
US-PATENT-CLASS-251-31 ..... c 15 N71-19485 *
US-PATENT-CLASS-251-325 ..... c 37 N85-29284 *
US-PATENT-CLASS-251-331 ..... c 15 N72-31483 *
US-PATENT-CLASS-251-333 ..... c 15 N70-34859 *
US-PATENT-CLASS-251-333 ..... c 12 N71-18615 *
US-PATENT-CLASS-251-333 ..... c 15 N72-20442 *
US-PATENT-CLASS-251-333 ..... c 37 N75-25185 *
US-PATENT-CLASS-251-339 ..... c 37 N81-17433 *
US-PATENT-CLASS-251-342 ..... c 12 N71-18615 *
US-PATENT-CLASS-251-349 ..... c 37 N85-29284 *
US-PATENT-CLASS-251-353 ..... c 37 N85-29284 *
US-PATENT-CLASS-251-358 ..... c 15 N71-17648 *
US-PATENT-CLASS-251-360 ..... c 15 N72-25451 *
US-PATENT-CLASS-251-61.1 ..... c 12 N71-18615 *
US-PATENT-CLASS-251-61 ..... c 15 N71-10778 *
US-PATENT-CLASS-251-7 ..... c 37 N79-28550 *
US-PATENT-CLASS-251-86 ..... c 15 N72-31483 *
US-PATENT-CLASS-251-86 ..... c 37 N80-23654 *
US-PATENT-CLASS-252-12.2 ..... c 24 N79-17916 *
US-PATENT-CLASS-252-12 ..... c 15 N71-23810 *
US-PATENT-CLASS-252-12 ..... c 24 N76-22309 *
US-PATENT-CLASS-252-182.1 .... c 33 N84-14422 *
US-PATENT-CLASS-252-26 ..... c 15 N71-21403 *
US-PATENT-CLASS-252-26 ..... c 15 N71-24046 *
US-PATENT-CLASS-252-2 ..... c 25 N83-36118 *
US-PATENT-CLASS-252-300 ..... c 14 N72-22443 *
US-PATENT-CLASS-252-300 ..... c 24 N76-24363 *
US-PATENT-CLASS-252-301.1R . c 35 N79-10389 *
US-PATENT-CLASS-252-301.16 .. c 35 N79-10389 *
US-PATENT-CLASS-252-301.2 .... c 18 N71-27170 *
US-PATENT-CLASS-252-301.4 .... c 06 N73-30097 *
US-PATENT-CLASS-252-305 ..... c 06 N73-30097 *
US-PATENT-CLASS-252-359A .... c 37 N77-13418 *
US-PATENT-CLASS-252-361 ..... c 71 N83-35781 *
US-PATENT-CLASS-252-364 ..... c 28 N81-15119 *
US-PATENT-CLASS-252-373 ..... c 44 N76-29704 *
US-PATENT-CLASS-252-373 ..... c 44 N77-10636 *
US-PATENT-CLASS-252-408 ..... c 14 N73-14428 *
US-PATENT-CLASS-252-422 ..... c 45 N82-11634 *
US-PATENT-CLASS-252-431N .... c 06 N73-32029 *
US-PATENT-CLASS-252-431R .... c 06 N73-32029 *
US-PATENT-CLASS-252-472 ..... c 25 N78-10225 *
US-PATENT-CLASS-252-514 ..... c 05 N72-25120 *
US-PATENT-CLASS-252-514 ..... c 44 N79-31752 *
US-PATENT-CLASS-252-514 ..... c 25 N82-26396 *
US-PATENT-CLASS-252-518 ..... c 24 N79-14156 *
US-PATENT-CLASS-252-549 ..... c 23 N75-14834 *
US-PATENT-CLASS-252-58 ..... c 18 N70-39897 *
US-PATENT-CLASS-252-5 ..... c 25 N83-33977 *
US-PATENT-CLASS-252-5 ..... c 25 N83-36118 *
US-PATENT-CLASS-252-62.3E .... c 44 N80-24741 *
US-PATENT-CLASS-252-62.3E .... c 44 N81-19558 *
US-PATENT-CLASS-252-62.3GA .. c 25 N75-26043 *
US-PATENT-CLASS-252-62.3 ..... c 26 N71-23292 *
US-PATENT-CLASS-252-62.3 ..... c 76 N76-25049 *
US-PATENT-CLASS-252-62 ..... c 27 N74-27037 *
US-PATENT-CLASS-252-70 ..... c 23 N75-14834 *
US-PATENT-CLASS-252-8.1 ..... c 18 N73-26572 *
US-PATENT-CLASS-252-8.1 ..... c 27 N74-27037 *
US-PATENT-CLASS-252-8.1 ..... c 24 N78-14096 *
US-PATENT-CLASS-253-317 ..... c 44 N77-22606 *
US-PATENT-CLASS-253-39.15 .... c 15 N70-33226 *
US-PATENT-CLASS-253-39.15 .... c 15 N70-33264 *
US-PATENT-CLASS-253-39.15 .... c 28 N70-33372 *
US-PATENT-CLASS-253-39.1 ..... c 33 N71-29152 *
US-PATENT-CLASS-253-66 ..... c 15 N70-36412 *
US-PATENT-CLASS-253-66 ..... c 28 N70-39895 *
US-PATENT-CLASS-253-77 ..... c 28 N71-28928 *
US-PATENT-CLASS-253-77 ..... c 28 N71-29154 *
US-PATENT-CLASS-253 ..... c 25 N79-28253 *
US-PATENT-CLASS-254-124 ..... c 20 N76-22296 *
US-PATENT-CLASS-254-131 ..... c 60 N82-24839 *
US-PATENT-CLASS-254-150 ..... c 15 N71-24599 *
US-PATENT-CLASS-254-156 ..... c 15 N73-25512 *
US-PATENT-CLASS-254-158 ..... c 54 N77-21844 *
US-PATENT-CLASS-254-173 ..... c 15 N71-24599 *
US-PATENT-CLASS-254-186 ..... c 15 N71-24599 *
US-PATENT-CLASS-254-190 ..... c 15 N72-25453 *
US-PATENT-CLASS-254-29A ..... c 15 N73-30457 *
US-PATENT-CLASS-254-93-H ..... c 35 N88-24927 *
US-PATENT-CLASS-254-93-R ..... c 35 N88-24927 *
US-PATENT-CLASS-254-93R ..... c 35 N74-13129 *
US-PATENT-CLASS-254-93R ..... c 20 N76-22296 *
US-PATENT-CLASS-256-13.1 ..... c 37 N79-10420 *
US-PATENT-CLASS-256-1 ..... c 37 N79-10420 *
US-PATENT-CLASS-256-308.2 .... c 27 N86-20561 *

US-PATENT-CLASS-259-DIG.18 . c 35 N74-15093 *
US-PATENT-CLASS-259-4AC ..... c 37 N76-19436 *
US-PATENT-CLASS-259-4 ..... c 15 N73-19458 *
US-PATENT-CLASS-259-60 ..... c 35 N74-15093 *
US-PATENT-CLASS-259-71 ..... c 15 N71-21177 *
US-PATENT-CLASS-259-72 ..... c 37 N74-18123 *
US-PATENT-CLASS-259-98 ..... c 35 N74-15126 *
US-PATENT-CLASS-259/4R ..... c 34 N77-24423 *
US-PATENT-CLASS-260.46.5E .... c 27 N74-21156 *
US-PATENT-CLASS-260-DIG.15 . c 27 N78-14164 *
US-PATENT-CLASS-260-DIG.24 . c 27 N74-27037 *
US-PATENT-CLASS-260-DIG.24 . c 27 N76-24405 *
US-PATENT-CLASS-260-DIG.29 . c 27 N80-24438 *
US-PATENT-CLASS-260-17.2 ..... c 24 N80-26388 *
US-PATENT-CLASS-260-17.2 ..... c 24 N81-13999 *
US-PATENT-CLASS-260-17.4UC . c 23 N81-29160 *
US-PATENT-CLASS-260-17A ..... c 27 N81-14076 *
US-PATENT-CLASS-260-18S ..... c 06 N72-25151 *
US-PATENT-CLASS-260-2.1E ..... c 18 N72-22567 *
US-PATENT-CLASS-260-2.1E ..... c 27 N81-14076 *
US-PATENT-CLASS-260-2.1E ..... c 25 N81-19244 *
US-PATENT-CLASS-260-2.1 ..... c 25 N81-17187 *
US-PATENT-CLASS-260-2.2R .... c 25 N81-17187 *
US-PATENT-CLASS-260-2.2R .... c 25 N81-19244 *
US-PATENT-CLASS-260-2.5AK ... c 27 N76-15310 *
US-PATENT-CLASS-260-2.5AK ... c 24 N78-24290 *
US-PATENT-CLASS-260-2.5AM .. c 27 N74-12812 *
US-PATENT-CLASS-260-2.5AM .. c 27 N77-31308 *
US-PATENT-CLASS-260-2.5AP ... c 24 N78-24290 *
US-PATENT-CLASS-260-2.5AY ... c 27 N77-31308 *
US-PATENT-CLASS-260-2.5A ..... c 27 N77-31308 *
US-PATENT-CLASS-260-2.5BE ... c 24 N78-24290 *
US-PATENT-CLASS-260-2.5B ..... c 24 N78-24290 *
US-PATENT-CLASS-260-2.5EP ... c 24 N78-24290 *
US-PATENT-CLASS-260-2.5FP ... c 06 N72-25147 *
US-PATENT-CLASS-260-2.5FP ... c 27 N74-27037 *
US-PATENT-CLASS-260-2.5FP ... c 24 N78-24290 *
US-PATENT-CLASS-260-2.5F ..... c 18 N73-13562 *
US-PATENT-CLASS-260-2.5L ..... c 27 N74-12814 *
US-PATENT-CLASS-260-2.5N ..... c 24 N78-15180 *
US-PATENT-CLASS-260-2.5N ..... c 27 N78-31232 *
US-PATENT-CLASS-260-2.5R ..... c 27 N74-27037 *
US-PATENT-CLASS-260-2.5R ..... c 24 N78-15180 *
US-PATENT-CLASS-260-2.5 ..... c 06 N71-11242 *
US-PATENT-CLASS-260-2.5 ..... c 06 N71-24739 *
US-PATENT-CLASS-260-2.5 ..... c 06 N71-25929 *
US-PATENT-CLASS-260-2.5 ..... c 18 N71-26155 *
US-PATENT-CLASS-260-2.5 ..... c 06 N72-25150 *
US-PATENT-CLASS-260-2P ..... c 27 N78-32256 *
US-PATENT-CLASS-260-2R ..... c 37 N74-18126 *
US-PATENT-CLASS-260-2R ..... c 27 N74-27037 *
US-PATENT-CLASS-260-2R ..... c 27 N78-15276 *
US-PATENT-CLASS-260-211.5 .... c 06 N72-25149 *
US-PATENT-CLASS-260-240G .... c 27 N76-32315 *
US-PATENT-CLASS-260-245.75 .. c 27 N86-19455 *
US-PATENT-CLASS-260-245.9 .... c 27 N86-19455 *
US-PATENT-CLASS-260-28.5 ..... c 27 N78-33228 *
US-PATENT-CLASS-260-29.1R ... c 24 N78-24290 *
US-PATENT-CLASS-260-29.6RB . c 25 N81-19242 *
US-PATENT-CLASS-260-29.6S .... c 27 N74-17283 *
US-PATENT-CLASS-260-29.6 ..... c 26 N75-27125 *
US-PATENT-CLASS-260-2 ..... c 06 N71-11243 *
US-PATENT-CLASS-260-2 ..... c 06 N71-20717 *
US-PATENT-CLASS-260-2 ..... c 06 N71-20905 *
US-PATENT-CLASS-260-2 ..... c 06 N71-27363 *
US-PATENT-CLASS-260-2 ..... c 06 N73-30102 *
US-PATENT-CLASS-260-2 ..... c 27 N79-21190 *
US-PATENT-CLASS-260-30.2 ..... c 06 N73-27980 *
US-PATENT-CLASS-260-30.4N ... c 27 N78-17205 *
US-PATENT-CLASS-260-30.8DS . c 06 N73-27980 *
US-PATENT-CLASS-260-307G .... c 27 N79-22300 *
US-PATENT-CLASS-260-32.2R ... c 27 N78-17205 *
US-PATENT-CLASS-260-32.6NT . c 27 N78-17205 *
US-PATENT-CLASS-260-32.6N ... c 06 N73-27980 *
US-PATENT-CLASS-260-32.6N ... c 23 N76-15268 *
US-PATENT-CLASS-260-32.8N ... c 23 N76-15268 *
US-PATENT-CLASS-260-326N .... c 27 N81-17260 *
US-PATENT-CLASS-260-326S .... c 27 N81-17260 *
US-PATENT-CLASS-260-33.4R ... c 06 N73-27980 *
US-PATENT-CLASS-260-33.4R ... c 27 N78-17205 *
US-PATENT-CLASS-260-33.4R ... c 27 N81-19296 *
US-PATENT-CLASS-260-33.6EP . c 24 N78-27180 *
US-PATENT-CLASS-260-33.6PQ . c 24 N78-27180 *
US-PATENT-CLASS-260-33.6R ... c 06 N73-27980 *
US-PATENT-CLASS-260-33.6UB . c 27 N81-15104 *
US-PATENT-CLASS-260-33.8EP . c 24 N78-27180 *
US-PATENT-CLASS-260-33.8F .... c 27 N76-24405 *
US-PATENT-CLASS-260-33.8F .... c 25 N81-14016 *
US-PATENT-CLASS-260-33.8UA . c 24 N78-27180 *
US-PATENT-CLASS-260-340.9R . c 23 N82-16174 *
US-PATENT-CLASS-260-346.3 .... c 23 N75-30256 *
US-PATENT-CLASS-260-346.3 .... c 23 N76-15268 *
US-PATENT-CLASS-260-346.3 .... c 27 N80-32515 *
US-PATENT-CLASS-260-348SC .. c 06 N72-25148 *
US-PATENT-CLASS-260-37EP .... c 24 N78-24290 *
US-PATENT-CLASS-260-37EP .... c 24 N78-27180 *

US-PATENT-CLASS-260-37EP .... c 15 N79-26100 *
US-PATENT-CLASS-260-37EP .... c 27 N81-17260 *
US-PATENT-CLASS-260-37N ..... c 27 N79-28307 *
US-PATENT-CLASS-260-37 ..... c 18 N71-25881 *
US-PATENT-CLASS-260-37 ..... c 27 N81-24258 *
US-PATENT-CLASS-260-386 ..... c 25 N82-24312 *
US-PATENT-CLASS-260-386 ..... c 23 N88-26404 *
US-PATENT-CLASS-260-389 ..... c 25 N82-24312 *
US-PATENT-CLASS-260-389 ..... c 23 N88-26404 *
US-PATENT-CLASS-260-395 ..... c 23 N88-26404 *
US-PATENT-CLASS-260-396N .... c 27 N74-27037 *
US-PATENT-CLASS-260-404.5 .... c 18 N71-15688 *
US-PATENT-CLASS-260-42.17 .... c 27 N78-17215 *
US-PATENT-CLASS-260-42.43 .... c 24 N78-27180 *
US-PATENT-CLASS-260-429 ..... c 06 N71-28808 *
US-PATENT-CLASS-260-42 ..... c 27 N79-28307 *
US-PATENT-CLASS-260-448.2D . c 06 N72-25151 *
US-PATENT-CLASS-260-448.2D . c 06 N73-32030 *
US-PATENT-CLASS-260-448.2N . c 37 N74-21058 *
US-PATENT-CLASS-260-448.2 .... c 06 N71-23230 *
US-PATENT-CLASS-260-45.7R ... c 24 N78-27180 *
US-PATENT-CLASS-260-45.7R ... c 27 N82-16238 *
US-PATENT-CLASS-260-45.75W c 24 N78-27180 *
US-PATENT-CLASS-260-45.7 ..... c 27 N76-24405 *
US-PATENT-CLASS-260-45.85N . c 24 N78-27180 *
US-PATENT-CLASS-260-45.9R ... c 24 N78-27180 *
US-PATENT-CLASS-260-46.5E .... c 06 N72-25151 *
US-PATENT-CLASS-260-46.5G .... c 06 N72-25151 *
US-PATENT-CLASS-260-46.5P .... c 06 N72-25151 *
US-PATENT-CLASS-260-46.5R ... c 06 N73-26100 *
US-PATENT-CLASS-260-46.5 ..... c 06 N71-11237 *
US-PATENT-CLASS-260-46.5 ..... c 06 N71-11240 *
US-PATENT-CLASS-260-465.5R . c 27 N81-24256 *
US-PATENT-CLASS-260-465.5R . c 27 N84-22744 *
US-PATENT-CLASS-260-465.6 .... c 27 N84-22744 *
US-PATENT-CLASS-260-47CP .... c 06 N73-27080 *
US-PATENT-CLASS-260-47CP .... c 23 N76-15268 *
US-PATENT-CLASS-260-47CP .... c 27 N78-31232 *
US-PATENT-CLASS-260-47CP .... c 27 N78-32261 *
US-PATENT-CLASS-260-47UP .... c 06 N73-32029 *
US-PATENT-CLASS-260-47 ..... c 06 N71-28620 *
US-PATENT-CLASS-260-47 ..... c 06 N71-28807 *
US-PATENT-CLASS-260-485F ..... c 06 N73-30098 *
US-PATENT-CLASS-260-49 ..... c 27 N78-32261 *
US-PATENT-CLASS-260-520 ..... c 23 N75-30256 *
US-PATENT-CLASS-260-535H .... c 06 N72-27144 *
US-PATENT-CLASS-260-53 ..... c 27 N79-28307 *
US-PATENT-CLASS-260-544-D ... c 27 N86-21675 *
US-PATENT-CLASS-260-544-P .... c 27 N87-14515 *
US-PATENT-CLASS-260-544F .... c 06 N72-20121 *
US-PATENT-CLASS-260-544P .... c 27 N86-27450 *
US-PATENT-CLASS-260-551P .... c 27 N78-32256 *
US-PATENT-CLASS-260-566B .... c 27 N76-32315 *
US-PATENT-CLASS-260-567.6M . c 06 N73-32029 *
US-PATENT-CLASS-260-571 ..... c 23 N76-15268 *
US-PATENT-CLASS-260-606-5P . c 27 N78-32256 *
US-PATENT-CLASS-260-615 ..... c 06 N71-27254 *
US-PATENT-CLASS-260-615 ..... c 06 N73-30101 *
US-PATENT-CLASS-260-63N ..... c 27 N78-31232 *
US-PATENT-CLASS-260-63N ..... c 27 N78-32261 *
US-PATENT-CLASS-260-63R ..... c 27 N78-32261 *
US-PATENT-CLASS-260-65 ..... c 06 N73-27980 *
US-PATENT-CLASS-260-65 ..... c 27 N78-32261 *
US-PATENT-CLASS-260-65 ..... c 23 N82-29358 *
US-PATENT-CLASS-260-67 ..... c 27 N78-17214 *
US-PATENT-CLASS-260-67 ..... c 27 N79-21191 *
US-PATENT-CLASS-260-72.5 ..... c 06 N71-11236 *
US-PATENT-CLASS-260-72.5 ..... c 06 N71-11239 *
US-PATENT-CLASS-260-72.5 ..... c 06 N71-24740 *
US-PATENT-CLASS-260-75NH .... c 27 N78-17213 *
US-PATENT-CLASS-260-75NK .... c 27 N78-17213 *
US-PATENT-CLASS-260-75NT .... c 27 N78-17213 *
US-PATENT-CLASS-260-77.5AM c 27 N78-17213 *
US-PATENT-CLASS-260-77.5AN . c 27 N78-17213 *
US-PATENT-CLASS-260-77.5AP . c 06 N72-27144 *
US-PATENT-CLASS-260-77.5AP . c 06 N73-33076 *
US-PATENT-CLASS-260-77.5AP . c 27 N77-31308 *
US-PATENT-CLASS-260-77.5AP . c 27 N78-17213 *
US-PATENT-CLASS-260-77.5AT . c 27 N78-17213 *
US-PATENT-CLASS-260-77.55P . c 27 N78-17213 *
US-PATENT-CLASS-260-77.5 ..... c 06 N73-30099 *
US-PATENT-CLASS-260-77.5 ..... c 06 N73-30100 *
US-PATENT-CLASS-260-77.5 ..... c 06 N73-30103 *
US-PATENT-CLASS-260-78.41 .... c 27 N78-31232 *
US-PATENT-CLASS-260-78TF .... c 06 N73-27980 *
US-PATENT-CLASS-260-78TF .... c 27 N74-23125 *
US-PATENT-CLASS-260-78TF .... c 23 N75-30256 *
US-PATENT-CLASS-260-78TF .... c 23 N76-15268 *
US-PATENT-CLASS-260-78TF .... c 27 N78-32261 *
US-PATENT-CLASS-260-78UA .... c 06 N73-27980 *
US-PATENT-CLASS-260-78 ..... c 06 N71-11235 *
US-PATENT-CLASS-260-78 ..... c 06 N71-11238 *
US-PATENT-CLASS-260-830S ..... c 15 N79-26100 *
US-PATENT-CLASS-260-85.5 ..... c 06 N71-23500 *
US-PATENT-CLASS-260-858 ..... c 27 N81-14076 *
US-PATENT-CLASS-260-877 ..... c 06 N72-22107 *
US-PATENT-CLASS-260-879 ..... c 27 N76-16228 *
US-PATENT-CLASS-260-886 ..... c 27 N81-14076 *
US-PATENT-CLASS-260-8900 ..... c 27 N81-14076 *
US-PATENT-CLASS-260-895 ..... c 27 N81-14076 *
US-PATENT-CLASS-260-898 ..... c 27 N81-14076 *
US-PATENT-CLASS-260-900 ..... c 27 N76-16228 *
US-PATENT-CLASS-260-901 ..... c 27 N81-14076 *
US-PATENT-CLASS-260-92.1 ..... c 06 N72-25150 *
US-PATENT-CLASS-260-92.1 ..... c 06 N72-25152 *
US-PATENT-CLASS-260-92.1 ..... c 27 N76-16228 *
US-PATENT-CLASS-260-92.1 ..... c 27 N76-24405 *
US-PATENT-CLASS-260-926 ..... c 27 N80-10358 *
US-PATENT-CLASS-260-927-N ... c 23 N86-19376 *
US-PATENT-CLASS-260-93.5A ... c 06 N73-32029 *
US-PATENT-CLASS-260-93.5S .... c 06 N73-32029 *
US-PATENT-CLASS-260-94.2M ... c 06 N73-32029 *
US-PATENT-CLASS-260-94.2R ... c 06 N73-32029 *
US-PATENT-CLASS-260-94.7R ... c 06 N73-32029 *
US-PATENT-CLASS-260-94.8 ..... c 27 N73-22710 *
US-PATENT-CLASS-260-959 ..... c 27 N78-32256 *
US-PATENT-CLASS-260-96D ..... c 28 N81-15119 *
US-PATENT-CLASS-261-DIG.75 . c 34 N77-24423 *
US-PATENT-CLASS-261-118 ..... c 31 N80-18231 *
US-PATENT-CLASS-261-123 ..... c 34 N77-24423 *
US-PATENT-CLASS-261-145 ..... c 28 N72-22772 *
US-PATENT-CLASS-261-28 ..... c 07 N81-29129 *
US-PATENT-CLASS-261-78A ..... c 35 N86-29174 *
US-PATENT-CLASS-261-79A ..... c 54 N81-24724 *
US-PATENT-CLASS-263-48 ..... c 15 N69-27483 * #
US-PATENT-CLASS-264-DIG.36 . c 18 N73-14584 *
US-PATENT-CLASS-264-DIG.44 . c 15 N72-16329 *
US-PATENT-CLASS-264-DIG.64 . c 27 N88-23894 *
US-PATENT-CLASS-264-DIG.65 . c 27 N85-20124 *
US-PATENT-CLASS-264-102 ..... c 15 N71-10672 *
US-PATENT-CLASS-264-102 ..... c 15 N73-12489 *
US-PATENT-CLASS-264-102 ..... c 31 N74-14133 *
US-PATENT-CLASS-264-102 ..... c 31 N74-18124 *
US-PATENT-CLASS-264-102 ..... c 37 N76-24575 *
US-PATENT-CLASS-264-102 ..... c 15 N79-26100 *
US-PATENT-CLASS-264-104 ..... c 05 N72-25120 *
US-PATENT-CLASS-264-104 ..... c 27 N81-24257 *
US-PATENT-CLASS-264-104 ..... c 23 N81-29160 *
US-PATENT-CLASS-264-104 ..... c 25 N83-13188 *
US-PATENT-CLASS-264-105 ..... c 27 N81-24257 *
US-PATENT-CLASS-264-111 ..... c 17 N71-29137 *
US-PATENT-CLASS-264-112 ..... c 27 N85-20124 *
US-PATENT-CLASS-264-118 ..... c 24 N80-26388 *
US-PATENT-CLASS-264-118 ..... c 24 N84-16262 *
US-PATENT-CLASS-264-119 ..... c 24 N80-26388 *
US-PATENT-CLASS-264-120 ..... c 27 N85-20124 *
US-PATENT-CLASS-264-124 ..... c 24 N80-26388 *
US-PATENT-CLASS-264-129 ..... c 37 N76-31524 *
US-PATENT-CLASS-264-12 ..... c 31 N83-35176 *
US-PATENT-CLASS-264-130 ..... c 27 N78-32262 *
US-PATENT-CLASS-264-135 ..... c 37 N74-18126 *
US-PATENT-CLASS-264-136 ..... c 37 N74-18126 *
US-PATENT-CLASS-264-137 ..... c 27 N79-33316 *
US-PATENT-CLASS-264-137 ..... c 27 N81-14078 *
US-PATENT-CLASS-264-137 ..... c 27 N81-29229 *
US-PATENT-CLASS-264-137 ..... c 27 N83-34041 *
US-PATENT-CLASS-264-137 ..... c 27 N85-20124 *
US-PATENT-CLASS-264-145 ..... c 15 N79-26100 *
US-PATENT-CLASS-264-151 ..... c 15 N79-26100 *
US-PATENT-CLASS-264-152 ..... c 27 N85-20124 *
US-PATENT-CLASS-264-157 ..... c 24 N78-17150 *
US-PATENT-CLASS-264-161 ..... c 37 N76-31524 *
US-PATENT-CLASS-264-175 ..... c 15 N79-26100 *
US-PATENT-CLASS-264-184 ..... c 27 N78-32262 *
US-PATENT-CLASS-264-1 ..... c 44 N79-24432 *
US-PATENT-CLASS-264-204 ..... c 27 N86-29039 *
US-PATENT-CLASS-264-211 ..... c 27 N78-32262 *
US-PATENT-CLASS-264-212 ..... c 27 N80-32516 *
US-PATENT-CLASS-264-212 ..... c 27 N86-31727 *
US-PATENT-CLASS-264-216 ..... c 25 N82-21268 *
US-PATENT-CLASS-264-216 ..... c 27 N86-29039 *
US-PATENT-CLASS-264-217 ..... c 25 N75-12087 *
US-PATENT-CLASS-264-219 ..... c 37 N76-31524 *
US-PATENT-CLASS-264-220 ..... c 27 N82-28440 *
US-PATENT-CLASS-264-221 ..... c 15 N72-16329 *
US-PATENT-CLASS-264-225 ..... c 15 N72-16329 *
US-PATENT-CLASS-264-227 ..... c 15 N72-16329 *
US-PATENT-CLASS-264-229 ..... c 24 N81-29163 *
US-PATENT-CLASS-264-22 ..... c 15 N72-20446 *
US-PATENT-CLASS-264-22 ..... c 14 N72-22439 *
US-PATENT-CLASS-264-22 ..... c 25 N75-12087 *
US-PATENT-CLASS-264-22 ..... c 27 N80-32516 *
US-PATENT-CLASS-264-22 ..... c 27 N82-28440 *
US-PATENT-CLASS-264-230 ..... c 37 N82-24491 *
US-PATENT-CLASS-264-231 ..... c 24 N81-29163 *
US-PATENT-CLASS-264-236 ..... c 27 N78-32262 *
US-PATENT-CLASS-264-236 ..... c 15 N79-26100 *
US-PATENT-CLASS-264-236 ..... c 27 N86-29039 *
US-PATENT-CLASS-264-236 ..... c 27 N86-31727 *
US-PATENT-CLASS-264-23 ..... c 71 N78-10837 *
US-PATENT-CLASS-264-23 ..... c 31 N81-15154 *
US-PATENT-CLASS-264-24 ..... c 31 N81-33319 *
US-PATENT-CLASS-264-24 ..... c 31 N83-35176 *
US-PATENT-CLASS-264-257 ..... c 37 N74-18126 *
US-PATENT-CLASS-264-258 ..... c 24 N81-29163 *
US-PATENT-CLASS-264-258 ..... c 27 N83-34041 *
US-PATENT-CLASS-264-258 ..... c 27 N85-20124 *
US-PATENT-CLASS-264-259 ..... c 24 N81-29163 *
US-PATENT-CLASS-264-267 ..... c 37 N76-24575 *
US-PATENT-CLASS-264-27 ..... c 26 N71-17818 *
US-PATENT-CLASS-264-28 ..... c 15 N73-12489 *
US-PATENT-CLASS-264-291 ..... c 74 N87-28416 *
US-PATENT-CLASS-264-294 ..... c 31 N74-13177 *
US-PATENT-CLASS-264-3R ..... c 28 N77-10213 *
US-PATENT-CLASS-264-3R ..... c 20 N77-17143 *
US-PATENT-CLASS-264-304 ..... c 37 N76-31524 *
US-PATENT-CLASS-264-305 ..... c 37 N76-31524 *
US-PATENT-CLASS-264-308 ..... c 37 N76-31524 *
US-PATENT-CLASS-264-310 ..... c 37 N76-31524 *
US-PATENT-CLASS-264-311 ..... c 24 N81-29163 *
US-PATENT-CLASS-264-318 ..... c 37 N76-31524 *
US-PATENT-CLASS-264-331.12 .. c 27 N85-20124 *
US-PATENT-CLASS-264-331.19 .. c 27 N85-20124 *
US-PATENT-CLASS-264-331.46 .. c 27 N83-34041 *
US-PATENT-CLASS-264-331 ..... c 27 N76-16230 *
US-PATENT-CLASS-264-332 ..... c 37 N81-25371 *
US-PATENT-CLASS-264-332 ..... c 27 N87-28656 *
US-PATENT-CLASS-264-334 ..... c 37 N76-31524 *
US-PATENT-CLASS-264-33 ..... c 44 N79-24432 *
US-PATENT-CLASS-264-342R .... c 37 N82-24491 *
US-PATENT-CLASS-264-345 ..... c 71 N78-10837 *
US-PATENT-CLASS-264-347 ..... c 27 N86-29039 *
US-PATENT-CLASS-264-34 ..... c 44 N79-24432 *
US-PATENT-CLASS-264-35 ..... c 44 N79-24432 *
US-PATENT-CLASS-264-36 ..... c 15 N73-12489 *
US-PATENT-CLASS-264-36 ..... c 32 N74-27612 *
US-PATENT-CLASS-264-3 ..... c 28 N71-26779 *
US-PATENT-CLASS-264-40.4 ..... c 35 N80-18357 *
US-PATENT-CLASS-264-40 ..... c 15 N73-12489 *
US-PATENT-CLASS-264-41 ..... c 25 N81-19244 *
US-PATENT-CLASS-264-41 ..... c 51 N84-28361 *
US-PATENT-CLASS-264-453 ..... c 25 N82-21268 *
US-PATENT-CLASS-264-50 ..... c 27 N88-23894 *
US-PATENT-CLASS-264-510 ..... c 44 N79-24432 *
US-PATENT-CLASS-264-516 ..... c 44 N79-24432 *
US-PATENT-CLASS-264-53 ..... c 25 N82-21268 *
US-PATENT-CLASS-264-59 ..... c 24 N84-16262 *
US-PATENT-CLASS-264-5 ..... c 31 N81-33319 *
US-PATENT-CLASS-264-5 ..... c 27 N82-28442 *
US-PATENT-CLASS-264-5 ..... c 31 N83-31896 *
US-PATENT-CLASS-264-5 ..... c 31 N83-35176 *
US-PATENT-CLASS-264-5 ..... c 26 N86-32551 *
US-PATENT-CLASS-264-60 ..... c 27 N76-22376 *
US-PATENT-CLASS-264-60 ..... c 27 N79-14213 *
US-PATENT-CLASS-264-60 ..... c 24 N84-16262 *
US-PATENT-CLASS-264-60 ..... c 27 N87-28656 *
US-PATENT-CLASS-264-63 ..... c 27 N76-22376 *
US-PATENT-CLASS-264-63 ..... c 27 N87-28656 *
US-PATENT-CLASS-264-65 ..... c 18 N73-14584 *
US-PATENT-CLASS-264-66 ..... c 27 N76-22376 *
US-PATENT-CLASS-264-70 ..... c 44 N79-24432 *
US-PATENT-CLASS-264-71 ..... c 44 N79-24432 *
US-PATENT-CLASS-264-90 ..... c 24 N78-17150 *
US-PATENT-CLASS-264-92 ..... c 15 N71-17803 *
US-PATENT-CLASS-264-92 ..... c 15 N72-24522 *
US-PATENT-CLASS-264-9 ..... c 31 N81-33319 *
US-PATENT-CLASS-264-9 ..... c 31 N83-31896 *
US-PATENT-CLASS-266-119 ..... c 26 N80-28492 *
US-PATENT-CLASS-266-19 ..... c 15 N70-33382 *
US-PATENT-CLASS-266-249 ..... c 26 N80-28492 *
US-PATENT-CLASS-266-24 ..... c 17 N72-28535 *
US-PATENT-CLASS-266-274 ..... c 26 N80-28492 *
US-PATENT-CLASS-267-150 ..... c 37 N85-34401 *
US-PATENT-CLASS-267-166 ..... c 34 N74-18552 *
US-PATENT-CLASS-267-1 ..... c 15 N69-27504 * #
US-PATENT-CLASS-267-1 ..... c 15 N70-38225 *
US-PATENT-CLASS-267-64 ..... c 15 N71-21530 *
US-PATENT-CLASS-267-8R ..... c 37 N85-34401 *
US-PATENT-CLASS-269-147 ..... c 35 N88-24927 *
US-PATENT-CLASS-269-152 ..... c 18 N83-29303 *
US-PATENT-CLASS-269-153 ..... c 44 N79-19447 *
US-PATENT-CLASS-269-156 ..... c 37 N80-14398 *
US-PATENT-CLASS-269-21 ..... c 37 N76-21554 *
US-PATENT-CLASS-269-21 ..... c 37 N78-17383 *
US-PATENT-CLASS-269-21 ..... c 37 N78-27423 *
US-PATENT-CLASS-269-21 ..... c 76 N80-18951 *
US-PATENT-CLASS-269-21 ..... c 37 N81-33482 *
US-PATENT-CLASS-269-224 ..... c 37 N84-28083 *
US-PATENT-CLASS-269-242 ..... c 18 N83-29303 *
US-PATENT-CLASS-269-242 ..... c 37 N84-28083 *
US-PATENT-CLASS-269-244 ..... c 18 N83-29303 *
US-PATENT-CLASS-269-244 ..... c 37 N84-28083 *
US-PATENT-CLASS-269-246 ..... c 35 N88-24927 *
US-PATENT-CLASS-269-252 ..... c 37 N84-28083 *
US-PATENT-CLASS-269-266 ..... c 37 N78-27423 *
US-PATENT-CLASS-269-285 ..... c 37 N84-28083 *
US-PATENT-CLASS-269-287 ..... c 37 N80-23655 *
US-PATENT-CLASS-269-3 ..... c 37 N84-12491 *

US-PATENT-CLASS-269-43 ..... c 37 N88-14360 *
US-PATENT-CLASS-269-48.1 ..... c 39 N74-13131 *
US-PATENT-CLASS-269-71 ..... c 37 N88-14360 *
US-PATENT-CLASS-269-73 ..... c 37 N88-14360 *
US-PATENT-CLASS-27-498 ..... c 15 N73-28515 *
US-PATENT-CLASS-272-DIG.1 .... c 05 N73-32014 *
US-PATENT-CLASS-272-DIG.4 .... c 05 N73-32014 *
US-PATENT-CLASS-272-DIG.5 .... c 05 N73-32014 *
US-PATENT-CLASS-272-1R ..... c 09 N75-15662 *
US-PATENT-CLASS-272-57A ..... c 09 N75-15662 *
US-PATENT-CLASS-272-70 ..... c 05 N71-28619 *
US-PATENT-CLASS-272-73 ..... c 14 N73-27377 *
US-PATENT-CLASS-272-73 ..... c 05 N73-27941 *
US-PATENT-CLASS-272-73 ..... c 37 N74-18127 *
US-PATENT-CLASS-272-79C ..... c 05 N73-32014 *
US-PATENT-CLASS-272-80 ..... c 37 N74-18127 *
US-PATENT-CLASS-273-1E ..... c 05 N73-13114 *
US-PATENT-CLASS-273-240 ..... c 31 N83-34073 *
US-PATENT-CLASS-274-4R ..... c 09 N72-11224 *
US-PATENT-CLASS-277-105 ..... c 37 N82-24490 *
US-PATENT-CLASS-277-116.6 .... c 37 N84-11497 *
US-PATENT-CLASS-277-124 ..... c 37 N84-11497 *
US-PATENT-CLASS-277-134 ..... c 37 N75-21631 *
US-PATENT-CLASS-277-134 ..... c 07 N78-25090 *
US-PATENT-CLASS-277-135 ..... c 37 N85-29284 *
US-PATENT-CLASS-277-13 ..... c 15 N71-26294 *
US-PATENT-CLASS-277-153 ..... c 37 N80-28711 *
US-PATENT-CLASS-277-153 ..... c 37 N81-26447 *
US-PATENT-CLASS-277-164 ..... c 37 N84-11497 *
US-PATENT-CLASS-277-177 ..... c 37 N84-11497 *
US-PATENT-CLASS-277-181 ..... c 37 N81-15363 *
US-PATENT-CLASS-277-189 ..... c 37 N82-16408 *
US-PATENT-CLASS-277-190 ..... c 37 N84-11497 *
US-PATENT-CLASS-277-192 ..... c 37 N79-22474 *
US-PATENT-CLASS-277-193 ..... c 37 N80-28711 *
US-PATENT-CLASS-277-193 ..... c 37 N81-26447 *
US-PATENT-CLASS-277-1 ..... c 37 N82-24490 *
US-PATENT-CLASS-277-204 ..... c 37 N82-24490 *
US-PATENT-CLASS-277-224 ..... c 37 N80-28711 *
US-PATENT-CLASS-277-229 ..... c 37 N81-15363 *
US-PATENT-CLASS-277-25 ..... c 15 N69-21362 * #
US-PATENT-CLASS-277-25 ..... c 15 N71-19570 *
US-PATENT-CLASS-277-25 ..... c 15 N72-29488 *
US-PATENT-CLASS-277-25 ..... c 37 N74-10474 *
US-PATENT-CLASS-277-25 ..... c 07 N78-25090 *
US-PATENT-CLASS-277-27 ..... c 15 N72-29488 *
US-PATENT-CLASS-277-27 ..... c 37 N74-10474 *
US-PATENT-CLASS-277-27 ..... c 37 N74-15125 *
US-PATENT-CLASS-277-27 ..... c 37 N75-21631 *
US-PATENT-CLASS-277-27 ..... c 37 N82-12442 *
US-PATENT-CLASS-277-2 ..... c 37 N82-24490 *
US-PATENT-CLASS-277-40 ..... c 37 N75-21631 *
US-PATENT-CLASS-277-40 ..... c 37 N82-12442 *
US-PATENT-CLASS-277-41 ..... c 37 N76-22541 *
US-PATENT-CLASS-277-4 ..... c 37 N76-22541 *
US-PATENT-CLASS-277-4 ..... c 37 N82-24490 *
US-PATENT-CLASS-277-53 ..... c 37 N86-20788 *
US-PATENT-CLASS-277-59 ..... c 37 N82-24490 *
US-PATENT-CLASS-277-62 ..... c 37 N79-22475 *
US-PATENT-CLASS-277-72R ..... c 37 N82-24490 *
US-PATENT-CLASS-277-74 ..... c 15 N72-29488 *
US-PATENT-CLASS-277-74 ..... c 37 N76-22541 *
US-PATENT-CLASS-277-80 ..... c 37 N85-29284 *
US-PATENT-CLASS-277-81R ..... c 37 N82-16408 *
US-PATENT-CLASS-277-91 ..... c 37 N74-15125 *
US-PATENT-CLASS-277-93R ..... c 37 N76-22541 *
US-PATENT-CLASS-277-93R ..... c 37 N82-12442 *
US-PATENT-CLASS-277-96.1 ..... c 37 N79-22475 *
US-PATENT-CLASS-277-96 ..... c 37 N74-10474 *
US-PATENT-CLASS-277-96 ..... c 37 N81-24442 *
US-PATENT-CLASS-279-1B ..... c 37 N75-33395 *
US-PATENT-CLASS-279-107 ..... c 37 N75-33395 *
US-PATENT-CLASS-279-3 ..... c 37 N78-17383 *
US-PATENT-CLASS-279-89 ..... c 37 N75-33395 *
US-PATENT-CLASS-280-150SB .. c 05 N75-25915 *
US-PATENT-CLASS-280-432 ..... c 37 N77-14477 *
US-PATENT-CLASS-280-47.11 .... c 85 N87-21755 *
US-PATENT-CLASS-280-805 ..... c 37 N82-18601 *
US-PATENT-CLASS-285-DIG.21 . c 15 N72-25450 *
US-PATENT-CLASS-285-DIG.21 . c 33 N73-26958 *
US-PATENT-CLASS-285-114 ..... c 37 N75-19686 *
US-PATENT-CLASS-285-137.1 .... c 35 N87-28884 *
US-PATENT-CLASS-285-159 ..... c 37 N82-24494 *
US-PATENT-CLASS-285-168 ..... c 54 N86-28619 *
US-PATENT-CLASS-285-168 ..... c 54 N86-28620 *
US-PATENT-CLASS-285-168 ..... c 54 N86-29507 * #
US-PATENT-CLASS-285-184 ..... c 54 N86-29507 * #
US-PATENT-CLASS-285-18 ..... c 15 N72-20445 *
US-PATENT-CLASS-285-192 ..... c 20 N78-24275 *
US-PATENT-CLASS-285-226 ..... c 37 N75-19686 *
US-PATENT-CLASS-285-226 ..... c 37 N76-14460 *
US-PATENT-CLASS-285-227 ..... c 54 N86-29507 * #
US-PATENT-CLASS-285-235 ..... c 54 N78-31735 *
US-PATENT-CLASS-285-235 ..... c 54 N79-24651 *
US-PATENT-CLASS-285-24 ..... c 15 N71-10782 *
US-PATENT-CLASS-285-265 ..... c 37 N76-14460 *
US-PATENT-CLASS-285-27 ..... c 15 N70-41808 *
US-PATENT-CLASS-285-27 ..... c 18 N87-27713 *
US-PATENT-CLASS-285-305 ..... c 37 N87-22977 *
US-PATENT-CLASS-285-314 ..... c 15 N71-24903 *
US-PATENT-CLASS-285-316 ..... c 15 N72-25450 *
US-PATENT-CLASS-285-316 ..... c 33 N73-26958 *
US-PATENT-CLASS-285-317 ..... c 15 N71-24903 *
US-PATENT-CLASS-285-31 ..... c 18 N87-27713 *
US-PATENT-CLASS-285-326 ..... c 37 N79-11402 *
US-PATENT-CLASS-285-331 ..... c 15 N70-41629 *
US-PATENT-CLASS-285-33 ..... c 15 N72-25450 *
US-PATENT-CLASS-285-345 ..... c 15 N72-20445 *
US-PATENT-CLASS-285-359 ..... c 37 N79-11402 *
US-PATENT-CLASS-285-373 ..... c 18 N87-27713 *
US-PATENT-CLASS-285-37 ..... c 37 N82-24490 *
US-PATENT-CLASS-285-38 ..... c 15 N71-24903 *
US-PATENT-CLASS-285-3 ..... c 15 N69-27490 * #
US-PATENT-CLASS-285-3 ..... c 15 N72-25450 *
US-PATENT-CLASS-285-401 ..... c 37 N82-24494 *
US-PATENT-CLASS-285-406 ..... c 15 N71-24903 *
US-PATENT-CLASS-285-410 ..... c 05 N72-11085 *
US-PATENT-CLASS-285-421 ..... c 18 N87-27713 *
US-PATENT-CLASS-285-45 ..... c 15 N71-28937 *
US-PATENT-CLASS-285-81 ..... c 37 N87-22977 *
US-PATENT-CLASS-285-85 ..... c 37 N87-22977 *
US-PATENT-CLASS-285-86 ..... c 18 N87-27713 *
US-PATENT-CLASS-285-89 ..... c 37 N82-24494 *
US-PATENT-CLASS-285-901 ..... c 35 N87-28884 *
US-PATENT-CLASS-285-91 ..... c 37 N87-22977 *
US-PATENT-CLASS-287-119 ..... c 15 N70-41829 *
US-PATENT-CLASS-287-189.365 .. c 15 N71-26312 *
US-PATENT-CLASS-287-189.36 .. c 15 N71-10799 *
US-PATENT-CLASS-287-54A ..... c 11 N72-25287 *
US-PATENT-CLASS-287-85R ..... c 15 N73-12488 *
US-PATENT-CLASS-287-92 ..... c 31 N73-32749 *
US-PATENT-CLASS-29-DIG.1 ..... c 44 N81-14389 *
US-PATENT-CLASS-29-DIG.24 .... c 24 N75-33181 *
US-PATENT-CLASS-29-DIG.35 .... c 37 N77-23482 *
US-PATENT-CLASS-29-DIG.39 .... c 24 N75-33181 *
US-PATENT-CLASS-29-125 ..... c 37 N79-10422 *
US-PATENT-CLASS-29-148.4A ... c 37 N74-15128 *
US-PATENT-CLASS-29-148.4B ... c 37 N74-15128 *
US-PATENT-CLASS-29-148.4 ..... c 15 N71-16052 *
US-PATENT-CLASS-29-148.4 ..... c 15 N71-17688 *
US-PATENT-CLASS-29-155.55 .... c 15 N71-15986 *
US-PATENT-CLASS-29-156.5-R .. c 24 N87-27742 * #
US-PATENT-CLASS-29-156.6R ... c 37 N78-24544 *
US-PATENT-CLASS-29-157.3H ... c 74 N83-19596 *
US-PATENT-CLASS-29-157.3R ... c 34 N74-18552 *
US-PATENT-CLASS-29-157.3 ..... c 28 N70-41818 *
US-PATENT-CLASS-29-157 ..... c 28 N71-15658 *
US-PATENT-CLASS-29-182.1 ..... c 18 N71-23710 *
US-PATENT-CLASS-29-182.2 ..... c 17 N71-23046 *
US-PATENT-CLASS-29-182.2 ..... c 37 N75-26371 *
US-PATENT-CLASS-29-182.5 ..... c 17 N72-28536 *
US-PATENT-CLASS-29-182.5 ..... c 37 N75-26371 *
US-PATENT-CLASS-29-182.5 ..... c 27 N76-15311 *
US-PATENT-CLASS-29-182.5 ..... c 27 N77-13217 *
US-PATENT-CLASS-29-182 ..... c 37 N74-13179 *
US-PATENT-CLASS-29-182 ..... c 34 N76-27515 *
US-PATENT-CLASS-29-183.5 ..... c 17 N70-38490 *
US-PATENT-CLASS-29-193 ..... c 34 N76-27515 *
US-PATENT-CLASS-29-194 ..... c 26 N75-19408 *
US-PATENT-CLASS-29-194 ..... c 44 N76-14595 *
US-PATENT-CLASS-29-195A ..... c 27 N76-16229 *
US-PATENT-CLASS-29-195Y ..... c 14 N73-32320 *
US-PATENT-CLASS-29-195 ..... c 44 N76-14595 *
US-PATENT-CLASS-29-196.2 ..... c 17 N73-32414 *
US-PATENT-CLASS-29-196.2 ..... c 26 N75-19408 *
US-PATENT-CLASS-29-196.6 ..... c 17 N73-32414 *
US-PATENT-CLASS-29-196.6 ..... c 37 N75-13261 *
US-PATENT-CLASS-29-196.6 ..... c 26 N75-19408 *
US-PATENT-CLASS-29-197 ..... c 17 N73-32414 *
US-PATENT-CLASS-29-197 ..... c 37 N75-13261 *
US-PATENT-CLASS-29-197 ..... c 26 N75-19408 *
US-PATENT-CLASS-29-197 ..... c 44 N76-14595 *
US-PATENT-CLASS-29-198 ..... c 17 N70-33288 *
US-PATENT-CLASS-29-198 ..... c 09 N72-25259 *
US-PATENT-CLASS-29-203H ..... c 37 N74-32918 *
US-PATENT-CLASS-29-203MW .. c 33 N74-26977 *
US-PATENT-CLASS-29-203V ..... c 15 N73-14468 *
US-PATENT-CLASS-29-23.5 ..... c 37 N78-24544 *
US-PATENT-CLASS-29-234 ..... c 15 N70-36901 *
US-PATENT-CLASS-29-244 ..... c 37 N78-24544 *
US-PATENT-CLASS-29-25.14 ..... c 05 N72-25121 *
US-PATENT-CLASS-29-25.14 ..... c 35 N82-24471 *
US-PATENT-CLASS-29-25.18 ..... c 09 N71-26678 *
US-PATENT-CLASS-29-25.18 ..... c 05 N72-25121 *
US-PATENT-CLASS-29-25.18 ..... c 20 N75-18310 *
US-PATENT-CLASS-29-25.18 ..... c 20 N76-21276 *
US-PATENT-CLASS-29-25.35 ..... c 35 N80-20559 *
US-PATENT-CLASS-29-25.42 ..... c 26 N72-28762 *
US-PATENT-CLASS-29-252 ..... c 37 N78-24544 *
US-PATENT-CLASS-29-26A ..... c 37 N75-33395 *
US-PATENT-CLASS-29-267 ..... c 60 N82-24839 *
US-PATENT-CLASS-29-268 ..... c 37 N74-32918 *
US-PATENT-CLASS-29-271 ..... c 15 N70-41371 *
US-PATENT-CLASS-29-278R ..... c 15 N71-29133 *
US-PATENT-CLASS-29-400 ..... c 05 N71-12345 *
US-PATENT-CLASS-29-402.16 .... c 37 N86-32736 * #
US-PATENT-CLASS-29-412 ..... c 15 N72-20444 *
US-PATENT-CLASS-29-419 ..... c 24 N75-28135 *
US-PATENT-CLASS-29-420.5 ..... c 26 N74-10521 *
US-PATENT-CLASS-29-420.5 ..... c 37 N74-13179 *
US-PATENT-CLASS-29-420.5 ..... c 37 N75-26371 *
US-PATENT-CLASS-29-420 ..... c 24 N75-13032 *
US-PATENT-CLASS-29-421E ..... c 37 N79-13364 *
US-PATENT-CLASS-29-421 ..... c 15 N71-29018 *
US-PATENT-CLASS-29-421 ..... c 14 N72-22439 *
US-PATENT-CLASS-29-421 ..... c 37 N76-14461 *
US-PATENT-CLASS-29-423 ..... c 15 N70-36409 *
US-PATENT-CLASS-29-423 ..... c 31 N74-21059 *
US-PATENT-CLASS-29-423 ..... c 52 N84-28389 *
US-PATENT-CLASS-29-426 ..... c 15 N72-20444 *
US-PATENT-CLASS-29-428 ..... c 15 N71-17686 *
US-PATENT-CLASS-29-432 ..... c 37 N76-19437 *
US-PATENT-CLASS-29-433 ..... c 37 N76-19437 *
US-PATENT-CLASS-29-446 ..... c 37 N83-36482 *
US-PATENT-CLASS-29-447 ..... c 37 N77-23482 *
US-PATENT-CLASS-29-451 ..... c 52 N84-28389 *
US-PATENT-CLASS-29-452 ..... c 15 N73-30457 *
US-PATENT-CLASS-29-458 ..... c 26 N83-10170 *
US-PATENT-CLASS-29-460 ..... c 37 N74-11301 *
US-PATENT-CLASS-29-460 ..... c 37 N75-13261 *
US-PATENT-CLASS-29-463 ..... c 07 N78-33101 *
US-PATENT-CLASS-29-467 ..... c 39 N76-31562 *
US-PATENT-CLASS-29-470.1 ..... c 37 N74-21057 *
US-PATENT-CLASS-29-470.1 ..... c 37 N75-12326 *
US-PATENT-CLASS-29-472.7 ..... c 37 N75-15992 *
US-PATENT-CLASS-29-472.9 ..... c 15 N69-39786 * #
US-PATENT-CLASS-29-472.9 ..... c 26 N71-16037 *
US-PATENT-CLASS-29-472.9 ..... c 15 N72-22492 *
US-PATENT-CLASS-29-473.1 ..... c 15 N72-22487 *
US-PATENT-CLASS-29-473.1 ..... c 15 N72-22492 *
US-PATENT-CLASS-29-473.1 ..... c 37 N75-15992 *
US-PATENT-CLASS-29-475 ..... c 37 N75-12326 *
US-PATENT-CLASS-29-482 ..... c 05 N72-25121 *
US-PATENT-CLASS-29-482 ..... c 37 N74-18128 *
US-PATENT-CLASS-29-487 ..... c 15 N73-33383 *
US-PATENT-CLASS-29-487 ..... c 37 N74-21055 *
US-PATENT-CLASS-29-488 ..... c 15 N70-33311 *
US-PATENT-CLASS-29-488 ..... c 37 N74-18128 *
US-PATENT-CLASS-29-492 ..... c 15 N71-20443 *
US-PATENT-CLASS-29-492 ..... c 09 N72-25261 *
US-PATENT-CLASS-29-494 ..... c 15 N73-33383 *
US-PATENT-CLASS-29-494 ..... c 37 N74-21055 *
US-PATENT-CLASS-29-494 ..... c 37 N75-13261 *
US-PATENT-CLASS-29-495 ..... c 15 N71-21078 *
US-PATENT-CLASS-29-497.5 ..... c 15 N73-28515 *
US-PATENT-CLASS-29-497.5 ..... c 15 N73-33383 *
US-PATENT-CLASS-29-497.5 ..... c 37 N74-11300 *
US-PATENT-CLASS-29-497.5 ..... c 37 N75-13261 *
US-PATENT-CLASS-29-497 ..... c 09 N72-25261 *
US-PATENT-CLASS-29-497 ..... c 15 N73-32358 *
US-PATENT-CLASS-29-497 ..... c 37 N74-18128 *
US-PATENT-CLASS-29-498 ..... c 09 N72-25261 *
US-PATENT-CLASS-29-498 ..... c 15 N73-33383 *
US-PATENT-CLASS-29-498 ..... c 37 N74-11301 *
US-PATENT-CLASS-29-498 ..... c 37 N74-18128 *
US-PATENT-CLASS-29-498 ..... c 37 N74-21055 *
US-PATENT-CLASS-29-502 ..... c 09 N72-25261 *
US-PATENT-CLASS-29-503 ..... c 37 N74-11301 *
US-PATENT-CLASS-29-504 ..... c 37 N74-21055 *
US-PATENT-CLASS-29-504 ..... c 37 N75-13261 *
US-PATENT-CLASS-29-517 ..... c 15 N71-17650 *
US-PATENT-CLASS-29-521 ..... c 26 N83-10170 *
US-PATENT-CLASS-29-526 ..... c 37 N76-19437 *
US-PATENT-CLASS-29-526 ..... c 39 N76-31562 *
US-PATENT-CLASS-29-527.2 ..... c 15 N72-20444 *
US-PATENT-CLASS-29-527.2 ..... c 15 N73-32360 *
US-PATENT-CLASS-29-527.2 ..... c 37 N74-11301 *
US-PATENT-CLASS-29-527.2 ..... c 24 N75-33181 *
US-PATENT-CLASS-29-527.2 ..... c 24 N77-19171 *
US-PATENT-CLASS-29-57-4 ..... c 44 N79-24431 *
US-PATENT-CLASS-29-570 ..... c 26 N72-28761 *
US-PATENT-CLASS-29-571 ..... c 35 N75-13213 *
US-PATENT-CLASS-29-571 ..... c 33 N78-27326 *
US-PATENT-CLASS-29-571 ..... c 33 N81-26360 *
US-PATENT-CLASS-29-572 ..... c 09 N71-23027 *
US-PATENT-CLASS-29-572 ..... c 03 N71-24681 *
US-PATENT-CLASS-29-572 ..... c 03 N72-22041 *
US-PATENT-CLASS-29-572 ..... c 44 N74-14784 *
US-PATENT-CLASS-29-572 ..... c 44 N76-14600 *
US-PATENT-CLASS-29-572 ..... c 44 N76-28635 *
US-PATENT-CLASS-29-572 ..... c 44 N77-10635 *
US-PATENT-CLASS-29-572 ..... c 44 N78-24609 *
US-PATENT-CLASS-29-572 ..... c 44 N78-25527 *
US-PATENT-CLASS-29-572 ..... c 44 N78-25528 *
US-PATENT-CLASS-29-572 ..... c 44 N78-25529 *
US-PATENT-CLASS-29-572 ..... c 44 N79-11468 *
US-PATENT-CLASS-29-572 ..... c 44 N79-11472 *
US-PATENT-CLASS-29-572 ..... c 44 N79-17314 *

US-PATENT-CLASS-29-572 ..... c 44 N79-18444 *
US-PATENT-CLASS-29-572 ..... c 44 N79-24431 *
US-PATENT-CLASS-29-572 ..... c 44 N79-26475 *
US-PATENT-CLASS-29-572 ..... c 44 N79-31752 *
US-PATENT-CLASS-29-572 ..... c 44 N80-14474 *
US-PATENT-CLASS-29-572 ..... c 44 N82-28780 *
US-PATENT-CLASS-29-572 ..... c 44 N82-29709 *
US-PATENT-CLASS-29-572 ..... c 44 N83-13579 *
US-PATENT-CLASS-29-572 ..... c 76 N86-20150 *
US-PATENT-CLASS-29-572 ..... c 44 N86-32875 *
US-PATENT-CLASS-29-573 ..... c 14 N73-13417 *
US-PATENT-CLASS-29-575 ..... c 76 N87-15882 *
US-PATENT-CLASS-29-576-E .... c 76 N87-15882 *
US-PATENT-CLASS-29-576-J .... c 76 N87-15882 *
US-PATENT-CLASS-29-576-W .... c 76 N87-15882 *
US-PATENT-CLASS-29-576B ..... c 44 N86-32875 *
US-PATENT-CLASS-29-576E ..... c 76 N85-30922 *
US-PATENT-CLASS-29-576J ..... c 35 N82-31659 *
US-PATENT-CLASS-29-576J ..... c 76 N85-30922 *
US-PATENT-CLASS-29-576S ..... c 35 N82-31659 *
US-PATENT-CLASS-29-576W ..... c 76 N85-30922 *
US-PATENT-CLASS-29-577 ..... c 44 N79-26475 *
US-PATENT-CLASS-29-578 ..... c 26 N72-17820 *
US-PATENT-CLASS-29-578 ..... c 33 N78-27326 *
US-PATENT-CLASS-29-578 ..... c 44 N79-18444 *
US-PATENT-CLASS-29-578 ..... c 44 N79-26475 *
US-PATENT-CLASS-29-578 ..... c 33 N81-26360 *
US-PATENT-CLASS-29-578 ..... c 76 N85-30922 *
US-PATENT-CLASS-29-578 ..... c 76 N87-15882 *
US-PATENT-CLASS-29-580 ..... c 09 N73-27150 * #
US-PATENT-CLASS-29-580 ..... c 44 N79-26475 *
US-PATENT-CLASS-29-580 ..... c 33 N81-26360 *
US-PATENT-CLASS-29-580 ..... c 35 N87-14671 *
US-PATENT-CLASS-29-588 ..... c 14 N71-27334 *
US-PATENT-CLASS-29-588 ..... c 14 N72-31446 *
US-PATENT-CLASS-29-588 ..... c 44 N74-14784 *
US-PATENT-CLASS-29-588 ..... c 44 N80-14474 *
US-PATENT-CLASS-29-589 ..... c 26 N72-17820 *
US-PATENT-CLASS-29-589 ..... c 09 N72-25261 *
US-PATENT-CLASS-29-589 ..... c 15 N73-14469 *
US-PATENT-CLASS-29-589 ..... c 44 N79-31752 *
US-PATENT-CLASS-29-590 ..... c 09 N72-22199 *
US-PATENT-CLASS-29-591 ..... c 15 N73-14469 *
US-PATENT-CLASS-29-591 ..... c 44 N79-18444 *
US-PATENT-CLASS-29-591 ..... c 35 N87-14671 *
US-PATENT-CLASS-29-592 ..... c 35 N75-13213 *
US-PATENT-CLASS-29-597 ..... c 33 N77-26385 *
US-PATENT-CLASS-29-599 ..... c 15 N72-25447 *
US-PATENT-CLASS-29-599 ..... c 26 N73-26752 *
US-PATENT-CLASS-29-599 ..... c 26 N73-32571 *
US-PATENT-CLASS-29-603 ..... c 08 N71-27210 *
US-PATENT-CLASS-29-604 ..... c 24 N75-13032 *
US-PATENT-CLASS-29-610SG .... c 35 N85-21598 *
US-PATENT-CLASS-29-610 ..... c 24 N75-30260 *
US-PATENT-CLASS-29-613 ..... c 24 N75-30260 *
US-PATENT-CLASS-29-613 ..... c 35 N82-24470 *
US-PATENT-CLASS-29-620 ..... c 35 N82-31659 *
US-PATENT-CLASS-29-622 ..... c 33 N77-26385 *
US-PATENT-CLASS-29-623.5 ..... c 44 N83-32176 *
US-PATENT-CLASS-29-623.5 ..... c 26 N84-22734 *
US-PATENT-CLASS-29-623.5 ..... c 44 N84-28205 *
US-PATENT-CLASS-29-624 ..... c 15 N72-20444 *
US-PATENT-CLASS-29-624 ..... c 14 N73-13417 *
US-PATENT-CLASS-29-627 ..... c 44 N80-14474 *
US-PATENT-CLASS-29-628 ..... c 15 N72-22491 *
US-PATENT-CLASS-29-628 ..... c 09 N72-25261 *
US-PATENT-CLASS-29-628 ..... c 09 N73-28083 *
US-PATENT-CLASS-29-628 ..... c 33 N77-26385 *
US-PATENT-CLASS-29-628 ..... c 44 N78-25528 *
US-PATENT-CLASS-29-629 ..... c 09 N73-28083 *
US-PATENT-CLASS-29-630A ..... c 05 N72-25121 *
US-PATENT-CLASS-29-630A ..... c 09 N73-28083 *
US-PATENT-CLASS-29-630E ..... c 33 N77-26385 *
US-PATENT-CLASS-29-630 ..... c 09 N73-28083 *
US-PATENT-CLASS-29-739 ..... c 44 N79-24431 *
US-PATENT-CLASS-29-764 ..... c 60 N82-24839 *
US-PATENT-CLASS-29-809 ..... c 44 N79-24431 *
US-PATENT-CLASS-29-81C ..... c 75 N78-27913 *
US-PATENT-CLASS-29-81D ..... c 37 N76-18454 *
US-PATENT-CLASS-29-825 ..... c 44 N84-28205 *
US-PATENT-CLASS-29-832 ..... c 44 N81-14389 *
US-PATENT-CLASS-290-1-R ..... c 33 N87-23904 *
US-PATENT-CLASS-290-1R ..... c 44 N85-21769 *
US-PATENT-CLASS-290-4R ..... c 44 N85-21769 *
US-PATENT-CLASS-290-40 ..... c 03 N71-11057 *
US-PATENT-CLASS-290-52 ..... c 37 N77-32500 *
US-PATENT-CLASS-290-52 ..... c 37 N77-32501 *
US-PATENT-CLASS-290-53 ..... c 44 N80-29834 *
US-PATENT-CLASS-290-55 ..... c 44 N84-23018 *
US-PATENT-CLASS-292-DIG.14 . c 37 N75-19685 *
US-PATENT-CLASS-292-DIG.49 . c 37 N87-25582 *
US-PATENT-CLASS-292-108 ..... c 37 N75-19685 *
US-PATENT-CLASS-292-110 ..... c 37 N77-32499 *
US-PATENT-CLASS-292-122 ..... c 37 N75-19685 *
US-PATENT-CLASS-292-201 ..... c 37 N87-25582 *
US-PATENT-CLASS-292-252 ..... c 37 N85-21649 *
US-PATENT-CLASS-292-64 ..... c 37 N87-25582 *
US-PATENT-CLASS-294-1R ..... c 35 N76-16392 *
US-PATENT-CLASS-294-106 ..... c 37 N81-14320 *
US-PATENT-CLASS-294-106 ..... c 37 N88-23979 *
US-PATENT-CLASS-294-113 ..... c 37 N80-14398 *
US-PATENT-CLASS-294-113 ..... c 37 N88-23979 *
US-PATENT-CLASS-294-116 ..... c 37 N75-33395 *
US-PATENT-CLASS-294-116 ..... c 37 N82-32731 *
US-PATENT-CLASS-294-119.2 .... c 37 N88-23979 *
US-PATENT-CLASS-294-15 ..... c 15 N71-29133 *
US-PATENT-CLASS-294-16 ..... c 37 N88-23979 *
US-PATENT-CLASS-294-19R ..... c 35 N76-16392 *
US-PATENT-CLASS-294-83 ..... c 15 N71-24897 *
US-PATENT-CLASS-294-86.33 .... c 37 N75-33395 *
US-PATENT-CLASS-294-86R ..... c 37 N80-14398 *
US-PATENT-CLASS-294-86R ..... c 37 N81-27519 *
US-PATENT-CLASS-294-86R ..... c 18 N83-29303 *
US-PATENT-CLASS-294-93 ..... c 54 N81-26718 *
US-PATENT-CLASS-296-1S ..... c 85 N82-33288 *
US-PATENT-CLASS-296-1S ..... c 02 N88-14071 *
US-PATENT-CLASS-296-100 ..... c 37 N87-17036 *
US-PATENT-CLASS-296-20 ..... c 85 N87-21755 *
US-PATENT-CLASS-296-24C ..... c 85 N82-33288 *
US-PATENT-CLASS-296-91 ..... c 85 N82-33288 *
US-PATENT-CLASS-297-DIG.5 .... c 03 N84-33394 *
US-PATENT-CLASS-297-216 ..... c 05 N70-35152 *
US-PATENT-CLASS-297-216 ..... c 37 N88-23982 *
US-PATENT-CLASS-297-232 ..... c 05 N72-11085 *
US-PATENT-CLASS-297-385 ..... c 05 N71-12341 *
US-PATENT-CLASS-297-385 ..... c 05 N75-25915 *
US-PATENT-CLASS-297-386 ..... c 15 N73-30460 *
US-PATENT-CLASS-297-388 ..... c 05 N75-25915 *
US-PATENT-CLASS-297-389 ..... c 05 N75-25915 *
US-PATENT-CLASS-297-68 ..... c 05 N71-12343 *
US-PATENT-CLASS-297-68 ..... c 05 N72-11085 *
US-PATENT-CLASS-299-13 ..... c 43 N81-26509 *
US-PATENT-CLASS-299-17 ..... c 43 N81-26509 *
US-PATENT-CLASS-299-1 ..... c 43 N79-26439 *
US-PATENT-CLASS-299-1 ..... c 05 N84-33700 *
US-PATENT-CLASS-299-20 ..... c 43 N81-26509 *
US-PATENT-CLASS-299-67 ..... c 46 N74-23068 *
US-PATENT-CLASS-299-86 ..... c 46 N74-23069 *
US-PATENT-CLASS-3-1.1 ..... c 05 N73-32013 *
US-PATENT-CLASS-3-1.1 ..... c 52 N77-14738 *
US-PATENT-CLASS-3-1.1 ..... c 54 N79-24652 *
US-PATENT-CLASS-3-1.1 ..... c 74 N84-11921 *
US-PATENT-CLASS-3-1.2 ..... c 52 N77-14735 *
US-PATENT-CLASS-3-1.2 ..... c 52 N78-10686 *
US-PATENT-CLASS-3-1.9 ..... c 27 N78-17215 *
US-PATENT-CLASS-3-1.9 ..... c 52 N79-26772 *
US-PATENT-CLASS-3-12.5 ..... c 54 N78-17676 *
US-PATENT-CLASS-3-12.5 ..... c 54 N79-24652 *
US-PATENT-CLASS-3-12 ..... c 05 N73-32013 *
US-PATENT-CLASS-3-12 ..... c 52 N79-26772 *
US-PATENT-CLASS-3-14 ..... c 52 N77-14735 *
US-PATENT-CLASS-3-15 ..... c 52 N78-10686 *
US-PATENT-CLASS-3-1 ..... c 52 N77-25772 *
US-PATENT-CLASS-3-21 ..... c 54 N77-30749 *
US-PATENT-CLASS-3-29 ..... c 52 N78-10686 *
US-PATENT-CLASS-3-2 ..... c 05 N73-32013 *
US-PATENT-CLASS-3-2 ..... c 54 N77-30749 *
US-PATENT-CLASS-3-2 ..... c 52 N79-26772 *
US-PATENT-CLASS-3-6 ..... c 05 N73-32013 *
US-PATENT-CLASS-30-102 ..... c 37 N82-26672 *
US-PATENT-CLASS-30-180 ..... c 37 N84-28085 *
US-PATENT-CLASS-30-188 ..... c 37 N84-28085 *
US-PATENT-CLASS-30-228 ..... c 15 N70-42017 *
US-PATENT-CLASS-30-228 ..... c 37 N84-28085 *
US-PATENT-CLASS-30-249 ..... c 37 N84-28085 *
US-PATENT-CLASS-30-272R ..... c 37 N84-28085 *
US-PATENT-CLASS-30-90.6 ..... c 37 N79-10419 *
US-PATENT-CLASS-301-5P ..... c 37 N74-18125 *
US-PATENT-CLASS-301-82 ..... c 33 N79-10339 *
US-PATENT-CLASS-302-66 ..... c 25 N79-11152 *
US-PATENT-CLASS-303-92 ..... c 44 N79-14527 *
US-PATENT-CLASS-305-35EB .... c 11 N73-26238 *
US-PATENT-CLASS-305-36 ..... c 37 N87-17034 *
US-PATENT-CLASS-305-39 ..... c 11 N73-26238 *
US-PATENT-CLASS-305-51 ..... c 37 N87-17034 *
US-PATENT-CLASS-305-58PC .... c 37 N87-17034 *
US-PATENT-CLASS-305-58R ..... c 37 N87-17034 *
US-PATENT-CLASS-307-103 ..... c 09 N72-25262 *
US-PATENT-CLASS-307-104 ..... c 09 N71-24892 *
US-PATENT-CLASS-307-106 ..... c 09 N69-21468 * #
US-PATENT-CLASS-307-106 ..... c 33 N88-24862 *
US-PATENT-CLASS-307-118 ..... c 09 N72-27227 *
US-PATENT-CLASS-307-119 ..... c 33 N79-28415 *
US-PATENT-CLASS-307-126 ..... c 14 N71-27407 *
US-PATENT-CLASS-307-127 ..... c 33 N74-14956 *
US-PATENT-CLASS-307-131 ..... c 44 N87-21410 *
US-PATENT-CLASS-307-136 ..... c 09 N69-27500 * #
US-PATENT-CLASS-307-141.8 .... c 03 N72-25020 *
US-PATENT-CLASS-307-149 ..... c 09 N71-13486 *
US-PATENT-CLASS-307-149 ..... c 54 N75-12616 *
US-PATENT-CLASS-307-151 ..... c 32 N78-24391 *
US-PATENT-CLASS-307-157 ..... c 16 N73-32391 *
US-PATENT-CLASS-307-18 ..... c 03 N73-31988 *
US-PATENT-CLASS-307-18 ..... c 33 N74-34638 *
US-PATENT-CLASS-307-204 ..... c 35 N75-30504 *
US-PATENT-CLASS-307-205 ..... c 33 N75-14957 *
US-PATENT-CLASS-307-206 ..... c 10 N72-22236 *
US-PATENT-CLASS-307-207 ..... c 08 N71-29034 *
US-PATENT-CLASS-307-207 ..... c 09 N73-13209 *
US-PATENT-CLASS-307-208 ..... c 33 N75-14957 *
US-PATENT-CLASS-307-211 ..... c 35 N75-30504 *
US-PATENT-CLASS-307-215 ..... c 10 N71-28860 *
US-PATENT-CLASS-307-215 ..... c 09 N71-29139 *
US-PATENT-CLASS-307-215 ..... c 10 N72-22236 *
US-PATENT-CLASS-307-215 ..... c 09 N73-13209 *
US-PATENT-CLASS-307-215 ..... c 33 N74-22814 *
US-PATENT-CLASS-307-216 ..... c 08 N71-18751 *
US-PATENT-CLASS-307-219 ..... c 35 N75-30504 *
US-PATENT-CLASS-307-219 ..... c 60 N81-15706 *
US-PATENT-CLASS-307-220 ..... c 10 N73-26229 *
US-PATENT-CLASS-307-221R .... c 10 N73-20254 *
US-PATENT-CLASS-307-221R .... c 33 N76-14373 *
US-PATENT-CLASS-307-222 ..... c 09 N69-27463 * #
US-PATENT-CLASS-307-222 ..... c 08 N71-29034 *
US-PATENT-CLASS-307-223B .... c 09 N72-22201 *
US-PATENT-CLASS-307-223 ..... c 09 N72-17157 *
US-PATENT-CLASS-307-225R .... c 33 N74-10223 *
US-PATENT-CLASS-307-225R .... c 33 N75-31330 *
US-PATENT-CLASS-307-225R .... c 33 N77-24375 *
US-PATENT-CLASS-307-225R .... c 60 N81-15706 *
US-PATENT-CLASS-307-227 ..... c 09 N72-17157 *
US-PATENT-CLASS-307-227 ..... c 33 N75-19522 *
US-PATENT-CLASS-307-229 ..... c 09 N71-12520 *
US-PATENT-CLASS-307-229 ..... c 09 N72-23173 *
US-PATENT-CLASS-307-229 ..... c 33 N75-18479 *
US-PATENT-CLASS-307-229 ..... c 33 N77-17354 *
US-PATENT-CLASS-307-229 ..... c 33 N78-32339 *
US-PATENT-CLASS-307-230 ..... c 10 N72-16172 *
US-PATENT-CLASS-307-230 ..... c 09 N72-21245 *
US-PATENT-CLASS-307-230 ..... c 09 N73-20232 *
US-PATENT-CLASS-307-230 ..... c 33 N74-32712 *
US-PATENT-CLASS-307-230 ..... c 33 N77-17354 *
US-PATENT-CLASS-307-230 ..... c 33 N78-32339 *
US-PATENT-CLASS-307-231 ..... c 09 N72-22202 *
US-PATENT-CLASS-307-232 ..... c 33 N77-21314 *
US-PATENT-CLASS-307-232 ..... c 33 N79-11313 *
US-PATENT-CLASS-307-233R .... c 32 N79-10262 *
US-PATENT-CLASS-307-233R .... c 33 N81-17348 *
US-PATENT-CLASS-307-233 ..... c 09 N72-25257 *
US-PATENT-CLASS-307-233 ..... c 10 N73-26229 *
US-PATENT-CLASS-307-233 ..... c 33 N77-13315 *
US-PATENT-CLASS-307-234 ..... c 10 N71-23315 *
US-PATENT-CLASS-307-234 ..... c 09 N71-27016 *
US-PATENT-CLASS-307-234 ..... c 08 N71-29138 *
US-PATENT-CLASS-307-235R .... c 33 N75-18479 *
US-PATENT-CLASS-307-235 ..... c 10 N71-19471 *
US-PATENT-CLASS-307-235 ..... c 09 N71-23545 *
US-PATENT-CLASS-307-235 ..... c 10 N71-24862 *
US-PATENT-CLASS-307-237 ..... c 09 N72-22200 *
US-PATENT-CLASS-307-237 ..... c 32 N74-19788 *
US-PATENT-CLASS-307-238 ..... c 33 N75-31331 *
US-PATENT-CLASS-307-238 ..... c 33 N77-21314 *
US-PATENT-CLASS-307-241 ..... c 09 N72-22201 *
US-PATENT-CLASS-307-242 ..... c 10 N73-13235 *
US-PATENT-CLASS-307-243 ..... c 09 N71-12516 *
US-PATENT-CLASS-307-243 ..... c 08 N72-22162 *
US-PATENT-CLASS-307-243 ..... c 33 N74-22814 *
US-PATENT-CLASS-307-246 ..... c 09 N71-27016 *
US-PATENT-CLASS-307-247 ..... c 09 N71-29139 *
US-PATENT-CLASS-307-247 ..... c 09 N72-22202 *
US-PATENT-CLASS-307-251 ..... c 09 N71-33109 *
US-PATENT-CLASS-307-251 ..... c 08 N72-22162 *
US-PATENT-CLASS-307-252F .... c 09 N72-17153 *
US-PATENT-CLASS-307-252J .... c 09 N72-17153 *
US-PATENT-CLASS-307-252J .... c 09 N72-22201 *
US-PATENT-CLASS-307-252K .... c 09 N72-22201 *
US-PATENT-CLASS-307-252L .... c 33 N74-27682 *
US-PATENT-CLASS-307-252N .... c 09 N72-23171 *
US-PATENT-CLASS-307-252Q .... c 33 N74-27682 *
US-PATENT-CLASS-307-252R .... c 09 N72-23171 *
US-PATENT-CLASS-307-252UA .. c 33 N81-27395 *
US-PATENT-CLASS-307-252 ..... c 10 N69-39888 * #
US-PATENT-CLASS-307-252 ..... c 09 N71-12514 *
US-PATENT-CLASS-307-253 ..... c 10 N71-27126 *
US-PATENT-CLASS-307-254 ..... c 10 N71-24799 *
US-PATENT-CLASS-307-254 ..... c 09 N72-22200 *
US-PATENT-CLASS-307-257 ..... c 09 N72-21247 *
US-PATENT-CLASS-307-259 ..... c 09 N72-21247 *
US-PATENT-CLASS-307-259 ..... c 09 N72-23171 *
US-PATENT-CLASS-307-259 ..... c 10 N73-13235 *
US-PATENT-CLASS-307-260 ..... c 09 N71-23311 *
US-PATENT-CLASS-307-260 ..... c 05 N71-23317 *
US-PATENT-CLASS-307-260 ..... c 33 N75-19515 *
US-PATENT-CLASS-307-261 ..... c 09 N71-33109 *
US-PATENT-CLASS-307-261 ..... c 09 N72-25251 *
US-PATENT-CLASS-307-261 ..... c 33 N87-21235 *
US-PATENT-CLASS-307-262 ..... c 10 N72-16172 *
US-PATENT-CLASS-307-262 ..... c 09 N72-22197 *

US-PATENT-CLASS-307-262 ..... c 09 N72-33204 *
US-PATENT-CLASS-307-263 ..... c 09 N71-23270 *
US-PATENT-CLASS-307-263 ..... c 09 N71-28926 *
US-PATENT-CLASS-307-264 ..... c 33 N86-20672 *
US-PATENT-CLASS-307-265 ..... c 09 N69-39987 * #
US-PATENT-CLASS-307-265 ..... c 10 N71-23029 *
US-PATENT-CLASS-307-265 ..... c 09 N71-28468 *
US-PATENT-CLASS-307-265 ..... c 10 N71-28860 *
US-PATENT-CLASS-307-265 ..... c 08 N71-29138 *
US-PATENT-CLASS-307-265 ..... c 09 N71-29139 *
US-PATENT-CLASS-307-265 ..... c 33 N78-18308 *
US-PATENT-CLASS-307-267 ..... c 09 N71-20447 *
US-PATENT-CLASS-307-267 ..... c 33 N74-32711 *
US-PATENT-CLASS-307-267 ..... c 33 N75-18479 *
US-PATENT-CLASS-307-268 ..... c 09 N69-24317 * #
US-PATENT-CLASS-307-269 ..... c 60 N81-15706 *
US-PATENT-CLASS-307-270 ..... c 33 N78-17294 *
US-PATENT-CLASS-307-270 ..... c 33 N86-20672 *
US-PATENT-CLASS-307-271 ..... c 10 N73-32145 *
US-PATENT-CLASS-307-271 ..... c 33 N85-29145 *
US-PATENT-CLASS-307-273 ..... c 10 N71-18723 *
US-PATENT-CLASS-307-273 ..... c 09 N71-27016 *
US-PATENT-CLASS-307-273 ..... c 09 N71-28468 *
US-PATENT-CLASS-307-273 ..... c 10 N71-28860 *
US-PATENT-CLASS-307-273 ..... c 09 N71-29139 *
US-PATENT-CLASS-307-273 ..... c 10 N72-20221 *
US-PATENT-CLASS-307-280 ..... c 33 N77-21314 *
US-PATENT-CLASS-307-284 ..... c 09 N72-22201 *
US-PATENT-CLASS-307-288 ..... c 09 N71-23015 *
US-PATENT-CLASS-307-288 ..... c 09 N71-28468 *
US-PATENT-CLASS-307-288 ..... c 10 N72-20221 *
US-PATENT-CLASS-307-288 ..... c 09 N72-22202 *
US-PATENT-CLASS-307-289 ..... c 10 N71-19547 *
US-PATENT-CLASS-307-28 ..... c 03 N73-31988 *
US-PATENT-CLASS-307-290 ..... c 33 N74-22814 *
US-PATENT-CLASS-307-291 ..... c 60 N81-15706 *
US-PATENT-CLASS-307-294 ..... c 09 N71-29139 *
US-PATENT-CLASS-307-295 ..... c 10 N72-17171 *
US-PATENT-CLASS-307-295 ..... c 10 N72-20223 *
US-PATENT-CLASS-307-295 ..... c 09 N72-21245 *
US-PATENT-CLASS-307-295 ..... c 09 N72-33204 *
US-PATENT-CLASS-307-295 ..... c 33 N74-34638 *
US-PATENT-CLASS-307-295 ..... c 33 N77-13315 *
US-PATENT-CLASS-307-296 ..... c 08 N71-12494 *
US-PATENT-CLASS-307-296 ..... c 07 N71-28430 *
US-PATENT-CLASS-307-297 ..... c 33 N78-17294 *
US-PATENT-CLASS-307-299 ..... c 08 N72-21198 *
US-PATENT-CLASS-307-299 ..... c 26 N72-21701 *
US-PATENT-CLASS-307-29 ..... c 03 N73-31988 *
US-PATENT-CLASS-307-300 ..... c 10 N71-27126 *
US-PATENT-CLASS-307-303 ..... c 08 N72-21198 *
US-PATENT-CLASS-307-304 ..... c 09 N72-22201 *
US-PATENT-CLASS-307-304 ..... c 09 N73-20232 *
US-PATENT-CLASS-307-304 ..... c 33 N74-34638 *
US-PATENT-CLASS-307-305 ..... c 09 N72-23171 *
US-PATENT-CLASS-307-306 ..... c 33 N78-13320 *
US-PATENT-CLASS-307-306 ..... c 33 N81-17348 *
US-PATENT-CLASS-307-308 ..... c 14 N73-28488 *
US-PATENT-CLASS-307-309 ..... c 35 N75-13213 *
US-PATENT-CLASS-307-310 ..... c 09 N73-14214 *
US-PATENT-CLASS-307-311 ..... c 14 N72-18411 *
US-PATENT-CLASS-307-311 ..... c 08 N72-21198 *
US-PATENT-CLASS-307-311 ..... c 09 N73-14214 *
US-PATENT-CLASS-307-313 ..... c 10 N72-20221 *
US-PATENT-CLASS-307-317 ..... c 09 N72-22200 *
US-PATENT-CLASS-307-317 ..... c 09 N72-22201 *
US-PATENT-CLASS-307-31 ..... c 44 N87-21410 *
US-PATENT-CLASS-307-321 ..... c 33 N75-19520 *
US-PATENT-CLASS-307-321 ..... c 33 N75-25041 *
US-PATENT-CLASS-307-322 ..... c 10 N72-22236 *
US-PATENT-CLASS-307-323 ..... c 10 N72-22236 *
US-PATENT-CLASS-307-350 ..... c 33 N78-18308 *
US-PATENT-CLASS-307-352 ..... c 33 N81-27396 *
US-PATENT-CLASS-307-353 ..... c 33 N81-27396 *
US-PATENT-CLASS-307-354 ..... c 33 N87-21235 *
US-PATENT-CLASS-307-35 ..... c 33 N74-34638 *
US-PATENT-CLASS-307-360 ..... c 33 N78-18308 *
US-PATENT-CLASS-307-38 ..... c 03 N73-31988 *
US-PATENT-CLASS-307-415 ..... c 33 N82-24418 *
US-PATENT-CLASS-307-425 ..... c 36 N87-25567 *
US-PATENT-CLASS-307-490 ..... c 33 N87-22895 *
US-PATENT-CLASS-307-520 ..... c 33 N85-29145 *
US-PATENT-CLASS-307-521 ..... c 33 N85-29145 *
US-PATENT-CLASS-307-529 ..... c 33 N85-29145 *
US-PATENT-CLASS-307-53 ..... c 10 N71-26626 *
US-PATENT-CLASS-307-53 ..... c 33 N78-17296 *
US-PATENT-CLASS-307-566 ..... c 33 N86-20672 *
US-PATENT-CLASS-307-570 ..... c 33 N86-20672 *
US-PATENT-CLASS-307-572 ..... c 33 N86-20672 *
US-PATENT-CLASS-307-63 ..... c 44 N80-14472 *
US-PATENT-CLASS-307-64 ..... c 33 N77-30365 *
US-PATENT-CLASS-307-64 ..... c 44 N85-21769 *
US-PATENT-CLASS-307-64 ..... c 44 N87-21410 *
US-PATENT-CLASS-307-66 ..... c 44 N80-14472 *
US-PATENT-CLASS-307-66 ..... c 44 N85-21769 *
US-PATENT-CLASS-307-66 ..... c 44 N87-21410 *

US-PATENT-CLASS-307-69 ..... c 33 N78-17296 *
US-PATENT-CLASS-307-80 ..... c 44 N87-21410 *
US-PATENT-CLASS-307-81 ..... c 09 N72-17157 *
US-PATENT-CLASS-307-82 ..... c 33 N79-24254 *
US-PATENT-CLASS-307-82 ..... c 33 N85-29147 *
US-PATENT-CLASS-307-83 ..... c 09 N72-25262 *
US-PATENT-CLASS-307-87 ..... c 33 N84-33660 *
US-PATENT-CLASS-307-88.3 ..... c 09 N72-25258 *
US-PATENT-CLASS-307-88.5 ..... c 09 N70-34819 *
US-PATENT-CLASS-307-88.5 ..... c 09 N70-40272 *
US-PATENT-CLASS-307-88.5 ..... c 09 N70-41675 *
US-PATENT-CLASS-307-88.5 ..... c 10 N70-42032 *
US-PATENT-CLASS-307-88.5 ..... c 09 N71-10673 *
US-PATENT-CLASS-307-88.5 ..... c 10 N71-15910 *
US-PATENT-CLASS-307-88.5 ..... c 10 N71-16042 *
US-PATENT-CLASS-307-88.5 ..... c 10 N71-28739 *
US-PATENT-CLASS-307-88MP .... c 09 N72-22197 *
US-PATENT-CLASS-307-88 ..... c 08 N70-34743 *
US-PATENT-CLASS-307-88 ..... c 09 N70-38604 *
US-PATENT-CLASS-307-88 ..... c 09 N71-24803 *
US-PATENT-CLASS-307-88 ..... c 09 N71-26000 *
US-PATENT-CLASS-307-92 ..... c 09 N72-27227 *
US-PATENT-CLASS-307-98 ..... c 33 N79-28415 *
US-PATENT-CLASS-308-DIG.1 .... c 15 N72-17451 *
US-PATENT-CLASS-308-DIG.1 .... c 37 N79-10418 *
US-PATENT-CLASS-308-DIG.8 .... c 24 N79-17916 *
US-PATENT-CLASS-308-DIG.9 .... c 24 N79-17916 *
US-PATENT-CLASS-308-10 ..... c 15 N71-22997 *
US-PATENT-CLASS-308-10 ..... c 15 N72-33476 *
US-PATENT-CLASS-308-10 ..... c 35 N74-18323 *
US-PATENT-CLASS-308-10 ..... c 37 N75-18574 *
US-PATENT-CLASS-308-10 ..... c 37 N76-18459 *
US-PATENT-CLASS-308-10 ..... c 37 N77-17464 *
US-PATENT-CLASS-308-10 ..... c 44 N78-24608 *
US-PATENT-CLASS-308-10 ..... c 37 N78-27424 *
US-PATENT-CLASS-308-10 ..... c 35 N79-26372 *
US-PATENT-CLASS-308-10 ..... c 71 N81-15767 *
US-PATENT-CLASS-308-10 ..... c 44 N83-28574 *
US-PATENT-CLASS-308-10 ..... c 37 N83-32067 *
US-PATENT-CLASS-308-10 ..... c 37 N83-34323 *
US-PATENT-CLASS-308-10 ..... c 71 N83-36846 *
US-PATENT-CLASS-308-10 ..... c 37 N85-20337 *
US-PATENT-CLASS-308-121 ..... c 37 N74-32921 *
US-PATENT-CLASS-308-121 ..... c 37 N75-30562 *
US-PATENT-CLASS-308-121 ..... c 37 N79-10418 *
US-PATENT-CLASS-308-122 ..... c 37 N76-15461 *
US-PATENT-CLASS-308-160 ..... c 37 N76-15461 *
US-PATENT-CLASS-308-160 ..... c 37 N76-29588 *
US-PATENT-CLASS-308-160 ..... c 37 N79-10418 *
US-PATENT-CLASS-308-163 ..... c 37 N76-29588 *
US-PATENT-CLASS-308-163 ..... c 37 N79-10418 *
US-PATENT-CLASS-308-168 ..... c 24 N79-17916 *
US-PATENT-CLASS-308-170 ..... c 15 N71-28465 *
US-PATENT-CLASS-308-170 ..... c 37 N76-29588 *
US-PATENT-CLASS-308-171 ..... c 24 N79-17916 *
US-PATENT-CLASS-308-172 ..... c 37 N79-10418 *
US-PATENT-CLASS-308-174 ..... c 54 N75-12616 *
US-PATENT-CLASS-308-176 ..... c 15 N71-22982 *
US-PATENT-CLASS-308-177 ..... c 15 N71-29136 *
US-PATENT-CLASS-308-187 ..... c 15 N71-26189 *
US-PATENT-CLASS-308-188 ..... c 15 N73-30458 *
US-PATENT-CLASS-308-188 ..... c 37 N74-21064 *
US-PATENT-CLASS-308-191 ..... c 37 N74-21064 *
US-PATENT-CLASS-308-191 ..... c 37 N75-31446 *
US-PATENT-CLASS-308-193 ..... c 15 N73-30458 *
US-PATENT-CLASS-308-194 ..... c 37 N79-11404 *
US-PATENT-CLASS-308-195 ..... c 15 N72-22490 *
US-PATENT-CLASS-308-195 ..... c 37 N75-31446 *
US-PATENT-CLASS-308-195 ..... c 37 N77-32500 *
US-PATENT-CLASS-308-195 ..... c 37 N77-32501 *
US-PATENT-CLASS-308-1 ..... c 31 N71-26537 *
US-PATENT-CLASS-308-2A ..... c 15 N72-26371 *
US-PATENT-CLASS-308-2A ..... c 15 N73-12488 *
US-PATENT-CLASS-308-2A ..... c 37 N84-12492 *
US-PATENT-CLASS-308-201 ..... c 37 N75-31446 *
US-PATENT-CLASS-308-2 ..... c 15 N71-23812 *
US-PATENT-CLASS-308-35 ..... c 15 N73-32359 *
US-PATENT-CLASS-308-5R ..... c 37 N77-28486 *
US-PATENT-CLASS-308-5R ..... c 37 N79-10418 *
US-PATENT-CLASS-308-5 ..... c 15 N71-10617 *
US-PATENT-CLASS-308-5 ..... c 15 N72-11388 *
US-PATENT-CLASS-308-5 ..... c 15 N72-17451 *
US-PATENT-CLASS-308-72 ..... c 37 N76-15461 *
US-PATENT-CLASS-308-72 ..... c 37 N77-32500 *
US-PATENT-CLASS-308-72 ..... c 37 N79-11404 *
US-PATENT-CLASS-308-73 ..... c 37 N74-21061 *
US-PATENT-CLASS-308-73 ..... c 37 N75-30562 *
US-PATENT-CLASS-308-73 ..... c 37 N76-15461 *
US-PATENT-CLASS-308-73 ..... c 37 N77-28486 *
US-PATENT-CLASS-308-78 ..... c 24 N79-17916 *
US-PATENT-CLASS-308-87R ..... c 24 N79-17916 *
US-PATENT-CLASS-308-9 ..... c 15 N70-34664 *
US-PATENT-CLASS-308-9 ..... c 15 N70-38620 *
US-PATENT-CLASS-308-9 ..... c 15 N70-39896 *
US-PATENT-CLASS-308-9 ..... c 15 N71-20739 *
US-PATENT-CLASS-308-9 ..... c 14 N71-26627 *

US-PATENT-CLASS-308-9 ..... c 15 N72-17451 *
US-PATENT-CLASS-308-9 ..... c 15 N73-32359 *
US-PATENT-CLASS-308-9 ..... c 37 N76-15461 *
US-PATENT-CLASS-308-9 ..... c 37 N77-28486 *
US-PATENT-CLASS-308-9 ..... c 37 N79-10418 *
US-PATENT-CLASS-31-35 ..... c 31 N85-21404 *
US-PATENT-CLASS-310-101 ..... c 15 N71-24696 *
US-PATENT-CLASS-310-10 ..... c 03 N69-39890 * #
US-PATENT-CLASS-310-10 ..... c 09 N71-23443 *
US-PATENT-CLASS-310-10 ..... c 09 N71-24904 *
US-PATENT-CLASS-310-10 ..... c 09 N72-25255 *
US-PATENT-CLASS-310-10 ..... c 20 N75-24837 *
US-PATENT-CLASS-310-111 ..... c 33 N77-26387 *
US-PATENT-CLASS-310-11 ..... c 25 N69-21929 * #
US-PATENT-CLASS-310-11 ..... c 03 N69-39983 * #
US-PATENT-CLASS-310-11 ..... c 03 N70-36803 *
US-PATENT-CLASS-310-11 ..... c 14 N72-22439 *
US-PATENT-CLASS-310-11 ..... c 12 N72-25292 *
US-PATENT-CLASS-310-11 ..... c 35 N74-21018 *
US-PATENT-CLASS-310-11 ..... c 36 N75-32441 *
US-PATENT-CLASS-310-11 ..... c 44 N83-28573 *
US-PATENT-CLASS-310-12 ..... c 33 N82-24421 *
US-PATENT-CLASS-310-12 ..... c 37 N83-32067 *
US-PATENT-CLASS-310-153 ..... c 44 N78-24608 *
US-PATENT-CLASS-310-154 ..... c 44 N78-24608 *
US-PATENT-CLASS-310-154 ..... c 35 N84-28017 *
US-PATENT-CLASS-310-15 ..... c 09 N72-25255 *
US-PATENT-CLASS-310-15 ..... c 44 N83-28574 *
US-PATENT-CLASS-310-15 ..... c 33 N87-23904 *
US-PATENT-CLASS-310-168 ..... c 09 N71-25999 *
US-PATENT-CLASS-310-168 ..... c 33 N77-26387 *
US-PATENT-CLASS-310-171 ..... c 35 N84-28017 *
US-PATENT-CLASS-310-178 ..... c 44 N78-24608 *
US-PATENT-CLASS-310-20 ..... c 71 N79-20827 *
US-PATENT-CLASS-310-22 ..... c 31 N85-21404 *
US-PATENT-CLASS-310-231 ..... c 33 N79-20314 *
US-PATENT-CLASS-310-254 ..... c 09 N71-25999 *
US-PATENT-CLASS-310-269 ..... c 44 N78-24608 *
US-PATENT-CLASS-310-26 ..... c 71 N79-20827 *
US-PATENT-CLASS-310-2 ..... c 03 N72-23048 *
US-PATENT-CLASS-310-300 ..... c 71 N84-23233 *
US-PATENT-CLASS-310-306 ..... c 33 N80-18287 *
US-PATENT-CLASS-310-306 ..... c 44 N83-32175 *
US-PATENT-CLASS-310-306 ..... c 34 N85-29179 *
US-PATENT-CLASS-310-306 ..... c 37 N87-23970 *
US-PATENT-CLASS-310-30 ..... c 44 N80-29834 *
US-PATENT-CLASS-310-30 ..... c 33 N87-23904 *
US-PATENT-CLASS-310-311 ..... c 35 N80-20559 *
US-PATENT-CLASS-310-317 ..... c 35 N84-22932 *
US-PATENT-CLASS-310-319 ..... c 33 N80-23559 *
US-PATENT-CLASS-310-322 ..... c 71 N79-20827 *
US-PATENT-CLASS-310-324 ..... c 33 N86-20671 *
US-PATENT-CLASS-310-326 ..... c 38 N79-14398 *
US-PATENT-CLASS-310-327 ..... c 35 N80-20559 *
US-PATENT-CLASS-310-332 ..... c 76 N83-34796 *
US-PATENT-CLASS-310-334 ..... c 71 N79-20827 *
US-PATENT-CLASS-310-334 ..... c 35 N80-20559 *
US-PATENT-CLASS-310-334 ..... c 35 N84-22932 *
US-PATENT-CLASS-310-336 ..... c 38 N79-14398 *
US-PATENT-CLASS-310-360 ..... c 35 N80-20559 *
US-PATENT-CLASS-310-366 ..... c 35 N84-22932 *
US-PATENT-CLASS-310-4A ..... c 37 N77-19458 *
US-PATENT-CLASS-310-4R ..... c 33 N74-27683 *
US-PATENT-CLASS-310-4R ..... c 73 N77-18891 *
US-PATENT-CLASS-310-40 ..... c 20 N75-24837 *
US-PATENT-CLASS-310-42 ..... c 14 N72-22439 *
US-PATENT-CLASS-310-46 ..... c 33 N79-20314 *
US-PATENT-CLASS-310-4 ..... c 09 N69-21313 * #
US-PATENT-CLASS-310-4 ..... c 03 N69-39898 * #
US-PATENT-CLASS-310-4 ..... c 09 N69-39929 * #
US-PATENT-CLASS-310-4 ..... c 03 N70-34134 *
US-PATENT-CLASS-310-4 ..... c 03 N71-11055 *
US-PATENT-CLASS-310-4 ..... c 22 N71-23599 *
US-PATENT-CLASS-310-4 ..... c 09 N71-24807 *
US-PATENT-CLASS-310-4 ..... c 33 N71-27862 *
US-PATENT-CLASS-310-4 ..... c 09 N71-28421 *
US-PATENT-CLASS-310-4 ..... c 09 N72-25260 *
US-PATENT-CLASS-310-4 ..... c 09 N72-27228 *
US-PATENT-CLASS-310-4 ..... c 20 N75-24837 *
US-PATENT-CLASS-310-4 ..... c 36 N75-30524 *
US-PATENT-CLASS-310-4 ..... c 44 N76-16612 *
US-PATENT-CLASS-310-51 ..... c 15 N71-27169 *
US-PATENT-CLASS-310-52 ..... c 20 N75-24837 *
US-PATENT-CLASS-310-54 ..... c 09 N71-20446 *
US-PATENT-CLASS-310-5 ..... c 03 N70-35408 *
US-PATENT-CLASS-310-68B ..... c 35 N84-28017 *
US-PATENT-CLASS-310-68 ..... c 15 N72-25456 *
US-PATENT-CLASS-310-77 ..... c 37 N85-30333 *
US-PATENT-CLASS-310-8.2 ..... c 35 N76-15432 *
US-PATENT-CLASS-310-8.5 ..... c 14 N71-22993 *
US-PATENT-CLASS-310-800 ..... c 76 N83-34796 *
US-PATENT-CLASS-310-80 ..... c 15 N72-25456 *
US-PATENT-CLASS-310-82 ..... c 33 N79-20314 *
US-PATENT-CLASS-310-83 ..... c 15 N72-25456 *
US-PATENT-CLASS-310-9.1 ..... c 15 N71-21311 *
US-PATENT-CLASS-310-90.5 ..... c 37 N87-17038 *

US-PATENT-CLASS-310-93 ..... c 15 N71-17652 *
US-PATENT-CLASS-310-93 ..... c 37 N85-30333 *
US-PATENT-CLASS-311-37 ..... c 35 N75-29380 *
US-PATENT-CLASS-312-196 ..... c 54 N88-24163 *
US-PATENT-CLASS-312-1 ..... c 05 N71-23080 *
US-PATENT-CLASS-312-1 ..... c 05 N73-20137 *
US-PATENT-CLASS-312-1 ..... c 37 N74-20063 *
US-PATENT-CLASS-312-208 ..... c 54 N88-24163 *
US-PATENT-CLASS-312-209 ..... c 37 N74-18123 *
US-PATENT-CLASS-312-257 ..... c 31 N72-22874 *
US-PATENT-CLASS-312-296 ..... c 09 N71-18600 *
US-PATENT-CLASS-312-300 ..... c 54 N88-24163 *
US-PATENT-CLASS-312-319 ..... c 37 N79-33467 *
US-PATENT-CLASS-312-7.2 ..... c 54 N88-24163 *
US-PATENT-CLASS-313-DIG.8 .... c 28 N73-24783 *
US-PATENT-CLASS-313-104 ..... c 14 N73-32317 *
US-PATENT-CLASS-313-106 ..... c 24 N83-10117 *
US-PATENT-CLASS-313-106 ..... c 70 N84-28565 *
US-PATENT-CLASS-313-106 ..... c 31 N86-32587 *
US-PATENT-CLASS-313-107 ..... c 24 N83-10117 *
US-PATENT-CLASS-313-107 ..... c 70 N84-28565 *
US-PATENT-CLASS-313-107 ..... c 31 N86-32587 *
US-PATENT-CLASS-313-109.5 .... c 09 N71-33519 *
US-PATENT-CLASS-313-11.5 ..... c 28 N70-39925 *
US-PATENT-CLASS-313-110 ..... c 09 N71-12521 *
US-PATENT-CLASS-313-131A .... c 33 N85-21491 *
US-PATENT-CLASS-313-146 ..... c 33 N77-22386 *
US-PATENT-CLASS-313-153 ..... c 33 N74-12913 *
US-PATENT-CLASS-313-156 ..... c 25 N70-34661 *
US-PATENT-CLASS-313-156 ..... c 72 N80-27163 *
US-PATENT-CLASS-313-161 ..... c 25 N73-25760 *
US-PATENT-CLASS-313-161 ..... c 09 N73-30181 *
US-PATENT-CLASS-313-161 ..... c 33 N77-21315 *
US-PATENT-CLASS-313-175 ..... c 33 N77-21316 *
US-PATENT-CLASS-313-175 ..... c 31 N78-17238 *
US-PATENT-CLASS-313-176 ..... c 31 N78-17238 *
US-PATENT-CLASS-313-180 ..... c 33 N77-21316 *
US-PATENT-CLASS-313-180 ..... c 31 N78-17238 *
US-PATENT-CLASS-313-182 ..... c 33 N77-22386 *
US-PATENT-CLASS-313-184 ..... c 33 N77-21315 *
US-PATENT-CLASS-313-184 ..... c 33 N77-21316 *
US-PATENT-CLASS-313-184 ..... c 31 N78-17238 *
US-PATENT-CLASS-313-186 ..... c 25 N72-24753 *
US-PATENT-CLASS-313-209 ..... c 33 N74-12913 *
US-PATENT-CLASS-313-212 ..... c 25 N72-24753 *
US-PATENT-CLASS-313-217 ..... c 28 N73-27699 *
US-PATENT-CLASS-313-217 ..... c 33 N74-12913 *
US-PATENT-CLASS-313-218 ..... c 28 N73-27699 *
US-PATENT-CLASS-313-224 ..... c 25 N72-24753 *
US-PATENT-CLASS-313-224 ..... c 33 N74-12913 *
US-PATENT-CLASS-313-224 ..... c 33 N77-21315 *
US-PATENT-CLASS-313-224 ..... c 31 N78-17238 *
US-PATENT-CLASS-313-22 ..... c 09 N71-26787 *
US-PATENT-CLASS-313-22 ..... c 31 N78-17237 *
US-PATENT-CLASS-313-22 ..... c 31 N78-25256 *
US-PATENT-CLASS-313-22 ..... c 34 N79-20336 *
US-PATENT-CLASS-313-230 ..... c 28 N71-28850 *
US-PATENT-CLASS-313-230 ..... c 28 N73-27699 *
US-PATENT-CLASS-313-230 ..... c 20 N77-20162 *
US-PATENT-CLASS-313-231.3 .... c 20 N77-20162 *
US-PATENT-CLASS-313-231.3 .... c 75 N78-27913 *
US-PATENT-CLASS-313-231.4 .... c 20 N77-10148 *
US-PATENT-CLASS-313-231.4 .... c 72 N80-33186 *
US-PATENT-CLASS-313-231 ..... c 06 N69-39889 * #
US-PATENT-CLASS-313-231 ..... c 09 N71-23190 *
US-PATENT-CLASS-313-231 ..... c 09 N71-33519 *
US-PATENT-CLASS-313-231 ..... c 25 N72-24753 *
US-PATENT-CLASS-313-231 ..... c 25 N72-32688 *
US-PATENT-CLASS-313-231 ..... c 28 N73-24783 *
US-PATENT-CLASS-313-231 ..... c 25 N73-25760 *
US-PATENT-CLASS-313-236 ..... c 09 N71-26182 *
US-PATENT-CLASS-313-237 ..... c 09 N71-26182 *
US-PATENT-CLASS-313-237 ..... c 33 N87-28832 *
US-PATENT-CLASS-313-240 ..... c 20 N77-10148 *
US-PATENT-CLASS-313-250 ..... c 31 N76-31365 *
US-PATENT-CLASS-313-271 ..... c 25 N71-20747 *
US-PATENT-CLASS-313-278 ..... c 33 N87-28832 *
US-PATENT-CLASS-313-306 ..... c 31 N76-31365 *
US-PATENT-CLASS-313-309 ..... c 10 N72-27246 *
US-PATENT-CLASS-313-309 ..... c 31 N76-31365 *
US-PATENT-CLASS-313-311 ..... c 73 N77-18891 *
US-PATENT-CLASS-313-32 ..... c 33 N74-12913 *
US-PATENT-CLASS-313-32 ..... c 33 N77-21315 *
US-PATENT-CLASS-313-336 ..... c 10 N72-27246 *
US-PATENT-CLASS-313-338 ..... c 31 N76-31365 *
US-PATENT-CLASS-313-348 ..... c 35 N82-24471 *
US-PATENT-CLASS-313-351 ..... c 10 N72-27246 *
US-PATENT-CLASS-313-351 ..... c 70 N84-28565 *
US-PATENT-CLASS-313-352 ..... c 09 N71-22987 *
US-PATENT-CLASS-313-355 ..... c 28 N73-27699 *
US-PATENT-CLASS-313-356 ..... c 14 N72-29464 *
US-PATENT-CLASS-313-359.1 .... c 72 N87-21660 *
US-PATENT-CLASS-313-35 ..... c 34 N79-20336 *
US-PATENT-CLASS-313-360 ..... c 20 N77-20162 *
US-PATENT-CLASS-313-361.1 .... c 72 N87-21660 *
US-PATENT-CLASS-313-361 ..... c 20 N77-10148 *
US-PATENT-CLASS-313-362.1 .... c 72 N87-21660 *
US-PATENT-CLASS-313-362 ..... c 72 N80-27163 *
US-PATENT-CLASS-313-362 ..... c 72 N80-33186 *
US-PATENT-CLASS-313-363 ..... c 72 N80-27163 *
US-PATENT-CLASS-313-442 ..... c 74 N78-18905 *
US-PATENT-CLASS-313-44 ..... c 15 N69-24319 * #
US-PATENT-CLASS-313-505 ..... c 33 N87-28831 *
US-PATENT-CLASS-313-506 ..... c 33 N87-28831 *
US-PATENT-CLASS-313-509 ..... c 33 N87-28831 *
US-PATENT-CLASS-313-60 ..... c 33 N77-22386 *
US-PATENT-CLASS-313-61S ..... c 73 N74-26767 *
US-PATENT-CLASS-313-61S ..... c 37 N78-13436 *
US-PATENT-CLASS-313-63 ..... c 28 N70-41576 *
US-PATENT-CLASS-313-63 ..... c 09 N71-10618 *
US-PATENT-CLASS-313-63 ..... c 28 N71-26781 *
US-PATENT-CLASS-313-63 ..... c 28 N73-24783 *
US-PATENT-CLASS-313-63 ..... c 28 N73-27699 *
US-PATENT-CLASS-313-63 ..... c 75 N75-13625 *
US-PATENT-CLASS-313-7 ..... c 14 N71-18482 *
US-PATENT-CLASS-313-7 ..... c 14 N73-32324 *
US-PATENT-CLASS-313-93 ..... c 35 N74-26949 *
US-PATENT-CLASS-313-93 ..... c 35 N82-24471 *
US-PATENT-CLASS-313-94 ..... c 33 N76-31409 *
US-PATENT-CLASS-313-94 ..... c 74 N78-18905 *
US-PATENT-CLASS-314-129 ..... c 15 N69-24266 * #
US-PATENT-CLASS-315-DIG.2 .... c 16 N73-32391 *
US-PATENT-CLASS-315-101 ..... c 16 N73-32391 *
US-PATENT-CLASS-315-108 ..... c 09 N71-33519 *
US-PATENT-CLASS-315-108 ..... c 33 N77-21316 *
US-PATENT-CLASS-315-108 ..... c 36 N78-17366 *
US-PATENT-CLASS-315-10 ..... c 33 N74-21850 *
US-PATENT-CLASS-315-10 ..... c 33 N75-26244 *
US-PATENT-CLASS-315-110 ..... c 33 N77-21316 *
US-PATENT-CLASS-315-111.2 .... c 75 N78-27913 *
US-PATENT-CLASS-315-111.31 .. c 33 N85-21491 *
US-PATENT-CLASS-315-111.3 .... c 20 N77-10148 *
US-PATENT-CLASS-315-111.3 .... c 20 N77-20162 *
US-PATENT-CLASS-315-111.41 .. c 72 N88-24253 *
US-PATENT-CLASS-315-111.6 .... c 75 N76-14931 *
US-PATENT-CLASS-315-111.6 .... c 20 N77-20162 *
US-PATENT-CLASS-315-111.71 .. c 72 N88-24253 *
US-PATENT-CLASS-315-111.81 .. c 33 N85-21491 *
US-PATENT-CLASS-315-111.81 .. c 33 N87-21234 *
US-PATENT-CLASS-315-111.81 .. c 72 N88-24253 *
US-PATENT-CLASS-315-111 ..... c 25 N70-33267 *
US-PATENT-CLASS-315-111 ..... c 25 N70-41628 *
US-PATENT-CLASS-315-111 ..... c 25 N71-15562 *
US-PATENT-CLASS-315-111 ..... c 24 N71-16213 *
US-PATENT-CLASS-315-111 ..... c 25 N71-21693 *
US-PATENT-CLASS-315-111 ..... c 28 N71-26781 *
US-PATENT-CLASS-315-111 ..... c 25 N71-29184 *
US-PATENT-CLASS-315-111 ..... c 09 N71-33519 *
US-PATENT-CLASS-315-111 ..... c 25 N72-24753 *
US-PATENT-CLASS-315-111 ..... c 25 N72-32688 *
US-PATENT-CLASS-315-111 ..... c 14 N73-30391 *
US-PATENT-CLASS-315-111 ..... c 75 N75-13625 *
US-PATENT-CLASS-315-111 ..... c 33 N75-29318 *
US-PATENT-CLASS-315-111 ..... c 37 N75-29426 *
US-PATENT-CLASS-315-11 ..... c 33 N74-21850 *
US-PATENT-CLASS-315-12 ..... c 33 N74-21850 *
US-PATENT-CLASS-315-135 ..... c 09 N72-25250 *
US-PATENT-CLASS-315-145 ..... c 33 N80-14330 *
US-PATENT-CLASS-315-151 ..... c 14 N72-27411 *
US-PATENT-CLASS-315-153 ..... c 14 N73-16483 *
US-PATENT-CLASS-315-153 ..... c 74 N79-12890 *
US-PATENT-CLASS-315-156 ..... c 14 N72-27411 *
US-PATENT-CLASS-315-158 ..... c 14 N72-27411 *
US-PATENT-CLASS-315-160 ..... c 09 N71-12540 *
US-PATENT-CLASS-315-169R .... c 23 N73-13660 *
US-PATENT-CLASS-315-169R .... c 36 N75-19652 *
US-PATENT-CLASS-315-169TV .. c 23 N73-13660 *
US-PATENT-CLASS-315-172 ..... c 33 N88-24862 *
US-PATENT-CLASS-315-173 ..... c 33 N88-24862 *
US-PATENT-CLASS-315-176 ..... c 33 N77-28385 *
US-PATENT-CLASS-315-18 ..... c 32 N74-20813 *
US-PATENT-CLASS-315-18 ..... c 33 N75-19517 *
US-PATENT-CLASS-315-200-R ... c 33 N88-23942 *
US-PATENT-CLASS-315-208 ..... c 33 N83-34189 *
US-PATENT-CLASS-315-209CD .. c 37 N79-11405 *
US-PATENT-CLASS-315-209SC .. c 37 N79-11405 *
US-PATENT-CLASS-315-211 ..... c 33 N74-20859 *
US-PATENT-CLASS-315-22R ..... c 10 N72-31273 *
US-PATENT-CLASS-315-224 ..... c 33 N83-34189 *
US-PATENT-CLASS-315-225 ..... c 33 N83-34189 *
US-PATENT-CLASS-315-227-R ... c 33 N88-23942 *
US-PATENT-CLASS-315-228 ..... c 33 N74-20859 *
US-PATENT-CLASS-315-22 ..... c 10 N72-20225 *
US-PATENT-CLASS-315-22 ..... c 32 N74-20813 *
US-PATENT-CLASS-315-22 ..... c 33 N78-17293 *
US-PATENT-CLASS-315-237 ..... c 33 N83-34189 *
US-PATENT-CLASS-315-241-R ... c 33 N88-23942 *
US-PATENT-CLASS-315-241R .... c 37 N79-11405 *
US-PATENT-CLASS-315-241R .... c 33 N83-34189 *
US-PATENT-CLASS-315-241 ..... c 09 N71-13518 *
US-PATENT-CLASS-315-248 ..... c 09 N73-30181 *
US-PATENT-CLASS-315-24 ..... c 08 N71-20571 *
US-PATENT-CLASS-315-254 ..... c 33 N88-23942 *
US-PATENT-CLASS-315-255 ..... c 33 N88-23942 *
US-PATENT-CLASS-315-258 ..... c 16 N73-32391 *
US-PATENT-CLASS-315-25 ..... c 10 N72-20225 *
US-PATENT-CLASS-315-260 ..... c 33 N80-14330 *
US-PATENT-CLASS-315-26 ..... c 09 N71-23189 *
US-PATENT-CLASS-315-276 ..... c 33 N88-23942 *
US-PATENT-CLASS-315-277 ..... c 33 N88-23942 *
US-PATENT-CLASS-315-297 ..... c 14 N72-27411 *
US-PATENT-CLASS-315-3.5 ..... c 09 N73-13208 *
US-PATENT-CLASS-315-3.5 ..... c 33 N79-10339 *
US-PATENT-CLASS-315-3.5 ..... c 33 N82-26568 *
US-PATENT-CLASS-315-3.5 ..... c 33 N84-16452 *
US-PATENT-CLASS-315-3.5 ..... c 37 N85-33489 *
US-PATENT-CLASS-315-3.5 ..... c 33 N86-21742 *
US-PATENT-CLASS-315-3.6 ..... c 33 N79-10339 *
US-PATENT-CLASS-315-3.6 ..... c 33 N82-24415 *
US-PATENT-CLASS-315-3.6 ..... c 33 N82-26568 *
US-PATENT-CLASS-315-3.6 ..... c 33 N84-16452 *
US-PATENT-CLASS-315-3.6 ..... c 33 N84-27974 *
US-PATENT-CLASS-315-3.6 ..... c 33 N86-21742 *
US-PATENT-CLASS-315-30R ..... c 10 N72-31273 *
US-PATENT-CLASS-315-307 ..... c 14 N72-27411 *
US-PATENT-CLASS-315-30 ..... c 33 N75-27250 *
US-PATENT-CLASS-315-310 ..... c 14 N72-27411 *
US-PATENT-CLASS-315-311 ..... c 14 N72-27411 *
US-PATENT-CLASS-315-324 ..... c 09 N73-30181 *
US-PATENT-CLASS-315-326 ..... c 25 N72-24753 *
US-PATENT-CLASS-315-334 ..... c 33 N80-14330 *
US-PATENT-CLASS-315-344 ..... c 33 N77-21315 *
US-PATENT-CLASS-315-349 ..... c 09 N72-25250 *
US-PATENT-CLASS-315-356 ..... c 16 N73-32391 *
US-PATENT-CLASS-315-358 ..... c 25 N72-24753 *
US-PATENT-CLASS-315-367 ..... c 33 N75-26244 *
US-PATENT-CLASS-315-369 ..... c 33 N75-26244 *
US-PATENT-CLASS-315-36 ..... c 10 N72-27246 *
US-PATENT-CLASS-315-387 ..... c 33 N75-26244 *
US-PATENT-CLASS-315-39.3 .... c 33 N84-16452 *
US-PATENT-CLASS-315-39.3 .... c 33 N84-27974 *
US-PATENT-CLASS-315-39.3 .... c 33 N86-21742 *
US-PATENT-CLASS-315-3 ..... c 33 N83-31952 *
US-PATENT-CLASS-315-4 ..... c 33 N83-31952 *
US-PATENT-CLASS-315-5.35 ..... c 33 N74-10195 *
US-PATENT-CLASS-315-5.35 ..... c 33 N83-31952 *
US-PATENT-CLASS-315-5.38 ..... c 09 N73-13208 *
US-PATENT-CLASS-315-5.38 ..... c 33 N74-10195 *
US-PATENT-CLASS-315-5.38 ..... c 33 N82-24415 *
US-PATENT-CLASS-315-5.38 ..... c 24 N83-10117 *
US-PATENT-CLASS-315-5.38 ..... c 33 N83-31952 *
US-PATENT-CLASS-315-5.38 ..... c 70 N84-28565 *
US-PATENT-CLASS-315-5.38 ..... c 37 N85-33489 *
US-PATENT-CLASS-315-5.38 ..... c 31 N86-32587 *
US-PATENT-CLASS-315-5 ..... c 33 N83-31952 *
US-PATENT-CLASS-317-DIG.3 .... c 10 N71-26334 *
US-PATENT-CLASS-317-DIG.6 .... c 10 N73-26228 *
US-PATENT-CLASS-317-100 ..... c 10 N71-28783 *
US-PATENT-CLASS-317-100 ..... c 10 N73-25243 *
US-PATENT-CLASS-317-101A .... c 09 N72-33205 *
US-PATENT-CLASS-317-101A .... c 23 N73-13660 *
US-PATENT-CLASS-317-101DH .. c 15 N72-22486 *
US-PATENT-CLASS-317-101DH .. c 10 N73-25243 *
US-PATENT-CLASS-317-101 ..... c 09 N71-26133 *
US-PATENT-CLASS-317-117 ..... c 15 N72-22486 *
US-PATENT-CLASS-317-120 ..... c 15 N72-22486 *
US-PATENT-CLASS-317-122 ..... c 15 N71-18701 *
US-PATENT-CLASS-317-123 ..... c 09 N71-24892 *
US-PATENT-CLASS-317-140 ..... c 09 N70-34502 *
US-PATENT-CLASS-317-148.5 .... c 10 N71-23271 *
US-PATENT-CLASS-317-148.5 .... c 09 N71-24892 *
US-PATENT-CLASS-317-153 ..... c 10 N71-26334 *
US-PATENT-CLASS-317-155.5 .... c 09 N71-29008 *
US-PATENT-CLASS-317-157.5 .... c 15 N69-21472 * #
US-PATENT-CLASS-317-158 ..... c 15 N73-28516 *
US-PATENT-CLASS-317-158 ..... c 26 N73-28710 *
US-PATENT-CLASS-317-158 ..... c 15 N73-32361 *
US-PATENT-CLASS-317-16 ..... c 09 N69-39897 * #
US-PATENT-CLASS-317-16 ..... c 33 N74-17929 *
US-PATENT-CLASS-317-2D ..... c 33 N77-10429 *
US-PATENT-CLASS-317-20 ..... c 10 N71-26531 *
US-PATENT-CLASS-317-230 ..... c 09 N71-27232 *
US-PATENT-CLASS-317-230 ..... c 26 N72-28761 *
US-PATENT-CLASS-317-231 ..... c 09 N71-27232 *
US-PATENT-CLASS-317-234A .... c 15 N73-14469 *
US-PATENT-CLASS-317-234D .... c 14 N72-31446 *
US-PATENT-CLASS-317-234E .... c 33 N74-12951 *
US-PATENT-CLASS-317-234F .... c 33 N74-12951 *
US-PATENT-CLASS-317-234G .... c 14 N72-31446 *
US-PATENT-CLASS-317-234G .... c 15 N73-14469 *
US-PATENT-CLASS-317-234G .... c 09 N73-27150 * #
US-PATENT-CLASS-317-234J .... c 26 N72-25679 *
US-PATENT-CLASS-317-234L .... c 09 N73-27150 * #
US-PATENT-CLASS-317-234M .... c 09 N73-27150 * #
US-PATENT-CLASS-317-234M .... c 33 N74-12951 *
US-PATENT-CLASS-317-234N .... c 09 N73-27150 * #
US-PATENT-CLASS-317-234N .... c 33 N74-12951 *
US-PATENT-CLASS-317-234R .... c 09 N73-27150 * #

US-PATENT-CLASS-317-234R .... c 33 N74-12951 *
US-PATENT-CLASS-317-234V .... c 26 N72-21701 *
US-PATENT-CLASS-317-234V .... c 09 N73-15235 *
US-PATENT-CLASS-317-234 ..... c 14 N69-23191 * #
US-PATENT-CLASS-317-234 ..... c 09 N69-27422 * #
US-PATENT-CLASS-317-234 ..... c 26 N71-18064 *
US-PATENT-CLASS-317-235AG . c 09 N73-15235 *
US-PATENT-CLASS-317-235AJ ... c 26 N72-25679 *
US-PATENT-CLASS-317-235AJ ... c 09 N72-33205 *
US-PATENT-CLASS-317-235AM . c 09 N73-19235 *
US-PATENT-CLASS-317-235A .... c 26 N72-25679 *
US-PATENT-CLASS-317-235A .... c 09 N72-33205 *
US-PATENT-CLASS-317-235H .... c 35 N75-13213 *
US-PATENT-CLASS-317-235K .... c 09 N73-15235 *
US-PATENT-CLASS-317-235M .... c 14 N72-31446 *
US-PATENT-CLASS-317-235N .... c 09 N73-19235 *
US-PATENT-CLASS-317-235N .... c 35 N74-15090 *
US-PATENT-CLASS-317-235R .... c 26 N72-21701 *
US-PATENT-CLASS-317-235R .... c 26 N72-25679 *
US-PATENT-CLASS-317-235R .... c 14 N72-31446 *
US-PATENT-CLASS-317-235R .... c 09 N73-19235 *
US-PATENT-CLASS-317-235R .... c 09 N73-32112 *
US-PATENT-CLASS-317-235T .... c 09 N73-19235 *
US-PATENT-CLASS-317-235UA .. c 09 N73-19235 *
US-PATENT-CLASS-317-235WW c 09 N73-32112 *
US-PATENT-CLASS-317-235 ..... c 09 N69-24318 * #
US-PATENT-CLASS-317-235 ..... c 09 N72-33205 *
US-PATENT-CLASS-317-238 ..... c 09 N71-27232 *
US-PATENT-CLASS-317-245 ..... c 33 N79-21265 *
US-PATENT-CLASS-317-246 ..... c 14 N69-21541 * #
US-PATENT-CLASS-317-246 ..... c 33 N76-21390 *
US-PATENT-CLASS-317-246 ..... c 35 N76-22509 *
US-PATENT-CLASS-317-247 ..... c 14 N72-24477 *
US-PATENT-CLASS-317-258 ..... c 09 N71-13522 *
US-PATENT-CLASS-317-258 ..... c 33 N76-15373 *
US-PATENT-CLASS-317-261 ..... c 26 N72-28761 *
US-PATENT-CLASS-317-261 ..... c 33 N76-15373 *
US-PATENT-CLASS-317-31 ..... c 09 N71-12526 *
US-PATENT-CLASS-317-31 ..... c 10 N71-23543 *
US-PATENT-CLASS-317-31 ..... c 33 N74-17929 *
US-PATENT-CLASS-317-31 ..... c 33 N77-14333 *
US-PATENT-CLASS-317-33SC .... c 33 N74-14956 *
US-PATENT-CLASS-317-33 ..... c 10 N71-26531 *
US-PATENT-CLASS-317-33 ..... c 09 N71-27001 *
US-PATENT-CLASS-317-33 ..... c 10 N71-27366 *
US-PATENT-CLASS-317-33 ..... c 09 N71-29008 *
US-PATENT-CLASS-317-43 ..... c 33 N74-14956 *
US-PATENT-CLASS-317-46 ..... c 33 N74-14956 *
US-PATENT-CLASS-317-47 ..... c 33 N74-14956 *
US-PATENT-CLASS-317-48 ..... c 33 N74-14956 *
US-PATENT-CLASS-317-54 ..... c 09 N71-29008 *
US-PATENT-CLASS-317-60 ..... c 09 N71-29008 *
US-PATENT-CLASS-317-9 ..... c 09 N71-22796 *
US-PATENT-CLASS-317-9 ..... c 09 N71-27001 *
US-PATENT-CLASS-318-107 ..... c 44 N87-21410 *
US-PATENT-CLASS-318-116 ..... c 71 N79-20827 *
US-PATENT-CLASS-318-116 ..... c 71 N84-23233 *
US-PATENT-CLASS-318-116 ..... c 33 N87-28833 *
US-PATENT-CLASS-318-135 ..... c 33 N82-24421 *
US-PATENT-CLASS-318-137 ..... c 33 N75-19524 *
US-PATENT-CLASS-318-138 ..... c 09 N71-10677 *
US-PATENT-CLASS-318-138 ..... c 14 N71-17585 *
US-PATENT-CLASS-318-138 ..... c 10 N71-18772 *
US-PATENT-CLASS-318-138 ..... c 09 N71-25999 *
US-PATENT-CLASS-318-138 ..... c 33 N77-26386 *
US-PATENT-CLASS-318-138 ..... c 33 N81-20352 * #
US-PATENT-CLASS-318-138 ..... c 33 N87-21233 *
US-PATENT-CLASS-318-15 ..... c 37 N80-32716 *
US-PATENT-CLASS-318-161 ..... c 44 N87-21410 *
US-PATENT-CLASS-318-167 ..... c 33 N75-19524 *
US-PATENT-CLASS-318-176 ..... c 33 N75-19524 *
US-PATENT-CLASS-318-183 ..... c 33 N75-19524 *
US-PATENT-CLASS-318-20.105 .. c 08 N71-27057 *
US-PATENT-CLASS-318-200 ..... c 33 N78-10376 *
US-PATENT-CLASS-318-227 ..... c 07 N71-33613 *
US-PATENT-CLASS-318-227 ..... c 33 N75-15874 *
US-PATENT-CLASS-318-227 ..... c 33 N77-26386 *
US-PATENT-CLASS-318-227 ..... c 33 N78-10376 *
US-PATENT-CLASS-318-22 ..... c 15 N71-17694 *
US-PATENT-CLASS-318-230 ..... c 07 N71-33613 *
US-PATENT-CLASS-318-230 ..... c 10 N73-32145 *
US-PATENT-CLASS-318-230 ..... c 33 N75-15874 *
US-PATENT-CLASS-318-230 ..... c 33 N78-10376 *
US-PATENT-CLASS-318-231 ..... c 10 N73-32145 *
US-PATENT-CLASS-318-231 ..... c 33 N75-15874 *
US-PATENT-CLASS-318-254 ..... c 09 N71-25999 *
US-PATENT-CLASS-318-254 ..... c 09 N73-32107 *
US-PATENT-CLASS-318-254 ..... c 33 N77-26386 *
US-PATENT-CLASS-318-254 ..... c 33 N81-20352 * #
US-PATENT-CLASS-318-254 ..... c 33 N82-26569 *
US-PATENT-CLASS-318-254 ..... c 33 N87-21233 *
US-PATENT-CLASS-318-257 ..... c 10 N71-18724 *
US-PATENT-CLASS-318-258 ..... c 09 N71-26092 *
US-PATENT-CLASS-318-260 ..... c 09 N70-38712 *
US-PATENT-CLASS-318-265 ..... c 15 N71-24895 *
US-PATENT-CLASS-318-267 ..... c 37 N77-27400 *

US-PATENT-CLASS-318-308 ..... c 11 N72-20244 *
US-PATENT-CLASS-318-314 ..... c 10 N71-20448 *
US-PATENT-CLASS-318-314 ..... c 09 N75-24758 *
US-PATENT-CLASS-318-317 ..... c 09 N71-28886 *
US-PATENT-CLASS-318-318 ..... c 09 N71-24805 *
US-PATENT-CLASS-318-318 ..... c 09 N75-24758 *
US-PATENT-CLASS-318-31 ..... c 15 N71-28952 *
US-PATENT-CLASS-318-327 ..... c 11 N72-20244 *
US-PATENT-CLASS-318-328 ..... c 09 N73-32107 *
US-PATENT-CLASS-318-331 ..... c 09 N71-28886 *
US-PATENT-CLASS-318-341 ..... c 10 N73-32145 *
US-PATENT-CLASS-318-341 ..... c 09 N75-24758 *
US-PATENT-CLASS-318-345 ..... c 09 N71-28886 *
US-PATENT-CLASS-318-376 ..... c 10 N71-16030 *
US-PATENT-CLASS-318-376 ..... c 11 N72-20244 *
US-PATENT-CLASS-318-382 ..... c 15 N71-24695 *
US-PATENT-CLASS-318-438 ..... c 33 N84-22885 *
US-PATENT-CLASS-318-439 ..... c 33 N81-20352 * #
US-PATENT-CLASS-318-439 ..... c 33 N87-21233 *
US-PATENT-CLASS-318-468 ..... c 37 N77-27400 *
US-PATENT-CLASS-318-46 ..... c 44 N85-21769 *
US-PATENT-CLASS-318-470 ..... c 37 N77-27400 *
US-PATENT-CLASS-318-489 ..... c 02 N73-19004 *
US-PATENT-CLASS-318-48 ..... c 37 N86-27629 *
US-PATENT-CLASS-318-504 ..... c 09 N71-28886 *
US-PATENT-CLASS-318-561 ..... c 33 N82-18493 *
US-PATENT-CLASS-318-564 ..... c 60 N82-29013 *
US-PATENT-CLASS-318-571 ..... c 10 N71-27136 *
US-PATENT-CLASS-318-573 ..... c 35 N79-14348 *
US-PATENT-CLASS-318-576 ..... c 09 N72-21246 *
US-PATENT-CLASS-318-577 ..... c 37 N86-21850 *
US-PATENT-CLASS-318-580 ..... c 08 N74-10942 *
US-PATENT-CLASS-318-580 ..... c 04 N82-23231 *
US-PATENT-CLASS-318-584 ..... c 08 N81-24106 *
US-PATENT-CLASS-318-584 ..... c 08 N86-27288 *
US-PATENT-CLASS-318-585 ..... c 08 N79-23097 *
US-PATENT-CLASS-318-587 ..... c 35 N84-33769 *
US-PATENT-CLASS-318-594 ..... c 35 N79-14348 *
US-PATENT-CLASS-318-599 ..... c 10 N71-24861 *
US-PATENT-CLASS-318-602 ..... c 33 N74-29556 *
US-PATENT-CLASS-318-603 ..... c 33 N74-29556 *
US-PATENT-CLASS-318-605 ..... c 31 N86-29055 *
US-PATENT-CLASS-318-608 ..... c 33 N75-13139 *
US-PATENT-CLASS-318-611 ..... c 37 N85-30333 *
US-PATENT-CLASS-318-616 ..... c 08 N79-23097 *
US-PATENT-CLASS-318-620 ..... c 33 N82-18493 *
US-PATENT-CLASS-318-621 ..... c 33 N82-18493 *
US-PATENT-CLASS-318-622 ..... c 33 N82-18493 *
US-PATENT-CLASS-318-628 ..... c 08 N74-10942 *
US-PATENT-CLASS-318-632 ..... c 37 N86-27629 *
US-PATENT-CLASS-318-636 ..... c 31 N86-29055 *
US-PATENT-CLASS-318-640 ..... c 33 N75-13139 *
US-PATENT-CLASS-318-640 ..... c 54 N75-27758 *
US-PATENT-CLASS-318-640 ..... c 35 N79-14348 *
US-PATENT-CLASS-318-640 ..... c 37 N81-27519 *
US-PATENT-CLASS-318-640 ..... c 08 N86-27288 *
US-PATENT-CLASS-318-649 ..... c 33 N75-13139 *
US-PATENT-CLASS-318-653 ..... c 10 N71-27136 *
US-PATENT-CLASS-318-661 ..... c 31 N86-29055 *
US-PATENT-CLASS-318-663 ..... c 37 N81-33483 *
US-PATENT-CLASS-318-663 ..... c 37 N86-27629 *
US-PATENT-CLASS-318-664 ..... c 33 N74-29556 *
US-PATENT-CLASS-318-675 ..... c 33 N75-13139 *
US-PATENT-CLASS-318-675 ..... c 37 N77-27400 *
US-PATENT-CLASS-318-685 ..... c 33 N83-35227 *
US-PATENT-CLASS-318-729 ..... c 33 N83-34190 *
US-PATENT-CLASS-318-729 ..... c 33 N84-14424 *
US-PATENT-CLASS-318-729 ..... c 33 N84-22885 *
US-PATENT-CLASS-318-729 ..... c 33 N84-22886 *
US-PATENT-CLASS-318-729 ..... c 33 N84-27975 *
US-PATENT-CLASS-318-729 ..... c 33 N84-33661 *
US-PATENT-CLASS-318-729 ..... c 44 N85-21769 *
US-PATENT-CLASS-318-729 ..... c 33 N85-22877 *
US-PATENT-CLASS-318-798 ..... c 33 N83-34190 *
US-PATENT-CLASS-318-798 ..... c 33 N83-35227 *
US-PATENT-CLASS-318-798 ..... c 33 N84-14424 *
US-PATENT-CLASS-318-798 ..... c 33 N84-22885 *
US-PATENT-CLASS-318-799 ..... c 33 N81-27395 *
US-PATENT-CLASS-318-799 ..... c 33 N84-16455 *
US-PATENT-CLASS-318-800 ..... c 33 N83-31953 *
US-PATENT-CLASS-318-802 ..... c 33 N84-33661 *
US-PATENT-CLASS-318-803 ..... c 33 N83-10345 *
US-PATENT-CLASS-318-803 ..... c 33 N83-31953 *
US-PATENT-CLASS-318-805 ..... c 33 N84-22885 *
US-PATENT-CLASS-318-806 ..... c 33 N82-26569 *
US-PATENT-CLASS-318-806 ..... c 33 N83-34190 *
US-PATENT-CLASS-318-806 ..... c 33 N83-35227 *
US-PATENT-CLASS-318-806 ..... c 33 N84-14424 *
US-PATENT-CLASS-318-809 ..... c 33 N83-31953 *
US-PATENT-CLASS-318-809 ..... c 33 N84-27975 *
US-PATENT-CLASS-318-810 ..... c 33 N81-27395 *
US-PATENT-CLASS-318-810 ..... c 33 N84-22885 *
US-PATENT-CLASS-318-812 ..... c 33 N82-26569 *
US-PATENT-CLASS-318-812 ..... c 33 N84-22886 *
US-PATENT-CLASS-318-812 ..... c 33 N85-22877 *
US-PATENT-CLASS-318-830 ..... c 33 N82-26569 *

US-PATENT-CLASS-318-8 ..... c 37 N86-27629 *
US-PATENT-CLASS-32-28 ..... c 05 N73-27062 *
US-PATENT-CLASS-32-58 ..... c 05 N73-27062 *
US-PATENT-CLASS-320-13 ..... c 03 N71-29129 *
US-PATENT-CLASS-320-13 ..... c 44 N78-25531 *
US-PATENT-CLASS-320-15 ..... c 44 N78-14625 *
US-PATENT-CLASS-320-15 ..... c 44 N78-25531 *
US-PATENT-CLASS-320-17 ..... c 03 N71-24605 *
US-PATENT-CLASS-320-18 ..... c 44 N78-14625 *
US-PATENT-CLASS-320-21 ..... c 44 N76-18643 *
US-PATENT-CLASS-320-22 ..... c 44 N76-18643 *
US-PATENT-CLASS-320-23 ..... c 03 N71-19438 *
US-PATENT-CLASS-320-2 ..... c 44 N77-14581 *
US-PATENT-CLASS-320-32 ..... c 44 N78-25531 *
US-PATENT-CLASS-320-39 ..... c 03 N71-24719 *
US-PATENT-CLASS-320-39 ..... c 44 N78-25531 *
US-PATENT-CLASS-320-40 ..... c 44 N78-14625 *
US-PATENT-CLASS-320-48 ..... c 03 N72-25020 *
US-PATENT-CLASS-320-53 ..... c 33 N78-17296 *
US-PATENT-CLASS-320-6 ..... c 44 N78-14625 *
US-PATENT-CLASS-320-9 ..... c 44 N78-25531 *
US-PATENT-CLASS-321-1.5 ..... c 09 N73-32109 *
US-PATENT-CLASS-321-10 ..... c 09 N72-17154 *
US-PATENT-CLASS-321-11 ..... c 09 N69-39984 * #
US-PATENT-CLASS-321-11 ..... c 09 N72-25252 *
US-PATENT-CLASS-321-11 ..... c 10 N73-26228 *
US-PATENT-CLASS-321-12 ..... c 10 N71-27366 *
US-PATENT-CLASS-321-13 ..... c 33 N77-14333 *
US-PATENT-CLASS-321-14 ..... c 09 N72-22196 *
US-PATENT-CLASS-321-15 ..... c 09 N72-22203 *
US-PATENT-CLASS-321-15 ..... c 33 N75-19522 *
US-PATENT-CLASS-321-18 ..... c 09 N72-22203 *
US-PATENT-CLASS-321-18 ..... c 09 N72-25251 *
US-PATENT-CLASS-321-18 ..... c 09 N72-25252 *
US-PATENT-CLASS-321-18 ..... c 33 N74-11049 *
US-PATENT-CLASS-321-19 ..... c 09 N72-22196 *
US-PATENT-CLASS-321-19 ..... c 09 N72-25252 *
US-PATENT-CLASS-321-19 ..... c 33 N77-10428 *
US-PATENT-CLASS-321-25 ..... c 09 N72-22196 *
US-PATENT-CLASS-321-2 ..... c 03 N69-21330 * #
US-PATENT-CLASS-321-2 ..... c 03 N69-25146 * #
US-PATENT-CLASS-321-2 ..... c 03 N71-12955 *
US-PATENT-CLASS-321-2 ..... c 09 N71-23188 *
US-PATENT-CLASS-321-2 ..... c 03 N71-23239 *
US-PATENT-CLASS-321-2 ..... c 10 N71-26085 *
US-PATENT-CLASS-321-2 ..... c 09 N72-22196 *
US-PATENT-CLASS-321-2 ..... c 09 N72-22203 *
US-PATENT-CLASS-321-2 ..... c 03 N72-23048 *
US-PATENT-CLASS-321-2 ..... c 09 N72-25249 *
US-PATENT-CLASS-321-2 ..... c 09 N72-25251 *
US-PATENT-CLASS-321-2 ..... c 09 N72-25252 *
US-PATENT-CLASS-321-2 ..... c 09 N72-25253 *
US-PATENT-CLASS-321-2 ..... c 09 N72-25254 *
US-PATENT-CLASS-321-2 ..... c 33 N74-11049 *
US-PATENT-CLASS-321-2 ..... c 33 N77-10428 *
US-PATENT-CLASS-321-45C ..... c 10 N73-26228 *
US-PATENT-CLASS-321-45ER .... c 09 N72-25252 *
US-PATENT-CLASS-321-45R ..... c 09 N72-25252 *
US-PATENT-CLASS-321-45R ..... c 09 N72-25254 *
US-PATENT-CLASS-321-45R ..... c 33 N74-22864 *
US-PATENT-CLASS-321-45S ..... c 33 N74-11049 *
US-PATENT-CLASS-321-45 ..... c 09 N71-24800 *
US-PATENT-CLASS-321-45 ..... c 09 N72-22203 *
US-PATENT-CLASS-321-47 ..... c 09 N71-33109 *
US-PATENT-CLASS-321-47 ..... c 09 N72-25253 *
US-PATENT-CLASS-321-48 ..... c 12 N71-20896 *
US-PATENT-CLASS-321-5 ..... c 08 N71-18752 *
US-PATENT-CLASS-321-60 ..... c 14 N71-23174 *
US-PATENT-CLASS-321-61 ..... c 09 N71-27364 *
US-PATENT-CLASS-321-64 ..... c 09 N71-27364 *
US-PATENT-CLASS-321-69 ..... c 10 N71-26414 *
US-PATENT-CLASS-321-8R ..... c 35 N74-18090 *
US-PATENT-CLASS-321-9 ..... c 10 N71-25139 *
US-PATENT-CLASS-322-2R ..... c 07 N83-20944 *
US-PATENT-CLASS-322-25 ..... c 33 N84-33660 *
US-PATENT-CLASS-322-29 ..... c 33 N83-28319 *
US-PATENT-CLASS-322-29 ..... c 33 N84-33660 *
US-PATENT-CLASS-322-2 ..... c 03 N72-23048 *
US-PATENT-CLASS-322-32 ..... c 09 N71-27364 *
US-PATENT-CLASS-322-35 ..... c 33 N83-28319 *
US-PATENT-CLASS-322-47 ..... c 33 N83-28319 *
US-PATENT-CLASS-322-47 ..... c 33 N84-33660 *
US-PATENT-CLASS-322-95 ..... c 33 N83-28319 *
US-PATENT-CLASS-322-95 ..... c 33 N84-33660 *
US-PATENT-CLASS-322-96 ..... c 33 N77-26387 *
US-PATENT-CLASS-323-DIG.1 .... c 09 N72-21243 *
US-PATENT-CLASS-323-DIG.1 .... c 09 N72-25249 *
US-PATENT-CLASS-323-DIG.1 .... c 33 N74-11049 *
US-PATENT-CLASS-323-DIG.1 .... c 33 N77-10428 *
US-PATENT-CLASS-323-106 ..... c 33 N74-22885 *
US-PATENT-CLASS-323-122 ..... c 33 N74-22885 *
US-PATENT-CLASS-323-128 ..... c 33 N74-22885 *
US-PATENT-CLASS-323-15 ..... c 20 N79-20179 *
US-PATENT-CLASS-323-15 ..... c 44 N80-14472 *
US-PATENT-CLASS-323-17 ..... c 09 N72-25249 *
US-PATENT-CLASS-323-17 ..... c 33 N77-10428 *

US-PATENT-CLASS-323-18 ..... c 33 N78-17295 *
US-PATENT-CLASS-323-19 ..... c 08 N72-31226 *
US-PATENT-CLASS-323-19 ..... c 33 N78-17296 *
US-PATENT-CLASS-323-19 ..... c 44 N80-14472 *
US-PATENT-CLASS-323-20 ..... c 14 N71-27407 *
US-PATENT-CLASS-323-20 ..... c 20 N79-20179 *
US-PATENT-CLASS-323-22T ..... c 09 N72-21243 *
US-PATENT-CLASS-323-22T ..... c 09 N72-25249 *
US-PATENT-CLASS-323-22T ..... c 33 N77-10428 *
US-PATENT-CLASS-323-22T ..... c 33 N79-23345 *
US-PATENT-CLASS-323-22 ..... c 09 N71-21449 *
US-PATENT-CLASS-323-22 ..... c 09 N71-23316 *
US-PATENT-CLASS-323-23 ..... c 33 N77-10428 *
US-PATENT-CLASS-323-243 ..... c 33 N84-16455 *
US-PATENT-CLASS-323-246 ..... c 33 N84-16455 *
US-PATENT-CLASS-323-269 ..... c 33 N83-27126 *
US-PATENT-CLASS-323-300 ..... c 33 N84-27975 *
US-PATENT-CLASS-323-303 ..... c 33 N83-27126 *
US-PATENT-CLASS-323-350 ..... c 33 N83-27126 *
US-PATENT-CLASS-323-38 ..... c 09 N72-21243 *
US-PATENT-CLASS-323-44F ..... c 33 N79-17133 *
US-PATENT-CLASS-323-48 ..... c 09 N71-27053 *
US-PATENT-CLASS-323-48 ..... c 09 N72-25262 *
US-PATENT-CLASS-323-4 ..... c 33 N78-17294 *
US-PATENT-CLASS-323-56 ..... c 10 N71-22961 *
US-PATENT-CLASS-323-56 ..... c 09 N71-24893 *
US-PATENT-CLASS-323-56 ..... c 09 N72-22196 *
US-PATENT-CLASS-323-60 ..... c 09 N71-27053 *
US-PATENT-CLASS-323-82 ..... c 09 N72-25262 *
US-PATENT-CLASS-323-89C ..... c 09 N72-22196 *
US-PATENT-CLASS-323-8 ..... c 10 N71-10578 *
US-PATENT-CLASS-323-901 ..... c 33 N84-33663 *
US-PATENT-CLASS-323-93 ..... c 33 N77-31404 *
US-PATENT-CLASS-324-.5R ..... c 16 N73-13489 *
US-PATENT-CLASS-324-.5 ..... c 14 N71-20428 *
US-PATENT-CLASS-324-DIG.1 ..... c 33 N75-19520 *
US-PATENT-CLASS-324-DIG.1 ..... c 33 N75-25041 *
US-PATENT-CLASS-324-0.5 ..... c 14 N71-26137 *
US-PATENT-CLASS-324-0.5 ..... c 14 N71-26266 *
US-PATENT-CLASS-324-0.5 ..... c 36 N79-14362 *
US-PATENT-CLASS-324-102 ..... c 09 N72-11225 *
US-PATENT-CLASS-324-102 ..... c 33 N74-17930 *
US-PATENT-CLASS-324-102 ..... c 33 N75-19521 *
US-PATENT-CLASS-324-102 ..... c 33 N79-11315 *
US-PATENT-CLASS-324-102 ..... c 33 N79-14305 *
US-PATENT-CLASS-324-103 ..... c 10 N71-27338 *
US-PATENT-CLASS-324-106 ..... c 14 N70-38602 *
US-PATENT-CLASS-324-106 ..... c 08 N71-29138 *
US-PATENT-CLASS-324-107 ..... c 10 N71-27338 *
US-PATENT-CLASS-324-112 ..... c 33 N79-14305 *
US-PATENT-CLASS-324-113 ..... c 09 N70-41655 *
US-PATENT-CLASS-324-113 ..... c 33 N75-19521 *
US-PATENT-CLASS-324-113 ..... c 33 N79-11315 *
US-PATENT-CLASS-324-113 ..... c 33 N79-14305 *
US-PATENT-CLASS-324-115 ..... c 14 N71-26244 *
US-PATENT-CLASS-324-115 ..... c 10 N72-20222 *
US-PATENT-CLASS-324-117 ..... c 14 N71-23037 *
US-PATENT-CLASS-324-118 ..... c 33 N74-17930 *
US-PATENT-CLASS-324-119 ..... c 09 N72-11225 *
US-PATENT-CLASS-324-120 ..... c 14 N71-19431 *
US-PATENT-CLASS-324-120 ..... c 09 N71-23021 *
US-PATENT-CLASS-324-123C .... c 33 N79-22373 *
US-PATENT-CLASS-324-123R .... c 09 N72-11225 *
US-PATENT-CLASS-324-127 ..... c 33 N79-18193 *
US-PATENT-CLASS-324-130 ..... c 35 N78-28411 *
US-PATENT-CLASS-324-132 ..... c 09 N71-13530 *
US-PATENT-CLASS-324-132 ..... c 10 N72-20222 *
US-PATENT-CLASS-324-133 ..... c 10 N71-27338 *
US-PATENT-CLASS-324-133 ..... c 33 N79-10337 *
US-PATENT-CLASS-324-133 ..... c 33 N79-11315 *
US-PATENT-CLASS-324-133 ..... c 33 N79-14305 *
US-PATENT-CLASS-324-133 ..... c 33 N79-18193 *
US-PATENT-CLASS-324-158-D ... c 33 N87-22894 *
US-PATENT-CLASS-324-158-R ... c 33 N87-22894 *
US-PATENT-CLASS-324-158D .... c 15 N72-25457 *
US-PATENT-CLASS-324-158D .... c 76 N76-20994 *
US-PATENT-CLASS-324-158D .... c 44 N80-18551 *
US-PATENT-CLASS-324-158D .... c 76 N84-35112 * #
US-PATENT-CLASS-324-158D .... c 76 N85-30923 *
US-PATENT-CLASS-324-158R .... c 76 N76-20994 *
US-PATENT-CLASS-324-158R .... c 33 N85-30187 *
US-PATENT-CLASS-324-158T ..... c 15 N72-25457 *
US-PATENT-CLASS-324-158T ..... c 35 N75-12270 *
US-PATENT-CLASS-324-158T ..... c 76 N76-20994 *
US-PATENT-CLASS-324-158T ..... c 33 N80-14332 *
US-PATENT-CLASS-324-158T ..... c 76 N84-35112 * #
US-PATENT-CLASS-324-158 ..... c 09 N69-21926 * #
US-PATENT-CLASS-324-163 ..... c 35 N77-30436 *
US-PATENT-CLASS-324-165 ..... c 35 N77-30436 *
US-PATENT-CLASS-324-173 ..... c 35 N78-32396 *
US-PATENT-CLASS-324-174 ..... c 35 N77-30436 *
US-PATENT-CLASS-324-181 ..... c 09 N71-24717 *
US-PATENT-CLASS-324-186 ..... c 09 N72-25257 *
US-PATENT-CLASS-324-186 ..... c 52 N74-12778 *
US-PATENT-CLASS-324-20R ..... c 09 N72-23172 *
US-PATENT-CLASS-324-20R ..... c 44 N79-12541 *

US-PATENT-CLASS-324-207 ..... c 35 N78-32396 *
US-PATENT-CLASS-324-226 ..... c 35 N86-32698 *
US-PATENT-CLASS-324-22 ..... c 44 N79-12541 *
US-PATENT-CLASS-324-238 ..... c 35 N86-32698 *
US-PATENT-CLASS-324-240 ..... c 35 N86-32698 *
US-PATENT-CLASS-324-249 ..... c 35 N78-32397 *
US-PATENT-CLASS-324-250 ..... c 35 N84-12444 *
US-PATENT-CLASS-324-262 ..... c 35 N84-22928 *
US-PATENT-CLASS-324-262 ..... c 35 N86-32698 *
US-PATENT-CLASS-324-29.5 ..... c 03 N72-25020 *
US-PATENT-CLASS-324-29.5 ..... c 14 N73-30388 *
US-PATENT-CLASS-324-29.5 ..... c 44 N74-27519 *
US-PATENT-CLASS-324-30B ..... c 33 N76-19339 *
US-PATENT-CLASS-324-30R ..... c 14 N73-20478 *
US-PATENT-CLASS-324-32 ..... c 14 N71-16014 *
US-PATENT-CLASS-324-32 ..... c 33 N75-18477 *
US-PATENT-CLASS-324-32 ..... c 33 N75-19522 *
US-PATENT-CLASS-324-32 ..... c 35 N78-28411 *
US-PATENT-CLASS-324-33 ..... c 25 N69-39884 * #
US-PATENT-CLASS-324-33 ..... c 14 N70-35666 *
US-PATENT-CLASS-324-33 ..... c 24 N71-20518 *
US-PATENT-CLASS-324-33 ..... c 14 N71-21090 *
US-PATENT-CLASS-324-33 ..... c 14 N71-27090 *
US-PATENT-CLASS-324-34FL .... c 35 N74-21018 *
US-PATENT-CLASS-324-34R ..... c 26 N76-18257 *
US-PATENT-CLASS-324-34 ..... c 25 N71-16073 *
US-PATENT-CLASS-324-404 ..... c 44 N80-18551 *
US-PATENT-CLASS-324-40 ..... c 38 N74-15395 *
US-PATENT-CLASS-324-41 ..... c 10 N72-28240 *
US-PATENT-CLASS-324-427 ..... c 35 N85-21596 *
US-PATENT-CLASS-324-43R ..... c 35 N76-16390 *
US-PATENT-CLASS-324-43 ..... c 14 N69-27423 * #
US-PATENT-CLASS-324-43 ..... c 09 N70-40123 *
US-PATENT-CLASS-324-43 ..... c 14 N71-15962 *
US-PATENT-CLASS-324-43 ..... c 14 N71-26135 *
US-PATENT-CLASS-324-43 ..... c 14 N71-27325 *
US-PATENT-CLASS-324-457 ..... c 72 N84-28575 *
US-PATENT-CLASS-324-466 ..... c 33 N83-31954 *
US-PATENT-CLASS-324-51 ..... c 33 N80-26599 *
US-PATENT-CLASS-324-51 ..... c 33 N81-26359 *
US-PATENT-CLASS-324-51 ..... c 33 N82-24420 *
US-PATENT-CLASS-324-52 ..... c 14 N72-17325 *
US-PATENT-CLASS-324-52 ..... c 14 N73-28486 *
US-PATENT-CLASS-324-52 ..... c 33 N79-18193 *
US-PATENT-CLASS-324-52 ..... c 33 N82-24420 *
US-PATENT-CLASS-324-54 ..... c 33 N75-18477 *
US-PATENT-CLASS-324-57DE .... c 33 N78-25319 *
US-PATENT-CLASS-324-57H ..... c 35 N77-32455 *
US-PATENT-CLASS-324-57PS .... c 35 N75-21582 *
US-PATENT-CLASS-324-57R ..... c 15 N72-21464 *
US-PATENT-CLASS-324-57R ..... c 14 N73-30388 *
US-PATENT-CLASS-324-57R ..... c 35 N74-18090 *
US-PATENT-CLASS-324-57R ..... c 33 N79-10338 *
US-PATENT-CLASS-324-57R ..... c 35 N79-14349 *
US-PATENT-CLASS-324-57SS .... c 33 N78-25319 *
US-PATENT-CLASS-324-57 ..... c 10 N71-16057 *
US-PATENT-CLASS-324-57 ..... c 09 N71-20569 *
US-PATENT-CLASS-324-58.5A ... c 33 N75-26245 *
US-PATENT-CLASS-324-58.5B ... c 43 N78-10529 *
US-PATENT-CLASS-324-58.5C ... c 33 N75-26245 *
US-PATENT-CLASS-324-58.5 ..... c 15 N71-17822 *
US-PATENT-CLASS-324-58.5 ..... c 25 N71-20563 *
US-PATENT-CLASS-324-58.5 ..... c 14 N71-26137 *
US-PATENT-CLASS-324-58.5 ..... c 18 N71-27397 *
US-PATENT-CLASS-324-58A ..... c 33 N78-25319 *
US-PATENT-CLASS-324-59 ..... c 35 N77-32455 *
US-PATENT-CLASS-324-5 ..... c 14 N71-28991 *
US-PATENT-CLASS-324-60C ..... c 35 N75-12270 *
US-PATENT-CLASS-324-60C ..... c 76 N76-20994 *
US-PATENT-CLASS-324-60 ..... c 33 N77-31404 *
US-PATENT-CLASS-324-61-R ..... c 35 N87-22953 *
US-PATENT-CLASS-324-61-R ..... c 35 N88-29149 *
US-PATENT-CLASS-324-61R ..... c 14 N72-24477 *
US-PATENT-CLASS-324-61R ..... c 35 N76-22509 *
US-PATENT-CLASS-324-61 ..... c 14 N69-39785 * #
US-PATENT-CLASS-324-61 ..... c 14 N70-36618 *
US-PATENT-CLASS-324-61 ..... c 14 N71-10797 *
US-PATENT-CLASS-324-61 ..... c 18 N71-27397 *
US-PATENT-CLASS-324-61 ..... c 14 N72-22442 *
US-PATENT-CLASS-324-62R ..... c 14 N73-30388 *
US-PATENT-CLASS-324-62 ..... c 33 N80-32650 *
US-PATENT-CLASS-324-64 ..... c 15 N72-21464 *
US-PATENT-CLASS-324-64 ..... c 33 N80-32650 *
US-PATENT-CLASS-324-65-P ..... c 35 N85-34373 *
US-PATENT-CLASS-324-65P ..... c 14 N73-20478 *
US-PATENT-CLASS-324-65R ..... c 15 N72-23497 *
US-PATENT-CLASS-324-65R ..... c 33 N85-30187 *
US-PATENT-CLASS-324-65 ..... c 14 N71-27186 *
US-PATENT-CLASS-324-66 ..... c 05 N72-16015 *
US-PATENT-CLASS-324-70 ..... c 14 N70-41332 *
US-PATENT-CLASS-324-70 ..... c 14 N71-22990 *
US-PATENT-CLASS-324-70 ..... c 10 N71-24863 *
US-PATENT-CLASS-324-71.3 ..... c 72 N84-28575 *
US-PATENT-CLASS-324-71.5 ..... c 76 N85-30923 *
US-PATENT-CLASS-324-71CP .... c 35 N76-22509 *
US-PATENT-CLASS-324-71CP .... c 35 N82-11431 *

US-PATENT-CLASS-324-71R ..... c 09 N72-21246 *
US-PATENT-CLASS-324-71R ..... c 15 N72-21464 *
US-PATENT-CLASS-324-71 ..... c 09 N71-24843 *
US-PATENT-CLASS-324-72.5 ..... c 44 N74-27519 *
US-PATENT-CLASS-324-72.5 ..... c 72 N84-28575 *
US-PATENT-CLASS-324-72 ..... c 10 N71-19421 *
US-PATENT-CLASS-324-72 ..... c 14 N71-23699 *
US-PATENT-CLASS-324-72 ..... c 07 N73-20175 *
US-PATENT-CLASS-324-72 ..... c 14 N73-32318 *
US-PATENT-CLASS-324-72 ..... c 33 N74-27862 *
US-PATENT-CLASS-324-72 ..... c 33 N75-26246 *
US-PATENT-CLASS-324-72 ..... c 33 N77-10429 *
US-PATENT-CLASS-324-72 ..... c 33 N79-10337 *
US-PATENT-CLASS-324-72 ..... c 33 N79-14305 *
US-PATENT-CLASS-324-72 ..... c 47 N82-24779 *
US-PATENT-CLASS-324-73AT .... c 08 N72-22166 *
US-PATENT-CLASS-324-73AT .... c 33 N81-26359 *
US-PATENT-CLASS-324-73R ..... c 33 N83-18996 *
US-PATENT-CLASS-324-73 ..... c 14 N71-28991 *
US-PATENT-CLASS-324-74 ..... c 35 N78-28411 *
US-PATENT-CLASS-324-77B ..... c 60 N75-13539 *
US-PATENT-CLASS-324-77B ..... c 32 N79-10262 *
US-PATENT-CLASS-324-77C ..... c 32 N79-10262 *
US-PATENT-CLASS-324-77G ..... c 08 N72-20177 *
US-PATENT-CLASS-324-77H ..... c 35 N75-21582 *
US-PATENT-CLASS-324-77K ..... c 35 N79-10391 *
US-PATENT-CLASS-324-77R ..... c 10 N73-25240 *
US-PATENT-CLASS-324-77R ..... c 47 N82-24779 *
US-PATENT-CLASS-324-77 ..... c 09 N71-10659 *
US-PATENT-CLASS-324-77 ..... c 07 N71-24622 *
US-PATENT-CLASS-324-78D ..... c 09 N72-25257 *
US-PATENT-CLASS-324-78D ..... c 52 N74-12778 *
US-PATENT-CLASS-324-78E ..... c 14 N73-24473 *
US-PATENT-CLASS-324-78J ..... c 10 N73-25240 *
US-PATENT-CLASS-324-78J ..... c 33 N75-19515 *
US-PATENT-CLASS-324-79D ..... c 14 N73-30386 *
US-PATENT-CLASS-324-79D ..... c 33 N76-16331 *
US-PATENT-CLASS-324-79R ..... c 14 N72-27408 *
US-PATENT-CLASS-324-79R ..... c 33 N84-16454 *
US-PATENT-CLASS-324-83A ..... c 10 N72-20224 *
US-PATENT-CLASS-324-83A ..... c 33 N84-16454 *
US-PATENT-CLASS-324-83D ..... c 33 N79-10338 *
US-PATENT-CLASS-324-83Q ..... c 35 N74-21017 *
US-PATENT-CLASS-324-83Q ..... c 33 N75-26243 *
US-PATENT-CLASS-324-83R ..... c 33 N84-16454 *
US-PATENT-CLASS-324-85 ..... c 10 N72-20224 *
US-PATENT-CLASS-324-85 ..... c 33 N79-10338 *
US-PATENT-CLASS-324-92 ..... c 26 N72-25680 *
US-PATENT-CLASS-324-95 ..... c 10 N71-12554 *
US-PATENT-CLASS-324-95 ..... c 14 N73-30388 *
US-PATENT-CLASS-324-96 ..... c 26 N72-25680 *
US-PATENT-CLASS-324-96 ..... c 33 N79-10337 *
US-PATENT-CLASS-324-99D ..... c 33 N79-22373 *
US-PATENT-CLASS-325-10 ..... c 07 N72-12081 *
US-PATENT-CLASS-325-113 ..... c 07 N71-24840 *
US-PATENT-CLASS-325-113 ..... c 07 N73-25160 *
US-PATENT-CLASS-325-113 ..... c 52 N74-26625 *
US-PATENT-CLASS-325-114 ..... c 07 N72-25171 *
US-PATENT-CLASS-325-114 ..... c 03 N76-32140 *
US-PATENT-CLASS-325-115 ..... c 03 N76-32140 *
US-PATENT-CLASS-325-118 ..... c 17 N78-17140 *
US-PATENT-CLASS-325-12 ..... c 07 N73-20174 *
US-PATENT-CLASS-325-139 ..... c 07 N73-25160 *
US-PATENT-CLASS-325-13 ..... c 07 N72-12081 *
US-PATENT-CLASS-325-141 ..... c 07 N72-25173 *
US-PATENT-CLASS-325-141 ..... c 52 N74-26625 *
US-PATENT-CLASS-325-143 ..... c 05 N71-12342 *
US-PATENT-CLASS-325-145 ..... c 32 N77-14292 *
US-PATENT-CLASS-325-148 ..... c 32 N74-19790 *
US-PATENT-CLASS-325-14 ..... c 17 N76-21250 *
US-PATENT-CLASS-325-14 ..... c 32 N80-20448 *
US-PATENT-CLASS-325-151.11 .. c 08 N71-27057 *
US-PATENT-CLASS-325-159 ..... c 33 N78-32340 *
US-PATENT-CLASS-325-163 ..... c 07 N71-23405 *
US-PATENT-CLASS-325-16 ..... c 07 N71-27056 *
US-PATENT-CLASS-325-17 ..... c 07 N73-20174 *
US-PATENT-CLASS-325-185 ..... c 07 N71-28430 *
US-PATENT-CLASS-325-186 ..... c 03 N76-32140 *
US-PATENT-CLASS-325-187 ..... c 33 N78-32340 *
US-PATENT-CLASS-325-23 ..... c 07 N71-27056 *
US-PATENT-CLASS-325-29 ..... c 09 N72-22202 *
US-PATENT-CLASS-325-302 ..... c 07 N72-25173 *
US-PATENT-CLASS-325-304 ..... c 32 N76-14321 *
US-PATENT-CLASS-325-305 ..... c 07 N71-10775 *
US-PATENT-CLASS-325-305 ..... c 10 N71-20841 *
US-PATENT-CLASS-325-305 ..... c 07 N71-23098 *
US-PATENT-CLASS-325-305 ..... c 32 N80-18253 *
US-PATENT-CLASS-325-306 ..... c 32 N76-14321 *
US-PATENT-CLASS-325-307 ..... c 32 N80-18253 *
US-PATENT-CLASS-325-30 ..... c 32 N74-26654 *
US-PATENT-CLASS-325-30 ..... c 32 N75-24981 *
US-PATENT-CLASS-325-30 ..... c 32 N77-30308 *
US-PATENT-CLASS-325-31 ..... c 07 N71-20791 *
US-PATENT-CLASS-325-320 ..... c 33 N74-12887 *
US-PATENT-CLASS-325-320 ..... c 32 N74-20809 *
US-PATENT-CLASS-325-320 ..... c 32 N74-20811 *

US-PATENT-CLASS-325-320

US-PATENT-CLASS-325-320 ..... c 33 N74-27705 *
US-PATENT-CLASS-325-321 ..... c 07 N72-20140 *
US-PATENT-CLASS-325-321 ..... c 32 N74-20810 *
US-PATENT-CLASS-325-321 ..... c 32 N76-16249 *
US-PATENT-CLASS-325-323 ..... c 32 N77-10392 *
US-PATENT-CLASS-325-325 ..... c 07 N71-24613 *
US-PATENT-CLASS-325-325 ..... c 07 N72-25173 *
US-PATENT-CLASS-325-325 ..... c 07 N73-13149 *
US-PATENT-CLASS-325-346 ..... c 10 N73-16205 *
US-PATENT-CLASS-325-346 ..... c 32 N74-30523 *
US-PATENT-CLASS-325-346 ..... c 32 N77-24331 *
US-PATENT-CLASS-325-347 ..... c 07 N71-33696 *
US-PATENT-CLASS-325-348 ..... c 07 N71-33696 *
US-PATENT-CLASS-325-349 ..... c 32 N77-10392 *
US-PATENT-CLASS-325-363 ..... c 07 N71-11267 *
US-PATENT-CLASS-325-363 ..... c 14 N71-26774 *
US-PATENT-CLASS-325-363 ..... c 14 N72-28437 *
US-PATENT-CLASS-325-363 ..... c 10 N73-25241 *
US-PATENT-CLASS-325-363 ..... c 35 N80-18359 *
US-PATENT-CLASS-325-369 ..... c 07 N71-27056 *
US-PATENT-CLASS-325-372 ..... c 32 N76-14321 *
US-PATENT-CLASS-325-373 ..... c 07 N72-33146 *
US-PATENT-CLASS-325-38B ..... c 35 N74-17885 *
US-PATENT-CLASS-325-38 ..... c 07 N72-20140 *
US-PATENT-CLASS-325-38 ..... c 07 N72-25173 *
US-PATENT-CLASS-325-39 ..... c 07 N72-11149 *
US-PATENT-CLASS-325-40 ..... c 07 N73-26118 *
US-PATENT-CLASS-325-419 ..... c 10 N73-16205 *
US-PATENT-CLASS-325-419 ..... c 07 N73-28012 *
US-PATENT-CLASS-325-419 ..... c 32 N74-20810 *
US-PATENT-CLASS-325-419 ..... c 32 N74-20811 *
US-PATENT-CLASS-325-419 ..... c 32 N80-18253 *
US-PATENT-CLASS-325-41 ..... c 10 N71-26577 *
US-PATENT-CLASS-325-41 ..... c 32 N77-12240 *
US-PATENT-CLASS-325-41 ..... c 32 N79-10263 *
US-PATENT-CLASS-325-420 ..... c 07 N73-30113 *
US-PATENT-CLASS-325-422 ..... c 07 N73-30113 *
US-PATENT-CLASS-325-423 ..... c 32 N74-20809 *
US-PATENT-CLASS-325-42 ..... c 07 N71-11266 *
US-PATENT-CLASS-325-42 ..... c 32 N76-21366 *
US-PATENT-CLASS-325-42 ..... c 32 N77-30308 *
US-PATENT-CLASS-325-445 ..... c 07 N72-20141 *
US-PATENT-CLASS-325-446 ..... c 09 N69-24324 * #
US-PATENT-CLASS-325-45 ..... c 07 N73-25160 *
US-PATENT-CLASS-325-473 ..... c 07 N71-33696 *
US-PATENT-CLASS-325-473 ..... c 10 N73-12244 *
US-PATENT-CLASS-325-473 ..... c 32 N77-30308 *
US-PATENT-CLASS-325-476 ..... c 32 N77-10392 *
US-PATENT-CLASS-325-478 ..... c 07 N71-33696 *
US-PATENT-CLASS-325-480 ..... c 07 N71-33696 *
US-PATENT-CLASS-325-480 ..... c 10 N73-12244 *
US-PATENT-CLASS-325-482 ..... c 07 N71-33696 *
US-PATENT-CLASS-325-492 ..... c 09 N72-17153 *
US-PATENT-CLASS-325-492 ..... c 09 N72-22202 *
US-PATENT-CLASS-325-4 ..... c 07 N71-16088 *
US-PATENT-CLASS-325-4 ..... c 07 N71-19773 *
US-PATENT-CLASS-325-4 ..... c 07 N71-24621 *
US-PATENT-CLASS-325-4 ..... c 07 N72-11149 *
US-PATENT-CLASS-325-4 ..... c 07 N72-12080 *
US-PATENT-CLASS-325-4 ..... c 07 N72-20140 *
US-PATENT-CLASS-325-4 ..... c 07 N72-25171 *
US-PATENT-CLASS-325-4 ..... c 07 N73-20174 *
US-PATENT-CLASS-325-4 ..... c 15 N75-13007 *
US-PATENT-CLASS-325-4 ..... c 32 N75-26195 *
US-PATENT-CLASS-325-4 ..... c 32 N77-20289 *
US-PATENT-CLASS-325-4 ..... c 32 N79-11265 *
US-PATENT-CLASS-325-4 ..... c 32 N80-20448 *
US-PATENT-CLASS-325-51 ..... c 07 N72-25173 *
US-PATENT-CLASS-325-55 ..... c 07 N72-25173 *
US-PATENT-CLASS-325-58 ..... c 07 N72-11149 *
US-PATENT-CLASS-325-58 ..... c 07 N72-20140 *
US-PATENT-CLASS-325-58 ..... c 07 N72-25173 *
US-PATENT-CLASS-325-58 ..... c 32 N78-15323 *
US-PATENT-CLASS-325-58 ..... c 32 N79-20296 *
US-PATENT-CLASS-325-5 ..... c 07 N73-20174 *
US-PATENT-CLASS-325-60 ..... c 08 N71-19763 *
US-PATENT-CLASS-325-60 ..... c 07 N73-16121 *
US-PATENT-CLASS-325-60 ..... c 32 N75-24981 *
US-PATENT-CLASS-325-61 ..... c 07 N73-25160 *
US-PATENT-CLASS-325-62 ..... c 08 N72-25208 *
US-PATENT-CLASS-325-62 ..... c 44 N74-19870 *
US-PATENT-CLASS-325-63 ..... c 10 N71-19467 *
US-PATENT-CLASS-325-63 ..... c 07 N73-20174 *
US-PATENT-CLASS-325-63 ..... c 32 N78-15323 *
US-PATENT-CLASS-325-63 ..... c 32 N79-20296 *
US-PATENT-CLASS-325-64 ..... c 07 N72-25173 *
US-PATENT-CLASS-325-65 ..... c 07 N70-41331 *
US-PATENT-CLASS-325-65 ..... c 07 N70-41372 *
US-PATENT-CLASS-325-65 ..... c 07 N71-11284 *
US-PATENT-CLASS-325-65 ..... c 32 N77-30308 *
US-PATENT-CLASS-325-66 ..... c 17 N78-17140 *
US-PATENT-CLASS-325-67 ..... c 07 N71-26292 *
US-PATENT-CLASS-325-67 ..... c 10 N73-25241 *
US-PATENT-CLASS-325-67 ..... c 35 N75-21582 *
US-PATENT-CLASS-325-67 ..... c 32 N79-11265 *
US-PATENT-CLASS-325-7 ..... c 07 N73-20174 *
US-PATENT-CLASS-325-8 ..... c 07 N73-20174 *
US-PATENT-CLASS-325-8 ..... c 32 N80-20448 *
US-PATENT-CLASS-325-9 ..... c 07 N73-20174 *
US-PATENT-CLASS-325-9 ..... c 32 N80-20448 *
US-PATENT-CLASS-328-104 ..... c 08 N72-22162 *
US-PATENT-CLASS-328-104 ..... c 10 N73-13235 *
US-PATENT-CLASS-328-106 ..... c 09 N72-22201 *
US-PATENT-CLASS-328-110 ..... c 09 N71-12519 *
US-PATENT-CLASS-328-111 ..... c 60 N77-12721 *
US-PATENT-CLASS-328-115 ..... c 33 N75-18479 *
US-PATENT-CLASS-328-116 ..... c 09 N69-39885 * #
US-PATENT-CLASS-328-120 ..... c 09 N71-27016 *
US-PATENT-CLASS-328-123 ..... c 60 N74-12888 *
US-PATENT-CLASS-328-129 ..... c 14 N73-30386 *
US-PATENT-CLASS-328-133 ..... c 09 N71-24596 *
US-PATENT-CLASS-328-133 ..... c 10 N72-20224 *
US-PATENT-CLASS-328-133 ..... c 33 N75-26243 *
US-PATENT-CLASS-328-133 ..... c 33 N77-13315 *
US-PATENT-CLASS-328-133 ..... c 33 N79-11313 *
US-PATENT-CLASS-328-133 ..... c 33 N84-16454 *
US-PATENT-CLASS-328-134 ..... c 08 N71-18692 *
US-PATENT-CLASS-328-134 ..... c 14 N73-30386 *
US-PATENT-CLASS-328-134 ..... c 33 N76-16331 *
US-PATENT-CLASS-328-134 ..... c 33 N81-17349 *
US-PATENT-CLASS-328-136 ..... c 09 N72-25257 *
US-PATENT-CLASS-328-140 ..... c 09 N72-25257 *
US-PATENT-CLASS-328-142 ..... c 09 N72-21245 *
US-PATENT-CLASS-328-145 ..... c 32 N76-14321 *
US-PATENT-CLASS-328-145 ..... c 09 N72-23173 *
US-PATENT-CLASS-328-145 ..... c 33 N78-32339 *
US-PATENT-CLASS-328-147 ..... c 33 N87-21235 *
US-PATENT-CLASS-328-150 ..... c 33 N78-18308 *
US-PATENT-CLASS-328-151 ..... c 09 N72-22200 *
US-PATENT-CLASS-328-151 ..... c 33 N75-18479 *
US-PATENT-CLASS-328-151 ..... c 33 N81-27396 *
US-PATENT-CLASS-328-154 ..... c 08 N72-22162 *
US-PATENT-CLASS-328-154 ..... c 10 N73-13235 *
US-PATENT-CLASS-328-154 ..... c 33 N74-22814 *
US-PATENT-CLASS-328-155 ..... c 10 N72-16172 *
US-PATENT-CLASS-328-155 ..... c 09 N72-33204 *
US-PATENT-CLASS-328-155 ..... c 33 N74-17927 *
US-PATENT-CLASS-328-155 ..... c 17 N76-22245 *
US-PATENT-CLASS-328-155 ..... c 32 N88-29076 *
US-PATENT-CLASS-328-160 ..... c 32 N74-19788 *
US-PATENT-CLASS-328-161 ..... c 33 N77-17354 *
US-PATENT-CLASS-328-163 ..... c 33 N79-10338 *
US-PATENT-CLASS-328-164 ..... c 07 N71-33696 *
US-PATENT-CLASS-328-164 ..... c 33 N87-21235 *
US-PATENT-CLASS-328-165 ..... c 09 N71-24806 *
US-PATENT-CLASS-328-165 ..... c 07 N71-33696 *
US-PATENT-CLASS-328-166 ..... c 10 N72-20223 *
US-PATENT-CLASS-328-166 ..... c 33 N82-29539 *
US-PATENT-CLASS-328-167 ..... c 10 N71-22986 *
US-PATENT-CLASS-328-167 ..... c 08 N71-29034 *
US-PATENT-CLASS-328-167 ..... c 10 N72-17171 *
US-PATENT-CLASS-328-167 ..... c 09 N72-21245 *
US-PATENT-CLASS-328-167 ..... c 09 N73-20231 *
US-PATENT-CLASS-328-167 ..... c 08 N73-26175 *
US-PATENT-CLASS-328-167 ..... c 33 N82-24417 *
US-PATENT-CLASS-328-167 ..... c 33 N85-29145 *
US-PATENT-CLASS-328-168 ..... c 32 N74-19788 *
US-PATENT-CLASS-328-16 ..... c 10 N72-20223 *
US-PATENT-CLASS-328-171 ..... c 10 N71-24844 *
US-PATENT-CLASS-328-172 ..... c 32 N74-19788 *
US-PATENT-CLASS-328-172 ..... c 33 N78-17294 *
US-PATENT-CLASS-328-186 ..... c 09 N72-17157 *
US-PATENT-CLASS-328-187 ..... c 10 N73-20254 *
US-PATENT-CLASS-328-189 ..... c 14 N72-27408 *
US-PATENT-CLASS-328-190 ..... c 33 N76-14371 *
US-PATENT-CLASS-328-192 ..... c 60 N81-15706 *
US-PATENT-CLASS-328-1 ..... c 23 N71-16099 *
US-PATENT-CLASS-328-1 ..... c 10 N71-19472 *
US-PATENT-CLASS-328-1 ..... c 09 N72-22200 *
US-PATENT-CLASS-328-207 ..... c 09 N71-28468 *
US-PATENT-CLASS-328-207 ..... c 10 N71-28860 *
US-PATENT-CLASS-328-207 ..... c 09 N71-29139 *
US-PATENT-CLASS-328-207 ..... c 10 N72-20221 *
US-PATENT-CLASS-328-20 ..... c 10 N72-20223 *
US-PATENT-CLASS-328-230 ..... c 35 N84-12444 *
US-PATENT-CLASS-328-233 ..... c 10 N71-22962 *
US-PATENT-CLASS-328-233 ..... c 75 N75-13625 *
US-PATENT-CLASS-328-233 ..... c 37 N78-17386 *
US-PATENT-CLASS-328-24 ..... c 09 N72-33204 *
US-PATENT-CLASS-328-28 ..... c 33 N87-21235 *
US-PATENT-CLASS-328-37 ..... c 08 N71-12503 *
US-PATENT-CLASS-328-37 ..... c 10 N73-20254 *
US-PATENT-CLASS-328-37 ..... c 33 N76-14373 *
US-PATENT-CLASS-328-37 ..... c 33 N81-17349 *
US-PATENT-CLASS-328-38 ..... c 10 N72-20223 *
US-PATENT-CLASS-328-38 ..... c 33 N77-24375 *
US-PATENT-CLASS-328-39 ..... c 33 N77-24375 *
US-PATENT-CLASS-328-4-8 ..... c 33 N77-24375 *
US-PATENT-CLASS-328-41 ..... c 33 N75-31330 *
US-PATENT-CLASS-328-42 ..... c 08 N71-19432 *
US-PATENT-CLASS-328-44 ..... c 08 N71-29034 *
US-PATENT-CLASS-328-48 ..... c 14 N73-30386 *
US-PATENT-CLASS-328-48 ..... c 33 N74-10223 *
US-PATENT-CLASS-328-48 ..... c 60 N81-15706 *
US-PATENT-CLASS-328-49 ..... c 10 N71-27137 *
US-PATENT-CLASS-328-55 ..... c 33 N81-17349 *
US-PATENT-CLASS-328-58 ..... c 08 N71-29138 *
US-PATENT-CLASS-328-58 ..... c 33 N74-32711 *
US-PATENT-CLASS-328-58 ..... c 33 N75-18479 *
US-PATENT-CLASS-328-59 ..... c 33 N75-19515 *
US-PATENT-CLASS-328-61 ..... c 09 N71-23525 *
US-PATENT-CLASS-328-61 ..... c 10 N73-20254 *
US-PATENT-CLASS-328-61 ..... c 35 N75-30504 *
US-PATENT-CLASS-328-62 ..... c 35 N75-30504 *
US-PATENT-CLASS-328-63 ..... c 33 N76-14371 *
US-PATENT-CLASS-328-63 ..... c 33 N77-24375 *
US-PATENT-CLASS-328-67 ..... c 10 N71-28960 *
US-PATENT-CLASS-328-67 ..... c 33 N82-24418 *
US-PATENT-CLASS-328-67 ..... c 33 N88-24862 *
US-PATENT-CLASS-328-71 ..... c 60 N81-15706 *
US-PATENT-CLASS-328-92 ..... c 10 N71-28860 *
US-PATENT-CLASS-329-104 ..... c 07 N71-11282 *
US-PATENT-CLASS-329-104 ..... c 33 N74-12887 *
US-PATENT-CLASS-329-104 ..... c 32 N77-24331 *
US-PATENT-CLASS-329-107 ..... c 35 N81-19427 *
US-PATENT-CLASS-329-107 ..... c 32 N87-21207 *
US-PATENT-CLASS-329-119 ..... c 33 N77-21314 *
US-PATENT-CLASS-329-120 ..... c 07 N73-30113 *
US-PATENT-CLASS-329-122 ..... c 10 N71-19469 *
US-PATENT-CLASS-329-122 ..... c 07 N73-28012 *
US-PATENT-CLASS-329-122 ..... c 33 N74-12887 *
US-PATENT-CLASS-329-122 ..... c 32 N74-20811 *
US-PATENT-CLASS-329-122 ..... c 33 N77-14334 *
US-PATENT-CLASS-329-122 ..... c 32 N77-24331 *
US-PATENT-CLASS-329-122 ..... c 32 N79-14267 *
US-PATENT-CLASS-329-122 ..... c 33 N81-33405 *
US-PATENT-CLASS-329-124 ..... c 33 N77-14334 *
US-PATENT-CLASS-329-124 ..... c 33 N78-32338 *
US-PATENT-CLASS-329-124 ..... c 32 N84-27952 *
US-PATENT-CLASS-329-126 ..... c 33 N74-12887 *
US-PATENT-CLASS-329-140 ..... c 07 N71-24583 *
US-PATENT-CLASS-329-145 ..... c 07 N71-33696 *
US-PATENT-CLASS-329-161 ..... c 07 N72-20141 *
US-PATENT-CLASS-329-162 ..... c 07 N72-20141 *
US-PATENT-CLASS-329-166 ..... c 33 N75-19520 *
US-PATENT-CLASS-329-166 ..... c 33 N75-25041 *
US-PATENT-CLASS-329-204 ..... c 33 N75-19520 *
US-PATENT-CLASS-329-204 ..... c 33 N75-25041 *
US-PATENT-CLASS-329-205 ..... c 33 N77-21314 *
US-PATENT-CLASS-329-50 ..... c 33 N74-17930 *
US-PATENT-CLASS-329-50 ..... c 35 N81-19427 *
US-PATENT-CLASS-33.8UB ..... c 27 N81-15104 *
US-PATENT-CLASS-33-DIG.13 .... c 35 N75-12273 *
US-PATENT-CLASS-33-DIG.3 ..... c 04 N84-14132 *
US-PATENT-CLASS-33-1G ..... c 37 N76-21554 *
US-PATENT-CLASS-33-1M ..... c 35 N74-32877 *
US-PATENT-CLASS-33-1N ..... c 43 N79-26439 *
US-PATENT-CLASS-33-1Q ..... c 43 N79-26439 *
US-PATENT-CLASS-33-1SA ..... c 14 N72-28436 *
US-PATENT-CLASS-33-1SA ..... c 19 N74-21015 *
US-PATENT-CLASS-33-125R ..... c 52 N80-27072 *
US-PATENT-CLASS-33-125 ..... c 14 N72-11364 *
US-PATENT-CLASS-33-143C ..... c 52 N82-22875 *
US-PATENT-CLASS-33-147D ..... c 37 N88-14361 *
US-PATENT-CLASS-33-147 ..... c 15 N71-19489 *
US-PATENT-CLASS-33-148D ..... c 35 N75-19615 *
US-PATENT-CLASS-33-149 ..... c 14 N71-17657 *
US-PATENT-CLASS-33-15A ..... c 08 N72-11172 *
US-PATENT-CLASS-33-155R ..... c 33 N76-19338 *
US-PATENT-CLASS-33-169F ..... c 35 N84-28018 *
US-PATENT-CLASS-33-174B ..... c 37 N76-21554 *
US-PATENT-CLASS-33-174D ..... c 33 N76-19338 *
US-PATENT-CLASS-33-174L ..... c 43 N79-26439 *
US-PATENT-CLASS-33-174S ..... c 14 N72-22445 *
US-PATENT-CLASS-33-174 ..... c 14 N69-21363 * #
US-PATENT-CLASS-33-174 ..... c 14 N71-17658 *
US-PATENT-CLASS-33-174 ..... c 14 N71-24693 *
US-PATENT-CLASS-33-180R ..... c 35 N75-12273 *
US-PATENT-CLASS-33-189 ..... c 15 N71-26145 *
US-PATENT-CLASS-33-1 ..... c 14 N70-36907 *
US-PATENT-CLASS-33-204C ..... c 08 N72-11172 *
US-PATENT-CLASS-33-207 ..... c 15 N71-15571 *
US-PATENT-CLASS-33-23R ..... c 35 N74-32877 *
US-PATENT-CLASS-33-268 ..... c 89 N74-30886 *
US-PATENT-CLASS-33-285 ..... c 36 N74-21091 *
US-PATENT-CLASS-33-286 ..... c 18 N76-14186 *
US-PATENT-CLASS-33-293 ..... c 35 N84-16523 *
US-PATENT-CLASS-33-31 ..... c 14 N71-21079 *
US-PATENT-CLASS-33-322 ..... c 06 N83-33882 *
US-PATENT-CLASS-33-348 ..... c 04 N84-14132 *
US-PATENT-CLASS-33-356 ..... c 04 N76-20114 *
US-PATENT-CLASS-33-356 ..... c 04 N77-19056 *
US-PATENT-CLASS-33-356 ..... c 04 N84-14132 *
US-PATENT-CLASS-33-361 ..... c 04 N84-14132 *
US-PATENT-CLASS-33-366 ..... c 35 N78-32395 *
US-PATENT-CLASS-33-46R ..... c 19 N74-21015 *
US-PATENT-CLASS-33-72 ..... c 15 N72-11386 *
US-PATENT-CLASS-33-75R ..... c 14 N72-28436 *

US-PATENT-CLASS-33-96 ..... c 33 N75-30430 *
US-PATENT-CLASS-330-103 ..... c 32 N74-22096 *
US-PATENT-CLASS-330-107 ..... c 10 N72-11256 *
US-PATENT-CLASS-330-107 ..... c 10 N72-17172 *
US-PATENT-CLASS-330-107 ..... c 33 N84-14421 *
US-PATENT-CLASS-330-107 ..... c 33 N87-22895 *
US-PATENT-CLASS-330-109 ..... c 10 N72-11256 *
US-PATENT-CLASS-330-109 ..... c 10 N72-17171 *
US-PATENT-CLASS-330-109 ..... c 10 N72-17172 *
US-PATENT-CLASS-330-109 ..... c 09 N73-20231 *
US-PATENT-CLASS-330-109 ..... c 33 N82-24417 *
US-PATENT-CLASS-330-109 ..... c 33 N84-14421 *
US-PATENT-CLASS-330-109 ..... c 33 N84-22887 *
US-PATENT-CLASS-330-10 ..... c 33 N74-14939 *
US-PATENT-CLASS-330-110 ..... c 33 N83-36356 *
US-PATENT-CLASS-330-11 ..... c 09 N71-13531 *
US-PATENT-CLASS-330-11 ..... c 10 N71-33129 *
US-PATENT-CLASS-330-11 ..... c 09 N72-17156 *
US-PATENT-CLASS-330-124 ..... c 07 N71-28430 *
US-PATENT-CLASS-330-12 ..... c 10 N72-33230 *
US-PATENT-CLASS-330-13 ..... c 10 N71-26415 *
US-PATENT-CLASS-330-13 ..... c 33 N75-30428 *
US-PATENT-CLASS-330-14 ..... c 09 N70-35440 *
US-PATENT-CLASS-330-14 ..... c 33 N77-14335 *
US-PATENT-CLASS-330-16 ..... c 10 N71-33129 *
US-PATENT-CLASS-330-176 ..... c 10 N72-17171 *
US-PATENT-CLASS-330-18 ..... c 09 N72-17155 *
US-PATENT-CLASS-330-18 ..... c 33 N75-30428 *
US-PATENT-CLASS-330-200 ..... c 07 N71-28430 *
US-PATENT-CLASS-330-207A .... c 33 N75-30429 *
US-PATENT-CLASS-330-20 ..... c 09 N73-20232 *
US-PATENT-CLASS-330-22 ..... c 09 N71-10798 *
US-PATENT-CLASS-330-22 ..... c 09 N73-20232 *
US-PATENT-CLASS-330-24 ..... c 10 N71-33129 *
US-PATENT-CLASS-330-24 ..... c 33 N75-30429 *
US-PATENT-CLASS-330-258 ..... c 33 N86-20670 *
US-PATENT-CLASS-330-261 ..... c 33 N86-20670 *
US-PATENT-CLASS-330-26 ..... c 10 N72-17172 *
US-PATENT-CLASS-330-27R ..... c 10 N72-31273 *
US-PATENT-CLASS-330-277 ..... c 33 N84-22887 *
US-PATENT-CLASS-330-282 ..... c 33 N83-36356 *
US-PATENT-CLASS-330-289 ..... c 33 N83-34191 *
US-PATENT-CLASS-330-289 ..... c 33 N84-16454 *
US-PATENT-CLASS-330-28 ..... c 33 N74-21851 *
US-PATENT-CLASS-330-28 ..... c 33 N77-14335 *
US-PATENT-CLASS-330-290 ..... c 33 N82-24417 *
US-PATENT-CLASS-330-294 ..... c 33 N82-24417 *
US-PATENT-CLASS-330-294 ..... c 33 N84-22887 *
US-PATENT-CLASS-330-294 ..... c 33 N87-22895 *
US-PATENT-CLASS-330-29 ..... c 09 N69-24330 * #
US-PATENT-CLASS-330-29 ..... c 10 N72-28241 *
US-PATENT-CLASS-330-2 ..... c 09 N69-39986 * #
US-PATENT-CLASS-330-2 ..... c 09 N72-25250 *
US-PATENT-CLASS-330-2 ..... c 33 N78-10375 *
US-PATENT-CLASS-330-2 ..... c 33 N79-22373 *
US-PATENT-CLASS-330-30D ..... c 10 N72-20221 *
US-PATENT-CLASS-330-30D ..... c 09 N73-20232 *
US-PATENT-CLASS-330-302 ..... c 33 N85-29145 *
US-PATENT-CLASS-330-306 ..... c 33 N82-24417 *
US-PATENT-CLASS-330-306 ..... c 33 N85-29145 *
US-PATENT-CLASS-330-30 ..... c 09 N71-19466 *
US-PATENT-CLASS-330-30 ..... c 09 N71-19516 *
US-PATENT-CLASS-330-30 ..... c 09 N71-27016 *
US-PATENT-CLASS-330-310 ..... c 33 N83-34191 *
US-PATENT-CLASS-330-311 ..... c 33 N86-20670 *
US-PATENT-CLASS-330-31 ..... c 10 N71-26331 *
US-PATENT-CLASS-330-31 ..... c 10 N72-17172 *
US-PATENT-CLASS-330-35 ..... c 09 N72-17156 *
US-PATENT-CLASS-330-35 ..... c 09 N73-20232 *
US-PATENT-CLASS-330-35 ..... c 33 N74-14939 *
US-PATENT-CLASS-330-4.3 ..... c 16 N73-32391 *
US-PATENT-CLASS-330-4.3 ..... c 36 N75-19655 *
US-PATENT-CLASS-330-4.3 ..... c 36 N75-27364 *
US-PATENT-CLASS-330-4.3 ..... c 36 N75-32441 *
US-PATENT-CLASS-330-4.3 ..... c 36 N76-29575 *
US-PATENT-CLASS-330-4.3 ..... c 36 N77-25502 *
US-PATENT-CLASS-330-4.3 ..... c 73 N78-19920 *
US-PATENT-CLASS-330-4.3 ..... c 36 N82-28616 *
US-PATENT-CLASS-330-4.5 ..... c 09 N72-25258 *
US-PATENT-CLASS-330-4.9 ..... c 33 N74-32660 *
US-PATENT-CLASS-330-40 ..... c 07 N71-28430 *
US-PATENT-CLASS-330-40 ..... c 09 N72-17155 *
US-PATENT-CLASS-330-40 ..... c 09 N73-20232 *
US-PATENT-CLASS-330-40 ..... c 33 N75-30428 *
US-PATENT-CLASS-330-43 ..... c 33 N79-10339 *
US-PATENT-CLASS-330-43 ..... c 33 N82-26568 *
US-PATENT-CLASS-330-43 ..... c 33 N86-21742 *
US-PATENT-CLASS-330-49 ..... c 14 N70-35220 *
US-PATENT-CLASS-330-4 ..... c 16 N71-15550 *
US-PATENT-CLASS-330-4 ..... c 16 N71-24831 *
US-PATENT-CLASS-330-4 ..... c 16 N72-28521 *
US-PATENT-CLASS-330-4 ..... c 36 N75-15029 *
US-PATENT-CLASS-330-4 ..... c 36 N76-31512 *
US-PATENT-CLASS-330-4 ..... c 36 N78-18410 *
US-PATENT-CLASS-330-4 ..... c 36 N80-18372 *
US-PATENT-CLASS-330-4 ..... c 36 N83-35350 *

US-PATENT-CLASS-330-5.5 ..... c 71 N77-26919 *
US-PATENT-CLASS-330-51 ..... c 10 N71-28859 *
US-PATENT-CLASS-330-51 ..... c 33 N79-22373 *
US-PATENT-CLASS-330-52 ..... c 71 N78-14867 *
US-PATENT-CLASS-330-53 ..... c 33 N74-32660 *
US-PATENT-CLASS-330-59 ..... c 09 N72-25250 *
US-PATENT-CLASS-330-59 ..... c 33 N74-21851 *
US-PATENT-CLASS-330-59 ..... c 33 N77-14335 *
US-PATENT-CLASS-330-5 ..... c 33 N75-27251 *
US-PATENT-CLASS-330-61 ..... c 09 N71-23097 *
US-PATENT-CLASS-330-63 ..... c 33 N75-30428 *
US-PATENT-CLASS-330-69 ..... c 33 N74-32712 *
US-PATENT-CLASS-330-69 ..... c 33 N75-19518 *
US-PATENT-CLASS-330-6 ..... c 35 N75-13213 *
US-PATENT-CLASS-330-70CR .... c 10 N73-27171 *
US-PATENT-CLASS-330-70R ..... c 09 N72-21245 *
US-PATENT-CLASS-330-80T ..... c 09 N73-20232 *
US-PATENT-CLASS-330-85 ..... c 09 N72-21245 *
US-PATENT-CLASS-330-86 ..... c 09 N73-20231 *
US-PATENT-CLASS-330-86 ..... c 33 N75-19518 *
US-PATENT-CLASS-330-86 ..... c 33 N79-22373 *
US-PATENT-CLASS-330-8 ..... c 33 N81-24338 *
US-PATENT-CLASS-330-94 ..... c 10 N72-17172 *
US-PATENT-CLASS-330-9 ..... c 33 N74-14939 *
US-PATENT-CLASS-331-DIG.1 .... c 36 N75-30524 *
US-PATENT-CLASS-331-DIG.2 .... c 33 N81-33405 *
US-PATENT-CLASS-331-1-A ..... c 33 N86-20668 *
US-PATENT-CLASS-331-1A ..... c 33 N74-10194 *
US-PATENT-CLASS-331-1A ..... c 33 N75-25040 *
US-PATENT-CLASS-331-1A ..... c 33 N79-11313 *
US-PATENT-CLASS-331-107A .... c 71 N77-26919 *
US-PATENT-CLASS-331-107G .... c 26 N72-25679 *
US-PATENT-CLASS-331-107G .... c 09 N73-15235 *
US-PATENT-CLASS-331-107 ..... c 09 N71-18721 *
US-PATENT-CLASS-331-107 ..... c 26 N72-21701 *
US-PATENT-CLASS-331-108A .... c 33 N74-20862 *
US-PATENT-CLASS-331-108D .... c 33 N86-32624 *
US-PATENT-CLASS-331-109 ..... c 10 N71-27271 *
US-PATENT-CLASS-331-109 ..... c 33 N74-26732 *
US-PATENT-CLASS-331-10 ..... c 07 N72-11150 *
US-PATENT-CLASS-331-111 ..... c 10 N71-23669 *
US-PATENT-CLASS-331-111 ..... c 09 N72-21247 *
US-PATENT-CLASS-331-113A .... c 09 N72-25253 *
US-PATENT-CLASS-331-113A .... c 09 N72-25254 *
US-PATENT-CLASS-331-113A .... c 33 N74-11049 *
US-PATENT-CLASS-331-113R .... c 33 N82-18494 *
US-PATENT-CLASS-331-113 ..... c 09 N70-38995 *
US-PATENT-CLASS-331-113 ..... c 10 N71-19418 *
US-PATENT-CLASS-331-113 ..... c 09 N71-19470 *
US-PATENT-CLASS-331-113 ..... c 10 N71-25882 *
US-PATENT-CLASS-331-113 ..... c 10 N71-25950 *
US-PATENT-CLASS-331-113 ..... c 09 N71-28810 *
US-PATENT-CLASS-331-114 ..... c 33 N77-17351 *
US-PATENT-CLASS-331-115 ..... c 10 N72-33230 *
US-PATENT-CLASS-331-115 ..... c 33 N74-20862 *
US-PATENT-CLASS-331-116-FE . c 33 N86-19515 *
US-PATENT-CLASS-331-116-R ... c 33 N87-21232 *
US-PATENT-CLASS-331-116R .... c 10 N72-33230 *
US-PATENT-CLASS-331-116R .... c 33 N74-20862 *
US-PATENT-CLASS-331-116R .... c 33 N86-32624 *
US-PATENT-CLASS-331-117-FE . c 33 N86-19515 *
US-PATENT-CLASS-331-117-R ... c 33 N87-21232 *
US-PATENT-CLASS-331-117R .... c 33 N74-26732 *
US-PATENT-CLASS-331-117 ..... c 10 N71-27271 *
US-PATENT-CLASS-331-117 ..... c 09 N72-22203 *
US-PATENT-CLASS-331-12 ..... c 33 N78-32338 *
US-PATENT-CLASS-331-135 ..... c 10 N73-32145 *
US-PATENT-CLASS-331-14 ..... c 09 N72-21247 *
US-PATENT-CLASS-331-14 ..... c 33 N74-10194 *
US-PATENT-CLASS-331-14 ..... c 33 N79-11313 *
US-PATENT-CLASS-331-159 ..... c 33 N74-20862 *
US-PATENT-CLASS-331-162 ..... c 33 N88-26596 *
US-PATENT-CLASS-331-177-R ... c 33 N87-22895 *
US-PATENT-CLASS-331-177R .... c 09 N73-15235 *
US-PATENT-CLASS-331-177V .... c 33 N77-17351 *
US-PATENT-CLASS-331-177 ..... c 10 N71-27271 *
US-PATENT-CLASS-331-178 ..... c 33 N74-10194 *
US-PATENT-CLASS-331-17 ..... c 10 N71-20852 *
US-PATENT-CLASS-331-17 ..... c 10 N73-27171 *
US-PATENT-CLASS-331-17 ..... c 33 N74-10194 *
US-PATENT-CLASS-331-17 ..... c 32 N88-29076 *
US-PATENT-CLASS-331-183 ..... c 33 N74-26732 *
US-PATENT-CLASS-331-18 ..... c 10 N71-26374 *
US-PATENT-CLASS-331-18 ..... c 33 N74-10194 *
US-PATENT-CLASS-331-18 ..... c 33 N75-25040 *
US-PATENT-CLASS-331-23 ..... c 09 N72-21247 *
US-PATENT-CLASS-331-23 ..... c 33 N77-14334 *
US-PATENT-CLASS-331-23 ..... c 33 N79-11313 *
US-PATENT-CLASS-331-25 ..... c 10 N73-27171 *
US-PATENT-CLASS-331-25 ..... c 33 N75-25040 *
US-PATENT-CLASS-331-25 ..... c 32 N88-29076 *
US-PATENT-CLASS-331-27 ..... c 33 N79-11313 *
US-PATENT-CLASS-331-2 ..... c 33 N86-20668 *
US-PATENT-CLASS-331-30 ..... c 09 N72-21247 *
US-PATENT-CLASS-331-31 ..... c 33 N85-29143 *
US-PATENT-CLASS-331-34 ..... c 07 N72-11150 *

US-PATENT-CLASS-331-36C ..... c 33 N77-14334 *
US-PATENT-CLASS-331-36C ..... c 33 N85-29143 *
US-PATENT-CLASS-331-3 ..... c 35 N76-15436 *
US-PATENT-CLASS-331-3 ..... c 33 N85-29143 *
US-PATENT-CLASS-331-3 ..... c 33 N88-26596 *
US-PATENT-CLASS-331-44 ..... c 14 N72-27408 *
US-PATENT-CLASS-331-45 ..... c 10 N73-16206 *
US-PATENT-CLASS-331-48 ..... c 33 N81-17349 *
US-PATENT-CLASS-331-4 ..... c 09 N69-21543 * #
US-PATENT-CLASS-331-4 ..... c 33 N74-10194 *
US-PATENT-CLASS-331-4 ..... c 33 N78-32338 *
US-PATENT-CLASS-331-56 ..... c 33 N87-21232 *
US-PATENT-CLASS-331-62 ..... c 33 N74-11049 *
US-PATENT-CLASS-331-64 ..... c 33 N78-32338 *
US-PATENT-CLASS-331-65 ..... c 35 N75-29380 *
US-PATENT-CLASS-331-65 ..... c 33 N80-23559 *
US-PATENT-CLASS-331-66 ..... c 07 N72-11150 *
US-PATENT-CLASS-331-66 ..... c 33 N86-32624 *
US-PATENT-CLASS-331-78 ..... c 09 N71-23598 *
US-PATENT-CLASS-331-78 ..... c 08 N73-12175 *
US-PATENT-CLASS-331-78 ..... c 33 N75-19515 *
US-PATENT-CLASS-331-7 ..... c 07 N72-11150 *
US-PATENT-CLASS-331-82 ..... c 33 N84-27974 *
US-PATENT-CLASS-331-90 ..... c 09 N73-15235 *
US-PATENT-CLASS-331-94.1 ..... c 33 N85-29143 *
US-PATENT-CLASS-331-94.1 ..... c 33 N88-26596 *
US-PATENT-CLASS-331-94.5A ... c 16 N73-33397 *
US-PATENT-CLASS-331-94.5A ... c 36 N75-27364 *
US-PATENT-CLASS-331-94.5C ... c 36 N75-31427 *
US-PATENT-CLASS-331-94.5C ... c 36 N76-18428 *
US-PATENT-CLASS-331-94.5C ... c 36 N76-24553 *
US-PATENT-CLASS-331-94.5C ... c 36 N76-29575 *
US-PATENT-CLASS-331-94.5C ... c 36 N80-14384 *
US-PATENT-CLASS-331-94.5C ... c 36 N82-13415 *
US-PATENT-CLASS-331-94.5D ... c 33 N74-20859 *
US-PATENT-CLASS-331-94.5D ... c 36 N77-19416 *
US-PATENT-CLASS-331-94.5D ... c 36 N77-25502 *
US-PATENT-CLASS-331-94.5D ... c 35 N77-27366 *
US-PATENT-CLASS-331-94.5D ... c 36 N82-13415 *
US-PATENT-CLASS-331-94.5G ... c 36 N75-31426 *
US-PATENT-CLASS-331-94.5G ... c 36 N77-19416 *
US-PATENT-CLASS-331-94.5G ... c 36 N78-17366 *
US-PATENT-CLASS-331-94.5G ... c 36 N78-27402 *
US-PATENT-CLASS-331-94.5G ... c 36 N79-18307 *
US-PATENT-CLASS-331-94.5G ... c 33 N82-24418 *
US-PATENT-CLASS-331-94.5K ... c 36 N74-15145 *
US-PATENT-CLASS-331-94.5L .... c 72 N79-13826 *
US-PATENT-CLASS-331-94.5M ... c 36 N75-19654 *
US-PATENT-CLASS-331-94.5PE . c 36 N75-32441 *
US-PATENT-CLASS-331-94.5PE . c 36 N77-19416 *
US-PATENT-CLASS-331-94.5PE . c 36 N78-27402 *
US-PATENT-CLASS-331-94.5PE . c 72 N79-13826 *
US-PATENT-CLASS-331-94.5PE . c 33 N82-24418 *
US-PATENT-CLASS-331-94.5P .... c 36 N75-19655 *
US-PATENT-CLASS-331-94.5P .... c 36 N75-31426 *
US-PATENT-CLASS-331-94.5P .... c 36 N77-25502 *
US-PATENT-CLASS-331-94.5P .... c 36 N78-27402 *
US-PATENT-CLASS-331-94.5P .... c 72 N79-13826 *
US-PATENT-CLASS-331-94.5P .... c 36 N79-18307 *
US-PATENT-CLASS-331-94.5P .... c 36 N80-14384 *
US-PATENT-CLASS-331-94.5P .... c 36 N82-13415 *
US-PATENT-CLASS-331-94.5S .... c 36 N74-15145 *
US-PATENT-CLASS-331-94.5S .... c 36 N77-25499 *
US-PATENT-CLASS-331-94.5T .... c 35 N77-27366 *
US-PATENT-CLASS-331-94.5T .... c 36 N78-17366 *
US-PATENT-CLASS-331-94.5 ..... c 16 N71-18614 *
US-PATENT-CLASS-331-94.5 ..... c 16 N71-24832 *
US-PATENT-CLASS-331-94.5 ..... c 23 N71-26722 *
US-PATENT-CLASS-331-94.5 ..... c 15 N71-27135 *
US-PATENT-CLASS-331-94.5 ..... c 23 N71-29125 *
US-PATENT-CLASS-331-94.5 ..... c 16 N71-33410 *
US-PATENT-CLASS-331-94.5 ..... c 16 N72-12440 *
US-PATENT-CLASS-331-94.5 ..... c 25 N72-24753 *
US-PATENT-CLASS-331-94.5 ..... c 16 N72-25485 *
US-PATENT-CLASS-331-94.5 ..... c 07 N73-26119 *
US-PATENT-CLASS-331-94.5 ..... c 09 N73-32111 *
US-PATENT-CLASS-331-94.5 ..... c 16 N73-32391 *
US-PATENT-CLASS-331-94.5 ..... c 36 N76-18427 *
US-PATENT-CLASS-331-94.5G ... c 36 N75-32441 *
US-PATENT-CLASS-331-94 ..... c 16 N70-41578 *
US-PATENT-CLASS-331-94 ..... c 16 N72-28521 *
US-PATENT-CLASS-331-94 ..... c 16 N73-13489 *
US-PATENT-CLASS-331-94 ..... c 35 N76-15436 *
US-PATENT-CLASS-331-94 ..... c 36 N76-31512 *
US-PATENT-CLASS-331-94 ..... c 36 N79-14362 *
US-PATENT-CLASS-331-94 ..... c 36 N80-18372 *
US-PATENT-CLASS-331-96 ..... c 33 N85-29143 *
US-PATENT-CLASS-332-10 ..... c 08 N71-29138 *
US-PATENT-CLASS-332-11D ..... c 35 N74-17885 *
US-PATENT-CLASS-332-16 ..... c 33 N77-21314 *
US-PATENT-CLASS-332-18 ..... c 33 N77-17351 *
US-PATENT-CLASS-332-19 ..... c 10 N71-23544 *
US-PATENT-CLASS-332-1 ..... c 10 N71-23084 *
US-PATENT-CLASS-332-21 ..... c 08 N72-25208 *
US-PATENT-CLASS-332-22 ..... c 32 N77-14292 *
US-PATENT-CLASS-332-22 ..... c 33 N81-15192 *

US-PATENT-CLASS-332-23-A

US-PATENT-CLASS-332-23-A ..... c 32 N87-25511 *
US-PATENT-CLASS-332-23R ..... c 32 N77-14292 *
US-PATENT-CLASS-332-23R ..... c 33 N81-15192 *
US-PATENT-CLASS-332-29 ..... c 07 N71-28429 *
US-PATENT-CLASS-332-2 ..... c 35 N75-19614 *
US-PATENT-CLASS-332-30V ..... c 33 N77-14334 *
US-PATENT-CLASS-332-30V ..... c 33 N77-17351 *
US-PATENT-CLASS-332-30 ..... c 10 N71-27271 *
US-PATENT-CLASS-332-30 ..... c 07 N71-28429 *
US-PATENT-CLASS-332-30 ..... c 33 N77-21314 *
US-PATENT-CLASS-332-31 ..... c 08 N71-12500 *
US-PATENT-CLASS-332-31 ..... c 26 N72-21701 *
US-PATENT-CLASS-332-47 ..... c 33 N75-19520 *
US-PATENT-CLASS-332-51W ..... c 07 N72-20141 *
US-PATENT-CLASS-332-52 ..... c 33 N77-21314 *
US-PATENT-CLASS-332-7.51 ..... c 16 N72-25485 *
US-PATENT-CLASS-332-7.51 ..... c 07 N73-26119 *
US-PATENT-CLASS-332-7.51 ..... c 33 N74-20859 *
US-PATENT-CLASS-332-7.51 ..... c 36 N76-18427 *
US-PATENT-CLASS-332-7.5 ..... c 36 N75-15029 *
US-PATENT-CLASS-332-7.5 ..... c 36 N78-18410 *
US-PATENT-CLASS-332-7.5 ..... c 36 N83-35350 *
US-PATENT-CLASS-332-751 ..... c 36 N80-16321 *
US-PATENT-CLASS-332-9R ..... c 08 N71-29138 *
US-PATENT-CLASS-332-9 ..... c 07 N71-12390 *
US-PATENT-CLASS-333-104 ..... c 33 N82-16340 *
US-PATENT-CLASS-333-12 ..... c 32 N80-32605 *
US-PATENT-CLASS-333-12 ..... c 33 N81-27397 *
US-PATENT-CLASS-333-14 ..... c 32 N74-19788 *
US-PATENT-CLASS-333-162 ..... c 33 N84-16452 *
US-PATENT-CLASS-333-162 ..... c 33 N84-27974 *
US-PATENT-CLASS-333-16 ..... c 33 N74-17927 *
US-PATENT-CLASS-333-17R ..... c 33 N78-32340 *
US-PATENT-CLASS-333-17 ..... c 44 N74-19870 *
US-PATENT-CLASS-333-18 ..... c 33 N74-17927 *
US-PATENT-CLASS-333-18 ..... c 32 N76-21366 *
US-PATENT-CLASS-333-204 ..... c 33 N81-17348 *
US-PATENT-CLASS-333-20 ..... c 33 N82-24418 *
US-PATENT-CLASS-333-21A ..... c 07 N71-33606 *
US-PATENT-CLASS-333-21R ..... c 33 N75-30430 *
US-PATENT-CLASS-333-214 ..... c 33 N87-22895 *
US-PATENT-CLASS-333-217 ..... c 33 N87-22895 *
US-PATENT-CLASS-333-21 ..... c 07 N71-10676 *
US-PATENT-CLASS-333-22F ..... c 32 N83-27085 *
US-PATENT-CLASS-333-231 ..... c 33 N85-29143 *
US-PATENT-CLASS-333-24.2 ..... c 36 N83-35350 *
US-PATENT-CLASS-333-24R ..... c 09 N72-29172 *
US-PATENT-CLASS-333-24R ..... c 36 N80-18372 *
US-PATENT-CLASS-333-246 ..... c 33 N82-16340 *
US-PATENT-CLASS-333-252 ..... c 32 N80-32605 *
US-PATENT-CLASS-333-254 ..... c 32 N83-27085 *
US-PATENT-CLASS-333-262 ..... c 33 N80-18285 *
US-PATENT-CLASS-333-30 ..... c 10 N71-25900 *
US-PATENT-CLASS-333-6 ..... c 07 N71-33606 *
US-PATENT-CLASS-333-70CR .... c 10 N72-17171 *
US-PATENT-CLASS-333-70R ..... c 32 N77-18307 *
US-PATENT-CLASS-333-72 ..... c 10 N71-25900 *
US-PATENT-CLASS-333-72 ..... c 71 N77-26919 *
US-PATENT-CLASS-333-73R ..... c 09 N73-26195 *
US-PATENT-CLASS-333-73S ..... c 09 N73-26195 *
US-PATENT-CLASS-333-73W ..... c 07 N72-20141 *
US-PATENT-CLASS-333-73 ..... c 07 N69-24323 * #
US-PATENT-CLASS-333-73 ..... c 09 N71-23573 *
US-PATENT-CLASS-333-75 ..... c 32 N77-18307 *
US-PATENT-CLASS-333-76 ..... c 32 N77-18307 *
US-PATENT-CLASS-333-79 ..... c 10 N70-41964 *
US-PATENT-CLASS-333-79 ..... c 09 N72-25256 *
US-PATENT-CLASS-333-7 ..... c 07 N71-33606 *
US-PATENT-CLASS-333-7 ..... c 07 N72-25170 *
US-PATENT-CLASS-333-80R ..... c 33 N74-32712 *
US-PATENT-CLASS-333-80T ..... c 10 N72-33230 *
US-PATENT-CLASS-333-80 ..... c 09 N71-12517 *
US-PATENT-CLASS-333-80 ..... c 09 N72-21245 *
US-PATENT-CLASS-333-81B ..... c 14 N73-13420 *
US-PATENT-CLASS-333-81R ..... c 07 N72-25170 *
US-PATENT-CLASS-333-81R ..... c 33 N78-32340 *
US-PATENT-CLASS-333-81R ..... c 32 N80-14281 *
US-PATENT-CLASS-333-81 ..... c 07 N71-29065 *
US-PATENT-CLASS-333-82A ..... c 09 N73-26195 *
US-PATENT-CLASS-333-82B ..... c 32 N77-18307 *
US-PATENT-CLASS-333-83BT .... c 33 N75-30430 *
US-PATENT-CLASS-333-83R ..... c 36 N74-11313 *
US-PATENT-CLASS-333-83 ..... c 09 N71-24841 *
US-PATENT-CLASS-333-84M ..... c 09 N73-26195 *
US-PATENT-CLASS-333-8 ..... c 07 N69-24334 * #
US-PATENT-CLASS-333-95 ..... c 07 N71-27191 *
US-PATENT-CLASS-333-96 ..... c 09 N71-20445 *
US-PATENT-CLASS-333-96 ..... c 07 N71-27191 *
US-PATENT-CLASS-333-97R ..... c 36 N74-11313 *
US-PATENT-CLASS-333-97 ..... c 07 N69-27462 * #
US-PATENT-CLASS-333-98P ..... c 07 N72-25170 *
US-PATENT-CLASS-333-98P ..... c 09 N72-29172 *
US-PATENT-CLASS-333-98R ..... c 07 N72-25170 *
US-PATENT-CLASS-333-98R ..... c 09 N72-29172 *
US-PATENT-CLASS-333-98R ..... c 14 N73-13420 *
US-PATENT-CLASS-333-98R ..... c 33 N75-30430 *
US-PATENT-CLASS-333-98S ..... c 07 N72-25170 *
US-PATENT-CLASS-333-98 ..... c 09 N71-23548 *
US-PATENT-CLASS-333-98 ..... c 09 N71-24808 *
US-PATENT-CLASS-333-99S ..... c 32 N80-32605 *
US-PATENT-CLASS-335-100 ..... c 37 N85-30333 *
US-PATENT-CLASS-335-205 ..... c 09 N72-20199 *
US-PATENT-CLASS-335-216 ..... c 16 N71-28554 *
US-PATENT-CLASS-335-216 ..... c 23 N71-29049 *
US-PATENT-CLASS-335-216 ..... c 26 N73-32571 *
US-PATENT-CLASS-335-216 ..... c 20 N75-24837 *
US-PATENT-CLASS-335-216 ..... c 33 N79-21264 *
US-PATENT-CLASS-335-222 ..... c 35 N84-28017 *
US-PATENT-CLASS-335-229 ..... c 33 N82-24421 *
US-PATENT-CLASS-335-256 ..... c 33 N82-11357 *
US-PATENT-CLASS-335-266 ..... c 33 N82-11357 *
US-PATENT-CLASS-335-266 ..... c 33 N82-24421 *
US-PATENT-CLASS-335-296 ..... c 09 N73-30185 *
US-PATENT-CLASS-335-297 ..... c 09 N73-30185 *
US-PATENT-CLASS-335-300 ..... c 09 N70-41929 *
US-PATENT-CLASS-336-DIG.1 .... c 26 N73-26752 *
US-PATENT-CLASS-336-DIG.1 .... c 33 N79-17133 *
US-PATENT-CLASS-336-120 ..... c 33 N82-24422 *
US-PATENT-CLASS-336-178 ..... c 09 N72-17154 *
US-PATENT-CLASS-336-198 ..... c 09 N72-27226 *
US-PATENT-CLASS-336-198 ..... c 33 N85-29146 *
US-PATENT-CLASS-336-200 ..... c 26 N73-26752 *
US-PATENT-CLASS-336-210 ..... c 33 N74-17928 *
US-PATENT-CLASS-336-220 ..... c 09 N72-27226 *
US-PATENT-CLASS-336-60 ..... c 09 N72-27226 *
US-PATENT-CLASS-336-83 ..... c 33 N82-24422 *
US-PATENT-CLASS-336-84C ..... c 33 N85-29146 *
US-PATENT-CLASS-337-114 ..... c 09 N71-29035 *
US-PATENT-CLASS-337-121 ..... c 09 N71-29035 *
US-PATENT-CLASS-337-140 ..... c 37 N86-19604 *
US-PATENT-CLASS-337-14 ..... c 31 N83-31897 *
US-PATENT-CLASS-337-334 ..... c 37 N77-19458 *
US-PATENT-CLASS-337-354 ..... c 15 N72-12409 *
US-PATENT-CLASS-337-359 ..... c 15 N72-12409 *
US-PATENT-CLASS-337-393 ..... c 37 N87-23970 *
US-PATENT-CLASS-337-75 ..... c 15 N72-12409 *
US-PATENT-CLASS-337 ..... c 25 N79-28253 *
US-PATENT-CLASS-338-100 ..... c 35 N78-17359 *
US-PATENT-CLASS-338-114 ..... c 52 N74-27864 *
US-PATENT-CLASS-338-13 ..... c 24 N75-30260 *
US-PATENT-CLASS-338-162 ..... c 37 N75-13265 *
US-PATENT-CLASS-338-18 ..... c 35 N79-33449 *
US-PATENT-CLASS-338-229 ..... c 35 N77-24454 *
US-PATENT-CLASS-338-25 ..... c 35 N77-21393 *
US-PATENT-CLASS-338-25 ..... c 35 N82-24470 *
US-PATENT-CLASS-338-275 ..... c 35 N82-24470 *
US-PATENT-CLASS-338-283 ..... c 24 N75-30260 *
US-PATENT-CLASS-338-28 ..... c 35 N77-20400 *
US-PATENT-CLASS-338-28 ..... c 35 N77-24454 *
US-PATENT-CLASS-338-28 ..... c 35 N82-24470 *
US-PATENT-CLASS-338-2 ..... c 33 N75-31329 *
US-PATENT-CLASS-338-2 ..... c 35 N80-20560 *
US-PATENT-CLASS-338-2 ..... c 52 N80-27072 *
US-PATENT-CLASS-338-2 ..... c 35 N84-12443 *
US-PATENT-CLASS-338-309 ..... c 27 N84-33589 *
US-PATENT-CLASS-338-32S ..... c 33 N78-13320 *
US-PATENT-CLASS-338-320 ..... c 33 N74-14935 *
US-PATENT-CLASS-338-36 ..... c 35 N78-17359 *
US-PATENT-CLASS-338-5 ..... c 32 N71-15974 *
US-PATENT-CLASS-338-5 ..... c 52 N74-27864 *
US-PATENT-CLASS-338-64 ..... c 09 N71-21583 *
US-PATENT-CLASS-338-6 ..... c 35 N76-14430 *
US-PATENT-CLASS-338-6 ..... c 52 N76-29895 *
US-PATENT-CLASS-338-75 ..... c 37 N75-13265 *
US-PATENT-CLASS-338-82 ..... c 09 N71-20842 *
US-PATENT-CLASS-338-89 ..... c 35 N74-32877 *
US-PATENT-CLASS-338-97 ..... c 37 N75-13265 *
US-PATENT-CLASS-338-99 ..... c 35 N78-17359 *
US-PATENT-CLASS-339-143C .... c 33 N76-16332 *
US-PATENT-CLASS-339-143R .... c 09 N72-25256 *
US-PATENT-CLASS-339-147R .... c 09 N72-25256 *
US-PATENT-CLASS-339-150 ..... c 09 N69-21470 * #
US-PATENT-CLASS-339-17M ..... c 37 N76-27567 *
US-PATENT-CLASS-339-17R ..... c 15 N71-29133 *
US-PATENT-CLASS-339-176MF . c 09 N72-28225 *
US-PATENT-CLASS-339-176M .... c 15 N72-17455 *
US-PATENT-CLASS-339-176 ..... c 09 N70-34596 *
US-PATENT-CLASS-339-176 ..... c 09 N70-36494 *
US-PATENT-CLASS-339-177 ..... c 09 N71-20851 *
US-PATENT-CLASS-339-17 ..... c 14 N69-27431 * #
US-PATENT-CLASS-339-17 ..... c 15 N71-17685 *
US-PATENT-CLASS-339-17 ..... c 09 N71-26133 *
US-PATENT-CLASS-339-18C ..... c 37 N76-27567 *
US-PATENT-CLASS-339-198R .... c 33 N76-16332 *
US-PATENT-CLASS-339-218M .... c 09 N72-28225 *
US-PATENT-CLASS-339-242 ..... c 33 N76-16332 *
US-PATENT-CLASS-339-252R .... c 52 N77-14738 *
US-PATENT-CLASS-339-258RR . c 33 N84-14423 *
US-PATENT-CLASS-339-262RR . c 33 N84-14423 *
US-PATENT-CLASS-339-275R .... c 33 N76-16332 *
US-PATENT-CLASS-339-275T .... c 09 N72-20200 *
US-PATENT-CLASS-339-276T ..... c 09 N72-20200 *
US-PATENT-CLASS-339-278M .... c 15 N72-17455 *
US-PATENT-CLASS-339-3R ..... c 07 N83-20944 *
US-PATENT-CLASS-339-45M ..... c 15 N72-25450 *
US-PATENT-CLASS-339-46 ..... c 15 N72-17455 *
US-PATENT-CLASS-339-5R ..... c 07 N83-20944 *
US-PATENT-CLASS-339-5 ..... c 15 N71-23049 *
US-PATENT-CLASS-339-64M ..... c 33 N84-14423 *
US-PATENT-CLASS-339-75MP .... c 09 N72-28225 *
US-PATENT-CLASS-339-91B ..... c 15 N72-25450 *
US-PATENT-CLASS-339-91 ..... c 09 N69-21927 * #
US-PATENT-CLASS-339-94M ..... c 09 N72-28225 *
US-PATENT-CLASS-339-95 ..... c 09 N69-39734 * #
US-PATENT-CLASS-339,12R ..... c 52 N77-25772 *
US-PATENT-CLASS-34-155 ..... c 14 N73-28489 *
US-PATENT-CLASS-34-15 ..... c 28 N78-24365 *
US-PATENT-CLASS-34-160 ..... c 14 N73-28489 *
US-PATENT-CLASS-34-162 ..... c 14 N73-28489 *
US-PATENT-CLASS-34-162 ..... c 35 N74-15831 *
US-PATENT-CLASS-34-57A ..... c 35 N83-24828 *
US-PATENT-CLASS-340-12R ..... c 35 N74-16135 *
US-PATENT-CLASS-340-12R ..... c 46 N79-23555 *
US-PATENT-CLASS-340-146.1AL c 08 N72-25210 *
US-PATENT-CLASS-340-146.1AL c 08 N73-12175 *
US-PATENT-CLASS-340-146.1AL c 32 N77-12240 *
US-PATENT-CLASS-340-146.1AQ c 08 N73-12177 *
US-PATENT-CLASS-340-146.1AQ c 32 N74-32598 *
US-PATENT-CLASS-340-146.1AQ c 32 N77-12240 *
US-PATENT-CLASS-340-146.1AV c 08 N73-12177 *
US-PATENT-CLASS-340-146.1AV c 32 N77-12240 *
US-PATENT-CLASS-340-146.1AX c 32 N79-10263 *
US-PATENT-CLASS-340-146.1C . c 07 N73-20176 *
US-PATENT-CLASS-340-146.1E . c 32 N79-10263 *
US-PATENT-CLASS-340-146.1 .... c 09 N71-18843 *
US-PATENT-CLASS-340-146.1 .... c 08 N71-22749 *
US-PATENT-CLASS-340-146.1 .... c 10 N71-26103 *
US-PATENT-CLASS-340-146.1 .... c 08 N71-27255 *
US-PATENT-CLASS-340-146.1 .... c 08 N72-22167 *
US-PATENT-CLASS-340-146.1 .... c 08 N72-25207 *
US-PATENT-CLASS-340-146.1 .... c 07 N73-13149 *
US-PATENT-CLASS-340-146.2 .... c 08 N71-12505 *
US-PATENT-CLASS-340-146.2 .... c 08 N71-23295 *
US-PATENT-CLASS-340-146.3H . c 74 N81-19896 *
US-PATENT-CLASS-340-146.3P . c 43 N77-10584 *
US-PATENT-CLASS-340-146.3Q . c 43 N77-10584 *
US-PATENT-CLASS-340-146.3S . c 74 N81-19896 *
US-PATENT-CLASS-340-146.3Y . c 74 N81-19896 *
US-PATENT-CLASS-340-147C .... c 60 N76-14818 *
US-PATENT-CLASS-340-147R .... c 07 N73-20176 *
US-PATENT-CLASS-340-147R .... c 60 N76-14818 *
US-PATENT-CLASS-340-147SY .. c 17 N76-22245 *
US-PATENT-CLASS-340-147 ..... c 09 N70-33182 *
US-PATENT-CLASS-340-147 ..... c 09 N70-38998 *
US-PATENT-CLASS-340-15.5GC c 14 N73-26432 *
US-PATENT-CLASS-340-150 ..... c 10 N71-27272 *
US-PATENT-CLASS-340-151 ..... c 33 N74-27862 *
US-PATENT-CLASS-340-163 ..... c 07 N73-20176 *
US-PATENT-CLASS-340-164 ..... c 10 N71-27272 *
US-PATENT-CLASS-340-166 ..... c 10 N71-27272 *
US-PATENT-CLASS-340-166 ..... c 10 N73-32144 *
US-PATENT-CLASS-340-167 ..... c 07 N72-25173 *
US-PATENT-CLASS-340-171 ..... c 09 N72-22202 *
US-PATENT-CLASS-340-171 ..... c 16 N73-16536 *
US-PATENT-CLASS-340-172.5 .... c 08 N69-21928 * #
US-PATENT-CLASS-340-172.5 .... c 09 N69-24333 * #
US-PATENT-CLASS-340-172.5 .... c 08 N71-12502 *
US-PATENT-CLASS-340-172.5 .... c 08 N71-12506 *
US-PATENT-CLASS-340-172.5 .... c 31 N71-15566 *
US-PATENT-CLASS-340-172.5 .... c 08 N71-19288 *
US-PATENT-CLASS-340-172.5 .... c 08 N71-22707 *
US-PATENT-CLASS-340-172.5 .... c 08 N71-22710 *
US-PATENT-CLASS-340-172.5 .... c 07 N71-24624 *
US-PATENT-CLASS-340-172.5 .... c 08 N71-27255 *
US-PATENT-CLASS-340-172.5 .... c 07 N72-25172 *
US-PATENT-CLASS-340-172.5 .... c 08 N72-25207 *
US-PATENT-CLASS-340-172.5 .... c 09 N72-25248 *
US-PATENT-CLASS-340-172.5 .... c 08 N73-13187 *
US-PATENT-CLASS-340-172.5 .... c 08 N73-26176 *
US-PATENT-CLASS-340-172.5 .... c 60 N76-18800 *
US-PATENT-CLASS-340-172.5 .... c 60 N76-21914 *
US-PATENT-CLASS-340-172.5 .... c 60 N77-12721 *
US-PATENT-CLASS-340-172.5 .... c 60 N77-14751 *
US-PATENT-CLASS-340-172.5 .... c 60 N77-19760 *
US-PATENT-CLASS-340-173.2 .... c 08 N72-21198 *
US-PATENT-CLASS-340-173CA .. c 33 N75-31331 *
US-PATENT-CLASS-340-173CR .. c 60 N74-12888 *
US-PATENT-CLASS-340-173LM .. c 60 N74-12888 *
US-PATENT-CLASS-340-173LM .. c 60 N78-10709 *
US-PATENT-CLASS-340-173LS .. c 08 N72-21198 *
US-PATENT-CLASS-340-173LS .. c 36 N75-19652 *
US-PATENT-CLASS-340-173 ..... c 10 N73-32144 *
US-PATENT-CLASS-340-174.1L .. c 35 N74-11283 *
US-PATENT-CLASS-340-174.1M . c 36 N74-13205 *
US-PATENT-CLASS-340-174.1M . c 35 N78-29421 *
US-PATENT-CLASS-340-174.1M . c 35 N79-16246 *
US-PATENT-CLASS-340-174.1R . c 21 N73-13644 *
US-PATENT-CLASS-340-174.1 .... c 08 N71-21042 *

US-PATENT-CLASS-340-174.1 .... c 07 N71-23001 *
US-PATENT-CLASS-340-174.1 .... c 08 N71-27210 *
US-PATENT-CLASS-340-174AG . c 23 N72-17747 *
US-PATENT-CLASS-340-174CS .. c 08 N72-21199 *
US-PATENT-CLASS-340-174CT .. c 23 N72-17747 *
US-PATENT-CLASS-340-174GA . c 23 N72-17747 *
US-PATENT-CLASS-340-174LC .. c 08 N72-21199 *
US-PATENT-CLASS-340-174MA . c 24 N75-13032 *
US-PATENT-CLASS-340-174M .... c 08 N72-21199 *
US-PATENT-CLASS-340-174SC .. c 23 N72-17747 *
US-PATENT-CLASS-340-174SR .. c 08 N72-21199 *
US-PATENT-CLASS-340-174YC .. c 36 N74-13205 *
US-PATENT-CLASS-340-174YC .. c 35 N78-29421 *
US-PATENT-CLASS-340-174 ..... c 08 N71-12504 *
US-PATENT-CLASS-340-174 ..... c 09 N71-12515 *
US-PATENT-CLASS-340-174 ..... c 08 N71-18595 *
US-PATENT-CLASS-340-174 ..... c 08 N71-18694 *
US-PATENT-CLASS-340-174 ..... c 10 N71-23033 *
US-PATENT-CLASS-340-174 ..... c 10 N71-26418 *
US-PATENT-CLASS-340-174 ..... c 10 N71-26434 *
US-PATENT-CLASS-340-174 ..... c 08 N71-28925 *
US-PATENT-CLASS-340-174 ..... c 10 N71-29135 *
US-PATENT-CLASS-340-177VA .. c 06 N80-18036 *
US-PATENT-CLASS-340-177 ..... c 09 N72-17153 *
US-PATENT-CLASS-340-182 ..... c 33 N74-27862 *
US-PATENT-CLASS-340-183 ..... c 52 N74-26625 *
US-PATENT-CLASS-340-189M .... c 17 N76-29347 *
US-PATENT-CLASS-340-198 ..... c 14 N70-33179 *
US-PATENT-CLASS-340-198 ..... c 07 N71-11298 *
US-PATENT-CLASS-340-200 ..... c 33 N74-27862 *
US-PATENT-CLASS-340-200 ..... c 33 N77-31404 *
US-PATENT-CLASS-340-203 ..... c 09 N72-22202 *
US-PATENT-CLASS-340-203 ..... c 52 N74-26625 *
US-PATENT-CLASS-340-206 ..... c 17 N76-29347 *
US-PATENT-CLASS-340-207P .... c 17 N76-22245 *
US-PATENT-CLASS-340-207R .... c 52 N74-26625 *
US-PATENT-CLASS-340-207 ..... c 07 N73-25160 *
US-PATENT-CLASS-340-210 ..... c 03 N72-20031 *
US-PATENT-CLASS-340-213.1 .... c 10 N71-19417 *
US-PATENT-CLASS-340-213R .... c 54 N78-32720 *
US-PATENT-CLASS-340-213 ..... c 10 N71-27272 *
US-PATENT-CLASS-340-223 ..... c 10 N73-32144 *
US-PATENT-CLASS-340-224 ..... c 37 N77-19458 *
US-PATENT-CLASS-340-227R .... c 14 N72-25412 *
US-PATENT-CLASS-340-227 ..... c 10 N71-16058 *
US-PATENT-CLASS-340-227 ..... c 14 N71-27186 *
US-PATENT-CLASS-340-228.2 .... c 10 N72-17173 *
US-PATENT-CLASS-340-228S .... c 14 N73-16484 *
US-PATENT-CLASS-340-233 ..... c 14 N71-25901 *
US-PATENT-CLASS-340-235 ..... c 10 N71-26334 *
US-PATENT-CLASS-340-237S .... c 45 N76-17656 *
US-PATENT-CLASS-340-240 ..... c 09 N72-27227 *
US-PATENT-CLASS-340-242 ..... c 35 N75-19612 *
US-PATENT-CLASS-340-248 ..... c 10 N71-27338 *
US-PATENT-CLASS-340-258R .... c 07 N73-25160 *
US-PATENT-CLASS-340-258 ..... c 10 N72-28240 *
US-PATENT-CLASS-340-25 ..... c 14 N73-16483 *
US-PATENT-CLASS-340-262 ..... c 54 N78-32720 *
US-PATENT-CLASS-340-26 ..... c 21 N72-22619 *
US-PATENT-CLASS-340-26 ..... c 04 N82-16059 *
US-PATENT-CLASS-340-27AT .... c 21 N73-14692 *
US-PATENT-CLASS-340-27NA .... c 21 N73-13643 *
US-PATENT-CLASS-340-27NA .... c 06 N82-16075 *
US-PATENT-CLASS-340-27R ..... c 14 N73-16483 *
US-PATENT-CLASS-340-27R ..... c 14 N73-20474 *
US-PATENT-CLASS-340-27SS .... c 35 N78-14364 *
US-PATENT-CLASS-340-271 ..... c 35 N77-30436 *
US-PATENT-CLASS-340-277 ..... c 10 N73-30205 *
US-PATENT-CLASS-340-279 ..... c 05 N72-16015 *
US-PATENT-CLASS-340-279 ..... c 10 N73-30205 *
US-PATENT-CLASS-340-279 ..... c 54 N78-32720 *
US-PATENT-CLASS-340-285 ..... c 14 N71-25901 *
US-PATENT-CLASS-340-285 ..... c 54 N78-32720 *
US-PATENT-CLASS-340-309.1 .... c 54 N78-32720 *
US-PATENT-CLASS-340-309.4 .... c 33 N81-14221 *
US-PATENT-CLASS-340-310A .... c 33 N81-14221 *
US-PATENT-CLASS-340-310R .... c 33 N81-14221 *
US-PATENT-CLASS-340-324AD .. c 33 N75-19517 *
US-PATENT-CLASS-340-324A .... c 09 N72-25248 *
US-PATENT-CLASS-340-324R .... c 26 N72-25680 *
US-PATENT-CLASS-340-324 ..... c 08 N71-12507 *
US-PATENT-CLASS-340-324 ..... c 09 N71-33519 *
US-PATENT-CLASS-340-332 ..... c 09 N72-25250 *
US-PATENT-CLASS-340-336 ..... c 09 N71-33519 *
US-PATENT-CLASS-340-33 ..... c 21 N73-13643 *
US-PATENT-CLASS-340-347AD .. c 14 N71-28991 *
US-PATENT-CLASS-340-347AD .. c 08 N72-21200 *
US-PATENT-CLASS-340-347AD .. c 08 N72-22163 *
US-PATENT-CLASS-340-347AD .. c 08 N72-22166 *
US-PATENT-CLASS-340-347AD .. c 08 N72-31226 *
US-PATENT-CLASS-340-347AD .. c 08 N73-20217 *
US-PATENT-CLASS-340-347AD .. c 35 N74-17885 *
US-PATENT-CLASS-340-347AD .. c 35 N74-32877 *
US-PATENT-CLASS-340-347AD .. c 33 N76-18345 *
US-PATENT-CLASS-340-347AD .. c 60 N77-32731 *
US-PATENT-CLASS-340-347CC .. c 31 N86-29055 *
US-PATENT-CLASS-340-347DA .. c 08 N71-27057 *
US-PATENT-CLASS-340-347DA .. c 08 N72-20176 *
US-PATENT-CLASS-340-347DA .. c 08 N72-25206 *
US-PATENT-CLASS-340-347DA .. c 08 N73-32081 *
US-PATENT-CLASS-340-347DD .. c 10 N71-33407 *
US-PATENT-CLASS-340-347DD .. c 08 N72-18184 *
US-PATENT-CLASS-340-347DD .. c 08 N72-20176 *
US-PATENT-CLASS-340-347DD .. c 08 N72-21197 *
US-PATENT-CLASS-340-347DD .. c 08 N73-12176 *
US-PATENT-CLASS-340-347DD .. c 60 N76-23850 *
US-PATENT-CLASS-340-347DD .. c 32 N77-12239 *
US-PATENT-CLASS-340-347DD .. c 60 N78-17691 *
US-PATENT-CLASS-340-347DD .. c 60 N79-20751 *
US-PATENT-CLASS-340-347DD .. c 33 N82-26570 *
US-PATENT-CLASS-340-347DD .. c 32 N86-27513 *
US-PATENT-CLASS-340-347P ..... c 60 N76-23850 *
US-PATENT-CLASS-340-347P ..... c 35 N77-30436 *
US-PATENT-CLASS-340-347R .... c 08 N72-22165 *
US-PATENT-CLASS-340-347SH .. c 33 N77-31404 *
US-PATENT-CLASS-340-347SY .. c 62 N76-31946 *
US-PATENT-CLASS-340-347SY .. c 35 N77-30436 *
US-PATENT-CLASS-340-347SY .. c 31 N86-29055 *
US-PATENT-CLASS-340-347 ..... c 08 N70-35423 *
US-PATENT-CLASS-340-347 ..... c 08 N70-40125 *
US-PATENT-CLASS-340-347 ..... c 08 N71-12501 *
US-PATENT-CLASS-340-347 ..... c 08 N71-18594 *
US-PATENT-CLASS-340-347 ..... c 08 N71-19435 *
US-PATENT-CLASS-340-347 ..... c 08 N71-19544 *
US-PATENT-CLASS-340-347 ..... c 08 N71-19687 *
US-PATENT-CLASS-340-347 ..... c 08 N71-24650 *
US-PATENT-CLASS-340-347 ..... c 10 N71-25917 *
US-PATENT-CLASS-340-347 ..... c 10 N71-26544 *
US-PATENT-CLASS-340-347 ..... c 08 N73-28045 *
US-PATENT-CLASS-340-348 ..... c 08 N72-22167 *
US-PATENT-CLASS-340-38P ..... c 66 N76-19888 *
US-PATENT-CLASS-340-403 ..... c 10 N71-27272 *
US-PATENT-CLASS-340-407 ..... c 71 N74-21014 *
US-PATENT-CLASS-340-407 ..... c 82 N87-29372 *
US-PATENT-CLASS-340-412 ..... c 10 N71-24798 *
US-PATENT-CLASS-340-415 ..... c 10 N73-32144 *
US-PATENT-CLASS-340-418 ..... c 14 N73-16484 *
US-PATENT-CLASS-340-5C ..... c 14 N73-27379 *
US-PATENT-CLASS-340-5H ..... c 32 N77-21267 *
US-PATENT-CLASS-340-5R ..... c 35 N74-16135 *
US-PATENT-CLASS-340-518 ..... c 35 N83-34272 *
US-PATENT-CLASS-340-555 ..... c 74 N85-22139 *
US-PATENT-CLASS-340-566 ..... c 35 N83-34272 *
US-PATENT-CLASS-340-57 ..... c 14 N71-15620 *
US-PATENT-CLASS-340-580 ..... c 35 N88-29149 *
US-PATENT-CLASS-340-602 ..... c 33 N80-23559 *
US-PATENT-CLASS-340-604 ..... c 33 N80-23559 *
US-PATENT-CLASS-340-605 ..... c 25 N86-27431 *
US-PATENT-CLASS-340-650 ..... c 33 N79-18193 *
US-PATENT-CLASS-340-664 ..... c 33 N79-18193 *
US-PATENT-CLASS-340-705 ..... c 06 N84-27733 *
US-PATENT-CLASS-340-8LF ..... c 71 N79-23753 *
US-PATENT-CLASS-340-8R ..... c 35 N74-16135 *
US-PATENT-CLASS-340-825.21 .. c 60 N84-28492 *
US-PATENT-CLASS-340-825.5 .... c 60 N84-28492 *
US-PATENT-CLASS-340-825.5 .... c 17 N87-16863 *
US-PATENT-CLASS-340-825.89 .. c 33 N82-29538 *
US-PATENT-CLASS-340-870.13 .. c 35 N84-22934 *
US-PATENT-CLASS-340-870.18 .. c 17 N87-16863 *
US-PATENT-CLASS-340-870.24 .. c 33 N81-14221 *
US-PATENT-CLASS-340-905 ..... c 35 N84-33769 *
US-PATENT-CLASS-340-945 ..... c 06 N87-22678 *
US-PATENT-CLASS-340-967 ..... c 08 N87-20999 *
US-PATENT-CLASS-340-968 ..... c 06 N86-27280 *
US-PATENT-CLASS-340-971 ..... c 06 N84-27733 *
US-PATENT-CLASS-340-971 ..... c 06 N87-22678 *
US-PATENT-CLASS-340-975 ..... c 06 N84-27733 *
US-PATENT-CLASS-340-975 ..... c 06 N87-22678 *
US-PATENT-CLASS-340-978 ..... c 06 N84-27733 *
US-PATENT-CLASS-340-97 ..... c 21 N73-13643 *
US-PATENT-CLASS-340-980 ..... c 06 N84-27733 *
US-PATENT-CLASS-340-988 ..... c 35 N84-33769 *
US-PATENT-CLASS-342-125 ..... c 32 N88-26568 *
US-PATENT-CLASS-342-127 ..... c 32 N88-26568 *
US-PATENT-CLASS-342-43 ..... c 32 N88-26568 *
US-PATENT-CLASS-342-51 ..... c 32 N88-26568 *
US-PATENT-CLASS-343-DIG.2 .... c 07 N73-24176 *
US-PATENT-CLASS-343-DIG.2 .... c 33 N74-20860 *
US-PATENT-CLASS-343-DIG.2 .... c 37 N86-25791 *
US-PATENT-CLASS-343-DIG.3 .... c 09 N72-12136 *
US-PATENT-CLASS-343-DIG2 ..... c 07 N83-20944 *
US-PATENT-CLASS-343-100AP .. c 33 N83-36355 *
US-PATENT-CLASS-343-100CL .. c 32 N77-32342 *
US-PATENT-CLASS-343-100CL .. c 32 N79-14268 *
US-PATENT-CLASS-343-100CL .. c 32 N81-29308 *
US-PATENT-CLASS-343-100CL .. c 32 N83-18975 *
US-PATENT-CLASS-343-100CL .. c 32 N83-19968 *
US-PATENT-CLASS-343-100ME . c 14 N72-28437 *
US-PATENT-CLASS-343-100ME . c 14 N73-26432 *
US-PATENT-CLASS-343-100ME . c 46 N80-14603 *
US-PATENT-CLASS-343-100ME . c 35 N80-18359 *
US-PATENT-CLASS-343-100ME . c 46 N82-12685 *
US-PATENT-CLASS-343-100ME . c 06 N83-10040 *
US-PATENT-CLASS-343-100PE .. c 32 N75-24982 *
US-PATENT-CLASS-343-100PE .. c 33 N81-26358 *
US-PATENT-CLASS-343-100PE .. c 46 N82-12685 *
US-PATENT-CLASS-343-100PE .. c 35 N82-15381 *
US-PATENT-CLASS-343-100R .... c 10 N73-16206 *
US-PATENT-CLASS-343-100R .... c 33 N80-18287 *
US-PATENT-CLASS-343-100SA .. c 10 N73-16206 *
US-PATENT-CLASS-343-100SA .. c 33 N74-20860 *
US-PATENT-CLASS-343-100SA .. c 17 N76-21250 *
US-PATENT-CLASS-343-100SA .. c 32 N80-28578 *
US-PATENT-CLASS-343-100ST .. c 07 N72-21118 *
US-PATENT-CLASS-343-100ST .. c 33 N74-20860 *
US-PATENT-CLASS-343-100ST .. c 32 N75-15854 *
US-PATENT-CLASS-343-100ST .. c 17 N76-21250 *
US-PATENT-CLASS-343-100ST .. c 32 N77-20289 *
US-PATENT-CLASS-343-100ST .. c 33 N80-18287 *
US-PATENT-CLASS-343-100TD .. c 32 N79-24210 *
US-PATENT-CLASS-343-100TD .. c 32 N81-14185 *
US-PATENT-CLASS-343-100 ..... c 10 N71-18722 *
US-PATENT-CLASS-343-100 ..... c 07 N71-19854 *
US-PATENT-CLASS-343-100 ..... c 30 N71-23723 *
US-PATENT-CLASS-343-100 ..... c 07 N71-24621 *
US-PATENT-CLASS-343-100 ..... c 09 N71-24804 *
US-PATENT-CLASS-343-100 ..... c 31 N71-24813 *
US-PATENT-CLASS-343-100 ..... c 07 N71-27056 *
US-PATENT-CLASS-343-100 ..... c 07 N71-28900 *
US-PATENT-CLASS-343-105R .... c 32 N75-26194 *
US-PATENT-CLASS-343-105R .... c 04 N84-27713 *
US-PATENT-CLASS-343-108R .... c 04 N74-13420 *
US-PATENT-CLASS-343-10 ..... c 32 N77-32342 *
US-PATENT-CLASS-343-11R ..... c 09 N73-12211 *
US-PATENT-CLASS-343-11VB .... c 09 N73-12211 *
US-PATENT-CLASS-343-112CA .. c 21 N73-13643 *
US-PATENT-CLASS-343-112CA .. c 21 N73-30641 *
US-PATENT-CLASS-343-112CA .. c 03 N75-30132 *
US-PATENT-CLASS-343-112D .... c 14 N72-28437 *
US-PATENT-CLASS-343-112D .... c 32 N75-26194 *
US-PATENT-CLASS-343-112D .... c 46 N80-14603 *
US-PATENT-CLASS-343-112R .... c 09 N73-32110 *
US-PATENT-CLASS-343-112R .... c 17 N78-17140 *
US-PATENT-CLASS-343-112R .... c 04 N80-32359 *
US-PATENT-CLASS-343-112R .... c 32 N81-27341 *
US-PATENT-CLASS-343-112TC .. c 17 N76-21250 *
US-PATENT-CLASS-343-112 ..... c 21 N71-13958 *
US-PATENT-CLASS-343-112 ..... c 02 N71-19287 *
US-PATENT-CLASS-343-112 ..... c 21 N71-24948 *
US-PATENT-CLASS-343-113R .... c 09 N73-32110 *
US-PATENT-CLASS-343-113R .... c 44 N78-28594 *
US-PATENT-CLASS-343-113 ..... c 10 N71-21473 *
US-PATENT-CLASS-343-113 ..... c 07 N71-24625 *
US-PATENT-CLASS-343-117R .... c 32 N79-13214 *
US-PATENT-CLASS-343-117 ..... c 07 N71-27056 *
US-PATENT-CLASS-343-118 ..... c 32 N79-13214 *
US-PATENT-CLASS-343-119 ..... c 44 N78-28594 *
US-PATENT-CLASS-343-12R ..... c 08 N72-25209 *
US-PATENT-CLASS-343-12 ..... c 21 N70-41930 *
US-PATENT-CLASS-343-12 ..... c 10 N72-20224 *
US-PATENT-CLASS-343-13-R .... c 74 N85-34629 *
US-PATENT-CLASS-343-13 ..... c 09 N71-18598 *
US-PATENT-CLASS-343-14 ..... c 07 N70-41680 *
US-PATENT-CLASS-343-14 ..... c 08 N72-25209 *
US-PATENT-CLASS-343-14 ..... c 14 N73-25461 *
US-PATENT-CLASS-343-14 ..... c 32 N79-14267 *
US-PATENT-CLASS-343-14 ..... c 31 N79-28370 *
US-PATENT-CLASS-343-16M ..... c 10 N72-22235 *
US-PATENT-CLASS-343-16M ..... c 44 N78-28594 *
US-PATENT-CLASS-343-16 ..... c 09 N71-20864 *
US-PATENT-CLASS-343-16 ..... c 10 N71-21483 *
US-PATENT-CLASS-343-17.1PF . c 32 N82-23376 *
US-PATENT-CLASS-343-17.2-PC . c 32 N85-34327 *
US-PATENT-CLASS-343-17.2PC . c 35 N79-10391 *
US-PATENT-CLASS-343-17.2 ..... c 07 N70-36911 *
US-PATENT-CLASS-343-17.5 ..... c 14 N73-25461 *
US-PATENT-CLASS-343-17.5 ..... c 32 N75-15854 *
US-PATENT-CLASS-343-17.5 ..... c 32 N84-22820 *
US-PATENT-CLASS-343-17.7 ..... c 07 N71-12391 *
US-PATENT-CLASS-343-17.7 ..... c 44 N74-19870 *
US-PATENT-CLASS-343-17.7 ..... c 32 N77-31350 *
US-PATENT-CLASS-343-17.7 ..... c 32 N79-11265 *
US-PATENT-CLASS-343-17.7 ..... c 32 N84-27951 *
US-PATENT-CLASS-343-17.7 ..... c 33 N85-21493 *
US-PATENT-CLASS-343-176 ..... c 07 N71-27056 *
US-PATENT-CLASS-343-176 ..... c 32 N76-14321 *
US-PATENT-CLASS-343-179 ..... c 07 N72-11149 *
US-PATENT-CLASS-343-179 ..... c 07 N73-20174 *
US-PATENT-CLASS-343-179 ..... c 32 N78-15323 *
US-PATENT-CLASS-343-179 ..... c 32 N79-20296 *
US-PATENT-CLASS-343-18A ..... c 32 N80-14281 *
US-PATENT-CLASS-343-18B ..... c 32 N74-12912 *
US-PATENT-CLASS-343-18B ..... c 32 N77-21267 *
US-PATENT-CLASS-343-18B ..... c 43 N80-18498 *
US-PATENT-CLASS-343-18D ..... c 43 N80-18498 *
US-PATENT-CLASS-343-18 ..... c 31 N70-37981 *
US-PATENT-CLASS-343-18 ..... c 07 N70-40063 *
US-PATENT-CLASS-343-18 ..... c 30 N70-40309 *

US-PATENT-CLASS-343-18

US-PATENT-CLASS-343-18 ..... c 07 N70-41678 *
US-PATENT-CLASS-343-200 ..... c 07 N73-16121 *
US-PATENT-CLASS-343-204 ..... c 07 N73-26118 *
US-PATENT-CLASS-343-225 ..... c 17 N78-17140 *
US-PATENT-CLASS-343-352 ..... c 43 N85-21723 *
US-PATENT-CLASS-343-352 ..... c 46 N85-21846 *
US-PATENT-CLASS-343-356 ..... c 04 N84-22546 *
US-PATENT-CLASS-343-357 ..... c 04 N84-22546 *
US-PATENT-CLASS-343-357 ..... c 04 N86-27270 *
US-PATENT-CLASS-343-376 ..... c 33 N85-21493 *
US-PATENT-CLASS-343-418 ..... c 04 N86-27270 *
US-PATENT-CLASS-343-460 ..... c 46 N85-21846 *
US-PATENT-CLASS-343-5-CD ..... c 43 N86-19711 *
US-PATENT-CLASS-343-5-CM ..... c 32 N84-34651 *
US-PATENT-CLASS-343-5-CM ..... c 32 N85-34327 *
US-PATENT-CLASS-343-5-CM ..... c 43 N86-19711 *
US-PATENT-CLASS-343-5-DP ..... c 32 N84-34651 *
US-PATENT-CLASS-343-5-FT ..... c 32 N84-34651 *
US-PATENT-CLASS-343-5-VQ ..... c 43 N86-19711 *
US-PATENT-CLASS-343-5-W ..... c 32 N85-34327 *
US-PATENT-CLASS-343-5CM ..... c 07 N72-21118 *
US-PATENT-CLASS-343-5CM ..... c 32 N77-21267 *
US-PATENT-CLASS-343-5CM ..... c 32 N77-32342 *
US-PATENT-CLASS-343-5CM ..... c 35 N79-10391 *
US-PATENT-CLASS-343-5CM ..... c 32 N79-14268 *
US-PATENT-CLASS-343-5CM ..... c 43 N80-18498 *
US-PATENT-CLASS-343-5CM ..... c 32 N82-12297 *
US-PATENT-CLASS-343-5CM ..... c 32 N83-18975 *
US-PATENT-CLASS-343-5CM ..... c 32 N83-19968 *
US-PATENT-CLASS-343-5CM ..... c 32 N83-31918 *
US-PATENT-CLASS-343-5DP ..... c 07 N72-11149 *
US-PATENT-CLASS-343-5DP ..... c 09 N73-12211 *
US-PATENT-CLASS-343-5DP ..... c 32 N77-32342 *
US-PATENT-CLASS-343-5DP ..... c 32 N82-23376 *
US-PATENT-CLASS-343-5GC ..... c 32 N75-24982 *
US-PATENT-CLASS-343-5MM ..... c 32 N77-21267 *
US-PATENT-CLASS-343-5NA ..... c 31 N79-28370 *
US-PATENT-CLASS-343-5W ..... c 35 N79-10391 *
US-PATENT-CLASS-343-5W ..... c 43 N80-18498 *
US-PATENT-CLASS-343-5W ..... c 46 N85-21846 *
US-PATENT-CLASS-343-6.8R ..... c 32 N77-20289 *
US-PATENT-CLASS-343-6.5R ..... c 07 N72-12080 *
US-PATENT-CLASS-343-6.5R ..... c 07 N72-21118 *
US-PATENT-CLASS-343-6.5R ..... c 07 N72-25171 *
US-PATENT-CLASS-343-6.5R ..... c 08 N72-25209 *
US-PATENT-CLASS-343-6.5R ..... c 07 N73-25161 *
US-PATENT-CLASS-343-6.5R ..... c 21 N73-30641 *
US-PATENT-CLASS-343-6.5R ..... c 32 N74-12912 *
US-PATENT-CLASS-343-6.5R ..... c 32 N75-15854 *
US-PATENT-CLASS-343-6.5R ..... c 03 N75-30132 *
US-PATENT-CLASS-343-6.5R ..... c 32 N77-20289 *
US-PATENT-CLASS-343-6.5SS ... c 32 N74-12912 *
US-PATENT-CLASS-343-6.5 ..... c 21 N71-11766 *
US-PATENT-CLASS-343-6.5 ..... c 10 N71-23099 *
US-PATENT-CLASS-343-6.8-R .... c 04 N86-19304 *
US-PATENT-CLASS-343-6.8R ..... c 07 N72-12080 *
US-PATENT-CLASS-343-6.8R ..... c 07 N73-25161 *
US-PATENT-CLASS-343-6.8R ..... c 14 N73-25461 *
US-PATENT-CLASS-343-6R ..... c 32 N79-10264 *
US-PATENT-CLASS-343-6 ..... c 30 N71-16090 *
US-PATENT-CLASS-343-7.4 ..... c 10 N72-22235 *
US-PATENT-CLASS-343-7.4 ..... c 32 N79-13214 *
US-PATENT-CLASS-343-7.5 ..... c 07 N69-39974 * #
US-PATENT-CLASS-343-7.5 ..... c 09 N71-24595 *
US-PATENT-CLASS-343-7.5 ..... c 07 N72-11149 *
US-PATENT-CLASS-343-7.5 ..... c 44 N74-19870 *
US-PATENT-CLASS-343-7.5 ..... c 32 N82-23376 *
US-PATENT-CLASS-343-700MS . c 32 N78-24391 *
US-PATENT-CLASS-343-700MS . c 32 N80-32604 *
US-PATENT-CLASS-343-700MS . c 32 N82-11336 *
US-PATENT-CLASS-343-703 ..... c 09 N71-13521 *
US-PATENT-CLASS-343-703 ..... c 07 N71-24614 *
US-PATENT-CLASS-343-705 ..... c 07 N70-38200 *
US-PATENT-CLASS-343-705 ..... c 07 N70-40202 *
US-PATENT-CLASS-343-705 ..... c 31 N71-10747 *
US-PATENT-CLASS-343-705 ..... c 03 N76-32140 *
US-PATENT-CLASS-343-706 ..... c 07 N72-21117 *
US-PATENT-CLASS-343-708 ..... c 09 N71-22888 *
US-PATENT-CLASS-343-708 ..... c 07 N71-22984 *
US-PATENT-CLASS-343-708 ..... c 07 N71-28980 *
US-PATENT-CLASS-343-708 ..... c 09 N72-25247 *
US-PATENT-CLASS-343-708 ..... c 32 N74-20864 *
US-PATENT-CLASS-343-708 ..... c 32 N82-11336 *
US-PATENT-CLASS-343-718 ..... c 09 N71-18720 *
US-PATENT-CLASS-343-720 ..... c 09 N72-12136 *
US-PATENT-CLASS-343-725 ..... c 07 N73-28013 *
US-PATENT-CLASS-343-727 ..... c 32 N81-14187 *
US-PATENT-CLASS-343-727 ..... c 32 N82-11336 *
US-PATENT-CLASS-343-729 ..... c 07 N73-28013 *
US-PATENT-CLASS-343-730 ..... c 32 N74-20863 *
US-PATENT-CLASS-343-754 ..... c 09 N73-19234 *
US-PATENT-CLASS-343-755 ..... c 33 N76-27472 *
US-PATENT-CLASS-343-755 ..... c 32 N81-25278 *
US-PATENT-CLASS-343-761 ..... c 33 N75-19516 *
US-PATENT-CLASS-343-761 ..... c 32 N76-21365 *
US-PATENT-CLASS-343-762 ..... c 07 N72-25174 *
US-PATENT-CLASS-343-768 ..... c 10 N71-26142 *
US-PATENT-CLASS-343-769 ..... c 32 N74-20864 *
US-PATENT-CLASS-343-770 ..... c 09 N72-31235 *
US-PATENT-CLASS-343-770 ..... c 33 N76-14372 *
US-PATENT-CLASS-343-771 ..... c 07 N71-28809 *
US-PATENT-CLASS-343-771 ..... c 07 N72-11148 *
US-PATENT-CLASS-343-771 ..... c 09 N72-21244 *
US-PATENT-CLASS-343-771 ..... c 07 N72-22127 *
US-PATENT-CLASS-343-771 ..... c 09 N72-25247 *
US-PATENT-CLASS-343-771 ..... c 09 N72-31235 *
US-PATENT-CLASS-343-772 ..... c 07 N72-20141 *
US-PATENT-CLASS-343-772 ..... c 32 N81-25278 *
US-PATENT-CLASS-343-773 ..... c 07 N72-20141 *
US-PATENT-CLASS-343-776 ..... c 07 N71-12396 *
US-PATENT-CLASS-343-777 ..... c 07 N71-27233 *
US-PATENT-CLASS-343-777 ..... c 07 N72-25174 *
US-PATENT-CLASS-343-779 ..... c 07 N71-11285 *
US-PATENT-CLASS-343-779 ..... c 10 N72-22235 *
US-PATENT-CLASS-343-779 ..... c 07 N72-25174 *
US-PATENT-CLASS-343-779 ..... c 32 N76-15329 *
US-PATENT-CLASS-343-779 ..... c 33 N76-27472 *
US-PATENT-CLASS-343-781CA .. c 32 N78-31321 *
US-PATENT-CLASS-343-781P ..... c 46 N82-12685 *
US-PATENT-CLASS-343-781R .... c 32 N81-25278 *
US-PATENT-CLASS-343-781 ..... c 09 N70-35219 *
US-PATENT-CLASS-343-781 ..... c 09 N70-35382 *
US-PATENT-CLASS-343-781 ..... c 09 N70-35425 *
US-PATENT-CLASS-343-781 ..... c 07 N72-32169 *
US-PATENT-CLASS-343-781 ..... c 32 N74-11000 *
US-PATENT-CLASS-343-781 ..... c 33 N75-19516 *
US-PATENT-CLASS-343-781 ..... c 32 N76-21365 *
US-PATENT-CLASS-343-782 ..... c 07 N73-14130 *
US-PATENT-CLASS-343-782 ..... c 32 N78-31321 *
US-PATENT-CLASS-343-784 ..... c 07 N71-28980 *
US-PATENT-CLASS-343-786 ..... c 07 N71-15907 *
US-PATENT-CLASS-343-786 ..... c 07 N71-22750 *
US-PATENT-CLASS-343-786 ..... c 07 N71-26101 *
US-PATENT-CLASS-343-786 ..... c 07 N71-27233 *
US-PATENT-CLASS-343-786 ..... c 07 N72-20141 *
US-PATENT-CLASS-343-786 ..... c 10 N72-22235 *
US-PATENT-CLASS-343-786 ..... c 07 N72-25174 *
US-PATENT-CLASS-343-786 ..... c 09 N72-31235 *
US-PATENT-CLASS-343-786 ..... c 32 N74-20863 *
US-PATENT-CLASS-343-786 ..... c 32 N76-15330 *
US-PATENT-CLASS-343-786 ..... c 32 N76-21365 *
US-PATENT-CLASS-343-786 ..... c 32 N80-23524 *
US-PATENT-CLASS-343-786 ..... c 32 N80-29539 *
US-PATENT-CLASS-343-786 ..... c 32 N81-25278 *
US-PATENT-CLASS-343-789 ..... c 32 N81-14187 *
US-PATENT-CLASS-343-789 ..... c 32 N82-27558 *
US-PATENT-CLASS-343-795 ..... c 32 N82-11336 *
US-PATENT-CLASS-343-797 ..... c 09 N71-24842 *
US-PATENT-CLASS-343-797 ..... c 07 N72-22127 *
US-PATENT-CLASS-343-797 ..... c 09 N72-31235 *
US-PATENT-CLASS-343-797 ..... c 07 N73-28013 *
US-PATENT-CLASS-343-797 ..... c 32 N74-20863 *
US-PATENT-CLASS-343-797 ..... c 33 N76-14372 *
US-PATENT-CLASS-343-797 ..... c 32 N81-14187 *
US-PATENT-CLASS-343-799 ..... c 07 N71-27233 *
US-PATENT-CLASS-343-803 ..... c 07 N73-28013 *
US-PATENT-CLASS-343-823 ..... c 07 N71-28979 *
US-PATENT-CLASS-343-830 ..... c 32 N80-32604 *
US-PATENT-CLASS-343-833 ..... c 31 N70-34135 *
US-PATENT-CLASS-343-837 ..... c 07 N72-32169 *
US-PATENT-CLASS-343-837 ..... c 07 N73-14130 *
US-PATENT-CLASS-343-837 ..... c 33 N75-19516 *
US-PATENT-CLASS-343-837 ..... c 32 N76-15329 *
US-PATENT-CLASS-343-837 ..... c 32 N76-18295 *
US-PATENT-CLASS-343-837 ..... c 32 N78-31321 *
US-PATENT-CLASS-343-839 ..... c 09 N73-19234 *
US-PATENT-CLASS-343-840 ..... c 07 N71-27233 *
US-PATENT-CLASS-343-840 ..... c 09 N72-12136 *
US-PATENT-CLASS-343-840 ..... c 07 N72-32169 *
US-PATENT-CLASS-343-840 ..... c 32 N76-18295 *
US-PATENT-CLASS-343-840 ..... c 33 N83-36355 *
US-PATENT-CLASS-343-844 ..... c 32 N79-11264 *
US-PATENT-CLASS-343-844 ..... c 32 N80-28578 *
US-PATENT-CLASS-343-846 ..... c 33 N76-14372 *
US-PATENT-CLASS-343-846 ..... c 32 N82-11336 *
US-PATENT-CLASS-343-853 ..... c 07 N72-11148 *
US-PATENT-CLASS-343-853 ..... c 07 N72-22127 *
US-PATENT-CLASS-343-853 ..... c 07 N72-25174 *
US-PATENT-CLASS-343-853 ..... c 09 N72-31235 *
US-PATENT-CLASS-343-853 ..... c 10 N73-16206 *
US-PATENT-CLASS-343-853 ..... c 32 N74-20863 *
US-PATENT-CLASS-343-853 ..... c 32 N74-20864 *
US-PATENT-CLASS-343-854 ..... c 07 N69-27460 * #
US-PATENT-CLASS-343-854 ..... c 07 N71-27233 *
US-PATENT-CLASS-343-854 ..... c 09 N73-19234 *
US-PATENT-CLASS-343-854 ..... c 33 N74-20860 *
US-PATENT-CLASS-343-854 ..... c 33 N76-27472 *
US-PATENT-CLASS-343-854 ..... c 32 N79-11264 *
US-PATENT-CLASS-343-854 ..... c 32 N80-28578 *
US-PATENT-CLASS-343-872 ..... c 07 N71-28980 *
US-PATENT-CLASS-343-873 ..... c 07 N71-19493 *
US-PATENT-CLASS-343-873 ..... c 09 N72-25247 *
US-PATENT-CLASS-343-876 ..... c 32 N76-15329 *
US-PATENT-CLASS-343-876 ..... c 32 N85-29118 *
US-PATENT-CLASS-343-880 ..... c 07 N73-26117 *
US-PATENT-CLASS-343-880 ..... c 18 N80-14183 *
US-PATENT-CLASS-343-881 ..... c 37 N86-25789 *
US-PATENT-CLASS-343-882 ..... c 33 N76-32457 *
US-PATENT-CLASS-343-882 ..... c 37 N86-25789 *
US-PATENT-CLASS-343-883 ..... c 07 N73-26117 *
US-PATENT-CLASS-343-883 ..... c 18 N80-14183 *
US-PATENT-CLASS-343-883 ..... c 37 N86-25791 *
US-PATENT-CLASS-343-884 ..... c 07 N71-27191 *
US-PATENT-CLASS-343-889 ..... c 07 N73-26117 *
US-PATENT-CLASS-343-893 ..... c 09 N72-21244 *
US-PATENT-CLASS-343-893 ..... c 07 N73-28013 *
US-PATENT-CLASS-343-895 ..... c 09 N73-19234 *
US-PATENT-CLASS-343-895 ..... c 07 N73-26117 *
US-PATENT-CLASS-343-895 ..... c 32 N80-23524 *
US-PATENT-CLASS-343-895 ..... c 32 N82-27558 *
US-PATENT-CLASS-343-9PS ..... c 32 N83-19968 *
US-PATENT-CLASS-343-9PS ..... c 32 N83-31918 *
US-PATENT-CLASS-343-9R ..... c 32 N84-22820 *
US-PATENT-CLASS-343-909 ..... c 32 N74-11000 *
US-PATENT-CLASS-343-909 ..... c 35 N76-15435 *
US-PATENT-CLASS-343-909 ..... c 33 N79-28416 *
US-PATENT-CLASS-343-909 ..... c 32 N80-14281 *
US-PATENT-CLASS-343-912 ..... c 07 N72-21117 *
US-PATENT-CLASS-343-912 ..... c 07 N72-22127 *
US-PATENT-CLASS-343-912 ..... c 32 N76-18295 *
US-PATENT-CLASS-343-915 ..... c 31 N71-16102 *
US-PATENT-CLASS-343-915 ..... c 09 N71-20658 *
US-PATENT-CLASS-343-915 ..... c 07 N72-32169 *
US-PATENT-CLASS-343-915 ..... c 07 N73-14130 *
US-PATENT-CLASS-343-915 ..... c 07 N73-24176 *
US-PATENT-CLASS-343-915 ..... c 32 N76-18295 *
US-PATENT-CLASS-343-915 ..... c 33 N76-32457 *
US-PATENT-CLASS-343-9 ..... c 32 N75-15854 *
US-PATENT-CLASS-343-9 ..... c 32 N79-10264 *
US-PATENT-CLASS-346-107A .... c 14 N72-18411 *
US-PATENT-CLASS-346-107 ..... c 23 N71-23976 *
US-PATENT-CLASS-346-108 ..... c 35 N74-15831 *
US-PATENT-CLASS-346-110 ..... c 14 N73-32322 *
US-PATENT-CLASS-346-138 ..... c 21 N73-13644 *
US-PATENT-CLASS-346-138 ..... c 35 N74-15831 *
US-PATENT-CLASS-346-1 ..... c 12 N71-20815 *
US-PATENT-CLASS-346-1 ..... c 09 N72-21246 *
US-PATENT-CLASS-346-23 ..... c 14 N72-18411 *
US-PATENT-CLASS-346-24 ..... c 35 N74-15831 *
US-PATENT-CLASS-346-29 ..... c 09 N72-21246 *
US-PATENT-CLASS-346-33R ..... c 35 N74-32877 *
US-PATENT-CLASS-346-44 ..... c 09 N69-21467 * #
US-PATENT-CLASS-346-50 ..... c 14 N71-21006 *
US-PATENT-CLASS-346-74MD ... c 21 N73-13644 *
US-PATENT-CLASS-346-74MT .... c 35 N79-16246 *
US-PATENT-CLASS-346R ..... c 73 N77-18891 *
US-PATENT-CLASS-349 ..... c 25 N79-28253 *
US-PATENT-CLASS-35-10.2 ..... c 14 N71-15621 *
US-PATENT-CLASS-35-12C ..... c 14 N73-27377 *
US-PATENT-CLASS-35-12C ..... c 09 N75-15662 *
US-PATENT-CLASS-35-12C ..... c 74 N79-13855 *
US-PATENT-CLASS-35-12E ..... c 09 N74-30597 *
US-PATENT-CLASS-35-12E ..... c 09 N79-31228 *
US-PATENT-CLASS-35-12H ..... c 09 N79-31228 *
US-PATENT-CLASS-35-12N ..... c 09 N76-24280 *
US-PATENT-CLASS-35-12N ..... c 09 N78-18083 *
US-PATENT-CLASS-35-12N ..... c 74 N79-13855 *
US-PATENT-CLASS-35-12 ..... c 11 N70-34815 *
US-PATENT-CLASS-35-12 ..... c 31 N70-34966 *
US-PATENT-CLASS-35-12 ..... c 11 N71-10746 *
US-PATENT-CLASS-35-12 ..... c 11 N71-10748 *
US-PATENT-CLASS-35-12 ..... c 11 N71-10776 *
US-PATENT-CLASS-35-12 ..... c 11 N71-18773 *
US-PATENT-CLASS-35-12 ..... c 11 N71-19494 *
US-PATENT-CLASS-35-12 ..... c 11 N71-21474 *
US-PATENT-CLASS-35-12 ..... c 18 N76-14186 *
US-PATENT-CLASS-35-17 ..... c 05 N71-24606 *
US-PATENT-CLASS-35-19 ..... c 10 N71-27365 *
US-PATENT-CLASS-35-22R ..... c 05 N73-13114 *
US-PATENT-CLASS-35-29 ..... c 11 N71-16028 *
US-PATENT-CLASS-35-29 ..... c 05 N71-28619 *
US-PATENT-CLASS-35-35A ..... c 71 N74-21014 *
US-PATENT-CLASS-35-45 ..... c 14 N70-35394 *
US-PATENT-CLASS-35-49 ..... c 12 N69-39988 * #
US-PATENT-CLASS-35-8 ..... c 05 N72-16015 *
US-PATENT-CLASS-350-100 ..... c 36 N77-25501 *
US-PATENT-CLASS-350-102 ..... c 23 N71-29123 *
US-PATENT-CLASS-350-102 ..... c 36 N77-25501 *
US-PATENT-CLASS-350-138 ..... c 23 N72-27728 *
US-PATENT-CLASS-350-145 ..... c 74 N77-20882 *
US-PATENT-CLASS-350-147 ..... c 14 N72-27409 *
US-PATENT-CLASS-350-150 ..... c 26 N72-25680 *
US-PATENT-CLASS-350-150 ..... c 36 N76-18427 *
US-PATENT-CLASS-350-151 ..... c 36 N74-13205 *
US-PATENT-CLASS-350-151 ..... c 35 N78-29421 *
US-PATENT-CLASS-350-157 ..... c 74 N79-14891 *
US-PATENT-CLASS-350-159 ..... c 74 N78-17865 *
US-PATENT-CLASS-350-160R .... c 14 N72-25410 *

US-PATENT-CLASS-350-160R .... c 26 N72-25680 *
US-PATENT-CLASS-350-160 ..... c 36 N76-18427 *
US-PATENT-CLASS-350-161 ..... c 26 N72-27784 *
US-PATENT-CLASS-350-161 ..... c 36 N75-31427 *
US-PATENT-CLASS-350-162R .... c 74 N80-21140 *
US-PATENT-CLASS-350-162SF .. c 23 N73-30666 *
US-PATENT-CLASS-350-162SF .. c 74 N76-31998 *
US-PATENT-CLASS-350-162SF .. c 74 N77-28932 *
US-PATENT-CLASS-350-162SF .. c 36 N77-32478 *
US-PATENT-CLASS-350-162 ..... c 14 N72-17323 *
US-PATENT-CLASS-350-163 ..... c 36 N88-14350 *
US-PATENT-CLASS-350-165 ..... c 27 N78-31233 *
US-PATENT-CLASS-350-166 ..... c 44 N83-34448 *
US-PATENT-CLASS-350-168 ..... c 74 N85-23396 *
US-PATENT-CLASS-350-16 ..... c 14 N72-22444 *
US-PATENT-CLASS-350-170 ..... c 73 N78-32848 *
US-PATENT-CLASS-350-170 ..... c 74 N83-10900 *
US-PATENT-CLASS-350-171 ..... c 23 N72-23695 *
US-PATENT-CLASS-350-171 ..... c 74 N83-17305 *
US-PATENT-CLASS-350-172 ..... c 74 N84-23248 *
US-PATENT-CLASS-350-173 ..... c 73 N78-32848 *
US-PATENT-CLASS-350-173 ..... c 74 N83-36898 *
US-PATENT-CLASS-350-173 ..... c 74 N84-23248 *
US-PATENT-CLASS-350-174 ..... c 74 N77-20882 *
US-PATENT-CLASS-350-174 ..... c 73 N78-32848 *
US-PATENT-CLASS-350-174 ..... c 36 N88-14350 *
US-PATENT-CLASS-350-175E .... c 74 N80-27185 *
US-PATENT-CLASS-350-175FS .. c 14 N72-25414 *
US-PATENT-CLASS-350-175NG . c 27 N78-31233 *
US-PATENT-CLASS-350-189 ..... c 23 N71-24857 *
US-PATENT-CLASS-350-199 ..... c 14 N73-30393 *
US-PATENT-CLASS-350-19 ..... c 14 N72-22441 *
US-PATENT-CLASS-350-1 ..... c 23 N69-24332 * #
US-PATENT-CLASS-350-1 ..... c 07 N71-29065 *
US-PATENT-CLASS-350-1 ..... c 16 N72-12440 *
US-PATENT-CLASS-350-1 ..... c 24 N76-24362 *
US-PATENT-CLASS-350-1 ..... c 74 N78-15879 *
US-PATENT-CLASS-350-202 ..... c 23 N73-20741 *
US-PATENT-CLASS-350-202 ..... c 74 N77-28932 *
US-PATENT-CLASS-350-203 ..... c 14 N72-25409 *
US-PATENT-CLASS-350-204 ..... c 14 N73-30393 *
US-PATENT-CLASS-350-204 ..... c 74 N78-17866 *
US-PATENT-CLASS-350-211 ..... c 44 N76-14602 *
US-PATENT-CLASS-350-213 ..... c 14 N71-15622 *
US-PATENT-CLASS-350-226 ..... c 74 N80-27185 *
US-PATENT-CLASS-350-236 ..... c 74 N74-15095 *
US-PATENT-CLASS-350-23 ..... c 14 N72-22441 *
US-PATENT-CLASS-350-253 ..... c 35 N77-27366 *
US-PATENT-CLASS-350-25 ..... c 74 N80-21138 *
US-PATENT-CLASS-350-269 ..... c 33 N74-20861 *
US-PATENT-CLASS-350-26 ..... c 14 N72-22441 *
US-PATENT-CLASS-350-270 ..... c 70 N74-21300 *
US-PATENT-CLASS-350-275 ..... c 09 N71-19479 *
US-PATENT-CLASS-350-276-R ... c 74 N86-20125 *
US-PATENT-CLASS-350-276R .... c 74 N86-28732 *
US-PATENT-CLASS-350-285 ..... c 14 N71-15605 *
US-PATENT-CLASS-350-285 ..... c 14 N71-17662 *
US-PATENT-CLASS-350-285 ..... c 19 N71-26674 *
US-PATENT-CLASS-350-285 ..... c 15 N72-11386 *
US-PATENT-CLASS-350-285 ..... c 16 N73-33397 *
US-PATENT-CLASS-350-285 ..... c 74 N74-15095 *
US-PATENT-CLASS-350-285 ..... c 74 N80-21138 *
US-PATENT-CLASS-350-286 ..... c 07 N71-29065 *
US-PATENT-CLASS-350-286 ..... c 73 N78-32848 *
US-PATENT-CLASS-350-286 ..... c 74 N83-10900 *
US-PATENT-CLASS-350-287 ..... c 15 N72-11386 *
US-PATENT-CLASS-350-287 ..... c 74 N83-13978 *
US-PATENT-CLASS-350-288 ..... c 23 N71-29123 *
US-PATENT-CLASS-350-288 ..... c 12 N76-15189 *
US-PATENT-CLASS-350-288 ..... c 74 N77-28933 *
US-PATENT-CLASS-350-288 ..... c 44 N79-11471 *
US-PATENT-CLASS-350-288 ..... c 44 N79-24433 *
US-PATENT-CLASS-350-292 ..... c 35 N75-12273 *
US-PATENT-CLASS-350-292 ..... c 44 N79-14529 *
US-PATENT-CLASS-350-292 ..... c 44 N79-24432 *
US-PATENT-CLASS-350-293 ..... c 16 N73-16536 *
US-PATENT-CLASS-350-293 ..... c 12 N76-15189 *
US-PATENT-CLASS-350-293 ..... c 44 N76-24696 *
US-PATENT-CLASS-350-293 ..... c 44 N78-10554 *
US-PATENT-CLASS-350-293 ..... c 44 N79-14529 *
US-PATENT-CLASS-350-294 ..... c 89 N79-10969 *
US-PATENT-CLASS-350-294 ..... c 44 N79-24432 *
US-PATENT-CLASS-350-294 ..... c 32 N80-24510 *
US-PATENT-CLASS-350-295 ..... c 44 N77-32583 *
US-PATENT-CLASS-350-295 ..... c 44 N80-14473 *
US-PATENT-CLASS-350-296 ..... c 44 N79-24432 *
US-PATENT-CLASS-350-296 ..... c 44 N80-14473 *
US-PATENT-CLASS-350-299 ..... c 74 N74-21304 *
US-PATENT-CLASS-350-299 ..... c 44 N76-24696 *
US-PATENT-CLASS-350-299 ..... c 74 N77-28932 *
US-PATENT-CLASS-350-299 ..... c 44 N78-10554 *
US-PATENT-CLASS-350-299 ..... c 44 N78-31526 *
US-PATENT-CLASS-350-299 ..... c 44 N79-11471 *
US-PATENT-CLASS-350-299 ..... c 44 N79-24433 *
US-PATENT-CLASS-350-299 ..... c 36 N84-14509 *
US-PATENT-CLASS-350-2 ..... c 23 N71-30027 *

US-PATENT-CLASS-350-3.5 ..... c 16 N71-15551 *
US-PATENT-CLASS-350-3.5 ..... c 16 N71-15565 *
US-PATENT-CLASS-350-3.5 ..... c 16 N71-15567 *
US-PATENT-CLASS-350-3.5 ..... c 16 N71-26154 *
US-PATENT-CLASS-350-3.5 ..... c 16 N71-29131 *
US-PATENT-CLASS-350-3.5 ..... c 14 N72-17324 *
US-PATENT-CLASS-350-3.5 ..... c 16 N73-30476 *
US-PATENT-CLASS-350-3.5 ..... c 35 N74-15146 *
US-PATENT-CLASS-350-3.5 ..... c 35 N74-17153 *
US-PATENT-CLASS-350-3.5 ..... c 35 N74-26946 *
US-PATENT-CLASS-350-3.5 ..... c 35 N75-25124 *
US-PATENT-CLASS-350-3.5 ..... c 35 N75-27328 *
US-PATENT-CLASS-350-3.5 ..... c 35 N76-18402 *
US-PATENT-CLASS-350-3.5 ..... c 35 N78-17357 *
US-PATENT-CLASS-350-3.5 ..... c 38 N78-32447 *
US-PATENT-CLASS-350-3.73 ..... c 36 N87-23960 *
US-PATENT-CLASS-350-3.81 ..... c 36 N87-23960 *
US-PATENT-CLASS-350-301 ..... c 74 N81-17886 *
US-PATENT-CLASS-350-310 ..... c 11 N69-24321 * #
US-PATENT-CLASS-350-310 ..... c 23 N71-24868 *
US-PATENT-CLASS-350-310 ..... c 23 N71-29123 *
US-PATENT-CLASS-350-310 ..... c 23 N71-33229 *
US-PATENT-CLASS-350-310 ..... c 23 N72-22673 *
US-PATENT-CLASS-350-310 ..... c 74 N77-28933 *
US-PATENT-CLASS-350-311 ..... c 74 N75-25706 *
US-PATENT-CLASS-350-312 ..... c 16 N72-12440 *
US-PATENT-CLASS-350-312 ..... c 74 N85-29750 *
US-PATENT-CLASS-350-315 ..... c 74 N86-29650 * #
US-PATENT-CLASS-350-316 ..... c 27 N83-36220 *
US-PATENT-CLASS-350-318 ..... c 74 N86-29650 * #
US-PATENT-CLASS-350-319 ..... c 74 N85-29750 *
US-PATENT-CLASS-350-319 ..... c 74 N86-20125 *
US-PATENT-CLASS-350-319 ..... c 09 N87-14355 *
US-PATENT-CLASS-350-320 ..... c 74 N77-28933 *
US-PATENT-CLASS-350-320 ..... c 44 N77-32583 *
US-PATENT-CLASS-350-320 ..... c 73 N78-32848 *
US-PATENT-CLASS-350-320 ..... c 44 N79-14529 *
US-PATENT-CLASS-350-320 ..... c 74 N85-29749 *
US-PATENT-CLASS-350-321 ..... c 74 N85-29750 *
US-PATENT-CLASS-350-335 ..... c 74 N86-21348 *
US-PATENT-CLASS-350-342 ..... c 76 N85-33826 *
US-PATENT-CLASS-350-353 ..... c 74 N83-19597 *
US-PATENT-CLASS-350-354 ..... c 32 N86-20647 *
US-PATENT-CLASS-350-358 ..... c 36 N82-29589 *
US-PATENT-CLASS-350-359 ..... c 36 N80-16321 *
US-PATENT-CLASS-350-35 ..... c 14 N72-22441 *
US-PATENT-CLASS-350-36 ..... c 14 N72-22441 *
US-PATENT-CLASS-350-370 ..... c 35 N81-33448 *
US-PATENT-CLASS-350-443 ..... c 74 N84-23248 *
US-PATENT-CLASS-350-445 ..... c 74 N83-36898 *
US-PATENT-CLASS-350-448 ..... c 74 N86-20125 *
US-PATENT-CLASS-350-453 ..... c 36 N82-32712 *
US-PATENT-CLASS-350-486 ..... c 74 N83-13978 *
US-PATENT-CLASS-350-49 ..... c 14 N72-22441 *
US-PATENT-CLASS-350-505 ..... c 74 N85-23396 *
US-PATENT-CLASS-350-505 ..... c 74 N86-28732 *
US-PATENT-CLASS-350-52 ..... c 14 N72-22441 *
US-PATENT-CLASS-350-52 ..... c 14 N72-22444 *
US-PATENT-CLASS-350-537 ..... c 74 N86-20125 *
US-PATENT-CLASS-350-55 ..... c 23 N71-33229 *
US-PATENT-CLASS-350-55 ..... c 14 N73-30393 *
US-PATENT-CLASS-350-55 ..... c 23 N73-30666 *
US-PATENT-CLASS-350-55 ..... c 89 N79-10969 *
US-PATENT-CLASS-350-55 ..... c 74 N80-33210 *
US-PATENT-CLASS-350-572 ..... c 36 N88-14350 *
US-PATENT-CLASS-350-573 ..... c 36 N88-14350 *
US-PATENT-CLASS-350-580 ..... c 74 N86-20125 *
US-PATENT-CLASS-350-58 ..... c 14 N71-15604 *
US-PATENT-CLASS-350-6.5 ..... c 32 N80-24510 *
US-PATENT-CLASS-350-6.5 ..... c 74 N87-21679 *
US-PATENT-CLASS-350-6.6 ..... c 32 N80-24510 *
US-PATENT-CLASS-350-619 ..... c 74 N85-23396 *
US-PATENT-CLASS-350-6 ..... c 14 N69-27461 * #
US-PATENT-CLASS-350-6 ..... c 36 N74-15145 *
US-PATENT-CLASS-350-79 ..... c 14 N72-32452 *
US-PATENT-CLASS-350-7 ..... c 74 N74-15095 *
US-PATENT-CLASS-350-86 ..... c 14 N72-22445 *
US-PATENT-CLASS-350-96.10 .... c 74 N84-11921 *
US-PATENT-CLASS-350-96.15 .... c 74 N84-11921 *
US-PATENT-CLASS-350-96.15 .... c 74 N85-29749 *
US-PATENT-CLASS-350-96.16 .... c 74 N83-29032 *
US-PATENT-CLASS-350-96.25 .... c 33 N81-29342 *
US-PATENT-CLASS-350-96R ..... c 60 N77-14751 *
US-PATENT-CLASS-350-96R ..... c 60 N77-32731 *
US-PATENT-CLASS-350-96R ..... c 60 N78-10709 *
US-PATENT-CLASS-350-96WG ... c 36 N75-31427 *
US-PATENT-CLASS-350-96WG ... c 36 N76-18428 *
US-PATENT-CLASS-350-96WG ... c 36 N76-24553 *
US-PATENT-CLASS-350-96 ..... c 07 N71-26291 *
US-PATENT-CLASS-351-166 ..... c 74 N78-32854 *
US-PATENT-CLASS-351-206 ..... c 52 N87-24874 *
US-PATENT-CLASS-351-208 ..... c 52 N87-24874 *
US-PATENT-CLASS-351-23 ..... c 05 N73-26072 *
US-PATENT-CLASS-351-23 ..... c 52 N76-30793 *
US-PATENT-CLASS-351-30 ..... c 05 N73-26072 *
US-PATENT-CLASS-351-30 ..... c 52 N76-30793 *

US-PATENT-CLASS-351-36 ..... c 05 N73-26072 *
US-PATENT-CLASS-351-36 ..... c 52 N76-30793 *
US-PATENT-CLASS-351-38 ..... c 54 N75-27759 *
US-PATENT-CLASS-352-169 ..... c 14 N73-14427 *
US-PATENT-CLASS-352-171 ..... c 35 N82-26628 *
US-PATENT-CLASS-352-84 ..... c 16 N71-33410 *
US-PATENT-CLASS-352-84 ..... c 14 N72-18411 *
US-PATENT-CLASS-353-54 ..... c 34 N74-23066 *
US-PATENT-CLASS-353-61 ..... c 34 N74-23066 *
US-PATENT-CLASS-354-118 ..... c 74 N81-17886 *
US-PATENT-CLASS-354-217 ..... c 35 N82-26628 *
US-PATENT-CLASS-354-234 ..... c 33 N74-20861 *
US-PATENT-CLASS-354-234 ..... c 70 N74-21300 *
US-PATENT-CLASS-354-289 ..... c 35 N82-26628 *
US-PATENT-CLASS-354-479 ..... c 74 N86-28732 *
US-PATENT-CLASS-354-62 ..... c 52 N87-24874 *
US-PATENT-CLASS-354-77 ..... c 74 N79-20856 *
US-PATENT-CLASS-355-18 ..... c 14 N73-33361 *
US-PATENT-CLASS-356-103 ..... c 14 N71-28994 *
US-PATENT-CLASS-356-103 ..... c 36 N75-15028 *
US-PATENT-CLASS-356-103 ..... c 74 N78-13874 *
US-PATENT-CLASS-356-104 ..... c 16 N71-24074 *
US-PATENT-CLASS-356-104 ..... c 74 N78-13874 *
US-PATENT-CLASS-356-106LR .. c 36 N75-19653 *
US-PATENT-CLASS-356-106R .... c 72 N74-19310 *
US-PATENT-CLASS-356-106R .... c 36 N76-14447 *
US-PATENT-CLASS-356-106R .... c 35 N77-10493 *
US-PATENT-CLASS-356-106R .... c 47 N77-10753 *
US-PATENT-CLASS-356-106S .... c 23 N73-13661 *
US-PATENT-CLASS-356-106S .... c 35 N76-31490 *
US-PATENT-CLASS-356-106S .... c 35 N78-18391 *
US-PATENT-CLASS-356-1065 .... c 35 N74-23040 *
US-PATENT-CLASS-356-106 ..... c 14 N71-17627 *
US-PATENT-CLASS-356-106 ..... c 14 N71-17655 *
US-PATENT-CLASS-356-106 ..... c 14 N71-27215 *
US-PATENT-CLASS-356-106 ..... c 14 N73-12446 *
US-PATENT-CLASS-356-106 ..... c 35 N74-15146 *
US-PATENT-CLASS-356-107 ..... c 16 N71-24170 *
US-PATENT-CLASS-356-108 ..... c 26 N73-26751 *
US-PATENT-CLASS-356-108 ..... c 16 N73-30476 *
US-PATENT-CLASS-356-109 ..... c 16 N73-30476 *
US-PATENT-CLASS-356-110 ..... c 14 N73-25463 *
US-PATENT-CLASS-356-110 ..... c 35 N78-18391 *
US-PATENT-CLASS-356-112 ..... c 72 N74-19310 *
US-PATENT-CLASS-356-113 ..... c 14 N72-17323 *
US-PATENT-CLASS-356-113 ..... c 35 N74-23040 *
US-PATENT-CLASS-356-114 ..... c 14 N73-12446 *
US-PATENT-CLASS-356-114 ..... c 35 N76-31490 *
US-PATENT-CLASS-356-117 ..... c 23 N71-16101 *
US-PATENT-CLASS-356-120 ..... c 74 N78-27904 *
US-PATENT-CLASS-356-123 ..... c 74 N76-19935 *
US-PATENT-CLASS-356-124 ..... c 74 N76-19935 *
US-PATENT-CLASS-356-124 ..... c 74 N79-11865 *
US-PATENT-CLASS-356-128 ..... c 76 N87-25862 *
US-PATENT-CLASS-356-129 ..... c 74 N79-20856 *
US-PATENT-CLASS-356-129 ..... c 76 N87-25862 *
US-PATENT-CLASS-356-138 ..... c 14 N72-20379 *
US-PATENT-CLASS-356-138 ..... c 16 N73-33397 *
US-PATENT-CLASS-356-141 ..... c 14 N72-27409 *
US-PATENT-CLASS-356-141 ..... c 14 N73-28490 *
US-PATENT-CLASS-356-141 ..... c 36 N74-21091 *
US-PATENT-CLASS-356-141 ..... c 89 N74-30886 *
US-PATENT-CLASS-356-141 ..... c 74 N77-22951 *
US-PATENT-CLASS-356-147 ..... c 89 N74-30886 *
US-PATENT-CLASS-356-148 ..... c 16 N73-33397 *
US-PATENT-CLASS-356-150 ..... c 15 N71-28740 *
US-PATENT-CLASS-356-150 ..... c 74 N80-21138 *
US-PATENT-CLASS-356-152 ..... c 15 N71-28740 *
US-PATENT-CLASS-356-152 ..... c 16 N72-13437 *
US-PATENT-CLASS-356-152 ..... c 14 N72-20379 *
US-PATENT-CLASS-356-152 ..... c 14 N72-27409 *
US-PATENT-CLASS-356-152 ..... c 14 N73-25462 *
US-PATENT-CLASS-356-152 ..... c 36 N74-15145 *
US-PATENT-CLASS-356-152 ..... c 36 N74-21091 *
US-PATENT-CLASS-356-152 ..... c 74 N74-21304 *
US-PATENT-CLASS-356-152 ..... c 74 N77-22951 *
US-PATENT-CLASS-356-152 ..... c 74 N80-21138 *
US-PATENT-CLASS-356-152 ..... c 37 N81-27519 *
US-PATENT-CLASS-356-153 ..... c 15 N71-28740 *
US-PATENT-CLASS-356-153 ..... c 23 N71-29125 *
US-PATENT-CLASS-356-153 ..... c 16 N73-33397 *
US-PATENT-CLASS-356-153 ..... c 18 N76-14186 *
US-PATENT-CLASS-356-154 ..... c 15 N71-26673 *
US-PATENT-CLASS-356-159 ..... c 36 N78-14380 *
US-PATENT-CLASS-356-160 ..... c 36 N78-14380 *
US-PATENT-CLASS-356-161 ..... c 26 N73-26751 *
US-PATENT-CLASS-356-162 ..... c 66 N76-19888 *
US-PATENT-CLASS-356-165 ..... c 38 N78-17396 *
US-PATENT-CLASS-356-166 ..... c 14 N71-23175 *
US-PATENT-CLASS-356-167 ..... c 14 N72-11364 *
US-PATENT-CLASS-356-167 ..... c 66 N76-19888 *
US-PATENT-CLASS-356-167 ..... c 74 N78-27904 *
US-PATENT-CLASS-356-169 ..... c 60 N78-10709 *
US-PATENT-CLASS-356-171 ..... c 74 N77-22950 *
US-PATENT-CLASS-356-172 ..... c 16 N73-33397 *
US-PATENT-CLASS-356-172 ..... c 36 N74-21091 *

US-PATENT-CLASS-356-172

US-PATENT-CLASS-356-172 ..... c 74 N77-22951 *
US-PATENT-CLASS-356-17 ..... c 14 N72-21409 *
US-PATENT-CLASS-356-180 ..... c 35 N74-27860 *
US-PATENT-CLASS-356-186 ..... c 35 N75-19613 *
US-PATENT-CLASS-356-188 ..... c 35 N84-33766 *
US-PATENT-CLASS-356-189 ..... c 35 N75-19613 *
US-PATENT-CLASS-356-189 ..... c 35 N84-33766 *
US-PATENT-CLASS-356-18 ..... c 14 N72-21409 *
US-PATENT-CLASS-356-197 ..... c 37 N74-18123 *
US-PATENT-CLASS-356-199 ..... c 36 N78-14380 *
US-PATENT-CLASS-356-1 ..... c 36 N83-34304 *
US-PATENT-CLASS-356-1 ..... c 36 N88-24958 *
US-PATENT-CLASS-356-201 ..... c 75 N74-30156 *
US-PATENT-CLASS-356-201 ..... c 35 N77-14411 *
US-PATENT-CLASS-356-202 ..... c 26 N73-26751 *
US-PATENT-CLASS-356-203 ..... c 14 N71-26788 *
US-PATENT-CLASS-356-204 ..... c 35 N77-14411 *
US-PATENT-CLASS-356-204 ..... c 74 N78-17867 *
US-PATENT-CLASS-356-207 ..... c 45 N76-17656 *
US-PATENT-CLASS-356-208 ..... c 74 N78-33913 *
US-PATENT-CLASS-356-209 ..... c 23 N71-16341 *
US-PATENT-CLASS-356-209 ..... c 14 N71-28993 *
US-PATENT-CLASS-356-209 ..... c 14 N72-17323 *
US-PATENT-CLASS-356-209 ..... c 35 N76-31490 *
US-PATENT-CLASS-356-210 ..... c 74 N79-11865 *
US-PATENT-CLASS-356-212 ..... c 35 N77-31465 *
US-PATENT-CLASS-356-213 ..... c 39 N81-25400 *
US-PATENT-CLASS-356-216 ..... c 74 N74-15095 *
US-PATENT-CLASS-356-216 ..... c 35 N80-18359 *
US-PATENT-CLASS-356-216 ..... c 39 N81-25400 *
US-PATENT-CLASS-356-216 ..... c 35 N84-22931 *
US-PATENT-CLASS-356-222 ..... c 03 N72-20033 *
US-PATENT-CLASS-356-222 ..... c 47 N83-32232 *
US-PATENT-CLASS-356-234 ..... c 39 N81-25400 *
US-PATENT-CLASS-356-234 ..... c 35 N84-22931 *
US-PATENT-CLASS-356-236 ..... c 74 N77-21941 *
US-PATENT-CLASS-356-236 ..... c 74 N86-26190 *
US-PATENT-CLASS-356-237 ..... c 74 N77-10899 *
US-PATENT-CLASS-356-237 ..... c 38 N78-17395 *
US-PATENT-CLASS-356-237 ..... c 38 N78-17396 *
US-PATENT-CLASS-356-237 ..... c 35 N79-28527 *
US-PATENT-CLASS-356-239 ..... c 74 N77-10899 *
US-PATENT-CLASS-356-241 ..... c 14 N72-32452 *
US-PATENT-CLASS-356-243 ..... c 36 N80-16321 *
US-PATENT-CLASS-356-244 ..... c 14 N72-17323 *
US-PATENT-CLASS-356-244 ..... c 35 N76-31490 *
US-PATENT-CLASS-356-244 ..... c 35 N80-28687 *
US-PATENT-CLASS-356-244 ..... c 74 N86-26190 *
US-PATENT-CLASS-356-246 ..... c 35 N74-27860 *
US-PATENT-CLASS-356-246 ..... c 74 N78-17867 *
US-PATENT-CLASS-356-246 ..... c 74 N87-14971 *
US-PATENT-CLASS-356-248 ..... c 14 N72-22444 *
US-PATENT-CLASS-356-256 ..... c 36 N87-28006 *
US-PATENT-CLASS-356-28.5 ..... c 32 N80-24510 *
US-PATENT-CLASS-356-28.5 ..... c 36 N81-24422 *
US-PATENT-CLASS-356-28.5 ..... c 36 N82-32712 *
US-PATENT-CLASS-356-28.5 ..... c 35 N86-32697 *
US-PATENT-CLASS-356-28.5 ..... c 35 N87-14669 *
US-PATENT-CLASS-356-28.5 ..... c 36 N87-17026 *
US-PATENT-CLASS-356-28.5 ..... c 36 N88-14350 *
US-PATENT-CLASS-356-28 ..... c 21 N71-19212 *
US-PATENT-CLASS-356-28 ..... c 16 N71-24828 *
US-PATENT-CLASS-356-28 ..... c 72 N74-19310 *
US-PATENT-CLASS-356-28 ..... c 36 N75-15028 *
US-PATENT-CLASS-356-28 ..... c 35 N75-16783 *
US-PATENT-CLASS-356-28 ..... c 36 N76-14447 *
US-PATENT-CLASS-356-28 ..... c 36 N77-25501 *
US-PATENT-CLASS-356-28 ..... c 74 N78-17866 *
US-PATENT-CLASS-356-28 ..... c 35 N79-18296 *
US-PATENT-CLASS-356-28 ..... c 36 N80-16321 *
US-PATENT-CLASS-356-28 ..... c 36 N87-17026 *
US-PATENT-CLASS-356-300 ..... c 43 N79-17288 *
US-PATENT-CLASS-356-301 ..... c 35 N87-14669 *
US-PATENT-CLASS-356-311 ..... c 35 N86-25753 *
US-PATENT-CLASS-356-318 ..... c 35 N86-25753 *
US-PATENT-CLASS-356-323 ..... c 74 N85-23396 *
US-PATENT-CLASS-356-328 ..... c 35 N80-26635 *
US-PATENT-CLASS-356-32 ..... c 14 N72-11364 *
US-PATENT-CLASS-356-32 ..... c 32 N73-20740 *
US-PATENT-CLASS-356-32 ..... c 39 N81-25400 *
US-PATENT-CLASS-356-330 ..... c 74 N85-23396 *
US-PATENT-CLASS-356-331 ..... c 74 N85-23396 *
US-PATENT-CLASS-356-334 ..... c 74 N80-21140 *
US-PATENT-CLASS-356-345 ..... c 74 N81-17888 *
US-PATENT-CLASS-356-345 ..... c 74 N81-29963 *
US-PATENT-CLASS-356-345 ..... c 36 N84-14509 *
US-PATENT-CLASS-356-345 ..... c 74 N86-21348 *
US-PATENT-CLASS-356-346 ..... c 35 N80-20563 *
US-PATENT-CLASS-356-346 ..... c 74 N81-29963 *
US-PATENT-CLASS-356-347 ..... c 35 N84-22929 *
US-PATENT-CLASS-356-349 ..... c 36 N82-16396 *
US-PATENT-CLASS-356-350 ..... c 35 N81-33448 *
US-PATENT-CLASS-356-350 ..... c 74 N87-23259 *
US-PATENT-CLASS-356-351 ..... c 35 N81-33448 *
US-PATENT-CLASS-356-351 ..... c 35 N85-30282 *
US-PATENT-CLASS-356-352 ..... c 74 N81-17888 *
US-PATENT-CLASS-356-353 ..... c 74 N83-32577 *
US-PATENT-CLASS-356-356 ..... c 36 N81-24422 *
US-PATENT-CLASS-356-357 ..... c 74 N83-21949 *
US-PATENT-CLASS-356-358 ..... c 74 N81-17888 *
US-PATENT-CLASS-356-358 ..... c 36 N81-24422 *
US-PATENT-CLASS-356-358 ..... c 35 N85-30282 *
US-PATENT-CLASS-356-363 ..... c 74 N83-32577 *
US-PATENT-CLASS-356-369 ..... c 35 N80-28687 *
US-PATENT-CLASS-356-36 ..... c 23 N71-16365 *
US-PATENT-CLASS-356-376 ..... c 36 N88-24958 *
US-PATENT-CLASS-356-37 ..... c 45 N76-21742 *
US-PATENT-CLASS-356-386 ..... c 36 N82-16396 *
US-PATENT-CLASS-356-389 ..... c 33 N87-14594 *
US-PATENT-CLASS-356-394 ..... c 33 N83-18996 *
US-PATENT-CLASS-356-4.5 ..... c 74 N86-21348 *
US-PATENT-CLASS-356-4.5 ..... c 74 N86-32266 *
US-PATENT-CLASS-356-402 ..... c 74 N86-29650 * #
US-PATENT-CLASS-356-404 ..... c 35 N79-28527 *
US-PATENT-CLASS-356-406 ..... c 52 N81-27783 *
US-PATENT-CLASS-356-407 ..... c 43 N79-17288 *
US-PATENT-CLASS-356-407 ..... c 52 N81-27783 *
US-PATENT-CLASS-356-409 ..... c 36 N87-28006 *
US-PATENT-CLASS-356-416 ..... c 43 N79-17288 *
US-PATENT-CLASS-356-416 ..... c 52 N81-27783 *
US-PATENT-CLASS-356-419 ..... c 74 N86-29650 * #
US-PATENT-CLASS-356-432 ..... c 74 N81-17887 *
US-PATENT-CLASS-356-432 ..... c 25 N81-25159 *
US-PATENT-CLASS-356-434 ..... c 35 N84-34705 *
US-PATENT-CLASS-356-437 ..... c 25 N81-14015 *
US-PATENT-CLASS-356-43 ..... c 74 N74-15095 *
US-PATENT-CLASS-356-43 ..... c 75 N74-30156 *
US-PATENT-CLASS-356-43 ..... c 36 N85-21639 *
US-PATENT-CLASS-356-446 ..... c 74 N86-26190 *
US-PATENT-CLASS-356-45 ..... c 36 N85-21639 *
US-PATENT-CLASS-356-4 ..... c 14 N72-17326 *
US-PATENT-CLASS-356-4 ..... c 07 N73-26119 *
US-PATENT-CLASS-356-4 ..... c 36 N74-15145 *
US-PATENT-CLASS-356-4 ..... c 35 N75-15014 *
US-PATENT-CLASS-356-4 ..... c 36 N83-34304 *
US-PATENT-CLASS-356-4 ..... c 36 N88-24958 *
US-PATENT-CLASS-356-51 ..... c 06 N72-31141 *
US-PATENT-CLASS-356-51 ..... c 35 N75-30502 *
US-PATENT-CLASS-356-51 ..... c 35 N83-21311 *
US-PATENT-CLASS-356-51 ..... c 35 N84-34705 *
US-PATENT-CLASS-356-51 ..... c 36 N87-28006 *
US-PATENT-CLASS-356-5 ..... c 07 N73-26119 *
US-PATENT-CLASS-356-5 ..... c 36 N74-15145 *
US-PATENT-CLASS-356-5 ..... c 36 N75-15028 *
US-PATENT-CLASS-356-5 ..... c 32 N82-23376 *
US-PATENT-CLASS-356-5 ..... c 74 N85-34629 *
US-PATENT-CLASS-356-5 ..... c 74 N86-32266 *
US-PATENT-CLASS-356-5 ..... c 32 N87-14559 *
US-PATENT-CLASS-356-71 ..... c 66 N76-19888 *
US-PATENT-CLASS-356-72 ..... c 14 N71-23268 *
US-PATENT-CLASS-356-72 ..... c 33 N73-27796 *
US-PATENT-CLASS-356-72 ..... c 38 N78-32447 *
US-PATENT-CLASS-356-72 ..... c 74 N80-33210 *
US-PATENT-CLASS-356-72 ..... c 35 N86-32697 *
US-PATENT-CLASS-356-73 ..... c 75 N74-30156 *
US-PATENT-CLASS-356-73 ..... c 38 N78-32447 *
US-PATENT-CLASS-356-73 ..... c 35 N84-33766 *
US-PATENT-CLASS-356-73 ..... c 09 N86-32447 *
US-PATENT-CLASS-356-73 ..... c 35 N86-32697 *
US-PATENT-CLASS-356-74 ..... c 30 N71-15990 *
US-PATENT-CLASS-356-74 ..... c 35 N84-33766 *
US-PATENT-CLASS-356-76 ..... c 23 N71-26206 *
US-PATENT-CLASS-356-76 ..... c 14 N71-29041 *
US-PATENT-CLASS-356-83 ..... c 35 N75-19613 *
US-PATENT-CLASS-356-85 ..... c 37 N74-18123 *
US-PATENT-CLASS-356-85 ..... c 75 N74-30156 *
US-PATENT-CLASS-356-87 ..... c 75 N74-30156 *
US-PATENT-CLASS-356-96 ..... c 35 N75-19613 *
US-PATENT-CLASS-356-97 ..... c 35 N77-14411 *
US-PATENT-CLASS-357-12 ..... c 33 N85-21492 *
US-PATENT-CLASS-357-15 ..... c 44 N78-13526 *
US-PATENT-CLASS-357-15 ..... c 44 N79-11467 *
US-PATENT-CLASS-357-15 ..... c 44 N81-29525 *
US-PATENT-CLASS-357-15 ..... c 76 N86-20150 *
US-PATENT-CLASS-357-16 ..... c 44 N78-13526 *
US-PATENT-CLASS-357-16 ..... c 44 N79-11467 *
US-PATENT-CLASS-357-17 ..... c 36 N85-30305 *
US-PATENT-CLASS-357-22 ..... c 33 N79-11314 *
US-PATENT-CLASS-357-22 ..... c 33 N79-12321 *
US-PATENT-CLASS-357-23.12 .... c 76 N87-13313 *
US-PATENT-CLASS-357-23.1 ..... c 76 N87-13313 *
US-PATENT-CLASS-357-23.6 ..... c 33 N86-19516 *
US-PATENT-CLASS-357-231 ..... c 33 N88-14271 *
US-PATENT-CLASS-357-23 ..... c 76 N75-25730 *
US-PATENT-CLASS-357-23 ..... c 33 N79-12321 *
US-PATENT-CLASS-357-23 ..... c 33 N81-26360 *
US-PATENT-CLASS-357-24 ..... c 33 N75-31331 *
US-PATENT-CLASS-357-24 ..... c 33 N88-14271 *
US-PATENT-CLASS-357-29 ..... c 76 N75-25730 *
US-PATENT-CLASS-357-29 ..... c 35 N84-33765 *
US-PATENT-CLASS-357-29 ..... c 76 N87-13313 *
US-PATENT-CLASS-357-30 ..... c 44 N76-28635 *
US-PATENT-CLASS-357-30 ..... c 44 N78-13526 *
US-PATENT-CLASS-357-30 ..... c 44 N78-24609 *
US-PATENT-CLASS-357-30 ..... c 44 N78-25527 *
US-PATENT-CLASS-357-30 ..... c 44 N79-11467 *
US-PATENT-CLASS-357-30 ..... c 44 N79-14528 *
US-PATENT-CLASS-357-30 ..... c 44 N79-31752 *
US-PATENT-CLASS-357-30 ..... c 44 N80-29835 *
US-PATENT-CLASS-357-30 ..... c 44 N81-19558 *
US-PATENT-CLASS-357-30 ..... c 44 N81-29525 *
US-PATENT-CLASS-357-30 ..... c 44 N82-26777 *
US-PATENT-CLASS-357-30 ..... c 44 N82-29709 *
US-PATENT-CLASS-357-30 ..... c 44 N82-31764 *
US-PATENT-CLASS-357-30 ..... c 44 N83-13579 *
US-PATENT-CLASS-357-30 ..... c 44 N83-32177 *
US-PATENT-CLASS-357-30 ..... c 35 N84-33765 *
US-PATENT-CLASS-357-30 ..... c 33 N85-21492 *
US-PATENT-CLASS-357-30 ..... c 44 N85-21768 *
US-PATENT-CLASS-357-30 ..... c 44 N85-30475 *
US-PATENT-CLASS-357-30 ..... c 33 N86-19516 *
US-PATENT-CLASS-357-30 ..... c 76 N86-20150 *
US-PATENT-CLASS-357-30 ..... c 44 N86-32875 *
US-PATENT-CLASS-357-30 ..... c 76 N87-13313 *
US-PATENT-CLASS-357-30 ..... c 33 N87-23879 *
US-PATENT-CLASS-357-30 ..... c 33 N88-14271 *
US-PATENT-CLASS-357-30 ..... c 33 N88-14271 *
US-PATENT-CLASS-357-30 ..... c 76 N88-14836 *
US-PATENT-CLASS-357-32 ..... c 35 N84-33765 *
US-PATENT-CLASS-357-35 ..... c 33 N87-23879 *
US-PATENT-CLASS-357-40 ..... c 36 N85-30305 *
US-PATENT-CLASS-357-41 ..... c 33 N79-12321 *
US-PATENT-CLASS-357-42 ..... c 76 N75-25730 *
US-PATENT-CLASS-357-45 ..... c 33 N79-12321 *
US-PATENT-CLASS-357-45 ..... c 44 N79-26475 *
US-PATENT-CLASS-357-46 ..... c 36 N85-30305 *
US-PATENT-CLASS-357-4 ..... c 33 N78-13320 *
US-PATENT-CLASS-357-4 ..... c 76 N85-30922 *
US-PATENT-CLASS-357-50 ..... c 76 N85-30922 *
US-PATENT-CLASS-357-52 ..... c 76 N75-25730 *
US-PATENT-CLASS-357-52 ..... c 44 N80-29835 *
US-PATENT-CLASS-357-52 ..... c 76 N87-13313 *
US-PATENT-CLASS-357-54 ..... c 76 N75-25730 *
US-PATENT-CLASS-357-55 ..... c 33 N79-12321 *
US-PATENT-CLASS-357-55 ..... c 33 N81-26360 *
US-PATENT-CLASS-357-56 ..... c 33 N88-14271 *
US-PATENT-CLASS-357-58 ..... c 33 N86-19516 *
US-PATENT-CLASS-357-59 ..... c 44 N76-28635 *
US-PATENT-CLASS-357-59 ..... c 44 N78-24609 *
US-PATENT-CLASS-357-59 ..... c 44 N81-19558 *
US-PATENT-CLASS-357-59 ..... c 33 N86-19516 *
US-PATENT-CLASS-357-5 ..... c 33 N75-31332 *
US-PATENT-CLASS-357-5 ..... c 33 N78-13320 *
US-PATENT-CLASS-357-60 ..... c 33 N81-26360 *
US-PATENT-CLASS-357-61 ..... c 33 N88-14271 *
US-PATENT-CLASS-357-63 ..... c 33 N76-31409 *
US-PATENT-CLASS-357-63 ..... c 44 N81-19558 *
US-PATENT-CLASS-357-63 ..... c 44 N82-26777 *
US-PATENT-CLASS-357-65 ..... c 44 N78-25527 *
US-PATENT-CLASS-357-65 ..... c 44 N79-11467 *
US-PATENT-CLASS-357-65 ..... c 44 N79-31752 *
US-PATENT-CLASS-357-65 ..... c 33 N88-14271 *
US-PATENT-CLASS-357-67 ..... c 44 N78-25527 *
US-PATENT-CLASS-357-67 ..... c 44 N79-11467 *
US-PATENT-CLASS-357-67 ..... c 44 N79-31752 *
US-PATENT-CLASS-357-72 ..... c 33 N88-23941 *
US-PATENT-CLASS-357-73 ..... c 33 N78-13320 *
US-PATENT-CLASS-357-74 ..... c 37 N79-28549 *
US-PATENT-CLASS-357-74 ..... c 33 N88-23941 *
US-PATENT-CLASS-357-79 ..... c 37 N79-28549 *
US-PATENT-CLASS-357-7 ..... c 33 N75-31331 *
US-PATENT-CLASS-357-81 ..... c 37 N79-28549 *
US-PATENT-CLASS-357-81 ..... c 33 N88-23941 *
US-PATENT-CLASS-357-82 ..... c 37 N79-28549 *
US-PATENT-CLASS-357-83 ..... c 37 N79-28549 *
US-PATENT-CLASS-357-91 ..... c 76 N75-25730 *
US-PATENT-CLASS-357-91 ..... c 33 N78-27326 *
US-PATENT-CLASS-357-91 ..... c 44 N80-29835 *
US-PATENT-CLASS-357-91 ..... c 33 N81-26360 *
US-PATENT-CLASS-357-91 ..... c 44 N86-32875 *
US-PATENT-CLASS-358-101 ..... c 37 N86-21850 *
US-PATENT-CLASS-358-104 ..... c 09 N78-18083 *
US-PATENT-CLASS-358-104 ..... c 74 N79-13855 *
US-PATENT-CLASS-358-104 ..... c 36 N83-34304 *
US-PATENT-CLASS-358-105 ..... c 39 N83-20280 *
US-PATENT-CLASS-358-105 ..... c 74 N86-21348 *
US-PATENT-CLASS-358-105 ..... c 17 N87-25348 *
US-PATENT-CLASS-358-106 ..... c 39 N78-16387 *
US-PATENT-CLASS-358-107 ..... c 35 N79-18296 *
US-PATENT-CLASS-358-107 ..... c 36 N88-24958 *
US-PATENT-CLASS-358-109 ..... c 32 N79-20297 *
US-PATENT-CLASS-358-109 ..... c 33 N81-33403 *
US-PATENT-CLASS-358-109 ..... c 43 N82-13465 *
US-PATENT-CLASS-358-109 ..... c 36 N83-34304 *
US-PATENT-CLASS-358-109 ..... c 32 N85-29117 *
US-PATENT-CLASS-358-111 ..... c 52 N79-10724 *
US-PATENT-CLASS-358-125 ..... c 74 N84-23247 *
US-PATENT-CLASS-358-125 ..... c 74 N86-21348 *

US-PATENT-CLASS-358-133 ..... c 32 N77-24328 *
US-PATENT-CLASS-358-133 ..... c 32 N85-29117 *
US-PATENT-CLASS-358-133 ..... c 17 N87-25348 *
US-PATENT-CLASS-358-138 ..... c 32 N77-24328 *
US-PATENT-CLASS-358-138 ..... c 17 N87-25348 *
US-PATENT-CLASS-358-142 ..... c 74 N78-14889 *
US-PATENT-CLASS-358-161 ..... c 32 N85-21427 *
US-PATENT-CLASS-358-168 ..... c 32 N86-20647 *
US-PATENT-CLASS-358-174 ..... c 32 N85-21427 *
US-PATENT-CLASS-358-213 ..... c 33 N81-33403 *
US-PATENT-CLASS-358-213 ..... c 33 N82-24416 *
US-PATENT-CLASS-358-213 ..... c 74 N84-23247 *
US-PATENT-CLASS-358-217 ..... c 32 N85-21427 *
US-PATENT-CLASS-358-219 ..... c 32 N85-21427 *
US-PATENT-CLASS-358-222 ..... c 74 N86-28732 *
US-PATENT-CLASS-358-225 ..... c 74 N78-17865 *
US-PATENT-CLASS-358-36 ..... c 32 N75-21485 *
US-PATENT-CLASS-358-41 ..... c 74 N78-17865 *
US-PATENT-CLASS-358-44 ..... c 74 N77-18893 *
US-PATENT-CLASS-358-55 ..... c 74 N78-17865 *
US-PATENT-CLASS-358-81 ..... c 32 N79-20297 *
US-PATENT-CLASS-358-88 ..... c 74 N86-21348 *
US-PATENT-CLASS-358-96 ..... c 52 N79-10724 *
US-PATENT-CLASS-36-119 ..... c 54 N78-17675 *
US-PATENT-CLASS-36-92 ..... c 54 N78-17675 *
US-PATENT-CLASS-360-101 ..... c 35 N76-16391 *
US-PATENT-CLASS-360-10 ..... c 35 N76-16391 *
US-PATENT-CLASS-360-25 ..... c 35 N77-17426 *
US-PATENT-CLASS-360-26 ..... c 33 N76-18353 *
US-PATENT-CLASS-360-31 ..... c 35 N77-17426 *
US-PATENT-CLASS-360-35 ..... c 35 N76-16391 *
US-PATENT-CLASS-360-51 ..... c 33 N76-18353 *
US-PATENT-CLASS-360-9 ..... c 35 N76-16391 *
US-PATENT-CLASS-361-100 ..... c 33 N83-34190 *
US-PATENT-CLASS-361-141 ..... c 33 N82-11357 *
US-PATENT-CLASS-361-170 ..... c 33 N79-28415 *
US-PATENT-CLASS-361-218 ..... c 03 N88-14083 *
US-PATENT-CLASS-361-222 ..... c 03 N88-14083 *
US-PATENT-CLASS-361-226 ..... c 28 N82-18401 *
US-PATENT-CLASS-361-230 ..... c 28 N82-18401 *
US-PATENT-CLASS-361-283 ..... c 33 N82-26572 *
US-PATENT-CLASS-361-334 ..... c 35 N81-26431 *
US-PATENT-CLASS-361-395 ..... c 32 N78-24391 *
US-PATENT-CLASS-361-56 ..... c 33 N81-27397 *
US-PATENT-CLASS-361-91 ..... c 33 N81-27397 *
US-PATENT-CLASS-362-11 ..... c 74 N81-17886 *
US-PATENT-CLASS-362-241 ..... c 74 N81-17886 *
US-PATENT-CLASS-362-269 ..... c 17 N78-17140 *
US-PATENT-CLASS-363-100 ..... c 33 N85-29147 *
US-PATENT-CLASS-363-101 ..... c 33 N78-32341 *
US-PATENT-CLASS-363-101 ..... c 33 N81-19392 *
US-PATENT-CLASS-363-132 ..... c 33 N82-18494 *
US-PATENT-CLASS-363-134 ..... c 33 N79-24257 *
US-PATENT-CLASS-363-147 ..... c 44 N81-12542 *
US-PATENT-CLASS-363-16 ..... c 33 N78-32341 *
US-PATENT-CLASS-363-17 ..... c 33 N82-18494 *
US-PATENT-CLASS-363-19 ..... c 33 N85-29147 *
US-PATENT-CLASS-363-21 ..... c 33 N81-19392 *
US-PATENT-CLASS-363-21 ..... c 33 N81-19393 *
US-PATENT-CLASS-363-22 ..... c 33 N84-33663 *
US-PATENT-CLASS-363-23 ..... c 33 N85-29147 *
US-PATENT-CLASS-363-24 ..... c 33 N81-33404 *
US-PATENT-CLASS-363-25 ..... c 33 N84-16453 *
US-PATENT-CLASS-363-27 ..... c 44 N81-12542 *
US-PATENT-CLASS-363-36 ..... c 33 N81-19393 *
US-PATENT-CLASS-363-40 ..... c 33 N81-19393 *
US-PATENT-CLASS-363-47 ..... c 33 N81-19393 *
US-PATENT-CLASS-363-49 ..... c 33 N84-33663 *
US-PATENT-CLASS-363-53 ..... c 33 N77-30365 *
US-PATENT-CLASS-363-54 ..... c 33 N83-34190 *
US-PATENT-CLASS-363-56 ..... c 33 N79-24254 *
US-PATENT-CLASS-363-56 ..... c 33 N81-14220 *
US-PATENT-CLASS-363-56 ..... c 33 N81-33404 *
US-PATENT-CLASS-363-57 ..... c 33 N78-10377 *
US-PATENT-CLASS-363-60 ..... c 33 N78-32341 *
US-PATENT-CLASS-363-60 ..... c 44 N81-12542 *
US-PATENT-CLASS-363-61 ..... c 33 N82-18494 *
US-PATENT-CLASS-363-61 ..... c 33 N85-29147 *
US-PATENT-CLASS-363-65 ..... c 33 N84-16453 *
US-PATENT-CLASS-363-67 ..... c 33 N84-16453 *
US-PATENT-CLASS-363-70 ..... c 33 N77-30365 *
US-PATENT-CLASS-363-71 ..... c 33 N79-24254 *
US-PATENT-CLASS-363-71 ..... c 33 N79-24257 *
US-PATENT-CLASS-363-71 ..... c 33 N81-14220 *
US-PATENT-CLASS-363-71 ..... c 33 N84-16453 *
US-PATENT-CLASS-363-71 ..... c 33 N85-29147 *
US-PATENT-CLASS-363-78 ..... c 33 N81-14220 *
US-PATENT-CLASS-363-87 ..... c 33 N83-10345 *
US-PATENT-CLASS-363-89 ..... c 33 N78-10377 *
US-PATENT-CLASS-363-95 ..... c 33 N79-24257 *
US-PATENT-CLASS-363-97 ..... c 33 N79-24254 *
US-PATENT-CLASS-363-97 ..... c 09 N88-28939 *
US-PATENT-CLASS-364-106 ..... c 07 N81-19115 *
US-PATENT-CLASS-364-120 ..... c 52 N79-12694 *
US-PATENT-CLASS-364-200 ..... c 62 N81-24779 *
US-PATENT-CLASS-364-200 ..... c 60 N81-27814 *
US-PATENT-CLASS-364-200 ..... c 60 N83-25378 *
US-PATENT-CLASS-364-200 ..... c 60 N83-32342 *
US-PATENT-CLASS-364-200 ..... c 32 N85-21428 *
US-PATENT-CLASS-364-200 ..... c 60 N85-21992 *
US-PATENT-CLASS-364-200 ..... c 60 N88-29310 *
US-PATENT-CLASS-364-300 ..... c 52 N79-12694 *
US-PATENT-CLASS-364-400 ..... c 33 N85-29142 *
US-PATENT-CLASS-364-413 ..... c 39 N83-20280 *
US-PATENT-CLASS-364-415 ..... c 52 N79-12694 *
US-PATENT-CLASS-364-415 ..... c 35 N84-12445 *
US-PATENT-CLASS-364-417 ..... c 52 N79-10724 *
US-PATENT-CLASS-364-431 ..... c 07 N81-19115 *
US-PATENT-CLASS-364-433 ..... c 06 N86-27280 *
US-PATENT-CLASS-364-434 ..... c 08 N79-23097 *
US-PATENT-CLASS-364-434 ..... c 08 N81-24106 *
US-PATENT-CLASS-364-435 ..... c 06 N86-27280 *
US-PATENT-CLASS-364-452 ..... c 04 N84-27713 *
US-PATENT-CLASS-364-453 ..... c 18 N81-29152 *
US-PATENT-CLASS-364-453 ..... c 33 N85-29142 *
US-PATENT-CLASS-364-458 ..... c 32 N79-14267 *
US-PATENT-CLASS-364-500 ..... c 25 N88-29002 *
US-PATENT-CLASS-364-510 ..... c 34 N81-26402 *
US-PATENT-CLASS-364-514 ..... c 33 N81-33405 *
US-PATENT-CLASS-364-522 ..... c 39 N83-20280 *
US-PATENT-CLASS-364-556 ..... c 36 N85-29264 *
US-PATENT-CLASS-364-557 ..... c 35 N84-14491 *
US-PATENT-CLASS-364-557 ..... c 25 N88-29002 *
US-PATENT-CLASS-364-558 ..... c 35 N84-14491 *
US-PATENT-CLASS-364-558 ..... c 07 N84-22559 *
US-PATENT-CLASS-364-559 ..... c 39 N83-20280 *
US-PATENT-CLASS-364-560 ..... c 43 N79-26439 *
US-PATENT-CLASS-364-561 ..... c 36 N88-24958 *
US-PATENT-CLASS-364-566 ..... c 18 N81-29152 *
US-PATENT-CLASS-364-571 ..... c 34 N81-26402 *
US-PATENT-CLASS-364-571 ..... c 35 N84-14491 *
US-PATENT-CLASS-364-571 ..... c 33 N85-34333 *
US-PATENT-CLASS-364-571 ..... c 25 N88-29002 *
US-PATENT-CLASS-364-578 ..... c 33 N85-34333 *
US-PATENT-CLASS-364-604 ..... c 32 N79-14267 *
US-PATENT-CLASS-364-713 ..... c 32 N79-20297 *
US-PATENT-CLASS-364-717 ..... c 32 N82-31583 *
US-PATENT-CLASS-364-723 ..... c 60 N85-33701 *
US-PATENT-CLASS-364-728 ..... c 32 N79-14267 *
US-PATENT-CLASS-364-728 ..... c 60 N86-21154 *
US-PATENT-CLASS-364-728 ..... c 60 N88-24169 *
US-PATENT-CLASS-364-757 ..... c 60 N88-24169 *
US-PATENT-CLASS-364-822 ..... c 32 N83-18975 *
US-PATENT-CLASS-364-822 ..... c 74 N86-21348 *
US-PATENT-CLASS-364-825 ..... c 33 N82-24417 *
US-PATENT-CLASS-364-853 ..... c 60 N85-33701 *
US-PATENT-CLASS-364-861 ..... c 32 N83-18975 *
US-PATENT-CLASS-364-900 ..... c 52 N79-12694 *
US-PATENT-CLASS-364-900 ..... c 60 N79-20751 *
US-PATENT-CLASS-364-900 ..... c 60 N81-27814 *
US-PATENT-CLASS-364-900 ..... c 60 N83-32342 *
US-PATENT-CLASS-364-900 ..... c 60 N84-28491 *
US-PATENT-CLASS-364-900 ..... c 60 N84-28492 *
US-PATENT-CLASS-365-120 ..... c 33 N81-29342 *
US-PATENT-CLASS-365-768 ..... c 32 N86-27513 *
US-PATENT-CLASS-366-106 ..... c 71 N84-28568 *
US-PATENT-CLASS-366-114 ..... c 71 N83-35781 *
US-PATENT-CLASS-367-100 ..... c 32 N82-18443 *
US-PATENT-CLASS-367-102 ..... c 32 N82-18443 *
US-PATENT-CLASS-367-181 ..... c 33 N82-26572 *
US-PATENT-CLASS-367-189 ..... c 35 N84-22933 *
US-PATENT-CLASS-367-191 ..... c 71 N88-24241 *
US-PATENT-CLASS-367-26 ..... c 39 N80-10507 *
US-PATENT-CLASS-367-27 ..... c 31 N80-32584 *
US-PATENT-CLASS-367-36 ..... c 31 N80-32584 *
US-PATENT-CLASS-367-57 ..... c 31 N80-32584 *
US-PATENT-CLASS-367-88 ..... c 32 N82-18443 *
US-PATENT-CLASS-367-88 ..... c 32 N83-31918 *
US-PATENT-CLASS-367-88 ..... c 43 N86-19711 *
US-PATENT-CLASS-367-95 ..... c 32 N82-23376 *
US-PATENT-CLASS-367-99 ..... c 32 N87-14559 *
US-PATENT-CLASS-368-184 ..... c 33 N83-36357 *
US-PATENT-CLASS-368-200 ..... c 33 N83-36357 *
US-PATENT-CLASS-368-201 ..... c 33 N83-36357 *
US-PATENT-CLASS-368-47 ..... c 33 N81-14221 *
US-PATENT-CLASS-37N ..... c 27 N81-15104 *
US-PATENT-CLASS-370-100 ..... c 60 N82-16747 *
US-PATENT-CLASS-370-58 ..... c 60 N81-27814 *
US-PATENT-CLASS-370-67 ..... c 33 N82-29538 *
US-PATENT-CLASS-370-85 ..... c 33 N81-14221 *
US-PATENT-CLASS-371-20 ..... c 33 N81-26359 *
US-PATENT-CLASS-371-25 ..... c 33 N81-26359 *
US-PATENT-CLASS-371-37 ..... c 60 N87-21591 *
US-PATENT-CLASS-371-40 ..... c 60 N87-21591 *
US-PATENT-CLASS-371-43 ..... c 33 N87-25531 *
US-PATENT-CLASS-371-63 ..... c 17 N87-16863 *
US-PATENT-CLASS-371-68 ..... c 60 N82-29013 *
US-PATENT-CLASS-371-6 ..... c 32 N83-13323 *
US-PATENT-CLASS-372-100 ..... c 36 N84-14509 *
US-PATENT-CLASS-372-103 ..... c 36 N84-28065 *
US-PATENT-CLASS-372-103 ..... c 36 N87-23960 *
US-PATENT-CLASS-372-108 ..... c 36 N84-14509 *
US-PATENT-CLASS-372-18 ..... c 36 N87-23960 *
US-PATENT-CLASS-372-20 ..... c 36 N84-22943 *
US-PATENT-CLASS-372-20 ..... c 36 N87-25567 *
US-PATENT-CLASS-372-25 ..... c 33 N83-34189 *
US-PATENT-CLASS-372-28 ..... c 36 N84-22943 *
US-PATENT-CLASS-372-32 ..... c 36 N84-22943 *
US-PATENT-CLASS-372-32 ..... c 33 N85-34333 *
US-PATENT-CLASS-372-38 ..... c 36 N85-30305 *
US-PATENT-CLASS-372-43 ..... c 36 N87-23960 *
US-PATENT-CLASS-372-46 ..... c 36 N85-30305 *
US-PATENT-CLASS-372-4 ..... c 36 N84-28065 *
US-PATENT-CLASS-372-4 ..... c 36 N87-25567 *
US-PATENT-CLASS-372-50 ..... c 36 N85-30305 *
US-PATENT-CLASS-372-55 ..... c 36 N84-16542 *
US-PATENT-CLASS-372-56 ..... c 36 N82-28616 *
US-PATENT-CLASS-372-56 ..... c 36 N83-10417 *
US-PATENT-CLASS-372-58 ..... c 36 N82-28616 *
US-PATENT-CLASS-372-59 ..... c 36 N83-10417 *
US-PATENT-CLASS-372-60 ..... c 36 N83-10417 *
US-PATENT-CLASS-372-61 ..... c 74 N87-14971 *
US-PATENT-CLASS-372-68 ..... c 36 N87-23961 *
US-PATENT-CLASS-372-69 ..... c 36 N87-25567 *
US-PATENT-CLASS-372-71 ..... c 36 N84-28065 *
US-PATENT-CLASS-372-74 ..... c 35 N84-12444 *
US-PATENT-CLASS-372-79 ..... c 36 N84-16542 *
US-PATENT-CLASS-372-79 ..... c 36 N86-29204 *
US-PATENT-CLASS-372-81 ..... c 36 N87-23961 *
US-PATENT-CLASS-372-82 ..... c 36 N82-28616 *
US-PATENT-CLASS-372-93 ..... c 36 N84-14509 *
US-PATENT-CLASS-372-93 ..... c 36 N84-28065 *
US-PATENT-CLASS-372-94 ..... c 36 N84-14509 *
US-PATENT-CLASS-372-95 ..... c 36 N84-28065 *
US-PATENT-CLASS-372-98 ..... c 36 N84-14509 *
US-PATENT-CLASS-372-99 ..... c 36 N87-25567 *
US-PATENT-CLASS-373-10 ..... c 35 N87-23944 *
US-PATENT-CLASS-373-15 ..... c 35 N87-23944 *
US-PATENT-CLASS-374-115 ..... c 35 N86-19580 *
US-PATENT-CLASS-374-117 ..... c 52 N85-30618 *
US-PATENT-CLASS-374-120 ..... c 35 N86-19580 *
US-PATENT-CLASS-374-122 ..... c 06 N83-10040 *
US-PATENT-CLASS-374-122 ..... c 43 N85-21723 *
US-PATENT-CLASS-374-122 ..... c 32 N87-21206 *
US-PATENT-CLASS-374-123 ..... c 06 N83-10040 *
US-PATENT-CLASS-374-137 ..... c 36 N85-21639 *
US-PATENT-CLASS-374-160 ..... c 52 N85-30618 *
US-PATENT-CLASS-374-162R .... c 74 N82-30071 *
US-PATENT-CLASS-374-163 ..... c 35 N86-19580 *
US-PATENT-CLASS-374-17 ..... c 35 N83-29650 *
US-PATENT-CLASS-374-183 ..... c 33 N86-32624 *
US-PATENT-CLASS-374-1 ..... c 35 N84-28019 *
US-PATENT-CLASS-374-208 ..... c 37 N85-21651 *
US-PATENT-CLASS-374-210 ..... c 37 N85-21651 *
US-PATENT-CLASS-374-36 ..... c 25 N88-29002 *
US-PATENT-CLASS-374-46 ..... c 34 N83-34221 *
US-PATENT-CLASS-374-46 ..... c 25 N86-19413 *
US-PATENT-CLASS-374-51 ..... c 39 N83-32081 *
US-PATENT-CLASS-374-8 ..... c 25 N86-19413 *
US-PATENT-CLASS-374-9 ..... c 32 N87-21206 *
US-PATENT-CLASS-375-101 ..... c 32 N87-25511 *
US-PATENT-CLASS-375-102 ..... c 32 N87-25511 *
US-PATENT-CLASS-375-104 ..... c 35 N81-19427 *
US-PATENT-CLASS-375-106 ..... c 60 N82-16747 *
US-PATENT-CLASS-375-106 ..... c 32 N82-31583 *
US-PATENT-CLASS-375-107 ..... c 32 N81-14186 *
US-PATENT-CLASS-375-110 ..... c 32 N87-21207 *
US-PATENT-CLASS-375-114 ..... c 60 N82-16747 *
US-PATENT-CLASS-375-115 ..... c 32 N81-15179 *
US-PATENT-CLASS-375-116 ..... c 60 N82-16747 *
US-PATENT-CLASS-375-120 ..... c 32 N84-27952 *
US-PATENT-CLASS-375-120 ..... c 32 N87-21207 *
US-PATENT-CLASS-375-120 ..... c 33 N87-25531 *
US-PATENT-CLASS-375-1 ..... c 32 N81-15179 *
US-PATENT-CLASS-375-1 ..... c 35 N81-19427 *
US-PATENT-CLASS-375-1 ..... c 33 N81-33405 *
US-PATENT-CLASS-375-23 ..... c 32 N87-21207 *
US-PATENT-CLASS-375-34 ..... c 35 N81-19427 *
US-PATENT-CLASS-375-39 ..... c 32 N87-25511 *
US-PATENT-CLASS-375-54 ..... c 33 N81-15192 *
US-PATENT-CLASS-375-54 ..... c 32 N87-25511 *
US-PATENT-CLASS-375-54 ..... c 33 N87-25531 *
US-PATENT-CLASS-375-58 ..... c 32 N81-15179 *
US-PATENT-CLASS-375-59 ..... c 33 N87-25531 *
US-PATENT-CLASS-375-67 ..... c 33 N81-15192 *
US-PATENT-CLASS-375-76 ..... c 33 N87-25531 *
US-PATENT-CLASS-375-77 ..... c 32 N84-27952 *
US-PATENT-CLASS-375-81 ..... c 32 N84-27952 *
US-PATENT-CLASS-375-88 ..... c 17 N87-16863 *
US-PATENT-CLASS-375-99 ..... c 35 N81-19427 *
US-PATENT-CLASS-376-127 ..... c 72 N87-21661 *
US-PATENT-CLASS-376-159 ..... c 25 N85-21279 *
US-PATENT-CLASS-378-104 ..... c 33 N85-29147 *
US-PATENT-CLASS-378-112 ..... c 33 N85-29147 *
US-PATENT-CLASS-378-2 ..... c 34 N83-19015 *
US-PATENT-CLASS-378-2 ..... c 74 N84-11920 *
US-PATENT-CLASS-378-43 ..... c 34 N83-19015 *
US-PATENT-CLASS-378-43 ..... c 74 N86-20124 *

US-PATENT-CLASS-378-58 ..... c 74 N86-20126 *
US-PATENT-CLASS-378-59 ..... c 74 N86-20126 *
US-PATENT-CLASS-378-85 ..... c 74 N86-20124 *
US-PATENT-CLASS-382-42 ..... c 74 N86-21348 *
US-PATENT-CLASS-382-42 ..... c 60 N88-24169 *
US-PATENT-CLASS-384-101 ..... c 37 N85-33490 *
US-PATENT-CLASS-384-103 ..... c 37 N86-19606 *
US-PATENT-CLASS-384-106 ..... c 37 N86-19606 *
US-PATENT-CLASS-384-124 ..... c 27 N83-34043 *
US-PATENT-CLASS-384-99 ..... c 37 N85-33490 *
US-PATENT-CLASS-39-25.35 ..... c 33 N86-20671 *
US-PATENT-CLASS-4-10 ..... c 54 N74-20725 *
US-PATENT-CLASS-4-110 ..... c 05 N72-22093 *
US-PATENT-CLASS-4-120 ..... c 54 N74-20725 *
US-PATENT-CLASS-4-144.3 ..... c 52 N81-24711 *
US-PATENT-CLASS-4-144.3 ..... c 52 N81-28740 *
US-PATENT-CLASS-4-498 ..... c 44 N84-34792 *
US-PATENT-CLASS-4-99 ..... c 05 N72-22093 *
US-PATENT-CLASS-40-28 ..... c 12 N71-18603 *
US-PATENT-CLASS-403-102 ..... c 37 N85-30336 *
US-PATENT-CLASS-403-102 ..... c 18 N87-14373 *
US-PATENT-CLASS-403-105 ..... c 37 N79-14382 *
US-PATENT-CLASS-403-113 ..... c 37 N86-19605 *
US-PATENT-CLASS-403-119 ..... c 18 N87-14373 *
US-PATENT-CLASS-403-120 ..... c 37 N86-19605 *
US-PATENT-CLASS-403-143 ..... c 18 N85-29991 *
US-PATENT-CLASS-403-146 ..... c 18 N87-14373 *
US-PATENT-CLASS-403-15 ..... c 37 N85-30334 *
US-PATENT-CLASS-403-163 ..... c 18 N87-14373 *
US-PATENT-CLASS-403-16 ..... c 37 N85-30334 *
US-PATENT-CLASS-403-171 ..... c 31 N81-25258 *
US-PATENT-CLASS-403-171 ..... c 31 N86-19479 *
US-PATENT-CLASS-403-171 ..... c 37 N88-29180 *
US-PATENT-CLASS-403-179 ..... c 27 N76-14264 *
US-PATENT-CLASS-403-217 ..... c 37 N82-32732 *
US-PATENT-CLASS-403-217 ..... c 37 N88-29180 *
US-PATENT-CLASS-403-273 ..... c 37 N77-23482 *
US-PATENT-CLASS-403-282 ..... c 26 N83-10170 *
US-PATENT-CLASS-403-28 ..... c 27 N76-14264 *
US-PATENT-CLASS-403-28 ..... c 37 N85-29285 *
US-PATENT-CLASS-403-312 ..... c 37 N86-27630 *
US-PATENT-CLASS-403-315 ..... c 37 N82-24494 *
US-PATENT-CLASS-403-317 ..... c 37 N82-32732 *
US-PATENT-CLASS-403-317 ..... c 37 N85-21649 *
US-PATENT-CLASS-403-322 ..... c 18 N84-22605 *
US-PATENT-CLASS-403-322 ..... c 37 N85-30334 *
US-PATENT-CLASS-403-322 ..... c 37 N85-30336 *
US-PATENT-CLASS-403-328 ..... c 18 N86-20469 *
US-PATENT-CLASS-403-331 ..... c 37 N82-32732 *
US-PATENT-CLASS-403-340 ..... c 37 N82-32732 *
US-PATENT-CLASS-403-341 ..... c 18 N87-27713 *
US-PATENT-CLASS-403-348 ..... c 37 N85-30336 *
US-PATENT-CLASS-403-388 ..... c 37 N86-27630 *
US-PATENT-CLASS-403-408.1 .... c 37 N86-27630 *
US-PATENT-CLASS-403-408 ..... c 37 N85-29285 *
US-PATENT-CLASS-403-56 ..... c 18 N85-29991 *
US-PATENT-CLASS-403-64 ..... c 31 N86-19479 *
US-PATENT-CLASS-403-76 ..... c 18 N85-29991 *
US-PATENT-CLASS-403-85 ..... c 18 N87-14373 *
US-PATENT-CLASS-403-90 ..... c 18 N85-29991 *
US-PATENT-CLASS-405-229 ..... c 44 N79-24432 *
US-PATENT-CLASS-405-263 ..... c 44 N79-24432 *
US-PATENT-CLASS-406-155 ..... c 37 N84-16561 *
US-PATENT-CLASS-407-117 ..... c 37 N81-14319 *
US-PATENT-CLASS-407-85 ..... c 37 N81-14319 *
US-PATENT-CLASS-408-1-R ..... c 31 N87-25491 *
US-PATENT-CLASS-408-1R ..... c 37 N81-14319 *
US-PATENT-CLASS-408-1R ..... c 31 N83-27058 *
US-PATENT-CLASS-408-111 ..... c 37 N74-25968 *
US-PATENT-CLASS-408-112 ..... c 37 N75-25186 *
US-PATENT-CLASS-408-137 ..... c 15 N71-33518 *
US-PATENT-CLASS-408-186 ..... c 37 N75-25186 *
US-PATENT-CLASS-408-193 ..... c 37 N75-25186 *
US-PATENT-CLASS-408-195 ..... c 37 N75-25186 *
US-PATENT-CLASS-408-61 ..... c 31 N83-27058 *
US-PATENT-CLASS-408-80 ..... c 37 N74-25968 *
US-PATENT-CLASS-409-131 ..... c 31 N83-27058 *
US-PATENT-CLASS-41R ..... c 27 N81-15104 *
US-PATENT-CLASS-410-156 ..... c 37 N85-34401 *
US-PATENT-CLASS-410-79 ..... c 18 N85-29991 *
US-PATENT-CLASS-410-90 ..... c 18 N85-29991 *
US-PATENT-CLASS-411-103 ..... c 37 N85-30335 *
US-PATENT-CLASS-411-108 ..... c 37 N85-30335 *
US-PATENT-CLASS-411-166 ..... c 37 N87-22976 *
US-PATENT-CLASS-411-353 ..... c 37 N83-19091 *
US-PATENT-CLASS-411-368 ..... c 37 N85-29285 *
US-PATENT-CLASS-411-368 ..... c 37 N87-22976 *
US-PATENT-CLASS-411-378 ..... c 37 N85-29285 *
US-PATENT-CLASS-411-424 ..... c 37 N87-22976 *
US-PATENT-CLASS-411-426 ..... c 37 N85-29285 *
US-PATENT-CLASS-411-427 ..... c 37 N87-22976 *
US-PATENT-CLASS-411-501 ..... c 37 N85-29285 *
US-PATENT-CLASS-411-517 ..... c 37 N83-19091 *
US-PATENT-CLASS-411-531 ..... c 37 N85-29285 *
US-PATENT-CLASS-411-531 ..... c 37 N87-22976 *
US-PATENT-CLASS-414-1 ..... c 37 N80-14398 *
US-PATENT-CLASS-414-1 ..... c 37 N81-14320 *
US-PATENT-CLASS-414-1 ..... c 54 N86-28618 *
US-PATENT-CLASS-414-217 ..... c 37 N85-29286 *
US-PATENT-CLASS-414-222 ..... c 37 N82-32731 *
US-PATENT-CLASS-414-226 ..... c 37 N82-32731 *
US-PATENT-CLASS-414-288 ..... c 85 N85-34722 *
US-PATENT-CLASS-414-328 ..... c 85 N85-34722 *
US-PATENT-CLASS-414-373 ..... c 85 N85-34722 *
US-PATENT-CLASS-414-4 ..... c 37 N79-28551 *
US-PATENT-CLASS-414-4 ..... c 54 N81-26718 *
US-PATENT-CLASS-414-4 ..... c 37 N86-20789 *
US-PATENT-CLASS-414-5 ..... c 54 N86-28618 *
US-PATENT-CLASS-414-6 ..... c 54 N79-24652 *
US-PATENT-CLASS-414-718 ..... c 37 N86-20789 *
US-PATENT-CLASS-414-730 ..... c 37 N81-27519 *
US-PATENT-CLASS-414-730 ..... c 37 N86-19603 *
US-PATENT-CLASS-414-735 ..... c 54 N81-26718 *
US-PATENT-CLASS-414-735 ..... c 18 N88-23828 *
US-PATENT-CLASS-414-739 ..... c 37 N82-32731 *
US-PATENT-CLASS-414-744A .... c 54 N81-26718 *
US-PATENT-CLASS-414-750 ..... c 18 N88-23828 *
US-PATENT-CLASS-414-753 ..... c 37 N86-20789 *
US-PATENT-CLASS-414-786 ..... c 85 N85-34722 *
US-PATENT-CLASS-414-7 ..... c 54 N86-28618 *
US-PATENT-CLASS-414-7 ..... c 54 N86-28620 *
US-PATENT-CLASS-414-8 ..... c 54 N86-28618 *
US-PATENT-CLASS-415-DIG.8 .... c 44 N82-24639 *
US-PATENT-CLASS-415-DIG.8 .... c 44 N84-23018 *
US-PATENT-CLASS-415-101 ..... c 44 N80-21828 *
US-PATENT-CLASS-415-115 ..... c 07 N79-10057 *
US-PATENT-CLASS-415-115 ..... c 34 N83-27144 *
US-PATENT-CLASS-415-115 ..... c 07 N84-33410 *
US-PATENT-CLASS-415-115 ..... c 34 N85-33433 *
US-PATENT-CLASS-415-116 ..... c 07 N79-10057 *
US-PATENT-CLASS-415-118 ..... c 35 N83-35338 *
US-PATENT-CLASS-415-136 ..... c 37 N88-23978 *
US-PATENT-CLASS-415-143 ..... c 34 N79-20335 *
US-PATENT-CLASS-415-145 ..... c 07 N77-28118 *
US-PATENT-CLASS-415-145 ..... c 07 N82-32366 *
US-PATENT-CLASS-415-170-R ... c 37 N88-23978 *
US-PATENT-CLASS-415-174 ..... c 37 N79-18318 *
US-PATENT-CLASS-415-174 ..... c 37 N80-26658 *
US-PATENT-CLASS-415-174 ..... c 37 N82-19540 *
US-PATENT-CLASS-415-174 ..... c 27 N82-29453 *
US-PATENT-CLASS-415-174 ..... c 18 N83-20996 *
US-PATENT-CLASS-415-174 ..... c 37 N84-22957 *
US-PATENT-CLASS-415-174 ..... c 37 N86-20788 *
US-PATENT-CLASS-415-175 ..... c 07 N83-31603 *
US-PATENT-CLASS-415-178 ..... c 07 N82-32366 *
US-PATENT-CLASS-415-178 ..... c 07 N83-31603 *
US-PATENT-CLASS-415-180 ..... c 07 N77-23106 *
US-PATENT-CLASS-415-180 ..... c 37 N78-10467 *
US-PATENT-CLASS-415-181 ..... c 07 N74-28226 *
US-PATENT-CLASS-415-181 ..... c 07 N74-31270 *
US-PATENT-CLASS-415-196 ..... c 37 N80-26658 *
US-PATENT-CLASS-415-196 ..... c 37 N82-19540 *
US-PATENT-CLASS-415-197 ..... c 18 N83-20996 *
US-PATENT-CLASS-415-199 ..... c 05 N80-14107 *
US-PATENT-CLASS-415-1 ..... c 34 N79-20335 *
US-PATENT-CLASS-415-1 ..... c 07 N83-31603 *
US-PATENT-CLASS-415-1 ..... c 37 N85-29282 *
US-PATENT-CLASS-415-2R ..... c 44 N82-24639 *
US-PATENT-CLASS-415-2R ..... c 44 N84-23018 *
US-PATENT-CLASS-415-200 ..... c 07 N79-14096 *
US-PATENT-CLASS-415-200 ..... c 37 N79-18318 *
US-PATENT-CLASS-415-201 ..... c 07 N79-14096 *
US-PATENT-CLASS-415-2 ..... c 44 N80-21828 *
US-PATENT-CLASS-415-47 ..... c 07 N83-31603 *
US-PATENT-CLASS-415-68 ..... c 37 N85-29282 *
US-PATENT-CLASS-415-9 ..... c 44 N79-14527 *
US-PATENT-CLASS-416-104 ..... c 05 N77-17029 *
US-PATENT-CLASS-416-114 ..... c 05 N81-19087 *
US-PATENT-CLASS-416-114 ..... c 08 N87-23631 *
US-PATENT-CLASS-416-115 ..... c 02 N72-11018 *
US-PATENT-CLASS-416-117 ..... c 37 N84-12493 *
US-PATENT-CLASS-416-121 ..... c 02 N72-11018 *
US-PATENT-CLASS-416-127 ..... c 02 N72-11018 *
US-PATENT-CLASS-416-130 ..... c 02 N72-11018 *
US-PATENT-CLASS-416-132B .... c 37 N84-12493 *
US-PATENT-CLASS-416-132R .... c 05 N79-17847 *
US-PATENT-CLASS-416-135 ..... c 07 N77-32148 *
US-PATENT-CLASS-416-135 ..... c 37 N78-10468 *
US-PATENT-CLASS-416-138 ..... c 05 N77-17029 *
US-PATENT-CLASS-416-138 ..... c 05 N79-17847 *
US-PATENT-CLASS-416-141 ..... c 05 N77-17029 *
US-PATENT-CLASS-416-141 ..... c 37 N78-10468 *
US-PATENT-CLASS-416-144 ..... c 35 N78-24515 *
US-PATENT-CLASS-416-145 ..... c 05 N85-29947 *
US-PATENT-CLASS-416-149 ..... c 02 N72-11018 *
US-PATENT-CLASS-416-153 ..... c 07 N77-14025 *
US-PATENT-CLASS-416-157B .... c 07 N79-14095 *
US-PATENT-CLASS-416-158 ..... c 08 N87-23631 *
US-PATENT-CLASS-416-160 ..... c 07 N77-14025 *
US-PATENT-CLASS-416-160 ..... c 07 N79-14095 *
US-PATENT-CLASS-416-162 ..... c 07 N77-14025 *
US-PATENT-CLASS-416-162 ..... c 07 N79-14095 *
US-PATENT-CLASS-416-165 ..... c 07 N77-14025 *
US-PATENT-CLASS-416-167 ..... c 07 N77-14025 *
US-PATENT-CLASS-416-167 ..... c 07 N79-14095 *
US-PATENT-CLASS-416-190 ..... c 07 N77-32148 *
US-PATENT-CLASS-416-193A .... c 07 N77-32148 *
US-PATENT-CLASS-416-1 ..... c 34 N83-27144 *
US-PATENT-CLASS-416-200 ..... c 02 N72-11018 *
US-PATENT-CLASS-416-214A .... c 07 N78-33101 *
US-PATENT-CLASS-416-220R .... c 07 N77-27116 *
US-PATENT-CLASS-416-220R .... c 37 N78-10468 *
US-PATENT-CLASS-416-221 ..... c 07 N77-27116 *
US-PATENT-CLASS-416-223R .... c 02 N84-11136 *
US-PATENT-CLASS-416-223R .... c 02 N84-28732 *
US-PATENT-CLASS-416-223 ..... c 07 N74-28226 *
US-PATENT-CLASS-416-224 ..... c 24 N77-19170 *
US-PATENT-CLASS-416-224 ..... c 07 N84-22560 *
US-PATENT-CLASS-416-228 ..... c 05 N80-14107 *
US-PATENT-CLASS-416-230 ..... c 24 N77-19170 *
US-PATENT-CLASS-416-233 ..... c 07 N84-22560 *
US-PATENT-CLASS-416-237 ..... c 07 N74-28226 *
US-PATENT-CLASS-416-238 ..... c 05 N80-14107 *
US-PATENT-CLASS-416-23 ..... c 05 N85-29947 *
US-PATENT-CLASS-416-241A .... c 07 N77-32148 *
US-PATENT-CLASS-416-241R .... c 26 N84-33555 *
US-PATENT-CLASS-416-242 ..... c 02 N84-11136 *
US-PATENT-CLASS-416-242 ..... c 02 N84-28732 *
US-PATENT-CLASS-416-244A .... c 07 N78-33101 *
US-PATENT-CLASS-416-248 ..... c 37 N78-10468 *
US-PATENT-CLASS-416-25 ..... c 05 N75-12930 *
US-PATENT-CLASS-416-2 ..... c 44 N79-14527 *
US-PATENT-CLASS-416-500 ..... c 05 N81-19087 *
US-PATENT-CLASS-416-500 ..... c 05 N85-29947 *
US-PATENT-CLASS-416-51 ..... c 05 N79-17847 *
US-PATENT-CLASS-416-61 ..... c 35 N78-24515 *
US-PATENT-CLASS-416-61 ..... c 37 N79-14382 *
US-PATENT-CLASS-416-88 ..... c 05 N79-17847 *
US-PATENT-CLASS-416-89 ..... c 05 N79-17847 *
US-PATENT-CLASS-416-92 ..... c 07 N84-22560 *
US-PATENT-CLASS-416-97A ..... c 34 N85-33433 *
US-PATENT-CLASS-416-97R ..... c 34 N83-27144 *
US-PATENT-CLASS-416-97R ..... c 07 N84-22560 *
US-PATENT-CLASS-417-138 ..... c 35 N75-19611 *
US-PATENT-CLASS-417-141 ..... c 44 N76-29701 *
US-PATENT-CLASS-417-152 ..... c 15 N72-22489 *
US-PATENT-CLASS-417-159 ..... c 09 N84-27749 *
US-PATENT-CLASS-417-15 ..... c 37 N83-26078 *
US-PATENT-CLASS-417-207 ..... c 44 N76-29701 *
US-PATENT-CLASS-417-209 ..... c 34 N76-17317 *
US-PATENT-CLASS-417-209 ..... c 44 N76-29701 *
US-PATENT-CLASS-417-225 ..... c 35 N78-10428 *
US-PATENT-CLASS-417-328 ..... c 37 N84-28081 *
US-PATENT-CLASS-417-36 ..... c 35 N75-19611 *
US-PATENT-CLASS-417-379 ..... c 44 N76-29701 *
US-PATENT-CLASS-417-383 ..... c 37 N80-31790 *
US-PATENT-CLASS-417-391 ..... c 15 N73-24513 *
US-PATENT-CLASS-417-392 ..... c 37 N84-28081 *
US-PATENT-CLASS-417-395 ..... c 35 N75-19611 *
US-PATENT-CLASS-417-399 ..... c 44 N83-14693 *
US-PATENT-CLASS-417-417 ..... c 44 N83-28574 *
US-PATENT-CLASS-417-417 ..... c 31 N85-21404 *
US-PATENT-CLASS-417-462 ..... c 37 N84-28081 *
US-PATENT-CLASS-417-470 ..... c 35 N74-15126 *
US-PATENT-CLASS-417-471 ..... c 35 N74-15126 *
US-PATENT-CLASS-417-475 ..... c 37 N86-32738 *
US-PATENT-CLASS-417-488 ..... c 31 N85-21404 *
US-PATENT-CLASS-417-50 ..... c 15 N71-27084 *
US-PATENT-CLASS-417-52 ..... c 37 N74-27904 *
US-PATENT-CLASS-417-88 ..... c 44 N78-32539 *
US-PATENT-CLASS-418-113 ..... c 37 N82-16408 *
US-PATENT-CLASS-418-142 ..... c 37 N82-16408 *
US-PATENT-CLASS-42-1F ..... c 11 N72-22247 *
US-PATENT-CLASS-42-101 ..... c 44 N86-25874 *
US-PATENT-CLASS-42-215 ..... c 44 N76-29704 *
US-PATENT-CLASS-420-445 ..... c 26 N82-31505 *
US-PATENT-CLASS-420-460 ..... c 26 N87-14482 *
US-PATENT-CLASS-420-551 ..... c 26 N82-31505 *
US-PATENT-CLASS-420-588 ..... c 26 N82-31505 *
US-PATENT-CLASS-422-103 ..... c 35 N85-29213 *
US-PATENT-CLASS-422-109 ..... c 54 N81-24724 *
US-PATENT-CLASS-422-121 ..... c 35 N84-17555 *
US-PATENT-CLASS-422-129 ..... c 37 N85-21652 *
US-PATENT-CLASS-422-169 ..... c 35 N84-17555 *
US-PATENT-CLASS-422-178 ..... c 35 N84-17555 *
US-PATENT-CLASS-422-186 ..... c 25 N82-28368 *
US-PATENT-CLASS-422-186 ..... c 35 N84-17555 *
US-PATENT-CLASS-422-187 ..... c 37 N80-10494 *
US-PATENT-CLASS-422-198 ..... c 25 N82-28368 *
US-PATENT-CLASS-422-199 ..... c 37 N80-10494 *
US-PATENT-CLASS-422-199 ..... c 37 N85-21652 *
US-PATENT-CLASS-422-200 ..... c 44 N83-10501 *
US-PATENT-CLASS-422-202 ..... c 44 N83-10501 *
US-PATENT-CLASS-422-208 ..... c 37 N80-10494 *
US-PATENT-CLASS-422-224 ..... c 31 N80-18231 *
US-PATENT-CLASS-422-224 ..... c 44 N83-10501 *
US-PATENT-CLASS-422-235 ..... c 37 N80-10494 *
US-PATENT-CLASS-422-242 ..... c 37 N80-10494 *

US-PATENT-CLASS-422-246 ..... c 76 N80-32244 *
US-PATENT-CLASS-422-246 ..... c 33 N81-19389 *
US-PATENT-CLASS-422-246 ..... c 76 N82-30105 *
US-PATENT-CLASS-422-246 ..... c 76 N84-35113 *
US-PATENT-CLASS-422-246 ..... c 76 N88-24544 *
US-PATENT-CLASS-422-249 ..... c 33 N81-19389 *
US-PATENT-CLASS-422-249 ..... c 76 N84-35113 *
US-PATENT-CLASS-422-251 ..... c 76 N88-14835 *
US-PATENT-CLASS-422-260 ..... c 76 N88-14835 *
US-PATENT-CLASS-422-27 ..... c 54 N81-24724 *
US-PATENT-CLASS-422-30 ..... c 54 N81-24724 *
US-PATENT-CLASS-422-34 ..... c 54 N81-24724 *
US-PATENT-CLASS-422-3 ..... c 54 N81-24724 *
US-PATENT-CLASS-422-40 ..... c 35 N82-11432 *
US-PATENT-CLASS-422-41 ..... c 52 N79-14749 *
US-PATENT-CLASS-422-48 ..... c 52 N79-14749 *
US-PATENT-CLASS-422-52 ..... c 51 N80-16714 *
US-PATENT-CLASS-422-52 ..... c 51 N83-27569 *
US-PATENT-CLASS-422-68 ..... c 51 N80-27067 *
US-PATENT-CLASS-422-78 ..... c 25 N86-19413 *
US-PATENT-CLASS-422-80 ..... c 25 N82-12166 *
US-PATENT-CLASS-422-86 ..... c 35 N85-29213 *
US-PATENT-CLASS-422-88 ..... c 35 N85-29213 *
US-PATENT-CLASS-422-9 ..... c 45 N80-14579 *
US-PATENT-CLASS-423-DIG.10 . c 24 N84-22695 *
US-PATENT-CLASS-423-DIG.10 . c 31 N85-20153 *
US-PATENT-CLASS-423-131 ..... c 28 N81-15119 *
US-PATENT-CLASS-423-149 ..... c 26 N80-14229 *
US-PATENT-CLASS-423-1 ..... c 28 N81-15119 *
US-PATENT-CLASS-423-231 ..... c 25 N74-12813 *
US-PATENT-CLASS-423-235 ..... c 25 N82-28368 *
US-PATENT-CLASS-423-242 ..... c 45 N79-12584 *
US-PATENT-CLASS-423-249 ..... c 25 N76-27383 *
US-PATENT-CLASS-423-276 ..... c 23 N87-23698 *
US-PATENT-CLASS-423-284 ..... c 23 N87-23698 *
US-PATENT-CLASS-423-293 ..... c 26 N80-14229 *
US-PATENT-CLASS-423-303 ..... c 44 N84-23019 *
US-PATENT-CLASS-423-33-5 ..... c 25 N79-28253 *
US-PATENT-CLASS-423-338 ..... c 76 N87-29360 *
US-PATENT-CLASS-423-339 ..... c 76 N87-29360 *
US-PATENT-CLASS-423-345 ..... c 76 N76-25049 *
US-PATENT-CLASS-423-345 ..... c 76 N79-23798 *
US-PATENT-CLASS-423-346 ..... c 76 N76-25049 *
US-PATENT-CLASS-423-348 ..... c 26 N80-14229 *
US-PATENT-CLASS-423-350 ..... c 37 N80-10494 *
US-PATENT-CLASS-423-350 ..... c 31 N80-18231 *
US-PATENT-CLASS-423-352 ..... c 36 N76-18427 *
US-PATENT-CLASS-423-407 ..... c 24 N76-14203 *
US-PATENT-CLASS-423-414 ..... c 24 N84-22695 *
US-PATENT-CLASS-423-414 ..... c 31 N85-20153 *
US-PATENT-CLASS-423-417 ..... c 26 N80-14229 *
US-PATENT-CLASS-423-419P .... c 25 N83-33977 *
US-PATENT-CLASS-423-445 ..... c 24 N84-22695 *
US-PATENT-CLASS-423-445 ..... c 31 N85-20153 *
US-PATENT-CLASS-423-445 ..... c 24 N85-21267 *
US-PATENT-CLASS-423-446 ..... c 15 N73-19457 *
US-PATENT-CLASS-423-446 ..... c 24 N84-22695 *
US-PATENT-CLASS-423-446 ..... c 31 N85-20153 *
US-PATENT-CLASS-423-446 ..... c 24 N85-21267 *
US-PATENT-CLASS-423-447.2 .... c 24 N83-25789 *
US-PATENT-CLASS-423-447.6 .... c 24 N83-25789 *
US-PATENT-CLASS-423-447.7 .... c 24 N83-25789 *
US-PATENT-CLASS-423-449 ..... c 24 N84-22695 *
US-PATENT-CLASS-423-449 ..... c 31 N85-20153 *
US-PATENT-CLASS-423-449 ..... c 24 N85-21267 *
US-PATENT-CLASS-423-539 ..... c 25 N82-28368 *
US-PATENT-CLASS-423-540 ..... c 25 N82-28368 *
US-PATENT-CLASS-423-542 ..... c 25 N82-28368 *
US-PATENT-CLASS-423-579 ..... c 46 N74-13011 *
US-PATENT-CLASS-423-579 ..... c 25 N82-28368 *
US-PATENT-CLASS-423-581 ..... c 25 N79-10162 *
US-PATENT-CLASS-423-582 ..... c 26 N78-32229 *
US-PATENT-CLASS-423-583 ..... c 26 N78-32229 *
US-PATENT-CLASS-423-600 ..... c 25 N83-33977 *
US-PATENT-CLASS-423-625 ..... c 15 N73-19457 *
US-PATENT-CLASS-423-625 ..... c 26 N80-14229 *
US-PATENT-CLASS-423-644 ..... c 36 N76-18427 *
US-PATENT-CLASS-423-648R .... c 44 N77-22607 *
US-PATENT-CLASS-423-648R .... c 28 N78-24365 *
US-PATENT-CLASS-423-648R .... c 28 N80-20402 *
US-PATENT-CLASS-423-648R .... c 28 N81-14103 *
US-PATENT-CLASS-423-648R .... c 25 N82-28368 *
US-PATENT-CLASS-423-648R .... c 25 N83-29324 *
US-PATENT-CLASS-423-649 ..... c 25 N83-29324 *
US-PATENT-CLASS-423-650 ..... c 44 N76-18642 *
US-PATENT-CLASS-423-650 ..... c 44 N76-29700 *
US-PATENT-CLASS-423-650 ..... c 44 N76-29704 *
US-PATENT-CLASS-423-650 ..... c 44 N77-10636 *
US-PATENT-CLASS-423-650 ..... c 28 N80-10374 *
US-PATENT-CLASS-423-658.5 .... c 28 N81-15119 *
US-PATENT-CLASS-424-12 ..... c 25 N79-14169 *
US-PATENT-CLASS-424-12 ..... c 51 N80-16715 *
US-PATENT-CLASS-424-156 ..... c 25 N83-33977 *
US-PATENT-CLASS-424-180 ..... c 52 N75-15270 *
US-PATENT-CLASS-424-247 ..... c 52 N81-29764 *
US-PATENT-CLASS-424-267 ..... c 52 N81-29764 *
US-PATENT-CLASS-424-274 ..... c 52 N81-14613 *
US-PATENT-CLASS-424-274 ..... c 52 N81-29764 *
US-PATENT-CLASS-424-3 ..... c 51 N77-27677 *
US-PATENT-CLASS-425-DIG.43 . c 31 N75-13111 *
US-PATENT-CLASS-425-10 ..... c 31 N83-35176 *
US-PATENT-CLASS-425-113 ..... c 15 N73-13464 *
US-PATENT-CLASS-425-128 ..... c 31 N74-32920 *
US-PATENT-CLASS-425-133 ..... c 15 N73-13464 *
US-PATENT-CLASS-425-176 ..... c 15 N73-13464 *
US-PATENT-CLASS-425-28B ..... c 31 N74-32917 *
US-PATENT-CLASS-425-35 ..... c 31 N74-32917 *
US-PATENT-CLASS-425-378R .... c 31 N81-15154 *
US-PATENT-CLASS-425-4-R ..... c 27 N88-23894 *
US-PATENT-CLASS-425-405R .... c 31 N75-13111 *
US-PATENT-CLASS-425-415 ..... c 31 N74-32920 *
US-PATENT-CLASS-425-438 ..... c 31 N75-13111 *
US-PATENT-CLASS-425-468 ..... c 31 N75-13111 *
US-PATENT-CLASS-425-6 ..... c 31 N81-33319 *
US-PATENT-CLASS-425-6 ..... c 27 N82-28442 *
US-PATENT-CLASS-425-6 ..... c 31 N83-31896 *
US-PATENT-CLASS-425-6 ..... c 31 N83-35176 *
US-PATENT-CLASS-425-6 ..... c 71 N84-28568 *
US-PATENT-CLASS-425-6 ..... c 26 N86-32551 *
US-PATENT-CLASS-425-77 ..... c 15 N72-20446 *
US-PATENT-CLASS-425-7 ..... c 31 N83-35176 *
US-PATENT-CLASS-427-113 ..... c 44 N76-28635 *
US-PATENT-CLASS-427-113 ..... c 44 N78-24609 *
US-PATENT-CLASS-427-113 ..... c 44 N84-28205 *
US-PATENT-CLASS-427-115 ..... c 25 N82-21268 *
US-PATENT-CLASS-427-115 ..... c 26 N84-22734 *
US-PATENT-CLASS-427-115 ..... c 44 N84-28205 *
US-PATENT-CLASS-427-123 ..... c 44 N79-11472 *
US-PATENT-CLASS-427-124 ..... c 37 N78-13436 *
US-PATENT-CLASS-427-125 ..... c 26 N84-22734 *
US-PATENT-CLASS-427-125 ..... c 44 N84-28205 *
US-PATENT-CLASS-427-126.6 .... c 26 N84-22734 *
US-PATENT-CLASS-427-126 ..... c 37 N78-13436 *
US-PATENT-CLASS-427-126 ..... c 44 N79-11472 *
US-PATENT-CLASS-427-130 ..... c 44 N77-32583 *
US-PATENT-CLASS-427-140 ..... c 27 N82-33520 *
US-PATENT-CLASS-427-140 ..... c 24 N83-13172 *
US-PATENT-CLASS-427-160 ..... c 34 N77-18382 *
US-PATENT-CLASS-427-160 ..... c 44 N78-19599 *
US-PATENT-CLASS-427-162 ..... c 12 N76-15189 *
US-PATENT-CLASS-427-162 ..... c 27 N86-31727 *
US-PATENT-CLASS-427-164 ..... c 27 N78-14164 *
US-PATENT-CLASS-427-164 ..... c 27 N78-31233 *
US-PATENT-CLASS-427-164 ..... c 74 N78-32854 *
US-PATENT-CLASS-427-164 ..... c 27 N80-24437 *
US-PATENT-CLASS-427-164 ..... c 27 N86-31727 *
US-PATENT-CLASS-427-165 ..... c 27 N86-31727 *
US-PATENT-CLASS-427-178 ..... c 24 N85-30027 *
US-PATENT-CLASS-427-191 ..... c 26 N85-35267 *
US-PATENT-CLASS-427-191 ..... c 26 N86-32550 *
US-PATENT-CLASS-427-192 ..... c 26 N86-32550 *
US-PATENT-CLASS-427-196 ..... c 27 N76-15310 *
US-PATENT-CLASS-427-203 ..... c 27 N76-16229 *
US-PATENT-CLASS-427-204 ..... c 27 N76-16229 *
US-PATENT-CLASS-427-205 ..... c 27 N76-16229 *
US-PATENT-CLASS-427-205 ..... c 27 N82-28441 *
US-PATENT-CLASS-427-215 ..... c 27 N78-32260 *
US-PATENT-CLASS-427-215 ..... c 24 N83-33950 *
US-PATENT-CLASS-427-216 ..... c 33 N84-16456 *
US-PATENT-CLASS-427-217 ..... c 33 N84-16456 *
US-PATENT-CLASS-427-219.2 .... c 27 N83-31855 *
US-PATENT-CLASS-427-221 ..... c 27 N81-19296 *
US-PATENT-CLASS-427-226 ..... c 33 N84-16456 *
US-PATENT-CLASS-427-226 ..... c 44 N84-28205 *
US-PATENT-CLASS-427-228 ..... c 26 N85-35267 *
US-PATENT-CLASS-427-229 ..... c 25 N78-10225 *
US-PATENT-CLASS-427-229 ..... c 37 N87-21334 *
US-PATENT-CLASS-427-230 ..... c 37 N76-31524 *
US-PATENT-CLASS-427-240 ..... c 37 N81-33482 *
US-PATENT-CLASS-427-241 ..... c 24 N83-33950 *
US-PATENT-CLASS-427-243 ..... c 31 N83-35177 *
US-PATENT-CLASS-427-244 ..... c 25 N82-21268 *
US-PATENT-CLASS-427-245 ..... c 27 N80-23452 *
US-PATENT-CLASS-427-245 ..... c 31 N88-29052 *
US-PATENT-CLASS-427-246 ..... c 25 N82-21268 *
US-PATENT-CLASS-427-247 ..... c 31 N83-35177 *
US-PATENT-CLASS-427-248.1 .... c 27 N86-19458 *
US-PATENT-CLASS-427-248E ..... c 37 N78-13436 *
US-PATENT-CLASS-427-248J ..... c 44 N78-24609 *
US-PATENT-CLASS-427-248 ..... c 44 N76-28635 *
US-PATENT-CLASS-427-249 ..... c 44 N76-28635 *
US-PATENT-CLASS-427-249 ..... c 44 N78-24609 *
US-PATENT-CLASS-427-250 ..... c 12 N76-15189 *
US-PATENT-CLASS-427-250 ..... c 44 N76-28635 *
US-PATENT-CLASS-427-250 ..... c 37 N78-13436 *
US-PATENT-CLASS-427-253 ..... c 27 N82-28441 *
US-PATENT-CLASS-427-255 ..... c 37 N78-13436 *
US-PATENT-CLASS-427-261 ..... c 44 N78-25527 *
US-PATENT-CLASS-427-261 ..... c 44 N79-11472 *
US-PATENT-CLASS-427-270 ..... c 27 N76-16229 *
US-PATENT-CLASS-427-275 ..... c 27 N76-16229 *
US-PATENT-CLASS-427-287 ..... c 27 N76-16229 *
US-PATENT-CLASS-427-292 ..... c 24 N79-17916 *
US-PATENT-CLASS-427-292 ..... c 24 N83-13172 *
US-PATENT-CLASS-427-294 ..... c 27 N79-14214 *
US-PATENT-CLASS-427-294 ..... c 26 N85-35267 *
US-PATENT-CLASS-427-296 ..... c 26 N84-22734 *
US-PATENT-CLASS-427-302 ..... c 74 N78-32854 *
US-PATENT-CLASS-427-302 ..... c 24 N83-13172 *
US-PATENT-CLASS-427-306 ..... c 26 N84-22734 *
US-PATENT-CLASS-427-318 ..... c 26 N83-31795 *
US-PATENT-CLASS-427-322 ..... c 34 N77-18382 *
US-PATENT-CLASS-427-322 ..... c 74 N78-32854 *
US-PATENT-CLASS-427-322 ..... c 27 N83-34039 *
US-PATENT-CLASS-427-327 ..... c 24 N79-17916 *
US-PATENT-CLASS-427-328 ..... c 24 N79-17916 *
US-PATENT-CLASS-427-340 ..... c 27 N83-34039 *
US-PATENT-CLASS-427-343 ..... c 44 N79-11472 *
US-PATENT-CLASS-427-346 ..... c 71 N84-16940 *
US-PATENT-CLASS-427-34 ..... c 34 N78-18355 *
US-PATENT-CLASS-427-34 ..... c 24 N79-17916 *
US-PATENT-CLASS-427-34 ..... c 27 N82-29453 *
US-PATENT-CLASS-427-34 ..... c 27 N83-31855 *
US-PATENT-CLASS-427-34 ..... c 31 N83-35177 *
US-PATENT-CLASS-427-34 ..... c 37 N84-22957 *
US-PATENT-CLASS-427-34 ..... c 26 N84-27855 *
US-PATENT-CLASS-427-350 ..... c 24 N79-25142 *
US-PATENT-CLASS-427-352 ..... c 27 N83-34039 *
US-PATENT-CLASS-427-355 ..... c 24 N79-17916 *
US-PATENT-CLASS-427-372.2 .... c 27 N82-33520 *
US-PATENT-CLASS-427-372.2 .... c 44 N84-28205 *
US-PATENT-CLASS-427-372A .... c 24 N79-25142 *
US-PATENT-CLASS-427-376.2 .... c 26 N85-35267 *
US-PATENT-CLASS-427-376.6 .... c 33 N84-16456 *
US-PATENT-CLASS-427-376.7 .... c 33 N84-16456 *
US-PATENT-CLASS-427-376A .... c 27 N78-32260 *
US-PATENT-CLASS-427-376B .... c 27 N78-32260 *
US-PATENT-CLASS-427-376B .... c 24 N79-17916 *
US-PATENT-CLASS-427-376C .... c 24 N79-17916 *
US-PATENT-CLASS-427-376 ..... c 27 N76-22377 *
US-PATENT-CLASS-427-376 ..... c 27 N76-23426 *
US-PATENT-CLASS-427-379 ..... c 27 N76-22377 *
US-PATENT-CLASS-427-379 ..... c 27 N76-23426 *
US-PATENT-CLASS-427-379 ..... c 27 N78-32260 *
US-PATENT-CLASS-427-379 ..... c 27 N81-19296 *
US-PATENT-CLASS-427-379 ..... c 24 N83-13171 *
US-PATENT-CLASS-427-379 ..... c 24 N83-13172 *
US-PATENT-CLASS-427-379 ..... c 44 N84-28205 *
US-PATENT-CLASS-427-37 ..... c 24 N85-30027 *
US-PATENT-CLASS-427-380 ..... c 27 N76-22377 *
US-PATENT-CLASS-427-380 ..... c 27 N76-23426 *
US-PATENT-CLASS-427-380 ..... c 27 N78-32260 *
US-PATENT-CLASS-427-380 ..... c 44 N84-28205 *
US-PATENT-CLASS-427-380 ..... c 26 N85-35267 *
US-PATENT-CLASS-427-384 ..... c 24 N83-13171 *
US-PATENT-CLASS-427-384 ..... c 24 N83-13172 *
US-PATENT-CLASS-427-385.5 .... c 27 N81-14078 *
US-PATENT-CLASS-427-385.5 .... c 27 N86-20561 *
US-PATENT-CLASS-427-385B .... c 44 N78-25530 *
US-PATENT-CLASS-427-385C .... c 44 N78-25530 *
US-PATENT-CLASS-427-386 ..... c 24 N78-27180 *
US-PATENT-CLASS-427-387 ..... c 74 N78-32854 *
US-PATENT-CLASS-427-387 ..... c 24 N83-13171 *
US-PATENT-CLASS-427-387 ..... c 24 N83-13172 *
US-PATENT-CLASS-427-388.1 .... c 27 N86-20561 *
US-PATENT-CLASS-427-388A .... c 24 N78-27180 *
US-PATENT-CLASS-427-38 ..... c 74 N78-32854 *
US-PATENT-CLASS-427-38 ..... c 27 N80-24437 *
US-PATENT-CLASS-427-38 ..... c 26 N85-29005 *
US-PATENT-CLASS-427-38 ..... c 27 N86-19458 *
US-PATENT-CLASS-427-38 ..... c 26 N88-14179 *
US-PATENT-CLASS-427-393.3 .... c 27 N82-16238 *
US-PATENT-CLASS-427-397.7 .... c 27 N82-33520 *
US-PATENT-CLASS-427-397.7 .... c 26 N85-35267 *
US-PATENT-CLASS-427-398A .... c 44 N79-11472 *
US-PATENT-CLASS-427-399 ..... c 44 N79-11472 *
US-PATENT-CLASS-427-399 ..... c 36 N84-22944 *
US-PATENT-CLASS-427-39 ..... c 24 N85-21267 *
US-PATENT-CLASS-427-39 ..... c 31 N86-32587 *
US-PATENT-CLASS-427-400 ..... c 27 N83-34039 *
US-PATENT-CLASS-427-402 ..... c 27 N76-22377 *
US-PATENT-CLASS-427-402 ..... c 27 N76-23426 *
US-PATENT-CLASS-427-405 ..... c 34 N78-18355 *
US-PATENT-CLASS-427-405 ..... c 27 N82-28441 *
US-PATENT-CLASS-427-405 ..... c 27 N83-31855 *
US-PATENT-CLASS-427-405 ..... c 26 N84-27855 *
US-PATENT-CLASS-427-407.1 .... c 27 N83-34039 *
US-PATENT-CLASS-427-40 ..... c 27 N78-31233 *
US-PATENT-CLASS-427-40 ..... c 27 N79-18052 *
US-PATENT-CLASS-427-40 ..... c 27 N80-24437 *
US-PATENT-CLASS-427-419.2 .... c 26 N83-31795 *
US-PATENT-CLASS-427-419.2 .... c 26 N84-27855 *
US-PATENT-CLASS-427-419A .... c 34 N78-18355 *
US-PATENT-CLASS-427-41 ..... c 27 N78-31233 *
US-PATENT-CLASS-427-41 ..... c 74 N78-32854 *
US-PATENT-CLASS-427-41 ..... c 27 N79-14214 *
US-PATENT-CLASS-427-41 ..... c 27 N79-18052 *
US-PATENT-CLASS-427-41 ..... c 27 N80-23452 *

US-PATENT-CLASS-427-421 ..... c 71 N84-16940 *
US-PATENT-CLASS-427-421 ..... c 26 N86-32550 *
US-PATENT-CLASS-427-422 ..... c 24 N85-30027 *
US-PATENT-CLASS-427-423 ..... c 34 N78-18355 *
US-PATENT-CLASS-427-423 ..... c 27 N82-29453 *
US-PATENT-CLASS-427-423 ..... c 27 N83-31855 *
US-PATENT-CLASS-427-423 ..... c 31 N83-35177 *
US-PATENT-CLASS-427-423 ..... c 37 N84-22957 *
US-PATENT-CLASS-427-425 ..... c 37 N82-24492 *
US-PATENT-CLASS-427-426 ..... c 27 N76-15310 *
US-PATENT-CLASS-427-426 ..... c 71 N84-16940 *
US-PATENT-CLASS-427-427 ..... c 24 N78-24290 *
US-PATENT-CLASS-427-427 ..... c 26 N86-32550 *
US-PATENT-CLASS-427-429 ..... c 27 N81-14078 *
US-PATENT-CLASS-427-436 ..... c 33 N84-16456 *
US-PATENT-CLASS-427-437 ..... c 33 N84-16456 *
US-PATENT-CLASS-427-443.2 .... c 25 N84-12262 *
US-PATENT-CLASS-427-443 ..... c 44 N84-28205 *
US-PATENT-CLASS-427-44 ..... c 74 N78-32854 *
US-PATENT-CLASS-427-44 ..... c 27 N80-32516 *
US-PATENT-CLASS-427-47 ..... c 44 N77-32583 *
US-PATENT-CLASS-427-47 ..... c 26 N85-29005 *
US-PATENT-CLASS-427-4 ..... c 51 N77-27677 *
US-PATENT-CLASS-427-53.1 ..... c 36 N84-22944 *
US-PATENT-CLASS-427-53.1 ..... c 37 N84-22957 *
US-PATENT-CLASS-427-531 ..... c 44 N82-28780 *
US-PATENT-CLASS-427-57 ..... c 71 N84-16940 *
US-PATENT-CLASS-427-58 ..... c 33 N84-16456 *
US-PATENT-CLASS-427-6 ..... c 71 N84-16940 *
US-PATENT-CLASS-427-74 ..... c 44 N82-28780 *
US-PATENT-CLASS-427-75 ..... c 44 N78-25527 *
US-PATENT-CLASS-427-75 ..... c 44 N79-11468 *
US-PATENT-CLASS-427-75 ..... c 44 N79-11472 *
US-PATENT-CLASS-427-75 ..... c 33 N84-16456 *
US-PATENT-CLASS-427-84 ..... c 44 N79-11472 *
US-PATENT-CLASS-427-85 ..... c 44 N85-20530 *
US-PATENT-CLASS-427-86 ..... c 44 N76-28635 *
US-PATENT-CLASS-427-86 ..... c 44 N78-24609 *
US-PATENT-CLASS-427-88 ..... c 44 N79-31752 *
US-PATENT-CLASS-427-88 ..... c 44 N83-13579 *
US-PATENT-CLASS-427-88 ..... c 33 N84-16456 *
US-PATENT-CLASS-427-89 ..... c 44 N83-13579 *
US-PATENT-CLASS-427-90 ..... c 44 N83-13579 *
US-PATENT-CLASS-427-91 ..... c 44 N83-13579 *
US-PATENT-CLASS-427-95 ..... c 25 N79-28253 *
US-PATENT-CLASS-427-96 ..... c 33 N84-16456 *
US-PATENT-CLASS-428-109 ..... c 27 N76-14264 *
US-PATENT-CLASS-428-109 ..... c 33 N79-12331 *
US-PATENT-CLASS-428-113 ..... c 24 N81-14000 *
US-PATENT-CLASS-428-114 ..... c 24 N81-13999 *
US-PATENT-CLASS-428-114 ..... c 24 N81-14000 *
US-PATENT-CLASS-428-116 ..... c 24 N78-10214 *
US-PATENT-CLASS-428-116 ..... c 24 N78-17149 *
US-PATENT-CLASS-428-116 ..... c 24 N86-28131 *
US-PATENT-CLASS-428-117 ..... c 37 N76-24575 *
US-PATENT-CLASS-428-117 ..... c 24 N78-15180 *
US-PATENT-CLASS-428-117 ..... c 24 N79-16915 *
US-PATENT-CLASS-428-119 ..... c 24 N79-16915 *
US-PATENT-CLASS-428-133 ..... c 37 N79-10422 *
US-PATENT-CLASS-428-137 ..... c 24 N79-25142 *
US-PATENT-CLASS-428-138 ..... c 24 N78-10214 *
US-PATENT-CLASS-428-139 ..... c 23 N81-29160 *
US-PATENT-CLASS-428-140 ..... c 24 N81-14000 *
US-PATENT-CLASS-428-141 ..... c 24 N77-28225 *
US-PATENT-CLASS-428-141 ..... c 27 N82-28440 *
US-PATENT-CLASS-428-141 ..... c 27 N82-33521 *
US-PATENT-CLASS-428-155 ..... c 37 N84-22957 *
US-PATENT-CLASS-428-161 ..... c 24 N77-28225 *
US-PATENT-CLASS-428-182 ..... c 18 N84-33450 *
US-PATENT-CLASS-428-184 ..... c 18 N84-33450 *
US-PATENT-CLASS-428-189 ..... c 27 N79-12221 *
US-PATENT-CLASS-428-192 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-193 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-202 ..... c 27 N84-14323 *
US-PATENT-CLASS-428-212 ..... c 27 N76-14264 *
US-PATENT-CLASS-428-212 ..... c 27 N79-12221 *
US-PATENT-CLASS-428-212 ..... c 27 N82-29456 *
US-PATENT-CLASS-428-214 ..... c 27 N76-14264 *
US-PATENT-CLASS-428-218 ..... c 27 N82-29456 *
US-PATENT-CLASS-428-218 ..... c 24 N83-13171 *
US-PATENT-CLASS-428-220 ..... c 15 N79-26100 *
US-PATENT-CLASS-428-241 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-241 ..... c 27 N83-18908 *
US-PATENT-CLASS-428-242 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-244 ..... c 27 N83-18908 *
US-PATENT-CLASS-428-245 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-245 ..... c 27 N83-18908 *
US-PATENT-CLASS-428-246 ..... c 27 N84-14322 *
US-PATENT-CLASS-428-246 ..... c 03 N84-33394 *
US-PATENT-CLASS-428-247 ..... c 33 N79-12331 *
US-PATENT-CLASS-428-247 ..... c 33 N82-26571 *
US-PATENT-CLASS-428-251 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-257 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-258 ..... c 33 N79-12331 *
US-PATENT-CLASS-428-259 ..... c 33 N79-12331 *
US-PATENT-CLASS-428-260 ..... c 27 N81-27272 *
US-PATENT-CLASS-428-260 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-260 ..... c 27 N83-18908 *
US-PATENT-CLASS-428-260 ..... c 27 N84-14322 *
US-PATENT-CLASS-428-260 ..... c 27 N85-34281 *
US-PATENT-CLASS-428-262 ..... c 27 N87-14516 *
US-PATENT-CLASS-428-263 ..... c 27 N82-16238 *
US-PATENT-CLASS-428-264 ..... c 27 N82-16238 *
US-PATENT-CLASS-428-265 ..... c 27 N82-16238 *
US-PATENT-CLASS-428-266 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-267 ..... c 27 N82-16238 *
US-PATENT-CLASS-428-272 ..... c 27 N82-16238 *
US-PATENT-CLASS-428-280 ..... c 27 N79-12221 *
US-PATENT-CLASS-428-280 ..... c 03 N84-33394 *
US-PATENT-CLASS-428-282 ..... c 24 N79-25142 *
US-PATENT-CLASS-428-283 ..... c 24 N82-29362 *
US-PATENT-CLASS-428-283 ..... c 27 N82-29456 *
US-PATENT-CLASS-428-284 ..... c 24 N82-29362 *
US-PATENT-CLASS-428-285 ..... c 27 N79-12221 *
US-PATENT-CLASS-428-286 ..... c 27 N79-12221 *
US-PATENT-CLASS-428-286 ..... c 24 N82-29362 *
US-PATENT-CLASS-428-287 ..... c 24 N82-29362 *
US-PATENT-CLASS-428-287 ..... c 03 N84-33394 *
US-PATENT-CLASS-428-288 ..... c 24 N82-29362 *
US-PATENT-CLASS-428-289 ..... c 27 N82-29456 *
US-PATENT-CLASS-428-290 ..... c 24 N78-15180 *
US-PATENT-CLASS-428-290 ..... c 24 N79-25142 *
US-PATENT-CLASS-428-290 ..... c 27 N87-28657 *
US-PATENT-CLASS-428-294 ..... c 24 N78-17150 *
US-PATENT-CLASS-428-294 ..... c 76 N83-34796 *
US-PATENT-CLASS-428-301 ..... c 24 N77-27188 *
US-PATENT-CLASS-428-302 ..... c 24 N78-17150 *
US-PATENT-CLASS-428-303 ..... c 27 N76-15310 *
US-PATENT-CLASS-428-304.4 .... c 03 N84-33394 *
US-PATENT-CLASS-428-307.7 .... c 27 N82-29456 *
US-PATENT-CLASS-428-311.5 .... c 27 N82-29456 *
US-PATENT-CLASS-428-312.6 .... c 27 N82-29456 *
US-PATENT-CLASS-428-312.6 .... c 44 N83-34448 *
US-PATENT-CLASS-428-312 ..... c 27 N78-32260 *
US-PATENT-CLASS-428-313 ..... c 24 N78-27180 *
US-PATENT-CLASS-428-317.9 .... c 27 N82-29456 *
US-PATENT-CLASS-428-319.1 .... c 03 N84-33394 *
US-PATENT-CLASS-428-325 ..... c 27 N78-32260 *
US-PATENT-CLASS-428-325 ..... c 27 N82-29456 *
US-PATENT-CLASS-428-325 ..... c 44 N83-34448 *
US-PATENT-CLASS-428-328 ..... c 24 N77-27188 *
US-PATENT-CLASS-428-331 ..... c 27 N78-32260 *
US-PATENT-CLASS-428-331 ..... c 27 N83-18908 *
US-PATENT-CLASS-428-332 ..... c 27 N76-22377 *
US-PATENT-CLASS-428-332 ..... c 27 N76-23426 *
US-PATENT-CLASS-428-332 ..... c 24 N78-27180 *
US-PATENT-CLASS-428-332 ..... c 27 N79-12221 *
US-PATENT-CLASS-428-332 ..... c 24 N79-25142 *
US-PATENT-CLASS-428-332 ..... c 27 N82-24340 *
US-PATENT-CLASS-428-334 ..... c 74 N78-15879 *
US-PATENT-CLASS-428-336 ..... c 74 N78-15879 *
US-PATENT-CLASS-428-336 ..... c 27 N86-31727 *
US-PATENT-CLASS-428-339 ..... c 27 N82-24340 *
US-PATENT-CLASS-428-341 ..... c 27 N78-32260 *
US-PATENT-CLASS-428-347 ..... c 27 N84-14323 *
US-PATENT-CLASS-428-35 ..... c 34 N77-18382 *
US-PATENT-CLASS-428-366 ..... c 24 N79-24062 *
US-PATENT-CLASS-428-367 ..... c 27 N81-27272 *
US-PATENT-CLASS-428-367 ..... c 24 N83-33950 *
US-PATENT-CLASS-428-367 ..... c 27 N84-14322 *
US-PATENT-CLASS-428-367 ..... c 27 N87-28656 *
US-PATENT-CLASS-428-368 ..... c 24 N77-27188 *
US-PATENT-CLASS-428-368 ..... c 27 N83-18908 *
US-PATENT-CLASS-428-370 ..... c 27 N84-22745 *
US-PATENT-CLASS-428-375 ..... c 24 N79-16915 *
US-PATENT-CLASS-428-375 ..... c 24 N83-33950 *
US-PATENT-CLASS-428-392 ..... c 24 N83-33950 *
US-PATENT-CLASS-428-406 ..... c 27 N78-32260 *
US-PATENT-CLASS-428-408 ..... c 27 N81-27272 *
US-PATENT-CLASS-428-408 ..... c 27 N84-14322 *
US-PATENT-CLASS-428-408 ..... c 27 N84-22745 *
US-PATENT-CLASS-428-408 ..... c 27 N85-34281 *
US-PATENT-CLASS-428-408 ..... c 24 N86-28131 *
US-PATENT-CLASS-428-40 ..... c 27 N84-14323 *
US-PATENT-CLASS-428-410 ..... c 23 N86-19376 *
US-PATENT-CLASS-428-411 ..... c 27 N78-14164 *
US-PATENT-CLASS-428-411 ..... c 27 N78-31233 *
US-PATENT-CLASS-428-411 ..... c 27 N79-14214 *
US-PATENT-CLASS-428-412 ..... c 27 N76-16230 *
US-PATENT-CLASS-428-412 ..... c 27 N78-31233 *
US-PATENT-CLASS-428-412 ..... c 74 N78-32854 *
US-PATENT-CLASS-428-412 ..... c 27 N79-18052 *
US-PATENT-CLASS-428-413 ..... c 27 N76-16230 *
US-PATENT-CLASS-428-413 ..... c 15 N79-26100 *
US-PATENT-CLASS-428-413 ..... c 24 N81-14000 *
US-PATENT-CLASS-428-413 ..... c 27 N85-34281 *
US-PATENT-CLASS-428-413 ..... c 27 N87-25469 *
US-PATENT-CLASS-428-414 ..... c 15 N79-26100 *
US-PATENT-CLASS-428-416 ..... c 27 N76-14264 *
US-PATENT-CLASS-428-417 ..... c 27 N87-25469 *
US-PATENT-CLASS-428-418 ..... c 24 N77-27188 *
US-PATENT-CLASS-428-418 ..... c 15 N79-26100 *
US-PATENT-CLASS-428-421 ..... c 34 N77-18382 *
US-PATENT-CLASS-428-421 ..... c 15 N79-26100 *
US-PATENT-CLASS-428-421 ..... c 27 N80-24437 *
US-PATENT-CLASS-428-421 ..... c 76 N83-34796 *
US-PATENT-CLASS-428-421 ..... c 27 N87-16909 *
US-PATENT-CLASS-428-421 ..... c 27 N87-23736 *
US-PATENT-CLASS-428-422 ..... c 27 N78-31233 *
US-PATENT-CLASS-428-422 ..... c 76 N83-34796 *
US-PATENT-CLASS-428-422 ..... c 27 N87-23736 *
US-PATENT-CLASS-428-423.5 .... c 03 N84-33394 *
US-PATENT-CLASS-428-425 ..... c 24 N77-28225 *
US-PATENT-CLASS-428-426 ..... c 74 N78-15879 *
US-PATENT-CLASS-428-427 ..... c 27 N78-32260 *
US-PATENT-CLASS-428-427 ..... c 44 N83-34448 *
US-PATENT-CLASS-428-428 ..... c 27 N76-22377 *
US-PATENT-CLASS-428-428 ..... c 27 N76-23426 *
US-PATENT-CLASS-428-428 ..... c 74 N78-15879 *
US-PATENT-CLASS-428-428 ..... c 27 N78-32260 *
US-PATENT-CLASS-428-428 ..... c 44 N83-34448 *
US-PATENT-CLASS-428-432 ..... c 27 N84-33589 *
US-PATENT-CLASS-428-432 ..... c 76 N85-33826 *
US-PATENT-CLASS-428-446 ..... c 27 N78-32260 *
US-PATENT-CLASS-428-446 ..... c 27 N82-29456 *
US-PATENT-CLASS-428-446 ..... c 27 N86-19458 *
US-PATENT-CLASS-428-447 ..... c 27 N76-14264 *
US-PATENT-CLASS-428-447 ..... c 27 N76-16230 *
US-PATENT-CLASS-428-447 ..... c 27 N78-31233 *
US-PATENT-CLASS-428-447 ..... c 74 N78-32854 *
US-PATENT-CLASS-428-447 ..... c 27 N79-12221 *
US-PATENT-CLASS-428-447 ..... c 27 N79-18052 *
US-PATENT-CLASS-428-447 ..... c 24 N79-25142 *
US-PATENT-CLASS-428-447 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-447 ..... c 27 N87-14516 *
US-PATENT-CLASS-428-447 ..... c 27 N87-23736 *
US-PATENT-CLASS-428-448 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-44 ..... c 24 N88-18628 *
US-PATENT-CLASS-428-450 ..... c 27 N76-16229 *
US-PATENT-CLASS-428-450 ..... c 27 N76-22377 *
US-PATENT-CLASS-428-450 ..... c 27 N76-23426 *
US-PATENT-CLASS-428-450 ..... c 27 N79-12221 *
US-PATENT-CLASS-428-450 ..... c 26 N83-31795 *
US-PATENT-CLASS-428-451 ..... c 27 N79-18052 *
US-PATENT-CLASS-428-457 ..... c 27 N76-16229 *
US-PATENT-CLASS-428-457 ..... c 24 N77-27188 *
US-PATENT-CLASS-428-457 ..... c 24 N77-28225 *
US-PATENT-CLASS-428-457 ..... c 26 N82-30371 *
US-PATENT-CLASS-428-458 ..... c 24 N77-28225 *
US-PATENT-CLASS-428-458 ..... c 24 N79-16915 *
US-PATENT-CLASS-428-458 ..... c 27 N86-20561 *
US-PATENT-CLASS-428-461 ..... c 34 N77-18382 *
US-PATENT-CLASS-428-462 ..... c 27 N82-24340 *
US-PATENT-CLASS-428-466 ..... c 27 N82-24340 *
US-PATENT-CLASS-428-469 ..... c 27 N76-16229 *
US-PATENT-CLASS-428-469 ..... c 26 N83-31795 *
US-PATENT-CLASS-428-471 ..... c 26 N81-25188 *
US-PATENT-CLASS-428-472 ..... c 26 N82-30371 *
US-PATENT-CLASS-428-473.5 .... c 27 N81-14078 *
US-PATENT-CLASS-428-473.5 .... c 27 N81-29229 *
US-PATENT-CLASS-428-473.5 .... c 27 N84-14322 *
US-PATENT-CLASS-428-473.5 .... c 27 N86-19458 *
US-PATENT-CLASS-428-473.5 .... c 27 N86-20561 *
US-PATENT-CLASS-428-473.5 .... c 24 N86-25416 *
US-PATENT-CLASS-428-473.5 .... c 27 N86-31726 * #
US-PATENT-CLASS-428-473.5 .... c 27 N86-31727 *
US-PATENT-CLASS-428-473.5 .... c 27 N87-16909 *
US-PATENT-CLASS-428-473.5 .... c 27 N87-23736 *
US-PATENT-CLASS-428-474 ..... c 34 N77-18382 *
US-PATENT-CLASS-428-474.4 .... c 24 N86-25416 *
US-PATENT-CLASS-428-474 ..... c 27 N79-33316 *
US-PATENT-CLASS-428-474 ..... c 27 N80-24437 *
US-PATENT-CLASS-428-477.7 .... c 24 N86-25416 *
US-PATENT-CLASS-428-480 ..... c 24 N81-14000 *
US-PATENT-CLASS-428-493 ..... c 27 N82-24340 *
US-PATENT-CLASS-428-49 ..... c 27 N82-24339 *
US-PATENT-CLASS-428-49 ..... c 27 N82-29456 *
US-PATENT-CLASS-428-500 ..... c 27 N80-32516 *
US-PATENT-CLASS-428-500 ..... c 27 N87-16909 *
US-PATENT-CLASS-428-515 ..... c 27 N78-31233 *
US-PATENT-CLASS-428-522 ..... c 27 N78-14164 *
US-PATENT-CLASS-428-523 ..... c 27 N78-31233 *
US-PATENT-CLASS-428-528 ..... c 24 N81-13999 *
US-PATENT-CLASS-428-538 ..... c 27 N76-22377 *
US-PATENT-CLASS-428-538 ..... c 27 N76-23426 *
US-PATENT-CLASS-428-538 ..... c 27 N78-31233 *
US-PATENT-CLASS-428-539 ..... c 27 N76-16229 *
US-PATENT-CLASS-428-541 ..... c 24 N81-13999 *
US-PATENT-CLASS-428-564 ..... c 26 N84-33555 *
US-PATENT-CLASS-428-593 ..... c 24 N82-24296 *
US-PATENT-CLASS-428-593 ..... c 24 N84-11214 *
US-PATENT-CLASS-428-594 ..... c 24 N82-24296 *
US-PATENT-CLASS-428-594 ..... c 24 N82-32417 *
US-PATENT-CLASS-428-595 ..... c 18 N84-33450 *
US-PATENT-CLASS-428-604 ..... c 24 N82-24296 *
US-PATENT-CLASS-428-604 ..... c 24 N82-32417 *
US-PATENT-CLASS-428-607 ..... c 24 N82-32417 *
US-PATENT-CLASS-428-607 ..... c 26 N87-25455 *

US-PATENT-CLASS-428-608 ..... c 24 N82-32417 *
US-PATENT-CLASS-428-623 ..... c 27 N83-31855 *
US-PATENT-CLASS-428-629 ..... c 44 N80-16452 *
US-PATENT-CLASS-428-632 ..... c 26 N81-25188 *
US-PATENT-CLASS-428-632 ..... c 26 N84-27855 *
US-PATENT-CLASS-428-632 ..... c 26 N87-25455 *
US-PATENT-CLASS-428-633 ..... c 34 N78-18355 *
US-PATENT-CLASS-428-633 ..... c 27 N83-31855 *
US-PATENT-CLASS-428-633 ..... c 24 N85-21266 *
US-PATENT-CLASS-428-633 ..... c 24 N85-35233 *
US-PATENT-CLASS-428-639 ..... c 26 N84-33555 *
US-PATENT-CLASS-428-63 ..... c 24 N83-13172 *
US-PATENT-CLASS-428-641 ..... c 26 N83-31795 *
US-PATENT-CLASS-428-650 ..... c 44 N80-16452 *
US-PATENT-CLASS-428-650 ..... c 26 N83-31795 *
US-PATENT-CLASS-428-651 ..... c 26 N87-25455 *
US-PATENT-CLASS-428-652 ..... c 34 N78-18355 *
US-PATENT-CLASS-428-652 ..... c 44 N78-19599 *
US-PATENT-CLASS-428-656 ..... c 24 N85-21266 *
US-PATENT-CLASS-428-656 ..... c 24 N85-35233 *
US-PATENT-CLASS-428-658 ..... c 44 N80-16452 *
US-PATENT-CLASS-428-660 ..... c 26 N87-25455 *
US-PATENT-CLASS-428-667 ..... c 34 N78-18355 *
US-PATENT-CLASS-428-667 ..... c 44 N78-19599 *
US-PATENT-CLASS-428-675 ..... c 44 N80-16452 *
US-PATENT-CLASS-428-678 ..... c 26 N81-25188 *
US-PATENT-CLASS-428-678 ..... c 27 N83-31855 *
US-PATENT-CLASS-428-678 ..... c 26 N84-33555 *
US-PATENT-CLASS-428-678 ..... c 24 N85-21266 *
US-PATENT-CLASS-428-678 ..... c 24 N85-35233 *
US-PATENT-CLASS-428-679 ..... c 44 N78-19599 *
US-PATENT-CLASS-428-679 ..... c 26 N81-25188 *
US-PATENT-CLASS-428-679 ..... c 24 N85-21266 *
US-PATENT-CLASS-428-679 ..... c 24 N85-35233 *
US-PATENT-CLASS-428-680 ..... c 44 N80-16452 *
US-PATENT-CLASS-428-680 ..... c 26 N81-25188 *
US-PATENT-CLASS-428-680 ..... c 26 N83-31795 *
US-PATENT-CLASS-428-680 ..... c 24 N85-21266 *
US-PATENT-CLASS-428-680 ..... c 24 N85-35233 *
US-PATENT-CLASS-428-681 ..... c 24 N85-21266 *
US-PATENT-CLASS-428-681 ..... c 24 N85-35233 *
US-PATENT-CLASS-428-682 ..... c 24 N85-21266 *
US-PATENT-CLASS-428-682 ..... c 24 N85-35233 *
US-PATENT-CLASS-428-683 ..... c 24 N85-21266 *
US-PATENT-CLASS-428-684 ..... c 24 N85-21266 *
US-PATENT-CLASS-428-698 ..... c 76 N85-33826 *
US-PATENT-CLASS-428-698 ..... c 26 N85-35267 *
US-PATENT-CLASS-428-702 ..... c 27 N86-19458 *
US-PATENT-CLASS-428-702 ..... c 27 N87-23736 *
US-PATENT-CLASS-428-704 ..... c 26 N85-35267 *
US-PATENT-CLASS-428-704 ..... c 27 N87-16909 *
US-PATENT-CLASS-428-71 ..... c 24 N78-15180 *
US-PATENT-CLASS-428-71 ..... c 03 N84-33394 *
US-PATENT-CLASS-428-73 ..... c 24 N78-10214 *
US-PATENT-CLASS-428-73 ..... c 24 N78-15180 *
US-PATENT-CLASS-428-73 ..... c 24 N79-16915 *
US-PATENT-CLASS-428-74 ..... c 24 N88-18628 *
US-PATENT-CLASS-428-76 ..... c 03 N84-33394 *
US-PATENT-CLASS-428-76 ..... c 24 N88-18628 *
US-PATENT-CLASS-428-77 ..... c 27 N76-14264 *
US-PATENT-CLASS-428-77 ..... c 27 N79-12221 *
US-PATENT-CLASS-428-78 ..... c 27 N84-14323 *
US-PATENT-CLASS-428-902 ..... c 24 N77-27188 *
US-PATENT-CLASS-428-902 ..... c 24 N78-10214 *
US-PATENT-CLASS-428-902 ..... c 24 N78-17149 *
US-PATENT-CLASS-428-902 ..... c 24 N81-14000 *
US-PATENT-CLASS-428-902 ..... c 31 N81-25258 *
US-PATENT-CLASS-428-902 ..... c 27 N81-27272 *
US-PATENT-CLASS-428-902 ..... c 27 N83-18908 *
US-PATENT-CLASS-428-902 ..... c 24 N83-33950 *
US-PATENT-CLASS-428-902 ..... c 27 N84-14322 *
US-PATENT-CLASS-428-902 ..... c 27 N84-22745 *
US-PATENT-CLASS-428-903 ..... c 24 N83-33950 *
US-PATENT-CLASS-428-911 ..... c 27 N76-16230 *
US-PATENT-CLASS-428-911 ..... c 24 N77-27188 *
US-PATENT-CLASS-428-913 ..... c 34 N78-25350 *
US-PATENT-CLASS-428-913 ..... c 27 N83-18908 *
US-PATENT-CLASS-428-913 ..... c 76 N85-33826 *
US-PATENT-CLASS-428-920 ..... c 27 N76-16230 *
US-PATENT-CLASS-428-920 ..... c 27 N76-22377 *
US-PATENT-CLASS-428-920 ..... c 27 N76-23426 *
US-PATENT-CLASS-428-920 ..... c 24 N78-15180 *
US-PATENT-CLASS-428-920 ..... c 27 N78-32260 *
US-PATENT-CLASS-428-920 ..... c 27 N79-12221 *
US-PATENT-CLASS-428-920 ..... c 24 N79-25142 *
US-PATENT-CLASS-428-920 ..... c 15 N79-26100 *
US-PATENT-CLASS-428-920 ..... c 27 N81-27272 *
US-PATENT-CLASS-428-920 ..... c 27 N83-18908 *
US-PATENT-CLASS-428-920 ..... c 27 N84-14322 *
US-PATENT-CLASS-428-920 ..... c 27 N84-22745 *
US-PATENT-CLASS-428-920 ..... c 24 N88-18628 *
US-PATENT-CLASS-428-921 ..... c 27 N76-16230 *
US-PATENT-CLASS-428-921 ..... c 24 N78-27180 *
US-PATENT-CLASS-428-921 ..... c 24 N81-13999 *
US-PATENT-CLASS-428-921 ..... c 03 N84-33394 *
US-PATENT-CLASS-428-921 ..... c 24 N86-28131 *
US-PATENT-CLASS-428-922 ..... c 27 N78-14164 *
US-PATENT-CLASS-428-938 ..... c 27 N82-28441 *
US-PATENT-CLASS-428-93 ..... c 34 N78-25350 *
US-PATENT-CLASS-428-941 ..... c 27 N82-28441 *
US-PATENT-CLASS-428-94 ..... c 34 N78-25350 *
US-PATENT-CLASS-428-95 ..... c 34 N78-25350 *
US-PATENT-CLASS-428-96 ..... c 34 N78-25350 *
US-PATENT-CLASS-428-97 ..... c 34 N78-25350 *
US-PATENT-CLASS-429-101 ..... c 44 N79-17313 *
US-PATENT-CLASS-429-101 ..... c 44 N79-26474 *
US-PATENT-CLASS-429-101 ..... c 33 N80-20487 *
US-PATENT-CLASS-429-105 ..... c 44 N77-22606 *
US-PATENT-CLASS-429-105 ..... c 33 N80-20487 *
US-PATENT-CLASS-429-105 ..... c 44 N83-27344 *
US-PATENT-CLASS-429-107 ..... c 44 N77-22606 *
US-PATENT-CLASS-429-107 ..... c 33 N80-20487 *
US-PATENT-CLASS-429-107 ..... c 44 N83-27344 *
US-PATENT-CLASS-429-109 ..... c 33 N80-20487 *
US-PATENT-CLASS-429-109 ..... c 44 N83-27344 *
US-PATENT-CLASS-429-109 ..... c 44 N86-19721 *
US-PATENT-CLASS-429-111 ..... c 25 N84-12262 *
US-PATENT-CLASS-429-111 ..... c 44 N84-23019 *
US-PATENT-CLASS-429-120 ..... c 44 N81-24521 *
US-PATENT-CLASS-429-139 ..... c 27 N80-32516 *
US-PATENT-CLASS-429-139 ..... c 27 N81-24257 *
US-PATENT-CLASS-429-13 ..... c 44 N79-10513 *
US-PATENT-CLASS-429-144 ..... c 44 N82-29708 *
US-PATENT-CLASS-429-144 ..... c 44 N83-32176 *
US-PATENT-CLASS-429-15 ..... c 44 N79-26474 *
US-PATENT-CLASS-429-15 ..... c 44 N86-19721 *
US-PATENT-CLASS-429-160 ..... c 44 N81-24521 *
US-PATENT-CLASS-429-164 ..... c 44 N81-24521 *
US-PATENT-CLASS-429-190 ..... c 44 N77-22606 *
US-PATENT-CLASS-429-193 ..... c 44 N82-29710 *
US-PATENT-CLASS-429-19 ..... c 44 N86-19721 *
US-PATENT-CLASS-429-206 ..... c 25 N83-13188 *
US-PATENT-CLASS-429-206 ..... c 33 N84-14422 *
US-PATENT-CLASS-429-206 ..... c 33 N85-29144 *
US-PATENT-CLASS-429-223 ..... c 26 N84-22734 *
US-PATENT-CLASS-429-229 ..... c 33 N84-14422 *
US-PATENT-CLASS-429-234 ..... c 26 N84-22734 *
US-PATENT-CLASS-429-23 ..... c 44 N77-14581 *
US-PATENT-CLASS-429-249 ..... c 27 N81-24257 *
US-PATENT-CLASS-429-249 ..... c 23 N81-29160 *
US-PATENT-CLASS-429-249 ..... c 33 N85-29144 *
US-PATENT-CLASS-429-251 ..... c 44 N82-29708 *
US-PATENT-CLASS-429-251 ..... c 44 N83-32176 *
US-PATENT-CLASS-429-253 ..... c 44 N79-25481 *
US-PATENT-CLASS-429-253 ..... c 27 N81-24257 *
US-PATENT-CLASS-429-253 ..... c 23 N81-29160 *
US-PATENT-CLASS-429-253 ..... c 25 N83-13188 *
US-PATENT-CLASS-429-254 ..... c 44 N78-25530 *
US-PATENT-CLASS-429-254 ..... c 44 N82-29708 *
US-PATENT-CLASS-429-254 ..... c 44 N83-32176 *
US-PATENT-CLASS-429-27 ..... c 27 N81-24257 *
US-PATENT-CLASS-429-27 ..... c 23 N81-29160 *
US-PATENT-CLASS-429-27 ..... c 44 N86-25874 *
US-PATENT-CLASS-429-28 ..... c 27 N81-24257 *
US-PATENT-CLASS-429-28 ..... c 23 N81-29160 *
US-PATENT-CLASS-429-33 ..... c 44 N79-17313 *
US-PATENT-CLASS-429-33 ..... c 44 N82-29710 *
US-PATENT-CLASS-429-34 ..... c 44 N77-14581 *
US-PATENT-CLASS-429-34 ..... c 44 N83-27344 *
US-PATENT-CLASS-429-40 ..... c 44 N82-29710 *
US-PATENT-CLASS-429-40 ..... c 44 N83-27344 *
US-PATENT-CLASS-429-41 ..... c 44 N79-10513 *
US-PATENT-CLASS-429-42 ..... c 44 N79-10513 *
US-PATENT-CLASS-429-44 ..... c 44 N84-28205 *
US-PATENT-CLASS-429-51 ..... c 44 N86-19721 *
US-PATENT-CLASS-429-57 ..... c 44 N86-25874 *
US-PATENT-CLASS-429-58 ..... c 35 N85-21596 *
US-PATENT-CLASS-429-94 ..... c 44 N81-24521 *
US-PATENT-CLASS-430-17 ..... c 35 N82-11432 *
US-PATENT-CLASS-430-271 ..... c 27 N81-25209 *
US-PATENT-CLASS-430-325 ..... c 27 N81-25209 *
US-PATENT-CLASS-430-329 ..... c 27 N81-25209 *
US-PATENT-CLASS-430-330 ..... c 27 N81-25209 *
US-PATENT-CLASS-430-372 ..... c 35 N82-11432 *
US-PATENT-CLASS-431-10 ..... c 34 N78-27357 *
US-PATENT-CLASS-431-10 ..... c 25 N79-11151 *
US-PATENT-CLASS-431-116 ..... c 44 N77-10636 *
US-PATENT-CLASS-431-11 ..... c 44 N77-10636 *
US-PATENT-CLASS-431-13 ..... c 25 N88-29002 *
US-PATENT-CLASS-431-158 ..... c 25 N78-10224 *
US-PATENT-CLASS-431-162 ..... c 44 N77-10636 *
US-PATENT-CLASS-431-163 ..... c 44 N76-29704 *
US-PATENT-CLASS-431-170 ..... c 44 N77-10636 *
US-PATENT-CLASS-431-173 ..... c 23 N73-30665 *
US-PATENT-CLASS-431-1 ..... c 25 N84-16276 *
US-PATENT-CLASS-431-202 ..... c 25 N74-33378 *
US-PATENT-CLASS-431-208 ..... c 25 N79-11151 *
US-PATENT-CLASS-431-210 ..... c 44 N76-29704 *
US-PATENT-CLASS-431-2 ..... c 07 N81-29129 *
US-PATENT-CLASS-431-328 ..... c 34 N78-27357 *
US-PATENT-CLASS-431-352 ..... c 28 N71-28915 *
US-PATENT-CLASS-431-352 ..... c 25 N78-10224 *
US-PATENT-CLASS-431-41 ..... c 44 N77-10636 *
US-PATENT-CLASS-431-4 ..... c 44 N76-29704 *
US-PATENT-CLASS-431-76 ..... c 25 N88-29002 *
US-PATENT-CLASS-431-7 ..... c 34 N78-27357 *
US-PATENT-CLASS-431-9 ..... c 23 N73-30665 *
US-PATENT-CLASS-432-18 ..... c 35 N86-20750 *
US-PATENT-CLASS-432-223 ..... c 25 N79-11151 *
US-PATENT-CLASS-432-227 ..... c 35 N83-24828 *
US-PATENT-CLASS-432-264 ..... c 33 N81-19389 *
US-PATENT-CLASS-432-29 ..... c 25 N79-11151 *
US-PATENT-CLASS-432-58 ..... c 35 N83-24828 *
US-PATENT-CLASS-433-118 ..... c 52 N82-29862 *
US-PATENT-CLASS-433-125 ..... c 52 N82-29862 *
US-PATENT-CLASS-433-86 ..... c 52 N82-29862 *
US-PATENT-CLASS-434-114 ..... c 82 N87-29372 *
US-PATENT-CLASS-434-242 ..... c 09 N85-19990 *
US-PATENT-CLASS-434-243 ..... c 09 N85-19990 *
US-PATENT-CLASS-434-2 ..... c 32 N84-27951 *
US-PATENT-CLASS-434-34 ..... c 14 N87-25344 *
US-PATENT-CLASS-434-35 ..... c 09 N85-19990 *
US-PATENT-CLASS-434-38 ..... c 36 N83-34304 *
US-PATENT-CLASS-434-403 ..... c 31 N83-34073 *
US-PATENT-CLASS-434-42 ..... c 09 N82-24212 *
US-PATENT-CLASS-434-43 ..... c 09 N82-24212 *
US-PATENT-CLASS-434-49 ..... c 09 N85-19990 *
US-PATENT-CLASS-434-4 ..... c 36 N83-34304 *
US-PATENT-CLASS-434-4 ..... c 35 N86-32697 *
US-PATENT-CLASS-434-59 ..... c 54 N81-27806 *
US-PATENT-CLASS-434-88 ..... c 31 N83-34073 *
US-PATENT-CLASS-435-160 ..... c 23 N85-35227 *
US-PATENT-CLASS-435-289 ..... c 51 N80-27067 *
US-PATENT-CLASS-435-289 ..... c 51 N83-27569 *
US-PATENT-CLASS-435-290 ..... c 51 N80-27067 *
US-PATENT-CLASS-435-291 ..... c 51 N80-27067 *
US-PATENT-CLASS-435-291 ..... c 51 N81-28698 *
US-PATENT-CLASS-435-291 ..... c 35 N82-28604 *
US-PATENT-CLASS-435-291 ..... c 51 N83-27569 *
US-PATENT-CLASS-435-311 ..... c 51 N80-27067 *
US-PATENT-CLASS-435-316 ..... c 51 N80-27067 *
US-PATENT-CLASS-435-32 ..... c 51 N80-27067 *
US-PATENT-CLASS-435-34 ..... c 51 N80-16714 *
US-PATENT-CLASS-435-34 ..... c 51 N80-27067 *
US-PATENT-CLASS-435-34 ..... c 51 N81-28698 *
US-PATENT-CLASS-435-34 ..... c 35 N82-28604 *
US-PATENT-CLASS-435-34 ..... c 51 N83-27569 *
US-PATENT-CLASS-435-34 ..... c 51 N83-28849 *
US-PATENT-CLASS-435-38 ..... c 51 N80-27067 *
US-PATENT-CLASS-435-38 ..... c 51 N83-27569 *
US-PATENT-CLASS-435-38 ..... c 51 N83-28849 *
US-PATENT-CLASS-435-39 ..... c 51 N80-27067 *
US-PATENT-CLASS-435-39 ..... c 35 N82-28604 *
US-PATENT-CLASS-435-39 ..... c 51 N83-27569 *
US-PATENT-CLASS-435-39 ..... c 51 N83-28849 *
US-PATENT-CLASS-435-3 ..... c 51 N80-27067 *
US-PATENT-CLASS-435-3 ..... c 51 N83-27569 *
US-PATENT-CLASS-435-3 ..... c 51 N83-28849 *
US-PATENT-CLASS-435-5 ..... c 51 N81-28698 *
US-PATENT-CLASS-435-807 ..... c 51 N83-28849 *
US-PATENT-CLASS-435-842 ..... c 23 N85-35227 *
US-PATENT-CLASS-435-8 ..... c 51 N83-27569 *
US-PATENT-CLASS-436-155 ..... c 25 N86-19413 *
US-PATENT-CLASS-436-2 ..... c 35 N85-29213 *
US-PATENT-CLASS-437-128 ..... c 76 N88-14836 *
US-PATENT-CLASS-437-131 ..... c 76 N88-14836 *
US-PATENT-CLASS-437-3 ..... c 76 N88-14836 *
US-PATENT-CLASS-437-7 ..... c 76 N88-14836 *
US-PATENT-CLASS-437-8 ..... c 76 N88-14836 *
US-PATENT-CLASS-437-969 ..... c 76 N88-14836 *
US-PATENT-CLASS-439-271 ..... c 33 N88-14270 *
US-PATENT-CLASS-439-578 ..... c 33 N88-14270 *
US-PATENT-CLASS-44-1-SR ..... c 25 N85-35253 *
US-PATENT-CLASS-44-1R ..... c 44 N78-31527 *
US-PATENT-CLASS-44-1R ..... c 25 N81-33246 *
US-PATENT-CLASS-44-1SR ..... c 25 N82-29371 *
US-PATENT-CLASS-44-1SR ..... c 25 N83-31743 *
US-PATENT-CLASS-44-2 ..... c 44 N78-31527 *
US-PATENT-CLASS-44-2 ..... c 25 N81-33246 *
US-PATENT-CLASS-44-50 ..... c 27 N81-17261 *
US-PATENT-CLASS-44-51 ..... c 25 N79-11152 *
US-PATENT-CLASS-44-62 ..... c 27 N81-17261 *
US-PATENT-CLASS-44-7R ..... c 28 N81-14103 *
US-PATENT-CLASS-44-77 ..... c 06 N71-23499 *
US-PATENT-CLASS-445-35 ..... c 37 N85-33489 *
US-PATENT-CLASS-455-102 ..... c 33 N81-15192 *
US-PATENT-CLASS-455-137 ..... c 35 N82-15381 *
US-PATENT-CLASS-455-139 ..... c 35 N82-15381 *
US-PATENT-CLASS-455-202 ..... c 33 N82-29539 *
US-PATENT-CLASS-455-202 ..... c 32 N84-27952 *
US-PATENT-CLASS-455-208 ..... c 33 N82-29539 *
US-PATENT-CLASS-455-208 ..... c 32 N84-27952 *
US-PATENT-CLASS-455-234 ..... c 33 N82-29539 *
US-PATENT-CLASS-455-260 ..... c 32 N84-27952 *
US-PATENT-CLASS-455-265 ..... c 32 N84-27952 *
US-PATENT-CLASS-455-278 ..... c 32 N81-29308 *
US-PATENT-CLASS-455-306 ..... c 33 N82-29539 *
US-PATENT-CLASS-455-51 ..... c 32 N81-14186 *

US-PATENT-CLASS-455-608 ..... c 32 N87-21207 *
US-PATENT-CLASS-455-60 ..... c 35 N82-15381 *
US-PATENT-CLASS-455-610 ..... c 74 N82-19029 *
US-PATENT-CLASS-455-612 ..... c 74 N82-19029 *
US-PATENT-CLASS-455-612 ..... c 74 N83-29032 *
US-PATENT-CLASS-455-615 ..... c 74 N82-19029 *
US-PATENT-CLASS-455-617 ..... c 74 N82-19029 *
US-PATENT-CLASS-455-619 ..... c 32 N81-14186 *
US-PATENT-CLASS-455-65 ..... c 32 N87-25511 *
US-PATENT-CLASS-455-71 ..... c 32 N81-14186 *
US-PATENT-CLASS-455-73 ..... c 32 N85-29118 *
US-PATENT-CLASS-467-28 ..... c 39 N80-10507 *
US-PATENT-CLASS-47-1.2 ..... c 51 N75-25503 *
US-PATENT-CLASS-47-1.4 ..... c 31 N73-32750 *
US-PATENT-CLASS-47-17 ..... c 31 N73-32750 *
US-PATENT-CLASS-47-26 ..... c 37 N83-26078 *
US-PATENT-CLASS-47-39 ..... c 51 N75-25503 *
US-PATENT-CLASS-47-58 ..... c 51 N75-25503 *
US-PATENT-CLASS-47-58 ..... c 51 N83-17045 *
US-PATENT-CLASS-47-58 ..... c 45 N84-12654 *
US-PATENT-CLASS-474-205 ..... c 37 N80-32717 *
US-PATENT-CLASS-474-220 ..... c 37 N87-17034 *
US-PATENT-CLASS-48-DIG.8 ..... c 28 N80-10374 *
US-PATENT-CLASS-48-10-3 ..... c 28 N80-10374 *
US-PATENT-CLASS-48-102A ..... c 28 N80-10374 *
US-PATENT-CLASS-48-107 ..... c 28 N80-10374 *
US-PATENT-CLASS-48-116 ..... c 44 N76-18642 *
US-PATENT-CLASS-48-116 ..... c 44 N77-10636 *
US-PATENT-CLASS-48-117 ..... c 44 N76-18642 *
US-PATENT-CLASS-48-117 ..... c 44 N77-10636 *
US-PATENT-CLASS-48-117 ..... c 28 N80-10374 *
US-PATENT-CLASS-48-197-R ..... c 25 N86-25428 *
US-PATENT-CLASS-48-197R ..... c 44 N76-29704 *
US-PATENT-CLASS-48-197R ..... c 44 N77-10636 *
US-PATENT-CLASS-48-212 ..... c 44 N77-10636 *
US-PATENT-CLASS-48-215 ..... c 44 N76-29700 *
US-PATENT-CLASS-48-61 ..... c 44 N77-10636 *
US-PATENT-CLASS-48-61 ..... c 28 N80-10374 *
US-PATENT-CLASS-48-63 ..... c 44 N76-18642 *
US-PATENT-CLASS-48-75 ..... c 44 N76-18642 *
US-PATENT-CLASS-48-89 ..... c 44 N82-16475 *
US-PATENT-CLASS-48-95 ..... c 44 N76-18642 *
US-PATENT-CLASS-48-95 ..... c 44 N76-29700 *
US-PATENT-CLASS-48-99 ..... c 44 N82-16475 *
US-PATENT-CLASS-49-DIG.1 ..... c 34 N78-25350 *
US-PATENT-CLASS-49-171 ..... c 31 N81-19343 *
US-PATENT-CLASS-49-479 ..... c 34 N78-25350 *
US-PATENT-CLASS-49-485 ..... c 34 N78-25350 *
US-PATENT-CLASS-49-68 ..... c 18 N74-22136 *
US-PATENT-CLASS-5-345 ..... c 05 N70-33285 *
US-PATENT-CLASS-5-459 ..... c 03 N84-33394 *
US-PATENT-CLASS-5-69 ..... c 05 N72-11085 *
US-PATENT-CLASS-5-81-R ..... c 85 N87-21755 *
US-PATENT-CLASS-5-82 ..... c 05 N71-23159 *
US-PATENT-CLASS-501-88 ..... c 27 N88-29040 *
US-PATENT-CLASS-501-91 ..... c 27 N88-29040 *
US-PATENT-CLASS-501-92 ..... c 27 N88-29040 *
US-PATENT-CLASS-501-93 ..... c 27 N88-29040 *
US-PATENT-CLASS-51-170 ..... c 15 N71-26134 *
US-PATENT-CLASS-51-216 ..... c 15 N72-20444 *
US-PATENT-CLASS-51-225 ..... c 37 N74-27905 *
US-PATENT-CLASS-51-234 ..... c 37 N74-27905 *
US-PATENT-CLASS-51-235 ..... c 37 N78-17383 *
US-PATENT-CLASS-51-235 ..... c 76 N80-18951 *
US-PATENT-CLASS-51-277 ..... c 74 N80-24149 *
US-PATENT-CLASS-51-281-R ..... c 31 N87-25491 *
US-PATENT-CLASS-51-283R ..... c 74 N80-24149 *
US-PATENT-CLASS-51-283 ..... c 46 N74-23069 *
US-PATENT-CLASS-51-320 ..... c 15 N72-20444 *
US-PATENT-CLASS-51-323 ..... c 15 N72-20444 *
US-PATENT-CLASS-51-57 ..... c 15 N71-22705 *
US-PATENT-CLASS-51-73R ..... c 37 N85-21650 *
US-PATENT-CLASS-51-97R ..... c 37 N74-27905 *
US-PATENT-CLASS-52-DIG.10 .... c 18 N72-25540 *
US-PATENT-CLASS-52-DIG.10 .... c 18 N72-25541 *
US-PATENT-CLASS-52-108 ..... c 15 N72-18477 *
US-PATENT-CLASS-52-108 ..... c 31 N81-27323 *
US-PATENT-CLASS-52-108 ..... c 31 N87-25492 *
US-PATENT-CLASS-52-109 ..... c 31 N73-32749 *
US-PATENT-CLASS-52-110 ..... c 37 N86-25791 *
US-PATENT-CLASS-52-111 ..... c 31 N81-27324 *
US-PATENT-CLASS-52-111 ..... c 37 N86-25789 *
US-PATENT-CLASS-52-111 ..... c 37 N86-32737 *
US-PATENT-CLASS-52-117 ..... c 44 N77-32582 *
US-PATENT-CLASS-52-126.5 ..... c 31 N87-16918 *
US-PATENT-CLASS-52-127.7 ..... c 37 N85-30335 *
US-PATENT-CLASS-52-127 ..... c 15 N71-21531 *
US-PATENT-CLASS-52-169 ..... c 15 N72-25454 *
US-PATENT-CLASS-52-171 ..... c 11 N73-12265 *
US-PATENT-CLASS-52-171 ..... c 74 N85-29750 *
US-PATENT-CLASS-52-173R ..... c 44 N77-31601 *
US-PATENT-CLASS-52-173 ..... c 15 N72-25454 *
US-PATENT-CLASS-52-1 ..... c 15 N72-28496 *
US-PATENT-CLASS-52-232 ..... c 37 N81-14317 *
US-PATENT-CLASS-52-236 ..... c 39 N76-31562 *
US-PATENT-CLASS-52-249 ..... c 33 N71-25351 *
US-PATENT-CLASS-52-272 ..... c 31 N71-24035 *
US-PATENT-CLASS-52-284 ..... c 32 N73-13921 *
US-PATENT-CLASS-52-2 ..... c 32 N71-21045 *
US-PATENT-CLASS-52-2 ..... c 44 N77-32583 *
US-PATENT-CLASS-52-309.15 .... c 31 N87-16918 *
US-PATENT-CLASS-52-309.1 ..... c 31 N81-25258 *
US-PATENT-CLASS-52-391 ..... c 31 N87-16918 *
US-PATENT-CLASS-52-3 ..... c 31 N71-16080 *
US-PATENT-CLASS-52-404 ..... c 33 N71-25351 *
US-PATENT-CLASS-52-404 ..... c 16 N84-22601 *
US-PATENT-CLASS-52-506 ..... c 16 N84-22601 *
US-PATENT-CLASS-52-506 ..... c 37 N85-30335 *
US-PATENT-CLASS-52-511 ..... c 31 N87-16918 *
US-PATENT-CLASS-52-51 ..... c 44 N77-31601 *
US-PATENT-CLASS-52-573 ..... c 15 N72-28496 *
US-PATENT-CLASS-52-594 ..... c 15 N72-25454 *
US-PATENT-CLASS-52-594 ..... c 32 N73-13921 *
US-PATENT-CLASS-52-632 ..... c 31 N81-27324 *
US-PATENT-CLASS-52-632 ..... c 31 N86-19479 *
US-PATENT-CLASS-52-632 ..... c 37 N86-32737 *
US-PATENT-CLASS-52-632 ..... c 31 N87-25492 *
US-PATENT-CLASS-52-637 ..... c 39 N76-31562 *
US-PATENT-CLASS-52-637 ..... c 31 N86-19479 *
US-PATENT-CLASS-52-645 ..... c 31 N81-25259 *
US-PATENT-CLASS-52-645 ..... c 37 N86-25789 *
US-PATENT-CLASS-52-645 ..... c 37 N86-32737 *
US-PATENT-CLASS-52-646 ..... c 31 N73-32749 *
US-PATENT-CLASS-52-646 ..... c 31 N86-19479 *
US-PATENT-CLASS-52-646 ..... c 37 N86-32737 *
US-PATENT-CLASS-52-646 ..... c 31 N87-25492 *
US-PATENT-CLASS-52-646 ..... c 18 N88-28958 *
US-PATENT-CLASS-52-646 ..... c 37 N88-29180 *
US-PATENT-CLASS-52-648 ..... c 11 N72-25287 *
US-PATENT-CLASS-52-648 ..... c 39 N76-31562 *
US-PATENT-CLASS-52-648 ..... c 31 N81-25258 *
US-PATENT-CLASS-52-648 ..... c 31 N86-19479 *
US-PATENT-CLASS-52-648 ..... c 37 N86-25789 *
US-PATENT-CLASS-52-648 ..... c 18 N88-28958 *
US-PATENT-CLASS-52-648 ..... c 37 N88-29180 *
US-PATENT-CLASS-52-64 ..... c 31 N73-32749 *
US-PATENT-CLASS-52-651 ..... c 39 N76-31562 *
US-PATENT-CLASS-52-655 ..... c 11 N72-25287 *
US-PATENT-CLASS-52-705 ..... c 37 N76-19437 *
US-PATENT-CLASS-52-71 ..... c 18 N75-27040 *
US-PATENT-CLASS-52-726 ..... c 39 N76-31562 *
US-PATENT-CLASS-52-726 ..... c 31 N81-25258 *
US-PATENT-CLASS-52-743 ..... c 37 N81-14317 *
US-PATENT-CLASS-52-745 ..... c 39 N76-31562 *
US-PATENT-CLASS-52-745 ..... c 31 N81-27323 *
US-PATENT-CLASS-52-745 ..... c 37 N85-30335 *
US-PATENT-CLASS-52-749 ..... c 39 N76-31562 *
US-PATENT-CLASS-52-758F ..... c 37 N76-19437 *
US-PATENT-CLASS-52-806 ..... c 24 N84-11214 *
US-PATENT-CLASS-52-808 ..... c 24 N84-11214 *
US-PATENT-CLASS-52-80 ..... c 18 N72-25540 *
US-PATENT-CLASS-52-80 ..... c 18 N72-25541 *
US-PATENT-CLASS-52-80 ..... c 31 N73-32749 *
US-PATENT-CLASS-52-814 ..... c 18 N84-33450 *
US-PATENT-CLASS-52-814 ..... c 31 N87-16918 *
US-PATENT-CLASS-52-81 ..... c 37 N82-32732 *
US-PATENT-CLASS-521-124 ..... c 25 N80-16116 *
US-PATENT-CLASS-521-125 ..... c 25 N80-16116 *
US-PATENT-CLASS-521-127 ..... c 25 N80-16116 *
US-PATENT-CLASS-521-141 ..... c 51 N84-28361 *
US-PATENT-CLASS-521-142 ..... c 51 N84-28361 *
US-PATENT-CLASS-521-146 ..... c 25 N80-23383 *
US-PATENT-CLASS-521-149 ..... c 51 N84-28361 *
US-PATENT-CLASS-521-157 ..... c 25 N80-16116 *
US-PATENT-CLASS-521-27 ..... c 27 N81-14076 *
US-PATENT-CLASS-521-32 ..... c 27 N81-14076 *
US-PATENT-CLASS-521-55 ..... c 25 N80-23383 *
US-PATENT-CLASS-521-62 ..... c 27 N81-14076 *
US-PATENT-CLASS-521-918 ..... c 25 N80-23383 *
US-PATENT-CLASS-523-135 ..... c 27 N85-29044 *
US-PATENT-CLASS-523-205 ..... c 27 N83-19900 *
US-PATENT-CLASS-523-433 ..... c 24 N86-19380 *
US-PATENT-CLASS-523-434 ..... c 27 N86-27451 *
US-PATENT-CLASS-523-435 ..... c 24 N84-11213 *
US-PATENT-CLASS-523-440 ..... c 27 N83-34043 *
US-PATENT-CLASS-523-443 ..... c 27 N83-34043 *
US-PATENT-CLASS-523-445 ..... c 24 N86-19380 *
US-PATENT-CLASS-523-445 ..... c 27 N86-27451 *
US-PATENT-CLASS-523-454 ..... c 24 N84-34571 *
US-PATENT-CLASS-523-454 ..... c 27 N85-34282 *
US-PATENT-CLASS-523-456 ..... c 24 N84-11213 *
US-PATENT-CLASS-523-458 ..... c 24 N84-34571 *
US-PATENT-CLASS-523-458 ..... c 27 N85-34282 *
US-PATENT-CLASS-523-461 ..... c 27 N86-27451 *
US-PATENT-CLASS-523-66468 ... c 24 N86-19380 *
US-PATENT-CLASS-524-104 ..... c 27 N83-28240 *
US-PATENT-CLASS-524-171 ..... c 27 N84-22747 *
US-PATENT-CLASS-524-173 ..... c 27 N83-28240 *
US-PATENT-CLASS-524-233 ..... c 27 N83-28240 *
US-PATENT-CLASS-524-371 ..... c 27 N84-14324 *
US-PATENT-CLASS-524-388 ..... c 27 N85-29044 *
US-PATENT-CLASS-524-404 ..... c 27 N87-22845 *
US-PATENT-CLASS-524-436 ..... c 27 N83-19900 *
US-PATENT-CLASS-524-437 ..... c 27 N83-19900 *
US-PATENT-CLASS-524-494 ..... c 27 N84-14322 *
US-PATENT-CLASS-524-496 ..... c 27 N84-14322 *
US-PATENT-CLASS-524-500 ..... c 27 N84-14322 *
US-PATENT-CLASS-524-503 ..... c 27 N83-19900 *
US-PATENT-CLASS-524-530 ..... c 27 N84-14322 *
US-PATENT-CLASS-524-548 ..... c 27 N86-20560 *
US-PATENT-CLASS-524-548 ..... c 27 N87-22845 *
US-PATENT-CLASS-524-564 ..... c 27 N83-19900 *
US-PATENT-CLASS-524-567 ..... c 27 N85-29044 *
US-PATENT-CLASS-524-726 ..... c 27 N83-28240 *
US-PATENT-CLASS-524-786 ..... c 27 N83-19900 *
US-PATENT-CLASS-525-107 ..... c 27 N85-34281 *
US-PATENT-CLASS-525-108 ..... c 27 N86-27451 *
US-PATENT-CLASS-525-113 ..... c 27 N85-34281 *
US-PATENT-CLASS-525-115 ..... c 27 N86-27451 *
US-PATENT-CLASS-525-119 ..... c 27 N85-34281 *
US-PATENT-CLASS-525-119 ..... c 27 N86-27451 *
US-PATENT-CLASS-525-122 ..... c 27 N86-27451 *
US-PATENT-CLASS-525-181 ..... c 27 N83-28240 *
US-PATENT-CLASS-525-181 ..... c 27 N85-21349 *
US-PATENT-CLASS-525-182 ..... c 27 N85-21349 *
US-PATENT-CLASS-525-182 ..... c 27 N87-22845 *
US-PATENT-CLASS-525-183 ..... c 27 N83-28240 *
US-PATENT-CLASS-525-183 ..... c 27 N85-21349 *
US-PATENT-CLASS-525-184 ..... c 27 N83-28240 *
US-PATENT-CLASS-525-184 ..... c 27 N85-21349 *
US-PATENT-CLASS-525-186 ..... c 27 N85-34281 *
US-PATENT-CLASS-525-186 ..... c 27 N86-20560 *
US-PATENT-CLASS-525-229 ..... c 27 N85-34281 *
US-PATENT-CLASS-525-26 ..... c 27 N85-29043 *
US-PATENT-CLASS-525-282 ..... c 27 N84-14322 *
US-PATENT-CLASS-525-282 ..... c 27 N87-15304 *
US-PATENT-CLASS-525-287 ..... c 27 N84-14322 *
US-PATENT-CLASS-525-326 ..... c 27 N80-24438 *
US-PATENT-CLASS-525-336 ..... c 27 N80-24438 *
US-PATENT-CLASS-525-340 ..... c 27 N80-24438 *
US-PATENT-CLASS-525-36 ..... c 27 N87-22848 *
US-PATENT-CLASS-525-374 ..... c 27 N80-24438 *
US-PATENT-CLASS-525-375 ..... c 27 N80-24438 *
US-PATENT-CLASS-525-384 ..... c 28 N81-15119 *
US-PATENT-CLASS-525-389 ..... c 27 N84-22750 *
US-PATENT-CLASS-525-397 ..... c 27 N88-18725 *
US-PATENT-CLASS-525-417 ..... c 27 N84-22745 *
US-PATENT-CLASS-525-420 ..... c 27 N85-20123 *
US-PATENT-CLASS-525-423 ..... c 24 N86-19380 *
US-PATENT-CLASS-525-425 ..... c 33 N88-23941 *
US-PATENT-CLASS-525-426 ..... c 27 N80-26446 *
US-PATENT-CLASS-525-426 ..... c 27 N84-22746 *
US-PATENT-CLASS-525-426 ..... c 27 N87-28657 *
US-PATENT-CLASS-525-432 ..... c 27 N86-19456 *
US-PATENT-CLASS-525-432 ..... c 27 N87-28657 *
US-PATENT-CLASS-525-436 ..... c 27 N86-19456 *
US-PATENT-CLASS-525-436 ..... c 27 N87-28657 *
US-PATENT-CLASS-525-474 ..... c 27 N83-28240 *
US-PATENT-CLASS-525-474 ..... c 27 N85-21349 *
US-PATENT-CLASS-525-47 ..... c 27 N85-29043 *
US-PATENT-CLASS-525-484 ..... c 24 N84-34571 *
US-PATENT-CLASS-525-4 ..... c 25 N80-23383 *
US-PATENT-CLASS-525-527 ..... c 24 N86-19380 *
US-PATENT-CLASS-525-532 ..... c 23 N85-28973 *
US-PATENT-CLASS-525-534 ..... c 27 N84-22747 *
US-PATENT-CLASS-525-534 ..... c 23 N85-28973 *
US-PATENT-CLASS-525-534 ..... c 27 N86-27450 *
US-PATENT-CLASS-525-535 ..... c 27 N84-22747 *
US-PATENT-CLASS-525-535 ..... c 27 N86-27450 *
US-PATENT-CLASS-525-536 ..... c 27 N84-22747 *
US-PATENT-CLASS-525-56 ..... c 23 N81-29160 *
US-PATENT-CLASS-525-61 ..... c 27 N81-24257 *
US-PATENT-CLASS-525-61 ..... c 23 N81-29160 *
US-PATENT-CLASS-525-61 ..... c 25 N83-13188 *
US-PATENT-CLASS-525-903 ..... c 27 N87-28657 *
US-PATENT-CLASS-525-905 ..... c 27 N88-18725 *
US-PATENT-CLASS-526-13 ..... c 27 N78-32256 *
US-PATENT-CLASS-526-193 ..... c 27 N78-15276 *
US-PATENT-CLASS-526-1 ..... c 27 N76-24405 *
US-PATENT-CLASS-526-201 ..... c 25 N81-19242 *
US-PATENT-CLASS-526-204 ..... c 25 N85-30039 *
US-PATENT-CLASS-526-217 ..... c 27 N85-21350 *
US-PATENT-CLASS-526-217 ..... c 25 N85-30039 *
US-PATENT-CLASS-526-225 ..... c 27 N78-15276 *
US-PATENT-CLASS-526-23 ..... c 27 N78-32256 *
US-PATENT-CLASS-526-255 ..... c 27 N76-24405 *
US-PATENT-CLASS-526-259 ..... c 27 N83-34040 *
US-PATENT-CLASS-526-261 ..... c 27 N80-24438 *
US-PATENT-CLASS-526-262 ..... c 27 N81-27272 *
US-PATENT-CLASS-526-262 ..... c 27 N84-22745 *
US-PATENT-CLASS-526-262 ..... c 27 N84-27885 *
US-PATENT-CLASS-526-262 ..... c 27 N85-21347 *
US-PATENT-CLASS-526-262 ..... c 27 N85-21350 *
US-PATENT-CLASS-526-262 ..... c 27 N85-21351 *
US-PATENT-CLASS-526-262 ..... c 27 N85-21352 *
US-PATENT-CLASS-526-262 ..... c 25 N85-28982 *
US-PATENT-CLASS-526-262 ..... c 25 N85-30039 *
US-PATENT-CLASS-526-262 ..... c 27 N86-20560 *

US-PATENT-CLASS-526-262 ..... c 24 N86-21590 *
US-PATENT-CLASS-526-262 ..... c 27 N87-22845 *
US-PATENT-CLASS-526-265 ..... c 24 N86-28131 *
US-PATENT-CLASS-526-274 ..... c 27 N85-21347 *
US-PATENT-CLASS-526-275 ..... c 27 N78-32256 *
US-PATENT-CLASS-526-275 ..... c 27 N80-24438 *
US-PATENT-CLASS-526-276 ..... c 27 N78-32256 *
US-PATENT-CLASS-526-276 ..... c 27 N80-24438 *
US-PATENT-CLASS-526-278 ..... c 27 N78-32256 *
US-PATENT-CLASS-526-278 ..... c 27 N80-24438 *
US-PATENT-CLASS-526-27 ..... c 27 N78-32256 *
US-PATENT-CLASS-526-285 ..... c 27 N83-34040 *
US-PATENT-CLASS-526-285 ..... c 27 N86-27450 *
US-PATENT-CLASS-526-328 ..... c 27 N85-29043 *
US-PATENT-CLASS-526-329.2 .... c 27 N85-29043 *
US-PATENT-CLASS-526-49 ..... c 27 N78-32256 *
US-PATENT-CLASS-526-50 ..... c 27 N78-32256 *
US-PATENT-CLASS-526-7 ..... c 44 N79-25481 *
US-PATENT-CLASS-526-88 ..... c 25 N81-19242 *
US-PATENT-CLASS-526-914 ..... c 28 N81-15119 *
US-PATENT-CLASS-526-9 ..... c 44 N79-25481 *
US-PATENT-CLASS-528-102 ..... c 24 N86-19380 *
US-PATENT-CLASS-528-103 ..... c 24 N86-19380 *
US-PATENT-CLASS-528-106 ..... c 27 N85-34282 *
US-PATENT-CLASS-528-108 ..... c 23 N86-32525 *
US-PATENT-CLASS-528-108 ..... c 27 N87-25469 *
US-PATENT-CLASS-528-10 ..... c 27 N88-29040 *
US-PATENT-CLASS-528-110 ..... c 24 N84-11213 *
US-PATENT-CLASS-528-113 ..... c 27 N85-34281 *
US-PATENT-CLASS-528-117 ..... c 27 N85-34281 *
US-PATENT-CLASS-528-118 ..... c 27 N81-17260 *
US-PATENT-CLASS-528-124 ..... c 23 N86-32525 *
US-PATENT-CLASS-528-125 ..... c 27 N83-34040 *
US-PATENT-CLASS-528-125 ..... c 27 N84-22749 *
US-PATENT-CLASS-528-125 ..... c 27 N85-21348 *
US-PATENT-CLASS-528-126 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-126 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-126 ..... c 27 N83-34040 *
US-PATENT-CLASS-528-126 ..... c 27 N85-21348 *
US-PATENT-CLASS-528-127 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-128 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-128 ..... c 27 N83-34040 *
US-PATENT-CLASS-528-128 ..... c 27 N84-22749 *
US-PATENT-CLASS-528-128 ..... c 27 N85-21348 *
US-PATENT-CLASS-528-12 ..... c 27 N83-34040 *
US-PATENT-CLASS-528-166 ..... c 27 N85-21348 *
US-PATENT-CLASS-528-167 ..... c 27 N85-21347 *
US-PATENT-CLASS-528-168 ..... c 27 N81-27271 *
US-PATENT-CLASS-528-168 ..... c 27 N82-18389 *
US-PATENT-CLASS-528-168 ..... c 27 N85-21347 *
US-PATENT-CLASS-528-168 ..... c 27 N85-34280 *
US-PATENT-CLASS-528-168 ..... c 27 N87-16909 *
US-PATENT-CLASS-528-168 ..... c 27 N87-25469 *
US-PATENT-CLASS-528-170 ..... c 27 N85-21347 *
US-PATENT-CLASS-528-170 ..... c 24 N86-25416 *
US-PATENT-CLASS-528-170 ..... c 27 N86-31726 * #
US-PATENT-CLASS-528-171 ..... c 27 N86-27450 *
US-PATENT-CLASS-528-172 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-172 ..... c 27 N84-22749 *
US-PATENT-CLASS-528-173 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-174 ..... c 27 N86-27450 *
US-PATENT-CLASS-528-176 ..... c 27 N86-27450 *
US-PATENT-CLASS-528-176 ..... c 27 N87-22848 *
US-PATENT-CLASS-528-179 ..... c 27 N86-19456 *
US-PATENT-CLASS-528-180 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-182 ..... c 27 N86-19456 *
US-PATENT-CLASS-528-183 ..... c 27 N84-22746 *
US-PATENT-CLASS-528-183 ..... c 27 N85-20123 *
US-PATENT-CLASS-528-183 ..... c 27 N86-29039 *
US-PATENT-CLASS-528-184 ..... c 27 N87-22848 *
US-PATENT-CLASS-528-185 ..... c 27 N84-22749 *
US-PATENT-CLASS-528-185 ..... c 27 N85-21348 *
US-PATENT-CLASS-528-185 ..... c 27 N86-19456 *
US-PATENT-CLASS-528-186 ..... c 27 N85-21348 *
US-PATENT-CLASS-528-187 ..... c 27 N85-21348 *
US-PATENT-CLASS-528-192 ..... c 27 N85-20123 *
US-PATENT-CLASS-528-192 ..... c 27 N87-22848 *
US-PATENT-CLASS-528-193 ..... c 27 N87-22848 *
US-PATENT-CLASS-528-207 ..... c 27 N80-16158 *
US-PATENT-CLASS-528-207 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-208 ..... c 27 N80-16158 *
US-PATENT-CLASS-528-208 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-210 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-211 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-220 ..... c 27 N83-34040 *
US-PATENT-CLASS-528-220 ..... c 27 N84-22746 *
US-PATENT-CLASS-528-220 ..... c 27 N85-20123 *
US-PATENT-CLASS-528-220 ..... c 24 N86-25416 *
US-PATENT-CLASS-528-220 ..... c 27 N86-31726 * #
US-PATENT-CLASS-528-220 ..... c 27 N87-21112 *
US-PATENT-CLASS-528-221 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-222 ..... c 27 N81-29229 *
US-PATENT-CLASS-528-222 ..... c 27 N83-34040 *
US-PATENT-CLASS-528-222 ..... c 27 N83-34041 *
US-PATENT-CLASS-528-222 ..... c 27 N86-29039 *
US-PATENT-CLASS-528-223 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-225 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-225 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-226 ..... c 27 N83-34041 *
US-PATENT-CLASS-528-226 ..... c 27 N85-20124 *
US-PATENT-CLASS-528-226 ..... c 27 N85-21348 *
US-PATENT-CLASS-528-227 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-228 ..... c 27 N81-27272 *
US-PATENT-CLASS-528-228 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-228 ..... c 27 N83-34040 *
US-PATENT-CLASS-528-228 ..... c 27 N84-22745 *
US-PATENT-CLASS-528-229 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-229 ..... c 27 N79-33316 *
US-PATENT-CLASS-528-229 ..... c 27 N81-29229 *
US-PATENT-CLASS-528-229 ..... c 27 N83-34040 *
US-PATENT-CLASS-528-229 ..... c 27 N85-21348 *
US-PATENT-CLASS-528-229 ..... c 27 N85-21350 *
US-PATENT-CLASS-528-229 ..... c 27 N85-21351 *
US-PATENT-CLASS-528-229 ..... c 27 N85-21352 *
US-PATENT-CLASS-528-229 ..... c 27 N85-34280 *
US-PATENT-CLASS-528-229 ..... c 27 N85-34282 *
US-PATENT-CLASS-528-229 ..... c 27 N86-19457 *
US-PATENT-CLASS-528-229 ..... c 27 N87-21112 *
US-PATENT-CLASS-528-229 ..... c 27 N87-22847 *
US-PATENT-CLASS-528-239 ..... c 27 N85-20124 *
US-PATENT-CLASS-528-241 ..... c 27 N85-20124 *
US-PATENT-CLASS-528-258 ..... c 27 N85-20124 *
US-PATENT-CLASS-528-25 ..... c 27 N84-22747 *
US-PATENT-CLASS-528-26 ..... c 27 N84-22747 *
US-PATENT-CLASS-528-26 ..... c 27 N87-14516 *
US-PATENT-CLASS-528-271 ..... c 27 N84-27884 *
US-PATENT-CLASS-528-279 ..... c 27 N85-20124 *
US-PATENT-CLASS-528-288 ..... c 27 N85-29043 *
US-PATENT-CLASS-528-289 ..... c 27 N85-29043 *
US-PATENT-CLASS-528-303 ..... c 27 N85-29043 *
US-PATENT-CLASS-528-304 ..... c 27 N85-29043 *
US-PATENT-CLASS-528-30 ..... c 27 N88-29040 *
US-PATENT-CLASS-528-310 ..... c 27 N81-17262 *
US-PATENT-CLASS-528-310 ..... c 27 N81-24256 *
US-PATENT-CLASS-528-310 ..... c 27 N82-24338 *
US-PATENT-CLASS-528-310 ..... c 27 N84-27884 *
US-PATENT-CLASS-528-310 ..... c 23 N86-19376 *
US-PATENT-CLASS-528-314 ..... c 25 N85-30039 *
US-PATENT-CLASS-528-315 ..... c 27 N85-21350 *
US-PATENT-CLASS-528-321 ..... c 27 N85-21347 *
US-PATENT-CLASS-528-321 ..... c 24 N86-25416 *
US-PATENT-CLASS-528-321 ..... c 27 N86-31726 * #
US-PATENT-CLASS-528-321 ..... c 27 N87-16909 *
US-PATENT-CLASS-528-322 ..... c 27 N81-17260 *
US-PATENT-CLASS-528-322 ..... c 27 N84-22745 *
US-PATENT-CLASS-528-322 ..... c 27 N84-27885 *
US-PATENT-CLASS-528-322 ..... c 27 N85-21347 *
US-PATENT-CLASS-528-322 ..... c 27 N85-21350 *
US-PATENT-CLASS-528-322 ..... c 27 N85-21351 *
US-PATENT-CLASS-528-322 ..... c 27 N85-21352 *
US-PATENT-CLASS-528-322 ..... c 25 N85-28982 *
US-PATENT-CLASS-528-322 ..... c 25 N85-30039 *
US-PATENT-CLASS-528-322 ..... c 27 N86-19457 *
US-PATENT-CLASS-528-322 ..... c 24 N86-25416 *
US-PATENT-CLASS-528-322 ..... c 27 N86-31726 * #
US-PATENT-CLASS-528-322 ..... c 27 N87-16909 *
US-PATENT-CLASS-528-322 ..... c 27 N87-21112 *
US-PATENT-CLASS-528-327 ..... c 27 N84-27884 *
US-PATENT-CLASS-528-327 ..... c 27 N86-19455 *
US-PATENT-CLASS-528-327 ..... c 27 N87-21112 *
US-PATENT-CLASS-528-328 ..... c 27 N82-24338 *
US-PATENT-CLASS-528-331 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-331 ..... c 27 N84-27884 *
US-PATENT-CLASS-528-331 ..... c 27 N87-21112 *
US-PATENT-CLASS-528-336 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-336 ..... c 27 N85-20123 *
US-PATENT-CLASS-528-336 ..... c 27 N85-21350 *
US-PATENT-CLASS-528-336 ..... c 27 N86-32568 * #
US-PATENT-CLASS-528-337 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-337 ..... c 23 N86-32525 *
US-PATENT-CLASS-528-337 ..... c 27 N86-32568 * #
US-PATENT-CLASS-528-338 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-340 ..... c 27 N86-32568 * #
US-PATENT-CLASS-528-341 ..... c 27 N86-29039 *
US-PATENT-CLASS-528-342 ..... c 27 N79-28307 *
US-PATENT-CLASS-528-342 ..... c 27 N84-27885 *
US-PATENT-CLASS-528-342 ..... c 27 N85-21350 *
US-PATENT-CLASS-528-342 ..... c 27 N85-21351 *
US-PATENT-CLASS-528-342 ..... c 27 N85-21352 *
US-PATENT-CLASS-528-342 ..... c 25 N85-28982 *
US-PATENT-CLASS-528-342 ..... c 27 N86-19457 *
US-PATENT-CLASS-528-345 ..... c 27 N84-22746 *
US-PATENT-CLASS-528-345 ..... c 27 N85-20123 *
US-PATENT-CLASS-528-347 ..... c 27 N86-32568 * #
US-PATENT-CLASS-528-348 ..... c 27 N84-22746 *
US-PATENT-CLASS-528-351 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-352 ..... c 27 N85-21348 *
US-PATENT-CLASS-528-352 ..... c 27 N85-34280 *
US-PATENT-CLASS-528-352 ..... c 27 N86-19456 *
US-PATENT-CLASS-528-352 ..... c 23 N86-32525 *
US-PATENT-CLASS-528-353 ..... c 27 N81-19296 *
US-PATENT-CLASS-528-353 ..... c 27 N82-11206 *
US-PATENT-CLASS-528-353 ..... c 27 N85-21348 *
US-PATENT-CLASS-528-353 ..... c 27 N85-34280 *
US-PATENT-CLASS-528-353 ..... c 27 N86-19456 *
US-PATENT-CLASS-528-361 ..... c 24 N84-11213 *
US-PATENT-CLASS-528-362 ..... c 25 N81-14016 *
US-PATENT-CLASS-528-362 ..... c 27 N81-17259 *
US-PATENT-CLASS-528-362 ..... c 27 N81-17262 *
US-PATENT-CLASS-528-362 ..... c 27 N82-24338 *
US-PATENT-CLASS-528-362 ..... c 27 N84-22744 *
US-PATENT-CLASS-528-362 ..... c 27 N84-27884 *
US-PATENT-CLASS-528-362 ..... c 27 N87-21112 *
US-PATENT-CLASS-528-38 ..... c 27 N83-34040 *
US-PATENT-CLASS-528-394 ..... c 27 N84-22750 *
US-PATENT-CLASS-528-399 ..... c 27 N81-27271 *
US-PATENT-CLASS-528-399 ..... c 27 N82-18389 *
US-PATENT-CLASS-528-399 ..... c 27 N84-22750 *
US-PATENT-CLASS-528-399 ..... c 23 N86-32525 *
US-PATENT-CLASS-528-401 ..... c 27 N79-22300 *
US-PATENT-CLASS-528-401 ..... c 25 N81-14016 *
US-PATENT-CLASS-528-401 ..... c 27 N81-17259 *
US-PATENT-CLASS-528-401 ..... c 27 N81-17262 *
US-PATENT-CLASS-528-401 ..... c 27 N82-24338 *
US-PATENT-CLASS-528-401 ..... c 23 N82-28353 *
US-PATENT-CLASS-528-401 ..... c 27 N84-22744 *
US-PATENT-CLASS-528-402 ..... c 25 N82-24312 *
US-PATENT-CLASS-528-406 ..... c 23 N86-32525 *
US-PATENT-CLASS-528-407 ..... c 24 N84-34571 *
US-PATENT-CLASS-528-407 ..... c 27 N85-34281 *
US-PATENT-CLASS-528-407 ..... c 27 N85-34282 *
US-PATENT-CLASS-528-407 ..... c 23 N86-32525 *
US-PATENT-CLASS-528-413 ..... c 27 N87-24564 *
US-PATENT-CLASS-528-422 ..... c 27 N79-22300 *
US-PATENT-CLASS-528-422 ..... c 25 N81-14016 *
US-PATENT-CLASS-528-422 ..... c 27 N81-17259 *
US-PATENT-CLASS-528-422 ..... c 27 N81-17262 *
US-PATENT-CLASS-528-422 ..... c 27 N82-24338 *
US-PATENT-CLASS-528-422 ..... c 23 N82-28353 *
US-PATENT-CLASS-528-422 ..... c 27 N84-22744 *
US-PATENT-CLASS-528-423 ..... c 27 N81-17259 *
US-PATENT-CLASS-528-423 ..... c 27 N84-22744 *
US-PATENT-CLASS-528-481 ..... c 27 N80-24438 *
US-PATENT-CLASS-528-4 ..... c 27 N81-27271 *
US-PATENT-CLASS-528-4 ..... c 27 N82-18389 *
US-PATENT-CLASS-528-4 ..... c 27 N88-29040 *
US-PATENT-CLASS-528-6 ..... c 27 N81-27271 *
US-PATENT-CLASS-528-6 ..... c 27 N82-18389 *
US-PATENT-CLASS-528-6 ..... c 27 N84-22750 *
US-PATENT-CLASS-528-73 ..... c 25 N80-16116 *
US-PATENT-CLASS-528-7 ..... c 27 N82-18389 *
US-PATENT-CLASS-528-7 ..... c 27 N84-22750 *
US-PATENT-CLASS-528-86 ..... c 23 N85-28973 *
US-PATENT-CLASS-528-92 ..... c 24 N84-34571 *
US-PATENT-CLASS-528-92 ..... c 27 N85-34282 *
US-PATENT-CLASS-528-94 ..... c 27 N85-34281 *
US-PATENT-CLASS-528345 ..... c 27 N86-19457 *
US-PATENT-CLASS-53-102 ..... c 15 N71-21528 *
US-PATENT-CLASS-53-112A ..... c 15 N73-27405 *
US-PATENT-CLASS-53-22A ..... c 15 N73-27405 *
US-PATENT-CLASS-53-22 ..... c 15 N71-23256 *
US-PATENT-CLASS-53-429 ..... c 09 N82-29330 *
US-PATENT-CLASS-53-9 ..... c 37 N77-23482 *
US-PATENT-CLASS-536-105 ..... c 27 N77-30236 *
US-PATENT-CLASS-536-536-85 . c 27 N77-30236 *
US-PATENT-CLASS-536-56 ..... c 27 N77-30236 *
US-PATENT-CLASS-536-58 ..... c 27 N77-30236 *
US-PATENT-CLASS-536-84 ..... c 27 N77-30236 *
US-PATENT-CLASS-538-117 ..... c 27 N81-17260 *
US-PATENT-CLASS-544-193 ..... c 27 N78-15276 *
US-PATENT-CLASS-544-193 ..... c 27 N79-28307 *
US-PATENT-CLASS-544-195 ..... c 27 N78-32256 *
US-PATENT-CLASS-544-215 ..... c 27 N84-22744 *
US-PATENT-CLASS-546-262 ..... c 27 N87-22847 *
US-PATENT-CLASS-546-264 ..... c 27 N87-22847 *
US-PATENT-CLASS-546-339 ..... c 27 N87-16908 *
US-PATENT-CLASS-546-346 ..... c 27 N87-16908 *
US-PATENT-CLASS-546-350 ..... c 27 N87-16908 *
US-PATENT-CLASS-547-131 ..... c 23 N82-28353 *
US-PATENT-CLASS-548-413 ..... c 27 N83-31854 *
US-PATENT-CLASS-548-413 ..... c 23 N86-19376 *
US-PATENT-CLASS-548-413 ..... c 27 N87-23751 *
US-PATENT-CLASS-548-415 ..... c 27 N83-31854 *
US-PATENT-CLASS-548-415 ..... c 27 N84-22745 *
US-PATENT-CLASS-549-241 ..... c 23 N88-26404 *
US-PATENT-CLASS-549-335 ..... c 23 N85-33187 *
US-PATENT-CLASS-55-DIG.25 .... c 35 N84-17555 *
US-PATENT-CLASS-55-DIG.30 .... c 35 N84-17555 *
US-PATENT-CLASS-55-DIG.35 .... c 54 N75-27761 *
US-PATENT-CLASS-55-DIG.42 .... c 37 N85-29283 *
US-PATENT-CLASS-55-100 ..... c 35 N78-12390 *
US-PATENT-CLASS-55-100 ..... c 25 N78-25148 *
US-PATENT-CLASS-55-101 ..... c 25 N78-25148 *
US-PATENT-CLASS-55-105 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-118 ..... c 35 N79-17192 *
US-PATENT-CLASS-55-122 ..... c 35 N79-17192 *
US-PATENT-CLASS-55-126 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-127 ..... c 35 N79-17192 *

US-PATENT-CLASS-55-12 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-131 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-138 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-139 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-145 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-15-8 ..... c 52 N79-14749 *
US-PATENT-CLASS-55-155 ..... c 35 N79-17192 *
US-PATENT-CLASS-55-158 ..... c 18 N71-20742 *
US-PATENT-CLASS-55-158 ..... c 44 N77-22607 *
US-PATENT-CLASS-55-158 ..... c 25 N82-21269 *
US-PATENT-CLASS-55-159 ..... c 34 N74-30608 *
US-PATENT-CLASS-55-159 ..... c 37 N79-21345 *
US-PATENT-CLASS-55-15 ..... c 71 N83-35781 *
US-PATENT-CLASS-55-15 ..... c 71 N85-22104 *
US-PATENT-CLASS-55-160 ..... c 15 N71-15968 *
US-PATENT-CLASS-55-16 ..... c 06 N72-31140 *
US-PATENT-CLASS-55-179 ..... c 14 N71-17588 *
US-PATENT-CLASS-55-179 ..... c 54 N77-32722 *
US-PATENT-CLASS-55-194 ..... c 35 N83-29652 *
US-PATENT-CLASS-55-197 ..... c 23 N77-17161 *
US-PATENT-CLASS-55-199 ..... c 34 N74-30608 *
US-PATENT-CLASS-55-202 ..... c 35 N83-29652 *
US-PATENT-CLASS-55-204 ..... c 15 N71-23023 *
US-PATENT-CLASS-55-204 ..... c 44 N83-10501 *
US-PATENT-CLASS-55-208 ..... c 14 N71-18483 *
US-PATENT-CLASS-55-241 ..... c 35 N79-17192 *
US-PATENT-CLASS-55-242 ..... c 35 N79-17192 *
US-PATENT-CLASS-55-255 ..... c 35 N86-29174 *
US-PATENT-CLASS-55-259 ..... c 35 N86-29174 *
US-PATENT-CLASS-55-26-9 ..... c 35 N78-12390 *
US-PATENT-CLASS-55-261 ..... c 35 N76-18401 *
US-PATENT-CLASS-55-269 ..... c 54 N77-32722 *
US-PATENT-CLASS-55-270 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-277 ..... c 71 N83-35781 *
US-PATENT-CLASS-55-277 ..... c 71 N85-22104 *
US-PATENT-CLASS-55-283 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-291 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-2 ..... c 25 N78-25148 *
US-PATENT-CLASS-55-2 ..... c 28 N81-14103 *
US-PATENT-CLASS-55-2 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-306 ..... c 28 N70-34788 *
US-PATENT-CLASS-55-35 ..... c 05 N70-41297 *
US-PATENT-CLASS-55-360 ..... c 35 N79-17192 *
US-PATENT-CLASS-55-386 ..... c 35 N75-26334 *
US-PATENT-CLASS-55-38 ..... c 71 N83-35781 *
US-PATENT-CLASS-55-3 ..... c 35 N78-12390 *
US-PATENT-CLASS-55-400 ..... c 11 N71-10777 *
US-PATENT-CLASS-55-407 ..... c 35 N79-17192 *
US-PATENT-CLASS-55-408 ..... c 15 N70-40062 *
US-PATENT-CLASS-55-418 ..... c 15 N71-22721 *
US-PATENT-CLASS-55-43 ..... c 34 N74-30608 *
US-PATENT-CLASS-55-446 ..... c 15 N72-22489 *
US-PATENT-CLASS-55-464 ..... c 15 N72-22489 *
US-PATENT-CLASS-55-466 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-493 ..... c 14 N72-23457 *
US-PATENT-CLASS-55-498 ..... c 14 N72-23457 *
US-PATENT-CLASS-55-502 ..... c 14 N72-23457 *
US-PATENT-CLASS-55-510 ..... c 25 N74-12813 *
US-PATENT-CLASS-55-518 ..... c 25 N74-12813 *
US-PATENT-CLASS-55-521 ..... c 14 N72-23457 *
US-PATENT-CLASS-55-521 ..... c 35 N86-29174 *
US-PATENT-CLASS-55-523 ..... c 34 N76-27515 *
US-PATENT-CLASS-55-526 ..... c 34 N76-27515 *
US-PATENT-CLASS-55-528 ..... c 35 N86-29174 *
US-PATENT-CLASS-55-52 ..... c 71 N83-35781 *
US-PATENT-CLASS-55-55 ..... c 06 N72-31140 *
US-PATENT-CLASS-55-66 ..... c 25 N80-23383 *
US-PATENT-CLASS-55-67 ..... c 23 N77-17161 *
US-PATENT-CLASS-55-67 ..... c 25 N80-23383 *
US-PATENT-CLASS-55-68 ..... c 25 N80-23383 *
US-PATENT-CLASS-55-6 ..... c 35 N84-17555 *
US-PATENT-CLASS-55-72 ..... c 25 N80-23383 *
US-PATENT-CLASS-55-73 ..... c 45 N79-12584 *
US-PATENT-CLASS-55-74 ..... c 23 N77-17161 *
US-PATENT-CLASS-55-75 ..... c 15 N71-26185 *
US-PATENT-CLASS-55-96 ..... c 35 N84-17555 *
US-PATENT-CLASS-556-410 ..... c 25 N85-21280 *
US-PATENT-CLASS-556-436 ..... c 27 N86-21675 *
US-PATENT-CLASS-558-145 ..... c 23 N87-28605 *
US-PATENT-CLASS-558-190 ..... c 23 N87-28605 *
US-PATENT-CLASS-558-193 ..... c 23 N87-28605 *
US-PATENT-CLASS-558-80 ..... c 23 N88-24692 *
US-PATENT-CLASS-56-73 ..... c 74 N86-26190 *
US-PATENT-CLASS-560-104 ..... c 27 N87-16907 *
US-PATENT-CLASS-564-113 ..... c 23 N86-19376 *
US-PATENT-CLASS-564-13 ..... c 23 N88-24692 *
US-PATENT-CLASS-564-15 ..... c 27 N86-32568 * #
US-PATENT-CLASS-564-229 ..... c 27 N81-24256 *
US-PATENT-CLASS-564-229 ..... c 23 N82-28353 *
US-PATENT-CLASS-564-243 ..... c 27 N84-22744 *
US-PATENT-CLASS-564-243 ..... c 23 N86-21582 *
US-PATENT-CLASS-564-330 ..... c 27 N87-22847 *
US-PATENT-CLASS-564-396 ..... c 27 N87-22847 *
US-PATENT-CLASS-564-430 ..... c 27 N87-22847 *
US-PATENT-CLASS-568-14 ..... c 27 N86-32568 * #
US-PATENT-CLASS-568-2 ..... c 27 N82-18389 *
US-PATENT-CLASS-568-445 ..... c 23 N82-16174 *
US-PATENT-CLASS-568-497 ..... c 23 N82-16174 *
US-PATENT-CLASS-568-4 ..... c 27 N82-18389 *
US-PATENT-CLASS-568-4 ..... c 27 N84-22750 *
US-PATENT-CLASS-568-5 ..... c 27 N82-18389 *
US-PATENT-CLASS-568-5 ..... c 27 N84-22750 *
US-PATENT-CLASS-568-852 ..... c 27 N80-32514 *
US-PATENT-CLASS-568-861 ..... c 27 N80-32514 *
US-PATENT-CLASS-57-906 ..... c 37 N82-18601 *
US-PATENT-CLASS-570-123 ..... c 25 N82-24312 *
US-PATENT-CLASS-570-129 ..... c 25 N82-24312 *
US-PATENT-CLASS-58-24 ..... c 10 N71-26326 *
US-PATENT-CLASS-585-24 ..... c 27 N86-21675 *
US-PATENT-CLASS-60.39.08 ..... c 37 N79-11403 *
US-PATENT-CLASS-60-108 ..... c 33 N71-16104 *
US-PATENT-CLASS-60-1 ..... c 15 N72-33477 *
US-PATENT-CLASS-60-1 ..... c 15 N73-13467 *
US-PATENT-CLASS-60-200A ..... c 33 N72-25911 *
US-PATENT-CLASS-60-200A ..... c 33 N73-25952 *
US-PATENT-CLASS-60-200A ..... c 27 N78-17206 *
US-PATENT-CLASS-60-200R ..... c 20 N82-18314 *
US-PATENT-CLASS-60-200 ..... c 28 N71-14044 *
US-PATENT-CLASS-60-202 ..... c 28 N70-41922 *
US-PATENT-CLASS-60-202 ..... c 28 N71-10574 *
US-PATENT-CLASS-60-202 ..... c 25 N71-21694 *
US-PATENT-CLASS-60-202 ..... c 28 N71-21822 *
US-PATENT-CLASS-60-202 ..... c 28 N71-23081 *
US-PATENT-CLASS-60-202 ..... c 28 N71-23293 *
US-PATENT-CLASS-60-202 ..... c 28 N71-25213 *
US-PATENT-CLASS-60-202 ..... c 28 N71-26173 *
US-PATENT-CLASS-60-202 ..... c 28 N71-26642 *
US-PATENT-CLASS-60-202 ..... c 28 N71-26781 *
US-PATENT-CLASS-60-202 ..... c 28 N72-11709 *
US-PATENT-CLASS-60-202 ..... c 28 N72-22770 *
US-PATENT-CLASS-60-202 ..... c 28 N72-22771 *
US-PATENT-CLASS-60-202 ..... c 28 N73-24783 *
US-PATENT-CLASS-60-202 ..... c 25 N73-25760 *
US-PATENT-CLASS-60-202 ..... c 28 N73-27699 *
US-PATENT-CLASS-60-202 ..... c 20 N77-10148 *
US-PATENT-CLASS-60-202 ..... c 20 N77-20162 *
US-PATENT-CLASS-60-202 ..... c 20 N85-21256 *
US-PATENT-CLASS-60-203.1 ..... c 20 N86-26368 *
US-PATENT-CLASS-60-203.1 ..... c 20 N87-16875 *
US-PATENT-CLASS-60-203.1 ..... c 09 N88-28939 *
US-PATENT-CLASS-60-203 ..... c 20 N80-14188 *
US-PATENT-CLASS-60-204 ..... c 07 N78-17055 *
US-PATENT-CLASS-60-204 ..... c 07 N78-18067 *
US-PATENT-CLASS-60-204 ..... c 44 N81-24519 *
US-PATENT-CLASS-60-211 ..... c 28 N73-13773 *
US-PATENT-CLASS-60-214 ..... c 15 N74-27360 *
US-PATENT-CLASS-60-215 ..... c 06 N73-30097 *
US-PATENT-CLASS-60-215 ..... c 15 N74-27360 *
US-PATENT-CLASS-60-217 ..... c 12 N71-17631 *
US-PATENT-CLASS-60-225 ..... c 28 N71-10780 *
US-PATENT-CLASS-60-226A ..... c 07 N77-17059 *
US-PATENT-CLASS-60-226A ..... c 07 N79-14096 *
US-PATENT-CLASS-60-226A ..... c 07 N79-14097 *
US-PATENT-CLASS-60-226A ..... c 07 N82-26293 *
US-PATENT-CLASS-60-226R ..... c 07 N78-18066 *
US-PATENT-CLASS-60-226R ..... c 07 N77-14025 *
US-PATENT-CLASS-60-226R ..... c 07 N77-28118 *
US-PATENT-CLASS-60-226R ..... c 07 N78-17055 *
US-PATENT-CLASS-60-226R ..... c 07 N78-17056 *
US-PATENT-CLASS-60-226R ..... c 07 N78-25089 *
US-PATENT-CLASS-60-226R ..... c 07 N79-14096 *
US-PATENT-CLASS-60-226R ..... c 07 N81-19116 *
US-PATENT-CLASS-60-228 ..... c 07 N77-17059 *
US-PATENT-CLASS-60-230 ..... c 07 N78-27121 *
US-PATENT-CLASS-60-236 ..... c 07 N81-19116 *
US-PATENT-CLASS-60-238 ..... c 07 N81-19116 *
US-PATENT-CLASS-60-239 ..... c 07 N81-19116 *
US-PATENT-CLASS-60-23 ..... c 09 N71-26182 *
US-PATENT-CLASS-60-23 ..... c 15 N72-12409 *
US-PATENT-CLASS-60-23 ..... c 21 N72-31637 *
US-PATENT-CLASS-60-23 ..... c 15 N73-13467 *
US-PATENT-CLASS-60-240 ..... c 28 N71-24736 *
US-PATENT-CLASS-60-240 ..... c 28 N73-13773 *
US-PATENT-CLASS-60-240 ..... c 07 N80-18039 *
US-PATENT-CLASS-60-243 ..... c 33 N71-21507 *
US-PATENT-CLASS-60-243 ..... c 15 N71-27432 *
US-PATENT-CLASS-60-243 ..... c 28 N73-13773 *
US-PATENT-CLASS-60-243 ..... c 20 N79-21124 *
US-PATENT-CLASS-60-251 ..... c 28 N70-41311 *
US-PATENT-CLASS-60-251 ..... c 27 N71-21819 *
US-PATENT-CLASS-60-254 ..... c 28 N72-20758 *
US-PATENT-CLASS-60-254 ..... c 28 N73-24784 *
US-PATENT-CLASS-60-256 ..... c 28 N73-24784 *
US-PATENT-CLASS-60-257 ..... c 31 N70-41948 *
US-PATENT-CLASS-60-258 ..... c 15 N70-22192 * #
US-PATENT-CLASS-60-258 ..... c 28 N71-22983 *
US-PATENT-CLASS-60-258 ..... c 28 N71-28849 *
US-PATENT-CLASS-60-258 ..... c 28 N72-17843 *
US-PATENT-CLASS-60-258 ..... c 15 N72-25455 *
US-PATENT-CLASS-60-258 ..... c 20 N74-13502 *
US-PATENT-CLASS-60-258 ..... c 20 N87-14420 *
US-PATENT-CLASS-60-259 ..... c 28 N70-41275 *
US-PATENT-CLASS-60-259 ..... c 20 N74-13502 *
US-PATENT-CLASS-60-259 ..... c 34 N77-30399 *
US-PATENT-CLASS-60-259 ..... c 20 N80-14188 *
US-PATENT-CLASS-60-259 ..... c 05 N81-26114 *
US-PATENT-CLASS-60-25 ..... c 15 N73-24513 *
US-PATENT-CLASS-60-25 ..... c 37 N74-21060 *
US-PATENT-CLASS-60-260 ..... c 28 N70-41992 *
US-PATENT-CLASS-60-260 ..... c 28 N72-18766 *
US-PATENT-CLASS-60-261 ..... c 37 N78-17384 *
US-PATENT-CLASS-60-262 ..... c 37 N78-17384 *
US-PATENT-CLASS-60-262 ..... c 07 N78-18067 *
US-PATENT-CLASS-60-262 ..... c 07 N83-33884 *
US-PATENT-CLASS-60-263 ..... c 28 N71-24321 *
US-PATENT-CLASS-60-263 ..... c 07 N77-28118 *
US-PATENT-CLASS-60-264 ..... c 07 N80-32392 *
US-PATENT-CLASS-60-265 ..... c 28 N71-20942 *
US-PATENT-CLASS-60-265 ..... c 33 N72-25911 *
US-PATENT-CLASS-60-265 ..... c 33 N73-25952 *
US-PATENT-CLASS-60-265 ..... c 20 N76-14191 *
US-PATENT-CLASS-60-266 ..... c 33 N71-28852 *
US-PATENT-CLASS-60-266 ..... c 28 N72-23810 *
US-PATENT-CLASS-60-267 ..... c 33 N71-29053 *
US-PATENT-CLASS-60-267 ..... c 33 N72-25911 *
US-PATENT-CLASS-60-267 ..... c 33 N73-25952 *
US-PATENT-CLASS-60-267 ..... c 28 N73-32606 *
US-PATENT-CLASS-60-267 ..... c 20 N76-14191 *
US-PATENT-CLASS-60-267 ..... c 34 N79-13288 *
US-PATENT-CLASS-60-267 ..... c 34 N79-13289 *
US-PATENT-CLASS-60-267 ..... c 34 N80-24573 *
US-PATENT-CLASS-60-267 ..... c 44 N81-24519 *
US-PATENT-CLASS-60-267 ..... c 05 N81-26114 *
US-PATENT-CLASS-60-269 ..... c 07 N83-33884 *
US-PATENT-CLASS-60-26 ..... c 21 N72-31637 *
US-PATENT-CLASS-60-26 ..... c 03 N73-20040 *
US-PATENT-CLASS-60-271 ..... c 28 N72-11708 *
US-PATENT-CLASS-60-271 ..... c 28 N72-23810 *
US-PATENT-CLASS-60-271 ..... c 07 N78-17055 *
US-PATENT-CLASS-60-271 ..... c 37 N78-17384 *
US-PATENT-CLASS-60-271 ..... c 07 N83-33884 *
US-PATENT-CLASS-60-275 ..... c 35 N84-17555 *
US-PATENT-CLASS-60-291 ..... c 31 N73-13898 *
US-PATENT-CLASS-60-300 ..... c 28 N80-10374 *
US-PATENT-CLASS-60-303 ..... c 35 N84-17555 *
US-PATENT-CLASS-60-303 ..... c 37 N84-33808 *
US-PATENT-CLASS-60-311 ..... c 35 N84-17555 *
US-PATENT-CLASS-60-316 ..... c 34 N76-18364 *
US-PATENT-CLASS-60-35.3 ..... c 28 N70-33265 *
US-PATENT-CLASS-60-35.3 ..... c 28 N70-40367 *
US-PATENT-CLASS-60-35.54 ..... c 28 N70-34294 *
US-PATENT-CLASS-60-35.54 ..... c 28 N70-38645 *
US-PATENT-CLASS-60-35.54 ..... c 28 N71-29153 *
US-PATENT-CLASS-60-35.55 ..... c 28 N70-34162 *
US-PATENT-CLASS-60-35.55 ..... c 28 N70-38711 *
US-PATENT-CLASS-60-35.55 ..... c 21 N71-15582 *
US-PATENT-CLASS-60-35.55 ..... c 15 N71-28951 *
US-PATENT-CLASS-60-35.5 ..... c 28 N70-33356 *
US-PATENT-CLASS-60-35.5 ..... c 28 N70-34175 *
US-PATENT-CLASS-60-35.5 ..... c 28 N70-36802 *
US-PATENT-CLASS-60-35.5 ..... c 21 N70-36938 *
US-PATENT-CLASS-60-35.5 ..... c 25 N70-36946 *
US-PATENT-CLASS-60-35.5 ..... c 28 N70-37245 *
US-PATENT-CLASS-60-35.5 ..... c 28 N70-37980 *
US-PATENT-CLASS-60-35.5 ..... c 28 N71-14043 *
US-PATENT-CLASS-60-35.5 ..... c 28 N71-15661 *
US-PATENT-CLASS-60-35.60 ..... c 28 N71-15659 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-33284 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-33331 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-33374 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-33375 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-34860 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-35381 *
US-PATENT-CLASS-60-35.6 ..... c 27 N70-35534 *
US-PATENT-CLASS-60-35.6 ..... c 15 N70-36535 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-36806 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-36910 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-38249 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-38504 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-38505 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-38710 *
US-PATENT-CLASS-60-35.6 ..... c 28 N70-39899 *
US-PATENT-CLASS-60-35.6 ..... c 33 N71-15623 *
US-PATENT-CLASS-60-35.6 ..... c 27 N71-15634 *
US-PATENT-CLASS-60-35.6 ..... c 31 N71-15637 *
US-PATENT-CLASS-60-35.6 ..... c 31 N71-15647 *
US-PATENT-CLASS-60-35.6 ..... c 28 N71-15660 *
US-PATENT-CLASS-60-35.6 ..... c 14 N71-27186 *
US-PATENT-CLASS-60-36 ..... c 15 N72-33477 *
US-PATENT-CLASS-60-37 ..... c 15 N73-13467 *
US-PATENT-CLASS-60-39.02 ..... c 07 N86-20389 *
US-PATENT-CLASS-60-39.03 ..... c 07 N77-23106 *
US-PATENT-CLASS-60-39.03 ..... c 07 N80-18039 *
US-PATENT-CLASS-60-39.06 ..... c 07 N80-26298 *
US-PATENT-CLASS-60-39.06 ..... c 07 N81-29129 *
US-PATENT-CLASS-60-39.07 ..... c 44 N78-32539 *
US-PATENT-CLASS-60-39.07 ..... c 07 N82-32366 *
US-PATENT-CLASS-60-39.07 ..... c 07 N83-36029 *

US-PATENT-CLASS-60-39.07 ..... c 07 N86-20389 *
US-PATENT-CLASS-60-39.14 ..... c 44 N78-32539 *
US-PATENT-CLASS-60-39.14 ..... c 07 N79-10057 *
US-PATENT-CLASS-60-39.23 ..... c 20 N76-14190 *
US-PATENT-CLASS-60-39.23 ..... c 07 N85-35195 *
US-PATENT-CLASS-60-39.24 ..... c 07 N81-19115 *
US-PATENT-CLASS-60-39.27 ..... c 07 N80-18039 *
US-PATENT-CLASS-60-39.28R ... c 28 N73-19793 *
US-PATENT-CLASS-60-39.28R ... c 07 N77-23106 *
US-PATENT-CLASS-60-39.28R ... c 37 N78-10467 *
US-PATENT-CLASS-60-39.28R ... c 37 N78-24545 *
US-PATENT-CLASS-60-39.28R ... c 37 N79-11403 *
US-PATENT-CLASS-60-39.29 ..... c 20 N76-14190 *
US-PATENT-CLASS-60-39.29 ..... c 35 N76-14431 *
US-PATENT-CLASS-60-39.29 ..... c 07 N82-32366 *
US-PATENT-CLASS-60-39.29 ..... c 07 N84-33410 *
US-PATENT-CLASS-60-39.31 ..... c 07 N78-18066 *
US-PATENT-CLASS-60-39.31 ..... c 07 N79-14096 *
US-PATENT-CLASS-60-39.33 ..... c 44 N78-32539 *
US-PATENT-CLASS-60-39.36 ..... c 28 N71-20330 *
US-PATENT-CLASS-60-39.36 ..... c 28 N71-28915 *
US-PATENT-CLASS-60-39.46M ... c 20 N82-18314 *
US-PATENT-CLASS-60-39.465 .... c 20 N86-26368 *
US-PATENT-CLASS-60-39.46 ..... c 27 N71-15635 *
US-PATENT-CLASS-60-39.46 ..... c 15 N74-27360 *
US-PATENT-CLASS-60-39.47 ..... c 27 N71-16392 *
US-PATENT-CLASS-60-39.48 ..... c 28 N70-38199 *
US-PATENT-CLASS-60-39.48 ..... c 28 N70-39931 *
US-PATENT-CLASS-60-39.48 ..... c 27 N71-28929 *
US-PATENT-CLASS-60-39.51R ... c 25 N78-10224 *
US-PATENT-CLASS-60-39.52 ..... c 07 N78-25089 *
US-PATENT-CLASS-60-39.65 ..... c 28 N71-28915 *
US-PATENT-CLASS-60-39.65 ..... c 23 N73-30665 *
US-PATENT-CLASS-60-39.65 ..... c 34 N78-27357 *
US-PATENT-CLASS-60-39.66 ..... c 15 N70-36411 *
US-PATENT-CLASS-60-39.66 ..... c 23 N73-30665 *
US-PATENT-CLASS-60-39.66 ..... c 07 N77-23106 *
US-PATENT-CLASS-60-39.66 ..... c 37 N78-10467 *
US-PATENT-CLASS-60-39.66 ..... c 37 N79-11403 *
US-PATENT-CLASS-60-39.69R ... c 34 N78-27357 *
US-PATENT-CLASS-60-39.72 ..... c 23 N73-30665 *
US-PATENT-CLASS-60-39.74A ... c 15 N72-25455 *
US-PATENT-CLASS-60-39.74R ... c 23 N73-30665 *
US-PATENT-CLASS-60-39.74R ... c 20 N76-14190 *
US-PATENT-CLASS-60-39.74 ..... c 28 N70-33241 *
US-PATENT-CLASS-60-39.74 ..... c 28 N72-17843 *
US-PATENT-CLASS-60-39.74 ..... c 20 N79-21125 *
US-PATENT-CLASS-60-39.82E .... c 20 N78-24275 *
US-PATENT-CLASS-60-39.83 ..... c 07 N84-33410 *
US-PATENT-CLASS-60-39-48 ..... c 28 N72-11709 *
US-PATENT-CLASS-60-415 ..... c 85 N87-21755 *
US-PATENT-CLASS-60-508 ..... c 44 N79-18443 *
US-PATENT-CLASS-60-516 ..... c 20 N75-24837 *
US-PATENT-CLASS-60-516 ..... c 44 N82-24640 *
US-PATENT-CLASS-60-517 ..... c 44 N76-29701 *
US-PATENT-CLASS-60-517 ..... c 37 N81-25370 *
US-PATENT-CLASS-60-518 ..... c 37 N81-14318 *
US-PATENT-CLASS-60-518 ..... c 37 N81-17432 *
US-PATENT-CLASS-60-51 ..... c 15 N71-27754 *
US-PATENT-CLASS-60-520 ..... c 37 N80-31790 *
US-PATENT-CLASS-60-524 ..... c 44 N81-17518 *
US-PATENT-CLASS-60-525 ..... c 37 N81-25370 *
US-PATENT-CLASS-60-527 ..... c 44 N74-33379 *
US-PATENT-CLASS-60-527 ..... c 37 N77-12402 *
US-PATENT-CLASS-60-527 ..... c 37 N77-19458 *
US-PATENT-CLASS-60-527 ..... c 37 N78-31426 *
US-PATENT-CLASS-60-527 ..... c 37 N86-19604 *
US-PATENT-CLASS-60-527 ..... c 35 N88-29151 *
US-PATENT-CLASS-60-528 ..... c 37 N86-19604 *
US-PATENT-CLASS-60-530 ..... c 20 N75-24837 *
US-PATENT-CLASS-60-53 ..... c 37 N77-22479 *
US-PATENT-CLASS-60-54.5 ..... c 15 N71-10658 *
US-PATENT-CLASS-60-560 ..... c 35 N78-10428 *
US-PATENT-CLASS-60-572 ..... c 44 N79-18443 *
US-PATENT-CLASS-60-574 ..... c 35 N78-10428 *
US-PATENT-CLASS-60-606 ..... c 28 N80-10374 *
US-PATENT-CLASS-60-606 ..... c 37 N84-33808 *
US-PATENT-CLASS-60-632 ..... c 20 N80-18097 *
US-PATENT-CLASS-60-634 ..... c 37 N87-23983 *
US-PATENT-CLASS-60-638 ..... c 37 N87-23983 *
US-PATENT-CLASS-60-641.12 .... c 44 N84-23018 *
US-PATENT-CLASS-60-641.14 .... c 44 N82-24640 *
US-PATENT-CLASS-60-641 ..... c 44 N75-32581 *
US-PATENT-CLASS-60-641 ..... c 44 N77-32582 *
US-PATENT-CLASS-60-641 ..... c 44 N78-17460 *
US-PATENT-CLASS-60-641 ..... c 44 N78-32542 *
US-PATENT-CLASS-60-641 ..... c 44 N79-18443 *
US-PATENT-CLASS-60-641 ..... c 44 N81-17518 *
US-PATENT-CLASS-60-645 ..... c 34 N79-20335 *
US-PATENT-CLASS-60-649 ..... c 34 N79-20335 *
US-PATENT-CLASS-60-659 ..... c 44 N75-32581 *
US-PATENT-CLASS-60-659 ..... c 44 N76-31667 *
US-PATENT-CLASS-60-671 ..... c 44 N78-32542 *
US-PATENT-CLASS-60-698 ..... c 44 N84-23018 *
US-PATENT-CLASS-60-716 ..... c 44 N84-23018 *
US-PATENT-CLASS-60-721 ..... c 71 N79-20827 *
US-PATENT-CLASS-60-721 ..... c 71 N83-32515 *
US-PATENT-CLASS-60-721 ..... c 71 N83-32516 *
US-PATENT-CLASS-60-721 ..... c 71 N84-23233 *
US-PATENT-CLASS-60-726 ..... c 07 N81-29129 *
US-PATENT-CLASS-60-726 ..... c 07 N82-32366 *
US-PATENT-CLASS-60-730 ..... c 05 N81-26114 *
US-PATENT-CLASS-60-730 ..... c 37 N84-22958 *
US-PATENT-CLASS-60-733 ..... c 07 N80-26298 *
US-PATENT-CLASS-60-736 ..... c 37 N84-22958 *
US-PATENT-CLASS-60-736 ..... c 07 N86-20389 *
US-PATENT-CLASS-60-737 ..... c 07 N81-29129 *
US-PATENT-CLASS-60-746 ..... c 07 N80-26298 *
US-PATENT-CLASS-60-746 ..... c 20 N87-14420 *
US-PATENT-CLASS-60-748 ..... c 07 N85-35195 *
US-PATENT-CLASS-60-757 ..... c 07 N84-24577 *
US-PATENT-CLASS-60-836 ..... c 24 N78-14096 *
US-PATENT-CLASS-60-97 ..... c 03 N71-12260 *
US-PATENT-CLASS-604-114 ..... c 52 N83-27577 *
US-PATENT-CLASS-604-151 ..... c 52 N83-27577 *
US-PATENT-CLASS-604-280 ..... c 52 N83-21785 *
US-PATENT-CLASS-604-368 ..... c 54 N84-11758 *
US-PATENT-CLASS-604-378 ..... c 54 N84-11758 *
US-PATENT-CLASS-604-396 ..... c 54 N84-11758 *
US-PATENT-CLASS-604-8 ..... c 52 N83-21785 *
US-PATENT-CLASS-61-83 ..... c 18 N74-22136 *
US-PATENT-CLASS-62-DIG.1 ..... c 34 N84-22903 *
US-PATENT-CLASS-62-DIG.5 ..... c 05 N81-26114 *
US-PATENT-CLASS-62-100 ..... c 34 N77-19353 *
US-PATENT-CLASS-62-100 ..... c 28 N78-24365 *
US-PATENT-CLASS-62-121 ..... c 34 N77-19353 *
US-PATENT-CLASS-62-128 ..... c 35 N84-28018 *
US-PATENT-CLASS-62-129 ..... c 31 N76-14284 *
US-PATENT-CLASS-62-12 ..... c 28 N81-14103 *
US-PATENT-CLASS-62-148 ..... c 44 N82-26776 *
US-PATENT-CLASS-62-15 ..... c 06 N70-34946 *
US-PATENT-CLASS-62-176 ..... c 05 N73-26071 *
US-PATENT-CLASS-62-18 ..... c 28 N81-14103 *
US-PATENT-CLASS-62-207 ..... c 05 N73-26071 *
US-PATENT-CLASS-62-209 ..... c 05 N73-26071 *
US-PATENT-CLASS-62-217 ..... c 31 N77-10229 *
US-PATENT-CLASS-62-235.1 ..... c 44 N82-26776 *
US-PATENT-CLASS-62-238.3 ..... c 44 N82-26776 *
US-PATENT-CLASS-62-239 ..... c 44 N82-26776 *
US-PATENT-CLASS-62-244 ..... c 44 N82-26776 *
US-PATENT-CLASS-62-259 ..... c 05 N73-20137 *
US-PATENT-CLASS-62-259 ..... c 05 N73-26071 *
US-PATENT-CLASS-62-259 ..... c 54 N78-32721 *
US-PATENT-CLASS-62-264 ..... c 34 N84-22903 *
US-PATENT-CLASS-62-268 ..... c 14 N71-20427 *
US-PATENT-CLASS-62-268 ..... c 34 N79-20336 *
US-PATENT-CLASS-62-269 ..... c 34 N77-19353 *
US-PATENT-CLASS-62-285 ..... c 77 N75-20139 *
US-PATENT-CLASS-62-288 ..... c 77 N75-20139 *
US-PATENT-CLASS-62-289 ..... c 77 N75-20139 *
US-PATENT-CLASS-62-290 ..... c 77 N75-20139 *
US-PATENT-CLASS-62-295 ..... c 35 N83-32026 *
US-PATENT-CLASS-62-2 ..... c 15 N71-15906 *
US-PATENT-CLASS-62-315 ..... c 34 N77-19353 *
US-PATENT-CLASS-62-317 ..... c 77 N75-20139 *
US-PATENT-CLASS-62-376 ..... c 31 N78-17237 *
US-PATENT-CLASS-62-376 ..... c 34 N79-20336 *
US-PATENT-CLASS-62-383 ..... c 33 N82-24419 *
US-PATENT-CLASS-62-384 ..... c 23 N71-24725 *
US-PATENT-CLASS-62-384 ..... c 31 N87-21159 *
US-PATENT-CLASS-62-3 ..... c 20 N75-24837 *
US-PATENT-CLASS-62-3 ..... c 34 N78-17335 *
US-PATENT-CLASS-62-3 ..... c 34 N83-29625 *
US-PATENT-CLASS-62-3 ..... c 31 N85-29082 *
US-PATENT-CLASS-62-40 ..... c 15 N71-24044 *
US-PATENT-CLASS-62-40 ..... c 28 N81-14103 *
US-PATENT-CLASS-62-45 ..... c 15 N70-33323 *
US-PATENT-CLASS-62-45 ..... c 31 N70-41871 *
US-PATENT-CLASS-62-45 ..... c 33 N71-25351 *
US-PATENT-CLASS-62-45 ..... c 33 N71-28892 *
US-PATENT-CLASS-62-45 ..... c 15 N73-12486 *
US-PATENT-CLASS-62-45 ..... c 35 N74-15093 *
US-PATENT-CLASS-62-467R ..... c 34 N84-22903 *
US-PATENT-CLASS-62-467 ..... c 33 N70-37979 *
US-PATENT-CLASS-62-467 ..... c 33 N71-17897 *
US-PATENT-CLASS-62-467 ..... c 05 N72-11084 *
US-PATENT-CLASS-62-467 ..... c 33 N72-25911 *
US-PATENT-CLASS-62-467 ..... c 33 N73-25952 *
US-PATENT-CLASS-62-467 ..... c 20 N75-24837 *
US-PATENT-CLASS-62-467 ..... c 31 N88-14223 *
US-PATENT-CLASS-62-475 ..... c 23 N72-25619 *
US-PATENT-CLASS-62-476 ..... c 44 N82-26776 *
US-PATENT-CLASS-62-47 ..... c 28 N81-14103 *
US-PATENT-CLASS-62-48 ..... c 28 N78-24365 *
US-PATENT-CLASS-62-48 ..... c 31 N83-31897 *
US-PATENT-CLASS-62-48 ..... c 31 N87-21159 *
US-PATENT-CLASS-62-48 ..... c 31 N88-14223 *
US-PATENT-CLASS-62-49 ..... c 31 N76-14284 *
US-PATENT-CLASS-62-4 ..... c 44 N77-32581 *
US-PATENT-CLASS-62-4 ..... c 44 N78-17460 *
US-PATENT-CLASS-62-50 ..... c 15 N70-34247 *
US-PATENT-CLASS-62-50 ..... c 35 N78-12390 *
US-PATENT-CLASS-62-514 R ..... c 35 N83-32026 *
US-PATENT-CLASS-62-514-R ..... c 31 N87-21159 *
US-PATENT-CLASS-62-514-R ..... c 37 N87-23982 *
US-PATENT-CLASS-62-514JT ..... c 31 N77-10229 *
US-PATENT-CLASS-62-514R ..... c 35 N78-12390 *
US-PATENT-CLASS-62-514R ..... c 31 N78-17237 *
US-PATENT-CLASS-62-514R ..... c 31 N78-25256 *
US-PATENT-CLASS-62-514R ..... c 51 N79-10694 *
US-PATENT-CLASS-62-514R ..... c 31 N79-17029 *
US-PATENT-CLASS-62-514R ..... c 34 N79-20336 *
US-PATENT-CLASS-62-514R ..... c 35 N81-14287 *
US-PATENT-CLASS-62-514R ..... c 31 N83-31897 *
US-PATENT-CLASS-62-514R ..... c 34 N83-34221 *
US-PATENT-CLASS-62-514R ..... c 31 N88-14223 *
US-PATENT-CLASS-62-514 ..... c 23 N71-26654 *
US-PATENT-CLASS-62-51 ..... c 15 N72-17453 *
US-PATENT-CLASS-62-55.5 ..... c 11 N71-24964 *
US-PATENT-CLASS-62-55.5 ..... c 15 N72-22484 *
US-PATENT-CLASS-62-55 ..... c 15 N70-38020 *
US-PATENT-CLASS-62-55 ..... c 34 N77-30399 *
US-PATENT-CLASS-62-56 ..... c 05 N72-11084 *
US-PATENT-CLASS-62-62 ..... c 34 N83-34221 *
US-PATENT-CLASS-62-6 ..... c 15 N69-23190 * #
US-PATENT-CLASS-62-6 ..... c 23 N71-15467 *
US-PATENT-CLASS-62-6 ..... c 15 N71-23025 *
US-PATENT-CLASS-62-6 ..... c 23 N72-25619 *
US-PATENT-CLASS-62-6 ..... c 37 N76-29590 *
US-PATENT-CLASS-62-6 ..... c 44 N76-29701 *
US-PATENT-CLASS-62-6 ..... c 44 N83-28574 *
US-PATENT-CLASS-62-6 ..... c 31 N85-21404 *
US-PATENT-CLASS-62-78 ..... c 51 N79-10694 *
US-PATENT-CLASS-62-7 ..... c 15 N73-12486 *
US-PATENT-CLASS-62-80 ..... c 23 N72-25619 *
US-PATENT-CLASS-62-85 ..... c 23 N72-25619 *
US-PATENT-CLASS-62-89 ..... c 05 N73-26071 *
US-PATENT-CLASS-62-93 ..... c 15 N69-21465 * #
US-PATENT-CLASS-62-93 ..... c 03 N72-28025 *
US-PATENT-CLASS-62-93 ..... c 77 N75-20139 *
US-PATENT-CLASS-64-18 ..... c 15 N71-28467 *
US-PATENT-CLASS-64-27 ..... c 15 N71-28050 *
US-PATENT-CLASS-64-28 ..... c 15 N69-27505 * #
US-PATENT-CLASS-65-DIG.11 .... c 37 N74-21063 *
US-PATENT-CLASS-65-DIG.4 ..... c 71 N78-10837 *
US-PATENT-CLASS-65-DIG.7 ..... c 71 N78-10837 *
US-PATENT-CLASS-65-102 ..... c 71 N78-10837 *
US-PATENT-CLASS-65-108 ..... c 35 N77-24455 *
US-PATENT-CLASS-65-11.1 ..... c 31 N86-21718 *
US-PATENT-CLASS-65-12 ..... c 31 N86-21718 *
US-PATENT-CLASS-65-134 ..... c 71 N83-35781 *
US-PATENT-CLASS-65-134 ..... c 27 N87-21111 *
US-PATENT-CLASS-65-136 ..... c 27 N87-21111 *
US-PATENT-CLASS-65-13 ..... c 27 N87-21111 *
US-PATENT-CLASS-65-142 ..... c 31 N81-33319 *
US-PATENT-CLASS-65-142 ..... c 27 N82-28442 *
US-PATENT-CLASS-65-142 ..... c 31 N83-31896 *
US-PATENT-CLASS-65-142 ..... c 31 N83-35176 *
US-PATENT-CLASS-65-142 ..... c 71 N84-28568 *
US-PATENT-CLASS-65-142 ..... c 26 N86-32551 *
US-PATENT-CLASS-65-160 ..... c 71 N84-28568 *
US-PATENT-CLASS-65-1 ..... c 31 N86-21718 *
US-PATENT-CLASS-65-21.2 ..... c 26 N86-32551 *
US-PATENT-CLASS-65-21.3 ..... c 31 N83-35176 *
US-PATENT-CLASS-65-21.3 ..... c 71 N84-28568 *
US-PATENT-CLASS-65-21.4 ..... c 31 N81-33319 *
US-PATENT-CLASS-65-21.4 ..... c 27 N82-28442 *
US-PATENT-CLASS-65-21.4 ..... c 31 N83-35176 *
US-PATENT-CLASS-65-21.4 ..... c 71 N84-28568 *
US-PATENT-CLASS-65-213 ..... c 71 N84-16940 *
US-PATENT-CLASS-65-214 ..... c 31 N83-31896 *
US-PATENT-CLASS-65-22 ..... c 31 N81-33319 *
US-PATENT-CLASS-65-22 ..... c 27 N82-28442 *
US-PATENT-CLASS-65-22 ..... c 31 N83-31896 *
US-PATENT-CLASS-65-22 ..... c 31 N83-35176 *
US-PATENT-CLASS-65-2 ..... c 71 N78-10837 *
US-PATENT-CLASS-65-2 ..... c 31 N86-21718 *
US-PATENT-CLASS-65-2 ..... c 27 N87-21111 *
US-PATENT-CLASS-65-30R ..... c 27 N78-32260 *
US-PATENT-CLASS-65-32 ..... c 71 N78-10837 *
US-PATENT-CLASS-65-3 ..... c 37 N75-26371 *
US-PATENT-CLASS-65-4B ..... c 71 N78-10837 *
US-PATENT-CLASS-65-43 ..... c 37 N75-15992 *
US-PATENT-CLASS-65-43 ..... c 24 N79-25143 *
US-PATENT-CLASS-65-59A ..... c 35 N77-24455 *
US-PATENT-CLASS-65-60D ..... c 27 N78-32260 *
US-PATENT-CLASS-65-61 ..... c 74 N80-24149 *
US-PATENT-CLASS-65-7 ..... c 18 N71-23088 *
US-PATENT-CLASS-65-87 ..... c 71 N78-10837 *
US-PATENT-CLASS-6554 ..... c 35 N77-24455 *
US-PATENT-CLASS-6564 ..... c 35 N77-24455 *
US-PATENT-CLASS-70-58 ..... c 33 N81-25299 *
US-PATENT-CLASS-71-98 ..... c 51 N83-17045 *
US-PATENT-CLASS-72-253 ..... c 15 N71-22797 *
US-PATENT-CLASS-72-258 ..... c 15 N73-13464 *
US-PATENT-CLASS-72-307 ..... c 15 N72-12408 *
US-PATENT-CLASS-72-324 ..... c 71 N86-21276 *
US-PATENT-CLASS-72-341 ..... c 71 N86-21276 *

US-PATENT-CLASS-72-34 ..... c 15 N71-21536 *
US-PATENT-CLASS-72-354 ..... c 15 N71-23811 *
US-PATENT-CLASS-72-363 ..... c 37 N76-14461 *
US-PATENT-CLASS-72-364 ..... c 15 N71-18579 *
US-PATENT-CLASS-72-369 ..... c 15 N71-24679 *
US-PATENT-CLASS-72-436 ..... c 37 N79-28550 *
US-PATENT-CLASS-72-447 ..... c 15 N73-13463 *
US-PATENT-CLASS-72-451 ..... c 37 N79-28550 *
US-PATENT-CLASS-72-453 ..... c 37 N76-18454 *
US-PATENT-CLASS-72-467 ..... c 15 N71-23817 *
US-PATENT-CLASS-72-46 ..... c 24 N75-33181 *
US-PATENT-CLASS-72-470 ..... c 37 N79-28550 *
US-PATENT-CLASS-72-476 ..... c 15 N73-13463 *
US-PATENT-CLASS-72-53 ..... c 15 N71-18616 *
US-PATENT-CLASS-72-53 ..... c 15 N73-32360 *
US-PATENT-CLASS-72-54 ..... c 37 N76-14461 *
US-PATENT-CLASS-72-56 ..... c 15 N70-34249 *
US-PATENT-CLASS-72-56 ..... c 15 N71-24833 *
US-PATENT-CLASS-72-56 ..... c 15 N71-24865 *
US-PATENT-CLASS-72-56 ..... c 15 N71-26148 *
US-PATENT-CLASS-72-60 ..... c 15 N71-24836 *
US-PATENT-CLASS-72-61 ..... c 15 N71-26346 *
US-PATENT-CLASS-72-63 ..... c 20 N75-18310 *
US-PATENT-CLASS-72-63 ..... c 37 N76-14461 *
US-PATENT-CLASS-72-750 ..... c 35 N88-24927 *
US-PATENT-CLASS-72-83 ..... c 15 N71-22723 *
US-PATENT-CLASS-73-DIG.11 .... c 35 N78-18390 *
US-PATENT-CLASS-73-1-DV ..... c 71 N86-21276 *
US-PATENT-CLASS-73-1-DV ..... c 71 N87-21653 *
US-PATENT-CLASS-73-1B ..... c 35 N76-24523 *
US-PATENT-CLASS-73-1B ..... c 35 N84-28019 *
US-PATENT-CLASS-73-1DV ..... c 14 N73-27379 *
US-PATENT-CLASS-73-1F ..... c 35 N74-21019 *
US-PATENT-CLASS-73-1R ..... c 14 N71-29134 *
US-PATENT-CLASS-73-1R ..... c 35 N75-15932 *
US-PATENT-CLASS-73-1R ..... c 35 N76-15432 *
US-PATENT-CLASS-73-100 ..... c 15 N70-41993 *
US-PATENT-CLASS-73-100 ..... c 32 N72-25877 *
US-PATENT-CLASS-73-103 ..... c 15 N71-17696 *
US-PATENT-CLASS-73-103 ..... c 14 N72-27412 *
US-PATENT-CLASS-73-103 ..... c 14 N73-32323 *
US-PATENT-CLASS-73-103 ..... c 35 N76-18400 *
US-PATENT-CLASS-73-104 ..... c 35 N74-32879 *
US-PATENT-CLASS-73-105 ..... c 14 N70-34161 *
US-PATENT-CLASS-73-105 ..... c 14 N71-17586 *
US-PATENT-CLASS-73-115 ..... c 35 N79-14345 *
US-PATENT-CLASS-73-115 ..... c 07 N84-22559 *
US-PATENT-CLASS-73-116 ..... c 11 N70-33278 *
US-PATENT-CLASS-73-116 ..... c 11 N70-34844 *
US-PATENT-CLASS-73-116 ..... c 14 N70-40203 *
US-PATENT-CLASS-73-116 ..... c 11 N70-41677 *
US-PATENT-CLASS-73-116 ..... c 11 N71-10604 *
US-PATENT-CLASS-73-116 ..... c 31 N71-15643 *
US-PATENT-CLASS-73-117.1 ..... c 11 N72-27262 *
US-PATENT-CLASS-73-117.1 ..... c 09 N84-27749 *
US-PATENT-CLASS-73-117.4 ..... c 14 N71-20429 *
US-PATENT-CLASS-73-117.4 ..... c 28 N71-27094 *
US-PATENT-CLASS-73-117.4 ..... c 35 N75-29382 *
US-PATENT-CLASS-73-117 ..... c 14 N71-22965 *
US-PATENT-CLASS-73-12 ..... c 14 N71-23225 *
US-PATENT-CLASS-73-12 ..... c 14 N71-26161 *
US-PATENT-CLASS-73-12 ..... c 14 N72-16282 *
US-PATENT-CLASS-73-12 ..... c 14 N72-25411 *
US-PATENT-CLASS-73-12 ..... c 14 N73-32327 *
US-PATENT-CLASS-73-12 ..... c 35 N74-21062 *
US-PATENT-CLASS-73-12 ..... c 35 N75-33367 *
US-PATENT-CLASS-73-12 ..... c 75 N76-14931 *
US-PATENT-CLASS-73-12 ..... c 35 N77-18417 *
US-PATENT-CLASS-73-12 ..... c 43 N79-25443 *
US-PATENT-CLASS-73-12 ..... c 43 N80-14423 *
US-PATENT-CLASS-73-12 ..... c 43 N80-23711 *
US-PATENT-CLASS-73-12 ..... c 37 N84-33807 *
US-PATENT-CLASS-73-133R ..... c 35 N77-14407 *
US-PATENT-CLASS-73-133 ..... c 14 N71-23725 *
US-PATENT-CLASS-73-133 ..... c 15 N72-22482 *
US-PATENT-CLASS-73-134 ..... c 14 N70-40201 *
US-PATENT-CLASS-73-136R ..... c 15 N72-26371 *
US-PATENT-CLASS-73-136 ..... c 14 N70-34818 *
US-PATENT-CLASS-73-140 ..... c 11 N72-25288 *
US-PATENT-CLASS-73-141AB .... c 14 N72-33377 *
US-PATENT-CLASS-73-141A ..... c 14 N72-21405 *
US-PATENT-CLASS-73-141A ..... c 14 N72-22437 *
US-PATENT-CLASS-73-141A ..... c 35 N74-26945 *
US-PATENT-CLASS-73-141A ..... c 35 N74-27865 *
US-PATENT-CLASS-73-141A ..... c 35 N75-33369 *
US-PATENT-CLASS-73-141A ..... c 52 N81-20703 *
US-PATENT-CLASS-73-141 ..... c 14 N70-41957 *
US-PATENT-CLASS-73-141 ..... c 15 N71-20441 *
US-PATENT-CLASS-73-141 ..... c 14 N71-23790 *
US-PATENT-CLASS-73-141 ..... c 26 N71-25490 *
US-PATENT-CLASS-73-142 ..... c 15 N70-40180 *
US-PATENT-CLASS-73-142 ..... c 14 N71-20439 *
US-PATENT-CLASS-73-143 ..... c 35 N75-19615 *
US-PATENT-CLASS-73-143 ..... c 14 N75-24794 *
US-PATENT-CLASS-73-144 ..... c 15 N71-22878 *
US-PATENT-CLASS-73-147 ..... c 11 N70-33287 *

US-PATENT-CLASS-73-147 ..... c 14 N70-33386 *
US-PATENT-CLASS-73-147 ..... c 14 N70-34813 *
US-PATENT-CLASS-73-147 ..... c 11 N70-36913 *
US-PATENT-CLASS-73-147 ..... c 14 N70-40400 *
US-PATENT-CLASS-73-147 ..... c 14 N70-41366 *
US-PATENT-CLASS-73-147 ..... c 11 N71-15926 *
US-PATENT-CLASS-73-147 ..... c 09 N71-16086 *
US-PATENT-CLASS-73-147 ..... c 12 N71-20436 *
US-PATENT-CLASS-73-147 ..... c 09 N71-20816 *
US-PATENT-CLASS-73-147 ..... c 11 N71-21481 *
US-PATENT-CLASS-73-147 ..... c 11 N71-23030 *
US-PATENT-CLASS-73-147 ..... c 15 N71-27006 *
US-PATENT-CLASS-73-147 ..... c 15 N71-28740 *
US-PATENT-CLASS-73-147 ..... c 11 N71-33612 *
US-PATENT-CLASS-73-147 ..... c 11 N72-17183 *
US-PATENT-CLASS-73-147 ..... c 14 N72-21407 *
US-PATENT-CLASS-73-147 ..... c 11 N72-22246 *
US-PATENT-CLASS-73-147 ..... c 11 N73-12264 *
US-PATENT-CLASS-73-147 ..... c 14 N73-13415 *
US-PATENT-CLASS-73-147 ..... c 12 N73-25262 *
US-PATENT-CLASS-73-147 ..... c 12 N73-28144 *
US-PATENT-CLASS-73-147 ..... c 09 N74-17955 *
US-PATENT-CLASS-73-147 ..... c 34 N74-27730 *
US-PATENT-CLASS-73-147 ..... c 09 N75-12969 *
US-PATENT-CLASS-73-147 ..... c 09 N76-23273 *
US-PATENT-CLASS-73-147 ..... c 34 N76-27517 *
US-PATENT-CLASS-73-147 ..... c 09 N77-10071 *
US-PATENT-CLASS-73-147 ..... c 09 N78-31129 *
US-PATENT-CLASS-73-147 ..... c 35 N79-14347 *
US-PATENT-CLASS-73-147 ..... c 09 N79-21083 *
US-PATENT-CLASS-73-147 ..... c 02 N80-20224 *
US-PATENT-CLASS-73-147 ..... c 06 N81-17057 *
US-PATENT-CLASS-73-147 ..... c 09 N82-11088 *
US-PATENT-CLASS-73-147 ..... c 09 N82-23254 *
US-PATENT-CLASS-73-147 ..... c 71 N83-17235 *
US-PATENT-CLASS-73-147 ..... c 44 N83-21503 *
US-PATENT-CLASS-73-147 ..... c 44 N83-21504 *
US-PATENT-CLASS-73-147 ..... c 74 N83-21949 *
US-PATENT-CLASS-73-147 ..... c 35 N84-22934 *
US-PATENT-CLASS-73-147 ..... c 09 N84-34448 *
US-PATENT-CLASS-73-147 ..... c 09 N85-21178 *
US-PATENT-CLASS-73-147 ..... c 35 N86-32696 *
US-PATENT-CLASS-73-147 ..... c 34 N87-21255 *
US-PATENT-CLASS-73-147 ..... c 09 N87-25334 *
US-PATENT-CLASS-73-147 ..... c 35 N87-28884 *
US-PATENT-CLASS-73-147 ..... c 02 N88-23759 *
US-PATENT-CLASS-73-149 ..... c 14 N72-11363 *
US-PATENT-CLASS-73-149 ..... c 52 N74-10975 *
US-PATENT-CLASS-73-15.4 ..... c 14 N71-17659 *
US-PATENT-CLASS-73-15.4 ..... c 35 N74-32879 *
US-PATENT-CLASS-73-15.6 ..... c 14 N70-35368 *
US-PATENT-CLASS-73-15.6 ..... c 14 N71-24234 *
US-PATENT-CLASS-73-15.6 ..... c 14 N71-26136 *
US-PATENT-CLASS-73-15.6 ..... c 32 N72-25877 *
US-PATENT-CLASS-73-15.6 ..... c 09 N74-19528 *
US-PATENT-CLASS-73-15.6 ..... c 35 N76-24523 *
US-PATENT-CLASS-73-15.6 ..... c 35 N77-22450 *
US-PATENT-CLASS-73-15.6 ..... c 39 N78-10493 *
US-PATENT-CLASS-73-15R ..... c 33 N72-25913 *
US-PATENT-CLASS-73-15R ..... c 14 N73-28486 *
US-PATENT-CLASS-73-15R ..... c 25 N74-18551 *
US-PATENT-CLASS-73-15R ..... c 31 N74-27900 *
US-PATENT-CLASS-73-15R ..... c 09 N77-27131 *
US-PATENT-CLASS-73-15R ..... c 74 N81-17887 *
US-PATENT-CLASS-73-150-A ..... c 39 N86-20841 *
US-PATENT-CLASS-73-150R ..... c 35 N84-28018 *
US-PATENT-CLASS-73-155 ..... c 46 N80-10709 *
US-PATENT-CLASS-73-155 ..... c 46 N80-24906 *
US-PATENT-CLASS-73-159 ..... c 31 N79-11246 *
US-PATENT-CLASS-73-15 ..... c 14 N70-34156 *
US-PATENT-CLASS-73-15 ..... c 14 N71-15992 *
US-PATENT-CLASS-73-15 ..... c 14 N71-22964 *
US-PATENT-CLASS-73-15 ..... c 11 N71-24985 *
US-PATENT-CLASS-73-15 ..... c 11 N71-28629 *
US-PATENT-CLASS-73-161 ..... c 11 N72-25288 *
US-PATENT-CLASS-73-167 ..... c 15 N84-16231 *
US-PATENT-CLASS-73-170A ..... c 35 N78-27384 *
US-PATENT-CLASS-73-170A ..... c 48 N80-18667 *
US-PATENT-CLASS-73-170R ..... c 07 N73-20175 *
US-PATENT-CLASS-73-170R ..... c 14 N73-28487 *
US-PATENT-CLASS-73-170R ..... c 14 N73-32327 *
US-PATENT-CLASS-73-170R ..... c 33 N74-27862 *
US-PATENT-CLASS-73-170R ..... c 35 N75-33367 *
US-PATENT-CLASS-73-170R ..... c 91 N76-30131 *
US-PATENT-CLASS-73-170R ..... c 06 N83-10040 *
US-PATENT-CLASS-73-170R ..... c 35 N84-28018 *
US-PATENT-CLASS-73-170 ..... c 14 N71-14996 *
US-PATENT-CLASS-73-170 ..... c 17 N73-32415 *
US-PATENT-CLASS-73-178-R ..... c 06 N84-34443 *
US-PATENT-CLASS-73-178-R ..... c 06 N87-22678 *
US-PATENT-CLASS-73-178-R ..... c 02 N88-23759 *
US-PATENT-CLASS-73-178R ..... c 35 N75-29381 *
US-PATENT-CLASS-73-178R ..... c 04 N77-19056 *
US-PATENT-CLASS-73-178R ..... c 37 N78-27424 *
US-PATENT-CLASS-73-178R ..... c 35 N79-26372 *
US-PATENT-CLASS-73-178R ..... c 06 N81-17057 *

US-PATENT-CLASS-73-178R ..... c 04 N81-21047 *
US-PATENT-CLASS-73-178R ..... c 18 N81-29152 *
US-PATENT-CLASS-73-178R ..... c 06 N82-16075 *
US-PATENT-CLASS-73-178R ..... c 06 N83-10040 *
US-PATENT-CLASS-73-178R ..... c 06 N84-27733 *
US-PATENT-CLASS-73-178T ..... c 06 N86-27280 *
US-PATENT-CLASS-73-178 ..... c 14 N70-36807 *
US-PATENT-CLASS-73-178 ..... c 14 N70-40157 *
US-PATENT-CLASS-73-179 ..... c 34 N85-21568 *
US-PATENT-CLASS-73-17 ..... c 06 N71-24607 *
US-PATENT-CLASS-73-180 ..... c 35 N78-14364 *
US-PATENT-CLASS-73-180 ..... c 02 N80-28300 *
US-PATENT-CLASS-73-182 ..... c 14 N73-13415 *
US-PATENT-CLASS-73-182 ..... c 35 N74-32878 *
US-PATENT-CLASS-73-182 ..... c 35 N76-14429 *
US-PATENT-CLASS-73-182 ..... c 02 N80-28300 *
US-PATENT-CLASS-73-187 ..... c 35 N85-20295 *
US-PATENT-CLASS-73-188 ..... c 06 N80-18036 *
US-PATENT-CLASS-73-189 ..... c 20 N71-16281 *
US-PATENT-CLASS-73-189 ..... c 02 N71-23007 *
US-PATENT-CLASS-73-189 ..... c 14 N71-23726 *
US-PATENT-CLASS-73-189 ..... c 14 N73-13415 *
US-PATENT-CLASS-73-189 ..... c 14 N73-25460 *
US-PATENT-CLASS-73-189 ..... c 35 N76-24524 *
US-PATENT-CLASS-73-189 ..... c 34 N76-27517 *
US-PATENT-CLASS-73-189 ..... c 34 N77-27345 *
US-PATENT-CLASS-73-189 ..... c 34 N79-12359 *
US-PATENT-CLASS-73-189 ..... c 06 N80-18036 *
US-PATENT-CLASS-73-189 ..... c 47 N84-28292 *
US-PATENT-CLASS-73-190H ..... c 35 N74-22095 *
US-PATENT-CLASS-73-190R ..... c 34 N74-27859 *
US-PATENT-CLASS-73-190R ..... c 35 N81-19426 *
US-PATENT-CLASS-73-190 ..... c 33 N71-15641 *
US-PATENT-CLASS-73-190 ..... c 14 N71-22989 *
US-PATENT-CLASS-73-190 ..... c 33 N71-23085 *
US-PATENT-CLASS-73-190 ..... c 33 N71-29051 *
US-PATENT-CLASS-73-194A ..... c 14 N72-17329 *
US-PATENT-CLASS-73-194EM ... c 14 N73-32326 *
US-PATENT-CLASS-73-194EM ... c 35 N74-21018 *
US-PATENT-CLASS-73-194E ..... c 14 N73-20478 *
US-PATENT-CLASS-73-194E ..... c 05 N73-32015 *
US-PATENT-CLASS-73-194F ..... c 14 N72-11365 *
US-PATENT-CLASS-73-194M ..... c 05 N73-32015 *
US-PATENT-CLASS-73-194M ..... c 35 N75-30503 *
US-PATENT-CLASS-73-194R ..... c 34 N76-27517 *
US-PATENT-CLASS-73-194VS .... c 34 N79-12359 *
US-PATENT-CLASS-73-194 ..... c 14 N70-41994 *
US-PATENT-CLASS-73-194 ..... c 14 N71-23226 *
US-PATENT-CLASS-73-194 ..... c 12 N71-26546 *
US-PATENT-CLASS-73-195 ..... c 35 N75-30503 *
US-PATENT-CLASS-73-198 ..... c 14 N69-24257 * #
US-PATENT-CLASS-73-198 ..... c 14 N72-17327 *
US-PATENT-CLASS-73-1 ..... c 10 N71-13545 *
US-PATENT-CLASS-73-1 ..... c 09 N71-22988 *
US-PATENT-CLASS-73-204 ..... c 12 N71-17569 *
US-PATENT-CLASS-73-204 ..... c 35 N76-24524 *
US-PATENT-CLASS-73-204 ..... c 35 N77-20400 *
US-PATENT-CLASS-73-204 ..... c 52 N83-27577 *
US-PATENT-CLASS-73-205L ..... c 02 N80-20224 *
US-PATENT-CLASS-73-212 ..... c 14 N70-36824 *
US-PATENT-CLASS-73-212 ..... c 14 N73-13415 *
US-PATENT-CLASS-73-212 ..... c 35 N76-14429 *
US-PATENT-CLASS-73-212 ..... c 06 N80-18036 *
US-PATENT-CLASS-73-221 ..... c 35 N75-19611 *
US-PATENT-CLASS-73-228 ..... c 34 N77-27345 *
US-PATENT-CLASS-73-23.1 ..... c 06 N69-39936 * #
US-PATENT-CLASS-73-23.1 ..... c 06 N72-17094 *
US-PATENT-CLASS-73-23.1 ..... c 06 N72-25146 *
US-PATENT-CLASS-73-23.1 ..... c 25 N76-18245 *
US-PATENT-CLASS-73-23.1 ..... c 23 N77-17161 *
US-PATENT-CLASS-73-23 ..... c 14 N71-10774 *
US-PATENT-CLASS-73-23 ..... c 05 N71-11202 *
US-PATENT-CLASS-73-23 ..... c 52 N74-20728 *
US-PATENT-CLASS-73-23 ..... c 35 N75-29380 *
US-PATENT-CLASS-73-23 ..... c 25 N78-15210 *
US-PATENT-CLASS-73-23 ..... c 35 N78-19465 *
US-PATENT-CLASS-73-24 ..... c 06 N69-39733 * #
US-PATENT-CLASS-73-28 ..... c 14 N73-27376 * #
US-PATENT-CLASS-73-28 ..... c 14 N73-30395 *
US-PATENT-CLASS-73-28 ..... c 35 N76-18401 *
US-PATENT-CLASS-73-28 ..... c 35 N78-18390 *
US-PATENT-CLASS-73-290-R ..... c 35 N88-29150 *
US-PATENT-CLASS-73-290B ..... c 14 N72-11363 *
US-PATENT-CLASS-73-290 ..... c 14 N71-10500 *
US-PATENT-CLASS-73-290 ..... c 14 N71-21007 *
US-PATENT-CLASS-73-295 ..... c 23 N71-17802 *
US-PATENT-CLASS-73-295 ..... c 31 N76-14284 *
US-PATENT-CLASS-73-29 ..... c 14 N71-17701 *
US-PATENT-CLASS-73-29 ..... c 14 N71-20741 *
US-PATENT-CLASS-73-301 ..... c 12 N71-26387 *
US-PATENT-CLASS-73-304-R ..... c 35 N88-29150 *
US-PATENT-CLASS-73-304C ..... c 14 N71-29134 *
US-PATENT-CLASS-73-304 ..... c 14 N72-22442 *
US-PATENT-CLASS-73-30 ..... c 14 N70-41681 *
US-PATENT-CLASS-73-32R ..... c 76 N75-12810 *
US-PATENT-CLASS-73-32R ..... c 35 N84-28018 *

US-PATENT-CLASS-73-32 ..... c 14 N70-41330 *
US-PATENT-CLASS-73-336.5 ..... c 35 N78-25391 *
US-PATENT-CLASS-73-336.5 ..... c 35 N85-29212 *
US-PATENT-CLASS-73-336.5 ..... c 35 N87-22953 *
US-PATENT-CLASS-73-339 ..... c 33 N73-27796 *
US-PATENT-CLASS-73-341 ..... c 14 N71-15598 *
US-PATENT-CLASS-73-341 ..... c 44 N82-16474 *
US-PATENT-CLASS-73-343R ..... c 52 N77-10780 *
US-PATENT-CLASS-73-343R ..... c 35 N80-18357 *
US-PATENT-CLASS-73-343 ..... c 33 N71-16356 *
US-PATENT-CLASS-73-343 ..... c 11 N71-21475 *
US-PATENT-CLASS-73-355R ..... c 14 N72-24477 *
US-PATENT-CLASS-73-355R ..... c 35 N80-18359 *
US-PATENT-CLASS-73-355 ..... c 14 N71-27323 *
US-PATENT-CLASS-73-355 ..... c 14 N72-28437 *
US-PATENT-CLASS-73-356 ..... c 35 N75-25122 *
US-PATENT-CLASS-73-35 ..... c 33 N72-27959 *
US-PATENT-CLASS-73-361 ..... c 35 N81-26431 *
US-PATENT-CLASS-73-362AR .... c 35 N77-27368 *
US-PATENT-CLASS-73-37.5 ..... c 35 N86-32698 *
US-PATENT-CLASS-73-379 ..... c 05 N73-27941 *
US-PATENT-CLASS-73-379 ..... c 05 N73-30078 *
US-PATENT-CLASS-73-379 ..... c 35 N75-15932 *
US-PATENT-CLASS-73-379 ..... c 39 N83-20280 *
US-PATENT-CLASS-73-382 ..... c 10 N71-13537 *
US-PATENT-CLASS-73-382 ..... c 14 N71-17587 *
US-PATENT-CLASS-73-384 ..... c 15 N70-37925 *
US-PATENT-CLASS-73-388 ..... c 35 N74-32878 *
US-PATENT-CLASS-73-389 ..... c 12 N71-24692 *
US-PATENT-CLASS-73-38 ..... c 18 N71-24934 *
US-PATENT-CLASS-73-398AR .... c 52 N74-27566 *
US-PATENT-CLASS-73-398AR .... c 52 N76-29896 *
US-PATENT-CLASS-73-398C ..... c 14 N72-22438 *
US-PATENT-CLASS-73-398C ..... c 33 N76-21390 *
US-PATENT-CLASS-73-398 ..... c 14 N70-34816 *
US-PATENT-CLASS-73-398 ..... c 14 N71-21072 *
US-PATENT-CLASS-73-398 ..... c 09 N71-24597 *
US-PATENT-CLASS-73-398 ..... c 14 N73-30394 *
US-PATENT-CLASS-73-399 ..... c 37 N76-18454 *
US-PATENT-CLASS-73-3 ..... c 34 N74-27730 *
US-PATENT-CLASS-73-3 ..... c 34 N86-12547 *
US-PATENT-CLASS-73-4R ..... c 35 N74-13132 *
US-PATENT-CLASS-73-4R ..... c 35 N79-14347 *
US-PATENT-CLASS-73-4R ..... c 35 N80-18358 *
US-PATENT-CLASS-73-4V ..... c 35 N74-15092 *
US-PATENT-CLASS-73-40.5A ..... c 35 N85-21597 *
US-PATENT-CLASS-73-40.5 ..... c 14 N71-10779 *
US-PATENT-CLASS-73-40.7 ..... c 15 N71-24910 *
US-PATENT-CLASS-73-40.7 ..... c 14 N71-28992 *
US-PATENT-CLASS-73-40.7 ..... c 35 N74-32879 *
US-PATENT-CLASS-73-40.7 ..... c 35 N85-29213 *
US-PATENT-CLASS-73-400 ..... c 14 N71-23093 *
US-PATENT-CLASS-73-400 ..... c 14 N71-24232 *
US-PATENT-CLASS-73-400 ..... c 35 N79-33450 *
US-PATENT-CLASS-73-401 ..... c 14 N70-34820 *
US-PATENT-CLASS-73-40 ..... c 35 N75-15931 *
US-PATENT-CLASS-73-40 ..... c 35 N80-18358 *
US-PATENT-CLASS-73-419 ..... c 14 N71-22752 *
US-PATENT-CLASS-73-420 ..... c 35 N74-13132 *
US-PATENT-CLASS-73-421.5R ... c 13 N72-25323 *
US-PATENT-CLASS-73-421.5R ... c 14 N73-30395 *
US-PATENT-CLASS-73-421.5R ... c 52 N74-20728 *
US-PATENT-CLASS-73-421.5R ... c 35 N76-18401 *
US-PATENT-CLASS-73-421.5R ... c 35 N77-32456 *
US-PATENT-CLASS-73-421.5 ..... c 14 N73-12444 *
US-PATENT-CLASS-73-421R ..... c 54 N76-14804 *
US-PATENT-CLASS-73-422GC .... c 13 N72-25323 *
US-PATENT-CLASS-73-422TC .... c 13 N72-25323 *
US-PATENT-CLASS-73-422 ..... c 14 N71-20435 *
US-PATENT-CLASS-73-425.2 ..... c 91 N76-30131 *
US-PATENT-CLASS-73-425.4R ... c 35 N78-27384 *
US-PATENT-CLASS-73-425.6 ..... c 15 N72-21465 *
US-PATENT-CLASS-73-432PS .... c 76 N75-12810 *
US-PATENT-CLASS-73-432PS .... c 35 N75-33367 *
US-PATENT-CLASS-73-432PS .... c 35 N78-18390 *
US-PATENT-CLASS-73-432R ..... c 33 N73-27796 *
US-PATENT-CLASS-73-432R ..... c 14 N73-28487 *
US-PATENT-CLASS-73-432R ..... c 91 N76-30131 *
US-PATENT-CLASS-73-432R ..... c 35 N77-19385 *
US-PATENT-CLASS-73-432R ..... c 35 N78-18390 *
US-PATENT-CLASS-73-432R ..... c 15 N84-16231 *
US-PATENT-CLASS-73-432SD .... c 11 N72-27262 *
US-PATENT-CLASS-73-432SD .... c 11 N73-20267 *
US-PATENT-CLASS-73-432SD .... c 35 N77-18417 *
US-PATENT-CLASS-73-432T ..... c 74 N84-11921 *
US-PATENT-CLASS-73-432 ..... c 11 N70-34786 *
US-PATENT-CLASS-73-432 ..... c 11 N70-38675 *
US-PATENT-CLASS-73-432 ..... c 05 N70-42000 *
US-PATENT-CLASS-73-432 ..... c 31 N71-16221 *
US-PATENT-CLASS-73-432 ..... c 27 N71-16223 *
US-PATENT-CLASS-73-432 ..... c 30 N71-17788 *
US-PATENT-CLASS-73-432 ..... c 14 N71-23227 *
US-PATENT-CLASS-73-432 ..... c 10 N71-26339 *
US-PATENT-CLASS-73-432 ..... c 11 N71-28629 *
US-PATENT-CLASS-73-432 ..... c 14 N71-30026 *
US-PATENT-CLASS-73-432 ..... c 35 N74-21062 *
US-PATENT-CLASS-73-45.5 ..... c 12 N71-17573 *
US-PATENT-CLASS-73-456 ..... c 35 N78-24515 *
US-PATENT-CLASS-73-462 ..... c 35 N87-14670 *
US-PATENT-CLASS-73-468 ..... c 37 N84-28082 *
US-PATENT-CLASS-73-46 ..... c 35 N75-19612 *
US-PATENT-CLASS-73-473 ..... c 35 N87-14670 *
US-PATENT-CLASS-73-477 ..... c 35 N87-14670 *
US-PATENT-CLASS-73-49.2 ..... c 32 N71-24285 *
US-PATENT-CLASS-73-49.2 ..... c 35 N75-15931 *
US-PATENT-CLASS-73-49.2 ..... c 35 N75-19612 *
US-PATENT-CLASS-73-49.3 ..... c 14 N71-26672 *
US-PATENT-CLASS-73-49.8 ..... c 14 N69-27503 * #
US-PATENT-CLASS-73-49.8 ..... c 15 N71-29132 *
US-PATENT-CLASS-73-490 ..... c 04 N81-21047 *
US-PATENT-CLASS-73-492 ..... c 14 N72-25411 *
US-PATENT-CLASS-73-493 ..... c 17 N76-29347 *
US-PATENT-CLASS-73-497 ..... c 14 N71-30265 *
US-PATENT-CLASS-73-497 ..... c 35 N74-15094 *
US-PATENT-CLASS-73-4 ..... c 14 N71-18481 *
US-PATENT-CLASS-73-4 ..... c 14 N71-23036 *
US-PATENT-CLASS-73-4 ..... c 14 N71-23755 *
US-PATENT-CLASS-73-4 ..... c 14 N73-30390 *
US-PATENT-CLASS-73-502 ..... c 35 N86-32695 * #
US-PATENT-CLASS-73-504 ..... c 04 N81-21047 *
US-PATENT-CLASS-73-505 ..... c 23 N71-16098 *
US-PATENT-CLASS-73-505 ..... c 12 N75-24774 *
US-PATENT-CLASS-73-505 ..... c 71 N78-10837 *
US-PATENT-CLASS-73-505 ..... c 71 N79-20827 *
US-PATENT-CLASS-73-505 ..... c 71 N81-15767 *
US-PATENT-CLASS-73-505 ..... c 71 N83-32515 *
US-PATENT-CLASS-73-505 ..... c 71 N83-32516 *
US-PATENT-CLASS-73-505 ..... c 71 N83-36846 *
US-PATENT-CLASS-73-505 ..... c 71 N84-23233 *
US-PATENT-CLASS-73-505 ..... c 71 N85-22105 *
US-PATENT-CLASS-73-505 ..... c 71 N85-29693 *
US-PATENT-CLASS-73-505 ..... c 35 N86-20752 *
US-PATENT-CLASS-73-505 ..... c 26 N86-32551 *
US-PATENT-CLASS-73-505 ..... c 71 N88-24241 *
US-PATENT-CLASS-73-510 ..... c 18 N81-29152 *
US-PATENT-CLASS-73-515 ..... c 14 N72-25410 *
US-PATENT-CLASS-73-517B ..... c 35 N74-15094 *
US-PATENT-CLASS-73-517R ..... c 17 N76-29347 *
US-PATENT-CLASS-73-517 ..... c 11 N70-38196 *
US-PATENT-CLASS-73-517 ..... c 14 N70-41682 *
US-PATENT-CLASS-73-517 ..... c 14 N71-15969 *
US-PATENT-CLASS-73-521 ..... c 14 N72-25410 *
US-PATENT-CLASS-73-521 ..... c 35 N86-32695 * #
US-PATENT-CLASS-73-557 ..... c 35 N75-19614 *
US-PATENT-CLASS-73-557 ..... c 07 N76-27232 *
US-PATENT-CLASS-73-56 ..... c 35 N80-18357 *
US-PATENT-CLASS-73-579 ..... c 39 N78-15512 *
US-PATENT-CLASS-73-579 ..... c 35 N79-10390 *
US-PATENT-CLASS-73-579 ..... c 33 N83-16626 *
US-PATENT-CLASS-73-579 ..... c 27 N85-20126 *
US-PATENT-CLASS-73-57 ..... c 14 N71-17584 *
US-PATENT-CLASS-73-57 ..... c 14 N73-14429 *
US-PATENT-CLASS-73-582 ..... c 27 N85-20126 *
US-PATENT-CLASS-73-583 ..... c 71 N87-21652 *
US-PATENT-CLASS-73-587 ..... c 35 N88-23966 *
US-PATENT-CLASS-73-588 ..... c 37 N84-33807 *
US-PATENT-CLASS-73-588 ..... c 27 N85-20126 *
US-PATENT-CLASS-73-589 ..... c 35 N79-10390 *
US-PATENT-CLASS-73-589 ..... c 35 N84-22933 *
US-PATENT-CLASS-73-589 ..... c 71 N87-21652 *
US-PATENT-CLASS-73-594 ..... c 35 N84-22933 *
US-PATENT-CLASS-73-597 ..... c 33 N83-16626 *
US-PATENT-CLASS-73-597 ..... c 52 N83-27578 *
US-PATENT-CLASS-73-597 ..... c 32 N87-14559 *
US-PATENT-CLASS-73-599 ..... c 71 N87-21652 *
US-PATENT-CLASS-73-599 ..... c 71 N87-21653 *
US-PATENT-CLASS-73-603 ..... c 38 N78-32447 *
US-PATENT-CLASS-73-60 ..... c 14 N73-14429 *
US-PATENT-CLASS-73-61.1C ..... c 23 N77-17161 *
US-PATENT-CLASS-73-61R ..... c 35 N78-27384 *
US-PATENT-CLASS-73-615 ..... c 32 N87-14559 *
US-PATENT-CLASS-73-61 ..... c 14 N71-26199 *
US-PATENT-CLASS-73-620 ..... c 35 N84-22928 *
US-PATENT-CLASS-73-626 ..... c 52 N79-26771 *
US-PATENT-CLASS-73-629 ..... c 33 N83-16626 *
US-PATENT-CLASS-73-630 ..... c 39 N78-15512 *
US-PATENT-CLASS-73-632 ..... c 38 N79-14398 *
US-PATENT-CLASS-73-633 ..... c 52 N79-14751 *
US-PATENT-CLASS-73-633 ..... c 35 N84-22928 *
US-PATENT-CLASS-73-64.4 ..... c 34 N83-31993 *
US-PATENT-CLASS-73-641 ..... c 38 N79-14398 *
US-PATENT-CLASS-73-644 ..... c 38 N79-14398 *
US-PATENT-CLASS-73-644 ..... c 52 N79-14751 *
US-PATENT-CLASS-73-646 ..... c 71 N78-14867 *
US-PATENT-CLASS-73-646 ..... c 35 N84-12445 *
US-PATENT-CLASS-73-647 ..... c 32 N79-24203 *
US-PATENT-CLASS-73-655 ..... c 35 N80-14371 *
US-PATENT-CLASS-73-657 ..... c 35 N85-30282 *
US-PATENT-CLASS-73-658 ..... c 35 N84-12445 *
US-PATENT-CLASS-73-65 ..... c 14 N71-22992 *
US-PATENT-CLASS-73-661 ..... c 35 N80-14371 *
US-PATENT-CLASS-73-67.1 ..... c 35 N75-12271 *
US-PATENT-CLASS-73-67.2 ..... c 11 N69-21540 * #
US-PATENT-CLASS-73-67.2 ..... c 15 N71-18132 *
US-PATENT-CLASS-73-67.2 ..... c 14 N72-22440 *
US-PATENT-CLASS-73-67.2 ..... c 35 N78-17358 *
US-PATENT-CLASS-73-67.3 ..... c 32 N73-26910 *
US-PATENT-CLASS-73-67.5R ..... c 38 N74-15395 *
US-PATENT-CLASS-73-67.7 ..... c 39 N77-28511 *
US-PATENT-CLASS-73-67.8S ..... c 35 N74-10415 *
US-PATENT-CLASS-73-67.8S ..... c 38 N74-15130 *
US-PATENT-CLASS-73-67.9 ..... c 52 N74-20726 *
US-PATENT-CLASS-73-683.31 .... c 35 N81-29407 *
US-PATENT-CLASS-73-684.52 .... c 35 N81-29407 *
US-PATENT-CLASS-73-69 ..... c 71 N74-31148 *
US-PATENT-CLASS-73-70.2 ..... c 14 N71-10616 *
US-PATENT-CLASS-73-705 ..... c 36 N85-21639 *
US-PATENT-CLASS-73-708 ..... c 34 N85-21568 *
US-PATENT-CLASS-73-71.2 ..... c 14 N70-34794 *
US-PATENT-CLASS-73-71.3 ..... c 35 N74-15146 *
US-PATENT-CLASS-73-71.4 ..... c 32 N71-16428 *
US-PATENT-CLASS-73-71.4 ..... c 32 N71-26681 *
US-PATENT-CLASS-73-71.5R .... c 71 N74-31148 *
US-PATENT-CLASS-73-71.5U .... c 38 N74-15395 *
US-PATENT-CLASS-73-71.6 ..... c 14 N71-27185 *
US-PATENT-CLASS-73-71.6 ..... c 14 N72-27412 *
US-PATENT-CLASS-73-71.6 ..... c 14 N73-13416 *
US-PATENT-CLASS-73-71.6 ..... c 14 N73-19421 *
US-PATENT-CLASS-73-71.6 ..... c 35 N77-18417 *
US-PATENT-CLASS-73-714 ..... c 35 N79-14347 *
US-PATENT-CLASS-73-714 ..... c 34 N79-24285 *
US-PATENT-CLASS-73-714 ..... c 35 N84-14491 *
US-PATENT-CLASS-73-721 ..... c 35 N79-14347 *
US-PATENT-CLASS-73-721 ..... c 35 N84-22934 *
US-PATENT-CLASS-73-724 ..... c 32 N79-24203 *
US-PATENT-CLASS-73-724 ..... c 52 N80-18691 *
US-PATENT-CLASS-73-724 ..... c 33 N82-26572 *
US-PATENT-CLASS-73-753 ..... c 35 N85-21597 *
US-PATENT-CLASS-73-756 ..... c 35 N78-24515 *
US-PATENT-CLASS-73-756 ..... c 35 N79-14347 *
US-PATENT-CLASS-73-756 ..... c 35 N84-22934 *
US-PATENT-CLASS-73-756 ..... c 35 N87-28884 *
US-PATENT-CLASS-73-75 ..... c 35 N85-34373 *
US-PATENT-CLASS-73-761 ..... c 33 N83-16626 *
US-PATENT-CLASS-73-76 ..... c 06 N72-17095 *
US-PATENT-CLASS-73-770 ..... c 39 N79-22537 *
US-PATENT-CLASS-73-781 ..... c 52 N80-27072 *
US-PATENT-CLASS-73-794 ..... c 35 N88-23967 *
US-PATENT-CLASS-73-79 ..... c 14 N71-26161 *
US-PATENT-CLASS-73-7 ..... c 25 N86-19413 *
US-PATENT-CLASS-73-801 ..... c 35 N88-23966 *
US-PATENT-CLASS-73-809 ..... c 39 N87-25601 *
US-PATENT-CLASS-73-810 ..... c 39 N79-22537 *
US-PATENT-CLASS-73-810 ..... c 39 N87-25601 *
US-PATENT-CLASS-73-810 ..... c 35 N88-23967 *
US-PATENT-CLASS-73-818 ..... c 35 N83-21312 *
US-PATENT-CLASS-73-818 ..... c 39 N83-32081 *
US-PATENT-CLASS-73-81 ..... c 14 N73-32321 *
US-PATENT-CLASS-73-822 ..... c 39 N83-32081 *
US-PATENT-CLASS-73-827 ..... c 39 N86-20841 *
US-PATENT-CLASS-73-82 ..... c 43 N79-25443 *
US-PATENT-CLASS-73-82 ..... c 43 N80-14423 *
US-PATENT-CLASS-73-82 ..... c 43 N80-23711 *
US-PATENT-CLASS-73-831 ..... c 35 N85-34375 *
US-PATENT-CLASS-73-833 ..... c 24 N84-27829 *
US-PATENT-CLASS-73-834 ..... c 37 N88-14361 *
US-PATENT-CLASS-73-84 ..... c 14 N71-22765 *
US-PATENT-CLASS-73-84 ..... c 14 N73-19420 *
US-PATENT-CLASS-73-84 ..... c 35 N77-27367 *
US-PATENT-CLASS-73-856 ..... c 39 N83-32081 *
US-PATENT-CLASS-73-856 ..... c 24 N84-27829 *
US-PATENT-CLASS-73-856 ..... c 35 N85-34375 *
US-PATENT-CLASS-73-856 ..... c 09 N87-25334 *
US-PATENT-CLASS-73-85 ..... c 14 N72-33377 *
US-PATENT-CLASS-73-860 ..... c 39 N83-32081 *
US-PATENT-CLASS-73-861.05 .... c 33 N83-31954 *
US-PATENT-CLASS-73-861.07 .... c 34 N86-12547 *
US-PATENT-CLASS-73-861.58 .... c 35 N86-25752 *
US-PATENT-CLASS-73-861.65 .... c 02 N80-28300 *
US-PATENT-CLASS-73-861.66 .... c 02 N80-28300 *
US-PATENT-CLASS-73-861.71 .... c 47 N84-28292 *
US-PATENT-CLASS-73-861 ..... c 34 N81-26402 *
US-PATENT-CLASS-73-862.01 .... c 35 N86-19581 *
US-PATENT-CLASS-73-862.04 .... c 35 N86-32696 *
US-PATENT-CLASS-73-862.08 .... c 54 N82-26987 *
US-PATENT-CLASS-73-862.54 .... c 37 N83-36482 *
US-PATENT-CLASS-73-862.54 .... c 35 N85-20294 *
US-PATENT-CLASS-73-862.54 .... c 35 N86-19581 *
US-PATENT-CLASS-73-862.61 .... c 35 N86-32696 *
US-PATENT-CLASS-73-862.65 .... c 35 N84-28015 *
US-PATENT-CLASS-73-863.11 .... c 35 N83-29650 *
US-PATENT-CLASS-73-863.11 .... c 37 N85-29286 *
US-PATENT-CLASS-73-863.21 .... c 35 N86-26595 *
US-PATENT-CLASS-73-863.31 .... c 45 N83-25217 *
US-PATENT-CLASS-73-863.31 .... c 35 N86-26595 *
US-PATENT-CLASS-73-863.72 .... c 35 N86-26595 *
US-PATENT-CLASS-73-863.83 .... c 45 N83-25217 *
US-PATENT-CLASS-73-863.86 .... c 35 N85-29213 *

US-PATENT-CLASS-73-864.34 .... c 35 N86-26595 *
US-PATENT-CLASS-73-864.41 .... c 35 N84-28018 *
US-PATENT-CLASS-73-864.52 .... c 35 N85-29213 *
US-PATENT-CLASS-73-864.63 .... c 45 N83-25217 *
US-PATENT-CLASS-73-864.81 .... c 37 N85-29286 *
US-PATENT-CLASS-73-86 ..... c 14 N69-39975 * #
US-PATENT-CLASS-73-86 ..... c 33 N71-21586 *
US-PATENT-CLASS-73-86 ..... c 33 N73-27796 *
US-PATENT-CLASS-73-86 ..... c 34 N74-15652 *
US-PATENT-CLASS-73-88.5R ..... c 15 N72-17452 *
US-PATENT-CLASS-73-88.5R ..... c 32 N73-26910 *
US-PATENT-CLASS-73-88.5R ..... c 52 N74-27864 *
US-PATENT-CLASS-73-88.5R ..... c 35 N76-14430 *
US-PATENT-CLASS-73-88.5SD ... c 33 N76-19338 *
US-PATENT-CLASS-73-88.5 ..... c 14 N70-34705 *
US-PATENT-CLASS-73-88.5 ..... c 14 N70-34799 *
US-PATENT-CLASS-73-88.5 ..... c 14 N71-17656 *
US-PATENT-CLASS-73-88.5 ..... c 14 N71-21091 *
US-PATENT-CLASS-73-88.5 ..... c 14 N71-23087 *
US-PATENT-CLASS-73-88.5 ..... c 14 N71-24233 *
US-PATENT-CLASS-73-88.5 ..... c 09 N72-22200 *
US-PATENT-CLASS-73-88.5 ..... c 33 N75-31329 *
US-PATENT-CLASS-73-88.5 ..... c 38 N76-28563 *
US-PATENT-CLASS-73-88A ..... c 32 N73-20740 *
US-PATENT-CLASS-73-88F ..... c 39 N78-15512 *
US-PATENT-CLASS-73-88R ..... c 35 N74-13129 *
US-PATENT-CLASS-73-88R ..... c 35 N77-22449 *
US-PATENT-CLASS-73-88R ..... c 39 N77-28511 *
US-PATENT-CLASS-73-88 ..... c 32 N71-17645 *
US-PATENT-CLASS-73-90 ..... c 32 N70-42003 *
US-PATENT-CLASS-73-90 ..... c 32 N71-25360 *
US-PATENT-CLASS-73-90 ..... c 14 N73-20476 *
US-PATENT-CLASS-73-91 ..... c 14 N73-20476 *
US-PATENT-CLASS-73-91 ..... c 32 N73-26910 *
US-PATENT-CLASS-73-91 ..... c 09 N74-19528 *
US-PATENT-CLASS-73-91 ..... c 39 N78-10493 *
US-PATENT-CLASS-73-94 ..... c 14 N73-32323 *
US-PATENT-CLASS-73-95 ..... c 15 N71-24834 *
US-PATENT-CLASS-73-95 ..... c 14 N72-11364 *
US-PATENT-CLASS-73-95 ..... c 35 N76-18400 *
US-PATENT-CLASS-73-95 ..... c 35 N77-22450 *
US-PATENT-CLASS-73-95 ..... c 31 N79-11246 *
US-PATENT-CLASS-73-97 ..... c 14 N71-15600 *
US-PATENT-CLASS-73-99 ..... c 14 N71-10781 *
US-PATENT-CLASS-73-9 ..... c 14 N71-22995 *
US-PATENT-CLASS-73-9 ..... c 35 N76-31489 *
US-PATENT-CLASS-73-9 ..... c 15 N84-16231 *
US-PATENT-CLASS-74-100R ..... c 37 N78-31426 *
US-PATENT-CLASS-74-100 ..... c 15 N71-24045 *
US-PATENT-CLASS-74-105 ..... c 09 N72-22195 *
US-PATENT-CLASS-74-110 ..... c 44 N83-14693 *
US-PATENT-CLASS-74-126 ..... c 15 N71-21529 *
US-PATENT-CLASS-74-18.1 ..... c 37 N82-24493 *
US-PATENT-CLASS-74-18.2 ..... c 11 N71-27036 *
US-PATENT-CLASS-74-18.2 ..... c 37 N82-24493 *
US-PATENT-CLASS-74-217R ..... c 37 N74-23070 *
US-PATENT-CLASS-74-2 ..... c 15 N71-24600 *
US-PATENT-CLASS-74-2 ..... c 31 N73-14855 *
US-PATENT-CLASS-74-384 ..... c 37 N76-14557 *
US-PATENT-CLASS-74-385 ..... c 07 N78-17056 *
US-PATENT-CLASS-74-409 ..... c 15 N71-21744 *
US-PATENT-CLASS-74-417 ..... c 07 N78-17056 *
US-PATENT-CLASS-74-417 ..... c 37 N81-14318 *
US-PATENT-CLASS-74-417 ..... c 37 N81-17432 *
US-PATENT-CLASS-74-424.8-R .. c 35 N87-21304 *
US-PATENT-CLASS-74-424.8B ... c 37 N85-20338 *
US-PATENT-CLASS-74-424.8VA . c 37 N75-15050 *
US-PATENT-CLASS-74-424.8VA . c 37 N85-20338 *
US-PATENT-CLASS-74-424.8 ..... c 15 N71-26635 *
US-PATENT-CLASS-74-425 ..... c 37 N80-32716 *
US-PATENT-CLASS-74-436 ..... c 37 N75-13266 *
US-PATENT-CLASS-74-441 ..... c 35 N87-21304 *
US-PATENT-CLASS-74-458 ..... c 35 N87-21304 *
US-PATENT-CLASS-74-468 ..... c 15 N71-24984 *
US-PATENT-CLASS-74-468 ..... c 35 N87-21304 *
US-PATENT-CLASS-74-469 ..... c 15 N72-21463 *
US-PATENT-CLASS-74-469 ..... c 15 N72-28495 *
US-PATENT-CLASS-74-471XY .... c 54 N75-27760 *
US-PATENT-CLASS-74-471 ..... c 05 N70-41581 *
US-PATENT-CLASS-74-471 ..... c 03 N70-42073 *
US-PATENT-CLASS-74-471 ..... c 15 N71-20740 *
US-PATENT-CLASS-74-479 ..... c 08 N82-24205 *
US-PATENT-CLASS-74-480R ..... c 05 N75-12930 *
US-PATENT-CLASS-74-480R ..... c 08 N82-24205 *
US-PATENT-CLASS-74-5.12 ..... c 31 N71-26537 *
US-PATENT-CLASS-74-5.22 ..... c 21 N73-13644 *
US-PATENT-CLASS-74-5.34 ..... c 04 N76-26175 *
US-PATENT-CLASS-74-5.34 ..... c 06 N83-33882 *
US-PATENT-CLASS-74-5.47 ..... c 21 N71-23289 *
US-PATENT-CLASS-74-5.5 ..... c 35 N74-28097 *
US-PATENT-CLASS-74-5.5 ..... c 37 N84-28082 *
US-PATENT-CLASS-74-5.6D ..... c 33 N85-29142 *
US-PATENT-CLASS-74-5.6 ..... c 35 N74-15094 *
US-PATENT-CLASS-74-5.7 ..... c 35 N74-18323 *
US-PATENT-CLASS-74-5.7 ..... c 15 N76-14158 *
US-PATENT-CLASS-74-5F ..... c 15 N73-12488 *
US-PATENT-CLASS-74-501R ..... c 15 N72-22485 *
US-PATENT-CLASS-74-515E ..... c 54 N78-17676 *
US-PATENT-CLASS-74-519 ..... c 03 N70-41954 *
US-PATENT-CLASS-74-519 ..... c 05 N81-19087 *
US-PATENT-CLASS-74-572 ..... c 07 N78-33101 *
US-PATENT-CLASS-74-572 ..... c 37 N79-10422 *
US-PATENT-CLASS-74-572 ..... c 44 N79-14527 *
US-PATENT-CLASS-74-572 ..... c 24 N81-29163 *
US-PATENT-CLASS-74-573R ..... c 37 N84-28082 *
US-PATENT-CLASS-74-586 ..... c 37 N79-14382 *
US-PATENT-CLASS-74-58 ..... c 35 N84-22928 *
US-PATENT-CLASS-74-594.6 ..... c 37 N74-18127 *
US-PATENT-CLASS-74-594.7 ..... c 37 N74-18127 *
US-PATENT-CLASS-74-63 ..... c 15 N71-17692 *
US-PATENT-CLASS-74-661 ..... c 37 N80-32716 *
US-PATENT-CLASS-74-665B ..... c 37 N76-15457 *
US-PATENT-CLASS-74-665C ..... c 37 N80-32716 *
US-PATENT-CLASS-74-674 ..... c 37 N79-20377 *
US-PATENT-CLASS-74-675 ..... c 37 N74-27901 *
US-PATENT-CLASS-74-705 ..... c 37 N79-20377 *
US-PATENT-CLASS-74-710 ..... c 37 N74-27901 *
US-PATENT-CLASS-74-753 ..... c 37 N84-28084 *
US-PATENT-CLASS-74-758 ..... c 37 N84-28084 *
US-PATENT-CLASS-74-764 ..... c 37 N79-20377 *
US-PATENT-CLASS-74-800 ..... c 37 N78-17385 *
US-PATENT-CLASS-74-812 ..... c 37 N84-28084 *
US-PATENT-CLASS-74-81 ..... c 37 N78-16369 *
US-PATENT-CLASS-74-820 ..... c 37 N75-13266 *
US-PATENT-CLASS-74-83 ..... c 37 N78-16369 *
US-PATENT-CLASS-74-89.15 ..... c 15 N71-26635 *
US-PATENT-CLASS-74-89.15 ..... c 15 N72-21462 *
US-PATENT-CLASS-74-89.15 ..... c 35 N87-21304 *
US-PATENT-CLASS-74-89.18 ..... c 15 N71-23809 *
US-PATENT-CLASS-74-89 ..... c 37 N81-33483 *
US-PATENT-CLASS-74-96 ..... c 37 N77-22482 *
US-PATENT-CLASS-75-.5B ..... c 17 N72-22530 *
US-PATENT-CLASS-75-DIG.1 ..... c 18 N72-25539 *
US-PATENT-CLASS-75-DIG.1 ..... c 37 N75-26371 *
US-PATENT-CLASS-75-0.5BB ..... c 15 N72-25448 *
US-PATENT-CLASS-75-122.7 ..... c 37 N77-19458 *
US-PATENT-CLASS-75-124 ..... c 26 N78-18182 *
US-PATENT-CLASS-75-124 ..... c 26 N80-32484 *
US-PATENT-CLASS-75-126D ..... c 26 N78-18182 *
US-PATENT-CLASS-75-126F ..... c 26 N78-18182 *
US-PATENT-CLASS-75-128G ..... c 26 N78-18182 *
US-PATENT-CLASS-75-128T ..... c 26 N78-18182 *
US-PATENT-CLASS-75-134D ..... c 76 N79-16678 *
US-PATENT-CLASS-75-135 ..... c 18 N73-32437 *
US-PATENT-CLASS-75-135 ..... c 24 N77-27187 *
US-PATENT-CLASS-75-135 ..... c 26 N80-23419 *
US-PATENT-CLASS-75-138 ..... c 26 N80-23419 *
US-PATENT-CLASS-75-139 ..... c 24 N77-27187 *
US-PATENT-CLASS-75-142 ..... c 17 N71-20743 *
US-PATENT-CLASS-75-170 ..... c 17 N71-15644 *
US-PATENT-CLASS-75-170 ..... c 17 N71-16025 *
US-PATENT-CLASS-75-170 ..... c 17 N71-23248 *
US-PATENT-CLASS-75-170 ..... c 17 N72-22535 *
US-PATENT-CLASS-75-170 ..... c 37 N77-19458 *
US-PATENT-CLASS-75-170 ..... c 26 N77-20201 *
US-PATENT-CLASS-75-170 ..... c 26 N77-32279 *
US-PATENT-CLASS-75-170 ..... c 26 N77-32280 *
US-PATENT-CLASS-75-170 ..... c 26 N78-18183 *
US-PATENT-CLASS-75-171 ..... c 17 N70-33283 *
US-PATENT-CLASS-75-171 ..... c 17 N70-36616 *
US-PATENT-CLASS-75-171 ..... c 17 N71-16026 *
US-PATENT-CLASS-75-171 ..... c 17 N73-32415 *
US-PATENT-CLASS-75-172 ..... c 17 N71-23365 *
US-PATENT-CLASS-75-173 ..... c 26 N75-27126 *
US-PATENT-CLASS-75-173 ..... c 26 N75-27127 *
US-PATENT-CLASS-75-178R ..... c 04 N76-20114 *
US-PATENT-CLASS-75-178R ..... c 26 N80-23419 *
US-PATENT-CLASS-75-20F ..... c 15 N72-11387 *
US-PATENT-CLASS-75-200 ..... c 26 N74-10521 *
US-PATENT-CLASS-75-200 ..... c 37 N74-13179 *
US-PATENT-CLASS-75-200 ..... c 24 N75-13032 *
US-PATENT-CLASS-75-200 ..... c 37 N75-26371 *
US-PATENT-CLASS-75-200 ..... c 24 N80-33482 *
US-PATENT-CLASS-75-202 ..... c 17 N71-15468 *
US-PATENT-CLASS-75-203 ..... c 27 N79-14213 *
US-PATENT-CLASS-75-204 ..... c 18 N71-22894 *
US-PATENT-CLASS-75-205 ..... c 27 N79-14213 *
US-PATENT-CLASS-75-206 ..... c 15 N72-25448 *
US-PATENT-CLASS-75-206 ..... c 27 N79-14213 *
US-PATENT-CLASS-75-208R ..... c 37 N75-26371 *
US-PATENT-CLASS-75-208 ..... c 18 N72-25539 *
US-PATENT-CLASS-75-211 ..... c 18 N72-25539 *
US-PATENT-CLASS-75-212 ..... c 37 N75-26371 *
US-PATENT-CLASS-75-212 ..... c 27 N79-14213 *
US-PATENT-CLASS-75-213 ..... c 15 N72-25448 *
US-PATENT-CLASS-75-213 ..... c 37 N74-13179 *
US-PATENT-CLASS-75-214 ..... c 37 N74-13179 *
US-PATENT-CLASS-75-214 ..... c 37 N75-26371 *
US-PATENT-CLASS-75-222 ..... c 28 N70-38197 *
US-PATENT-CLASS-75-222 ..... c 37 N75-26371 *
US-PATENT-CLASS-75-222 ..... c 24 N80-33482 *
US-PATENT-CLASS-75-225 ..... c 34 N76-27515 *
US-PATENT-CLASS-75-226 ..... c 18 N72-25539 *
US-PATENT-CLASS-75-226 ..... c 26 N74-10521 *
US-PATENT-CLASS-75-226 ..... c 37 N74-13179 *
US-PATENT-CLASS-75-226 ..... c 27 N79-14213 *
US-PATENT-CLASS-75-229 ..... c 27 N78-17206 *
US-PATENT-CLASS-75-239 ..... c 27 N78-17206 *
US-PATENT-CLASS-75-241 ..... c 27 N78-17206 *
US-PATENT-CLASS-75-25 ..... c 28 N81-15119 *
US-PATENT-CLASS-75-63 ..... c 15 N71-27184 *
US-PATENT-CLASS-75-65R ..... c 24 N77-27187 *
US-PATENT-CLASS-75-66 ..... c 17 N71-26773 *
US-PATENT-CLASS-75-66 ..... c 06 N73-13129 *
US-PATENT-CLASS-75-66 ..... c 17 N73-28573 *
US-PATENT-CLASS-77.5AQ ..... c 27 N81-15104 *
US-PATENT-CLASS-77.5CH ..... c 27 N81-15104 *
US-PATENT-CLASS-78-1 ..... c 15 N70-33330 *
US-PATENT-CLASS-788-704 ..... c 36 N79-18307 *
US-PATENT-CLASS-8-DIG.12 ..... c 27 N80-26446 *
US-PATENT-CLASS-8-DIG.18 ..... c 27 N80-26446 *
US-PATENT-CLASS-8-DIG.9 ..... c 25 N86-25428 *
US-PATENT-CLASS-8-115.5 ..... c 27 N80-26446 *
US-PATENT-CLASS-8-150 ..... c 09 N82-29330 *
US-PATENT-CLASS-8-3 ..... c 51 N77-27677 *
US-PATENT-CLASS-8-94.11 ..... c 51 N77-27677 *
US-PATENT-CLASS-8-94.12 ..... c 18 N71-15545 *
US-PATENT-CLASS-81-119 ..... c 37 N79-14383 *
US-PATENT-CLASS-81-177G ..... c 37 N85-21649 *
US-PATENT-CLASS-81-180B ..... c 37 N79-14383 *
US-PATENT-CLASS-81-3R ..... c 15 N71-29133 *
US-PATENT-CLASS-81-55 ..... c 37 N83-36482 *
US-PATENT-CLASS-81-56 ..... c 37 N76-20480 *
US-PATENT-CLASS-81-57.31 ..... c 37 N76-20480 *
US-PATENT-CLASS-81-57.38 ..... c 15 N73-30457 *
US-PATENT-CLASS-81-57.38 ..... c 37 N83-36482 *
US-PATENT-CLASS-81-63.1 ..... c 15 N71-17805 *
US-PATENT-CLASS-81-9.5R ..... c 37 N79-10419 *
US-PATENT-CLASS-81-90B ..... c 37 N79-14383 *
US-PATENT-CLASS-82-1.2 ..... c 37 N81-14319 *
US-PATENT-CLASS-82-1C ..... c 37 N81-14319 *
US-PATENT-CLASS-82-14 ..... c 15 N71-22722 *
US-PATENT-CLASS-82-24R ..... c 14 N72-16283 *
US-PATENT-CLASS-82-36R ..... c 37 N81-14319 *
US-PATENT-CLASS-82-90 ..... c 37 N85-21650 *
US-PATENT-CLASS-83-152 ..... c 76 N80-18951 *
US-PATENT-CLASS-83-451 ..... c 37 N77-14478 *
US-PATENT-CLASS-83-452 ..... c 39 N74-13131 *
US-PATENT-CLASS-83-467R ..... c 37 N77-14478 *
US-PATENT-CLASS-83-467 ..... c 15 N71-22798 *
US-PATENT-CLASS-83-522 ..... c 15 N72-27485 *
US-PATENT-CLASS-83-562 ..... c 15 N72-27485 *
US-PATENT-CLASS-83-563 ..... c 15 N72-27485 *
US-PATENT-CLASS-83-588 ..... c 15 N72-27485 *
US-PATENT-CLASS-83-602 ..... c 39 N74-13131 *
US-PATENT-CLASS-83-664 ..... c 37 N85-21650 *
US-PATENT-CLASS-83-676 ..... c 37 N85-21650 *
US-PATENT-CLASS-83-820 ..... c 37 N80-29703 *
US-PATENT-CLASS-83-870 ..... c 76 N80-18951 *
US-PATENT-CLASS-83-8 ..... c 15 N72-27485 *
US-PATENT-CLASS-83-917 ..... c 39 N74-13131 *
US-PATENT-CLASS-85-1 ..... c 15 N72-22488 *
US-PATENT-CLASS-85-33 ..... c 15 N71-15922 *
US-PATENT-CLASS-85-33 ..... c 15 N71-21489 *
US-PATENT-CLASS-85-3 ..... c 15 N71-17653 *
US-PATENT-CLASS-85-5B ..... c 15 N72-11385 *
US-PATENT-CLASS-85-7 ..... c 15 N71-23254 *
US-PATENT-CLASS-859R ..... c 27 N81-15104 *
US-PATENT-CLASS-86-1R ..... c 28 N77-10213 *
US-PATENT-CLASS-86-1R ..... c 20 N77-17143 *
US-PATENT-CLASS-86-1 ..... c 28 N71-26779 *
US-PATENT-CLASS-86-20.2 ..... c 28 N71-26779 *
US-PATENT-CLASS-86-20R ..... c 20 N77-17143 *
US-PATENT-CLASS-88-14 ..... c 14 N70-34298 *
US-PATENT-CLASS-88-14 ..... c 14 N70-40003 *
US-PATENT-CLASS-88-14 ..... c 14 N70-41946 *
US-PATENT-CLASS-88-14 ..... c 14 N70-41955 *
US-PATENT-CLASS-88-14 ..... c 09 N71-22999 *
US-PATENT-CLASS-88-16 ..... c 14 N70-33254 *
US-PATENT-CLASS-88-1 ..... c 21 N70-35427 *
US-PATENT-CLASS-88-1 ..... c 21 N71-22880 *
US-PATENT-CLASS-88-24 ..... c 23 N71-21882 *
US-PATENT-CLASS-89-1.14 ..... c 37 N87-23983 *
US-PATENT-CLASS-89-1.5G ..... c 08 N82-32373 *
US-PATENT-CLASS-89-1.54 ..... c 05 N87-14314 *
US-PATENT-CLASS-89-1.57 ..... c 37 N85-30334 *
US-PATENT-CLASS-89-1.5 ..... c 31 N71-15675 *
US-PATENT-CLASS-89-1.5 ..... c 15 N71-24600 *
US-PATENT-CLASS-89-1.7 ..... c 11 N70-38202 *
US-PATENT-CLASS-89-1.7 ..... c 30 N70-40353 *
US-PATENT-CLASS-89-1.7 ..... c 03 N71-12258 *
US-PATENT-CLASS-89-1.7 ..... c 03 N71-12259 *
US-PATENT-CLASS-89-1.801 ..... c 20 N76-22296 *
US-PATENT-CLASS-89-1.806 ..... c 15 N71-24043 *
US-PATENT-CLASS-89-1.811 ..... c 15 N72-17455 *
US-PATENT-CLASS-89-1B ..... c 01 N83-35992 *
US-PATENT-CLASS-89-1 ..... c 03 N70-34667 *
US-PATENT-CLASS-89-1 ..... c 15 N71-16078 *

US-PATENT-CLASS-89-8 ..... c 11 N71-18578 *
US-PATENT-CLASS-89-8 ..... c 11 N73-32152 *
US-PATENT-CLASS-89-8 ..... c 75 N76-14931 *
US-PATENT-CLASS-89-8 ..... c 75 N76-17951 *
US-PATENT-CLASS-89-8 ..... c 09 N79-21084 *
US-PATENT-CLASS-9-11A ..... c 02 N73-26006 *
US-PATENT-CLASS-9-11A ..... c 54 N74-14845 *
US-PATENT-CLASS-9-11 ..... c 05 N70-34857 *
US-PATENT-CLASS-9-2A ..... c 02 N73-26006 *
US-PATENT-CLASS-9-312 ..... c 05 N71-22748 *
US-PATENT-CLASS-9-316 ..... c 05 N70-36493 *
US-PATENT-CLASS-9-3 ..... c 02 N73-26006 *
US-PATENT-CLASS-9-8 ..... c 03 N70-36778 *
US-PATENT-CLASS-9-9 ..... c 15 N71-24600 *
US-PATENT-CLASS-90-11 ..... c 15 N71-33518 *
US-PATENT-CLASS-90-12.5 ..... c 37 N74-25968 *
US-PATENT-CLASS-90-12 ..... c 15 N71-22799 *
US-PATENT-CLASS-901-1 ..... c 18 N88-23828 *
US-PATENT-CLASS-901-25 ..... c 37 N86-20789 *
US-PATENT-CLASS-901-31 ..... c 37 N86-19603 *
US-PATENT-CLASS-901-31 ..... c 37 N86-20789 *
US-PATENT-CLASS-901-33 ..... c 18 N88-23828 *
US-PATENT-CLASS-901-42 ..... c 37 N86-21850 *
US-PATENT-CLASS-901-47 ..... c 37 N86-21850 *
US-PATENT-CLASS-901-50 ..... c 37 N86-19603 *
US-PATENT-CLASS-91-186 ..... c 05 N73-32014 *
US-PATENT-CLASS-91-325 ..... c 37 N81-32510 *
US-PATENT-CLASS-91-341R ..... c 37 N81-32510 *
US-PATENT-CLASS-91-361 ..... c 15 N71-27754 *
US-PATENT-CLASS-91-363A ..... c 15 N73-13466 *
US-PATENT-CLASS-91-390 ..... c 15 N71-27147 *
US-PATENT-CLASS-91-390 ..... c 15 N71-27754 *
US-PATENT-CLASS-91-410 ..... c 37 N81-32510 *
US-PATENT-CLASS-91-448 ..... c 15 N71-27754 *
US-PATENT-CLASS-91-448 ..... c 15 N73-13466 *
US-PATENT-CLASS-91-461 ..... c 15 N71-27147 *
US-PATENT-CLASS-92-130R ..... c 37 N81-33483 *
US-PATENT-CLASS-92-176 ..... c 37 N88-23981 *
US-PATENT-CLASS-92-212 ..... c 37 N88-23981 *
US-PATENT-CLASS-92-214 ..... c 37 N88-23981 *
US-PATENT-CLASS-92-222 ..... c 37 N88-23981 *
US-PATENT-CLASS-92-224 ..... c 37 N88-23981 *
US-PATENT-CLASS-92-37 ..... c 37 N82-24493 *
US-PATENT-CLASS-92-49 ..... c 14 N73-13418 *
US-PATENT-CLASS-92-94 ..... c 32 N70-41370 *
US-PATENT-CLASS-92-98R ..... c 31 N85-21404 *
US-PATENT-CLASS-93-1 ..... c 15 N70-33180 *
US-PATENT-CLASS-94.9N ..... c 27 N81-15104 *
US-PATENT-CLASS-95-1.1 ..... c 14 N72-18411 *
US-PATENT-CLASS-95-1.1 ..... c 14 N73-26431 *
US-PATENT-CLASS-95-11.5R ..... c 14 N73-19419 *
US-PATENT-CLASS-95-11.5 ..... c 14 N73-32319 *
US-PATENT-CLASS-95-11R ..... c 14 N73-19419 *
US-PATENT-CLASS-95-11 ..... c 14 N71-18465 *
US-PATENT-CLASS-95-11 ..... c 16 N71-33410 *
US-PATENT-CLASS-95-11 ..... c 14 N73-32319 *
US-PATENT-CLASS-95-12.5 ..... c 31 N72-25842 *
US-PATENT-CLASS-95-12.5 ..... c 14 N73-14427 *
US-PATENT-CLASS-95-12 ..... c 14 N73-33361 *
US-PATENT-CLASS-95-18 ..... c 14 N72-20380 *
US-PATENT-CLASS-95-42 ..... c 14 N73-32322 *
US-PATENT-CLASS-95-44 ..... c 14 N71-26474 *
US-PATENT-CLASS-95-53EA ..... c 33 N74-20861 *
US-PATENT-CLASS-95-53 ..... c 15 N71-21060 *
US-PATENT-CLASS-95-58 ..... c 14 N70-40273 *
US-PATENT-CLASS-95-59 ..... c 14 N73-14427 *
US-PATENT-CLASS-95-89R ..... c 35 N74-15831 *
US-PATENT-CLASS-96-27R ..... c 35 N79-10389 *
US-PATENT-CLASS-96-36.2 ..... c 06 N72-21094 *
US-PATENT-CLASS-96-36.2 ..... c 15 N72-25452 *
US-PATENT-CLASS-96-38.3 ..... c 35 N74-26946 *
US-PATENT-CLASS-96-49 ..... c 14 N71-17574 *
US-PATENT-CLASS-96-60R ..... c 35 N79-10389 *
US-PATENT-CLASS-96-79 ..... c 35 N74-26946 *
US-PATENT-CLASS-96-87A ..... c 27 N78-14164 *
US-PATENT-CLASS-96-90PC ..... c 14 N72-22443 *
US-PATENT-CLASS-98-1.5 ..... c 44 N78-32539 *
US-PATENT-CLASS-98-1 ..... c 54 N78-17679 *
US-PATENT-CLASS-98-39 ..... c 31 N74-27902 *
US-PATENT-CLASS-99-80PS ..... c 05 N72-33096 *

US-PATENT-DES-228,688 ..... c 05 N74-10907 *

US-PATENT-RE-26,548 ..... c 07 N71-12389 *
US-PATENT-RE-28,921 ..... c 52 N76-30793 *

US-PATENT-2,837,706 ..... c 15 N71-28952 *
US-PATENT-2,898,889 ..... c 02 N71-29128 *
US-PATENT-2,903,307 ..... c 15 N71-29136 *
US-PATENT-2,926,123 ..... c 33 N71-29151 *
US-PATENT-2,934,331 ..... c 15 N70-33382 *
US-PATENT-2,940,259 ..... c 28 N70-33241 *
US-PATENT-2,944,316 ..... c 15 N71-16076 *
US-PATENT-2,945,667 ..... c 15 N70-33376 *
US-PATENT-2,956,772 ..... c 33 N71-29152 *
US-PATENT-2,960,002 ..... c 14 N70-41946 *
US-PATENT-2,971,837 ..... c 17 N70-33283 *
US-PATENT-2,974,925 ..... c 28 N70-33372 *
US-PATENT-2,984,735 ..... c 11 N70-33329 *
US-PATENT-2,991,671 ..... c 15 N70-33330 *
US-PATENT-2,991,961 ..... c 02 N70-33332 *
US-PATENT-2,996,212 ..... c 31 N71-17680 *
US-PATENT-2,997,274 ..... c 28 N71-29154 *
US-PATENT-3,001,363 ..... c 28 N70-33331 *
US-PATENT-3,001,395 ..... c 14 N70-33386 *
US-PATENT-3,001,739 ..... c 03 N70-33343 *
US-PATENT-3,004,189 ..... c 37 N75-29426 *
US-PATENT-3,004,735 ..... c 14 N70-33322 *
US-PATENT-3,005,081 ..... c 09 N70-33312 *
US-PATENT-3,005,339 ..... c 11 N70-33287 *
US-PATENT-3,008,229 ..... c 15 N70-33311 *
US-PATENT-3,010,372 ..... c 15 N70-33180 *
US-PATENT-3,011,760 ..... c 15 N70-33226 *
US-PATENT-3,012,400 ..... c 28 N70-33374 *
US-PATENT-3,012,407 ..... c 15 N70-33323 *
US-PATENT-3,016,693 ..... c 28 N70-33356 *
US-PATENT-3,016,863 ..... c 12 N70-33305 *
US-PATENT-3,022,672 ..... c 14 N70-34816 *
US-PATENT-3,024,659 ..... c 14 N70-34820 *
US-PATENT-3,028,122 ..... c 02 N70-33286 *
US-PATENT-3,028,126 ..... c 21 N70-33279 *
US-PATENT-3,028,128 ..... c 31 N70-33242 *
US-PATENT-3,035,333 ..... c 28 N70-41818 *
US-PATENT-3,038,077 ..... c 21 N70-33181 *
US-PATENT-3,038,175 ..... c 05 N70-33285 *
US-PATENT-3,041,587 ..... c 14 N70-33179 *
US-PATENT-3,041,924 ..... c 14 N70-33254 *
US-PATENT-3,045,424 ..... c 28 N70-40367 *
US-PATENT-3,049,876 ..... c 28 N70-33284 *
US-PATENT-3,053,484 ..... c 02 N70-33255 *
US-PATENT-3,057,597 ..... c 15 N70-33264 *
US-PATENT-3,059,220 ..... c 09 N70-33182 *
US-PATENT-3,063,291 ..... c 11 N70-33278 *
US-PATENT-3,064,928 ..... c 02 N70-33266 *
US-PATENT-3,067,573 ..... c 28 N70-39899 *
US-PATENT-3,068,658 ..... c 15 N70-34247 *
US-PATENT-3,069,123 ..... c 14 N70-39898 *
US-PATENT-3,070,330 ..... c 21 N70-34539 *
US-PATENT-3,070,349 ..... c 28 N70-39895 *
US-PATENT-3,070,407 ..... c 15 N70-39896 *
US-PATENT-3,072,574 ..... c 18 N70-39897 *
US-PATENT-3,076,065 ..... c 09 N70-39915 *
US-PATENT-3,077,599 ..... c 07 N70-40202 *
US-PATENT-3,079,113 ..... c 02 N70-38009 *
US-PATENT-3,080,711 ..... c 28 N70-38711 *
US-PATENT-3,083,611 ..... c 21 N70-35427 *
US-PATENT-3,084,421 ..... c 17 N70-38490 *
US-PATENT-3,085,165 ..... c 09 N70-34819 *
US-PATENT-3,087,692 ..... c 02 N70-34178 *
US-PATENT-3,088,441 ..... c 15 N70-35409 *
US-PATENT-3,090,212 ..... c 33 N70-37979 *
US-PATENT-3,090,580 ..... c 31 N70-37924 *
US-PATENT-3,093,000 ..... c 15 N70-37925 *
US-PATENT-3,093,346 ..... c 31 N70-37938 *
US-PATENT-3,098,630 ..... c 02 N70-37939 *
US-PATENT-3,100,294 ..... c 09 N70-38998 *
US-PATENT-3,100,990 ..... c 14 N70-34813 *
US-PATENT-3,102,948 ..... c 15 N70-34814 *
US-PATENT-3,104,079 ..... c 31 N70-37986 *
US-PATENT-3,104,082 ..... c 02 N70-38011 *
US-PATENT-3,105,515 ..... c 15 N70-38603 *
US-PATENT-3,106,603 ..... c 09 N70-38201 *
US-PATENT-3,108,171 ..... c 33 N70-34812 *
US-PATENT-3,110,318 ..... c 12 N70-38997 *
US-PATENT-3,112,672 ..... c 11 N70-38202 *
US-PATENT-3,115,630 ..... c 31 N70-37981 *
US-PATENT-3,118,100 ..... c 03 N71-29129 *
US-PATENT-3,119,086 ..... c 35 N79-33449 *
US-PATENT-3,119,232 ..... c 28 N70-37980 *
US-PATENT-3,120,101 ..... c 28 N70-34860 *
US-PATENT-3,120,361 ..... c 31 N70-38010 *
US-PATENT-3,120,738 ..... c 28 N70-38249 *
US-PATENT-3,121,309 ..... c 28 N70-35381 *
US-PATENT-3,122,000 ..... c 15 N70-38020 *
US-PATENT-3,122,098 ..... c 28 N70-38181 *
US-PATENT-3,122,885 ..... c 28 N70-38710 *
US-PATENT-3,123,248 ..... c 11 N70-38182 *
US-PATENT-3,123,418 ..... c 37 N79-33467 *
US-PATENT-3,123,692 ..... c 33 N79-33393 *
US-PATENT-3,127,157 ..... c 15 N70-38225 *
US-PATENT-3,128,389 ..... c 09 N70-38604 *
US-PATENT-3,128,845 ..... c 15 N70-38601 *
US-PATENT-3,130,940 ..... c 33 N70-33344 *
US-PATENT-3,131,040 ..... c 37 N79-21345 *
US-PATENT-3,132,342 ..... c 07 N70-38200 *
US-PATENT-3,132,476 ..... c 28 N70-34294 *
US-PATENT-3,132,479 ..... c 15 N71-28951 *
US-PATENT-3,132,903 ..... c 15 N70-38620 *
US-PATENT-3,134,389 ..... c 37 N79-33468 *
US-PATENT-3,135,089 ..... c 28 N70-38504 *
US-PATENT-3,135,090 ..... c 28 N70-38505 *
US-PATENT-3,136,123 ..... c 28 N70-38199 *
US-PATENT-3,138,837 ..... c 17 N70-38198 *
US-PATENT-3,139,725 ..... c 28 N70-38645 *
US-PATENT-3,140,728 ..... c 15 N70-36908 *
US-PATENT-3,141,340 ..... c 11 N70-38196 *
US-PATENT-3,141,769 ..... c 28 N70-38197 *
US-PATENT-3,141,932 ..... c 03 N70-38713 *
US-PATENT-3,143,321 ..... c 15 N70-34850 *
US-PATENT-3,143,651 ..... c 14 N70-40240 *
US-PATENT-3,144,219 ..... c 31 N70-38676 *
US-PATENT-3,144,999 ..... c 02 N70-34856 *
US-PATENT-3,145,874 ..... c 11 N71-15960 *
US-PATENT-3,147,422 ..... c 09 N70-38712 *
US-PATENT-3,149,897 ..... c 09 N70-36494 *
US-PATENT-3,150,329 ..... c 09 N70-38995 *
US-PATENT-3,150,387 ..... c 03 N70-36778 *
US-PATENT-3,152,344 ..... c 05 N70-36493 *
US-PATENT-3,155,992 ..... c 05 N70-34857 *
US-PATENT-3,156,090 ..... c 28 N70-37245 *
US-PATENT-3,157,529 ..... c 18 N70-36400 *
US-PATENT-3,158,172 ..... c 15 N70-34817 *
US-PATENT-3,158,336 ..... c 31 N70-36410 *
US-PATENT-3,158,764 ..... c 03 N70-36803 *
US-PATENT-3,159,967 ..... c 28 N70-36802 *
US-PATENT-3,160,825 ..... c 14 N70-35220 *
US-PATENT-3,160,950 ..... c 15 N70-36409 *
US-PATENT-3,162,012 ..... c 15 N70-36411 *
US-PATENT-3,163,935 ..... c 14 N70-36907 *
US-PATENT-3,164,222 ..... c 15 N70-34861 *
US-PATENT-3,164,369 ..... c 15 N70-36412 *
US-PATENT-3,165,356 ..... c 05 N70-35152 *
US-PATENT-3,166,834 ..... c 15 N70-36901 *
US-PATENT-3,167,426 ..... c 17 N70-36616 *
US-PATENT-3,168,827 ..... c 14 N70-36807 *
US-PATENT-3,169,001 ..... c 02 N70-36825 *
US-PATENT-3,169,613 ..... c 15 N70-36947 *
US-PATENT-3,169,725 ..... c 31 N70-34296 *
US-PATENT-3,170,286 ..... c 15 N70-36535 *
US-PATENT-3,170,290 ..... c 28 N70-36910 *
US-PATENT-3,170,295 ..... c 27 N71-28929 *
US-PATENT-3,170,324 ..... c 14 N70-36824 *
US-PATENT-3,170,471 ..... c 32 N70-36536 *
US-PATENT-3,170,486 ..... c 15 N70-36492 *
US-PATENT-3,170,605 ..... c 15 N70-38996 *
US-PATENT-3,170,657 ..... c 02 N70-34858 *
US-PATENT-3,170,660 ..... c 02 N70-36804 *
US-PATENT-3,170,773 ..... c 17 N70-33288 *
US-PATENT-3,171,060 ..... c 25 N70-33267 *
US-PATENT-3,171,081 ..... c 14 N70-35666 *
US-PATENT-3,172,097 ..... c 08 N70-35423 *
US-PATENT-3,173,246 ..... c 28 N70-33265 *
US-PATENT-3,173,251 ..... c 28 N70-33375 *
US-PATENT-3,173,801 ..... c 32 N79-19186 *
US-PATENT-3,174,278 ..... c 25 N70-36946 *
US-PATENT-3,174,279 ..... c 28 N70-36806 *
US-PATENT-3,174,827 ..... c 26 N70-36805 *
US-PATENT-3,175,789 ..... c 31 N70-36654 *
US-PATENT-3,176,222 ..... c 14 N70-36618 *
US-PATENT-3,176,499 ..... c 14 N70-35368 *
US-PATENT-3,176,933 ..... c 33 N70-36617 *
US-PATENT-3,177,933 ..... c 33 N70-36847 *
US-PATENT-3,178,883 ..... c 21 N70-36938 *
US-PATENT-3,180,264 ..... c 33 N70-36846 *
US-PATENT-3,180,587 ..... c 21 N70-36943 *
US-PATENT-3,181,821 ..... c 31 N70-36845 *
US-PATENT-3,182,496 ..... c 11 N70-36913 *
US-PATENT-3,183,506 ..... c 07 N70-36911 *
US-PATENT-3,185,023 ..... c 14 N70-34298 *
US-PATENT-3,187,583 ..... c 11 N70-38675 *
US-PATENT-3,188,472 ..... c 21 N70-34297 *
US-PATENT-3,188,844 ..... c 15 N70-34249 *
US-PATENT-3,189,299 ..... c 21 N70-34295 *
US-PATENT-3,189,535 ..... c 15 N70-34967 *
US-PATENT-3,189,726 ..... c 33 N70-34545 *
US-PATENT-3,189,784 ..... c 33 N75-27250 *
US-PATENT-3,189,794 ..... c 09 N70-34502 *
US-PATENT-3,189,864 ..... c 09 N70-34596 *
US-PATENT-3,190,124 ..... c 35 N79-33450 *
US-PATENT-3,191,316 ..... c 31 N70-34966 *
US-PATENT-3,191,379 ..... c 27 N70-35534 *
US-PATENT-3,191,907 ..... c 15 N70-34859 *
US-PATENT-3,192,730 ..... c 06 N70-34946 *
US-PATENT-3,193,883 ..... c 27 N70-34783 *
US-PATENT-3,194,060 ..... c 14 N70-34794 *
US-PATENT-3,194,525 ..... c 11 N70-35383 *
US-PATENT-3,194,951 ..... c 08 N70-34778 *
US-PATENT-3,196,261 ..... c 08 N70-34787 *
US-PATENT-3,196,362 ..... c 09 N70-35440 *
US-PATENT-3,196,557 ..... c 11 N70-34815 *
US-PATENT-3,196,558 ..... c 14 N70-35394 *
US-PATENT-3,196,598 ..... c 28 N70-34788 *
US-PATENT-3,196,675 ..... c 14 N70-34818 *
US-PATENT-3,196,690 ..... c 11 N70-34786 *
US-PATENT-3,197,616 ..... c 14 N71-28958 *
US-PATENT-3,198,955 ..... c 08 N70-34743 *
US-PATENT-3,198,994 ..... c 26 N73-28710 *
US-PATENT-3,199,340 ..... c 14 N70-34799 *

US-PATENT-3,199,343 ..... c 11 N70-34844 *
US-PATENT-3,199,931 ..... c 15 N70-34664 *
US-PATENT-3,200,706 ..... c 03 N70-34667 *
US-PATENT-3,201,560 ..... c 33 N70-34540 *
US-PATENT-3,201,635 ..... c 25 N70-34661 *
US-PATENT-3,201,980 ..... c 14 N70-40203 *
US-PATENT-3,202,381 ..... c 31 N70-34176 *
US-PATENT-3,202,398 ..... c 28 N71-28928 *
US-PATENT-3,202,844 ..... c 03 N70-34134 *
US-PATENT-3,202,915 ..... c 14 N70-38602 *
US-PATENT-3,202,998 ..... c 31 N70-34135 *
US-PATENT-3,204,447 ..... c 14 N70-34156 *
US-PATENT-3,204,889 ..... c 03 N70-34157 *
US-PATENT-3,205,361 ..... c 14 N70-34158 *
US-PATENT-3,205,362 ..... c 21 N70-35089 *
US-PATENT-3,205,381 ..... c 03 N70-35408 *
US-PATENT-3,206,141 ..... c 21 N70-35395 *
US-PATENT-3,206,897 ..... c 18 N75-27040 *
US-PATENT-3,208,215 ..... c 28 N70-34162 *
US-PATENT-3,208,272 ..... c 14 N70-34161 *
US-PATENT-3,208,694 ..... c 02 N70-34160 *
US-PATENT-3,208,707 ..... c 31 N70-34159 *
US-PATENT-3,209,360 ..... c 09 N70-35219 *
US-PATENT-3,209,361 ..... c 09 N70-35425 *
US-PATENT-3,210,927 ..... c 28 N70-34175 *
US-PATENT-3,211,169 ..... c 15 N70-35087 *
US-PATENT-3,211,414 ..... c 15 N70-35407 *
US-PATENT-3,212,096 ..... c 09 N70-35382 *
US-PATENT-3,212,259 ..... c 28 N71-29153 *
US-PATENT-3,212,325 ..... c 14 N70-34705 *
US-PATENT-3,212,564 ..... c 33 N71-29052 *
US-PATENT-3,215,313 ..... c 31 N79-21225 *
US-PATENT-3,215,572 ..... c 12 N70-40124 *
US-PATENT-3,216,007 ..... c 08 N70-40125 *
US-PATENT-3,217,624 ..... c 14 N70-40273 *
US-PATENT-3,218,479 ..... c 09 N70-40272 *
US-PATENT-3,218,547 ..... c 09 N70-40123 *
US-PATENT-3,218,850 ..... c 14 N70-40400 *
US-PATENT-3,219,250 ..... c 15 N70-40204 *
US-PATENT-3,219,365 ..... c 15 N71-28937 *
US-PATENT-3,219,997 ..... c 08 N73-28045 *
US-PATENT-3,220,004 ..... c 30 N70-40309 *
US-PATENT-3,221,547 ..... c 14 N70-40201 *
US-PATENT-3,221,549 ..... c 14 N70-40157 *
US-PATENT-3,223,374 ..... c 15 N70-40156 *
US-PATENT-3,224,001 ..... c 07 N70-40063 *
US-PATENT-3,224,173 ..... c 15 N70-40062 *
US-PATENT-3,224,263 ..... c 15 N70-40180 *
US-PATENT-3,224,336 ..... c 30 N70-40353 *
US-PATENT-3,224,337 ..... c 09 N79-21084 *
US-PATENT-3,228,492 ..... c 15 N70-40354 *
US-PATENT-3,228,558 ..... c 14 N70-40233 *
US-PATENT-3,229,099 ..... c 14 N70-40238 *
US-PATENT-3,229,102 ..... c 14 N70-40239 *
US-PATENT-3,229,139 ..... c 28 N70-39925 *
US-PATENT-3,229,155 ..... c 25 N70-41628 *
US-PATENT-3,229,463 ..... c 28 N70-39931 *
US-PATENT-3,229,568 ..... c 14 N70-40003 *
US-PATENT-3,229,636 ..... c 03 N70-39930 *
US-PATENT-3,229,682 ..... c 09 N70-40234 *
US-PATENT-3,229,689 ..... c 05 N70-39922 *
US-PATENT-3,229,884 ..... c 15 N70-39924 *
US-PATENT-3,229,905 ..... c 04 N78-17031 *
US-PATENT-3,229,930 ..... c 30 N70-40016 *
US-PATENT-3,230,053 ..... c 26 N70-40015 *
US-PATENT-3,233,862 ..... c 37 N79-33469 *
US-PATENT-3,236,066 ..... c 15 N71-28959 *
US-PATENT-3,237,253 ..... c 15 N71-15966 *
US-PATENT-3,238,345 ..... c 11 N71-15925 *
US-PATENT-3,238,413 ..... c 25 N71-29184 *
US-PATENT-3,238,715 ..... c 28 N71-14043 *
US-PATENT-3,238,730 ..... c 03 N71-12260 *
US-PATENT-3,238,774 ..... c 14 N71-14996 *
US-PATENT-3,238,777 ..... c 14 N71-15598 *
US-PATENT-3,239,660 ..... c 23 N71-30292 *
US-PATENT-3,242,716 ..... c 14 N71-15992 *
US-PATENT-3,243,154 ..... c 23 N71-15673 *
US-PATENT-3,243,791 ..... c 07 N71-11298 *
US-PATENT-3,244,943 ..... c 15 N73-28516 *
US-PATENT-3,249,012 ..... c 03 N71-12258 *
US-PATENT-3,249,013 ..... c 03 N71-12259 *
US-PATENT-3,251,053 ..... c 08 N71-12501 *
US-PATENT-3,252,100 ..... c 10 N71-28960 *
US-PATENT-3,254,395 ..... c 28 N71-15658 *
US-PATENT-3,254,487 ..... c 28 N71-15659 *
US-PATENT-3,257,780 ..... c 15 N71-15968 *
US-PATENT-3,258,582 ..... c 02 N71-13421 *
US-PATENT-3,258,687 ..... c 14 N71-15962 *
US-PATENT-3,258,831 ..... c 15 N71-15986 *
US-PATENT-3,258,912 ..... c 27 N71-15634 *
US-PATENT-3,258,918 ..... c 27 N71-15635 *
US-PATENT-3,260,055 ..... c 23 N71-15467 *
US-PATENT-3,260,204 ..... c 31 N71-15692 *
US-PATENT-3,260,326 ..... c 11 N71-28779 *
US-PATENT-3,261,210 ..... c 14 N71-15969 *
US-PATENT-3,262,025 ..... c 15 N73-32361 *
US-PATENT-3,262,186 ..... c 15 N71-16052 *
US-PATENT-3,262,262 ..... c 28 N71-15661 *
US-PATENT-3,262,351 ..... c 15 N71-15922 *
US-PATENT-3,262,365 ..... c 31 N71-15675 *
US-PATENT-3,262,395 ..... c 15 N71-30028 *
US-PATENT-3,262,518 ..... c 05 N71-11199 *
US-PATENT-3,262,655 ..... c 31 N71-15663 *
US-PATENT-3,262,694 ..... c 44 N79-19447 *
US-PATENT-3,263,016 ..... c 33 N71-15625 *
US-PATENT-3,263,171 ..... c 09 N71-13530 *
US-PATENT-3,263,610 ..... c 15 N71-13789 *
US-PATENT-3,264,135 ..... c 15 N71-16075 *
US-PATENT-3,270,441 ..... c 11 N71-16028 *
US-PATENT-3,270,499 ..... c 28 N71-15660 *
US-PATENT-3,270,501 ..... c 31 N71-15647 *
US-PATENT-3,270,503 ..... c 33 N71-15623 *
US-PATENT-3,270,504 ..... c 31 N71-15637 *
US-PATENT-3,270,505 ..... c 21 N71-15582 *
US-PATENT-3,270,512 ..... c 15 N71-15906 *
US-PATENT-3,270,565 ..... c 14 N71-30265 *
US-PATENT-3,270,756 ..... c 15 N71-15967 *
US-PATENT-3,270,802 ..... c 33 N71-24876 *
US-PATENT-3,270,835 ..... c 28 N70-41582 *
US-PATENT-3,270,908 ..... c 31 N71-15664 *
US-PATENT-3,270,985 ..... c 21 N71-15583 *
US-PATENT-3,270,986 ..... c 05 N71-12336 *
US-PATENT-3,270,988 ..... c 01 N71-13410 *
US-PATENT-3,270,989 ..... c 02 N71-11041 * #
US-PATENT-3,270,990 ..... c 28 N71-15563 *
US-PATENT-3,271,140 ..... c 17 N71-15644 *
US-PATENT-3,271,181 ..... c 15 N71-16077 *
US-PATENT-3,271,532 ..... c 09 N71-16089 *
US-PATENT-3,271,558 ..... c 15 N71-15871 *
US-PATENT-3,271,594 ..... c 10 N71-28739 *
US-PATENT-3,271,620 ..... c 09 N71-12540 *
US-PATENT-3,271,637 ..... c 26 N71-18064 *
US-PATENT-3,271,649 ..... c 10 N71-16030 *
US-PATENT-3,273,094 ..... c 23 N71-29049 *
US-PATENT-3,273,355 ..... c 33 N71-17897 *
US-PATENT-3,273,381 ..... c 32 N71-17645 *
US-PATENT-3,273,388 ..... c 09 N71-16086 *
US-PATENT-3,273,392 ..... c 23 N71-17802 *
US-PATENT-3,273,399 ..... c 12 N71-24692 *
US-PATENT-3,274,304 ..... c 26 N71-17818 *
US-PATENT-3,275,794 ..... c 37 N75-27376 *
US-PATENT-3,276,251 ..... c 11 N71-15926 *
US-PATENT-3,276,376 ..... c 31 N71-17629 *
US-PATENT-3,276,602 ..... c 32 N71-17609 *
US-PATENT-3,276,679 ..... c 15 N71-16079 *
US-PATENT-3,276,722 ..... c 02 N71-16087 *
US-PATENT-3,276,726 ..... c 31 N71-16081 *
US-PATENT-3,276,865 ..... c 17 N71-16025 *
US-PATENT-3,276,866 ..... c 17 N71-16026 *
US-PATENT-3,276,946 ..... c 23 N71-15978 *
US-PATENT-3,277,314 ..... c 10 N71-16042 *
US-PATENT-3,277,366 ..... c 10 N71-16057 *
US-PATENT-3,277,373 ..... c 07 N71-16088 *
US-PATENT-3,277,375 ..... c 07 N71-11284 *
US-PATENT-3,277,458 ..... c 10 N71-16058 *
US-PATENT-3,277,486 ..... c 31 N71-10747 *
US-PATENT-3,279,193 ..... c 33 N71-28852 *
US-PATENT-3,281,558 ..... c 33 N75-27249 *
US-PATENT-3,281,963 ..... c 11 N71-10746 *
US-PATENT-3,281,964 ..... c 11 N71-10776 *
US-PATENT-3,281,965 ..... c 11 N71-10748 *
US-PATENT-3,282,035 ..... c 11 N71-10777 *
US-PATENT-3,282,091 ..... c 14 N71-10781 *
US-PATENT-3,282,532 ..... c 31 N71-17729 *
US-PATENT-3,282,541 ..... c 31 N71-24750 *
US-PATENT-3,282,739 ..... c 03 N71-11053 *
US-PATENT-3,282,740 ..... c 03 N71-11051 *
US-PATENT-3,283,088 ..... c 10 N71-15909 *
US-PATENT-3,283,175 ..... c 10 N71-15910 *
US-PATENT-3,283,241 ..... c 14 N71-16014 *
US-PATENT-3,286,274 ..... c 05 N71-12335 *
US-PATENT-3,286,531 ..... c 30 N71-17788 *
US-PATENT-3,286,629 ..... c 31 N71-17730 *
US-PATENT-3,286,630 ..... c 31 N71-10582 *
US-PATENT-3,286,882 ..... c 27 N71-29155 *
US-PATENT-3,286,953 ..... c 21 N70-41856 *
US-PATENT-3,286,957 ..... c 02 N70-41863 *
US-PATENT-3,287,031 ..... c 15 N70-41808 *
US-PATENT-3,287,174 ..... c 03 N70-41864 *
US-PATENT-3,287,496 ..... c 14 N70-41807 *
US-PATENT-3,287,582 ..... c 28 N70-41576 *
US-PATENT-3,287,640 ..... c 09 N70-41655 *
US-PATENT-3,287,660 ..... c 16 N70-41578 *
US-PATENT-3,287,725 ..... c 07 N70-41680 *
US-PATENT-3,289,205 ..... c 07 N70-41678 *
US-PATENT-3,295,360 ..... c 14 N70-41681 *
US-PATENT-3,295,366 ..... c 11 N70-41677 *
US-PATENT-3,295,377 ..... c 14 N70-41682 *
US-PATENT-3,295,386 ..... c 05 N70-41581 *
US-PATENT-3,295,512 ..... c 03 N70-41580 *
US-PATENT-3,295,545 ..... c 15 N70-41646 *
US-PATENT-3,295,556 ..... c 32 N70-41579 *
US-PATENT-3,295,594 ..... c 54 N82-29002 *
US-PATENT-3,295,684 ..... c 28 N70-41447 *
US-PATENT-3,295,699 ..... c 32 N70-41367 *
US-PATENT-3,295,782 ..... c 14 N70-41647 *
US-PATENT-3,295,790 ..... c 31 N70-41588 *
US-PATENT-3,295,798 ..... c 02 N70-41589 *
US-PATENT-3,295,808 ..... c 15 N70-41310 *
US-PATENT-3,296,060 ..... c 18 N70-41583 *
US-PATENT-3,296,526 ..... c 14 N70-41332 *
US-PATENT-3,296,531 ..... c 07 N70-41331 *
US-PATENT-3,298,175 ..... c 33 N71-29053 *
US-PATENT-3,298,182 ..... c 28 N70-41311 *
US-PATENT-3,298,221 ..... c 14 N70-41330 *
US-PATENT-3,298,285 ..... c 32 N70-41370 *
US-PATENT-3,298,362 ..... c 05 N70-41329 *
US-PATENT-3,298,582 ..... c 14 N71-28935 *
US-PATENT-3,299,364 ..... c 16 N71-15550 *
US-PATENT-3,299,431 ..... c 07 N71-28979 *
US-PATENT-3,299,913 ..... c 15 N71-15918 *
US-PATENT-3,300,162 ..... c 31 N70-41373 *
US-PATENT-3,300,731 ..... c 07 N70-41372 *
US-PATENT-3,300,847 ..... c 15 N70-41371 *
US-PATENT-3,300,949 ..... c 05 N70-41297 *
US-PATENT-3,300,981 ..... c 28 N70-41275 *
US-PATENT-3,301,046 ..... c 14 N70-41366 *
US-PATENT-3,301,315 ..... c 09 N70-41717 *
US-PATENT-3,301,507 ..... c 31 N70-41631 *
US-PATENT-3,301,511 ..... c 02 N70-41630 *
US-PATENT-3,301,578 ..... c 15 N70-41629 *
US-PATENT-3,302,023 ..... c 14 N70-41676 *
US-PATENT-3,302,040 ..... c 09 N70-41675 *
US-PATENT-3,302,569 ..... c 15 N70-41679 *
US-PATENT-3,302,633 ..... c 05 N70-41819 *
US-PATENT-3,302,662 ..... c 15 N70-41811 *
US-PATENT-3,302,960 ..... c 15 N70-41829 *
US-PATENT-3,303,304 ..... c 14 N70-41812 *
US-PATENT-3,304,028 ..... c 31 N70-41855 *
US-PATENT-3,304,718 ..... c 28 N70-41922 *
US-PATENT-3,304,724 ..... c 31 N70-41948 *
US-PATENT-3,304,729 ..... c 31 N70-41871 *
US-PATENT-3,304,768 ..... c 32 N70-42003 *
US-PATENT-3,304,773 ..... c 14 N70-41957 *
US-PATENT-3,304,799 ..... c 03 N70-41954 *
US-PATENT-3,304,865 ..... c 28 N70-41967 *
US-PATENT-3,305,415 ..... c 27 N70-41897 *
US-PATENT-3,305,636 ..... c 08 N70-41961 *
US-PATENT-3,305,801 ..... c 10 N70-41964 *
US-PATENT-3,305,810 ..... c 09 N70-41929 *
US-PATENT-3,305,861 ..... c 21 N70-41930 *
US-PATENT-3,305,870 ..... c 07 N71-15907 *
US-PATENT-3,306,134 ..... c 37 N78-17385 *
US-PATENT-3,308,848 ..... c 12 N71-16031 *
US-PATENT-3,309,012 ..... c 33 N71-17610 *
US-PATENT-3,309,961 ..... c 15 N71-16078 *
US-PATENT-3,310,054 ..... c 08 N71-15908 *
US-PATENT-3,310,138 ..... c 12 N71-16894 *
US-PATENT-3,310,256 ..... c 31 N71-17679 *
US-PATENT-3,310,258 ..... c 31 N71-17691 *
US-PATENT-3,310,261 ..... c 02 N71-11038 *
US-PATENT-3,310,262 ..... c 02 N71-12243 *
US-PATENT-3,310,443 ..... c 24 N71-10560 *
US-PATENT-3,310,699 ..... c 14 N73-32324 *
US-PATENT-3,310,765 ..... c 33 N79-21264 *
US-PATENT-3,310,978 ..... c 14 N71-10616 *
US-PATENT-3,310,980 ..... c 11 N71-10604 *
US-PATENT-3,311,315 ..... c 07 N71-10609 *
US-PATENT-3,311,502 ..... c 03 N71-10608 *
US-PATENT-3,311,510 ..... c 26 N71-10607 *
US-PATENT-3,311,571 ..... c 27 N79-21190 *
US-PATENT-3,311,748 ..... c 21 N71-10678 *
US-PATENT-3,311,772 ..... c 09 N71-10618 *
US-PATENT-3,311,832 ..... c 07 N71-10775 *
US-PATENT-3,312,101 ..... c 14 N71-10774 *
US-PATENT-3,313,204 ..... c 28 N73-24783 *
US-PATENT-3,316,716 ..... c 28 N71-10780 *
US-PATENT-3,316,752 ..... c 14 N71-10779 *
US-PATENT-3,316,991 ..... c 14 N71-10773 *
US-PATENT-3,317,180 ..... c 15 N71-10778 *
US-PATENT-3,317,341 ..... c 18 N71-10772 *
US-PATENT-3,317,352 ..... c 03 N71-10728 *
US-PATENT-3,317,641 ..... c 15 N71-10672 *
US-PATENT-3,317,731 ..... c 21 N71-10771 *
US-PATENT-3,317,751 ..... c 09 N71-10673 *
US-PATENT-3,317,797 ..... c 10 N71-28783 *
US-PATENT-3,317,832 ..... c 09 N71-10659 *
US-PATENT-3,318,093 ..... c 15 N71-10658 *
US-PATENT-3,318,096 ..... c 28 N71-28849 *
US-PATENT-3,318,343 ..... c 15 N71-10809 *
US-PATENT-3,318,622 ..... c 15 N71-10799 *
US-PATENT-3,319,175 ..... c 09 N71-10798 *
US-PATENT-3,319,979 ..... c 15 N71-10782 *
US-PATENT-3,320,669 ..... c 15 N70-42017 *
US-PATENT-3,321,034 ..... c 15 N70-42034 *
US-PATENT-3,321,154 ..... c 31 N70-42075 *
US-PATENT-3,321,157 ..... c 02 N70-42016 *
US-PATENT-3,321,159 ..... c 31 N70-42015 *

US-PATENT-3,321,570 ..... c 15 N70-41960 *
US-PATENT-3,321,628 ..... c 10 N70-41991 *
US-PATENT-3,321,645 ..... c 10 N70-42032 *
US-PATENT-3,321,922 ..... c 28 N70-41992 *
US-PATENT-3,323,356 ..... c 15 N70-41993 *
US-PATENT-3,323,362 ..... c 14 N70-41994 *
US-PATENT-3,323,370 ..... c 05 N70-42000 *
US-PATENT-3,323,386 ..... c 03 N70-42073 *
US-PATENT-3,323,408 ..... c 14 N70-41955 *
US-PATENT-3,323,484 ..... c 14 N70-42074 *
US-PATENT-3,323,967 ..... c 15 N70-42033 *
US-PATENT-3,324,370 ..... c 09 N71-10677 *
US-PATENT-3,324,388 ..... c 14 N71-10797 *
US-PATENT-3,324,423 ..... c 07 N71-10676 *
US-PATENT-3,324,659 ..... c 28 N71-10574 *
US-PATENT-3,325,229 ..... c 15 N71-10617 *
US-PATENT-3,325,723 ..... c 10 N71-10578 *
US-PATENT-3,325,749 ..... c 09 N71-28810 *
US-PATENT-3,326,043 ..... c 14 N71-10500 *
US-PATENT-3,326,407 ..... c 15 N71-10577 *
US-PATENT-3,327,298 ..... c 08 N71-21042 *
US-PATENT-3,327,991 ..... c 15 N71-21234 *
US-PATENT-3,328,624 ..... c 28 N71-28850 *
US-PATENT-3,329,375 ..... c 21 N71-21708 *
US-PATENT-3,329,918 ..... c 09 N71-21583 *
US-PATENT-3,330,052 ..... c 11 N71-21474 *
US-PATENT-3,330,082 ..... c 15 N71-21531 *
US-PATENT-3,330,510 ..... c 31 N71-28851 *
US-PATENT-3,330,549 ..... c 15 N71-21530 *
US-PATENT-3,331,071 ..... c 07 N71-28900 *
US-PATENT-3,331,246 ..... c 11 N71-21475 *
US-PATENT-3,331,255 ..... c 15 N71-21529 *
US-PATENT-3,331,404 ..... c 12 N71-21089 *
US-PATENT-3,331,951 ..... c 21 N71-21688 *
US-PATENT-3,333,152 ..... c 25 N71-21693 *
US-PATENT-3,333,788 ..... c 31 N71-21881 *
US-PATENT-3,334,225 ..... c 14 N73-32325 *
US-PATENT-3,336,725 ..... c 15 N71-21528 *
US-PATENT-3,336,748 ..... c 25 N71-21694 *
US-PATENT-3,336,754 ..... c 28 N71-22983 *
US-PATENT-3,337,004 ..... c 14 N71-23092 *
US-PATENT-3,337,279 ..... c 05 N71-23080 *
US-PATENT-3,337,315 ..... c 18 N71-23088 *
US-PATENT-3,337,337 ..... c 18 N71-22894 *
US-PATENT-3,337,790 ..... c 12 N71-20896 *
US-PATENT-3,337,812 ..... c 09 N71-23097 *
US-PATENT-3,339,404 ..... c 14 N71-22765 *
US-PATENT-3,339,863 ..... c 14 N71-23040 *
US-PATENT-3,340,099 ..... c 03 N71-23006 *
US-PATENT-3,340,395 ..... c 14 N71-23041 *
US-PATENT-3,340,397 ..... c 11 N71-23042 *
US-PATENT-3,340,430 ..... c 09 N71-22796 *
US-PATENT-3,340,532 ..... c 10 N71-21473 *
US-PATENT-3,340,599 ..... c 09 N71-23027 *
US-PATENT-3,340,713 ..... c 15 N71-22723 *
US-PATENT-3,340,732 ..... c 02 N71-23007 *
US-PATENT-3,341,151 ..... c 31 N71-23009 *
US-PATENT-3,341,169 ..... c 15 N71-23024 *
US-PATENT-3,341,708 ..... c 16 N71-22895 *
US-PATENT-3,341,778 ..... c 07 N71-23098 *
US-PATENT-3,341,977 ..... c 15 N71-22705 *
US-PATENT-3,342,055 ..... c 15 N71-22797 *
US-PATENT-3,342,066 ..... c 11 N71-23030 *
US-PATENT-3,342,653 ..... c 15 N71-22713 *
US-PATENT-3,343,180 ..... c 05 N71-23159 *
US-PATENT-3,343,189 ..... c 05 N71-22748 *
US-PATENT-3,344,340 ..... c 09 N71-21449 *
US-PATENT-3,344,425 ..... c 10 N71-21483 *
US-PATENT-3,345,820 ..... c 28 N71-21822 *
US-PATENT-3,345,822 ..... c 27 N71-21819 *
US-PATENT-3,345,840 ..... c 15 N71-21536 *
US-PATENT-3,345,866 ..... c 11 N71-21481 *
US-PATENT-3,346,419 ..... c 03 N71-20895 *
US-PATENT-3,346,442 ..... c 18 N71-21651 *
US-PATENT-3,346,515 ..... c 06 N71-20905 *
US-PATENT-3,346,724 ..... c 15 N71-21179 *
US-PATENT-3,346,806 ..... c 14 N71-21090 *
US-PATENT-3,346,929 ..... c 15 N71-21076 *
US-PATENT-3,347,046 ..... c 33 N71-21507 *
US-PATENT-3,347,309 ..... c 33 N71-29046 *
US-PATENT-3,347,465 ..... c 18 N71-21068 *
US-PATENT-3,347,466 ..... c 28 N71-21493 *
US-PATENT-3,347,531 ..... c 15 N71-21177 *
US-PATENT-3,347,665 ..... c 17 N71-20743 *
US-PATENT-3,348,048 ..... c 14 N71-21088 *
US-PATENT-3,348,053 ..... c 10 N71-20782 *
US-PATENT-3,348,152 ..... c 10 N71-20841 *
US-PATENT-3,348,218 ..... c 10 N71-29135 *
US-PATENT-3,349,814 ..... c 33 N71-20834 *
US-PATENT-3,350,033 ..... c 14 N71-21082 *
US-PATENT-3,350,034 ..... c 31 N71-21064 *
US-PATENT-3,350,643 ..... c 07 N71-20791 *
US-PATENT-3,350,671 ..... c 09 N71-20842 *
US-PATENT-3,350,926 ..... c 14 N71-21091 *
US-PATENT-3,352,157 ..... c 14 N71-21072 *
US-PATENT-3,352,192 ..... c 15 N71-21489 *
US-PATENT-3,352,774 ..... c 37 N80-14395 *
US-PATENT-3,353,359 ..... c 28 N71-20942 *
US-PATENT-3,354,098 ..... c 06 N71-20717 *
US-PATENT-3,354,320 ..... c 23 N71-21821 *
US-PATENT-3,354,462 ..... c 14 N71-21006 *
US-PATENT-3,355,861 ..... c 18 N71-20742 *
US-PATENT-3,355,948 ..... c 14 N71-21007 *
US-PATENT-3,356,320 ..... c 05 N71-20718 *
US-PATENT-3,356,549 ..... c 15 N71-21404 *
US-PATENT-3,356,885 ..... c 25 N71-20747 *
US-PATENT-3,356,917 ..... c 33 N79-21265 *
US-PATENT-3,357,024 ..... c 12 N71-20815 *
US-PATENT-3,357,093 ..... c 15 N71-21078 *
US-PATENT-3,357,237 ..... c 33 N71-21586 *
US-PATENT-3,357,862 ..... c 03 N71-20904 *
US-PATENT-3,358,264 ..... c 09 N71-20851 *
US-PATENT-3,359,046 ..... c 15 N71-20739 *
US-PATENT-3,359,132 ..... c 09 N71-20705 *
US-PATENT-3,359,409 ..... c 07 N71-21476 *
US-PATENT-3,359,435 ..... c 15 N71-21311 *
US-PATENT-3,359,555 ..... c 09 N71-20864 *
US-PATENT-3,359,568 ..... c 54 N78-17680 *
US-PATENT-3,359,819 ..... c 15 N71-21744 *
US-PATENT-3,359,855 ..... c 23 N71-21882 *
US-PATENT-3,360,798 ..... c 09 N71-20658 *
US-PATENT-3,360,864 ..... c 14 N71-24693 *
US-PATENT-3,360,972 ..... c 15 N71-24833 *
US-PATENT-3,360,980 ..... c 14 N71-20741 *
US-PATENT-3,360,988 ..... c 09 N71-20816 *
US-PATENT-3,361,045 ..... c 15 N71-21060 *
US-PATENT-3,361,067 ..... c 26 N71-21824 *
US-PATENT-3,361,400 ..... c 15 N71-20813 *
US-PATENT-3,361,666 ..... c 15 N71-21403 *
US-PATENT-3,361,985 ..... c 10 N71-20852 *
US-PATENT-3,364,311 ..... c 07 N71-20814 *
US-PATENT-3,364,366 ..... c 09 N71-28926 *
US-PATENT-3,364,579 ..... c 14 N71-21079 *
US-PATENT-3,364,631 ..... c 32 N71-21045 *
US-PATENT-3,364,777 ..... c 15 N71-20740 *
US-PATENT-3,364,813 ..... c 09 N71-22999 *
US-PATENT-3,365,657 ..... c 10 N71-22961 *
US-PATENT-3,365,665 ..... c 14 N71-23037 *
US-PATENT-3,365,897 ..... c 33 N71-28892 *
US-PATENT-3,365,930 ..... c 14 N71-22964 *
US-PATENT-3,365,941 ..... c 14 N71-22965 *
US-PATENT-3,366,886 ..... c 10 N71-22962 *
US-PATENT-3,366,894 ..... c 10 N71-23084 *
US-PATENT-3,367,114 ..... c 28 N71-23081 *
US-PATENT-3,367,121 ..... c 15 N71-23025 *
US-PATENT-3,367,182 ..... c 33 N71-23085 *
US-PATENT-3,367,224 ..... c 15 N71-22798 *
US-PATENT-3,367,271 ..... c 15 N71-24042 *
US-PATENT-3,367,308 ..... c 11 N71-22875 *
US-PATENT-3,367,445 ..... c 15 N71-23048 *
US-PATENT-3,368,486 ..... c 15 N71-22874 *
US-PATENT-3,369,222 ..... c 08 N71-22707 *
US-PATENT-3,369,223 ..... c 08 N71-22710 *
US-PATENT-3,369,564 ..... c 15 N71-23051 *
US-PATENT-3,370,039 ..... c 06 N71-28807 *
US-PATENT-3,372,588 ..... c 33 N71-29051 *
US-PATENT-3,373,016 ..... c 26 N75-27127 *
US-PATENT-3,373,069 ..... c 15 N71-23052 *
US-PATENT-3,373,404 ..... c 08 N71-22749 *
US-PATENT-3,373,430 ..... c 09 N71-22888 *
US-PATENT-3,373,431 ..... c 07 N71-22750 *
US-PATENT-3,373,640 ..... c 15 N71-22722 *
US-PATENT-3,373,914 ..... c 15 N71-23050 *
US-PATENT-3,374,339 ..... c 08 N71-22897 *
US-PATENT-3,374,366 ..... c 09 N71-23015 *
US-PATENT-3,374,830 ..... c 33 N71-22890 *
US-PATENT-3,375,451 ..... c 10 N71-22986 *
US-PATENT-3,375,479 ..... c 15 N71-23049 *
US-PATENT-3,375,712 ..... c 35 N75-29382 *
US-PATENT-3,375,885 ..... c 15 N73-32362 *
US-PATENT-3,376,730 ..... c 14 N71-22995 *
US-PATENT-3,377,208 ..... c 14 N71-23039 *
US-PATENT-3,377,845 ..... c 14 N71-22992 *
US-PATENT-3,378,315 ..... c 15 N71-22997 *
US-PATENT-3,378,657 ..... c 33 N79-33392 *
US-PATENT-3,378,851 ..... c 05 N71-23096 *
US-PATENT-3,378,892 ..... c 15 N71-22994 *
US-PATENT-3,379,052 ..... c 14 N73-32321 *
US-PATENT-3,379,064 ..... c 14 N71-23093 *
US-PATENT-3,379,330 ..... c 23 N71-22881 *
US-PATENT-3,379,885 ..... c 09 N71-22985 *
US-PATENT-3,379,974 ..... c 14 N71-22990 *
US-PATENT-3,380,042 ..... c 07 N71-23001 *
US-PATENT-3,380,049 ..... c 10 N71-23099 *
US-PATENT-3,381,339 ..... c 06 N71-22975 *
US-PATENT-3,381,517 ..... c 09 N71-22988 *
US-PATENT-3,381,527 ..... c 15 N71-22878 *
US-PATENT-3,381,569 ..... c 21 N71-22880 *
US-PATENT-3,381,778 ..... c 15 N71-22877 *
US-PATENT-3,382,082 ..... c 18 N71-22998 *
US-PATENT-3,382,105 ..... c 03 N71-29044 *
US-PATENT-3,382,107 ..... c 03 N71-22974 *
US-PATENT-3,382,714 ..... c 14 N71-22989 *
US-PATENT-3,383,461 ..... c 07 N71-23026 *
US-PATENT-3,383,524 ..... c 10 N71-23029 *
US-PATENT-3,383,903 ..... c 14 N71-23036 *
US-PATENT-3,383,922 ..... c 14 N71-22752 *
US-PATENT-3,384,016 ..... c 31 N71-23008 *
US-PATENT-3,384,075 ..... c 05 N71-22896 *
US-PATENT-3,384,111 ..... c 15 N71-22706 *
US-PATENT-3,384,324 ..... c 33 N71-22792 *
US-PATENT-3,384,820 ..... c 09 N71-23021 *
US-PATENT-3,384,895 ..... c 07 N71-22984 *
US-PATENT-3,385,036 ..... c 15 N71-22721 *
US-PATENT-3,386,337 ..... c 15 N71-22799 *
US-PATENT-3,386,685 ..... c 31 N71-22968 *
US-PATENT-3,386,686 ..... c 31 N71-22969 *
US-PATENT-3,387,149 ..... c 14 N71-22993 *
US-PATENT-3,387,218 ..... c 37 N78-17386 *
US-PATENT-3,388,258 ..... c 14 N71-22996 *
US-PATENT-3,388,387 ..... c 10 N71-23033 *
US-PATENT-3,388,590 ..... c 14 N71-23087 *
US-PATENT-3,389,017 ..... c 15 N71-23022 *
US-PATENT-3,389,260 ..... c 14 N71-23269 *
US-PATENT-3,389,346 ..... c 10 N71-28859 *
US-PATENT-3,389,877 ..... c 15 N71-28936 *
US-PATENT-3,390,017 ..... c 03 N71-23336 *
US-PATENT-3,390,020 ..... c 26 N71-23654 *
US-PATENT-3,390,023 ..... c 26 N75-29236 *
US-PATENT-3,390,282 ..... c 09 N71-23311 *
US-PATENT-3,390,378 ..... c 08 N71-23295 *
US-PATENT-3,390,528 ..... c 20 N79-21124 *
US-PATENT-3,391,080 ..... c 15 N71-24046 *
US-PATENT-3,392,403 ..... c 23 N71-23976 *
US-PATENT-3,392,586 ..... c 14 N71-24232 *
US-PATENT-3,392,864 ..... c 18 N71-23658 *
US-PATENT-3,392,865 ..... c 15 N71-23816 *
US-PATENT-3,392,936 ..... c 01 N71-23497 *
US-PATENT-3,393,059 ..... c 06 N71-23499 *
US-PATENT-3,393,330 ..... c 22 N71-23599 *
US-PATENT-3,393,332 ..... c 09 N71-23443 *
US-PATENT-3,393,347 ..... c 10 N71-23543 *
US-PATENT-3,393,380 ..... c 10 N71-23544 *
US-PATENT-3,393,384 ..... c 09 N71-23573 *
US-PATENT-3,394,286 ..... c 14 N73-30391 *
US-PATENT-3,394,359 ..... c 08 N71-28925 *
US-PATENT-3,394,975 ..... c 23 N71-30027 *
US-PATENT-3,395,053 ..... c 18 N71-23047 *
US-PATENT-3,395,565 ..... c 14 N73-30390 *
US-PATENT-3,396,057 ..... c 26 N71-23043 *
US-PATENT-3,396,184 ..... c 06 N71-28808 *
US-PATENT-3,396,303 ..... c 09 N71-22987 *
US-PATENT-3,396,584 ..... c 14 N71-30026 *
US-PATENT-3,396,719 ..... c 52 N79-21750 *
US-PATENT-3,396,920 ..... c 31 N71-29050 *
US-PATENT-3,397,094 ..... c 26 N71-29156 *
US-PATENT-3,397,117 ..... c 15 N71-23086 *
US-PATENT-3,397,318 ..... c 14 N71-22991 *
US-PATENT-3,397,512 ..... c 15 N71-23023 *
US-PATENT-3,397,537 ..... c 20 N79-21125 *
US-PATENT-3,397,932 ..... c 15 N71-22982 *
US-PATENT-3,399,299 ..... c 10 N71-23662 *
US-PATENT-3,399,574 ..... c 32 N71-24285 *
US-PATENT-3,402,265 ..... c 09 N73-28084 *
US-PATENT-3,404,289 ..... c 09 N71-23545 *
US-PATENT-3,404,348 ..... c 32 N74-22096 *
US-PATENT-3,405,406 ..... c 05 N71-23161 *
US-PATENT-3,405,887 ..... c 31 N71-24315 *
US-PATENT-3,406,336 ..... c 10 N71-24863 *
US-PATENT-3,406,742 ..... c 33 N71-24276 *
US-PATENT-3,407,304 ..... c 14 N71-23240 *
US-PATENT-3,408,816 ..... c 28 N71-24736 *
US-PATENT-3,408,870 ..... c 14 N71-23227 *
US-PATENT-3,409,247 ..... c 33 N71-28903 *
US-PATENT-3,409,252 ..... c 15 N71-23255 *
US-PATENT-3,409,554 ..... c 26 N71-23292 *
US-PATENT-3,409,730 ..... c 33 N71-24145 *
US-PATENT-3,411,356 ..... c 14 N71-23226 *
US-PATENT-3,411,900 ..... c 26 N75-27126 *
US-PATENT-3,412,559 ..... c 28 N71-23293 *
US-PATENT-3,412,598 ..... c 14 N71-23225 *
US-PATENT-3,412,729 ..... c 04 N71-23185 *
US-PATENT-3,412,961 ..... c 32 N71-23971 *
US-PATENT-3,413,115 ..... c 17 N71-23365 *
US-PATENT-3,413,393 ..... c 17 N71-29137 *
US-PATENT-3,413,510 ..... c 09 N71-23190 *
US-PATENT-3,413,536 ..... c 03 N71-24605 *
US-PATENT-3,414,012 ..... c 09 N71-23191 *
US-PATENT-3,414,358 ..... c 14 N71-23175 *
US-PATENT-3,415,032 ..... c 15 N71-23256 *
US-PATENT-3,415,069 ..... c 15 N71-24044 *
US-PATENT-3,415,116 ..... c 14 N71-23790 *
US-PATENT-3,415,126 ..... c 21 N71-23289 *
US-PATENT-3,415,156 ..... c 15 N71-24043 *
US-PATENT-3,415,643 ..... c 17 N71-23248 *
US-PATENT-3,416,106 ..... c 09 N71-24808 *
US-PATENT-3,416,274 ..... c 31 N71-24035 *
US-PATENT-3,416,939 ..... c 18 N71-24183 *

US-PATENT-3,416,975 ..... c 17 N71-23828 *
US-PATENT-3,416,988 ..... c 15 N71-24164 *
US-PATENT-3,417,247 ..... c 14 N71-23797 *
US-PATENT-3,417,266 ..... c 09 N71-23270 *
US-PATENT-3,417,298 ..... c 10 N71-23271 *
US-PATENT-3,417,316 ..... c 14 N71-23174 *
US-PATENT-3,417,321 ..... c 09 N71-23316 *
US-PATENT-3,417,332 ..... c 07 N71-23405 *
US-PATENT-3,417,399 ..... c 30 N71-23723 *
US-PATENT-3,417,400 ..... c 07 N71-28809 *
US-PATENT-3,419,329 ..... c 14 N71-23268 *
US-PATENT-3,419,363 ..... c 18 N71-23710 *
US-PATENT-3,419,384 ..... c 17 N73-28573 *
US-PATENT-3,419,433 ..... c 03 N71-23187 *
US-PATENT-3,419,531 ..... c 27 N79-21191 *
US-PATENT-3,419,537 ..... c 06 N71-23500 *
US-PATENT-3,419,827 ..... c 09 N71-23548 *
US-PATENT-3,419,964 ..... c 14 N69-21363 * #
US-PATENT-3,419,992 ..... c 14 N71-23401 *
US-PATENT-3,420,069 ..... c 15 N69-21465 * #
US-PATENT-3,420,223 ..... c 05 N69-21925 * #
US-PATENT-3,420,225 ..... c 05 N69-21473 * #
US-PATENT-3,420,253 ..... c 12 N69-21466 * #
US-PATENT-3,420,338 ..... c 15 N71-26243 *
US-PATENT-3,420,471 ..... c 05 N69-21380 * #
US-PATENT-3,420,704 ..... c 15 N69-21460 * #
US-PATENT-3,420,945 ..... c 09 N69-21542 * #
US-PATENT-3,420,978 ..... c 15 N69-21471 * #
US-PATENT-3,421,004 ..... c 14 N71-19568 *
US-PATENT-3,421,053 ..... c 15 N69-21472 * #
US-PATENT-3,421,056 ..... c 14 N69-23191 * #
US-PATENT-3,421,105 ..... c 09 N69-21543 * #
US-PATENT-3,421,134 ..... c 09 N69-21470 * #
US-PATENT-3,421,331 ..... c 15 N69-23190 * #
US-PATENT-3,421,363 ..... c 11 N69-21540 * #
US-PATENT-3,421,506 ..... c 05 N69-23192 * #
US-PATENT-3,421,541 ..... c 15 N69-21924 * #
US-PATENT-3,421,549 ..... c 03 N69-21469 * #
US-PATENT-3,421,591 ..... c 14 N69-21923 * #
US-PATENT-3,421,700 ..... c 15 N69-23185 * #
US-PATENT-3,421,768 ..... c 15 N69-21362 * #
US-PATENT-3,421,864 ..... c 17 N71-23046 *
US-PATENT-3,421,948 ..... c 03 N69-21337 * #
US-PATENT-3,422,213 ..... c 03 N69-21539 * #
US-PATENT-3,422,278 ..... c 09 N69-21468 * #
US-PATENT-3,422,291 ..... c 25 N69-21929 * #
US-PATENT-3,422,324 ..... c 14 N69-21541 * #
US-PATENT-3,422,352 ..... c 14 N71-19431 *
US-PATENT-3,422,354 ..... c 09 N69-21926 * #
US-PATENT-3,422,390 ..... c 09 N69-21927 * #
US-PATENT-3,422,403 ..... c 08 N69-21928 * #
US-PATENT-3,422,440 ..... c 09 N69-21467 * #
US-PATENT-3,423,179 ..... c 15 N69-21922 * #
US-PATENT-3,423,290 ..... c 06 N71-17705 *
US-PATENT-3,423,579 ..... c 09 N71-19480 *
US-PATENT-3,423,608 ..... c 09 N69-21313 * #
US-PATENT-3,423,627 ..... c 33 N78-17293 *
US-PATENT-3,424,966 ..... c 10 N71-20448 *
US-PATENT-3,425,131 ..... c 15 N71-19489 *
US-PATENT-3,425,268 ..... c 14 N69-39975 * #
US-PATENT-3,425,272 ..... c 14 N71-20439 *
US-PATENT-3,425,276 ..... c 14 N69-24257 * #
US-PATENT-3,425,486 ..... c 05 N71-24147 *
US-PATENT-3,425,487 ..... c 05 N71-19439 *
US-PATENT-3,425,885 ..... c 15 N69-24322 * #
US-PATENT-3,426,219 ..... c 09 N69-24317 * #
US-PATENT-3,426,230 ..... c 15 N69-24319 * #
US-PATENT-3,426,263 ..... c 03 N71-19438 *
US-PATENT-3,426,272 ..... c 14 N69-39785 * #
US-PATENT-3,426,746 ..... c 05 N71-26293 *
US-PATENT-3,426,791 ..... c 15 N71-19569 *
US-PATENT-3,427,047 ..... c 15 N69-27490 * #
US-PATENT-3,427,089 ..... c 23 N69-24332 * #
US-PATENT-3,427,093 ..... c 09 N71-19479 *
US-PATENT-3,427,097 ..... c 11 N69-24321 * #
US-PATENT-3,427,205 ..... c 15 N69-24320 * #
US-PATENT-3,427,435 ..... c 17 N69-25147 * #
US-PATENT-3,427,454 ..... c 05 N71-19440 *
US-PATENT-3,427,525 ..... c 03 N69-21330 * #
US-PATENT-3,428,761 ..... c 09 N69-24329 * #
US-PATENT-3,428,812 ..... c 14 N69-27485 * #
US-PATENT-3,428,847 ..... c 15 N69-24266 * #
US-PATENT-3,428,910 ..... c 09 N69-24330 * #
US-PATENT-3,428,919 ..... c 07 N69-24334 * #
US-PATENT-3,428,923 ..... c 07 N69-27462 * #
US-PATENT-3,429,058 ..... c 12 N69-39988 * #
US-PATENT-3,429,177 ..... c 06 N69-39733 * #
US-PATENT-3,429,477 ..... c 15 N69-27502 * #
US-PATENT-3,429,756 ..... c 76 N79-21910 *
US-PATENT-3,430,063 ..... c 09 N69-27500 * #
US-PATENT-3,430,115 ..... c 09 N69-24318 * #
US-PATENT-3,430,131 ..... c 24 N71-20518 *
US-PATENT-3,430,182 ..... c 14 N69-27431 * #
US-PATENT-3,430,227 ..... c 08 N71-19687 *
US-PATENT-3,430,237 ..... c 07 N69-39974 * #
US-PATENT-3,430,460 ..... c 15 N69-27505 * #
US-PATENT-3,430,902 ..... c 14 N69-27486 * #
US-PATENT-3,430,909 ..... c 11 N69-27466 * #
US-PATENT-3,430,937 ..... c 15 N69-27483 * #
US-PATENT-3,430,942 ..... c 15 N69-27504 * #
US-PATENT-3,431,149 ..... c 14 N69-27459 * #
US-PATENT-3,431,397 ..... c 15 N69-27871 * #
US-PATENT-3,431,460 ..... c 09 N71-23189 *
US-PATENT-3,431,559 ..... c 09 N69-24333 * #
US-PATENT-3,432,730 ..... c 09 N69-27422 * #
US-PATENT-3,433,015 ..... c 28 N71-20330 *
US-PATENT-3,433,079 ..... c 14 N69-27503 * #
US-PATENT-3,433,662 ..... c 14 N71-20461 *
US-PATENT-3,433,818 ..... c 06 N71-23230 *
US-PATENT-3,433,909 ..... c 10 N71-23663 *
US-PATENT-3,433,953 ..... c 14 N69-27484 * #
US-PATENT-3,433,960 ..... c 16 N69-27491 * #
US-PATENT-3,433,961 ..... c 14 N69-27432 * #
US-PATENT-3,434,033 ..... c 09 N69-39984 * #
US-PATENT-3,434,037 ..... c 10 N71-26414 *
US-PATENT-3,434,050 ..... c 09 N71-20569 *
US-PATENT-3,434,064 ..... c 09 N69-39986 * #
US-PATENT-3,434,855 ..... c 18 N71-24184 *
US-PATENT-3,434,885 ..... c 03 N71-20492 *
US-PATENT-3,435,246 ..... c 14 N69-24331 * #
US-PATENT-3,437,394 ..... c 14 N69-27461 * #
US-PATENT-3,437,527 ..... c 03 N69-24267 * #
US-PATENT-3,437,560 ..... c 04 N69-27487 * #
US-PATENT-3,437,818 ..... c 03 N71-23354 *
US-PATENT-3,437,832 ..... c 09 N69-27463 * #
US-PATENT-3,437,874 ..... c 08 N71-20571 *
US-PATENT-3,437,903 ..... c 03 N69-25146 * #
US-PATENT-3,437,919 ..... c 14 N69-27423 * #
US-PATENT-3,437,935 ..... c 09 N69-24324 * #
US-PATENT-3,437,959 ..... c 07 N69-24323 * #
US-PATENT-3,438,044 ..... c 07 N69-27460 * #
US-PATENT-3,438,263 ..... c 14 N71-20435 *
US-PATENT-3,439,886 ..... c 31 N69-27499 * #
US-PATENT-3,440,419 ..... c 14 N73-28491 *
US-PATENT-3,442,674 ..... c 25 N82-29370 *
US-PATENT-3,443,128 ..... c 03 N69-39890 * #
US-PATENT-3,443,208 ..... c 14 N71-20428 *
US-PATENT-3,443,384 ..... c 28 N71-24321 *
US-PATENT-3,443,390 ..... c 11 N71-24964 *
US-PATENT-3,443,412 ..... c 15 N71-23811 *
US-PATENT-3,443,416 ..... c 06 N69-39936 * #
US-PATENT-3,443,472 ..... c 15 N71-23254 *
US-PATENT-3,443,583 ..... c 14 N71-18625 *
US-PATENT-3,443,584 ..... c 32 N71-16106 *
US-PATENT-3,443,732 ..... c 15 N71-15607 *
US-PATENT-3,443,773 ..... c 31 N71-23912 *
US-PATENT-3,443,779 ..... c 01 N69-39981 * #
US-PATENT-3,444,051 ..... c 05 N71-11207 *
US-PATENT-3,444,127 ..... c 06 N71-11237 *
US-PATENT-3,444,375 ..... c 14 N71-15599 *
US-PATENT-3,444,380 ..... c 07 N69-39980 * #
US-PATENT-3,446,075 ..... c 14 N73-30394 *
US-PATENT-3,446,387 ..... c 15 N69-39935 * #
US-PATENT-3,446,558 ..... c 16 N71-24074 *
US-PATENT-3,446,642 ..... c 18 N69-39895 * #
US-PATENT-3,446,676 ..... c 03 N71-11050 *
US-PATENT-3,446,960 ..... c 14 N69-39982 * #
US-PATENT-3,446,992 ..... c 09 N69-39987 * #
US-PATENT-3,446,997 ..... c 03 N69-39898 * #
US-PATENT-3,446,998 ..... c 09 N69-39929 * #
US-PATENT-3,447,003 ..... c 09 N71-20446 *
US-PATENT-3,447,015 ..... c 06 N69-39889 * #
US-PATENT-3,447,071 ..... c 25 N69-39884 * #
US-PATENT-3,447,154 ..... c 21 N71-11766 *
US-PATENT-3,447,155 ..... c 09 N71-18598 *
US-PATENT-3,447,233 ..... c 15 N69-39786 * #
US-PATENT-3,447,774 ..... c 15 N71-19485 *
US-PATENT-3,447,850 ..... c 09 N71-18600 *
US-PATENT-3,448,273 ..... c 07 N69-39736 * #
US-PATENT-3,448,290 ..... c 10 N71-23315 *
US-PATENT-3,448,341 ..... c 09 N71-12526 *
US-PATENT-3,448,346 ..... c 15 N71-18701 *
US-PATENT-3,450,842 ..... c 07 N69-39978 * #
US-PATENT-3,450,878 ..... c 14 N71-20430 *
US-PATENT-3,450,946 ..... c 09 N69-39897 * #
US-PATENT-3,452,103 ..... c 06 N73-30101 *
US-PATENT-3,452,423 ..... c 26 N71-16037 *
US-PATENT-3,452,872 ..... c 14 N69-39896 * #
US-PATENT-3,453,172 ..... c 15 N69-39735 * #
US-PATENT-3,453,462 ..... c 03 N69-39983 * #
US-PATENT-3,453,546 ..... c 05 N71-12342 *
US-PATENT-3,453,878 ..... c 09 N79-21083 *
US-PATENT-3,454,410 ..... c 18 N69-39979 * #
US-PATENT-3,454,766 ..... c 35 N75-27329 *
US-PATENT-3,455,121 ..... c 14 N71-20427 *
US-PATENT-3,455,171 ..... c 23 N71-16098 *
US-PATENT-3,456,112 ..... c 14 N69-39937 * #
US-PATENT-3,456,193 ..... c 08 N71-19763 *
US-PATENT-3,456,201 ..... c 09 N69-39885 * #
US-PATENT-3,458,104 ..... c 15 N71-20393 *
US-PATENT-3,458,313 ..... c 14 N71-17574 *
US-PATENT-3,458,651 ..... c 09 N71-19449 *
US-PATENT-3,458,702 ..... c 14 N71-18699 *
US-PATENT-3,458,726 ..... c 10 N69-39888 * #
US-PATENT-3,458,833 ..... c 10 N71-19418 *
US-PATENT-3,458,851 ..... c 09 N69-39734 * #
US-PATENT-3,459,391 ..... c 03 N71-11058 *
US-PATENT-3,460,378 ..... c 14 N71-24233 *
US-PATENT-3,460,379 ..... c 15 N71-24834 *
US-PATENT-3,460,381 ..... c 14 N71-23725 *
US-PATENT-3,460,397 ..... c 15 N71-24045 *
US-PATENT-3,460,759 ..... c 28 N71-23968 *
US-PATENT-3,460,781 ..... c 14 N71-23698 *
US-PATENT-3,460,995 ..... c 03 N71-20407 *
US-PATENT-3,461,290 ..... c 14 N71-26475 *
US-PATENT-3,461,393 ..... c 10 N71-26415 *
US-PATENT-3,461,437 ..... c 10 N71-26434 *
US-PATENT-3,461,700 ..... c 15 N71-26346 *
US-PATENT-3,461,721 ..... c 12 N71-20436 *
US-PATENT-3,461,855 ..... c 05 N71-20268 *
US-PATENT-3,463,001 ..... c 14 N71-20429 *
US-PATENT-3,463,563 ..... c 15 N71-23812 *
US-PATENT-3,463,673 ..... c 03 N71-20491 *
US-PATENT-3,463,679 ..... c 17 N71-24142 *
US-PATENT-3,463,761 ..... c 06 N73-30099 *
US-PATENT-3,463,762 ..... c 06 N73-30100 *
US-PATENT-3,463,939 ..... c 10 N71-19471 *
US-PATENT-3,464,012 ..... c 14 N71-26244 *
US-PATENT-3,464,016 ..... c 10 N71-19472 *
US-PATENT-3,464,018 ..... c 09 N71-23525 *
US-PATENT-3,464,049 ..... c 32 N71-15974 *
US-PATENT-3,464,051 ..... c 15 N71-17685 *
US-PATENT-3,465,482 ..... c 31 N71-16080 *
US-PATENT-3,465,567 ..... c 15 N71-18579 *
US-PATENT-3,465,569 ..... c 14 N71-17659 *
US-PATENT-3,465,584 ..... c 14 N71-23726 *
US-PATENT-3,465,638 ..... c 11 N71-18578 *
US-PATENT-3,465,986 ..... c 31 N71-20396 *
US-PATENT-3,466,052 ..... c 15 N71-19570 *
US-PATENT-3,466,085 ..... c 05 N71-12343 *
US-PATENT-3,466,198 ..... c 03 N71-19545 *
US-PATENT-3,466,243 ..... c 15 N71-23810 *
US-PATENT-3,466,418 ..... c 15 N71-18613 *
US-PATENT-3,466,424 ..... c 15 N71-20395 *
US-PATENT-3,466,459 ..... c 09 N71-26000 *
US-PATENT-3,466,484 ..... c 14 N71-18482 *
US-PATENT-3,466,560 ..... c 09 N71-19466 *
US-PATENT-3,466,570 ..... c 10 N71-25950 *
US-PATENT-3,467,837 ..... c 05 N71-23317 *
US-PATENT-3,468,303 ..... c 09 N71-26002 *
US-PATENT-3,468,548 ..... c 15 N71-26294 *
US-PATENT-3,468,609 ..... c 16 N71-24170 *
US-PATENT-3,468,727 ..... c 14 N71-25892 *
US-PATENT-3,468,765 ..... c 17 N71-25903 *
US-PATENT-3,469,068 ..... c 15 N71-23815 *
US-PATENT-3,469,069 ..... c 15 N71-23798 *
US-PATENT-3,469,087 ..... c 16 N71-25914 *
US-PATENT-3,469,143 ..... c 33 N75-29318 *
US-PATENT-3,469,289 ..... c 15 N71-25975 *
US-PATENT-3,469,375 ..... c 14 N71-18483 *
US-PATENT-3,469,436 ..... c 15 N71-23817 *
US-PATENT-3,469,437 ..... c 14 N71-24234 *
US-PATENT-3,469,734 ..... c 11 N71-17600 *
US-PATENT-3,470,043 ..... c 15 N71-24047 *
US-PATENT-3,470,304 ..... c 14 N71-23267 *
US-PATENT-3,470,313 ..... c 07 N71-26579 *
US-PATENT-3,470,318 ..... c 07 N71-24612 *
US-PATENT-3,470,342 ..... c 09 N71-19610 *
US-PATENT-3,470,443 ..... c 03 N71-23239 *
US-PATENT-3,470,446 ..... c 09 N71-23188 *
US-PATENT-3,470,466 ..... c 14 N71-23699 *
US-PATENT-3,470,475 ..... c 10 N71-19467 *
US-PATENT-3,470,489 ..... c 09 N71-23598 *
US-PATENT-3,470,495 ..... c 10 N71-23669 *
US-PATENT-3,470,496 ..... c 09 N71-19470 *
US-PATENT-3,471,856 ..... c 30 N71-16090 *
US-PATENT-3,471,858 ..... c 07 N71-12391 *
US-PATENT-3,472,019 ..... c 10 N71-26326 *
US-PATENT-3,472,059 ..... c 14 N71-23755 *
US-PATENT-3,472,060 ..... c 14 N71-26136 *
US-PATENT-3,472,069 ..... c 15 N71-20441 *
US-PATENT-3,472,080 ..... c 10 N71-26339 *
US-PATENT-3,472,086 ..... c 15 N71-23809 *
US-PATENT-3,472,140 ..... c 14 N71-26474 *
US-PATENT-3,472,202 ..... c 17 N71-24911 *
US-PATENT-3,472,372 ..... c 15 N71-20440 *
US-PATENT-3,472,470 ..... c 02 N71-20570 *
US-PATENT-3,472,577 ..... c 23 N71-24857 *
US-PATENT-3,472,625 ..... c 06 N71-23527 *
US-PATENT-3,472,629 ..... c 14 N71-20442 *
US-PATENT-3,472,698 ..... c 03 N71-23449 *
US-PATENT-3,472,709 ..... c 18 N71-26153 *
US-PATENT-3,472,742 ..... c 17 N71-24830 *
US-PATENT-3,472,998 ..... c 16 N71-20400 *
US-PATENT-3,473,050 ..... c 09 N71-20447 *
US-PATENT-3,473,116 ..... c 25 N71-20563 *
US-PATENT-3,473,165 ..... c 05 N71-26333 *
US-PATENT-3,473,216 ..... c 15 N71-20443 *

US-PATENT-3,473,379 ..... c 12 N71-26387 *
US-PATENT-3,473,758 ..... c 03 N71-20273 *
US-PATENT-3,474,192 ..... c 07 N71-26102 *
US-PATENT-3,474,220 ..... c 15 N71-19486 *
US-PATENT-3,474,328 ..... c 14 N71-26266 *
US-PATENT-3,474,357 ..... c 09 N71-20445 *
US-PATENT-3,474,413 ..... c 10 N71-26103 *
US-PATENT-3,474,441 ..... c 08 N71-19544 *
US-PATENT-3,475,384 ..... c 06 N73-30103 *
US-PATENT-3,475,442 ..... c 26 N75-27125 *
US-PATENT-3,475,675 ..... c 33 N78-17295 *
US-PATENT-3,478,514 ..... c 37 N77-22479 *
US-PATENT-3,480,789 ..... c 10 N71-26626 *
US-PATENT-3,481,638 ..... c 15 N71-26312 *
US-PATENT-3,481,802 ..... c 31 N79-21226 *
US-PATENT-3,481,887 ..... c 18 N71-26155 *
US-PATENT-3,482,179 ..... c 10 N71-26331 *
US-PATENT-3,483,535 ..... c 10 N71-26418 *
US-PATENT-3,484,712 ..... c 10 N71-26374 *
US-PATENT-3,485,290 ..... c 20 N79-21123 *
US-PATENT-3,486,123 ..... c 16 N71-24831 *
US-PATENT-3,487,216 ..... c 14 N71-24809 *
US-PATENT-3,487,281 ..... c 15 N71-24695 *
US-PATENT-3,487,288 ..... c 10 N71-25139 *
US-PATENT-3,487,680 ..... c 15 N71-17696 *
US-PATENT-3,487,765 ..... c 54 N78-17679 *
US-PATENT-3,488,103 ..... c 14 N71-15604 *
US-PATENT-3,488,123 ..... c 14 N71-17627 *
US-PATENT-3,488,414 ..... c 15 N71-17803 *
US-PATENT-3,488,461 ..... c 09 N71-12518 *
US-PATENT-3,488,504 ..... c 21 N71-15642 *
US-PATENT-3,488,771 ..... c 54 N78-17678 *
US-PATENT-3,490,074 ..... c 54 N78-17677 *
US-PATENT-3,490,130 ..... c 05 N71-12345 *
US-PATENT-3,490,205 ..... c 14 N71-17588 *
US-PATENT-3,490,235 ..... c 28 N71-14044 *
US-PATENT-3,490,238 ..... c 15 N70-22192 * #
US-PATENT-3,490,405 ..... c 15 N71-15507 *
US-PATENT-3,490,440 ..... c 05 N71-12346 *
US-PATENT-3,490,718 ..... c 33 N71-14035 *
US-PATENT-3,490,719 ..... c 21 N71-14159 *
US-PATENT-3,490,721 ..... c 02 N71-11039 *
US-PATENT-3,490,939 ..... c 33 N71-14032 *
US-PATENT-3,490,965 ..... c 09 N71-12513 *
US-PATENT-3,491,202 ..... c 07 N71-12392 *
US-PATENT-3,491,255 ..... c 09 N71-12514 *
US-PATENT-3,491,335 ..... c 14 N71-15620 *
US-PATENT-3,491,857 ..... c 14 N71-17626 *
US-PATENT-3,492,176 ..... c 27 N71-14090 *
US-PATENT-3,492,672 ..... c 05 N71-12344 *
US-PATENT-3,492,739 ..... c 15 N71-15571 *
US-PATENT-3,492,858 ..... c 35 N78-17358 *
US-PATENT-3,492,862 ..... c 14 N71-15600 *
US-PATENT-3,492,947 ..... c 28 N71-14058 *
US-PATENT-3,493,003 ..... c 15 N71-15609 *
US-PATENT-3,493,004 ..... c 12 N71-17579 *
US-PATENT-3,493,012 ..... c 15 N71-15608 *
US-PATENT-3,493,027 ..... c 31 N71-18611 *
US-PATENT-3,493,153 ..... c 05 N71-12351 *
US-PATENT-3,493,155 ..... c 26 N71-14354 *
US-PATENT-3,493,194 ..... c 21 N71-14132 *
US-PATENT-3,493,197 ..... c 02 N71-11043 *
US-PATENT-3,493,291 ..... c 14 N71-15622 *
US-PATENT-3,493,294 ..... c 14 N71-15605 *
US-PATENT-3,493,401 ..... c 18 N71-14014 *
US-PATENT-3,493,415 ..... c 15 N71-15610 *
US-PATENT-3,493,437 ..... c 03 N71-11056 *
US-PATENT-3,493,522 ..... c 06 N71-11243 *
US-PATENT-3,493,524 ..... c 06 N71-11242 *
US-PATENT-3,493,665 ..... c 14 N71-15621 *
US-PATENT-3,493,677 ..... c 07 N71-11300 *
US-PATENT-3,493,711 ..... c 15 N71-14932 *
US-PATENT-3,493,746 ..... c 15 N71-15606 *
US-PATENT-3,493,797 ..... c 15 N71-17652 *
US-PATENT-3,493,805 ..... c 09 N71-12521 *
US-PATENT-3,493,901 ..... c 09 N71-12517 *
US-PATENT-3,493,929 ..... c 08 N71-12505 *
US-PATENT-3,493,942 ..... c 08 N71-12504 *
US-PATENT-3,495,260 ..... c 21 N71-13958 *
US-PATENT-3,495,262 ..... c 07 N71-12396 *
US-PATENT-3,498,840 ..... c 44 N82-24642 *
US-PATENT-3,498,841 ..... c 44 N82-24641 *
US-PATENT-3,500,020 ..... c 01 N71-13411 *
US-PATENT-3,500,525 ..... c 15 N71-17688 *
US-PATENT-3,500,677 ..... c 14 N71-17584 *
US-PATENT-3,500,686 ..... c 12 N71-17569 *
US-PATENT-3,500,688 ..... c 14 N71-17587 *
US-PATENT-3,500,747 ..... c 09 N71-18599 *
US-PATENT-3,500,827 ..... c 05 N71-11203 *
US-PATENT-3,501,112 ..... c 15 N71-17693 *
US-PATENT-3,501,632 ..... c 27 N71-16348 *
US-PATENT-3,501,641 ..... c 20 N71-16340 *
US-PATENT-3,501,648 ..... c 10 N71-24799 *
US-PATENT-3,501,649 ..... c 10 N71-18723 *
US-PATENT-3,501,664 ..... c 14 N71-17585 *
US-PATENT-3,501,683 ..... c 15 N71-17694 *
US-PATENT-3,501,684 ..... c 09 N71-26092 *
US-PATENT-3,501,701 ..... c 08 N71-18692 *
US-PATENT-3,501,704 ..... c 07 N71-11282 *
US-PATENT-3,501,712 ..... c 09 N71-19516 *
US-PATENT-3,501,743 ..... c 09 N71-18843 *
US-PATENT-3,501,750 ..... c 08 N71-19288 *
US-PATENT-3,501,752 ..... c 08 N71-18595 *
US-PATENT-3,501,764 ..... c 10 N71-18722 *
US-PATENT-3,502,051 ..... c 15 N71-17647 *
US-PATENT-3,502,074 ..... c 05 N71-11190 *
US-PATENT-3,502,141 ..... c 33 N71-16277 *
US-PATENT-3,503,251 ..... c 32 N71-16428 *
US-PATENT-3,504,258 ..... c 10 N71-18724 *
US-PATENT-3,504,983 ..... c 23 N71-16341 *
US-PATENT-3,506,496 ..... c 44 N82-24645 *
US-PATENT-3,507,034 ..... c 15 N71-17650 *
US-PATENT-3,507,114 ..... c 27 N71-16392 *
US-PATENT-3,507,146 ..... c 05 N71-11202 *
US-PATENT-3,507,150 ..... c 20 N71-16281 *
US-PATENT-3,507,425 ..... c 15 N71-17628 *
US-PATENT-3,507,436 ..... c 08 N71-19420 *
US-PATENT-3,507,704 ..... c 03 N71-11052 *
US-PATENT-3,507,706 ..... c 03 N71-18698 *
US-PATENT-3,508,036 ..... c 08 N71-18693 *
US-PATENT-3,508,039 ..... c 08 N71-19437 *
US-PATENT-3,508,053 ..... c 09 N71-18830 *
US-PATENT-3,508,070 ..... c 03 N71-11057 *
US-PATENT-3,508,152 ..... c 07 N71-11266 *
US-PATENT-3,508,156 ..... c 07 N71-11267 *
US-PATENT-3,508,347 ..... c 05 N71-24606 *
US-PATENT-3,508,402 ..... c 33 N71-16104 *
US-PATENT-3,508,541 ..... c 05 N71-11193 *
US-PATENT-3,508,578 ..... c 32 N71-16103 *
US-PATENT-3,508,723 ..... c 31 N71-16222 *
US-PATENT-3,508,724 ..... c 02 N71-11037 *
US-PATENT-3,508,739 ..... c 15 N71-17648 *
US-PATENT-3,508,779 ..... c 15 N71-24897 *
US-PATENT-3,508,940 ..... c 18 N71-16124 *
US-PATENT-3,508,955 ..... c 18 N71-16105 *
US-PATENT-3,508,999 ..... c 15 N71-17687 *
US-PATENT-3,509,034 ..... c 14 N71-17575 *
US-PATENT-3,509,386 ..... c 03 N71-11055 *
US-PATENT-3,509,419 ..... c 24 N71-16213 *
US-PATENT-3,509,469 ..... c 23 N71-16099 *
US-PATENT-3,509,475 ..... c 09 N71-24596 *
US-PATENT-3,509,491 ..... c 09 N71-18721 *
US-PATENT-3,509,551 ..... c 08 N71-18694 *
US-PATENT-3,509,558 ..... c 08 N71-19435 *
US-PATENT-3,509,570 ..... c 09 N71-18720 *
US-PATENT-3,509,578 ..... c 07 N71-19493 *
US-PATENT-3,511,680 ..... c 31 N79-21227 *
US-PATENT-3,512,009 ..... c 08 N71-18751 *
US-PATENT-3,514,785 ..... c 54 N78-18761 *
US-PATENT-3,516,091 ..... c 05 N71-24623 *
US-PATENT-3,516,179 ..... c 11 N71-19494 *
US-PATENT-3,516,185 ..... c 12 N71-18603 *
US-PATENT-3,516,284 ..... c 12 N71-17573 *
US-PATENT-3,516,404 ..... c 05 N71-17599 *
US-PATENT-3,516,711 ..... c 05 N71-12341 *
US-PATENT-3,516,879 ..... c 23 N71-16212 *
US-PATENT-3,516,964 ..... c 06 N71-11240 *
US-PATENT-3,516,970 ..... c 06 N71-11239 *
US-PATENT-3,516,971 ..... c 06 N71-24740 *
US-PATENT-3,517,109 ..... c 07 N71-19436 *
US-PATENT-3,517,162 ..... c 33 N71-16278 *
US-PATENT-3,517,171 ..... c 08 N71-24633 *
US-PATENT-3,517,221 ..... c 10 N71-19547 *
US-PATENT-3,517,268 ..... c 10 N71-19469 *
US-PATENT-3,517,302 ..... c 25 N71-16073 *
US-PATENT-3,517,318 ..... c 08 N71-19432 *
US-PATENT-3,517,328 ..... c 16 N71-18614 *
US-PATENT-3,518,232 ..... c 06 N71-11235 *
US-PATENT-3,519,483 ..... c 44 N82-24644 *
US-PATENT-3,519,484 ..... c 44 N82-24643 *
US-PATENT-3,520,190 ..... c 10 N71-13537 *
US-PATENT-3,520,238 ..... c 14 N71-18465 *
US-PATENT-3,520,317 ..... c 12 N71-17578 *
US-PATENT-3,520,496 ..... c 31 N71-16345 *
US-PATENT-3,520,503 ..... c 31 N71-16085 *
US-PATENT-3,520,617 ..... c 23 N71-16101 *
US-PATENT-3,520,660 ..... c 23 N71-16355 *
US-PATENT-3,521,054 ..... c 06 N71-13461 *
US-PATENT-3,521,143 ..... c 08 N71-18752 *
US-PATENT-3,521,290 ..... c 31 N71-16102 *
US-PATENT-3,523,228 ..... c 10 N71-24861 *
US-PATENT-3,526,030 ..... c 15 N71-17686 *
US-PATENT-3,526,134 ..... c 33 N71-16356 *
US-PATENT-3,526,139 ..... c 31 N71-16221 *
US-PATENT-3,526,140 ..... c 27 N71-16223 *
US-PATENT-3,526,359 ..... c 33 N71-16357 *
US-PATENT-3,526,365 ..... c 28 N71-16224 *
US-PATENT-3,526,372 ..... c 31 N71-16346 *
US-PATENT-3,526,382 ..... c 15 N71-17649 *
US-PATENT-3,526,460 ..... c 23 N71-16365 *
US-PATENT-3,526,473 ..... c 18 N71-15545 *
US-PATENT-3,526,580 ..... c 18 N71-16210 *
US-PATENT-3,526,611 ..... c 06 N71-11236 *
US-PATENT-3,526,845 ..... c 09 N71-13531 *
US-PATENT-3,526,897 ..... c 09 N71-13521 *
US-PATENT-3,527,724 ..... c 27 N78-33228 *
US-PATENT-3,529,480 ..... c 15 N71-17692 *
US-PATENT-3,529,928 ..... c 17 N71-16393 *
US-PATENT-3,530,336 ..... c 09 N71-13518 *
US-PATENT-3,531,964 ..... c 15 N71-18616 *
US-PATENT-3,531,978 ..... c 14 N71-18481 *
US-PATENT-3,531,982 ..... c 15 N71-18132 *
US-PATENT-3,531,989 ..... c 33 N71-15641 *
US-PATENT-3,532,118 ..... c 12 N71-18615 *
US-PATENT-3,532,128 ..... c 15 N71-18580 *
US-PATENT-3,532,427 ..... c 21 N71-19212 *
US-PATENT-3,532,428 ..... c 30 N71-15990 *
US-PATENT-3,532,538 ..... c 18 N71-16046 *
US-PATENT-3,532,551 ..... c 03 N71-11049 *
US-PATENT-3,532,568 ..... c 17 N71-16044 *
US-PATENT-3,532,673 ..... c 06 N71-11238 *
US-PATENT-3,532,807 ..... c 07 N71-19433 *
US-PATENT-3,532,819 ..... c 10 N71-19468 *
US-PATENT-3,532,866 ..... c 08 N71-18602 *
US-PATENT-3,532,880 ..... c 24 N71-16095 *
US-PATENT-3,532,894 ..... c 23 N71-16100 *
US-PATENT-3,532,948 ..... c 10 N71-18772 *
US-PATENT-3,532,960 ..... c 03 N71-12255 *
US-PATENT-3,532,973 ..... c 15 N71-17822 *
US-PATENT-3,532,975 ..... c 10 N71-19421 *
US-PATENT-3,532,979 ..... c 10 N71-12554 *
US-PATENT-3,532,985 ..... c 07 N71-19773 *
US-PATENT-3,533,001 ..... c 07 N71-24583 *
US-PATENT-3,533,006 ..... c 10 N72-28241 *
US-PATENT-3,533,074 ..... c 08 N71-12502 *
US-PATENT-3,533,093 ..... c 10 N71-19417 *
US-PATENT-3,533,098 ..... c 08 N71-18594 *
US-PATENT-3,534,365 ..... c 07 N71-19854 *
US-PATENT-3,534,367 ..... c 02 N71-19287 *
US-PATENT-3,534,375 ..... c 07 N71-11285 *
US-PATENT-3,534,376 ..... c 07 N71-26101 *
US-PATENT-3,534,406 ..... c 05 N71-11195 *
US-PATENT-3,534,407 ..... c 05 N71-11194 *
US-PATENT-3,534,479 ..... c 14 N71-17657 *
US-PATENT-3,534,480 ..... c 14 N71-17658 *
US-PATENT-3,534,485 ..... c 11 N71-18773 *
US-PATENT-3,534,555 ..... c 12 N71-17631 *
US-PATENT-3,534,584 ..... c 10 N71-13545 *
US-PATENT-3,534,585 ..... c 14 N71-17701 *
US-PATENT-3,534,592 ..... c 14 N71-17656 *
US-PATENT-3,534,596 ..... c 14 N71-17586 *
US-PATENT-3,534,597 ..... c 31 N71-15643 *
US-PATENT-3,534,650 ..... c 15 N71-17653 *
US-PATENT-3,534,686 ..... c 31 N71-15687 *
US-PATENT-3,534,727 ..... c 05 N71-11189 *
US-PATENT-3,534,765 ..... c 12 N71-17661 *
US-PATENT-3,534,826 ..... c 31 N71-15689 *
US-PATENT-3,534,836 ..... c 15 N71-17805 *
US-PATENT-3,534,909 ..... c 15 N71-17654 *
US-PATENT-3,534,924 ..... c 31 N71-15674 *
US-PATENT-3,534,925 ..... c 31 N71-15676 *
US-PATENT-3,534,926 ..... c 15 N71-19214 *
US-PATENT-3,534,930 ..... c 02 N71-13422 *
US-PATENT-3,535,012 ..... c 16 N71-15567 *
US-PATENT-3,535,013 ..... c 16 N71-15551 *
US-PATENT-3,535,014 ..... c 16 N71-15565 *
US-PATENT-3,535,024 ..... c 14 N71-17662 *
US-PATENT-3,535,041 ..... c 14 N71-17655 *
US-PATENT-3,535,110 ..... c 17 N71-15468 *
US-PATENT-3,535,130 ..... c 18 N71-15469 *
US-PATENT-3,535,165 ..... c 33 N71-15568 *
US-PATENT-3,535,179 ..... c 15 N71-17651 *
US-PATENT-3,535,352 ..... c 18 N71-15688 *
US-PATENT-3,535,446 ..... c 09 N71-12539 *
US-PATENT-3,535,451 ..... c 07 N71-11281 *
US-PATENT-3,535,497 ..... c 08 N71-24890 *
US-PATENT-3,535,543 ..... c 09 N71-13486 *
US-PATENT-3,535,547 ..... c 09 N71-12520 *
US-PATENT-3,535,554 ..... c 09 N71-12516 *
US-PATENT-3,535,560 ..... c 08 N71-12494 *
US-PATENT-3,535,562 ..... c 33 N71-27862 *
US-PATENT-3,535,570 ..... c 15 N71-24696 *
US-PATENT-3,535,586 ..... c 25 N71-15562 *
US-PATENT-3,535,602 ..... c 09 N71-13522 *
US-PATENT-3,535,642 ..... c 08 N71-12503 *
US-PATENT-3,535,644 ..... c 09 N71-12519 *
US-PATENT-3,535,657 ..... c 07 N71-12390 *
US-PATENT-3,535,658 ..... c 08 N71-12500 *
US-PATENT-3,535,683 ..... c 31 N71-15566 *
US-PATENT-3,535,696 ..... c 08 N71-12506 *
US-PATENT-3,535,702 ..... c 09 N71-12515 *
US-PATENT-3,536,103 ..... c 15 N71-19213 *
US-PATENT-3,537,096 ..... c 08 N71-12507 *
US-PATENT-3,537,103 ..... c 08 N71-24650 *
US-PATENT-3,537,107 ..... c 05 N71-24730 *
US-PATENT-3,537,305 ..... c 26 N71-25490 *
US-PATENT-3,537,515 ..... c 09 N71-24807 *
US-PATENT-3,537,668 ..... c 05 N71-24728 *

US-PATENT-3,537,672 ..... c 15 N71-24694 *
US-PATENT-3,538,053 ..... c 27 N78-17214 *
US-PATENT-3,539,905 ..... c 09 N71-24800 *
US-PATENT-3,540,045 ..... c 09 N71-24595 *
US-PATENT-3,540,048 ..... c 31 N71-24813 *
US-PATENT-3,540,050 ..... c 09 N71-24804 *
US-PATENT-3,540,054 ..... c 07 N71-24625 *
US-PATENT-3,540,056 ..... c 07 N71-24614 *
US-PATENT-3,540,250 ..... c 15 N71-24865 *
US-PATENT-3,540,449 ..... c 15 N71-24835 *
US-PATENT-3,540,615 ..... c 33 N71-25351 *
US-PATENT-3,540,676 ..... c 15 N71-24600 *
US-PATENT-3,540,790 ..... c 16 N71-26154 *
US-PATENT-3,540,802 ..... c 23 N71-24868 *
US-PATENT-3,540,942 ..... c 15 N71-24875 *
US-PATENT-3,540,989 ..... c 24 N71-25555 *
US-PATENT-3,541,250 ..... c 07 N71-24742 *
US-PATENT-3,541,312 ..... c 08 N71-24891 *
US-PATENT-3,541,314 ..... c 07 N71-24741 *
US-PATENT-3,541,346 ..... c 09 N71-24803 *
US-PATENT-3,541,361 ..... c 09 N71-24904 *
US-PATENT-3,541,422 ..... c 03 N71-24719 *
US-PATENT-3,541,428 ..... c 09 N71-24893 *
US-PATENT-3,541,439 ..... c 09 N71-24843 *
US-PATENT-3,541,450 ..... c 07 N71-24840 *
US-PATENT-3,541,459 ..... c 10 N71-24844 *
US-PATENT-3,541,479 ..... c 09 N71-24841 *
US-PATENT-3,541,486 ..... c 16 N71-28554 *
US-PATENT-3,541,679 ..... c 03 N71-24681 *
US-PATENT-3,541,825 ..... c 15 N71-24836 *
US-PATENT-3,541,875 ..... c 15 N71-24984 *
US-PATENT-3,543,050 ..... c 10 N71-24862 *
US-PATENT-3,543,159 ..... c 09 N71-24717 *
US-PATENT-3,543,839 ..... c 34 N78-17337 *
US-PATENT-3,545,208 ..... c 28 N71-25213 *
US-PATENT-3,545,226 ..... c 23 N71-24725 *
US-PATENT-3,545,252 ..... c 11 N71-24985 *
US-PATENT-3,545,262 ..... c 38 N76-28563 *
US-PATENT-3,545,275 ..... c 09 N71-24597 *
US-PATENT-3,545,725 ..... c 15 N71-24599 *
US-PATENT-3,545,792 ..... c 15 N71-24903 *
US-PATENT-3,546,386 ..... c 07 N71-24621 *
US-PATENT-3,546,471 ..... c 14 N71-24864 *
US-PATENT-3,546,552 ..... c 15 N71-24895 *
US-PATENT-3,546,553 ..... c 09 N71-24805 *
US-PATENT-3,546,684 ..... c 07 N71-24624 *
US-PATENT-3,546,694 ..... c 10 N71-24798 *
US-PATENT-3,546,705 ..... c 09 N71-24842 *
US-PATENT-3,546,917 ..... c 15 N71-24679 *
US-PATENT-3,546,920 ..... c 06 N71-24607 *
US-PATENT-3,546,931 ..... c 32 N71-25360 *
US-PATENT-3,547,105 ..... c 09 N71-24618 *
US-PATENT-3,547,376 ..... c 31 N71-25434 *
US-PATENT-3,547,540 ..... c 16 N71-24828 *
US-PATENT-3,547,801 ..... c 03 N71-24718 *
US-PATENT-3,548,107 ..... c 07 N71-24622 *
US-PATENT-3,548,633 ..... c 18 N71-24934 *
US-PATENT-3,548,636 ..... c 15 N71-24910 *
US-PATENT-3,548,812 ..... c 05 N71-24729 *
US-PATENT-3,548,930 ..... c 33 N71-25353 *
US-PATENT-3,549,435 ..... c 14 N72-28438 *
US-PATENT-3,549,564 ..... c 06 N71-24739 *
US-PATENT-3,549,799 ..... c 09 N71-25866 *
US-PATENT-3,549,882 ..... c 15 N71-24896 *
US-PATENT-3,549,955 ..... c 09 N71-24892 *
US-PATENT-3,550,023 ..... c 09 N71-24806 *
US-PATENT-3,550,034 ..... c 16 N71-24832 *
US-PATENT-3,550,129 ..... c 21 N71-24948 *
US-PATENT-3,550,585 ..... c 05 N71-24738 *
US-PATENT-3,551,266 ..... c 33 N71-24858 *
US-PATENT-3,551,816 ..... c 07 N71-24613 *
US-PATENT-3,551,831 ..... c 33 N75-27251 *
US-PATENT-3,552,124 ..... c 28 N71-26642 *
US-PATENT-3,552,125 ..... c 28 N71-26173 *
US-PATENT-3,553,002 ..... c 18 N71-26100 *
US-PATENT-3,553,586 ..... c 07 N71-26292 *
US-PATENT-3,553,704 ..... c 10 N71-26142 *
US-PATENT-3,553,904 ..... c 15 N71-26134 *
US-PATENT-3,554,466 ..... c 31 N71-26537 *
US-PATENT-3,554,647 ..... c 23 N71-26206 *
US-PATENT-3,554,806 ..... c 03 N71-26084 *
US-PATENT-3,555,192 ..... c 07 N71-26181 *
US-PATENT-3,555,361 ..... c 10 N71-26531 *
US-PATENT-3,555,455 ..... c 23 N71-26722 *
US-PATENT-3,555,483 ..... c 35 N77-21393 *
US-PATENT-3,555,867 ..... c 15 N71-26148 *
US-PATENT-3,555,898 ..... c 12 N71-26546 *
US-PATENT-3,556,048 ..... c 09 N71-26701 *
US-PATENT-3,556,634 ..... c 07 N71-26291 *
US-PATENT-3,557,027 ..... c 06 N71-25929 *
US-PATENT-3,557,534 ..... c 15 N71-26185 *
US-PATENT-3,559,031 ..... c 10 N71-26085 *
US-PATENT-3,559,096 ..... c 10 N71-25882 *
US-PATENT-3,559,460 ..... c 14 N71-26672 *
US-PATENT-3,559,937 ..... c 14 N71-26627 *
US-PATENT-3,560,081 ..... c 19 N71-26674 *
US-PATENT-3,560,161 ..... c 06 N71-26754 *
US-PATENT-3,561,828 ..... c 15 N71-26189 *
US-PATENT-3,562,575 ..... c 09 N71-26182 *
US-PATENT-3,562,631 ..... c 14 N71-26137 *
US-PATENT-3,562,857 ..... c 15 N71-26721 *
US-PATENT-3,562,881 ..... c 09 N71-26678 *
US-PATENT-3,562,919 ..... c 15 N71-26145 *
US-PATENT-3,563,135 ..... c 15 N71-27147 *
US-PATENT-3,563,198 ..... c 18 N71-26285 *
US-PATENT-3,563,232 ..... c 05 N71-27234 *
US-PATENT-3,563,307 ..... c 15 N71-26611 *
US-PATENT-3,563,668 ..... c 14 N71-26788 *
US-PATENT-3,563,727 ..... c 15 N71-27184 *
US-PATENT-3,563,918 ..... c 06 N71-27363 *
US-PATENT-3,564,234 ..... c 09 N71-26787 *
US-PATENT-3,564,401 ..... c 14 N71-26135 *
US-PATENT-3,564,420 ..... c 14 N71-26774 *
US-PATENT-3,564,564 ..... c 15 N71-26162 *
US-PATENT-3,564,866 ..... c 23 N71-26654 *
US-PATENT-3,564,906 ..... c 32 N71-26681 *
US-PATENT-3,565,530 ..... c 15 N71-26673 *
US-PATENT-3,565,584 ..... c 15 N71-27372 *
US-PATENT-3,565,607 ..... c 17 N71-26773 *
US-PATENT-3,565,719 ..... c 03 N71-26726 *
US-PATENT-3,566,027 ..... c 07 N71-27341 *
US-PATENT-3,566,045 ..... c 08 N71-27210 *
US-PATENT-3,566,122 ..... c 14 N71-27323 *
US-PATENT-3,566,143 ..... c 14 N71-27407 *
US-PATENT-3,566,158 ..... c 10 N71-27126 *
US-PATENT-3,566,268 ..... c 10 N71-26577 *
US-PATENT-3,566,396 ..... c 10 N71-26544 *
US-PATENT-3,566,459 ..... c 14 N71-27334 *
US-PATENT-3,566,676 ..... c 14 N71-26199 *
US-PATENT-3,566,993 ..... c 15 N71-27169 *
US-PATENT-3,567,155 ..... c 21 N71-27324 *
US-PATENT-3,567,339 ..... c 15 N71-27084 *
US-PATENT-3,567,651 ..... c 18 N71-27170 *
US-PATENT-3,567,677 ..... c 18 N71-25881 *
US-PATENT-3,567,861 ..... c 10 N71-25865 *
US-PATENT-3,567,913 ..... c 10 N71-27137 *
US-PATENT-3,567,927 ..... c 14 N71-28863 *
US-PATENT-3,568,010 ..... c 09 N71-27232 *
US-PATENT-3,568,028 ..... c 10 N71-27136 *
US-PATENT-3,568,103 ..... c 10 N71-25900 *
US-PATENT-3,568,197 ..... c 07 N71-27056 *
US-PATENT-3,568,447 ..... c 15 N71-27432 *
US-PATENT-3,568,572 ..... c 15 N71-27754 *
US-PATENT-3,568,702 ..... c 10 N71-25899 *
US-PATENT-3,568,748 ..... c 15 N71-27091 *
US-PATENT-3,568,795 ..... c 15 N71-27067 *
US-PATENT-3,568,805 ..... c 15 N71-27146 *
US-PATENT-3,568,874 ..... c 15 N71-27068 *
US-PATENT-3,568,885 ..... c 14 N71-27005 *
US-PATENT-3,569,710 ..... c 14 N71-25901 *
US-PATENT-3,569,744 ..... c 09 N71-27016 *
US-PATENT-3,569,804 ..... c 09 N71-25999 *
US-PATENT-3,569,827 ..... c 18 N71-27397 *
US-PATENT-3,569,828 ..... c 14 N71-27186 *
US-PATENT-3,569,866 ..... c 10 N71-27271 *
US-PATENT-3,569,875 ..... c 07 N71-27191 *
US-PATENT-3,569,956 ..... c 10 N71-25917 *
US-PATENT-3,569,976 ..... c 07 N71-27233 *
US-PATENT-3,570,143 ..... c 10 N71-27365 *
US-PATENT-3,570,364 ..... c 28 N71-26779 *
US-PATENT-3,570,513 ..... c 12 N71-27332 *
US-PATENT-3,570,785 ..... c 28 N71-27585 *
US-PATENT-3,570,789 ..... c 02 N71-27088 *
US-PATENT-3,571,555 ..... c 15 N71-27135 *
US-PATENT-3,571,656 ..... c 09 N71-27001 *
US-PATENT-3,571,662 ..... c 10 N71-27366 *
US-PATENT-3,571,693 ..... c 09 N71-27364 *
US-PATENT-3,571,699 ..... c 09 N71-27053 *
US-PATENT-3,571,700 ..... c 14 N71-27325 *
US-PATENT-3,571,707 ..... c 10 N71-27338 *
US-PATENT-3,571,800 ..... c 10 N71-27272 *
US-PATENT-3,571,801 ..... c 08 N71-27255 *
US-PATENT-3,572,089 ..... c 14 N71-27185 *
US-PATENT-3,572,104 ..... c 28 N71-27094 *
US-PATENT-3,572,112 ..... c 15 N71-27006 *
US-PATENT-3,572,610 ..... c 28 N71-27095 *
US-PATENT-3,572,935 ..... c 14 N71-27215 *
US-PATENT-3,573,078 ..... c 27 N82-29451 *
US-PATENT-3,573,470 ..... c 74 N78-33913 *
US-PATENT-3,573,504 ..... c 33 N78-17294 *
US-PATENT-3,573,583 ..... c 09 N71-28886 *
US-PATENT-3,573,797 ..... c 08 N71-27057 *
US-PATENT-3,573,977 ..... c 15 N71-28582 *
US-PATENT-3,573,986 ..... c 03 N71-28579 *
US-PATENT-3,573,996 ..... c 18 N71-29040 *
US-PATENT-3,574,057 ..... c 22 N71-28759 *
US-PATENT-3,574,084 ..... c 14 N71-28933 *
US-PATENT-3,574,277 ..... c 15 N71-28467 *
US-PATENT-3,574,286 ..... c 11 N71-27036 *
US-PATENT-3,574,438 ..... c 07 N71-29065 *
US-PATENT-3,574,448 ..... c 23 N71-29123 *
US-PATENT-3,574,462 ..... c 14 N71-29041 *
US-PATENT-3,574,467 ..... c 23 N71-29125 *
US-PATENT-3,574,470 ..... c 14 N71-28993 *
US-PATENT-3,574,770 ..... c 06 N71-27254 *
US-PATENT-3,575,336 ..... c 15 N71-27214 *
US-PATENT-3,575,585 ..... c 14 N71-27058 *
US-PATENT-3,575,597 ..... c 14 N71-27090 *
US-PATENT-3,575,602 ..... c 16 N71-27183 *
US-PATENT-3,575,638 ..... c 09 N71-26133 *
US-PATENT-3,575,641 ..... c 10 N71-26334 *
US-PATENT-3,576,107 ..... c 28 N71-26781 *
US-PATENT-3,576,127 ..... c 14 N71-26161 *
US-PATENT-3,576,135 ..... c 15 N71-26635 *
US-PATENT-3,576,301 ..... c 02 N71-26110 *
US-PATENT-3,576,656 ..... c 18 N71-26772 *
US-PATENT-3,576,669 ..... c 15 N71-29032 *
US-PATENT-3,576,723 ..... c 09 N71-28691 *
US-PATENT-3,576,786 ..... c 06 N71-28620 *
US-PATENT-3,577,014 ..... c 10 N71-28860 *
US-PATENT-3,577,092 ..... c 07 N71-28430 *
US-PATENT-3,577,356 ..... c 06 N73-30102 *
US-PATENT-3,578,755 ..... c 14 N71-29134 *
US-PATENT-3,578,756 ..... c 11 N71-28629 *
US-PATENT-3,578,758 ..... c 14 N71-28992 *
US-PATENT-3,578,838 ..... c 16 N71-29131 *
US-PATENT-3,578,867 ..... c 14 N71-28994 *
US-PATENT-3,578,957 ..... c 08 N71-29033 *
US-PATENT-3,578,988 ..... c 09 N71-29139 *
US-PATENT-3,578,992 ..... c 09 N71-28421 *
US-PATENT-3,579,041 ..... c 09 N71-29008 *
US-PATENT-3,579,103 ..... c 14 N71-28991 *
US-PATENT-3,579,122 ..... c 08 N71-29034 *
US-PATENT-3,579,146 ..... c 08 N71-29138 *
US-PATENT-3,579,147 ..... c 07 N71-28429 *
US-PATENT-3,579,168 ..... c 09 N71-29035 *
US-PATENT-3,579,242 ..... c 07 N71-28980 *
US-PATENT-3,579,390 ..... c 18 N71-28729 *
US-PATENT-3,579,412 ..... c 17 N71-28747 *
US-PATENT-3,581,492 ..... c 28 N71-28915 *
US-PATENT-3,582,828 ..... c 33 N77-21314 *
US-PATENT-3,582,960 ..... c 09 N71-28618 *
US-PATENT-3,583,058 ..... c 15 N71-29018 *
US-PATENT-3,583,239 ..... c 15 N71-29132 *
US-PATENT-3,583,322 ..... c 05 N71-28619 *
US-PATENT-3,583,419 ..... c 12 N71-28741 *
US-PATENT-3,583,744 ..... c 15 N71-29133 *
US-PATENT-3,583,777 ..... c 15 N71-28465 *
US-PATENT-3,583,815 ..... c 15 N71-28740 *
US-PATENT-3,584,311 ..... c 09 N71-28468 *
US-PATENT-3,584,660 ..... c 15 N72-12408 *
US-PATENT-3,585,514 ..... c 10 N71-33129 *
US-PATENT-3,585,882 ..... c 15 N71-33518 *
US-PATENT-3,586,261 ..... c 31 N71-33160 *
US-PATENT-3,587,306 ..... c 11 N71-33612 *
US-PATENT-3,587,424 ..... c 16 N71-33410 *
US-PATENT-3,588,220 ..... c 23 N71-33229 *
US-PATENT-3,588,331 ..... c 07 N72-12081 *
US-PATENT-3,588,359 ..... c 07 N71-33108 *
US-PATENT-3,588,483 ..... c 08 N71-33110 *
US-PATENT-3,588,648 ..... c 07 N71-33613 *
US-PATENT-3,588,671 ..... c 09 N71-33109 *
US-PATENT-3,588,705 ..... c 07 N71-33696 *
US-PATENT-3,588,751 ..... c 07 N71-33606 *
US-PATENT-3,588,874 ..... c 09 N71-33519 *
US-PATENT-3,588,883 ..... c 10 N71-33407 *
US-PATENT-3,591,420 ..... c 03 N71-33409 *
US-PATENT-3,591,426 ..... c 17 N71-33408 *
US-PATENT-3,591,885 ..... c 15 N72-11390 *
US-PATENT-3,591,960 ..... c 15 N72-12409 *
US-PATENT-3,591,967 ..... c 28 N72-11709 *
US-PATENT-3,592,422 ..... c 15 N72-11391 *
US-PATENT-3,592,478 ..... c 09 N72-11224 *
US-PATENT-3,592,505 ..... c 05 N72-11085 *
US-PATENT-3,592,545 ..... c 14 N72-11364 *
US-PATENT-3,592,559 ..... c 02 N72-11018 *
US-PATENT-3,592,628 ..... c 15 N72-11387 *
US-PATENT-3,592,768 ..... c 15 N72-11389 *
US-PATENT-3,593,001 ..... c 15 N72-11392 *
US-PATENT-3,593,024 ..... c 24 N72-11595 *
US-PATENT-3,593,132 ..... c 09 N72-11225 *
US-PATENT-3,593,138 ..... c 07 N72-11149 *
US-PATENT-3,593,175 ..... c 10 N72-11256 *
US-PATENT-3,593,180 ..... c 07 N72-11150 *
US-PATENT-3,593,194 ..... c 16 N72-12440 *
US-PATENT-3,594,790 ..... c 07 N72-12080 *
US-PATENT-3,594,803 ..... c 09 N72-12136 *
US-PATENT-3,596,465 ..... c 28 N72-11708 *
US-PATENT-3,596,510 ..... c 14 N72-11363 *
US-PATENT-3,596,554 ..... c 15 N72-11385 *
US-PATENT-3,596,863 ..... c 15 N72-11386 *
US-PATENT-3,597,281 ..... c 03 N72-11062 *
US-PATENT-3,598,921 ..... c 08 N72-11171 *
US-PATENT-3,599,216 ..... c 07 N72-11148 *
US-PATENT-3,599,335 ..... c 08 N72-11172 *
US-PATENT-3,599,443 ..... c 05 N72-11084 *
US-PATENT-3,599,489 ..... c 14 N72-11365 *
US-PATENT-3,600,046 ..... c 15 N72-11388 *

US-PATENT-3,600,599 ..... c 33 N78-17296 *
US-PATENT-3,602,920 ..... c 11 N72-17183 *
US-PATENT-3,602,923 ..... c 05 N72-22093 *
US-PATENT-3,602,979 ..... c 15 N72-22492 *
US-PATENT-3,602,984 ..... c 26 N72-17820 *
US-PATENT-3,603,092 ..... c 28 N72-17843 *
US-PATENT-3,603,093 ..... c 28 N72-18766 *
US-PATENT-3,603,260 ..... c 33 N72-17947 *
US-PATENT-3,603,285 ..... c 25 N75-29192 *
US-PATENT-3,603,382 ..... c 33 N72-17948 *
US-PATENT-3,603,433 ..... c 15 N72-17450 *
US-PATENT-3,603,532 ..... c 30 N72-17873 *
US-PATENT-3,603,683 ..... c 14 N72-17326 *
US-PATENT-3,603,686 ..... c 16 N72-13437 *
US-PATENT-3,603,690 ..... c 14 N72-17323 *
US-PATENT-3,603,722 ..... c 07 N72-17109 *
US-PATENT-3,603,772 ..... c 08 N72-22166 *
US-PATENT-3,603,798 ..... c 09 N72-17152 *
US-PATENT-3,603,864 ..... c 09 N72-17154 *
US-PATENT-3,603,892 ..... c 09 N72-17155 *
US-PATENT-3,603,946 ..... c 09 N72-17153 *
US-PATENT-3,603,974 ..... c 14 N72-18411 *
US-PATENT-3,603,976 ..... c 08 N72-18184 *
US-PATENT-3,605,032 ..... c 10 N72-17172 *
US-PATENT-3,605,424 ..... c 15 N72-17453 *
US-PATENT-3,605,482 ..... c 14 N72-16282 *
US-PATENT-3,605,495 ..... c 14 N72-17327 *
US-PATENT-3,605,519 ..... c 14 N72-17324 *
US-PATENT-3,606,212 ..... c 31 N72-18859 *
US-PATENT-3,606,470 ..... c 46 N74-23068 *
US-PATENT-3,606,522 ..... c 23 N72-23695 *
US-PATENT-3,606,979 ..... c 15 N72-17454 *
US-PATENT-3,607,015 ..... c 06 N72-17093 *
US-PATENT-3,607,076 ..... c 06 N72-17094 *
US-PATENT-3,607,080 ..... c 06 N72-17095 *
US-PATENT-3,607,338 ..... c 18 N72-17532 *
US-PATENT-3,607,401 ..... c 03 N72-15986 *
US-PATENT-3,607,495 ..... c 15 N72-16330 *
US-PATENT-3,608,046 ..... c 15 N72-16329 *
US-PATENT-3,608,365 ..... c 15 N72-17452 *
US-PATENT-3,608,409 ..... c 14 N72-16283 *
US-PATENT-3,608,844 ..... c 15 N72-18477 *
US-PATENT-3,609,230 ..... c 09 N72-17156 *
US-PATENT-3,609,271 ..... c 09 N72-22204 *
US-PATENT-3,609,327 ..... c 08 N72-22167 *
US-PATENT-3,609,353 ..... c 14 N72-17328 *
US-PATENT-3,609,364 ..... c 10 N72-17173 *
US-PATENT-3,609,387 ..... c 09 N72-17157 *
US-PATENT-3,609,535 ..... c 14 N72-17325 *
US-PATENT-3,609,567 ..... c 10 N72-17171 *
US-PATENT-3,609,740 ..... c 05 N72-16015 *
US-PATENT-3,610,365 ..... c 15 N72-17451 *
US-PATENT-3,611,274 ..... c 15 N72-17455 *
US-PATENT-3,611,330 ..... c 23 N72-17747 *
US-PATENT-3,611,798 ..... c 14 N72-22437 *
US-PATENT-3,611,801 ..... c 14 N72-17329 *
US-PATENT-3,612,030 ..... c 46 N74-23069 *
US-PATENT-3,612,391 ..... c 11 N72-22245 *
US-PATENT-3,612,442 ..... c 28 N72-22769 *
US-PATENT-3,612,645 ..... c 14 N72-22441 *
US-PATENT-3,612,743 ..... c 09 N72-22198 *
US-PATENT-3,612,895 ..... c 09 N72-22197 *
US-PATENT-3,613,110 ..... c 08 N72-21199 *
US-PATENT-3,613,111 ..... c 08 N72-21200 *
US-PATENT-3,613,370 ..... c 28 N72-22770 *
US-PATENT-3,613,454 ..... c 35 N77-27368 *
US-PATENT-3,613,457 ..... c 15 N72-22482 *
US-PATENT-3,613,794 ..... c 12 N72-21310 *
US-PATENT-3,614,228 ..... c 14 N72-21409 *
US-PATENT-3,614,327 ..... c 08 N72-22162 *
US-PATENT-3,614,343 ..... c 07 N72-21119 *
US-PATENT-3,614,431 ..... c 14 N72-21408 *
US-PATENT-3,614,475 ..... c 10 N72-16172 *
US-PATENT-3,614,557 ..... c 26 N72-21701 *
US-PATENT-3,614,587 ..... c 09 N72-22196 *
US-PATENT-3,614,648 ..... c 09 N72-21247 *
US-PATENT-3,614,772 ..... c 08 N72-22163 *
US-PATENT-3,614,898 ..... c 15 N72-21462 *
US-PATENT-3,614,899 ..... c 09 N72-22195 *
US-PATENT-3,615,021 ..... c 15 N72-22483 *
US-PATENT-3,615,241 ..... c 15 N72-21465 *
US-PATENT-3,615,465 ..... c 06 N72-21094 *
US-PATENT-3,615,853 ..... c 03 N72-22042 *
US-PATENT-3,616,338 ..... c 15 N72-21466 *
US-PATENT-3,616,528 ..... c 03 N72-22041 *
US-PATENT-3,617,804 ..... c 25 N72-24753 *
US-PATENT-3,619,896 ..... c 15 N72-22487 *
US-PATENT-3,619,924 ..... c 11 N72-22247 *
US-PATENT-3,620,018 ..... c 28 N72-22771 *
US-PATENT-3,620,069 ..... c 14 N72-22440 *
US-PATENT-3,620,076 ..... c 11 N72-22246 *
US-PATENT-3,620,083 ..... c 14 N72-22438 *
US-PATENT-3,620,095 ..... c 15 N72-21463 *
US-PATENT-3,620,585 ..... c 15 N72-22490 *
US-PATENT-3,620,595 ..... c 14 N72-22445 *
US-PATENT-3,620,606 ..... c 23 N72-22673 *
US-PATENT-3,620,718 ..... c 17 N72-22535 *
US-PATENT-3,620,784 ..... c 18 N72-23581 *
US-PATENT-3,620,791 ..... c 18 N72-22566 *
US-PATENT-3,620,846 ..... c 31 N72-22874 *
US-PATENT-3,621,130 ..... c 08 N72-22164 *
US-PATENT-3,621,193 ..... c 15 N72-23497 *
US-PATENT-3,621,194 ..... c 15 N72-22491 *
US-PATENT-3,621,228 ..... c 08 N72-22165 *
US-PATENT-3,621,277 ..... c 10 N72-22236 *
US-PATENT-3,621,285 ..... c 09 N72-22200 *
US-PATENT-3,621,287 ..... c 09 N72-22201 *
US-PATENT-3,621,290 ..... c 09 N72-22202 *
US-PATENT-3,621,294 ..... c 09 N72-23171 *
US-PATENT-3,621,330 ..... c 33 N77-21316 *
US-PATENT-3,621,362 ..... c 09 N72-22203 *
US-PATENT-3,621,372 ..... c 09 N72-25249 *
US-PATENT-3,621,406 ..... c 09 N72-33204 *
US-PATENT-3,621,407 ..... c 09 N72-21245 *
US-PATENT-3,621,565 ..... c 09 N72-22199 *
US-PATENT-3,623,030 ..... c 08 N72-21198 *
US-PATENT-3,623,094 ..... c 10 N72-22235 *
US-PATENT-3,623,107 ..... c 07 N72-21117 *
US-PATENT-3,623,114 ..... c 07 N72-22127 *
US-PATENT-3,623,359 ..... c 35 N77-27367 *
US-PATENT-3,623,360 ..... c 14 N72-21405 *
US-PATENT-3,623,361 ..... c 14 N72-21407 *
US-PATENT-3,623,394 ..... c 15 N72-22488 *
US-PATENT-3,623,828 ..... c 15 N72-22489 *
US-PATENT-3,623,861 ..... c 17 N72-22530 *
US-PATENT-3,624,496 ..... c 15 N72-21464 *
US-PATENT-3,624,598 ..... c 21 N72-22619 *
US-PATENT-3,624,650 ..... c 07 N72-21118 *
US-PATENT-3,624,659 ..... c 09 N72-21246 *
US-PATENT-3,624,839 ..... c 05 N72-20098 *
US-PATENT-3,625,018 ..... c 15 N72-22484 *
US-PATENT-3,625,084 ..... c 15 N72-22485 *
US-PATENT-3,625,766 ..... c 03 N72-20032 *
US-PATENT-3,626,114 ..... c 35 N72-18248 *
US-PATENT-3,626,189 ..... c 14 N72-20381 *
US-PATENT-3,626,218 ..... c 14 N72-22439 *
US-PATENT-3,626,298 ..... c 07 N72-20140 *
US-PATENT-3,626,308 ..... c 10 N72-20223 *
US-PATENT-3,626,828 ..... c 14 N72-20380 *
US-PATENT-3,628,113 ..... c 37 N77-27400 *
US-PATENT-3,629,068 ..... c 22 N72-20597 *
US-PATENT-3,629,161 ..... c 18 N72-22567 *
US-PATENT-3,630,276 ..... c 33 N72-20915 *
US-PATENT-3,630,304 ..... c 11 N72-20244 *
US-PATENT-3,630,627 ..... c 03 N72-20033 *
US-PATENT-3,631,339 ..... c 08 N72-20177 *
US-PATENT-3,631,351 ..... c 10 N72-20224 *
US-PATENT-3,631,382 ..... c 09 N72-20200 *
US-PATENT-3,631,737 ..... c 15 N72-28495 *
US-PATENT-3,632,081 ..... c 15 N72-20442 *
US-PATENT-3,632,140 ..... c 15 N72-20445 *
US-PATENT-3,632,242 ..... c 15 N72-20446 *
US-PATENT-3,632,923 ..... c 09 N72-20199 *
US-PATENT-3,632,996 ..... c 08 N72-20176 *
US-PATENT-3,633,048 ..... c 10 N72-20221 *
US-PATENT-3,633,110 ..... c 07 N72-20141 *
US-PATENT-3,634,383 ..... c 27 N73-22710 *
US-PATENT-3,635,216 ..... c 05 N72-20096 *
US-PATENT-3,635,537 ..... c 33 N80-14330 *
US-PATENT-3,635,765 ..... c 03 N72-20034 *
US-PATENT-3,636,539 ..... c 03 N72-20031 *
US-PATENT-3,636,564 ..... c 05 N72-22092 *
US-PATENT-3,636,623 ..... c 15 N72-20444 *
US-PATENT-3,636,711 ..... c 28 N72-20758 *
US-PATENT-3,636,966 ..... c 05 N72-20097 *
US-PATENT-3,637,051 ..... c 15 N72-20443 *
US-PATENT-3,637,170 ..... c 21 N72-21624 *
US-PATENT-3,637,312 ..... c 14 N72-20379 *
US-PATENT-3,637,842 ..... c 06 N72-20121 *
US-PATENT-3,638,002 ..... c 08 N72-21197 *
US-PATENT-3,638,066 ..... c 10 N72-20225 *
US-PATENT-3,638,103 ..... c 09 N72-21243 *
US-PATENT-3,638,114 ..... c 10 N72-20222 *
US-PATENT-3,638,224 ..... c 09 N72-21244 *
US-PATENT-3,639,250 ..... c 14 N72-22443 *
US-PATENT-3,639,510 ..... c 06 N72-22107 *
US-PATENT-3,639,809 ..... c 15 N72-22486 *
US-PATENT-3,639,835 ..... c 14 N72-22442 *
US-PATENT-3,640,256 ..... c 28 N72-22772 *
US-PATENT-3,641,470 ..... c 35 N78-17359 *
US-PATENT-3,647,276 ..... c 14 N72-22444 *
US-PATENT-3,647,529 ..... c 27 N74-23125 *
US-PATENT-3,647,924 ..... c 11 N72-23215 *
US-PATENT-3,648,043 ..... c 09 N72-23173 *
US-PATENT-3,648,083 ..... c 12 N72-25292 *
US-PATENT-3,648,152 ..... c 03 N72-23048 *
US-PATENT-3,648,209 ..... c 09 N72-27226 *
US-PATENT-3,648,250 ..... c 09 N72-25248 *
US-PATENT-3,648,256 ..... c 08 N72-25207 *
US-PATENT-3,648,275 ..... c 08 N72-25206 *
US-PATENT-3,648,461 ..... c 28 N72-23810 *
US-PATENT-3,648,516 ..... c 35 N74-22095 *
US-PATENT-3,649,242 ..... c 15 N72-25448 *
US-PATENT-3,649,353 ..... c 26 N72-28762 *
US-PATENT-3,649,356 ..... c 15 N72-25447 *
US-PATENT-3,649,462 ..... c 11 N72-25284 *
US-PATENT-3,649,907 ..... c 09 N72-23172 *
US-PATENT-3,649,921 ..... c 05 N72-23085 *
US-PATENT-3,649,935 ..... c 07 N72-25170 *
US-PATENT-3,650,095 ..... c 14 N72-23457 *
US-PATENT-3,650,474 ..... c 28 N72-23809 *
US-PATENT-3,651,008 ..... c 27 N81-24258 *
US-PATENT-3,653,052 ..... c 09 N72-25247 *
US-PATENT-3,653,882 ..... c 18 N72-25539 *
US-PATENT-3,653,970 ..... c 03 N72-24037 *
US-PATENT-3,654,036 ..... c 03 N72-25019 *
US-PATENT-3,655,814 ..... c 27 N81-15104 *
US-PATENT-3,656,313 ..... c 23 N72-25619 *
US-PATENT-3,656,317 ..... c 33 N72-25911 *
US-PATENT-3,656,352 ..... c 14 N72-25411 *
US-PATENT-3,656,781 ..... c 15 N72-25450 *
US-PATENT-3,657,190 ..... c 23 N82-29358 *
US-PATENT-3,657,549 ..... c 14 N72-25409 *
US-PATENT-3,657,644 ..... c 14 N72-24477 *
US-PATENT-3,657,928 ..... c 14 N72-25410 *
US-PATENT-3,658,295 ..... c 15 N72-25451 *
US-PATENT-3,658,569 ..... c 15 N72-25452 *
US-PATENT-3,658,608 ..... c 27 N72-25699 *
US-PATENT-3,658,974 ..... c 15 N72-24522 *
US-PATENT-3,659,043 ..... c 14 N72-25412 *
US-PATENT-3,659,053 ..... c 08 N72-25208 *
US-PATENT-3,659,148 ..... c 09 N72-25250 *
US-PATENT-3,659,184 ..... c 09 N72-25251 *
US-PATENT-3,659,225 ..... c 16 N72-25485 *
US-PATENT-3,659,292 ..... c 08 N72-25209 *
US-PATENT-3,660,240 ..... c 06 N72-25149 *
US-PATENT-3,660,434 ..... c 06 N72-25148 *
US-PATENT-3,660,704 ..... c 15 N72-25456 *
US-PATENT-3,660,851 ..... c 05 N72-25119 *
US-PATENT-3,662,327 ..... c 08 N72-25210 *
US-PATENT-3,662,441 ..... c 05 N72-25121 *
US-PATENT-3,662,547 ..... c 15 N72-25455 *
US-PATENT-3,662,604 ..... c 13 N72-25323 *
US-PATENT-3,662,661 ..... c 31 N72-25842 *
US-PATENT-3,662,744 ..... c 05 N72-25122 *
US-PATENT-3,662,973 ..... c 21 N72-25595 *
US-PATENT-3,663,346 ..... c 18 N72-25541 *
US-PATENT-3,663,347 ..... c 18 N72-25540 *
US-PATENT-3,663,464 ..... c 06 N72-25147 *
US-PATENT-3,663,521 ..... c 06 N72-25152 *
US-PATENT-3,663,753 ..... c 14 N72-25414 *
US-PATENT-3,663,828 ..... c 09 N72-25262 *
US-PATENT-3,663,839 ..... c 09 N72-25260 *
US-PATENT-3,663,843 ..... c 09 N72-25255 *
US-PATENT-3,663,885 ..... c 09 N72-25257 *
US-PATENT-3,663,886 ..... c 09 N72-25258 *
US-PATENT-3,663,929 ..... c 09 N72-25256 *
US-PATENT-3,663,938 ..... c 03 N72-25020 *
US-PATENT-3,663,940 ..... c 09 N72-25252 *
US-PATENT-3,663,941 ..... c 09 N72-25253 *
US-PATENT-3,663,944 ..... c 09 N72-25254 *
US-PATENT-3,664,185 ..... c 15 N72-26371 *
US-PATENT-3,664,874 ..... c 09 N72-25259 *
US-PATENT-3,665,064 ..... c 05 N72-25120 *
US-PATENT-3,665,307 ..... c 15 N72-25457 *
US-PATENT-3,665,313 ..... c 07 N72-25173 *
US-PATENT-3,665,417 ..... c 07 N72-25172 *
US-PATENT-3,665,467 ..... c 14 N72-28437 *
US-PATENT-3,665,481 ..... c 07 N72-25174 *
US-PATENT-3,665,589 ..... c 09 N72-25261 *
US-PATENT-3,665,669 ..... c 15 N72-25454 *
US-PATENT-3,665,670 ..... c 11 N72-25287 *
US-PATENT-3,665,750 ..... c 33 N72-25913 *
US-PATENT-3,665,751 ..... c 32 N72-25877 *
US-PATENT-3,665,758 ..... c 11 N72-25288 *
US-PATENT-3,666,051 ..... c 15 N72-25453 *
US-PATENT-3,666,120 ..... c 03 N72-25021 *
US-PATENT-3,666,566 ..... c 03 N72-26031 *
US-PATENT-3,666,631 ..... c 14 N72-25413 *
US-PATENT-3,666,718 ..... c 06 N72-25151 *
US-PATENT-3,666,741 ..... c 06 N72-25150 *
US-PATENT-3,666,942 ..... c 06 N72-25146 *
US-PATENT-3,667,010 ..... c 26 N72-25679 *
US-PATENT-3,667,039 ..... c 26 N72-25680 *
US-PATENT-3,667,044 ..... c 07 N72-25171 *
US-PATENT-3,668,956 ..... c 15 N72-27485 *
US-PATENT-3,669,110 ..... c 05 N72-27103 *
US-PATENT-3,669,393 ..... c 15 N72-27484 *
US-PATENT-3,670,097 ..... c 23 N72-27728 *
US-PATENT-3,670,168 ..... c 14 N72-27409 *
US-PATENT-3,670,202 ..... c 14 N72-27411 *
US-PATENT-3,670,241 ..... c 14 N72-27408 *
US-PATENT-3,670,290 ..... c 09 N72-28225 *
US-PATENT-3,670,559 ..... c 33 N72-27959 *
US-PATENT-3,670,563 ..... c 14 N72-27412 *
US-PATENT-3,670,564 ..... c 11 N72-27262 *
US-PATENT-3,670,890 ..... c 05 N72-27102 *
US-PATENT-3,671,105 ..... c 26 N72-27784 *

US-PATENT-3,671,329 ..... c 14 N72-27410 *
US-PATENT-3,671,497 ..... c 06 N72-27144 *
US-PATENT-3,671,798 ..... c 10 N72-27246 *
US-PATENT-3,672,999 ..... c 03 N72-27053 *
US-PATENT-3,673,424 ..... c 09 N72-27227 *
US-PATENT-3,673,440 ..... c 09 N72-27228 *
US-PATENT-3,675,332 ..... c 14 N72-28436 *
US-PATENT-3,675,376 ..... c 15 N72-28496 *
US-PATENT-3,675,712 ..... c 03 N72-28025 *
US-PATENT-3,675,910 ..... c 17 N72-28535 *
US-PATENT-3,675,935 ..... c 15 N72-29488 *
US-PATENT-3,676,084 ..... c 17 N72-28536 *
US-PATENT-3,676,674 ..... c 14 N72-29464 *
US-PATENT-3,676,754 ..... c 26 N72-28761 *
US-PATENT-3,676,772 ..... c 10 N72-28240 *
US-PATENT-3,676,787 ..... c 16 N72-28521 *
US-PATENT-3,676,809 ..... c 09 N72-29172 *
US-PATENT-3,678,191 ..... c 10 N72-31273 *
US-PATENT-3,678,654 ..... c 06 N72-31140 *
US-PATENT-3,678,685 ..... c 21 N72-31637 *
US-PATENT-3,678,771 ..... c 37 N74-23070 *
US-PATENT-3,679,360 ..... c 04 N72-33072 *
US-PATENT-3,679,899 ..... c 06 N72-31141 *
US-PATENT-3,680,142 ..... c 09 N72-31235 *
US-PATENT-3,680,144 ..... c 07 N72-32169 *
US-PATENT-3,680,830 ..... c 15 N72-31483 *
US-PATENT-3,681,581 ..... c 08 N72-31226 *
US-PATENT-3,686,542 ..... c 14 N72-31446 *
US-PATENT-3,690,291 ..... c 15 N72-32487 *
US-PATENT-3,692,533 ..... c 05 N72-33096 *
US-PATENT-3,693,002 ..... c 25 N72-32688 *
US-PATENT-3,693,105 ..... c 10 N72-33230 *
US-PATENT-3,693,346 ..... c 15 N72-33477 *
US-PATENT-3,693,418 ..... c 14 N72-33377 *
US-PATENT-3,694,041 ..... c 15 N72-33476 *
US-PATENT-3,694,094 ..... c 14 N72-32452 *
US-PATENT-3,694,313 ..... c 24 N72-33681 *
US-PATENT-3,694,581 ..... c 08 N72-33172 *
US-PATENT-3,694,655 ..... c 25 N72-33696 *
US-PATENT-3,694,700 ..... c 09 N72-33205 *
US-PATENT-3,694,753 ..... c 07 N72-33146 *
US-PATENT-3,694,771 ..... c 09 N73-15235 *
US-PATENT-3,695,101 ..... c 11 N73-12264 *
US-PATENT-3,696,418 ..... c 09 N73-12211 *
US-PATENT-3,696,833 ..... c 11 N73-12265 *
US-PATENT-3,697,021 ..... c 15 N73-12486 *
US-PATENT-3,697,630 ..... c 15 N73-12489 *
US-PATENT-3,697,705 ..... c 35 N77-21392 *
US-PATENT-3,697,733 ..... c 08 N73-12176 *
US-PATENT-3,697,950 ..... c 08 N73-12177 *
US-PATENT-3,697,968 ..... c 21 N73-13644 *
US-PATENT-3,698,385 ..... c 05 N73-13114 *
US-PATENT-3,698,412 ..... c 14 N73-13418 *
US-PATENT-3,698,659 ..... c 11 N73-13257 *
US-PATENT-3,698,667 ..... c 02 N73-13008 *
US-PATENT-3,698,848 ..... c 15 N73-13464 *
US-PATENT-3,699,511 ..... c 21 N73-13643 *
US-PATENT-3,699,645 ..... c 14 N73-13417 *
US-PATENT-3,699,799 ..... c 15 N73-13463 *
US-PATENT-3,699,807 ..... c 14 N73-13416 *
US-PATENT-3,699,811 ..... c 14 N73-13415 *
US-PATENT-3,700,005 ..... c 15 N73-13462 *
US-PATENT-3,700,192 ..... c 31 N73-13898 *
US-PATENT-3,700,193 ..... c 30 N73-12884 *
US-PATENT-3,700,291 ..... c 15 N73-12488 *
US-PATENT-3,700,334 ..... c 14 N73-12446 *
US-PATENT-3,700,503 ..... c 14 N73-12447 *
US-PATENT-3,700,538 ..... c 18 N73-12604 *
US-PATENT-3,700,575 ..... c 15 N73-12487 *
US-PATENT-3,700,603 ..... c 14 N73-14428 *
US-PATENT-3,700,812 ..... c 10 N73-12244 *
US-PATENT-3,700,868 ..... c 09 N73-13209 *
US-PATENT-3,700,869 ..... c 08 N73-12175 *
US-PATENT-3,700,893 ..... c 14 N73-12444 *
US-PATENT-3,700,897 ..... c 14 N73-12445 *
US-PATENT-3,700,961 ..... c 23 N73-13660 *
US-PATENT-3,701,631 ..... c 17 N73-12547 *
US-PATENT-3,701,894 ..... c 07 N73-13149 *
US-PATENT-3,702,463 ..... c 08 N73-13187 *
US-PATENT-3,702,520 ..... c 32 N73-13921 *
US-PATENT-3,702,532 ..... c 15 N73-13467 *
US-PATENT-3,702,536 ..... c 28 N73-13773 *
US-PATENT-3,702,575 ..... c 15 N73-13466 *
US-PATENT-3,702,688 ..... c 31 N73-14854 *
US-PATENT-3,702,735 ..... c 23 N73-13661 *
US-PATENT-3,702,762 ..... c 06 N73-13129 *
US-PATENT-3,702,775 ..... c 06 N73-13128 *
US-PATENT-3,702,791 ..... c 15 N73-13465 *
US-PATENT-3,702,841 ..... c 18 N73-13562 *
US-PATENT-3,702,898 ..... c 10 N73-13235 *
US-PATENT-3,702,933 ..... c 23 N73-13662 *
US-PATENT-3,702,951 ..... c 09 N73-13208 *
US-PATENT-3,702,972 ..... c 16 N73-13489 *
US-PATENT-3,702,979 ..... c 14 N73-13420 *
US-PATENT-3,704,284 ..... c 74 N81-19898 *
US-PATENT-3,704,659 ..... c 14 N73-14427 *
US-PATENT-3,705,255 ..... c 15 N73-14469 *
US-PATENT-3,705,288 ..... c 15 N73-14468 *
US-PATENT-3,705,316 ..... c 09 N73-14214 *
US-PATENT-3,705,406 ..... c 07 N73-14130 *
US-PATENT-3,706,221 ..... c 14 N73-14429 *
US-PATENT-3,706,230 ..... c 31 N73-14855 *
US-PATENT-3,706,281 ..... c 31 N73-14853 *
US-PATENT-3,706,583 ..... c 18 N73-14584 *
US-PATENT-3,706,970 ..... c 21 N73-14692 *
US-PATENT-3,708,359 ..... c 27 N73-16764 *
US-PATENT-3,708,419 ..... c 33 N73-16918 *
US-PATENT-3,708,671 ..... c 14 N73-16483 *
US-PATENT-3,708,674 ..... c 14 N73-16484 *
US-PATENT-3,709,663 ..... c 06 N73-16106 *
US-PATENT-3,710,122 ..... c 16 N73-16536 *
US-PATENT-3,710,257 ..... c 07 N73-16121 *
US-PATENT-3,710,261 ..... c 10 N73-16205 *
US-PATENT-3,710,329 ..... c 10 N73-16206 *
US-PATENT-3,711,042 ..... c 02 N73-19004 *
US-PATENT-3,711,701 ..... c 74 N77-21941 *
US-PATENT-3,712,120 ..... c 14 N73-19421 *
US-PATENT-3,712,121 ..... c 14 N73-19420 *
US-PATENT-3,712,132 ..... c 14 N73-20478 *
US-PATENT-3,712,195 ..... c 14 N73-19419 *
US-PATENT-3,712,591 ..... c 15 N73-19458 *
US-PATENT-3,713,163 ..... c 09 N73-19234 *
US-PATENT-3,713,290 ..... c 28 N73-19793 *
US-PATENT-3,713,480 ..... c 05 N73-20137 *
US-PATENT-3,713,987 ..... c 15 N73-20514 *
US-PATENT-3,714,332 ..... c 15 N73-19457 *
US-PATENT-3,714,405 ..... c 10 N73-20253 *
US-PATENT-3,714,432 ..... c 14 N73-20475 *
US-PATENT-3,714,526 ..... c 09 N73-19235 *
US-PATENT-3,714,588 ..... c 09 N73-20231 *
US-PATENT-3,714,624 ..... c 14 N73-20474 *
US-PATENT-3,714,645 ..... c 08 N73-20217 *
US-PATENT-3,714,821 ..... c 14 N73-20476 *
US-PATENT-3,714,833 ..... c 11 N73-20267 *
US-PATENT-3,715,092 ..... c 03 N73-20039 *
US-PATENT-3,715,152 ..... c 23 N73-20741 *
US-PATENT-3,715,590 ..... c 14 N73-20477 *
US-PATENT-3,715,600 ..... c 03 N73-20040 *
US-PATENT-3,715,660 ..... c 07 N73-20175 *
US-PATENT-3,715,663 ..... c 07 N73-20174 *
US-PATENT-3,715,693 ..... c 09 N73-20232 *
US-PATENT-3,715,723 ..... c 07 N73-20176 *
US-PATENT-3,715,915 ..... c 32 N73-20740 *
US-PATENT-3,718,863 ..... c 10 N73-20254 *
US-PATENT-3,719,891 ..... c 07 N73-25160 *
US-PATENT-3,720,075 ..... c 33 N73-25952 *
US-PATENT-3,720,208 ..... c 05 N73-25125 *
US-PATENT-3,723,745 ..... c 14 N73-25462 *
US-PATENT-3,728,861 ..... c 28 N73-24783 *
US-PATENT-3,729,068 ..... c 15 N73-25512 *
US-PATENT-3,729,129 ..... c 08 N73-25206 *
US-PATENT-3,729,260 ..... c 14 N73-25463 *
US-PATENT-3,729,343 ..... c 14 N73-24472 *
US-PATENT-3,729,676 ..... c 14 N73-24473 *
US-PATENT-3,729,736 ..... c 07 N73-25161 *
US-PATENT-3,729,743 ..... c 07 N73-24176 *
US-PATENT-3,729,935 ..... c 28 N73-24784 *
US-PATENT-3,730,287 ..... c 11 N73-26238 *
US-PATENT-3,730,891 ..... c 18 N73-26572 *
US-PATENT-3,731,528 ..... c 12 N73-25262 *
US-PATENT-3,731,531 ..... c 14 N73-25460 *
US-PATENT-3,732,040 ..... c 15 N73-24513 *
US-PATENT-3,732,158 ..... c 17 N73-24569 *
US-PATENT-3,732,397 ..... c 33 N74-14935 *
US-PATENT-3,732,405 ..... c 10 N73-25240 *
US-PATENT-3,732,409 ..... c 08 N73-26175 *
US-PATENT-3,732,567 ..... c 14 N73-25461 *
US-PATENT-3,733,350 ..... c 06 N73-26100 *
US-PATENT-3,733,424 ..... c 32 N73-26910 *
US-PATENT-3,733,463 ..... c 14 N73-26430 *
US-PATENT-3,734,432 ..... c 02 N73-26004 *
US-PATENT-3,735,206 ..... c 10 N73-25243 *
US-PATENT-3,735,591 ..... c 25 N73-25760 *
US-PATENT-3,736,453 ..... c 33 N77-22386 *
US-PATENT-3,736,607 ..... c 02 N73-26006 *
US-PATENT-3,736,764 ..... c 05 N73-26071 *
US-PATENT-3,736,849 ..... c 14 N73-26431 *
US-PATENT-3,736,938 ..... c 05 N73-27062 *
US-PATENT-3,736,956 ..... c 15 N73-26472 *
US-PATENT-3,737,117 ..... c 31 N73-26876 *
US-PATENT-3,737,118 ..... c 15 N73-25513 *
US-PATENT-3,737,121 ..... c 02 N73-26005 *
US-PATENT-3,737,181 ..... c 33 N73-26958 *
US-PATENT-3,737,217 ..... c 05 N73-26072 *
US-PATENT-3,737,231 ..... c 07 N73-26119 *
US-PATENT-3,737,237 ..... c 26 N73-26751 *
US-PATENT-3,737,639 ..... c 10 N73-26230 *
US-PATENT-3,737,676 ..... c 10 N73-26229 *
US-PATENT-3,737,757 ..... c 10 N73-26228 *
US-PATENT-3,737,762 ..... c 14 N73-28486 *
US-PATENT-3,737,776 ..... c 07 N73-26118 *
US-PATENT-3,737,781 ..... c 10 N73-25241 *
US-PATENT-3,737,815 ..... c 09 N73-26195 *
US-PATENT-3,737,824 ..... c 26 N73-26752 *
US-PATENT-3,737,905 ..... c 14 N73-26432 *
US-PATENT-3,737,912 ..... c 07 N73-26117 *
US-PATENT-3,739,646 ..... c 04 N76-26175 *
US-PATENT-3,740,671 ..... c 10 N73-27171 *
US-PATENT-3,740,725 ..... c 08 N73-26176 *
US-PATENT-3,741,001 ..... c 14 N73-27376 * #
US-PATENT-3,742,316 ..... c 09 N73-27150 * #
US-PATENT-3,744,128 ..... c 09 N73-28083 *
US-PATENT-3,744,148 ..... c 14 N73-28489 *
US-PATENT-3,744,247 ..... c 28 N73-27699 *
US-PATENT-3,744,294 ..... c 14 N73-27379 *
US-PATENT-3,744,305 ..... c 12 N73-28144 *
US-PATENT-3,744,320 ..... c 14 N73-28487 *
US-PATENT-3,744,480 ..... c 05 N73-27941 *
US-PATENT-3,744,510 ..... c 15 N73-27406 *
US-PATENT-3,744,738 ..... c 14 N73-27378 *
US-PATENT-3,744,739 ..... c 15 N77-10112 *
US-PATENT-3,744,794 ..... c 14 N73-27377 *
US-PATENT-3,744,912 ..... c 16 N73-30476 *
US-PATENT-3,744,913 ..... c 14 N73-28490 *
US-PATENT-3,744,972 ..... c 17 N73-27446 *
US-PATENT-3,745,082 ..... c 18 N73-30532 *
US-PATENT-3,745,089 ..... c 06 N73-27086 *
US-PATENT-3,745,090 ..... c 04 N73-27052 *
US-PATENT-3,745,149 ..... c 06 N73-27980 *
US-PATENT-3,745,255 ..... c 07 N73-28012 *
US-PATENT-3,745,300 ..... c 15 N73-28515 *
US-PATENT-3,745,352 ..... c 08 N73-30135 *
US-PATENT-3,745,357 ..... c 14 N73-28488 *
US-PATENT-3,745,410 ..... c 09 N73-30181 *
US-PATENT-3,745,475 ..... c 14 N73-30386 *
US-PATENT-3,745,739 ..... c 15 N73-27405 *
US-PATENT-3,745,816 ..... c 33 N73-27796 *
US-PATENT-3,746,998 ..... c 07 N73-30113 *
US-PATENT-3,747,111 ..... c 07 N73-28013 *
US-PATENT-3,748,722 ..... c 15 N73-33383 *
US-PATENT-3,748,853 ..... c 23 N73-30665 *
US-PATENT-3,748,905 ..... c 14 N73-30395 *
US-PATENT-3,749,123 ..... c 15 N73-30459 *
US-PATENT-3,749,156 ..... c 31 N73-30829 *
US-PATENT-3,749,205 ..... c 15 N73-30460 *
US-PATENT-3,749,332 ..... c 31 N73-32750 *
US-PATENT-3,749,362 ..... c 15 N73-30457 *
US-PATENT-3,749,831 ..... c 07 N73-30115 *
US-PATENT-3,749,911 ..... c 14 N73-30389 *
US-PATENT-3,750,016 ..... c 14 N73-30388 *
US-PATENT-3,750,035 ..... c 33 N77-13315 *
US-PATENT-3,750,067 ..... c 09 N73-30185 *
US-PATENT-3,750,131 ..... c 10 N73-30205 *
US-PATENT-3,750,168 ..... c 21 N73-30641 *
US-PATENT-3,750,479 ..... c 05 N73-30078 *
US-PATENT-3,751,123 ..... c 15 N73-30458 *
US-PATENT-3,751,727 ..... c 05 N73-32012 *
US-PATENT-3,751,733 ..... c 05 N73-32013 *
US-PATENT-3,751,913 ..... c 06 N73-30097 *
US-PATENT-3,751,980 ..... c 14 N73-32326 *
US-PATENT-3,752,556 ..... c 35 N74-17153 *
US-PATENT-3,752,559 ..... c 14 N73-30393 *
US-PATENT-3,752,564 ..... c 23 N73-30666 *
US-PATENT-3,752,665 ..... c 18 N73-32437 *
US-PATENT-3,752,847 ..... c 06 N73-30098 *
US-PATENT-3,752,986 ..... c 14 N73-30392 *
US-PATENT-3,752,993 ..... c 21 N73-30640 *
US-PATENT-3,752,996 ..... c 91 N74-13130 *
US-PATENT-3,753,148 ..... c 09 N73-32111 *
US-PATENT-3,754,236 ..... c 08 N73-32081 *
US-PATENT-3,754,263 ..... c 09 N73-32110 *
US-PATENT-3,754,976 ..... c 15 N73-32360 *
US-PATENT-3,755,265 ..... c 06 N73-33076 *
US-PATENT-3,755,283 ..... c 06 N73-32029 *
US-PATENT-3,755,686 ..... c 03 N73-31988 *
US-PATENT-3,756,920 ..... c 05 N73-32011 *
US-PATENT-3,757,183 ..... c 09 N73-32107 *
US-PATENT-3,757,476 ..... c 31 N73-32749 *
US-PATENT-3,757,568 ..... c 14 N73-32323 *
US-PATENT-3,757,659 ..... c 14 N73-32322 *
US-PATENT-3,758,112 ..... c 05 N73-32014 *
US-PATENT-3,758,718 ..... c 10 N73-32143 *
US-PATENT-3,758,741 ..... c 15 N73-32358 *
US-PATENT-3,758,781 ..... c 14 N73-32317 *
US-PATENT-3,758,877 ..... c 16 N73-32391 *
US-PATENT-3,759,152 ..... c 14 N73-32319 *
US-PATENT-3,759,249 ..... c 05 N73-32015 *
US-PATENT-3,759,443 ..... c 28 N73-32606 *
US-PATENT-3,759,588 ..... c 15 N73-32359 *
US-PATENT-3,759,672 ..... c 14 N73-32320 *
US-PATENT-3,759,746 ..... c 09 N73-32108 *
US-PATENT-3,759,747 ..... c 44 N74-19692 *
US-PATENT-3,759,787 ..... c 22 N73-32528 *
US-PATENT-3,760,239 ..... c 09 N73-32112 *
US-PATENT-3,760,248 ..... c 10 N73-32145 *
US-PATENT-3,760,257 ..... c 09 N73-32109 *
US-PATENT-3,760,268 ..... c 14 N73-32318 *
US-PATENT-3,760,394 ..... c 10 N73-32144 *

US-PATENT-3,762,884 ..... c 17 N73-32414 *
US-PATENT-3,762,918 ..... c 17 N73-32415 *
US-PATENT-3,763,204 ..... c 06 N73-32030 *
US-PATENT-3,763,552 ..... c 26 N73-32571 *
US-PATENT-3,763,691 ..... c 14 N73-32327 *
US-PATENT-3,763,708 ..... c 35 N74-18323 *
US-PATENT-3,763,740 ..... c 11 N73-32152 *
US-PATENT-3,763,928 ..... c 33 N73-32818 *
US-PATENT-3,764,097 ..... c 02 N74-10034 *
US-PATENT-3,764,209 ..... c 14 N73-33361 *
US-PATENT-3,764,220 ..... c 16 N73-33397 *
US-PATENT-3,764,790 ..... c 33 N74-10223 *
US-PATENT-3,764,850 ..... c 33 N74-10195 *
US-PATENT-3,764,933 ..... c 33 N74-10194 *
US-PATENT-3,765,229 ..... c 35 N74-10415 *
US-PATENT-3,765,958 ..... c 26 N74-10521 *
US-PATENT-3,766,315 ..... c 32 N74-10132 *
US-PATENT-3,766,380 ..... c 35 N74-11284 *
US-PATENT-3,767,212 ..... c 37 N74-10474 *
US-PATENT-3,769,544 ..... c 31 N78-17238 *
US-PATENT-3,769,623 ..... c 32 N74-11000 *
US-PATENT-3,769,689 ..... c 37 N74-11301 *
US-PATENT-3,769,834 ..... c 52 N74-10975 *
US-PATENT-3,770,021 ..... c 33 N74-11050 *
US-PATENT-3,770,903 ..... c 35 N74-11283 *
US-PATENT-3,770,933 ..... c 37 N74-11300 *
US-PATENT-3,771,037 ..... c 08 N74-10942 *
US-PATENT-3,771,040 ..... c 33 N74-11049 *
US-PATENT-3,771,074 ..... c 36 N74-11313 *
US-PATENT-3,771,959 ..... c 25 N74-12813 *
US-PATENT-3,772,174 ..... c 27 N74-13270 *
US-PATENT-3,772,216 ..... c 27 N74-12812 *
US-PATENT-3,772,220 ..... c 27 N74-12814 *
US-PATENT-3,772,272 ..... c 33 N74-12887 *
US-PATENT-3,772,418 ..... c 31 N74-13177 *
US-PATENT-3,772,691 ..... c 32 N74-12912 *
US-PATENT-3,773,038 ..... c 52 N74-12778 *
US-PATENT-3,773,913 ..... c 46 N74-13011 *
US-PATENT-3,775,101 ..... c 37 N74-13179 *
US-PATENT-3,775,570 ..... c 35 N78-29421 *
US-PATENT-3,776,028 ..... c 35 N74-13129 *
US-PATENT-3,776,432 ..... c 37 N74-13178 *
US-PATENT-3,776,455 ..... c 04 N74-13420 *
US-PATENT-3,777,200 ..... c 33 N74-12913 *
US-PATENT-3,777,490 ..... c 20 N74-13502 *
US-PATENT-3,777,546 ..... c 35 N74-13132 *
US-PATENT-3,777,552 ..... c 38 N74-15130 *
US-PATENT-3,777,605 ..... c 39 N74-13131 *
US-PATENT-3,777,811 ..... c 34 N78-17336 *
US-PATENT-3,777,942 ..... c 54 N74-12779 *
US-PATENT-3,778,685 ..... c 33 N74-12951 *
US-PATENT-3,778,786 ..... c 60 N74-12888 *
US-PATENT-3,778,791 ..... c 36 N74-13205 *
US-PATENT-3,779,788 ..... c 70 N74-13436 *
US-PATENT-3,780,151 ..... c 31 N74-14133 *
US-PATENT-3,780,424 ..... c 44 N74-14784 *
US-PATENT-3,780,563 ..... c 35 N74-15092 *
US-PATENT-3,780,827 ..... c 07 N74-15453 *
US-PATENT-3,780,966 ..... c 19 N74-15089 *
US-PATENT-3,781,111 ..... c 36 N74-15145 *
US-PATENT-3,781,549 ..... c 35 N74-15090 *
US-PATENT-3,781,562 ..... c 35 N74-15091 *
US-PATENT-3,781,902 ..... c 35 N74-15831 *
US-PATENT-3,781,933 ..... c 54 N74-14845 *
US-PATENT-3,781,958 ..... c 37 N74-15128 *
US-PATENT-3,782,177 ..... c 38 N74-15395 *
US-PATENT-3,782,181 ..... c 34 N74-15652 *
US-PATENT-3,782,205 ..... c 35 N74-15094 *
US-PATENT-3,782,334 ..... c 51 N74-15778 *
US-PATENT-3,782,698 ..... c 35 N74-15093 *
US-PATENT-3,782,699 ..... c 35 N74-15126 *
US-PATENT-3,782,737 ..... c 37 N74-15125 *
US-PATENT-3,782,825 ..... c 35 N74-15146 *
US-PATENT-3,782,835 ..... c 74 N74-15095 *
US-PATENT-3,782,904 ..... c 35 N74-15127 *
US-PATENT-3,783,250 ..... c 62 N74-14920 *
US-PATENT-3,783,354 ..... c 33 N74-14956 *
US-PATENT-3,783,399 ..... c 33 N74-14939 *
US-PATENT-3,783,443 ..... c 35 N74-16135 *
US-PATENT-3,784,499 ..... c 27 N74-17283 *
US-PATENT-3,785,836 ..... c 27 N82-29452 *
US-PATENT-3,787,959 ..... c 37 N74-18128 *
US-PATENT-3,788,163 ..... c 37 N74-18127 *
US-PATENT-3,789,654 ..... c 25 N74-18551 *
US-PATENT-3,789,920 ..... c 34 N74-18552 *
US-PATENT-3,789,947 ..... c 37 N74-18125 *
US-PATENT-3,790,037 ..... c 54 N74-17853 *
US-PATENT-3,790,347 ..... c 37 N74-18123 *
US-PATENT-3,790,409 ..... c 44 N74-19693 *
US-PATENT-3,790,432 ..... c 37 N74-18126 *
US-PATENT-3,790,650 ..... c 31 N74-18124 *
US-PATENT-3,790,795 ..... c 35 N74-18088 *
US-PATENT-3,790,906 ..... c 33 N74-17927 *
US-PATENT-3,791,207 ..... c 09 N74-17955 *
US-PATENT-3,792,399 ..... c 33 N74-17928 *
US-PATENT-3,793,109 ..... c 31 N74-18089 *
US-PATENT-3,795,134 ..... c 09 N74-19528 *
US-PATENT-3,795,448 ..... c 72 N74-19310 *
US-PATENT-3,795,840 ..... c 33 N74-17929 *
US-PATENT-3,795,858 ..... c 35 N74-18090 *
US-PATENT-3,795,862 ..... c 33 N74-17930 *
US-PATENT-3,795,900 ..... c 35 N74-17885 *
US-PATENT-3,795,910 ..... c 44 N74-19870 *
US-PATENT-3,796,473 ..... c 37 N74-20063 *
US-PATENT-3,796,592 ..... c 24 N74-19769 *
US-PATENT-3,797,098 ..... c 37 N74-21057 *
US-PATENT-3,797,919 ..... c 70 N74-21300 *
US-PATENT-3,798,741 ..... c 31 N74-21059 *
US-PATENT-3,798,748 ..... c 37 N74-21055 *
US-PATENT-3,798,778 ..... c 19 N74-21015 *
US-PATENT-3,798,896 ..... c 37 N74-21060 *
US-PATENT-3,799,149 ..... c 52 N74-20728 *
US-PATENT-3,799,475 ..... c 02 N74-20646 *
US-PATENT-3,799,793 ..... c 74 N74-20008 *
US-PATENT-3,799,813 ..... c 76 N74-20329 *
US-PATENT-3,800,074 ..... c 36 N74-20009 *
US-PATENT-3,800,082 ..... c 71 N74-21014 *
US-PATENT-3,800,224 ..... c 32 N74-19790 *
US-PATENT-3,800,227 ..... c 32 N74-20809 *
US-PATENT-3,800,237 ..... c 32 N74-19788 *
US-PATENT-3,800,253 ..... c 37 N74-21056 *
US-PATENT-3,801,617 ..... c 37 N74-21058 *
US-PATENT-3,802,249 ..... c 35 N74-21019 *
US-PATENT-3,802,253 ..... c 52 N74-20726 *
US-PATENT-3,802,262 ..... c 35 N74-21018 *
US-PATENT-3,802,660 ..... c 37 N74-21065 *
US-PATENT-3,802,753 ..... c 37 N74-21064 *
US-PATENT-3,802,779 ..... c 74 N74-21304 *
US-PATENT-3,803,090 ..... c 27 N74-21156 *
US-PATENT-3,803,393 ..... c 60 N74-20836 *
US-PATENT-3,803,445 ..... c 32 N74-20813 *
US-PATENT-3,803,617 ..... c 32 N74-20863 *
US-PATENT-3,804,472 ..... c 37 N74-21061 *
US-PATENT-3,804,500 ..... c 00 N74-20881 *
US-PATENT-3,804,525 ..... c 36 N74-21091 *
US-PATENT-3,804,703 ..... c 37 N74-21063 *
US-PATENT-3,805,266 ..... c 32 N74-20864 *
US-PATENT-3,805,303 ..... c 54 N74-20725 *
US-PATENT-3,805,622 ..... c 35 N74-21062 *
US-PATENT-3,806,756 ..... c 33 N74-21850 *
US-PATENT-3,806,802 ..... c 35 N74-21017 *
US-PATENT-3,806,815 ..... c 32 N74-20811 *
US-PATENT-3,806,816 ..... c 32 N74-20810 *
US-PATENT-3,806,831 ..... c 33 N74-20862 *
US-PATENT-3,806,834 ..... c 36 N76-18427 *
US-PATENT-3,806,835 ..... c 33 N74-20859 *
US-PATENT-3,806,932 ..... c 33 N74-20860 *
US-PATENT-3,807,384 ..... c 34 N74-23039 *
US-PATENT-3,807,656 ..... c 18 N74-22136 *
US-PATENT-3,808,464 ..... c 33 N74-22814 *
US-PATENT-3,808,511 ..... c 33 N74-22864 *
US-PATENT-3,808,517 ..... c 33 N74-22885 *
US-PATENT-3,809,481 ..... c 35 N74-23040 *
US-PATENT-3,809,601 ..... c 37 N74-23064 *
US-PATENT-3,809,800 ..... c 33 N74-22865 *
US-PATENT-3,809,871 ..... c 52 N74-22771 *
US-PATENT-3,810,829 ..... c 31 N74-23065 *
US-PATENT-3,811,044 ..... c 34 N74-23066 *
US-PATENT-3,811,094 ..... c 33 N74-21851 *
US-PATENT-3,811,429 ..... c 52 N74-27566 *
US-PATENT-3,811,901 ..... c 27 N82-29454 *
US-PATENT-3,812,358 ..... c 35 N74-26949 *
US-PATENT-3,812,783 ..... c 28 N74-27425 *
US-PATENT-3,812,924 ..... c 35 N74-26945 *
US-PATENT-3,812,936 ..... c 37 N74-26976 *
US-PATENT-3,813,183 ..... c 37 N74-25968 *
US-PATENT-3,813,875 ..... c 15 N74-27360 *
US-PATENT-3,813,937 ..... c 34 N74-27859 *
US-PATENT-3,814,083 ..... c 52 N74-26626 *
US-PATENT-3,814,350 ..... c 18 N74-27397 *
US-PATENT-3,814,645 ..... c 24 N74-30001 *
US-PATENT-3,814,653 ..... c 24 N74-27035 *
US-PATENT-3,814,678 ..... c 25 N74-26948 *
US-PATENT-3,814,939 ..... c 25 N74-26947 *
US-PATENT-3,815,048 ..... c 33 N74-26732 *
US-PATENT-3,815,109 ..... c 52 N74-26625 *
US-PATENT-3,815,205 ..... c 33 N74-26977 *
US-PATENT-3,815,969 ..... c 35 N74-26946 *
US-PATENT-3,816,657 ..... c 32 N74-26654 *
US-PATENT-3,816,785 ..... c 73 N74-26767 *
US-PATENT-3,817,082 ..... c 34 N74-27730 *
US-PATENT-3,817,084 ..... c 31 N74-27900 *
US-PATENT-3,817,622 ..... c 75 N74-30156 *
US-PATENT-3,817,627 ..... c 35 N74-27860 *
US-PATENT-3,818,325 ..... c 44 N74-27519 *
US-PATENT-3,818,346 ..... c 33 N74-27705 *
US-PATENT-3,818,767 ..... c 35 N74-28097 *
US-PATENT-3,818,775 ..... c 37 N74-27901 *
US-PATENT-3,818,814 ..... c 31 N74-27902 *
US-PATENT-3,819,299 ..... c 37 N74-27904 *
US-PATENT-3,819,419 ..... c 34 N74-27861 *
US-PATENT-3,819,440 ..... c 32 N74-27612 *
US-PATENT-3,819,550 ..... c 27 N74-27037 *
US-PATENT-3,820,095 ..... c 33 N74-27862 *
US-PATENT-3,820,286 ..... c 37 N74-27905 *
US-PATENT-3,820,388 ..... c 35 N74-27865 *
US-PATENT-3,820,529 ..... c 52 N74-27864 *
US-PATENT-3,820,630 ..... c 07 N74-27490 *
US-PATENT-3,820,741 ..... c 37 N74-27903 *
US-PATENT-3,820,918 ..... c 07 N74-28226 *
US-PATENT-3,821,102 ..... c 34 N74-27744 *
US-PATENT-3,821,462 ..... c 33 N74-27683 *
US-PATENT-3,821,546 ..... c 33 N74-27682 *
US-PATENT-3,821,556 ..... c 74 N74-27866 *
US-PATENT-3,824,707 ..... c 09 N74-30597 *
US-PATENT-3,825,760 ..... c 19 N74-29410 *
US-PATENT-3,826,448 ..... c 08 N74-30421 *
US-PATENT-3,826,726 ..... c 25 N74-30502 *
US-PATENT-3,826,729 ..... c 20 N74-31269 *
US-PATENT-3,826,964 ..... c 33 N74-29556 *
US-PATENT-3,827,288 ..... c 71 N74-31148 *
US-PATENT-3,827,807 ..... c 89 N74-30886 *
US-PATENT-3,828,137 ..... c 32 N74-30524 *
US-PATENT-3,828,138 ..... c 32 N74-30523 *
US-PATENT-3,828,524 ..... c 34 N74-30608 *
US-PATENT-3,829,237 ..... c 07 N74-31270 *
US-PATENT-3,829,839 ..... c 60 N76-18800 *
US-PATENT-3,830,060 ..... c 44 N74-33379 *
US-PATENT-3,830,094 ..... c 35 N74-32879 *
US-PATENT-3,830,335 ..... c 07 N74-32418 *
US-PATENT-3,830,431 ..... c 07 N74-33218 *
US-PATENT-3,830,552 ..... c 37 N74-32921 *
US-PATENT-3,830,609 ..... c 31 N74-32920 *
US-PATENT-3,830,673 ..... c 28 N74-33209 *
US-PATENT-3,831,098 ..... c 33 N74-32711 *
US-PATENT-3,831,117 ..... c 33 N74-32712 *
US-PATENT-3,831,142 ..... c 32 N74-32598 *
US-PATENT-3,832,290 ..... c 20 N74-32919 *
US-PATENT-3,832,735 ..... c 54 N74-32546 *
US-PATENT-3,832,764 ..... c 37 N74-32918 *
US-PATENT-3,832,781 ..... c 35 N74-32877 *
US-PATENT-3,832,903 ..... c 35 N74-32878 *
US-PATENT-3,833,322 ..... c 31 N74-32917 *
US-PATENT-3,833,336 ..... c 25 N74-33378 *
US-PATENT-3,833,857 ..... c 33 N74-32660 *
US-PATENT-3,835,318 ..... c 35 N74-34857 *
US-PATENT-3,837,285 ..... c 85 N74-34672 *
US-PATENT-3,837,908 ..... c 76 N79-16678 *
US-PATENT-3,840,829 ..... c 33 N74-34638 *
US-PATENT-3,841,973 ..... c 35 N75-12272 *
US-PATENT-3,842,485 ..... c 37 N75-12326 *
US-PATENT-3,842,509 ..... c 35 N75-12273 *
US-PATENT-3,842,656 ..... c 76 N75-12810 *
US-PATENT-3,845,466 ..... c 74 N81-19896 *
US-PATENT-3,846,243 ..... c 25 N75-12086 *
US-PATENT-3,847,115 ..... c 31 N75-12161 *
US-PATENT-3,847,141 ..... c 35 N75-12271 *
US-PATENT-3,847,208 ..... c 34 N75-12222 *
US-PATENT-3,847,652 ..... c 25 N75-12087 *
US-PATENT-3,847,689 ..... c 74 N75-12732 *
US-PATENT-3,848,190 ..... c 35 N75-12270 *
US-PATENT-3,849,554 ..... c 52 N75-15270 *
US-PATENT-3,849,668 ..... c 54 N75-12616 *
US-PATENT-3,849,720 ..... c 33 N77-26387 *
US-PATENT-3,849,865 ..... c 37 N75-13261 *
US-PATENT-3,849,875 ..... c 35 N75-13213 *
US-PATENT-3,849,877 ..... c 24 N75-13032 *
US-PATENT-3,850,169 ..... c 54 N75-13531 *
US-PATENT-3,850,388 ..... c 05 N75-12930 *
US-PATENT-3,850,567 ..... c 31 N75-13111 *
US-PATENT-3,850,754 ..... c 51 N75-13502 *
US-PATENT-3,851,162 ..... c 60 N75-13539 *
US-PATENT-3,851,238 ..... c 33 N75-13139 *
US-PATENT-3,851,250 ..... c 15 N75-13007 *
US-PATENT-3,853,003 ..... c 09 N75-12969 *
US-PATENT-3,853,075 ..... c 09 N75-12968 *
US-PATENT-3,854,097 ..... c 75 N75-13625 *
US-PATENT-3,854,113 ..... c 37 N75-13265 *
US-PATENT-3,855,873 ..... c 37 N75-13266 *
US-PATENT-3,856,042 ..... c 37 N75-15050 *
US-PATENT-3,856,402 ..... c 36 N75-15028 *
US-PATENT-3,856,471 ..... c 25 N75-14844 *
US-PATENT-3,856,534 ..... c 23 N75-14834 *
US-PATENT-3,857,031 ..... c 35 N75-15014 *
US-PATENT-3,857,045 ..... c 33 N75-14957 *
US-PATENT-3,859,119 ..... c 36 N75-15029 *
US-PATENT-3,859,714 ..... c 37 N75-15992 *
US-PATENT-3,859,714 ..... c 24 N79-25143 *
US-PATENT-3,859,736 ..... c 09 N75-15662 *
US-PATENT-3,859,840 ..... c 35 N75-15932 *
US-PATENT-3,859,845 ..... c 35 N75-15931 *
US-PATENT-3,860,342 ..... c 35 N75-16783 *
US-PATENT-3,860,393 ..... c 25 N76-18245 *
US-PATENT-3,860,858 ..... c 33 N75-15874 *
US-PATENT-3,860,921 ..... c 32 N75-15854 *
US-PATENT-3,860,946 ..... c 33 N79-11314 *
US-PATENT-3,863,881 ..... c 37 N75-18573 *
US-PATENT-3,864,060 ..... c 35 N75-19611 *

US-PATENT-3,864,239 ..... c 37 N75-19684 *
US-PATENT-3,864,542 ..... c 37 N75-19683 *
US-PATENT-3,864,797 ..... c 20 N75-18310 *
US-PATENT-3,864,953 ..... c 35 N75-19615 *
US-PATENT-3,864,960 ..... c 35 N75-19612 *
US-PATENT-3,865,442 ..... c 37 N75-18574 *
US-PATENT-3,865,975 ..... c 36 N75-19652 *
US-PATENT-3,866,022 ..... c 33 N75-19519 *
US-PATENT-3,866,114 ..... c 33 N75-18477 *
US-PATENT-3,866,128 ..... c 33 N75-19515 *
US-PATENT-3,866,210 ..... c 33 N75-19517 *
US-PATENT-3,866,233 ..... c 33 N75-19516 *
US-PATENT-3,866,863 ..... c 18 N75-19329 *
US-PATENT-3,867,677 ..... c 33 N75-19524 *
US-PATENT-3,868,591 ..... c 36 N75-19655 *
US-PATENT-3,868,830 ..... c 77 N75-20139 *
US-PATENT-3,868,856 ..... c 35 N75-19614 *
US-PATENT-3,869,151 ..... c 37 N75-19686 *
US-PATENT-3,869,160 ..... c 37 N75-19685 *
US-PATENT-3,869,210 ..... c 36 N75-19653 *
US-PATENT-3,869,212 ..... c 35 N75-19613 *
US-PATENT-3,869,597 ..... c 77 N75-20140 *
US-PATENT-3,869,615 ..... c 35 N75-19616 *
US-PATENT-3,869,624 ..... c 33 N75-18479 *
US-PATENT-3,869,659 ..... c 33 N75-19522 *
US-PATENT-3,869,667 ..... c 33 N75-19521 *
US-PATENT-3,869,676 ..... c 33 N75-19520 *
US-PATENT-3,869,680 ..... c 36 N75-19654 *
US-PATENT-3,869,779 ..... c 26 N75-19408 *
US-PATENT-3,872,395 ..... c 33 N75-19518 *
US-PATENT-3,874,240 ..... c 35 N75-25122 *
US-PATENT-3,874,635 ..... c 37 N75-25185 *
US-PATENT-3,874,677 ..... c 37 N75-21631 *
US-PATENT-3,875,332 ..... c 32 N75-21486 *
US-PATENT-3,875,394 ..... c 33 N75-26243 *
US-PATENT-3,875,404 ..... c 35 N75-23910 *
US-PATENT-3,875,435 ..... c 20 N75-24837 *
US-PATENT-3,875,500 ..... c 35 N75-21582 *
US-PATENT-3,875,584 ..... c 32 N75-21485 *
US-PATENT-3,877,833 ..... c 37 N75-25186 *
US-PATENT-3,878,464 ..... c 32 N75-24981 *
US-PATENT-3,881,132 ..... c 33 N77-21315 *
US-PATENT-3,882,417 ..... c 36 N78-17366 *
US-PATENT-3,882,530 ..... c 76 N75-25730 *
US-PATENT-3,882,634 ..... c 51 N75-25503 *
US-PATENT-3,882,719 ..... c 14 N75-24794 *
US-PATENT-3,882,732 ..... c 12 N75-24774 *
US-PATENT-3,882,846 ..... c 05 N75-24716 *
US-PATENT-3,883,095 ..... c 07 N75-24736 *
US-PATENT-3,883,215 ..... c 35 N75-25124 *
US-PATENT-3,883,436 ..... c 74 N75-25706 *
US-PATENT-3,883,689 ..... c 35 N75-25123 *
US-PATENT-3,883,785 ..... c 09 N75-24758 *
US-PATENT-3,883,812 ..... c 33 N75-25041 *
US-PATENT-3,883,817 ..... c 33 N75-25040 *
US-PATENT-3,883,872 ..... c 32 N75-24982 *
US-PATENT-3,884,432 ..... c 05 N75-25914 *
US-PATENT-3,884,765 ..... c 35 N75-27330 *
US-PATENT-3,887,233 ..... c 05 N75-25915 *
US-PATENT-3,887,345 ..... c 35 N75-26334 *
US-PATENT-3,887,365 ..... c 37 N75-26371 *
US-PATENT-3,888,362 ..... c 54 N75-27758 *
US-PATENT-3,888,410 ..... c 34 N75-26282 *
US-PATENT-3,888,561 ..... c 35 N75-27328 *
US-PATENT-3,888,705 ..... c 25 N75-26043 *
US-PATENT-3,889,064 ..... c 32 N75-26195 *
US-PATENT-3,889,122 ..... c 37 N75-26372 *
US-PATENT-3,889,155 ..... c 33 N75-26244 *
US-PATENT-3,889,182 ..... c 33 N75-26245 *
US-PATENT-3,889,185 ..... c 33 N75-26246 *
US-PATENT-3,889,264 ..... c 32 N75-26194 *
US-PATENT-3,891,311 ..... c 54 N75-27759 *
US-PATENT-3,891,452 ..... c 27 N75-27160 *
US-PATENT-3,891,533 ..... c 33 N75-27252 *
US-PATENT-3,891,848 ..... c 45 N75-27585 *
US-PATENT-3,891,851 ..... c 35 N75-27331 *
US-PATENT-3,893,449 ..... c 54 N75-27760 *
US-PATENT-3,893,458 ..... c 54 N75-27761 *
US-PATENT-3,893,573 ..... c 18 N75-27041 *
US-PATENT-3,894,289 ..... c 36 N75-27364 *
US-PATENT-3,894,677 ..... c 24 N75-28135 *
US-PATENT-3,894,887 ..... c 44 N76-18641 *
US-PATENT-3,895,521 ..... c 35 N75-29381 *
US-PATENT-3,895,912 ..... c 35 N75-29380 *
US-PATENT-3,896,758 ..... c 35 N75-33367 *
US-PATENT-3,896,955 ..... c 37 N77-22480 *
US-PATENT-3,898,578 ..... c 33 N75-30428 *
US-PATENT-3,898,730 ..... c 24 N75-30260 *
US-PATENT-3,898,882 ..... c 35 N75-30503 *
US-PATENT-3,899,224 ..... c 37 N75-30562 *
US-PATENT-3,899,252 ..... c 35 N75-30502 *
US-PATENT-3,899,517 ..... c 23 N75-30256 *
US-PATENT-3,899,680 ..... c 73 N75-30876 *
US-PATENT-3,899,696 ..... c 36 N75-30524 *
US-PATENT-3,899,745 ..... c 33 N75-30429 *
US-PATENT-3,900,705 ..... c 33 N75-30431 *
US-PATENT-3,900,741 ..... c 35 N75-30504 *
US-PATENT-3,900,847 ..... c 03 N75-30132 *
US-PATENT-3,902,143 ..... c 33 N75-30430 *
US-PATENT-3,903,699 ..... c 44 N75-32581 *
US-PATENT-3,905,356 ..... c 33 N75-31329 *
US-PATENT-3,905,660 ..... c 37 N75-31446 *
US-PATENT-3,906,231 ..... c 33 N75-31332 *
US-PATENT-3,906,296 ..... c 33 N75-31331 *
US-PATENT-3,906,374 ..... c 33 N75-31330 *
US-PATENT-3,906,393 ..... c 36 N75-31427 *
US-PATENT-3,906,397 ..... c 36 N75-31426 *
US-PATENT-3,906,398 ..... c 36 N75-32441 *
US-PATENT-3,906,769 ..... c 24 N75-33181 *
US-PATENT-3,906,788 ..... c 35 N75-33369 *
US-PATENT-3,906,913 ..... c 37 N76-18457 *
US-PATENT-3,906,954 ..... c 52 N75-33640 *
US-PATENT-3,907,312 ..... c 37 N75-33395 *
US-PATENT-3,907,646 ..... c 35 N75-33368 *
US-PATENT-3,907,686 ..... c 34 N75-33342 *
US-PATENT-3,908,118 ..... c 38 N78-17395 *
US-PATENT-3,909,602 ..... c 38 N78-17396 *
US-PATENT-3,910,035 ..... c 20 N76-14190 *
US-PATENT-3,910,039 ..... c 20 N76-14191 *
US-PATENT-3,910,257 ..... c 52 N76-14757 *
US-PATENT-3,910,307 ..... c 37 N76-14463 *
US-PATENT-3,910,533 ..... c 18 N76-14186 *
US-PATENT-3,910,814 ..... c 24 N76-14204 *
US-PATENT-3,911,260 ..... c 35 N76-14431 *
US-PATENT-3,911,330 ..... c 33 N76-14373 *
US-PATENT-3,912,540 ..... c 44 N76-14600 *
US-PATENT-3,912,541 ..... c 44 N76-14601 *
US-PATENT-3,912,999 ..... c 44 N76-18643 *
US-PATENT-3,914,950 ..... c 31 N76-14284 *
US-PATENT-3,914,969 ..... c 37 N76-14461 *
US-PATENT-3,914,991 ..... c 35 N76-14430 *
US-PATENT-3,914,997 ..... c 35 N76-14429 *
US-PATENT-3,915,012 ..... c 54 N76-14804 *
US-PATENT-3,915,148 ..... c 44 N76-14602 *
US-PATENT-3,915,416 ..... c 15 N76-14158 *
US-PATENT-3,915,482 ..... c 37 N76-14460 *
US-PATENT-3,915,572 ..... c 36 N76-14447 *
US-PATENT-3,916,060 ..... c 27 N76-15310 *
US-PATENT-3,916,084 ..... c 33 N76-14371 *
US-PATENT-3,916,187 ..... c 35 N76-15431 *
US-PATENT-3,916,316 ..... c 32 N76-14321 *
US-PATENT-3,916,380 ..... c 60 N76-14818 *
US-PATENT-3,916,761 ..... c 75 N76-14931 *
US-PATENT-3,919,014 ..... c 24 N76-14203 *
US-PATENT-3,919,710 ..... c 33 N76-14372 *
US-PATENT-3,920,339 ..... c 27 N76-14264 *
US-PATENT-3,920,413 ..... c 44 N76-14595 *
US-PATENT-3,920,416 ..... c 44 N76-18642 *
US-PATENT-3,922,930 ..... c 37 N76-15457 *
US-PATENT-3,923,166 ..... c 37 N76-15460 *
US-PATENT-3,924,068 ..... c 32 N76-16249 *
US-PATENT-3,924,137 ..... c 72 N76-15860 *
US-PATENT-3,924,164 ..... c 33 N76-15373 *
US-PATENT-3,924,176 ..... c 35 N76-16390 *
US-PATENT-3,924,183 ..... c 33 N76-16331 *
US-PATENT-3,924,200 ..... c 35 N76-15436 *
US-PATENT-3,924,237 ..... c 32 N76-15330 *
US-PATENT-3,924,239 ..... c 35 N76-15435 *
US-PATENT-3,924,267 ..... c 35 N76-16391 *
US-PATENT-3,924,444 ..... c 35 N76-15432 *
US-PATENT-3,925,104 ..... c 35 N76-15434 *
US-PATENT-3,925,312 ..... c 23 N76-15268 *
US-PATENT-3,926,482 ..... c 37 N76-15461 *
US-PATENT-3,926,567 ..... c 27 N76-15311 *
US-PATENT-3,927,227 ..... c 12 N76-15189 *
US-PATENT-3,927,324 ..... c 35 N76-15433 *
US-PATENT-3,927,408 ..... c 32 N76-15329 *
US-PATENT-3,928,708 ..... c 27 N76-16230 *
US-PATENT-3,929,119 ..... c 75 N76-17951 *
US-PATENT-3,929,305 ..... c 34 N76-17317 *
US-PATENT-3,929,306 ..... c 18 N76-17185 *
US-PATENT-3,929,364 ..... c 35 N76-16392 *
US-PATENT-3,930,628 ..... c 02 N76-16014 *
US-PATENT-3,930,735 ..... c 66 N76-19888 *
US-PATENT-3,931,132 ..... c 27 N76-16228 *
US-PATENT-3,931,447 ..... c 27 N76-16229 *
US-PATENT-3,931,456 ..... c 33 N76-16332 *
US-PATENT-3,931,462 ..... c 45 N76-17656 *
US-PATENT-3,931,516 ..... c 35 N76-16393 *
US-PATENT-3,931,532 ..... c 44 N76-16612 *
US-PATENT-3,932,262 ..... c 25 N79-10163 *
US-PATENT-3,936,927 ..... c 37 N76-19437 *
US-PATENT-3,937,055 ..... c 37 N76-18454 *
US-PATENT-3,937,212 ..... c 33 N76-19338 *
US-PATENT-3,937,215 ..... c 52 N76-19785 *
US-PATENT-3,937,387 ..... c 37 N76-18455 *
US-PATENT-3,937,533 ..... c 37 N76-18459 *
US-PATENT-3,937,555 ..... c 35 N76-18402 *
US-PATENT-3,937,661 ..... c 37 N76-18456 *
US-PATENT-3,937,945 ..... c 74 N76-18913 *
US-PATENT-3,938,035 ..... c 33 N76-19339 *
US-PATENT-3,938,037 ..... c 26 N76-18257 *
US-PATENT-3,938,162 ..... c 32 N76-18295 *
US-PATENT-3,938,182 ..... c 33 N76-18353 *
US-PATENT-3,938,188 ..... c 33 N76-18345 *
US-PATENT-3,938,367 ..... c 35 N76-18401 *
US-PATENT-3,938,373 ..... c 35 N76-18400 *
US-PATENT-3,938,742 ..... c 07 N76-18117 *
US-PATENT-3,938,892 ..... c 74 N76-19935 *
US-PATENT-3,938,956 ..... c 35 N76-18403 *
US-PATENT-3,939,048 ..... c 37 N76-18458 *
US-PATENT-3,939,439 ..... c 36 N76-18428 *
US-PATENT-3,940,097 ..... c 34 N76-18364 *
US-PATENT-3,940,621 ..... c 34 N76-18374 *
US-PATENT-3,941,355 ..... c 37 N76-19436 *
US-PATENT-3,942,398 ..... c 37 N76-20480 *
US-PATENT-3,943,368 ..... c 74 N76-20958 *
US-PATENT-3,943,442 ..... c 76 N76-20994 *
US-PATENT-3,943,763 ..... c 04 N76-20114 *
US-PATENT-3,944,485 ..... c 25 N81-19244 *
US-PATENT-3,945,801 ..... c 45 N76-21742 *
US-PATENT-3,945,879 ..... c 37 N76-21554 *
US-PATENT-3,947,281 ..... c 27 N82-29455 *
US-PATENT-3,947,933 ..... c 20 N76-21276 *
US-PATENT-3,948,102 ..... c 33 N76-21390 *
US-PATENT-3,948,470 ..... c 20 N76-21275 *
US-PATENT-3,949,206 ..... c 32 N76-21366 *
US-PATENT-3,949,400 ..... c 17 N76-21250 *
US-PATENT-3,949,404 ..... c 32 N76-21365 *
US-PATENT-3,950,729 ..... c 60 N76-21914 *
US-PATENT-3,951,129 ..... c 44 N76-22657 *
US-PATENT-3,952,083 ..... c 27 N76-22376 *
US-PATENT-3,952,590 ..... c 09 N76-23273 *
US-PATENT-3,952,971 ..... c 02 N76-22154 *
US-PATENT-3,952,976 ..... c 37 N76-22540 *
US-PATENT-3,952,980 ..... c 19 N76-22284 *
US-PATENT-3,952,998 ..... c 20 N76-22296 *
US-PATENT-3,953,038 ..... c 37 N76-22541 *
US-PATENT-3,953,343 ..... c 24 N76-22309 *
US-PATENT-3,953,646 ..... c 27 N76-22377 *
US-PATENT-3,953,674 ..... c 17 N76-22245 *
US-PATENT-3,953,734 ..... c 25 N76-22323 *
US-PATENT-3,953,792 ..... c 35 N76-22509 *
US-PATENT-3,955,034 ..... c 27 N76-23426 *
US-PATENT-3,955,941 ..... c 44 N76-29700 *
US-PATENT-3,956,032 ..... c 76 N76-25049 *
US-PATENT-3,956,050 ..... c 37 N76-24575 *
US-PATENT-3,956,233 ..... c 27 N76-24405 *
US-PATENT-3,956,833 ..... c 09 N76-24280 *
US-PATENT-3,956,919 ..... c 35 N76-24523 *
US-PATENT-3,956,932 ..... c 35 N76-24524 *
US-PATENT-3,957,030 ..... c 44 N76-23675 *
US-PATENT-3,957,037 ..... c 35 N76-24525 *
US-PATENT-3,957,044 ..... c 54 N76-24900 *
US-PATENT-3,957,104 ..... c 37 N76-23570 *
US-PATENT-3,957,675 ..... c 24 N76-24363 *
US-PATENT-3,958,188 ..... c 36 N76-24553 *
US-PATENT-3,958,238 ..... c 60 N76-23850 *
US-PATENT-3,958,553 ..... c 44 N76-24696 *
US-PATENT-3,961,997 ..... c 44 N76-28635 *
US-PATENT-3,964,306 ..... c 34 N76-27517 *
US-PATENT-3,964,319 ..... c 07 N76-27232 *
US-PATENT-3,964,813 ..... c 37 N76-27567 *
US-PATENT-3,964,902 ..... c 34 N76-27515 *
US-PATENT-3,964,928 ..... c 44 N76-27664 *
US-PATENT-3,965,096 ..... c 27 N76-32315 *
US-PATENT-3,965,354 ..... c 33 N76-27473 *
US-PATENT-3,965,475 ..... c 33 N76-27472 *
US-PATENT-3,966,499 ..... c 44 N76-31666 *
US-PATENT-3,966,547 ..... c 25 N76-27383 *
US-PATENT-3,967,091 ..... c 37 N76-27568 *
US-PATENT-3,971,230 ..... c 37 N76-29590 *
US-PATENT-3,971,256 ..... c 91 N76-30131 *
US-PATENT-3,971,362 ..... c 52 N76-29894 *
US-PATENT-3,971,363 ..... c 52 N76-29895 *
US-PATENT-3,971,364 ..... c 52 N76-29896 *
US-PATENT-3,971,535 ..... c 05 N76-29217 *
US-PATENT-3,971,602 ..... c 37 N76-29588 *
US-PATENT-3,971,697 ..... c 25 N76-29379 *
US-PATENT-3,971,703 ..... c 51 N76-29891 *
US-PATENT-3,971,847 ..... c 44 N76-29704 *
US-PATENT-3,971,915 ..... c 35 N76-29552 *
US-PATENT-3,971,930 ..... c 74 N76-30053 *
US-PATENT-3,971,940 ..... c 35 N76-29551 *
US-PATENT-3,972,008 ..... c 36 N76-29575 *
US-PATENT-3,972,038 ..... c 17 N76-29347 *
US-PATENT-3,972,651 ..... c 44 N76-29701 *
US-PATENT-3,972,727 ..... c 44 N76-29699 *
US-PATENT-3,976,997 ..... c 62 N76-31946 *
US-PATENT-3,977,147 ..... c 39 N76-31562 *
US-PATENT-3,977,197 ..... c 44 N76-31667 *
US-PATENT-3,977,231 ..... c 35 N76-31489 *
US-PATENT-3,977,771 ..... c 74 N76-31998 *
US-PATENT-3,977,787 ..... c 35 N76-31490 *
US-PATENT-3,977,831 ..... c 45 N76-31714 *
US-PATENT-3,978,187 ..... c 37 N76-31524 *
US-PATENT-3,978,287 ..... c 32 N76-31372 *
US-PATENT-3,978,360 ..... c 33 N76-31409 *

US-PATENT-3,978,364 ..... c 31 N76-31365 *
US-PATENT-3,978,410 ..... c 03 N76-32140 *
US-PATENT-3,978,417 ..... c 36 N76-31512 *
US-PATENT-3,978,490 ..... c 33 N76-32457 *
US-PATENT-3,982,910 ..... c 44 N77-10636 *
US-PATENT-3,983,695 ..... c 20 N77-10148 *
US-PATENT-3,983,714 ..... c 31 N77-10229 *
US-PATENT-3,983,749 ..... c 09 N77-10071 *
US-PATENT-3,983,753 ..... c 52 N77-10780 *
US-PATENT-3,983,780 ..... c 28 N77-10213 *
US-PATENT-3,983,933 ..... c 34 N77-10463 *
US-PATENT-3,984,070 ..... c 02 N77-10001 *
US-PATENT-3,984,072 ..... c 15 N77-10113 *
US-PATENT-3,984,256 ..... c 44 N77-10635 *
US-PATENT-3,984,634 ..... c 32 N77-10392 *
US-PATENT-3,984,671 ..... c 43 N77-10584 *
US-PATENT-3,984,681 ..... c 35 N77-10492 *
US-PATENT-3,984,685 ..... c 47 N77-10753 *
US-PATENT-3,984,686 ..... c 35 N77-10493 *
US-PATENT-3,984,730 ..... c 33 N77-10429 *
US-PATENT-3,984,799 ..... c 33 N77-10428 *
US-PATENT-3,985,454 ..... c 74 N77-10899 *
US-PATENT-3,987,630 ..... c 37 N77-12402 *
US-PATENT-3,988,561 ..... c 37 N77-11397 *
US-PATENT-3,988,677 ..... c 32 N77-12240 *
US-PATENT-3,988,716 ..... c 60 N77-12721 *
US-PATENT-3,988,729 ..... c 32 N77-12239 *
US-PATENT-3,988,933 ..... c 35 N77-19385 *
US-PATENT-3,989,136 ..... c 37 N77-19457 *
US-PATENT-3,989,206 ..... c 09 N77-19076 *
US-PATENT-3,989,541 ..... c 44 N77-19571 *
US-PATENT-3,989,602 ..... c 24 N77-19171 *
US-PATENT-3,990,049 ..... c 60 N77-19760 *
US-PATENT-3,990,860 ..... c 27 N77-13217 *
US-PATENT-3,990,987 ..... c 37 N77-13418 *
US-PATENT-3,994,128 ..... c 07 N77-14025 *
US-PATENT-3,995,324 ..... c 52 N77-14735 *
US-PATENT-3,995,476 ..... c 35 N77-14407 *
US-PATENT-3,995,522 ..... c 37 N77-14478 *
US-PATENT-3,995,621 ..... c 52 N77-14736 *
US-PATENT-3,995,644 ..... c 52 N77-14738 *
US-PATENT-3,995,789 ..... c 37 N77-14479 *
US-PATENT-3,995,877 ..... c 37 N77-14477 *
US-PATENT-3,995,960 ..... c 35 N77-14411 *
US-PATENT-3,996,064 ..... c 44 N77-14581 *
US-PATENT-3,996,067 ..... c 44 N77-14580 *
US-PATENT-3,996,070 ..... c 35 N77-14409 *
US-PATENT-3,996,455 ..... c 60 N77-14751 *
US-PATENT-3,996,462 ..... c 33 N77-14335 *
US-PATENT-3,996,464 ..... c 35 N77-14406 *
US-PATENT-3,996,468 ..... c 35 N77-14408 *
US-PATENT-3,996,471 ..... c 52 N77-14737 *
US-PATENT-3,996,506 ..... c 33 N77-14333 *
US-PATENT-3,996,532 ..... c 32 N77-14292 *
US-PATENT-3,997,848 ..... c 33 N77-14334 *
US-PATENT-3,999,886 ..... c 05 N77-17029 *
US-PATENT-4.049,930 ..... c 33 N78-10375 *
US-PATENT-4, 356,157 ..... c 25 N83-33977 *
US-PATENT-4, 359,503 ..... c 24 N83-33950 *
US-PATENT-4,000,682 ..... c 20 N77-17143 *
US-PATENT-4,000,929 ..... c 37 N77-17464 *
US-PATENT-4,001,552 ..... c 38 N77-17495 *
US-PATENT-4,001,602 ..... c 33 N77-17354 *
US-PATENT-4,003,004 ..... c 33 N77-17351 *
US-PATENT-4,003,084 ..... c 35 N77-17426 *
US-PATENT-4,003,257 ..... c 23 N77-17161 *
US-PATENT-4,004,292 ..... c 74 N77-18893 *
US-PATENT-4,005,574 ..... c 07 N77-17059 *
US-PATENT-4,006,631 ..... c 04 N77-19056 *
US-PATENT-4,006,999 ..... c 24 N77-19170 *
US-PATENT-4,007,430 ..... c 36 N77-19416 *
US-PATENT-4,007,434 ..... c 32 N77-18307 *
US-PATENT-4,007,601 ..... c 34 N77-19353 *
US-PATENT-4,007,623 ..... c 35 N77-18417 *
US-PATENT-4,007,891 ..... c 07 N77-18154 *
US-PATENT-4,008,348 ..... c 34 N77-18382 *
US-PATENT-4,008,407 ..... c 73 N77-18891 *
US-PATENT-4,010,455 ..... c 37 N77-19458 *
US-PATENT-4,010,455 ..... c 37 N78-31426 *
US-PATENT-4,011,719 ..... c 20 N77-20162 *
US-PATENT-4,011,756 ..... c 35 N77-20400 *
US-PATENT-4,011,854 ..... c 35 N77-20401 *
US-PATENT-4,012,018 ..... c 35 N77-20399 *
US-PATENT-4,012,123 ..... c 74 N77-20882 *
US-PATENT-4,012,237 ..... c 26 N77-20201 *
US-PATENT-4,012,696 ..... c 32 N77-20289 *
US-PATENT-4,014,745 ..... c 51 N77-22794 *
US-PATENT-4,014,798 ..... c 25 N81-17187 *
US-PATENT-4,017,959 ..... c 37 N77-23482 *
US-PATENT-4,018,080 ..... c 35 N77-22450 *
US-PATENT-4,018,085 ..... c 35 N77-22449 *
US-PATENT-4,018,092 ..... c 37 N77-22482 *
US-PATENT-4,018,409 ..... c 37 N77-23483 *
US-PATENT-4,018,423 ..... c 54 N77-21844 *
US-PATENT-4,018,532 ..... c 74 N77-22951 *
US-PATENT-4,018,533 ..... c 74 N77-22950 *
US-PATENT-4,018,649 ..... c 51 N77-25769 *
US-PATENT-4,018,971 ..... c 44 N77-22606 *
US-PATENT-4,019,179 ..... c 32 N77-21267 *
US-PATENT-4,019,868 ..... c 44 N77-22607 *
US-PATENT-4,020,632 ..... c 07 N77-23106 *
US-PATENT-4,023,266 ..... c 33 N77-26385 *
US-PATENT-4,025,327 ..... c 35 N77-24455 *
US-PATENT-4,025,783 ..... c 74 N77-26942 *
US-PATENT-4,025,866 ..... c 33 N77-24375 *
US-PATENT-4,025,875 ..... c 36 N77-25499 *
US-PATENT-4,025,876 ..... c 71 N77-26919 *
US-PATENT-4,025,891 ..... c 35 N77-24454 *
US-PATENT-4,025,950 ..... c 32 N77-24328 *
US-PATENT-4,025,964 ..... c 52 N77-25772 *
US-PATENT-4,026,527 ..... c 34 N77-24423 *
US-PATENT-4,026,655 ..... c 36 N77-25501 *
US-PATENT-4,027,212 ..... c 33 N77-26386 *
US-PATENT-4,027,265 ..... c 32 N77-24331 *
US-PATENT-4,027,273 ..... c 36 N77-25502 *
US-PATENT-4,027,494 ..... c 35 N78-12390 *
US-PATENT-4,027,524 ..... c 09 N77-27131 *
US-PATENT-4,028,939 ..... c 34 N77-27345 *
US-PATENT-4,029,470 ..... c 51 N77-27677 *
US-PATENT-4,029,500 ..... c 24 N77-27187 *
US-PATENT-4,029,838 ..... c 24 N77-27188 *
US-PATENT-4,030,047 ..... c 35 N77-27366 *
US-PATENT-4,030,348 ..... c 39 N78-10493 *
US-PATENT-4,031,389 ..... c 36 N77-26477 *
US-PATENT-4,032,089 ..... c 24 N77-28225 *
US-PATENT-4,032,089 ..... c 27 N81-14077 *
US-PATENT-4,033,119 ..... c 07 N77-28118 *
US-PATENT-4,033,133 ..... c 28 N80-10374 *
US-PATENT-4,033,182 ..... c 39 N77-28511 *
US-PATENT-4,033,286 ..... c 25 N79-28253 *
US-PATENT-4,033,316 ..... c 33 N77-28385 *
US-PATENT-4,033,334 ..... c 52 N77-28717 *
US-PATENT-4,033,349 ..... c 52 N77-28716 *
US-PATENT-4,033,479 ..... c 07 N77-28487 *
US-PATENT-4,033,503 ..... c 26 N77-29260 *
US-PATENT-4,033,504 ..... c 26 N77-28265 *
US-PATENT-4,033,705 ..... c 07 N77-27116 *
US-PATENT-4,033,882 ..... c 32 N77-28346 *
US-PATENT-4,035,037 ..... c 37 N77-28486 *
US-PATENT-4,035,062 ..... c 74 N77-28932 *
US-PATENT-4,035,065 ..... c 74 N77-28933 *
US-PATENT-4,038,705 ..... c 54 N77-30749 *
US-PATENT-4,039-489 ..... c 27 N77-31308 *
US-PATENT-4,039-946 ..... c 35 N77-30436 *
US-PATENT-4,039,000 ..... c 34 N77-30399 *
US-PATENT-4,039,347 ..... c 27 N77-30237 *
US-PATENT-4,039,754 ..... c 32 N77-30309 *
US-PATENT-4,039,925 ..... c 33 N77-30365 *
US-PATENT-4,040,041 ..... c 33 N77-31404 *
US-PATENT-4,040,750 ..... c 35 N77-31465 *
US-PATENT-4,040,867 ..... c 44 N77-31601 *
US-PATENT-4,040,940 ..... c 37 N80-14397 *
US-PATENT-4,041,233 ..... c 27 N77-30236 *
US-PATENT-4,041,391 ..... c 32 N77-30308 *
US-PATENT-4,041,697 ..... c 37 N78-10467 *
US-PATENT-4,041,910 ..... c 37 N77-31497 *
US-PATENT-4,042,926 ..... c 32 N77-31350 *
US-PATENT-4,043,668 ..... c 35 N84-33766 *
US-PATENT-4,043,674 ..... c 36 N77-32478 *
US-PATENT-4,044,753 ..... c 44 N77-32582 *
US-PATENT-4,044,821 ..... c 44 N77-32581 *
US-PATENT-4,045,063 ..... c 37 N77-32499 *
US-PATENT-4,045,149 ..... c 07 N77-32148 *
US-PATENT-4,045,247 ..... c 35 N77-32454 *
US-PATENT-4,045,255 ..... c 26 N77-32279 *
US-PATENT-4,045,315 ..... c 44 N77-32580 *
US-PATENT-4,045,359 ..... c 25 N77-32255 *
US-PATENT-4,045,728 ..... c 35 N77-32455 *
US-PATENT-4,045,792 ..... c 60 N77-32731 *
US-PATENT-4,045,795 ..... c 32 N77-32342 *
US-PATENT-4,046,012 ..... c 35 N77-32456 *
US-PATENT-4,046,190 ..... c 34 N77-32413 *
US-PATENT-4,046,262 ..... c 54 N77-32721 *
US-PATENT-4,046,434 ..... c 37 N77-32500 *
US-PATENT-4,046,435 ..... c 37 N77-32501 *
US-PATENT-4,046,462 ..... c 44 N77-32583 *
US-PATENT-4,046,529 ..... c 54 N77-32722 *
US-PATENT-4,046,560 ..... c 26 N77-32280 *
US-PATENT-4,046,617 ..... c 76 N77-32919 *
US-PATENT-4,046,619 ..... c 27 N77-32308 *
US-PATENT-4,047,840 ..... c 37 N78-10468 *
US-PATENT-4,051,558 ..... c 52 N78-10686 *
US-PATENT-4,051,834 ..... c 44 N78-10554 *
US-PATENT-4,051,877 ..... c 35 N78-10428 *
US-PATENT-4,052,144 ..... c 25 N78-10224 *
US-PATENT-4,052,181 ..... c 71 N78-10837 *
US-PATENT-4,052,302 ..... c 25 N78-10225 *
US-PATENT-4,052,523 ..... c 24 N78-10214 *
US-PATENT-4,052,614 ..... c 35 N78-10429 *
US-PATENT-4,052,648 ..... c 33 N78-10376 *
US-PATENT-4,052,659 ..... c 33 N78-10377 *
US-PATENT-4,052,666 ..... c 43 N78-10529 *
US-PATENT-4,052,705 ..... c 60 N78-10709 *
US-PATENT-4,053,229 ..... c 74 N78-13874 *
US-PATENT-4,053,231 ..... c 35 N78-18391 *
US-PATENT-4,053,918 ..... c 44 N78-13526 *
US-PATENT-4,055,004 ..... c 09 N78-18083 *
US-PATENT-4,055,041 ..... c 07 N78-18066 *
US-PATENT-4,055,072 ..... c 35 N78-19465 *
US-PATENT-4,055,089 ..... c 35 N78-18390 *
US-PATENT-4,055,147 ..... c 35 N78-19466 *
US-PATENT-4,055,416 ..... c 26 N78-18182 *
US-PATENT-4,055,447 ..... c 26 N78-18183 *
US-PATENT-4,055,686 ..... c 37 N78-13436 *
US-PATENT-4,055,705 ..... c 34 N78-18355 *
US-PATENT-4,055,707 ..... c 44 N78-19599 *
US-PATENT-4,055,764 ..... c 35 N78-13400 *
US-PATENT-4,055,777 ..... c 33 N78-18308 *
US-PATENT-4,055,810 ..... c 36 N78-18410 *
US-PATENT-4,055,847 ..... c 33 N78-13320 *
US-PATENT-4,061,029 ..... c 35 N78-14364 *
US-PATENT-4,061,041 ..... c 71 N78-14867 *
US-PATENT-4,061,146 ..... c 52 N78-14773 *
US-PATENT-4,061,190 ..... c 43 N78-14452 *
US-PATENT-4,061,427 ..... c 36 N78-14380 *
US-PATENT-4,061,561 ..... c 25 N78-14104 *
US-PATENT-4,061,570 ..... c 54 N78-14784 *
US-PATENT-4,061,577 ..... c 74 N78-14889 *
US-PATENT-4,061,579 ..... c 24 N78-14096 *
US-PATENT-4,061,812 ..... c 24 N78-15180 *
US-PATENT-4,061,834 ..... c 27 N78-14164 *
US-PATENT-4,061,856 ..... c 27 N78-15276 *
US-PATENT-4,061,955 ..... c 44 N78-14625 *
US-PATENT-4,061,974 ..... c 32 N78-15323 *
US-PATENT-4,062,227 ..... c 39 N78-15512 *
US-PATENT-4,062,245 ..... c 37 N78-16369 *
US-PATENT-4,062,347 ..... c 44 N78-15560 *
US-PATENT-4,062,650 ..... c 25 N78-15210 *
US-PATENT-4,062,996 ..... c 74 N78-15879 *
US-PATENT-4,063,065 ..... c 74 N78-15880 *
US-PATENT-4,063,092 ..... c 35 N78-15461 *
US-PATENT-4,063,282 ..... c 39 N78-16387 *
US-PATENT-4,063,814 ..... c 74 N78-17866 *
US-PATENT-4,063,981 ..... c 24 N78-17149 *
US-PATENT-4,064,566 ..... c 27 N78-17215 *
US-PATENT-4,064,642 ..... c 54 N78-17675 *
US-PATENT-4,064,692 ..... c 37 N78-17384 *
US-PATENT-4,065,053 ..... c 44 N78-17460 *
US-PATENT-4,065,202 ..... c 35 N78-17357 *
US-PATENT-4,065,340 ..... c 24 N78-17150 *
US-PATENT-4,065,345 ..... c 27 N78-17205 *
US-PATENT-4,066,039 ..... c 37 N78-17383 *
US-PATENT-4,067,015 ..... c 17 N78-17140 *
US-PATENT-4,067,043 ..... c 74 N78-17865 *
US-PATENT-4,067,653 ..... c 74 N78-17867 *
US-PATENT-4,067,742 ..... c 27 N78-17206 *
US-PATENT-4,068,469 ..... c 07 N78-17055 *
US-PATENT-4,068,470 ..... c 07 N78-17056 *
US-PATENT-4,068,495 ..... c 31 N78-17237 *
US-PATENT-4,068,763 ..... c 54 N78-17676 *
US-PATENT-4,069,028 ..... c 34 N78-17335 *
US-PATENT-4,069,212 ..... c 27 N78-17213 *
US-PATENT-4,069,478 ..... c 60 N78-17691 *
US-PATENT-4,069,661 ..... c 07 N78-18067 *
US-PATENT-4,070,574 ..... c 74 N78-18905 *
US-PATENT-4,072,532 ..... c 27 N78-19302 *
US-PATENT-4,075,057 ..... c 73 N78-19920 *
US-PATENT-4,077,231 ..... c 31 N78-25256 *
US-PATENT-4,077,678 ..... c 44 N78-24608 *
US-PATENT-4,077,788 ..... c 28 N78-24365 *
US-PATENT-4,077,788 ..... c 28 N81-14103 *
US-PATENT-4,077,813 ..... c 26 N78-24333 *
US-PATENT-4,077,818 ..... c 44 N78-24609 *
US-PATENT-4,077,921 ..... c 24 N78-24290 *
US-PATENT-4,078,110 ..... c 34 N78-25350 *
US-PATENT-4,078,175 ..... c 76 N78-24950 *
US-PATENT-4,078,290 ..... c 37 N78-24544 *
US-PATENT-4,078,378 ..... c 37 N78-24545 *
US-PATENT-4,079,268 ..... c 32 N78-24391 *
US-PATENT-4,080,901 ..... c 20 N78-24275 *
US-PATENT-4,081,250 ..... c 44 N78-31527 *
US-PATENT-4,082,001 ..... c 35 N78-24515 *
US-PATENT-4,082,569 ..... c 44 N78-25527 *
US-PATENT-4,083,097 ..... c 44 N78-25528 *
US-PATENT-4,083,181 ..... c 07 N78-25089 *
US-PATENT-4,083,380 ..... c 37 N78-25426 *
US-PATENT-4,083,520 ..... c 15 N78-25119 *
US-PATENT-4,083,765 ..... c 35 N78-25391 *
US-PATENT-4,084,124 ..... c 44 N78-25531 *
US-PATENT-4,084,132 ..... c 33 N78-25319 *
US-PATENT-4,084,612 ..... c 34 N78-25351 *
US-PATENT-4,084,825 ..... c 07 N78-25090 *
US-PATENT-4,084,985 ..... c 44 N78-25529 *
US-PATENT-4,085,004 ..... c 73 N78-28913 *
US-PATENT-4,085,241 ..... c 44 N78-25530 *
US-PATENT-4,085,332 ..... c 25 N78-25148 *
US-PATENT-4,087,902 ..... c 33 N78-27326 *
US-PATENT-4,087,962 ..... c 34 N78-27357 *

US-PATENT-4,087,975 ..... c 44 N78-32542 *
US-PATENT-4,088,018 ..... c 37 N78-27424 *
US-PATENT-4,088,094 ..... c 51 N78-27733 *
US-PATENT-4,088,270 ..... c 07 N78-27121 *
US-PATENT-4,088,291 ..... c 37 N78-27425 *
US-PATENT-4,088,312 ..... c 37 N78-27423 *
US-PATENT-4,088,408 ..... c 74 N78-27904 *
US-PATENT-4,088,532 ..... c 25 N78-27226 *
US-PATENT-4,088,806 ..... c 24 N78-27180 *
US-PATENT-4,088,926 ..... c 75 N78-27913 *
US-PATENT-4,088,951 ..... c 35 N78-28411 *
US-PATENT-4,088,954 ..... c 35 N78-32397 *
US-PATENT-4,088,965 ..... c 36 N78-27402 *
US-PATENT-4,088,999 ..... c 44 N78-28594 *
US-PATENT-4,089,004 ..... c 32 N80-29539 *
US-PATENT-4,089,209 ..... c 35 N78-27384 *
US-PATENT-4,089,705 ..... c 44 N78-27515 *
US-PATENT-4,090,213 ..... c 44 N80-29835 *
US-PATENT-4,091,166 ..... c 27 N78-31233 *
US-PATENT-4,091,329 ..... c 33 N78-32339 *
US-PATENT-4,091,464 ..... c 54 N78-31735 *
US-PATENT-4,091,464 ..... c 54 N79-24651 *
US-PATENT-4,091,465 ..... c 54 N78-31736 *
US-PATENT-4,091,613 ..... c 44 N78-32539 *
US-PATENT-4,091,665 ..... c 09 N78-31129 *
US-PATENT-4,091,798 ..... c 44 N78-31526 *
US-PATENT-4,091,800 ..... c 44 N78-31525 *
US-PATENT-4,092,188 ..... c 28 N78-31255 *
US-PATENT-4,092,274 ..... c 27 N78-31232 *
US-PATENT-4,092,466 ..... c 27 N78-32256 *
US-PATENT-4,092,466 ..... c 27 N80-10358 *
US-PATENT-4,092,606 ..... c 33 N78-32338 *
US-PATENT-4,092,617 ..... c 33 N78-32340 *
US-PATENT-4,092,633 ..... c 54 N78-32720 *
US-PATENT-4,092,648 ..... c 32 N78-31321 *
US-PATENT-4,092,712 ..... c 33 N78-32341 *
US-PATENT-4,092,874 ..... c 37 N78-31426 *
US-PATENT-4,093,156 ..... c 05 N78-32086 *
US-PATENT-4,093,354 ..... c 73 N78-32848 *
US-PATENT-4,093,382 ..... c 38 N78-32447 *
US-PATENT-4,093,771 ..... c 27 N78-32260 *
US-PATENT-4,093,917 ..... c 35 N78-32396 *
US-PATENT-4,094,073 ..... c 35 N78-32395 *
US-PATENT-4,094,758 ..... c 26 N78-32229 *
US-PATENT-4,094,775 ..... c 52 N80-14687 *
US-PATENT-4,094,862 ..... c 27 N78-32261 *
US-PATENT-4,094,943 ..... c 27 N78-32262 *
US-PATENT-4,095,593 ..... c 54 N78-32721 *
US-PATENT-4,096,315 ..... c 74 N78-32854 *
US-PATENT-4,097,194 ..... c 07 N78-33101 *
US-PATENT-4,098,142 ..... c 37 N79-10422 *
US-PATENT-4,099,799 ..... c 37 N79-10418 *
US-PATENT-4,100,331 ..... c 44 N79-10513 *
US-PATENT-4,100,487 ..... c 33 N79-10337 *
US-PATENT-4,100,531 ..... c 32 N79-10263 *
US-PATENT-4,101,195 ..... c 89 N79-10969 *
US-PATENT-4,101,644 ..... c 25 N79-10162 *
US-PATENT-4,101,780 ..... c 35 N79-10389 *
US-PATENT-4,101,891 ..... c 35 N79-10391 *
US-PATENT-4,101,961 ..... c 52 N79-10724 *
US-PATENT-4,102,580 ..... c 74 N79-11865 *
US-PATENT-4,103,550 ..... c 31 N79-11246 *
US-PATENT-4,103,619 ..... c 28 N79-11231 *
US-PATENT-4,103,712 ..... c 37 N79-11402 *
US-PATENT-4,104,018 ..... c 25 N79-11151 *
US-PATENT-4,104,084 ..... c 44 N79-11467 *
US-PATENT-4,104,091 ..... c 44 N79-11468 *
US-PATENT-4,104,134 ..... c 44 N79-11469 *
US-PATENT-4,104,134 ..... c 44 N80-16452 *
US-PATENT-4,104,873 ..... c 37 N79-11403 *
US-PATENT-4,105,261 ..... c 37 N79-11404 *
US-PATENT-4,105,517 ..... c 44 N79-11470 *
US-PATENT-4,105,966 ..... c 33 N79-11315 *
US-PATENT-4,106,218 ..... c 74 N79-13855 *
US-PATENT-4,106,587 ..... c 71 N79-14871 *
US-PATENT-4,106,687 ..... c 37 N79-13364 *
US-PATENT-4,107,363 ..... c 33 N79-12331 *
US-PATENT-4,107,627 ..... c 72 N79-13826 *
US-PATENT-4,107,919 ..... c 34 N79-13288 *
US-PATENT-4,108,241 ..... c 34 N79-13289 *
US-PATENT-4,109,213 ..... c 33 N79-22373 *
US-PATENT-4,109,644 ..... c 52 N79-18580 *
US-PATENT-4,110,683 ..... c 33 N79-18193 *
US-PATENT-4,110,703 ..... c 36 N79-18307 *
US-PATENT-4,111,041 ..... c 35 N79-14345 *
US-PATENT-4,111,058 ..... c 35 N79-14347 *
US-PATENT-4,111,068 ..... c 37 N79-14382 *
US-PATENT-4,111,184 ..... c 44 N79-14526 *
US-PATENT-4,111,718 ..... c 35 N79-14346 *
US-PATENT-4,111,729 ..... c 28 N79-14228 *
US-PATENT-4,111,775 ..... c 76 N79-14906 *
US-PATENT-4,111,851 ..... c 24 N79-14156 *
US-PATENT-4,112,357 ..... c 33 N79-14305 *
US-PATENT-4,112,497 ..... c 32 N79-14267 *
US-PATENT-4,112,875 ..... c 44 N78-33526 *
US-PATENT-4,116,131 ..... c 20 N78-32179 *
US-PATENT-4,117,669 ..... c 07 N79-10057 *
US-PATENT-4,117,731 ..... c 35 N79-10390 *
US-PATENT-4,117,749 ..... c 37 N79-10419 *
US-PATENT-4,117,881 ..... c 51 N79-10694 *
US-PATENT-4,118,014 ..... c 37 N79-10420 *
US-PATENT-4,118,315 ..... c 51 N79-10693 *
US-PATENT-4,118,427 ..... c 27 N80-32514 *
US-PATENT-4,118,620 ..... c 37 N79-10421 *
US-PATENT-4,118,665 ..... c 33 N79-10338 *
US-PATENT-4,118,666 ..... c 32 N79-10262 *
US-PATENT-4,118,671 ..... c 33 N79-10339 *
US-PATENT-4,118,701 ..... c 32 N79-10264 *
US-PATENT-4,119,581 ..... c 27 N81-14076 *
US-PATENT-4,119,926 ..... c 33 N79-11313 *
US-PATENT-4,119,964 ..... c 32 N79-11265 *
US-PATENT-4,119,972 ..... c 32 N79-11264 *
US-PATENT-4,119,996 ..... c 33 N79-12321 *
US-PATENT-4,121,965 ..... c 76 N79-11920 *
US-PATENT-4,121,995 ..... c 25 N79-11152 *
US-PATENT-4,122,214 ..... c 44 N79-11472 *
US-PATENT-4,122,334 ..... c 74 N79-12890 *
US-PATENT-4,122,383 ..... c 44 N79-12541 *
US-PATENT-4,122,454 ..... c 32 N79-13214 *
US-PATENT-4,122,518 ..... c 52 N79-12694 *
US-PATENT-4,122,712 ..... c 34 N79-12359 *
US-PATENT-4,122,725 ..... c 38 N79-14398 *
US-PATENT-4,122,816 ..... c 37 N79-11405 *
US-PATENT-4,122,833 ..... c 44 N79-11471 *
US-PATENT-4,122,991 ..... c 18 N79-11108 *
US-PATENT-4,123,355 ..... c 45 N79-12584 *
US-PATENT-4,124,180 ..... c 05 N79-12061 *
US-PATENT-4,124,330 ..... c 07 N79-14095 *
US-PATENT-4,124,732 ..... c 27 N79-12221 *
US-PATENT-4,128,814 ..... c 36 N79-14362 *
US-PATENT-4,129,357 ..... c 74 N79-14891 *
US-PATENT-4,130,032 ..... c 37 N79-14383 *
US-PATENT-4,130,112 ..... c 52 N79-14751 *
US-PATENT-4,130,471 ..... c 25 N79-14169 *
US-PATENT-4,130,490 ..... c 33 N79-15245 *
US-PATENT-4,130,795 ..... c 35 N79-14349 *
US-PATENT-4,131,336 ..... c 44 N79-14529 *
US-PATENT-4,131,459 ..... c 27 N79-14213 *
US-PATENT-4,131,486 ..... c 44 N79-14528 *
US-PATENT-4,132,068 ..... c 07 N79-14097 *
US-PATENT-4,132,069 ..... c 07 N79-14096 *
US-PATENT-4,132,130 ..... c 44 N79-14527 *
US-PATENT-4,132,375 ..... c 08 N79-14108 *
US-PATENT-4,132,594 ..... c 52 N79-14749 *
US-PATENT-4,132,599 ..... c 52 N79-14750 *
US-PATENT-4,132,829 ..... c 27 N79-14214 *
US-PATENT-4,132,940 ..... c 35 N79-14348 *
US-PATENT-4,132,989 ..... c 32 N79-14268 *
US-PATENT-4,133,697 ..... c 44 N79-17314 *
US-PATENT-4,133,697 ..... c 44 N80-14474 *
US-PATENT-4,133,941 ..... c 44 N79-17313 *
US-PATENT-4,133,941 ..... c 25 N82-21268 *
US-PATENT-4,134,447 ..... c 31 N79-17029 *
US-PATENT-4,134,683 ..... c 43 N79-17288 *
US-PATENT-4,134,744 ..... c 35 N79-17192 *
US-PATENT-4,134,786 ..... c 85 N79-17747 *
US-PATENT-4,135,019 ..... c 24 N79-16915 *
US-PATENT-4,135,127 ..... c 33 N79-17133 *
US-PATENT-4,135,290 ..... c 44 N79-18444 *
US-PATENT-4,135,367 ..... c 44 N79-18443 *
US-PATENT-4,135,817 ..... c 35 N79-18296 *
US-PATENT-4,135,851 ..... c 37 N79-18318 *
US-PATENT-4,135,851 ..... c 37 N80-26658 *
US-PATENT-4,135,851 ..... c 37 N82-19540 *
US-PATENT-4,136,211 ..... c 24 N79-17916 *
US-PATENT-4,137,010 ..... c 05 N79-17847 *
US-PATENT-4,137,365 ..... c 27 N79-18052 *
US-PATENT-4,139,291 ..... c 74 N79-20856 *
US-PATENT-4,139,806 ..... c 71 N79-20827 *
US-PATENT-4,139,839 ..... c 60 N79-20751 *
US-PATENT-4,139,862 ..... c 32 N79-20297 *
US-PATENT-4,140,972 ..... c 32 N79-20296 *
US-PATENT-4,141,219 ..... c 34 N79-20335 *
US-PATENT-4,141,224 ..... c 34 N79-20336 *
US-PATENT-4,141,259 ..... c 37 N79-20377 *
US-PATENT-4,142,101 ..... c 74 N79-20857 *
US-PATENT-4,142,119 ..... c 33 N79-20314 *
US-PATENT-4,143,314 ..... c 20 N79-20179 *
US-PATENT-4,145,058 ..... c 37 N79-22475 *
US-PATENT-4,145,255 ..... c 25 N79-22235 *
US-PATENT-4,145,524 ..... c 27 N79-22300 *
US-PATENT-4,145,933 ..... c 39 N79-22537 *
US-PATENT-4,146,180 ..... c 37 N79-22474 *
US-PATENT-4,146,367 ..... c 25 N81-33246 *
US-PATENT-4,146,409 ..... c 26 N79-22271 *
US-PATENT-4,148,031 ..... c 32 N79-24210 *
US-PATENT-4,148,295 ..... c 44 N79-23481 *
US-PATENT-4,148,375 ..... c 46 N79-22679 *
US-PATENT-4,148,452 ..... c 08 N79-23097 *
US-PATENT-4,148,962 ..... c 24 N79-24062 *
US-PATENT-4,149,034 ..... c 71 N79-23753 *
US-PATENT-4,149,233 ..... c 33 N79-24257 *
US-PATENT-4,149,278 ..... c 54 N79-24652 *
US-PATENT-4,149,423 ..... c 32 N79-24203 *
US-PATENT-4,149,521 ..... c 44 N79-24433 *
US-PATENT-4,149,665 ..... c 44 N79-24431 *
US-PATENT-4,149,817 ..... c 44 N79-24432 *
US-PATENT-4,149,938 ..... c 25 N79-24073 *
US-PATENT-4,150,425 ..... c 33 N79-24254 *
US-PATENT-4,151,086 ..... c 34 N79-24285 *
US-PATENT-4,151,456 ..... c 33 N79-23345 *
US-PATENT-4,151,612 ..... c 54 N79-24651 *
US-PATENT-4,151,800 ..... c 24 N79-25142 *
US-PATENT-4,152,194 ..... c 76 N79-23798 *
US-PATENT-4,153,134 ..... c 46 N79-23555 *
US-PATENT-4,153,476 ..... c 44 N79-25482 *
US-PATENT-4,153,818 ..... c 32 N79-23310 *
US-PATENT-4,154,084 ..... c 43 N79-25443 *
US-PATENT-4,154,228 ..... c 52 N79-27836 *
US-PATENT-4,154,230 ..... c 52 N79-26771 *
US-PATENT-4,154,256 ..... c 05 N79-24976 *
US-PATENT-4,154,501 ..... c 33 N81-29342 *
US-PATENT-4,154,912 ..... c 44 N79-25481 *
US-PATENT-4,155,475 ..... c 24 N79-25143 *
US-PATENT-4,156,309 ..... c 44 N79-26475 *
US-PATENT-4,156,548 ..... c 35 N79-26372 *
US-PATENT-4,156,752 ..... c 15 N79-26100 *
US-PATENT-4,156,971 ..... c 43 N79-26439 *
US-PATENT-4,157,655 ..... c 43 N80-14423 *
US-PATENT-4,157,718 ..... c 52 N80-14684 *
US-PATENT-4,158,583 ..... c 28 N79-28342 *
US-PATENT-4,158,742 ..... c 12 N79-26075 *
US-PATENT-4,158,775 ..... c 72 N80-14877 *
US-PATENT-4,158,895 ..... c 52 N79-26772 *
US-PATENT-4,159,262 ..... c 27 N79-28307 *
US-PATENT-4,159,366 ..... c 44 N79-26474 *
US-PATENT-4,159,634 ..... c 37 N79-28550 *
US-PATENT-4,160,254 ..... c 33 N79-28416 *
US-PATENT-4,160,508 ..... c 37 N79-28551 *
US-PATENT-4,160,601 ..... c 35 N79-28527 *
US-PATENT-4,161,661 ..... c 33 N79-28415 *
US-PATENT-4,161,731 ..... c 31 N79-28370 *
US-PATENT-4,161,747 ..... c 37 N79-28549 *
US-PATENT-4,162,169 ..... c 24 N79-31347 *
US-PATENT-4,162,701 ..... c 34 N79-31523 *
US-PATENT-4,162,928 ..... c 44 N79-31753 *
US-PATENT-4,163,678 ..... c 44 N79-31752 *
US-PATENT-4,164,079 ..... c 09 N79-31228 *
US-PATENT-4,164,718 ..... c 32 N80-14281 *
US-PATENT-4,165,460 ..... c 43 N79-31706 *
US-PATENT-4,166,170 ..... c 27 N79-33316 *
US-PATENT-4,166,170 ..... c 27 N81-14078 *
US-PATENT-4,166,959 ..... c 74 N79-34011 *
US-PATENT-4,167,111 ..... c 46 N80-10709 *
US-PATENT-4,168,287 ..... c 27 N80-10358 *
US-PATENT-4,168,483 ..... c 39 N80-10507 *
US-PATENT-4,168,706 ..... c 54 N80-10799 *
US-PATENT-4,168,718 ..... c 20 N80-10278 *
US-PATENT-4,168,939 ..... c 05 N80-14107 *
US-PATENT-4,169,129 ..... c 37 N80-10494 *
US-PATENT-4,170,776 ..... c 46 N80-14603 *
US-PATENT-4,170,987 ..... c 52 N81-27783 *
US-PATENT-4,171,615 ..... c 20 N80-14188 *
US-PATENT-4,171,645 ..... c 35 N80-14371 *
US-PATENT-4,172,228 ..... c 33 N80-14332 *
US-PATENT-4,172,786 ..... c 45 N80-14579 *
US-PATENT-4,172,883 ..... c 26 N80-14229 *
US-PATENT-4,173,001 ..... c 36 N80-14384 *
US-PATENT-4,173,324 ..... c 37 N80-14398 *
US-PATENT-4,173,397 ..... c 44 N80-14473 *
US-PATENT-4,173,820 ..... c 44 N80-14474 *
US-PATENT-4,175,249 ..... c 44 N80-14472 *
US-PATENT-4,176,007 ..... c 51 N80-16714 *
US-PATENT-4,176,360 ..... c 18 N80-14183 *
US-PATENT-4,176,662 ..... c 52 N80-16725 *
US-PATENT-4,176,950 ..... c 36 N80-16321 *
US-PATENT-4,177,325 ..... c 44 N80-16452 *
US-PATENT-4,177,333 ..... c 25 N80-16116 *
US-PATENT-4,178,100 ..... c 35 N80-18359 *
US-PATENT-4,180,648 ..... c 27 N80-16158 *
US-PATENT-4,181,589 ..... c 51 N80-16715 *
US-PATENT-4,182,158 ..... c 35 N80-18358 *
US-PATENT-4,183,217 ..... c 20 N80-18097 *
US-PATENT-4,184,072 ..... c 44 N80-18552 *
US-PATENT-4,184,111 ..... c 44 N80-18551 *
US-PATENT-4,184,149 ..... c 06 N80-18036 *
US-PATENT-4,184,155 ..... c 43 N80-18498 *
US-PATENT-4,184,327 ..... c 07 N80-18039 *
US-PATENT-4,184,368 ..... c 48 N80-18667 *
US-PATENT-4,184,472 ..... c 76 N80-18951 *
US-PATENT-4,184,491 ..... c 52 N80-18690 *
US-PATENT-4,184,609 ..... c 37 N80-18393 *
US-PATENT-4,184,903 ..... c 44 N80-18550 *
US-PATENT-4,185,164 ..... c 33 N80-18286 *
US-PATENT-4,185,493 ..... c 35 N80-18357 *
US-PATENT-4,186,347 ..... c 32 N80-18253 *
US-PATENT-4,186,749 ..... c 52 N80-18691 *
US-PATENT-4,187,394 ..... c 32 N80-18252 *

US-PATENT-4,187,416 ..... c 33 N80-18285 *
US-PATENT-4,187,470 ..... c 36 N80-18372 *
US-PATENT-4,187,506 ..... c 33 N80-18287 *
US-PATENT-4,188,368 ..... c 31 N80-18231 *
US-PATENT-4,188,823 ..... c 02 N80-20224 *
US-PATENT-4,189,234 ..... c 74 N80-21138 *
US-PATENT-4,189,675 ..... c 32 N80-20448 *
US-PATENT-4,189,914 ..... c 07 N81-29129 *
US-PATENT-4,190,060 ..... c 52 N81-29763 *
US-PATENT-4,190,626 ..... c 24 N81-29163 *
US-PATENT-4,191,159 ..... c 37 N80-29703 *
US-PATENT-4,191,505 ..... c 44 N80-21828 *
US-PATENT-4,191,893 ..... c 44 N80-29834 *
US-PATENT-4,192,290 ..... c 44 N80-20810 *
US-PATENT-4,192,910 ..... c 33 N80-20487 *
US-PATENT-4,192,910 ..... c 44 N81-29524 *
US-PATENT-4,192,994 ..... c 74 N80-21140 *
US-PATENT-4,193,388 ..... c 44 N80-20808 *
US-PATENT-4,193,435 ..... c 37 N80-23653 *
US-PATENT-4,193,570 ..... c 35 N80-21719 *
US-PATENT-4,193,693 ..... c 35 N80-20563 *
US-PATENT-4,193,827 ..... c 28 N80-20402 *
US-PATENT-4,193,827 ..... c 28 N81-14103 *
US-PATENT-4,194,115 ..... c 25 N80-20334 *
US-PATENT-4,195,244 ..... c 35 N80-20559 *
US-PATENT-4,195,279 ..... c 35 N80-20560 *
US-PATENT-4,195,512 ..... c 43 N80-23711 *
US-PATENT-4,195,666 ..... c 37 N80-23654 *
US-PATENT-4,196,129 ..... c 27 N80-32515 *
US-PATENT-4,196,619 ..... c 46 N80-24906 *
US-PATENT-4,196,840 ..... c 37 N80-23655 *
US-PATENT-4,197,530 ..... c 33 N80-23559 *
US-PATENT-4,198,209 ..... c 28 N80-23471 *
US-PATENT-4,198,232 ..... c 26 N80-23419 *
US-PATENT-4,198,788 ..... c 74 N80-24149 *
US-PATENT-4,198,792 ..... c 25 N80-23383 *
US-PATENT-4,198,988 ..... c 52 N80-23989 *
US-PATENT-4,199,448 ..... c 27 N80-23452 *
US-PATENT-4,199,650 ..... c 27 N80-24437 *
US-PATENT-4,199,764 ..... c 32 N80-23524 *
US-PATENT-4,199,937 ..... c 34 N80-24573 *
US-PATENT-4,199,937 ..... c 44 N81-24519 *
US-PATENT-4,200,721 ..... c 27 N80-24438 *
US-PATENT-4,201,468 ..... c 32 N80-24510 *
US-PATENT-4,203,723 ..... c 27 N80-26446 *
US-PATENT-4,204,037 ..... c 51 N80-27067 *
US-PATENT-4,204,154 ..... c 33 N80-26599 *
US-PATENT-4,204,402 ..... c 07 N80-26298 *
US-PATENT-4,204,544 ..... c 52 N80-27072 *
US-PATENT-4,204,899 ..... c 24 N80-26388 *
US-PATENT-4,205,229 ..... c 35 N80-26635 *
US-PATENT-4,206,383 ..... c 72 N80-27163 *
US-PATENT-4,206,713 ..... c 31 N81-15154 *
US-PATENT-4,206,970 ..... c 74 N80-27185 *
US-PATENT-4,207,024 ..... c 37 N80-26658 *
US-PATENT-4,207,024 ..... c 37 N82-19540 *
US-PATENT-4,209,393 ..... c 45 N82-11634 *
US-PATENT-4,209,561 ..... c 24 N81-13999 *
US-PATENT-4,210,278 ..... c 31 N80-32583 *
US-PATENT-4,210,401 ..... c 35 N80-28687 *
US-PATENT-4,210,474 ..... c 28 N80-28536 *
US-PATENT-4,210,622 ..... c 44 N80-24741 *
US-PATENT-4,211,354 ..... c 24 N81-17170 *
US-PATENT-4,211,354 ..... c 24 N81-26179 *
US-PATENT-4,212,199 ..... c 02 N80-28300 *
US-PATENT-4,212,297 ..... c 51 N81-14605 *
US-PATENT-4,212,477 ..... c 37 N80-28711 *
US-PATENT-4,212,477 ..... c 37 N81-26447 *
US-PATENT-4,212,690 ..... c 26 N80-28492 *
US-PATENT-4,213,051 ..... c 35 N80-28686 *
US-PATENT-4,213,064 ..... c 60 N81-15706 *
US-PATENT-4,213,131 ..... c 32 N80-28578 *
US-PATENT-4,213,684 ..... c 74 N81-17886 *
US-PATENT-4,214,226 ..... c 31 N80-32584 *
US-PATENT-4,214,703 ..... c 07 N80-32392 *
US-PATENT-4,214,902 ..... c 26 N80-32484 *
US-PATENT-4,214,905 ..... c 24 N80-33482 *
US-PATENT-4,215,273 ..... c 74 N80-33210 *
US-PATENT-4,215,327 ..... c 32 N80-32605 *
US-PATENT-4,215,345 ..... c 04 N80-32359 *
US-PATENT-4,215,548 ..... c 37 N80-31790 *
US-PATENT-4,215,590 ..... c 37 N80-32717 *
US-PATENT-4,215,592 ..... c 37 N80-32716 *
US-PATENT-4,216,186 ..... c 76 N80-32244 *
US-PATENT-4,216,542 ..... c 33 N81-15192 *
US-PATENT-4,217,165 ..... c 76 N80-32245 *
US-PATENT-4,217,633 ..... c 44 N81-12542 *
US-PATENT-4,218,280 ..... c 27 N80-32516 *
US-PATENT-4,218,633 ..... c 72 N80-33186 *
US-PATENT-4,218,650 ..... c 33 N80-32650 *
US-PATENT-4,218,682 ..... c 32 N80-32604 *
US-PATENT-4,218,685 ..... c 32 N81-14187 *
US-PATENT-4,218,892 ..... c 35 N81-14287 *
US-PATENT-4,218,921 ..... c 71 N81-15767 *
US-PATENT-4,218,941 ..... c 37 N81-14319 *
US-PATENT-4,219,027 ..... c 52 N81-14612 *
US-PATENT-4,219,084 ..... c 31 N81-14137 *
US-PATENT-4,219,107 ..... c 37 N81-15364 *
US-PATENT-4,219,171 ..... c 37 N81-14320 *
US-PATENT-4,219,203 ..... c 37 N81-15363 *
US-PATENT-4,219,926 ..... c 44 N81-14389 *
US-PATENT-4,220,171 ..... c 07 N81-14999 *
US-PATENT-4,221,005 ..... c 32 N81-15179 *
US-PATENT-4,222,098 ..... c 33 N81-14220 *
US-PATENT-4,225,102 ..... c 02 N81-14968 *
US-PATENT-4,225,372 ..... c 27 N81-14077 *
US-PATENT-4,226,475 ..... c 43 N81-26509 *
US-PATENT-4,227,096 ..... c 33 N81-17348 *
US-PATENT-4,228,422 ..... c 33 N81-14221 *
US-PATENT-4,228,656 ..... c 37 N81-14318 *
US-PATENT-4,229,182 ..... c 28 N81-15119 *
US-PATENT-4,229,196 ..... c 28 N81-14103 *
US-PATENT-4,229,473 ..... c 24 N81-14000 *
US-PATENT-4,229,473 ..... c 24 N81-33235 *
US-PATENT-4,230,717 ..... c 52 N81-14613 *
US-PATENT-4,233,258 ..... c 27 N81-14078 *
US-PATENT-4,233,606 ..... c 32 N81-14185 *
US-PATENT-4,234,258 ..... c 25 N81-14015 *
US-PATENT-4,234,715 ..... c 25 N81-14016 *
US-PATENT-4,234,971 ..... c 32 N81-14186 *
US-PATENT-4,235,060 ..... c 37 N81-14317 *
US-PATENT-4,236,383 ..... c 44 N81-17518 *
US-PATENT-4,236,684 ..... c 08 N81-19130 *
US-PATENT-4,237,662 ..... c 31 N81-27323 *
US-PATENT-4,238,911 ..... c 31 N81-27324 *
US-PATENT-4,239,057 ..... c 37 N81-17433 *
US-PATENT-4,240,256 ..... c 37 N81-17432 *
US-PATENT-4,240,290 ..... c 06 N81-17057 *
US-PATENT-4,240,601 ..... c 43 N81-17499 *
US-PATENT-4,241,308 ..... c 33 N81-17349 *
US-PATENT-4,241,312 ..... c 35 N81-19427 *
US-PATENT-4,242,498 ..... c 27 N81-17259 *
US PATENT 4,242,552 ..... c 33 N81-19389 *
US-PATENT-4,242,864 ..... c 07 N81-19116 *
US-PATENT-4,243,323 ..... c 74 N81-17888 *
US-PATENT-4,243,327 ..... c 74 N81-17887 *
US-PATENT-4,244,215 ..... c 04 N81-21047 *
US-PATENT-4,244,810 ..... c 09 N82-29330 *
US-PATENT-4,244,853 ..... c 27 N81-19296 *
US-PATENT-4,244,857 ..... c 27 N81-17260 *
US-PATENT-4,245,085 ..... c 27 N81-17262 *
US-PATENT-4,245,286 ..... c 33 N81-19392 *
US-PATENT-4,245,288 ..... c 33 N81-19393 *
US-PATENT-4,245,469 ..... c 44 N81-24519 *
US-PATENT-4,245,566 ..... c 31 N81-19343 *
US-PATENT-4,245,768 ..... c 37 N81-19455 *
US-PATENT-4,245,956 ..... c 05 N81-19087 *
US-PATENT-4,246,001 ..... c 27 N81-17261 *
US-PATENT-4,246,901 ..... c 52 N81-24711 *
US-PATENT-4,247,434 ..... c 25 N81-19242 *
US-PATENT-4,248,083 ..... c 35 N81-19426 *
US-PATENT-4,249,116 ..... c 33 N81-20352 * #
US-PATENT-4,249,238 ..... c 07 N81-19115 *
US-PATENT-4,249,417 ..... c 52 N81-20703 *
US-PATENT-4,249,957 ..... c 44 N81-19558 *
US-PATENT-4,250,143 ..... c 54 N81-24724 *
US-PATENT-4,252,007 ..... c 33 N81-25299 *
US-PATENT-4,252,111 ..... c 52 N81-25661 *
US-PATENT-4,252,440 ..... c 39 N81-25400 *
US-PATENT-4,252,768 ..... c 37 N81-25371 *
US-PATENT-4,253,156 ..... c 34 N81-26402 *
US-PATENT-4,253,769 ..... c 25 N81-25159 *
US-PATENT-4,254,464 ..... c 62 N81-24779 *
US-PATENT-4,255,048 ..... c 36 N81-24422 *
US-PATENT-4,255,495 ..... c 26 N81-25188 *
US-PATENT-4,255,929 ..... c 37 N81-25370 *
US-PATENT-4,256,093 ..... c 52 N81-25660 *
US-PATENT-4,258,366 ..... c 32 N81-25278 *
US-PATENT-4,259,821 ..... c 31 N81-25258 *
US-PATENT-4,259,825 ..... c 31 N81-25259 *
US-PATENT-4,260,166 ..... c 37 N81-24442 *
US-PATENT-4,260,187 ..... c 37 N81-27519 *
US-PATENT-4,261,349 ..... c 52 N81-25662 *
US-PATENT-4,261,537 ..... c 08 N81-24106 *
US-PATENT-4,262,064 ..... c 44 N81-24521 *
US-PATENT-4,262,067 ..... c 27 N81-24257 *
US-PATENT-4,262,080 ..... c 27 N81-25209 *
US-PATENT-4,262,195 ..... c 44 N81-24520 *
US-PATENT-4,262,198 ..... c 74 N83-19597 *
US-PATENT-4,262,206 ..... c 74 N81-24900 *
US-PATENT-4,262,258 ..... c 33 N81-27396 *
US-PATENT-4,262,259 ..... c 33 N81-24338 *
US-PATENT-4,263,112 ..... c 28 N81-24280 *
US-PATENT-4,264,310 ..... c 54 N81-27806 *
US-PATENT-4,264,728 ..... c 51 N81-28698 *
US-PATENT-4,264,802 ..... c 35 N81-26431 *
US-PATENT-4,264,908 ..... c 33 N81-26358 *
US-PATENT-4,264,940 ..... c 33 N81-27397 *
US-PATENT-4,264,984 ..... c 60 N81-27814 *
US-PATENT-4,265,416 ..... c 14 N81-26161 *
US-PATENT-4,266,177 ..... c 33 N81-27395 *
US-PATENT-4,266,743 ..... c 08 N81-26152 *
US-PATENT-4,266,788 ..... c 37 N81-26447 *
US-PATENT-4,267,594 ..... c 33 N81-26359 *
US-PATENT-4,267,953 ..... c 24 N81-26179 *
US-PATENT-4,267,992 ..... c 37 N81-24443 *
US-PATENT-4,269,640 ..... c 37 N82-24491 *
US-PATENT-4,269,787 ..... c 27 N81-24256 *
US-PATENT-4,270,539 ..... c 52 N81-28740 *
US-PATENT-4,270,984 ..... c 44 N81-29524 *
US-PATENT-4,271,761 ..... c 15 N82-24272 *
US-PATENT-4,272,046 ..... c 08 N82-24205 *
US-PATENT-4,272,302 ..... c 33 N81-26360 *
US-PATENT-4,272,470 ..... c 23 N81-29160 *
US-PATENT-4,272,720 ..... c 47 N82-24779 *
US-PATENT-4,273,304 ..... c 05 N81-26114 *
US-PATENT-4,273,505 ..... c 54 N81-26718 *
US-PATENT-4,273,918 ..... c 27 N82-24338 *
US-PATENT-4,274,038 ..... c 37 N81-33483 *
US-PATENT-4,274,285 ..... c 35 N81-29407 *
US-PATENT-4,274,901 ..... c 24 N81-33235 *
US-PATENT-4,275,317 ..... c 33 N82-24418 *
US-PATENT-4,275,453 ..... c 33 N82-24417 *
US-PATENT-4,276,344 ..... c 27 N81-27272 *
US-PATENT-4,276,344 ..... c 27 N85-21347 *
US-PATENT-4,276,403 ..... c 27 N81-27271 *
US-PATENT-4,276,553 ..... c 32 N81-27341 *
US-PATENT-4,276,588 ..... c 33 N81-33404 *
US-PATENT-4,277,402 ..... c 23 N82-16174 *
US-PATENT-4,277,721 ..... c 33 N82-24415 *
US-PATENT-4,278,220 ..... c 07 N82-26293 *
US-PATENT-4,278,351 ..... c 74 N81-29963 *
US-PATENT-4,278,830 ..... c 44 N81-29525 *
US-PATENT-4,278,830 ..... c 44 N82-28780 *
US-PATENT-4,278,978 ..... c 32 N81-29308 *
US-PATENT-4,279-018 ..... c 33 N81-33405 *
US-PATENT-4,279,001 ..... c 33 N82-24416 *
US-PATENT-4,279,632 ..... c 31 N81-33319 *
US-PATENT-4,279,906 ..... c 52 N81-29764 *
US-PATENT-4,280,141 ..... c 33 N81-33403 *
US-PATENT-4,280,689 ..... c 37 N81-33482 *
US-PATENT-4,280,766 ..... c 35 N81-33448 *
US-PATENT-4,281,102 ..... c 27 N81-29229 *
US-PATENT-4,281,384 ..... c 18 N81-29152 *
US-PATENT-4,281,708 ..... c 33 N82-24419 *
US-PATENT-4,282,479 ..... c 33 N82-24420 *
US-PATENT-4,282,525 ..... c 46 N82-12685 *
US-PATENT-4,282,752 ..... c 44 N82-16474 *
US-PATENT-4,283,705 ..... c 06 N82-16075 *
US-PATENT-4,283,995 ..... c 37 N81-32510 *
US-PATENT-4,284,034 ..... c 51 N81-32829 *
US-PATENT-4,284,461 ..... c 27 N82-11206 *
US-PATENT-4,284,682 ..... c 27 N82-16238 *
US-PATENT-4,286,209 ..... c 35 N82-11431 *
US-PATENT-4,286,460 ..... c 09 N82-11088 *
US-PATENT-4,286,542 ..... c 37 N82-12441 *
US-PATENT-4,287,152 ..... c 35 N82-11432 *
US-PATENT-4,287,518 ..... c 32 N82-11336 *
US-PATENT-4,287,578 ..... c 32 N82-18443 *
US-PATENT-4,287,606 ..... c 74 N82-19029 *
US-PATENT-4,287,838 ..... c 25 N82-11144 *
US-PATENT-4,288,585 ..... c 27 N82-18389 *
US-PATENT-4,288,982 ..... c 20 N82-18314 *
US-PATENT-4,290,612 ..... c 37 N82-16408 *
US-PATENT-4,290,779 ..... c 44 N82-16475 *
US-PATENT-4,291,294 ..... c 04 N82-16059 *
US-PATENT-4,291,887 ..... c 37 N82-12442 *
US-PATENT-4,292,375 ..... c 24 N82-24296 *
US-PATENT-4,292,634 ..... c 32 N82-12297 *
US-PATENT-4,293,522 ..... c 25 N82-12166 *
US-PATENT-4,294,261 ..... c 52 N82-11770 *
US-PATENT-4,294,264 ..... c 52 N82-22875 *
US-PATENT-4,295,111 ..... c 33 N82-11357 *
US-PATENT-4,295,140 ..... c 35 N82-15381 *
US-PATENT-4,295,786 ..... c 37 N82-19540 *
US-PATENT-4,298,833 ..... c 33 N82-18493 *
US-PATENT-4,298,926 ..... c 33 N82-18494 *
US-PATENT-4,298,987 ..... c 60 N82-16747 *
US-PATENT-4,299,492 ..... c 36 N82-16396 *
US-PATENT-4,300,106 ..... c 36 N82-13415 *
US-PATENT-4,300,159 ..... c 43 N82-13465 *
US-PATENT-4,300,656 ..... c 71 N82-16800 *
US-PATENT-4,300,723 ..... c 34 N82-13376 *
US-PATENT-4,301,740 ..... c 37 N82-21587 *
US-PATENT-4,302,223 ..... c 25 N82-21269 *
US-PATENT-4,302,734 ..... c 33 N82-16340 *
US-PATENT-4,303,961 ..... c 28 N82-18401 *
US-PATENT-4,304,219 ..... c 44 N82-18686 *
US-PATENT-4,304,320 ..... c 37 N82-18601 *
US-PATENT-4,305,205 ..... c 37 N82-26672 *
US-PATENT-4,307,024 ..... c 25 N82-24312 *
US-PATENT-4,307,510 ..... c 60 N82-24839 *
US-PATENT-4,307,575 ..... c 44 N82-26776 *
US-PATENT-4,307,856 ..... c 05 N82-26277 *
US-PATENT-4,308,309 ..... c 27 N82-24339 *
US-PATENT-4,308,868 ..... c 52 N82-29863 *
US-PATENT-4,309,039 ..... c 37 N82-24490 *
US-PATENT-4,309,146 ..... c 44 N82-24639 *

US-PATENT-4,309,372 ..... c 25 N82-21268 *
US-PATENT-4,310,049 ..... c 25 N82-23282 *
US-PATENT-4,310,132 ..... c 24 N82-26384 *
US-PATENT-4,310,574 ..... c 27 N82-28441 *
US-PATENT-4,310,906 ..... c 33 N82-26572 *
US-PATENT-4,311,055 ..... c 54 N82-26987 *
US-PATENT-4,311,057 ..... c 37 N82-24493 *
US-PATENT-4,311,378 ..... c 35 N82-26628 *
US-PATENT-4,311,615 ..... c 25 N82-26396 *
US-PATENT-4,311,870 ..... c 44 N82-26777 *
US-PATENT-4,312,292 ..... c 37 N82-24492 *
US-PATENT-4,313,077 ..... c 33 N82-26569 *
US-PATENT-4,313,103 ..... c 33 N82-26570 *
US-PATENT-4,313,291 ..... c 09 N82-29330 *
US-PATENT-4,313,726 ..... c 09 N82-24212 *
US-PATENT-4,313,745 ..... c 27 N82-28442 *
US-PATENT-4,313,777 ..... c 33 N82-26571 *
US-PATENT-4,314,984 ..... c 25 N82-28368 *
US-PATENT-4,315,194 ..... c 33 N82-26568 *
US-PATENT-4,315,197 ..... c 33 N82-24421 *
US-PATENT-4,315,266 ..... c 32 N82-27558 *
US-PATENT-4,316,035 ..... c 23 N82-28353 *
US-PATENT-4,317,102 ..... c 35 N82-24470 *
US-PATENT-4,319,133 ..... c 33 N82-28545 *
US-PATENT-4,320,290 ..... c 74 N82-24072 *
US-PATENT-4,320,397 ..... c 32 N82-23376 *
US-PATENT-4,320,911 ..... c 37 N82-24494 *
US-PATENT-4,321,099 ..... c 44 N82-28780 *
US-PATENT-4,321,572 ..... c 33 N82-24422 *
US-PATENT-4,325,001 ..... c 35 N82-24471 *
US-PATENT-4,325,707 ..... c 25 N82-29371 *
US-PATENT-4,326,381 ..... c 44 N82-24640 *
US-PATENT-4,326,685 ..... c 04 N82-23231 *
US-PATENT-4,327,150 ..... c 27 N82-24340 *
US-PATENT-4,327,437 ..... c 60 N82-29013 *
US-PATENT-4,327,581 ..... c 09 N82-23254 *
US-PATENT-4,328,464 ..... c 36 N82-28616 *
US-PATENT-4,329,114 ..... c 07 N82-32366 *
US-PATENT-4,329,385 ..... c 27 N82-28440 *
US-PATENT-4,330,100 ..... c 05 N82-28279 *
US-PATENT-4,330,359 ..... c 76 N82-30105 *
US-PATENT-4,330,572 ..... c 27 N82-33520 *
US-PATENT-4,331,422 ..... c 52 N82-29862 *
US-PATENT-4,331,742 ..... c 44 N82-29710 *
US-PATENT-4,331,746 ..... c 44 N82-29708 *
US-PATENT-4,331,873 ..... c 44 N82-32841 *
US-PATENT-4,331,956 ..... c 33 N82-29538 *
US-PATENT-4,332,441 ..... c 36 N82-29589 *
US-PATENT-4,335,190 ..... c 27 N83-31855 *
US-PATENT-4,335,196 ..... c 44 N83-13579 *
US-PATENT-4,335,206 ..... c 35 N82-28604 *
US-PATENT-4,335,503 ..... c 44 N82-29709 *
US-PATENT-4,336,117 ..... c 26 N82-29415 *
US-PATENT-4,336,276 ..... c 27 N82-29453 *
US-PATENT-4,336,616 ..... c 33 N82-29539 *
US-PATENT-4,338,061 ..... c 07 N83-31603 *
US-PATENT-4,338,368 ..... c 27 N82-29456 *
US-PATENT-4,338,371 ..... c 24 N82-29362 *
US-PATENT-4,338,371 ..... c 54 N84-11758 *
US-PATENT-4,338,516 ..... c 74 N82-30071 *
US-PATENT-4,338,568 ..... c 33 N83-31954 *
US-PATENT-4,340,318 ..... c 37 N82-32732 *
US-PATENT-4,340,425 ..... c 26 N82-31505 *
US-PATENT-4,341,012 ..... c 35 N82-31659 *
US-PATENT-4,341,843 ..... c 26 N82-30371 *
US-PATENT-4,341,918 ..... c 44 N82-31764 *
US-PATENT-4,341,925 ..... c 32 N82-31583 *
US-PATENT-4,343,287 ..... c 37 N82-32730 *
US-PATENT-4,343,447 ..... c 08 N82-32373 *
US-PATENT-4,343,506 ..... c 85 N82-33288 *
US-PATENT-4,343,584 ..... c 37 N82-32731 *
US-PATENT-4,343,772 ..... c 44 N83-10501 *
US-PATENT-4,344,591 ..... c 24 N82-32417 *
US-PATENT-4,344,787 ..... c 31 N83-31896 *
US-PATENT-4,344,996 ..... c 27 N82-33521 *
US-PATENT-4,345,153 ..... c 35 N82-32659 *
US-PATENT-4,346,595 ..... c 06 N83-10040 *
US-PATENT-4,346,595 ..... c 06 N84-34443 *
US-PATENT-4,346,715 ..... c 52 N82-33996 *
US-PATENT-4,346,754 ..... c 34 N83-34221 *
US-PATENT-4,346,990 ..... c 36 N82-32712 *
US-PATENT-4,347,613 ..... c 36 N83-10417 *
US-PATENT-4,349,424 ..... c 24 N83-10117 *
US-PATENT-4,349,424 ..... c 70 N84-28565 *
US-PATENT-4,349,429 ..... c 25 N83-10126 *
US-PATENT-4,349,954 ..... c 26 N83-10170 *
US-PATENT-4,350,410 ..... c 74 N83-10900 *
US-PATENT-4,350,574 ..... c 44 N83-10494 *
US-PATENT-4,351,022 ..... c 33 N83-10345 *
US-PATENT-4,355,311 ..... c 32 N83-31918 *
US-PATENT-4,355,870 ..... c 74 N83-13978 *
US-PATENT-4,355,896 ..... c 47 N83-32232 *
US-PATENT-4,357,402 ..... c 25 N83-13188 *
US-PATENT-4,358,358 ..... c 25 N83-13187 *
US-PATENT-4,358,480 ..... c 24 N83-13172 *
US-PATENT-4,358,486 ..... c 24 N83-13171 *
US-PATENT-4,358,732 ..... c 33 N83-18996 *
US-PATENT-4,358,846 ..... c 32 N83-13323 *
US-PATENT-4,360,325 ..... c 44 N83-14693 *
US-PATENT-4,360,701 ..... c 44 N83-14692 *
US-PATENT-4,362,361 ..... c 74 N83-17305 *
US-PATENT-4,362,769 ..... c 27 N83-34039 *
US-PATENT-4,363,188 ..... c 51 N83-17045 *
US-PATENT-4,363,237 ..... c 71 N83-17235 *
US-PATENT-4,363,242 ..... c 33 N83-16626 *
US-PATENT-4,366,680 ..... c 31 N83-31897 *
US-PATENT-4,370,750 ..... c 34 N83-19015 *
US-PATENT-4,371,301 ..... c 37 N83-19091 *
US-PATENT-4,371,596 ..... c 44 N83-32176 *
US-PATENT-4,371,873 ..... c 32 N83-19968 *
US-PATENT-4,371,946 ..... c 32 N83-18975 *
US-PATENT-4,372,110 ..... c 07 N83-33884 *
US-PATENT-4,372,158 ..... c 44 N83-21503 *
US-PATENT-4,372,159 ..... c 44 N83-21504 *
US-PATENT-4,372,377 ..... c 74 N83-19596 *
US-PATENT-4,372,680 ..... c 35 N83-21311 *
US-PATENT-4,373,003 ..... c 27 N83-18908 *
US-PATENT-4,373,039 ..... c 27 N83-19900 *
US-PATENT-4,373,142 ..... c 44 N83-32175 *
US-PATENT-4,373,989 ..... c 76 N83-20789 *
US-PATENT-4,374,183 ..... c 26 N83-31795 *
US-PATENT-4,374,378 ..... c 35 N83-34272 *
US-PATENT-4,375,281 ..... c 05 N83-19737 *
US-PATENT-4,375,396 ..... c 31 N83-19947 *
US-PATENT-4,375,536 ..... c 27 N83-34040 *
US-PATENT-4,375,674 ..... c 39 N83-20280 *
US-PATENT-4,376,637 ..... c 35 N84-17555 *
US-PATENT-4,376,872 ..... c 44 N83-32177 *
US-PATENT-4,377,089 ..... c 35 N83-21312 *
US-PATENT-4,377,169 ..... c 52 N83-21785 *
US-PATENT-4,377,266 ..... c 07 N83-20944 *
US-PATENT-4,377,343 ..... c 74 N83-21949 *
US-PATENT-4,377,371 ..... c 18 N83-20996 *
US-PATENT-4,377,371 ..... c 37 N84-22957 *
US-PATENT-4,377,949 ..... c 45 N83-25217 *
US-PATENT-4,378,209 ..... c 35 N83-24828 *
US-PATENT-4,378,813 ..... c 52 N83-25346 *
US-PATENT-4,379,970 ..... c 33 N83-24763 *
US-PATENT-4,380,046 ..... c 60 N83-25378 *
US-PATENT-4,381,174 ..... c 37 N83-26078 *
US-PATENT-4,381,333 ..... c 44 N83-34448 *
US-PATENT-4,381,375 ..... c 37 N83-34323 *
US-PATENT-4,381,583 ..... c 31 N83-31895 *
US-PATENT-4,381,881 ..... c 74 N83-29032 *
US-PATENT-4,382,116 ..... c 44 N83-27344 *
US-PATENT-4,382,224 ..... c 33 N83-27126 *
US-PATENT-4,382,239 ..... c 32 N83-27085 *
US-PATENT-4,383,171 ..... c 35 N83-27184 *
US-PATENT-4,383,533 ..... c 52 N83-27578 *
US-PATENT-4,383,785 ..... c 31 N83-27058 *
US-PATENT-4,384,578 ..... c 52 N83-27577 *
US-PATENT-4,384,823 ..... c 34 N83-27144 *
US-PATENT-4,385,043 ..... c 24 N83-25789 *
US-PATENT-4,385,113 ..... c 51 N83-27569 *
US-PATENT-4,385,949 ..... c 31 N83-34073 *
US-PATENT-4,386,157 ..... c 51 N83-28849 *
US-PATENT-4,386,750 ..... c 18 N83-28064 *
US-PATENT-4,387,513 ..... c 06 N83-33882 *
US-PATENT-4,387,935 ..... c 37 N83-32067 *
US-PATENT-4,388,171 ..... c 23 N84-16255 *
US-PATENT-4,388,346 ..... c 33 N84-16456 *
US-PATENT-4,388,502 ..... c 05 N83-27975 *
US-PATENT-4,388,542 ..... c 44 N83-28573 *
US-PATENT-4,388,585 ..... c 33 N83-28319 *
US-PATENT-4,388,585 ..... c 33 N84-33660 *
US-PATENT-4,388,965 ..... c 34 N83-28356 *
US-PATENT-4,389,504 ..... c 27 N83-28240 *
US-PATENT-4,389,504 ..... c 27 N85-21349 *
US-PATENT-4,389,849 ..... c 44 N83-28574 *
US-PATENT-4,389,904 ..... c 35 N83-29650 *
US-PATENT-4,391,129 ..... c 34 N83-31993 *
US-PATENT-4,391,423 ..... c 18 N83-29303 *
US-PATENT-4,391,514 ..... c 36 N83-34304 *
US-PATENT-4,391,518 ..... c 36 N83-29680 *
US-PATENT-4,391,609 ..... c 25 N83-31743 *
US-PATENT-4,392,356 ..... c 34 N83-29625 *
US-PATENT-4,392,749 ..... c 35 N83-29651 *
US-PATENT-4,392,874 ..... c 35 N83-29652 *
US-PATENT-4,392,920 ..... c 27 N83-29388 *
US-PATENT-4,393,039 ..... c 25 N83-29324 *
US-PATENT-4,393,706 ..... c 71 N83-32516 *
US-PATENT-4,393,708 ..... c 71 N83-32515 *
US-PATENT-4,393,716 ..... c 39 N83-32081 *
US-PATENT-4,393,777 ..... c 37 N84-12491 *
US-PATENT-4,394,610 ..... c 33 N83-31953 *
US-PATENT-4,394,726 ..... c 60 N83-32342 *
US-PATENT-4,394,819 ..... c 35 N83-32026 *
US-PATENT-4,395,123 ..... c 74 N83-32577 *
US-PATENT-4,395,503 ..... c 27 N83-34043 *
US-PATENT-4,395,511 ..... c 27 N84-14324 *
US-PATENT-4,395,540 ..... c 27 N84-22746 *
US-PATENT-4,395,540 ..... c 27 N85-20123 *
US-PATENT-4,395,557 ..... c 27 N83-31854 *
US-PATENT-4,395,557 ..... c 27 N84-22745 *
US-PATENT-4,395,557 ..... c 27 N85-21347 *
US-PATENT-4,395,656 ..... c 33 N83-31952 *
US-PATENT-4,396,918 ..... c 04 N84-27713 *
US-PATENT-4,397,716 ..... c 44 N83-34449 *
US-PATENT-4,398,021 ..... c 27 N83-34041 *
US-PATENT-4,398,021 ..... c 27 N85-20124 *
US-PATENT-4,398,129 ..... c 33 N83-34189 *
US-PATENT-4,398,412 ..... c 35 N84-28018 *
US-PATENT-4,398,667 ..... c 71 N84-14873 *
US-PATENT-4,398,925 ..... c 71 N83-35781 *
US-PATENT-4,399,415 ..... c 36 N83-35350 *
US-PATENT-4,399,515 ..... c 35 N84-14491 *
US-PATENT-4,400,191 ..... c 31 N83-35176 *
US-PATENT-4,400,642 ..... c 76 N83-34796 *
US-PATENT-4,400,657 ..... c 33 N83-34190 *
US-PATENT-4,401,505 ..... c 76 N83-35888 *
US-PATENT-4,401,934 ..... c 33 N83-35227 *
US-PATENT-4,401,953 ..... c 33 N83-34191 *
US-PATENT-4,402,221 ..... c 71 N83-36846 *
US-PATENT-4,402,358 ..... c 34 N83-35307 *
US-PATENT-4,402,447 ..... c 35 N83-35338 *
US-PATENT-4,402,992 ..... c 31 N83-35177 *
US-PATENT-4,404,469 ..... c 74 N84-11920 *
US-PATENT-4,404,793 ..... c 07 N83-36029 *
US-PATENT-4,405,184 ..... c 37 N84-12492 *
US-PATENT-4,405,197 ..... c 74 N84-11921 *
US-PATENT-4,406,256 ..... c 37 N83-36483 *
US-PATENT-4,406,797 ..... c 25 N83-36118 *
US-PATENT-4,406,989 ..... c 33 N83-36356 *
US-PATENT-4,407,001 ..... c 33 N83-36355 *
US-PATENT-4,407,165 ..... c 37 N83-36482 *
US-PATENT-4,407,468 ..... c 01 N83-35992 *
US-PATENT-4,407,563 ..... c 74 N83-36898 *
US-PATENT-4,407,589 ..... c 33 N83-36357 *
US-PATENT-4,407,686 ..... c 35 N84-12443 *
US-PATENT-4,408,597 ..... c 52 N84-11744 *
US-PATENT-4,408,658 ..... c 27 N83-36220 *
US-PATENT-4,410,189 ..... c 37 N84-11497 *
US-PATENT-4,410,682 ..... c 24 N84-11213 *
US-PATENT-4,411,380 ..... c 24 N84-11214 *
US-PATENT-4,411,597 ..... c 07 N84-22560 *
US-PATENT-4,411,660 ..... c 54 N84-11758 *
US-PATENT-4,412,664 ..... c 02 N84-11136 *
US-PATENT-4,413,522 ..... c 35 N84-12445 *
US-PATENT-4,413,784 ..... c 34 N84-12406 *
US-PATENT-4,414,080 ..... c 25 N84-12262 *
US-PATENT-4,414,509 ..... c 35 N84-12444 *
US-PATENT-4,414,816 ..... c 07 N84-24577 *
US-PATENT-4,415,133 ..... c 05 N84-12154 *
US-PATENT-4,415,311 ..... c 37 N84-12493 *
US-PATENT-4,415,450 ..... c 45 N84-12654 *
US-PATENT-4,416,111 ..... c 07 N84-33410 *
US-PATENT-4,416,266 ..... c 52 N84-28388 *
US-PATENT-4,417,175 ..... c 70 N84-28565 *
US-PATENT-4,417,190 ..... c 33 N84-14424 *
US-PATENT-4,417,215 ..... c 33 N84-14421 *
US-PATENT-4,418,130 ..... c 33 N84-14422 *
US-PATENT-4,418,480 ..... c 04 N84-14132 *
US-PATENT-4,418,722 ..... c 44 N84-14583 *
US-PATENT-4,420,035 ..... c 34 N84-14461 *
US-PATENT-4,420,352 ..... c 27 N84-22748 *
US-PATENT-4,420,518 ..... c 27 N84-14323 *
US-PATENT-4,420,836 ..... c 36 N84-14509 *
US-PATENT-4,420,977 ..... c 71 N84-23233 *
US-PATENT-4,421,109 ..... c 54 N84-16803 *
US-PATENT-4,421,371 ..... c 33 N84-14423 *
US-PATENT-4,421,700 ..... c 24 N84-16262 *
US-PATENT-4,421,820 ..... c 27 N84-14322 *
US-PATENT-4,422,012 ..... c 33 N84-16452 *
US-PATENT-4,422,609 ..... c 37 N84-16560 *
US-PATENT-4,423,605 ..... c 34 N84-22903 *
US-PATENT-4,424,592 ..... c 36 N84-16542 *
US-PATENT-4,425,376 ..... c 71 N84-16940 *
US-PATENT-4,425,543 ..... c 33 N84-16454 *
US-PATENT-4,425,785 ..... c 15 N84-16231 *
US-PATENT-4,425,808 ..... c 35 N84-28015 *
US-PATENT-4,425,808 ..... c 35 N85-21598 *
US-PATENT-4,425,854 ..... c 25 N84-16276 *
US-PATENT-4,426,614 ..... c 33 N84-16455 *
US-PATENT-4,426,678 ..... c 33 N84-16453 *
US-PATENT-4,426,874 ..... c 35 N84-28019 *
US-PATENT-4,428,122 ..... c 35 N84-16523 *
US-PATENT-4,428,226 ..... c 07 N84-22559 *
US-PATENT-4,428,675 ..... c 35 N84-22929 *
US-PATENT-4,428,703 ..... c 37 N84-16561 *
US-PATENT-4,429,537 ..... c 37 N84-22958 *
US-PATENT-4,430,360 ..... c 37 N84-22957 *
US-PATENT-4,430,673 ..... c 74 N84-23247 *
US-PATENT-4,431,306 ..... c 35 N84-22931 *
US-PATENT-4,431,333 ..... c 18 N84-22605 *
US-PATENT-4,431,761 ..... c 27 N84-22747 *
US-PATENT-4,431,792 ..... c 27 N84-22746 *
US-PATENT-4,432,853 ..... c 52 N84-23095 *
US-PATENT-4,433,115 ..... c 27 N84-22745 *

US-PATENT-4,433,276 ..... c 33 N84-22885 *
US-PATENT-4,433,439 ..... c 54 N84-23113 *
US-PATENT-4,433,544 ..... c 44 N84-23018 *
US-PATENT-4,433,672 ..... c 44 N84-28203 *
US-PATENT-4,434,106 ..... c 27 N84-22744 *
US-PATENT-4,434,189 ..... c 36 N84-22944 *
US-PATENT-4,434,490 ..... c 36 N84-22943 *
US-PATENT-4,434,659 ..... c 35 N84-22928 *
US-PATENT-4,435,642 ..... c 35 N84-28016 *
US-PATENT-4,435,781 ..... c 60 N84-28491 *
US-PATENT-4,437,069 ..... c 33 N84-22887 *
US-PATENT-4,437,923 ..... c 35 N84-22930 *
US-PATENT-4,437,961 ..... c 33 N84-22884 *
US-PATENT-4,437,962 ..... c 24 N84-22695 *
US-PATENT-4,437,962 ..... c 24 N85-21267 *
US-PATENT-4,439,301 ..... c 44 N84-23019 *
US-PATENT-4,439,465 ..... c 26 N84-22734 *
US-PATENT-4,439,718 ..... c 33 N84-22886 *
US-PATENT-4,439,766 ..... c 32 N84-22820 *
US-PATENT-4,439,968 ..... c 16 N84-22601 *
US-PATENT-4,442,716 ..... c 35 N84-22934 *
US-PATENT-4,443,321 ..... c 25 N84-22709 *
US-PATENT-4,443,701 ..... c 74 N84-28590 *
US-PATENT-4,443,724 ..... c 35 N84-28017 *
US-PATENT-4,444,368 ..... c 05 N84-22551 *
US-PATENT-4,444,464 ..... c 74 N84-23248 *
US-PATENT-4,444,972 ..... c 27 N84-22750 *
US-PATENT-4,444,979 ..... c 27 N84-22749 *
US-PATENT-4,445,118 ..... c 04 N84-22546 *
US-PATENT-4,445,378 ..... c 35 N84-22933 *
US-PATENT-4,446,199 ..... c 26 N84-33555 *
US-PATENT-4,446,396 ..... c 35 N84-22932 *
US-PATENT-4,446,459 ..... c 60 N84-28492 *
US-PATENT-4,446,556 ..... c 36 N84-28065 *
US-PATENT-4,446,757 ..... c 37 N84-28084 *
US-PATENT-4,447,251 ..... c 71 N84-28568 *
US-PATENT-4,447,[illegible] ..... c [illegible] N84-28[illegible] *
US-PATENT-4,448,408 ..... c 37 N84-28083 *
US-PATENT-4,449,370 ..... c 37 N84-33808 *
US-PATENT-4,449,400 ..... c 47 N84-28292 *
US-PATENT-4,449,514 ..... c 44 N84-28204 *
US-PATENT-4,449,894 ..... c 37 N84-28081 *
US-PATENT-4,450,268 ..... c 27 N84-27884 *
US-PATENT-4,450,447 ..... c 32 N84-27951 *
US-PATENT-4,451,017 ..... c 18 N84-27787 *
US-PATENT-4,451,496 ..... c 26 N84-27855 *
US-PATENT-4,452,088 ..... c 24 N84-27829 *
US-PATENT-4,452,412 ..... c 16 N84-27784 *
US-PATENT-4,453,163 ..... c 06 N84-27733 *
US-PATENT-4,454,611 ..... c 54 N84-28484 *
US-PATENT-4,454,649 ..... c 44 N84-28205 *
US-PATENT-4,454,753 ..... c 09 N84-27749 *
US-PATENT-4,455,418 ..... c 27 N84-27885 *
US-PATENT-4,455,418 ..... c 25 N85-28982 *
US-PATENT-4,455,532 ..... c 72 N84-28575 *
US-PATENT-4,455,680 ..... c 32 N84-27952 *
US-PATENT-4,456,208 ..... c 27 N84-27886 *
US-PATENT-4,456,708 ..... c 51 N84-28361 *
US-PATENT-4,458,418 ..... c 37 N84-28085 *
US-PATENT-4,458,554 ..... c 37 N84-28082 *
US-PATENT-4,459,083 ..... c 02 N84-28732 *
US-PATENT-4,459,470 ..... c 27 N84-33589 *
US-PATENT-4,459,528 ..... c 33 N84-27975 *
US-PATENT-4,459,562 ..... c 33 N84-27974 *
US-PATENT-4,462,871 ..... c 76 N84-35112 * #
US-PATENT-4,463,357 ..... c 46 N85-21846 *
US-PATENT-4,463,465 ..... c 03 N84-33394 *
US-PATENT-4,463,606 ..... c 71 N85-22105 *
US-PATENT-4,464,710 ..... c 33 N84-33663 *
US-PATENT-4,466,242 ..... c 20 N85-21256 *
US-PATENT-4,466,667 ..... c 35 N84-33768 *
US-PATENT-4,469,552 ..... c 76 N84-35113 *
US-PATENT-4,469,942 ..... c 35 N84-33767 *
US-PATENT-4,469,998 ..... c 33 N84-33661 *
US-PATENT-4,470,293 ..... c 37 N84-33807 *
US-PATENT-4,470,403 ..... c 44 N84-34792 *
US-PATENT-4,471,357 ..... c 32 N84-34651 *
US-PATENT-4,472,473 ..... c 18 N84-33450 *
US-PATENT-4,472,716 ..... c 35 N84-33769 *
US-PATENT-4,472,728 ..... c 35 N84-33765 *
US-PATENT-4,473,259 ..... c 37 N85-20337 *
US-PATENT-4,473,674 ..... c 24 N84-34571 *
US-PATENT-4,473,792 ..... c 33 N84-33660 *
US-PATENT-4,474,062 ..... c 06 N84-34443 *
US-PATENT-4,474,180 ..... c 52 N84-34913 *
US-PATENT-4,474,471 ..... c 35 N84-34705 *
US-PATENT-4,474,975 ..... c 25 N85-21280 *
US-PATENT-4,475,063 ..... c 33 N85-21491 *
US-PATENT-4,475,385 ..... c 09 N84-34448 *
US-PATENT-4,475,527 ..... c 37 N85-21650 *
US-PATENT-4,475,921 ..... c 71 N85-22104 *
US-PATENT-4,478,879 ..... c 44 N85-20530 *
US-PATENT-4,479,053 ..... c 74 N85-22139 *
US-PATENT-4,479,386 ..... c 27 N85-20126 *
US-PATENT-4,479,560 ..... c 35 N85-20294 *
US-PATENT-4,481,570 ..... c 60 N85-21992 *
US-PATENT-4,482,778 ..... c 44 N85-21768 *
US-PATENT-4,482,779 ..... c 33 N85-21492 *
US-PATENT-4,483,512 ..... c 37 N85-20338 *
US-PATENT-4,483,639 ..... c 37 N85-21649 *
US-PATENT-4,483,817 ..... c 25 N85-21279 *
US-PATENT-4,485,151 ..... c 24 N85-21266 *
US-PATENT-4,485,151 ..... c 24 N85-35233 *
US-PATENT-4,485,670 ..... c 34 N85-21568 *
US-PATENT-4,485,671 ..... c 35 N85-20295 *
US-PATENT-4,485,992 ..... c 08 N85-19985 *
US-PATENT-4,488,155 ..... c 33 N85-21493 *
US-PATENT-4,488,335 ..... c 27 N85-20125 *
US-PATENT-4,488,663 ..... c 35 N85-21595 *
US-PATENT-4,489,027 ..... c 27 N85-20124 *
US-PATENT-4,489,239 ..... c 36 N85-21631 *
US-PATENT-4,489,243 ..... c 44 N85-21769 *
US-PATENT-4,489,264 ..... c 33 N85-22877 *
US-PATENT-4,490,117 ..... c 09 N85-19990 *
US-PATENT-4,490,229 ..... c 31 N85-20153 *
US-PATENT-4,491,427 ..... c 37 N85-21651 *
US-PATENT-4,493,021 ..... c 32 N85-21428 *
US-PATENT-4,493,211 ..... c 09 N85-21178 *
US-PATENT-4,493,553 ..... c 36 N85-21639 *
US-PATENT-4,495,044 ..... c 24 N85-21267 *
US-PATENT-4,495,339 ..... c 25 N85-30039 *
US-PATENT-4,495,520 ..... c 32 N85-21427 *
US-PATENT-4,496,122 ..... c 05 N85-21147 *
US-PATENT-4,496,701 ..... c 27 N85-21347 *
US-PATENT-4,497,540 ..... c 74 N85-23396 *
US-PATENT-4,497,935 ..... c 27 N85-21349 *
US-PATENT-4,497,939 ..... c 27 N85-21351 *
US-PATENT-4,497,940 ..... c 27 N85-21352 *
US-PATENT-4,497,948 ..... c 27 N85-21350 *
US-PATENT-4,498,231 ..... c 35 N85-21598 *
US-PATENT-4,498,333 ..... c 35 N85-21597 *
US-PATENT-4,499,260 ..... c 27 N85-21348 *
US-PATENT-4,499,424 ..... c 35 N85-21596 *
US-PATENT-4,499,470 ..... c 43 N85-21723 *
US-PATENT-4,500,265 ..... c 31 N85-21404 *
US-PATENT-4,500,492 ..... c 37 N85-21652 *
US-PATENT-4,503,436 ..... c 32 N85-29118 *
US-PATENT-4,505,998 ..... c 33 N85-29144 *
US-PATENT-4,506,183 ..... c 34 N85-29179 *
US-PATENT-4,507,928 ..... c 31 N85-29082 *
US-PATENT-4,508,296 ..... c 18 N85-29991 *
US-PATENT-4,509,048 ..... c 32 N85-34327 *
US-PATENT-4,509,130 ..... c 36 N85-29264 *
US-PATENT-4,509,132 ..... c 33 N85-34333 *
US-PATENT-4,509,548 ..... c 37 N85-34403 *
US-PATENT-4,510,277 ..... c 27 N85-34282 *
US-PATENT-4,510,296 ..... c 23 N85-28973 *
US-PATENT-4,510,476 ..... c 33 N85-29146 *
US-PATENT-4,511,362 ..... c 25 N85-35253 *
US-PATENT-4,511,838 ..... c 76 N85-30923 *
US-PATENT-4,512,332 ..... c 44 N85-30474 *
US-PATENT-4,512,661 ..... c 35 N85-30282 *
US-PATENT-4,512,678 ..... c 37 N85-30334 *
US-PATENT-4,512,699 ..... c 37 N85-29285 *
US-PATENT-4,512,846 ..... c 76 N85-29800 *
US-PATENT-4,513,317 ..... c 32 N85-29117 *
US-PATENT-4,513,423 ..... c 36 N85-30305 *
US-PATENT-4,513,750 ..... c 52 N85-30618 *
US-PATENT-4,513,810 ..... c 35 N85-29214 *
US-PATENT-4,514,137 ..... c 37 N85-29282 *
US-PATENT-4,514,143 ..... c 05 N85-29947 *
US-PATENT-4,514,178 ..... c 35 N85-29212 *
US-PATENT-4,514,557 ..... c 25 N85-28982 *
US-PATENT-4,515,207 ..... c 34 N85-29180 *
US-PATENT-4,515,751 ..... c 35 N85-29213 *
US-PATENT-4,516,071 ..... c 33 N85-30187 *
US-PATENT-4,516,435 ..... c 37 N85-29286 *
US-PATENT-4,517,472 ..... c 33 N85-29147 *
US-PATENT-4,517,505 ..... c 37 N85-30333 *
US-PATENT-4,517,530 ..... c 33 N85-29143 *
US-PATENT-4,518,277 ..... c 37 N85-30336 *
US-PATENT-4,518,625 ..... c 24 N85-30027 *
US-PATENT-4,518,722 ..... c 27 N85-29044 *
US-PATENT-4,519,545 ..... c 37 N85-29283 *
US-PATENT-4,520,601 ..... c 37 N85-30335 *
US-PATENT-4,520,656 ..... c 71 N85-29693 *
US-PATENT-4,521,077 ..... c 74 N85-29750 *
US-PATENT-4,521,659 ..... c 31 N85-29083 *
US-PATENT-4,521,688 ..... c 35 N85-30281 *
US-PATENT-4,521,702 ..... c 33 N85-29145 *
US-PATENT-4,521,854 ..... c 33 N85-29142 *
US-PATENT-4,522,469 ..... c 76 N85-33826 *
US-PATENT-4,522,661 ..... c 76 N85-30922 *
US-PATENT-4,522,755 ..... c 27 N86-19455 *
US-PATENT-4,522,844 ..... c 26 N85-29005 *
US-PATENT-4,523,008 ..... c 27 N85-29043 *
US-PATENT-4,523,682 ..... c 71 N85-30765 *
US-PATENT-4,523,741 ..... c 37 N85-29284 *
US-PATENT-4,523,810 ..... c 74 N85-29749 *
US-PATENT-4,524,237 ..... c 44 N85-30475 *
US-PATENT-4,526,925 ..... c 27 N86-20560 *
US-PATENT-4,526,925 ..... c 27 N87-22845 *
US-PATENT-4,527,092 ..... c 37 N85-33489 *
US-PATENT-4,527,910 ..... c 37 N85-33490 *
US-PATENT-4,528,386 ..... c 23 N85-33187 *
US-PATENT-4,528,417 ..... c 44 N85-34441 *
US-PATENT-4,528,639 ..... c 60 N85-33701 *
US-PATENT-4,529,358 ..... c 34 N85-33433 *
US-PATENT-4,531,143 ..... c 33 N86-19516 *
US-PATENT-4,532,797 ..... c 35 N85-34373 *
US-PATENT-4,533,101 ..... c 07 N85-35194 *
US-PATENT-4,533,242 ..... c 74 N85-34629 *
US-PATENT-4,534,166 ..... c 07 N85-35195 *
US-PATENT-4,535,033 ..... c 24 N85-35233 *
US-PATENT-4,535,035 ..... c 26 N85-35267 *
US-PATENT-4,535,636 ..... c 35 N85-34375 *
US-PATENT-4,536,114 ..... c 37 N85-34401 *
US-PATENT-4,536,565 ..... c 27 N85-34280 *
US-PATENT-4,537,554 ..... c 85 N85-34722 *
US-PATENT-4,537,834 ..... c 27 N85-34281 *
US-PATENT-4,538,066 ..... c 35 N85-34374 *
US-PATENT-4,538,446 ..... c 34 N86-12547 *
US-PATENT-4,538,778 ..... c 08 N85-35200 *
US-PATENT-4,539,293 ..... c 23 N85-35227 *
US-PATENT-4,540,986 ..... c 04 N86-19304 *
US-PATENT-4,542,520 ..... c 74 N86-20126 *
US-PATENT-4,542,858 ..... c 33 N86-20669 *
US-PATENT-4,542,963 ..... c 74 N86-20125 *
US-PATENT-4,543,295 ..... c 27 N86-20561 *
US-PATENT-4,543,302 ..... c 44 N86-19721 *
US-PATENT-4,543,442 ..... c 76 N86-20150 *
US-PATENT-4,544,025 ..... c 35 N86-20750 *
US-PATENT-4,544,068 ..... c 35 N86-20751 *
US-PATENT-4,545,025 ..... c 60 N86-21154 *
US-PATENT-4,545,553 ..... c 33 N86-20671 *
US-PATENT-4,545,586 ..... c 37 N86-20788 *
US-PATENT-4,545,723 ..... c 37 N86-19603 *
US-PATENT-4,546,248 ..... c 32 N86-20647 *
US-PATENT-4,547,121 ..... c 37 N86-20789 *
US-PATENT-4,547,686 ..... c 33 N86-20672 *
US-PATENT-4,548,083 ..... c 39 N86-20841 *
US-PATENT-4,549,435 ..... c 35 N86-20752 *
US-PATENT-4,550,129 ..... c 24 N86-19380 *
US-PATENT-4,550,177 ..... c 23 N86-19376 *
US-PATENT-4,550,177 ..... c 23 N88-24692 *
US-PATENT-4,550,292 ..... c 33 N86-20668 *
US-PATENT-4,550,561 ..... c 07 N86-20389 *
US-PATENT-4,551,677 ..... c 35 N86-32698 *
US-PATENT-4,551,687 ..... c 33 N86-20670 *
US-PATENT-4,551,724 ..... c 43 N86-19711 *
US-PATENT-4,552,466 ..... c 37 N86-19606 *
US-PATENT-4,552,784 ..... c 26 N86-32550 *
US-PATENT-4,552,931 ..... c 27 N86-19456 *
US-PATENT-4,553,110 ..... c 33 N86-19515 *
US-PATENT-4,553,393 ..... c 37 N86-19604 *
US-PATENT-4,553,917 ..... c 26 N86-32551 *
US-PATENT-4,554,905 ..... c 18 N86-20469 *
US-PATENT-4,556,327 ..... c 35 N86-19580 *
US-PATENT-4,556,986 ..... c 74 N86-21348 *
US-PATENT-4,557,097 ..... c 31 N86-19479 *
US-PATENT-4,557,149 ..... c 35 N86-19581 *
US-PATENT-4,557,444 ..... c 05 N86-19310 *
US-PATENT-4,558,585 ..... c 71 N86-21276 *
US-PATENT-4,558,967 ..... c 37 N86-19605 *
US-PATENT-4,560,577 ..... c 27 N86-19458 *
US-PATENT-4,560,742 ..... c 27 N86-19457 *
US-PATENT-4,561,784 ..... c 25 N86-19413 *
US-PATENT-4,562,583 ..... c 74 N86-20124 *
US-PATENT-4,564,787 ..... c 33 N86-21742 *
US-PATENT-4,565,557 ..... c 31 N86-21718 *
US-PATENT-4,565,886 ..... c 27 N86-21675 *
US-PATENT-4,566,447 ..... c 54 N86-22112 *
US-PATENT-4,567,301 ..... c 23 N86-21582 *
US-PATENT-4,567,348 ..... c 37 N86-21850 *
US-PATENT-4,568,733 ..... c 24 N86-21590 *
US-PATENT-4,572,004 ..... c 35 N86-25752 *
US-PATENT-4,572,699 ..... c 37 N87-22976 *
US-PATENT-4,573,356 ..... c 71 N88-24241 *
US-PATENT-4,578,678 ..... c 04 N86-27270 *
US-PATENT-4,578,920 ..... c 37 N86-25789 *
US-PATENT-4,579-782 ..... c 24 N86-25416 *
US-PATENT-4,579,302 ..... c 18 N86-24729 *
US-PATENT-4,579,475 ..... c 37 N86-27630 *
US-PATENT-4,580-791 ..... c 37 N86-25790 *
US-PATENT-4,582,277 ..... c 16 N86-26352 *
US-PATENT-4,582,289 ..... c 37 N87-21333 *
US-PATENT-4,582,590 ..... c 25 N86-25428 *
US-PATENT-4,583,587 ..... c 34 N86-27593 *
US-PATENT-4,583,860 ..... c 74 N86-26190 *
US-PATENT-4,584,249 ..... c 44 N86-25874 *
US-PATENT-4,584,510 ..... c 08 N86-27288 *
US-PATENT-4,584,887 ..... c 35 N86-26595 *
US-PATENT-4,585,191 ..... c 20 N86-26368 *
US-PATENT-4,585,344 ..... c 35 N86-25753 *
US-PATENT-4,586,140 ..... c 06 N86-27280 *
US-PATENT-4,586,394 ..... c 35 N87-21304 *
US-PATENT-4,586,487 ..... c 44 N86-27706 *
US-PATENT-4,587,312 ..... c 27 N86-27450 *

US-PATENT-4,587,324 ..... c 23 N86-32525 *
US-PATENT-4,587,526 ..... c 37 N86-25791 *
US-PATENT-4,588,778 ..... c 27 N86-27451 *
US-PATENT-4,588,986 ..... c 32 N86-27513 *
US-PATENT-4,591,772 ..... c 37 N86-27629 *
US-PATENT-4,591,838 ..... c 25 N86-27431 *
US-PATENT-4,593,415 ..... c 54 N86-28618 *
US-PATENT-4,594,540 ..... c 31 N86-29055 *
US-PATENT-4,594,720 ..... c 36 N86-29204 *
US-PATENT-4,594,734 ..... c 54 N86-28620 *
US-PATENT-4,595,399 ..... c 35 N86-29174 *
US-PATENT-4,595,548 ..... c 27 N86-29039 *
US-PATENT-4,596,626 ..... c 76 N86-28760 *
US-PATENT-4,598,007 ..... c 24 N86-28131 *
US-PATENT-4,598,427 ..... c 54 N86-28619 *
US-PATENT-4,598,428 ..... c 54 N86-29507 * #
US-PATENT-4,598,981 ..... c 74 N86-28732 *
US-PATENT-4,599,001 ..... c 74 N86-29650 * #
US-PATENT-4,600,299 ..... c 74 N86-32266 *
US-PATENT-4,600,301 ..... c 35 N86-32697 *
US-PATENT-4,600,769 ..... c 27 N86-31726 * #
US-PATENT-4,600,840 ..... c 72 N86-33127 *
US-PATENT-4,602,081 ..... c 27 N86-32568 * #
US-PATENT-4,602,509 ..... c 35 N86-32695 * #
US-PATENT-4,603,061 ..... c 27 N86-31727 *
US-PATENT-4,603,306 ..... c 33 N86-32624 *
US-PATENT-4,604,038 ..... c 37 N86-32738 *
US-PATENT-4,604,181 ..... c 27 N86-32569 *
US-PATENT-4,604,844 ..... c 37 N86-32737 *
US-PATENT-4,604,903 ..... c 35 N86-32696 *
US-PATENT-4,605,155 ..... c 37 N86-32736 * #
US-PATENT-4,605,303 ..... c 09 N86-32447 *
US-PATENT-4,605,946 ..... c 76 N87-13313 *
US-PATENT-4,607,193 ..... c 31 N86-32587 *
US-PATENT-4,608,452 ..... c 44 N86-32875 *
US-PATENT-4,608,821 ..... c 20 N87-16875 *
US-PATENT-4,610,736 ..... c 26 N87-14482 *
US-PATENT-4,612,072 ..... c 76 N87-15882 *
US-PATENT-4,614,428 ..... c 74 N87-14971 *
US-PATENT-4,615,637 ..... c 18 N87-14373 *
US-PATENT-4,616,793 ..... c 05 N87-14314 *
US-PATENT-4,618,215 ..... c 09 N87-14355 *
US-PATENT-4,618,380 ..... c 35 N87-14671 *
US-PATENT-4,618,652 ..... c 27 N87-15304 *
US-PATENT-4,619,142 ..... c 35 N87-14670 *
US-PATENT-4,619,423 ..... c 02 N87-16793 *
US-PATENT-4,620,898 ..... c 31 N87-21160 *
US-PATENT-4,621,492 ..... c 20 N87-14420 *
US-PATENT-4,622,182 ..... c 27 N87-14515 *
US-PATENT-4,623,255 ..... c 33 N87-14594 *
US-PATENT-4,624,142 ..... c 32 N87-14559 *
US-PATENT-4,624,561 ..... c 35 N87-14669 *
US-PATENT-4,624,888 ..... c 27 N87-14516 *
US-PATENT-4,626,046 ..... c 37 N87-17034 *
US-PATENT-4,626,593 ..... c 27 N87-16908 *
US-PATENT-4,629,147 ..... c 07 N87-16828 *
US-PATENT-4,631,352 ..... c 44 N87-17399 *
US-PATENT-4,631,538 ..... c 17 N87-16863 *
US-PATENT-4,632,548 ..... c 36 N87-17026 *
US-PATENT-4,633,060 ..... c 74 N87-17493 *
US-PATENT-4,633,060 ..... c 74 N87-25843 *
US-PATENT-4,634,191 ..... c 37 N87-17038 *
US-PATENT-4,634,759 ..... c 27 N87-16909 *
US-PATENT-4,634,759 ..... c 23 N88-24692 *
US-PATENT-4,635,663 ..... c 37 N87-17035 *
US-PATENT-4,635,773 ..... c 37 N87-17037 *
US-PATENT-4,637,181 ..... c 31 N87-16918 *
US-PATENT-4,637,447 ..... c 37 N87-17036 *
US-PATENT-4,638,083 ..... c 27 N87-16907 *
US-PATENT-4,641,499 ..... c 31 N87-21159 *
US-PATENT-4,642,523 ..... c 33 N87-21234 *
US-PATENT-4,644,234 ..... c 33 N87-21233 *
US-PATENT-4,644,306 ..... c 33 N87-22895 *
US-PATENT-4,644,794 ..... c 71 N87-21652 *
US-PATENT-4,645,358 ..... c 32 N87-21206 *
US-PATENT-4,646,860 ..... c 85 N87-21755 *
US-PATENT-4,647,144 ..... c 74 N87-21679 *
US-PATENT-4,647,615 ..... c 27 N87-22845 *
US-PATENT-4,648,133 ..... c 32 N87-21207 *
US-PATENT-4,648,267 ..... c 34 N87-21255 *
US-PATENT-4,648,569 ..... c 08 N87-20999 *
US-PATENT-4,649,189 ..... c 27 N87-21112 *
US-PATENT-4,649,273 ..... c 72 N87-21661 *
US-PATENT-4,649,278 ..... c 72 N87-21660 *
US-PATENT-4,649,287 ..... c 44 N87-21410 *
US-PATENT-4,649,541 ..... c 60 N87-21591 *
US-PATENT-4,649,750 ..... c 71 N87-21653 *
US-PATENT-4,650,108 ..... c 37 N87-21334 *
US-PATENT-4,650,385 ..... c 37 N87-22976 *
US-PATENT-4,652,833 ..... c 33 N87-21235 *
US-PATENT-4,654,065 ..... c 27 N87-21111 *
US-PATENT-4,654,110 ..... c 76 N87-23286 *
US-PATENT-4,655,482 ..... c 37 N87-22977 *
US-PATENT-4,657,044 ..... c 37 N87-21332 *
US-PATENT-4,660,000 ..... c 33 N87-21232 *
US-PATENT-4,661,558 ..... c 27 N87-22848 *
US-PATENT-4,661,770 ..... c 33 N87-22894 *
US-PATENT-4,662,220 ..... c 35 N87-22953 *
US-PATENT-4,662,751 ..... c 74 N87-23259 *
US-PATENT-4,663-627 ..... c 06 N87-22678 *
US-PATENT-4,663,483 ..... c 27 N87-22847 *
US-PATENT-4,664,177 ..... c 34 N87-22950 *
US-PATENT-4,664,177 ..... c 34 N88-23958 *
US-PATENT-4,664,344 ..... c 37 N87-22985 *
US-PATENT-4,664,980 ..... c 27 N87-23736 *
US-PATENT-4,665,277 ..... c 33 N87-23879 *
US-PATENT-4,665,334 ..... c 37 N87-23970 *
US-PATENT-4,666,086 ..... c 37 N87-24689 *
US-PATENT-4,666,561 ..... c 25 N88-23846 *
US-PATENT-4,668,589 ..... c 27 N87-25469 *
US-PATENT-4,669,354 ..... c 37 N87-23983 *
US-PATENT-4,669,836 ..... c 52 N87-24874 *
US-PATENT-4,669,958 ..... c 08 N87-23631 *
US-PATENT-4,670,565 ..... c 27 N87-23751 *
US-PATENT-4,672,202 ..... c 37 N87-23982 *
US-PATENT-4,675,379 ..... c 27 N87-24564 *
US-PATENT-4,675,563 ..... c 33 N87-23904 *
US-PATENT-4,675,880 ..... c 32 N87-25511 *
US-PATENT-4,676,110 ..... c 39 N87-25601 *
US-PATENT-4,676,846 ..... c 26 N87-28647 *
US-PATENT-4,676,853 ..... c 37 N87-23981 *
US-PATENT-4,676,962 ..... c 23 N87-23698 *
US-PATENT-4,677,629 ..... c 36 N87-23960 *
US-PATENT-4,677,636 ..... c 36 N87-23961 *
US-PATENT-4,677,642 ..... c 35 N87-23944 *
US-PATENT-4,677,803 ..... c 31 N87-25492 *
US-PATENT-4,678,438 ..... c 14 N87-25344 *
US-PATENT-4,680,897 ..... c 31 N87-25491 *
US-PATENT-4,681-818 ..... c 26 N87-25455 *
US-PATENT-4,681,142 ..... c 37 N87-25573 *
US-PATENT-4,681,437 ..... c 76 N87-25862 *
US-PATENT-4,682,006 ..... c 74 N87-25843 *
US-PATENT-4,682,053 ..... c 36 N87-25567 *
US-PATENT-4,682,225 ..... c 17 N87-25348 *
US-PATENT-4,682,343 ..... c 33 N87-25531 *
US-PATENT-4,682,494 ..... c 09 N87-25334 *
US-PATENT-4,682,745 ..... c 37 N87-25582 *
US-PATENT-4,683,809 ..... c 24 N87-27742 * #
US-PATENT-4,684,156 ..... c 18 N87-27713 *
US-PATENT-4,684,258 ..... c 36 N87-28006 *
US-PATENT-4,684,424 ..... c 74 N87-28416 *
US-PATENT-4,685,535 ..... c 54 N87-29118 *
US-PATENT-4,687,048 ..... c 34 N87-28867 *
US-PATENT-4,687,444 ..... c 82 N87-29372 *
US-PATENT-4,687,964 ..... c 33 N87-28832 *
US-PATENT-4,688,422 ..... c 35 N87-28884 *
US-PATENT-4,689,188 ..... c 27 N87-28656 *
US-PATENT-4,689,421 ..... c 23 N87-28605 *
US-PATENT-4,689,522 ..... c 33 N87-28831 *
US-PATENT-4,690,353 ..... c 33 N87-28833 *
US-PATENT-4,695,610 ..... c 27 N87-28657 *
US-PATENT-4,696,808 ..... c 76 N87-29360 *
US-PATENT-4,697,425 ..... c 31 N88-14223 *
US-PATENT-4,697,922 ..... c 36 N88-14350 *
US-PATENT-4,698,028 ..... c 33 N88-14270 *
US-PATENT-4,698,484 ..... c 37 N88-14362 *
US-PATENT-4,698,518 ..... c 33 N88-24862 *
US-PATENT-4,698,723 ..... c 03 N88-14083 *
US-PATENT-4,704,168 ..... c 26 N88-14179 *
US-PATENT-4,704,197 ..... c 25 N88-24732 *
US-PATENT-4,706,387 ..... c 37 N88-14361 *
US-PATENT-4,706,910 ..... c 02 N88-14071 *
US-PATENT-4,708,280 ..... c 37 N88-14359 *
US-PATENT-4,708,305 ..... c 08 N88-23809 *
US-PATENT-4,708,330 ..... c 37 N88-14360 *
US-PATENT-4,709,252 ..... c 33 N88-14271 *
US-PATENT-4,710,618 ..... c 44 N88-14492 *
US-PATENT-4,711,697 ..... c 76 N88-14835 *
US-PATENT-4,711,857 ..... c 76 N88-14836 *
US-PATENT-4,711,932 ..... c 27 N88-18725 *
US-PATENT-4,713,275 ..... c 24 N88-18628 *
US-PATENT-4,718,281 ..... c 35 N88-23967 *
US-PATENT-4,720,139 ..... c 37 N88-23982 *
US-PATENT-4,723,096 ..... c 33 N88-23942 *
US-PATENT-4,723,800 ..... c 37 N88-23979 *
US-PATENT-4,725,106 ..... c 54 N88-24163 *
US-PATENT-4,726,890 ..... c 76 N88-24543 *
US-PATENT-4,727,751 ..... c 02 N88-23759 *
US-PATENT-4,728,257 ..... c 37 N88-23978 *
US-PATENT-4,731,211 ..... c 27 N88-23894 *
US-PATENT-4,732,353 ..... c 08 N88-23808 *
US-PATENT-4,735,381 ..... c 05 N88-23765 *
US-PATENT-4,736,247 ..... c 36 N88-24958 *
US-PATENT-4,736,490 ..... c 18 N88-23827 *
US-PATENT-4,736,676 ..... c 37 N88-23981 *
US-PATENT-4,736,815 ..... c 71 N88-24241 *
US-PATENT-4,736,927 ..... c 35 N88-24927 *
US-PATENT-4,738,137 ..... c 35 N88-23966 *
US-PATENT-4,738,583 ..... c 18 N88-23828 *
US-PATENT-4,738,831 ..... c 76 N88-24544 *
US-PATENT-4,740,264 ..... c 76 N88-24545 *
US-PATENT-4,742,232 ..... c 72 N88-24253 *
US-PATENT-4,748,263 ..... c 23 N88-24692 *
US-PATENT-4,749,839 ..... c 37 N88-23980 *
US-PATENT-4,750,031 ..... c 33 N88-23941 *
US-PATENT-4,750,144 ..... c 60 N88-24169 *
US-PATENT-4,750,543 ..... c 34 N88-23958 *
US-PATENT-4,752,372 ..... c 25 N88-23845 *
US-PATENT-4,757,278 ..... c 33 N88-26596 *
US-PATENT-4,757,315 ..... c 32 N88-26568 *
US-PATENT-4,757,767 ..... c 18 N88-26398 *
US-PATENT-4,758,380 ..... c 23 N88-26404 *
US-PATENT-4,761,744 ..... c 25 N88-29002 *
US-PATENT-4,762,173 ..... c 34 N88-29132 *
US-PATENT-4,762,619 ..... c 31 N88-29052 *
US-PATENT-4,763,459 ..... c 37 N88-29180 *
US-PATENT-4,763,762 ..... c 37 N88-29181 *
US-PATENT-4,765,114 ..... c 18 N88-28958 *
US-PATENT-4,765,139 ..... c 35 N88-29151 *
US-PATENT-4,765,187 ..... c 35 N88-29150 *
US-PATENT-4,765,396 ..... c 34 N88-29133 *
US-PATENT-4,766,286 ..... c 37 N88-30131 *
US-PATENT-4,766,369 ..... c 35 N88-29149 *
US-PATENT-4,766,533 ..... c 60 N88-29310 *
US-PATENT-4,766,724 ..... c 09 N88-28939 *
US-PATENT-4,767,083 ..... c 05 N88-28914 *
US-PATENT-4,767,484 ..... c 35 N88-30108 *
US-PATENT-4,767,728 ..... c 27 N88-29040 *
US-PATENT-4,771,250 ..... c 32 N88-29076 *
US-PATENT-403-164 ..... c 54 N86-29507 * #
US-PATENT-526-265 ..... c 27 N86-20560 *


US-PATEWNT-CLASS-92-208 ..... c 24 N87-27742 * #

US-PATNET-CLASS-165-41 ..... c 34 N86-27593 *

NASA PATENT ABSTRACTS BIBLIOGRAPHY
Section 2

JANUARY 1989

Typical Accession Number Index Listing



Listings in this index are arranged numerically by NASA accession number. The category number indicates the category in Section 1 (Abstracts) in which the citation is located. The NASA accession number denotes the number by which the citation is identified within the subject category. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

N69-21313* # c 09 ..... NASA-CASE-XAR-03786
US-PATENT-CLASS-310-4
US-PATENT-3,423,608
N69-21330* # c 03 ..... NASA-CASE-XGS-03429
US-PATENT-APPL-SN-591930
US-PATENT-CLASS-321-2
US-PATENT-3,427,525
N69-21337* # c 03 ..... NASA-CASE-XNP-04264
US-PATENT-APPL-SN-447933
US-PATENT-CLASS-136-146
US-PATENT-3,421,948
N69-21362* # c 15 ..... NASA-CASE-XLE-05130
US-PATENT-APPL-SN-545224
US-PATENT-CLASS-277-25
US-PATENT-3,421,768
N69-21363* # c 14 ..... NASA-CASE-XGS-03865
US-PATENT-APPL-SN-478491
US-PATENT-CLASS-33-174
US-PATENT-3,419,964
N69-21380* # c 05 ..... NASA-CASE-XLA-08491
US-PATENT-APPL-SN-619520
US-PATENT-CLASS-244-4
US-PATENT-3,420,471
N69-21460* # c 15 ..... NASA-CASE-XKS-04614
US-PATENT-APPL-SN-574280
US-PATENT-CLASS-117-201
US-PATENT-3,420,704
N69-21465* # c 15 ..... NASA-CASE-XLA-08645
US-PATENT-APPL-SN-635970
US-PATENT-CLASS-62-93
US-PATENT-3,420,069
N69-21466* # c 12 ..... NASA-CASE-XLE-03512
US-PATENT-APPL-SN-462762
US-PATENT-CLASS-137-81.5
US-PATENT-3,420,253
N69-21467* # c 09 ..... NASA-CASE-XMS-06949
US-PATENT-APPL-SN-635328
US-PATENT-CLASS-346-44
US-PATENT-3,422,440
N69-21468* # c 09 ..... NASA-CASE-XNP-05612
US-PATENT-APPL-SN-562934
US-PATENT-CLASS-307-106
US-PATENT-3,422,278
N69-21469* # c 03 ..... NASA-CASE-XMS-04843
US-PATENT-APPL-SN-545229
US-PATENT-CLASS-137-624.14
US-PATENT-3,421,549
N69-21470* # c 09 ..... NASA-CASE-XLA-01288
US-PATENT-APPL-SN-460876
US-PATENT-CLASS-339-150
US-PATENT-3,421,134
N69-21471* # c 15 ..... NASA-CASE-XMS-03537
US-PATENT-APPL-SN-468655
US-PATENT-CLASS-219-121
US-PATENT-3,420,978
N69-21472* # c 15 ..... NASA-CASE-XGS-02437
US-PATENT-APPL-SN-487344
US-PATENT-CLASS-317-157.5
US-PATENT-3,421,053
N69-21473* # c 05 ..... NASA-CASE-XAR-01547
US-PATENT-APPL-SN-391343
US-PATENT-CLASS-128-2.08
US-PATENT-3,420,225
N69-21539* # c 03 ..... NASA-CASE-XGS-01395
US-PATENT-APPL-SN-545535
US-PATENT-CLASS-174-72
US-PATENT-3,422,213
N69-21540* # c 11 ..... NASA-CASE-XLA-02704
US-PATENT-APPL-SN-469011
US-PATENT-CLASS-73-67.2
US-PATENT-3,421,363
N69-21541* # c 14 ..... NASA-CASE-XNP-09752
US-PATENT-APPL-SN-640460
US-PATENT-CLASS-317-246
US-PATENT-3,422,324
N69-21542* # c 09 ..... NASA-CASE-XLE-03778
US-PATENT-APPL-SN-628247
US-PATENT-CLASS-174-18
US-PATENT-3,420,945
N69-21543* # c 09 ..... NASA-CASE-XGS-04994
US-PATENT-APPL-SN-619907
US-PATENT-CLASS-331-4
US-PATENT-3,421,105
N69-21922* # c 15 ..... NASA-CASE-XHQ-03903
US-PATENT-APPL-SN-560967
US-PATENT-CLASS-23-208
US-PATENT-3,423,179
N69-21923* # c 14 ..... NASA-CASE-XNP-07478
US-PATENT-APPL-SN-605097
US-PATENT-CLASS-175-323
US-PATENT-3,421,591
N69-21924* # c 15 ..... NASA-CASE-XMS-05894-1
US-PATENT-APPL-SN-685766
US-PATENT-CLASS-137-491
US-PATENT-3,421,541
N69-21925* # c 05 ..... NASA-CASE-XMS-02872
US-PATENT-APPL-SN-422864
US-PATENT-CLASS-128-2.06
US-PATENT-3,420,223
N69-21926* # c 09 ..... NASA-CASE-XNP-06032
US-PATENT-APPL-SN-590146
US-PATENT-CLASS-324-158
US-PATENT-3,422,354
N69-21927* # c 09 ..... NASA-CASE-XMS-07846-1
US-PATENT-APPL-SN-694247
US-PATENT-CLASS-339-91
US-PATENT-3,422,390
N69-21928* # c 08 ..... NASA-CASE-XNP-09785
US-PATENT-APPL-SN-599975
US-PATENT-CLASS-340-172.5
US-PATENT-3,422,403
N69-21929* # c 25 ..... NASA-CASE-XNP-07481
US-PATENT-APPL-SN-563650
US-PATENT-CLASS-310-11
US-PATENT-3,422,291
N69-23185* # c 15 ..... NASA-CASE-XNP-05975
US-PATENT-APPL-SN-570097
US-PATENT-CLASS-239-416
US-PATENT-3,421,700
N69-23190* # c 15 ..... NASA-CASE-NPO-10309
US-PATENT-APPL-SN-574282
US-PATENT-APPL-SN-700985
US-PATENT-CLASS-62-6
US-PATENT-3,421,331
N69-23191* # c 14 ..... NASA-CASE-XLE-10529
US-PATENT-APPL-SN-603396
US-PATENT-CLASS-317-234
US-PATENT-3,421,056
N69-23192* # c 05 ..... NASA-CASE-XMS-06761
US-PATENT-APPL-SN-575475
US-PATENT-CLASS-128-283
US-PATENT-3,421,506
N69-24257* # c 14 ..... NASA-CASE-XMS-04917
US-PATENT-APPL-SN-574283
US-PATENT-CLASS-73-198
US-PATENT-3,425,276
N69-24266* # c 15 ..... NASA-CASE-XMS-03700
US-PATENT-APPL-SN-617783
US-PATENT-CLASS-314-129
US-PATENT-3,428,847
N69-24267* # c 03 ..... NASA-CASE-XGS-04531
US-PATENT-APPL-SN-590141
US-PATENT-CLASS-136-89
US-PATENT-3,437,527
N69-24317* # c 09 ..... NASA-CASE-XGS-04999
US-PATENT-APPL-SN-519395
US-PATENT-CLASS-307-268
US-PATENT-3,426,219
N69-24318* # c 09 ..... NASA-CASE-XGS-05003
US-PATENT-APPL-SN-576797
US-PATENT-CLASS-317-235
US-PATENT-3,430,115
N69-24319* # c 15 ..... NASA-CASE-XNP-09227
US-PATENT-APPL-SN-632164
US-PATENT-CLASS-313-44
US-PATENT-3,426,230
N69-24320* # c 15 ..... NASA-CASE-XGS-03864
US-PATENT-APPL-SN-577114
US-PATENT-CLASS-136-133
US-PATENT-3,427,205
N69-24321* # c 11 ..... NASA-CASE-XLA-03271
US-PATENT-APPL-SN-482313
US-PATENT-CLASS-350-310
US-PATENT-3,427,097
N69-24322* # c 15 ..... NASA-CASE-XMS-01108
US-PATENT-APPL-SN-432032
US-PATENT-CLASS-156-242
US-PATENT-3,425,885
N69-24323* # c 07 ..... NASA-CASE-XGS-02816
US-PATENT-APPL-SN-521998
US-PATENT-CLASS-333-73
US-PATENT-3,437,959
N69-24324* # c 09 ..... NASA-CASE-XGS-02171
US-PATENT-APPL-SN-590159
US-PATENT-CLASS-325-446
US-PATENT-3,437,935
N69-24329* # c 09 ..... NASA-CASE-XNP-04183
US-PATENT-APPL-SN-546142
US-PATENT-CLASS-179-100.2
US-PATENT-3,428,761
N69-24330* # c 09 ..... NASA-CASE-XMS-05307
US-PATENT-APPL-SN-516154
US-PATENT-CLASS-330-29
US-PATENT-3,428,910
N69-24331* # c 14 ..... NASA-CASE-XNP-03930
US-PATENT-APPL-SN-526665
US-PATENT-CLASS-250-237
US-PATENT-3,435,246
N69-24332* # c 23 ..... NASA-CASE-XNP-02340
US-PATENT-APPL-SN-439490
US-PATENT-CLASS-350-1
US-PATENT-3,427,089
N69-24333* # c 09 ..... NASA-CASE-XNP-09225
US-PATENT-APPL-SN-640785
US-PATENT-CLASS-340-172.5
US-PATENT-3,431,559
N69-24334* # c 07 ..... NASA-CASE-XGS-01110
US-PATENT-APPL-SN-526664
US-PATENT-CLASS-333-8
US-PATENT-3,428,919
N69-25146* # c 03 ..... NASA-CASE-XGS-04808
US-PATENT-APPL-SN-640781
US-PATENT-CLASS-321-2
US-PATENT-3,437,903
N69-25147* # c 17 ..... NASA-CASE-XLE-10466
US-PATENT-APPL-SN-644448
US-PATENT-CLASS-219-411
US-PATENT-3,427,435
N69-27422* # c 09 ..... NASA-CASE-XLA-04980
US-PATENT-APPL-SN-577548
US-PATENT-CLASS-317-234
US-PATENT-3,432,730
N69-27423* # c 14 ..... NASA-CASE-XAC-02407
US-PATENT-APPL-SN-469013
US-PATENT-CLASS-324-43
US-PATENT-3,437,919
N69-27431* # c 14 ..... NASA-CASE-XMF-01483
US-PATENT-APPL-SN-635325
US-PATENT-CLASS-339-17
US-PATENT-3,430,182

N69-27432* # c 14 ..... NASA-CASE-XGS-08266
US-PATENT-APPL-SN-628248
US-PATENT-CLASS-250-203
US-PATENT-3,433,961

N69-27459* # c 14 ..... NASA-CASE-XMS-05909-1
US-PATENT-APPL-SN-685764
US-PATENT-CLASS-136-213
US-PATENT-3,431,149

N69-27460* # c 07 ..... NASA-CASE-XGS-05582
US-PATENT-APPL-SN-646424
US-PATENT-CLASS-343-854
US-PATENT-3,438,044

N69-27461* # c 14 ..... NASA-CASE-XLA-03724
US-PATENT-APPL-SN-568071
US-PATENT-CLASS-350-6
US-PATENT-3,437,394

N69-27462* # c 07 ..... NASA-CASE-XMS-05303
US-PATENT-APPL-SN-617022
US-PATENT-CLASS-333-97
US-PATENT-3,428,923

N69-27463* # c 09 ..... NASA-CASE-XGS-03095
US-PATENT-APPL-SN-552344
US-PATENT-CLASS-307-222
US-PATENT-3,437,832

N69-27466* # c 11 ..... NASA-CASE-XNP-04969
US-PATENT-APPL-SN-593604
US-PATENT-CLASS-248-317
US-PATENT-3,430,909

N69-27483* # c 15 ..... NASA-CASE-XLA-03105
US-PATENT-APPL-SN-529594
US-PATENT-CLASS-263-48
US-PATENT-3,430,937

N69-27484* # c 14 ..... NASA-CASE-XLA-04556
US-PATENT-APPL-SN-607608
US-PATENT-CLASS-250-83
US-PATENT-3,433,953

N69-27485* # c 14 ..... NASA-CASE-XGS-02401
US-PATENT-APPL-SN-502740
US-PATENT-CLASS-250-203
US-PATENT-3,428,812

N69-27486* # c 14 ..... NASA-CASE-XAC-11225
US-PATENT-APPL-SN-638707
US-PATENT-CLASS-248-18
US-PATENT-3,430,902

N69-27487* # c 04 ..... NASA-CASE-XGS-05533
US-PATENT-APPL-SN-568346
US-PATENT-CLASS-195-68
US-PATENT-3,437,560

N69-27490* # c 15 ..... NASA-CASE-XLA-02854
US-PATENT-APPL-SN-598118
US-PATENT-CLASS-285-3
US-PATENT-3,427,047

N69-27491* # c 16 ..... NASA-CASE-XGS-04480
US-PATENT-APPL-SN-591007
US-PATENT-CLASS-250-199
US-PATENT-3,433,960

N69-27499* # c 31 ..... NASA-CASE-XMS-12158-1
US-PATENT-APPL-SN-762936
US-PATENT-CLASS-244-1
US-PATENT-3,439,886

N69-27500* # c 09 ..... NASA-CASE-XNP-09228
US-PATENT-APPL-SN-584070
US-PATENT-CLASS-307-136
US-PATENT-3,430,063

N69-27502* # c 15 ..... NASA-CASE-XMF-04132
US-PATENT-APPL-SN-640788
US-PATENT-CLASS-220-55
US-PATENT-3,429,477

N69-27503* # c 14 ..... NASA-CASE-XFR-09479
US-PATENT-APPL-SN-653278
US-PATENT-CLASS-73-49.8
US-PATENT-3,433,079

N69-27504* # c 15 ..... NASA-CASE-XNP-09452
US-PATENT-APPL-SN-640789
US-PATENT-CLASS-267-1
US-PATENT-3,430,942

N69-27505* # c 15 ..... NASA-CASE-XLA-09122
US-PATENT-APPL-SN-619903
US-PATENT-CLASS-64-28
US-PATENT-3,430,460

N69-27871* # c 15 ..... NASA-CASE-XMS-04318
US-PATENT-APPL-SN-521996
US-PATENT-CLASS-219-347
US-PATENT-3,431,397

N69-31244* # c 06 ..... NASA-CASE-NPO-10714
US-PATENT-APPL-SN-817569

N69-31343* # c 16 ..... NASA-CASE-ERC-10187
US-PATENT-APPL-SN-825253

N69-33482* # c 26 ..... NASA-CASE-ERC-10120
US-PATENT-APPL-SN-827597

N69-39733* # c 06 ..... NASA-CASE-XMF-03873
US-PATENT-APPL-SN-543774
US-PATENT-CLASS-73-24
US-PATENT-3,429,177

N69-39734* # c 09 ..... NASA-CASE-XMF-04238
US-PATENT-APPL-SN-562443
US-PATENT-CLASS-339-95
US-PATENT-3,458,851

N69-39735* # c 15 ..... NASA-CASE-XGS-00963
US-PATENT-APPL-SN-494282
US-PATENT-CLASS-161-182
US-PATENT-3,453,172

N69-39736* # c 07 ..... NASA-CASE-XNP-04180
US-PATENT-APPL-SN-545228
US-PATENT-CLASS-250-203
US-PATENT-3,448,273

N69-39785* # c 14 ..... NASA-CASE-XKS-03495
US-PATENT-APPL-SN-559351
US-PATENT-CLASS-324-61
US-PATENT-3,426,272

N69-39786* # c 15 ..... NASA-CASE-XGS-04554
US-PATENT-APPL-SN-584072
US-PATENT-CLASS-29-472.9
US-PATENT-3,447,233

N69-39884* # c 25 ..... NASA-CASE-XLE-00690
US-PATENT-APPL-SN-489442
US-PATENT-CLASS-324-33
US-PATENT-3,447,071

N69-39885* # c 09 ..... NASA-CASE-XMS-04061-1
US-PATENT-APPL-SN-511564
US-PATENT-CLASS-328-116
US-PATENT-3,456,201

N69-39888* # c 10 ..... NASA-CASE-XNP-02713
US-PATENT-APPL-SN-528031
US-PATENT-CLASS-307-252
US-PATENT-3,458,726

N69-39889* # c 06 ..... NASA-CASE-XLE-07087
US-PATENT-APPL-SN-619521
US-PATENT-CLASS-313-231
US-PATENT-3,447,015

N69-39890* # c 03 ..... NASA-CASE-XLE-02824
US-PATENT-APPL-SN-487343
US-PATENT-CLASS-310-10
US-PATENT-3,443,128

N69-39895* # c 18 ..... NASA-CASE-XNP-06508
US-PATENT-APPL-SN-617776
US-PATENT-CLASS-117-21
US-PATENT-3,446,642

N69-39896* # c 14 ..... NASA-CASE-XAC-02970
US-PATENT-APPL-SN-447930
US-PATENT-CLASS-250-217
US-PATENT-3,452,872

N69-39897* # c 09 ..... NASA-CASE-XAC-08981
US-PATENT-APPL-SN-634060
US-PATENT-CLASS-317-16
US-PATENT-3,450,946

N69-39898* # c 03 ..... NASA-CASE-XLE-01015
US-PATENT-APPL-SN-502746
US-PATENT-CLASS-310-4
US-PATENT-3,446,997

N69-39929* # c 09 ..... NASA-CASE-XNP-09776
US-PATENT-APPL-SN-617779
US-PATENT-CLASS-310-4
US-PATENT-3,446,998

N69-39935* # c 15 ..... NASA-CASE-XNP-08882
US-PATENT-APPL-SN-640784
US-PATENT-CLASS-220-14
US-PATENT-3,446,387

N69-39936* # c 06 ..... NASA-CASE-XNP-04816
US-PATENT-APPL-SN-578926
US-PATENT-CLASS-73-23.1
US-PATENT-3,443,416

N69-39937* # c 14 ..... NASA-CASE-XNP-09750
US-PATENT-APPL-SN-632162
US-PATENT-CLASS-250-83
US-PATENT-3,456,112

N69-39974* # c 07 ..... NASA-CASE-XGS-05918
US-PATENT-APPL-SN-685497
US-PATENT-CLASS-343-7.5
US-PATENT-3,430,237

N69-39975* # c 14 ..... NASA-CASE-XLA-01781
US-PATENT-APPL-SN-441936
US-PATENT-CLASS-73-86
US-PATENT-3,425,268

N69-39978* # c 07 ..... NASA-CASE-XGS-02749
US-PATENT-APPL-SN-502753
US-PATENT-CLASS-179-15
US-PATENT-3,450,842

N69-39979* # c 18 ..... NASA-CASE-XGS-04119
US-PATENT-APPL-SN-452945
US-PATENT-CLASS-106-74
US-PATENT-3,454,410

N69-39980* # c 07 ..... NASA-CASE-XGS-05211
US-PATENT-APPL-SN-590145
US-PATENT-CLASS-250-209
US-PATENT-3,444,380

N69-39981* # c 01 ..... NASA-CASE-XLA-06095
US-PATENT-APPL-SN-683612
US-PATENT-CLASS-244-138
US-PATENT-3,443,779

N69-39982* # c 14 ..... NASA-CASE-XGS-01725
US-PATENT-APPL-SN-483891
US-PATENT-CLASS-250-49.5
US-PATENT-3,446,960

N69-39983* # c 03 ..... NASA-CASE-XLE-02083
US-PATENT-APPL-SN-568362
US-PATENT-CLASS-310-11
US-PATENT-3,453,462

N69-39984* # c 09 ..... NASA-CASE-XLA-08507
US-PATENT-APPL-SN-632154
US-PATENT-CLASS-321-11
US-PATENT-3,434,033

N69-39986* # c 09 ..... NASA-CASE-XMS-05562-1
US-PATENT-APPL-SN-529609
US-PATENT-CLASS-330-2
US-PATENT-3,434,064

N69-39987* # c 09 ..... NASA-CASE-XMS-04215-1
US-PATENT-APPL-SN-605102
US-PATENT-CLASS-307-265
US-PATENT-3,446,992

N69-39988* # c 12 ..... NASA-CASE-XLE-02624
US-PATENT-APPL-SN-635327
US-PATENT-CLASS-35-49
US-PATENT-3,429,058

N70-10867* # c 15 ..... NASA-CASE-ERC-10208
US-PATENT-APPL-SN-847596

N70-11148* # c 09 ..... NASA-CASE-ERC-10072
US-PATENT-APPL-SN-845972

N70-11251* # c 06 ..... NASA-CASE-NPO-10863
US-PATENT-APPL-SN-848325

N70-11252* # c 06 ..... NASA-CASE-NPO-10447
US-PATENT-APPL-SN-848351

N70-12616* # c 07 ..... NASA-CASE-MSC-12259-1
US-PATENT-APPL-SN-853763

N70-20737* # c 09 ..... NASA-CASE-MFS-14741
US-PATENT-APPL-SN-880247

N70-22192* # c 15 ..... NASA-CASE-XMS-04890-1
US-PATENT-APPL-SN-797057
US-PATENT-CLASS-60-258
US-PATENT-3,490,238

N70-26819* # c 15 ..... NASA-CASE-LAR-10590-1
US-PATENT-APPL-SN-21732

N70-33179* c 14 ..... NASA-CASE-XMF-00447
US-PATENT-APPL-SN-134479
US-PATENT-CLASS-340-198
US-PATENT-3,041,587

N70-33180* c 15 ..... NASA-CASE-XLA-00137
US-PATENT-APPL-SN-8203
US-PATENT-CLASS-93-1
US-PATENT-3,010,372

N70-33181* c 21 ..... NASA-CASE-XLA-00120
US-PATENT-APPL-SN-853984
US-PATENT-CLASS-250-83.3
US-PATENT-3,038,077

N70-33182* c 09 ..... NASA-CASE-XAC-00086
US-PATENT-APPL-SN-824755
US-PATENT-CLASS-340-147
US-PATENT-3,059,220

N70-33226* c 15 ..... NASA-CASE-XLE-00020
US-PATENT-APPL-SN-387332
US-PATENT-CLASS-253-39.15
US-PATENT-3,011,760

N70-33241* c 28 ..... NASA-CASE-XLE-00103
US-PATENT-APPL-SN-517100
US-PATENT-CLASS-60-39.74
US-PATENT-2,940,259

N70-33242* c 31 ..... NASA-CASE-XLA-00165
US-PATENT-APPL-SN-47120
US-PATENT-CLASS-244-117
US-PATENT-3,028,128

N70-33254* c 14 ..... NASA-CASE-XLA-00062
US-PATENT-APPL-SN-853983
US-PATENT-CLASS-88-16
US-PATENT-3,041,924

N70-33255* c 02 ..... NASA-CASE-XLA-00230
US-PATENT-APPL-SN-41455
US-PATENT-CLASS-244-43
US-PATENT-3,053,484

N70-33264* c 15 ..... NASA-CASE-XLE-00092
US-PATENT-APPL-SN-835146
US-PATENT-CLASS-253-39.15
US-PATENT-3,057,597

N70-33265* c 28 ..... NASA-CASE-XLE-00817
US-PATENT-APPL-SN-264735
US-PATENT-CLASS-60-35.3
US-PATENT-3,173,246

N70-33266* c 02 ..... NASA-CASE-XLA-00221
US-PATENT-APPL-SN-51473
US-PATENT-CLASS-244-46
US-PATENT-3,064,928

N70-33267* c 25 ..... NASA-CASE-XLA-00675
US-PATENT-APPL-SN-178213
US-PATENT-CLASS-315-111
US-PATENT-3,171,060

N70-33278* c 11 ..... NASA-CASE-XLE-00168
US-PATENT-APPL-SN-842170
US-PATENT-CLASS-73-116
US-PATENT-3,063,291

N70-33279* c 21 ..... NASA-CASE-XFR-00181
US-PATENT-APPL-SN-28175
US-PATENT-CLASS-244-83
US-PATENT-3,028,126

N70-33283* c 17 ..... NASA-CASE-XLE-00151
US-PATENT-APPL-SN-848481
US-PATENT-CLASS-75-171
US-PATENT-2,971,837

N70-33284* c 28 ..... NASA-CASE-XLE-00078
US-PATENT-APPL-SN-18776
US-PATENT-CLASS-60-35.6
US-PATENT-3,049,876

N70-33285* c 05 ..... NASA-CASE-XLA-00118
US-PATENT-APPL-SN-840983
US-PATENT-CLASS-5-345
US-PATENT-3,038,175

N70-33286* c 02 ..... NASA-CASE-XLA-00142
US-PATENT-APPL-SN-26375
US-PATENT-CLASS-244-46
US-PATENT-3,028,122

N70-33287* c 11 ..... NASA-CASE-XLA-00112
US-PATENT-APPL-SN-843022
US-PATENT-CLASS-73-147
US-PATENT-3,005,339

N70-33288* c 17 ..... NASA-CASE-XLE-02428
US-PATENT-APPL-SN-339821
US-PATENT-CLASS-29-198
US-PATENT-3,170,773

N70-33305* c 12 ..... NASA-CASE-XLA-00229
US-PATENT-APPL-SN-18780
US-PATENT-CLASS-114-66.5
US-PATENT-3,016,863

N70-33311* c 15 ..... NASA-CASE-XLE-00046
US-PATENT-APPL-SN-686796
US-PATENT-CLASS-29-488
US-PATENT-3,008,229

N70-33312* c 09 ..... NASA-CASE-XLA-00141
US-PATENT-APPL-SN-19971
US-PATENT-CLASS-219-34
US-PATENT-3,005,081

N70-33322* c 14 ..... NASA-CASE-XLA-00135
US-PATENT-APPL-SN-861152
US-PATENT-CLASS-244-14
US-PATENT-3,004,735

N70-33323* c 15 ..... NASA-CASE-XMF-00341
US-PATENT-APPL-SN-77256
US-PATENT-CLASS-62-45
US-PATENT-3,012,407

N70-33329* c 11 ..... NASA-CASE-XLA-00119
US-PATENT-APPL-SN-842171
US-PATENT-CLASS-240-1.2
US-PATENT-2,984,735

N70-33330* c 15 ..... NASA-CASE-XLE-00023
US-PATENT-APPL-SN-512352
US-PATENT-CLASS-78-1
US-PATENT-2,991,671

N70-33331* c 28 ..... NASA-CASE-XLA-00105
US-PATENT-APPL-SN-719173
US-PATENT-CLASS-60-35.6
US-PATENT-3,001,363

N70-33332* c 02 ..... NASA-CASE-XLA-00087
US-PATENT-APPL-SN-811509
US-PATENT-CLASS-244-12
US-PATENT-2,991,961

N70-33343* c 03 ..... NASA-CASE-XLA-00115
US-PATENT-APPL-SN-847027
US-PATENT-CLASS-244-1
US-PATENT-3,001,739

N70-33344* c 33 ..... NASA-CASE-XMS-00486
US-PATENT-APPL-SN-300113
US-PATENT-CLASS-244-1
US-PATENT-3,130,940

N70-33356* c 28 ..... NASA-CASE-XLE-00267
US-PATENT-APPL-SN-58147
US-PATENT-CLASS-60-35.5
US-PATENT-3,016,693

N70-33372* c 28 ..... NASA-CASE-XLE-00037
US-PATENT-APPL-SN-639589
US-PATENT-CLASS-253-39.15
US-PATENT-2,974,925

N70-33374* c 28 ..... NASA-CASE-XLA-00154
US-PATENT-APPL-SN-31242
US-PATENT-CLASS-60-35.6
US-PATENT-3,012,400

N70-33375* c 28 ..... NASA-CASE-XLE-00207
US-PATENT-APPL-SN-180370
US-PATENT-CLASS-60-35.6
US-PATENT-3,173,251

N70-33376* c 15 ..... NASA-CASE-XLE-00101
US-PATENT-APPL-SN-551961
US-PATENT-CLASS-251-173
US-PATENT-2,945,667

N70-33382* c 15 ..... NASA-CASE-XLE-00010
US-PATENT-APPL-SN-554899
US-PATENT-CLASS-266-19
US-PATENT-2,934,331

N70-33386* c 14 ..... NASA-CASE-XLA-00113
US-PATENT-APPL-SN-2792
US-PATENT-CLASS-73-147
US-PATENT-3,001,395

N70-34134* c 03 ..... NASA-CASE-XLE-00212
US-PATENT-APPL-SN-151598
US-PATENT-CLASS-310-4
US-PATENT-3,202,844

N70-34135* c 31 ..... NASA-CASE-XLA-00686
US-PATENT-APPL-SN-195347
US-PATENT-CLASS-343-833
US-PATENT-3,202,998

N70-34156* c 14 ..... NASA-CASE-XLE-00266
US-PATENT-APPL-SN-202024
US-PATENT-CLASS-73-15
US-PATENT-3,204,447

N70-34157* c 03 ..... NASA-CASE-XMF-00517
US-PATENT-APPL-SN-216711
US-PATENT-CLASS-244-1
US-PATENT-3,204,889

N70-34158* c 14 ..... NASA-CASE-XGS-00359
US-PATENT-APPL-SN-94952
US-PATENT-CLASS-250-203
US-PATENT-3,205,361

N70-34159* c 31 ..... NASA-CASE-XMF-03856
US-PATENT-APPL-SN-416941
US-PATENT-CLASS-248-188.9
US-PATENT-3,208,707

N70-34160* c 02 ..... NASA-CASE-XLA-01804
US-PATENT-APPL-SN-353637
US-PATENT-CLASS-244-50
US-PATENT-3,208,694

N70-34161* c 14 ..... NASA-CASE-XLA-00203
US-PATENT-APPL-SN-227682
US-PATENT-CLASS-73-105
US-PATENT-3,208,272

N70-34162* c 28 ..... NASA-CASE-XMF-01544
US-PATENT-APPL-SN-204628
US-PATENT-CLASS-60-35.55
US-PATENT-3,208,215

N70-34175* c 28 ..... NASA-CASE-XLE-01783
US-PATENT-APPL-SN-313132
US-PATENT-CLASS-60-35.5
US-PATENT-3,210,927

N70-34176* c 31 ..... NASA-CASE-XMF-00389
US-PATENT-APPL-SN-151114
US-PATENT-CLASS-244-1
US-PATENT-3,202,381

N70-34178* c 02 ..... NASA-CASE-XLA-00166
US-PATENT-APPL-SN-84961
US-PATENT-CLASS-244-46
US-PATENT-3,087,692

N70-34247* c 15 ..... NASA-CASE-XLE-00288
US-PATENT-APPL-SN-118200
US-PATENT-CLASS-62-50
US-PATENT-3,068,658

N70-34249* c 15 ..... NASA-CASE-XMF-00375
US-PATENT-APPL-SN-166969
US-PATENT-CLASS-72-56
US-PATENT-3,188,844

N70-34294* c 28 ..... NASA-CASE-XLE-00208
US-PATENT-APPL-SN-106135
US-PATENT-CLASS-60-35.54
US-PATENT-3,132,476

N70-34295* c 21 ..... NASA-CASE-XLA-01989
US-PATENT-APPL-SN-305020
US-PATENT-CLASS-244-1
US-PATENT-3,189,299

N70-34296* c 31 ..... NASA-CASE-XLA-00678
US-PATENT-APPL-SN-197551
US-PATENT-CLASS-244-1
US-PATENT-3,169,725

N70-34297* c 21 ..... NASA-CASE-XGS-00466
US-PATENT-APPL-SN-123597
US-PATENT-CLASS-250-83.3
US-PATENT-3,188,472

N70-34298* c 14 ..... NASA-CASE-XMF-00462
US-PATENT-APPL-SN-148001
US-PATENT-CLASS-88-14
US-PATENT-3,185,023

N70-34502* c 09 ..... NASA-CASE-XMF-00421
US-PATENT-APPL-SN-197548
US-PATENT-CLASS-317-140
US-PATENT-3,189,794

N70-34539* c 21 ..... NASA-CASE-XMF-00185
US-PATENT-APPL-SN-97112
US-PATENT-CLASS-244-76
US-PATENT-3,070,330

N70-34540* c 33 ..... NASA-CASE-XLA-00330
US-PATENT-APPL-SN-264729
US-PATENT-CLASS-219-121
US-PATENT-3,201,560

N70-34545* c 33 ..... NASA-CASE-XLE-00490
US-PATENT-APPL-SN-252259
US-PATENT-CLASS-219-347
US-PATENT-3,189,726

N70-34559* # c 09 ..... NASA-CASE-LAR-10218-1
US-PATENT-APPL-SN-47441

N70-34596* c 09 ..... NASA-CASE-XMF-00324
US-PATENT-APPL-SN-109789
US-PATENT-CLASS-339-176
US-PATENT-3,189,864

N70-34646* # c 03 ..... NASA-CASE-NPO-11138
US-PATENT-APPL-SN-9251

N70-34661* c 25 ..... NASA-CASE-XLA-00147
US-PATENT-APPL-SN-178215
US-PATENT-CLASS-313-156
US-PATENT-3,201,635

N70-34664* c 15 ..... NASA-CASE-XMF-00515
US-PATENT-APPL-SN-278790
US-PATENT-CLASS-308-9
US-PATENT-3,199,931

N70-34667* c 03 ..... NASA-CASE-XLA-00326
US-PATENT-APPL-SN-318443
US-PATENT-CLASS-89-1
US-PATENT-3,200,706

N70-34675* # c 08 ..... NASA-CASE-XNP-04162-1
US-PATENT-APPL-SN-872664

N70-34697* # c 14 ..... NASA-CASE-NPO-11106
US-PATENT-APPL-SN-15020

N70-34699* # c 15 ..... NASA-CASE-NPO-10682
US-PATENT-APPL-SN-15023

N70-34705* c 14 ..... NASA-CASE-XMF-00456
US-PATENT-APPL-SN-298800
US-PATENT-CLASS-73-88.5
US-PATENT-3,212,325

N70-34743* c 08 ..... NASA-CASE-XGS-00174
US-PATENT-APPL-SN-120803
US-PATENT-CLASS-307-88
US-PATENT-3,198,955

N70-34778* c 08 ..... NASA-CASE-XLA-00471
US-PATENT-APPL-SN-197553
US-PATENT-CLASS-235-154
US-PATENT-3,194,951

N70-34783* c 27 ..... NASA-CASE-XLA-00304
US-PATENT-APPL-SN-54552
US-PATENT-CLASS-18-39
US-PATENT-3,193,883

N70-34786* c 11 ..... NASA-CASE-XLA-00493
US-PATENT-APPL-SN-202029
US-PATENT-CLASS-73-432
US-PATENT-3,196,690

N70-34787* c 08 ..... NASA-CASE-XGS-00689
US-PATENT-APPL-SN-250451
US-PATENT-CLASS-235-176
US-PATENT-3,196,261

N70-34788* c 28 ..... NASA-CASE-XLE-00388
US-PATENT-APPL-SN-234568
US-PATENT-CLASS-55-306
US-PATENT-3,196,598

N70-34794* c 14 ..... NASA-CASE-XMF-00479
US-PATENT-APPL-SN-169977
US-PATENT-CLASS-73-71.2
US-PATENT-3,194,060

N70-34799* c 14 ..... NASA-CASE-XLA-00492
US-PATENT-APPL-SN-284265
US-PATENT-CLASS-73-88.5
US-PATENT-3,199,340

N70-34812* c 33 ..... NASA-CASE-XLE-00387
US-PATENT-APPL-SN-203411
US-PATENT-CLASS-219-19
US-PATENT-3,108,171

N70-34813* c 14 ..... NASA-CASE-XAC-00073
US-PATENT-APPL-SN-47122
US-PATENT-CLASS-73-147
US-PATENT-3,100,990

N70-34814* c 15 ..... NASA-CASE-XMF-00392
US-PATENT-APPL-SN-151112
US-PATENT-CLASS-219-137
US-PATENT-3,102,948

N70-34815* c 11 ..... NASA-CASE-XAC-00399
US-PATENT-APPL-SN-134481
US-PATENT-CLASS-35-12
US-PATENT-3,196,557

N70-34816* c 14 ..... NASA-CASE-XAC-00042
US-PATENT-APPL-SN-734805
US-PATENT-CLASS-73-398
US-PATENT-3,022,672

N70-34817* c 15 ..... NASA-CASE-XAC-00074
US-PATENT-APPL-SN-47123
US-PATENT-CLASS-137-340
US-PATENT-3,158,172

N70-34818* c 14 ..... NASA-CASE-XLE-00503
US-PATENT-APPL-SN-261912
US-PATENT-CLASS-73-136
US-PATENT-3,196,675

N70-34819* c 09 ..... NASA-CASE-XGS-00381
US-PATENT-APPL-SN-104188
US-PATENT-CLASS-307-88.5
US-PATENT-3,085,165

N70-34820* c 14 ..... NASA-CASE-XAC-00030
US-PATENT-APPL-SN-760819

US-PATENT-CLASS-73-401
US-PATENT-3,024,659
N70-34844* c 11 ..... NASA-CASE-XLE-00252
US-PATENT-APPL-SN-144803
US-PATENT-CLASS-73-116
US-PATENT-3,199,343
N70-34850* c 15 ..... NASA-CASE-XLA-00754
US-PATENT-APPL-SN-209479
US-PATENT-CLASS-244-100
US-PATENT-3,143,321
N70-34856* c 02 ..... NASA-CASE-XAC-00139
US-PATENT-APPL-SN-168560
US-PATENT-CLASS-244-51
US-PATENT-3,144,999
N70-34857* c 05 ..... NASA-CASE-XMS-00863
US-PATENT-APPL-SN-221634
US-PATENT-CLASS-9-11
US-PATENT-3,155,992
N70-34858* c 02 ..... NASA-CASE-XLA-00806
US-PATENT-APPL-SN-181828
US-PATENT-APPL-SN-26375
US-PATENT-CLASS-244-46
US-PATENT-3,170,657
N70-34859* c 15 ..... NASA-CASE-XLE-00715
US-PATENT-APPL-SN-212174
US-PATENT-CLASS-251-333
US-PATENT-3,191,907
N70-34860* c 28 ..... NASA-CASE-XLE-00144
US-PATENT-APPL-SN-177684
US-PATENT-CLASS-60-35.6
US-PATENT-3,120,101
N70-34861* c 15 ..... NASA-CASE-XLE-00810
US-PATENT-APPL-SN-249540
US-PATENT-CLASS-188-1
US-PATENT-3,164,222
N70-34946* c 06 ..... NASA-CASE-XNP-00733
US-PATENT-APPL-SN-256484
US-PATENT-CLASS-62-15
US-PATENT-3,192,730
N70-34966* c 31 ..... NASA-CASE-XFR-00929
US-PATENT-APPL-SN-290868
US-PATENT-CLASS-35-12
US-PATENT-3,191,316
N70-34967* c 15 ..... NASA-CASE-XNP-00595
US-PATENT-APPL-SN-188594
US-PATENT-CLASS-204-298
US-PATENT-3,189,535
N70-35087* c 15 ..... NASA-CASE-XGS-00587
US-PATENT-APPL-SN-313135
US-PATENT-CLASS-137-340
US-PATENT-3,211,169
N70-35089* c 21 ..... NASA-CASE-XNP-00438
US-PATENT-APPL-SN-180381
US-PATENT-CLASS-250-203
US-PATENT-3,205,362
N70-35152* c 05 ..... NASA-CASE-XMS-01240
US-PATENT-APPL-SN-331324
US-PATENT-CLASS-297-216
US-PATENT-3,165,356
N70-35219* c 09 ..... NASA-CASE-XNP-00611
US-PATENT-APPL-SN-140443
US-PATENT-CLASS-343-781
US-PATENT-3,209,360
N70-35220* c 14 ..... NASA-CASE-XNP-00449
US-PATENT-APPL-SN-118169
US-PATENT-CLASS-330-49
US-PATENT-3,160,825
N70-35368* c 14 ..... NASA-CASE-XLE-00335
US-PATENT-APPL-SN-197554
US-PATENT-CLASS-73-15.6
US-PATENT-3,176,499
N70-35381* c 28 ..... NASA-CASE-XHQ-01897
US-PATENT-APPL-SN-129579
US-PATENT-CLASS-60-35.6
US-PATENT-3,121,309
N70-35382* c 09 ..... NASA-CASE-XNP-00540
US-PATENT-APPL-SN-140509
US-PATENT-CLASS-343-781
US-PATENT-3,212,096
N70-35383* c 11 ..... NASA-CASE-XMF-00580
US-PATENT-APPL-SN-343425
US-PATENT-CLASS-248-119
US-PATENT-3,194,525
N70-35394* c 14 ..... NASA-CASE-XNP-00708
US-PATENT-APPL-SN-281069
US-PATENT-CLASS-35-45
US-PATENT-3,196,558
N70-35395* c 21 ..... NASA-CASE-XNP-00465
US-PATENT-APPL-SN-180379
US-PATENT-CLASS-244-1
US-PATENT-3,206,141
N70-35407* c 15 ..... NASA-CASE-XLE-00815
US-PATENT-APPL-SN-300712
US-PATENT-CLASS-251-11
US-PATENT-3,211,414
N70-35408* c 03 ..... NASA-CASE-XGS-01593
US-PATENT-APPL-SN-178721
US-PATENT-CLASS-310-5
US-PATENT-3,205,381
N70-35409* c 15 ..... NASA-CASE-XHQ-01208
US-PATENT-APPL-SN-42022
US-PATENT-CLASS-121-38
US-PATENT-3,088,441
N70-35422*# c 28 ..... NASA-CASE-LEW-10814-1
US-PATENT-APPL-SN-38262
N70-35423* c 08 ..... NASA-CASE-XNP-00432
US-PATENT-APPL-SN-127234
US-PATENT-CLASS-340-347
US-PATENT-3,172,097
N70-35425* c 09 ..... NASA-CASE-XNP-00683
US-PATENT-APPL-SN-251451
US-PATENT-CLASS-343-781
US-PATENT-3,209,361
N70-35427* c 21 ..... NASA-CASE-XGS-00809
US-PATENT-APPL-SN-85585
US-PATENT-CLASS-88-1
US-PATENT-3,083,611
N70-35440* c 09 ..... NASA-CASE-XAC-00435
US-PATENT-APPL-SN-164428
US-PATENT-CLASS-330-14
US-PATENT-3,196,362
N70-35534* c 27 ..... NASA-CASE-XGS-03556
US-PATENT-APPL-SN-94259
US-PATENT-CLASS-60-35.6
US-PATENT-3,191,379
N70-35587*# c 14 ..... NASA-CASE-FRC-10053
US-PATENT-APPL-SN-33398
N70-35666* c 14 ..... NASA-CASE-XNP-00646
US-PATENT-APPL-SN-173981
US-PATENT-CLASS-324-33
US-PATENT-3,171,081
N70-35679*# c 15 ..... NASA-CASE-MSC-12279-1
US-PATENT-APPL-SN-24154
N70-36400* c 18 ..... NASA-CASE-XMS-00259
US-PATENT-APPL-SN-145007
US-PATENT-CLASS-117-69
US-PATENT-3,157,529
N70-36409* c 15 ..... NASA-CASE-XLA-00482
US-PATENT-APPL-SN-166970
US-PATENT-CLASS-29-423
US-PATENT-3,160,950
N70-36410* c 31 ..... NASA-CASE-XMF-00641
US-PATENT-APPL-SN-221945
US-PATENT-CLASS-244-1
US-PATENT-3,158,336
N70-36411* c 15 ..... NASA-CASE-XLE-00164
US-PATENT-APPL-SN-107870
US-PATENT-CLASS-60-39.66
US-PATENT-3,162,012
N70-36412* c 15 ..... NASA-CASE-XLE-00170
US-PATENT-APPL-SN-232914
US-PATENT-CLASS-253-66
US-PATENT-3,164,369
N70-36492* c 15 ..... NASA-CASE-XLE-00397
US-PATENT-APPL-SN-195346
US-PATENT-CLASS-137-614
US-PATENT-3,170,486
N70-36493* c 05 ..... NASA-CASE-XMS-00864
US-PATENT-APPL-SN-258932
US-PATENT-CLASS-9-316
US-PATENT-3,152,344
N70-36494* c 09 ..... NASA-CASE-XMF-00369
US-PATENT-APPL-SN-134782
US-PATENT-CLASS-339-176
US-PATENT-3,149,897
N70-36535* c 15 ..... NASA-CASE-XLE-00303
US-PATENT-APPL-SN-182692
US-PATENT-CLASS-60-35.6
US-PATENT-3,170,286
N70-36536* c 32 ..... NASA-CASE-XLA-00204
US-PATENT-APPL-SN-189648
US-PATENT-CLASS-135-1
US-PATENT-3,170,471
N70-36616* c 17 ..... NASA-CASE-XLE-00283
US-PATENT-APPL-SN-107866
US-PATENT-CLASS-75-171
US-PATENT-3,167,426
N70-36617* c 33 ..... NASA-CASE-XLA-01291
US-PATENT-APPL-SN-277961
US-PATENT-CLASS-244-1
US-PATENT-3,176,933
N70-36618* c 14 ..... NASA-CASE-XLE-00143
US-PATENT-APPL-SN-104187
US-PATENT-CLASS-324-61
US-PATENT-3,176,222
N70-36654* c 31 ..... NASA-CASE-XMF-02853
US-PATENT-APPL-SN-360182
US-PATENT-CLASS-244-100
US-PATENT-3,175,789
N70-36778* c 03 ..... NASA-CASE-XLA-00838
US-PATENT-APPL-SN-192016
US-PATENT-CLASS-9-8
US-PATENT-3,150,387
N70-36802* c 28 ..... NASA-CASE-XMF-00923
US-PATENT-APPL-SN-264736
US-PATENT-CLASS-60-35.5
US-PATENT-3,159,967
N70-36803* c 03 ..... NASA-CASE-XNP-00644
US-PATENT-APPL-SN-212496
US-PATENT-CLASS-310-11
US-PATENT-3,158,764
N70-36804* c 02 ..... NASA-CASE-XLA-00898
US-PATENT-APPL-SN-227683
US-PATENT-CLASS-244-152
US-PATENT-3,170,660
N70-36805* c 26 ..... NASA-CASE-XLA-00158
US-PATENT-APPL-SN-221637
US-PATENT-CLASS-23-208
US-PATENT-3,174,827
N70-36806* c 28 ..... NASA-CASE-XLE-00145
US-PATENT-APPL-SN-173081
US-PATENT-CLASS-60-35.6
US-PATENT-3,174,279
N70-36807* c 14 ..... NASA-CASE-XLA-00100
US-PATENT-APPL-SN-534901
US-PATENT-CLASS-73-178
US-PATENT-3,168,827
N70-36824* c 14 ..... NASA-CASE-XLA-00481
US-PATENT-APPL-SN-120797
US-PATENT-CLASS-73-212
US-PATENT-3,170,324
N70-36825* c 02 ..... NASA-CASE-XLA-01583
US-PATENT-APPL-SN-327565
US-PATENT-CLASS-244-103
US-PATENT-3,169,001
N70-36845* c 31 ..... NASA-CASE-XMF-02108
US-PATENT-APPL-SN-372727
US-PATENT-CLASS-244-100
US-PATENT-3,181,821
N70-36846* c 33 ..... NASA-CASE-XLA-00189
US-PATENT-APPL-SN-223003
US-PATENT-CLASS-102-49
US-PATENT-3,180,264
N70-36847* c 33 ..... NASA-CASE-XNP-00463
US-PATENT-APPL-SN-259487
US-PATENT-CLASS-165-96
US-PATENT-3,177,933
N70-36901* c 15 ..... NASA-CASE-XFR-00811
US-PATENT-APPL-SN-257346
US-PATENT-CLASS-29-234
US-PATENT-3,166,834
N70-36907* c 14 ..... NASA-CASE-XNP-00614
US-PATENT-APPL-SN-247419
US-PATENT-CLASS-33-1
US-PATENT-3,163,935
N70-36908* c 15 ..... NASA-CASE-XNP-00214
US-PATENT-APPL-SN-180377
US-PATENT-CLASS-137-625.69
US-PATENT-3,140,728
N70-36910* c 28 ..... NASA-CASE-XNP-00610
US-PATENT-APPL-SN-211464
US-PATENT-CLASS-60-35.6
US-PATENT-3,170,290
N70-36911* c 07 ..... NASA-CASE-XNP-00748
US-PATENT-APPL-SN-184649
US-PATENT-CLASS-343-17.2
US-PATENT-3,183,506
N70-36913* c 11 ..... NASA-CASE-XMF-00411
US-PATENT-APPL-SN-158914
US-PATENT-CLASS-73-147
US-PATENT-3,182,496
N70-36938* c 21 ..... NASA-CASE-XNP-00294
US-PATENT-APPL-SN-182696
US-PATENT-CLASS-60-35.5
US-PATENT-3,178,883
N70-36943* c 21 ..... NASA-CASE-XLA-00281
US-PATENT-APPL-SN-84962
US-PATENT-CLASS-244-1
US-PATENT-3,180,587
N70-36946* c 25 ..... NASA-CASE-XLA-01354
US-PATENT-APPL-SN-253774
US-PATENT-CLASS-60-35.5
US-PATENT-3,174,278
N70-36947* c 15 ..... NASA-CASE-XNP-00416
US-PATENT-APPL-SN-180395
US-PATENT-CLASS-189-36
US-PATENT-3,169,613
N70-37245* c 28 ..... NASA-CASE-XLE-00376
US-PATENT-APPL-SN-139007
US-PATENT-CLASS-60-35.5
US-PATENT-3,156,090
N70-37924* c 31 ..... NASA-CASE-XGS-00260
US-PATENT-APPL-SN-187446
US-PATENT-CLASS-244-1
US-PATENT-3,090,580
N70-37925* c 15 ..... NASA-CASE-XLA-00128
US-PATENT-APPL-SN-32496
US-PATENT-CLASS-73-384

US-PATENT-3,093,000
N70-37938* c 31 ..... NASA-CASE-XLA-00149
US-PATENT-APPL-SN-847023
US-PATENT-CLASS-244-1
US-PATENT-3,093,346
N70-37939* c 02 ..... NASA-CASE-XLE-00222
US-PATENT-APPL-SN-77252
US-PATENT-CLASS-244-113
US-PATENT-3,098,630
N70-37979* c 33 ..... NASA-CASE-XLA-00349
US-PATENT-APPL-SN-141220
US-PATENT-CLASS-62-467
US-PATENT-3,090,212
N70-37980* c 28 ..... NASA-CASE-XLE-00342
US-PATENT-APPL-SN-60531
US-PATENT-CLASS-60-35.5
US-PATENT-3,119,232
N70-37981* c 31 ..... NASA-CASE-XLA-00138
US-PATENT-APPL-SN-8204
US-PATENT-CLASS-343-18
US-PATENT-3,115,630
N70-37986* c 31 ..... NASA-CASE-XLA-00241
US-PATENT-APPL-SN-61329
US-PATENT-CLASS-244-1
US-PATENT-3,104,079
N70-38009* c 02 ..... NASA-CASE-XLA-00195
US-PATENT-APPL-SN-60536
US-PATENT-CLASS-244-140
US-PATENT-3,079,113
N70-38010* c 31 ..... NASA-CASE-XLA-00805
US-PATENT-APPL-SN-181829
US-PATENT-CLASS-244-46
US-PATENT-3,120,361
N70-38011* c 02 ..... NASA-CASE-XLA-00350
US-PATENT-APPL-SN-153266
US-PATENT-CLASS-244-46
[illegible]
N70-38020* c 15 ..... NASA-CASE-XLE-00345
US-PATENT-APPL-SN-183978
US-PATENT-CLASS-62-55
US-PATENT-3,122,000
N70-38181* c 28 ..... NASA-CASE-XNP-00217
US-PATENT-APPL-SN-180374
US-PATENT-CLASS-102-49
US-PATENT-3,122,098
N70-38182* c 11 ..... NASA-CASE-XNP-00612
US-PATENT-APPL-SN-228507
US-PATENT-CLASS-220-63
US-PATENT-3,123,248
N70-38196* c 11 ..... NASA-CASE-XMF-00424
US-PATENT-APPL-SN-159804
US-PATENT-CLASS-73-517
US-PATENT-3,141,340
N70-38197* c 28 ..... NASA-CASE-XLE-00455
US-PATENT-APPL-SN-203409
US-PATENT-CLASS-75-222
US-PATENT-3,141,769
N70-38198* c 17 ..... NASA-CASE-XLE-00231
US-PATENT-APPL-SN-64226
US-PATENT-CLASS-22-203
US-PATENT-3,138,837
N70-38199* c 28 ..... NASA-CASE-XLE-00111
US-PATENT-APPL-SN-835152
US-PATENT-CLASS-60-39.48
US-PATENT-3,136,123
N70-38200* c 07 ..... NASA-CASE-XLA-00414
US-PATENT-APPL-SN-209478
US-PATENT-CLASS-343-705
US-PATENT-3,132,342
N70-38201* c 09 ..... NASA-CASE-XNP-00738
US-PATENT-APPL-SN-204015
US-PATENT-CLASS-174-115
US-PATENT-3,106,603
N70-38202* c 11 ..... NASA-CASE-XNP-00425
US-PATENT-APPL-SN-180396
US-PATENT-CLASS-89-1.7
US-PATENT-3,112,672
N70-38225* c 15 ..... NASA-CASE-XNP-00840
US-PATENT-APPL-SN-269222
US-PATENT-CLASS-267-1
US-PATENT-3,127,157
N70-38249* c 28 ..... NASA-CASE-XNP-00249
US-PATENT-APPL-SN-180391
US-PATENT-CLASS-60-35.6
US-PATENT-3,120,738
N70-38490* c 17 ..... NASA-CASE-XLE-00228
US-PATENT-APPL-SN-64224
US-PATENT-CLASS-29-183.5
US-PATENT-3,084,421
N70-38504* c 28 ..... NASA-CASE-XMS-00583
US-PATENT-APPL-SN-182699
US-PATENT-CLASS-60-35.6
US-PATENT-3,135,089
N70-38505* c 28 ..... NASA-CASE-XLE-00323
US-PATENT-APPL-SN-183977
US-PATENT-CLASS-60-35.6
US-PATENT-3,135,090
N70-38601* c 15 ..... NASA-CASE-XLA-00679
US-PATENT-APPL-SN-213836
US-PATENT-CLASS-188-1
US-PATENT-3,128,845
N70-38602* c 14 ..... NASA-CASE-XLE-00243
US-PATENT-APPL-SN-118203
US-PATENT-CLASS-324-106
US-PATENT-3,202,915
N70-38603* c 15 ..... NASA-CASE-XNP-00450
US-PATENT-APPL-SN-180394
US-PATENT-CLASS-137-495
US-PATENT-3,105,515
N70-38604* c 09 ..... NASA-CASE-XGS-00458
US-PATENT-APPL-SN-139006
US-PATENT-CLASS-307-88
US-PATENT-3,128,389
N70-38620* c 15 ..... NASA-CASE-XNP-00476
US-PATENT-APPL-SN-182698
US-PATENT-CLASS-308-9
US-PATENT-3,132,903
N70-38645* c 28 ..... NASA-CASE-XNP-00234
US-PATENT-APPL-SN-180382
US-PATENT-CLASS-60-35.54
US-PATENT-3,139,725
N70-38675* c 11 ..... NASA-CASE-XNP-00459
US-PATENT-APPL-SN-180384
US-PATENT-CLASS-73-432
US-PATENT-3,187,583
N70-38676* c 31 ..... NASA-CASE-XLA-00258
US-PATENT-APPL-SN-101029
US-PATENT-CLASS-244-1
US-PATENT-3,144,219
N70-38710* c 28 ..... NASA-CASE-XMF-00148
US-PATENT-APPL-SN-118202
US-PATENT-CLASS-60-35.6
[illegible]
N70-38711* c 28 ..... NASA-CASE-XLE-00057
US-PATENT-APPL-SN-0914
US-PATENT-CLASS-60-35.55
US-PATENT-3,080,711
N70-38712* c 09 ..... NASA-CASE-XMF-01129
US-PATENT-APPL-SN-273534
US-PATENT-CLASS-318-260
US-PATENT-3,147,422
N70-38713* c 03 ..... NASA-CASE-XGS-00473
US-PATENT-APPL-SN-139012
US-PATENT-CLASS-200-39
US-PATENT-3,141,932
N70-38995* c 09 ..... NASA-CASE-XGS-00131
US-PATENT-APPL-SN-14488
US-PATENT-CLASS-331-113
US-PATENT-3,150,329
N70-38996* c 15 ..... NASA-CASE-XNP-00676
US-PATENT-APPL-SN-290870
US-PATENT-CLASS-222-389
US-PATENT-3,170,605
N70-38997* c 12 ..... NASA-CASE-XMF-00658
US-PATENT-APPL-SN-216710
US-PATENT-CLASS-137-1
US-PATENT-3,110,318
N70-38998* c 09 ..... NASA-CASE-XNP-00431
US-PATENT-APPL-SN-180380
US-PATENT-CLASS-340-147
US-PATENT-3,100,294
N70-39895* c 28 ..... NASA-CASE-XLE-00085
US-PATENT-APPL-SN-25175
US-PATENT-CLASS-253-66
US-PATENT-3,070,349
N70-39896* c 15 ..... NASA-CASE-XMF-00339
US-PATENT-APPL-SN-110591
US-PATENT-CLASS-308-9
US-PATENT-3,070,407
N70-39897* c 18 ..... NASA-CASE-XLE-00353
US-PATENT-APPL-SN-65548
US-PATENT-CLASS-252-58
US-PATENT-3,072,574
N70-39898* c 14 ..... NASA-CASE-XMF-00480
US-PATENT-APPL-SN-144804
US-PATENT-CLASS-248-346
US-PATENT-3,069,123
N70-39899* c 28 ..... NASA-CASE-XLE-00005
US-PATENT-APPL-SN-718095
US-PATENT-CLASS-60-35.6
US-PATENT-3,067,573
N70-39915* c 09 ..... NASA-CASE-XAC-00060
US-PATENT-APPL-SN-47121
US-PATENT-CLASS-200-19
US-PATENT-3,076,065
N70-39922* c 05 ..... NASA-CASE-XMS-01115
US-PATENT-APPL-SN-277404
US-PATENT-CLASS-128-29
US-PATENT-3,229,689
N70-39924* c 15 ..... NASA-CASE-XMF-00640
US-PATENT-APPL-SN-341467
US-PATENT-CLASS-228-50
US-PATENT-3,229,884
N70-39925* c 28 ..... NASA-CASE-XLE-00660
US-PATENT-APPL-SN-231604
US-PATENT-CLASS-313-11.5
US-PATENT-3,229,139
N70-39930* c 03 ..... NASA-CASE-XLA-00791
US-PATENT-APPL-SN-347960
US-PATENT-CLASS-102-49
US-PATENT-3,229,636
N70-39931* c 28 ..... NASA-CASE-XNP-01104
US-PATENT-APPL-SN-290867
US-PATENT-CLASS-60-39.48
US-PATENT-3,229,463
N70-40003* c 14 ..... NASA-CASE-XGS-01036
US-PATENT-APPL-SN-227692
US-PATENT-CLASS-88-14
US-PATENT-3,229,568
N70-40015* c 26 ..... NASA-CASE-XLA-02057
US-PATENT-APPL-SN-320595
US-PATENT-CLASS-23-277
US-PATENT-3,230,053
N70-40016* c 30 ..... NASA-CASE-XGS-00619
US-PATENT-APPL-SN-264728
US-PATENT-CLASS-244-1
US-PATENT-3,229,930
N70-40062* c 15 ..... NASA-CASE-XMS-01624
US-PATENT-APPL-SN-422867
US-PATENT-CLASS-55-408
US-PATENT-3,224,173
N70-40063* c 07 ..... NASA-CASE-XMS-00893
US-PATENT-APPL-SN-251449
US-PATENT-CLASS-343-18
US-PATENT-3,224,001
N70-40123* c 09 ..... NASA-CASE-XGS-01881
US-PATENT-APPL-SN-155584
US-PATENT-CLASS-324-43
US-PATENT-3,218,547
N70-40124* c 12 ..... NASA-CASE-XLE-01512
US-PATENT-APPL-SN-315096
US-PATENT-CLASS-149-2
US-PATENT-3,215,572
N70-40125* c 08 ..... NASA-CASE-XAC-00404
US-PATENT-APPL-SN-209801
US-PATENT-CLASS-340-347
US-PATENT-3,216,007
N70-40156* c 15 ..... NASA-CASE-XLA-01019
US-PATENT-APPL-SN-282817
US-PATENT-CLASS-248-358
US-PATENT-3,223,374
N70-40157* c 14 ..... NASA-CASE-XLA-00487
US-PATENT-APPL-SN-236748
US-PATENT-CLASS-73-178
US-PATENT-3,221,549
N70-40180* c 15 ..... NASA-CASE-XAC-00472
US-PATENT-APPL-SN-236749
US-PATENT-CLASS-73-142
US-PATENT-3,224,263
N70-40201* c 14 ..... NASA-CASE-XLE-00720
US-PATENT-APPL-SN-302749
US-PATENT-CLASS-73-134
US-PATENT-3,221,547
N70-40202* c 07 ..... NASA-CASE-XMF-00437
US-PATENT-APPL-SN-120795
US-PATENT-CLASS-343-705
US-PATENT-3,077,599
N70-40203* c 14 ..... NASA-CASE-XLE-00702
US-PATENT-APPL-SN-258931
US-PATENT-CLASS-73-116
US-PATENT-3,201,980
N70-40204* c 15 ..... NASA-CASE-XMF-00722
US-PATENT-APPL-SN-347626
US-PATENT-CLASS-228-50
US-PATENT-3,219,250
N70-40233* c 14 ..... NASA-CASE-XMS-01546
US-PATENT-APPL-SN-386467
US-PATENT-CLASS-222-45
US-PATENT-3,228,558
N70-40234* c 09 ..... NASA-CASE-XLE-01716
US-PATENT-APPL-SN-349778
US-PATENT-CLASS-126-270
US-PATENT-3,229,682
N70-40238* c 14 ..... NASA-CASE-XMF-00908
US-PATENT-APPL-SN-241085
US-PATENT-CLASS-250-201
US-PATENT-3,229,099
N70-40239* c 14 ..... NASA-CASE-XLA-00183
US-PATENT-APPL-SN-199202
US-PATENT-CLASS-250-203
US-PATENT-3,229,102
N70-40240* c 14 ..... NASA-CASE-XHQ-04106
US-PATENT-APPL-SN-91180
US-PATENT-CLASS-250-105
US-PATENT-3,143,651
N70-40272* c 09 ..... NASA-CASE-XMF-00701
US-PATENT-APPL-SN-261917
US-PATENT-CLASS-307-88.5

US-PATENT-3,218,479
N70-40273* c 14 ..... NASA-CASE-XNP-00637
US-PATENT-APPL-SN-280776
US-PATENT-CLASS-95-58
US-PATENT-3,217,624
N70-40309* c 30 ..... NASA-CASE-XLA-00210
US-PATENT-APPL-SN-82658
US-PATENT-CLASS-343-18
US-PATENT-3,220,004
N70-40353* c 30 ..... NASA-CASE-XMF-03198
US-PATENT-APPL-SN-370134
US-PATENT-CLASS-89-1.7
US-PATENT-3,224,336
N70-40354* c 15 ..... NASA-CASE-XMF-01045
US-PATENT-APPL-SN-355130
US-PATENT-CLASS-188-1
US-PATENT-3,228,492
N70-40367* c 28 ..... NASA-CASE-XLE-00177
US-PATENT-APPL-SN-10812
US-PATENT-CLASS-60-35.3
US-PATENT-3,045,424
N70-40400* c 14 ..... NASA-CASE-XAC-00648
US-PATENT-APPL-SN-216939
US-PATENT-CLASS-73-147
US-PATENT-3,218,850
N70-41275* c 28 ..... NASA-CASE-XNP-01390
US-PATENT-APPL-SN-424157
US-PATENT-CLASS-60-259
US-PATENT-3,300,981
N70-41297* c 05 ..... NASA-CASE-XMS-01492
US-PATENT-APPL-SN-398131
US-PATENT-CLASS-55-35
US-PATENT-3,300,949
N70-41310* c 15 ..... NASA-CASE-XNP-01567
US-PATENT-APPL-SN-448898
US-PATENT-CLASS-248-178
US-PATENT-3,295,808
N70-41311* c 28 ..... NASA-CASE-XNP-00876
US-PATENT-APPL-SN-377784
US-PATENT-CLASS-60-251
US-PATENT-3,298,182
N70-41329* c 05 ..... NASA-CASE-XMS-01615
US-PATENT-APPL-SN-329595
US-PATENT-CLASS-128-2.05
US-PATENT-3,298,362
N70-41330* c 14 ..... NASA-CASE-XLE-00688
US-PATENT-APPL-SN-334672
US-PATENT-CLASS-73-32
US-PATENT-3,298,221
N70-41331* c 07 ..... NASA-CASE-XLA-01400
US-PATENT-APPL-SN-363653
US-PATENT-CLASS-325-65
US-PATENT-3,296,531
N70-41332* c 14 ..... NASA-CASE-XLA-00495
US-PATENT-APPL-SN-269215
US-PATENT-CLASS-324-70
US-PATENT-3,296,526
N70-41366* c 14 ..... NASA-CASE-XLA-01353
US-PATENT-APPL-SN-403960
US-PATENT-CLASS-73-147
US-PATENT-3,301,046
N70-41367* c 32 ..... NASA-CASE-XGS-00938
US-PATENT-APPL-SN-392970
US-PATENT-CLASS-214-1
US-PATENT-3,295,699
N70-41370* c 32 ..... NASA-CASE-XNP-01962
US-PATENT-APPL-SN-369640
US-PATENT-CLASS-92-94
US-PATENT-3,298,285
N70-41371* c 15 ..... NASA-CASE-XMF-01452
US-PATENT-APPL-SN-356692
US-PATENT-CLASS-29-271
US-PATENT-3,300,847
N70-41372* c 07 ..... NASA-CASE-XLA-01127
US-PATENT-APPL-SN-363654
US-PATENT-CLASS-325-65
US-PATENT-3,300,731
N70-41373* c 31 ..... NASA-CASE-XMS-01906
US-PATENT-APPL-SN-339040
US-PATENT-CLASS-244-1
US-PATENT-3,300,162
N70-41447* c 28 ..... NASA-CASE-XNP-00732
US-PATENT-APPL-SN-261918
US-PATENT-CLASS-210-314
US-PATENT-3,295,684
N70-41576* c 28 ..... NASA-CASE-XLE-00519
US-PATENT-APPL-SN-249542
US-PATENT-CLASS-313-63
US-PATENT-3,287,582
N70-41578* c 16 ..... NASA-CASE-XGS-01504
US-PATENT-APPL-SN-340113
US-PATENT-CLASS-331-94
US-PATENT-3,287,660
N70-41579* c 32 ..... NASA-CASE-XLE-00620
US-PATENT-APPL-SN-304698
US-PATENT-CLASS-138-119
US-PATENT-3,295,556
N70-41580* c 03 ..... NASA-CASE-XLA-04622
US-PATENT-APPL-SN-277833
US-PATENT-CLASS-126-270
US-PATENT-3,295,512
N70-41581* c 05 ..... NASA-CASE-XAC-01404
US-PATENT-APPL-SN-363348
US-PATENT-CLASS-74-471
US-PATENT-3,295,386
N70-41582* c 28 ..... NASA-CASE-XMF-01813
US-PATENT-APPL-SN-375674
US-PATENT-CLASS-181-52
US-PATENT-3,270,835
N70-41583* c 18 ..... NASA-CASE-XMF-01030
US-PATENT-APPL-SN-317389
US-PATENT-CLASS-161-115
US-PATENT-3,296,060
N70-41588* c 31 ..... NASA-CASE-XMF-01973
US-PATENT-APPL-SN-375682
US-PATENT-CLASS-244-1
US-PATENT-3,295,790
N70-41589* c 02 ..... NASA-CASE-XMF-01174
US-PATENT-APPL-SN-410331
US-PATENT-CLASS-244-100
US-PATENT-3,295,798
N70-41628* c 25 ..... NASA-CASE-XAC-00319
US-PATENT-APPL-SN-77251
US-PATENT-CLASS-315-111
US-PATENT-3,229,155
N70-41629* c 15 ..... NASA-CASE-XGS-02441
US-PATENT-APPL-SN-411944
US-PATENT-CLASS-285-331
US-PATENT-3,301,578
N70-41630* c 02 ..... NASA-CASE-XMS-00907
US-PATENT-APPL-SN-428890
US-PATENT-CLASS-244-138
US-PATENT-3,301,511
N70-41631* c 31 ..... NASA-CASE-XMS-04142
US-PATENT-APPL-SN-422865
US-PATENT-CLASS-244-1
US-PATENT-3,301,507
N70-41646* c 15 ..... NASA-CASE-XLE-01449
US-PATENT-APPL-SN-330209
US-PATENT-CLASS-137-197
US-PATENT-3,295,545
N70-41647* c 14 ..... NASA-CASE-XGS-00769
US-PATENT-APPL-SN-319893
US-PATENT-CLASS-242-55.19
US-PATENT-3,295,782
N70-41655* c 09 ..... NASA-CASE-XMF-00906
US-PATENT-APPL-SN-264731
US-PATENT-CLASS-324-113
US-PATENT-3,287,640
N70-41675* c 09 ..... NASA-CASE-XMS-01315
US-PATENT-APPL-SN-347101
US-PATENT-CLASS-307-88.5
US-PATENT-3,302,040
N70-41676* c 14 ..... NASA-CASE-XGS-01231
US-PATENT-APPL-SN-346356
US-PATENT-CLASS-250-71
US-PATENT-3,302,023
N70-41677* c 11 ..... NASA-CASE-XMF-01772
US-PATENT-APPL-SN-370135
US-PATENT-CLASS-73-116
US-PATENT-3,295,366
N70-41678* c 07 ..... NASA-CASE-XGS-02608
US-PATENT-APPL-SN-456578
US-PATENT-CLASS-343-18
US-PATENT-3,289,205
N70-41679* c 15 ..... NASA-CASE-XLA-01441
US-PATENT-APPL-SN-516151
US-PATENT-CLASS-102-49
US-PATENT-3,302,569
N70-41680* c 07 ..... NASA-CASE-XNP-02723
US-PATENT-APPL-SN-371857
US-PATENT-CLASS-343-14
US-PATENT-3,287,725
N70-41681* c 14 ..... NASA-CASE-XAC-02877
US-PATENT-APPL-SN-449902
US-PATENT-CLASS-73-30
US-PATENT-3,295,360
N70-41682* c 14 ..... NASA-CASE-XMS-05936
US-PATENT-APPL-SN-557868
US-PATENT-CLASS-73-517
US-PATENT-3,295,377
N70-41717* c 09 ..... NASA-CASE-XMS-02087
US-PATENT-APPL-SN-439489
US-PATENT-CLASS-165-1
US-PATENT-3,301,315
N70-41807* c 14 ..... NASA-CASE-XNP-01472
US-PATENT-APPL-SN-321656
US-PATENT-CLASS-178-7.2
US-PATENT-3,287,496
N70-41808* c 15 ..... NASA-CASE-XMS-02532
US-PATENT-APPL-SN-398132
US-PATENT-CLASS-285-27
US-PATENT-3,287,031
N70-41811* c 15 ..... NASA-CASE-XNP-01152
US-PATENT-APPL-SN-369337
US-PATENT-CLASS-137-539
US-PATENT-3,302,662
N70-41812* c 14 ..... NASA-CASE-XMS-03792
US-PATENT-APPL-SN-516159
US-PATENT-CLASS-200-61.45
US-PATENT-3,303,304
N70-41818* c 28 ..... NASA-CASE-XLE-00150
US-PATENT-APPL-SN-843032
US-PATENT-CLASS-29-157.3
US-PATENT-3,035,333
N70-41819* c 05 ..... NASA-CASE-XAC-00405
US-PATENT-APPL-SN-158916
US-PATENT-CLASS-128-1
US-PATENT-3,302,633
N70-41829* c 15 ..... NASA-CASE-XMF-01371
US-PATENT-APPL-SN-353634
US-PATENT-CLASS-287-119
US-PATENT-3,302,960
N70-41855* c 31 ..... NASA-CASE-XNP-02982
US-PATENT-APPL-SN-388966
US-PATENT-CLASS-244-1
US-PATENT-3,304,028
N70-41856* c 21 ..... NASA-CASE-XNP-01307
US-PATENT-APPL-SN-390250
US-PATENT-CLASS-244-1
US-PATENT-3,286,953
N70-41863* c 02 ..... NASA-CASE-XLA-01220
US-PATENT-APPL-SN-379417
US-PATENT-CLASS-244-16
US-PATENT-3,286,957
N70-41864* c 03 ..... NASA-CASE-XGS-01419
US-PATENT-APPL-SN-323182
US-PATENT-CLASS-136-179
US-PATENT-3,287,174
N70-41871* c 31 ..... NASA-CASE-XMS-04390
US-PATENT-APPL-SN-502729
US-PATENT-CLASS-62-45
US-PATENT-3,304,729
N70-41897* c 27 ..... NASA-CASE-XNP-01749
US-PATENT-APPL-SN-440033
US-PATENT-CLASS-149-109
US-PATENT-3,305,415
N70-41922* c 28 ..... NASA-CASE-XNP-02839
US-PATENT-APPL-SN-477333
US-PATENT-CLASS-60-202
US-PATENT-3,304,718
N70-41929* c 09 ..... NASA-CASE-XNP-01951
US-PATENT-APPL-SN-413662
US-PATENT-CLASS-335-300
US-PATENT-3,305,810
N70-41930* c 21 ..... NASA-CASE-XNP-01501
US-PATENT-APPL-SN-432027
US-PATENT-CLASS-343-12
US-PATENT-3,305,861
N70-41946* c 14 ..... NASA-CASE-XLE-00011
US-PATENT-APPL-SN-735911
US-PATENT-CLASS-88-14
US-PATENT-2,960,002
N70-41948* c 31 ..... NASA-CASE-XMF-01899
US-PATENT-APPL-SN-428882
US-PATENT-CLASS-60-257
US-PATENT-3,304,724
N70-41954* c 03 ..... NASA-CASE-XAC-03392
US-PATENT-APPL-SN-430776
US-PATENT-CLASS-74-519
US-PATENT-3,304,799
N70-41955* c 14 ..... NASA-CASE-XNP-02029
US-PATENT-APPL-SN-221276
US-PATENT-CLASS-88-14
US-PATENT-3,323,408
N70-41957* c 14 ..... NASA-CASE-XAC-01101
US-PATENT-APPL-SN-355129
US-PATENT-CLASS-73-141
US-PATENT-3,304,773
N70-41960* c 15 ..... NASA-CASE-XNP-05082
US-PATENT-APPL-SN-521753
US-PATENT-CLASS-174-68.5
US-PATENT-3,321,570
N70-41961* c 08 ..... NASA-CASE-XNP-00911
US-PATENT-APPL-SN-280777
US-PATENT-CLASS-178-67
US-PATENT-3,305,636
N70-41964* c 10 ..... NASA-CASE-XGS-01983
US-PATENT-APPL-SN-388023
US-PATENT-CLASS-333-79
US-PATENT-3,305,801
N70-41967* c 28 ..... NASA-CASE-XLA-02651
US-PATENT-APPL-SN-449901
US-PATENT-CLASS-102-49
US-PATENT-3,304,865
N70-41991* c 10 ..... NASA-CASE-XNP-03128
US-PATENT-APPL-SN-397665
US-PATENT-CLASS-250-83.6

US-PATENT-3,321,628
N70-41992* c 28 ..... NASA-CASE-XLE-00685
US-PATENT-APPL-SN-407595
US-PATENT-CLASS-60-260
US-PATENT-3,321,922
N70-41993* c 15 ..... NASA-CASE-XLE-01300
US-PATENT-APPL-SN-380960
US-PATENT-CLASS-73-100
US-PATENT-3,323,356
N70-41994* c 14 ..... NASA-CASE-XMF-02822
US-PATENT-APPL-SN-403959
US-PATENT-CLASS-73-194
US-PATENT-3,323,362
N70-42000* c 05 ..... NASA-CASE-XMS-03371
US-PATENT-APPL-SN-418931
US-PATENT-CLASS-73-432
US-PATENT-3,323,370
N70-42003* c 32 ..... NASA-CASE-XLA-02131
US-PATENT-APPL-SN-377777
US-PATENT-CLASS-73-90
US-PATENT-3,304,768
N70-42015* c 31 ..... NASA-CASE-XLA-01967
US-PATENT-APPL-SN-457875
US-PATENT-CLASS-244-135
US-PATENT-3,321,159
N70-42016* c 02 ..... NASA-CASE-XLA-01290
US-PATENT-APPL-SN-393451
US-PATENT-CLASS-244-42
US-PATENT-3,321,157
N70-42017* c 15 ..... NASA-CASE-XMS-04072
US-PATENT-APPL-SN-485960
US-PATENT-CLASS-30-228
US-PATENT-3,320,669
N70-42032* c 10 ..... NASA-CASE-XNP-02654
US-PATENT-APPL-SN-435387
US-PATENT-CLASS-307-88.5
US-PATENT-3,321,645
N70-42033* c 15 ..... NASA-CASE-XNP-02092
US-PATENT-APPL-SN-371856
US-PATENT-CLASS-156-345
US-PATENT-3,323,967
N70-42034* c 15 ..... NASA-CASE-XNP-01412
US-PATENT-APPL-SN-426702
US-PATENT-CLASS-175-310
US-PATENT-3,321,034
N70-42073* c 03 ..... NASA-CASE-XFR-04104
US-PATENT-APPL-SN-476759
US-PATENT-CLASS-74-471
US-PATENT-3,323,386
N70-42074* c 14 ..... NASA-CASE-XLE-02998
US-PATENT-APPL-SN-516794
US-PATENT-CLASS-116-117
US-PATENT-3,323,484
N70-42075* c 31 ..... NASA-CASE-XMS-02677
US-PATENT-APPL-SN-472066
US-PATENT-CLASS-244-1
US-PATENT-3,321,154
N71-10500* c 14 ..... NASA-CASE-XLE-01609
US-PATENT-APPL-SN-438797
US-PATENT-CLASS-73-290
US-PATENT-3,326,043
N71-10560* c 24 ..... NASA-CASE-XLE-00808
US-PATENT-APPL-SN-307269
US-PATENT-CLASS-148-188
US-PATENT-3,310,443
N71-10574* c 28 ..... NASA-CASE-XLE-01902
US-PATENT-APPL-SN-485656
US-PATENT-CLASS-60-202
US-PATENT-3,324,659
N71-10577* c 15 ..... NASA-CASE-XLE-04677
US-PATENT-APPL-SN-447928
US-PATENT-CLASS-220-67
US-PATENT-3,326,407
N71-10578* c 10 ..... NASA-CASE-XMS-01554
US-PATENT-APPL-SN-414482
US-PATENT-CLASS-323-8
US-PATENT-3,325,723
N71-10582* c 31 ..... NASA-CASE-XLA-02132
US-PATENT-APPL-SN-453227
US-PATENT-CLASS-102-49
US-PATENT-3,286,630
N71-10604* c 11 ..... NASA-CASE-XMF-03248
US-PATENT-APPL-SN-377780
US-PATENT-CLASS-73-116
US-PATENT-3,310,980
N71-10607* c 26 ..... NASA-CASE-XLE-02792
US-PATENT-APPL-SN-352400
US-PATENT-CLASS-148-1.5
US-PATENT-3,311,510
N71-10608* c 03 ..... NASA-CASE-XGS-03505
US-PATENT-APPL-SN-498167
US-PATENT-CLASS-136-28
US-PATENT-3,311,502
N71-10609* c 07 ..... NASA-CASE-XGS-01223
US-PATENT-APPL-SN-319892
US-PATENT-CLASS-242-55.19
US-PATENT-3,311,315
N71-10616* c 14 ..... NASA-CASE-XMF-02433
US-PATENT-APPL-SN-405630
US-PATENT-CLASS-73-70.2
US-PATENT-3,310,978
N71-10617* c 15 ..... NASA-CASE-XMF-01887
US-PATENT-APPL-SN-422868
US-PATENT-CLASS-308-5
US-PATENT-3,325,229
N71-10618* c 09 ..... NASA-CASE-XNP-03332
US-PATENT-APPL-SN-368123
US-PATENT-CLASS-313-63
US-PATENT-3,311,772
N71-10658* c 15 ..... NASA-CASE-XMS-03252
US-PATENT-APPL-SN-425362
US-PATENT-CLASS-60-54.5
US-PATENT-3,318,093
N71-10659* c 09 ..... NASA-CASE-XNP-01383
US-PATENT-APPL-SN-369336
US-PATENT-CLASS-324-77
US-PATENT-3,317,832
N71-10672* c 15 ..... NASA-CASE-XLA-01091
US-PATENT-APPL-SN-351259
US-PATENT-CLASS-264-102
US-PATENT-3,317,641
N71-10673* c 09 ..... NASA-CASE-XGS-01473
US-PATENT-APPL-SN-364867
US-PATENT-CLASS-307-88.5
US-PATENT-3,317,751
N71-10676* c 07 ..... NASA-CASE-XNP-03134
US-PATENT-APPL-SN-422095
US-PATENT-CLASS-333-21
US-PATENT-3,324,423
N71-10677* c 09 ..... NASA-CASE-XGS-01451
US-PATENT-APPL-SN-405629
US-PATENT-CLASS-318-138
US-PATENT-3,324,370
N71-10678* c 21 ..... NASA-CASE-XGS-01159
US-PATENT-APPL-SN-332313
US-PATENT-CLASS-250-203
US-PATENT-3,311,748
N71-10728* c 03 ..... NASA-CASE-XNP-01464
US-PATENT-APPL-SN-430778
US-PATENT-CLASS-136-182
US-PATENT-3,317,352
N71-10746* c 11 ..... NASA-CASE-XMS-02977
US-PATENT-APPL-SN-416938
US-PATENT-CLASS-35-12
US-PATENT-3,281,963
N71-10747* c 31 ..... NASA-CASE-XMF-00442
US-PATENT-APPL-SN-202030
US-PATENT-CLASS-343-705
US-PATENT-3,277,486
N71-10748* c 11 ..... NASA-CASE-XFR-04147
US-PATENT-APPL-SN-476761
US-PATENT-CLASS-35-12
US-PATENT-3,281,965
N71-10771* c 21 ..... NASA-CASE-XNP-03914
US-PATENT-APPL-SN-468647
US-PATENT-CLASS-250-203
US-PATENT-3,317,731
N71-10772* c 18 ..... NASA-CASE-XLE-01765
US-PATENT-APPL-SN-316477
US-PATENT-CLASS-117-65.2
US-PATENT-3,317,341
N71-10773* c 14 ..... NASA-CASE-XLA-02605
US-PATENT-APPL-SN-459138
US-PATENT-CLASS-177-210
US-PATENT-3,316,991
N71-10774* c 14 ..... NASA-CASE-XLA-01131
US-PATENT-APPL-SN-322545
US-PATENT-CLASS-73-23
US-PATENT-3,312,101
N71-10775* c 07 ..... NASA-CASE-XLA-00901
US-PATENT-APPL-SN-269212
US-PATENT-CLASS-325-305
US-PATENT-3,311,832
N71-10776* c 11 ..... NASA-CASE-XLA-03127
US-PATENT-APPL-SN-447927
US-PATENT-CLASS-35-12
US-PATENT-3,281,964
N71-10777* c 11 ..... NASA-CASE-XLE-01533
US-PATENT-APPL-SN-334678
US-PATENT-CLASS-55-400
US-PATENT-3,282,035
N71-10778* c 15 ..... NASA-CASE-XNP-00710
US-PATENT-APPL-SN-271821
US-PATENT-CLASS-251-61
US-PATENT-3,317,180
N71-10779* c 14 ..... NASA-CASE-XMF-02307
US-PATENT-APPL-SN-422869
US-PATENT-CLASS-73-40.5
US-PATENT-3,316,752
N71-10780* c 28 ..... NASA-CASE-XLA-01043
US-PATENT-APPL-SN-379768
US-PATENT-CLASS-60-225
US-PATENT-3,316,716
N71-10781* c 14 ..... NASA-CASE-XLE-01481
US-PATENT-APPL-SN-319905
US-PATENT-CLASS-73-99
US-PATENT-3,282,091
N71-10782* c 15 ..... NASA-CASE-XKS-01985
US-PATENT-APPL-SN-357337
US-PATENT-CLASS-285-24
US-PATENT-3,319,979
N71-10797* c 14 ..... NASA-CASE-XLE-01246
US-PATENT-APPL-SN-249537
US-PATENT-CLASS-324-61
US-PATENT-3,324,388
N71-10798* c 09 ..... NASA-CASE-XMS-00945
US-PATENT-APPL-SN-385530
US-PATENT-CLASS-330-22
US-PATENT-3,319,175
N71-10799* c 15 ..... NASA-CASE-XLA-01807
US-PATENT-APPL-SN-442558
US-PATENT-CLASS-287-189.36
US-PATENT-3,318,622
N71-10809* c 15 ..... NASA-CASE-XMF-02107
US-PATENT-APPL-SN-384811
US-PATENT-CLASS-140-124
US-PATENT-3,318,343
N71-11037* c 02 ..... NASA-CASE-XLA-06824-2
US-PATENT-APPL-SN-775966
US-PATENT-CLASS-244-31
US-PATENT-3,508,724
N71-11038* c 02 ..... NASA-CASE-XLA-06958
US-PATENT-APPL-SN-551815
US-PATENT-CLASS-244-44
US-PATENT-3,310,261
N71-11039* c 02 ..... NASA-CASE-MSC-12111-1
US-PATENT-APPL-SN-775877
US-PATENT-CLASS-244-23
US-PATENT-3,490,721
N71-11041*# c 02 ..... NASA-CASE-XLA-03659
US-PATENT-APPL-SN-444087
US-PATENT-CLASS-244-46
US-PATENT-3,270,989
N71-11043* c 02 ..... NASA-CASE-XLA-08801-1
US-PATENT-APPL-SN-710533
US-PATENT-CLASS-244-43
US-PATENT-3,493,197
N71-11049* c 03 ..... NASA-CASE-NPO-10109
US-PATENT-APPL-SN-701654
US-PATENT-CLASS-136-89
US-PATENT-3,532,551
N71-11050* c 03 ..... NASA-CASE-XNP-06506
US-PATENT-APPL-SN-577778
US-PATENT-CLASS-136-89
US-PATENT-3,446,676
N71-11051* c 03 ..... NASA-CASE-XNP-03378
US-PATENT-APPL-SN-360878
US-PATENT-CLASS-136-170
US-PATENT-3,282,740
N71-11052* c 03 ..... NASA-CASE-XLE-04526
US-PATENT-APPL-SN-640457
US-PATENT-CLASS-136-86
US-PATENT-3,507,704
N71-11053* c 03 ..... NASA-CASE-XGS-00886
US-PATENT-APPL-SN-319894
US-PATENT-CLASS-136-132
US-PATENT-3,282,739
N71-11055* c 03 ..... NASA-CASE-XMF-05843
US-PATENT-APPL-SN-666553
US-PATENT-CLASS-310-4
US-PATENT-3,509,386
N71-11056* c 03 ..... NASA-CASE-XNP-05821
US-PATENT-APPL-SN-545223
US-PATENT-CLASS-136-89
US-PATENT-3,493,437
N71-11057* c 03 ..... NASA-CASE-MSC-13112
US-PATENT-APPL-SN-765738
US-PATENT-CLASS-290-40
US-PATENT-3,508,070
N71-11058* c 03 ..... NASA-CASE-XGS-01475
US-PATENT-APPL-SN-344793
US-PATENT-CLASS-244-1
US-PATENT-3,459,391
N71-11189* c 05 ..... NASA-CASE-XFR-10856
US-PATENT-APPL-SN-626376
US-PATENT-3,534,727
N71-11190* c 05 ..... NASA-CASE-XMS-04935
US-PATENT-APPL-SN-518487
US-PATENT-CLASS-128-142.5
US-PATENT-3,502,074
N71-11193* c 05 ..... NASA-CASE-ARC-10043-1
US-PATENT-APPL-SN-676012
US-PATENT-CLASS-128-2.1
US-PATENT-3,508,541
N71-11194* c 05 ..... NASA-CASE-XLA-05332
US-PATENT-APPL-SN-757861
US-PATENT-CLASS-2-2.1
US-PATENT-3,534,407

N71-11195* c 05 ..... NASA-CASE-LAR-10007-1
US-PATENT-APPL-SN-770203
US-PATENT-CLASS-2-2.1
US-PATENT-3,534,406

N71-11199* c 05 ..... NASA-CASE-XKS-02342
US-PATENT-APPL-SN-407603
US-PATENT-CLASS-182-191
US-PATENT-3,262,518

N71-11202* c 05 ..... NASA-CASE-XFR-08403
US-PATENT-APPL-SN-704420
US-PATENT-CLASS-73-23
US-PATENT-3,507,146

N71-11203* c 05 ..... NASA-CASE-XMS-09632-1
US-PATENT-APPL-SN-791693
US-PATENT-CLASS-128-142.5
US-PATENT-3,500,827

N71-11207* c 05 ..... NASA-CASE-XLA-03213
US-PATENT-APPL-SN-621715
US-PATENT-CLASS-202-182
US-PATENT-3,444,051

N71-11235* c 06 ..... NASA-CASE-XLA-03104
US-PATENT-APPL-SN-510155
US-PATENT-CLASS-260-78
US-PATENT-3,518,232

N71-11236* c 06 ..... NASA-CASE-XMF-08651
US-PATENT-APPL-SN-593594
US-PATENT-CLASS-260-72.5
US-PATENT-3,526,611

N71-11237* c 06 ..... NASA-CASE-XMF-10753
US-PATENT-APPL-SN-668751
US-PATENT-CLASS-260-46.5
US-PATENT-3,444,127

N71-11238* c 06 ..... NASA-CASE-XLA-08802
US-PATENT-APPL-SN-640454
US-PATENT-CLASS-260-78
US-PATENT-3,532,673

N71-11239* c 06 ..... NASA-CASE-XMF-08655
US-PATENT-APPL-SN-593593
US-PATENT-CLASS-260-72.5
US-PATENT-3,516,970

N71-11240* c 06 ..... NASA-CASE-MFS-13994-1
US-PATENT-APPL-SN-715975
US-PATENT-CLASS-260-46.5
US-PATENT-3,516,964

N71-11242* c 06 ..... NASA-CASE-XMF-08656
US-PATENT-APPL-SN-593605
US-PATENT-CLASS-260-2.5
US-PATENT-3,493,524

N71-11243* c 06 ..... NASA-CASE-XMF-08652
US-PATENT-APPL-SN-593606
US-PATENT-CLASS-260-2
US-PATENT-3,493,522

N71-11266* c 07 ..... NASA-CASE-XLA-03076
US-PATENT-APPL-SN-591004
US-PATENT-CLASS-325-42
US-PATENT-3,508,152

N71-11267* c 07 ..... NASA-CASE-XNP-10843
US-PATENT-APPL-SN-649358
US-PATENT-CLASS-325-363
US-PATENT-3,508,156

N71-11281* c 07 ..... NASA-CASE-XNP-10830
US-PATENT-APPL-SN-692332
US-PATENT-CLASS-178-69.5
US-PATENT-3,535,451

N71-11282* c 07 ..... NASA-CASE-XGS-02889
US-PATENT-APPL-SN-685748
US-PATENT-CLASS-329-104
US-PATENT-3,501,704

N71-11284* c 07 ..... NASA-CASE-XLA-01552
US-PATENT-APPL-SN-332339
US-PATENT-CLASS-325-65
US-PATENT-3,277,375

N71-11285* c 07 ..... NASA-CASE-NPO-10539
US-PATENT-APPL-SN-743429
US-PATENT-CLASS-343-779
US-PATENT-3,534,375

N71-11298* c 07 ..... NASA-CASE-XMF-01160
US-PATENT-APPL-SN-310507
US-PATENT-CLASS-340-198
US-PATENT-3,243,791

N71-11300* c 07 ..... NASA-CASE-XMS-07168
US-PATENT-APPL-SN-769788
US-PATENT-CLASS-178-6.6
US-PATENT-3,493,677

N71-11766* c 21 ..... NASA-CASE-LAR-10403
US-PATENT-APPL-SN-676391
US-PATENT-CLASS-343-6.5
US-PATENT-3,447,154

N71-12217*# c 01 ..... NASA-CASE-FRC-10063
US-PATENT-APPL-SN-21263

N71-12243* c 02 ..... NASA-CASE-XLA-04451
US-PATENT-APPL-SN-457876
US-PATENT-CLASS-244-45
US-PATENT-3,310,262

N71-12255* c 03 ..... NASA-CASE-NPO-10404
US-PATENT-APPL-SN-728234
US-PATENT-CLASS-321-2
US-PATENT-3,532,960

N71-12258* c 03 ..... NASA-CASE-XLA-00711
US-PATENT-APPL-SN-357334
US-PATENT-CLASS-89-1.7
US-PATENT-3,249,012

N71-12259* c 03 ..... NASA-CASE-XLA-01396
US-PATENT-APPL-SN-357336
US-PATENT-CLASS-89-1.7
US-PATENT-3,249,013

N71-12260* c 03 ..... NASA-CASE-XNP-01020
US-PATENT-APPL-SN-430780
US-PATENT-CLASS-60-97
US-PATENT-3,238,730

N71-12335* c 05 ..... NASA-CASE-XMS-00784
US-PATENT-APPL-SN-358127
US-PATENT-CLASS-2-2.1
US-PATENT-3,286,274

N71-12336* c 05 ..... NASA-CASE-XMS-05304
US-PATENT-APPL-SN-511567
US-PATENT-CLASS-244-4
US-PATENT-3,270,986

N71-12341* c 05 ..... NASA-CASE-MFS-14671
US-PATENT-APPL-SN-723476
US-PATENT-CLASS-297-385
US-PATENT-3,516,711

N71-12342* c 05 ..... NASA-CASE-XAC-05706
US-PATENT-APPL-SN-592694
US-PATENT-CLASS-325-143
US-PATENT-3,453,546

N71-12343* c 05 ..... NASA-CASE-MSC-11253
US-PATENT-APPL-SN-695973
US-PATENT-CLASS-297-68
US-PATENT-3,466,085

N71-12344* c 05 ..... NASA-CASE-XMS-09636
US-PATENT-APPL-SN-586330
US-PATENT-CLASS-2-2.1
US-PATENT-3,492,672

N71-12345* c 05 ..... NASA-CASE-MSC-12086-1
US-PATENT-APPL-SN-812999
US-PATENT-CLASS-29-400
US-PATENT-3,490,130

N71-12346* c 05 ..... NASA-CASE-XMS-04212-1
US-PATENT-APPL-SN-607461
US-PATENT-CLASS-128-2.1
US-PATENT-3,490,440

N71-12351* c 05 ..... NASA-CASE-LAR-10056
US-PATENT-APPL-SN-674357
US-PATENT-CLASS-224-25
US-PATENT-3,493,153

N71-12389* c 07 ..... NASA-CASE-XLA-01090
US-PATENT-APPL-SN-741824
US-PATENT-CLASS-250-199
US-PATENT-RE-26,548

N71-12390* c 07 ..... NASA-CASE-XER-09213
US-PATENT-APPL-SN-668302
US-PATENT-CLASS-332-9
US-PATENT-3,535,657

N71-12391* c 07 ..... NASA-CASE-XMS-05454-1
US-PATENT-APPL-SN-771803
US-PATENT-CLASS-343-17.7
US-PATENT-3,471,858

N71-12392* c 07 ..... NASA-CASE-XGS-01590
US-PATENT-APPL-SN-584067
US-PATENT-CLASS-178-88
US-PATENT-3,491,202

N71-12396* c 07 ..... NASA-CASE-GSC-10452
US-PATENT-APPL-SN-797794
US-PATENT-CLASS-343-776
US-PATENT-3,495,262

N71-12494* c 08 ..... NASA-CASE-XGS-04767
US-PATENT-APPL-SN-645584
US-PATENT-CLASS-307-296
US-PATENT-3,535,560

N71-12500* c 08 ..... NASA-CASE-XNP-07040
US-PATENT-APPL-SN-649357
US-PATENT-CLASS-332-31
US-PATENT-3,535,658

N71-12501* c 08 ..... NASA-CASE-XLA-00670
US-PATENT-APPL-SN-235162
US-PATENT-CLASS-340-347
US-PATENT-3,251,053

N71-12502* c 08 ..... NASA-CASE-NPO-10112
US-PATENT-APPL-SN-673226
US-PATENT-CLASS-340-172.5
US-PATENT-3,533,074

N71-12503* c 08 ..... NASA-CASE-NPO-10351
US-PATENT-APPL-SN-712065
US-PATENT-CLASS-328-37
US-PATENT-3,535,642

N71-12504* c 08 ..... NASA-CASE-XMF-05835
US-PATENT-APPL-SN-627257
US-PATENT-CLASS-340-174
US-PATENT-3,493,942

N71-12505* c 08 ..... NASA-CASE-XNP-05415
US-PATENT-APPL-SN-578932
US-PATENT-CLASS-340-146.2
US-PATENT-3,493,929

N71-12506* c 08 ..... NASA-CASE-XNP-08832
US-PATENT-APPL-SN-681692
US-PATENT-CLASS-340-172.5
US-PATENT-3,535,696

N71-12507* c 08 ..... NASA-CASE-XLA-01952
US-PATENT-APPL-SN-676386
US-PATENT-CLASS-340-324
US-PATENT-3,537,096

N71-12513* c 09 ..... NASA-CASE-XGS-07801
US-PATENT-APPL-SN-640452
US-PATENT-CLASS-148-188
US-PATENT-3,490,965

N71-12514* c 09 ..... NASA-CASE-XLA-07497
US-PATENT-APPL-SN-631848
US-PATENT-CLASS-307-252
US-PATENT-3,491,255

N71-12515* c 09 ..... NASA-CASE-XNP-08836
US-PATENT-APPL-SN-668968
US-PATENT-CLASS-340-174
US-PATENT-3,535,702

N71-12516* c 09 ..... NASA-CASE-XNP-09768
US-PATENT-APPL-SN-698629
US-PATENT-CLASS-307-243
US-PATENT-3,535,554

N71-12517* c 09 ..... NASA-CASE-XAC-10608-1
US-PATENT-APPL-SN-710561
US-PATENT-CLASS-333-80
US-PATENT-3,493,901

N71-12518* c 09 ..... NASA-CASE-XNP-09808
US-PATENT-APPL-SN-692471
US-PATENT-CLASS-200-61.42
US-PATENT-3,488,461

N71-12519* c 09 ..... NASA-CASE-XMF-06519
US-PATENT-APPL-SN-656952
US-PATENT-CLASS-328-110
US-PATENT-3,535,644

N71-12520* c 09 ..... NASA-CASE-NPO-10230
US-PATENT-APPL-SN-691735
US-PATENT-CLASS-307-229
US-PATENT-3,535,547

N71-12521* c 09 ..... NASA-CASE-ARC-10030
US-PATENT-APPL-SN-679885
US-PATENT-CLASS-313-110
US-PATENT-3,493,805

N71-12526* c 09 ..... NASA-CASE-MSC-12135-1
US-PATENT-APPL-SN-761404
US-PATENT-CLASS-317-31
US-PATENT-3,448,341

N71-12539* c 09 ..... NASA-CASE-ERC-10552
US-PATENT-APPL-SN-720125
US-PATENT-CLASS-178-7.7
US-PATENT-3,535,446

N71-12540* c 09 ..... NASA-CASE-XNP-01058
US-PATENT-APPL-SN-313136
US-PATENT-CLASS-315-160
US-PATENT-3,271,620

N71-12554* c 10 ..... NASA-CASE-NPO-10348
US-PATENT-APPL-SN-704668
US-PATENT-CLASS-324-95
US-PATENT-3,532,979

N71-13410* c 01 ..... NASA-CASE-XLA-00755
US-PATENT-APPL-SN-247423
US-PATENT-CLASS-244-35
US-PATENT-3,270,988

N71-13411* c 01 ..... NASA-CASE-XLA-05828
US-PATENT-APPL-SN-509460
US-PATENT-CLASS-235-61.6
US-PATENT-3,500,020

N71-13421* c 02 ..... NASA-CASE-XFR-00756
US-PATENT-APPL-SN-212173
US-PATENT-CLASS-235-150.22
US-PATENT-3,258,582

N71-13422* c 02 ..... NASA-CASE-XLA-06339
US-PATENT-APPL-SN-801336
US-PATENT-CLASS-244-76
US-PATENT-3,534,930

N71-13461* c 06 ..... NASA-CASE-LAR-10180-1
US-PATENT-APPL-SN-709398
US-PATENT-CLASS-250-41.9
US-PATENT-3,521,054

N71-13486* c 09 ..... NASA-CASE-MFS-20333
US-PATENT-APPL-SN-820965
US-PATENT-CLASS-307-149
US-PATENT-3,535,543

N71-13518* c 09 ..... NASA-CASE-MSC-12178-1
US-PATENT-APPL-SN-845365
US-PATENT-CLASS-315-241
US-PATENT-3,530,336

N71-13521* c 09 ..... NASA-CASE-XKS-09348
US-PATENT-APPL-SN-677505
US-PATENT-CLASS-343-703
US-PATENT-3,526,897

N71-13522* c 09 ..... NASA-CASE-LEW-10364-1
US-PATENT-APPL-SN-822518

US-PATENT-CLASS-317-258
US-PATENT-3,535,602
N71-13530* c 09 ..... NASA-CASE-XNP-00384
US-PATENT-APPL-SN-180392
US-PATENT-CLASS-324-132
US-PATENT-3,263,171
N71-13531* c 09 ..... NASA-CASE-MSC-12033-1
US-PATENT-APPL-SN-602828
US-PATENT-CLASS-330-11
US-PATENT-3,526,845
N71-13537* c 10 ..... NASA-CASE-XNP-08274
US-PATENT-APPL-SN-730703
US-PATENT-CLASS-73-382
US-PATENT-3,520,190
N71-13545* c 10 ..... NASA-CASE-LAR-10774
US-PATENT-APPL-SN-802820
US-PATENT-CLASS-73-1
US-PATENT-3,534,584
N71-13789* c 15 ..... NASA-CASE-XLA-01141
US-PATENT-APPL-SN-353632
US-PATENT-CLASS-102-49
US-PATENT-3,263,610
N71-13958* c 21 ..... NASA-CASE-GSC-10087-2
US-PATENT-APPL-SN-701744
US-PATENT-CLASS-343-112
US-PATENT-3,495,260
N71-14014* c 18 ..... NASA-CASE-GSC-10072
US-PATENT-APPL-SN-686296
US-PATENT-CLASS-106-15
US-PATENT-3,493,401
N71-14032* c 33 ..... NASA-CASE-XLE-05913
US-PATENT-APPL-SN-551933
US-PATENT-CLASS-117-106
US-PATENT-3,490,939
N71-14035* c 33 ..... NASA-CASE-XLE-03307
US-PATENT-APPL-SN-613979
US-PATENT-CLASS-244-1
US-PATENT-3,490,718
N71-14043* c 28 ..... NASA-CASE-XLE-01124
US-PATENT-APPL-SN-312269
US-PATENT-CLASS-60-35.5
US-PATENT-3,238,715
N71-14044* c 28 ..... NASA-CASE-XGS-08729
US-PATENT-APPL-SN-667637
US-PATENT-CLASS-60-200
US-PATENT-3,490,235
N71-14058* c 28 ..... NASA-CASE-MSC-12139-1
US-PATENT-APPL-SN-797796
US-PATENT-CLASS-103-37
US-PATENT-3,492,947
N71-14090* c 27 ..... NASA-CASE-LAR-10173-1
US-PATENT-APPL-SN-758942
US-PATENT-CLASS-149-19
US-PATENT-3,492,176
N71-14132* c 21 ..... NASA-CASE-XLA-05464
US-PATENT-APPL-SN-656995
US-PATENT-CLASS-244-1
US-PATENT-3,493,194
N71-14159* c 21 ..... NASA-CASE-XGS-04393
US-PATENT-APPL-SN-700142
US-PATENT-CLASS-244-1
US-PATENT-3,490,719
N71-14354* c 26 ..... NASA-CASE-ERC-10138
US-PATENT-APPL-SN-821586
US-PATENT-CLASS-225-2
US-PATENT-3,493,155
N71-14932* c 15 ..... NASA-CASE-LEW-11531
US-PATENT-APPL-SN-643332
US-PATENT-CLASS-219-72
US-PATENT-3,493,711
N71-14996* c 14 ..... NASA-CASE-XLA-00936
US-PATENT-APPL-SN-282818
US-PATENT-CLASS-73-170
US-PATENT-3,238,774
N71-15467* c 23 ..... NASA-CASE-XNP-03796
US-PATENT-APPL-SN-453231
US-PATENT-CLASS-62-6
US-PATENT-3,260,055
N71-15468* c 17 ..... NASA-CASE-LEW-10393-1
US-PATENT-APPL-SN-644799
US-PATENT-CLASS-75-202
US-PATENT-3,535,110
N71-15469* c 18 ..... NASA-CASE-ARC-10099-1
US-PATENT-APPL-SN-704224
US-PATENT-CLASS-106-15
US-PATENT-3,535,130
N71-15545* c 18 ..... NASA-CASE-XMS-09691-1
US-PATENT-APPL-SN-738119
US-PATENT-CLASS-8-94.12
US-PATENT-3,526,473
N71-15550* c 16 ..... NASA-CASE-XNP-05219
US-PATENT-APPL-SN-336103
US-PATENT-CLASS-330-4
US-PATENT-3,299,364
N71-15551* c 16 ..... NASA-CASE-ERC-10019
US-PATENT-APPL-SN-677508
US-PATENT-CLASS-350-3.5
US-PATENT-3,535,013
N71-15562* c 25 ..... NASA-CASE-XLA-03374
US-PATENT-APPL-SN-793770
US-PATENT-CLASS-315-111
US-PATENT-3,535,586
N71-15563* c 28 ..... NASA-CASE-XLA-02865
US-PATENT-APPL-SN-416946
US-PATENT-CLASS-244-53
US-PATENT-3,270,990
N71-15565* c 16 ..... NASA-CASE-MFS-20074
US-PATENT-APPL-SN-801312
US-PATENT-CLASS-350-3.5
US-PATENT-3,535,014
N71-15566* c 31 ..... NASA-CASE-XKS-08012-2
US-PATENT-APPL-SN-874958
US-PATENT-CLASS-340-172.5
US-PATENT-3,535,683
N71-15567* c 16 ..... NASA-CASE-ERC-10017
US-PATENT-APPL-SN-677506
US-PATENT-CLASS-350-3.5
US-PATENT-3,535,012
N71-15568* c 33 ..... NASA-CASE-XLE-09475-1
US-PATENT-APPL-SN-710945
US-PATENT-CLASS-136-228
US-PATENT-3,535,165
N71-15571* c 15 ..... NASA-CASE-XLA-07911
US-PATENT-APPL-SN-660572
US-PATENT-CLASS-33-207
US-PATENT-3,492,739
N71-15582* c 21 ..... NASA-CASE-XLA-01163
US-PATENT-APPL-SN-405632
US-PATENT-CLASS-60-35.55
US-PATENT-3,270,505
N71-15583* c 21 ..... NASA-CASE-XMF-01598
US-PATENT-APPL-SN-333770
US-PATENT-CLASS-244-1
US-PATENT-3,270,985
N71-15597* c 15 ..... NASA-CASE-XLE-08917
US-PATENT-APPL-SN-662829
US-PATENT-CLASS-113-116
US-PATENT-3,490,405
N71-15598* c 14 ..... NASA-CASE-XAC-00812
US-PATENT-APPL-SN-255132
US-PATENT-CLASS-73-341
US-PATENT-3,238,777
N71-15599* c 14 ..... NASA-CASE-XNP-04161
US-PATENT-APPL-SN-568356
US-PATENT-CLASS-250-83.3
US-PATENT-3,444,375
N71-15600* c 14 ..... NASA-CASE-XKS-06250
US-PATENT-APPL-SN-649075
US-PATENT-CLASS-73-97
US-PATENT-3,492,862
N71-15604* c 14 ..... NASA-CASE-NPO-10337
US-PATENT-APPL-SN-714296
US-PATENT-CLASS-350-58
US-PATENT-3,488,103
N71-15605* c 14 ..... NASA-CASE-GSC-10062
US-PATENT-APPL-SN-658955
US-PATENT-CLASS-350-285
US-PATENT-3,493,294
N71-15606* c 15 ..... NASA-CASE-XNP-06031
US-PATENT-APPL-SN-590144
US-PATENT-CLASS-250-52
US-PATENT-3,493,746
N71-15607* c 15 ..... NASA-CASE-XMF-03287
US-PATENT-APPL-SN-658956
US-PATENT-CLASS-228-7
US-PATENT-3,443,732
N71-15608* c 15 ..... NASA-CASE-NPO-10117
US-PATENT-APPL-SN-668238
US-PATENT-CLASS-138-42
US-PATENT-3,493,012
N71-15609* c 15 ..... NASA-CASE-XMF-04709
US-PATENT-APPL-SN-683507
US-PATENT-CLASS-137-81.5
US-PATENT-3,493,003
N71-15610* c 15 ..... NASA-CASE-XLE-01604-2
US-PATENT-APPL-SN-683613
US-PATENT-CLASS-117-50
US-PATENT-3,493,415
N71-15620* c 14 ..... NASA-CASE-XLA-01926
US-PATENT-APPL-SN-784521
US-PATENT-CLASS-340-57
US-PATENT-3,491,335
N71-15621* c 14 ..... NASA-CASE-XNP-09572
US-PATENT-APPL-SN-660841
US-PATENT-CLASS-35-10.2
US-PATENT-3,493,665
N71-15622* c 14 ..... NASA-CASE-XNP-04111
US-PATENT-APPL-SN-560969
US-PATENT-CLASS-350-213
US-PATENT-3,493,291
N71-15623* c 33 ..... NASA-CASE-XMS-01816
US-PATENT-APPL-SN-425364
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,503
N71-15625* c 33 ..... NASA-CASE-XLE-01399
US-PATENT-APPL-SN-320233
US-PATENT-CLASS-13-26
US-PATENT-3,263,016
N71-15634* c 27 ..... NASA-CASE-XLE-01988
US-PATENT-APPL-SN-308918
US-PATENT-CLASS-60-35.6
US-PATENT-3,258,912
N71-15635* c 27 ..... NASA-CASE-XLE-01182
US-PATENT-APPL-SN-411949
US-PATENT-CLASS-60-39.46
US-PATENT-3,258,918
N71-15637* c 31 ..... NASA-CASE-XLE-01640
US-PATENT-APPL-SN-473535
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,504
N71-15641* c 33 ..... NASA-CASE-XNP-09802
US-PATENT-APPL-SN-673229
US-PATENT-CLASS-73-190
US-PATENT-3,531,989
N71-15642* c 21 ..... NASA-CASE-XGS-03431
US-PATENT-APPL-SN-588635
US-PATENT-CLASS-250-203
US-PATENT-3,488,504
N71-15643* c 31 ..... NASA-CASE-NPO-10311
US-PATENT-APPL-SN-725475
US-PATENT-CLASS-73-116
US-PATENT-3,534,597
N71-15644* c 17 ..... NASA-CASE-XLE-00726
US-PATENT-APPL-SN-355126
US-PATENT-CLASS-75-170
US-PATENT-3,271,140
N71-15647* c 31 ..... NASA-CASE-XGS-01143
US-PATENT-APPL-SN-349781
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,501
N71-15658* c 28 ..... NASA-CASE-XLE-00409
US-PATENT-APPL-SN-249539
US-PATENT-CLASS-29-157
US-PATENT-3,254,395
N71-15659* c 28 ..... NASA-CASE-XLE-05689
US-PATENT-APPL-SN-491845
US-PATENT-CLASS-60-35.60
US-PATENT-3,254,487
N71-15660* c 28 ..... NASA-CASE-XMF-00968
US-PATENT-APPL-SN-339825
US-PATENT-CLASS-60-35.6
US-PATENT-3,270,499
N71-15661* c 28 ..... NASA-CASE-XLE-02066
US-PATENT-APPL-SN-426455
US-PATENT-CLASS-60-35.5
US-PATENT-3,262,262
N71-15663* c 31 ..... NASA-CASE-XLA-00256
US-PATENT-APPL-SN-333766
US-PATENT-CLASS-244-1
US-PATENT-3,262,655
N71-15664* c 31 ..... NASA-CASE-XLA-01332
US-PATENT-APPL-SN-250974
US-PATENT-CLASS-220-15
US-PATENT-3,270,908
N71-15673* c 23 ..... NASA-CASE-XMS-01620
US-PATENT-APPL-SN-357340
US-PATENT-CLASS-248-358
US-PATENT-3,243,154
N71-15674* c 31 ..... NASA-CASE-XLA-03691
US-PATENT-APPL-SN-667625
US-PATENT-CLASS-244-1
US-PATENT-3,534,924
N71-15675* c 31 ..... NASA-CASE-XMF-03169
US-PATENT-APPL-SN-375405
US-PATENT-CLASS-89-1.5
US-PATENT-3,262,365
N71-15676* c 31 ..... NASA-CASE-XGS-05579
US-PATENT-APPL-SN-719869
US-PATENT-CLASS-244-1
US-PATENT-3,534,925
N71-15687* c 31 ..... NASA-CASE-XLA-05369
US-PATENT-APPL-SN-765123
US-PATENT-CLASS-102-49.5
US-PATENT-3,534,686
N71-15688* c 18 ..... NASA-CASE-XNP-03459-2
US-PATENT-APPL-SN-681942
US-PATENT-CLASS-260-404.5
US-PATENT-3,535,352
N71-15689* c 31 ..... NASA-CASE-MFS-14685
US-PATENT-APPL-SN-752947
US-PATENT-CLASS-180-118
US-PATENT-CLASS-180-121
US-PATENT-3,534,826
N71-15692* c 31 ..... NASA-CASE-XLA-01339
US-PATENT-APPL-SN-373591
US-PATENT-CLASS-102-49
US-PATENT-3,260,204
N71-15871* c 15 ..... NASA-CASE-XMF-02039

US-PATENT-APPL-SN-434143
US-PATENT-CLASS-219-131
US-PATENT-3,271,558

N71-15906* c 15 ..... NASA-CASE-XNP-00920
US-PATENT-APPL-SN-329331
US-PATENT-CLASS-62-2
US-PATENT-3,270,512

N71-15907* c 07 ..... NASA-CASE-XNP-01057
US-PATENT-APPL-SN-301683
US-PATENT-CLASS-343-786
US-PATENT-3,305,870

N71-15908* c 08 ..... NASA-CASE-XLA-02705
US-PATENT-APPL-SN-473537
US-PATENT-CLASS-129-16.7
US-PATENT-3,310,054

N71-15909* c 10 ..... NASA-CASE-XAC-03777
US-PATENT-APPL-SN-484489
US-PATENT-CLASS-200-6
US-PATENT-3,283,088

N71-15910* c 10 ..... NASA-CASE-XGS-00823
US-PATENT-APPL-SN-336607
US-PATENT-CLASS-307-88.5
US-PATENT-3,283,175

N71-15918* c 15 ..... NASA-CASE-XMS-02383
US-PATENT-APPL-SN-299042
US-PATENT-CLASS-140-123
US-PATENT-3,299,913

N71-15922* c 15 ..... NASA-CASE-XGS-01971
US-PATENT-APPL-SN-353645
US-PATENT-CLASS-85-33
US-PATENT-3,262,351

N71-15925* c 11 ..... NASA-CASE-XLA-00378
US-PATENT-APPL-SN-266107
US-PATENT-CLASS-219-10.49
US-PATENT-3,238,345

N71-15926* c 11 ..... NASA-CASE-XLA-00939
US-PATENT-APPL-SN-309354
US-PATENT-CLASS-73-147
US-PATENT-3,276,251

N71-15960* c 11 ..... NASA-CASE-XAC-00731
US-PATENT-APPL-SN-232318
US-PATENT-CLASS-220-89
US-PATENT-3,145,874

N71-15962* c 14 ..... NASA-CASE-XGS-01587
US-PATENT-APPL-SN-298799
US-PATENT-CLASS-324-43
US-PATENT-3,258,687

N71-15966* c 15 ..... NASA-CASE-XLE-00953
US-PATENT-APPL-SN-336320
US-PATENT-CLASS-22-200
US-PATENT-3,237,253

N71-15967* c 15 ..... NASA-CASE-XLE-00703
US-PATENT-APPL-SN-271822
US-PATENT-CLASS-137-13
US-PATENT-3,270,756

N71-15968* c 15 ..... NASA-CASE-XLE-00586
US-PATENT-APPL-SN-317391
US-PATENT-CLASS-55-160
US-PATENT-3,257,780

N71-15969* c 14 ..... NASA-CASE-XMF-01099
US-PATENT-APPL-SN-73367
US-PATENT-CLASS-73-517
US-PATENT-3,261,210

N71-15974* c 32 ..... NASA-CASE-XMS-06782
US-PATENT-APPL-SN-691739
US-PATENT-CLASS-338-5
US-PATENT-3,464,049

N71-15978* c 23 ..... NASA-CASE-XGS-00373
US-PATENT-APPL-SN-105518
US-PATENT-CLASS-161-189
US-PATENT-3,276,946

N71-15986* c 15 ..... NASA-CASE-XMF-03498
US-PATENT-APPL-SN-396443
US-PATENT-CLASS-29-155.55
US-PATENT-3,258,831

N71-15990* c 30 ..... NASA-CASE-XAC-08494
US-PATENT-APPL-SN-690998
US-PATENT-CLASS-356-74
US-PATENT-3,532,428

N71-15992* c 14 ..... NASA-CASE-XGS-01052
US-PATENT-APPL-SN-314572
US-PATENT-CLASS-73-15
US-PATENT-3,242,716

N71-16014* c 14 ..... NASA-CASE-XLE-00820
US-PATENT-APPL-SN-228569
US-PATENT-CLASS-324-32
US-PATENT-3,283,241

N71-16025* c 17 ..... NASA-CASE-XLE-02991
US-PATENT-APPL-SN-375401
US-PATENT-CLASS-75-170
US-PATENT-3,276,865

N71-16026* c 17 ..... NASA-CASE-XLE-02082
US-PATENT-APPL-SN-360180
US-PATENT-CLASS-75-171
US-PATENT-3,276,866

N71-16028* c 11 ..... NASA-CASE-XLA-01787
US-PATENT-APPL-SN-304749
US-PATENT-CLASS-35-29
US-PATENT-3,270,441

N71-16030* c 10 ..... NASA-CASE-XMF-01096
US-PATENT-APPL-SN-307270
US-PATENT-CLASS-318-376
US-PATENT-3,271,649

N71-16031* c 12 ..... NASA-CASE-XMS-01445
US-PATENT-APPL-SN-385526
US-PATENT-CLASS-137-615
US-PATENT-3,308,848

N71-16037* c 26 ..... NASA-CASE-XGS-05718
US-PATENT-APPL-SN-584071
US-PATENT-CLASS-29-472.9
US-PATENT-3,452,423

N71-16042* c 10 ..... NASA-CASE-XAC-00942
US-PATENT-APPL-SN-310506
US-PATENT-CLASS-307-88.5
US-PATENT-3,277,314

N71-16044* c 17 ..... NASA-CASE-XGS-06306
US-PATENT-APPL-SN-685473
US-PATENT-CLASS-156-3
US-PATENT-3,532,568

N71-16046* c 18 ..... NASA-CASE-GSC-10007
US-PATENT-APPL-SN-627599
US-PATENT-CLASS-117-201
US-PATENT-3,532,538

N71-16052* c 15 ..... NASA-CASE-XLE-02999
US-PATENT-APPL-SN-431235
US-PATENT-CLASS-29-148.4
US-PATENT-3,262,186

N71-16057* c 10 ..... NASA-CASE-XNP-01193
US-PATENT-APPL-SN-366226
US-PATENT-CLASS-324-57
US-PATENT-3,277,366

N71-16058* c 10 ..... NASA-CASE-XMF-01097
US-PATENT-APPL-SN-290873
US-PATENT-CLASS-340-227
US-PATENT-3,277,458

N71-16073* c 25 ..... NASA-CASE-XAC-05695
US-PATENT-APPL-SN-634038
US-PATENT-CLASS-324-34
US-PATENT-3,517,302

N71-16075* c 15 ..... NASA-CASE-XLA-00284
US-PATENT-APPL-SN-240760
US-PATENT-CLASS-117-69
US-PATENT-3,264,135

N71-16076* c 15 ..... NASA-CASE-XLE-00106
US-PATENT-APPL-SN-629759
US-PATENT-CLASS-25-156
US-PATENT-2,944,316

N71-16077* c 15 ..... NASA-CASE-XLA-00302
US-PATENT-APPL-SN-284266
US-PATENT-CLASS-117-46
US-PATENT-3,271,181

N71-16078* c 15 ..... NASA-CASE-XGS-00824
US-PATENT-APPL-SN-379072
US-PATENT-CLASS-89-1
US-PATENT-3,309,961

N71-16079* c 15 ..... NASA-CASE-XLA-00415
US-PATENT-APPL-SN-314074
US-PATENT-CLASS-233-11
US-PATENT-3,276,679

N71-16080* c 31 ..... NASA-CASE-MSC-12049
US-PATENT-APPL-SN-693420
US-PATENT-CLASS-52-3
US-PATENT-3,465,482

N71-16081* c 31 ..... NASA-CASE-XGS-03351
US-PATENT-APPL-SN-472747
US-PATENT-CLASS-244-31
US-PATENT-3,276,726

N71-16085* c 31 ..... NASA-CASE-XLA-09881
US-PATENT-APPL-SN-710562
US-PATENT-CLASS-244-138
US-PATENT-3,520,503

N71-16086* c 09 ..... NASA-CASE-XLE-02038
US-PATENT-APPL-SN-349782
US-PATENT-CLASS-73-147
US-PATENT-3,273,388

N71-16087* c 02 ..... NASA-CASE-XAC-02058
US-PATENT-APPL-SN-342572
US-PATENT-CLASS-244-1
US-PATENT-3,276,722

N71-16088* c 07 ..... NASA-CASE-XGS-01022
US-PATENT-APPL-SN-331323
US-PATENT-CLASS-325-4
US-PATENT-3,277,373

N71-16089* c 09 ..... NASA-CASE-XAC-02405
US-PATENT-APPL-SN-433821
US-PATENT-CLASS-200-6
US-PATENT-3,271,532

N71-16090* c 30 ..... NASA-CASE-GSC-10083-1
US-PATENT-APPL-SN-641431
US-PATENT-CLASS-343-6
US-PATENT-3,471,856

N71-16095* c 24 ..... NASA-CASE-XAC-05506-1
US-PATENT-APPL-SN-701732
US-PATENT-CLASS-250-41.9
US-PATENT-3,532,880

N71-16098* c 23 ..... NASA-CASE-XAC-03107
US-PATENT-APPL-SN-538168
US-PATENT-CLASS-73-505
US-PATENT-3,455,171

N71-16099* c 23 ..... NASA-CASE-XGS-07514
US-PATENT-APPL-SN-640453
US-PATENT-CLASS-328-1
US-PATENT-3,509,469

N71-16100* c 23 ..... NASA-CASE-XGS-05715
US-PATENT-APPL-SN-668257
US-PATENT-CLASS-250-233
US-PATENT-3,532,894

N71-16101* c 23 ..... NASA-CASE-XNP-08883
US-PATENT-APPL-SN-617021
US-PATENT-CLASS-356-117
US-PATENT-3,520,617

N71-16102* c 31 ..... NASA-CASE-XGS-09190
US-PATENT-APPL-SN-647298
US-PATENT-CLASS-343-915
US-PATENT-3,521,290

N71-16103* c 32 ..... NASA-CASE-LAR-10317-1
US-PATENT-APPL-SN-739927
US-PATENT-CLASS-137-582
US-PATENT-3,508,578

N71-16104* c 33 ..... NASA-CASE-XLE-00785
US-PATENT-APPL-SN-666554
US-PATENT-CLASS-60-108
US-PATENT-3,508,402

N71-16105* c 18 ..... NASA-CASE-XLE-08511-2
US-PATENT-APPL-SN-711921
US-PATENT-CLASS-117-119
US-PATENT-3,508,955

N71-16106* c 32 ..... NASA-CASE-XLA-04605
US-PATENT-APPL-SN-619519
US-PATENT-CLASS-137-582
US-PATENT-3,443,584

N71-16124* c 18 ..... NASA-CASE-XMF-05279
US-PATENT-APPL-SN-617774
US-PATENT-CLASS-106-88
US-PATENT-3,508,940

N71-16210* c 18 ..... NASA-CASE-XNP-08837
US-PATENT-APPL-SN-691736
US-PATENT-CLASS-204-20
US-PATENT-3,526,580

N71-16212* c 23 ..... NASA-CASE-NPO-10250
US-PATENT-APPL-SN-736848
US-PATENT-CLASS-149-1
US-PATENT-3,516,879

N71-16213* c 24 ..... NASA-CASE-XGS-06628
US-PATENT-APPL-SN-665680
US-PATENT-CLASS-315-111
US-PATENT-3,509,419

N71-16221* c 31 ..... NASA-CASE-XLA-05906
US-PATENT-APPL-SN-777766
US-PATENT-CLASS-73-432
US-PATENT-3,526,139

N71-16222* c 31 ..... NASA-CASE-MFS-11133
US-PATENT-APPL-SN-693419
US-PATENT-CLASS-244-1
US-PATENT-3,508,723

N71-16223* c 27 ..... NASA-CASE-MFS-12750
US-PATENT-APPL-SN-806149
US-PATENT-CLASS-73-432
US-PATENT-3,526,140

N71-16224* c 28 ..... NASA-CASE-MFS-11497
US-PATENT-APPL-SN-730733
US-PATENT-CLASS-239-265.43
US-PATENT-3,526,365

N71-16277* c 33 ..... NASA-CASE-XMS-04268
US-PATENT-APPL-SN-516160
US-PATENT-CLASS-165-133
US-PATENT-3,502,141

N71-16278* c 33 ..... NASA-CASE-XMF-04237
US-PATENT-APPL-SN-539237
US-PATENT-CLASS-219-364
US-PATENT-3,517,162

N71-16281* c 20 ..... NASA-CASE-XLA-02081
US-PATENT-APPL-SN-522795
US-PATENT-CLASS-73-189
US-PATENT-3,507,150

N71-16340* c 20 ..... NASA-CASE-XMF-14032
US-PATENT-APPL-SN-679862
US-PATENT-CLASS-250-209
US-PATENT-3,501,641

N71-16341* c 23 ..... NASA-CASE-XGS-05291
US-PATENT-APPL-SN-553891
US-PATENT-CLASS-356-209
US-PATENT-3,504,983

N71-16345* c 31 ..... NASA-CASE-XMF-05344
US-PATENT-APPL-SN-702396
US-PATENT-CLASS-244-1
US-PATENT-3,520,496

N71-16346* c 31 ..... NASA-CASE-XMS-03613

US-PATENT-APPL-SN-802816
US-PATENT-CLASS-244-1
US-PATENT-3,526,372

N71-16348* c 27 ..... NASA-CASE-MSC-12280
US-PATENT-APPL-SN-372648
US-PATENT-CLASS-250-43.5
US-PATENT-3,501,632

N71-16355* c 23 ..... NASA-CASE-XGS-05534
US-PATENT-APPL-SN-578925
US-PATENT-CLASS-23-253
US-PATENT-3,520,660

N71-16356* c 33 ..... NASA-CASE-NPO-10158
US-PATENT-APPL-SN-730702
US-PATENT-CLASS-73-343
US-PATENT-3,526,134

N71-16357* c 33 ..... NASA-CASE-NPO-10138
US-PATENT-APPL-SN-759457
US-PATENT-CLASS-236-1
US-PATENT-3,526,359

N71-16365* c 23 ..... NASA-CASE-XNP-08840
US-PATENT-APPL-SN-649360
US-PATENT-CLASS-356-36
US-PATENT-3,526,460

N71-16392* c 27 ..... NASA-CASE-XNP-09744
US-PATENT-APPL-SN-685750
US-PATENT-CLASS-60-39.47
US-PATENT-3,507,114

N71-16393* c 17 ..... NASA-CASE-NPO-10271
US-PATENT-APPL-SN-763869
US-PATENT-CLASS-21-207
US-PATENT-3,529,928

N71-16428* c 32 ..... NASA-CASE-XLA-03135
US-PATENT-APPL-SN-582171
US-PATENT-CLASS-73-71.4
US-PATENT-3,503,251

N71-16894* c 12 ..... NASA-CASE-XLA-02079
US-PATENT-APPL-SN-435756
US-PATENT-CLASS-188-87
US-PATENT-3,310,138

N71-17569* c 12 ..... NASA-CASE-MSC-12084-1
US-PATENT-APPL-SN-762438
US-PATENT-CLASS-73-204
US-PATENT-3,500,686

N71-17573* c 12 ..... NASA-CASE-LAR-10323-1
US-PATENT-APPL-SN-738314
US-PATENT-CLASS-73-45.5
US-PATENT-3,516,284

N71-17574* c 14 ..... NASA-CASE-XGS-04993
US-PATENT-APPL-SN-577775
US-PATENT-CLASS-96-49
US-PATENT-3,458,313

N71-17575* c 14 ..... NASA-CASE-XMF-06531
US-PATENT-APPL-SN-732917
US-PATENT-CLASS-204-195
US-PATENT-3,509,034

N71-17578* c 12 ..... NASA-CASE-MFS-10412
US-PATENT-APPL-SN-701635
US-PATENT-CLASS-137-81.5
US-PATENT-3,520,317

N71-17579* c 12 ..... NASA-CASE-XLA-07391
US-PATENT-APPL-SN-726898
US-PATENT-CLASS-137-81.5
US-PATENT-3,493,004

N71-17584* c 14 ..... NASA-CASE-XNP-09462
US-PATENT-APPL-SN-658957
US-PATENT-CLASS-73-57
US-PATENT-3,500,677

N71-17585* c 14 ..... NASA-CASE-XGS-05680
US-PATENT-APPL-SN-656953
US-PATENT-CLASS-318-138
US-PATENT-3,501,664

N71-17586* c 14 ..... NASA-CASE-XLA-08646
US-PATENT-APPL-SN-677476
US-PATENT-CLASS-73-105
US-PATENT-3,534,596

N71-17587* c 14 ..... NASA-CASE-XMF-05844
US-PATENT-APPL-SN-706564
US-PATENT-CLASS-73-382
US-PATENT-3,500,688

N71-17588* c 14 ..... NASA-CASE-MFS-12806
US-PATENT-APPL-SN-686933
US-PATENT-CLASS-55-179
US-PATENT-3,490,205

N71-17599* c 05 ..... NASA-CASE-MSC-12206-1
US-PATENT-APPL-SN-856258
US-PATENT-CLASS-128-142.5
US-PATENT-3,516,404

N71-17600* c 11 ..... NASA-CASE-MFS-12915
US-PATENT-APPL-SN-694340
US-PATENT-CLASS-220-89
US-PATENT-3,469,734

N71-17609* c 32 ..... NASA-CASE-XLA-02332
US-PATENT-APPL-SN-388024
US-PATENT-CLASS-212-11
US-PATENT-3,276,602

N71-17610* c 33 ..... NASA-CASE-XLA-00377
US-PATENT-APPL-SN-270118
US-PATENT-CLASS-230-162
US-PATENT-3,309,012

N71-17626* c 14 ..... NASA-CASE-LAR-10274-1
US-PATENT-APPL-SN-717052
US-PATENT-CLASS-188-1
US-PATENT-3,491,857

N71-17627* c 14 ..... NASA-CASE-XGS-03532
US-PATENT-APPL-SN-538913
US-PATENT-CLASS-356-106
US-PATENT-3,488,123

N71-17628* c 15 ..... NASA-CASE-MFS-10340
US-PATENT-APPL-SN-716734
US-PATENT-CLASS-225-1
US-PATENT-3,507,425

N71-17629* c 31 ..... NASA-CASE-XLE-03583
US-PATENT-APPL-SN-400617
US-PATENT-CLASS-244-3.22
US-PATENT-3,276,376

N71-17631* c 12 ..... NASA-CASE-NPO-10122
US-PATENT-APPL-SN-710949
US-PATENT-CLASS-60-217
US-PATENT-3,534,555

N71-17645* c 32 ..... NASA-CASE-XNP-01153
US-PATENT-APPL-SN-336608
US-PATENT-CLASS-73-88
US-PATENT-3,273,381

N71-17647* c 15 ..... NASA-CASE-XMF-01667
US-PATENT-APPL-SN-577115
US-PATENT-CLASS-118-11
US-PATENT-3,502,051

N71-17648* c 15 ..... NASA-CASE-MSC-12116-1
US-PATENT-APPL-SN-768336
US-PATENT-CLASS-251-358
US-PATENT-3,508,739

N71-17649* c 15 ..... NASA-CASE-MFS-11132
US-PATENT-APPL-SN-744910
US-PATENT-CLASS-248-360
US-PATENT-3,526,382

N71-17650* c 15 ..... NASA-CASE-XMF-05114
US-PATENT-APPL-SN-637882
US-PATENT-CLASS-29-517
US-PATENT-3,507,034

N71-17651* c 15 ..... NASA-CASE-XLE-03803-2
US-PATENT-APPL-SN-669336
US-PATENT-CLASS-156-172
US-PATENT-3,535,179

N71-17652* c 15 ..... NASA-CASE-XLE-05079
US-PATENT-APPL-SN-601228
US-PATENT-CLASS-310-93
US-PATENT-3,493,797

N71-17653* c 15 ..... NASA-CASE-ARC-10140-1
US-PATENT-APPL-SN-783379
US-PATENT-CLASS-24-211
US-PATENT-CLASS-85-3
US-PATENT-3,534,650

N71-17654* c 15 ..... NASA-CASE-XNP-09702
US-PATENT-APPL-SN-730734
US-PATENT-CLASS-239-416
US-PATENT-3,534,909

N71-17655* c 14 ..... NASA-CASE-NPO-10320
US-PATENT-APPL-SN-718689
US-PATENT-CLASS-356-106
US-PATENT-3,535,041

N71-17656* c 14 ..... NASA-CASE-MFS-12827
US-PATENT-APPL-SN-742816
US-PATENT-CLASS-73-88.5
US-PATENT-3,534,592

N71-17657* c 14 ..... NASA-CASE-XNP-09205
US-PATENT-APPL-SN-768473
US-PATENT-CLASS-33-149
US-PATENT-3,534,479

N71-17658* c 14 ..... NASA-CASE-XMF-04966
US-PATENT-APPL-SN-727480
US-PATENT-CLASS-33-174
US-PATENT-3,534,480

N71-17659* c 14 ..... NASA-CASE-XMF-02964
US-PATENT-APPL-SN-493942
US-PATENT-CLASS-73-15.4
US-PATENT-3,465,569

N71-17661* c 12 ..... NASA-CASE-NPO-10298
US-PATENT-APPL-SN-745852
US-PATENT-CLASS-137-341
US-PATENT-3,534,765

N71-17662* c 14 ..... NASA-CASE-NPO-10300
US-PATENT-APPL-SN-718769
US-PATENT-CLASS-350-285
US-PATENT-3,535,024

N71-17679* c 31 ..... NASA-CASE-XNP-02507
US-PATENT-APPL-SN-475299
US-PATENT-CLASS-244-1
US-PATENT-3,310,256

N71-17680* c 31 ..... NASA-CASE-XLA-00117
US-PATENT-APPL-SN-835153
US-PATENT-CLASS-220-1
US-PATENT-2,996,212

N71-17685* c 15 ..... NASA-CASE-NPO-10034
US-PATENT-APPL-SN-668241
US-PATENT-CLASS-339-17
US-PATENT-3,464,051

N71-17686* c 15 ..... NASA-CASE-MFS-20586
US-PATENT-APPL-SN-688868
US-PATENT-CLASS-29-428
US-PATENT-3,526,030

N71-17687* c 15 ..... NASA-CASE-XLA-04143
US-PATENT-APPL-SN-628246
US-PATENT-CLASS-156-510
US-PATENT-3,508,999

N71-17688* c 15 ..... NASA-CASE-XLE-09527
US-PATENT-APPL-SN-686344
US-PATENT-CLASS-29-148.4
US-PATENT-3,500,525

N71-17691* c 31 ..... NASA-CASE-XLA-00937
US-PATENT-APPL-SN-393461
US-PATENT-CLASS-244-3.14
US-PATENT-3,310,258

N71-17692* c 15 ..... NASA-CASE-MFS-14772
US-PATENT-APPL-SN-774151
US-PATENT-CLASS-74-63
US-PATENT-3,529,480

N71-17693* c 15 ..... NASA-CASE-NPO-10064
US-PATENT-APPL-SN-668755
US-PATENT-CLASS-244-1
US-PATENT-3,501,112

N71-17694* c 15 ..... NASA-CASE-XNP-08897
US-PATENT-APPL-SN-640450
US-PATENT-CLASS-318-22
US-PATENT-3,501,683

N71-17696* c 15 ..... NASA-CASE-XLA-05100
US-PATENT-APPL-SN-724551
US-PATENT-CLASS-73-103
US-PATENT-3,487,680

N71-17701* c 14 ..... NASA-CASE-NPO-10144
US-PATENT-APPL-SN-688805
US-PATENT-CLASS-73-29
US-PATENT-3,534,585

N71-17705* c 06 ..... NASA-CASE-XGS-05532
US-PATENT-APPL-SN-570093
US-PATENT-CLASS-195-99
US-PATENT-3,423,290

N71-17729* c 31 ..... NASA-CASE-XAC-01591
US-PATENT-APPL-SN-385527
US-PATENT-CLASS-244-1
US-PATENT-3,282,532

N71-17730* c 31 ..... NASA-CASE-XMF-01543
US-PATENT-APPL-SN-402365
US-PATENT-CLASS-102-49
US-PATENT-3,286,629

N71-17788* c 30 ..... NASA-CASE-XGS-00783
US-PATENT-APPL-SN-372438
US-PATENT-CLASS-73-432
US-PATENT-3,286,531

N71-17802* c 23 ..... NASA-CASE-XLE-00454
US-PATENT-APPL-SN-295855
US-PATENT-CLASS-73-295
US-PATENT-3,273,392

N71-17803* c 15 ..... NASA-CASE-XMS-05516
US-PATENT-APPL-SN-563648
US-PATENT-CLASS-264-92
US-PATENT-3,488,414

N71-17805* c 15 ..... NASA-CASE-MFS-12805
US-PATENT-APPL-SN-758082
US-PATENT-CLASS-192-43.1
US-PATENT-CLASS-81-63.1
US-PATENT-3,534,836

N71-17818* c 26 ..... NASA-CASE-XMF-01016
US-PATENT-APPL-SN-326299
US-PATENT-CLASS-264-27
US-PATENT-3,274,304

N71-17822* c 15 ..... NASA-CASE-ARC-10009-1
US-PATENT-APPL-SN-714595
US-PATENT-CLASS-324-58.5
US-PATENT-3,532,973

N71-17897* c 33 ..... NASA-CASE-XLA-00892
US-PATENT-APPL-SN-245941
US-PATENT-CLASS-62-467
US-PATENT-3,273,355

N71-18064* c 26 ..... NASA-CASE-XNP-01328
US-PATENT-APPL-SN-296879
US-PATENT-CLASS-317-234
US-PATENT-3,271,637

N71-18132* c 15 ..... NASA-CASE-MFS-13686
US-PATENT-APPL-SN-716183
US-PATENT-CLASS-73-67.2
US-PATENT-3,531,982

N71-18465* c 14 ..... NASA-CASE-NPO-10174
US-PATENT-APPL-SN-690163
US-PATENT-CLASS-95-11
US-PATENT-3,520,238

N71-18481* c 14 ..... NASA-CASE-XLA-02758
US-PATENT-APPL-SN-759665
US-PATENT-CLASS-73-4

US-PATENT-3,531,978
N71-18482* c 14 ..... NASA-CASE-XLA-07424
US-PATENT-APPL-SN-635326
US-PATENT-CLASS-313-7
US-PATENT-3,466,484
N71-18483* c 14 ..... NASA-CASE-XER-09519
US-PATENT-APPL-SN-676375
US-PATENT-CLASS-55-208
US-PATENT-3,469,375
N71-18578* c 11 ..... NASA-CASE-XAC-05902
US-PATENT-APPL-SN-662828
US-PATENT-CLASS-89-8
US-PATENT-3,465,638
N71-18579* c 15 ..... NASA-CASE-XGS-04175
US-PATENT-APPL-SN-606464
US-PATENT-CLASS-72-364
US-PATENT-3,465,567
N71-18580* c 15 ..... NASA-CASE-XNP-09698
US-PATENT-APPL-SN-698592
US-PATENT-CLASS-138-4
US-PATENT-CLASS-138-45
US-PATENT-CLASS-251-118
US-PATENT-CLASS-251-121
US-PATENT-3,532,128
N71-18594* c 08 ..... NASA-CASE-XAC-04031
US-PATENT-APPL-SN-538905
US-PATENT-CLASS-340-347
US-PATENT-3,533,098
N71-18595* c 08 ..... NASA-CASE-XGS-03303
US-PATENT-APPL-SN-520838
US-PATENT-CLASS-340-174
US-PATENT-3,501,752
N71-18598* c 09 ..... NASA-CASE-NPO-10066
US-PATENT-APPL-SN-681693
US-PATENT-CLASS-343-13
US-PATENT-3,447,155
N71-18599* c 09 ..... NASA-CASE-LAR-10372
US-PATENT-APPL-SN-730162
US-PATENT-CLASS-102-70.2
US-PATENT-3,500,747
N71-18600* c 09 ..... NASA-CASE-MSC-12168-1
US-PATENT-APPL-SN-640154
US-PATENT-CLASS-312-296
US-PATENT-3,447,850
N71-18602* c 08 ..... NASA-CASE-XGS-04766
US-PATENT-APPL-SN-598120
US-PATENT-CLASS-235-175
US-PATENT-3,532,866
N71-18603* c 12 ..... NASA-CASE-ERC-10031
US-PATENT-APPL-SN-741461
US-PATENT-CLASS-40-28
US-PATENT-3,516,185
N71-18611* c 31 ..... NASA-CASE-MFS-20400
US-PATENT-APPL-SN-551694
US-PATENT-CLASS-152-11
US-PATENT-3,493,027
N71-18613* c 15 ..... NASA-CASE-XNP-02588
US-PATENT-APPL-SN-563644
US-PATENT-CLASS-219-91
US-PATENT-3,466,418
N71-18614* c 16 ..... NASA-CASE-XGS-03644
US-PATENT-APPL-SN-505320
US-PATENT-CLASS-331-94.5
US-PATENT-3,517,328
N71-18615* c 12 ..... NASA-CASE-XNP-09704
US-PATENT-APPL-SN-730701
US-PATENT-CLASS-137-594
US-PATENT-CLASS-138-46
US-PATENT-CLASS-251-127
US-PATENT-CLASS-251-333
US-PATENT-CLASS-251-342
US-PATENT-CLASS-251-61.1
US-PATENT-3,532,118
N71-18616* c 15 ..... NASA-CASE-XLA-07390
US-PATENT-APPL-SN-665681
US-PATENT-CLASS-72-53
US-PATENT-3,531,964
N71-18625* c 14 ..... NASA-CASE-NPO-10175
US-PATENT-APPL-SN-685787
US-PATENT-CLASS-137-505.12
US-PATENT-3,443,583
N71-18692* c 08 ..... NASA-CASE-MFS-14322
US-PATENT-APPL-SN-646934
US-PATENT-CLASS-328-134
US-PATENT-3,501,701
N71-18693* c 08 ..... NASA-CASE-XGS-04765
US-PATENT-APPL-SN-577545
US-PATENT-CLASS-235-156
US-PATENT-3,508,036
N71-18694* c 08 ..... NASA-CASE-NPO-10201
US-PATENT-APPL-SN-691738
US-PATENT-CLASS-340-174
US-PATENT-3,509,551
N71-18698* c 03 ..... NASA-CASE-NPO-10373
US-PATENT-APPL-SN-718752
US-PATENT-CLASS-136-89
US-PATENT-3,507,706
N71-18699* c 14 ..... NASA-CASE-XLA-03273
US-PATENT-APPL-SN-487352
US-PATENT-CLASS-250-83.3
US-PATENT-3,458,702
N71-18701* c 15 ..... NASA-CASE-XMF-07587
US-PATENT-APPL-SN-649359
US-PATENT-CLASS-317-122
US-PATENT-3,448,346
N71-18720* c 09 ..... NASA-CASE-MSC-12101
US-PATENT-APPL-SN-763705
US-PATENT-CLASS-343-718
US-PATENT-3,509,570
N71-18721* c 09 ..... NASA-CASE-XER-07894
US-PATENT-APPL-SN-644444
US-PATENT-CLASS-331-107
US-PATENT-3,509,491
N71-18722* c 10 ..... NASA-CASE-ERC-10046
US-PATENT-APPL-SN-793772
US-PATENT-CLASS-343-100
US-PATENT-3,501,764
N71-18723* c 10 ..... NASA-CASE-XNP-09450
US-PATENT-APPL-SN-640459
US-PATENT-CLASS-307-273
US-PATENT-3,501,649
N71-18724* c 10 ..... NASA-CASE-XLA-09371
US-PATENT-APPL-SN-568160
US-PATENT-CLASS-318-257
US-PATENT-3,504,258
N71-18751* c 08 ..... NASA-CASE-XLA-07732
US-PATENT-APPL-SN-641441
US-PATENT-CLASS-307-216
US-PATENT-3,512,009
N71-18752* c 08 ..... NASA-CASE-XMF-00663
US-PATENT-APPL-SN-205470
US-PATENT-CLASS-321-5
US-PATENT-3,521,143
N71-18772* c 10 ..... NASA-CASE-GSC-10366-1
US-PATENT-APPL-SN-771523
US-PATENT-CLASS-318-138
US-PATENT-3,532,948
N71-18773* c 11 ..... NASA-CASE-XMF-07488
US-PATENT-APPL-SN-707495
US-PATENT-CLASS-35-12
US-PATENT-3,534,485
N71-18830* c 09 ..... NASA-CASE-XAC-10768
US-PATENT-APPL-SN-711970
US-PATENT-CLASS-250-83
US-PATENT-3,508,053
N71-18843* c 09 ..... NASA-CASE-XNP-03263
US-PATENT-APPL-SN-506908
US-PATENT-CLASS-340-146.1
US-PATENT-3,501,743
N71-19212* c 21 ..... NASA-CASE-MFS-20386
US-PATENT-APPL-SN-818349
US-PATENT-CLASS-356-28
US-PATENT-3,532,427
N71-19213* c 15 ..... NASA-CASE-MFS-14259
US-PATENT-APPL-SN-787410
US-PATENT-CLASS-138-43
US-PATENT-3,536,103
N71-19214* c 15 ..... NASA-CASE-MFS-20410
US-PATENT-APPL-SN-819599
US-PATENT-CLASS-244-1
US-PATENT-3,534,926
N71-19287* c 02 ..... NASA-CASE-GSC-10087-1
US-PATENT-APPL-SN-701679
US-PATENT-CLASS-343-112
US-PATENT-3,534,367
N71-19288* c 08 ..... NASA-CASE-NPO-10068
US-PATENT-APPL-SN-668969
US-PATENT-CLASS-340-172.5
US-PATENT-3,501,750
N71-19417* c 10 ..... NASA-CASE-XMS-10984-1
US-PATENT-APPL-SN-605095
US-PATENT-CLASS-340-213.1
US-PATENT-3,533,093
N71-19418* c 10 ..... NASA-CASE-GSC-10041-1
US-PATENT-APPL-SN-684209
US-PATENT-CLASS-331-113
US-PATENT-3,458,833
N71-19420* c 08 ..... NASA-CASE-XNP-09453
US-PATENT-APPL-SN-640448
US-PATENT-CLASS-226-190
US-PATENT-3,507,436
N71-19421* c 10 ..... NASA-CASE-XLA-08493
US-PATENT-APPL-SN-749148
US-PATENT-CLASS-324-72
US-PATENT-3,532,975
N71-19431* c 14 ..... NASA-CASE-XGS-02439
US-PATENT-APPL-SN-487341
US-PATENT-CLASS-324-120
US-PATENT-3,422,352
N71-19432* c 08 ..... NASA-CASE-XGS-02440
US-PATENT-APPL-SN-655677
US-PATENT-CLASS-328-42
US-PATENT-3,517,318
N71-19433* c 07 ..... NASA-CASE-MFS-13046
US-PATENT-APPL-SN-673228
US-PATENT-CLASS-178-6
US-PATENT-3,532,807
N71-19435* c 08 ..... NASA-CASE-XGS-02612
US-PATENT-APPL-SN-502743
US-PATENT-CLASS-340-347
US-PATENT-3,509,558
N71-19436* c 07 ..... NASA-CASE-XMF-09422
US-PATENT-APPL-SN-783378
US-PATENT-CLASS-174-35
US-PATENT-3,517,109
N71-19437* c 08 ..... NASA-CASE-XGS-04768
US-PATENT-APPL-SN-598119
US-PATENT-CLASS-235-158
US-PATENT-3,508,039
N71-19438* c 03 ..... NASA-CASE-XGS-05432
US-PATENT-APPL-SN-549860
US-PATENT-CLASS-320-23
US-PATENT-3,426,263
N71-19439* c 05 ..... NASA-CASE-XMS-09571
US-PATENT-APPL-SN-678700
US-PATENT-CLASS-165-46
US-PATENT-3,425,487
N71-19440* c 05 ..... NASA-CASE-XMS-01177
US-PATENT-APPL-SN-516150
US-PATENT-CLASS-250-83
US-PATENT-3,427,454
N71-19449* c 09 ..... NASA-CASE-XFR-03107
US-PATENT-APPL-SN-507257
US-PATENT-CLASS-178-6
US-PATENT-3,458,651
N71-19466* c 09 ..... NASA-CASE-XGS-02812
US-PATENT-APPL-SN-502750
US-PATENT-CLASS-330-30
US-PATENT-3,466,560
N71-19467* c 10 ..... NASA-CASE-XMF-08665
US-PATENT-APPL-SN-582609
US-PATENT-CLASS-325-63
US-PATENT-3,470,475
N71-19468* c 10 ..... NASA-CASE-XMS-05605-1
US-PATENT-APPL-SN-764812
US-PATENT-CLASS-178-69.5
US-PATENT-3,532,819
N71-19469* c 10 ..... NASA-CASE-XNP-00777
US-PATENT-APPL-SN-486573
US-PATENT-CLASS-329-122
US-PATENT-3,517,268
N71-19470* c 09 ..... NASA-CASE-XGS-05289
US-PATENT-APPL-SN-632104
US-PATENT-CLASS-331-113
US-PATENT-3,470,496
N71-19471* c 10 ..... NASA-CASE-XLE-03804
US-PATENT-APPL-SN-526631
US-PATENT-CLASS-307-235
US-PATENT-3,463,939
N71-19472* c 10 ..... NASA-CASE-XAC-04030
US-PATENT-APPL-SN-520839
US-PATENT-CLASS-328-1
US-PATENT-3,464,016
N71-19479* c 09 ..... NASA-CASE-XMS-04300
US-PATENT-APPL-SN-516158
US-PATENT-CLASS-350-275
US-PATENT-3,427,093
N71-19480* c 09 ..... NASA-CASE-XFR-05637
US-PATENT-APPL-SN-484855
US-PATENT-CLASS-235-194
US-PATENT-3,423,579
N71-19485* c 15 ..... NASA-CASE-MSC-11010
US-PATENT-APPL-SN-605090
US-PATENT-CLASS-251-31
US-PATENT-3,447,774
N71-19486* c 15 ..... NASA-CASE-XMF-08522
US-PATENT-APPL-SN-640447
US-PATENT-CLASS-219-121
US-PATENT-3,474,220
N71-19489* c 15 ..... NASA-CASE-XMF-04680
US-PATENT-APPL-SN-634040
US-PATENT-CLASS-33-147
US-PATENT-3,425,131
N71-19493* c 07 ..... NASA-CASE-XKS-08485
US-PATENT-APPL-SN-649078
US-PATENT-CLASS-343-873
US-PATENT-3,509,578
N71-19494* c 11 ..... NASA-CASE-MFS-10555
US-PATENT-APPL-SN-700984
US-PATENT-CLASS-35-12
US-PATENT-3,516,179
N71-19516* c 09 ..... NASA-CASE-XNP-06937
US-PATENT-APPL-SN-640449
US-PATENT-CLASS-330-30
US-PATENT-3,501,712
N71-19544* c 08 ..... NASA-CASE-XGS-01230
US-PATENT-APPL-SN-356488
US-PATENT-CLASS-340-347

US-PATENT-3,474,441
N71-19545* c 03 ..... NASA-CASE-NPO-10821
US-PATENT-APPL-SN-670814
US-PATENT-CLASS-136-89
US-PATENT-3,466,198
N71-19547* c 10 ..... NASA-CASE-XGS-03058
US-PATENT-APPL-SN-568987
US-PATENT-CLASS-307-289
US-PATENT-3,517,221
N71-19568* c 14 ..... NASA-CASE-MSC-10966
US-PATENT-APPL-SN-665676
US-PATENT-CLASS-250-203
US-PATENT-3,421,004
N71-19569* c 15 ..... NASA-CASE-XLA-05749
US-PATENT-APPL-SN-621714
US-PATENT-CLASS-137-582
US-PATENT-3,426,791
N71-19570* c 15 ..... NASA-CASE-XLE-05130-2
US-PATENT-APPL-SN-700586
US-PATENT-CLASS-277-25
US-PATENT-3,466,052
N71-19610* c 09 ..... NASA-CASE-NPO-10037
US-PATENT-APPL-SN-700987
US-PATENT-CLASS-200-152
US-PATENT-3,470,342
N71-19687* c 08 ..... NASA-CASE-XNP-04780
US-PATENT-APPL-SN-455477
US-PATENT-CLASS-340-347
US-PATENT-3,430,227
N71-19763* c 08 ..... NASA-CASE-XAC-06302
US-PATENT-APPL-SN-574284
US-PATENT-CLASS-325-60
US-PATENT-3,456,193
N71-19773* c 07 ..... NASA-CASE-GSC-10373-1
US-PATENT-APPL-SN-712658
US-PATENT-CLASS-325-4
US-PATENT-3,532,985
N71-19854* c 07 ..... NASA-CASE-GSC-10553-1
US-PATENT-APPL-SN-820963
US-PATENT-CLASS-343-100
US-PATENT-3,534,365
N71-20268* c 05 ..... NASA-CASE-XLA-02898
US-PATENT-APPL-SN-429932
US-PATENT-CLASS-128-1
US-PATENT-3,461,855
N71-20273* c 03 ..... NASA-CASE-NPO-10188
US-PATENT-APPL-SN-681687
US-PATENT-CLASS-244-1
US-PATENT-3,473,758
N71-20330* c 28 ..... NASA-CASE-XLE-103477-1
US-PATENT-APPL-SN-466390
US-PATENT-CLASS-60-39.36
US-PATENT-3,433,015
N71-20393* c 15 ..... NASA-CASE-MFS-06074
US-PATENT-APPL-SN-688743
US-PATENT-CLASS-228-9
US-PATENT-3,458,104
N71-20395* c 15 ..... NASA-CASE-XMF-06065
US-PATENT-APPL-SN-665679
US-PATENT-CLASS-219-275
US-PATENT-3,466,424
N71-20396* c 31 ..... NASA-CASE-XMF-08523
US-PATENT-APPL-SN-645563
US-PATENT-CLASS-244-1
US-PATENT-3,465,986
N71-20400* c 16 ..... NASA-CASE-MFS-11279
US-PATENT-APPL-SN-628094
US-PATENT-CLASS-219-121
US-PATENT-3,472,998
N71-20407* c 03 ..... NASA-CASE-NPO-10194
US-PATENT-APPL-SN-668249
US-PATENT-CLASS-136-182
US-PATENT-3,460,995
N71-20427* c 14 ..... NASA-CASE-XMS-13052
US-PATENT-APPL-SN-561223
US-PATENT-CLASS-62-268
US-PATENT-3,455,121
N71-20428* c 14 ..... NASA-CASE-XGS-04879
US-PATENT-APPL-SN-541399
US-PATENT-CLASS-324-.5
US-PATENT-3,443,208
N71-20429* c 14 ..... NASA-CASE-XLE-05260
US-PATENT-APPL-SN-674355
US-PATENT-CLASS-73-117.4
US-PATENT-3,463,001
N71-20430* c 14 ..... NASA-CASE-XLA-03645
US-PATENT-APPL-SN-600266
US-PATENT-CLASS-250-83
US-PATENT-3,450,878
N71-20435* c 14 ..... NASA-CASE-XMS-06767-1
US-PATENT-APPL-SN-716795
US-PATENT-CLASS-73-422
US-PATENT-3,438,263
N71-20436* c 12 ..... NASA-CASE-LAR-11138
US-PATENT-APPL-SN-694317
US-PATENT-CLASS-73-147
US-PATENT-3,461,721
N71-20439* c 14 ..... NASA-CASE-XAC-04886-1
US-PATENT-APPL-SN-574290
US-PATENT-CLASS-73-142
US-PATENT-3,425,272
N71-20440* c 15 ..... NASA-CASE-XNP-09770
US-PATENT-APPL-SN-700120
US-PATENT-CLASS-209-10
US-PATENT-3,472,372
N71-20441* c 15 ..... NASA-CASE-XMS-06329-1
US-PATENT-APPL-SN-688742
US-PATENT-CLASS-73-141
US-PATENT-3,472,069
N71-20442* c 14 ..... NASA-CASE-MFS-11537
US-PATENT-APPL-SN-636878
US-PATENT-CLASS-23-254
US-PATENT-3,472,629
N71-20443* c 15 ..... NASA-CASE-MFS-07369
US-PATENT-APPL-SN-640462
US-PATENT-CLASS-29-492
US-PATENT-3,473,216
N71-20445* c 09 ..... NASA-CASE-XNP-09775
US-PATENT-APPL-SN-668247
US-PATENT-CLASS-333-96
US-PATENT-3,474,357
N71-20446* c 09 ..... NASA-CASE-XLE-04250
US-PATENT-APPL-SN-621098
US-PATENT-CLASS-310-54
US-PATENT-3,447,003
N71-20447* c 09 ..... NASA-CASE-XLA-02850
US-PATENT-APPL-SN-556784
US-PATENT-CLASS-307-267
US-PATENT-3,473,050
N71-20448* c 10 ..... NASA-CASE-XNP-03744
US-PATENT-APPL-SN-547677
US-PATENT-CLASS-318-314
US-PATENT-3,424,966
N71-20461* c 14 ..... NASA-CASE-XNP-00782
US-PATENT-APPL-SN-600682
US-PATENT-CLASS-117-6
US-PATENT-3,433,662
N71-20491* c 03 ..... NASA-CASE-XGS-05434
US-PATENT-APPL-SN-667636
US-PATENT-CLASS-136-182
US-PATENT-3,463,673
N71-20492* c 03 ..... NASA-CASE-XLE-04787
US-PATENT-APPL-SN-551846
US-PATENT-CLASS-136-89
US-PATENT-3,434,885
N71-20518* c 24 ..... NASA-CASE-XNP-02592
US-PATENT-APPL-SN-484490
US-PATENT-CLASS-324-33
US-PATENT-3,430,131
N71-20563* c 25 ..... NASA-CASE-XLA-06232
US-PATENT-APPL-SN-612740
US-PATENT-CLASS-324-58.5
US-PATENT-3,473,116
N71-20569* c 09 ..... NASA-CASE-XMS-08589-1
US-PATENT-APPL-SN-544899
US-PATENT-CLASS-324-57
US-PATENT-3,434,050
N71-20570* c 02 ..... NASA-CASE-XAC-08972
US-PATENT-APPL-SN-700174
US-PATENT-CLASS-244-76
US-PATENT-3,472,470
N71-20571* c 08 ..... NASA-CASE-XGS-04987
US-PATENT-APPL-SN-619908
US-PATENT-CLASS-315-24
US-PATENT-3,437,874
N71-20658* c 09 ..... NASA-CASE-XMS-03454
US-PATENT-APPL-SN-425363
US-PATENT-CLASS-343-915
US-PATENT-3,360,798
N71-20705* c 09 ..... NASA-CASE-XMF-01599
US-PATENT-APPL-SN-381940
US-PATENT-CLASS-117-212
US-PATENT-3,359,132
N71-20717* c 06 ..... NASA-CASE-XMF-04133
US-PATENT-APPL-SN-554949
US-PATENT-CLASS-260-2
US-PATENT-3,354,098
N71-20718* c 05 ..... NASA-CASE-XMS-04625
US-PATENT-APPL-SN-519161
US-PATENT-CLASS-244-122
US-PATENT-3,356,320
N71-20739* c 15 ..... NASA-CASE-XGS-02011
US-PATENT-APPL-SN-502693
US-PATENT-CLASS-308-9
US-PATENT-3,359,046
N71-20740* c 15 ..... NASA-CASE-XLA-01808
US-PATENT-APPL-SN-517159
US-PATENT-CLASS-74-471
US-PATENT-3,364,777
N71-20741* c 14 ..... NASA-CASE-XMS-01618
US-PATENT-APPL-SN-418362
US-PATENT-CLASS-73-29
US-PATENT-3,360,980
N71-20742* c 18 ..... NASA-CASE-XMS-02952
US-PATENT-APPL-SN-519160
US-PATENT-CLASS-55-158
US-PATENT-3,355,861
N71-20743* c 17 ..... NASA-CASE-XMF-02786
US-PATENT-APPL-SN-466873
US-PATENT-CLASS-75-142
US-PATENT-3,347,665
N71-20747* c 25 ..... NASA-CASE-XLE-02578
US-PATENT-APPL-SN-469012
US-PATENT-CLASS-313-271
US-PATENT-3,356,885
N71-20782* c 10 ..... NASA-CASE-XGS-01784
US-PATENT-APPL-SN-396444
US-PATENT-CLASS-250-206
US-PATENT-3,348,053
N71-20791* c 07 ..... NASA-CASE-XNP-05254
US-PATENT-APPL-SN-472372
US-PATENT-CLASS-325-31
US-PATENT-3,350,643
N71-20813* c 15 ..... NASA-CASE-XMS-02184
US-PATENT-APPL-SN-608247
US-PATENT-CLASS-248-27
US-PATENT-3,361,400
N71-20814* c 07 ..... NASA-CASE-XNP-01306
US-PATENT-APPL-SN-343426
US-PATENT-CLASS-179-15
US-PATENT-3,364,311
N71-20815* c 12 ..... NASA-CASE-XMF-01779
US-PATENT-APPL-SN-521999
US-PATENT-CLASS-346-1
US-PATENT-3,357,024
N71-20816* c 09 ..... NASA-CASE-XAC-01677
US-PATENT-APPL-SN-596338
US-PATENT-CLASS-73-147
US-PATENT-3,360,988
N71-20834* c 33 ..... NASA-CASE-XMS-02009
US-PATENT-APPL-SN-455352
US-PATENT-CLASS-141-5
US-PATENT-3,349,814
N71-20841* c 10 ..... NASA-CASE-XGS-01222
US-PATENT-APPL-SN-354182
US-PATENT-CLASS-325-305
US-PATENT-3,348,152
N71-20842* c 09 ..... NASA-CASE-XNP-05381
US-PATENT-APPL-SN-568352
US-PATENT-CLASS-338-82
US-PATENT-3,350,671
N71-20851* c 09 ..... NASA-CASE-XNP-04732
US-PATENT-APPL-SN-557584
US-PATENT-CLASS-339-177
US-PATENT-3,358,264
N71-20852* c 10 ..... NASA-CASE-XGS-03502
US-PATENT-APPL-SN-584066
US-PATENT-CLASS-331-17
US-PATENT-3,361,985
N71-20864* c 09 ..... NASA-CASE-XGS-03501
US-PATENT-APPL-SN-576521
US-PATENT-CLASS-343-16
US-PATENT-3,359,555
N71-20895* c 03 ..... NASA-CASE-XNP-00826
US-PATENT-APPL-SN-327163
US-PATENT-CLASS-136-89
US-PATENT-3,346,419
N71-20896* c 12 ..... NASA-CASE-XNP-02251
US-PATENT-APPL-SN-432030
US-PATENT-CLASS-321-48
US-PATENT-3,337,790
N71-20904* c 03 ..... NASA-CASE-XLE-01645
US-PATENT-APPL-SN-342574
US-PATENT-CLASS-136-86
US-PATENT-3,357,862
N71-20905* c 06 ..... NASA-CASE-XMF-02584
US-PATENT-APPL-SN-506135
US-PATENT-CLASS-260-2
US-PATENT-3,346,515
N71-20942* c 28 ..... NASA-CASE-XNP-04389
US-PATENT-APPL-SN-523511
US-PATENT-CLASS-60-265
US-PATENT-3,353,359
N71-21006* c 14 ..... NASA-CASE-XLA-01832
US-PATENT-APPL-SN-517858
US-PATENT-CLASS-346-50
US-PATENT-3,354,462
N71-21007* c 14 ..... NASA-CASE-XMS-06236
US-PATENT-APPL-SN-482670
US-PATENT-CLASS-73-290
US-PATENT-3,355,948
N71-21042* c 08 ..... NASA-CASE-XGS-01021
US-PATENT-APPL-SN-279646
US-PATENT-CLASS-340-174.1
US-PATENT-3,327,298
N71-21045* c 32 ..... NASA-CASE-XLA-01731
US-PATENT-APPL-SN-425365
US-PATENT-CLASS-52-2

US-PATENT-3,364,631
N71-21060* c 15 ..... NASA-CASE-XLA-03660
US-PATENT-APPL-SN-482307
US-PATENT-CLASS-95-53
US-PATENT-3,361,045
N71-21064* c 31 ..... NASA-CASE-XGS-02554
US-PATENT-APPL-SN-504266
US-PATENT-CLASS-244-1
US-PATENT-3,350,034
N71-21068* c 18 ..... NASA-CASE-XNP-02888
US-PATENT-APPL-SN-409126
US-PATENT-CLASS-239-265.11
US-PATENT-3,347,465
N71-21072* c 14 ..... NASA-CASE-XAC-02981
US-PATENT-APPL-SN-464879
US-PATENT-CLASS-73-398
US-PATENT-3,352,157
N71-21076* c 15 ..... NASA-CASE-XMS-03745
US-PATENT-APPL-SN-534295
US-PATENT-CLASS-24-263
US-PATENT-3,346,929
N71-21078* c 15 ..... NASA-CASE-XNP-03459
US-PATENT-APPL-SN-457879
US-PATENT-CLASS-29-495
US-PATENT-3,357,093
N71-21079* c 14 ..... NASA-CASE-XLA-03102
US-PATENT-APPL-SN-576195
US-PATENT-CLASS-33-31
US-PATENT-3,364,578
N71-21082* c 14 ..... NASA-CASE-XGS-02629
US-PATENT-APPL-SN-500435
US-PATENT-CLASS-244-1
US-PATENT-3,350,033
N71-21088* c 14 ..... NASA-CASE-XNP-06957
US-PATENT-APPL-SN-406097
US-PATENT-CLASS-250-83.3
US-PATENT-3,348,048
N71-21089* c 12 ..... NASA-CASE-XMS-01905
US-PATENT-APPL-SN-280580
US-PATENT-CLASS-141-91
US-PATENT-3,331,404
N71-21090* c 14 ..... NASA-CASE-XLE-00787
US-PATENT-APPL-SN-330210
US-PATENT-CLASS-324-33
US-PATENT-3,346,806
N71-21091* c 14 ..... NASA-CASE-XNP-02983
US-PATENT-APPL-SN-407599
US-PATENT-CLASS-73-88.5
US-PATENT-3,350,926
N71-21177* c 15 ..... NASA-CASE-XAC-06956
US-PATENT-APPL-SN-538166
US-PATENT-CLASS-259-71
US-PATENT-3,347,531
N71-21179* c 15 ..... NASA-CASE-XLA-01401
US-PATENT-APPL-SN-382976
US-PATENT-CLASS-235-61.6
US-PATENT-3,346,724
N71-21234* c 15 ..... NASA-CASE-XKS-02582
US-PATENT-APPL-SN-424153
US-PATENT-CLASS-251-172
US-PATENT-3,327,991
N71-21311* c 15 ..... NASA-CASE-XNP-03637
US-PATENT-APPL-SN-453232
US-PATENT-CLASS-310-9.1
US-PATENT-3,359,435
N71-21403* c 15 ..... NASA-CASE-XMF-03988
US-PATENT-APPL-SN-578923
US-PATENT-CLASS-252-26
US-PATENT-3,361,666
N71-21404* c 15 ..... NASA-CASE-XLA-01262
US-PATENT-APPL-SN-386800
US-PATENT-CLASS-156-3
US-PATENT-3,356,549
N71-21449* c 09 ..... NASA-CASE-XMS-01991
US-PATENT-APPL-SN-410326
US-PATENT-CLASS-323-22
US-PATENT-3,344,340
N71-21473* c 10 ..... NASA-CASE-XGS-08679
US-PATENT-APPL-SN-312443
US-PATENT-CLASS-343-113
US-PATENT-3,340,532
N71-21474* c 11 ..... NASA-CASE-XMS-04798
US-PATENT-APPL-SN-480210
US-PATENT-CLASS-35-12
US-PATENT-3,330,052
N71-21475* c 11 ..... NASA-CASE-XLA-05378
US-PATENT-APPL-SN-484156
US-PATENT-CLASS-73-343
US-PATENT-3,331,246
N71-21476* c 07 ..... NASA-CASE-XNP-00746
US-PATENT-APPL-SN-271824
US-PATENT-CLASS-235-181
US-PATENT-3,359,409
N71-21481* c 11 ..... NASA-CASE-XLA-01326
US-PATENT-APPL-SN-422097
US-PATENT-CLASS-73-147
US-PATENT-3,345,866
N71-21483* c 10 ..... NASA-CASE-XGS-01155
US-PATENT-APPL-SN-557871
US-PATENT-CLASS-343-16
US-PATENT-3,344,425
N71-21489* c 15 ..... NASA-CASE-XNP-06914
US-PATENT-APPL-SN-590147
US-PATENT-CLASS-85-33
US-PATENT-3,352,192
N71-21493* c 28 ..... NASA-CASE-XLA-10450
US-PATENT-APPL-SN-594587
US-PATENT-CLASS-239-265.19
US-PATENT-3,347,466
N71-21507* c 33 ..... NASA-CASE-XLE-04603
US-PATENT-APPL-SN-638194
US-PATENT-CLASS-60-243
US-PATENT-3,347,046
N71-21528* c 15 ..... NASA-CASE-XLA-01446
US-PATENT-APPL-SN-400613
US-PATENT-CLASS-53-102
US-PATENT-3,336,725
N71-21529* c 15 ..... NASA-CASE-XGS-02422
US-PATENT-APPL-SN-493943
US-PATENT-CLASS-74-126
US-PATENT-3,331,255
N71-21530* c 15 ..... NASA-CASE-XMS-03722
US-PATENT-APPL-SN-487934
US-PATENT-CLASS-267-64
US-PATENT-3,330,549
N71-21531* c 15 ..... NASA-CASE-XNP-02341
US-PATENT-APPL-SN-432025
US-PATENT-CLASS-52-127
US-PATENT-3,330,082
N71-21536* c 15 ..... NASA-CASE-XMS-06876
US-PATENT-APPL-SN-605100
US-PATENT-CLASS-72-34
US-PATENT-3,345,840
N71-21583* c 09 ..... NASA-CASE-XLE-02008
US-PATENT-APPL-SN-487342
US-PATENT-CLASS-338-64
US-PATENT-3,329,918
N71-21586* c 33 ..... NASA-CASE-XLA-01794
US-PATENT-APPL-SN-464880
US-PATENT-CLASS-73-86
US-PATENT-3,357,237
N71-21651* c 18 ..... NASA-CASE-XMF-01402
US-PATENT-APPL-SN-328140
US-PATENT-CLASS-161-68
US-PATENT-3,346,442
N71-21688* c 21 ..... NASA-CASE-XMF-00684
US-PATENT-APPL-SN-260087
US-PATENT-CLASS-235-150.25
US-PATENT-3,331,951
N71-21693* c 25 ..... NASA-CASE-XLA-03103
US-PATENT-APPL-SN-531642
US-PATENT-CLASS-315-111
US-PATENT-3,333,152
N71-21694* c 25 ..... NASA-CASE-XLE-02902
US-PATENT-APPL-SN-485957
US-PATENT-CLASS-60-202
US-PATENT-3,336,748
N71-21708* c 21 ..... NASA-CASE-XLA-02551
US-PATENT-APPL-SN-416940
US-PATENT-CLASS-244-1
US-PATENT-3,329,375
N71-21744* c 15 ..... NASA-CASE-XGS-04227
US-PATENT-APPL-SN-545805
US-PATENT-CLASS-74-409
US-PATENT-3,359,819
N71-21819* c 27 ..... NASA-CASE-XLE-03494
US-PATENT-APPL-SN-529593
US-PATENT-CLASS-60-251
US-PATENT-3,345,822
N71-21821* c 23 ..... NASA-CASE-XNP-01059
US-PATENT-APPL-SN-393464
US-PATENT-CLASS-250-232
US-PATENT-3,354,320
N71-21822* c 28 ..... NASA-CASE-XNP-04124
US-PATENT-APPL-SN-498168
US-PATENT-CLASS-60-202
US-PATENT-3,345,820
N71-21824* c 26 ..... NASA-CASE-XNP-05429
US-PATENT-APPL-SN-578928
US-PATENT-CLASS-103-1
US-PATENT-3,361,067
N71-21881* c 31 ..... NASA-CASE-XNP-02595
US-PATENT-APPL-SN-502709
US-PATENT-CLASS-244-1
US-PATENT-3,333,788
N71-21882* c 23 ..... NASA-CASE-XNP-03853
US-PATENT-APPL-SN-578931
US-PATENT-CLASS-88-24
US-PATENT-3,359,855
N71-22705* c 15 ..... NASA-CASE-XGS-02884
US-PATENT-APPL-SN-432433
US-PATENT-CLASS-51-57
US-PATENT-3,341,977
N71-22706* c 15 ..... NASA-CASE-XMS-09310
US-PATENT-APPL-SN-655724
US-PATENT-CLASS-137-496
US-PATENT-3,384,111
N71-22707* c 08 ..... NASA-CASE-XNP-04067
US-PATENT-APPL-SN-466875
US-PATENT-CLASS-340-172.5
US-PATENT-3,369,222
N71-22710* c 08 ..... NASA-CASE-XNP-02778
US-PATENT-APPL-SN-508170
US-PATENT-CLASS-340-172.5
US-PATENT-3,369,223
N71-22713* c 15 ..... NASA-CASE-XLA-03492
US-PATENT-APPL-SN-395348
US-PATENT-CLASS-156-60
US-PATENT-3,342,653
N71-22721* c 15 ..... NASA-CASE-XMF-03212
US-PATENT-APPL-SN-577549
US-PATENT-CLASS-55-418
US-PATENT-3,385,036
N71-22722* c 15 ..... NASA-CASE-XMS-04292
US-PATENT-APPL-SN-517157
US-PATENT-CLASS-82-14
US-PATENT-3,373,640
N71-22723* c 15 ..... NASA-CASE-XMF-01083
US-PATENT-APPL-SN-432028
US-PATENT-CLASS-72-83
US-PATENT-3,340,713
N71-22748* c 05 ..... NASA-CASE-XMS-04170
US-PATENT-APPL-SN-482311
US-PATENT-CLASS-9-312
US-PATENT-3,343,189
N71-22749* c 08 ..... NASA-CASE-XNP-02748
US-PATENT-APPL-SN-420245
US-PATENT-CLASS-340-146.1
US-PATENT-3,373,404
N71-22750* c 07 ..... NASA-CASE-XNP-01735
US-PATENT-APPL-SN-408438
US-PATENT-CLASS-343-786
US-PATENT-3,373,431
N71-22752* c 14 ..... NASA-CASE-XMF-01974
US-PATENT-APPL-SN-568354
US-PATENT-CLASS-73-419
US-PATENT-3,383,922
N71-22765* c 14 ..... NASA-CASE-XLA-00934
US-PATENT-APPL-SN-326298
US-PATENT-CLASS-73-84
US-PATENT-3,339,404
N71-22792* c 33 ..... NASA-CASE-XLA-01243
US-PATENT-APPL-SN-538911
US-PATENT-CLASS-244-1
US-PATENT-3,384,324
N71-22796* c 09 ..... NASA-CASE-XKS-03381
US-PATENT-APPL-SN-437611
US-PATENT-CLASS-317-9
US-PATENT-3,340,430
N71-22797* c 15 ..... NASA-CASE-XLE-01092
US-PATENT-APPL-SN-422098
US-PATENT-CLASS-72-253
US-PATENT-3,342,055
N71-22798* c 15 ..... NASA-CASE-XMS-04178
US-PATENT-APPL-SN-511299
US-PATENT-CLASS-83-467
US-PATENT-3,367,224
N71-22799* c 15 ..... NASA-CASE-XMF-03511
US-PATENT-APPL-SN-540414
US-PATENT-CLASS-90-12
US-PATENT-3,386,337
N71-22874* c 15 ..... NASA-CASE-XLA-00188
US-PATENT-APPL-SN-254847
US-PATENT-CLASS-102-49.5
US-PATENT-3,368,486
N71-22875* c 11 ..... NASA-CASE-XAC-05333
US-PATENT-APPL-SN-546148
US-PATENT-CLASS-119-15
US-PATENT-3,367,308
N71-22877* c 15 ..... NASA-CASE-XMF-10040
US-PATENT-APPL-SN-592680
US-PATENT-CLASS-188-1
US-PATENT-3,381,778
N71-22878* c 15 ..... NASA-CASE-XMS-04545
US-PATENT-APPL-SN-508601
US-PATENT-CLASS-73-144
US-PATENT-3,381,527
N71-22880* c 21 ..... NASA-CASE-XLA-00793
US-PATENT-APPL-SN-369334
US-PATENT-CLASS-88-1
US-PATENT-3,381,569
N71-22881* c 23 ..... NASA-CASE-XLE-04222
US-PATENT-APPL-SN-512559
US-PATENT-CLASS-220-9
US-PATENT-3,379,330
N71-22888* c 09 ..... NASA-CASE-XLA-03114
US-PATENT-APPL-SN-440039
US-PATENT-CLASS-343-708

US-PATENT-3,373,430
N71-22890* c 33 ..... NASA-CASE-XLA-07728
US-PATENT-APPL-SN-538908
US-PATENT-CLASS-165-96
US-PATENT-3,374,830
N71-22894* c 18 ..... NASA-CASE-XLE-03925
US-PATENT-APPL-SN-514407
US-PATENT-CLASS-75-204
US-PATENT-3,337,337
N71-22895* c 16 ..... NASA-CASE-XMS-04269
US-PATENT-APPL-SN-516793
US-PATENT-CLASS-250-199
US-PATENT-3,341,708
N71-22896* c 05 ..... NASA-CASE-XMS-02399
US-PATENT-APPL-SN-492344
US-PATENT-CLASS-128-2.06
US-PATENT-3,384,075
N71-22897* c 08 ..... NASA-CASE-XNP-01753
US-PATENT-APPL-SN-423412
US-PATENT-CLASS-235-92
US-PATENT-3,374,339
N71-22961* c 10 ..... NASA-CASE-XMS-02159
US-PATENT-APPL-SN-534564
US-PATENT-CLASS-323-56
US-PATENT-3,365,657
N71-22962* c 10 ..... NASA-CASE-XGS-05441
US-PATENT-APPL-SN-505321
US-PATENT-CLASS-328-233
US-PATENT-3,366,886
N71-22964* c 14 ..... NASA-CASE-XLE-02024
US-PATENT-APPL-SN-422099
US-PATENT-CLASS-73-15
US-PATENT-3,365,930
N71-22965* c 14 ..... NASA-CASE-XGS-02319
US-PATENT-APPL-SN-496205
US-PATENT-CLASS-73-117
US-PATENT-3,365,941
N71-22968* c 31 ..... NASA-CASE-XLA-02050
US-PATENT-APPL-SN-568067
US-PATENT-CLASS-244-1
US-PATENT-3,386,685
N71-22969* c 31 ..... NASA-CASE-XLA-03132
US-PATENT-APPL-SN-610728
US-PATENT-CLASS-244-1
US-PATENT-3,386,686
N71-22974* c 03 ..... NASA-CASE-XGS-02630
US-PATENT-APPL-SN-494287
US-PATENT-CLASS-136-132
US-PATENT-3,382,107
N71-22975* c 06 ..... NASA-CASE-XNP-07659
US-PATENT-APPL-SN-567806
US-PATENT-CLASS-18-26
US-PATENT-3,381,339
N71-22982* c 15 ..... NASA-CASE-XLA-02809
US-PATENT-APPL-SN-554897
US-PATENT-CLASS-308-176
US-PATENT-3,397,932
N71-22983* c 28 ..... NASA-CASE-XMF-06926
US-PATENT-APPL-SN-537615
US-PATENT-CLASS-60-258
US-PATENT-3,336,754
N71-22984* c 07 ..... NASA-CASE-XMS-04312
US-PATENT-APPL-SN-521754
US-PATENT-CLASS-343-708
US-PATENT-3,384,895
N71-22985* c 09 ..... NASA-CASE-XMF-03934
US-PATENT-APPL-SN-530958
US-PATENT-CLASS-250-83.3
US-PATENT-3,379,885
N71-22986* c 10 ..... NASA-CASE-XMF-01892
US-PATENT-APPL-SN-464878
US-PATENT-CLASS-328-167
US-PATENT-3,375,451
N71-22987* c 09 ..... NASA-CASE-XLE-04788
US-PATENT-APPL-SN-537617
US-PATENT-CLASS-313-352
US-PATENT-3,396,303
N71-22988* c 09 ..... NASA-CASE-XGS-03304
US-PATENT-APPL-SN-483886
US-PATENT-CLASS-73-1
US-PATENT-3,381,517
N71-22989* c 14 ..... NASA-CASE-XLA-01551
US-PATENT-APPL-SN-422092
US-PATENT-CLASS-73-190
US-PATENT-3,382,714
N71-22990* c 14 ..... NASA-CASE-XMS-04201
US-PATENT-APPL-SN-507254
US-PATENT-CLASS-324-70
US-PATENT-3,379,974
N71-22991* c 14 ..... NASA-CASE-XLA-01791
US-PATENT-APPL-SN-462763
US-PATENT-CLASS-250-227
US-PATENT-3,397,318
N71-22992* c 14 ..... NASA-CASE-XGS-01023
US-PATENT-APPL-SN-446131
US-PATENT-CLASS-73-65
US-PATENT-3,377,845
N71-22993* c 14 ..... NASA-CASE-XMS-05365
US-PATENT-APPL-SN-515484
US-PATENT-CLASS-310-8.5
US-PATENT-3,387,149
N71-22994* c 15 ..... NASA-CASE-XFR-05421
US-PATENT-APPL-SN-567686
US-PATENT-CLASS-24-126
US-PATENT-3,378,892
N71-22995* c 14 ..... NASA-CASE-XNP-08680
US-PATENT-APPL-SN-562444
US-PATENT-CLASS-73-9
US-PATENT-3,376,730
N71-22996* c 14 ..... NASA-CASE-XGS-01331
US-PATENT-APPL-SN-445807
US-PATENT-CLASS-250-218
US-PATENT-3,388,258
N71-22997* c 15 ..... NASA-CASE-XNP-01641
US-PATENT-APPL-SN-464885
US-PATENT-CLASS-308-10
US-PATENT-3,378,315
N71-22998* c 18 ..... NASA-CASE-XGS-02435
US-PATENT-APPL-SN-392965
US-PATENT-CLASS-106-40
US-PATENT-3,382,082
N71-22999* c 09 ..... NASA-CASE-XLA-00781
US-PATENT-APPL-SN-307271
US-PATENT-CLASS-88-14
US-PATENT-3,364,813
N71-23001* c 07 ..... NASA-CASE-XGS-01812
US-PATENT-APPL-SN-392973
US-PATENT-CLASS-340-174.1
US-PATENT-3,380,042
N71-23006* c 03 ..... NASA-CASE-XGS-02631
US-PATENT-APPL-SN-425972
US-PATENT-CLASS-136-133
US-PATENT-3,340,099
N71-23007* c 02 ..... NASA-CASE-XMF-04163
US-PATENT-APPL-SN-424156
US-PATENT-CLASS-73-189
US-PATENT-3,340,732
N71-23008* c 31 ..... NASA-CASE-XLA-04804
US-PATENT-APPL-SN-577546
US-PATENT-CLASS-102-49.5
US-PATENT-3,384,016
N71-23009* c 31 ..... NASA-CASE-XGS-02607
US-PATENT-APPL-SN-474531
US-PATENT-CLASS-244-1
US-PATENT-3,341,151
N71-23015* c 09 ..... NASA-CASE-XGS-02751
US-PATENT-APPL-SN-491059
US-PATENT-CLASS-307-288
US-PATENT-3,374,366
N71-23021* c 09 ..... NASA-CASE-XAC-02807
US-PATENT-APPL-SN-456581
US-PATENT-CLASS-324-120
US-PATENT-3,384,820
N71-23022* c 15 ..... NASA-CASE-XMS-01625
US-PATENT-APPL-SN-418933
US-PATENT-CLASS-136-86
US-PATENT-3,389,017
N71-23023* c 15 ..... NASA-CASE-XMF-04042
US-PATENT-APPL-SN-605518
US-PATENT-CLASS-55-204
US-PATENT-3,397,512
N71-23024* c 15 ..... NASA-CASE-XNP-01747
US-PATENT-APPL-SN-413661
US-PATENT-CLASS-251-148
US-PATENT-3,341,169
N71-23025* c 15 ..... NASA-CASE-XNP-08877
US-PATENT-APPL-SN-574282
US-PATENT-CLASS-62-6
US-PATENT-3,367,121
N71-23026* c 07 ..... NASA-CASE-XNP-02791
US-PATENT-APPL-SN-390251
US-PATENT-CLASS-178-6
US-PATENT-3,383,461
N71-23027* c 09 ..... NASA-CASE-XNP-01960
US-PATENT-APPL-SN-438135
US-PATENT-CLASS-29-572
US-PATENT-3,340,599
N71-23029* c 10 ..... NASA-CASE-XGS-03427
US-PATENT-APPL-SN-500446
US-PATENT-CLASS-307-265
US-PATENT-3,383,524
N71-23030* c 11 ..... NASA-CASE-XNP-03578
US-PATENT-APPL-SN-445292
US-PATENT-CLASS-73-147
US-PATENT-3,342,066
N71-23033* c 10 ..... NASA-CASE-XNP-01318
US-PATENT-APPL-SN-380965
US-PATENT-CLASS-340-174
US-PATENT-3,388,387
N71-23036* c 14 ..... NASA-CASE-XNP-01660
US-PATENT-APPL-SN-578916
US-PATENT-CLASS-73-4
US-PATENT-3,383,903
N71-23037* c 14 ..... NASA-CASE-XAC-01662
US-PATENT-APPL-SN-385520
US-PATENT-CLASS-324-117
US-PATENT-3,365,665
N71-23039* c 14 ..... NASA-CASE-XNP-01659
US-PATENT-APPL-SN-410332
US-PATENT-CLASS-136-230
US-PATENT-3,377,208
N71-23040* c 14 ..... NASA-CASE-XNP-05535
US-PATENT-APPL-SN-487939
US-PATENT-CLASS-244-1
US-PATENT-3,339,863
N71-23041* c 14 ..... NASA-CASE-XNP-01056
US-PATENT-APPL-SN-377146
US-PATENT-CLASS-250-41.9
US-PATENT-3,340,395
N71-23042* c 11 ..... NASA-CASE-XMS-02930
US-PATENT-APPL-SN-417253
US-PATENT-CLASS-250-52
US-PATENT-3,340,397
N71-23043* c 26 ..... NASA-CASE-XNP-01959
US-PATENT-APPL-SN-410330
US-PATENT-CLASS-136-89
US-PATENT-3,396,057
N71-23046* c 17 ..... NASA-CASE-XNP-04338
US-PATENT-APPL-SN-461765
US-PATENT-CLASS-29-182.2
US-PATENT-3,421,864
N71-23047* c 18 ..... NASA-CASE-XLA-01995
US-PATENT-APPL-SN-411945
US-PATENT-CLASS-148-6.16
US-PATENT-3,395,053
N71-23048* c 15 ..... NASA-CASE-XNP-03972
US-PATENT-APPL-SN-502710
US-PATENT-CLASS-184-1
US-PATENT-3,367,445
N71-23049* c 15 ..... NASA-CASE-XMF-01049
US-PATENT-APPL-SN-506137
US-PATENT-CLASS-339-5
US-PATENT-3,375,479
N71-23050* c 15 ..... NASA-CASE-XMF-01730
US-PATENT-APPL-SN-517869
US-PATENT-CLASS-228-8
US-PATENT-3,373,914
N71-23051* c 15 ..... NASA-CASE-XAC-01158
US-PATENT-APPL-SN-420250
US-PATENT-CLASS-137-625.5
US-PATENT-3,369,564
N71-23052* c 15 ..... NASA-CASE-XLA-03497
US-PATENT-APPL-SN-392992
US-PATENT-CLASS-156-285
US-PATENT-3,373,069
N71-23080* c 05 ..... NASA-CASE-XLE-02531
US-PATENT-APPL-SN-425096
US-PATENT-CLASS-312-1
US-PATENT-3,337,279
N71-23081* c 28 ..... NASA-CASE-XNP-02923
US-PATENT-APPL-SN-494280
US-PATENT-CLASS-60-202
US-PATENT-3,367,114
N71-23084* c 10 ..... NASA-CASE-XLA-01219
US-PATENT-APPL-SN-402978
US-PATENT-CLASS-332-1
US-PATENT-3,366,894
N71-23085* c 33 ..... NASA-CASE-XFR-03802
US-PATENT-APPL-SN-460877
US-PATENT-CLASS-73-190
US-PATENT-3,367,182
N71-23086* c 15 ..... NASA-CASE-XMS-04533
US-PATENT-APPL-SN-557016
US-PATENT-CLASS-202-234
US-PATENT-3,397,117
N71-23087* c 14 ..... NASA-CASE-XNP-03918
US-PATENT-APPL-SN-510475
US-PATENT-CLASS-73-88.5
US-PATENT-3,388,590
N71-23088* c 18 ..... NASA-CASE-XNP-00597
US-PATENT-APPL-SN-410325
US-PATENT-CLASS-65-7
US-PATENT-3,337,315
N71-23092* c 14 ..... NASA-CASE-XLA-01530
US-PATENT-APPL-SN-420466
US-PATENT-CLASS-188-1
US-PATENT-3,337,004
N71-23093* c 14 ..... NASA-CASE-XLE-03280
US-PATENT-APPL-SN-517156
US-PATENT-CLASS-73-400
US-PATENT-3,379,064
N71-23096* c 05 ..... NASA-CASE-XMS-06064
US-PATENT-APPL-SN-563646
US-PATENT-CLASS-2-14
US-PATENT-3,378,851
N71-23097* c 09 ..... NASA-CASE-XNP-02140
US-PATENT-APPL-SN-440036
US-PATENT-CLASS-330-61

US-PATENT-3,337,812
N71-23098* c 07 ..... NASA-CASE-XGS-00740
US-PATENT-APPL-SN-353644
US-PATENT-CLASS-325-305
US-PATENT-3,341,778
N71-23099* c 10 ..... NASA-CASE-XNP-08875
US-PATENT-APPL-SN-640455
US-PATENT-CLASS-343-6.5
US-PATENT-3,380,049
N71-23159* c 05 ..... NASA-CASE-XMF-06589
US-PATENT-APPL-SN-543206
US-PATENT-CLASS-5-82
US-PATENT-3,343,180
N71-23161* c 05 ..... NASA-CASE-XAC-07043
US-PATENT-APPL-SN-566397
US-PATENT-CLASS-2-2.1
US-PATENT-3,405,406
N71-23174* c 14 ..... NASA-CASE-XGS-02610
US-PATENT-APPL-SN-491054
US-PATENT-CLASS-321-60
US-PATENT-3,417,316
N71-23175* c 14 ..... NASA-CASE-XKS-03509
US-PATENT-APPL-SN-566392
US-PATENT-CLASS-356-166
US-PATENT-3,414,358
N71-23185* c 04 ..... NASA-CASE-XAC-05422
US-PATENT-APPL-SN-483885
US-PATENT-CLASS-128-2.05
US-PATENT-3,412,729
N71-23187* c 03 ..... NASA-CASE-XGS-03390
US-PATENT-APPL-SN-551182
US-PATENT-CLASS-136-89
US-PATENT-3,419,433
N71-23188* c 09 ..... NASA-CASE-XMF-14301
US-PATENT-APPL-SN-697341
US-PATENT-CLASS-321-2
US-PATENT-3,470,446
N71-23189* c 09 ..... NASA-CASE-XNP-06028
US-PATENT-APPL-SN-649356
US-PATENT-CLASS-315-26
US-PATENT-3,431,460
N71-23190* c 09 ..... NASA-CASE-XLE-04501
US-PATENT-APPL-SN-522794
US-PATENT-CLASS-313-231
US-PATENT-3,413,510
N71-23191* c 09 ..... NASA-CASE-XMS-05890
US-PATENT-APPL-SN-650166
US-PATENT-CLASS-137-554
US-PATENT-3,414,012
N71-23225* c 14 ..... NASA-CASE-XNP-04817
US-PATENT-APPL-SN-516152
US-PATENT-CLASS-73-12
US-PATENT-3,412,598
N71-23226* c 14 ..... NASA-CASE-XNP-06509
US-PATENT-APPL-SN-570095
US-PATENT-CLASS-73-194
US-PATENT-3,411,356
N71-23227* c 14 ..... NASA-CASE-XMF-06515
US-PATENT-APPL-SN-548808
US-PATENT-CLASS-73-432
US-PATENT-3,408,870
N71-23230* c 06 ..... NASA-CASE-XMF-06409
US-PATENT-APPL-SN-575930
US-PATENT-CLASS-260-448.2
US-PATENT-3,433,818
N71-23239* c 03 ..... NASA-CASE-XMF-08217
US-PATENT-APPL-SN-688807
US-PATENT-CLASS-321-2
US-PATENT-3,470,443
N71-23240* c 14 ..... NASA-CASE-XLA-00941
US-PATENT-APPL-SN-508873
US-PATENT-CLASS-250-227
US-PATENT-3,407,304
N71-23248* c 17 ..... NASA-CASE-XLE-03629
US-PATENT-APPL-SN-554950
US-PATENT-CLASS-75-170
US-PATENT-3,415,643
N71-23254* c 15 ..... NASA-CASE-XFR-05302
US-PATENT-APPL-SN-685463
US-PATENT-CLASS-85-7
US-PATENT-3,443,472
N71-23255* c 15 ..... NASA-CASE-XMS-07487
US-PATENT-APPL-SN-580365
US-PATENT-CLASS-244-83
US-PATENT-3,409,252
N71-23256* c 15 ..... NASA-CASE-XMF-03290
US-PATENT-APPL-SN-479353
US-PATENT-CLASS-53-22
US-PATENT-3,415,032
N71-23267* c 14 ..... NASA-CASE-XLE-04026
US-PATENT-APPL-SN-617770
US-PATENT-CLASS-13-26
US-PATENT-3,470,304
N71-23268* c 14 ..... NASA-CASE-XLA-01907
US-PATENT-APPL-SN-335441
US-PATENT-CLASS-356-72
US-PATENT-3,419,329
N71-23269* c 14 ..... NASA-CASE-XLA-01584
US-PATENT-APPL-SN-416943
US-PATENT-CLASS-250-203
US-PATENT-3,389,260
N71-23270* c 09 ..... NASA-CASE-XMS-04919
US-PATENT-APPL-SN-516155
US-PATENT-CLASS-307-263
US-PATENT-3,417,266
N71-23271* c 10 ..... NASA-CASE-XNP-00952
US-PATENT-APPL-SN-388967
US-PATENT-CLASS-317-148.5
US-PATENT-3,417,298
N71-23289* c 21 ..... NASA-CASE-XMF-01669
US-PATENT-APPL-SN-399419
US-PATENT-CLASS-74-5.47
US-PATENT-3,415,126
N71-23292* c 26 ..... NASA-CASE-XLE-10715
US-PATENT-APPL-SN-603397
US-PATENT-CLASS-252-62.3
US-PATENT-3,409,554
N71-23293* c 28 ..... NASA-CASE-XNP-06942
US-PATENT-APPL-SN-563651
US-PATENT-CLASS-60-202
US-PATENT-3,412,559
N71-23295* c 08 ..... NASA-CASE-XNP-04819
US-PATENT-APPL-SN-502701
US-PATENT-CLASS-340-146.2
US-PATENT-3,390,378
N71-23311* c 09 ..... NASA-CASE-XGS-03632
US-PATENT-APPL-SN-502739
US-PATENT-CLASS-307-260
US-PATENT-3,390,282
N71-23315* c 10 ..... NASA-CASE-XLA-03356
US-PATENT-APPL-SN-536216
US-PATENT-CLASS-307-234
US-PATENT-3,448,290
N71-23316* c 09 ..... NASA-CASE-XMS-09352
US-PATENT-APPL-SN-564919
US-PATENT-CLASS-323-22
US-PATENT-3,417,321
N71-23317* c 05 ..... NASA-CASE-XMS-06061
US-PATENT-APPL-SN-605092
US-PATENT-CLASS-307-260
US-PATENT-3,467,837
N71-23336* c 03 ..... NASA-CASE-XGS-01513
US-PATENT-APPL-SN-502756
US-PATENT-CLASS-136-166
US-PATENT-3,390,017
N71-23354* c 03 ..... NASA-CASE-XLE-04535
US-PATENT-APPL-SN-588671
US-PATENT-CLASS-250-212
US-PATENT-3,437,818
N71-23365* c 17 ..... NASA-CASE-XNP-03063
US-PATENT-APPL-SN-521994
US-PATENT-CLASS-75-172
US-PATENT-3,413,115
N71-23401* c 14 ..... NASA-CASE-XGS-03230
US-PATENT-APPL-SN-517158
US-PATENT-CLASS-250-83
US-PATENT-3,419,992
N71-23405* c 07 ..... NASA-CASE-XGS-01537
US-PATENT-APPL-SN-432026
US-PATENT-CLASS-325-163
US-PATENT-3,417,332
N71-23443* c 09 ..... NASA-CASE-XLE-02823
US-PATENT-APPL-SN-491058
US-PATENT-CLASS-310-10
US-PATENT-3,393,332
N71-23449* c 03 ..... NASA-CASE-XLE-08569
US-PATENT-APPL-SN-641420
US-PATENT-CLASS-136-89
US-PATENT-3,472,698
N71-23497* c 01 ..... NASA-CASE-XLA-01486
US-PATENT-APPL-SN-484485
US-PATENT-CLASS-244-13
US-PATENT-3,392,936
N71-23499* c 06 ..... NASA-CASE-XNP-03835
US-PATENT-APPL-SN-456874
US-PATENT-CLASS-44-77
US-PATENT-3,393,059
N71-23500* c 06 ..... NASA-CASE-XNP-03250
US-PATENT-APPL-SN-485058
US-PATENT-CLASS-260-85.5
US-PATENT-3,419,537
N71-23525* c 09 ..... NASA-CASE-XGS-02317
US-PATENT-APPL-SN-576183
US-PATENT-CLASS-328-61
US-PATENT-3,464,018
N71-23527* c 06 ..... NASA-CASE-XLE-01997
US-PATENT-APPL-SN-427990
US-PATENT-CLASS-23-230
US-PATENT-3,472,625
N71-23543* c 10 ..... NASA-CASE-XMS-00913
US-PATENT-APPL-SN-416945
US-PATENT-CLASS-317-31
US-PATENT-3,393,347
N71-23544* c 10 ..... NASA-CASE-XNP-05382
US-PATENT-APPL-SN-536217
US-PATENT-CLASS-332-19
US-PATENT-3,393,380
N71-23545* c 09 ..... NASA-CASE-XMF-04367
US-PATENT-APPL-SN-457874
US-PATENT-CLASS-307-235
US-PATENT-3,404,289
N71-23548* c 09 ..... NASA-CASE-XNP-06507
US-PATENT-APPL-SN-605099
US-PATENT-CLASS-333-98
US-PATENT-3,419,827
N71-23573* c 09 ..... NASA-CASE-XGS-01418
US-PATENT-APPL-SN-392969
US-PATENT-CLASS-333-73
US-PATENT-3,393,384
N71-23598* c 09 ..... NASA-CASE-XER-11019
US-PATENT-APPL-SN-711971
US-PATENT-CLASS-331-78
US-PATENT-3,470,489
N71-23599* c 22 ..... NASA-CASE-XLE-01903
US-PATENT-APPL-SN-466868
US-PATENT-CLASS-310-4
US-PATENT-3,393,330
N71-23654* c 26 ..... NASA-CASE-XLE-02798
US-PATENT-APPL-SN-660571
US-PATENT-CLASS-148-1.5
US-PATENT-3,390,020
N71-23658* c 18 ..... NASA-CASE-XLE-02647
US-PATENT-APPL-SN-430226
US-PATENT-CLASS-220-9
US-PATENT-3,392,864
N71-23662* c 10 ..... NASA-CASE-XGS-01118
US-PATENT-APPL-SN-408442
US-PATENT-CLASS-235-154
US-PATENT-3,399,299
N71-23663* c 10 ..... NASA-CASE-XKS-04631
US-PATENT-APPL-SN-663180
US-PATENT-CLASS-200-82
US-PATENT-3,433,909
N71-23669* c 10 ..... NASA-CASE-XAC-10607
US-PATENT-APPL-SN-694345
US-PATENT-CLASS-331-111
US-PATENT-3,470,495
N71-23698* c 14 ..... NASA-CASE-XGS-08259
US-PATENT-APPL-SN-666551
US-PATENT-CLASS-242-192
US-PATENT-3,460,781
N71-23699* c 14 ..... NASA-CASE-XMF-10289
US-PATENT-APPL-SN-674356
US-PATENT-CLASS-324-72
US-PATENT-3,470,466
N71-23710* c 18 ..... NASA-CASE-XLE-08511
US-PATENT-APPL-SN-635972
US-PATENT-CLASS-29-182.1
US-PATENT-3,419,363
N71-23723* c 30 ..... NASA-CASE-XNP-09832
US-PATENT-APPL-SN-632163
US-PATENT-CLASS-343-100
US-PATENT-3,417,399
N71-23725* c 14 ..... NASA-CASE-XGS-01013
US-PATENT-APPL-SN-665209
US-PATENT-CLASS-73-133
US-PATENT-3,460,381
N71-23726* c 14 ..... NASA-CASE-XMF-05224
US-PATENT-APPL-SN-660842
US-PATENT-CLASS-73-189
US-PATENT-3,465,584
N71-23755* c 14 ..... NASA-CASE-XMF-04134
US-PATENT-APPL-SN-610723
US-PATENT-CLASS-73-4
US-PATENT-3,472,059
N71-23790* c 14 ..... NASA-CASE-XAC-04885
US-PATENT-APPL-SN-573432
US-PATENT-CLASS-73-141
US-PATENT-3,415,116
N71-23797* c 14 ..... NASA-CASE-XNP-06510
US-PATENT-APPL-SN-562445
US-PATENT-CLASS-250-203
US-PATENT-3,417,247
N71-23798* c 15 ..... NASA-CASE-XMF-02330
US-PATENT-APPL-SN-608944
US-PATENT-CLASS-219-130
US-PATENT-3,469,069
N71-23809* c 15 ..... NASA-CASE-XAC-10019
US-PATENT-APPL-SN-686209
US-PATENT-CLASS-74-89.18
US-PATENT-3,472,086
N71-23810* c 15 ..... NASA-CASE-XLE-05033
US-PATENT-APPL-SN-510474
US-PATENT-CLASS-252-12
US-PATENT-3,466,243
N71-23811* c 15 ..... NASA-CASE-XNP-05297
US-PATENT-APPL-SN-640458
US-PATENT-CLASS-72-354

US-PATENT-3,443,412
N71-23812* c 15 ..... NASA-CASE-XMF-07808
US-PATENT-APPL-SN-684178
US-PATENT-CLASS-308-2
US-PATENT-3,463,563
N71-23815* c 15 ..... NASA-CASE-XMF-07069
US-PATENT-APPL-SN-672382
US-PATENT-CLASS-219-125
US-PATENT-3,469,068
N71-23816* c 15 ..... NASA-CASE-XLE-03803
US-PATENT-APPL-SN-505765
US-PATENT-CLASS-220-9
US-PATENT-3,392,865
N71-23817* c 15 ..... NASA-CASE-XLE-06773
US-PATENT-APPL-SN-646124
US-PATENT-CLASS-72-467
US-PATENT-3,469,436
N71-23828* c 17 ..... NASA-CASE-XMF-02303
US-PATENT-APPL-SN-453229
US-PATENT-CLASS-148-6.20
US-PATENT-3,416,975
N71-23912* c 31 ..... NASA-CASE-XMF-05941
US-PATENT-APPL-SN-653277
US-PATENT-CLASS-244-1
US-PATENT-3,443,773
N71-23968* c 28 ..... NASA-CASE-XLE-04857
US-PATENT-APPL-SN-621742
US-PATENT-CLASS-239-127.1
US-PATENT-3,460,759
N71-23971* c 32 ..... NASA-CASE-XAC-05632
US-PATENT-APPL-SN-568355
US-PATENT-CLASS-244-77
US-PATENT-3,412,961
N71-23976* c 23 ..... NASA-CASE-XLA-01987
US-PATENT-APPL-SN-542713
US-PATENT-CLASS-346-107
US-PATENT-3,392,403
N71-24035* c 31 ..... NASA-CASE-XLA-01027
US-PATENT-APPL-SN-494283
US-PATENT-CLASS-52-272
US-PATENT-3,416,274
N71-24042* c 15 ..... NASA-CASE-XNP-04731
US-PATENT-APPL-SN-534966
US-PATENT-CLASS-103-48
US-PATENT-3,367,271
N71-24043* c 15 ..... NASA-CASE-XKS-03338
US-PATENT-APPL-SN-547072
US-PATENT-CLASS-89-1.806
US-PATENT-3,415,156
N71-24044* c 15 ..... NASA-CASE-XMF-06888
US-PATENT-APPL-SN-591000
US-PATENT-CLASS-62-40
US-PATENT-3,415,069
N71-24045* c 15 ..... NASA-CASE-XGS-04548
US-PATENT-APPL-SN-672383
US-PATENT-CLASS-74-100
US-PATENT-3,460,397
N71-24046* c 15 ..... NASA-CASE-XLE-10337
US-PATENT-APPL-SN-594633
US-PATENT-CLASS-252-26
US-PATENT-3,391,080
N71-24047* c 15 ..... NASA-CASE-XGS-03120
US-PATENT-APPL-SN-485958
US-PATENT-CLASS-156-3
US-PATENT-3,470,043
N71-24074* c 16 ..... NASA-CASE-XLA-03375
US-PATENT-APPL-SN-512562
US-PATENT-CLASS-356-104
US-PATENT-3,446,558
N71-24142* c 17 ..... NASA-CASE-XLE-06969
US-PATENT-APPL-SN-655675
US-PATENT-CLASS-148-126
US-PATENT-3,463,679
N71-24145* c 33 ..... NASA-CASE-XLE-03432
US-PATENT-APPL-SN-559349
US-PATENT-CLASS-13-35
US-PATENT-3,409,730
N71-24147* c 05 ..... NASA-CASE-XMS-10269
US-PATENT-APPL-SN-590158
US-PATENT-CLASS-165-46
US-PATENT-3,425,486
N71-24164* c 15 ..... NASA-CASE-XLA-01494
US-PATENT-APPL-SN-499122
US-PATENT-CLASS-156-545
US-PATENT-3,416,988
N71-24170* c 16 ..... NASA-CASE-XLA-04295
US-PATENT-APPL-SN-546149
US-PATENT-CLASS-356-107
US-PATENT-3,468,609
N71-24183* c 18 ..... NASA-CASE-XGS-04799
US-PATENT-APPL-SN-452944
US-PATENT-CLASS-106-84
US-PATENT-3,416,939
N71-24184* c 18 ..... NASA-CASE-XNP-02139
US-PATENT-APPL-SN-430777
US-PATENT-CLASS-106-84
US-PATENT-3,434,855
N71-24232* c 14 ..... NASA-CASE-XAC-04458
US-PATENT-APPL-SN-534975
US-PATENT-CLASS-73-400
US-PATENT-3,392,586
N71-24233* c 14 ..... NASA-CASE-XGS-04478
US-PATENT-APPL-SN-566717
US-PATENT-CLASS-73-88.5
US-PATENT-3,460,378
N71-24234* c 14 ..... NASA-CASE-XMF-10968
US-PATENT-APPL-SN-644447
US-PATENT-CLASS-73-15.6
US-PATENT-3,469,437
N71-24276* c 33 ..... NASA-CASE-XLA-02059
US-PATENT-APPL-SN-576182
US-PATENT-CLASS-165-12
US-PATENT-3,406,742
N71-24285* c 32 ..... NASA-CASE-XMF-02392
US-PATENT-APPL-SN-596735
US-PATENT-CLASS-73-49.2
US-PATENT-3,399,574
N71-24315* c 31 ..... NASA-CASE-XLA-04901
US-PATENT-APPL-SN-586325
US-PATENT-CLASS-244-1
US-PATENT-3,405,887
N71-24321* c 28 ..... NASA-CASE-XNP-03692
US-PATENT-APPL-SN-640787
US-PATENT-CLASS-60-263
US-PATENT-3,443,384
N71-24583* c 07 ..... NASA-CASE-NPO-10096
US-PATENT-APPL-SN-730700
US-PATENT-CLASS-329-140
US-PATENT-3,533,001
N71-24595* c 09 ..... NASA-CASE-GSC-10021-1
US-PATENT-APPL-SN-790420
US-PATENT-CLASS-343-7.5
US-PATENT-3,540,045
N71-24596* c 09 ..... NASA-CASE-XNP-01506-2
US-PATENT-APPL-SN-684083
US-PATENT-CLASS-328-133
US-PATENT-3,509,475
N71-24597* c 09 ..... NASA-CASE-ARC-10132-1
US-PATENT-APPL-SN-759460
US-PATENT-CLASS-73-398
US-PATENT-3,545,275
N71-24599* c 15 ..... NASA-CASE-MSC-12052-1
US-PATENT-APPL-SN-770371
US-PATENT-CLASS-254-150
US-PATENT-CLASS-254-173
US-PATENT-CLASS-254-186
US-PATENT-3,545,725
N71-24600* c 15 ..... NASA-CASE-XGS-08718
US-PATENT-APPL-SN-785611
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-150
US-PATENT-CLASS-74-2
US-PATENT-CLASS-89-1.5
US-PATENT-CLASS-9-9
US-PATENT-3,540,676
N71-24605* c 03 ..... NASA-CASE-XNP-04758
US-PATENT-APPL-SN-557861
US-PATENT-CLASS-320-17
US-PATENT-3,413,536
N71-24606* c 05 ..... NASA-CASE-XKS-10804
US-PATENT-APPL-SN-691909
US-PATENT-CLASS-35-17
US-PATENT-3,508,347
N71-24607* c 06 ..... NASA-CASE-XNP-09699
US-PATENT-APPL-SN-711972
US-PATENT-CLASS-73-17
US-PATENT-3,546,920
N71-24612* c 07 ..... NASA-CASE-XMF-06092
US-PATENT-APPL-SN-550088
US-PATENT-CLASS-178-7.1
US-PATENT-3,470,318
N71-24613* c 07 ..... NASA-CASE-NPO-10851
US-PATENT-APPL-SN-805406
US-PATENT-CLASS-325-325
US-PATENT-3,551,816
N71-24614* c 07 ..... NASA-CASE-XKS-09340
US-PATENT-APPL-SN-666555
US-PATENT-CLASS-343-703
US-PATENT-3,540,056
N71-24618* c 09 ..... NASA-CASE-FRC-10029
US-PATENT-APPL-SN-760389
US-PATENT-CLASS-128-2.06
US-PATENT-3,547,105
N71-24621* c 07 ..... NASA-CASE-GSC-10118-1
US-PATENT-APPL-SN-783375
US-PATENT-CLASS-179-15
US-PATENT-CLASS-325-4
US-PATENT-CLASS-343-100
US-PATENT-3,546,386
N71-24622* c 07 ..... NASA-CASE-NPO-10388
US-PATENT-APPL-SN-725432
US-PATENT-CLASS-179-15
US-PATENT-CLASS-324-77
US-PATENT-3,548,107
N71-24623* c 05 ..... NASA-CASE-XMS-09635
US-PATENT-APPL-SN-586329
US-PATENT-CLASS-2-2.1
US-PATENT-3,516,091
N71-24624* c 07 ..... NASA-CASE-GSC-10131-1
US-PATENT-APPL-SN-754055
US-PATENT-CLASS-340-172.5
US-PATENT-3,546,684
N71-24625* c 07 ..... NASA-CASE-XMS-09610
US-PATENT-APPL-SN-766170
US-PATENT-CLASS-343-113
US-PATENT-3,540,054
N71-24633* c 08 ..... NASA-CASE-NPO-10567
US-PATENT-APPL-SN-679055
US-PATENT-CLASS-235-153
US-PATENT-3,517,171
N71-24650* c 08 ..... NASA-CASE-NPO-10150
US-PATENT-APPL-SN-660843
US-PATENT-CLASS-340-347
US-PATENT-3,537,103
N71-24679* c 15 ..... NASA-CASE-XNP-10475
US-PATENT-APPL-SN-763868
US-PATENT-CLASS-72-369
US-PATENT-3,546,917
N71-24681* c 03 ..... NASA-CASE-XLE-08569-2
US-PATENT-APPL-SN-829825
US-PATENT-CLASS-29-572
US-PATENT-3,541,679
N71-24692* c 12 ..... NASA-CASE-XFR-02007
US-PATENT-APPL-SN-378080
US-PATENT-CLASS-73-389
US-PATENT-3,273,399
N71-24693* c 14 ..... NASA-CASE-XMF-04415
US-PATENT-APPL-SN-644446
US-PATENT-CLASS-33-174
US-PATENT-3,360,864
N71-24694* c 15 ..... NASA-CASE-GSC-10306-1
US-PATENT-APPL-SN-789278
US-PATENT-CLASS-248-358
US-PATENT-3,537,672
N71-24695* c 15 ..... NASA-CASE-XNP-06936
US-PATENT-APPL-SN-640786
US-PATENT-CLASS-318-382
US-PATENT-3,487,281
N71-24696* c 15 ..... NASA-CASE-NPO-10173
US-PATENT-APPL-SN-796360
US-PATENT-CLASS-310-101
US-PATENT-3,535,570
N71-24717* c 09 ..... NASA-CASE-XMF-08804
US-PATENT-APPL-SN-683606
US-PATENT-CLASS-324-181
US-PATENT-3,543,159
N71-24718* c 03 ..... NASA-CASE-MSC-10960-1
US-PATENT-APPL-SN-751198
US-PATENT-CLASS-204-305
US-PATENT-3,547,801
N71-24719* c 03 ..... NASA-CASE-GSC-10487-1
US-PATENT-APPL-SN-828983
US-PATENT-CLASS-320-39
US-PATENT-3,541,422
N71-24725* c 23 ..... NASA-CASE-GSC-10188-1
US-PATENT-APPL-SN-791888
US-PATENT-CLASS-62-384
US-PATENT-3,545,226
N71-24728* c 05 ..... NASA-CASE-MSC-12243-1
US-PATENT-APPL-SN-857445
US-PATENT-CLASS-244-1
US-PATENT-3,537,668
N71-24729* c 05 ..... NASA-CASE-MSC-13282-1
US-PATENT-APPL-SN-8498
US-PATENT-CLASS-128-2.1
US-PATENT-3,548,812
N71-24730* c 05 ..... NASA-CASE-XMS-09637-1
US-PATENT-APPL-SN-785710
US-PATENT-CLASS-2-2.1
US-PATENT-3,537,107
N71-24736* c 28 ..... NASA-CASE-XLE-03157
US-PATENT-APPL-SN-591014
US-PATENT-CLASS-60-240
US-PATENT-3,408,816
N71-24738* c 05 ..... NASA-CASE-ARC-10100-1
US-PATENT-APPL-SN-797058
US-PATENT-CLASS-128-24
US-PATENT-CLASS-128-25
US-PATENT-3,550,585
N71-24739* c 06 ..... NASA-CASE-ARC-10098-1
US-PATENT-APPL-SN-702967
US-PATENT-CLASS-260-2.5
US-PATENT-3,549,564
N71-24740* c 06 ..... NASA-CASE-XMF-03074
US-PATENT-APPL-SN-593595
US-PATENT-CLASS-260-72.5
US-PATENT-3,516,971
N71-24741* c 07 ..... NASA-CASE-NPO-10118

US-PATENT-APPL-SN-704465
US-PATENT-CLASS-235-152
US-PATENT-3,541,314

N71-24742* c 07 ..... NASA-CASE-NPO-10140
US-PATENT-APPL-SN-691737
US-PATENT-CLASS-187-7.1
US-PATENT-3,541,250

N71-24750* c 31 ..... NASA-CASE-XGS-01654
US-PATENT-APPL-SN-434148
US-PATENT-CLASS-102-50
US-PATENT-3,282,541

N71-24798* c 10 ..... NASA-CASE-XLE-03061-1
US-PATENT-APPL-SN-632152
US-PATENT-CLASS-340-412
US-PATENT-3,546,694

N71-24799* c 10 ..... NASA-CASE-XNP-06505
US-PATENT-APPL-SN-562933
US-PATENT-CLASS-307-254
US-PATENT-3,501,648

N71-24800* c 09 ..... NASA-CASE-ERC-10075
US-PATENT-APPL-SN-775870
US-PATENT-CLASS-321-45
US-PATENT-3,539,905

N71-24803* c 09 ..... NASA-CASE-NPO-10242
US-PATENT-APPL-SN-749181
US-PATENT-CLASS-307-88
US-PATENT-3,541,346

N71-24804* c 09 ..... NASA-CASE-GSC-10299-1
US-PATENT-APPL-SN-836367
US-PATENT-CLASS-343-100
US-PATENT-3,540,050

N71-24805* c 09 ..... NASA-CASE-XMF-06892
US-PATENT-APPL-SN-757875
US-PATENT-CLASS-318-318
US-PATENT-3,546,553

N71-24806* c 09 ..... NASA-CASE-NPO-10198
US-PATENT-APPL-SN-723804
US-PATENT-CLASS-328-165
US-PATENT-3,550,023

N71-24807* c 09 ..... NASA-CASE-MFS-14114-2
US-PATENT-APPL-SN-854815
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-107
US-PATENT-CLASS-165-138
US-PATENT-CLASS-310-4
US-PATENT-3,537,515

N71-24808* c 09 ..... NASA-CASE-XNP-08880
US-PATENT-APPL-SN-605094
US-PATENT-CLASS-333-98
US-PATENT-3,416,106

N71-24809* c 14 ..... NASA-CASE-XNP-08961
US-PATENT-APPL-SN-661170
US-PATENT-CLASS-250-84
US-PATENT-3,487,216

N71-24813* c 31 ..... NASA-CASE-XAC-06029-1
US-PATENT-APPL-SN-588651
US-PATENT-CLASS-343-100
US-PATENT-3,540,048

N71-24828* c 16 ..... NASA-CASE-XAC-10770-1
US-PATENT-APPL-SN-690997
US-PATENT-CLASS-356-28
US-PATENT-3,547,540

N71-24830* c 17 ..... NASA-CASE-XNP-04148
US-PATENT-APPL-SN-536210
US-PATENT-CLASS-204-38
US-PATENT-3,472,742

N71-24831* c 16 ..... NASA-CASE-NPO-10548
US-PATENT-APPL-SN-775072
US-PATENT-CLASS-330-4
US-PATENT-3,486,123

N71-24832* c 16 ..... NASA-CASE-ERC-10178
US-PATENT-APPL-SN-800973
US-PATENT-CLASS-331-94.5
US-PATENT-3,550,034

N71-24833* c 15 ..... NASA-CASE-XMF-03793
US-PATENT-APPL-SN-453225
US-PATENT-CLASS-72-56
US-PATENT-3,360,972

N71-24834* c 15 ..... NASA-CASE-XNP-05634
US-PATENT-APPL-SN-605096
US-PATENT-CLASS-73-95
US-PATENT-3,460,379

N71-24835* c 15 ..... NASA-CASE-NPO-10123
US-PATENT-APPL-SN-731388
US-PATENT-CLASS-128-272
US-PATENT-CLASS-128-275
US-PATENT-3,540,449

N71-24836* c 15 ..... NASA-CASE-XLE-08917-2
US-PATENT-APPL-SN-852131
US-PATENT-CLASS-72-60
US-PATENT-3,541,825

N71-24840* c 07 ..... NASA-CASE-NPO-10649
US-PATENT-APPL-SN-795182
US-PATENT-CLASS-325-113
US-PATENT-3,541,450

N71-24841* c 09 ..... NASA-CASE-XNP-09771
US-PATENT-APPL-SN-698630
US-PATENT-CLASS-333-83
US-PATENT-3,541,479

N71-24842* c 09 ..... NASA-CASE-MSC-12209
US-PATENT-APPL-SN-881039
US-PATENT-CLASS-343-797
US-PATENT-3,546,705

N71-24843* c 09 ..... NASA-CASE-XMF-06617
US-PATENT-APPL-SN-656993
US-PATENT-CLASS-324-71
US-PATENT-3,541,439

N71-24844* c 10 ..... NASA-CASE-NPO-10169
US-PATENT-APPL-SN-701733
US-PATENT-CLASS-328-171
US-PATENT-3,541,459

N71-24857* c 23 ..... NASA-CASE-XMS-06056-1
US-PATENT-APPL-SN-532006
US-PATENT-CLASS-350-189
US-PATENT-3,472,577

N71-24858* c 33 ..... NASA-CASE-MFS-14253
US-PATENT-APPL-SN-709622
US-PATENT-CLASS-161-69
US-PATENT-3,551,266

N71-24861* c 10 ..... NASA-CASE-XMF-05195
US-PATENT-APPL-SN-785595
US-PATENT-CLASS-318-599
US-PATENT-3,523,228

N71-24862* c 10 ..... NASA-CASE-FRC-10010
US-PATENT-APPL-SN-771937
US-PATENT-CLASS-307-235
US-PATENT-3,543,050

N71-24863* c 10 ..... NASA-CASE-XMF-02966
US-PATENT-APPL-SN-560968
US-PATENT-CLASS-324-70
US-PATENT-3,406,336

N71-24864* c 14 ..... NASA-CASE-XLE-04503
US-PATENT-APPL-SN-606463
US-PATENT-CLASS-250-225
US-PATENT-3,546,471

N71-24865* c 15 ..... NASA-CASE-XMF-05114-3
US-PATENT-APPL-SN-837378
US-PATENT-CLASS-72-56
US-PATENT-3,540,250

N71-24868* c 23 ..... NASA-CASE-ERC-10001
US-PATENT-APPL-SN-712099
US-PATENT-CLASS-350-310
US-PATENT-3,540,802

N71-24875* c 15 ..... NASA-CASE-XLA-06199
US-PATENT-APPL-SN-702911
US-PATENT-CLASS-148-6.11
US-PATENT-3,540,942

N71-24876* c 33 ..... NASA-CASE-XNP-05524
US-PATENT-APPL-SN-250567
US-PATENT-CLASS-165-2
US-PATENT-3,270,802

N71-24890* c 08 ..... NASA-CASE-XKS-06167
US-PATENT-APPL-SN-649076
US-PATENT-CLASS-235-155
US-PATENT-3,535,497

N71-24891* c 08 ..... NASA-CASE-XNP-09759
US-PATENT-APPL-SN-606462
US-PATENT-CLASS-235-92
US-PATENT-3,541,312

N71-24892* c 09 ..... NASA-CASE-NPO-10716
US-PATENT-APPL-SN-851394
US-PATENT-CLASS-307-104
US-PATENT-CLASS-317-123
US-PATENT-CLASS-317-148.5
US-PATENT-3,549,955

N71-24893* c 09 ..... NASA-CASE-ERC-10125
US-PATENT-APPL-SN-773029
US-PATENT-CLASS-323-56
US-PATENT-3,541,428

N71-24895* c 15 ..... NASA-CASE-XLA-07473
US-PATENT-APPL-SN-839935
US-PATENT-CLASS-318-265
US-PATENT-3,546,552

N71-24896* c 15 ..... NASA-CASE-ERC-10034
US-PATENT-APPL-SN-763706
US-PATENT-CLASS-250-43.5
US-PATENT-3,549,882

N71-24897* c 15 ..... NASA-CASE-XLA-03538
US-PATENT-APPL-SN-749149
US-PATENT-CLASS-294-83
US-PATENT-3,508,779

N71-24903* c 15 ..... NASA-CASE-MFS-20395
US-PATENT-APPL-SN-830715
US-PATENT-CLASS-285-314
US-PATENT-CLASS-285-317
US-PATENT-CLASS-285-38
US-PATENT-CLASS-285-406
US-PATENT-3,545,792

N71-24904* c 09 ..... NASA-CASE-MFS-20385
US-PATENT-APPL-SN-853716
US-PATENT-CLASS-310-10
US-PATENT-3,541,361

N71-24910* c 15 ..... NASA-CASE-ERC-10045
US-PATENT-APPL-SN-763685
US-PATENT-CLASS-73-40.7
US-PATENT-3,548,636

N71-24911* c 17 ..... NASA-CASE-XLE-04946
US-PATENT-APPL-SN-605093
US-PATENT-CLASS-118-308
US-PATENT-3,472,202

N71-24934* c 18 ..... NASA-CASE-NPO-10051
US-PATENT-APPL-SN-711898
US-PATENT-CLASS-73-38
US-PATENT-3,548,633

N71-24948* c 21 ..... NASA-CASE-ERC-10090
US-PATENT-APPL-SN-811542
US-PATENT-CLASS-343-112
US-PATENT-3,550,129

N71-24964* c 11 ..... NASA-CASE-NPO-10141
US-PATENT-APPL-SN-673227
US-PATENT-CLASS-62-55.5
US-PATENT-3,443,390

N71-24984* c 15 ..... NASA-CASE-MFS-14971
US-PATENT-APPL-SN-827579
US-PATENT-CLASS-74-468
US-PATENT-3,541,875

N71-24985* c 11 ..... NASA-CASE-KSC-10126
US-PATENT-APPL-SN-845973
US-PATENT-CLASS-73-15
US-PATENT-3,545,252

N71-25139* c 10 ..... NASA-CASE-MFS-10068
US-PATENT-APPL-SN-700541
US-PATENT-CLASS-321-9
US-PATENT-3,487,288

N71-25213* c 28 ..... NASA-CASE-GSC-10709-1
US-PATENT-APPL-SN-791288
US-PATENT-CLASS-60-202
US-PATENT-3,545,208

N71-25351* c 33 ..... NASA-CASE-MFS-14023
US-PATENT-APPL-SN-795217
US-PATENT-CLASS-161-161
US-PATENT-CLASS-220-9
US-PATENT-CLASS-52-249
US-PATENT-CLASS-52-404
US-PATENT-CLASS-62-45
US-PATENT-3,540,615

N71-25353* c 33 ..... NASA-CASE-MFS-20355
US-PATENT-APPL-SN-845974
US-PATENT-CLASS-165-104
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-133
US-PATENT-CLASS-219-378
US-PATENT-CLASS-219-530
US-PATENT-CLASS-244-1
US-PATENT-3,548,930

N71-25360* c 32 ..... NASA-CASE-XLA-08530
US-PATENT-APPL-SN-808577
US-PATENT-CLASS-73-90
US-PATENT-3,546,931

N71-25434* c 31 ..... NASA-CASE-MSC-13047-1
US-PATENT-APPL-SN-850586
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-113
US-PATENT-CLASS-244-138
US-PATENT-3,547,376

N71-25490* c 26 ..... NASA-CASE-ERC-10088
US-PATENT-APPL-SN-760927
US-PATENT-CLASS-73-141
US-PATENT-3,537,305

N71-25555* c 24 ..... NASA-CASE-XNP-09469
US-PATENT-APPL-SN-645573
US-PATENT-CLASS-204-168
US-PATENT-3,540,989

N71-25865* c 10 ..... NASA-CASE-KSC-10002
US-PATENT-APPL-SN-782956
US-PATENT-CLASS-178-69.5
US-PATENT-3,567,861

N71-25866* c 09 ..... NASA-CASE-ARC-10003-1
US-PATENT-APPL-SN-717822
US-PATENT-CLASS-178-66
US-PATENT-CLASS-179-100.2
US-PATENT-3,549,799

N71-25881* c 18 ..... NASA-CASE-XGS-05180
US-PATENT-APPL-SN-721607
US-PATENT-CLASS-260-37
US-PATENT-3,567,677

N71-25882* c 10 ..... NASA-CASE-GSC-10022-1
US-PATENT-APPL-SN-785546
US-PATENT-CLASS-331-113
US-PATENT-3,559,096

N71-25892* c 14 ..... NASA-CASE-XLA-04555-1
US-PATENT-APPL-SN-594584
US-PATENT-CLASS-148-13
US-PATENT-3,468,727

N71-25899* c 10 ..... NASA-CASE-LEW-10345-1
US-PATENT-APPL-SN-805298
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-235-201

US-PATENT-3,568,702
N71-25900* c 10 ..... NASA-CASE-ERC-10032
US-PATENT-APPL-SN-757857
US-PATENT-CLASS-333-30
US-PATENT-CLASS-333-72
US-PATENT-3,568,103
N71-25901* c 14 ..... NASA-CASE-XLA-02810
US-PATENT-APPL-SN-764252
US-PATENT-CLASS-250-43.5
US-PATENT-CLASS-250-83.3
US-PATENT-CLASS-340-233
US-PATENT-CLASS-340-285
US-PATENT-3,569,710
N71-25903* c 17 ..... NASA-CASE-XLA-08966-1
US-PATENT-APPL-SN-570678
US-PATENT-CLASS-204-33
US-PATENT-3,468,765
N71-25914* c 16 ..... NASA-CASE-XLA-03410
US-PATENT-APPL-SN-512561
US-PATENT-CLASS-250-199
US-PATENT-3,469,087
N71-25917* c 10 ..... NASA-CASE-NPO-10595
US-PATENT-APPL-SN-771760
US-PATENT-CLASS-340-347
US-PATENT-3,569,956
N71-25929* c 06 ..... NASA-CASE-NPO-10596
US-PATENT-APPL-SN-756381
US-PATENT-CLASS-260-2.5
US-PATENT-3,557,027
N71-25950* c 10 ..... NASA-CASE-XGS-06226
US-PATENT-APPL-SN-676387
US-PATENT-CLASS-331-113
US-PATENT-3,466,570
N71-25975* c 15 ..... NASA-CASE-XMS-10660-1
US-PATENT-APPL-SN-797056
US-PATENT-CLASS-24-205.17
US-PATENT-3,469,289
N71-25999* c 09 ..... NASA-CASE-XGS-05290
US-PATENT-APPL-SN-754019
US-PATENT-CLASS-310-168
US-PATENT-CLASS-310-254
US-PATENT-CLASS-318-138
US-PATENT-CLASS-318-254
US-PATENT-3,569,804
N71-26000* c 09 ..... NASA-CASE-XNP-08567
US-PATENT-APPL-SN-640783
US-PATENT-CLASS-307-88
US-PATENT-3,466,459
N71-26002* c 09 ..... NASA-CASE-XMS-04213-1
US-PATENT-APPL-SN-607484
US-PATENT-CLASS-128-2.1
US-PATENT-3,468,303
N71-26084* c 03 ..... NASA-CASE-LEW-11358
US-PATENT-APPL-SN-787906
US-PATENT-CLASS-136-6
US-PATENT-3,554,806
N71-26085* c 10 ..... NASA-CASE-GSC-10735-1
US-PATENT-APPL-SN-863963
US-PATENT-CLASS-321-2
US-PATENT-3,559,031
N71-26092* c 09 ..... NASA-CASE-XNP-07477
US-PATENT-APPL-SN-605098
US-PATENT-CLASS-318-258
US-PATENT-3,501,684
N71-26100* c 18 ..... NASA-CASE-XLA-04251
US-PATENT-APPL-SN-657742
US-PATENT-CLASS-117-104
US-PATENT-3,553,002
N71-26101* c 07 ..... NASA-CASE-NPO-10231
US-PATENT-APPL-SN-701767
US-PATENT-CLASS-343-786
US-PATENT-3,534,376
N71-26102* c 07 ..... NASA-CASE-XNP-06611
US-PATENT-APPL-SN-593607
US-PATENT-CLASS-178-6.6
US-PATENT-3,474,192
N71-26103* c 10 ..... NASA-CASE-XNP-04623
US-PATENT-APPL-SN-510150
US-PATENT-CLASS-340-146.1
US-PATENT-3,474,413
N71-26110* c 02 ..... NASA-CASE-LAR-10249-1
US-PATENT-APPL-SN-835060
US-PATENT-CLASS-244-42
US-PATENT-3,576,301
N71-26133* c 09 ..... NASA-CASE-MFS-20075
US-PATENT-APPL-SN-835059
US-PATENT-CLASS-317-101
US-PATENT-CLASS-339-17
US-PATENT-3,575,638
N71-26134* c 15 ..... NASA-CASE-XKS-07953
US-PATENT-APPL-SN-725405
US-PATENT-CLASS-51-170
US-PATENT-3,553,904
N71-26135* c 14 ..... NASA-CASE-XAC-03740
US-PATENT-APPL-SN-480211
US-PATENT-CLASS-324-43
US-PATENT-3,564,401
N71-26136* c 14 ..... NASA-CASE-XLA-01782
US-PATENT-APPL-SN-576792
US-PATENT-CLASS-73-15.6
US-PATENT-3,472,060
N71-26137* c 14 ..... NASA-CASE-LAR-10305
US-PATENT-APPL-SN-811037
US-PATENT-CLASS-324-0.5
US-PATENT-CLASS-324-58.5
US-PATENT-3,562,631
N71-26142* c 10 ..... NASA-CASE-NPO-10302
US-PATENT-APPL-SN-848811
US-PATENT-CLASS-343-768
US-PATENT-3,553,704
N71-26145* c 15 ..... NASA-CASE-FRC-10005
US-PATENT-APPL-SN-756266
US-PATENT-CLASS-33-189
US-PATENT-3,562,919
N71-26148* c 15 ..... NASA-CASE-XMF-05114-2
US-PATENT-APPL-SN-837377
US-PATENT-CLASS-72-56
US-PATENT-3,555,867
N71-26153* c 18 ..... NASA-CASE-XLE-03940
US-PATENT-APPL-SN-539255
US-PATENT-CLASS-148-126
US-PATENT-3,472,709
N71-26154* c 16 ..... NASA-CASE-ERC-10020
US-PATENT-APPL-SN-709399
US-PATENT-CLASS-350-3.5
US-PATENT-3,540,790
N71-26155* c 18 ..... NASA-CASE-LAR-10373-1
US-PATENT-APPL-SN-761007
US-PATENT-CLASS-260-2.5
US-PATENT-3,481,887
N71-26161* c 14 ..... NASA-CASE-XLA-08254
US-PATENT-APPL-SN-867843
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-79
US-PATENT-3,576,127
N71-26162* c 15 ..... NASA-CASE-MSC-15474-1
US-PATENT-APPL-SN-878731
US-PATENT-CLASS-24-263
US-PATENT-3,564,564
N71-26173* c 28 ..... NASA-CASE-LEW-10689-1
US-PATENT-APPL-SN-830978
US-PATENT-CLASS-60-202
US-PATENT-3,552,125
N71-26181* c 07 ..... NASA-CASE-MSC-12223-1
US-PATENT-APPL-SN-839941
US-PATENT-CLASS-179-1
US-PATENT-3,555,192
N71-26182* c 09 ..... NASA-CASE-NPO-10625
US-PATENT-APPL-SN-856415
US-PATENT-CLASS-313-236
US-PATENT-CLASS-313-237
US-PATENT-CLASS-60-23
US-PATENT-3,562,575
N71-26185* c 15 ..... NASA-CASE-MFS-14711
US-PATENT-APPL-SN-774266
US-PATENT-CLASS-55-75
US-PATENT-3,557,534
N71-26189* c 15 ..... NASA-CASE-XLE-09527-2
US-PATENT-APPL-SN-840870
US-PATENT-CLASS-308-187
US-PATENT-3,561,828
N71-26199* c 14 ..... NASA-CASE-NPO-10691
US-PATENT-APPL-SN-816988
US-PATENT-CLASS-73-61
US-PATENT-3,566,676
N71-26206* c 23 ..... NASA-CASE-XGS-08269
US-PATENT-APPL-SN-787393
US-PATENT-CLASS-356-76
US-PATENT-3,554,647
N71-26243* c 15 ..... NASA-CASE-MSC-10959
US-PATENT-APPL-SN-725719
US-PATENT-CLASS-188-1
US-PATENT-3,420,338
N71-26244* c 14 ..... NASA-CASE-XMS-06497
US-PATENT-APPL-SN-617778
US-PATENT-CLASS-324-115
US-PATENT-3,464,012
N71-26266* c 14 ..... NASA-CASE-XNP-09830
US-PATENT-APPL-SN-632165
US-PATENT-CLASS-324-0.5
US-PATENT-3,474,328
N71-26285* c 18 ..... NASA-CASE-MSC-12109
US-PATENT-APPL-SN-889376
US-PATENT-CLASS-112-402
US-PATENT-CLASS-2-275
US-PATENT-CLASS-2-81
US-PATENT-3,563,198
N71-26291* c 07 ..... NASA-CASE-HQN-10541-1
US-PATENT-APPL-SN-494739
US-PATENT-CLASS-350-96
US-PATENT-3,556,634
N71-26292* c 07 ..... NASA-CASE-XKS-10543
US-PATENT-APPL-SN-719870
US-PATENT-CLASS-325-67
US-PATENT-3,553,586
N71-26293* c 05 ..... NASA-CASE-XFR-07658-1
US-PATENT-APPL-SN-586324
US-PATENT-CLASS-128-2.06
US-PATENT-3,426,746
N71-26294* c 15 ..... NASA-CASE-XNP-02862-1
US-PATENT-APPL-SN-556830
US-PATENT-CLASS-277-13
US-PATENT-3,468,548
N71-26312* c 15 ..... NASA-CASE-XNP-01263-2
US-PATENT-APPL-SN-718279
US-PATENT-CLASS-287-189.365
US-PATENT-3,481,638
N71-26326* c 10 ..... NASA-CASE-NPO-10143
US-PATENT-APPL-SN-692331
US-PATENT-CLASS-58-24
US-PATENT-3,472,019
N71-26331* c 10 ..... NASA-CASE-XNP-10854
US-PATENT-APPL-SN-668248
US-PATENT-CLASS-330-31
US-PATENT-3,482,179
N71-26333* c 05 ..... NASA-CASE-XMS-09652-1
US-PATENT-APPL-SN-618969
US-PATENT-CLASS-2-6
US-PATENT-3,473,165
N71-26334* c 10 ..... NASA-CASE-XLA-02619
US-PATENT-APPL-SN-796691
US-PATENT-CLASS-317-DIG.3
US-PATENT-CLASS-317-153
US-PATENT-CLASS-340-235
US-PATENT-3,575,641
N71-26339* c 10 ..... NASA-CASE-NPO-10185
US-PATENT-APPL-SN-723805
US-PATENT-CLASS-73-432
US-PATENT-3,472,080
N71-26346* c 15 ..... NASA-CASE-XLE-05641-1
US-PATENT-APPL-SN-[illegible]
US-PATENT-CLASS-72-61
US-PATENT-3,461,700
N71-26374* c 10 ..... NASA-CASE-GSC-11367
US-PATENT-APPL-SN-675238
US-PATENT-CLASS-331-18
US-PATENT-3,484,712
N71-26387* c 12 ..... NASA-CASE-XLA-05541
US-PATENT-APPL-SN-700986
US-PATENT-CLASS-73-301
US-PATENT-3,473,379
N71-26414* c 10 ..... NASA-CASE-XMF-04958-1
US-PATENT-APPL-SN-448365
US-PATENT-CLASS-321-69
US-PATENT-3,434,037
N71-26415* c 10 ..... NASA-CASE-NPO-10003
US-PATENT-APPL-SN-638192
US-PATENT-CLASS-330-13
US-PATENT-3,461,393
N71-26418* c 10 ..... NASA-CASE-XGS-04224
US-PATENT-APPL-SN-568364
US-PATENT-CLASS-340-174
US-PATENT-3,483,535
N71-26434* c 10 ..... NASA-CASE-XNP-01466
US-PATENT-APPL-SN-487940
US-PATENT-CLASS-340-174
US-PATENT-3,461,437
N71-26474* c 14 ..... NASA-CASE-XMF-03844-1
US-PATENT-APPL-SN-601229
US-PATENT-CLASS-95-44
US-PATENT-3,472,140
N71-26475* c 14 ..... NASA-CASE-XNP-09701
US-PATENT-APPL-SN-584015
US-PATENT-CLASS-250-83.3
US-PATENT-3,461,290
N71-26531* c 10 ..... NASA-CASE-GSC-10413
US-PATENT-APPL-SN-789043
US-PATENT-CLASS-317-20
US-PATENT-CLASS-317-33
US-PATENT-3,555,361
N71-26537* c 31 ..... NASA-CASE-GSC-10556-1
NASA-CASE-GSC-10557-1
US-PATENT-APPL-SN-808193
US-PATENT-CLASS-244-1
US-PATENT-CLASS-308-1
US-PATENT-CLASS-74-5.12
US-PATENT-3,554,466
N71-26544* c 10 ..... NASA-CASE-NPO-10344
US-PATENT-APPL-SN-732921
US-PATENT-CLASS-340-347
US-PATENT-3,566,396
N71-26546* c 12 ..... NASA-CASE-FRC-10022
US-PATENT-APPL-SN-763729
US-PATENT-CLASS-73-194
US-PATENT-3,555,898
N71-26577* c 10 ..... NASA-CASE-NPO-10214
US-PATENT-APPL-SN-704299
US-PATENT-CLASS-325-41

US-PATENT-3,566,268
N71-26579* c 07 ..... NASA-CASE-XMS-06740-1
US-PATENT-APPL-SN-554277
US-PATENT-CLASS-178-6
US-PATENT-3,470,313
N71-26611* c 15 ..... NASA-CASE-MSC-11817-1
US-PATENT-APPL-SN-7668
US-PATENT-CLASS-165-44
US-PATENT-CLASS-165-86
US-PATENT-CLASS-188-88
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-57
US-PATENT-3,563,307
N71-26626* c 10 ..... NASA-CASE-GSC-10891-1
US-PATENT-APPL-SN-568620
US-PATENT-CLASS-307-53
US-PATENT-3,480,789
N71-26627* c 14 ..... NASA-CASE-MFS-14017
US-PATENT-APPL-SN-762956
US-PATENT-CLASS-248-183
US-PATENT-CLASS-308-9
US-PATENT-3,559,937
N71-26635* c 15 ..... NASA-CASE-ERC-10022
US-PATENT-APPL-SN-874733
US-PATENT-CLASS-74-424.8
US-PATENT-CLASS-74-89.15
US-PATENT-3,576,135
N71-26642* c 28 ..... NASA-CASE-LEW-10106-1
US-PATENT-APPL-SN-758390
US-PATENT-CLASS-60-202
US-PATENT-3,552,124
N71-26654* c 23 ..... NASA-CASE-NPO-10467
US-PATENT-APPL-SN-798277
US-PATENT-CLASS-62-514
US-PATENT-3,564,866
N71-26672* c 14 ..... NASA-CASE-ERC-10033
US-PATENT-APPL-SN-801660
US-PATENT-CLASS-73-49.3
US-PATENT-3,559,460
N71-26673* c 15 ..... NASA-CASE-XAC-09489-1
US-PATENT-APPL-SN-694246
US-PATENT-CLASS-356-154
US-PATENT-3,565,530
N71-26674* c 19 ..... NASA-CASE-XGS-04173
US-PATENT-APPL-SN-658964
US-PATENT-CLASS-350-285
US-PATENT-3,560,081
N71-26678* c 09 ..... NASA-CASE-ERC-10013
US-PATENT-APPL-SN-802972
US-PATENT-CLASS-29-25.18
US-PATENT-3,562,881
N71-26681* c 32 ..... NASA-CASE-LAR-10098
US-PATENT-APPL-SN-677475
US-PATENT-CLASS-73-71.4
US-PATENT-3,564,906
N71-26701* c 09 ..... NASA-CASE-NPO-10331
US-PATENT-APPL-SN-757625
US-PATENT-CLASS-118-49.5
US-PATENT-CLASS-204-298
US-PATENT-3,556,048
N71-26721* c 15 ..... NASA-CASE-LAR-10121-1
US-PATENT-APPL-SN-766244
US-PATENT-CLASS-18-6
US-PATENT-3,562,857
N71-26722* c 23 ..... NASA-CASE-GSC-10216-1
US-PATENT-APPL-SN-756260
US-PATENT-CLASS-331-94.5
US-PATENT-3,555,455
N71-26726* c 03 ..... NASA-CASE-XNP-03413
US-PATENT-APPL-SN-640456
US-PATENT-CLASS-156-212
US-PATENT-3,565,719
N71-26754* c 06 ..... NASA-CASE-XNP-09451
US-PATENT-APPL-SN-713162
US-PATENT-CLASS-23-253
US-PATENT-3,560,161
N71-26772* c 18 ..... NASA-CASE-XMF-07770-2
US-PATENT-APPL-SN-711903
US-PATENT-CLASS-106-296
US-PATENT-3,576,656
N71-26773* c 17 ..... NASA-CASE-XNP-04262-2
US-PATENT-APPL-SN-684894
US-PATENT-CLASS-75-66
US-PATENT-3,565,607
N71-26774* c 14 ..... NASA-CASE-ERC-11020
US-PATENT-APPL-SN-686248
US-PATENT-CLASS-325-363
US-PATENT-3,564,420
N71-26779* c 28 ..... NASA-CASE-XLA-04126
US-PATENT-APPL-SN-467820
US-PATENT-CLASS-102-101
US-PATENT-CLASS-264-3
US-PATENT-CLASS-86-1
US-PATENT-CLASS-86-20.2
US-PATENT-3,570,364
N71-26781* c 28 ..... NASA-CASE-LEW-10210-1
US-PATENT-APPL-SN-804172
US-PATENT-CLASS-313-63
US-PATENT-CLASS-315-111
US-PATENT-CLASS-60-202
US-PATENT-3,576,107
N71-26787* c 09 ..... NASA-CASE-XKS-05932
US-PATENT-APPL-SN-752729
US-PATENT-CLASS-240-11.2
US-PATENT-CLASS-240-11.4
US-PATENT-CLASS-240-51.11
US-PATENT-CLASS-313-22
US-PATENT-3,564,234
N71-26788* c 14 ..... NASA-CASE-MFS-20240
US-PATENT-APPL-SN-825259
US-PATENT-CLASS-356-203
US-PATENT-3,563,668
N71-27001* c 09 ..... NASA-CASE-XGS-11177
US-PATENT-APPL-SN-828921
US-PATENT-CLASS-317-33
US-PATENT-CLASS-317-9
US-PATENT-3,571,656
N71-27005* c 14 ..... NASA-CASE-MFS-20261
US-PATENT-APPL-SN-845990
US-PATENT-CLASS-1
US-PATENT-CLASS-141-258
US-PATENT-CLASS-222-137
US-PATENT-CLASS-222-49
US-PATENT-3,568,885
N71-27006* c 15 ..... NASA-CASE-LAR-10083-1
US-PATENT-APPL-SN-837825
US-PATENT-CLASS-73-147
US-PATENT-3,572,112
N71-27016* c 09 ..... NASA-CASE-GSC-11139
US-PATENT-APPL-SN-756511
US-PATENT-CLASS-307-234
US-PATENT-CLASS-307-246
US-PATENT-CLASS-307-273
US-PATENT-CLASS-328-120
US-PATENT-CLASS-330-30
US-PATENT-3,569,744
N71-27036* c 11 ..... NASA-CASE-XNP-09770-3
US-PATENT-APPL-SN-863967
US-PATENT-CLASS-74-18.2
US-PATENT-3,574,286
N71-27053* c 09 ..... NASA-CASE-ERC-10113
US-PATENT-APPL-SN-865811
US-PATENT-CLASS-323-48
US-PATENT-CLASS-323-60
US-PATENT-3,571,699
N71-27056* c 07 ..... NASA-CASE-MSC-12205-1
US-PATENT-APPL-SN-882577
US-PATENT-CLASS-325-16
US-PATENT-CLASS-325-23
US-PATENT-CLASS-325-369
US-PATENT-CLASS-343-100
US-PATENT-CLASS-343-117
US-PATENT-CLASS-343-176
US-PATENT-3,568,197
N71-27057* c 08 ..... NASA-CASE-XLA-07828
US-PATENT-APPL-SN-770209
US-PATENT-CLASS-318-20.105
US-PATENT-CLASS-325-151.11
US-PATENT-CLASS-340-347DA
US-PATENT-3,573,797
N71-27058* c 14 ..... NASA-CASE-MSC-13276-1
US-PATENT-APPL-SN-880272
US-PATENT-CLASS-219-505
US-PATENT-3,575,585
N71-27067* c 15 ..... NASA-CASE-XKS-07814
US-PATENT-APPL-SN-672384
US-PATENT-CLASS-182-10
US-PATENT-CLASS-188-65.5
US-PATENT-3,568,795
N71-27068* c 15 ..... NASA-CASE-NPO-10796
US-PATENT-APPL-SN-815760
US-PATENT-CLASS-220-46
US-PATENT-3,568,874
N71-27084* c 15 ..... NASA-CASE-NPO-10755
US-PATENT-APPL-SN-816733
US-PATENT-CLASS-417-50
US-PATENT-3,567,339
N71-27088* c 02 ..... NASA-CASE-XLA-08967
US-PATENT-APPL-SN-837830
US-PATENT-CLASS-244-90
US-PATENT-3,570,789
N71-27090* c 14 ..... NASA-CASE-ERC-10044-1
US-PATENT-APPL-SN-811892
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-250-83.6R
US-PATENT-CLASS-324-33
US-PATENT-3,575,597
N71-27091* c 15 ..... NASA-CASE-MFS-13929
US-PATENT-APPL-SN-779847
US-PATENT-CLASS-152-225
US-PATENT-CLASS-152-250
US-PATENT-3,568,748
N71-27094* c 28 ..... NASA-CASE-GSC-10710-1
US-PATENT-APPL-SN-828909
US-PATENT-CLASS-73-117.4
US-PATENT-3,572,104
N71-27095* c 28 ..... NASA-CASE-MFS-20325
US-PATENT-APPL-SN-840176
US-PATENT-CLASS-244-1
US-PATENT-3,572,610
N71-27126* c 10 ..... NASA-CASE-LEW-10233
US-PATENT-APPL-SN-750787
US-PATENT-CLASS-307-253
US-PATENT-CLASS-307-300
US-PATENT-3,566,158
N71-27135* c 15 ..... NASA-CASE-HQN-10541-2
US-PATENT-APPL-SN-822088
US-PATENT-CLASS-219-121
US-PATENT-CLASS-331-94.5
US-PATENT-3,571,555
N71-27136* c 10 ..... NASA-CASE-GSC-10065-1
US-PATENT-APPL-SN-808462
US-PATENT-CLASS-318-571
US-PATENT-CLASS-318-653
US-PATENT-3,568,028
N71-27137* c 10 ..... NASA-CASE-XNP-06234
US-PATENT-APPL-SN-723827
US-PATENT-CLASS-235-92
US-PATENT-CLASS-328-49
US-PATENT-3,567,913
N71-27146* c 15 ..... NASA-CASE-LAR-10193-1
US-PATENT-APPL-SN-794968
US-PATENT-CLASS-188-1
US-PATENT-CLASS-188-103
US-PATENT-3,568,805
N71-27147* c 15 ..... NASA-CASE-MSC-12121-1
US-PATENT-APPL-SN-783374
US-PATENT-CLASS-91-390
US-PATENT-CLASS-91-461
US-PATENT-3,563,135
N71-27169* c 15 ..... NASA-CASE-LAR-10106-1
US-PATENT-APPL-SN-810575
US-PATENT-CLASS-188-1
US-PATENT-CLASS-310-51
US-PATENT-3,566,993
N71-27170* c 18 ..... NASA-CASE-XMF-02221
US-PATENT-APPL-SN-430192
US-PATENT-CLASS-252-301.2
US-PATENT-3,567,651
N71-27183* c 16 ..... NASA-CASE-HQN-10541-4
US-PATENT-APPL-SN-822090
US-PATENT-CLASS-250-199
US-PATENT-3,575,602
N71-27184* c 15 ..... NASA-CASE-XNP-08124
US-PATENT-APPL-SN-697075
US-PATENT-CLASS-75-63
US-PATENT-3,563,727
N71-27185* c 14 ..... NASA-CASE-NPO-10556
US-PATENT-APPL-SN-796405
US-PATENT-CLASS-73-71.6
US-PATENT-3,572,089
N71-27186* c 14 ..... NASA-CASE-XMF-03968
US-PATENT-APPL-SN-719029
US-PATENT-CLASS-174-110.3
US-PATENT-CLASS-324-65
US-PATENT-CLASS-340-227
US-PATENT-CLASS-60-35.6
US-PATENT-3,569,828
N71-27191* c 07 ..... NASA-CASE-MFS-20068
US-PATENT-APPL-SN-797795
US-PATENT-CLASS-174-28
US-PATENT-CLASS-333-95
US-PATENT-CLASS-333-96
US-PATENT-CLASS-343-884
US-PATENT-3,569,875
N71-27210* c 08 ..... NASA-CASE-GSC-10097-1
US-PATENT-APPL-SN-762957
US-PATENT-CLASS-179-100.2
US-PATENT-CLASS-29-603
US-PATENT-CLASS-340-174.1
US-PATENT-3,566,045
N71-27214* c 15 ..... NASA-CASE-XLA-08911
US-PATENT-APPL-SN-777764
US-PATENT-CLASS-219-229
US-PATENT-CLASS-228-53
US-PATENT-3,575,336
N71-27215* c 14 ..... NASA-CASE-LAR-10204
US-PATENT-APPL-SN-766245
US-PATENT-CLASS-235-92
US-PATENT-CLASS-356-106
US-PATENT-3,572,935
N71-27232* c 09 ..... NASA-CASE-NPO-10607
US-PATENT-APPL-SN-799353
US-PATENT-CLASS-250-83
US-PATENT-CLASS-317-230
US-PATENT-CLASS-317-231
US-PATENT-CLASS-317-238
US-PATENT-3,568,010

N71-27233* c 07 ..... NASA-CASE-GSC-10220-1
US-PATENT-APPL-SN-759256
US-PATENT-CLASS-343-777
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-799
US-PATENT-CLASS-343-840
US-PATENT-CLASS-343-854
US-PATENT-3,569,976
N71-27234* c 05 ..... NASA-CASE-XFR-07172
US-PATENT-APPL-SN-720041
US-PATENT-CLASS-128-2.05
US-PATENT-3,563,232
N71-27254* c 06 ..... NASA-CASE-NPO-10768
US-PATENT-APPL-SN-770398
US-PATENT-CLASS-260-615
US-PATENT-3,574,770
N71-27255* c 08 ..... NASA-CASE-NPO-12107
US-PATENT-APPL-SN-555189
US-PATENT-CLASS-179-100.2
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-172.5
US-PATENT-3,571,801
N71-27271* c 10 ..... NASA-CASE-XLA-03893
US-PATENT-APPL-SN-779024
US-PATENT-CLASS-331-109
US-PATENT-CLASS-331-117
US-PATENT-CLASS-331-177
US-PATENT-CLASS-332-30
US-PATENT-3,569,866
N71-27272* c 10 ..... NASA-CASE-XLA-08799
US-PATENT-APPL-SN-668242
US-PATENT-CLASS-340-150
US-PATENT-CLASS-340-164
US-PATENT-CLASS-340-166
US-PATENT-CLASS-340-213
US-PATENT-CLASS-340-403
US-PATENT-3,571,800
N71-27323* c 14 ..... NASA-CASE-NPO-10810
US-PATENT-APPL-SN-805405
US-PATENT-CLASS-250-83.3
US-PATENT-CLASS-73-355
US-PATENT-3,566,122
N71-27324* c 21 ..... NASA-CASE-GSC-10555-1
US-PATENT-APPL-SN-785620
US-PATENT-CLASS-244-1
US-PATENT-3,567,155
N71-27325* c 14 ..... NASA-CASE-GSC-10441-1
US-PATENT-APPL-SN-782544
US-PATENT-CLASS-324-43
US-PATENT-3,571,700
N71-27332* c 12 ..... NASA-CASE-NPO-10416
US-PATENT-APPL-SN-754020
US-PATENT-CLASS-137-81.5
US-PATENT-3,570,513
N71-27334* c 14 ..... NASA-CASE-ERC-10087
US-PATENT-APPL-SN-738315
US-PATENT-CLASS-29-588
US-PATENT-3,566,459
N71-27338* c 10 ..... NASA-CASE-KSC-10020
US-PATENT-APPL-SN-817482
US-PATENT-CLASS-324-103
US-PATENT-CLASS-324-107
US-PATENT-CLASS-324-133
US-PATENT-CLASS-340-248
US-PATENT-3,571,707
N71-27341* c 07 ..... NASA-CASE-NPO-10343
US-PATENT-APPL-SN-750786
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-178-7.3
US-PATENT-3,566,027
N71-27363* c 06 ..... NASA-CASE-HQN-10364
US-PATENT-APPL-SN-713616
US-PATENT-CLASS-260-2
US-PATENT-3,563,918
N71-27364* c 09 ..... NASA-CASE-ERC-10065
US-PATENT-APPL-SN-777818
US-PATENT-CLASS-321-61
US-PATENT-CLASS-321-64
US-PATENT-CLASS-322-32
US-PATENT-3,571,693
N71-27365* c 10 ..... NASA-CASE-NPO-10251
US-PATENT-APPL-SN-774265
US-PATENT-CLASS-35-19
US-PATENT-3,570,143
N71-27366* c 10 ..... NASA-CASE-GSC-10114-1
US-PATENT-APPL-SN-796370
US-PATENT-CLASS-317-33
US-PATENT-CLASS-321-12
US-PATENT-3,571,662
N71-27372* c 15 ..... NASA-CASE-NPO-10070
US-PATENT-APPL-SN-780064
US-PATENT-CLASS-23-259
US-PATENT-3,565,584
N71-27397* c 18 ..... NASA-CASE-XNP-02500
US-PATENT-APPL-SN-508169
US-PATENT-CLASS-324-58.5
US-PATENT-CLASS-324-61
US-PATENT-3,569,827
N71-27407* c 14 ..... NASA-CASE-GSC-10376-1
US-PATENT-APPL-SN-806226
US-PATENT-CLASS-307-126
US-PATENT-CLASS-323-20
US-PATENT-3,566,143
N71-27432* c 15 ..... NASA-CASE-NPO-10808
US-PATENT-APPL-SN-808192
US-PATENT-CLASS-60-243
US-PATENT-3,568,447
N71-27585* c 28 ..... NASA-CASE-MFS-20130
US-PATENT-APPL-SN-809822
US-PATENT-CLASS-244-4
US-PATENT-3,570,785
N71-27754* c 15 ..... NASA-CASE-ARC-10131-1
US-PATENT-APPL-SN-808576
US-PATENT-CLASS-60-51
US-PATENT-CLASS-91-361
US-PATENT-CLASS-91-390
US-PATENT-CLASS-91-448
US-PATENT-3,568,572
N71-27862* c 33 ..... NASA-CASE-MFS-14114
US-PATENT-APPL-SN-706013
US-PATENT-CLASS-310-4
US-PATENT-3,535,562
N71-28421* c 09 ..... NASA-CASE-NPO-10412
US-PATENT-APPL-SN-768470
US-PATENT-CLASS-310-4
US-PATENT-3,578,992
N71-28429* c 07 ..... NASA-CASE-MSC-13201-1
US-PATENT-APPL-SN-789903
US-PATENT-CLASS-332-29
US-PATENT-CLASS-332-30
US-PATENT-3,579,147
N71-28430* c 07 ..... NASA-CASE-GSC-10668-1
US-PATENT-APPL-SN-743525
US-PATENT-CLASS-307-296
US-PATENT-CLASS-325-185
US-PATENT-CLASS-330-124
US-PATENT-CLASS-330-200
US-PATENT-CLASS-330-40
US-PATENT-3,577,092
N71-28465* c 15 ..... NASA-CASE-ERC-10097
US-PATENT-APPL-SN-797059
US-PATENT-CLASS-308-170
US-PATENT-3,583,777
N71-28467* c 15 ..... NASA-CASE-NPO-10646
US-PATENT-APPL-SN-813488
US-PATENT-CLASS-64-18
US-PATENT-3,574,277
N71-28468* c 09 ..... NASA-CASE-ARC-10137-1
US-PATENT-APPL-SN-799013
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-288
US-PATENT-CLASS-328-207
US-PATENT-3,584,311
N71-28554* c 16 ..... NASA-CASE-XGS-10518
US-PATENT-APPL-SN-764470
US-PATENT-CLASS-335-216
US-PATENT-3,541,486
N71-28579* c 03 ..... NASA-CASE-LEW-11359
US-PATENT-APPL-SN-787911
US-PATENT-CLASS-136-83
US-PATENT-3,573,986
N71-28582* c 15 ..... NASA-CASE-LEW-10278-1
US-PATENT-APPL-SN-760928
US-PATENT-CLASS-117-224
US-PATENT-3,573,977
N71-28618* c 09 ..... NASA-CASE-ERC-10098
US-PATENT-APPL-SN-779169
US-PATENT-CLASS-178-5.2R
US-PATENT-CLASS-178-54CF
US-PATENT-CLASS-178-54PE
US-PATENT-3,582,960
N71-28619* c 05 ..... NASA-CASE-ARC-10153
US-PATENT-APPL-SN-783377
US-PATENT-CLASS-104-1
US-PATENT-CLASS-104-139
US-PATENT-CLASS-119-96
US-PATENT-CLASS-238-1
US-PATENT-CLASS-248-361
US-PATENT-CLASS-272-70
US-PATENT-CLASS-35-29
US-PATENT-3,583,322
N71-28620* c 06 ..... NASA-CASE-NPO-10701
US-PATENT-APPL-SN-763355
US-PATENT-CLASS-260-47
US-PATENT-3,576,786
N71-28629* c 11 ..... NASA-CASE-KSC-10198
US-PATENT-APPL-SN-845971
US-PATENT-CLASS-73-15
US-PATENT-CLASS-73-432
US-PATENT-3,578,756
N71-28691* c 09 ..... NASA-CASE-MFS-13687
US-PATENT-APPL-SN-723488
US-PATENT-CLASS-204-30
US-PATENT-3,576,723
N71-28729* c 18 ..... NASA-CASE-LEW-10219-1
US-PATENT-APPL-SN-785780
US-PATENT-CLASS-148-126
US-PATENT-3,579,390
N71-28739* c 10 ..... NASA-CASE-XNP-01068
US-PATENT-APPL-SN-375680
US-PATENT-CLASS-307-88.5
US-PATENT-3,271,594
N71-28740* c 15 ..... NASA-CASE-XLA-09346
US-PATENT-APPL-SN-820964
US-PATENT-CLASS-356-150
US-PATENT-CLASS-356-152
US-PATENT-CLASS-356-153
US-PATENT-CLASS-73-147
US-PATENT-3,583,815
N71-28741* c 12 ..... NASA-CASE-XLE-09341
US-PATENT-APPL-SN-780065
US-PATENT-CLASS-137-81.5
US-PATENT-3,583,419
N71-28747* c 17 ..... NASA-CASE-XNP-08881
US-PATENT-APPL-SN-732922
US-PATENT-CLASS-161-89
US-PATENT-3,579,412
N71-28759* c 22 ..... NASA-CASE-LEW-10250-1
US-PATENT-APPL-SN-732455
US-PATENT-CLASS-176-45
US-PATENT-3,574,057
N71-28779* c 11 ..... NASA-CASE-XNP-00250
US-PATENT-APPL-SN-212497
US-PATENT-CLASS-181-.5
US-PATENT-3,260,326
N71-28783* c 10 ..... NASA-CASE-XMS-02182
US-PATENT-APPL-SN-516153
US-PATENT-CLASS-317-100
US-PATENT-3,317,797
N71-28807* c 06 ..... NASA-CASE-XMF-08674
US-PATENT-APPL-SN-617775
US-PATENT-CLASS-260-47
US-PATENT-3,370,039
N71-28808* c 06 ..... NASA-CASE-XNP-04023
US-PATENT-APPL-SN-470902
US-PATENT-CLASS-260-429
US-PATENT-3,396,184
N71-28809* c 07 ..... NASA-CASE-XGS-02290
US-PATENT-APPL-SN-544895
US-PATENT-CLASS-343-771
US-PATENT-3,417,400
N71-28810* c 09 ..... NASA-CASE-XNP-03916
US-PATENT-APPL-SN-535304
US-PATENT-CLASS-331-113
US-PATENT-3,325,749
N71-28849* c 28 ..... NASA-CASE-XMS-04826
US-PATENT-APPL-SN-521755
US-PATENT-CLASS-60-258
US-PATENT-3,318,096
N71-28850* c 28 ..... NASA-CASE-XNP-01954
US-PATENT-APPL-SN-372730
US-PATENT-CLASS-313-230
US-PATENT-3,328,624
N71-28851* c 31 ..... NASA-CASE-XMS-06162
US-PATENT-APPL-SN-610724
US-PATENT-CLASS-244-138
US-PATENT-3,330,510
N71-28852* c 33 ..... NASA-CASE-XNP-01310
US-PATENT-APPL-SN-379771
US-PATENT-CLASS-60-266
US-PATENT-3,279,193
N71-28859* c 10 ..... NASA-CASE-XNP-01107
US-PATENT-APPL-SN-384010
US-PATENT-CLASS-330-51
US-PATENT-3,389,346
N71-28860* c 10 ..... NASA-CASE-MSC-13492-1
US-PATENT-APPL-SN-53156
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-328-207
US-PATENT-CLASS-328-92
US-PATENT-3,577,014
N71-28863* c 14 ..... NASA-CASE-ERC-10014
US-PATENT-APPL-SN-815367
US-PATENT-CLASS-250-41.9
US-PATENT-CLASS-250-49.5
US-PATENT-3,567,927
N71-28886* c 09 ..... NASA-CASE-MFS-14610
US-PATENT-APPL-SN-885571
US-PATENT-CLASS-318-317
US-PATENT-CLASS-318-331
US-PATENT-CLASS-318-345
US-PATENT-CLASS-318-504
US-PATENT-3,573,583
N71-28892* c 33 ..... NASA-CASE-XMF-05046
US-PATENT-APPL-SN-559350

US-PATENT-CLASS-62-45
US-PATENT-3,365,897

N71-28900* c 07 ..... NASA-CASE-XNP-02389
US-PATENT-APPL-SN-516162
US-PATENT-CLASS-343-100
US-PATENT-3,331,071

N71-28903* c 33 ..... NASA-CASE-XLA-01745
US-PATENT-APPL-SN-538907
US-PATENT-CLASS-244-1
US-PATENT-3,409,247

N71-28915* c 28 ..... NASA-CASE-LEW-10286-1
US-PATENT-APPL-SN-839994
US-PATENT-CLASS-431-352
US-PATENT-CLASS-60-39.36
US-PATENT-CLASS-60-39.65
US-PATENT-3,581,492

N71-28925* c 08 ..... NASA-CASE-XNP-01012
US-PATENT-APPL-SN-369338
US-PATENT-CLASS-340-174
US-PATENT-3,394,359

N71-28926* c 09 ..... NASA-CASE-XMS-03542
US-PATENT-APPL-SN-482952
US-PATENT-CLASS-307-263
US-PATENT-3,364,366

N71-28928* c 28 ..... NASA-CASE-XNP-00816
US-PATENT-APPL-SN-235588
US-PATENT-CLASS-253-77
US-PATENT-3,202,398

N71-28929* c 27 ..... NASA-CASE-XNP-00650
US-PATENT-APPL-SN-271823
US-PATENT-CLASS-60-39.48
US-PATENT-3,170,295

N71-28933* c 14 ..... NASA-CASE-XLA-08913
US-PATENT-APPL-SN-865109
US-PATENT-CLASS-204-263
US-PATENT-3,574,084

N71-28935* c 14 ..... NASA-CASE-LAR-10686
US-PATENT-APPL-SN-280362
US-PATENT-CLASS-226-58
US-PATENT-3,298,582

N71-28936* c 15 ..... NASA-CASE-XMS-10993
US-PATENT-APPL-SN-660573
US-PATENT-CLASS-244-1
US-PATENT-3,389,877

N71-28937* c 15 ..... NASA-CASE-XNP-01855
US-PATENT-APPL-SN-408435
US-PATENT-CLASS-285-45
US-PATENT-3,219,365

N71-28951* c 15 ..... NASA-CASE-XNP-02278
US-PATENT-APPL-SN-11853
US-PATENT-CLASS-60-35.55
US-PATENT-3,132,479

N71-28952* c 15 ..... NASA-CASE-XAC-00001
US-PATENT-APPL-SN-612568
US-PATENT-CLASS-318-31
US-PATENT-2,837,706

N71-28958* c 14 ..... NASA-CASE-XNP-02792
US-PATENT-APPL-SN-262596
US-PATENT-CLASS-219-413
US-PATENT-3,197,616

N71-28959* c 15 ..... NASA-CASE-XNP-01848
US-PATENT-APPL-SN-359532
US-PATENT-CLASS-64-27
US-PATENT-3,236,066

N71-28960* c 10 ..... NASA-CASE-XNP-00745
US-PATENT-APPL-SN-314570
US-PATENT-CLASS-328-67
US-PATENT-3,252,100

N71-28965*# c 07 ..... NASA-CASE-GSC-10949-1
US-PATENT-APPL-SN-94369

N71-28979* c 07 ..... NASA-CASE-HQN-00937
US-PATENT-APPL-SN-343760
US-PATENT-CLASS-343-823
US-PATENT-3,299,431

N71-28980* c 07 ..... NASA-CASE-XLA-10772
US-PATENT-APPL-SN-887700
US-PATENT-CLASS-343-708
US-PATENT-CLASS-343-784
US-PATENT-CLASS-343-872
US-PATENT-3,579,242

N71-28991* c 14 ..... NASA-CASE-XLA-06713
US-PATENT-APPL-SN-863913
US-PATENT-CLASS-324-5
US-PATENT-CLASS-324-73
US-PATENT-CLASS-340-347AD
US-PATENT-3,579,103

N71-28992* c 14 ..... NASA-CASE-ERC-10150
US-PATENT-APPL-SN-822519
US-PATENT-CLASS-250-41.95
US-PATENT-CLASS-73-40.7
US-PATENT-3,578,758

N71-28993* c 14 ..... NASA-CASE-MFS-20044
US-PATENT-APPL-SN-838630
US-PATENT-CLASS-250-219
US-PATENT-CLASS-356-209
US-PATENT-3,574,470

N71-28994* c 14 ..... NASA-CASE-XER-11203
US-PATENT-APPL-SN-815366
US-PATENT-CLASS-250-218
US-PATENT-CLASS-356-103
US-PATENT-3,578,867

N71-29008* c 09 ..... NASA-CASE-MSC-11277
US-PATENT-APPL-SN-771759
US-PATENT-CLASS-317-155.5
US-PATENT-CLASS-317-33
US-PATENT-CLASS-317-54
US-PATENT-CLASS-317-60
US-PATENT-3,579,041

N71-29018* c 15 ..... NASA-CASE-XLA-08916
US-PATENT-APPL-SN-777765
US-PATENT-CLASS-29-421
US-PATENT-3,583,058

N71-29032* c 15 ..... NASA-CASE-XMF-05999
US-PATENT-APPL-SN-752946
US-PATENT-CLASS-117-212
US-PATENT-3,576,669

N71-29033* c 08 ..... NASA-CASE-GSC-10554-1
US-PATENT-APPL-SN-828984
US-PATENT-CLASS-235-150.1
US-PATENT-CLASS-235-150.2
US-PATENT-CLASS-235-150.27
US-PATENT-CLASS-235-151.1
US-PATENT-3,578,957

N71-29034* c 08 ..... NASA-CASE-NPO-11088
US-PATENT-APPL-SN-887701
US-PATENT-CLASS-307-207
US-PATENT-CLASS-307-222
US-PATENT-CLASS-328-167
US-PATENT-CLASS-328-44
US-PATENT-3,579,122

N71-29035* c 09 ..... NASA-CASE-LEW-10155-1
US-PATENT-APPL-SN-889387
US-PATENT-CLASS-337-114
US-PATENT-CLASS-337-121
US-PATENT-3,579,168

N71-29040* c 18 ..... NASA-CASE-XLE-10910
US-PATENT-APPL-SN-751061
US-PATENT-CLASS-148-6
US-PATENT-3,573,996

N71-29041* c 14 ..... NASA-CASE-XLA-10402
US-PATENT-APPL-SN-762935
US-PATENT-CLASS-356-76
US-PATENT-3,574,462

N71-29044* c 03 ..... NASA-CASE-XMS-02063
US-PATENT-APPL-SN-422096
US-PATENT-CLASS-136-86
US-PATENT-3,382,105

N71-29046* c 33 ..... NASA-CASE-XHQ-03673
US-PATENT-APPL-SN-559055
US-PATENT-CLASS-165-86
US-PATENT-3,347,309

N71-29049* c 23 ..... NASA-CASE-XNP-06503
US-PATENT-APPL-SN-370989
US-PATENT-CLASS-335-216
US-PATENT-3,273,094

N71-29050* c 31 ..... NASA-CASE-HQN-00936
US-PATENT-APPL-SN-862921
US-PATENT-CLASS-244-1
US-PATENT-3,396,920

N71-29051* c 33 ..... NASA-CASE-XMF-04208
US-PATENT-APPL-SN-428887
US-PATENT-CLASS-73-190
US-PATENT-3,372,588

N71-29052* c 33 ..... NASA-CASE-MSC-12389
US-PATENT-APPL-SN-229286
US-PATENT-CLASS-165-47
US-PATENT-3,212,564

N71-29053* c 33 ..... NASA-CASE-HQN-00938
US-PATENT-APPL-SN-300957
US-PATENT-CLASS-60-267
US-PATENT-3,298,175

N71-29065* c 07 ..... NASA-CASE-ERC-10011
US-PATENT-APPL-SN-802818
US-PATENT-CLASS-333-81
US-PATENT-CLASS-350-1
US-PATENT-CLASS-350-286
US-PATENT-3,574,438

N71-29123* c 23 ..... NASA-CASE-XNP-08907
US-PATENT-APPL-SN-824042
US-PATENT-CLASS-350-102
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-310
US-PATENT-3,574,448

N71-29125* c 23 ..... NASA-CASE-NPO-11087
US-PATENT-APPL-SN-840359
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-356-153
US-PATENT-3,574,467

N71-29128* c 02 ..... NASA-CASE-XAC-00048
US-PATENT-APPL-SN-765264
US-PATENT-CLASS-121-38
US-PATENT-2,898,889

N71-29129* c 03 ..... NASA-CASE-XGS-01674
US-PATENT-APPL-SN-248985
US-PATENT-CLASS-320-13
US-PATENT-3,118,100

N71-29131* c 16 ..... NASA-CASE-ERC-10151
US-PATENT-APPL-SN-853856
US-PATENT-CLASS-350-3.5
US-PATENT-3,578,838

N71-29132* c 15 ..... NASA-CASE-NPO-10431
US-PATENT-APPL-SN-865329
US-PATENT-CLASS-73-49.8
US-PATENT-3,583,239

N71-29133* c 15 ..... NASA-CASE-MFS-20453
US-PATENT-APPL-SN-885594
US-PATENT-CLASS-29-278R
US-PATENT-CLASS-294-15
US-PATENT-CLASS-339-17R
US-PATENT-CLASS-81-3R
US-PATENT-3,583,744

N71-29134* c 14 ..... NASA-CASE-MFS-11204
US-PATENT-APPL-SN-845991
US-PATENT-CLASS-73-1R
US-PATENT-CLASS-73-304C
US-PATENT-3,578,755

N71-29135* c 10 ..... NASA-CASE-GSC-10564
US-PATENT-APPL-SN-292596
US-PATENT-CLASS-340-174
US-PATENT-3,348,218

N71-29136* c 15 ..... NASA-CASE-XLA-00013
US-PATENT-APPL-SN-579121
US-PATENT-CLASS-308-177
US-PATENT-2,903,307

N71-29137* c 17 ..... NASA-CASE-XNP-04339
US-PATENT-APPL-SN-451596
US-PATENT-CLASS-264-111
US-PATENT-3,413,393

N71-29138* c 08 ..... NASA-CASE-ERC-10041
US-PATENT-APPL-SN-889478
US-PATENT-CLASS-307-234
US-PATENT-CLASS-307-265
US-PATENT-CLASS-324-106
US-PATENT-CLASS-328-58
US-PATENT-CLASS-332-10
US-PATENT-CLASS-332-9R
US-PATENT-3,579,146

N71-29139* c 09 ..... NASA-CASE-XLA-07788
US-PATENT-APPL-SN-874732
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-247
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-294
US-PATENT-CLASS-328-207
US-PATENT-3,578,988

N71-29151* c 33 ..... NASA-CASE-XLE-00035
US-PATENT-APPL-SN-575291
US-PATENT-CLASS-204-37
US-PATENT-2,926,123

N71-29152* c 33 ..... NASA-CASE-XLE-00027
US-PATENT-APPL-SN-529594
US-PATENT-CLASS-253-39.1
US-PATENT-2,956,772

N71-29153* c 28 ..... NASA-CASE-MFS-20831
US-PATENT-APPL-SN-238421
US-PATENT-CLASS-60-35.54
US-PATENT-3,212,259

N71-29154* c 28 ..... NASA-CASE-XLE-00155
US-PATENT-APPL-SN-348600
US-PATENT-CLASS-253-77
US-PATENT-2,997,274

N71-29155* c 27 ..... NASA-CASE-MSC-12390
US-PATENT-APPL-SN-231520
US-PATENT-CLASS-222-61
US-PATENT-3,286,882

N71-29156* c 26 ..... NASA-CASE-XNP-01961
US-PATENT-APPL-SN-442835
US-PATENT-CLASS-148-174
US-PATENT-3,397,094

N71-29184* c 25 ..... NASA-CASE-XLA-00327
US-PATENT-APPL-SN-199199
US-PATENT-CLASS-315-111
US-PATENT-3,238,413

N71-30026* c 14 ..... NASA-CASE-MFS-20096
US-PATENT-APPL-SN-435433
US-PATENT-CLASS-73-432
US-PATENT-3,396,584

N71-30027* c 23 ..... NASA-CASE-GSC-10700
US-PATENT-APPL-SN-311387
US-PATENT-CLASS-350-2
US-PATENT-3,394,975

N71-30028* c 15 ..... NASA-CASE-MFS-20830
US-PATENT-APPL-SN-286620
US-PATENT-3,262,395

N71-30265* c 14 ..... NASA-CASE-HQN-10780
US-PATENT-APPL-SN-247136
US-PATENT-CLASS-73-497

US-PATENT-3,270,565
N71-30292* c 23 ..... NASA-CASE-HQN-10781
US-PATENT-APPL-SN-86018
US-PATENT-3,239,660
N71-33108* c 07 ..... NASA-CASE-KSC-10164
US-PATENT-APPL-SN-782955
US-PATENT-CLASS-179-1R
US-PATENT-CLASS-179-1VC
US-PATENT-3,588,359
N71-33109* c 09 ..... NASA-CASE-ARC-10101-1
US-PATENT-APPL-SN-793823
US-PATENT-CLASS-307-251
US-PATENT-CLASS-307-261
US-PATENT-CLASS-321-47
US-PATENT-3,588,671
N71-33110* c 08 ..... NASA-CASE-GSC-10186
US-PATENT-APPL-SN-713188
US-PATENT-CLASS-235-164
US-PATENT-CLASS-235-175
US-PATENT-3,588,483
N71-33129* c 10 ..... NASA-CASE-GSC-10667-1
US-PATENT-APPL-SN-749548
US-PATENT-CLASS-330-11
US-PATENT-CLASS-330-16
US-PATENT-CLASS-330-24
US-PATENT-3,585,514
N71-33160* c 31 ..... NASA-CASE-XLA-04063
US-PATENT-APPL-SN-802948
US-PATENT-CLASS-179-1
US-PATENT-CLASS-244-1
US-PATENT-CLASS-244-83
US-PATENT-3,586,261
N71-33229* c 23 ..... NASA-CASE-NPO-10468
US-PATENT-APPL-SN-787846
US-PATENT-CLASS-350-310
US-PATENT-CLASS-350-55
US-PATENT-3,588,220
N71-33407* c 10 ..... NASA-CASE-NPO-10842
US-PATENT-APPL-SN-704446
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-340-347DD
US-PATENT-3,588,883
N71-33408* c 17 ..... NASA-CASE-LEW-10327
US-PATENT-APPL-SN-772006
US-PATENT-CLASS-148-6.3
US-PATENT-3,591,426
N71-33409* c 03 ..... NASA-CASE-ARC-10050
US-PATENT-APPL-SN-797219
US-PATENT-CLASS-136-89
US-PATENT-3,591,420
N71-33410* c 16 ..... NASA-CASE-NPO-10417
US-PATENT-APPL-SN-753974
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-352-84
US-PATENT-CLASS-95-11
US-PATENT-3,587,424
N71-33518* c 15 ..... NASA-CASE-XLA-03661
US-PATENT-APPL-SN-751266
US-PATENT-CLASS-408-137
US-PATENT-CLASS-90-11
US-PATENT-3,585,882
N71-33519* c 09 ..... NASA-CASE-ERC-10100
US-PATENT-APPL-SN-766697
US-PATENT-CLASS-313-109.5
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-108
US-PATENT-CLASS-315-111
US-PATENT-CLASS-340-324
US-PATENT-CLASS-340-336
US-PATENT-3,588,874
N71-33606* c 07 ..... NASA-CASE-NPO-11031
US-PATENT-APPL-SN-864097
US-PATENT-CLASS-333-21A
US-PATENT-CLASS-333-6
US-PATENT-CLASS-333-7
US-PATENT-3,588,751
N71-33612* c 11 ..... NASA-CASE-XLA-09480
US-PATENT-APPL-SN-874435
US-PATENT-CLASS-73-147
US-PATENT-3,587,306
N71-33613* c 07 ..... NASA-CASE-NPO-10700
US-PATENT-APPL-SN-840308
US-PATENT-CLASS-318-227
US-PATENT-CLASS-318-230
US-PATENT-3,588,648
N71-33696* c 07 ..... NASA-CASE-MSC-12165-1
US-PATENT-APPL-SN-875849
US-PATENT-CLASS-325-347
US-PATENT-CLASS-325-348
US-PATENT-CLASS-325-473
US-PATENT-CLASS-325-478
US-PATENT-CLASS-325-480
US-PATENT-CLASS-325-482
US-PATENT-CLASS-328-164
US-PATENT-CLASS-328-165
US-PATENT-CLASS-329-145
US-PATENT-3,588,705
N71-34044* # c 03 ..... NASA-CASE-NPO-11190
US-PATENT-APPL-SN-115944
N71-34212* # c 09 ..... NASA-CASE-MFS-20935
US-PATENT-APPL-SN-136007
N71-34389* # c 14 ..... NASA-CASE-HQN-10683
US-PATENT-APPL-SN-146217
N72-10138* # c 06 ..... NASA-CASE-HQN-10537-1
US-PATENT-APPL-SN-112366
N72-10375* # c 14 ..... NASA-CASE-GSC-11095-1
US-PATENT-APPL-SN-147940
N72-11018* c 02 ..... NASA-CASE-LAR-10557
US-PATENT-APPL-SN-853746
US-PATENT-CLASS-416-115
US-PATENT-CLASS-416-121
US-PATENT-CLASS-416-127
US-PATENT-CLASS-416-130
US-PATENT-CLASS-416-149
US-PATENT-CLASS-416-200
US-PATENT-3,592,559
N72-11062* c 03 ..... NASA-CASE-XGS-04047-2
US-PATENT-APPL-SN-843251
US-PATENT-CLASS-136-206
US-PATENT-3,597,281
N72-11084* c 05 ..... NASA-CASE-NPO-10677
US-PATENT-APPL-SN-868530
US-PATENT-CLASS-62-467
US-PATENT-CLASS-62-56
US-PATENT-3,599,443
N72-11085* c 05 ..... NASA-CASE-MSC-13140
US-PATENT-APPL-SN-796358
US-PATENT-CLASS-285-410
US-PATENT-CLASS-297-232
US-PATENT-CLASS-297-68
US-PATENT-CLASS-5-69
US-PATENT-3,592,505
N72-11148* c 07 ..... NASA-CASE-NPO-10991
US-PATENT-APPL-SN-848810
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-853
US-PATENT-3,599,216
N72-11149* c 07 ..... NASA-CASE-GSC-10390-1
US-PATENT-APPL-SN-749121
US-PATENT-CLASS-325-39
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-58
US-PATENT-CLASS-343-179
US-PATENT-CLASS-343-5DP
US-PATENT-CLASS-343-7.5
US-PATENT-3,593,138
N72-11150* c 07 ..... NASA-CASE-NPO-11064
US-PATENT-APPL-SN-880248
US-PATENT-CLASS-331-10
US-PATENT-CLASS-331-34
US-PATENT-CLASS-331-66
US-PATENT-CLASS-331-7
US-PATENT-3,593,180
N72-11171* c 08 ..... NASA-CASE-NPO-10769
US-PATENT-APPL-SN-813494
US-PATENT-CLASS-179-15.55R
US-PATENT-3,598,921
N72-11172* c 08 ..... NASA-CASE-GSC-10880-1
US-PATENT-APPL-SN-831118
US-PATENT-CLASS-235-61NV
US-PATENT-CLASS-33-15A
US-PATENT-CLASS-33-204C
US-PATENT-3,599,335
N72-11224* c 09 ..... NASA-CASE-GSC-10614-1
US-PATENT-APPL-SN-822534
US-PATENT-CLASS-179-100-2CA
US-PATENT-CLASS-179-100-2MD
US-PATENT-CLASS-274-4R
US-PATENT-3,592,478
N72-11225* c 09 ..... NASA-CASE-KSC-10162
US-PATENT-APPL-SN-817481
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-119
US-PATENT-CLASS-324-123R
US-PATENT-3,593,132
N72-11256* c 10 ..... NASA-CASE-ARC-10042-2
US-PATENT-APPL-SN-33159
US-PATENT-CLASS-330-107
US-PATENT-CLASS-330-109
US-PATENT-3,593,175
N72-11363* c 14 ..... NASA-CASE-MSC-11847-1
US-PATENT-APPL-SN-8497
US-PATENT-CLASS-73-149
US-PATENT-CLASS-73-290B
US-PATENT-3,596,510
N72-11364* c 14 ..... NASA-CASE-NPO-10778
US-PATENT-APPL-SN-865909
US-PATENT-CLASS-250-235
US-PATENT-CLASS-33-125
US-PATENT-CLASS-356-167
US-PATENT-CLASS-356-32
US-PATENT-CLASS-73-95
US-PATENT-3,592,545
N72-11365* c 14 ..... NASA-CASE-MFS-20485
US-PATENT-APPL-SN-22320
US-PATENT-CLASS-250-43.5FC
US-PATENT-CLASS-73-194F
US-PATENT-3,599,489
N72-11385* c 15 ..... NASA-CASE-MFS-18495
US-PATENT-APPL-SN-38814
US-PATENT-CLASS-24-211N
US-PATENT-CLASS-85-5B
US-PATENT-3,596,554
N72-11386* c 15 ..... NASA-CASE-MFS-20249
US-PATENT-APPL-SN-794530
US-PATENT-CLASS-248-183
US-PATENT-CLASS-248-278
US-PATENT-CLASS-248-487
US-PATENT-CLASS-33-72
US-PATENT-CLASS-350-285
US-PATENT-CLASS-350-287
US-PATENT-3,596,863
N72-11387* c 15 ..... NASA-CASE-XMF-09902
US-PATENT-APPL-SN-769665
US-PATENT-CLASS-75-20F
US-PATENT-3,592,628
N72-11388* c 15 ..... NASA-CASE-MFS-20423
US-PATENT-APPL-SN-865298
US-PATENT-CLASS-212-134
US-PATENT-CLASS-308-5
US-PATENT-3,600,046
N72-11389* c 15 ..... NASA-CASE-XLA-05056
US-PATENT-APPL-SN-596733
US-PATENT-CLASS-210-445
US-PATENT-3,592,768
N72-11390* c 15 ..... NASA-CASE-MFS-18100
US-PATENT-APPL-SN-784055
US-PATENT-CLASS-15-143
US-PATENT-CLASS-15-210
US-PATENT-3,591,885
N72-11391* c 15 ..... NASA-CASE-NPO-11012
US-PATENT-APPL-SN-845807
US-PATENT-CLASS-248-18
US-PATENT-CLASS-248-20
US-PATENT-3,592,422
N72-11392* c 15 ..... NASA-CASE-MFS-20299
US-PATENT-APPL-SN-889437
US-PATENT-CLASS-156-320
US-PATENT-CLASS-156-66
US-PATENT-CLASS-219-221
US-PATENT-CLASS-219-243
US-PATENT-3,593,001
N72-11568* # c 23 ..... NASA-CASE-GSC-11133-1
US-PATENT-APPL-SN-121328
N72-11595* c 24 ..... NASA-CASE-MFS-20095
US-PATENT-APPL-SN-855004
US-PATENT-CLASS-250-49.5B
US-PATENT-CLASS-250-49.5TE
US-PATENT-CLASS-250-51
US-PATENT-CLASS-250-52
US-PATENT-3,593,024
N72-11708* c 28 ..... NASA-CASE-MFS-20619
US-PATENT-APPL-SN-18982
US-PATENT-CLASS-139-425R
US-PATENT-CLASS-239-265.19
US-PATENT-CLASS-239-265.43
US-PATENT-CLASS-60-271
US-PATENT-3,596,465
N72-11709* c 28 ..... NASA-CASE-NPO-10737
US-PATENT-APPL-SN-760114
US-PATENT-CLASS-60-202
US-PATENT-CLASS-60-39-48
US-PATENT-3,591,967
N72-12080* c 07 ..... NASA-CASE-GSC-10087-3
US-PATENT-APPL-SN-880885
US-PATENT-CLASS-325-4
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-6.8R
US-PATENT-3,594,790
N72-12081* c 07 ..... NASA-CASE-GSC-10185-1
US-PATENT-APPL-SN-733039
US-PATENT-CLASS-178-DIG.12
US-PATENT-CLASS-178-6
US-PATENT-CLASS-178-7.3
US-PATENT-CLASS-325-10
US-PATENT-CLASS-325-13
US-PATENT-3,588,331
N72-12136* c 09 ..... NASA-CASE-XER-09521
US-PATENT-APPL-SN-771530
US-PATENT-CLASS-136-202
US-PATENT-CLASS-136-206
US-PATENT-CLASS-136-227
US-PATENT-CLASS-343-DIG.3
US-PATENT-CLASS-343-720
US-PATENT-CLASS-343-840
US-PATENT-3,594,803
N72-12408* c 15 ..... NASA-CASE-XLA-05966

US-PATENT-APPL-SN-784544
US-PATENT-CLASS-140-105
US-PATENT-CLASS-72-307
US-PATENT-3,584,660

N72-12409* c 15 ..... NASA-CASE-NPO-10637
US-PATENT-APPL-SN-851298
US-PATENT-CLASS-236-68
US-PATENT-CLASS-337-354
US-PATENT-CLASS-337-359
US-PATENT-CLASS-337-75
US-PATENT-CLASS-60-23
US-PATENT-3,591,960

N72-12440* c 16 ..... NASA-CASE-MFS-20180
US-PATENT-APPL-SN-863276
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-350-1
US-PATENT-CLASS-350-312
US-PATENT-3,593,194

N72-13437* c 16 ..... NASA-CASE-MFS-20125
US-PATENT-APPL-SN-830366
US-PATENT-CLASS-178-DIG.21
US-PATENT-CLASS-178-6
US-PATENT-CLASS-250-203X
US-PATENT-CLASS-356-152
US-PATENT-3,603,686

N72-15098*# c 05 ..... NASA-CASE-MSC-13917-1
US-PATENT-APPL-SN-198355

N72-15986* c 03 ..... NASA-CASE-XGS-10010
US-PATENT-APPL-SN-729299
US-PATENT-CLASS-136-133
US-PATENT-CLASS-136-135
US-PATENT-CLASS-136-6
US-PATENT-3,607,401

N72-16015* c 05 ..... NASA-CASE-KSC-10278
US-PATENT-APPL-SN-856327
US-PATENT-CLASS-324-66
US-PATENT-CLASS-340-279
US-PATENT-CLASS-35-8
US-PATENT-3,609,740

N72-16172* c 10 ..... NASA-CASE-ARC-10269-1
US-PATENT-APPL-SN-56791
US-PATENT-CLASS-307-230
US-PATENT-CLASS-307-262
US-PATENT-CLASS-328-155
US-PATENT-3,614,475

N72-16282* c 14 ..... NASA-CASE-LAR-10913
US-PATENT-APPL-SN-779160
US-PATENT-CLASS-73-12
US-PATENT-3,605,482

N72-16283* c 14 ..... NASA-CASE-GSC-10780-1
US-PATENT-APPL-SN-860493
US-PATENT-CLASS-82-24R
US-PATENT-3,608,409

N72-16329* c 15 ..... NASA-CASE-XLA-07829
US-PATENT-APPL-SN-763684
US-PATENT-CLASS-264-DIG.44
US-PATENT-CLASS-264-221
US-PATENT-CLASS-264-225
US-PATENT-CLASS-264-227
US-PATENT-3,608,046

N72-16330* c 15 ..... NASA-CASE-LAR-10203-1
US-PATENT-APPL-SN-769592
US-PATENT-CLASS-156-84
US-PATENT-CLASS-156-86
US-PATENT-3,607,495

N72-17093* c 06 ..... NASA-CASE-LEW-10794-1
US-PATENT-APPL-SN-33535
US-PATENT-CLASS-23-55
US-PATENT-CLASS-23-88
US-PATENT-CLASS-23-97
US-PATENT-3,607,015

N72-17094* c 06 ..... NASA-CASE-NPO-10234
US-PATENT-APPL-SN-800204
US-PATENT-CLASS-23-230R
US-PATENT-CLASS-23-232C
US-PATENT-CLASS-23-253PC
US-PATENT-CLASS-73-23.1
US-PATENT-3,607,076

N72-17095* c 06 ..... NASA-CASE-NPO-10774
US-PATENT-APPL-SN-848805
US-PATENT-CLASS-23-201
US-PATENT-CLASS-23-230
US-PATENT-CLASS-23-253
US-PATENT-CLASS-73-76
US-PATENT-3,607,080

N72-17109* c 07 ..... NASA-CASE-MSC-12146-1
US-PATENT-APPL-SN-50206
US-PATENT-CLASS-178-5.2R
US-PATENT-CLASS-178-5.4
US-PATENT-CLASS-178-6.7
US-PATENT-3,603,722

N72-17152* c 09 ..... NASA-CASE-ARC-10178-1
US-PATENT-APPL-SN-47443
US-PATENT-CLASS-250-211J
US-PATENT-3,603,798

N72-17153* c 09 ..... NASA-CASE-ARC-10105
US-PATENT-APPL-SN-887698
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-307-252F
US-PATENT-CLASS-307-252J
US-PATENT-CLASS-325-492
US-PATENT-CLASS-340-177
US-PATENT-3,603,946

N72-17154* c 09 ..... NASA-CASE-ERC-10139
US-PATENT-APPL-SN-889555
US-PATENT-CLASS-321-10
US-PATENT-CLASS-336-178
US-PATENT-3,603,864

N72-17155* c 09 ..... NASA-CASE-NPO-11023
US-PATENT-APPL-SN-865274
US-PATENT-CLASS-330-18
US-PATENT-CLASS-330-40
US-PATENT-3,603,892

N72-17156* c 09 ..... NASA-CASE-NPO-10199
US-PATENT-APPL-SN-739391
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-330-11
US-PATENT-CLASS-330-35
US-PATENT-3,609,230

N72-17157* c 09 ..... NASA-CASE-NPO-11253
US-PATENT-APPL-SN-21906
US-PATENT-CLASS-307-223
US-PATENT-CLASS-307-227
US-PATENT-CLASS-307-81
US-PATENT-CLASS-328-186
US-PATENT-3,609,387

N72-17171* c 10 ..... NASA-CASE-XAC-05462-2
US-PATENT-APPL-SN-28235
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-109
US-PATENT-CLASS-330-176
US-PATENT-CLASS-333-70CR
US-PATENT-3,609,567

N72-17172* c 10 ..... NASA-CASE-ARC-10020
US-PATENT-APPL-SN-31885
US-PATENT-CLASS-330-107
US-PATENT-CLASS-330-109
US-PATENT-CLASS-330-26
US-PATENT-CLASS-330-31
US-PATENT-CLASS-330-94
US-PATENT-3,605,032

N72-17173* c 10 ..... NASA-CASE-MFS-13130
US-PATENT-APPL-SN-7868
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-83.3UV
US-PATENT-CLASS-340-228.2
US-PATENT-3,609,364

N72-17183* c 11 ..... NASA-CASE-MFS-20509
US-PATENT-APPL-SN-889557
US-PATENT-CLASS-73-147
US-PATENT-3,602,920

N72-17323* c 14 ..... NASA-CASE-ERC-10248
US-PATENT-APPL-SN-868445
US-PATENT-CLASS-350-162
US-PATENT-CLASS-356-113
US-PATENT-CLASS-356-209
US-PATENT-CLASS-356-244
US-PATENT-3,603,690

N72-17324* c 14 ..... NASA-CASE-MFS-20596
US-PATENT-APPL-SN-7867
US-PATENT-CLASS-350-3.5
US-PATENT-3,605,519

N72-17325* c 14 ..... NASA-CASE-MSC-15158-1
US-PATENT-APPL-SN-889479
US-PATENT-CLASS-324-52
US-PATENT-3,609,535

N72-17326* c 14 ..... NASA-CASE-XMS-01994-1
US-PATENT-APPL-SN-814212
US-PATENT-CLASS-356-4
US-PATENT-3,603,683

N72-17327* c 14 ..... NASA-CASE-LEW-10281-1
US-PATENT-APPL-SN-861649
US-PATENT-CLASS-73-198
US-PATENT-3,605,495

N72-17328* c 14 ..... NASA-CASE-XLA-07813
US-PATENT-APPL-SN-791364
US-PATENT-CLASS-250-207
US-PATENT-CLASS-250-41.9
US-PATENT-CLASS-250-49.5
US-PATENT-CLASS-250-71.5
US-PATENT-CLASS-250-83.3
US-PATENT-3,609,353

N72-17329* c 14 ..... NASA-CASE-FRC-10012
US-PATENT-APPL-SN-771216
US-PATENT-CLASS-73-194A
US-PATENT-3,611,801

N72-17450* c 15 ..... NASA-CASE-MSC-12279
US-PATENT-APPL-SN-24154
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-188-129
US-PATENT-3,603,433

N72-17451* c 15 ..... NASA-CASE-WLP-10002
US-PATENT-APPL-SN-47062
US-PATENT-CLASS-180-125
US-PATENT-CLASS-180-127
US-PATENT-CLASS-308-DIG.1
US-PATENT-CLASS-308-5
US-PATENT-CLASS-308-9
US-PATENT-3,610,365

N72-17452* c 15 ..... NASA-CASE-XLA-10322
US-PATENT-APPL-SN-887699
US-PATENT-CLASS-73-88.5R
US-PATENT-3,608,365

N72-17453* c 15 ..... NASA-CASE-NPO-11177
US-PATENT-APPL-SN-20960
US-PATENT-CLASS-62-51
US-PATENT-3,605,424

N72-17454* c 15 ..... NASA-CASE-NPO-11059
US-PATENT-APPL-SN-864020
US-PATENT-CLASS-248-14
US-PATENT-3,606,979

N72-17455* c 15 ..... NASA-CASE-NPO-11140
US-PATENT-APPL-SN-15019
US-PATENT-CLASS-174-84
US-PATENT-CLASS-200-64
US-PATENT-CLASS-339-176M
US-PATENT-CLASS-339-278M
US-PATENT-CLASS-339-46
US-PATENT-CLASS-89-1.811
US-PATENT-3,611,274

N72-17532* c 18 ..... NASA-CASE-MFS-13532
US-PATENT-APPL-SN-720546
US-PATENT-CLASS-106-292
US-PATENT-CLASS-106-299
US-PATENT-3,607,338

N72-17747* c 23 ..... NASA-CASE-ERC-10089
US-PATENT-APPL-SN-791267
US-PATENT-CLASS-340-174AG
US-PATENT-CLASS-340-174CT
US-PATENT-CLASS-340-174GA
US-PATENT-CLASS-340-174SC
US-PATENT-3,611,330

N72-17820* c 26 ..... NASA-CASE-XER-08476-1
US-PATENT-APPL-SN-672388
US-PATENT-CLASS-148-187
US-PATENT-CLASS-29-578
US-PATENT-CLASS-29-589
US-PATENT-3,602,984

N72-17843* c 28 ..... NASA-CASE-NPO-10046
US-PATENT-APPL-SN-860635
US-PATENT-CLASS-60-258
US-PATENT-CLASS-60-39.74
US-PATENT-3,603,092

N72-17873* c 30 ..... NASA-CASE-ARC-10134
US-PATENT-APPL-SN-819898
US-PATENT-CLASS-244-3.21
US-PATENT-3,603,532

N72-17947* c 33 ..... NASA-CASE-MSC-12143-1
US-PATENT-APPL-SN-791268
US-PATENT-CLASS-102-105
US-PATENT-CLASS-161-67
US-PATENT-CLASS-244-117
US-PATENT-3,603,260

N72-17948* c 33 ..... NASA-CASE-NPO-10828
US-PATENT-APPL-SN-873260
US-PATENT-CLASS-165-105
US-PATENT-3,603,382

N72-18184* c 08 ..... NASA-CASE-NPO-10629
US-PATENT-APPL-SN-860751
US-PATENT-CLASS-178-50
US-PATENT-CLASS-178-66
US-PATENT-CLASS-179-15
US-PATENT-CLASS-235-154
US-PATENT-CLASS-340-347DD
US-PATENT-3,603,976

N72-18411* c 14 ..... NASA-CASE-KSC-10294
US-PATENT-APPL-SN-889556
US-PATENT-CLASS-307-311
US-PATENT-CLASS-346-107A
US-PATENT-CLASS-346-23
US-PATENT-CLASS-352-84
US-PATENT-CLASS-95-1.1
US-PATENT-3,603,974

N72-18477* c 15 ..... NASA-CASE-GSC-10566-1
US-PATENT-APPL-SN-889438
US-PATENT-CLASS-242-54
US-PATENT-CLASS-52-108
US-PATENT-3,608,844

N72-18766* c 28 ..... NASA-CASE-GSC-10640-1
US-PATENT-APPL-SN-17101
US-PATENT-CLASS-23-281
US-PATENT-CLASS-23-288
US-PATENT-CLASS-60-260
US-PATENT-3,603,093

N72-18859* c 31 ..... NASA-CASE-MSC-13281
US-PATENT-APPL-SN-7669
US-PATENT-CLASS-244-15.5

US-PATENT-3,606,212
N72-20031* c 03 ..... NASA-CASE-GSC-10669-1
US-PATENT-APPL-SN-90595
US-PATENT-CLASS-136-89
US-PATENT-CLASS-244-ISS
US-PATENT-CLASS-340-210
US-PATENT-3,636,539
N72-20032* c 03 ..... NASA-CASE-NPO-11021
US-PATENT-APPL-SN-880250
US-PATENT-CLASS-136-166
US-PATENT-CLASS-136-79
US-PATENT-CLASS-136-81
US-PATENT-3,625,766
N72-20033* c 03 ..... NASA-CASE-NPO-10401
US-PATENT-APPL-SN-15025
US-PATENT-CLASS-210-212
US-PATENT-CLASS-356-222
US-PATENT-3,630,627
N72-20034* c 03 ..... NASA-CASE-LEW-11359-2
US-PATENT-APPL-SN-57399
US-PATENT-CLASS-136-100R
US-PATENT-CLASS-136-175
US-PATENT-CLASS-136-83R
US-PATENT-3,635,765
N72-20096* c 05 ..... NASA-CASE-MSC-12411-1
US-PATENT-APPL-SN-701244
US-PATENT-CLASS-128-142.5
US-PATENT-CLASS-128-402
US-PATENT-CLASS-2-2.1
US-PATENT-3,635,216
N72-20097* c 05 ..... NASA-CASE-MFS-20332
US-PATENT-APPL-SN-869260
US-PATENT-CLASS-137-469
US-PATENT-CLASS-137-81
US-PATENT-3,636,966
N72-20098* c 05 ..... NASA-CASE-MSC-12398
US-PATENT-APPL-SN-785615
US-PATENT-CLASS-2-2.1
US-PATENT-3,624,839
N72-20121* c 06 ..... NASA-CASE-NPO-10765
US-PATENT-APPL-SN-770425
US-PATENT-CLASS-260-544F
US-PATENT-3,637,842
N72-20140* c 07 ..... NASA-CASE-NPO-10844
US-PATENT-APPL-SN-839934
US-PATENT-CLASS-178-69.5R
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-325-321
US-PATENT-CLASS-325-38
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-58
US-PATENT-3,626,298
N72-20141* c 07 ..... NASA-CASE-ERC-10179
US-PATENT-APPL-SN-50207
US-PATENT-CLASS-325-445
US-PATENT-CLASS-329-161
US-PATENT-CLASS-329-162
US-PATENT-CLASS-332-51W
US-PATENT-CLASS-333-73W
US-PATENT-CLASS-343-772
US-PATENT-CLASS-343-773
US-PATENT-CLASS-343-786
US-PATENT-3,633,110
N72-20154*# c 07 ..... NASA-CASE-NPO-11243
US-PATENT-APPL-SN-177753
N72-20176* c 08 ..... NASA-CASE-NPO-11130
US-PATENT-APPL-SN-21508
US-PATENT-CLASS-235-152
US-PATENT-CLASS-235-92CC
US-PATENT-CLASS-235-92DE
US-PATENT-CLASS-235-92DM
US-PATENT-CLASS-235-92LG
US-PATENT-CLASS-235-92R
US-PATENT-CLASS-340-347DA
US-PATENT-CLASS-340-347DD
US-PATENT-3,632,996
N72-20177* c 08 ..... NASA-CASE-NPO-10748
US-PATENT-APPL-SN-63383
US-PATENT-CLASS-324-77G
US-PATENT-3,631,339
N72-20199* c 09 ..... NASA-CASE-NPO-10722
US-PATENT-APPL-SN-860492
US-PATENT-CLASS-200-81.9M
US-PATENT-CLASS-335-205
US-PATENT-3,632,923
N72-20200* c 09 ..... NASA-CASE-NPO-10694
US-PATENT-APPL-SN-24224
US-PATENT-CLASS-339-275T
US-PATENT-CLASS-339-276T
US-PATENT-3,631,382
N72-20206*# c 09 ..... NASA-CASE-ERC-10468
US-PATENT-APPL-SN-144958
N72-20221* c 10 ..... NASA-CASE-GSC-10082-1
US-PATENT-APPL-SN-41430
US-PATENT-CLASS-307-273
US-PATENT-CLASS-307-288
US-PATENT-CLASS-307-313
US-PATENT-CLASS-328-207
US-PATENT-CLASS-330-30D
US-PATENT-3,633,048
N72-20222* c 10 ..... NASA-CASE-XLA-11189
US-PATENT-APPL-SN-889375
US-PATENT-CLASS-324-115
US-PATENT-CLASS-324-132
US-PATENT-3,638,114
N72-20223* c 10 ..... NASA-CASE-NPO-11133
US-PATENT-APPL-SN-887685
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-16
US-PATENT-CLASS-328-166
US-PATENT-CLASS-328-20
US-PATENT-CLASS-328-38
US-PATENT-3,626,308
N72-20224* c 10 ..... NASA-CASE-NPO-11203
US-PATENT-APPL-SN-3696
US-PATENT-CLASS-324-83A
US-PATENT-CLASS-324-85
US-PATENT-CLASS-328-133
US-PATENT-CLASS-343-12
US-PATENT-3,631,351
N72-20225* c 10 ..... NASA-CASE-MSC-13407-1
US-PATENT-APPL-SN-65840
US-PATENT-CLASS-315-22
US-PATENT-CLASS-315-25
US-PATENT-3,638,066
N72-20244* c 11 ..... NASA-CASE-NPO-11210
US-PATENT-APPL-SN-880831
US-PATENT-CLASS-123-102
US-PATENT-CLASS-180-105E
US-PATENT-CLASS-318-308
US-PATENT-CLASS-318-327
US-PATENT-CLASS-318-376
US-PATENT-3,630,304
N72-20379 c 14 ..... NASA-CASE-GSC-10514-1
US-PATENT-APPL-SN-873045
US-PATENT-CLASS-250-208
US-PATENT-CLASS-356-138
US-PATENT-CLASS-356-152
US-PATENT-3,637,312
N72-20380* c 14 ..... NASA-CASE-LAR-10176-1
US-PATENT-APPL-SN-811038
US-PATENT-CLASS-95-18
US-PATENT-3,626,828
N72-20381* c 14 ..... NASA-CASE-GSC-10503-1
US-PATENT-APPL-SN-789044
US-PATENT-CLASS-250-83.6R
US-PATENT-3,626,189
N72-20442* c 15 ..... NASA-CASE-GSC-10607-1
US-PATENT-APPL-SN-27340
US-PATENT-CLASS-251-129
US-PATENT-CLASS-251-333
US-PATENT-3,632,081
N72-20443* c 15 ..... NASA-CASE-NPO-10671
US-PATENT-APPL-SN-857967
US-PATENT-CLASS-188-1B
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-188-268
US-PATENT-3,637,051
N72-20444* c 15 ..... NASA-CASE-FRC-10038
US-PATENT-APPL-SN-889554
US-PATENT-CLASS-29-412
US-PATENT-CLASS-29-426
US-PATENT-CLASS-29-527.2
US-PATENT-CLASS-29-624
US-PATENT-CLASS-51-216
US-PATENT-CLASS-51-320
US-PATENT-CLASS-51-323
US-PATENT-3,636,623
N72-20445* c 15 ..... NASA-CASE-NPO-10704
US-PATENT-APPL-SN-59895
US-PATENT-CLASS-138-178
US-PATENT-CLASS-285-18
US-PATENT-CLASS-285-345
US-PATENT-3,632,140
N72-20446* c 15 ..... NASA-CASE-MFS-20698
US-PATENT-APPL-SN-3418
US-PATENT-CLASS-100-299
US-PATENT-CLASS-23-209.1
US-PATENT-CLASS-264-22
US-PATENT-CLASS-425-77
US-PATENT-3,632,242
N72-20597* c 22 ..... NASA-CASE-XLE-04599
US-PATENT-APPL-SN-751215
US-PATENT-CLASS-176-86G
US-PATENT-3,629,068
N72-20758* c 28 ..... NASA-CASE-XNP-03282
US-PATENT-APPL-SN-745337
US-PATENT-CLASS-60-254
US-PATENT-3,636,711
N72-20840*# c 31 ..... NASA-CASE-MFS-20922
US-PATENT-APPL-SN-220274
N72-20915* c 33 ..... NASA-CASE-NPO-10831
US-PATENT-APPL-SN-10161
US-PATENT-CLASS-122-32
US-PATENT-CLASS-165-133
US-PATENT-CLASS-165-155
US-PATENT-CLASS-165-158
US-PATENT-CLASS-165-161
US-PATENT-CLASS-165-174
US-PATENT-3,630,276
N72-21094* c 06 ..... NASA-CASE-ERC-10108
US-PATENT-APPL-SN-833049
US-PATENT-CLASS-156-3
US-PATENT-CLASS-96-36.2
US-PATENT-3,615,465
N72-21105*# c 06 ..... NASA-CASE-GSC-11304-1
US-PATENT-APPL-SN-137912
N72-21117* c 07 ..... NASA-CASE-XLA-11154
US-PATENT-APPL-SN-23532
US-PATENT-CLASS-343-706
US-PATENT-CLASS-343-912
US-PATENT-3,623,107
N72-21118* c 07 ..... NASA-CASE-NPO-11001
US-PATENT-APPL-SN-856279
US-PATENT-CLASS-343-100ST
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-6.5R
US-PATENT-3,624,650
N72-21119* c 07 ..... NASA-CASE-ERC-10112
US-PATENT-APPL-SN-796690
US-PATENT-CLASS-179-100.2K
US-PATENT-3,614,343
N72-21197* c 08 ..... NASA-CASE-KSC-10326
US-PATENT-APPL-SN-25487
US-PATENT-CLASS-235-155
US-PATENT-CLASS-340-347DD
US-PATENT-3,638,002
N72-21198* c 08 ..... NASA-CASE-ERC-10307
US-PATENT-APPL-SN-39755
US-PATENT-CLASS-307-299
US-PATENT-CLASS-307-303
US-PATENT-CLASS-307-311
US-PATENT-CLASS-340-173.2
US-PATENT-CLASS-340-173LS
US-PATENT-3,623,030
N72-21199* c 08 ..... NASA-CASE-NPO-10743
US-PATENT-APPL-SN-850587
US-PATENT-CLASS-340-174CS
US-PATENT-CLASS-340-174LC
US-PATENT-CLASS-340-174M
US-PATENT-CLASS-340-174SR
US-PATENT-3,613,110
N72-21200* c 08 ..... NASA-CASE-NPO-11018
US-PATENT-APPL-SN-873259
US-PATENT-CLASS-340-347AD
US-PATENT-3,613,111
N72-21243* c 09 ..... NASA-CASE-LEW-11005-1
US-PATENT-APPL-SN-86548
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-323-22T
US-PATENT-CLASS-323-38
US-PATENT-3,638,103
N72-21244* c 09 ..... NASA-CASE-LAR-10545-1
US-PATENT-APPL-SN-31703
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-893
US-PATENT-3,638,224
N72-21245* c 09 ..... NASA-CASE-ARC-10192
US-PATENT-APPL-SN-15024
US-PATENT-CLASS-307-230
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-142
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-70R
US-PATENT-CLASS-330-85
US-PATENT-CLASS-333-80
US-PATENT-3,621,407
N72-21246* c 09 ..... NASA-CASE-NPO-11134
US-PATENT-APPL-SN-883524
US-PATENT-CLASS-318-576
US-PATENT-CLASS-324-71R
US-PATENT-CLASS-346-1
US-PATENT-CLASS-346-29
US-PATENT-3,624,659
N72-21247* c 09 ..... NASA-CASE-KSC-10393
US-PATENT-APPL-SN-71047
US-PATENT-CLASS-307-257
US-PATENT-CLASS-307-259
US-PATENT-CLASS-331-111
US-PATENT-CLASS-331-14
US-PATENT-CLASS-331-23
US-PATENT-CLASS-331-30
US-PATENT-3,614,648
N72-21248*# c 09 ..... NASA-CASE-LAR-10503-1
US-PATENT-APPL-SN-229143
N72-21310* c 12 ..... NASA-CASE-MFS-20829
US-PATENT-APPL-SN-61894
US-PATENT-CLASS-169-28

US-PATENT-CLASS-169-36
US-PATENT-3,613,794
N72-21405* c 14 ..... NASA-CASE-NPO-10832
US-PATENT-APPL-SN-22265
US-PATENT-CLASS-73-141A
US-PATENT-3,623,360
N72-21407* c 14 ..... NASA-CASE-MFS-20642
US-PATENT-APPL-SN-873793
US-PATENT-CLASS-73-147
US-PATENT-3,623,361
N72-21408* c 14 ..... NASA-CASE-MSC-13332-1
US-PATENT-APPL-SN-77169
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-250-83.3H
US-PATENT-3,614,431
N72-21409* c 14 ..... NASA-CASE-MSC-12105-1
US-PATENT-APPL-SN-763743
US-PATENT-CLASS-356-17
US-PATENT-CLASS-356-18
US-PATENT-3,614,228
N72-21462* c 15 ..... NASA-CASE-NPO-10679
US-PATENT-APPL-SN-848282
US-PATENT-CLASS-74-89.15
US-PATENT-3,614,898
N72-21463* c 15 ..... NASA-CASE-MFS-20413
US-PATENT-APPL-SN-69209
US-PATENT-CLASS-74-469
US-PATENT-3,620,095
N72-21464* c 15 ..... NASA-CASE-ARC-10176-1
US-PATENT-APPL-SN-889583
US-PATENT-CLASS-324-57R
US-PATENT-CLASS-324-64
US-PATENT-CLASS-324-71R
US-PATENT-3,624,496
N72-21465* c 15 ..... NASA-CASE-GSC-10218-1
US-PATENT-APPL-SN-15022
US-PATENT-CLASS-141-23
US-PATENT-CLASS-195-127
US-PATENT-CLASS-222-135
US-PATENT-CLASS-222-309
US-PATENT-CLASS-222-71
US-PATENT-CLASS-23-253R
US-PATENT-CLASS-23-259
US-PATENT-CLASS-73-425.6
US-PATENT-3,615,241
N72-21466* c 15 ..... NASA-CASE-NPO-10440
US-PATENT-APPL-SN-756834
US-PATENT-CLASS-204-130
US-PATENT-CLASS-204-59
US-PATENT-3,616,338
N72-21489*# c 15 ..... NASA-CASE-XLA-10470
US-PATENT-APPL-SN-219436
N72-21624* c 21 ..... NASA-CASE-HQN-10439
US-PATENT-APPL-SN-889551
US-PATENT-CLASS-244-1SA
US-PATENT-3,637,170
N72-21701* c 26 ..... NASA-CASE-ERC-10119
US-PATENT-APPL-SN-825258
US-PATENT-CLASS-307-299
US-PATENT-CLASS-317-234V
US-PATENT-CLASS-317-235R
US-PATENT-CLASS-331-107
US-PATENT-CLASS-332-31
US-PATENT-3,614,557
N72-21893*# c 31 ..... NASA-CASE-KSC-10622-1
US-PATENT-APPL-SN-149983
N72-22041* c 03 ..... NASA-CASE-NPO-10591
US-PATENT-APPL-SN-776185
US-PATENT-CLASS-29-572
US-PATENT-3,616,528
N72-22042* c 03 ..... NASA-CASE-NPO-10747
US-PATENT-APPL-SN-6616
US-PATENT-CLASS-136-89
US-PATENT-3,615,853
N72-22092* c 05 ..... NASA-CASE-ARC-10275-1
US-PATENT-APPL-SN-21644
US-PATENT-CLASS-2-2.1A
US-PATENT-3,636,564
N72-22093* c 05 ..... NASA-CASE-MSC-12324-1
US-PATENT-APPL-SN-63384
US-PATENT-CLASS-128-295
US-PATENT-CLASS-4-110
US-PATENT-CLASS-4-99
US-PATENT-3,602,923
N72-22107* c 06 ..... NASA-CASE-NPO-10862
US-PATENT-APPL-SN-810815
US-PATENT-CLASS-260-877
US-PATENT-3,639,510
N72-22127* c 07 ..... NASA-CASE-NPO-10303
US-PATENT-APPL-SN-848776
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-853
US-PATENT-CLASS-343-912
US-PATENT-3,623,114
N72-22162* c 08 ..... NASA-CASE-NPO-11333
US-PATENT-APPL-SN-78065
US-PATENT-CLASS-178-52
US-PATENT-CLASS-179-15A
US-PATENT-CLASS-179-15BL
US-PATENT-CLASS-307-243
US-PATENT-CLASS-307-251
US-PATENT-CLASS-328-104
US-PATENT-CLASS-328-154
US-PATENT-3,614,327
N72-22163* c 08 ..... NASA-CASE-MSC-13110-1
US-PATENT-APPL-SN-23132
US-PATENT-CLASS-340-347AD
US-PATENT-3,614,772
N72-22164* c 08 ..... NASA-CASE-NPO-10745
US-PATENT-APPL-SN-878730
US-PATENT-CLASS-178-DIG.28
US-PATENT-CLASS-178-DIG.36
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-178-7.2R
US-PATENT-3,621,130
N72-22165* c 08 ..... NASA-CASE-NPO-11104
US-PATENT-APPL-SN-860750
US-PATENT-CLASS-235-150.52
US-PATENT-CLASS-235-150.53
US-PATENT-CLASS-235-183
US-PATENT-CLASS-235-194
US-PATENT-CLASS-235-197
US-PATENT-CLASS-340-347R
US-PATENT-3,621,228
N72-22166* c 08 ..... NASA-CASE-NPO-10560
US-PATENT-APPL-SN-856282
US-PATENT-CLASS-235-153
US-PATENT-CLASS-324-73AT
US-PATENT-CLASS-340-347AD
US-PATENT-3,603,772
N72-22167* c 08 ..... NASA-CASE-NPO-11082
US-PATENT-APPL-SN-868529
US-PATENT-CLASS-235-152
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-348
US-PATENT-3,609,327
N72-22195* c 09 ..... NASA-CASE-MFS-14710
US-PATENT-APPL-SN-852843
US-PATENT-CLASS-74-105
US-PATENT-3,614,899
N72-22196* c 09 ..... NASA-CASE-ERC-10075-2
US-PATENT-APPL-SN-775870
US-PATENT-CLASS-321-14
US-PATENT-CLASS-321-19
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-25
US-PATENT-CLASS-323-56
US-PATENT-CLASS-323-89C
US-PATENT-3,614,587
N72-22197* c 09 ..... NASA-CASE-LEW-10433-1
US-PATENT-APPL-SN-849106
US-PATENT-CLASS-307-262
US-PATENT-CLASS-307-88MP
US-PATENT-3,612,895
N72-22198* c 09 ..... NASA-CASE-MFS-13687-2
US-PATENT-APPL-SN-80369
US-PATENT-CLASS-174-106R
US-PATENT-CLASS-174-117FF
US-PATENT-CLASS-174-36
US-PATENT-3,612,743
N72-22199* c 09 ..... NASA-CASE-ERC-10222
US-PATENT-APPL-SN-832603
US-PATENT-CLASS-29-590
US-PATENT-3,621,565
N72-22200* c 09 ..... NASA-CASE-FRC-10036
US-PATENT-APPL-SN-872602
US-PATENT-CLASS-307-237
US-PATENT-CLASS-307-254
US-PATENT-CLASS-307-317
US-PATENT-CLASS-328-1
US-PATENT-CLASS-328-151
US-PATENT-CLASS-73-88.5
US-PATENT-3,621,285
N72-22201* c 09 ..... NASA-CASE-LEW-10387
US-PATENT-APPL-SN-76899
US-PATENT-CLASS-307-223B
US-PATENT-CLASS-307-241
US-PATENT-CLASS-307-252J
US-PATENT-CLASS-307-252K
US-PATENT-CLASS-307-284
US-PATENT-CLASS-307-304
US-PATENT-CLASS-307-317
US-PATENT-CLASS-328-106
US-PATENT-3,621,287
N72-22202* c 09 ..... NASA-CASE-ARC-10136-1
US-PATENT-APPL-SN-865106
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-128-2R
US-PATENT-CLASS-307-231
US-PATENT-CLASS-307-247
US-PATENT-CLASS-307-288
US-PATENT-CLASS-325-29
US-PATENT-CLASS-325-492
US-PATENT-CLASS-340-171
US-PATENT-CLASS-340-203
US-PATENT-3,621,290
N72-22203* c 09 ..... NASA-CASE-XER-11046
US-PATENT-APPL-SN-810579
US-PATENT-CLASS-321-15
US-PATENT-CLASS-321-18
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-45
US-PATENT-CLASS-331-117
US-PATENT-3,621,362
N72-22204* c 09 ..... NASA-CASE-LAR-10137-1
US-PATENT-APPL-SN-881041
US-PATENT-CLASS-200-81R
US-PATENT-CLASS-200-82C
US-PATENT-3,609,271
N72-22235* c 10 ..... NASA-CASE-GSC-10064-1
US-PATENT-APPL-SN-802812
US-PATENT-CLASS-343-16M
US-PATENT-CLASS-343-7.4
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-786
US-PATENT-3,623,094
N72-22236* c 10 ..... NASA-CASE-GSC-10878-1
US-PATENT-APPL-SN-889423
US-PATENT-CLASS-307-206
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-322
US-PATENT-CLASS-307-323
US-PATENT-3,621,277
N72-22245* c 11 ..... NASA-CASE-NPO-12109
US-PATENT-APPL-SN-690172
US-PATENT-CLASS-230-221
US-PATENT-CLASS-230-54
US-PATENT-3,612,391
N72-22246* c 11 ..... NASA-CASE-XLA-07430
US-PATENT-APPL-SN-867841
US-PATENT-CLASS-73-147
US-PATENT-3,620,076
N72-22247* c 11 ..... NASA-CASE-NPO-11013
US-PATENT-APPL-SN-858695
US-PATENT-CLASS-42-1F
US-PATENT-3,619,924
N72-22437* c 14 ..... NASA-CASE-LAR-10496-1
US-PATENT-APPL-SN-12661
US-PATENT-CLASS-73-141A
US-PATENT-3,611,798
N72-22438* c 14 ..... NASA-CASE-ARC-10263-1
US-PATENT-APPL-SN-882122
US-PATENT-CLASS-73-398C
US-PATENT-3,620,083
N72-22439* c 14 ..... NASA-CASE-MFS-20890
US-PATENT-APPL-SN-103229
US-PATENT-CLASS-264-22
US-PATENT-CLASS-29-421
US-PATENT-CLASS-310-11
US-PATENT-CLASS-310-42
US-PATENT-3,626,218
N72-22440* c 14 ..... NASA-CASE-ARC-10154-1
US-PATENT-APPL-SN-793771
US-PATENT-CLASS-73-67.2
US-PATENT-3,620,069
N72-22441* c 14 ..... NASA-CASE-NPO-11002
US-PATENT-APPL-SN-856328
US-PATENT-CLASS-350-19
US-PATENT-CLASS-350-23
US-PATENT-CLASS-350-26
US-PATENT-CLASS-350-35
US-PATENT-CLASS-350-36
US-PATENT-CLASS-350-49
US-PATENT-CLASS-350-52
US-PATENT-3,612,645
N72-22442* c 14 ..... NASA-CASE-MFS-21629
US-PATENT-APPL-SN-612265
US-PATENT-CLASS-324-61
US-PATENT-CLASS-73-304
US-PATENT-3,639,835
N72-22443* c 14 ..... NASA-CASE-XGS-03736
US-PATENT-APPL-SN-749320
US-PATENT-CLASS-252-300
US-PATENT-CLASS-96-90PC
US-PATENT-3,639,250
N72-22444* c 14 ..... NASA-CASE-LAR-10523-1
US-PATENT-APPL-SN-32665
US-PATENT-CLASS-250-203
US-PATENT-CLASS-350-16
US-PATENT-CLASS-350-52
US-PATENT-CLASS-356-248
US-PATENT-3,647,276
N72-22445* c 14 ..... NASA-CASE-LAR-10184
US-PATENT-APPL-SN-16808
US-PATENT-CLASS-33-174S
US-PATENT-CLASS-350-86
US-PATENT-3,620,595

N72-22482* c 15 ..... NASA-CASE-XLA-04897
US-PATENT-APPL-SN-880249
US-PATENT-CLASS-73-133
US-PATENT-3,613,457
N72-22483* c 15 ..... NASA-CASE-XNP-09770-2
US-PATENT-APPL-SN-864039
US-PATENT-CLASS-209-349
US-PATENT-3,615,021
N72-22484* c 15 ..... NASA-CASE-LAR-10031
US-PATENT-APPL-SN-867851
US-PATENT-CLASS-62-55.5
US-PATENT-3,625,018
N72-22485* c 15 ..... NASA-CASE-MSC-13512-1
US-PATENT-APPL-SN-73932
US-PATENT-CLASS-74-501R
US-PATENT-3,625,084
N72-22486* c 15 ..... NASA-CASE-KSC-10031
US-PATENT-APPL-SN-98773
US-PATENT-CLASS-220-5R
US-PATENT-CLASS-317-101DH
US-PATENT-CLASS-317-117
US-PATENT-CLASS-317-120
US-PATENT-3,639,809
N72-22487* c 15 ..... NASA-CASE-GSC-10303
US-PATENT-APPL-SN-802813
US-PATENT-CLASS-29-473.1
US-PATENT-3,619,896
N72-22488* c 15 ..... NASA-CASE-MSC-11849-1
US-PATENT-APPL-SN-6617
US-PATENT-CLASS-85-1
US-PATENT-3,623,394
N72-22489* c 15 ..... NASA-CASE-GSC-10518-1
US-PATENT-APPL-SN-789045
US-PATENT-CLASS-417-152
US-PATENT-CLASS-55-446
US-PATENT-CLASS-55-464
US-PATENT-3,623,828
N72-22490* c 15 ..... NASA-CASE-LEW-10856-1
US-PATENT-APPL-SN-3417
US-PATENT-CLASS-308-195
US-PATENT-3,620,585
N72-22491* c 15 ..... NASA-CASE-GSC-10913
US-PATENT-APPL-SN-889558
US-PATENT-CLASS-219-158
US-PATENT-CLASS-219-234
US-PATENT-CLASS-219-85
US-PATENT-CLASS-228-57
US-PATENT-CLASS-29-628
US-PATENT-3,621,194
N72-22492* c 15 ..... NASA-CASE-MFS-20482
US-PATENT-APPL-SN-6610
US-PATENT-CLASS-29-472.9
US-PATENT-CLASS-29-473.1
US-PATENT-3,602,979
N72-22520*# c 16 ..... NASA-CASE-LAR-10815-1
US-PATENT-APPL-SN-233587
N72-22530* c 17 ..... NASA-CASE-XLE-06461
US-PATENT-APPL-SN-853855
US-PATENT-CLASS-75-.5B
US-PATENT-3,623,861
N72-22535* c 17 ..... NASA-CASE-LEW-10874-1
US-PATENT-APPL-SN-68024
US-PATENT-CLASS-148-32.5
US-PATENT-CLASS-75-170
US-PATENT-3,620,718
N72-22566* c 18 ..... NASA-CASE-MFS-20011
US-PATENT-APPL-SN-813338
US-PATENT-CLASS-106-286
US-PATENT-CLASS-106-288B
US-PATENT-CLASS-106-84
US-PATENT-3,620,791
N72-22567* c 18 ..... NASA-CASE-NPO-11091
US-PATENT-APPL-SN-860781
US-PATENT-CLASS-260-2.1E
US-PATENT-3,629,161
N72-22619* c 21 ..... NASA-CASE-ARC-10179-1
US-PATENT-APPL-SN-835058
US-PATENT-CLASS-244-114
US-PATENT-CLASS-340-26
US-PATENT-3,624,598
N72-22673* c 23 ..... NASA-CASE-XER-07896-2
US-PATENT-APPL-SN-36819
US-PATENT-CLASS-350-310
US-PATENT-3,620,606
N72-22769* c 28 ..... NASA-CASE-ARC-10106-1
US-PATENT-APPL-SN-812998
US-PATENT-CLASS-244-3.22
US-PATENT-3,612,442
N72-22770* c 28 ..... NASA-CASE-LEW-10770-1
US-PATENT-APPL-SN-880246
US-PATENT-CLASS-60-202
US-PATENT-3,613,370
N72-22771* c 28 ..... NASA-CASE-LEW-10835-1
US-PATENT-APPL-SN-67815
US-PATENT-CLASS-60-202
US-PATENT-3,620,018
N72-22772* c 28 ..... NASA-CASE-NPO-12072
US-PATENT-APPL-SN-82647
US-PATENT-CLASS-123-122AB
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-261-145
US-PATENT-3,640,256
N72-22874* c 31 ..... NASA-CASE-NPO-10883
US-PATENT-APPL-SN-26573
US-PATENT-CLASS-136-89
US-PATENT-CLASS-312-257
US-PATENT-3,620,846
N72-23048* c 03 ..... NASA-CASE-NPO-11388
US-PATENT-APPL-SN-119282
US-PATENT-CLASS-310-2
US-PATENT-CLASS-321-2
US-PATENT-CLASS-322-2
US-PATENT-3,648,152
N72-23085* c 05 ..... NASA-CASE-LAR-10102-1
US-PATENT-APPL-SN-13266
US-PATENT-CLASS-224-25A
US-PATENT-3,649,921
N72-23171* c 09 ..... NASA-CASE-GSC-10221-1
US-PATENT-APPL-SN-779025
US-PATENT-CLASS-307-252N
US-PATENT-CLASS-307-252R
US-PATENT-CLASS-307-259
US-PATENT-CLASS-307-305
US-PATENT-3,621,294
N72-23172* c 09 ..... NASA-CASE-LAR-10320-1
US-PATENT-APPL-SN-18427
US-PATENT-CLASS-324-20R
US-PATENT-3,649,907
N72-23173* c 09 ..... NASA-CASE-ERC-10267
US-PATENT-APPL-SN-41348
US-PATENT-CLASS-235-197
US-PATENT-CLASS-307-229
US-PATENT-CLASS-328-145
US-PATENT-3,648,043
N72-23215* c 11 ..... NASA-CASE-MFS-20710
US-PATENT-APPL-SN-114848
US-PATENT-CLASS-13-20
US-PATENT-CLASS-13-31
US-PATENT-3,647,924
N72-23457* c 14 ..... NASA-CASE-MSC-12297
US-PATENT-APPL-SN-792623
US-PATENT-CLASS-55-493
US-PATENT-CLASS-55-498
US-PATENT-CLASS-55-502
US-PATENT-CLASS-55-521
US-PATENT-3,650,095
N72-23497* c 15 ..... NASA-CASE-KSC-10242
US-PATENT-APPL-SN-73834
US-PATENT-CLASS-219-109
US-PATENT-CLASS-219-234
US-PATENT-CLASS-219-85
US-PATENT-CLASS-324-65R
US-PATENT-3,621,193
N72-23581* c 18 ..... NASA-CASE-GSC-10361-1
US-PATENT-APPL-SN-700040
US-PATENT-CLASS-106-84
US-PATENT-3,620,784
N72-23695* c 23 ..... NASA-CASE-HQN-10541-3
US-PATENT-APPL-SN-822089
US-PATENT-CLASS-350-171
US-PATENT-3,606,522
N72-23809* c 28 ..... NASA-CASE-XNP-09461
US-PATENT-APPL-SN-670829
US-PATENT-CLASS-239-418
US-PATENT-CLASS-239-433
US-PATENT-CLASS-239-543
US-PATENT-3,650,474
N72-23810* c 28 ..... NASA-CASE-NPO-11458
US-PATENT-APPL-SN-36926
US-PATENT-CLASS-60-266
US-PATENT-CLASS-60-271
US-PATENT-3,648,461
N72-24037* c 03 ..... NASA-CASE-GSC-11514-1
US-PATENT-APPL-SN-820453
US-PATENT-CLASS-117-201
US-PATENT-CLASS-136-89
US-PATENT-3,653,970
N72-24477* c 14 ..... NASA-CASE-ARC-10138-1
US-PATENT-APPL-SN-774733
US-PATENT-CLASS-250-83.3H
US-PATENT-CLASS-317-247
US-PATENT-CLASS-324-61R
US-PATENT-CLASS-73-355R
US-PATENT-3,657,644
N72-24522* c 15 ..... NASA-CASE-NPO-11036
US-PATENT-APPL-SN-41346
US-PATENT-CLASS-264-92
US-PATENT-3,658,974
N72-24753* c 25 ..... NASA-CASE-XNP-04167-2
US-PATENT-APPL-SN-866442
US-PATENT-CLASS-313-186
US-PATENT-CLASS-313-212
US-PATENT-CLASS-313-224
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-111
US-PATENT-CLASS-315-326
US-PATENT-CLASS-315-358
US-PATENT-CLASS-331-94.5
US-PATENT-3,617,804
N72-25019* c 03 ..... NASA-CASE-NPO-10575
US-PATENT-APPL-SN-6615
US-PATENT-CLASS-156-250
US-PATENT-CLASS-156-510
US-PATENT-3,654,036
N72-25020* c 03 ..... NASA-CASE-GSC-11211-1
US-PATENT-APPL-SN-139528
US-PATENT-CLASS-235-92T
US-PATENT-CLASS-307-141.8
US-PATENT-CLASS-320-48
US-PATENT-CLASS-324-29.5
US-PATENT-3,663,938
N72-25021* c 03 ..... NASA-CASE-NPO-11118
US-PATENT-APPL-SN-8650
US-PATENT-CLASS-214-90R
US-PATENT-3,666,120
N72-25119* c 05 ..... NASA-CASE-MSC-12397-1
US-PATENT-APPL-SN-785613
US-PATENT-CLASS-2-115
US-PATENT-CLASS-2-2.1
US-PATENT-3,660,851
N72-25120* c 05 ..... NASA-CASE-MSC-90153-2
US-PATENT-APPL-SN-844225
US-PATENT-CLASS-106-209
US-PATENT-CLASS-128-2.1
US-PATENT-CLASS-128-417
US-PATENT-CLASS-252-514
US-PATENT-CLASS-264-104
US-PATENT-3,665,064
N72-25121* c 05 ..... NASA-CASE-FRC-10029-2
US-PATENT-APPL-SN-78704
US-PATENT-CLASS-156-264
US-PATENT-CLASS-156-308
US-PATENT-CLASS-29-25.14
US-PATENT-CLASS-29-25.18
US-PATENT-CLASS-29-482
US-PATENT-CLASS-29-630A
US-PATENT-3,662,441
N72-25122* c 05 ..... NASA-CASE-MSC-13609-1
US-PATENT-APPL-SN-94347
US-PATENT-CLASS-128-2N
US-PATENT-3,662,744
N72-25146* c 06 ..... NASA-CASE-NPO-11322
US-PATENT-APPL-SN-87550
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-73-23.1
US-PATENT-3,666,942
N72-25147* c 06 ..... NASA-CASE-ARC-10325
US-PATENT-APPL-SN-63610
US-PATENT-CLASS-260-2.5FP
US-PATENT-3,663,464
N72-25148* c 06 ..... NASA-CASE-MFS-13994-2
US-PATENT-APPL-SN-870689
US-PATENT-CLASS-260-348SC
US-PATENT-3,660,434
N72-25149* c 06 ..... NASA-CASE-GSC-10565-1
US-PATENT-APPL-SN-822039
US-PATENT-CLASS-195-103.5R
US-PATENT-CLASS-195-28N
US-PATENT-CLASS-260-211.5
US-PATENT-3,660,240
N72-25150* c 06 ..... NASA-CASE-XLE-06774-2
US-PATENT-APPL-SN-5114
US-PATENT-CLASS-117-132
US-PATENT-CLASS-117-161
US-PATENT-CLASS-260-2.5
US-PATENT-CLASS-260-92.1
US-PATENT-3,666,741
N72-25151* c 06 ..... NASA-CASE-MFS-20979
US-PATENT-APPL-SN-100774
US-PATENT-CLASS-260-18S
US-PATENT-CLASS-260-448.2D
US-PATENT-CLASS-260-46.5E
US-PATENT-CLASS-260-46.5G
US-PATENT-CLASS-260-46.5P
US-PATENT-3,666,718
N72-25152* c 06 ..... NASA-CASE-NPO-10863-2
US-PATENT-APPL-SN-145026
US-PATENT-CLASS-260-92.1
US-PATENT-3,663,521
N72-25170* c 07 ..... NASA-CASE-LAR-10513-1
US-PATENT-APPL-SN-64723
US-PATENT-CLASS-333-7
US-PATENT-CLASS-333-81R
US-PATENT-CLASS-333-98P
US-PATENT-CLASS-333-98R
US-PATENT-CLASS-333-98S
US-PATENT-3,649,935
N72-25171* c 07 ..... NASA-CASE-MFS-21042

US-PATENT-APPL-SN-86417
US-PATENT-CLASS-102-34.4
US-PATENT-CLASS-325-114
US-PATENT-CLASS-325-4
US-PATENT-CLASS-343-6.5R
US-PATENT-3,667,044

N72-25172* c 07 ..... NASA-CASE-NPO-11358
US-PATENT-APPL-SN-116786
US-PATENT-CLASS-179-15BV
US-PATENT-CLASS-340-172.5
US-PATENT-3,665,417

N72-25173* c 07 ..... NASA-CASE-ERC-10324
US-PATENT-APPL-SN-54270
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-325-141
US-PATENT-CLASS-325-302
US-PATENT-CLASS-325-325
US-PATENT-CLASS-325-38
US-PATENT-CLASS-325-51
US-PATENT-CLASS-325-55
US-PATENT-CLASS-325-58
US-PATENT-CLASS-325-64
US-PATENT-CLASS-340-167
US-PATENT-3,665,313

N72-25174* c 07 ..... NASA-CASE-NPO-11264
US-PATENT-APPL-SN-36531
US-PATENT-CLASS-343-762
US-PATENT-CLASS-343-777
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-853
US-PATENT-3,665,481

N72-25206* c 08 ..... NASA-CASE-KSC-10397
US-PATENT-APPL-SN-25488
US-PATENT-CLASS-235-154
US-PATENT-CLASS-340-347DA
US-PATENT-3,648,275

N72-25207* c 08 ..... NASA-CASE-NPO-11161
US-PATENT-APPL-SN-889374
US-PATENT-CLASS-340-146.1
US-PATENT-CLASS-340-172.5
US-PATENT-3,648,256

N72-25208* c 08 ..... NASA-CASE-NPO-11338
US-PATENT-APPL-SN-89212
US-PATENT-CLASS-178-50
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-179-15FD
US-PATENT-CLASS-325-62
US-PATENT-CLASS-332-21
US-PATENT-3,659,053

N72-25209* c 08 ..... NASA-CASE-NPO-11194
US-PATENT-APPL-SN-63532
US-PATENT-CLASS-343-12R
US-PATENT-CLASS-343-14
US-PATENT-CLASS-343-6.5R
US-PATENT-3,659,292

N72-25210* c 08 ..... NASA-CASE-NPO-10636
US-PATENT-APPL-SN-77221
US-PATENT-CLASS-235-152
US-PATENT-CLASS-340-146.1AL
US-PATENT-3,662,337

N72-25247* c 09 ..... NASA-CASE-LAR-10163-1
US-PATENT-APPL-SN-73310
US-PATENT-CLASS-343-708
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-873
US-PATENT-3,653,052

N72-25248* c 09 ..... NASA-CASE-NPO-11342
US-PATENT-APPL-SN-89209
US-PATENT-CLASS-340-172.5
US-PATENT-CLASS-340-324A
US-PATENT-3,648,250

N72-25249* c 09 ..... NASA-CASE-GSC-10656-1
US-PATENT-APPL-SN-59969
US-PATENT-CLASS-321-2
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-323-17
US-PATENT-CLASS-323-22T
US-PATENT-3,621,372

N72-25250* c 09 ..... NASA-CASE-KSC-10565
US-PATENT-APPL-SN-98517
US-PATENT-CLASS-315-135
US-PATENT-CLASS-315-349
US-PATENT-CLASS-330-2
US-PATENT-CLASS-330-59
US-PATENT-CLASS-340-332
US-PATENT-3,659,148

N72-25251* c 09 ..... NASA-CASE-ERC-10048
US-PATENT-APPL-SN-10329
US-PATENT-CLASS-307-261
US-PATENT-CLASS-321-18
US-PATENT-CLASS-321-2
US-PATENT-3,659,184

N72-25252* c 09 ..... NASA-CASE-ERC-10268
US-PATENT-APPL-SN-39342
US-PATENT-CLASS-321-11
US-PATENT-CLASS-321-18
US-PATENT-CLASS-321-19
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-45ER
US-PATENT-CLASS-321-45R
US-PATENT-3,663,940

N72-25253* c 09 ..... NASA-CASE-GSC-11126-1
US-PATENT-APPL-SN-98640
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-47
US-PATENT-CLASS-331-113A
US-PATENT-3,663,941

N72-25254* c 09 ..... NASA-CASE-NPO-10760
US-PATENT-APPL-SN-129071
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-45R
US-PATENT-CLASS-331-113A
US-PATENT-3,663,944

N72-25255* c 09 ..... NASA-CASE-LAR-10620-1
US-PATENT-APPL-SN-125979
US-PATENT-CLASS-310-10
US-PATENT-CLASS-310-15
US-PATENT-3,663,843

N72-25256* c 09 ..... NASA-CASE-XLA-02609
US-PATENT-APPL-SN-41347
US-PATENT-CLASS-333-79
US-PATENT-CLASS-339-143R
US-PATENT-CLASS-339-147R
US-PATENT-3,663,929

N72-25257* c 09 ..... NASA-CASE-MSC-12395
US-PATENT-APPL-SN-134573
US-PATENT-CLASS-307-233
US-PATENT-CLASS-324-186
US-PATENT-CLASS-324-78D
US-PATENT-CLASS-328-136
US-PATENT-CLASS-328-140
US-PATENT-3,663,885

N72-25258* c 09 ..... NASA-CASE-LAR-10253-1
US-PATENT-APPL-SN-99175
US-PATENT-CLASS-307-88.3
US-PATENT-CLASS-330-4.5
US-PATENT-3,663,886

N72-25259* c 09 ..... NASA-CASE-GSC-10695-1
US-PATENT-APPL-SN-889422
US-PATENT-CLASS-117-200
US-PATENT-CLASS-136-89
US-PATENT-CLASS-29-198
US-PATENT-3,664,874

N72-25260* c 09 ..... NASA-CASE-NPO-11283
US-PATENT-APPL-SN-118270
US-PATENT-CLASS-310-4
US-PATENT-3,663,839

N72-25261* c 09 ..... NASA-CASE-ERC-10224
US-PATENT-APPL-SN-868775
US-PATENT-CLASS-29-492
US-PATENT-CLASS-29-497
US-PATENT-CLASS-29-498
US-PATENT-CLASS-29-502
US-PATENT-CLASS-29-589
US-PATENT-CLASS-29-628
US-PATENT-3,665,589

N72-25262* c 09 ..... NASA-CASE-NPO-11078
US-PATENT-APPL-SN-82280
US-PATENT-CLASS-307-103
US-PATENT-CLASS-307-83
US-PATENT-CLASS-323-48
US-PATENT-CLASS-323-82
US-PATENT-3,663,828

N72-25284* c 11 ..... NASA-CASE-LAR-10507-1
US-PATENT-APPL-SN-874177
US-PATENT-CLASS-195-127
US-PATENT-3,649,462

N72-25287* c 11 ..... NASA-CASE-LAR-10546-1
US-PATENT-APPL-SN-32664
US-PATENT-CLASS-287-54A
US-PATENT-CLASS-52-648
US-PATENT-CLASS-52-655
US-PATENT-3,665,670

N72-25288* c 11 ..... NASA-CASE-MFS-20434
US-PATENT-APPL-SN-55534
US-PATENT-CLASS-73-140
US-PATENT-CLASS-73-161
US-PATENT-3,665,758

N72-25292* c 12 ..... NASA-CASE-NPO-11556
US-PATENT-APPL-SN-82648
US-PATENT-CLASS-210-188
US-PATENT-CLASS-310-11
US-PATENT-3,648,083

N72-25323* c 13 ..... NASA-CASE-NPO-11373
US-PATENT-APPL-SN-81095
US-PATENT-CLASS-73-421.5R
US-PATENT-CLASS-73-422GC
US-PATENT-CLASS-73-422TC
US-PATENT-3,662,604

N72-25409* c 14 ..... NASA-CASE-ERC-10174
US-PATENT-APPL-SN-39344
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-226
US-PATENT-CLASS-250-83.3UV
US-PATENT-CLASS-350-203
US-PATENT-3,657,549

N72-25410* c 14 ..... NASA-CASE-ERC-10292
US-PATENT-APPL-SN-45519
US-PATENT-CLASS-350-160R
US-PATENT-CLASS-73-515
US-PATENT-CLASS-73-521
US-PATENT-3,657,928

N72-25411* c 14 ..... NASA-CASE-MSC-15626-1
US-PATENT-APPL-SN-94374
US-PATENT-CLASS-116-114AH
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-492
US-PATENT-3,656,352

N72-25412* c 14 ..... NASA-CASE-MFS-15063
US-PATENT-APPL-SN-51477
US-PATENT-CLASS-178-DIG.8
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-340-227R
US-PATENT-3,659,043

N72-25413* c 14 ..... NASA-CASE-GSC-10879-1
US-PATENT-APPL-SN-889420
US-PATENT-CLASS-195-127
US-PATENT-3,666,631

N72-25414* c 14 ..... NASA-CASE-NPO-11311
US-PATENT-APPL-SN-57252
US-PATENT-CLASS-178-7.92
US-PATENT-CLASS-350-175FS
US-PATENT-3,663,753

N72-25428*# c 14 ..... NASA-CASE-HQN-10756-1
US-PATENT-APPL-SN-236052

N72-25447* c 15 ..... NASA-CASE-LEW-10489-1
US-PATENT-APPL-SN-889682
US-PATENT-CLASS-117-107
US-PATENT-CLASS-117-211
US-PATENT-CLASS-117-217
US-PATENT-CLASS-117-62
US-PATENT-CLASS-117-93.16D
US-PATENT-CLASS-29-599
US-PATENT-3,649,356

N72-25448* c 15 ..... NASA-CASE-LEW-10450-1
US-PATENT-APPL-SN-880271
US-PATENT-CLASS-75-0.5BB
US-PATENT-CLASS-75-206
US-PATENT-CLASS-75-213
US-PATENT-3,649,242

N72-25450* c 15 ..... NASA-CASE-NPO-11202
US-PATENT-APPL-SN-66004
US-PATENT-CLASS-285-DIG.21
US-PATENT-CLASS-285-3
US-PATENT-CLASS-285-316
US-PATENT-CLASS-285-33
US-PATENT-CLASS-339-45M
US-PATENT-CLASS-339-91B
US-PATENT-3,656,781

N72-25451* c 15 ..... NASA-CASE-NPO-10606
US-PATENT-APPL-SN-8636
US-PATENT-CLASS-251-360
US-PATENT-3,658,295

N72-25452* c 15 ..... NASA-CASE-LEW-10965-1
US-PATENT-APPL-SN-876588
US-PATENT-CLASS-117-124C
US-PATENT-CLASS-117-152
US-PATENT-CLASS-117-16R
US-PATENT-CLASS-117-37
US-PATENT-CLASS-117-47R
US-PATENT-CLASS-117-62
US-PATENT-CLASS-117-93.3
US-PATENT-CLASS-204-157.18AG
US-PATENT-CLASS-204-49
US-PATENT-CLASS-250-65F
US-PATENT-CLASS-96-36.2
US-PATENT-3,658,569

N72-25453* c 15 ..... NASA-CASE-KSC-10513
US-PATENT-APPL-SN-61535
US-PATENT-CLASS-187-1
US-PATENT-CLASS-187-20
US-PATENT-CLASS-187-95
US-PATENT-CLASS-254-190
US-PATENT-3,666,051

N72-25454* c 15 ..... NASA-CASE-MSC-12233-1
US-PATENT-APPL-SN-73422
US-PATENT-CLASS-52-169
US-PATENT-CLASS-52-173
US-PATENT-CLASS-52-594
US-PATENT-3,665,669

N72-25455* c 15 ..... NASA-CASE-NPO-11095
US-PATENT-APPL-SN-19585
US-PATENT-CLASS-239-424
US-PATENT-CLASS-60-258
US-PATENT-CLASS-60-39.74A
US-PATENT-3,662,547

N72-25456* c 15 ..... NASA-CASE-NPO-11222

US-PATENT-APPL-SN-59893
US-PATENT-CLASS-310-68
US-PATENT-CLASS-310-80
US-PATENT-CLASS-310-83
US-PATENT-3,660,704

N72-25457* c 15 ..... NASA-CASE-ERC-10325
US-PATENT-APPL-SN-43884
US-PATENT-CLASS-324-158D
US-PATENT-CLASS-324-158T
US-PATENT-3,665,307

N72-25485* c 16 ..... NASA-CASE-ERC-10283
US-PATENT-APPL-SN-39185
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-332-7.51
US-PATENT-3,659,225

N72-25539* c 18 ..... NASA-CASE-LEW-10424-2-2
US-PATENT-APPL-SN-15222
US-PATENT-CLASS-75-DIG.1
US-PATENT-CLASS-75-208
US-PATENT-CLASS-75-211
US-PATENT-CLASS-75-226
US-PATENT-3,653,882

N72-25540* c 18 ..... NASA-CASE-ERC-10364
US-PATENT-APPL-SN-55537
US-PATENT-CLASS-161-127
US-PATENT-CLASS-161-68
US-PATENT-CLASS-161-7
US-PATENT-CLASS-52-DIG.10
US-PATENT-CLASS-52-80
US-PATENT-3,663,347

N72-25541* c 18 ..... NASA-CASE-ERC-10363
US-PATENT-APPL-SN-57253
US-PATENT-CLASS-161-127
US-PATENT-CLASS-161-68
US-PATENT-CLASS-161-7
US-PATENT-CLASS-52-DIG.10
US-PATENT-CLASS-52-80
US-PATENT-3,663,346

N72-25595* c 21 ..... NASA-CASE-MSC-13397-1
US-PATENT-APPL-SN-59966
US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-244-23A
US-PATENT-3,662,973

N72-25619* c 23 ..... NASA-CASE-NPO-10634
US-PATENT-APPL-SN-112999
US-PATENT-CLASS-62-475
US-PATENT-CLASS-62-6
US-PATENT-CLASS-62-80
US-PATENT-CLASS-62-85
US-PATENT-3,656,313

N72-25679* c 26 ..... NASA-CASE-XER-07895
US-PATENT-APPL-SN-651627
US-PATENT-CLASS-317-234J
US-PATENT-CLASS-317-235A
US-PATENT-CLASS-317-235AJ
US-PATENT-CLASS-317-235R
US-PATENT-CLASS-331-107G
US-PATENT-3,667,010

N72-25680* c 26 ..... NASA-CASE-ERC-10275
US-PATENT-APPL-SN-47061
US-PATENT-CLASS-324-92
US-PATENT-CLASS-324-96
US-PATENT-CLASS-340-324R
US-PATENT-CLASS-350-150
US-PATENT-CLASS-350-160R
US-PATENT-3,667,039

N72-25699* c 27 ..... NASA-CASE-NPO-12000
US-PATENT-APPL-SN-74861
US-PATENT-CLASS-149-19
US-PATENT-CLASS-149-20
US-PATENT-CLASS-149-36
US-PATENT-CLASS-149-92
US-PATENT-3,658,608

N72-25842* c 31 ..... NASA-CASE-MSC-12372-1
US-PATENT-APPL-SN-64391
US-PATENT-CLASS-95-12.5
US-PATENT-3,662,661

N72-25877* c 32 ..... NASA-CASE-LAR-10270-1
US-PATENT-APPL-SN-60881
US-PATENT-CLASS-73-100
US-PATENT-CLASS-73-15.6
US-PATENT-3,665,751

N72-25911* c 33 ..... NASA-CASE-LEW-10359
US-PATENT-APPL-SN-47063
US-PATENT-CLASS-102-105
US-PATENT-CLASS-60-200A
US-PATENT-CLASS-60-265
US-PATENT-CLASS-60-267
US-PATENT-CLASS-62-467
US-PATENT-3,656,317

N72-25913* c 33 ..... NASA-CASE-XMS-09690
US-PATENT-APPL-SN-853641
US-PATENT-CLASS-73-15R
US-PATENT-3,665,750

N72-26031* c 03 ..... NASA-CASE-NPO-10753
US-PATENT-APPL-SN-844355
US-PATENT-CLASS-136-202
US-PATENT-3,666,566

N72-26371* c 15 ..... NASA-CASE-NPO-10244
US-PATENT-APPL-SN-43327
US-PATENT-CLASS-308-2A
US-PATENT-CLASS-73-136R
US-PATENT-3,664,185

N72-27053* c 03 ..... NASA-CASE-GSC-10344-1
US-PATENT-APPL-SN-785078
US-PATENT-CLASS-136-89
US-PATENT-3,672,999

N72-27102* c 05 ..... NASA-CASE-LAR-10365-1
US-PATENT-APPL-SN-3151
US-PATENT-CLASS-210-103
US-PATENT-CLASS-210-104
US-PATENT-CLASS-210-110
US-PATENT-CLASS-210-137
US-PATENT-3,670,890

N72-27103* c 05 ..... NASA-CASE-MSC-13648
US-PATENT-APPL-SN-87222
US-PATENT-CLASS-128-DIG.4
US-PATENT-CLASS-128-2.1E
US-PATENT-CLASS-128-417
US-PATENT-3,669,110

N72-27144* c 06 ..... NASA-CASE-NPO-10768-2
US-PATENT-APPL-SN-770398
US-PATENT-APPL-SN-99524
US-PATENT-CLASS-260-535H
US-PATENT-CLASS-260-77.5AP
US-PATENT-3,671,497

N72-27151*# c 06 ..... NASA-CASE-NPO-10767-2
US-PATENT-APPL-SN-241061

N72-27226* c 09 ..... NASA-CASE-LEW-10330-1
US-PATENT-APPL-SN-110402
US-PATENT-CLASS-336-198
US-PATENT-CLASS-336-220
US-PATENT-CLASS-336-60
US-PATENT-3,646,209

N72-27227* c 09 ..... NASA-CASE-KSC-10644
US-PATENT-APPL-SN-114849
US-PATENT-CLASS-307-118
US-PATENT-CLASS-307-92
US-PATENT-CLASS-340-240
US-PATENT-3,673,424

N72-27228* c 09 ..... NASA-CASE-NPO-10542
US-PATENT-APPL-SN-767741
US-PATENT-CLASS-310-4
US-PATENT-3,673,440

N72-27246* c 10 ..... NASA-CASE-ERC-10015-2
US-PATENT-APPL-SN-763744
US-PATENT-APPL-SN-97343
US-PATENT-CLASS-313-309
US-PATENT-CLASS-313-336
US-PATENT-CLASS-313-351
US-PATENT-CLASS-315-36
US-PATENT-3,671,798

N72-27262* c 11 ..... NASA-CASE-MFS-20620
US-PATENT-APPL-SN-154935
US-PATENT-CLASS-73-117.1
US-PATENT-CLASS-73-432SD
US-PATENT-3,670,564

N72-27408* c 14 ..... NASA-CASE-NPO-11147
US-PATENT-APPL-SN-63195
US-PATENT-CLASS-324-79R
US-PATENT-CLASS-328-189
US-PATENT-CLASS-331-44
US-PATENT-3,670,241

N72-27409* c 14 ..... NASA-CASE-NPO-11201
US-PATENT-APPL-SN-77220
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-225
US-PATENT-CLASS-350-147
US-PATENT-CLASS-356-141
US-PATENT-CLASS-356-152
US-PATENT-3,670,168

N72-27410* c 14 ..... NASA-CASE-XLE-05230
US-PATENT-APPL-SN-877717
US-PATENT-CLASS-136-233
US-PATENT-3,671,329

N72-27411* c 14 ..... NASA-CASE-MSC-12293-1
US-PATENT-APPL-SN-59956
US-PATENT-CLASS-250-205
US-PATENT-CLASS-315-151
US-PATENT-CLASS-315-156
US-PATENT-CLASS-315-158
US-PATENT-CLASS-315-297
US-PATENT-CLASS-315-307
US-PATENT-CLASS-315-310
US-PATENT-CLASS-315-311
US-PATENT-3,670,202

N72-27412* c 14 ..... NASA-CASE-MFS-20523
US-PATENT-APPL-SN-77786
US-PATENT-CLASS-73-103
US-PATENT-CLASS-73-71.6
US-PATENT-3,670,563

N72-27484* c 15 ..... NASA-CASE-NPO-10721
US-PATENT-APPL-SN-59968
US-PATENT-CLASS-248-188.4
US-PATENT-3,669,393

N72-27485* c 15 ..... NASA-CASE-XLA-09843
US-PATENT-APPL-SN-60876
US-PATENT-CLASS-83-522
US-PATENT-CLASS-83-562
US-PATENT-CLASS-83-563
US-PATENT-CLASS-83-588
US-PATENT-CLASS-83-8
US-PATENT-3,668,956

N72-27728* c 23 ..... NASA-CASE-ARC-10160-1
US-PATENT-APPL-SN-867842
US-PATENT-CLASS-178-DIG.20
US-PATENT-CLASS-178-6.5
US-PATENT-CLASS-350-138
US-PATENT-3,670,097

N72-27784* c 26 ..... NASA-CASE-LAR-10836-1
US-PATENT-APPL-SN-138227
US-PATENT-CLASS-350-161
US-PATENT-3,671,105

N72-27959* c 33 ..... NASA-CASE-LAR-10800-1
US-PATENT-APPL-SN-154094
US-PATENT-CLASS-73-35
US-PATENT-3,670,559

N72-28025* c 03 ..... NASA-CASE-NPO-10633
US-PATENT-APPL-SN-885521
US-PATENT-CLASS-165-20
US-PATENT-CLASS-165-3
US-PATENT-CLASS-62-93
US-PATENT-3,675,712

N72-28225* c 09 ..... NASA-CASE-MFS-20757
US-PATENT-APPL-SN-136006
US-PATENT-CLASS-339-176MF
US-PATENT-CLASS-339-218M
US-PATENT-CLASS-339-75MP
US-PATENT-CLASS-339-94M
US-PATENT-3,670,290

N72-28240* c 10 ..... NASA-CASE-ARC-10265-1
US-PATENT-APPL-SN-64709
US-PATENT-CLASS-324-41
US-PATENT-CLASS-340-258
US-PATENT-3,676,772

N72-28241* c 10 ..... NASA-CASE-GSC-10786-1
US-PATENT-APPL-SN-773072
US-PATENT-CLASS-330-29
US-PATENT-3,533,006

N72-28436* c 14 ..... NASA-CASE-XLA-06683
US-PATENT-APPL-SN-10827
US-PATENT-CLASS-33-1SA
US-PATENT-CLASS-33-75R
US-PATENT-3,675,332

N72-28437* c 14 ..... NASA-CASE-ERC-10081
US-PATENT-APPL-SN-877990
US-PATENT-CLASS-325-363
US-PATENT-CLASS-343-100ME
US-PATENT-CLASS-343-112D
US-PATENT-CLASS-73-355
US-PATENT-3,665,467

N72-28438* c 14 ..... NASA-CASE-XLA-04980-2
US-PATENT-APPL-SN-577548
US-PATENT-APPL-SN-763040
US-PATENT-CLASS-148-187
US-PATENT-3,549,435

N72-28495* c 15 ..... NASA-CASE-MFS-14405
US-PATENT-APPL-SN-73283
US-PATENT-CLASS-214-1CM
US-PATENT-CLASS-74-469
US-PATENT-3,631,737

N72-28496* c 15 ..... NASA-CASE-MFS-20433
US-PATENT-APPL-SN-114847
US-PATENT-CLASS-52-1
US-PATENT-CLASS-52-573
US-PATENT-3,675,376

N72-28521* c 16 ..... NASA-CASE-NPO-11437
US-PATENT-APPL-SN-63144
US-PATENT-CLASS-330-4
US-PATENT-CLASS-331-94
US-PATENT-3,676,787

N72-28535* c 17 ..... NASA-CASE-XLE-06461-2
US-PATENT-APPL-SN-156778
US-PATENT-APPL-SN-853855
US-PATENT-CLASS-266-24
US-PATENT-3,675,910

N72-28536* c 17 ..... NASA-CASE-XLE-03940-2
US-PATENT-APPL-SN-539255
US-PATENT-APPL-SN-793657
US-PATENT-CLASS-29-182.5
US-PATENT-3,676,084

N72-28761* c 26 ..... NASA-CASE-NPO-11775
US-PATENT-APPL-SN-162230
US-PATENT-CLASS-29-570
US-PATENT-CLASS-317-230
US-PATENT-CLASS-317-261
US-PATENT-3,676,754

N72-28762* c 26 ..... NASA-CASE-LAR-10294-1

US-PATENT-APPL-SN-796685
US-PATENT-CLASS-106-39
US-PATENT-CLASS-106-46
US-PATENT-CLASS-117-212
US-PATENT-CLASS-117-217
US-PATENT-CLASS-29-25.42
US-PATENT-3,649,353

N72-29172* c 09 ..... NASA-CASE-LAR-10511-1
US-PATENT-APPL-SN-41345
US-PATENT-CLASS-333-24R
US-PATENT-CLASS-333-98P
US-PATENT-CLASS-333-98R
US-PATENT-3,676,809

N72-29464* c 14 ..... NASA-CASE-ARC-10017-1
US-PATENT-APPL-SN-55536
US-PATENT-CLASS-250-41.9D
US-PATENT-CLASS-250-71.5R
US-PATENT-CLASS-313-356
US-PATENT-3,676,674

N72-29488* c 15 ..... NASA-CASE-XLE-10326-2
US-PATENT-APPL-SN-54540
US-PATENT-APPL-SN-723465
US-PATENT-CLASS-277-25
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-74
US-PATENT-3,675,935

N72-31140* c 06 ..... NASA-CASE-MSC-13335-1
US-PATENT-APPL-SN-55806
US-PATENT-CLASS-55-16
US-PATENT-CLASS-55-55
US-PATENT-3,678,654

N72-31141* c 06 ..... NASA-CASE-ARC-10308-1
US-PATENT-APPL-SN-134568
US-PATENT-CLASS-250-43.5R
US-PATENT-CLASS-356-51
US-PATENT-3,679,899

N72-31226* c 08 ..... NASA-CASE-NPO-11016
US-PATENT-APPL-SN-889584
US-PATENT-CLASS-235-150.1
US-PATENT-CLASS-235-151.1
US-PATENT-CLASS-235-92MT
US-PATENT-CLASS-323-19
US-PATENT-CLASS-340-347AD
US-PATENT-3,681,581

N72-31235* c 09 ..... NASA-CASE-ERC-10214
US-PATENT-APPL-SN-863914
US-PATENT-CLASS-343-770
US-PATENT-CLASS-343-771
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-853
US-PATENT-3,680,142

N72-31273* c 10 ..... NASA-CASE-KSC-10647-1
US-PATENT-APPL-SN-774691
US-PATENT-CLASS-178-7.5E
US-PATENT-CLASS-315-22R
US-PATENT-CLASS-315-30R
US-PATENT-CLASS-330-27R
US-PATENT-3,678,191

N72-31446* c 14 ..... NASA-CASE-ERC-10087-2
US-PATENT-APPL-SN-738315
US-PATENT-APPL-SN-91642
US-PATENT-CLASS-29-588
US-PATENT-CLASS-317-234D
US-PATENT-CLASS-317-234G
US-PATENT-CLASS-317-235M
US-PATENT-CLASS-317-235R
US-PATENT-3,686,542

N72-31483* c 15 ..... NASA-CASE-LAR-10061-1
US-PATENT-APPL-SN-104047
US-PATENT-CLASS-251-331
US-PATENT-CLASS-251-86
US-PATENT-3,680,830

N72-31637* c 21 ..... NASA-CASE-GSC-10945-1
US-PATENT-APPL-SN-75431
US-PATENT-CLASS-60-23
US-PATENT-CLASS-60-26
US-PATENT-3,678,685

N72-32169* c 07 ..... NASA-CASE-NPO-11361
US-PATENT-APPL-SN-112988
US-PATENT-CLASS-343-781
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-840
US-PATENT-CLASS-343-915
US-PATENT-3,680,144

N72-32452* c 14 ..... NASA-CASE-MFS-15162
US-PATENT-APPL-SN-100639
US-PATENT-CLASS-350-79
US-PATENT-CLASS-356-241
US-PATENT-3,694,094

N72-32487* c 15 ..... NASA-CASE-LAR-10541-1
US-PATENT-APPL-SN-138229
US-PATENT-CLASS-118-49.1
US-PATENT-CLASS-204-298
US-PATENT-CLASS-219-121P
US-PATENT-CLASS-219-273
US-PATENT-3,690,291

N72-32688* c 25 ..... NASA-CASE-MFS-20589
US-PATENT-APPL-SN-103077
US-PATENT-CLASS-313-231
US-PATENT-CLASS-315-111
US-PATENT-3,693,002

N72-33072* c 04 ..... NASA-CASE-ERC-10338
US-PATENT-APPL-SN-50339
US-PATENT-CLASS-23-109
US-PATENT-3,679,360

N72-33096* c 05 ..... NASA-CASE-MSC-13540-1
US-PATENT-APPL-SN-68023
US-PATENT-CLASS-99-80PS
US-PATENT-3,692,533

N72-33146* c 07 ..... NASA-CASE-MSC-12259-2
US-PATENT-APPL-SN-61895
US-PATENT-APPL-SN-853763
US-PATENT-CLASS-325-373
US-PATENT-3,694,753

N72-33172* c 08 ..... NASA-CASE-NPO-11630
US-PATENT-APPL-SN-143078
US-PATENT-CLASS-179-15.55R
US-PATENT-3,694,581

N72-33204* c 09 ..... NASA-CASE-NPO-11129
US-PATENT-APPL-SN-883523
US-PATENT-CLASS-307-262
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-155
US-PATENT-CLASS-328-24
US-PATENT-3,621,406

N72-33205* c 09 ..... NASA-CASE-GSC-10835-1
US-PATENT-APPL-SN-116778
US-PATENT-CLASS-317-101A
US-PATENT-CLASS-317-235
US-PATENT-CLASS-317-235A
US-PATENT-CLASS-317-235AJ
US-PATENT-3,694,700

N72-33230* c 10 ..... NASA-CASE-GSC-11340-1
US-PATENT-APPL-SN-107379
US-PATENT-CLASS-330-12
US-PATENT-CLASS-331-115
US-PATENT-CLASS-331-116R
US-PATENT-CLASS-333-80T
US-PATENT-3,693,105

N72-33377* c 14 ..... NASA-CASE-MFS-20760
US-PATENT-APPL-SN-99174
US-PATENT-CLASS-73-141AB
US-PATENT-CLASS-73-85
US-PATENT-3,693,418

N72-33476* c 15 ..... NASA-CASE-XGS-07805
US-PATENT-APPL-SN-104884
US-PATENT-CLASS-308-10
US-PATENT-3,694,041

N72-33477* c 15 ..... NASA-CASE-NPO-11340
US-PATENT-APPL-SN-147997
US-PATENT-CLASS-137-13
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-60-1
US-PATENT-CLASS-60-36
US-PATENT-3,693,346

N72-33681* c 24 ..... NASA-CASE-LEW-10518-1
US-PATENT-APPL-SN-863280
US-PATENT-CLASS-176-11
US-PATENT-3,694,313

N72-33696* c 25 ..... NASA-CASE-GSC-11291-1
US-PATENT-APPL-SN-102412
US-PATENT-CLASS-250-83.6R
US-PATENT-3,694,655

N73-12175* c 08 ..... NASA-CASE-NPO-11406
US-PATENT-APPL-SN-95183
US-PATENT-CLASS-235-152
US-PATENT-CLASS-331-78
US-PATENT-CLASS-340-146.1AL
US-PATENT-3,700,869

N73-12176* c 08 ..... NASA-CASE-KSC-10595
US-PATENT-APPL-SN-98772
US-PATENT-CLASS-235-155
US-PATENT-CLASS-340-347DD
US-PATENT-3,697,733

N73-12177* c 08 ..... NASA-CASE-NPO-11371
US-PATENT-APPL-SN-117575
US-PATENT-CLASS-340-146.1AQ
US-PATENT-CLASS-340-146.1AV
US-PATENT-3,697,950

N73-12211* c 09 ..... NASA-CASE-ERC-10412-1
US-PATENT-APPL-SN-72024
US-PATENT-CLASS-343-11R
US-PATENT-CLASS-343-11VB
US-PATENT-CLASS-343-5DP
US-PATENT-3,696,418

N73-12214*# c 09 ..... NASA-CASE-NPO-13091-1
US-PATENT-APPL-SN-290022

N73-12244* c 10 ..... NASA-CASE-NPO-11631
US-PATENT-APPL-SN-123253
US-PATENT-CLASS-179-1P
US-PATENT-CLASS-325-473
US-PATENT-CLASS-325-480
US-PATENT-3,700,812

N73-12264* c 11 ..... NASA-CASE-LAR-10348-1
US-PATENT-APPL-SN-70032
US-PATENT-CLASS-73-147
US-PATENT-3,695,101

N73-12265* c 11 ..... NASA-CASE-NPO-10890
US-PATENT-APPL-SN-99903
US-PATENT-CLASS-137-559
US-PATENT-CLASS-219-203
US-PATENT-CLASS-219-522
US-PATENT-CLASS-52-171
US-PATENT-3,696,833

N73-12444* c 14 ..... NASA-CASE-GSC-10903-1
US-PATENT-APPL-SN-114846
US-PATENT-CLASS-250-41.9G
US-PATENT-CLASS-250-41.9S
US-PATENT-CLASS-73-421.5
US-PATENT-3,700,893

N73-12445* c 14 ..... NASA-CASE-LAR-10728-1
US-PATENT-APPL-SN-112998
US-PATENT-CLASS-250-83.3H
US-PATENT-CLASS-250-83.3R
US-PATENT-CLASS-250-83R
US-PATENT-3,700,897

N73-12446* c 14 ..... NASA-CASE-NPO-11239
US-PATENT-APPL-SN-89211
US-PATENT-CLASS-356-106
US-PATENT-CLASS-356-114
US-PATENT-3,700,334

N73-12447* c 14 ..... NASA-CASE-NPO-11493
US-PATENT-APPL-SN-151413
US-PATENT-CLASS-136-224
US-PATENT-3,700,503

N73-12486* c 15 ..... NASA-CASE-KSC-10615
US-PATENT-APPL-SN-103078
US-PATENT-CLASS-244-1SB
US-PATENT-CLASS-244-135
US-PATENT-CLASS-62-45
US-PATENT-CLASS-62-7
US-PATENT-3,697,021

N73-12487* c 15 ..... NASA-CASE-FRC-10019
US-PATENT-APPL-SN-880398
US-PATENT-CLASS-204-192
US-PATENT-3,700,575

N73-12488* c 15 ..... NASA-CASE-ARC-10345-1
US-PATENT-APPL-SN-193671
US-PATENT-CLASS-287-85R
US-PATENT-CLASS-308-2A
US-PATENT-CLASS-74-5F
US-PATENT-3,700,291

N73-12489* c 15 ..... NASA-CASE-MSC-12357
US-PATENT-APPL-SN-662763
US-PATENT-CLASS-264-102
US-PATENT-CLASS-264-28
US-PATENT-CLASS-264-36
US-PATENT-CLASS-264-40
US-PATENT-3,697,630

N73-12492*# c 15 ..... NASA-CASE-XLA-08914
US-PATENT-APPL-SN-810576

N73-12495*# c 15 ..... NASA-CASE-NPO-13086-1
US-PATENT-APPL-SN-292477

N73-12547* c 17 ..... NASA-CASE-LAR-10539-1
US-PATENT-APPL-SN-136085
US-PATENT-CLASS-23-230R
US-PATENT-3,701,631

N73-12604* c 18 ..... NASA-CASE-MFS-20408
US-PATENT-APPL-SN-71048
US-PATENT-CLASS-161-93
US-PATENT-3,700,538

N73-12884* c 30 ..... NASA-CASE-MSC-12391
US-PATENT-APPL-SN-106465
US-PATENT-CLASS-244-155
US-PATENT-3,700,193

N73-13008* c 02 ..... NASA-CASE-GSC-11077-1
US-PATENT-APPL-SN-127618
US-PATENT-CLASS-244-32
US-PATENT-3,698,667

N73-13114* c 05 ..... NASA-CASE-MSC-13604-1
US-PATENT-APPL-SN-78717
US-PATENT-CLASS-128-2N
US-PATENT-CLASS-273-1E
US-PATENT-CLASS-35-22R
US-PATENT-3,698,385

N73-13128* c 06 ..... NASA-CASE-GSC-11214-1
US-PATENT-APPL-SN-115134
US-PATENT-CLASS-117-35R
US-PATENT-3,702,775

N73-13129* c 06 ..... NASA-CASE-XNP-08124-2
US-PATENT-APPL-SN-97829
US-PATENT-CLASS-75-66
US-PATENT-3,702,762

N73-13149* c 07 ..... NASA-CASE-NPO-11302-1
US-PATENT-APPL-SN-70967
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-235-150.53

US-PATENT-CLASS-235-181
US-PATENT-CLASS-325-325
US-PATENT-CLASS-340-146.1
US-PATENT-3,701,894
N73-13187* c 08 ..... NASA-CASE-GSC-10975-1
US-PATENT-APPL-SN-100996
US-PATENT-CLASS-340-172.5
US-PATENT-3,702,463
N73-13208* c 09 ..... NASA-CASE-LEW-11192-1
US-PATENT-APPL-SN-198285
US-PATENT-CLASS-315-3.5
US-PATENT-CLASS-315-5.38
US-PATENT-3,702,951
N73-13209* c 09 ..... NASA-CASE-XLA-05099
US-PATENT-APPL-SN-98798
US-PATENT-CLASS-235-152
US-PATENT-CLASS-307-207
US-PATENT-CLASS-307-215
US-PATENT-3,700,868
N73-13235* c 10 ..... NASA-CASE-KSC-10003
US-PATENT-APPL-SN-60883
US-PATENT-CLASS-178-DIG.6
US-PATENT-CLASS-178-6
US-PATENT-CLASS-307-242
US-PATENT-CLASS-307-259
US-PATENT-CLASS-328-104
US-PATENT-CLASS-328-154
US-PATENT-3,702,898
N73-13257* c 11 ..... NASA-CASE-LAR-10574-1
US-PATENT-APPL-SN-66206
US-PATENT-CLASS-244-1SS
US-PATENT-3,698,659
N73-13415* c 14 ..... NASA-CASE-LAR-10855-1
US-PATENT-APPL-SN-166541
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-182
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-212
US-PATENT-3,699,811
N73-13416* c 14 ..... NASA-CASE-GSC-11302-1
US-PATENT-APPL-SN-168650
US-PATENT-CLASS-73-71.6
US-PATENT-3,699,807
N73-13417* c 14 ..... NASA-CASE-XLE-05230-2
US-PATENT-APPL-SN-147099
US-PATENT-APPL-SN-877717
US-PATENT-CLASS-136-233
US-PATENT-CLASS-29-573
US-PATENT-CLASS-29-624
US-PATENT-3,699,645
N73-13418* c 14 ..... NASA-CASE-MFS-14216
US-PATENT-APPL-SN-50208
US-PATENT-CLASS-137-487.5
US-PATENT-CLASS-137-81
US-PATENT-CLASS-92-49
US-PATENT-3,698,412
N73-13420* c 14 ..... NASA-CASE-NPO-11418-1
US-PATENT-APPL-SN-193947
US-PATENT-CLASS-333-81B
US-PATENT-CLASS-333-98R
US-PATENT-3,702,979
N73-13435*# c 14 ..... NASA-CASE-GSC-11533-1
US-PATENT-APPL-SN-305013
N73-13462* c 15 ..... NASA-CASE-NPO-11479
US-PATENT-APPL-SN-170440
US-PATENT-CLASS-137-608
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-138-45
US-PATENT-CLASS-251-122
US-PATENT-3,700,005
N73-13463* c 15 ..... NASA-CASE-MFS-20317
US-PATENT-APPL-SN-67730
US-PATENT-CLASS-173-131
US-PATENT-CLASS-72-447
US-PATENT-CLASS-72-476
US-PATENT-3,699,799
N73-13464* c 15 ..... NASA-CASE-NPO-10812
US-PATENT-APPL-SN-129073
US-PATENT-CLASS-425-113
US-PATENT-CLASS-425-133
US-PATENT-CLASS-425-176
US-PATENT-CLASS-72-258
US-PATENT-3,698,848
N73-13465* c 15 ..... NASA-CASE-LEW-10805-1
US-PATENT-APPL-SN-29917
US-PATENT-CLASS-148-11.5R
US-PATENT-3,702,791
N73-13466* c 15 ..... NASA-CASE-MFS-20944
US-PATENT-APPL-SN-148756
US-PATENT-CLASS-91-363A
US-PATENT-CLASS-91-448
US-PATENT-3,702,575
N73-13467* c 15 ..... NASA-CASE-NPO-11369
US-PATENT-APPL-SN-129072
US-PATENT-CLASS-60-1
US-PATENT-CLASS-60-23
US-PATENT-CLASS-60-37
US-PATENT-3,702,532
N73-13489* c 16 ..... NASA-CASE-HQN-10654-1
US-PATENT-APPL-SN-182978
US-PATENT-CLASS-324-.5R
US-PATENT-CLASS-331-94
US-PATENT-3,702,972
N73-13562* c 18 ..... NASA-CASE-ARC-10196-1
US-PATENT-APPL-SN-115082
US-PATENT-CLASS-260-2.5F
US-PATENT-3,702,841
N73-13643* c 21 ..... NASA-CASE-HQN-10703
US-PATENT-APPL-SN-156724
US-PATENT-CLASS-340-27NA
US-PATENT-CLASS-340-33
US-PATENT-CLASS-340-97
US-PATENT-CLASS-343-112CA
US-PATENT-3,699,511
N73-13644* c 21 ..... NASA-CASE-NPO-11481
US-PATENT-APPL-SN-134571
US-PATENT-CLASS-179-100.2A
US-PATENT-CLASS-340-174.1R
US-PATENT-CLASS-346-138
US-PATENT-CLASS-346-74MD
US-PATENT-CLASS-74-5.22
US-PATENT-3,697,968
N73-13660* c 23 ..... NASA-CASE-MFS-20809
US-PATENT-APPL-SN-173185
US-PATENT-CLASS-315-169R
US-PATENT-CLASS-315-169TV
US-PATENT-CLASS-317-101A
US-PATENT-3,700,961
N73-13661* c 23 ..... NASA-CASE-MSC-12404-1
US-PATENT-APPL-SN-142662
US-PATENT-CLASS-356-106S
US-PATENT-3,702,735
N73-13662* c 23 ..... NASA-CASE-MFS-20243
US-PATENT-APPL-SN-59894
US-PATENT-CLASS-250-51.5
US-PATENT-CLASS-250-52
US-PATENT-3,702,933
N73-13773* c 28 ..... NASA-CASE-LEW-10374-1
US-PATENT-APPL-SN-107380
US-PATENT-CLASS-137-81.5
US-PATENT-CLASS-60-211
US-PATENT-CLASS-60-240
US-PATENT-CLASS-60-243
US-PATENT-3,702,536
N73-13898* c 31 ..... NASA-CASE-LAR-10549-1
US-PATENT-APPL-SN-108824
US-PATENT-CLASS-244-139
US-PATENT-CLASS-60-291
US-PATENT-3,700,192
N73-13921* c 32 ..... NASA-CASE-MSC-12233-2
US-PATENT-APPL-SN-107298
US-PATENT-CLASS-229-DIG.11
US-PATENT-CLASS-52-284
US-PATENT-CLASS-52-594
US-PATENT-3,702,520
N73-14130* c 07 ..... NASA-CASE-NPO-11661
US-PATENT-APPL-SN-200682
US-PATENT-CLASS-343-782
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-915
US-PATENT-3,705,406
N73-14214* c 09 ..... NASA-CASE-ARC-10467-1
US-PATENT-APPL-SN-212028
US-PATENT-CLASS-250-205
US-PATENT-CLASS-250-211J
US-PATENT-CLASS-250-217SS
US-PATENT-CLASS-307-310
US-PATENT-CLASS-307-311
US-PATENT-3,705,316
N73-14427* c 14 ..... NASA-CASE-NPO-10758
US-PATENT-APPL-SN-81096
US-PATENT-CLASS-352-169
US-PATENT-CLASS-95-12.5
US-PATENT-CLASS-95-59
US-PATENT-3,704,659
N73-14428* c 14 ..... NASA-CASE-NPO-10764-1
US-PATENT-APPL-SN-836280
US-PATENT-CLASS-252-408
US-PATENT-3,700,603
N73-14429* c 14 ..... NASA-CASE-NPO-11387
US-PATENT-APPL-SN-142719
US-PATENT-CLASS-73-57
US-PATENT-CLASS-73-60
US-PATENT-3,706,221
N73-14468* c 15 ..... NASA-CASE-LAR-10103-1
US-PATENT-APPL-SN-103230
US-PATENT-CLASS-219-101
US-PATENT-CLASS-219-119
US-PATENT-CLASS-29-203V
US-PATENT-3,705,288
N73-14469* c 15 ..... NASA-CASE-GSC-10791-1
US-PATENT-APPL-SN-84289
US-PATENT-CLASS-174-52S
US-PATENT-CLASS-29-589
US-PATENT-CLASS-29-591
US-PATENT-CLASS-317-234A
US-PATENT-CLASS-317-234G
US-PATENT-3,705,255
N73-14584* c 18 ..... NASA-CASE-LAR-10894-1
US-PATENT-APPL-SN-189375
US-PATENT-CLASS-106-39R
US-PATENT-CLASS-106-55
US-PATENT-CLASS-106-58
US-PATENT-CLASS-106-63
US-PATENT-CLASS-264-DIG.36
US-PATENT-CLASS-264-65
US-PATENT-3,706,583
N73-14692* c 21 ..... NASA-CASE-ERC-10392
US-PATENT-APPL-SN-36534
US-PATENT-CLASS-340-27AT
US-PATENT-3,706,970
N73-14853* c 31 ..... NASA-CASE-GSC-10590-1
US-PATENT-APPL-SN-130353
US-PATENT-CLASS-102-49.5
US-PATENT-3,706,281
N73-14854* c 31 ..... NASA-CASE-MSC-12433
US-PATENT-APPL-SN-103551
US-PATENT-CLASS-244-155
US-PATENT-3,702,688
N73-14855* c 31 ..... NASA-CASE-NPO-10680
US-PATENT-APPL-SN-104048
US-PATENT-CLASS-74-2
US-PATENT-3,706,230
N73-15235* c 09 ..... NASA-CASE-NPO-12106
US-PATENT-APPL-SN-175881
US-PATENT-CLASS-317-234V
US-PATENT-CLASS-317-235AG
US-PATENT-CLASS-317-235K
US-PATENT-CLASS-331-107G
US-PATENT-CLASS-331-177R
US-PATENT-CLASS-331-90
US-PATENT-3,694,771
N73-16106* c 06 ..... NASA-CASE-LAR-10668-1
US-PATENT-APPL-SN-172459
US-PATENT-CLASS-23-232E
US-PATENT-CLASS-23-232R
US-PATENT-CLASS-23-254E
US-PATENT-CLASS-23-254R
US-PATENT-CLASS-250-71R
US-PATENT-CLASS-250-83.3UV
US-PATENT-3,709,663
N73-16121* c 07 ..... NASA-CASE-NPO-11572
US-PATENT-APPL-SN-125234
US-PATENT-CLASS-179-15AN
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-325-60
US-PATENT-CLASS-343-200
US-PATENT-3,710,257
N73-16205* c 10 ..... NASA-CASE-NPO-11282
US-PATENT-APPL-SN-101354
US-PATENT-CLASS-325-346
US-PATENT-CLASS-325-419
US-PATENT-3,710,261
N73-16206* c 10 ..... NASA-CASE-ERC-10285
US-PATENT-APPL-SN-55333
US-PATENT-CLASS-331-45
US-PATENT-CLASS-343-100R
US-PATENT-CLASS-343-100SA
US-PATENT-CLASS-343-853
US-PATENT-3,710,329
N73-16483* c 14 ..... NASA-CASE-ERC-10226-1
US-PATENT-APPL-SN-124909
US-PATENT-APPL-SN-808822
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-215
US-PATENT-CLASS-250-217
US-PATENT-CLASS-315-153
US-PATENT-CLASS-340-25
US-PATENT-CLASS-340-27R
US-PATENT-3,708,671
N73-16484* c 14 ..... NASA-CASE-LAR-10739-1
US-PATENT-APPL-SN-134567
US-PATENT-CLASS-250-217F
US-PATENT-CLASS-340-228S
US-PATENT-CLASS-340-418
US-PATENT-3,708,674
N73-16536* c 16 ..... NASA-CASE-LAR-10311-1
US-PATENT-APPL-SN-31702
US-PATENT-CLASS-250-199
US-PATENT-CLASS-340-171
US-PATENT-CLASS-350-293
US-PATENT-3,710,122
N73-16764* c 27 ..... NASA-CASE-NPO-12015
US-PATENT-APPL-SN-74862
US-PATENT-CLASS-149-19
US-PATENT-CLASS-149-36
US-PATENT-3,708,359
N73-16918* c 33 ..... NASA-CASE-MSC-15567-1

US-PATENT-APPL-SN-87551
US-PATENT-CLASS-204-324
US-PATENT-CLASS-204-325
US-PATENT-CLASS-204-328
US-PATENT-3,708,419
N73-19004* c 02 ..... NASA-CASE-ERC-10439
US-PATENT-APPL-SN-54271
US-PATENT-CLASS-244-17.13
US-PATENT-CLASS-244-77D
US-PATENT-CLASS-318-489
US-PATENT-3,711,042
N73-19234* c 09 ..... NASA-CASE-GSC-11013-1
US-PATENT-APPL-SN-200717
US-PATENT-CLASS-343-754
US-PATENT-CLASS-343-839
US-PATENT-CLASS-343-854
US-PATENT-CLASS-343-895
US-PATENT-3,713,163
N73-19235* c 09 ..... NASA-CASE-MFS-20407
US-PATENT-APPL-SN-116777
US-PATENT-CLASS-317-235AM
US-PATENT-CLASS-317-235N
US-PATENT-CLASS-317-235R
US-PATENT-CLASS-317-235T
US-PATENT-CLASS-317-235UA
US-PATENT-3,714,526
N73-19419* c 14 ..... NASA-CASE-LAR-10226-1
US-PATENT-APPL-SN-98774
US-PATENT-CLASS-250-217R
US-PATENT-CLASS-95-11.5R
US-PATENT-CLASS-95-11R
US-PATENT-3,712,195
N73-19420* c 14 ..... NASA-CASE-MFS-20774
US-PATENT-APPL-SN-161028
US-PATENT-CLASS-73-84
US-PATENT-3,712,121
N73-19421* c 14 ..... NASA-CASE-MFS-20242
US-PATENT-APPL-SN-213004
US-PATENT-CLASS-73-71.6
US-PATENT-3,712,120
N73-19457* c 15 ..... NASA-CASE-MFS-20698-2
US-PATENT-APPL-SN-136086
US-PATENT-APPL-SN-3418
US-PATENT-CLASS-423-446
US-PATENT-CLASS-423-625
US-PATENT-3,714,332
N73-19458* c 15 ..... NASA-CASE-LAR-10195-1
US-PATENT-APPL-SN-201782
US-PATENT-CLASS-259-4
US-PATENT-3,712,591
N73-19630*# c 21 ..... NASA-CASE-GSC-11188-2
US-PATENT-APPL-SN-244440
N73-19793* c 28 ..... NASA-CASE-LEW-11187-1
US-PATENT-APPL-SN-147922
US-PATENT-CLASS-60-39.28R
US-PATENT-3,713,290
N73-20039* c 03 ..... NASA-CASE-GSC-10814-1
US-PATENT-APPL-SN-41404
US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-244-1SS
US-PATENT-3,715,092
N73-20040* c 03 ..... NASA-CASE-NPO-11771
US-PATENT-APPL-SN-200762
US-PATENT-CLASS-244-1.55
US-PATENT-CLASS-250-212
US-PATENT-CLASS-250-234
US-PATENT-CLASS-60-26
US-PATENT-3,715,600
N73-20137* c 05 ..... NASA-CASE-LAR-10076-1
US-PATENT-APPL-SN-84290
US-PATENT-CLASS-165-46
US-PATENT-CLASS-312-1
US-PATENT-CLASS-62-259
US-PATENT-3,713,480
N73-20174* c 07 ..... NASA-CASE-GSC-10087-4
US-PATENT-APPL-SN-47440
US-PATENT-APPL-SN-701679
US-PATENT-CLASS-325-12
US-PATENT-CLASS-325-17
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-5
US-PATENT-CLASS-325-63
US-PATENT-CLASS-325-7
US-PATENT-CLASS-325-8
US-PATENT-CLASS-325-9
US-PATENT-CLASS-343-179
US-PATENT-3,715,663
N73-20175* c 07 ..... NASA-CASE-KSC-10698
US-PATENT-APPL-SN-213949
US-PATENT-CLASS-324-72
US-PATENT-CLASS-73-170R
US-PATENT-3,715,660
N73-20176* c 07 ..... NASA-CASE-KSC-10521
US-PATENT-APPL-SN-212921
US-PATENT-CLASS-340-146.1C
US-PATENT-CLASS-340-147R
US-PATENT-CLASS-340-163
US-PATENT-3,715,723
N73-20217* c 08 ..... NASA-CASE-LAR-10128-1
US-PATENT-APPL-SN-84002
US-PATENT-CLASS-235-92FQ
US-PATENT-CLASS-235-92R
US-PATENT-CLASS-235-92T
US-PATENT-CLASS-340-347AD
US-PATENT-3,714,645
N73-20231* c 09 ..... NASA-CASE-ARC-10264-1
US-PATENT-APPL-SN-80368
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-109
US-PATENT-CLASS-330-86
US-PATENT-3,714,588
N73-20232* c 09 ..... NASA-CASE-MFS-21433
US-PATENT-APPL-SN-236281
US-PATENT-CLASS-307-230
US-PATENT-CLASS-307-304
US-PATENT-CLASS-330-20
US-PATENT-CLASS-330-22
US-PATENT-CLASS-330-30D
US-PATENT-CLASS-330-35
US-PATENT-CLASS-330-40
US-PATENT-CLASS-330-80T
US-PATENT-3,715,693
N73-20253* c 10 ..... NASA-CASE-LAR-10310-1
US-PATENT-APPL-SN-147103
US-PATENT-CLASS-235-197
US-PATENT-3,714,405
N73-20254* c 10 ..... NASA-CASE-NPO-11868
US-PATENT-APPL-SN-192101
US-PATENT-CLASS-307-221R
US-PATENT-CLASS-328-187
US-PATENT-CLASS-328-37
US-PATENT-CLASS-328-61
US-PATENT-3,718,863
N73-20267* c 11 ..... NASA-CASE-MFS-21362
US-PATENT-APPL-SN-211411
US-PATENT-CLASS-73-432SD
US-PATENT-3,714,833
N73-20474* c 14 ..... NASA-CASE-ERC-10350
US-PATENT-APPL-SN-55535
US-PATENT-CLASS-340-27R
US-PATENT-3,714,624
N73-20475* c 14 ..... NASA-CASE-LAR-10726-1
US-PATENT-APPL-SN-146935
US-PATENT-CLASS-250-231
US-PATENT-CLASS-250-83.3H
US-PATENT-3,714,432
N73-20476* c 14 ..... NASA-CASE-MFS-20673
US-PATENT-APPL-SN-94049
US-PATENT-CLASS-73-90
US-PATENT-CLASS-73-91
US-PATENT-3,714,821
N73-20477* c 14 ..... NASA-CASE-ARC-10443-1
US-PATENT-APPL-SN-128419
US-PATENT-CLASS-250-83.3R
US-PATENT-CLASS-250-83R
US-PATENT-3,715,590
N73-20478* c 14 ..... NASA-CASE-NPO-10985
US-PATENT-APPL-SN-74759
US-PATENT-CLASS-324-30R
US-PATENT-CLASS-324-65P
US-PATENT-CLASS-73-194E
US-PATENT-3,712,132
N73-20514* c 15 ..... NASA-CASE-NPO-11213
US-PATENT-APPL-SN-78703
US-PATENT-CLASS-195-127
US-PATENT-3,713,987
N73-20740* c 32 ..... NASA-CASE-LAR-10765-1
US-PATENT-APPL-SN-138230
US-PATENT-CLASS-356-32
US-PATENT-CLASS-73-88A
US-PATENT-3,715,915
N73-20741* c 23 ..... NASA-CASE-ARC-10194-1
US-PATENT-APPL-SN-107659
US-PATENT-CLASS-350-202
US-PATENT-3,715,152
N73-22076*# c 07 ..... NASA-CASE-NPO-10166-1
US-PATENT-APPL-SN-192803
N73-22710* c 27 ..... NASA-CASE-NPO-10893
US-PATENT-APPL-SN-845584
US-PATENT-CLASS-260-94.8
US-PATENT-3,634,383
N73-24176* c 07 ..... NASA-CASE-NPO-11751
US-PATENT-APPL-SN-192141
US-PATENT-CLASS-343-DIG.2
US-PATENT-CLASS-343-915
US-PATENT-3,729,743
N73-24472* c 14 ..... NASA-CASE-LEW-11072-1
US-PATENT-APPL-SN-104885
US-PATENT-CLASS-136-225
US-PATENT-3,729,343
N73-24473* c 14 ..... NASA-CASE-MFS-20418
US-PATENT-APPL-SN-162101
US-PATENT-CLASS-128-206F
US-PATENT-CLASS-324-78E
US-PATENT-3,729,676
N73-24513* c 15 ..... NASA-CASE-NPO-11417
US-PATENT-APPL-SN-120241
US-PATENT-CLASS-417-391
US-PATENT-CLASS-60-25
US-PATENT-3,732,040
N73-24569* c 17 ..... NASA-CASE-LEW-10920-1
US-PATENT-APPL-SN-106424
US-PATENT-CLASS-204-192
US-PATENT-3,732,158
N73-24783* c 28 ..... NASA-CASE-NPO-11880
US-PATENT-APPL-SN-209535
US-PATENT-CLASS-313-DIG.8
US-PATENT-CLASS-313-231
US-PATENT-CLASS-313-63
US-PATENT-CLASS-60-202
US-PATENT-3,313,204
US-PATENT-3,728,861
N73-24784* c 28 ..... NASA-CASE-NPO-11559
US-PATENT-APPL-SN-147996
US-PATENT-CLASS-102-49.7
US-PATENT-CLASS-102-49.8
US-PATENT-CLASS-60-254
US-PATENT-CLASS-60-256
US-PATENT-3,729,935
N73-25125* c 05 ..... NASA-CASE-MFS-20332-2
US-PATENT-APPL-SN-195061
US-PATENT-APPL-SN-869260
US-PATENT-CLASS-128-142.5
US-PATENT-CLASS-137-538
US-PATENT-CLASS-2-2.1A
US-PATENT-3,720,208
N73-25160* c 07 ..... NASA-CASE-ARC-10097-2
US-PATENT-APPL-SN-115083
US-PATENT-APPL-SN-768662
US-PATENT-CLASS-325-113
US-PATENT-CLASS-325-139
US-PATENT-CLASS-325-45
US-PATENT-CLASS-325-61
US-PATENT-CLASS-340-207
US-PATENT-CLASS-340-258R
US-PATENT-3,719,891
N73-25161* c 07 ..... NASA-CASE-NPO-11707
US-PATENT-APPL-SN-196399
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-6.8R
US-PATENT-3,729,736
N73-25206* c 08 ..... NASA-CASE-NPO-11497
US-PATENT-APPL-SN-155565
US-PATENT-CLASS-235-10.2
US-PATENT-CLASS-235-151.27
US-PATENT-CLASS-235-92CV
US-PATENT-CLASS-235-92DN
US-PATENT-CLASS-235-92EA
US-PATENT-CLASS-235-92EV
US-PATENT-CLASS-235-92R
US-PATENT-3,729,129
N73-25240* c 10 ..... NASA-CASE-MSC-12428-1
US-PATENT-APPL-SN-170681
US-PATENT-CLASS-179-1SA
US-PATENT-CLASS-235-151.31
US-PATENT-CLASS-324-77R
US-PATENT-CLASS-324-78J
US-PATENT-3,732,405
N73-25241* c 10 ..... NASA-CASE-GSC-11239-1
US-PATENT-APPL-SN-180683
US-PATENT-CLASS-325-363
US-PATENT-CLASS-325-67
US-PATENT-3,737,781
N73-25243* c 10 ..... NASA-CASE-MFS-21919-1
US-PATENT-APPL-SN-193456
US-PATENT-CLASS-317-100
US-PATENT-CLASS-317-101DH
US-PATENT-3,735,206
N73-25262* c 12 ..... NASA-CASE-LAR-10578-1
US-PATENT-APPL-SN-233098
US-PATENT-CLASS-73-147
US-PATENT-3,731,528
N73-25460* c 14 ..... NASA-CASE-MFS-20916
US-PATENT-APPL-SN-212165
US-PATENT-CLASS-73-189
US-PATENT-3,731,531
N73-25461* c 14 ..... NASA-CASE-KSC-10108
US-PATENT-APPL-SN-73922
US-PATENT-CLASS-343-14
US-PATENT-CLASS-343-17.5
US-PATENT-CLASS-343-6.8R
US-PATENT-3,732,567
N73-25462* c 14 ..... NASA-CASE-NPO-11686
US-PATENT-APPL-SN-212900
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-214
US-PATENT-CLASS-250-214
US-PATENT-CLASS-250-83.3H

US-PATENT-CLASS-356-152
US-PATENT-3,723,745
N73-25463* c 14 ..... NASA-CASE-ARC-10278-1
US-PATENT-APPL-SN-154933
US-PATENT-CLASS-356-110
US-PATENT-3,729,260
N73-25512* c 15 ..... NASA-CASE-LAR-10129-1
US-PATENT-APPL-SN-99201
US-PATENT-CLASS-182-5
US-PATENT-CLASS-188-65.1
US-PATENT-CLASS-24-134R
US-PATENT-CLASS-254-156
US-PATENT-3,729,068
N73-25513* c 15 ..... NASA-CASE-GSC-11205-1
US-PATENT-APPL-SN-107376
US-PATENT-CLASS-188-266
US-PATENT-CLASS-244-1SA
US-PATENT-3,737,118
N73-25760* c 25 ..... NASA-CASE-LEW-11180-1
US-PATENT-APPL-SN-175852
US-PATENT-CLASS-313-161
US-PATENT-CLASS-313-231
US-PATENT-CLASS-60-202
US-PATENT-3,735,591
N73-25952* c 33 ..... NASA-CASE-LEW-10359-2
US-PATENT-APPL-SN-150215
US-PATENT-APPL-SN-47063
US-PATENT-CLASS-102-105
US-PATENT-CLASS-244-117A
US-PATENT-CLASS-60-200A
US-PATENT-CLASS-60-265
US-PATENT-CLASS-60-267
US-PATENT-CLASS-62-467
US-PATENT-3,720,075
N73-26004* c 02 ..... NASA-CASE-LAR-10682-1
US-PATENT-APPL-SN-127915
US-PATENT-CLASS-244-75A
US-PATENT-CLASS-244-75C
US-PATENT-CLASS-244-77F
US-PATENT-CLASS-244-77G
US-PATENT-3,734,432
N73-26005* c 02 ..... NASA-CASE-ARC-10470-1
US-PATENT-APPL-SN-206279
US-PATENT-CLASS-244-13
US-PATENT-CLASS-244-46
US-PATENT-CLASS-244-55
US-PATENT-3,737,121
N73-26006* c 02 ..... NASA-CASE-MSC-12393-1
US-PATENT-APPL-SN-203405
US-PATENT-CLASS-114-122
US-PATENT-CLASS-9-11A
US-PATENT-CLASS-9-2A
US-PATENT-CLASS-9-3
US-PATENT-3,736,607
N73-26071* c 05 ..... NASA-CASE-ARC-10599-1
US-PATENT-APPL-SN-247481
US-PATENT-CLASS-165-46
US-PATENT-CLASS-2-2.1
US-PATENT-CLASS-62-176
US-PATENT-CLASS-62-207
US-PATENT-CLASS-62-209
US-PATENT-CLASS-62-259
US-PATENT-CLASS-62-89
US-PATENT-3,736,764
N73-26072* c 05 ..... NASA-CASE-ARC-10329-1
US-PATENT-APPL-SN-159857
US-PATENT-CLASS-128-2.1R
US-PATENT-CLASS-351-23
US-PATENT-CLASS-351-30
US-PATENT-CLASS-351-36
US-PATENT-3,737,217
N73-26100* c 06 ..... NASA-CASE-GSC-11358-1
US-PATENT-APPL-SN-226551
US-PATENT-CLASS-260-46.5R
US-PATENT-3,733,350
N73-26117* c 07 ..... NASA-CASE-KSC-10392
US-PATENT-APPL-SN-181024
US-PATENT-CLASS-343-880
US-PATENT-CLASS-343-883
US-PATENT-CLASS-343-889
US-PATENT-CLASS-343-895
US-PATENT-3,737,912
N73-26118* c 07 ..... NASA-CASE-NPO-11548
US-PATENT-APPL-SN-151411
US-PATENT-CLASS-179-15A
US-PATENT-CLASS-179-15BM
US-PATENT-CLASS-325-40
US-PATENT-CLASS-343-204
US-PATENT-3,737,776
N73-26119* c 07 ..... NASA-CASE-NPO-11426
US-PATENT-APPL-SN-89210
US-PATENT-CLASS-250-199
US-PATENT-CLASS-331-94.5
US-PATENT-CLASS-332-7.51
US-PATENT-CLASS-356-4
US-PATENT-CLASS-356-5
US-PATENT-3,737,231
N73-26175* c 08 ..... NASA-CASE-NPO-11821-1
US-PATENT-APPL-SN-236285
US-PATENT-CLASS-235-152
US-PATENT-CLASS-235-164
US-PATENT-CLASS-328-167
US-PATENT-3,732,409
N73-26176* c 08 ..... NASA-CASE-NPO-11456
US-PATENT-APPL-SN-153543
US-PATENT-CLASS-340-172.5
US-PATENT-3,740,725
N73-26195* c 09 ..... NASA-CASE-GSC-10990-1
US-PATENT-APPL-SN-93329
US-PATENT-CLASS-333-73R
US-PATENT-CLASS-333-73S
US-PATENT-CLASS-333-82A
US-PATENT-CLASS-333-84M
US-PATENT-3,737,815
N73-26228* c 10 ..... NASA-CASE-ERC-10403-1
US-PATENT-APPL-SN-253405
US-PATENT-CLASS-317-DIG.6
US-PATENT-CLASS-321-11
US-PATENT-CLASS-321-45C
US-PATENT-3,737,757
N73-26229* c 10 ..... NASA-CASE-NPO-11569
US-PATENT-APPL-SN-199957
US-PATENT-CLASS-307-220
US-PATENT-CLASS-307-233
US-PATENT-3,737,676
N73-26230* c 10 ..... NASA-CASE-MSC-13907-1
US-PATENT-APPL-SN-254177
US-PATENT-CLASS-235-186
US-PATENT-CLASS-235-194
US-PATENT-CLASS-235-197
US-PATENT-3,737,639
N73-26238* c 11 ..... NASA-CASE-NPO-11366
US-PATENT-APPL-SN-144139
US-PATENT-CLASS-180-41
US-PATENT-CLASS-180-6.5
US-PATENT-CLASS-180-7R
US-PATENT-CLASS-180-8A
US-PATENT-CLASS-180-9.2R
US-PATENT-CLASS-180-9.5
US-PATENT-CLASS-305-35EB
US-PATENT-CLASS-305-39
US-PATENT-3,730,287
N73-26430* c 14 ..... NASA-CASE-NPO-11304
US-PATENT-APPL-SN-101214
US-PATENT-CLASS-219-499
US-PATENT-CLASS-219-50
US-PATENT-3,733,463
N73-26431* c 14 ..... NASA-CASE-MSC-12363-1
US-PATENT-APPL-SN-125236
US-PATENT-CLASS-95-1.1
US-PATENT-3,736,849
N73-26432* c 14 ..... NASA-CASE-ERC-10276
US-PATENT-APPL-SN-24155
US-PATENT-CLASS-250-209
US-PATENT-CLASS-340-15.5GC
US-PATENT-CLASS-343-100ME
US-PATENT-3,737,905
N73-26472* c 15 ..... NASA-CASE-KSC-10639
US-PATENT-APPL-SN-181023
US-PATENT-CLASS-137-397
US-PATENT-CLASS-137-582
US-PATENT-3,736,956
N73-26572* c 18 ..... NASA-CASE-ARC-10304-1
US-PATENT-APPL-SN-140946
US-PATENT-CLASS-252-8.1
US-PATENT-3,730,891
N73-26751* c 26 ..... NASA-CASE-MFS-20675
US-PATENT-APPL-SN-200085
US-PATENT-CLASS-250-219TH
US-PATENT-CLASS-356-108
US-PATENT-CLASS-356-161
US-PATENT-CLASS-356-202
US-PATENT-3,737,237
N73-26752* c 26 ..... NASA-CASE-LEW-11726-1
US-PATENT-APPL-SN-280031
US-PATENT-CLASS-156-18
US-PATENT-CLASS-174-DIG.6
US-PATENT-CLASS-29-599
US-PATENT-CLASS-336-DIG.1
US-PATENT-CLASS-336-200
US-PATENT-3,737,824
N73-26876* c 31 ..... NASA-CASE-MFS-20863
US-PATENT-APPL-SN-159966
US-PATENT-CLASS-244-1SD
US-PATENT-CLASS-244-137P
US-PATENT-3,737,117
N73-26910* c 32 ..... NASA-CASE-LAR-10756-1
US-PATENT-APPL-SN-160859
US-PATENT-CLASS-235-92MT
US-PATENT-CLASS-73-67.3
US-PATENT-CLASS-73-88.5R
US-PATENT-CLASS-73-91
US-PATENT-3,733,424
N73-26958* c 33 ..... NASA-CASE-NPO-11330
US-PATENT-APPL-SN-118269
US-PATENT-CLASS-285-DIG.21
US-PATENT-CLASS-285-316
US-PATENT-3,737,181
N73-27052* c 04 ..... NASA-CASE-GSC-11092-2
US-PATENT-APPL-SN-139250
US-PATENT-APPL-SN-60950
US-PATENT-CLASS-103.5R
US-PATENT-3,745,090
N73-27062* c 05 ..... NASA-CASE-LEW-11669-1
US-PATENT-APPL-SN-198885
US-PATENT-CLASS-128-2
US-PATENT-CLASS-128-24A
US-PATENT-CLASS-128-305
US-PATENT-CLASS-32-28
US-PATENT-CLASS-32-58
US-PATENT-3,736,938
N73-27086* c 06 ..... NASA-CASE-GSC-10225-1
US-PATENT-APPL-SN-710621
US-PATENT-CLASS-195-66R
US-PATENT-3,745,089
N73-27150*# c 09 ..... NASA-CASE-ERC-10224-2
US-PATENT-APPL-SN-221833
US-PATENT-APPL-SN-868775
US-PATENT-CLASS-29-580
US-PATENT-CLASS-317-234G
US-PATENT-CLASS-317-234L
US-PATENT-CLASS-317-234M
US-PATENT-CLASS-317-234N
US-PATENT-CLASS-317-234R
US-PATENT-3,742,316
N73-27171* c 10 ..... NASA-CASE-NPO-11941-1
US-PATENT-APPL-SN-241614
US-PATENT-CLASS-330-70CR
US-PATENT-CLASS-331-17
US-PATENT-CLASS-331-65
US-PATENT-3,740,671
N73-27376*# c 14 ..... NASA-CASE-HQN-10037-1
US-PATENT-APPL-SN-235957
US-PATENT-CLASS-73-28
US-PATENT-3,741,001
N73-27377* c 14 ..... NASA-CASE-MFS-21046-1
US-PATENT-APPL-SN-156725
US-PATENT-CLASS-272-73
US-PATENT-CLASS-35-12C
US-PATENT-3,744,794
N73-27378* c 14 ..... NASA-CASE-KSC-10626
US-PATENT-APPL-SN-180963
US-PATENT-CLASS-222-414
US-PATENT-CLASS-244-1SS
US-PATENT-CLASS-244-135
US-PATENT-3,744,738
N73-27379* c 14 ..... NASA-CASE-FRC-10060-1
US-PATENT-APPL-SN-189290
US-PATENT-CLASS-179-175.1A
US-PATENT-CLASS-340-5C
US-PATENT-CLASS-73-1DV
US-PATENT-3,744,294
N73-27405* c 15 ..... NASA-CASE-MFS-20855
US-PATENT-APPL-SN-127647
US-PATENT-CLASS-219-348
US-PATENT-CLASS-53-112A
US-PATENT-CLASS-53-22A
US-PATENT-3,745,739
N73-27406* c 15 ..... NASA-CASE-NPO-11377
US-PATENT-APPL-SN-187262
US-PATENT-CLASS-137-1
US-PATENT-CLASS-137-154
US-PATENT-CLASS-137-604
US-PATENT-3,744,510
N73-27446* c 17 ..... NASA-CASE-LAR-10953-1
US-PATENT-APPL-SN-163152
US-PATENT-CLASS-23-230R
US-PATENT-3,744,972
N73-27699* c 28 ..... NASA-CASE-XLE-10453-2
US-PATENT-APPL-SN-180473
US-PATENT-APPL-SN-758540
US-PATENT-CLASS-313-217
US-PATENT-CLASS-313-218
US-PATENT-CLASS-313-230
US-PATENT-CLASS-313-355
US-PATENT-CLASS-313-63
US-PATENT-CLASS-60-202
US-PATENT-3,744,247
N73-27796* c 33 ..... NASA-CASE-LAR-10439-1
US-PATENT-APPL-SN-182033
US-PATENT-CLASS-356-72
US-PATENT-CLASS-73-339
US-PATENT-CLASS-73-432R
US-PATENT-CLASS-73-86
US-PATENT-3,745,816
N73-27941* c 05 ..... NASA-CASE-MFS-21109-1
US-PATENT-APPL-SN-202769
US-PATENT-CLASS-128-2.05R

US-PATENT-CLASS-128-2.06R
US-PATENT-CLASS-272-73
US-PATENT-CLASS-73-379
US-PATENT-3,744,480

N73-27980* c 06 ..... NASA-CASE-LEW-11325-1
US-PATENT-APPL-SN-184960
US-PATENT-CLASS-117-161P
US-PATENT-CLASS-117-161UN
US-PATENT-CLASS-117-228
US-PATENT-CLASS-161-214
US-PATENT-CLASS-161-227
US-PATENT-CLASS-260-30.2
US-PATENT-CLASS-260-30.8DS
US-PATENT-CLASS-260-32.6N
US-PATENT-CLASS-260-33.4R
US-PATENT-CLASS-260-33.6R
US-PATENT-CLASS-260-47CP
US-PATENT-CLASS-260-65
US-PATENT-CLASS-260-78TF
US-PATENT-CLASS-260-78UA
US-PATENT-3,745,149

N73-28012* c 07 ..... NASA-CASE-NPO-11593-1
US-PATENT-APPL-SN-172807
US-PATENT-CLASS-179-15FS
US-PATENT-CLASS-325-419
US-PATENT-CLASS-329-122
US-PATENT-3,745,255

N73-28013* c 07 ..... NASA-CASE-GSC-11046-1
US-PATENT-APPL-SN-182399
US-PATENT-CLASS-343-725
US-PATENT-CLASS-343-729
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-803
US-PATENT-CLASS-343-893
US-PATENT-3,747,111

N73-28045* c 08 ..... NASA-CASE-XNP-00477
US-PATENT-APPL-SN-175497
US-PATENT-CLASS-340-347
US-PATENT-3,219,997

N73-28083* c 09 ..... NASA-CASE-GSC-11215-1
US-PATENT-APPL-SN-114873
US-PATENT-CLASS-29-628
US-PATENT-CLASS-29-629
US-PATENT-CLASS-29-630
US-PATENT-CLASS-29-630A
US-PATENT-3,744,128

N73-28084* c 09 ..... NASA-CASE-XNP-03623
US-PATENT-APPL-SN-471154
US-PATENT-CLASS-178-69.5
US-PATENT-3,402,265

N73-28144* c 12 ..... NASA-CASE-LAR-10612-1
US-PATENT-APPL-SN-233173
US-PATENT-CLASS-73-147
US-PATENT-3,744,305

N73-28486* c 14 ..... NASA-CASE-NPO-11749
US-PATENT-APPL-SN-175267
US-PATENT-CLASS-324-52
US-PATENT-CLASS-73-15R
US-PATENT-3,737,762

N73-28487* c 14 ..... NASA-CASE-XLA-08916-2
US-PATENT-APPL-SN-777765
US-PATENT-APPL-SN-97472
US-PATENT-CLASS-73-170R
US-PATENT-CLASS-73-432R
US-PATENT-3,744,320

N73-28488* c 14 ..... NASA-CASE-LEW-11159-1
US-PATENT-APPL-SN-104346
US-PATENT-CLASS-250-336
US-PATENT-CLASS-307-308
US-PATENT-3,745,357

N73-28489* c 14 ..... NASA-CASE-GSC-11074-1
US-PATENT-APPL-SN-198362
US-PATENT-CLASS-34-155
US-PATENT-CLASS-34-160
US-PATENT-CLASS-34-162
US-PATENT-3,744,148

N73-28490* c 14 ..... NASA-CASE-GSC-11444-1
US-PATENT-APPL-SN-229128
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-214R
US-PATENT-CLASS-356-141
US-PATENT-3,744,913

N73-28491* c 14 ..... NASA-CASE-XNP-05231
US-PATENT-APPL-SN-524746
US-PATENT-CLASS-250-51.5
US-PATENT-3,440,419

N73-28515* c 15 ..... NASA-CASE-LEW-10533-1
US-PATENT-APPL-SN-134658
US-PATENT-CLASS-219-107
US-PATENT-CLASS-219-62
US-PATENT-CLASS-27-498
US-PATENT-CLASS-29-497.5
US-PATENT-3,745,300

N73-28516* c 15 ..... NASA-CASE-XNP-01187
US-PATENT-APPL-SN-155598
US-PATENT-CLASS-317-158
US-PATENT-3,244,943

N73-28573* c 17 ..... NASA-CASE-XNP-08876
US-PATENT-APPL-SN-527331
US-PATENT-CLASS-75-66
US-PATENT-3,419,384

N73-28710* c 26 ..... NASA-CASE-XNP-01185
US-PATENT-APPL-SN-155595
US-PATENT-CLASS-317-158
US-PATENT-3,198,994

N73-30078* c 05 ..... NASA-CASE-MFS-21010-1
US-PATENT-APPL-SN-251609
US-PATENT-CLASS-73-379
US-PATENT-3,750,479

N73-30097* c 06 ..... NASA-CASE-LAR-10670-1
US-PATENT-APPL-SN-59892
US-PATENT-CLASS-149-1
US-PATENT-CLASS-149-36
US-PATENT-CLASS-252-301.4
US-PATENT-CLASS-252-305
US-PATENT-CLASS-60-215
US-PATENT-3,751,913

N73-30098* c 06 ..... NASA-CASE-MFS-21040-1
US-PATENT-APPL-SN-183240
US-PATENT-CLASS-260-485F
US-PATENT-3,752,847

N73-30099* c 06 ..... NASA-CASE-MFS-10512
US-PATENT-APPL-SN-606027
US-PATENT-CLASS-260-77.5
US-PATENT-3,463,761

N73-30100* c 06 ..... NASA-CASE-MFS-10506
US-PATENT-APPL-SN-606036
US-PATENT-CLASS-260-77.5
US-PATENT-3,463,762

N73-30101* c 06 ..... NASA-CASE-MFS-10507
US-PATENT-APPL-SN-605994
US-PATENT-CLASS-260-615
US-PATENT-3,452,103

N73-30102* c 06 ..... NASA-CASE-MFS-11492
US-PATENT-APPL-SN-707440
US-PATENT-CLASS-260-2
US-PATENT-3,577,356

N73-30103* c 06 ..... NASA-CASE-MFS-10509
US-PATENT-APPL-SN-605964
US-PATENT-CLASS-260-77.5
US-PATENT-3,475,384

N73-30113* c 07 ..... NASA-CASE-NPO-11628-1
US-PATENT-APPL-SN-207211
US-PATENT-CLASS-325-420
US-PATENT-CLASS-325-422
US-PATENT-CLASS-329-120
US-PATENT-3,746,998

N73-30115* c 07 ..... NASA-CASE-KSC-10654-1
US-PATENT-APPL-SN-250766
US-PATENT-CLASS-178-DIG.23
US-PATENT-CLASS-178-6.6DD
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-179-15BS
US-PATENT-3,749,831

N73-30135* c 08 ..... NASA-CASE-NPO-10817-1
US-PATENT-APPL-SN-82649
US-PATENT-CLASS-250-229
US-PATENT-CLASS-250-237R
US-PATENT-CLASS-250-239
US-PATENT-3,745,352

N73-30181* c 09 ..... NASA-CASE-MFS-21214-1
US-PATENT-APPL-SN-235269
US-PATENT-CLASS-313-161
US-PATENT-CLASS-315-248
US-PATENT-CLASS-315-324
US-PATENT-3,745,410

N73-30185* c 09 ..... NASA-CASE-NPO-11738-1
US-PATENT-APPL-SN-235295
US-PATENT-CLASS-335-296
US-PATENT-CLASS-335-297
US-PATENT-3,750,067

N73-30205* c 10 ..... NASA-CASE-NPO-11307-1
US-PATENT-APPL-SN-169671
US-PATENT-CLASS-340-277
US-PATENT-CLASS-340-279
US-PATENT-3,750,131

N73-30386* c 14 ..... NASA-CASE-MFS-20658-1
US-PATENT-APPL-SN-205675
US-PATENT-CLASS-324-79D
US-PATENT-CLASS-328-129
US-PATENT-CLASS-328-134
US-PATENT-CLASS-328-48
US-PATENT-3,745,475

N73-30388* c 14 ..... NASA-CASE-NPO-11291-1
US-PATENT-APPL-SN-116790
US-PATENT-CLASS-324-29.5
US-PATENT-CLASS-324-57R
US-PATENT-CLASS-324-62R
US-PATENT-CLASS-324-95
US-PATENT-3,750,016

N73-30389* c 14 ..... NASA-CASE-MFS-20546-2
US-PATENT-APPL-SN-11220
US-PATENT-APPL-SN-51317
US-PATENT-CLASS-250-105
US-PATENT-CLASS-250-65R
US-PATENT-3,749,911

N73-30390* c 14 ..... NASA-CASE-XGS-07752
US-PATENT-APPL-SN-533659
US-PATENT-CLASS-73-4
US-PATENT-3,395,565

N73-30391* c 14 ..... NASA-CASE-XLA-05087
US-PATENT-APPL-SN-459407
US-PATENT-CLASS-315-111
US-PATENT-3,394,286

N73-30392* c 14 ..... NASA-CASE-MFS-21441-1
US-PATENT-APPL-SN-231662
US-PATENT-CLASS-250-394
US-PATENT-CLASS-250-518
US-PATENT-3,752,986

N73-30393* c 14 ..... NASA-CASE-GSC-11487-1
US-PATENT-APPL-SN-193814
US-PATENT-CLASS-250-203
US-PATENT-CLASS-350-199
US-PATENT-CLASS-350-204
US-PATENT-CLASS-350-55
US-PATENT-3,752,559

N73-30394* c 14 ..... NASA-CASE-LAR-10000
US-PATENT-APPL-SN-613235
US-PATENT-CLASS-73-398
US-PATENT-3,446,075

N73-30395* c 14 ..... NASA-CASE-LAR-10623-1
US-PATENT-APPL-SN-214086
US-PATENT-CLASS-15-415
US-PATENT-CLASS-73-28
US-PATENT-CLASS-73-421.5R
US-PATENT-3,748,905

N73-30457* c 15 ..... NASA-CASE-GSC-11149-1
US-PATENT-APPL-SN-152849
US-PATENT-CLASS-254-29A
US-PATENT-CLASS-29-452
US-PATENT-CLASS-81-57.38
US-PATENT-3,749,362

N73-30458* c 15 ..... NASA-CASE-LEW-11087-1
US-PATENT-APPL-SN-201904
US-PATENT-CLASS-308-188
US-PATENT-CLASS-308-193
US-PATENT-3,751,123

N73-30459* c 15 ..... NASA-CASE-MSC-13587-1
US-PATENT-APPL-SN-206698
US-PATENT-CLASS-137-516.27
US-PATENT-CLASS-137-535
US-PATENT-3,749,123

N73-30460* c 15 ..... NASA-CASE-HQN-10638-1
US-PATENT-APPL-SN-212977
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-297-386
US-PATENT-3,749,205

N73-30476* c 16 ..... NASA-CASE-MFS-20823-1
US-PATENT-APPL-SN-175981
US-PATENT-CLASS-350-3.5
US-PATENT-CLASS-356-108
US-PATENT-CLASS-356-109
US-PATENT-3,744,912

N73-30532* c 18 ..... NASA-CASE-ERC-10339-1
US-PATENT-APPL-SN-43883
US-PATENT-CLASS-156-285
US-PATENT-3,745,082

N73-30640* c 21 ..... NASA-CASE-GSC-10890-1
US-PATENT-APPL-SN-111998
US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-209
US-PATENT-CLASS-250-236
US-PATENT-3,752,993

N73-30641* c 21 ..... NASA-CASE-LAR-10717-1
US-PATENT-APPL-SN-242028
US-PATENT-CLASS-343-112CA
US-PATENT-CLASS-343-6.5R
US-PATENT-3,750,168

N73-30665* c 23 ..... NASA-CASE-LEW-11326-1
US-PATENT-APPL-SN-192970
US-PATENT-CLASS-431-173
US-PATENT-CLASS-431-9
US-PATENT-CLASS-60-39.65
US-PATENT-CLASS-60-39.66
US-PATENT-CLASS-60-39.72
US-PATENT-CLASS-60-39.74R
US-PATENT-3,748,853

N73-30666* c 23 ..... NASA-CASE-GSC-11296-1
US-PATENT-APPL-SN-228190
US-PATENT-CLASS-350-162SF
US-PATENT-CLASS-350-55
US-PATENT-3,752,564

N73-30829* c 31 ..... NASA-CASE-GSC-11018-1
US-PATENT-APPL-SN-244523
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-32

US-PATENT-CLASS-165-47
US-PATENT-CLASS-165-96
US-PATENT-CLASS-244-1SS
US-PATENT-3,749,156

N73-31988* c 03 ..... NASA-CASE-MSC-12396-1
US-PATENT-APPL-SN-258331
US-PATENT-CLASS-307-18
US-PATENT-CLASS-307-28
US-PATENT-CLASS-307-29
US-PATENT-CLASS-307-38
US-PATENT-3,755,686

N73-32011* c 05 ..... NASA-CASE-GSC-11169-2
US-PATENT-APPL-SN-139094
US-PATENT-APPL-SN-60882
US-PATENT-CLASS-195-127
US-PATENT-3,756,920

N73-32012* c 05 ..... NASA-CASE-MSC-12609-1
US-PATENT-APPL-SN-750031
US-PATENT-CLASS-128-1A
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-2-81
US-PATENT-3,751,727

N73-32013* c 05 ..... NASA-CASE-MFS-16570-1
US-PATENT-APPL-SN-228150
US-PATENT-CLASS-3-1.1
US-PATENT-CLASS-3-12
US-PATENT-CLASS-3-2
US-PATENT-CLASS-3-6
US-PATENT-3,751,733

N73-32014* c 05 ..... NASA-CASE-MSC-11561-1
US-PATENT-APPL-SN-146940
US-PATENT-CLASS-137-535
US-PATENT-CLASS-272-DIG.1
US-PATENT-CLASS-272-DIG.4
US-PATENT-CLASS-272-DIG.5
US-PATENT-CLASS-272-79C
US-PATENT-CLASS-91-186
US-PATENT-3,768,112

N73-32015* c 05 ..... NASA-CASE-MSC-13436-1
US-PATENT-APPL-SN-173190
US-PATENT-CLASS-128-2.07
US-PATENT-CLASS-128-2.08
US-PATENT-CLASS-73-194E
US-PATENT-CLASS-73-194M
US-PATENT-3,759,249

N73-32029* c 06 ..... NASA-CASE-NPO-10998-1
NASA-CASE-NPO-10999-1
US-PATENT-APPL-SN-145027
US-PATENT-CLASS-252-431N
US-PATENT-CLASS-252-431R
US-PATENT-CLASS-260-47UP
US-PATENT-CLASS-260-567.6M
US-PATENT-CLASS-260-93.5A
US-PATENT-CLASS-260-93.5S
US-PATENT-CLASS-260-94.2M
US-PATENT-CLASS-260-94.2R
US-PATENT-CLASS-260-94.7R
US-PATENT-3,755,283

N73-32030* c 06 ..... NASA-CASE-MFS-20979-2
US-PATENT-APPL-SN-100774
US-PATENT-APPL-SN-219590
US-PATENT-CLASS-260-448.2D
US-PATENT-3,763,204

N73-32081* c 08 ..... NASA-CASE-MSC-12458-1
US-PATENT-APPL-SN-188927
US-PATENT-CLASS-235-152IE
US-PATENT-CLASS-340-347DA
US-PATENT-3,754,236

N73-32107* c 09 ..... NASA-CASE-MFS-20207-1
US-PATENT-APPL-SN-239574
US-PATENT-CLASS-318-254
US-PATENT-CLASS-318-328
US-PATENT-3,757,183

N73-32108* c 09 ..... NASA-CASE-GSC-11368-1
US-PATENT-APPL-SN-237029
US-PATENT-CLASS-136-24
US-PATENT-3,759,746

N73-32109* c 09 ..... NASA-CASE-GSC-11394-1
US-PATENT-APPL-SN-292698
US-PATENT-CLASS-136-89
US-PATENT-CLASS-250-212
US-PATENT-CLASS-321-1.5
US-PATENT-3,760,257

N73-32110* c 09 ..... NASA-CASE-KSC-10729-1
US-PATENT-APPL-SN-221714
US-PATENT-CLASS-343-112R
US-PATENT-CLASS-343-113R
US-PATENT-3,754,263

N73-32111* c 09 ..... NASA-CASE-ARC-10463-1
US-PATENT-APPL-SN-241615
US-PATENT-CLASS-331-94.5
US-PATENT-3,753,148

N73-32112* c 09 ..... NASA-CASE-ARC-10330-1
US-PATENT-APPL-SN-151412
US-PATENT-CLASS-317-235R
US-PATENT-CLASS-317-235WW
US-PATENT-3,760,239

N73-32143* c 10 ..... NASA-CASE-MSC-13746-1
US-PATENT-APPL-SN-226476
US-PATENT-CLASS-178-18
US-PATENT-3,758,718

N73-32144* c 10 ..... NASA-CASE-NPO-11703-1
US-PATENT-APPL-SN-223560
US-PATENT-CLASS-340-166
US-PATENT-CLASS-340-173
US-PATENT-CLASS-340-223
US-PATENT-CLASS-340-415
US-PATENT-3,760,394

N73-32145* c 10 ..... NASA-CASE-MFS-21465-1
US-PATENT-APPL-SN-218965
US-PATENT-CLASS-307-271
US-PATENT-CLASS-318-230
US-PATENT-CLASS-318-231
US-PATENT-CLASS-318-341
US-PATENT-CLASS-331-135
US-PATENT-3,760,248

N73-32152* c 11 ..... NASA-CASE-MSC-13789-1
US-PATENT-APPL-SN-166487
US-PATENT-CLASS-102-95
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-89-8
US-PATENT-3,763,740

N73-32317* c 14 ..... NASA-CASE-NPO-12128-1
US-PATENT-APPL-SN-841845
US-PATENT-CLASS-250-207
US-PATENT-CLASS-250-83.3R
US-PATENT-CLASS-313-104
US-PATENT-3,758,781

N73-32318* c 14 ..... NASA-CASE-KSC-10730-1
US-PATENT-APPL-SN-248469
US-PATENT-CLASS-324-72
US-PATENT-3,760,268

N73-32319* c 14 ..... NASA-CASE-KSC-10728-1
US-PATENT-APPL-SN-292682
US-PATENT-CLASS-95-11
US-PATENT-CLASS-95-11.5
US-PATENT-3,759,152

N73-32320* c 14 ..... NASA-CASE-GSC-11188-1
US-PATENT-APPL-SN-244440
US-PATENT-APPL-SN-80029
US-PATENT-CLASS-29-195Y
US-PATENT-3,759,672

N73-32321* c 14 ..... NASA-CASE-XNP-05530
NASA-CASE-XNP-06933
US-PATENT-APPL-SN-488381
US-PATENT-CLASS-73-81
US-PATENT-3,379,052

N73-32322* c 14 ..... NASA-CASE-LAR-10319-1
US-PATENT-APPL-SN-197870
US-PATENT-CLASS-346-110
US-PATENT-CLASS-95-42
US-PATENT-3,757,659

N73-32323* c 14 ..... NASA-CASE-LAR-10440-1
US-PATENT-APPL-SN-229413
US-PATENT-CLASS-73-103
US-PATENT-CLASS-73-94
US-PATENT-3,757,568

N73-32324* c 14 ..... NASA-CASE-LAR-02743
US-PATENT-APPL-SN-404212
US-PATENT-CLASS-313-7
US-PATENT-3,310,699

N73-32325* c 14 ..... NASA-CASE-XNP-04231
US-PATENT-APPL-SN-362261
US-PATENT-CLASS-250-41.9
US-PATENT-3,334,225

N73-32326* c 14 ..... NASA-CASE-ARC-10362-1
US-PATENT-APPL-SN-198289
US-PATENT-CLASS-128-2.05F
US-PATENT-CLASS-73-194EM
US-PATENT-3,751,980

N73-32327* c 14 ..... NASA-CASE-LAR-10483-1
US-PATENT-APPL-SN-184090
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-170R
US-PATENT-3,763,691

N73-32358* c 15 ..... NASA-CASE-LEW-11388-1
US-PATENT-APPL-SN-289033
US-PATENT-CLASS-219-117
US-PATENT-CLASS-219-91
US-PATENT-CLASS-29-497
US-PATENT-3,758,741

N73-32359* c 15 ..... NASA-CASE-LEW-11152-1
US-PATENT-APPL-SN-198379
US-PATENT-CLASS-308-35
US-PATENT-CLASS-308-9
US-PATENT-3,759,588

N73-32360* c 15 ..... NASA-CASE-GSC-11163-1
US-PATENT-APPL-SN-205047
US-PATENT-CLASS-117-105
US-PATENT-CLASS-117-105.5
US-PATENT-CLASS-117-130R
US-PATENT-CLASS-117-138.8R
US-PATENT-CLASS-117-151
US-PATENT-CLASS-117-160R
US-PATENT-CLASS-117-66
US-PATENT-CLASS-29-527.2
US-PATENT-CLASS-72-53
US-PATENT-3,754,976

N73-32361* c 15 ..... NASA-CASE-XNP-01188
US-PATENT-APPL-SN-155596
US-PATENT-CLASS-317-158
US-PATENT-3,262,025

N73-32362* c 15 ..... NASA-CASE-XNP-07169
US-PATENT-APPL-SN-486884
US-PATENT-CLASS-175-26
US-PATENT-3,375,885

N73-32391* c 16 ..... NASA-CASE-GSC-11222-1
US-PATENT-APPL-SN-251621
US-PATENT-CLASS-307-157
US-PATENT-CLASS-315-DIG.2
US-PATENT-CLASS-315-101
US-PATENT-CLASS-315-258
US-PATENT-CLASS-315-356
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5
US-PATENT-3,758,877

N73-32414* c 17 ..... NASA-CASE-LEW-11267-1
US-PATENT-APPL-SN-190316
US-PATENT-CLASS-29-196.2
US-PATENT-CLASS-29-196.6
US-PATENT-CLASS-29-197
US-PATENT-3,762,884

N73-32415* c 17 ..... NASA-CASE-LEW-10436-1
US-PATENT-APPL-SN-221093
US-PATENT-CLASS-73-170
US-PATENT-CLASS-75-171
US-PATENT-3,762,918

N73-32437* c 18 ..... NASA-CASE-MFS-20861-1
US-PATENT-APPL-SN-160860
US-PATENT-CLASS-75-135
US-PATENT-3,752,665

N73-32528* c 22 ..... NASA-CASE-XLE-00209
US-PATENT-APPL-SN-60276
US-PATENT-CLASS-176-169
US-PATENT-3,759,787

N73-32571* c 26 ..... NASA-CASE-LEW-11015
US-PATENT-APPL-SN-235266
US-PATENT-CLASS-174-DIG.6
US-PATENT-CLASS-174-126CP
US-PATENT-CLASS-29-599
US-PATENT-CLASS-335-216
US-PATENT-3,763,552

N73-32606* c 28 ..... NASA-CASE-NPO-12070-1
US-PATENT-APPL-SN-153542
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-141
US-PATENT-CLASS-165-185
US-PATENT-CLASS-239-127.1
US-PATENT-CLASS-60-267
US-PATENT-3,759,443

N73-32749* c 31 ..... NASA-CASE-ERC-10365-1
US-PATENT-APPL-SN-99198
US-PATENT-CLASS-287-92
US-PATENT-CLASS-52-109
US-PATENT-CLASS-52-64
US-PATENT-CLASS-52-646
US-PATENT-CLASS-52-80
US-PATENT-3,757,476

N73-32750* c 31 ..... NASA-CASE-LEW-11101-1
US-PATENT-APPL-SN-175983
US-PATENT-CLASS-244-1SC
US-PATENT-CLASS-244-1SS
US-PATENT-CLASS-47-1.4
US-PATENT-CLASS-47-17
US-PATENT-3,749,332

N73-32818* c 33 ..... NASA-CASE-NPO-11942-1
US-PATENT-APPL-SN-266866
US-PATENT-CLASS-165-106
US-PATENT-CLASS-165-32
US-PATENT-CLASS-165-96
US-PATENT-CLASS-244-1SS
US-PATENT-3,763,928

N73-33076* c 06 ..... NASA-CASE-NPO-10767-1
US-PATENT-APPL-SN-241061
US-PATENT-APPL-SN-770417
US-PATENT-CLASS-260-77.5AP
US-PATENT-3,755,265

N73-33361* c 14 ..... NASA-CASE-ARC-10468-1
US-PATENT-APPL-SN-288857
US-PATENT-CLASS-355-18
US-PATENT-CLASS-95-12
US-PATENT-3,764,209

N73-33383* c 15 ..... NASA-CASE-LEW-11026-1
US-PATENT-APPL-SN-196970
US-PATENT-CLASS-29-487
US-PATENT-CLASS-29-494
US-PATENT-CLASS-29-497.5
US-PATENT-CLASS-29-498

US-PATENT-3,748,722
N73-33397* c 16 ..... NASA-CASE-ARC-10444-1
US-PATENT-APPL-SN-167719
US-PATENT-CLASS-331-94.5A
US-PATENT-CLASS-350-285
US-PATENT-CLASS-356-138
US-PATENT-CLASS-356-148
US-PATENT-CLASS-356-153
US-PATENT-CLASS-356-172
US-PATENT-3,764,220
N74-10034* c 02 ..... NASA-CASE-LAR-10776-1
US-PATENT-APPL-SN-211332
US-PATENT-CLASS-244-145
US-PATENT-3,764,097
N74-10132* c 32 ..... NASA-CASE-NPO-11302-2
US-PATENT-APPL-SN-266822
US-PATENT-APPL-SN-70967
US-PATENT-CLASS-178-69.4R
US-PATENT-3,766,315
N74-10194* c 33 ..... NASA-CASE-NPO-11962-1
US-PATENT-APPL-SN-292681
US-PATENT-CLASS-331-1A
US-PATENT-CLASS-331-14
US-PATENT-CLASS-331-17
US-PATENT-CLASS-331-178
US-PATENT-CLASS-331-18
US-PATENT-CLASS-331-4
US-PATENT-3,764,933
N74-10195* c 33 ..... NASA-CASE-LEW-11617-1
US-PATENT-APPL-SN-266832
US-PATENT-CLASS-315-5.35
US-PATENT-CLASS-315-5.38
US-PATENT-3,764,850
N74-10223* c 33 ..... NASA-CASE-LAR-10730-1
US-PATENT-APPL-SN-239573
US-PATENT-CLASS-235-150.3
US-PATENT-CLASS-235-92CA
US-PATENT-CLASS-235-92DM
US-PATENT-CLASS-307-225R
US-PATENT-CLASS-328-48
US-PATENT-3,764,790
N74-10415* c 35 ..... NASA-CASE-MFS-20335-1
US-PATENT-APPL-SN-238263
US-PATENT-CLASS-73-67.8S
US-PATENT-3,765,229
N74-10474* c 37 ..... NASA-CASE-LEW-10326-3
US-PATENT-APPL-SN-99901
US-PATENT-CLASS-277-25
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-96
US-PATENT-3,767,212
N74-10521* c 26 ..... NASA-CASE-LEW-10805-3
US-PATENT-APPL-SN-266928
US-PATENT-APPL-SN-29917
US-PATENT-CLASS-148-126
US-PATENT-CLASS-29-420.5
US-PATENT-CLASS-75-200
US-PATENT-CLASS-75-226
US-PATENT-3,765,958
N74-10907* c 05 ..... NASA-CASE-XMF-02263
US-PATENT-APPL-SN-78766
US-PATENT-CLASS-D71-1
US-PATENT-DES-228,688
N74-10942* c 08 ..... NASA-CASE-MSC-12394-1
US-PATENT-APPL-SN-341662
US-PATENT-CLASS-244-83
US-PATENT-CLASS-318-580
US-PATENT-CLASS-318-628
US-PATENT-3,771,037
N74-10975* c 52 ..... NASA-CASE-MSC-13972-1
US-PATENT-APPL-SN-200040
US-PATENT-CLASS-128-2S
US-PATENT-CLASS-73-149
US-PATENT-3,769,834
N74-11000* c 32 ..... NASA-CASE-NPO-13171-1
US-PATENT-APPL-SN-290915
US-PATENT-CLASS-343-781
US-PATENT-CLASS-343-909
US-PATENT-3,769,623
N74-11049* c 33 ..... NASA-CASE-HQN-10792-1
US-PATENT-APPL-SN-245063
US-PATENT-CLASS-321-18
US-PATENT-CLASS-321-2
US-PATENT-CLASS-321-45S
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-331-113A
US-PATENT-CLASS-331-62
US-PATENT-3,771,040
N74-11050* c 33 ..... NASA-CASE-LAR-10868-1
US-PATENT-APPL-SN-253249
US-PATENT-CLASS-137-819
US-PATENT-CLASS-137-833
US-PATENT-CLASS-137-840
US-PATENT-3,770,021
N74-11283* c 35 ..... NASA-CASE-NPO-11659-1
US-PATENT-APPL-SN-228189
US-PATENT-CLASS-178-6.6DD
US-PATENT-CLASS-179-100.2MD
US-PATENT-CLASS-179-100.2T
US-PATENT-CLASS-340-174.1L
US-PATENT-3,770,903
N74-11284* c 35 ..... NASA-CASE-NPO-11919-1
US-PATENT-APPL-SN-237694
US-PATENT-CLASS-250-343
US-PATENT-3,766,380
N74-11300* c 37 ..... NASA-CASE-LEW-10533-2
US-PATENT-APPL-SN-247055
US-PATENT-CLASS-219-101
US-PATENT-CLASS-219-107
US-PATENT-CLASS-219-78
US-PATENT-CLASS-29-497.5
US-PATENT-3,770,933
N74-11301* c 37 ..... NASA-CASE-LAR-10170-1
US-PATENT-APPL-SN-217213
US-PATENT-CLASS-117-105.2
US-PATENT-CLASS-29-460
US-PATENT-CLASS-29-498
US-PATENT-CLASS-29-503
US-PATENT-CLASS-29-527.2
US-PATENT-3,769,689
N74-11313* c 36 ..... NASA-CASE-HQN-10790-1
US-PATENT-APPL-SN-235962
US-PATENT-CLASS-333-83R
US-PATENT-CLASS-333-97R
US-PATENT-3,771,074
N74-12778* c 52 ..... NASA-CASE-MFS-20284-1
US-PATENT-APPL-SN-242027
US-PATENT-CLASS-128-2.05T
US-PATENT-CLASS-128-2.06F
US-PATENT-CLASS-324-186
US-PATENT-CLASS-324-78D
US-PATENT-3,773,038
N74-12779* c 54 ..... NASA-CASE-MFS-21115-1
US-PATENT-APPL-SN-266930
US-PATENT-CLASS-222-309
US-PATENT-CLASS-222-340
US-PATENT-CLASS-222-387
US-PATENT-CLASS-222-514
US-PATENT-3,777,942
N74-12812* c 27 ..... NASA-CASE-ARC-10464-1
US-PATENT-APPL-SN-198472
US-PATENT-CLASS-260-2.5AM
US-PATENT-3,772,216
N74-12813* c 25 ..... NASA-CASE-LAR-10551-1
US-PATENT-APPL-SN-191301
US-PATENT-CLASS-128-191R
US-PATENT-CLASS-23-252R
US-PATENT-CLASS-23-281
US-PATENT-CLASS-23-288F
US-PATENT-CLASS-23-288J
US-PATENT-CLASS-423-231
US-PATENT-CLASS-55-510
US-PATENT-CLASS-55-518
US-PATENT-3,771,959
N74-12814* c 27 ..... NASA-CASE-ARC-10180-1
US-PATENT-APPL-SN-136253
US-PATENT-CLASS-260-2.5L
US-PATENT-3,772,220
N74-12887* c 33 ..... NASA-CASE-NPO-11905-1
US-PATENT-APPL-SN-290030
US-PATENT-CLASS-178-88
US-PATENT-CLASS-325-320
US-PATENT-CLASS-329-104
US-PATENT-CLASS-329-122
US-PATENT-CLASS-329-126
US-PATENT-3,772,272
N74-12888* c 60 ..... NASA-CASE-MSC-14053-1
US-PATENT-APPL-SN-266899
US-PATENT-CLASS-328-123
US-PATENT-CLASS-340-173CR
US-PATENT-CLASS-340-173LM
US-PATENT-3,778,786
N74-12912* c 32 ..... NASA-CASE-NPO-11850-1
US-PATENT-APPL-SN-186700
US-PATENT-CLASS-343-18B
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-6.5SS
US-PATENT-3,772,691
N74-12913* c 33 ..... NASA-CASE-LEW-11162-1
US-PATENT-APPL-SN-143508
US-PATENT-CLASS-313-153
US-PATENT-CLASS-313-209
US-PATENT-CLASS-313-217
US-PATENT-CLASS-313-224
US-PATENT-CLASS-313-32
US-PATENT-3,777,200
N74-12951* c 33 ..... NASA-CASE-MFS-21374-1
US-PATENT-APPL-SN-238047
US-PATENT-CLASS-317-234E
US-PATENT-CLASS-317-234F
US-PATENT-CLASS-317-234M
US-PATENT-CLASS-317-234N
US-PATENT-CLASS-317-234R
US-PATENT-3,778,685
N74-13011* c 46 ..... NASA-CASE-MSC-12408-1
US-PATENT-APPL-SN-229916
US-PATENT-CLASS-423-579
US-PATENT-3,773,913
N74-13129* c 35 ..... NASA-CASE-FRC-10051-1
US-PATENT-APPL-SN-253725
US-PATENT-CLASS-254-93R
US-PATENT-CLASS-73-88R
US-PATENT-3,776,028
N74-13130* c 91 ..... NASA-CASE-NPO-12127-1
US-PATENT-APPL-SN-106106
US-PATENT-CLASS-250-219DF
US-PATENT-CLASS-250-83CD
US-PATENT-3,752,996
N74-13131* c 39 ..... NASA-CASE-MFS-20730-1
US-PATENT-APPL-SN-182977
US-PATENT-CLASS-269-48.1
US-PATENT-CLASS-83-452
US-PATENT-CLASS-83-602
US-PATENT-CLASS-83-917
US-PATENT-3,777,605
N74-13132* c 35 ..... NASA-CASE-LAR-10910-1
US-PATENT-APPL-SN-239577
US-PATENT-CLASS-73-4R
US-PATENT-CLASS-73-420
US-PATENT-3,777,546
N74-13177* c 31 ..... NASA-CASE-LAR-10547-1
US-PATENT-APPL-SN-193980
US-PATENT-CLASS-264-294
US-PATENT-3,772,418
N74-13178* c 37 ..... NASA-CASE-LAR-10544-1
US-PATENT-APPL-SN-188928
US-PATENT-CLASS-222-193
US-PATENT-3,776,432
N74-13179* c 37 ..... NASA-CASE-LEW-10805-2
US-PATENT-APPL-SN-233743
US-PATENT-APPL-SN-29917
US-PATENT-CLASS-29-182
US-PATENT-CLASS-29-420.5
US-PATENT-CLASS-75-200
US-PATENT-CLASS-75-213
US-PATENT-CLASS-75-214
US-PATENT-CLASS-75-226
US-PATENT-3,775,101
N74-13205* c 36 ..... NASA-CASE-NPO-11317-2
US-PATENT-APPL-SN-187143
US-PATENT-APPL-SN-34989
US-PATENT-CLASS-179-100.2CH
US-PATENT-CLASS-250-205
US-PATENT-CLASS-250-217
US-PATENT-CLASS-340-174.1M
US-PATENT-CLASS-340-174YC
US-PATENT-CLASS-350-151
US-PATENT-3,778,791
N74-13270* c 27 ..... NASA-CASE-LEW-11262-1
US-PATENT-APPL-SN-136008
US-PATENT-CLASS-204-192
US-PATENT-3,772,174
N74-13420* c 04 ..... NASA-CASE-FRC-10049-1
US-PATENT-APPL-SN-232021
US-PATENT-CLASS-235.150.27
US-PATENT-CLASS-235-150.22
US-PATENT-CLASS-235-150.26
US-PATENT-CLASS-244-77A
US-PATENT-CLASS-244-77B
US-PATENT-CLASS-343-108R
US-PATENT-3,776,455
N74-13436* c 70 ..... NASA-CASE-LAR-10385-2
US-PATENT-APPL-SN-239803
US-PATENT-APPL-SN-38816
US-PATENT-CLASS-117-106A
US-PATENT-CLASS-117-33.3
US-PATENT-3,779,788
N74-13502* c 20 ..... NASA-CASE-LEW-11058-1
US-PATENT-APPL-SN-233519
US-PATENT-CLASS-60-258
US-PATENT-CLASS-60-259
US-PATENT-3,777,490
N74-14133* c 31 ..... NASA-CASE-LAR-10782-1
US-PATENT-APPL-SN-197689
US-PATENT-CLASS-264-102
US-PATENT-3,780,151
N74-14784* c 44 ..... NASA-CASE-LEW-11069-1
US-PATENT-APPL-SN-83816
US-PATENT-CLASS-136-89
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-588
US-PATENT-3,780,424
N74-14845* c 54 ..... NASA-CASE-LAR-10241-1
US-PATENT-APPL-SN-193672
US-PATENT-CLASS-9-11A
US-PATENT-3,781,933
N74-14920* c 62 ..... NASA-CASE-MSC-13932-1
US-PATENT-APPL-SN-229354

US-PATENT-CLASS-235-153AK
US-PATENT-3,783,250
N74-14935* c 33 ..... NASA-CASE-MFS-21462-1
US-PATENT-APPL-SN-239576
US-PATENT-CLASS-219-477
US-PATENT-CLASS-219-539
US-PATENT-CLASS-338-320
US-PATENT-3,732,397
N74-14939* c 33 ..... NASA-CASE-FRC-10072-1
US-PATENT-APPL-SN-162100
US-PATENT-CLASS-330-10
US-PATENT-CLASS-330-35
US-PATENT-CLASS-330-9
US-PATENT-3,783,399
N74-14956* c 33 ..... NASA-CASE-MSC-17832-1
US-PATENT-APPL-SN-293727
US-PATENT-CLASS-307-127
US-PATENT-CLASS-317-33SC
US-PATENT-CLASS-317-43
US-PATENT-CLASS-317-46
US-PATENT-CLASS-317-47
US-PATENT-CLASS-317-48
US-PATENT-3,783,354
N74-15089* c 19 ..... NASA-CASE-LAR-10586-1
US-PATENT-APPL-SN-289049
US-PATENT-CLASS-102-70.2R
US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-244-3.16
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-237R
US-PATENT-3,780,966
N74-15090* c 35 ..... NASA-CASE-NPO-11432-2
US-PATENT-APPL-SN-258152
US-PATENT-APPL-SN-88435
US-PATENT-CLASS-250-211J
US-PATENT-CLASS-250-214
US-PATENT-CLASS-317-235N
US-PATENT-3,781,549
N74-15091* c 35 ..... NASA-CASE-LAR-11155-1
US-PATENT-APPL-SN-313381
US-PATENT-CLASS-250-360
US-PATENT-CLASS-250-361
US-PATENT-CLASS-250-369
US-PATENT-CLASS-250-492
US-PATENT-3,781,562
N74-15092* c 35 ..... NASA-CASE-LAR-10862-1
US-PATENT-APPL-SN-271951
US-PATENT-CLASS-73-4V
US-PATENT-3,780,563
N74-15093* c 35 ..... NASA-CASE-ARC-10442-1
US-PATENT-APPL-SN-280032
US-PATENT-CLASS-165-109
US-PATENT-CLASS-165-2
US-PATENT-CLASS-259-DIG.18
US-PATENT-CLASS-259-60
US-PATENT-CLASS-62-45
US-PATENT-3,782,698
N74-15094* c 35 ..... NASA-CASE-NPO-13044-1
US-PATENT-APPL-SN-305012
US-PATENT-CLASS-73-497
US-PATENT-CLASS-73-517B
US-PATENT-CLASS-74-5.6
US-PATENT-3,782,205
N74-15095* c 74 ..... NASA-CASE-MSC-14096-1
US-PATENT-APPL-SN-242662
US-PATENT-CLASS-350-236
US-PATENT-CLASS-350-285
US-PATENT-CLASS-350-7
US-PATENT-CLASS-356-216
US-PATENT-CLASS-356-43
US-PATENT-3,782,835
N74-15125* c 37 ..... NASA-CASE-XLE-10326-4
US-PATENT-APPL-SN-220251
US-PATENT-APPL-SN-54540
US-PATENT-APPL-SN-723465
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-91
US-PATENT-3,782,737
N74-15126* c 35 ..... NASA-CASE-ARC-10441-1
US-PATENT-APPL-SN-280029
US-PATENT-CLASS-259-98
US-PATENT-CLASS-417-470
US-PATENT-CLASS-417-471
US-PATENT-3,782,699
N74-15127* c 35 ..... NASA-CASE-NPO-11682-1
US-PATENT-APPL-SN-187365
US-PATENT-CLASS-23-284
US-PATENT-3,782,904
N74-15128* c 37 ..... NASA-CASE-LEW-11087-2
US-PATENT-APPL-SN-201904
US-PATENT-APPL-SN-280390
US-PATENT-CLASS-29-148.4A
US-PATENT-CLASS-29-148.4B
US-PATENT-3,781,958
N74-15130* c 38 ..... NASA-CASE-MFS-20767-1
US-PATENT-APPL-SN-196898
US-PATENT-CLASS-73-67.8S
US-PATENT-3,777,552
N74-15145* c 36 ..... NASA-CASE-NPO-11856-1
US-PATENT-APPL-SN-235268
US-PATENT-CLASS-250-217SS
US-PATENT-CLASS-331-94.5K
US-PATENT-CLASS-331-94.5S
US-PATENT-CLASS-350-6
US-PATENT-CLASS-356-152
US-PATENT-CLASS-356-4
US-PATENT-CLASS-356-5
US-PATENT-3,781,111
N74-15146* c 35 ..... NASA-CASE-MFS-21455-1
US-PATENT-APPL-SN-281877
US-PATENT-CLASS-350-3.5
US-PATENT-CLASS-356-106
US-PATENT-CLASS-73-71.3
US-PATENT-3,782,825
N74-15395* c 38 ..... NASA-CASE-MFS-21233-1
US-PATENT-APPL-SN-246056
US-PATENT-CLASS-324-40
US-PATENT-CLASS-73-67.5R
US-PATENT-CLASS-73-71.5U
US-PATENT-3,782,177
N74-15453* c 07 ..... NASA-CASE-LEW-11569-1
US-PATENT-APPL-SN-316618
US-PATENT-CLASS-181-43
US-PATENT-3,780,827
N74-15652* c 34 ..... NASA-CASE-LAR-10105-1
US-PATENT-APPL-SN-170680
US-PATENT-CLASS-73-86
US-PATENT-3,782,181
N74-15778* c 51 ..... NASA-CASE-ARC-10302-1
US-PATENT-APPL-SN-203271
US-PATENT-CLASS-119-51.13
US-PATENT-CLASS-119-51.5
US-PATENT-CLASS-119-51R
US-PATENT-CLASS-119-52AF
US-PATENT-CLASS-119-54
US-PATENT-CLASS-221-265
US-PATENT-3,782,334
N74-15831* c 35 ..... NASA-CASE-GSC-11553-1
US-PATENT-APPL-SN-177985
US-PATENT-CLASS-178-6.7R
US-PATENT-CLASS-219-216
US-PATENT-CLASS-219-388
US-PATENT-CLASS-34-162
US-PATENT-CLASS-346-108
US-PATENT-CLASS-346-138
US-PATENT-CLASS-346-24
US-PATENT-CLASS-95-89R
US-PATENT-3,781,902
N74-16135* c 35 ..... NASA-CASE-LAR-10595-1
US-PATENT-APPL-SN-273240
US-PATENT-CLASS-340-12R
US-PATENT-CLASS-340-5R
US-PATENT-CLASS-340-8R
US-PATENT-3,783,443
N74-17153* c 35 ..... NASA-CASE-MFS-21087-1
US-PATENT-APPL-SN-149283
US-PATENT-CLASS-350-3.5
US-PATENT-3,752,556
N74-17283* c 27 ..... NASA-CASE-MFS-20486-2
US-PATENT-APPL-SN-292382
US-PATENT-APPL-SN-84212
US-PATENT-CLASS-260-29.6S
US-PATENT-3,784,499
N74-17853* c 54 ..... NASA-CASE-MFS-21163-1
US-PATENT-APPL-SN-266925
US-PATENT-CLASS-222-324
US-PATENT-CLASS-224-444
US-PATENT-3,790,037
N74-17885* c 35 ..... NASA-CASE-MSC-13855-1
US-PATENT-APPL-SN-196931
US-PATENT-CLASS-325-38B
US-PATENT-CLASS-332-11D
US-PATENT-CLASS-340-347AD
US-PATENT-3,795,900
N74-17927* c 33 ..... NASA-CASE-NPO-13138-1
US-PATENT-APPL-SN-335201
US-PATENT-CLASS-328-155
US-PATENT-CLASS-333-16
US-PATENT-CLASS-333-18
US-PATENT-3,790,906
N74-17928* c 33 ..... NASA-CASE-NPO-11966-1
NASA-CASE-NPO-13159-1
US-PATENT-APPL-SN-284245
US-PATENT-CLASS-100-8
US-PATENT-CLASS-336-210
US-PATENT-3,792,399
N74-17929* c 33 ..... NASA-CASE-ARC-10197-1
US-PATENT-APPL-SN-310624
US-PATENT-CLASS-317-16
US-PATENT-CLASS-317-31
US-PATENT-3,795,840
N74-17930* c 33 ..... NASA-CASE-NUC-10107-1
US-PATENT-APPL-SN-201700
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-118
US-PATENT-CLASS-329-50
US-PATENT-3,795,862
N74-17955* c 09 ..... NASA-CASE-LAR-10812-1
US-PATENT-APPL-SN-263815
US-PATENT-CLASS-73-147
US-PATENT-3,791,207
N74-18088* c 35 ..... NASA-CASE-LAR-11027-1
US-PATENT-APPL-SN-275118
US-PATENT-CLASS-250-338
US-PATENT-CLASS-250-370
US-PATENT-CLASS-250-371
US-PATENT-3,790,795
N74-18089* c 31 ..... NASA-CASE-LAR-10318-1
US-PATENT-APPL-SN-224489
US-PATENT-CLASS-156-245
US-PATENT-CLASS-156-247
US-PATENT-CLASS-156-285
US-PATENT-CLASS-156-309
US-PATENT-3,793,109
N74-18090* c 35 ..... NASA-CASE-NPO-13160-1
US-PATENT-APPL-SN-359157
US-PATENT-CLASS-321-8R
US-PATENT-CLASS-324-57R
US-PATENT-3,795,858
N74-18123* c 37 ..... NASA-CASE-LAR-10634-1
US-PATENT-APPL-SN-214084
US-PATENT-CLASS-23-253PC
US-PATENT-CLASS-23-259
US-PATENT-CLASS-259-72
US-PATENT-CLASS-312-209
US-PATENT-CLASS-356-197
US-PATENT-CLASS-356-85
US-PATENT-3,790,347
N74-18124* c 31 ..... NASA-CASE-LAR-10489-1
US-PATENT-APPL-SN-198763
US-PATENT-CLASS-264-102
US-PATENT-3,790,650
N74-18125* c 37 ..... NASA-CASE-MFS-21309-1
US-PATENT-APPL-SN-244519
US-PATENT-CLASS-180-79.3
US-PATENT-CLASS-301-5P
US-PATENT-3,789,947
N74-18126* c 37 ..... NASA-CASE-MFS-21364-1
US-PATENT-APPL-SN-214006
US-PATENT-CLASS-156-331
US-PATENT-CLASS-161-182
US-PATENT-CLASS-161-192
US-PATENT-CLASS-161-42
US-PATENT-CLASS-161-43
US-PATENT-CLASS-161-93
US-PATENT-CLASS-260-2R
US-PATENT-CLASS-264-135
US-PATENT-CLASS-264-136
US-PATENT-CLASS-264-257
US-PATENT-3,790,432
N74-18127* c 37 ..... NASA-CASE-MFS-21481-1
US-PATENT-APPL-SN-266771
US-PATENT-CLASS-128-25R
US-PATENT-CLASS-272-73
US-PATENT-CLASS-272-80
US-PATENT-CLASS-74-594.6
US-PATENT-CLASS-74-594.7
US-PATENT-3,788,163
N74-18128* c 37 ..... NASA-CASE-LEW-11387-1
US-PATENT-APPL-SN-247090
US-PATENT-CLASS-29-482
US-PATENT-CLASS-29-488
US-PATENT-CLASS-29-497
US-PATENT-CLASS-29-498
US-PATENT-3,787,959
N74-18323* c 35 ..... NASA-CASE-MFS-21136-1
US-PATENT-APPL-SN-262430
US-PATENT-CLASS-308-10
US-PATENT-CLASS-74-5.7
US-PATENT-3,763,708
N74-18551* c 25 ..... NASA-CASE-LAR-11053-1
US-PATENT-APPL-SN-281875
US-PATENT-CLASS-73-15R
US-PATENT-3,789,654
N74-18552* c 34 ..... NASA-CASE-NPO-11120-1
US-PATENT-APPL-SN-39343
US-PATENT-CLASS-165-105
US-PATENT-CLASS-267-166
US-PATENT-CLASS-29-157.3R
US-PATENT-3,789,920
N74-19310* c 72 ..... NASA-CASE-HQN-10740-1
US-PATENT-APPL-SN-266943
US-PATENT-CLASS-356-106R
US-PATENT-CLASS-356-112
US-PATENT-CLASS-356-28
US-PATENT-3,795,448
N74-19528* c 09 ..... NASA-CASE-LAR-10426-1
US-PATENT-APPL-SN-239575

US-PATENT-CLASS-73-15.6
US-PATENT-CLASS-73-91
US-PATENT-3,795,134

N74-19692* c 44 ..... NASA-CASE-GSC-11367-1
US-PATENT-APPL-SN-236985
US-PATENT-CLASS-136-36
US-PATENT-3,759,747

N74-19693* c 44 ..... NASA-CASE-NPO-11806-1
US-PATENT-APPL-SN-228163
US-PATENT-CLASS-136-20
US-PATENT-CLASS-136-30
US-PATENT-3,790,409

N74-19769* c 24 ..... NASA-CASE-ERC-10073-1
US-PATENT-APPL-SN-856253
US-PATENT-CLASS-117-95
US-PATENT-3,796,592

N74-19788* c 32 ..... NASA-CASE-NPO-11820-1
US-PATENT-APPL-SN-266912
US-PATENT-CLASS-307-237
US-PATENT-CLASS-328-160
US-PATENT-CLASS-328-168
US-PATENT-CLASS-328-172
US-PATENT-CLASS-333-14
US-PATENT-3,800,237

N74-19790* c 32 ..... NASA-CASE-MFS-21540-1
US-PATENT-APPL-SN-333912
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-325-148
US-PATENT-3,800,224

N74-19870* c 44 ..... NASA-CASE-MFS-21470-1
US-PATENT-APPL-SN-340871
US-PATENT-CLASS-325-62
US-PATENT-CLASS-333-17
US-PATENT-CLASS-343-17.7
US-PATENT-CLASS-343-7.5
US-PATENT-3,795,910

N74-20008* c 74 ..... NASA-CASE-GSC-11188-3
US-PATENT-APPL-SN-244566
US-PATENT-APPL-SN-80029
US-PATENT-CLASS-117-45
US-PATENT-3,799,793

N74-20009* c 36 ..... NASA-CASE-NPO-11861-1
US-PATENT-APPL-SN-266911
US-PATENT-CLASS-178-DIG.1
US-PATENT-CLASS-178-6
US-PATENT-CLASS-178-7.6
US-PATENT-3,800,074

N74-20063* c 37 ..... NASA-CASE-LAR-10129-2
US-PATENT-APPL-SN-319410
US-PATENT-APPL-SN-99201
US-PATENT-CLASS-312-1
US-PATENT-3,796,473

N74-20329* c 76 ..... NASA-CASE-GSC-11425-1
US-PATENT-APPL-SN-206266
US-PATENT-CLASS-148-1.5
US-PATENT-3,799,813

N74-20646* c 02 ..... NASA-CASE-LEW-11188-1
US-PATENT-APPL-SN-152328
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-137-15.2
US-PATENT-CLASS-244-53B
US-PATENT-3,799,475

N74-20725* c 54 ..... NASA-CASE-MFS-22102-1
US-PATENT-APPL-SN-341621
US-PATENT-CLASS-4-10
US-PATENT-CLASS-4-120
US-PATENT-3,805,303

N74-20726* c 52 ..... NASA-CASE-ARC-10597-1
US-PATENT-APPL-SN-281876
US-PATENT-CLASS-128-2V
US-PATENT-CLASS-73-67.9
US-PATENT-3,802,253

N74-20728* c 52 ..... NASA-CASE-MFS-21415-1
US-PATENT-APPL-SN-318152
US-PATENT-CLASS-128-2.07
US-PATENT-CLASS-128-2.08
US-PATENT-CLASS-73-23
US-PATENT-CLASS-73-421.5R
US-PATENT-3,799,149

N74-20809* c 32 ..... NASA-CASE-MSC-12462-1
US-PATENT-APPL-SN-274360
US-PATENT-CLASS-178-88
US-PATENT-CLASS-325-320
US-PATENT-CLASS-325-423
US-PATENT-3,800,227

N74-20810* c 32 ..... NASA-CASE-MSC-12494-1
US-PATENT-APPL-SN-304705
US-PATENT-CLASS-325-321
US-PATENT-CLASS-325-419
US-PATENT-3,806,816

N74-20811* c 32 ..... NASA-CASE-NPO-13103-1
US-PATENT-APPL-SN-338484
US-PATENT-CLASS-325-320
US-PATENT-CLASS-325-419
US-PATENT-CLASS-329-122
US-PATENT-3,806,815

N74-20813* c 32 ..... NASA-CASE-FRC-10071-1
US-PATENT-APPL-SN-307727
US-PATENT-CLASS-178-7.7
US-PATENT-CLASS-315-18
US-PATENT-CLASS-315-22
US-PATENT-3,803,445

N74-20836* c 60 ..... NASA-CASE-ERC-10180-1
US-PATENT-APPL-SN-838278
US-PATENT-CLASS-235-164
US-PATENT-3,803,393

N74-20859* c 33 ..... NASA-CASE-XLE-2529-3
US-PATENT-APPL-SN-288856
US-PATENT-APPL-SN-487929
US-PATENT-APPL-SN-848403
US-PATENT-CLASS-315-211
US-PATENT-CLASS-315-228
US-PATENT-CLASS-331-94.5D
US-PATENT-CLASS-332-7.51
US-PATENT-3,806,835

N74-20860* c 33 ..... NASA-CASE-GSC-11446-1
US-PATENT-APPL-SN-263230
US-PATENT-CLASS-343-DIG.2
US-PATENT-CLASS-343-100SA
US-PATENT-CLASS-343-100ST
US-PATENT-CLASS-343-854
US-PATENT-3,806,932

N74-20861* c 33 ..... NASA-CASE-GSC-11560-1
US-PATENT-APPL-SN-361906
US-PATENT-CLASS-350-269
US-PATENT-CLASS-354-234
US-PATENT-CLASS-95-53EA
US-PATENT-3,804,506

N74-20862* c 33 ..... NASA-CASE-GSC-11513-1
US-PATENT-APPL-SN-315069
US-PATENT-CLASS-331-108A
US-PATENT-CLASS-331-115
US-PATENT-CLASS-331-116R
US-PATENT-CLASS-331-159
US-PATENT-3,806,831

N74-20863* c 32 ..... NASA-CASE-GSC-11909
US-PATENT-APPL-SN-244158
US-PATENT-CLASS-343-730
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-853
US-PATENT-3,803,617

N74-20864* c 32 ..... NASA-CASE-GSC-11428-1
US-PATENT-APPL-SN-292685
US-PATENT-CLASS-343-708
US-PATENT-CLASS-343-769
US-PATENT-CLASS-343-853
US-PATENT-3,805,266

N74-21014* c 71 ..... NASA-CASE-HQN-10832-1
US-PATENT-APPL-SN-301417
US-PATENT-CLASS-178-DIG.32
US-PATENT-CLASS-178-5.8R
US-PATENT-CLASS-178-7.2
US-PATENT-CLASS-340-407
US-PATENT-CLASS-35-35A
US-PATENT-3,800,082

N74-21015* c 19 ..... NASA-CASE-LAR-10626-1
US-PATENT-APPL-SN-202750
US-PATENT-CLASS-33-1SA
US-PATENT-CLASS-33-46R
US-PATENT-3,798,778

N74-21017* c 35 ..... NASA-CASE-MFS-21660-1
US-PATENT-APPL-SN-310616
US-PATENT-CLASS-324-83Q
US-PATENT-3,806,802

N74-21018* c 35 ..... NASA-CASE-LEW-10981-1
US-PATENT-APPL-SN-214089
US-PATENT-CLASS-310-11
US-PATENT-CLASS-324-34FL
US-PATENT-CLASS-73-194EM
US-PATENT-3,802,262

N74-21019* c 35 ..... NASA-CASE-GSC-11600-1
US-PATENT-APPL-SN-318357
US-PATENT-CLASS-73-1F
US-PATENT-3,802,249

N74-21055* c 37 ..... NASA-CASE-LEW-11388-2
US-PATENT-APPL-SN-289033
US-PATENT-APPL-SN-293726
US-PATENT-CLASS-29-487
US-PATENT-CLASS-29-494
US-PATENT-CLASS-29-498
US-PATENT-CLASS-29-504
US-PATENT-3,798,748

N74-21056* c 37 ..... NASA-CASE-LAR-10688-1
US-PATENT-APPL-SN-285705
US-PATENT-CLASS-235-151
US-PATENT-CLASS-235-92PE
US-PATENT-CLASS-235-92SB
US-PATENT-3,800,253

N74-21057* c 37 ..... NASA-CASE-LAR-10941-1
US-PATENT-APPL-SN-289048
US-PATENT-CLASS-29-470.1
US-PATENT-3,797,098

N74-21058* c 37 ..... NASA-CASE-MFS-22411-1
US-PATENT-APPL-SN-382262
US-PATENT-CLASS-260-448.2N
US-PATENT-3,801,617

N74-21059* c 31 ..... NASA-CASE-LAR-10409-1
US-PATENT-APPL-SN-340864
US-PATENT-CLASS-29-423
US-PATENT-3,798,741

N74-21060* c 37 ..... NASA-CASE-NPO-13105-1
US-PATENT-APPL-SN-283502
US-PATENT-CLASS-60-25
US-PATENT-3,798,896

N74-21061* c 37 ..... NASA-CASE-LEW-11076-1
US-PATENT-APPL-SN-238264
US-PATENT-CLASS-308-73
US-PATENT-3,804,472

N74-21062* c 35 ..... NASA-CASE-LAR-10295-1
US-PATENT-APPL-SN-221685
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-432
US-PATENT-3,805,622

N74-21063* c 37 ..... NASA-CASE-LEW-10698-1
US-PATENT-APPL-SN-30498
US-PATENT-CLASS-106-52
US-PATENT-CLASS-117-129
US-PATENT-CLASS-161-196
US-PATENT-CLASS-65-DIG.11
US-PATENT-3,804,703

N74-21064* c 37 ..... NASA-CASE-LEW-11087-3
US-PATENT-APPL-SN-201904
US-PATENT-APPL-SN-346361
US-PATENT-CLASS-308-188
US-PATENT-CLASS-308-191
US-PATENT-3,802,753

N74-21065* c 37 ..... NASA-CASE-NPO-11951-1
US-PATENT-APPL-SN-287150
US-PATENT-CLASS-137-628
US-PATENT-CLASS-251-120
US-PATENT-CLASS-251-122
US-PATENT-CLASS-251-210
US-PATENT-3,802,660

N74-21091* c 36 ..... NASA-CASE-GSC-11262-1
US-PATENT-APPL-SN-162380
US-PATENT-CLASS-250-204
US-PATENT-CLASS-33-285
US-PATENT-CLASS-356-141
US-PATENT-CLASS-356-152
US-PATENT-CLASS-356-172
US-PATENT-3,804,525

N74-21156* c 27 ..... NASA-CASE-ARC-10592-1
US-PATENT-APPL-SN-321179
US-PATENT-CLASS-260.46.5E
US-PATENT-3,803,090

N74-21300* c 70 ..... NASA-CASE-ARC-10516-1
US-PATENT-APPL-SN-267768
US-PATENT-CLASS-350-270
US-PATENT-CLASS-354-234
US-PATENT-3,797,919

N74-21304* c 74 ..... NASA-CASE-GSC-11353-1
US-PATENT-APPL-SN-260241
US-PATENT-CLASS-250-231SE
US-PATENT-CLASS-350-299
US-PATENT-CLASS-356-152
US-PATENT-3,802,779

N74-21850* c 33 ..... NASA-CASE-GSC-11602-1
US-PATENT-APPL-SN-298157
US-PATENT-CLASS-315-10
US-PATENT-CLASS-315-11
US-PATENT-CLASS-315-12
US-PATENT-3,806,756

N74-21851* c 33 ..... NASA-CASE-ARC-10596-1
US-PATENT-APPL-SN-267862
US-PATENT-CLASS-330-28
US-PATENT-CLASS-330-59
US-PATENT-3,811,094

N74-22095* c 35 ..... NASA-CASE-NPO-10617-1
US-PATENT-APPL-SN-828920
US-PATENT-CLASS-73-190H
US-PATENT-3,648,516

N74-22096* c 32 ..... NASA-CASE-XLE-04791
US-PATENT-APPL-SN-582213
US-PATENT-CLASS-330-103
US-PATENT-3,404,348

N74-22136* c 18 ..... NASA-CASE-MFS-20922-1
US-PATENT-APPL-SN-220274
US-PATENT-CLASS-244-1SS
US-PATENT-CLASS-49-68
US-PATENT-CLASS-61-83
US-PATENT-3,807,656

N74-22771* c 52 ..... NASA-CASE-ARC-10447-1
US-PATENT-APPL-SN-311175
US-PATENT-CLASS-128-214E
US-PATENT-CLASS-235-151.3
US-PATENT-3,809,871

N74-22814* c 33 ..... NASA-CASE-NPO-13081-1

US-PATENT-APPL-SN-345372
US-PATENT-CLASS-307-215
US-PATENT-CLASS-307-243
US-PATENT-CLASS-307-290
US-PATENT-CLASS-328-154
US-PATENT-3,808,464

N74-22864* c 33 ..... NASA-CASE-XER-11046-2
US-PATENT-APPL-SN-810579
US-PATENT-APPL-SN-87597
US-PATENT-CLASS-321-45R
US-PATENT-3,808,511

N74-22865* c 33 ..... NASA-CASE-LAR-10168-1
US-PATENT-APPL-SN-354407
US-PATENT-CLASS-174-DIG.8
US-PATENT-CLASS-174-69
US-PATENT-CLASS-174-70R
US-PATENT-CLASS-244-151R
US-PATENT-3,809,800

N74-22885* c 33 ..... NASA-CASE-MFS-21671-1
US-PATENT-APPL-SN-329958
US-PATENT-CLASS-323-106
US-PATENT-CLASS-323-122
US-PATENT-CLASS-323-128
US-PATENT-3,808,517

N74-23039* c 34 ..... NASA-CASE-GSC-11620-1
US-PATENT-APPL-SN-280305
US-PATENT-CLASS-126-270
US-PATENT-CLASS-244-127
US-PATENT-CLASS-244-31
US-PATENT-3,807,384

N74-23040* c 35 ..... NASA-CASE-NPO-11932-1
NASA-CASE-NPO-13127-1
US-PATENT-APPL-SN-311234
US-PATENT-CLASS-356-1065
US-PATENT-CLASS-356-113
US-PATENT-3,809,481

N74-23064* c 37 ..... NASA-CASE-LAR-10900-1
US-PATENT-APPL-SN-290021
US-PATENT-CLASS-161-116
US-PATENT-3,809,601

N74-23065* c 31 ..... NASA-CASE-NPO-11758-1
US-PATENT-APPL-SN-266913
US-PATENT-CLASS-204-222
US-PATENT-3,810,829

N74-23066* c 34 ..... NASA-CASE-LAR-10089-1
US-PATENT-APPL-SN-305638
US-PATENT-CLASS-240-47
US-PATENT-CLASS-353-54
US-PATENT-CLASS-353-61
US-PATENT-3,811,044

N74-23068* c 46 ..... NASA-CASE-XNP-10007-1
US-PATENT-APPL-SN-611414
US-PATENT-APPL-SN-768942
US-PATENT-CLASS-299-67
US-PATENT-3,606,470

N74-23069* c 46 ..... NASA-CASE-XNP-09755
US-PATENT-APPL-SN-611414
US-PATENT-APPL-SN-857241
US-PATENT-CLASS-125-1
US-PATENT-CLASS-125-3
US-PATENT-CLASS-299-86
US-PATENT-CLASS-51-283
US-PATENT-3,612,030

N74-23070* c 37 ..... NASA-CASE-MFS-20645-1
US-PATENT-APPL-SN-103091
US-PATENT-CLASS-74-217R
US-PATENT-3,678,771

N74-23125* c 27 ..... NASA-CASE-LEW-10199-1
US-PATENT-APPL-SN-651972
US-PATENT-CLASS-117-126GR
US-PATENT-CLASS-117-132B
US-PATENT-CLASS-117-161UN
US-PATENT-CLASS-260-78TF
US-PATENT-3,647,529

N74-25968* c 37 ..... NASA-CASE-MFS-21485-1
US-PATENT-APPL-SN-277436
US-PATENT-CLASS-408-111
US-PATENT-CLASS-408-80
US-PATENT-CLASS-90-12.5
US-PATENT-3,813,183

N74-26625* c 52 ..... NASA-CASE-NPO-13065-1
US-PATENT-APPL-SN-269073
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-325-113
US-PATENT-CLASS-325-141
US-PATENT-CLASS-340-183
US-PATENT-CLASS-340-203
US-PATENT-CLASS-340-207R
US-PATENT-3,815,109

N74-26626* c 52 ..... NASA-CASE-MSC-13999-1
US-PATENT-APPL-SN-256317
US-PATENT-CLASS-128-2.05A
US-PATENT-CLASS-128-2.05S
US-PATENT-3,814,083

N74-26654* c 32 ..... NASA-CASE-MSC-14065-1
US-PATENT-APPL-SN-297128
US-PATENT-CLASS-178-67
US-PATENT-CLASS-325-30
US-PATENT-3,816,657

N74-26732* c 33 ..... NASA-CASE-MFS-21698-1
US-PATENT-APPL-SN-37050
US-PATENT-CLASS-331-109
US-PATENT-CLASS-331-117R
US-PATENT-CLASS-331-183
US-PATENT-3,815,048

N74-26767* c 73 ..... NASA-CASE-NPO-13112-1
US-PATENT-APPL-SN-267572
US-PATENT-CLASS-250-499
US-PATENT-CLASS-313-61S
US-PATENT-3,816,785

N74-26945* c 35 ..... NASA-CASE-MFS-21556-1
US-PATENT-APPL-SN-340791
US-PATENT-CLASS-177-200
US-PATENT-CLASS-177-211
US-PATENT-CLASS-177-246
US-PATENT-CLASS-73-141A
US-PATENT-3,812,924

N74-26946* c 35 ..... NASA-CASE-MFS-22040-1
US-PATENT-APPL-SN-365644
US-PATENT-CLASS-350-3.5
US-PATENT-CLASS-96-38.3
US-PATENT-CLASS-96-79
US-PATENT-3,815,969

N74-26947* c 25 ..... NASA-CASE-ARC-10633-1
US-PATENT-APPL-SN-354611
US-PATENT-CLASS-250-304
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-373
US-PATENT-3,814,939

N74-26948* c 25 ..... NASA-CASE-MFS-21395-1
US-PATENT-APPL-SN-260093
US-PATENT-CLASS-204-180R
US-PATENT-3,814,678

N74-26949* c 35 ..... NASA-CASE-GSC-11492-1
US-PATENT-APPL-SN-372148
US-PATENT-CLASS-250-374
US-PATENT-CLASS-250-385
US-PATENT-CLASS-313-93
US-PATENT-3,812,358

N74-26976* c 37 ..... NASA-CASE-MFS-21846-1
US-PATENT-APPL-SN-359958
US-PATENT-CLASS-188-163
US-PATENT-CLASS-188-171
US-PATENT-3,812,936

N74-26977* c 33 ..... NASA-CASE-MFS-22133-1
US-PATENT-APPL-SN-337487
US-PATENT-CLASS-29-203MW
US-PATENT-3,815,205

N74-27035* c 24 ..... NASA-CASE-XLA-11028-1
US-PATENT-APPL-SN-219435
US-PATENT-CLASS-156-285
US-PATENT-3,814,653

N74-27037* c 27 ..... NASA-CASE-ARC-10304-2
US-PATENT-APPL-SN-140946
US-PATENT-APPL-SN-318358
US-PATENT-CLASS-102-105
US-PATENT-CLASS-106-15FP
US-PATENT-CLASS-252-62
US-PATENT-CLASS-252-8.1
US-PATENT-CLASS-260-DIG.24
US-PATENT-CLASS-260-2.5FP
US-PATENT-CLASS-260-2.5R
US-PATENT-CLASS-260-2R
US-PATENT-CLASS-260-396N
US-PATENT-3,819,550

N74-27360* c 15 ..... NASA-CASE-LAR-10670-2
US-PATENT-APPL-SN-248761
US-PATENT-APPL-SN-59892
US-PATENT-CLASS-102-90
US-PATENT-CLASS-60-214
US-PATENT-CLASS-60-215
US-PATENT-CLASS-60-39.46
US-PATENT-3,813,875

N74-27397* c 18 ..... NASA-CASE-MFS-21680-1
NASA-CASE-MFS-21681-1
US-PATENT-APPL-SN-343607
US-PATENT-CLASS-244-1SS
US-PATENT-CLASS-248-16
US-PATENT-CLASS-248-23
US-PATENT-3,814,350

N74-27425* c 28 ..... NASA-CASE-NPO-11743-1
US-PATENT-APPL-SN-277904
US-PATENT-CLASS-102-28EB
US-PATENT-CLASS-102-70.2A
US-PATENT-CLASS-102-70-2R
US-PATENT-3,812,783

N74-27490* c 07 ..... NASA-CASE-LEW-11286-1
US-PATENT-APPL-SN-339806
US-PATENT-CLASS-181-33HB
US-PATENT-CLASS-239-265.17
US-PATENT-3,820,630

N74-27519* c 44 ..... NASA-CASE-MFS-20761-1
US-PATENT-APPL-SN-326327
US-PATENT-CLASS-136-182
US-PATENT-CLASS-324-29.5
US-PATENT-CLASS-324-72.5
US-PATENT-3,818,325

N74-27566* c 52 ..... NASA-CASE-GSC-11531-1
US-PATENT-APPL-SN-291845
US-PATENT-CLASS-128-2.05E
US-PATENT-CLASS-73-398AR
US-PATENT-3,811,429

N74-27612* c 32 ..... NASA-CASE-MSC-14219-1
US-PATENT-APPL-SN-324029
US-PATENT-CLASS-117-2R
US-PATENT-CLASS-156-94
US-PATENT-CLASS-179-100.2A
US-PATENT-CLASS-179-100.2B
US-PATENT-CLASS-264-36
US-PATENT-3,819,440

N74-27682* c 33 ..... NASA-CASE-ARC-10593-1
US-PATENT-APPL-SN-310193
US-PATENT-CLASS-250-207
US-PATENT-CLASS-307-252L
US-PATENT-CLASS-307-252Q
US-PATENT-3,821,546

N74-27683* c 33 ..... NASA-CASE-LEW-10950-1
US-PATENT-APPL-SN-273222
US-PATENT-CLASS-174-111
US-PATENT-CLASS-174-15C
US-PATENT-CLASS-174-28
US-PATENT-CLASS-310-4R
US-PATENT-3,821,462

N74-27705* c 33 ..... NASA-CASE-MSC-14066-1
US-PATENT-APPL-SN-297127
US-PATENT-CLASS-178-88
US-PATENT-CLASS-325-320
US-PATENT-3,818,346

N74-27730* c 34 ..... NASA-CASE-MFS-21424-1
US-PATENT-APPL-SN-315048
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-3
US-PATENT-3,817,082

N74-27744* c 34 ..... NASA-CASE-MFS-21394-1
US-PATENT-APPL-SN-258171
US-PATENT-CLASS-204-180R
US-PATENT-CLASS-204-299
US-PATENT-3,821,102

N74-27859* c 34 ..... NASA-CASE-GSC-11434-1
US-PATENT-APPL-SN-263498
US-PATENT-CLASS-73-190R
US-PATENT-3,813,937

N74-27860* c 35 ..... NASA-CASE-MSC-14081-1
US-PATENT-APPL-SN-331760
US-PATENT-CLASS-250-576
US-PATENT-CLASS-356-180
US-PATENT-CLASS-356-246
US-PATENT-3,817,627

N74-27861* c 34 ..... NASA-CASE-MFS-21108-1
US-PATENT-APPL-SN-307728
US-PATENT-CLASS-136-213
US-PATENT-CLASS-136-230
US-PATENT-CLASS-136-233
US-PATENT-3,819,419

N74-27862* c 33 ..... NASA-CASE-KSC-10731-1
US-PATENT-APPL-SN-288847
US-PATENT-CLASS-324-72
US-PATENT-CLASS-340-151
US-PATENT-CLASS-340-182
US-PATENT-CLASS-340-200
US-PATENT-CLASS-73-170R
US-PATENT-3,820,095

N74-27864* c 52 ..... NASA-CASE-MFS-21049-1
US-PATENT-APPL-SN-304430
US-PATENT-CLASS-128-2S
US-PATENT-CLASS-338-114
US-PATENT-CLASS-338-5
US-PATENT-CLASS-73-88.5R
US-PATENT-3,820,529

N74-27865* c 35 ..... NASA-CASE-MFS-21728-1
US-PATENT-APPL-SN-361907
US-PATENT-CLASS-73-141A
US-PATENT-3,820,388

N74-27866* c 74 ..... NASA-CASE-MFS-21372-1
US-PATENT-APPL-SN-226477
US-PATENT-CLASS-250-505
US-PATENT-CLASS-250-511
US-PATENT-3,821,556

N74-27900* c 31 ..... NASA-CASE-LAR-10841-1
US-PATENT-APPL-SN-307729
US-PATENT-CLASS-13-31
US-PATENT-CLASS-73-15R
US-PATENT-3,817,084

N74-27901* c 37 ..... NASA-CASE-ARC-10462-1
US-PATENT-APPL-SN-310615
US-PATENT-CLASS-74-675
US-PATENT-CLASS-74-710
US-PATENT-3,818,775

N74-27902* c 31 ..... NASA-CASE-GSC-11445-1
US-PATENT-APPL-SN-248471
US-PATENT-CLASS-236-49
US-PATENT-CLASS-98-39
US-PATENT-3,818,814
N74-27903* c 37 ..... NASA-CASE-MSC-12549-1
US-PATENT-APPL-SN-301039
US-PATENT-CLASS-244-1SD
US-PATENT-3,820,741
N74-27904* c 37 ..... NASA-CASE-LEW-11672-1
US-PATENT-APPL-SN-305639
US-PATENT-CLASS-417-52
US-PATENT-3,819,299
N74-27905* c 37 ..... NASA-CASE-LAR-10450-1
US-PATENT-APPL-SN-289017
US-PATENT-CLASS-51-225
US-PATENT-CLASS-51-234
US-PATENT-CLASS-51-97R
US-PATENT-3,820,286
N74-28097* c 35 ..... NASA-CASE-GSC-11479-1
US-PATENT-APPL-SN-293739
US-PATENT-CLASS-244-1SA
US-PATENT-CLASS-74-5.5
US-PATENT-3,818,767
N74-28226* c 07 ..... NASA-CASE-LEW-11402-1
US-PATENT-APPL-SN-219806
US-PATENT-CLASS-415-181
US-PATENT-CLASS-416-223
US-PATENT-CLASS-416-237
US-PATENT-3,820,918
N74-29410* c 19 ..... NASA-CASE-MFS-21577-1
US-PATENT-APPL-SN-343308
US-PATENT-CLASS-250-372
US-PATENT-CLASS-250-394
US-PATENT-3,825,760
N74-29556* c 33 ..... NASA-CASE-KSC-10769-1
US-PATENT-APPL-SN-374583
US-PATENT-CLASS-318-602
US-PATENT-CLASS-318-603
US-PATENT-CLASS-318-664
US-PATENT-3,826,964
N74-30001* c 24 ..... NASA-CASE-LAR-10416-1
US-PATENT-APPL-SN-251752
US-PATENT-CLASS-156-94
US-PATENT-3,814,645
N74-30156* c 75 ..... NASA-CASE-ARC-10598-1
US-PATENT-APPL-SN-318151
US-PATENT-CLASS-356-201
US-PATENT-CLASS-356-43
US-PATENT-CLASS-356-73
US-PATENT-CLASS-356-85
US-PATENT-CLASS-356-87
US-PATENT-3,817,622
N74-30421* c 08 ..... NASA-CASE-LAR-10753-1
US-PATENT-APPL-SN-289018
US-PATENT-CLASS-244-327
US-PATENT-CLASS-244-90R
US-PATENT-CLASS-244-91
US-PATENT-3,826,448
N74-30502* c 25 ..... NASA-CASE-LEW-10906-1
US-PATENT-APPL-SN-245279
US-PATENT-APPL-SN-876588
US-PATENT-CLASS-204-157.1H
US-PATENT-3,826,726
N74-30523* c 32 ..... NASA-CASE-NPO-11921-1
US-PATENT-APPL-SN-359039
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-325-346
US-PATENT-3,828,138
N74-30524* c 32 ..... NASA-CASE-MSC-13912-1
US-PATENT-APPL-SN-310034
US-PATENT-CLASS-179-15AT
US-PATENT-CLASS-179-15BY
US-PATENT-3,828,137
N74-30597* c 09 ..... NASA-CASE-LAR-10550-1
US-PATENT-APPL-SN-261183
US-PATENT-CLASS-35-12E
US-PATENT-3,824,707
N74-30608* c 34 ..... NASA-CASE-LAR-10194-1
US-PATENT-APPL-SN-169962
US-PATENT-CLASS-55-159
US-PATENT-CLASS-55-199
US-PATENT-CLASS-55-43
US-PATENT-3,828,524
N74-30886* c 89 ..... NASA-CASE-GSC-11569-1
US-PATENT-APPL-SN-293725
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-33-268
US-PATENT-CLASS-356-141
US-PATENT-CLASS-356-147
US-PATENT-3,827,807
N74-31148* c 71 ..... NASA-CASE-NPO-11623-1
US-PATENT-APPL-SN-235338
US-PATENT-CLASS-181.5R
US-PATENT-CLASS-73-69
US-PATENT-CLASS-73-71.5R
US-PATENT-3,827,288
N74-31269* c 20 ..... NASA-CASE-LEW-11646-1
US-PATENT-APPL-SN-292686
US-PATENT-CLASS-204-192
US-PATENT-3,826,729
N74-31270* c 07 ..... NASA-CASE-LAR-10642-1
US-PATENT-APPL-SN-266820
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-415-181
US-PATENT-3,829,237
N74-32418* c 07 ..... NASA-CASE-LAR-11141-1
US-PATENT-APPL-SN-359957
US-PATENT-CLASS-181-33C
US-PATENT-CLASS-181-33F
US-PATENT-CLASS-181-33H
US-PATENT-CLASS-181-33L
US-PATENT-CLASS-181-42
US-PATENT-3,830,335
N74-32546* c 54 ..... NASA-CASE-MSC-11072
US-PATENT-APPL-SN-689455
US-PATENT-CLASS-156-218
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-2-82
US-PATENT-3,832,735
N74-32598* c 32 ..... NASA-CASE-MSC-14070-1
US-PATENT-APPL-SN-266940
US-PATENT-CLASS-340-146.1AQ
US-PATENT-3,831,142
N74-32660* c 33 ..... NASA-CASE-GSC-11617-1
US-PATENT-APPL-SN-402865
US-PATENT-CLASS-330-4.9
US-PATENT-CLASS-330-53
US-PATENT-3,833,857
N74-32711* c 33 ..... NASA-CASE-MSC-14130-1
US-PATENT-APPL-SN-373587
US-PATENT-CLASS-307-267
US-PATENT-CLASS-328-58
US-PATENT-3,831,098
N74-32712* c 33 ..... NASA-CASE-NPO-11948-1
US-PATENT-APPL-SN-306652
US-PATENT-CLASS-307-230
US-PATENT-CLASS-330-69
US-PATENT-CLASS-333-80R
US-PATENT-3,831,117
N74-32877* c 35 ..... NASA-CASE-LAR-10806-1
US-PATENT-APPL-SN-322998
US-PATENT-CLASS-33-1M
US-PATENT-CLASS-33-23R
US-PATENT-CLASS-338-89
US-PATENT-CLASS-340-347AD
US-PATENT-CLASS-346-33R
US-PATENT-3,832,781
N74-32878* c 35 ..... NASA-CASE-LAR-11139-1
US-PATENT-APPL-SN-287149
US-PATENT-CLASS-73-182
US-PATENT-CLASS-73-388
US-PATENT-3,832,903
N74-32879* c 35 ..... NASA-CASE-MSC-14187-1
US-PATENT-APPL-SN-326326
US-PATENT-CLASS-23-230L
US-PATENT-CLASS-73-104
US-PATENT-CLASS-73-15.4
US-PATENT-CLASS-73-40.7
US-PATENT-3,830,094
N74-32917* c 31 ..... NASA-CASE-NPO-13205-1
US-PATENT-APPL-SN-393525
US-PATENT-CLASS-425-28B
US-PATENT-CLASS-425-35
US-PATENT-3,833,322
N74-32918* c 37 ..... NASA-CASE-NPO-13157-1
US-PATENT-APPL-SN-370872
US-PATENT-CLASS-29-203H
US-PATENT-CLASS-29-268
US-PATENT-3,832,764
N74-32919* c 20 ..... NASA-CASE-LEW-11118-1
US-PATENT-APPL-SN-289050
US-PATENT-CLASS-204-9
US-PATENT-3,832,290
N74-32920* c 31 ..... NASA-CASE-LAR-10489-2
US-PATENT-APPL-SN-198763
US-PATENT-APPL-SN-350300
US-PATENT-CLASS-249-145
US-PATENT-CLASS-249-184
US-PATENT-CLASS-249-83
US-PATENT-CLASS-249-95
US-PATENT-CLASS-425-128
US-PATENT-CLASS-425-415
US-PATENT-3,830,609
N74-32921* c 37 ..... NASA-CASE-LEW-11076-2
US-PATENT-APPL-SN-238264
US-PATENT-APPL-SN-346483
US-PATENT-CLASS-308-121
US-PATENT-3,830,552
N74-33209* c 28 ..... NASA-CASE-NPO-11975-1
US-PATENT-APPL-SN-329243
US-PATENT-CLASS-149-17
US-PATENT-CLASS-149-60
US-PATENT-CLASS-149-76
US-PATENT-3,830,673
N74-33218* c 07 ..... NASA-CASE-ARC-10712-1
US-PATENT-APPL-SN-344410
US-PATENT-CLASS-181-33HC
US-PATENT-CLASS-239-265.11
US-PATENT-3,830,431
N74-33378* c 25 ..... NASA-CASE-MFS-21675-1
US-PATENT-APPL-SN-392823
US-PATENT-CLASS-23-277C
US-PATENT-CLASS-431-202
US-PATENT-3,833,336
N74-33379* c 44 ..... NASA-CASE-ARC-10461-1
US-PATENT-APPL-SN-336319
US-PATENT-CLASS-60-527
US-PATENT-3,830,060
N74-34638* c 33 ..... NASA-CASE-MFS-22343-1
US-PATENT-APPL-SN-329237
US-PATENT-CLASS-307-18
US-PATENT-CLASS-307-295
US-PATENT-CLASS-307-304
US-PATENT-CLASS-307-35
US-PATENT-3,840,829
N74-34672* c 85 ..... NASA-CASE-LAR-10256-1
US-PATENT-APPL-SN-220785
US-PATENT-CLASS-104-138R
US-PATENT-CLASS-104-23FS
US-PATENT-CLASS-238-134
US-PATENT-3,837,285
N74-34857* c 35 ..... NASA-CASE-LAR-11428-1
US-PATENT-APPL-SN-188836
US-PATENT-APPL-SN-357126
US-PATENT-CLASS-250-281
US-PATENT-CLASS-250-295
US-PATENT-3,835,318
N75-12086* c 25 ..... NASA-CASE-ARC-10469-1
US-PATENT-APPL-SN-281908
US-PATENT-CLASS-195-103.5R
US-PATENT-3,846,243
N75-12087* c 25 ..... NASA-CASE-ARC-10643-1
US-PATENT-APPL-SN-513389
US-PATENT-CLASS-117-161UA
US-PATENT-CLASS-117-161UN
US-PATENT-CLASS-117-161UZ
US-PATENT-CLASS-117-93.1GD
US-PATENT-CLASS-204-177
US-PATENT-CLASS-210-500
US-PATENT-CLASS-264-217
US-PATENT-CLASS-264-22
US-PATENT-3,847,652
N75-12161* c 31 ..... NASA-CASE-MFS-20775-1
US-PATENT-APPL-SN-356664
US-PATENT-CLASS-118-49.1
US-PATENT-3,847,115
N75-12222* c 34 ..... NASA-CASE-GSC-11619-1
US-PATENT-APPL-SN-397476
US-PATENT-CLASS-138-113
US-PATENT-CLASS-138-114
US-PATENT-CLASS-138-148
US-PATENT-CLASS-165-1
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-47
US-PATENT-CLASS-220-15
US-PATENT-CLASS-244-1SC
US-PATENT-3,847,208
N75-12270* c 35 ..... NASA-CASE-KSC-10750-1
US-PATENT-APPL-SN-346372
US-PATENT-CLASS-324-158T
US-PATENT-CLASS-324-60C
US-PATENT-3,848,190
N75-12271* c 35 ..... NASA-CASE-MFS-20994-1
US-PATENT-APPL-SN-386789
US-PATENT-CLASS-128-2V
US-PATENT-CLASS-73-67.1
US-PATENT-3,847,141
N75-12272* c 35 ..... NASA-CASE-LAR-11069-1
US-PATENT-APPL-SN-326198
US-PATENT-CLASS-195-127
US-PATENT-3,841,973
N75-12273* c 35 ..... NASA-CASE-MFS-20506-1
US-PATENT-APPL-SN-328792
US-PATENT-CLASS-33-DIG.13
US-PATENT-CLASS-33-180R
US-PATENT-CLASS-350-292
US-PATENT-3,842,509
N75-12326* c 37 ..... NASA-CASE-LAR-11211-1
US-PATENT-APPL-SN-302681
US-PATENT-CLASS-29-470.1
US-PATENT-CLASS-29-475
US-PATENT-3,842,485
N75-12616* c 54 ..... NASA-CASE-MFS-21611-1
US-PATENT-APPL-SN-403694
US-PATENT-CLASS-214-1CM
US-PATENT-CLASS-307-149
US-PATENT-CLASS-308-174

US-PATENT-3,849,668
N75-12732* c 74 ..... NASA-CASE-ARC-10448-2
US-PATENT-APPL-SN-374424
US-PATENT-CLASS-156-16
US-PATENT-CLASS-156-18
US-PATENT-CLASS-156-7
US-PATENT-CLASS-250-495
US-PATENT-3,847,689
N75-12810* c 76 ..... NASA-CASE-LAR-11059-1
US-PATENT-APPL-SN-367294
US-PATENT-CLASS-73-32R
US-PATENT-CLASS-73-432PS
US-PATENT-3,842,656
N75-12930* c 05 ..... NASA-CASE-ARC-10456-1
US-PATENT-APPL-SN-237491
US-PATENT-CLASS-244-75R
US-PATENT-CLASS-244-83R
US-PATENT-CLASS-416-25
US-PATENT-CLASS-74-480R
US-PATENT-3,850,388
N75-12968* c 09 ..... NASA-CASE-MFS-22039-1
US-PATENT-APPL-SN-386790
US-PATENT-CLASS-108-136
US-PATENT-3,853,075
N75-12969* c 09 ..... NASA-CASE-ARC-10710-1
US-PATENT-APPL-SN-379019
US-PATENT-CLASS-73-147
US-PATENT-3,853,003
N75-13007* c 15 ..... NASA-CASE-GSC-11182-1
US-PATENT-APPL-SN-393527
US-PATENT-CLASS-325-4
US-PATENT-3,851,250
N75-13032* c 24 ..... NASA-CASE-LAR-10994-1
US-PATENT-APPL-SN-390466
US-PATENT-CLASS-29-420
US-PATENT-CLASS-29-604
US-PATENT-CLASS-340-174MA
US-PATENT-CLASS-75-[illegible]
US-PATENT-3,849,877
N75-13111* c 31 ..... NASA-CASE-LAR-10782-2
US-PATENT-APPL-SN-197689
US-PATENT-APPL-SN-379049
US-PATENT-CLASS-249-144
US-PATENT-CLASS-249-145
US-PATENT-CLASS-249-59
US-PATENT-CLASS-425-DIG.43
US-PATENT-CLASS-425-405R
US-PATENT-CLASS-425-438
US-PATENT-CLASS-425-468
US-PATENT-3,850,567
N75-13139* c 33 ..... NASA-CASE-MFS-22073-1
US-PATENT-APPL-SN-409991
US-PATENT-CLASS-318-608
US-PATENT-CLASS-318-640
US-PATENT-CLASS-318-649
US-PATENT-CLASS-318-675
US-PATENT-3,851,238
N75-13213* c 35 ..... NASA-CASE-LEW-11632-2
US-PATENT-APPL-SN-254173
US-PATENT-APPL-SN-327969
US-PATENT-CLASS-29-571
US-PATENT-CLASS-29-592
US-PATENT-CLASS-307-309
US-PATENT-CLASS-317-235H
US-PATENT-CLASS-330-6
US-PATENT-3,849,875
N75-13261* c 37 ..... NASA-CASE-LEW-11696-1
US-PATENT-APPL-SN-298156
US-PATENT-CLASS-29-196.6
US-PATENT-CLASS-29-197
US-PATENT-CLASS-29-460
US-PATENT-CLASS-29-494
US-PATENT-CLASS-29-497.5
US-PATENT-CLASS-29-504
US-PATENT-3,849,865
N75-13265* c 37 ..... NASA-CASE-KSC-10723-1
US-PATENT-APPL-SN-347952
US-PATENT-CLASS-338-162
US-PATENT-CLASS-338-75
US-PATENT-CLASS-338-97
US-PATENT-3,854,113
N75-13266* c 37 ..... NASA-CASE-NPO-13281-1
US-PATENT-APPL-SN-412079
US-PATENT-CLASS-74-436
US-PATENT-CLASS-74-820
US-PATENT-3,855,873
N75-13502* c 51 ..... NASA-CASE-LAR-11074-1
US-PATENT-APPL-SN-326364
US-PATENT-CLASS-115-103.5
US-PATENT-CLASS-195-120
US-PATENT-CLASS-195-127
US-PATENT-3,850,754
N75-13531* c 54 ..... NASA-CASE-LEW-11581-1
US-PATENT-APPL-SN-327921
US-PATENT-CLASS-128-2.05A
US-PATENT-CLASS-128-2.05P
US-PATENT-3,850,169
N75-13539* c 60 ..... NASA-CASE-ARC-10466-1
US-PATENT-APPL-SN-352382
US-PATENT-CLASS-235-156
US-PATENT-CLASS-235-197
US-PATENT-CLASS-324-77B
US-PATENT-3,851,162
N75-13625* c 75 ..... NASA-CASE-MFS-22145-1
US-PATENT-APPL-SN-367606
US-PATENT-CLASS-176-3
US-PATENT-CLASS-313-63
US-PATENT-CLASS-315-111
US-PATENT-CLASS-328-233
US-PATENT-3,854,097
N75-14834* c 23 ..... NASA-CASE-MSC-13530-2
US-PATENT-APPL-SN-178771
US-PATENT-APPL-SN-69488
US-PATENT-CLASS-106-13
US-PATENT-CLASS-106-15R
US-PATENT-CLASS-106-287SB
US-PATENT-CLASS-117-124F
US-PATENT-CLASS-117-135.5
US-PATENT-CLASS-252-549
US-PATENT-CLASS-252-70
US-PATENT-3,856,534
N75-14844* c 25 ..... NASA-CASE-NPO-12130-1
US-PATENT-APPL-SN-750235
US-PATENT-CLASS-23-230B
US-PATENT-CLASS-23-253R
US-PATENT-3,856,471
N75-14957* c 33 ..... NASA-CASE-MSC-14240-1
US-PATENT-APPL-SN-351929
US-PATENT-CLASS-307-205
US-PATENT-CLASS-307-208
US-PATENT-3,857,045
N75-15014* c 35 ..... NASA-CASE-LAR-11213-1
US-PATENT-APPL-SN-406715
US-PATENT-CLASS-250-201
US-PATENT-CLASS-356-4
US-PATENT-3,857,031
N75-15028* c 36 ..... NASA-CASE-MFS-21244-1
US-PATENT-APPL-SN-350249
US-PATENT-CLASS-356-103
US-PATENT-CLASS-356-28
US-PATENT-CLASS-356-5
US-PATENT-3,856,402
N75-15029* c 36 ..... NASA-CASE-NPO-13050-1
US-PATENT-APPL-SN-317567
US-PATENT-CLASS-117-95
US-PATENT-CLASS-117-97
US-PATENT-CLASS-330-4
US-PATENT-CLASS-332-7.5
US-PATENT-3,859,119
N75-15050* c 37 ..... NASA-CASE-NPO-13201-1
US-PATENT-APPL-SN-372149
US-PATENT-CLASS-137-505.38
US-PATENT-CLASS-137-505.42
US-PATENT-CLASS-74-424.8VA
US-PATENT-3,856,042
N75-15270* c 52 ..... NASA-CASE-NPO-12119-1
US-PATENT-APPL-SN-847815
US-PATENT-CLASS-424-180
US-PATENT-3,849,554
N75-15662* c 09 ..... NASA-CASE-LAR-10276-1
US-PATENT-APPL-SN-29979
US-PATENT-CLASS-272-1R
US-PATENT-CLASS-272-57A
US-PATENT-CLASS-35-12C
US-PATENT-3,859,736
N75-15854* c 32 ..... NASA-CASE-NPO-13292-1
US-PATENT-APPL-SN-416135
US-PATENT-CLASS-343-100ST
US-PATENT-CLASS-343-17.5
US-PATENT-CLASS-343-6.5R
US-PATENT-CLASS-343-9
US-PATENT-3,860,921
N75-15874* c 33 ..... NASA-CASE-MFS-22088-1
US-PATENT-APPL-SN-426155
US-PATENT-CLASS-318-227
US-PATENT-CLASS-318-230
US-PATENT-CLASS-318-231
US-PATENT-3,860,858
N75-15931* c 35 ..... NASA-CASE-MFS-21761-1
US-PATENT-APPL-SN-337816
US-PATENT-CLASS-200-83N
US-PATENT-CLASS-73-40
US-PATENT-CLASS-73-49.2
US-PATENT-3,859,845
N75-15932* c 35 ..... NASA-CASE-MFS-21045-1
US-PATENT-APPL-SN-411572
US-PATENT-CLASS-73-1R
US-PATENT-CLASS-73-379
US-PATENT-3,859,840
N75-15992* c 37 ..... NASA-CASE-GSC-11577-1
US-PATENT-APPL-SN-322997
US-PATENT-CLASS-117-106A
US-PATENT-CLASS-117-93.3
US-PATENT-CLASS-156-89
US-PATENT-CLASS-156-99
US-PATENT-CLASS-29-472.7
US-PATENT-CLASS-29-473.1
US-PATENT-CLASS-65-43
US-PATENT-3,859,714
N75-16783* c 35 ..... NASA-CASE-ARC-10637-1
US-PATENT-APPL-SN-352383
US-PATENT-CLASS-356-28
US-PATENT-3,860,342
N75-18310* c 20 ..... NASA-CASE-LEW-11694-1
US-PATENT-APPL-SN-352381
US-PATENT-CLASS-29-25.18
US-PATENT-CLASS-72-63
US-PATENT-3,864,797
N75-18477* c 33 ..... NASA-CASE-MFS-22129-1
US-PATENT-APPL-SN-370255
US-PATENT-CLASS-324-32
US-PATENT-CLASS-324-54
US-PATENT-3,866,114
N75-18479* c 33 ..... NASA-CASE-MSC-14129-1
US-PATENT-APPL-SN-362146
US-PATENT-CLASS-307-229
US-PATENT-CLASS-307-235R
US-PATENT-CLASS-307-267
US-PATENT-CLASS-328-115
US-PATENT-CLASS-328-151
US-PATENT-CLASS-328-58
US-PATENT-3,869,624
N75-18573* c 37 ..... NASA-CASE-NPO-13253-1
US-PATENT-APPL-SN-395687
US-PATENT-CLASS-248-358R
US-PATENT-3,863,881
N75-18574* c 37 ..... NASA-CASE-GSC-11079-1
US-PATENT-APPL-SN-100637
US-PATENT-CLASS-308-10
US-PATENT-3,865,442
N75-19329* c 18 ..... NASA-CASE-MFS-22734-1
US-PATENT-APPL-SN-453232
US-PATENT-CLASS-244-162
US-PATENT-3,866,863
N75-19408* c 26 ..... NASA-CASE-LEW-11696-2
US-PATENT-APPL-SN-298156
US-PATENT-APPL-SN-436315
US-PATENT-CLASS-29-194
US-PATENT-CLASS-29-196.2
US-PATENT-CLASS-29-196.6
US-PATENT-CLASS-29-197
US-PATENT-3,869,779
N75-19515* c 33 ..... NASA-CASE-MSC-14131-1
US-PATENT-APPL-SN-373588
US-PATENT-CLASS-307-260
US-PATENT-CLASS-324-78J
US-PATENT-CLASS-328-59
US-PATENT-CLASS-331-78
US-PATENT-3,866,128
N75-19516* c 33 ..... NASA-CASE-GSC-11760-1
NASA-CASE-GSC-11783-1
US-PATENT-APPL-SN-395868
US-PATENT-CLASS-343-761
US-PATENT-CLASS-343-781
US-PATENT-CLASS-343-837
US-PATENT-3,866,233
N75-19517* c 33 ..... NASA-CASE-GSC-11582-1
US-PATENT-APPL-SN-397477
US-PATENT-CLASS-178-15
US-PATENT-CLASS-315-18
US-PATENT-CLASS-340-324AD
US-PATENT-3,866,210
N75-19518* c 33 ..... NASA-CASE-ARC-10348-1
US-PATENT-APPL-SN-140439
US-PATENT-CLASS-330-69
US-PATENT-CLASS-330-86
US-PATENT-3,872,395
N75-19519* c 33 ..... NASA-CASE-NPO-13125-1
US-PATENT-APPL-SN-319150
US-PATENT-CLASS-235-92DM
US-PATENT-CLASS-235-92LG
US-PATENT-CLASS-235-92R
US-PATENT-CLASS-235-92T
US-PATENT-CLASS-235-92VA
US-PATENT-3,866,022
N75-19520* c 33 ..... NASA-CASE-ARC-10364-3
US-PATENT-APPL-SN-209618
US-PATENT-APPL-SN-462844
US-PATENT-CLASS-307-321
US-PATENT-CLASS-324-DIG.1
US-PATENT-CLASS-329-166
US-PATENT-CLASS-329-204
US-PATENT-CLASS-332-47
US-PATENT-3,869,676
N75-19521* c 33 ..... NASA-CASE-KSC-10736-1
US-PATENT-APPL-SN-348787
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-113

US-PATENT-3,869,667
N75-19522* c 33 ..... NASA-CASE-GSC-11844-1
US-PATENT-APPL-SN-452761
US-PATENT-CLASS-307-227
US-PATENT-CLASS-321-15
US-PATENT-CLASS-324-32
US-PATENT-3,869,659
N75-19524* c 33 ..... NASA-CASE-NPO-13374-1
US-PATENT-APPL-SN-449118
US-PATENT-CLASS-318-137
US-PATENT-CLASS-318-167
US-PATENT-CLASS-318-176
US-PATENT-CLASS-318-183
US-PATENT-3,867,677
N75-19611* c 35 ..... NASA-CASE-LAR-11071-1
US-PATENT-APPL-SN-334349
US-PATENT-CLASS-417-138
US-PATENT-CLASS-417-36
US-PATENT-CLASS-417-395
US-PATENT-CLASS-73-221
US-PATENT-3,864,060
N75-19612* c 35 ..... NASA-CASE-LAR-11237-1
US-PATENT-APPL-SN-402868
US-PATENT-CLASS-340-242
US-PATENT-CLASS-73-46
US-PATENT-CLASS-73-49.2
US-PATENT-3,864,960
N75-19613* c 35 ..... NASA-CASE-LAR-11207-1
US-PATENT-APPL-SN-385013
US-PATENT-CLASS-178-DIG.20
US-PATENT-CLASS-250-332
US-PATENT-CLASS-356-186
US-PATENT-CLASS-356-189
US-PATENT-CLASS-356-83
US-PATENT-CLASS-356-96
US-PATENT-3,869,212
N75-19614* c 35 ..... NASA-CASE-LAR-11173-1
US-PATENT-APPL-SN-354408
US-PATENT-CLASS-332-2
US-PATENT-CLASS-73-557
US-PATENT-3,868,856
N75-19615* c 35 ..... NASA-CASE-MFS-22189-1
US-PATENT-APPL-SN-405342
US-PATENT-CLASS-33-148D
US-PATENT-CLASS-73-143
US-PATENT-3,864,953
N75-19616* c 35 ..... NASA-CASE-MFS-20932-1
US-PATENT-APPL-SN-374441
US-PATENT-CLASS-250-505
US-PATENT-CLASS-250-508
US-PATENT-CLASS-250-510
US-PATENT-3,869,615
N75-19652* c 36 ..... NASA-CASE-NPO-13131-1
US-PATENT-APPL-SN-390468
US-PATENT-CLASS-178-7.1
US-PATENT-CLASS-250-211R
US-PATENT-CLASS-250-578
US-PATENT-CLASS-315-169R
US-PATENT-CLASS-340-173LS
US-PATENT-3,865,975
N75-19653* c 36 ..... NASA-CASE-HQN-10844-1
US-PATENT-APPL-SN-412080
US-PATENT-CLASS-356-106LR
US-PATENT-3,869,210
N75-19654* c 36 ..... NASA-CASE-GSC-11746-1
US-PATENT-APPL-SN-393528
US-PATENT-CLASS-331-94.5M
US-PATENT-3,869,680
N75-19655* c 36 ..... NASA-CASE-LAR-11341-1
US-PATENT-APPL-SN-367293
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5P
US-PATENT-3,868,591
N75-19683* c 37 ..... NASA-CASE-MSC-19095-1
US-PATENT-APPL-SN-415486
US-PATENT-CLASS-219-137
US-PATENT-3,864,542
N75-19684* c 37 ..... NASA-CASE-NPO-13345-1
US-PATENT-APPL-SN-462705
US-PATENT-CLASS-204-192
US-PATENT-CLASS-204-298
US-PATENT-3,864,239
N75-19685* c 37 ..... NASA-CASE-MFS-21606-1
US-PATENT-APPL-SN-356555
US-PATENT-CLASS-292-DIG.14
US-PATENT-CLASS-292-108
US-PATENT-CLASS-292-122
US-PATENT-3,869,160
N75-19686* c 37 ..... NASA-CASE-MFS-19193-1
US-PATENT-APPL-SN-461477
US-PATENT-CLASS-285-114
US-PATENT-CLASS-285-226
US-PATENT-3,869,151
N75-20139* c 77 ..... NASA-CASE-MSC-14143-1
US-PATENT-APPL-SN-393526
US-PATENT-CLASS-165-110
US-PATENT-CLASS-165-111
US-PATENT-CLASS-62-285
US-PATENT-CLASS-62-288
US-PATENT-CLASS-62-289
US-PATENT-CLASS-62-290
US-PATENT-CLASS-62-317
US-PATENT-CLASS-62-93
US-PATENT-3,868,830
N75-20140* c 77 ..... NASA-CASE-GSC-11752-1
US-PATENT-APPL-SN-446569
US-PATENT-CLASS-219-497
US-PATENT-CLASS-219-501
US-PATENT-CLASS-219-505
US-PATENT-3,869,597
N75-21485* c 32 ..... NASA-CASE-MSC-12607-1
US-PATENT-APPL-SN-407323
US-PATENT-CLASS-178-DIG.12
US-PATENT-CLASS-358-36
US-PATENT-3,875,584
N75-21486* c 32 ..... NASA-CASE-MSC-14558-1
US-PATENT-APPL-SN-428994
US-PATENT-CLASS-178-58A
US-PATENT-CLASS-178-79
US-PATENT-3,875,332
N75-21582* c 35 ..... NASA-CASE-MFS-22671-1
US-PATENT-APPL-SN-419831
US-PATENT-CLASS-178-69A
US-PATENT-CLASS-235-181
US-PATENT-CLASS-324-57PS
US-PATENT-CLASS-324-77H
US-PATENT-CLASS-325-67
US-PATENT-3,875,500
N75-21631* c 37 ..... NASA-CASE-LEW-11274-1
US-PATENT-APPL-SN-380630
US-PATENT-CLASS-277-134
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-40
US-PATENT-3,874,677
N75-23910* c 35 ..... NASA-CASE-NPO-13327-1
US-PATENT-APPL-SN-429437
US-PATENT-CLASS-247-171
US-PATENT-CLASS-250-203
US-PATENT-CLASS-250-211R
US-PATENT-3,875,404
N75-24716* c 05 ..... NASA-CASE-MSC-14339-1
US-PATENT-APPL-SN-347953
US-PATENT-CLASS-128.2.06E
US-PATENT-CLASS-128-DIG.4
US-PATENT-CLASS-128-2.06B
US-PATENT-3,882,846
N75-24736* c 07 ..... NASA-CASE-ARC-10754-1
US-PATENT-APPL-SN-398886
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-244-53B
US-PATENT-3,883,095
N75-24758* c 09 ..... NASA-CASE-GSC-11127-1
US-PATENT-APPL-SN-401466
US-PATENT-CLASS-318-314
US-PATENT-CLASS-318-318
US-PATENT-CLASS-318-341
US-PATENT-3,883,785
N75-24774* c 12 ..... NASA-CASE-NPO-13263-1
US-PATENT-APPL-SN-393523
US-PATENT-CLASS-73-505
US-PATENT-3,882,732
N75-24794* c 14 ..... NASA-CASE-MFS-21488-1
US-PATENT-APPL-SN-359156
US-PATENT-CLASS-73-143
US-PATENT-3,882,719
N75-24837* c 20 ..... NASA-CASE-NPO-13303-1
US-PATENT-APPL-SN-457295
US-PATENT-CLASS-310-10
US-PATENT-CLASS-310-4
US-PATENT-CLASS-310-40
US-PATENT-CLASS-310-52
US-PATENT-CLASS-335-216
US-PATENT-CLASS-60-516
US-PATENT-CLASS-60-530
US-PATENT-CLASS-62-3
US-PATENT-CLASS-62-467
US-PATENT-3,875,435
N75-24981* c 32 ..... NASA-CASE-GSC-11743-1
US-PATENT-APPL-SN-370271
US-PATENT-CLASS-178-66R
US-PATENT-CLASS-325-30
US-PATENT-CLASS-325-60
US-PATENT-3,878,464
N75-24982* c 32 ..... NASA-CASE-NPO-13140-1
US-PATENT-APPL-SN-374422
US-PATENT-CLASS-343-100PE
US-PATENT-CLASS-343-5GC
US-PATENT-3,883,872
N75-25040* c 33 ..... NASA-CASE-GSC-11623-1
US-PATENT-APPL-SN-389929
US-PATENT-CLASS-331-1A
US-PATENT-CLASS-331-18
US-PATENT-CLASS-331-25
US-PATENT-3,883,817
N75-25041* c 33 ..... NASA-CASE-ARC-10364-2
US-PATENT-APPL-SN-209618
US-PATENT-APPL-SN-433968
US-PATENT-CLASS-307-321
US-PATENT-CLASS-324-DIG.1
US-PATENT-CLASS-329-166
US-PATENT-CLASS-329-204
US-PATENT-3,883,812
N75-25122* c 35 ..... NASA-CASE-NPO-10764-2
US-PATENT-APPL-SN-273519
US-PATENT-APPL-SN-836280
US-PATENT-CLASS-116-114.5
US-PATENT-CLASS-117-72
US-PATENT-CLASS-73-356
US-PATENT-3,874,240
N75-25123* c 35 ..... NASA-CASE-NPO-13214-1
NASA-CASE-NPO-13215-1
US-PATENT-APPL-SN-394149
US-PATENT-CLASS-178-DIG.29
US-PATENT-CLASS-178-7.2
US-PATENT-3,883,689
N75-25124* c 35 ..... NASA-CASE-MFS-21704-1
US-PATENT-APPL-SN-386793
US-PATENT-CLASS-350-3.5
US-PATENT-3,883,215
N75-25185* c 37 ..... NASA-CASE-NPO-13360-1
US-PATENT-APPL-SN-401920
US-PATENT-CLASS-228-1
US-PATENT-CLASS-251-333
US-PATENT-3,874,635
N75-25186* c 37 ..... NASA-CASE-MFS-22649-1
US-PATENT-APPL-SN-398901
US-PATENT-CLASS-408-112
US-PATENT-CLASS-408-186
US-PATENT-CLASS-408-193
US-PATENT-CLASS-408-195
US-PATENT-3,877,833
N75-25503* c 51 ..... NASA-CASE-ARC-10722-1
US-PATENT-APPL-SN-428995
US-PATENT-CLASS-47-1.2
US-PATENT-CLASS-47-39
US-PATENT-CLASS-47-58
US-PATENT-3,882,634
N75-25706* c 74 ..... NASA-CASE-HQN-10542-1
US-PATENT-APPL-SN-163151
US-PATENT-CLASS-178-DIG.25
US-PATENT-CLASS-250-566
US-PATENT-CLASS-350-311
US-PATENT-3,883,436
N75-25730* c 76 ..... NASA-CASE-GSC-11425-2
US-PATENT-APPL-SN-206266
US-PATENT-APPL-SN-394206
US-PATENT-CLASS-357-23
US-PATENT-CLASS-357-29
US-PATENT-CLASS-357-42
US-PATENT-CLASS-357-52
US-PATENT-CLASS-357-54
US-PATENT-CLASS-357-91
US-PATENT-3,882,530
N75-25914* c 05 ..... NASA-CASE-LAR-11252-1
US-PATENT-APPL-SN-367268
US-PATENT-CLASS-D12-76
US-PATENT-CLASS-244-13
US-PATENT-CLASS-244-15
US-PATENT-CLASS-244-42DA
US-PATENT-CLASS-244-55
US-PATENT-3,884,432
N75-25915* c 05 ..... NASA-CASE-ARC-10519-2
US-PATENT-APPL-SN-452767
US-PATENT-CLASS-280-150SB
US-PATENT-CLASS-297-385
US-PATENT-CLASS-297-388
US-PATENT-CLASS-297-389
US-PATENT-3,887,233
N75-26043* c 25 ..... NASA-CASE-LAR-11144-1
US-PATENT-APPL-SN-426405
US-PATENT-CLASS-117-106A
US-PATENT-CLASS-117-107.2
US-PATENT-CLASS-117-201
US-PATENT-CLASS-118-48
US-PATENT-CLASS-118-49.1
US-PATENT-CLASS-148-175
US-PATENT-CLASS-252-62.3GA
US-PATENT-3,888,705
N75-26194* c 32 ..... NASA-CASE-NPO-13217-1
US-PATENT-APPL-SN-362145
US-PATENT-CLASS-343-105R
US-PATENT-CLASS-343-112D
US-PATENT-3,889,264
N75-26195* c 32 ..... NASA-CASE-NPO-13321-1
US-PATENT-APPL-SN-455163
US-PATENT-CLASS-178-69.5R
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-325-4

US-PATENT-3,889,064
N75-26243* c 33 ..... NASA-CASE-GSC-11744-1
US-PATENT-APPL-SN-353162
US-PATENT-CLASS-179-15BC
US-PATENT-CLASS-235-150.53
US-PATENT-CLASS-235-181
US-PATENT-CLASS-324-83Q
US-PATENT-CLASS-328-133
US-PATENT-3,875,394
N75-26244* c 33 ..... NASA-CASE-MFS-22208-1
US-PATENT-APPL-SN-448325
US-PATENT-CLASS-315-10
US-PATENT-CLASS-315-367
US-PATENT-CLASS-315-369
US-PATENT-CLASS-315-387
US-PATENT-3,889,155
N75-26245* c 33 ..... NASA-CASE-LAR-11352-1
US-PATENT-APPL-SN-459736
US-PATENT-CLASS-23-254E
US-PATENT-CLASS-324-58.5A
US-PATENT-CLASS-324-58.5C
US-PATENT-3,889,182
N75-26246* c 33 ..... NASA-CASE-KSC-10807-1
US-PATENT-APPL-SN-461073
US-PATENT-CLASS-324-72
US-PATENT-3,889,185
N75-26282* c 34 ..... NASA-CASE-LAR-11110-1
US-PATENT-APPL-SN-420424
US-PATENT-CLASS-233-DIG.1
US-PATENT-CLASS-233-20RP
US-PATENT-CLASS-233-25
US-PATENT-CLASS-233-46
US-PATENT-CLASS-233-6
US-PATENT-3,888,410
N75-26334* c 35 ..... NASA-CASE-ARC-10344-2
US-PATENT-APPL-SN-446564
US-PATENT-CLASS-55-386
US-PATENT-3,887,345
N75-26371* c 37 ..... NASA-CASE-GSC-10984-1
US-PATENT-APPL-SN-127480
US-PATENT-CLASS-117-126GM
US-PATENT-CLASS-117-126R
US-PATENT-CLASS-161-92
US-PATENT-CLASS-161-93
US-PATENT-CLASS-29-182.2
US-PATENT-CLASS-29-182.5
US-PATENT-CLASS-29-420.5
US-PATENT-CLASS-65-3
US-PATENT-CLASS-75-DIG.1
US-PATENT-CLASS-75-200
US-PATENT-CLASS-75-208R
US-PATENT-CLASS-75-212
US-PATENT-CLASS-75-214
US-PATENT-CLASS-75-222
US-PATENT-3,887,365
N75-26372* c 37 ..... NASA-CASE-MFS-21931-1
US-PATENT-APPL-SN-464721
US-PATENT-CLASS-250-359
US-PATENT-CLASS-250-460
US-PATENT-CLASS-250-492
US-PATENT-3,889,122
N75-26789*# c 70 ..... NASA-CASE-MFS-22758-1
US-PATENT-APPL-SN-581514
N75-27040* c 18 ..... NASA-CASE-XHQ-02146
US-PATENT-APPL-SN-290043
US-PATENT-CLASS-52-71
US-PATENT-3,206,897
N75-27041* c 18 ..... NASA-CASE-MSC-14245-1
US-PATENT-APPL-SN-389916
US-PATENT-CLASS-214-1CM
US-PATENT-3,893,573
N75-27125* c 26 ..... NASA-CASE-XMF-05868
US-PATENT-APPL-SN-512509
US-PATENT-CLASS-260-29.6
US-PATENT-3,475,442
N75-27126* c 26 ..... NASA-CASE-XMF-06053
US-PATENT-APPL-SN-542192
US-PATENT-CLASS-75-173
US-PATENT-3,411,900
N75-27127* c 26 ..... NASA-CASE-XNP-03878
US-PATENT-APPL-SN-488745
US-PATENT-CLASS-75-173
US-PATENT-3,373,016
N75-27160* c 27 ..... NASA-CASE-MFS-22324-1
US-PATENT-APPL-SN-350250
US-PATENT-CLASS-106-48
US-PATENT-CLASS-106-54
US-PATENT-CLASS-117-129
US-PATENT-3,891,452
N75-27249* c 33 ..... NASA-CASE-XMS-02744
US-PATENT-APPL-SN-351950
US-PATENT-CLASS-200-129
US-PATENT-3,281,558
N75-27250* c 33 ..... NASA-CASE-XNP-01296
US-PATENT-APPL-SN-127984
US-PATENT-CLASS-315-30
US-PATENT-3,189,784
N75-27251* c 33 ..... NASA-CASE-HQN-10069
US-PATENT-APPL-SN-739072
US-PATENT-CLASS-330-5
US-PATENT-3,551,831
N75-27252* c 33 ..... NASA-CASE-LAR-11042-1
US-PATENT-APPL-SN-440916
US-PATENT-CLASS-204-242
US-PATENT-CLASS-204-267
US-PATENT-CLASS-204-279
US-PATENT-CLASS-204-286
US-PATENT-CLASS-204-290R
US-PATENT-3,891,533
N75-27328* c 35 ..... NASA-CASE-MFS-22537-1
US-PATENT-APPL-SN-387266
US-PATENT-CLASS-350-3.5
US-PATENT-3,888,561
N75-27329* c 35 ..... NASA-CASE-XMF-05882
US-PATENT-APPL-SN-533650
US-PATENT-CLASS-250-83.3
US-PATENT-3,454,766
N75-27330* c 35 ..... NASA-CASE-LAR-11354-1
US-PATENT-APPL-SN-409990
US-PATENT-CLASS-195-103.5R
US-PATENT-CLASS-195-120
US-PATENT-CLASS-195-127
US-PATENT-CLASS-195-141
US-PATENT-3,884,765
N75-27331* c 35 ..... NASA-CASE-GSC-11829-1
US-PATENT-APPL-SN-502136
US-PATENT-CLASS-250-385
US-PATENT-3,891,851
N75-27364* c 36 ..... NASA-CASE-XLE-2529-2
US-PATENT-APPL-SN-848403
US-PATENT-CLASS-240-41B
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5A
US-PATENT-3,894,289
N75-27376* c 37 ..... NASA-CASE-XMS-01330
US-PATENT-APPL-SN-153624
US-PATENT-APPL-SN-322565
US-PATENT-CLASS-219-125
US-PATENT-3,275,794
N75-27585* c 45 ..... NASA-CASE-NPO-13231-1
US-PATENT-APPL-SN-428993
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-345
US-PATENT-CLASS-250-432
US-PATENT-3,891,848
N75-27758* c 54 ..... NASA-CASE-NPO-13386-1
US-PATENT-APPL-SN-475336
US-PATENT-CLASS-214-1B
US-PATENT-CLASS-214-1CM
US-PATENT-CLASS-318-640
US-PATENT-3,888,362
N75-27759* c 54 ..... NASA-CASE-MSC-13601-2
US-PATENT-APPL-SN-395495
US-PATENT-CLASS-351-38
US-PATENT-3,891,311
N75-27760* c 54 ..... NASA-CASE-ARC-10753-1
US-PATENT-APPL-SN-427395
US-PATENT-CLASS-128-2.05Z
US-PATENT-CLASS-128-2V
US-PATENT-CLASS-128-24A
US-PATENT-CLASS-74-471XY
US-PATENT-3,893,449
N75-27761* c 54 ..... NASA-CASE-NPO-13313-1
US-PATENT-APPL-SN-449153
US-PATENT-CLASS-128-145.8
US-PATENT-CLASS-55-DIG.35
US-PATENT-3,893,458
N75-28135* c 24 ..... NASA-CASE-MFS-21077-1
US-PATENT-APPL-SN-127481
US-PATENT-CLASS-228-190
US-PATENT-CLASS-228-193
US-PATENT-CLASS-29-419
US-PATENT-3,894,677
N75-29192* c 25 ..... NASA-CASE-HQN-10462
US-PATENT-APPL-SN-773530
US-PATENT-CLASS-118-43
US-PATENT-3,603,285
N75-29236* c 26 ..... NASA-CASE-XNP-01311
US-PATENT-APPL-SN-430496
US-PATENT-CLASS-148-127
US-PATENT-3,390,023
N75-29263*# c 27 ..... NASA-CASE-LAR-11397-1
US-PATENT-APPL-SN-532784
N75-29318* c 33 ..... NASA-CASE-ARC-10266-1
US-PATENT-APPL-SN-453241
US-PATENT-APPL-SN-585988
US-PATENT-CLASS-315-111
US-PATENT-3,469,143
N75-29380* c 35 ..... NASA-CASE-MFS-22060-1
US-PATENT-APPL-SN-521603
US-PATENT-CLASS-23-254E
US-PATENT-CLASS-23-255E
US-PATENT-CLASS-311-37
US-PATENT-CLASS-331-65
US-PATENT-CLASS-73-23
US-PATENT-3,895,912
N75-29381* c 35 ..... NASA-CASE-ARC-10806-1
US-PATENT-APPL-SN-478802
US-PATENT-CLASS-73-178R
US-PATENT-3,895,521
N75-29382* c 35 ..... NASA-CASE-XMS-05731
US-PATENT-APPL-SN-441279
US-PATENT-CLASS-73-117.4
US-PATENT-3,375,712
N75-29426* c 37 ..... NASA-CASE-XLE-10717
US-PATENT-APPL-SN-844243
US-PATENT-CLASS-315-111
US-PATENT-3,004,189
N75-30132* c 03 ..... NASA-CASE-ERC-10419-1
US-PATENT-APPL-SN-219722
US-PATENT-CLASS-343-112CA
US-PATENT-CLASS-343-6.5R
US-PATENT-3,900,847
N75-30256* c 23 ..... NASA-CASE-MFS-22356-1
US-PATENT-APPL-SN-489008
US-PATENT-CLASS-260-346.3
US-PATENT-CLASS-260-520
US-PATENT-CLASS-260-78TF
US-PATENT-3,899,517
N75-30260* c 24 ..... NASA-CASE-LAR-10337-1
US-PATENT-APPL-SN-424038
US-PATENT-CLASS-29-610
US-PATENT-CLASS-29-613
US-PATENT-CLASS-338-13
US-PATENT-CLASS-338-283
US-PATENT-3,898,730
N75-30428* c 33 ..... NASA-CASE-MFS-22342-1
US-PATENT-APPL-SN-361666
US-PATENT-CLASS-330-13
US-PATENT-CLASS-330-18
US-PATENT-CLASS-330-40
US-PATENT-CLASS-330-63
US-PATENT-3,898,578
N75-30429* c 33 ..... NASA-CASE-MFS-21616-1
US-PATENT-APPL-SN-464723
US-PATENT-CLASS-330-207A
US-PATENT-CLASS-330-24
US-PATENT-3,899,745
N75-30430* c 33 ..... NASA-CASE-NPO-13504-1
US-PATENT-APPL-SN-483852
US-PATENT-CLASS-33-96
US-PATENT-CLASS-333-21R
US-PATENT-CLASS-333-83BT
US-PATENT-CLASS-333-98R
US-PATENT-3,902,143
N75-30431* c 33 ..... NASA-CASE-KSC-10782-1
US-PATENT-APPL-SN-400467
US-PATENT-CLASS-178-DIG.1
US-PATENT-CLASS-178-6.8
US-PATENT-3,900,705
N75-30502* c 35 ..... NASA-CASE-ARC-10802-1
US-PATENT-APPL-SN-484208
US-PATENT-CLASS-205-343
US-PATENT-CLASS-250-351
US-PATENT-CLASS-250-373
US-PATENT-CLASS-356-51
US-PATENT-3,899,252
N75-30503* c 35 ..... NASA-CASE-LEW-12078-1
US-PATENT-APPL-SN-447124
US-PATENT-CLASS-73-194M
US-PATENT-CLASS-73-195
US-PATENT-3,898,882
N75-30504* c 35 ..... NASA-CASE-MSC-12531-1
US-PATENT-APPL-SN-354612
US-PATENT-CLASS-307-204
US-PATENT-CLASS-307-211
US-PATENT-CLASS-307-219
US-PATENT-CLASS-328-61
US-PATENT-CLASS-328-62
US-PATENT-3,900,741
N75-30524* c 36 ..... NASA-CASE-NPO-13308-1
US-PATENT-APPL-SN-455165
US-PATENT-CLASS-310-4
US-PATENT-CLASS-331-DIG.1
US-PATENT-3,899,696
N75-30562* c 37 ..... NASA-CASE-LEW-11076-3
US-PATENT-APPL-SN-405346
US-PATENT-CLASS-308-121
US-PATENT-CLASS-308-73
US-PATENT-3,899,224
N75-30876* c 73 ..... NASA-CASE-LEW-11227-1
US-PATENT-APPL-SN-146939
US-PATENT-CLASS-244-1SS
US-PATENT-CLASS-250-493
US-PATENT-CLASS-250-496
US-PATENT-3,899,680
N75-31329* c 33 ..... NASA-CASE-NPO-13423-1
US-PATENT-APPL-SN-470429

US-PATENT-CLASS-128-2S
US-PATENT-CLASS-338-2
US-PATENT-CLASS-73-88.5
US-PATENT-3,905,356

N75-31330* c 33 ..... NASA-CASE-NPO-13426-1
US-PATENT-APPL-SN-45053
US-PATENT-CLASS-307-225R
US-PATENT-CLASS-328-41
US-PATENT-3,906,374

N75-31331* c 33 ..... NASA-CASE-NPO-11156-2
US-PATENT-APPL-SN-174684
US-PATENT-CLASS-307-238
US-PATENT-CLASS-340-173CA
US-PATENT-CLASS-357-24
US-PATENT-CLASS-357-7
US-PATENT-3,906,296

N75-31332* c 33 ..... NASA-CASE-NPO-13348-1
US-PATENT-APPL-SN-452770
US-PATENT-CLASS-250-238
US-PATENT-CLASS-250-370
US-PATENT-CLASS-357-5
US-PATENT-3,906,231

N75-31426* c 36 ..... NASA-CASE-ARC-10370-1
US-PATENT-APPL-SN-137391
US-PATENT-CLASS-331-94.5G
US-PATENT-CLASS-331-94.5P
US-PATENT-3,906,397

N75-31427* c 36 ..... NASA-CASE-NPO-13175-1
US-PATENT-APPL-SN-374423
US-PATENT-CLASS-331-94.5C
US-PATENT-CLASS-350-161
US-PATENT-CLASS-350-96WG
US-PATENT-3,906,393

N75-31446* c 37 ..... NASA-CASE-LEW-11925-1
US-PATENT-APPL-SN-450505
US-PATENT-CLASS-308-191
US-PATENT-CLASS-308-195
US-PATENT-CLASS-308-201
US-PATENT-3,905,660

N75-32441* c 36 ..... NASA-CASE-NPO-13449-1
US-PATENT-APPL-SN-420813
US-PATENT-CLASS-310-11
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5PE
US-PATENT-CLASS-331-94-5G
US-PATENT-3,906,398

N75-32465*# c 37 ..... NASA-CASE-ARC-10907-1
US-PATENT-APPL-SN-619986

N75-32581* c 44 ..... NASA-CASE-MFS-21628-1
US-PATENT-APPL-SN-421702
US-PATENT-CLASS-126-271
US-PATENT-CLASS-165-105
US-PATENT-CLASS-244-173
US-PATENT-CLASS-60-641
US-PATENT-CLASS-60-659
US-PATENT-3,903,699

N75-33181* c 24 ..... NASA-CASE-LEW-11484-1
US-PATENT-APPL-SN-356554
US-PATENT-CLASS-117-105.2
US-PATENT-CLASS-117-38
US-PATENT-CLASS-117-46FS
US-PATENT-CLASS-117-8.5
US-PATENT-CLASS-29-DIG.24
US-PATENT-CLASS-29-DIG.39
US-PATENT-CLASS-29-527.2
US-PATENT-CLASS-72-46
US-PATENT-3,906,769

N75-33342* c 34 ..... NASA-CASE-MSC-14273-1
US-PATENT-APPL-SN-385522
US-PATENT-CLASS-210-234
US-PATENT-CLASS-210-259
US-PATENT-CLASS-210-304
US-PATENT-CLASS-210-333
US-PATENT-CLASS-210-340
US-PATENT-CLASS-210-411
US-PATENT-CLASS-210-425
US-PATENT-CLASS-210-512
US-PATENT-CLASS-210-82
US-PATENT-3,907,686

N75-33367* c 35 ..... NASA-CASE-LAR-10629-1
US-PATENT-APPL-SN-402867
US-PATENT-CLASS-116-114AH
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-170R
US-PATENT-CLASS-73-432PS
US-PATENT-3,896,758

N75-33368* c 35 ..... NASA-CASE-LAR-11326-1
US-PATENT-APPL-SN-491416
US-PATENT-CLASS-195-103.5R
US-PATENT-3,907,646

N75-33369* c 35 ..... NASA-CASE-LAR-11263-1
US-PATENT-APPL-SN-472775
US-PATENT-CLASS-73-141A
US-PATENT-3,906,788

N75-33395* c 37 ..... NASA-CASE-MFS-22283-1
US-PATENT-APPL-SN-387095
US-PATENT-CLASS-279-1B
US-PATENT-CLASS-279-107
US-PATENT-CLASS-279-89
US-PATENT-CLASS-29-26A
US-PATENT-CLASS-294-116
US-PATENT-CLASS-294-86.33
US-PATENT-3,907,312

N75-33640* c 52 ..... NASA-CASE-LEW-12051-1
US-PATENT-APPL-SN-397478
US-PATENT-CLASS-128-230
US-PATENT-CLASS-128-305
US-PATENT-3,906,954

N76-14158* c 15 ..... NASA-CASE-LAR-11051-1
US-PATENT-APPL-SN-384773
US-PATENT-CLASS-244-165
US-PATENT-CLASS-244-3.21
US-PATENT-CLASS-74-5.7
US-PATENT-3,915,416

N76-14186* c 18 ..... NASA-CASE-MSC-12559-1
US-PATENT-APPL-SN-370582
US-PATENT-CLASS-178-DIG.20
US-PATENT-CLASS-244-161
US-PATENT-CLASS-33-286
US-PATENT-CLASS-35-12
US-PATENT-CLASS-356-153
US-PATENT-3,910,533

N76-14190* c 20 ..... NASA-CASE-LEW-11593-1
US-PATENT-APPL-SN-363691
US-PATENT-CLASS-60-39.23
US-PATENT-CLASS-60-39.29
US-PATENT-CLASS-60-39.74R
US-PATENT-3,910,035

N76-14191* c 20 ..... NASA-CASE-LEW-11118-2
US-PATENT-APPL-SN-436316
US-PATENT-CLASS-239-127.3
US-PATENT-CLASS-60-265
US-PATENT-CLASS-60-267
US-PATENT-3,910,039

N76-14203* c 24 ..... NASA-CASE-NPO-12122-1
US-PATENT-APPL-SN-401921
US-PATENT-CLASS-149-36
US-PATENT-CLASS-423-407
US-PATENT-3,919,014

N76-14204* c 24 ..... NASA-CASE-MSC-12568-1
US-PATENT-APPL-SN-325784
US-PATENT-CLASS-136-146
US-PATENT-CLASS-136-148
US-PATENT-CLASS-162-102
US-PATENT-CLASS-162-153
US-PATENT-CLASS-162-222
US-PATENT-CLASS-162-228
US-PATENT-3,910,814

N76-14264* c 27 ..... NASA-CASE-MSC-14182-1
US-PATENT-APPL-SN-419748
US-PATENT-CLASS-403-179
US-PATENT-CLASS-403-28
US-PATENT-CLASS-428-109
US-PATENT-CLASS-428-212
US-PATENT-CLASS-428-214
US-PATENT-CLASS-428-416
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-77
US-PATENT-3,920,339

N76-14284* c 31 ..... NASA-CASE-NPO-13435-1
US-PATENT-APPL-SN-478803
US-PATENT-CLASS-62-129
US-PATENT-CLASS-62-49
US-PATENT-CLASS-73-295
US-PATENT-3,914,950

N76-14321* c 32 ..... NASA-CASE-LAR-11021-1
US-PATENT-APPL-SN-453115
US-PATENT-CLASS-325-304
US-PATENT-CLASS-325-306
US-PATENT-CLASS-325-372
US-PATENT-CLASS-328-145
US-PATENT-CLASS-343-176
US-PATENT-3,916,316

N76-14371* c 33 ..... NASA-CASE-KSC-10834-1
US-PATENT-APPL-SN-536535
US-PATENT-CLASS-178-69.5R
US-PATENT-CLASS-178-88
US-PATENT-CLASS-328-190
US-PATENT-CLASS-328-63
US-PATENT-3,916,084

N76-14372* c 33 ..... NASA-CASE-LAR-10970-1
US-PATENT-APPL-SN-527790
US-PATENT-CLASS-343-770
US-PATENT-CLASS-343-797
US-PATENT-CLASS-343-846
US-PATENT-3,919,710

N76-14373* c 33 ..... NASA-CASE-NPO-13451-1
US-PATENT-APPL-SN-501012
US-PATENT-CLASS-235-92SH
US-PATENT-CLASS-307-221R
US-PATENT-CLASS-328-37
US-PATENT-3,911,330

N76-14429* c 35 ..... NASA-CASE-LAR-11552-1
US-PATENT-APPL-SN-518685
US-PATENT-CLASS-73-182
US-PATENT-CLASS-73-212
US-PATENT-3,914,997

N76-14430* c 35 ..... NASA-CASE-NPO-13170-1
US-PATENT-APPL-SN-382261
US-PATENT-CLASS-338-6
US-PATENT-CLASS-73-88.5R
US-PATENT-3,914,991

N76-14431* c 35 ..... NASA-CASE-LEW-11915-1
US-PATENT-APPL-SN-474744
US-PATENT-CLASS-137-15.2
US-PATENT-CLASS-235-151.34
US-PATENT-CLASS-60-39.29
US-PATENT-3,911,260

N76-14447* c 36 ..... NASA-CASE-ARC-10642-1
US-PATENT-APPL-SN-446562
US-PATENT-CLASS-356-106R
US-PATENT-CLASS-356-28
US-PATENT-3,915,572

N76-14460* c 37 ..... NASA-CASE-MFS-19194-1
US-PATENT-APPL-SN-483850
US-PATENT-CLASS-285-226
US-PATENT-CLASS-285-265
US-PATENT-3,915,482

N76-14461* c 37 ..... NASA-CASE-LEW-11694-2
US-PATENT-APPL-SN-352381
US-PATENT-APPL-SN-462903
US-PATENT-CLASS-29-421
US-PATENT-CLASS-72-363
US-PATENT-CLASS-72-54
US-PATENT-CLASS-72-63
US-PATENT-3,914,969

N76-14463* c 37 ..... NASA-CASE-MFS-22323-1
US-PATENT-APPL-SN-474745
US-PATENT-CLASS-137-515.3
US-PATENT-CLASS-137-550
US-PATENT-CLASS-210-429
US-PATENT-CLASS-251-149.6
US-PATENT-3,910,307

N76-14595* c 44 ..... NASA-CASE-MFS-22562-1
US-PATENT-APPL-SN-458484
US-PATENT-CLASS-126-270
US-PATENT-CLASS-136-206
US-PATENT-CLASS-204-32R
US-PATENT-CLASS-204-33
US-PATENT-CLASS-204-38A
US-PATENT-CLASS-204-40
US-PATENT-CLASS-204-42
US-PATENT-CLASS-204-49
US-PATENT-CLASS-29-194
US-PATENT-CLASS-29-195
US-PATENT-CLASS-29-197
US-PATENT-3,920,413

N76-14600* c 44 ..... NASA-CASE-LEW-11065-2
US-PATENT-APPL-SN-154930
US-PATENT-APPL-SN-371322
US-PATENT-CLASS-136-89
US-PATENT-CLASS-29-572
US-PATENT-3,912,540

N76-14601* c 44 ..... NASA-CASE-MFS-22749-1
US-PATENT-APPL-SN-483857
US-PATENT-CLASS-136-114
US-PATENT-CLASS-136-162
US-PATENT-CLASS-136-182
US-PATENT-CLASS-136-90
US-PATENT-3,912,541

N76-14602* c 44 ..... NASA-CASE-NPO-13497-1
US-PATENT-APPL-SN-526448
US-PATENT-CLASS-126-271
US-PATENT-CLASS-237-1A
US-PATENT-CLASS-350-211
US-PATENT-3,915,148

N76-14757* c 52 ..... NASA-CASE-MSC-14180-1
US-PATENT-APPL-SN-354406
US-PATENT-CLASS-128-2.06R
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-128-2H
US-PATENT-3,910,257

N76-14804* c 54 ..... NASA-CASE-MSC-14640-1
US-PATENT-APPL-SN-526449
US-PATENT-CLASS-128-2F
US-PATENT-CLASS-73-421R
US-PATENT-3,915,012

N76-14818* c 60 ..... NASA-CASE-NPO-13422-1
US-PATENT-APPL-SN-521601
US-PATENT-CLASS-340-147C
US-PATENT-CLASS-340-147R
US-PATENT-3,916,380

N76-14931* c 75 ..... NASA-CASE-MFS-22287-1
US-PATENT-APPL-SN-438147
US-PATENT-CLASS-315-111.6
US-PATENT-CLASS-73-12
US-PATENT-CLASS-89-8
US-PATENT-3,916,761

N76-15189* c 12 ..... NASA-CASE-MSC-12611-1
US-PATENT-APPL-SN-446560
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-293
US-PATENT-CLASS-427-162
US-PATENT-CLASS-427-250
US-PATENT-3,927,227

N76-15268* c 23 ..... NASA-CASE-MFS-22355-1
US-PATENT-APPL-SN-487852
US-PATENT-CLASS-260-32.6N
US-PATENT-CLASS-260-32.8N
US-PATENT-CLASS-260-346.3
US-PATENT-CLASS-260-47CP
US-PATENT-CLASS-260-571
US-PATENT-CLASS-260-78TF
US-PATENT-3,925,312

N76-15310* c 27 ..... NASA-CASE-ARC-10714-1
US-PATENT-APPL-SN-398885
US-PATENT-CLASS-260-2.5AK
US-PATENT-CLASS-427-196
US-PATENT-CLASS-427-426
US-PATENT-CLASS-428-303
US-PATENT-3,916,060

N76-15311* c 27 ..... NASA-CASE-NPO-13120-1
US-PATENT-APPL-SN-348422
US-PATENT-CLASS-29-182.5
US-PATENT-3,926,567

N76-15329* c 32 ..... NASA-CASE-GSC-11968-1
US-PATENT-APPL-SN-512825
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-876
US-PATENT-3,927,408

N76-15330* c 32 ..... NASA-CASE-LAR-11112-1
US-PATENT-APPL-SN-491419
US-PATENT-CLASS-343-786
US-PATENT-3,924,237

N76-15373* c 33 ..... NASA-CASE-LEW-11938-1
US-PATENT-APPL-SN-544611
US-PATENT-CLASS-317-258
US-PATENT-CLASS-317-261
US-PATENT-3,924,164

N76-15431* c 35 ..... NASA-CASE-MSC-13802-2
US-PATENT-APPL-SN-189438
US-PATENT-APPL-SN-475338
US-PATENT-CLASS-250-251
US-PATENT-CLASS-250-287
US-PATENT-CLASS-250-423
US-PATENT-3,916,187

N76-15432* c 35 ..... NASA-CASE-LAR-11435-1
US-PATENT-APPL-SN-522556
US-PATENT-CLASS-310-8.2
US-PATENT-CLASS-73-1R
US-PATENT-3,924,444

N76-15433* c 35 ..... NASA-CASE-GSC-11892-1
US-PATENT-APPL-SN-502135
US-PATENT-CLASS-250-336
US-PATENT-CLASS-250-385
US-PATENT-CLASS-250-489
US-PATENT-3,927,324

N76-15434* c 35 ..... NASA-CASE-LEW-11072-2
US-PATENT-APPL-SN-254323
US-PATENT-CLASS-136-211
US-PATENT-CLASS-136-212
US-PATENT-CLASS-136-225
US-PATENT-3,925,104

N76-15435* c 35 ..... NASA-CASE-NPO-13506-1
US-PATENT-APPL-SN-483851
US-PATENT-CLASS-343-909
US-PATENT-3,924,239

N76-15436* c 35 ..... NASA-CASE-GSC-11895-1
US-PATENT-APPL-SN-511887
US-PATENT-CLASS-331-3
US-PATENT-CLASS-331-94
US-PATENT-3,924,200

N76-15457* c 37 ..... NASA-CASE-MFS-22707-1
US-PATENT-APPL-SN-535410
US-PATENT-CLASS-214-1R
US-PATENT-CLASS-74-384
US-PATENT-CLASS-74-665B
US-PATENT-3,922,930

N76-15460* c 37 ..... NASA-CASE-MFS-22022-1
US-PATENT-APPL-SN-405341
US-PATENT-CLASS-214-ICM
US-PATENT-3,923,166

N76-15461* c 37 ..... NASA-CASE-LEW-11076-4
US-PATENT-APPL-SN-238264
US-PATENT-APPL-SN-346483
US-PATENT-APPL-SN-445178
US-PATENT-CLASS-308-122
US-PATENT-CLASS-308-160
US-PATENT-CLASS-308-72
US-PATENT-CLASS-308-73
US-PATENT-CLASS-308-9
US-PATENT-3,926,482

N76-15860* c 72 ..... NASA-CASE-LEW-11866-1
US-PATENT-APPL-SN-500980
US-PATENT-CLASS-250-499
US-PATENT-CLASS-250-500
US-PATENT-3,924,137

N76-16014* c 02 ..... NASA-CASE-LAR-11575-1
US-PATENT-APPL-SN-527727
US-PATENT-CLASS-244-139
US-PATENT-3,930,628

N76-16228* c 27 ..... NASA-CASE-NPO-12061-1
US-PATENT-APPL-SN-45549
US-PATENT-CLASS-260-879
US-PATENT-CLASS-260-900
US-PATENT-CLASS-260-92.1
US-PATENT-3,931,132

N76-16229* c 27 ..... NASA-CASE-LEW-11179-1
US-PATENT-APPL-SN-357312
US-PATENT-CLASS-29-195A
US-PATENT-CLASS-427-203
US-PATENT-CLASS-427-204
US-PATENT-CLASS-427-205
US-PATENT-CLASS-427-270
US-PATENT-CLASS-427-275
US-PATENT-CLASS-427-287
US-PATENT-CLASS-428-450
US-PATENT-CLASS-428-457
US-PATENT-CLASS-428-469
US-PATENT-CLASS-428-539
US-PATENT-3,931,447

N76-16230* c 27 ..... NASA-CASE-ARC-10813-1
US-PATENT-APPL-SN-437556
US-PATENT-CLASS-264-331
US-PATENT-CLASS-428-412
US-PATENT-CLASS-428-413
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-911
US-PATENT-CLASS-428-920
US-PATENT-CLASS-428-921
US-PATENT-3,926,706

N76-16249* c 32 ..... NASA-CASE-MSC-14557-1
US-PATENT-APPL-SN-428994
US-PATENT-APPL-SN-464720
US-PATENT-CLASS-178-69C
US-PATENT-CLASS-178-88
US-PATENT-CLASS-325-321
US-PATENT-3,924,068

N76-16331* c 33 ..... NASA-CASE-MSC-14649-1
US-PATENT-APPL-SN-505819
US-PATENT-CLASS-324-79D
US-PATENT-CLASS-328-134
US-PATENT-3,924,183

N76-16332* c 33 ..... NASA-CASE-GSC-11849-1
US-PATENT-APPL-SN-470428
US-PATENT-CLASS-174-145
US-PATENT-CLASS-174-148
US-PATENT-CLASS-339-143C
US-PATENT-CLASS-339-198R
US-PATENT-CLASS-339-242
US-PATENT-CLASS-339-275R
US-PATENT-3,931,456

N76-16390* c 35 ..... NASA-CASE-NPO-13388-1
US-PATENT-APPL-SN-522552
US-PATENT-CLASS-324-43R
US-PATENT-3,924,176

N76-16391* c 35 ..... NASA-CASE-NPO-10166-2
US-PATENT-APPL-SN-192803
US-PATENT-APPL-SN-668116
US-PATENT-CLASS-360-10
US-PATENT-CLASS-360-101
US-PATENT-CLASS-360-35
US-PATENT-CLASS-360-9
US-PATENT-3,924,267

N76-16392* c 35 ..... NASA-CASE-LAR-11458-1
US-PATENT-APPL-SN-504225
US-PATENT-CLASS-294-1R
US-PATENT-CLASS-294-19R
US-PATENT-3,929,364

N76-16393* c 35 ..... NASA-CASE-GSC-11889-1
US-PATENT-APPL-SN-502124
US-PATENT-CLASS-250-281
US-PATENT-CLASS-250-287
US-PATENT-CLASS-250-288
US-PATENT-CLASS-250-385
US-PATENT-CLASS-250-423
US-PATENT-3,931,516

N76-16446*# c 37 ..... NASA-CASE-NPO-13342-1
US-PATENT-APPL-SN-390049

N76-16612* c 44 ..... NASA-CASE-MFS-22002-1
US-PATENT-APPL-SN-452769
US-PATENT-CLASS-136-202
US-PATENT-CLASS-136-210
US-PATENT-CLASS-165-105
US-PATENT-CLASS-310-4
US-PATENT-3,931,532

N76-17185* c 18 ..... NASA-CASE-MSC-12561-1
US-PATENT-APPL-SN-448323
US-PATENT-CLASS-244-162
US-PATENT-CLASS-244-172
US-PATENT-3,929,306

N76-17317* c 34 ..... NASA-CASE-LAR-10799-2
US-PATENT-APPL-SN-301419
US-PATENT-APPL-SN-419319
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-106
US-PATENT-CLASS-237-60
US-PATENT-CLASS-244-117A
US-PATENT-CLASS-244-135R
US-PATENT-CLASS-417-209
US-PATENT-3,929,305

N76-17656* c 45 ..... NASA-CASE-LAR-11675-1
US-PATENT-APPL-SN-557448
US-PATENT-CLASS-178-DIG.1
US-PATENT-CLASS-178-DIG.8
US-PATENT-CLASS-178-6.8
US-PATENT-CLASS-250-373
US-PATENT-CLASS-340-237S
US-PATENT-CLASS-356-207
US-PATENT-3,931,462

N76-17951* c 75 ..... NASA-CASE-MFS-22145-2
US-PATENT-APPL-SN-367606
US-PATENT-APPL-SN-500982
US-PATENT-CLASS-124-1
US-PATENT-CLASS-124-11R
US-PATENT-CLASS-89-8
US-PATENT-3,929,119

N76-18117* c 07 ..... NASA-CASE-LAR-11674-1
US-PATENT-APPL-SN-331759
US-PATENT-APPL-SN-488616
US-PATENT-CLASS-181-33HC
US-PATENT-CLASS-239-265.11
US-PATENT-3,938,742

N76-18245* c 25 ..... NASA-CASE-NPO-13063-1
US-PATENT-APPL-SN-227977
US-PATENT-CLASS-23-230M
US-PATENT-CLASS-23-230R
US-PATENT-CLASS-23-232C
US-PATENT-CLASS-23-253R
US-PATENT-CLASS-23-254R
US-PATENT-CLASS-23-255R
US-PATENT-CLASS-235-151.13
US-PATENT-CLASS-73-23.1
US-PATENT-3,860,393

N76-18257* c 26 ..... NASA-CASE-MFS-22907-1
US-PATENT-APPL-SN-518546
US-PATENT-CLASS-324-34R
US-PATENT-3,938,037

N76-18295* c 32 ..... NASA-CASE-GSC-11862-1
US-PATENT-APPL-SN-500979
US-PATENT-CLASS-343-837
US-PATENT-CLASS-343-840
US-PATENT-CLASS-343-912
US-PATENT-CLASS-343-915
US-PATENT-3,938,162

N76-18345* c 33 ..... NASA-CASE-NPO-13385-1
US-PATENT-APPL-SN-501011
US-PATENT-CLASS-340-347AD
US-PATENT-3,938,188

N76-18353* c 33 ..... NASA-CASE-GSC-11925-1
US-PATENT-APPL-SN-538983
US-PATENT-CLASS-360-26
US-PATENT-CLASS-360-51
US-PATENT-3,938,182

N76-18364* c 34 ..... NASA-CASE-LAR-11570-1
US-PATENT-APPL-SN-482967
US-PATENT-CLASS-244-23D
US-PATENT-CLASS-60-316
US-PATENT-3,940,097

N76-18374* c 34 ..... NASA-CASE-MFS-22938-1
US-PATENT-APPL-SN-542754
US-PATENT-CLASS-250-335
US-PATENT-3,940,621

N76-18400* c 35 ..... NASA-CASE-LAR-10208-1
US-PATENT-APPL-SN-483858
US-PATENT-CLASS-73-103
US-PATENT-CLASS-73-95
US-PATENT-3,938,373

N76-18401* c 35 ..... NASA-CASE-NPO-13396-1
US-PATENT-APPL-SN-563283
US-PATENT-CLASS-55-261
US-PATENT-CLASS-73-28
US-PATENT-CLASS-73-421.5R
US-PATENT-3,938,367

N76-18402* c 35 ..... NASA-CASE-MFS-22517-1
US-PATENT-APPL-SN-506804
US-PATENT-CLASS-350-3.5
US-PATENT-3,937,555

N76-18403* c 35 ..... NASA-CASE-ARC-10322-1
US-PATENT-APPL-SN-484209
US-PATENT-CLASS-23-254EF
US-PATENT-3,938,956

N76-18427* c 36 ..... NASA-CASE-NPO-11945-1
US-PATENT-APPL-SN-269450
US-PATENT-CLASS-331-94.5

US-PATENT-CLASS-332-7.51
US-PATENT-CLASS-350-150
US-PATENT-CLASS-350-160
US-PATENT-CLASS-423-352
US-PATENT-CLASS-423-644
US-PATENT-3,806,834

N76-18428* c 36 ..... NASA-CASE-NPO-13544-1
US-PATENT-APPL-SN-533555
US-PATENT-CLASS-331-94.5C
US-PATENT-CLASS-350-96WG
US-PATENT-3,939,439

N76-18454* c 37 ..... NASA-CASE-MFS-23047-1
US-PATENT-APPL-SN-521602
US-PATENT-CLASS-173-132
US-PATENT-CLASS-29-81D
US-PATENT-CLASS-72-453
US-PATENT-CLASS-73-399
US-PATENT-3,937,055

N76-18455* c 37 ..... NASA-CASE-MSC-14435-1
US-PATENT-APPL-SN-450500
US-PATENT-CLASS-228-193
US-PATENT-CLASS-228-206
US-PATENT-CLASS-228-214
US-PATENT-CLASS-228-238
US-PATENT-3,937,387

N76-18456* c 37 ..... NASA-CASE-LAR-11224-1
US-PATENT-APPL-SN-450502
US-PATENT-CLASS-134-21
US-PATENT-CLASS-134-37
US-PATENT-CLASS-19-205
US-PATENT-CLASS-209-250
US-PATENT-CLASS-209-300
US-PATENT-CLASS-209-305
US-PATENT-3,937,661

N76-18457* c 37 ..... NASA-CASE-NPO-13402-1
US-PATENT-APPL-SN-387342
US-PATENT-CLASS-123-DIG.12
US-PATENT-CLASS-123-119E
US-PATENT-CLASS-123-120
US-PATENT-CLASS-123-121
US-PATENT-CLASS-123-89A
US-PATENT-3,906,913

N76-18458* c 37 ..... NASA-CASE-LEW-11860-1
US-PATENT-APPL-SN-527728
US-PATENT-CLASS-204-157.1H
US-PATENT-CLASS-250-527
US-PATENT-3,939,048

N76-18459* c 37 ..... NASA-CASE-GSC-11551-1
US-PATENT-APPL-SN-440917
US-PATENT-CLASS-308-10
US-PATENT-3,937,533

N76-18641* c 44 ..... NASA-CASE-NPO-13237-1
US-PATENT-APPL-SN-378127
US-PATENT-CLASS-136-83R
US-PATENT-CLASS-136-86S
US-PATENT-3,894,887

N76-18642* c 44 ..... NASA-CASE-NPO-13464-1
US-PATENT-APPL-SN-428444
US-PATENT-CLASS-123-3
US-PATENT-CLASS-23-281
US-PATENT-CLASS-423-650
US-PATENT-CLASS-48-116
US-PATENT-CLASS-48-117
US-PATENT-CLASS-48-63
US-PATENT-CLASS-48-75
US-PATENT-CLASS-48-95
US-PATENT-3,920,416

N76-18643* c 44 ..... NASA-CASE-NPO-11961-1
US-PATENT-APPL-SN-378126
US-PATENT-CLASS-136-30
US-PATENT-CLASS-136-6LF
US-PATENT-CLASS-320-21
US-PATENT-CLASS-320-22
US-PATENT-3,912,999

N76-18800* c 60 ..... NASA-CASE-NPO-13067-1
US-PATENT-APPL-SN-274348
US-PATENT-CLASS-340-172.5
US-PATENT-3,829,839

N76-18913* c 74 ..... NASA-CASE-GSC-11877-1
US-PATENT-APPL-SN-482953
US-PATENT-CLASS-235-184
US-PATENT-CLASS-250-199
US-PATENT-3,937,945

N76-19338* c 33 ..... NASA-CASE-NPO-13519-1
US-PATENT-APPL-SN-536761
US-PATENT-CLASS-128-2S
US-PATENT-CLASS-33-155R
US-PATENT-CLASS-33-174D
US-PATENT-CLASS-73-88.5SD
US-PATENT-3,937,212

N76-19339* c 33 ..... NASA-CASE-ARC-10810-1
US-PATENT-APPL-SN-489009
US-PATENT-CLASS-204-195R
US-PATENT-CLASS-215-247
US-PATENT-CLASS-324-30B
US-PATENT-3,938,035

N76-19436* c 37 ..... NASA-CASE-MFS-20607-1
US-PATENT-APPL-SN-478800
US-PATENT-CLASS-222-145
US-PATENT-CLASS-259-4AC
US-PATENT-3,941,355

N76-19437* c 37 ..... NASA-CASE-MSC-12615-1
US-PATENT-APPL-SN-491417
US-PATENT-CLASS-244-117A
US-PATENT-CLASS-244-163
US-PATENT-CLASS-29-432
US-PATENT-CLASS-29-433
US-PATENT-CLASS-29-526
US-PATENT-CLASS-52-705
US-PATENT-CLASS-52-758F
US-PATENT-3,936,927

N76-19785* c 52 ..... NASA-CASE-LAR-11667-1
US-PATENT-APPL-SN-583487
US-PATENT-CLASS-128-DIG.20
US-PATENT-CLASS-128-26
US-PATENT-3,937,215

N76-19888* c 66 ..... NASA-CASE-MFS-22631-1
US-PATENT-APPL-SN-531572
US-PATENT-CLASS-340-38P
US-PATENT-CLASS-356-162
US-PATENT-CLASS-356-167
US-PATENT-CLASS-356-71
US-PATENT-3,930,735

N76-19935* c 74 ..... NASA-CASE-MFS-21672-1
US-PATENT-APPL-SN-354060
US-PATENT-CLASS-356-123
US-PATENT-CLASS-356-124
US-PATENT-3,938,892

N76-20114* c 04 ..... NASA-CASE-LAR-11387-1
US-PATENT-APPL-SN-531647
US-PATENT-CLASS-33-356
US-PATENT-CLASS-75-178R
US-PATENT-3,943,763

N76-20480* c 37 ..... NASA-CASE-NPO-13059-1
NASA-CASE-NPO-13436-1
US-PATENT-APPL-SN-513690
US-PATENT-CLASS-81-56
US-PATENT-CLASS-81-57.31
US-PATENT-3,942,398

N76-20958* c 74 ..... NASA-CASE-ARC-10631-1
US-PATENT-APPL-SN-514546
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-573
US-PATENT-3,943,368

N76-20994* c 76 ..... NASA-CASE-NPO-13443-1
US-PATENT-APPL-SN-522551
US-PATENT-CLASS-324-158D
US-PATENT-CLASS-324-158R
US-PATENT-CLASS-324-158T
US-PATENT-CLASS-324-60C
US-PATENT-3,943,442

N76-21250* c 17 ..... NASA-CASE-MSC-12593-1
US-PATENT-APPL-SN-419747
US-PATENT-CLASS-325-14
US-PATENT-CLASS-343-100SA
US-PATENT-CLASS-343-100ST
US-PATENT-CLASS-343-112TC
US-PATENT-3,949,400

N76-21275* c 20 ..... NASA-CASE-MFS-21311-1
US-PATENT-APPL-SN-493359
US-PATENT-CLASS-244-3.22
US-PATENT-3,948,470

N76-21276* c 20 ..... NASA-CASE-LEW-11876-1
US-PATENT-APPL-SN-542157
US-PATENT-CLASS-29-25.18
US-PATENT-3,947,933

N76-21365* c 32 ..... NASA-CASE-NPO-13568-1
US-PATENT-APPL-SN-534265
US-PATENT-CLASS-343-761
US-PATENT-CLASS-343-781
US-PATENT-CLASS-343-786
US-PATENT-3,949,404

N76-21366* c 32 ..... NASA-CASE-MFS-22729-1
US-PATENT-APPL-SN-533608
US-PATENT-CLASS-235-156
US-PATENT-CLASS-325-42
US-PATENT-CLASS-333-18
US-PATENT-3,949,206

N76-21390* c 33 ..... NASA-CASE-ARC-10711-2
US-PATENT-APPL-SN-493363
US-PATENT-APPL-SN-596788
US-PATENT-CLASS-317-246
US-PATENT-CLASS-73-398C
US-PATENT-3,948,102

N76-21554* c 37 ..... NASA-CASE-LAR-11465-1
US-PATENT-APPL-SN-502137
US-PATENT-CLASS-156-286
US-PATENT-CLASS-156-382
US-PATENT-CLASS-156-556
US-PATENT-CLASS-248-362
US-PATENT-CLASS-248-363
US-PATENT-CLASS-269-21
US-PATENT-CLASS-33-1G
US-PATENT-CLASS-33-174B
US-PATENT-3,945,879

N76-21742* c 45 ..... NASA-CASE-NPO-13474-1
US-PATENT-APPL-SN-521817
US-PATENT-CLASS-23-254E
US-PATENT-CLASS-250-574
US-PATENT-CLASS-356-37
US-PATENT-3,945,801

N76-21914* c 60 ..... NASA-CASE-NPO-13139-1
US-PATENT-APPL-SN-393524
US-PATENT-CLASS-235-153AE
US-PATENT-CLASS-340-172.5
US-PATENT-3,950,729

N76-22154* c 02 ..... NASA-CASE-LAR-10585-1
US-PATENT-APPL-SN-197183
US-PATENT-CLASS-244-35R
US-PATENT-CLASS-244-40R
US-PATENT-3,952,971

N76-22245* c 17 ..... NASA-CASE-GSC-11868-1
US-PATENT-APPL-SN-565290
US-PATENT-CLASS-178-69.5
US-PATENT-CLASS-328-155
US-PATENT-CLASS-340-147SY
US-PATENT-CLASS-340-207P
US-PATENT-3,953,674

N76-22284* c 19 ..... NASA-CASE-MFS-22905-1
US-PATENT-APPL-SN-518545
US-PATENT-CLASS-188-1B
US-PATENT-CLASS-248-22
US-PATENT-CLASS-248-358R
US-PATENT-3,952,980

N76-22296* c 20 ..... NASA-CASE-MFS-19220-1
US-PATENT-APPL-SN-571821
US-PATENT-CLASS-254-124
US-PATENT-CLASS-254-93R
US-PATENT-CLASS-89-1.801
US-PATENT-3,952,998

N76-22309* c 24 ..... NASA-CASE-LEW-11930-1
US-PATENT-APPL-SN-513611
US-PATENT-CLASS-252-12
US-PATENT-3,953,343

N76-22323* c 25 ..... NASA-CASE-ARC-10760-1
US-PATENT-APPL-SN-526438
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-344
US-PATENT-CLASS-250-432R
US-PATENT-3,953,734

N76-22376* c 27 ..... NASA-CASE-ARC-10721-1
US-PATENT-APPL-SN-427775
US-PATENT-CLASS-264-60
US-PATENT-CLASS-264-63
US-PATENT-CLASS-264-66
US-PATENT-3,952,083

N76-22377* c 27 ..... NASA-CASE-MSC-14270-1
US-PATENT-APPL-SN-482104
US-PATENT-CLASS-106-54
US-PATENT-CLASS-427-376
US-PATENT-CLASS-427-379
US-PATENT-CLASS-427-380
US-PATENT-CLASS-427-402
US-PATENT-CLASS-428-332
US-PATENT-CLASS-428-428
US-PATENT-CLASS-428-450
US-PATENT-CLASS-428-538
US-PATENT-CLASS-428-920
US-PATENT-3,953,646

N76-22509* c 35 ..... NASA-CASE-LAR-11434-1
US-PATENT-APPL-SN-464722
US-PATENT-CLASS-209-127R
US-PATENT-CLASS-317-246
US-PATENT-CLASS-324-61R
US-PATENT-CLASS-324-71CP
US-PATENT-3,953,792

N76-22540* c 37 ..... NASA-CASE-MFS-22636-1
US-PATENT-APPL-SN-536762
US-PATENT-CLASS-114-16.6
US-PATENT-CLASS-244-137P
US-PATENT-CLASS-244-158
US-PATENT-CLASS-244-161
US-PATENT-3,952,976

N76-22541* c 37 ..... NASA-CASE-LEW-11676-1
US-PATENT-APPL-SN-551184
US-PATENT-CLASS-277-4
US-PATENT-CLASS-277-41
US-PATENT-CLASS-277-74
US-PATENT-CLASS-277-93R
US-PATENT-3,953,038

N76-22657* c 44 ..... NASA-CASE-MFS-22743-1
US-PATENT-APPL-SN-518684
US-PATENT-CLASS-126-271
US-PATENT-3,951,129

N76-22914* c 54 ..... NASA-CASE-GSC-12082-1
US-PATENT-APPL-SN-676958

N76-22993* c 74 ..... NASA-CASE-ARC-10932-1
US-PATENT-APPL-SN-681001

N76-23273* c 09 ..... NASA-CASE-MFS-23099-1
US-PATENT-APPL-SN-607969
US-PATENT-CLASS-73-147
US-PATENT-3,952,590
N76-23426* c 27 ..... NASA-CASE-MSC-14270-2
US-PATENT-APPL-SN-482105
US-PATENT-CLASS-106-54
US-PATENT-CLASS-427-376
US-PATENT-CLASS-427-379
US-PATENT-CLASS-427-380
US-PATENT-CLASS-427-402
US-PATENT-CLASS-428-332
US-PATENT-CLASS-428-428
US-PATENT-CLASS-428-450
US-PATENT-CLASS-428-538
US-PATENT-CLASS-428-920
US-PATENT-3,955,034
N76-23570* c 37 ..... NASA-CASE-LEW-11169-1
US-PATENT-APPL-SN-446568
US-PATENT-CLASS-164-132
US-PATENT-3,957,104
N76-23675* c 44 ..... NASA-CASE-MFS-21628-2
US-PATENT-APPL-SN-421702
US-PATENT-APPL-SN-561020
US-PATENT-CLASS-126-270
US-PATENT-CLASS-165-133
US-PATENT-3,957,030
N76-23850* c 60 ..... NASA-CASE-MSC-14082-1
US-PATENT-APPL-SN-315070
US-PATENT-CLASS-340-347DD
US-PATENT-CLASS-340-347P
US-PATENT-3,958,238
N76-24280* c 09 ..... NASA-CASE-ARC-10808-1
US-PATENT-APPL-SN-505881
US-PATENT-CLASS-178-DIG.35
US-PATENT-CLASS-178-7.89
US-PATENT-CLASS-35-12N
[illegible]
N76-24363* c 24 ..... NASA-CASE-GSC-11786-1
US-PATENT-APPL-SN-401919
US-PATENT-CLASS-106-306
US-PATENT-CLASS-250-372
US-PATENT-CLASS-252-300
US-PATENT-CLASS-350-1
US-PATENT-3,957,675
N76-24405* c 27 ..... NASA-CASE-MSC-14331-1
US-PATENT-APPL-SN-374421
US-PATENT-CLASS-106-15FP
US-PATENT-CLASS-260-DIG.24
US-PATENT-CLASS-260-33.8F
US-PATENT-CLASS-260-45.7
US-PATENT-CLASS-260-92.1
US-PATENT-CLASS-526-1
US-PATENT-CLASS-526-255
US-PATENT-3,956,233
N76-24523* c 35 ..... NASA-CASE-LAR-11500-1
US-PATENT-APPL-SN-534266
US-PATENT-CLASS-73-1B
US-PATENT-CLASS-73-15.6
US-PATENT-3,956,919
N76-24524* c 35 ..... NASA-CASE-NPO-13462-1
US-PATENT-APPL-SN-545282
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-204
US-PATENT-3,956,932
N76-24525* c 35 ..... NASA-CASE-ARC-10816-1
US-PATENT-APPL-SN-552454
US-PATENT-CLASS-128-DIG.4
US-PATENT-CLASS-128-2.05V
US-PATENT-CLASS-128-2.1E
US-PATENT-CLASS-128-2.1Z
US-PATENT-3,957,037
N76-24553* c 36 ..... NASA-CASE-NPO-13531-1
US-PATENT-APPL-SN-531565
US-PATENT-CLASS-331-94.5C
US-PATENT-CLASS-350-96WG
US-PATENT-3,958,188
N76-24575* c 37 ..... NASA-CASE-LAR-10073-1
US-PATENT-APPL-SN-436317
US-PATENT-CLASS-156-242
US-PATENT-CLASS-156-286
US-PATENT-CLASS-264-102
US-PATENT-CLASS-264-267
US-PATENT-CLASS-428-117
US-PATENT-3,956,050
N76-24696* c 44 ..... NASA-CASE-MFS-22744-1
US-PATENT-APPL-SN-518544
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-CLASS-350-293
US-PATENT-CLASS-350-299
US-PATENT-3,958,553
N76-24900* c 54 ..... NASA-CASE-MSC-14733-1
NASA-CASE-MSC-14735-1
US-PATENT-APPL-SN-522971
US-PATENT-CLASS-128-142.2
US-PATENT-CLASS-128-203
US-PATENT-CLASS-137-DIG.9
US-PATENT-CLASS-137-110
US-PATENT-3,957,044
N76-25049* c 76 ..... NASA-CASE-LEW-12094-1
US-PATENT-APPL-SN-508784
US-PATENT-CLASS-148-175
US-PATENT-CLASS-156-610
US-PATENT-CLASS-156-612
US-PATENT-CLASS-156-613
US-PATENT-CLASS-252-62.3
US-PATENT-CLASS-423-345
US-PATENT-CLASS-423-346
US-PATENT-3,956,032
N76-26175* c 04 ..... NASA-CASE-MFS-23551-1
US-PATENT-APPL-SN-114772
US-PATENT-CLASS-244-79
US-PATENT-CLASS-74-5.34
US-PATENT-3,739,646
N76-27232* c 07 ..... NASA-CASE-LAR-11476-1
US-PATENT-APPL-SN-592159
US-PATENT-CLASS-73-557
US-PATENT-3,964,319
N76-27383* c 25 ..... NASA-CASE-LEW-11390-2
US-PATENT-APPL-SN-247434
US-PATENT-APPL-SN-340863
US-PATENT-CLASS-176-11
US-PATENT-CLASS-176-16
US-PATENT-CLASS-423-249
US-PATENT-3,966,547
N76-27472* c 33 ..... NASA-CASE-GSC-11924-1
US-PATENT-APPL-SN-582318
US-PATENT-CLASS-343-755
US-PATENT-CLASS-343-779
US-PATENT-CLASS-343-854
US-PATENT-3,965,475
N76-27473* c 33 ..... NASA-CASE-HQN-10876-1
[illegible]
US-PATENT-CLASS-250-336
US-PATENT-CLASS-250-372
US-PATENT-3,965,354
N76-27515* c 34 ..... NASA-CASE-NPO-13391-1
US-PATENT-APPL-SN-446567
US-PATENT-CLASS-165-105
US-PATENT-CLASS-29-182
US-PATENT-CLASS-29-193
US-PATENT-CLASS-55-523
US-PATENT-CLASS-55-526
US-PATENT-CLASS-75-225
US-PATENT-3,964,902
N76-27517* c 34 ..... NASA-CASE-ARC-10755-2
US-PATENT-APPL-SN-424013
US-PATENT-APPL-SN-545284
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-194R
US-PATENT-3,964,306
N76-27567* c 37 ..... NASA-CASE-LAR-11709-1
US-PATENT-APPL-SN-548468
US-PATENT-CLASS-339-17M
US-PATENT-CLASS-339-18C
US-PATENT-3,964,813
N76-27568* c 37 ..... NASA-CASE-LAR-11726-1
US-PATENT-APPL-SN-538047
US-PATENT-CLASS-219-118
US-PATENT-CLASS-219-92
US-PATENT-3,967,091
N76-27664* c 44 ..... NASA-CASE-MFS-23059-1
US-PATENT-APPL-SN-537024
US-PATENT-CLASS-136-86A
US-PATENT-3,964,928
N76-28563* c 38 ..... NASA-CASE-NPO-12142-1
US-PATENT-APPL-SN-637249
US-PATENT-CLASS-73-88.5
US-PATENT-3,545,262
N76-28635* c 44 ..... NASA-CASE-GSC-12022-1
NASA-CASE-GSC-12023-1
US-PATENT-APPL-SN-576488
US-PATENT-CLASS-136-89
US-PATENT-CLASS-148-174
US-PATENT-CLASS-148-175
US-PATENT-CLASS-156-612
US-PATENT-CLASS-156-613
US-PATENT-CLASS-156-614
US-PATENT-CLASS-29-572
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-59
US-PATENT-CLASS-427-113
US-PATENT-CLASS-427-248
US-PATENT-CLASS-427-249
US-PATENT-CLASS-427-250
US-PATENT-CLASS-427-86
US-PATENT-3,961,997
N76-29217* c 05 ..... NASA-CASE-ARC-10470-3
US-PATENT-APPL-SN-206279
US-PATENT-APPL-SN-321180
US-PATENT-APPL-SN-496779
US-PATENT-CLASS-244-46
US-PATENT-3,971,535
N76-29347* c 17 ..... NASA-CASE-ARC-10849-1
US-PATENT-APPL-SN-563049
US-PATENT-CLASS-340-189M
US-PATENT-CLASS-340-206
US-PATENT-CLASS-73-493
US-PATENT-CLASS-73-517R
US-PATENT-3,972,038
N76-29379* c 25 ..... NASA-CASE-LEW-11390-3
US-PATENT-APPL-SN-247434
US-PATENT-APPL-SN-380046
US-PATENT-CLASS-176-11
US-PATENT-CLASS-176-14
US-PATENT-CLASS-176-16
US-PATENT-CLASS-250-400
US-PATENT-CLASS-250-429
US-PATENT-CLASS-250-492R
US-PATENT-3,971,697
N76-29551* c 35 ..... NASA-CASE-LAR-10907-1
US-PATENT-APPL-SN-559845
US-PATENT-CLASS-250-340
US-PATENT-CLASS-250-353
US-PATENT-3,971,940
N76-29552* c 35 ..... NASA-CASE-MSC-12617-1
US-PATENT-APPL-SN-513576
US-PATENT-CLASS-235-61NV
US-PATENT-CLASS-235-78M
US-PATENT-CLASS-235-88M
US-PATENT-3,971,915
N76-29575* c 36 ..... NASA-CASE-NPO-13346-1
US-PATENT-APPL-SN-533556
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5C
US-PATENT-3,972,008
N76-29588* c 37 ..... NASA-CASE-LEW-11949-1
US-PATENT-APPL-SN-590182
US-PATENT-CLASS-308-160
US-PATENT-CLASS-308-163
US-PATENT-CLASS-308-170
US-PATENT-3,971,602
N76-29590* c 37 ..... NASA-CASE-NPO-13613-1
US-PATENT-APPL-SN-574208
US-PATENT-CLASS-62-6
US-PATENT-3,971,230
N76-29699* c 44 ..... NASA-CASE-HQN-10862-1
US-PATENT-APPL-SN-604374
US-PATENT-CLASS-136-143
US-PATENT-CLASS-136-30
US-PATENT-3,972,727
N76-29700* c 44 ..... NASA-CASE-NPO-13342-2
US-PATENT-APPL-SN-390049
US-PATENT-APPL-SN-548559
US-PATENT-CLASS-123-1A
US-PATENT-CLASS-123-3
US-PATENT-CLASS-23-281
US-PATENT-CLASS-423-650
US-PATENT-CLASS-48-215
US-PATENT-CLASS-48-95
US-PATENT-3,955,941
N76-29701* c 44 ..... NASA-CASE-NPO-13567-1
US-PATENT-APPL-SN-566493
US-PATENT-CLASS-417-141
US-PATENT-CLASS-417-207
US-PATENT-CLASS-417-209
US-PATENT-CLASS-417-379
US-PATENT-CLASS-60-517
US-PATENT-CLASS-62-6
US-PATENT-3,972,651
N76-29704* c 44 ..... NASA-CASE-NPO-13464-2
US-PATENT-APPL-SN-428444
US-PATENT-APPL-SN-553687
US-PATENT-CLASS-252-373
US-PATENT-CLASS-42-215
US-PATENT-CLASS-423-650
US-PATENT-CLASS-431-163
US-PATENT-CLASS-431-210
US-PATENT-CLASS-431-4
US-PATENT-CLASS-48-197R
US-PATENT-3,971,847
N76-29891* c 51 ..... NASA-CASE-GSC-11917-2
US-PATENT-APPL-SN-475337
US-PATENT-APPL-SN-555641
US-PATENT-CLASS-195-103.5R
US-PATENT-3,971,703
N76-29894* c 52 ..... NASA-CASE-ARC-10583-1
US-PATENT-APPL-SN-301418
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-128-2H
US-PATENT-CLASS-128-2P
US-PATENT-3,971,362
N76-29895* c 52 ..... NASA-CASE-NPO-13644-1
US-PATENT-APPL-SN-574218
US-PATENT-CLASS-128-2.05R
US-PATENT-CLASS-128-2S

US-PATENT-CLASS-338-6
US-PATENT-3,971,363
N76-29896* c 52 ..... NASA-CASE-NPO-13643-1
US-PATENT-APPL-SN-578241
US-PATENT-CLASS-128-2.05E
US-PATENT-CLASS-128-2.06E
US-PATENT-CLASS-128-2S
US-PATENT-CLASS-128-418
US-PATENT-CLASS-128-419P
US-PATENT-CLASS-73-398AR
US-PATENT-3,971,364
N76-30053* c 74 ..... NASA-CASE-GSC-11782-1
US-PATENT-APPL-SN-463925
US-PATENT-CLASS-250-199
US-PATENT-3,971,930
N76-30131* c 91 ..... NASA-CASE-MSC-12423-1
US-PATENT-APPL-SN-448320
US-PATENT-CLASS-73-170R
US-PATENT-CLASS-73-425.2
US-PATENT-CLASS-73-432R
US-PATENT-3,971,256
N76-30793* c 52 ..... US-PATENT-APPL-SN-452768
US-PATENT-CLASS-351-23
US-PATENT-CLASS-351-30
US-PATENT-CLASS-351-36
US-PATENT-RE-28,921
N76-31365* c 31 ..... NASA-CASE-ARC-10445-1
US-PATENT-APPL-SN-491418
US-PATENT-CLASS-313-250
US-PATENT-CLASS-313-306
US-PATENT-CLASS-313-309
US-PATENT-CLASS-313-338
US-PATENT-3,978,364
N76-31372* c 32 ..... NASA-CASE-NPO-13465-1
US-PATENT-APPL-SN-531575
US-PATENT-CLASS-179-1SA
US-PATENT-3,978,287
N76-31409* c 33 ..... NASA-CASE-NPO-12134-1
US-PATENT-APPL-SN-536785
US-PATENT-CLASS-313-94
US-PATENT-CLASS-357-63
US-PATENT-3,978,360
N76-31489* c 35 ..... NASA-CASE-GSC-11893-1
US-PATENT-APPL-SN-585420
US-PATENT-CLASS-73-9
US-PATENT-3,977,231
N76-31490* c 35 ..... NASA-CASE-NPO-13604-1
US-PATENT-APPL-SN-574219
US-PATENT-CLASS-356-106S
US-PATENT-CLASS-356-114
US-PATENT-CLASS-356-209
US-PATENT-CLASS-356-244
US-PATENT-3,977,787
N76-31512* c 36 ..... NASA-CASE-NPO-13490-1
US-PATENT-APPL-SN-549418
US-PATENT-CLASS-330-4
US-PATENT-CLASS-331-94
US-PATENT-3,978,417
N76-31524* c 37 ..... NASA-CASE-NPO-13535-1
US-PATENT-APPL-SN-563050
US-PATENT-CLASS-264-129
US-PATENT-CLASS-264-161
US-PATENT-CLASS-264-219
US-PATENT-CLASS-264-304
US-PATENT-CLASS-264-305
US-PATENT-CLASS-264-308
US-PATENT-CLASS-264-310
US-PATENT-CLASS-264-318
US-PATENT-CLASS-264-334
US-PATENT-CLASS-427-230
US-PATENT-3,978,187
N76-31562* c 39 ..... NASA-CASE-MSC-19372-1
US-PATENT-APPL-SN-517995
US-PATENT-CLASS-182-178
US-PATENT-CLASS-29-467
US-PATENT-CLASS-29-526
US-PATENT-CLASS-52-236
US-PATENT-CLASS-52-637
US-PATENT-CLASS-52-648
US-PATENT-CLASS-52-651
US-PATENT-CLASS-52-726
US-PATENT-CLASS-52-745
US-PATENT-CLASS-52-749
US-PATENT-3,977,147
N76-31666* c 44 ..... NASA-CASE-NPO-13087-2
US-PATENT-APPL-SN-296622
US-PATENT-APPL-SN-462341
US-PATENT-CLASS-136-206
US-PATENT-CLASS-136-89
US-PATENT-3,966,499
N76-31667* c 44 ..... NASA-CASE-MFS-23167-1
US-PATENT-APPL-SN-602618
US-PATENT-CLASS-165-10
US-PATENT-CLASS-60-659
US-PATENT-3,977,197
N76-31714* c 45 ..... NASA-CASE-LAR-11405-1
US-PATENT-APPL-SN-537480
US-PATENT-CLASS-23-230R
US-PATENT-CLASS-23-232E
US-PATENT-CLASS-23-232R
US-PATENT-3,977,831
N76-31946* c 62 ..... NASA-CASE-GSC-12115-1
US-PATENT-APPL-SN-262596
US-PATENT-CLASS-340-347SY
US-PATENT-3,976,997
N76-31998* c 74 ..... NASA-CASE-MSC-12640-1
US-PATENT-APPL-SN-591568
US-PATENT-CLASS-350-162SF
US-PATENT-3,977,771
N76-32140* c 03 ..... NASA-CASE-MFS-16609-3
US-PATENT-APPL-SN-307714
US-PATENT-APPL-SN-511894
US-PATENT-APPL-SN-82279
US-PATENT-CLASS-325-114
US-PATENT-CLASS-325-115
US-PATENT-CLASS-325-186
US-PATENT-CLASS-343-705
US-PATENT-3,978,410
N76-32315* c 27 ..... NASA-CASE-ARC-10592-2
US-PATENT-APPL-SN-414043
US-PATENT-CLASS-260-240G
US-PATENT-CLASS-260-566B
US-PATENT-3,965,096
N76-32457* c 33 ..... NASA-CASE-NPO-13553-1
US-PATENT-APPL-SN-616333
US-PATENT-CLASS-343-882
US-PATENT-CLASS-343-915
US-PATENT-3,978,490
N76-33835*# c 52 ..... NASA-CASE-ARC-10994-1
US-PATENT-APPL-SN-728369
N77-10001* c 02 ..... NASA-CASE-LAR-11645-1
US-PATENT-APPL-SN-473973
US-PATENT-CLASS-244-113
US-PATENT-CLASS-244-130
US-PATENT-3,984,070
N77-10071* c 09 ..... NASA-CASE-NPO-13528-1
US-PATENT-APPL-SN-521620
US-PATENT-CLASS-73-147
US-PATENT-3,983,749
N77-10112* c 15 ..... NASA-CASE-MFS-20855-1
US-PATENT-APPL-SN-243374
US-PATENT-CLASS-244-1SD
US-PATENT-3,744,739
N77-10113* c 15 ..... NASA-CASE-MFS-22787-1
US-PATENT-APPL-SN-511346
US-PATENT-CLASS-244-169
US-PATENT-CLASS-244-171
US-PATENT-CLASS-244-3.21
US-PATENT-3,984,072
N77-10148* c 20 ..... NASA-CASE-LEW-12082-1
US-PATENT-APPL-SN-612964
US-PATENT-CLASS-313-231.4
US-PATENT-CLASS-313-240
US-PATENT-CLASS-313-361
US-PATENT-CLASS-315-111.3
US-PATENT-CLASS-60-202
US-PATENT-3,983,695
N77-10213* c 28 ..... NASA-CASE-LAR-11995-1
US-PATENT-APPL-SN-238826
US-PATENT-CLASS-102-99
US-PATENT-CLASS-264-3R
US-PATENT-CLASS-86-1R
US-PATENT-3,983,780
N77-10229* c 31 ..... NASA-CASE-NPO-13459-1
US-PATENT-APPL-SN-598967
US-PATENT-CLASS-62-217
US-PATENT-CLASS-62-514JT
US-PATENT-3,983,714
N77-10392* c 32 ..... NASA-CASE-LAR-11827-1
US-PATENT-APPL-SN-412379
US-PATENT-APPL-SN-561764
US-PATENT-CLASS-178-88
US-PATENT-CLASS-235-150.1
US-PATENT-CLASS-235-156
US-PATENT-CLASS-325-323
US-PATENT-CLASS-325-349
US-PATENT-CLASS-325-476
US-PATENT-3,984,634
N77-10428* c 33 ..... NASA-CASE-NPO-13512-1
US-PATENT-APPL-SN-533734
US-PATENT-CLASS-321-19
US-PATENT-CLASS-321-2
US-PATENT-CLASS-323-DIG.1
US-PATENT-CLASS-323-17
US-PATENT-CLASS-323-22T
US-PATENT-CLASS-323-23
US-PATENT-3,984,799
N77-10429* c 33 ..... NASA-CASE-GSC-11963-1
US-PATENT-APPL-SN-595197
US-PATENT-CLASS-244-1A
US-PATENT-CLASS-244-42CG
US-PATENT-CLASS-317-2D
US-PATENT-CLASS-324-72
US-PATENT-3,984,730
N77-10463* c 34 ..... NASA-CASE-MFS-22991-1
US-PATENT-APPL-SN-521006
US-PATENT-CLASS-165-164
US-PATENT-CLASS-165-170
US-PATENT-3,983,933
N77-10492* c 35 ..... NASA-CASE-NPO-13479-1
US-PATENT-APPL-SN-500981
US-PATENT-CLASS-250-290
US-PATENT-CLASS-250-291
US-PATENT-3,984,681
N77-10493* c 35 ..... NASA-CASE-MFS-23178-1
US-PATENT-APPL-SN-637247
US-PATENT-CLASS-250-338
US-PATENT-CLASS-250-339
US-PATENT-CLASS-250-347
US-PATENT-CLASS-356-106R
US-PATENT-3,984,686
N77-10584* c 43 ..... NASA-CASE-MSC-14472-1
US-PATENT-APPL-SN-502138
US-PATENT-CLASS-235-181
US-PATENT-CLASS-340-146.3P
US-PATENT-CLASS-340-146.3Q
US-PATENT-3,984,671
N77-10635* c 44 ..... NASA-CASE-MFS-22458-1
US-PATENT-APPL-SN-571458
US-PATENT-CLASS-136-89
US-PATENT-CLASS-29-572
US-PATENT-3,984,256
N77-10636* c 44 ..... NASA-CASE-NPO-13560-1
NASA-CASE-NPO-13561-1
US-PATENT-APPL-SN-487156
US-PATENT-CLASS-123-3
US-PATENT-CLASS-23-281
US-PATENT-CLASS-252-373
US-PATENT-CLASS-423-650
US-PATENT-CLASS-431-11
US-PATENT-CLASS-431-116
US-PATENT-CLASS-431-162
US-PATENT-CLASS-431-170
US-PATENT-CLASS-431-41
US-PATENT-CLASS-48-116
US-PATENT-CLASS-48-117
US-PATENT-CLASS-48-197R
US-PATENT-CLASS-48-212
US-PATENT-CLASS-48-61
US-PATENT-3,982,910
N77-10753* c 47 ..... NASA-CASE-MFS-23362-1
US-PATENT-APPL-SN-637268
US-PATENT-CLASS-250-338
US-PATENT-CLASS-250-339
US-PATENT-CLASS-250-347
US-PATENT-CLASS-356-106R
US-PATENT-3,984,685
N77-10780* c 52 ..... NASA-CASE-ARC-10855-1
US-PATENT-APPL-SN-617612
US-PATENT-CLASS-128-2H
US-PATENT-CLASS-73-343R
US-PATENT-3,983,753
N77-10899* c 74 ..... NASA-CASE-MSC-19442-1
US-PATENT-APPL-SN-558600
US-PATENT-CLASS-356-237
US-PATENT-CLASS-356-239
US-PATENT-3,985,454
N77-11397* c 37 ..... NASA-CASE-LAR-11549-1
US-PATENT-APPL-SN-537979
US-PATENT-CLASS-219-118
US-PATENT-CLASS-219-92
US-PATENT-3,988,561
N77-12239* c 32 ..... NASA-CASE-MSC-12506-1
US-PATENT-APPL-SN-545283
US-PATENT-CLASS-340-347DD
US-PATENT-3,988,729
N77-12240* c 32 ..... NASA-CASE-NPO-13543-1
NASA-CASE-NPO-13545-1
US-PATENT-APPL-SN-589173
US-PATENT-CLASS-325-41
US-PATENT-CLASS-340-146.1AL
US-PATENT-CLASS-340-146.1AQ
US-PATENT-CLASS-340-146.1AV
US-PATENT-3,988,677
N77-12402* c 37 ..... NASA-CASE-MFS-23062-1
US-PATENT-APPL-SN-591569
US-PATENT-CLASS-60-527
US-PATENT-3,987,630
N77-12721* c 60 ..... NASA-CASE-NPO-13428-1
NASA-CASE-NPO-13447-1
US-PATENT-APPL-SN-495022
US-PATENT-CLASS-179-15BA
US-PATENT-CLASS-328-111
US-PATENT-CLASS-340-172.5
US-PATENT-3,988,716
N77-13217* c 27 ..... NASA-CASE-NPO-13666-1
US-PATENT-APPL-SN-633877
US-PATENT-CLASS-29-182.5

US-PATENT-3,990,860
N77-13315* c 33 ..... NASA-CASE-NPO-11515-1
US-PATENT-APPL-SN-139596
US-PATENT-CLASS-307-233
US-PATENT-CLASS-307-295
US-PATENT-CLASS-328-133
US-PATENT-3,750,035
N77-13418* c 37 ..... NASA-CASE-ARC-10905-1
US-PATENT-APPL-SN-618594
US-PATENT-CLASS-219-300
US-PATENT-CLASS-219-304
US-PATENT-CLASS-239-171
US-PATENT-CLASS-252-359A
US-PATENT-3,990,987
N77-14025* c 07 ..... NASA-CASE-LEW-12419-1
US-PATENT-APPL-SN-579375
US-PATENT-CLASS-416-153
US-PATENT-CLASS-416-160
US-PATENT-CLASS-416-162
US-PATENT-CLASS-416-165
US-PATENT-CLASS-416-167
US-PATENT-CLASS-60-226R
US-PATENT-3,994,128
N77-14292* c 32 ..... NASA-CASE-LAR-11607-1
US-PATENT-APPL-SN-617895
US-PATENT-CLASS-325-145
US-PATENT-CLASS-332-22
US-PATENT-CLASS-332-23R
US-PATENT-3,996,532
N77-14333* c 33 ..... NASA-CASE-GSC-11789-1
US-PATENT-APPL-SN-538982
US-PATENT-CLASS-317-31
US-PATENT-CLASS-321-13
US-PATENT-3,996,506
N77-14334* c 33 ..... NASA-CASE-GSC-12018-1
US-PATENT-APPL-SN-635531
US-PATENT-CLASS-329-122
[illegible]
US-PATENT-CLASS-331-23
US-PATENT-CLASS-331-36C
US-PATENT-CLASS-332-30V
US-PATENT-3,997,848
N77-14335* c 33 ..... NASA-CASE-MFS-22560-1
US-PATENT-APPL-SN-589233
US-PATENT-CLASS-250-214A
US-PATENT-CLASS-330-14
US-PATENT-CLASS-330-28
US-PATENT-CLASS-330-59
US-PATENT-3,996,462
N77-14406* c 35 ..... NASA-CASE-NPO-13663-1
US-PATENT-APPL-SN-634205
US-PATENT-CLASS-250-289
US-PATENT-CLASS-250-298
US-PATENT-3,996,464
N77-14407* c 35 ..... NASA-CASE-LAR-11648-1
US-PATENT-APPL-SN-645571
US-PATENT-CLASS-73-133R
US-PATENT-3,995,476
N77-14408* c 35 ..... NASA-CASE-ARC-10448-3
US-PATENT-APPL-SN-221670
US-PATENT-APPL-SN-318848
US-PATENT-CLASS-250-396
US-PATENT-3,996,468
N77-14409* c 35 ..... NASA-CASE-NPO-13540-1
US-PATENT-APPL-SN-526450
US-PATENT-CLASS-136-232
US-PATENT-CLASS-136-233
US-PATENT-3,996,070
N77-14411* c 35 ..... NASA-CASE-NPO-13683-1
US-PATENT-APPL-SN-599284
US-PATENT-CLASS-250-343
US-PATENT-CLASS-356-201
US-PATENT-CLASS-356-204
US-PATENT-CLASS-356-97
US-PATENT-3,995,960
N77-14477* c 37 ..... NASA-CASE-FRC-10081-1
US-PATENT-APPL-SN-598504
US-PATENT-CLASS-280-432
US-PATENT-3,995,877
N77-14478* c 37 ..... NASA-CASE-LAR-11658-1
US-PATENT-APPL-SN-625759
US-PATENT-CLASS-83-451
US-PATENT-CLASS-83-467R
US-PATENT-3,995,522
N77-14479* c 37 ..... NASA-CASE-GSC-11960-1
US-PATENT-APPL-SN-629456
US-PATENT-CLASS-242-187
US-PATENT-CLASS-242-193
US-PATENT-CLASS-242-204
US-PATENT-CLASS-242-210
US-PATENT-CLASS-242-57
US-PATENT-3,995,789
N77-14580* c 44 ..... NASA-CASE-LEW-11496-1
US-PATENT-APPL-SN-645508
US-PATENT-CLASS-136-89
US-PATENT-CLASS-204-192
US-PATENT-3,996,067
N77-14581* c 44 ..... NASA-CASE-LEW-12220-1
US-PATENT-APPL-SN-606891
US-PATENT-CLASS-320-2
US-PATENT-CLASS-429-23
US-PATENT-CLASS-429-34
US-PATENT-3,996,064
N77-14735* c 52 ..... NASA-CASE-MFS-23225-1
US-PATENT-APPL-SN-612965
US-PATENT-CLASS-3-1.2
US-PATENT-CLASS-3-14
US-PATENT-3,995,324
N77-14736* c 52 ..... NASA-CASE-ARC-11007-1
US-PATENT-APPL-SN-652948
US-PATENT-CLASS-128-2H
US-PATENT-CLASS-128-379
US-PATENT-CLASS-128-400
US-PATENT-CLASS-128-402
US-PATENT-3,995,621
N77-14737* c 52 ..... NASA-CASE-MSC-14276-1
US-PATENT-APPL-SN-557430
US-PATENT-CLASS-250-363R
US-PATENT-CLASS-250-444
US-PATENT-CLASS-250-498
US-PATENT-3,996,471
N77-14738* c 52 ..... NASA-CASE-KSC-10849-1
US-PATENT-APPL-SN-613734
US-PATENT-CLASS-128-418
US-PATENT-CLASS-3-1.1
US-PATENT-CLASS-339-252R
US-PATENT-3,995,644
N77-14751* c 60 ..... NASA-CASE-GSC-11839-1
US-PATENT-APPL-SN-468614
US-PATENT-CLASS-235-152
US-PATENT-CLASS-250-227
US-PATENT-CLASS-340-172.5
US-PATENT-CLASS-350-96R
[illegible]
N77-17029* c 05 ..... NASA-CASE-ARC-10807-1
US-PATENT-APPL-SN-513612
US-PATENT-CLASS-416-104
US-PATENT-CLASS-416-138
US-PATENT-CLASS-416-141
US-PATENT-3,999,886
N77-17059* c 07 ..... NASA-CASE-LEW-12760-1
US-PATENT-APPL-SN-569925
US-PATENT-CLASS-60-226A
US-PATENT-CLASS-60-228
US-PATENT-4,005,574
N77-17143* c 20 ..... NASA-CASE-XLA-01349
US-PATENT-APPL-SN-256493
US-PATENT-APPL-SN-54552
US-PATENT-CLASS-102-49.3
US-PATENT-CLASS-264-3R
US-PATENT-CLASS-86-1R
US-PATENT-CLASS-86-20R
US-PATENT-4,000,682
N77-17161* c 23 ..... NASA-CASE-MSC-14428-1
US-PATENT-APPL-SN-450504
US-PATENT-CLASS-23-230B
US-PATENT-CLASS-23-230M
US-PATENT-CLASS-23-230R
US-PATENT-CLASS-23-231
US-PATENT-CLASS-23-232C
US-PATENT-CLASS-23-232R
US-PATENT-CLASS-23-254R
US-PATENT-CLASS-55-197
US-PATENT-CLASS-55-67
US-PATENT-CLASS-55-74
US-PATENT-CLASS-73-23.1
US-PATENT-CLASS-73-61.1C
US-PATENT-4,003,257
N77-17351* c 33 ..... NASA-CASE-MFS-23181-1
US-PATENT-APPL-SN-566495
US-PATENT-CLASS-331-114
US-PATENT-CLASS-331-177V
US-PATENT-CLASS-332-18
US-PATENT-CLASS-332-30V
US-PATENT-4,003,004
N77-17354* c 33 ..... NASA-CASE-LEW-11881-1
US-PATENT-APPL-SN-598968
US-PATENT-CLASS-307-229
US-PATENT-CLASS-307-230
US-PATENT-CLASS-328-161
US-PATENT-4,001,602
N77-17426* c 35 ..... NASA-CASE-MFS-22671-2
US-PATENT-APPL-SN-419831
US-PATENT-APPL-SN-561956
US-PATENT-CLASS-360-25
US-PATENT-CLASS-360-31
US-PATENT-4,003,084
N77-17464* c 37 ..... NASA-CASE-GSC-11978-1
US-PATENT-APPL-SN-593142
US-PATENT-CLASS-308-10
US-PATENT-4,000,929
N77-17495* c 38 ..... NASA-CASE-GSC-11902-1
US-PATENT-APPL-SN-565289
US-PATENT-CLASS-235-92CA
US-PATENT-CLASS-235-92CT
US-PATENT-CLASS-235-92DN
US-PATENT-CLASS-235-92R
US-PATENT-4,001,552
N77-18154* c 07 ..... NASA-CASE-ARC-10761-1
US-PATENT-APPL-SN-612899
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-244-53B
US-PATENT-4,007,891
N77-18307* c 32 ..... NASA-CASE-MFS-23303-1
US-PATENT-APPL-SN-676957
US-PATENT-CLASS-333-70R
US-PATENT-CLASS-333-75
US-PATENT-CLASS-333-76
US-PATENT-CLASS-333-82B
US-PATENT-4,007,434
N77-18382* c 34 ..... NASA-CASE-LAR-10805-2
US-PATENT-APPL-SN-428992
US-PATENT-APPL-SN-578240
US-PATENT-CLASS-244-117A
US-PATENT-CLASS-427-160
US-PATENT-CLASS-427-322
US-PATENT-CLASS-428-35
US-PATENT-CLASS-428-421
US-PATENT-CLASS-428-461
US-PATENT-CLASS-428-474
US-PATENT-4,008,348
N77-18417* c 35 ..... NASA-CASE-ARC-10898-1
US-PATENT-APPL-SN-625732
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-432SD
US-PATENT-CLASS-73-71.6
US-PATENT-4,007,623
N77-18891* c 73 ..... NASA-CASE-NPO-13121-1
US-PATENT-APPL-SN-294727
[illegible]
US-PATENT-CLASS-313-311
US-PATENT-CLASS-346R
US-PATENT-4,008,407
N77-18893* c 74 ..... NASA-CASE-MSC-14683-1
US-PATENT-APPL-SN-612967
US-PATENT-CLASS-358-44
US-PATENT-4,004,292
N77-19056* c 04 ..... NASA-CASE-LAR-11387-2
US-PATENT-APPL-SN-531647
US-PATENT-APPL-SN-623156
US-PATENT-CLASS-33-356
US-PATENT-CLASS-73-178R
US-PATENT-4,006,631
N77-19076* c 09 ..... NASA-CASE-ARC-10979-1
US-PATENT-APPL-SN-608483
US-PATENT-CLASS-124-6
US-PATENT-CLASS-244-63
US-PATENT-3,989,206
N77-19170* c 24 ..... NASA-CASE-LEW-12550-1
US-PATENT-APPL-SN-596905
US-PATENT-CLASS-416-224
US-PATENT-CLASS-416-230
US-PATENT-4,006,999
N77-19171* c 24 ..... NASA-CASE-LEW-12619-1
US-PATENT-APPL-SN-462424
US-PATENT-CLASS-204-16
US-PATENT-CLASS-204-40
US-PATENT-CLASS-204-9
US-PATENT-CLASS-29-527.2
US-PATENT-3,989,602
N77-19353* c 34 ..... NASA-CASE-ARC-10912-1
US-PATENT-APPL-SN-623187
US-PATENT-CLASS-62-100
US-PATENT-CLASS-62-121
US-PATENT-CLASS-62-269
US-PATENT-CLASS-62-315
US-PATENT-4,007,601
N77-19385* c 35 ..... NASA-CASE-MSC-14653-1
US-PATENT-APPL-SN-521816
US-PATENT-CLASS-177-1
US-PATENT-CLASS-177-208
US-PATENT-CLASS-73-432R
US-PATENT-3,988,933
N77-19416* c 36 ..... NASA-CASE-XNP-04167-3
US-PATENT-APPL-SN-170544
US-PATENT-APPL-SN-479357
US-PATENT-CLASS-331-94.5D
US-PATENT-CLASS-331-94.5G
US-PATENT-CLASS-331-94.5PE
US-PATENT-4,007,430
N77-19457* c 37 ..... NASA-CASE-MFS-15218-1
US-PATENT-APPL-SN-387094
US-PATENT-CLASS-197-188
US-PATENT-CLASS-197-190
US-PATENT-3,989,136
N77-19458* c 37 ..... NASA-CASE-GSC-11883-1
NASA-CASE-GSC-11974-1
NASA-CASE-GSC-11975-1

US-PATENT-APPL-SN-596787
US-PATENT-CLASS-310-4A
US-PATENT-CLASS-337-334
US-PATENT-CLASS-340-224
US-PATENT-CLASS-60-527
US-PATENT-CLASS-75-122.7
US-PATENT-CLASS-75-170
US-PATENT-4,010,455

N77-19571* c 44 ..... NASA-CASE-LEW-11549-1
US-PATENT-APPL-SN-510677
US-PATENT-CLASS-136-89
US-PATENT-3,989,541

N77-19760* c 60 ..... NASA-CASE-ARC-10899-1
US-PATENT-APPL-SN-576774
US-PATENT-CLASS-178-69.5R
US-PATENT-CLASS-179-15BS
US-PATENT-CLASS-340-172.5
US-PATENT-3,990,049

N77-20162* c 20 ..... NASA-CASE-LEW-12048-1
US-PATENT-APPL-SN-665033
US-PATENT-CLASS-313-230
US-PATENT-CLASS-313-231.3
US-PATENT-CLASS-313-360
US-PATENT-CLASS-315-111.3
US-PATENT-CLASS-315-111.6
US-PATENT-CLASS-60-202
US-PATENT-4,011,719

N77-20201* c 26 ..... NASA-CASE-LEW-12245-1
US-PATENT-APPL-SN-584094
US-PATENT-CLASS-148-12.7N
US-PATENT-CLASS-148-162
US-PATENT-CLASS-148-2
US-PATENT-CLASS-148-20.3
US-PATENT-CLASS-148-32.5
US-PATENT-CLASS-75-170
US-PATENT-4,012,237

N77-20289* c 32 ..... NASA-CASE-NPO-13753-1
US-PATENT-APPL-SN-658449
US-PATENT-CLASS-325-4
US-PATENT-CLASS-343-100ST
US-PATENT-CLASS-343-6.8R
US-PATENT-CLASS-343-6.5R
US-PATENT-4,012,696

N77-20399* c 35 ..... NASA-CASE-ARC-10716-1
US-PATENT-APPL-SN-403695
US-PATENT-CLASS-235-150.2
US-PATENT-CLASS-235-150.25
US-PATENT-CLASS-244-165
US-PATENT-CLASS-244-171
US-PATENT-CLASS-244-3.21
US-PATENT-4,012,018

N77-20400* c 35 ..... NASA-CASE-ARC-10911-1
US-PATENT-APPL-SN-610802
US-PATENT-CLASS-338-28
US-PATENT-CLASS-73-204
US-PATENT-4,011,756

N77-20401* c 35 ..... NASA-CASE-MFS-23267-1
US-PATENT-APPL-SN-653422
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-CLASS-250-203R
US-PATENT-4,011,854

N77-20882* c 74 ..... NASA-CASE-LAR-11782-1
US-PATENT-APPL-SN-608482
US-PATENT-CLASS-350-145
US-PATENT-CLASS-350-174
US-PATENT-4,012,123

N77-21267* c 32 ..... NASA-CASE-LAR-11390-1
US-PATENT-APPL-SN-662176
US-PATENT-CLASS-340-5H
US-PATENT-CLASS-343-18B
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-5MM
US-PATENT-4,019,179

N77-21314* c 33 ..... NASA-CASE-NPO-10189-1
NASA-CASE-NPO-10781-1
US-PATENT-APPL-SN-744522
US-PATENT-CLASS-307-232
US-PATENT-CLASS-307-238
US-PATENT-CLASS-307-280
US-PATENT-CLASS-329-119
US-PATENT-CLASS-329-205
US-PATENT-CLASS-332-16
US-PATENT-CLASS-332-30
US-PATENT-CLASS-332-52
US-PATENT-3,582,828

N77-21315* c 33 ..... NASA-CASE-NPO-11510-1
US-PATENT-APPL-SN-173178
US-PATENT-APPL-SN-385059
US-PATENT-CLASS-313-161
US-PATENT-CLASS-313-184
US-PATENT-CLASS-313-224
US-PATENT-CLASS-313-32
US-PATENT-CLASS-315-344
US-PATENT-3,881,132

N77-21316* c 33 ..... NASA-CASE-NPO-10790-1
US-PATENT-APPL-SN-841278
US-PATENT-CLASS-313-175
US-PATENT-CLASS-313-180
US-PATENT-CLASS-313-184
US-PATENT-CLASS-315-108
US-PATENT-CLASS-315-110
US-PATENT-3,621,330

N77-21392* c 35 ..... NASA-CASE-NPO-10711-1
US-PATENT-APPL-SN-844315
US-PATENT-CLASS-179-100.2C
US-PATENT-3,697,705

N77-21393* c 35 ..... NASA-CASE-NPO-10619-1
US-PATENT-APPL-SN-757017
US-PATENT-CLASS-338-25
US-PATENT-3,555,483

N77-21844* c 54 ..... NASA-CASE-MFS-23074-1
US-PATENT-APPL-SN-623188
US-PATENT-CLASS-188-291
US-PATENT-CLASS-254-158
US-PATENT-4,018,423

N77-21941* c 74 ..... NASA-CASE-NPO-11429-1
US-PATENT-APPL-SN-95189
US-PATENT-CLASS-240-41.35R
US-PATENT-CLASS-240-41R
US-PATENT-CLASS-240-46.13
US-PATENT-CLASS-356-236
US-PATENT-3,711,701

N77-22386* c 33 ..... NASA-CASE-NPO-10870-1
NASA-CASE-NPO-11191-1
NASA-CASE-NPO-11403-1
US-PATENT-APPL-SN-108810
US-PATENT-CLASS-313-146
US-PATENT-CLASS-313-182
US-PATENT-CLASS-313-60
US-PATENT-3,736,453

N77-22449* c 35 ..... NASA-CASE-LAR-11825-1
US-PATENT-APPL-SN-632112
US-PATENT-CLASS-73-88R
US-PATENT-4,018,085

N77-22450* c 35 ..... NASA-CASE-MFS-23281-1
US-PATENT-APPL-SN-657995
US-PATENT-CLASS-73-15.6
US-PATENT-CLASS-73-95
US-PATENT-4,018,080

N77-22479* c 37 ..... NASA-CASE-NPO-10316-1
US-PATENT-APPL-SN-703107
US-PATENT-CLASS-60-53
US-PATENT-3,478,514

N77-22480* c 37 ..... NASA-CASE-NPO-13058-1
NASA-CASE-NPO-13096-1
US-PATENT-APPL-SN-403154
US-PATENT-CLASS-214-16.1CB
US-PATENT-3,896,955

N77-22482* c 37 ..... NASA-CASE-MSC-19536-1
US-PATENT-APPL-SN-658450
US-PATENT-CLASS-74-96
US-PATENT-4,018,092

N77-22606* c 44 ..... NASA-CASE-LEW-12364-1
US-PATENT-APPL-SN-707124
US-PATENT-CLASS-253-317
US-PATENT-CLASS-429-105
US-PATENT-CLASS-429-107
US-PATENT-CLASS-429-190
US-PATENT-4,018,971

N77-22607* c 44 ..... NASA-CASE-LAR-11361-1
US-PATENT-APPL-SN-669928
US-PATENT-CLASS-23-277R
US-PATENT-CLASS-23-281
US-PATENT-CLASS-423-648R
US-PATENT-CLASS-55-158
US-PATENT-4,019,868

N77-22794* c 51 ..... NASA-CASE-GSC-12039-1
US-PATENT-APPL-SN-572991
US-PATENT-CLASS-195-103.5K
US-PATENT-CLASS-195-103.5R
US-PATENT-4,014,745

N77-22950* c 74 ..... NASA-CASE-ARC-10976-1
US-PATENT-APPL-SN-665032
US-PATENT-CLASS-356-171
US-PATENT-4,018,533

N77-22951* c 74 ..... NASA-CASE-NPO-13722-1
US-PATENT-APPL-SN-616472
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-211K
US-PATENT-CLASS-356-141
US-PATENT-CLASS-356-152
US-PATENT-CLASS-356-172
US-PATENT-4,018,532

N77-23106* c 07 ..... NASA-CASE-LEW-12830-1
US-PATENT-APPL-SN-596641
US-PATENT-APPL-SN-655149
US-PATENT-CLASS-123-122E
US-PATENT-CLASS-123-41.33
US-PATENT-CLASS-137-101
US-PATENT-CLASS-415-180
US-PATENT-CLASS-60-39.03
US-PATENT-CLASS-60-39.28R
US-PATENT-CLASS-60-39.66
US-PATENT-4,020,632

N77-23482* c 37 ..... NASA-CASE-LAR-11563-1
US-PATENT-APPL-SN-672815
US-PATENT-CLASS-29-DIG.35
US-PATENT-CLASS-29-447
US-PATENT-CLASS-403-273
US-PATENT-CLASS-53-9
US-PATENT-4,017,959

N77-23483* c 37 ..... NASA-CASE-MFS-23088-1
US-PATENT-APPL-SN-602617
US-PATENT-CLASS-213-81
US-PATENT-CLASS-214-1CM
US-PATENT-CLASS-244-161
US-PATENT-4,018,409

N77-24328* c 32 ..... NASA-CASE-ARC-10984-1
US-PATENT-APPL-SN-690815
US-PATENT-CLASS-358-133
US-PATENT-CLASS-358-138
US-PATENT-4,025,950

N77-24331* c 32 ..... NASA-CASE-MSC-14840-1
US-PATENT-APPL-SN-692414
US-PATENT-CLASS-178-88
US-PATENT-CLASS-325-346
US-PATENT-CLASS-329-104
US-PATENT-CLASS-329-122
US-PATENT-4,027,265

N77-24375* c 33 ..... NASA-CASE-MSC-12709-1
US-PATENT-APPL-SN-630583
US-PATENT-CLASS-307-225R
US-PATENT-CLASS-328-38
US-PATENT-CLASS-328-39
US-PATENT-CLASS-328-4-8
US-PATENT-CLASS-328-63
US-PATENT-4,025,866

N77-24423* c 34 ..... NASA-CASE-LAR-12045-1
US-PATENT-APPL-SN-682416
US-PATENT-CLASS-259/4R
US-PATENT-CLASS-261-DIG.75
US-PATENT-CLASS-261-123
US-PATENT-4,026,527

N77-24454* c 35 ..... NASA-CASE-ARC-10900-1
US-PATENT-APPL-SN-630579
US-PATENT-CLASS-338-229
US-PATENT-CLASS-338-28
US-PATENT-4,025,891

N77-24455* c 35 ..... NASA-CASE-GSC-12077-1
US-PATENT-APPL-SN-635519
US-PATENT-CLASS-65-108
US-PATENT-CLASS-65-59A
US-PATENT-CLASS-6554
US-PATENT-CLASS-6564
US-PATENT-4,025,327

N77-25499* c 36 ..... NASA-CASE-GSC-11571-1
US-PATENT-APPL-SN-646704
US-PATENT-CLASS-331-94.5S
US-PATENT-4,025,875

N77-25501* c 36 ..... NASA-CASE-ARC-10970-1
US-PATENT-APPL-SN-691046
US-PATENT-CLASS-250-574
US-PATENT-CLASS-350-100
US-PATENT-CLASS-350-102
US-PATENT-CLASS-356-28
US-PATENT-4,026,655

N77-25502* c 36 ..... NASA-CASE-NPO-13147-1
US-PATENT-APPL-SN-317310
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-331-94.5D
US-PATENT-CLASS-331-94.5P
US-PATENT-4,027,273

N77-25769* c 51 ..... NASA-CASE-LAR-10773-3
US-PATENT-APPL-SN-125235
US-PATENT-APPL-SN-314656
US-PATENT-APPL-SN-623238
US-PATENT-CLASS-195-1.8
US-PATENT-4,018,649

N77-25772* c 52 ..... NASA-CASE-KSC-11030-1
US-PATENT-APPL-SN-709849
US-PATENT-CLASS-128-1R
US-PATENT-CLASS-3-1
US-PATENT-CLASS-339,12R
US-PATENT-4,025,964

N77-26385* c 33 ..... NASA-CASE-LEW-11978-1
US-PATENT-APPL-SN-708658
US-PATENT-CLASS-204-32A
US-PATENT-CLASS-29-597
US-PATENT-CLASS-29-622
US-PATENT-CLASS-29-628
US-PATENT-CLASS-29-630E
US-PATENT-4,023,266

N77-26386* c 33 ..... NASA-CASE-GSC-11824-1
US-PATENT-APPL-SN-583486
US-PATENT-CLASS-318-138
US-PATENT-CLASS-318-227
US-PATENT-CLASS-318-254

US-PATENT-4,027,212
N77-26387* c 33 ..... NASA-CASE-LAR-11389-1
US-PATENT-APPL-SN-229143
US-PATENT-APPL-SN-340862
US-PATENT-CLASS-310-111
US-PATENT-CLASS-310-168
US-PATENT-CLASS-322-96
US-PATENT-3,849,720
N77-26477* c 36 ..... NASA-CASE-NPO-13550-1
US-PATENT-APPL-SN-483301
US-PATENT-CLASS-250-281
US-PATENT-CLASS-250-282
US-PATENT-CLASS-250-283
US-PATENT-CLASS-250-423P
US-PATENT-4,031,389
N77-26919* c 71 ..... NASA-CASE-NPO-13673-1
US-PATENT-APPL-SN-613004
US-PATENT-CLASS-330-5.5
US-PATENT-CLASS-331-107A
US-PATENT-CLASS-333-72
US-PATENT-4,025,876
N77-26942* c 74 ..... NASA-CASE-GSC-12058-1
US-PATENT-APPL-SN-680938
US-PATENT-CLASS-250-199
US-PATENT-4,025,783
N77-27116* c 07 ..... NASA-CASE-LEW-12608-1
US-PATENT-APPL-SN-680067
US-PATENT-CLASS-416-220R
US-PATENT-CLASS-416-221
US-PATENT-4,033,705
N77-27131* c 09 ..... NASA-CASE-LAR-11883-1
US-PATENT-APPL-SN-662175
US-PATENT-CLASS-73-15R
US-PATENT-4,027,524
N77-27187* c 24 ..... NASA-CASE-MFS-22926-1
US-PATENT-APPL-SN-557565
US-PATENT-CLASS-164-60
US-PATENT-CLASS-75-139
US-PATENT-CLASS-75-65R
US-PATENT-4,029,500
N77-27188* c 24 ..... NASA-CASE-LEW-12118-1
US-PATENT-APPL-SN-616332
US-PATENT-CLASS-428-301
US-PATENT-CLASS-428-328
US-PATENT-CLASS-428-368
US-PATENT-CLASS-428-418
US-PATENT-CLASS-428-457
US-PATENT-CLASS-428-902
US-PATENT-CLASS-428-911
US-PATENT-4,029,838
N77-27345* c 34 ..... NASA-CASE-ARC-10974-1
US-PATENT-APPL-SN-667010
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-228
US-PATENT-4,028,939
N77-27366* c 35 ..... NASA-CASE-GSC-12059-1
US-PATENT-APPL-SN-680957
US-PATENT-CLASS-331-94.5D
US-PATENT-CLASS-331-94.5T
US-PATENT-CLASS-350-253
US-PATENT-4,030,047
N77-27367* c 35 ..... NASA-CASE-NPO-11103-1
US-PATENT-APPL-SN-3654
US-PATENT-CLASS-73-84
US-PATENT-3,623,359
N77-27368* c 35 ..... NASA-CASE-MSC-12327-1
US-PATENT-APPL-SN-19572
US-PATENT-CLASS-73-362AR
US-PATENT-3,613,454
N77-27400* c 37 ..... NASA-CASE-GSC-11063-1
US-PATENT-APPL-SN-41431
US-PATENT-CLASS-318-267
US-PATENT-CLASS-318-468
US-PATENT-CLASS-318-470
US-PATENT-CLASS-318-675
US-PATENT-3,628,113
N77-27677* c 51 ..... NASA-CASE-LAR-11649-1
US-PATENT-APPL-SN-626942
US-PATENT-CLASS-118-313
US-PATENT-CLASS-118-6
US-PATENT-CLASS-118-7
US-PATENT-CLASS-118-9
US-PATENT-CLASS-23-253A
US-PATENT-CLASS-23-259
US-PATENT-CLASS-23-292
US-PATENT-CLASS-424-3
US-PATENT-CLASS-427-4
US-PATENT-CLASS-8-3
US-PATENT-CLASS-8-94.11
US-PATENT-4,029,470
N77-28118* c 07 ..... NASA-CASE-LAR-11310-1
US-PATENT-APPL-SN-394898
US-PATENT-CLASS-415-145
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-60-263
US-PATENT-4,033,119
N77-28225* c 24 ..... NASA-CASE-MSC-12631-1
US-PATENT-APPL-SN-568541
US-PATENT-CLASS-156-229
US-PATENT-CLASS-244-123
US-PATENT-CLASS-428-141
US-PATENT-CLASS-428-161
US-PATENT-CLASS-428-425
US-PATENT-CLASS-428-457
US-PATENT-CLASS-428-458
US-PATENT-4,032,089
N77-28265* c 26 ..... NASA-CASE-LEW-11573-1
US-PATENT-APPL-SN-625733
US-PATENT-CLASS-228-190
US-PATENT-CLASS-228-194
US-PATENT-CLASS-228-232
US-PATENT-4,033,504
N77-28346* c 32 ..... NASA-CASE-GSC-12053-1
US-PATENT-APPL-SN-667930
US-PATENT-CLASS-250-199
US-PATENT-CLASS-250-238
US-PATENT-4,033,882
N77-28385* c 33 ..... NASA-CASE-LEW-12444-1
US-PATENT-APPL-SN-583485
US-PATENT-CLASS-123-148CB
US-PATENT-CLASS-123-148E
US-PATENT-CLASS-315-176
US-PATENT-4,033,316
N77-28486* c 37 ..... NASA-CASE-LEW-11158-1
US-PATENT-APPL-SN-663008
US-PATENT-CLASS-308-5R
US-PATENT-CLASS-308-73
US-PATENT-CLASS-308-9
US-PATENT-4,035,037
N77-28487* c 37 ..... NASA-CASE-MSC-14905-1
US-PATENT-APPL-SN-708795
US-PATENT-CLASS-128-DIG.12
US-PATENT-CLASS-222-61
US-PATENT-CLASS-222-95
US-PATENT-4,033,479
N77-28511* c 39 ..... NASA-CASE-MFS-23299-1
US-PATENT-APPL-SN-700673
US-PATENT-CLASS-73-67.7
US-PATENT-CLASS-73-88R
US-PATENT-4,033,182
N77-28716* c 52 ..... NASA-CASE-LEW-12258-1
US-PATENT-APPL-SN-676433
US-PATENT-CLASS-128-1R
US-PATENT-CLASS-128-303R
US-PATENT-4,033,349
N77-28717* c 52 ..... NASA-CASE-MSC-14623-1
US-PATENT-APPL-SN-637269
US-PATENT-CLASS-128-DIG.4
US-PATENT-CLASS-128-2.1E
US-PATENT-CLASS-128-410
US-PATENT-4,033,334
N77-28932* c 74 ..... NASA-CASE-GSC-11989-1
US-PATENT-APPL-SN-645500
US-PATENT-CLASS-350-162SF
US-PATENT-CLASS-350-202
US-PATENT-CLASS-350-299
US-PATENT-4,035,062
N77-28933* c 74 ..... NASA-CASE-NPO-13707-1
US-PATENT-APPL-SN-617202
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-310
US-PATENT-CLASS-350-320
US-PATENT-4,035,065
N77-29260* c 26 ..... NASA-CASE-MFS-23405-1
US-PATENT-APPL-SN-718267
US-PATENT-CLASS-228-124
US-PATENT-CLASS-228-263
US-PATENT-4,033,503
N77-30236* c 27 ..... NASA-CASE-NPO-13620-1
US-PATENT-APPL-SN-666992
US-PATENT-CLASS-210-24
US-PATENT-CLASS-536-105
US-PATENT-CLASS-536-536-85
US-PATENT-CLASS-536-56
US-PATENT-CLASS-536-58
US-PATENT-CLASS-536-84
US-PATENT-4,041,233
N77-30237* c 27 ..... NASA-CASE-MFS-23345-1
US-PATENT-APPL-SN-696989
US-PATENT-CLASS-106-292
US-PATENT-CLASS-106-296
US-PATENT-CLASS-106-299
US-PATENT-4,039,347
N77-30308* c 32 ..... NASA-CASE-GSC-12017-1
US-PATENT-APPL-SN-645510
US-PATENT-CLASS-325-30
US-PATENT-CLASS-325-42
US-PATENT-CLASS-325-473
US-PATENT-CLASS-325-65
US-PATENT-4,041,391
N77-30309* c 32 ..... NASA-CASE-GSC-11898-1
US-PATENT-APPL-SN-566494
US-PATENT-CLASS-179-1SA
US-PATENT-CLASS-179-1SP
US-PATENT-4,039,754
N77-30365* c 33 ..... NASA-CASE-NPO-13812-1
US-PATENT-APPL-SN-694855
US-PATENT-CLASS-307-64
US-PATENT-CLASS-363-53
US-PATENT-CLASS-363-70
US-PATENT-4,039,925
N77-30399* c 34 ..... NASA-CASE-MFS-19287-1
US-PATENT-APPL-SN-641802
US-PATENT-CLASS-137-207
US-PATENT-CLASS-137-209
US-PATENT-CLASS-60-259
US-PATENT-CLASS-62-55
US-PATENT-4,039,000
N77-30436* c 35 ..... NASA-CASE-MFS-23175-1
US-PATENT-APPL-SN-667928
US-PATENT-CLASS-324-163
US-PATENT-CLASS-324-165
US-PATENT-CLASS-324-174
US-PATENT-CLASS-340-271
US-PATENT-CLASS-340-347P
US-PATENT-CLASS-340-347SY
US-PATENT-4,039-946
N77-30749* c 54 ..... NASA-CASE-KSC-11004-1
US-PATENT-APPL-SN-710032
US-PATENT-CLASS-3-2
US-PATENT-CLASS-3-21
US-PATENT-4,038,705
N77-31308* c 27 ..... NASA-CASE-NPO-11609-2
US-PATENT-APPL-SN-228229
US-PATENT-APPL-SN-674700
US-PATENT-CLASS-210-DIG.27
US-PATENT-CLASS-210-40
US-PATENT-CLASS-260-2.5A
US-PATENT-CLASS-260-2.5AM
US-PATENT-CLASS-260-2.5AY
US-PATENT-CLASS-260-77.5AP
US-PATENT-4,039-489
N77-31350* c 32 ..... NASA-CASE-GSC-12075-1
US-PATENT-APPL-SN-562499
US-PATENT-CLASS-343-17.7
US-PATENT-4,042,926
N77-31404* c 33 ..... NASA-CASE-ARC-10897-1
US-PATENT-APPL-SN-625781
US-PATENT-CLASS-323-93
US-PATENT-CLASS-324-60
US-PATENT-CLASS-340-200
US-PATENT-CLASS-340-347SH
US-PATENT-4,040,041
N77-31465* c 35 ..... NASA-CASE-MFS-23118-1
US-PATENT-APPL-SN-691256
US-PATENT-CLASS-356-212
US-PATENT-4,040,750
N77-31497* c 37 ..... NASA-CASE-NPO-13671-1
US-PATENT-APPL-SN-564622
US-PATENT-CLASS-123-DIG.8
US-PATENT-CLASS-123-119A
US-PATENT-CLASS-123-122AB
US-PATENT-CLASS-123-3
US-PATENT-CLASS-123-37
US-PATENT-CLASS-123-59E
US-PATENT-4,041,910
N77-31601* c 44 ..... NASA-CASE-LEW-12587-1
US-PATENT-APPL-SN-717319
US-PATENT-CLASS-136-89AC
US-PATENT-CLASS-136-89P
US-PATENT-CLASS-52-173R
US-PATENT-CLASS-52-51
US-PATENT-4,040,867
N77-32148* c 07 ..... NASA-CASE-LEW-12312-1
US-PATENT-APPL-SN-654787
US-PATENT-CLASS-416-135
US-PATENT-CLASS-416-190
US-PATENT-CLASS-416-193A
US-PATENT-CLASS-416-241A
US-PATENT-4,045,149
N77-32255* c 25 ..... NASA-CASE-NPO-13566-1
US-PATENT-APPL-SN-653316
US-PATENT-CLASS-204-DIG.11
US-PATENT-CLASS-204-157.1R
US-PATENT-CLASS-204-158R
US-PATENT-CLASS-204-162R
US-PATENT-CLASS-250-527
US-PATENT-4,045,359
N77-32279* c 26 ..... NASA-CASE-LEW-12906-1
US-PATENT-APPL-SN-691936
US-PATENT-CLASS-148-32
US-PATENT-CLASS-75-170
US-PATENT-4,045,255
N77-32280* c 26 ..... NASA-CASE-LEW-12270-1
US-PATENT-APPL-SN-645507
US-PATENT-CLASS-148-32.5

US-PATENT-CLASS-75-170
US-PATENT-4,046,560
N77-32308* c 27 ..... NASA-CASE-GSC-12110-1
US-PATENT-APPL-SN-682435
US-PATENT-CLASS-156-645
US-PATENT-CLASS-156-663
US-PATENT-4,046,619
N77-32342* c 32 ..... NASA-CASE-NPO-13587-1
US-PATENT-APPL-SN-589119
US-PATENT-CLASS-343-10
US-PATENT-CLASS-343-100CL
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-5DP
US-PATENT-4,045,795
N77-32413* c 34 ..... NASA-CASE-GSC-11998-1
US-PATENT-APPL-SN-579989
US-PATENT-CLASS-165-105
US-PATENT-4,046,190
N77-32454* c 35 ..... NASA-CASE-LEW-12050-1
US-PATENT-APPL-SN-629457
US-PATENT-CLASS-136-202
US-PATENT-CLASS-136-236R
US-PATENT-CLASS-136-240
US-PATENT-4,045,247
N77-32455* c 35 ..... NASA-CASE-NPO-13792-1
US-PATENT-APPL-SN-677351
US-PATENT-CLASS-324-57H
US-PATENT-CLASS-324-59
US-PATENT-4,045,728
N77-32456* c 35 ..... NASA-CASE-GSC-12143-1
US-PATENT-APPL-SN-743249
US-PATENT-CLASS-250-288
US-PATENT-CLASS-73-421.5R
US-PATENT-4,046,012
N77-32478* c 36 ..... NASA-CASE-LEW-12164-1
US-PATENT-APPL-SN-511334
US-PATENT-CLASS-350-162SF
US-PATENT-4,043,674
N77-32499* c 37 ..... NASA-CASE-MSC-19535-1
US-PATENT-APPL-SN-641784
US-PATENT-CLASS-292-110
US-PATENT-4,045,063
N77-32500* c 37 ..... NASA-CASE-LEW-12527-1
US-PATENT-APPL-SN-595747
US-PATENT-CLASS-290-52
US-PATENT-CLASS-308-195
US-PATENT-CLASS-308-72
US-PATENT-4,046,434
N77-32501* c 37 ..... NASA-CASE-LEW-12477-1
US-PATENT-APPL-SN-595745
US-PATENT-CLASS-290-52
US-PATENT-CLASS-308-195
US-PATENT-4,046,435
N77-32580* c 44 ..... NASA-CASE-NPO-13675-1
US-PATENT-APPL-SN-658132
US-PATENT-CLASS-204-157.1R
US-PATENT-CLASS-250-527
US-PATENT-4,045,315
N77-32581* c 44 ..... NASA-CASE-NPO-13510-1
US-PATENT-APPL-SN-536786
US-PATENT-CLASS-126-263
US-PATENT-CLASS-165-107
US-PATENT-CLASS-165-2
US-PATENT-CLASS-62-4
US-PATENT-4,044,821
N77-32582* c 44 ..... NASA-CASE-NPO-13810-1
US-PATENT-APPL-SN-681096
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-CLASS-52-117
US-PATENT-CLASS-60-641
US-PATENT-4,044,753
N77-32583* c 44 ..... NASA-CASE-NPO-13736-1
US-PATENT-APPL-SN-681017
US-PATENT-CLASS-350-295
US-PATENT-CLASS-350-320
US-PATENT-CLASS-427-130
US-PATENT-CLASS-427-47
US-PATENT-CLASS-52-2
US-PATENT-4,046,462
N77-32721* c 54 ..... NASA-CASE-ARC-10756-1
US-PATENT-APPL-SN-436313
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-214-1BC
US-PATENT-CLASS-214-1CM
US-PATENT-4,046,262
N77-32722* c 54 ..... NASA-CASE-MSC-14771-1
US-PATENT-APPL-SN-688854
US-PATENT-CLASS-165-166
US-PATENT-CLASS-55-179
US-PATENT-CLASS-55-269
US-PATENT-4,046,529
N77-32731* c 60 ..... NASA-CASE-GSC-11839-3
US-PATENT-APPL-SN-468614
US-PATENT-APPL-SN-657997
US-PATENT-CLASS-250-199
US-PATENT-CLASS-340-347AD
US-PATENT-CLASS-350-96R
US-PATENT-4,045,792
N77-32919* c 76 ..... NASA-CASE-MFS-23001-1
US-PATENT-APPL-SN-610801
US-PATENT-CLASS-156-DIG.62
US-PATENT-CLASS-156-601
US-PATENT-CLASS-156-619
US-PATENT-CLASS-156-620
US-PATENT-4,046,617
N78-10214* c 24 ..... NASA-CASE-LAR-11898-1
US-PATENT-APPL-SN-723264
US-PATENT-CLASS-428-116
US-PATENT-CLASS-428-138
US-PATENT-CLASS-428-73
US-PATENT-CLASS-428-902
US-PATENT-4,052,523
N78-10224* c 25 ..... NASA-CASE-LEW-12137-1
US-PATENT-APPL-SN-672210
US-PATENT-CLASS-165-105
US-PATENT-CLASS-431-158
US-PATENT-CLASS-431-352
US-PATENT-CLASS-60-39.51R
US-PATENT-4,052,144
N78-10225* c 25 ..... NASA-CASE-MSC-14831-1
US-PATENT-APPL-SN-685027
US-PATENT-CLASS-204-292
US-PATENT-CLASS-210-63R
US-PATENT-CLASS-210-71
US-PATENT-CLASS-252-472
US-PATENT-CLASS-427-229
US-PATENT-4,052,302
N78-10375* c 33 ..... NASA-CASE-MSC-14916-1
US-PATENT-APPL-SN-739914
US-PATENT-CLASS-179-107R
US-PATENT-CLASS-179-175.1A
US-PATENT-CLASS-330-2
US-PATENT-4,049,930
N78-10376* c 33 ..... NASA-CASE-MFS-23280-1
US-PATENT-APPL-SN-706425
US-PATENT-CLASS-318-200
US-PATENT-CLASS-318-227
US-PATENT-CLASS-318-230
US-PATENT-4,052,648
N78-10377* c 33 ..... NASA-CASE-NPO-13872-1
US-PATENT-APPL-SN-742034
US-PATENT-CLASS-363-57
US-PATENT-CLASS-363-89
US-PATENT-4,052,659
N78-10428* c 35 ..... NASA-CASE-MSC-14757-1
US-PATENT-APPL-SN-625734
US-PATENT-CLASS-141-197
US-PATENT-CLASS-141-4
US-PATENT-CLASS-417-225
US-PATENT-CLASS-60-560
US-PATENT-CLASS-60-574
US-PATENT-4,051,877
N78-10429* c 35 ..... NASA-CASE-NPO-13772-1
US-PATENT-APPL-SN-675351
US-PATENT-CLASS-250-310
US-PATENT-CLASS-250-398
US-PATENT-4,052,614
N78-10467* c 37 ..... NASA-CASE-LEW-12321-1
US-PATENT-APPL-SN-596641
US-PATENT-CLASS-123-122E
US-PATENT-CLASS-123-41.33
US-PATENT-CLASS-137-104
US-PATENT-CLASS-415-180
US-PATENT-CLASS-60-39.28R
US-PATENT-CLASS-60-39.66
US-PATENT-4,041,697
N78-10468* c 37 ..... NASA-CASE-LEW-12313-1
US-PATENT-APPL-SN-581751
US-PATENT-CLASS-416-135
US-PATENT-CLASS-416-141
US-PATENT-CLASS-416-220R
US-PATENT-CLASS-416-248
US-PATENT-4,047,840
N78-10493* c 39 ..... NASA-CASE-NPO-13731-1
US-PATENT-APPL-SN-653682
US-PATENT-CLASS-73-15.6
US-PATENT-CLASS-73-91
US-PATENT-4,030,348
N78-10529* c 43 ..... NASA-CASE-GSC-11976-1
US-PATENT-APPL-SN-677352
US-PATENT-CLASS-324-58.5B
US-PATENT-4,052,666
N78-10554* c 44 ..... NASA-CASE-NPO-13734-1
US-PATENT-APPL-SN-680939
US-PATENT-CLASS-126-271
US-PATENT-CLASS-237-1A
US-PATENT-CLASS-350-293
US-PATENT-CLASS-350-299
US-PATENT-4,051,834
N78-10686* c 52 ..... NASA-CASE-ARC-10916-1
US-PATENT-APPL-SN-701448
US-PATENT-CLASS-3-1.2
US-PATENT-CLASS-3-15
US-PATENT-CLASS-3-29
US-PATENT-4,051,558
N78-10709* c 60 ..... NASA-CASE-GSC-11839-2
US-PATENT-APPL-SN-468614
US-PATENT-APPL-SN-657996
US-PATENT-CLASS-340-173LM
US-PATENT-CLASS-350-96R
US-PATENT-CLASS-356-169
US-PATENT-4,052,705
N78-10837* c 71 ..... NASA-CASE-NPO-13802-1
US-PATENT-APPL-SN-658133
US-PATENT-CLASS-264-23
US-PATENT-CLASS-264-345
US-PATENT-CLASS-65-DIG.4
US-PATENT-CLASS-65-DIG.7
US-PATENT-CLASS-65-102
US-PATENT-CLASS-65-2
US-PATENT-CLASS-65-32
US-PATENT-CLASS-65-4B
US-PATENT-CLASS-65-87
US-PATENT-CLASS-73-505
US-PATENT-4,052,181
N78-12390* c 35 ..... NASA-CASE-MSC-14773-1
US-PATENT-APPL-SN-612966
US-PATENT-CLASS-137-197
US-PATENT-CLASS-210-222
US-PATENT-CLASS-55-100
US-PATENT-CLASS-55-26-9
US-PATENT-CLASS-55-3
US-PATENT-CLASS-62-50
US-PATENT-CLASS-62-514R
US-PATENT-4,027,494
N78-13320* c 33 ..... NASA-CASE-MFS-23274-1
US-PATENT-APPL-SN-714158
US-PATENT-CLASS-307-306
US-PATENT-CLASS-338-32S
US-PATENT-CLASS-357-4
US-PATENT-CLASS-357-5
US-PATENT-CLASS-357-73
US-PATENT-4,055,847
N78-13400* c 35 ..... NASA-CASE-ARC-10639-1
US-PATENT-APPL-SN-643043
US-PATENT-CLASS-250-336
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-351
US-PATENT-4,055,764
N78-13436* c 37 ..... NASA-CASE-LEW-12083-1
US-PATENT-APPL-SN-659882
US-PATENT-CLASS-250-499
US-PATENT-CLASS-313-61S
US-PATENT-CLASS-427-124
US-PATENT-CLASS-427-126
US-PATENT-CLASS-427-248E
US-PATENT-CLASS-427-250
US-PATENT-CLASS-427-255
US-PATENT-4,055,686
N78-13526* c 44 ..... NASA-CASE-NPO-13482-1
US-PATENT-APPL-SN-495021
US-PATENT-CLASS-136-89SJ
US-PATENT-CLASS-357-15
US-PATENT-CLASS-357-16
US-PATENT-CLASS-357-30
US-PATENT-4,053,918
N78-13874* c 74 ..... NASA-CASE-GSC-12088-1
US-PATENT-APPL-SN-648700
US-PATENT-CLASS-356-103
US-PATENT-CLASS-356-104
US-PATENT-4,053,229
N78-14096* c 24 ..... NASA-CASE-ARC-11042-1
US-PATENT-APPL-SN-734902
US-PATENT-CLASS-252-8.1
US-PATENT-CLASS-60-836
US-PATENT-4,061,579
N78-14104* c 25 ..... NASA-CASE-ARC-10991-1
US-PATENT-APPL-SN-744574
US-PATENT-CLASS-204-180G
US-PATENT-CLASS-204-299R
US-PATENT-4,061,561
N78-14164* c 27 ..... NASA-CASE-NPO-13867-1
US-PATENT-APPL-SN-692284
US-PATENT-CLASS-260-DIG.15
US-PATENT-CLASS-427-164
US-PATENT-CLASS-428-411
US-PATENT-CLASS-428-522
US-PATENT-CLASS-428-922
US-PATENT-CLASS-96-87A
US-PATENT-4,061,834
N78-14364* c 35 ..... NASA-CASE-ARC-11046-1
US-PATENT-APPL-SN-712419
US-PATENT-CLASS-340-27SS
US-PATENT-CLASS-73-180
US-PATENT-4,061,029
N78-14380* c 36 ..... NASA-CASE-MFS-19259-1
US-PATENT-APPL-SN-732630

US-PATENT-CLASS-250-571
US-PATENT-CLASS-356-159
US-PATENT-CLASS-356-160
US-PATENT-CLASS-356-199
US-PATENT-4,061,427

N78-14452* c 43 ..... NASA-CASE-LEW-12217-1
US-PATENT-APPL-SN-763753
US-PATENT-CLASS-166-248
US-PATENT-CLASS-166-259
US-PATENT-4,061,190

N78-14625* c 44 ..... NASA-CASE-LEW-12039-1
US-PATENT-APPL-SN-687822
US-PATENT-CLASS-320-15
US-PATENT-CLASS-320-18
US-PATENT-CLASS-320-40
US-PATENT-CLASS-320-6
US-PATENT-4,061,955

N78-14773* c 52 ..... NASA-CASE-LEW-12668-1
US-PATENT-APPL-SN-677353
US-PATENT-CLASS-128-305
US-PATENT-4,061,146

N78-14784* c 54 ..... NASA-CASE-MSC-14632-1
US-PATENT-APPL-SN-571459
US-PATENT-CLASS-204-180P
US-PATENT-CLASS-204-301
US-PATENT-CLASS-210-192
US-PATENT-CLASS-210-96M
US-PATENT-CLASS-23-253A
US-PATENT-4,061,570

N78-14867* c 71 ..... NASA-CASE-LAR-12106-1
US-PATENT-APPL-SN-740156
US-PATENT-CLASS-330-52
US-PATENT-CLASS-73-646
US-PATENT-4,061,041

N78-14889* c 74 ..... NASA-CASE-KSC-11047-1
US-PATENT-APPL-SN-715485
US-PATENT-CLASS-179-91R
US-PATENT-CLASS-250-199
US-PATENT-CLASS-358-142
US-PATENT-4,061,577

N78-15180* c 24 ..... NASA-CASE-ARC-10913-1
US-PATENT-APPL-SN-698646
US-PATENT-CLASS-106-15FP
US-PATENT-CLASS-260-2.5N
US-PATENT-CLASS-260-2.5R
US-PATENT-CLASS-428-117
US-PATENT-CLASS-428-290
US-PATENT-CLASS-428-71
US-PATENT-CLASS-428-73
US-PATENT-CLASS-428-920
US-PATENT-4,061,812

N78-15210* c 25 ..... NASA-CASE-LAR-12046-1
US-PATENT-APPL-SN-755310
US-PATENT-CLASS-23-230PC
US-PATENT-CLASS-23-232E
US-PATENT-CLASS-23-232R
US-PATENT-CLASS-73-23
US-PATENT-4,062,650

N78-15276* c 27 ..... NASA-CASE-LEW-12053-1
US-PATENT-APPL-SN-513613
US-PATENT-CLASS-260-2R
US-PATENT-CLASS-526-193
US-PATENT-CLASS-526-225
US-PATENT-CLASS-544-193
US-PATENT-4,061,856

N78-15323* c 32 ..... NASA-CASE-NPO-13836-1
US-PATENT-APPL-SN-699002
US-PATENT-CLASS-178-69.1
US-PATENT-CLASS-325-58
US-PATENT-CLASS-325-63
US-PATENT-CLASS-343-179
US-PATENT-4,061,974

N78-15461* c 35 ..... NASA-CASE-NPO-13808-1
US-PATENT-APPL-SN-675328
US-PATENT-CLASS-250-322
US-PATENT-CLASS-250-416TV
US-PATENT-4,063,092

N78-15512* c 39 ..... NASA-CASE-LAR-12016-1
US-PATENT-APPL-SN-754066
US-PATENT-CLASS-73-579
US-PATENT-CLASS-73-630
US-PATENT-CLASS-73-88F
US-PATENT-4,062,227

N78-15560* c 44 ..... NASA-CASE-LAR-12009-1
US-PATENT-APPL-SN-717320
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-400
US-PATENT-CLASS-237-1A
US-PATENT-4,062,347

N78-15879* c 74 ..... NASA-CASE-LAR-10385-3
US-PATENT-APPL-SN-370999
US-PATENT-APPL-SN-38816
US-PATENT-CLASS-350-1
US-PATENT-CLASS-428-334
US-PATENT-CLASS-428-336
US-PATENT-CLASS-428-426
US-PATENT-CLASS-428-428
US-PATENT-4,062,996

N78-15880* c 74 ..... NASA-CASE-MFS-22409-2
US-PATENT-APPL-SN-445398
US-PATENT-APPL-SN-636193
US-PATENT-CLASS-250-272
US-PATENT-CLASS-250-320
US-PATENT-4,063,088

N78-16369* c 37 ..... NASA-CASE-NPO-13619-1
US-PATENT-APPL-SN-572990
US-PATENT-CLASS-185-38
US-PATENT-CLASS-74-81
US-PATENT-CLASS-74-83
US-PATENT-4,062,245

N78-16387* c 39 ..... NASA-CASE-LAR-11490-1
US-PATENT-APPL-SN-707125
US-PATENT-CLASS-358-106
US-PATENT-4,063,282

N78-17031* c 04 ..... NASA-CASE-XNP-01458
US-PATENT-APPL-SN-160093
US-PATENT-CLASS-235-70
US-PATENT-3,229,905

N78-17055* c 07 ..... NASA-CASE-LEW-12317-1
US-PATENT-APPL-SN-581750
US-PATENT-CLASS-60-204
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-60-271
US-PATENT-4,068,469

N78-17056* c 07 ..... NASA-CASE-LEW-12390-1
US-PATENT-APPL-SN-522109
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-74-385
US-PATENT-CLASS-74-417
US-PATENT-4,068,470

N78-17140* c 17 ..... NASA-CASE-HQN-10880-1
US-PATENT-APPL-SN-595254
US-PATENT-CLASS-325-118
US-PATENT-CLASS-325-66
US-PATENT-CLASS-343-112R
US-PATENT-CLASS-343-225
US-PATENT-CLASS-362-269
US-PATENT-4,067,015

N78-17149* c 24 ..... NASA-CASE-LAR-11898-2
US-PATENT-APPL-SN-723264
US-PATENT-APPL-SN-799024
US-PATENT-CLASS-156-245
US-PATENT-CLASS-156-285
US-PATENT-CLASS-156-289
US-PATENT-CLASS-428-116
US-PATENT-CLASS-428-902
US-PATENT-4,063,981

N78-17150* c 24 ..... NASA-CASE-LAR-12019-1
US-PATENT-APPL-SN-792067
US-PATENT-CLASS-156-154
US-PATENT-CLASS-156-264
US-PATENT-CLASS-156-285
US-PATENT-CLASS-156-286
US-PATENT-CLASS-156-289
US-PATENT-CLASS-156-300
US-PATENT-CLASS-156-306
US-PATENT-CLASS-156-311
US-PATENT-CLASS-264-157
US-PATENT-CLASS-264-90
US-PATENT-CLASS-428-294
US-PATENT-CLASS-428-302
US-PATENT-4,065,340

N78-17205* c 27 ..... NASA-CASE-LAR-12181-1
US-PATENT-APPL-SN-532784
US-PATENT-APPL-SN-734901
US-PATENT-CLASS-156-309
US-PATENT-CLASS-156-331
US-PATENT-CLASS-260-30.4N
US-PATENT-CLASS-260-32.2R
US-PATENT-CLASS-260-32.6NT
US-PATENT-CLASS-260-33.4R
US-PATENT-4,065,345

N78-17206* c 27 ..... NASA-CASE-LAR-11902-1
US-PATENT-APPL-SN-672695
US-PATENT-CLASS-106-43
US-PATENT-CLASS-60-200A
US-PATENT-CLASS-75-229
US-PATENT-CLASS-75-239
US-PATENT-CLASS-75-241
US-PATENT-4,067,742

N78-17213* c 27 ..... NASA-CASE-MSC-14331-2
US-PATENT-APPL-SN-657907
US-PATENT-CLASS-260-75NH
US-PATENT-CLASS-260-75NK
US-PATENT-CLASS-260-75NT
US-PATENT-CLASS-260-77.5AM
US-PATENT-CLASS-260-77.5AN
US-PATENT-CLASS-260-77.5AP
US-PATENT-CLASS-260-77.5AT
US-PATENT-CLASS-260-77.55P
US-PATENT-4,069,212

N78-17214* c 27 ..... NASA-CASE-NPO-10557
US-PATENT-APPL-SN-759220
US-PATENT-CLASS-260-67
US-PATENT-3,538,053

N78-17215* c 27 ..... NASA-CASE-NPO-13764-1
US-PATENT-APPL-SN-674194
US-PATENT-CLASS-128-92C
US-PATENT-CLASS-128-92G
US-PATENT-CLASS-260-42.17
US-PATENT-CLASS-3-1.9
US-PATENT-4,064,566

N78-17237* c 31 ..... NASA-CASE-LEW-11981-1
US-PATENT-APPL-SN-672220
US-PATENT-CLASS-313-22
US-PATENT-CLASS-62-376
US-PATENT-CLASS-62-514R
US-PATENT-4,068,495

N78-17238* c 31 ..... NASA-CASE-NPO-11978
US-PATENT-APPL-SN-264268
US-PATENT-CLASS-313-175
US-PATENT-CLASS-313-176
US-PATENT-CLASS-313-180
US-PATENT-CLASS-313-184
US-PATENT-CLASS-313-224
US-PATENT-3,769,544

N78-17293* c 33 ..... NASA-CASE-XLE-06094
US-PATENT-APPL-SN-523632
US-PATENT-CLASS-315-22
US-PATENT-3,423,627

N78-17294* c 33 ..... NASA-CASE-MSC-11235
US-PATENT-APPL-SN-698239
US-PATENT-CLASS-307-270
US-PATENT-CLASS-307-297
US-PATENT-CLASS-323-4
US-PATENT-CLASS-328-172
US-PATENT-3,573,504

N78-17295* c 33 ..... NASA-CASE-XGS-09186
US-PATENT-APPL-SN-669911
US-PATENT-CLASS-323-18
US-PATENT-3,475,675

N78-17296* c 33 ..... NASA-CASE-GSC-10135
US-PATENT-APPL-SN-764823
US-PATENT-CLASS-307-53
US-PATENT-CLASS-307-69
US-PATENT-CLASS-320-53
US-PATENT-CLASS-323-19
US-PATENT-3,600,599

N78-17335* c 34 ..... NASA-CASE-LEW-12508-1
US-PATENT-APPL-SN-746580
US-PATENT-CLASS-62-3
US-PATENT-4,069,028

N78-17336* c 34 ..... NASA-CASE-ARC-10198
US-PATENT-APPL-SN-42088
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-134
US-PATENT-3,777,811

N78-17337* c 34 ..... NASA-CASE-ARC-10199
US-PATENT-APPL-SN-824628
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-32
US-PATENT-CLASS-165-96
US-PATENT-CLASS-2-2.1
US-PATENT-3,543,839

N78-17357* c 35 ..... NASA-CASE-MFS-23194-1
US-PATENT-APPL-SN-629458
US-PATENT-CLASS-350-3.5
US-PATENT-4,065,202

N78-17358* c 35 ..... NASA-CASE-MSC-11242
US-PATENT-APPL-SN-636796
US-PATENT-CLASS-73-67.2
US-PATENT-3,492,858

N78-17359* c 35 ..... NASA-CASE-NPO-11150
US-PATENT-APPL-SN-858950
US-PATENT-CLASS-338-100
US-PATENT-CLASS-338-36
US-PATENT-CLASS-338-99
US-PATENT-3,641,470

N78-17366* c 36 ..... NASA-CASE-MFS-22597
US-PATENT-APPL-SN-395895
US-PATENT-CLASS-315-108
US-PATENT-CLASS-331-94.5G
US-PATENT-CLASS-331-94.5T
US-PATENT-3,882,417

N78-17383* c 37 ..... NASA-CASE-MSC-19666-1
US-PATENT-APPL-SN-721150
US-PATENT-CLASS-118-50
US-PATENT-CLASS-118-500
US-PATENT-CLASS-248-36-3
US-PATENT-CLASS-269-21
US-PATENT-CLASS-279-3
US-PATENT-CLASS-51-235
US-PATENT-4,066,039

N78-17384* c 37 ..... NASA-CASE-LEW-12916-1
US-PATENT-APPL-SN-583056
US-PATENT-CLASS-60-261
US-PATENT-CLASS-60-262
US-PATENT-CLASS-60-271

US-PATENT-4,064,692
N78-17385* c 37 ..... NASA-CASE-WOO-00625
US-PATENT-APPL-SN-362278
US-PATENT-CLASS-74-800
US-PATENT-3,306,134
N78-17386* c 37 ..... NASA-CASE-NPO-10151
US-PATENT-APPL-SN-365244
US-PATENT-CLASS-328-233
US-PATENT-3,387,218
N78-17395* c 38 ..... NASA-CASE-NPO-13283
US-PATENT-APPL-SN-401225
US-PATENT-CLASS-235-151.3
US-PATENT-CLASS-235-156
US-PATENT-CLASS-235-181
US-PATENT-CLASS-250-572
US-PATENT-CLASS-356-237
US-PATENT-3,908,118
N78-17396* c 38 ..... NASA-CASE-NPO-13282
US-PATENT-APPL-SN-401224
US-PATENT-CLASS-235-151.3
US-PATENT-CLASS-235-156
US-PATENT-CLASS-250-563
US-PATENT-CLASS-250-572
US-PATENT-CLASS-356-165
US-PATENT-CLASS-356-237
US-PATENT-3,909,602
N78-17460* c 44 ..... NASA-CASE-NPO-13579-1
US-PATENT-APPL-SN-598969
US-PATENT-CLASS-126-263
US-PATENT-CLASS-126-271
US-PATENT-CLASS-165-2
US-PATENT-CLASS-237-1A
US-PATENT-CLASS-60-641
US-PATENT-CLASS-62-4
US-PATENT-4,065,053
N78-17675* c 54 ..... NASA-CASE-ARC-11101-1
US-PATENT-APPL-SN-753976
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-36-119
US-PATENT-CLASS-36-92
US-PATENT-4,064,642
N78-17676* c 54 ..... NASA-CASE-MFS-23311-1
US-PATENT-APPL-SN-708800
US-PATENT-CLASS-214-1CM
US-PATENT-CLASS-3-12.5
US-PATENT-CLASS-74-515E
US-PATENT-4,068,763
N78-17677* c 54 ..... NASA-CASE-MSC-13054
US-PATENT-APPL-SN-585217
US-PATENT-CLASS-2-161
US-PATENT-3,490,074
N78-17678* c 54 ..... NASA-CASE-XMS-04670
US-PATENT-APPL-SN-535169
US-PATENT-CLASS-2-2.1
US-PATENT-3,488,771
N78-17679* c 54 ..... NASA-CASE-XMS-04928
US-PATENT-APPL-SN-584914
US-PATENT-CLASS-98-1
US-PATENT-3,487,765
N78-17680* c 54 ..... NASA-CASE-XMS-09653
US-PATENT-APPL-SN-538863
US-PATENT-CLASS-2-6
US-PATENT-3,359,568
N78-17691* c 60 ..... NASA-CASE-GSC-12044-1
US-PATENT-APPL-SN-631341
US-PATENT-CLASS-340-347DD
US-PATENT-4,069,478
N78-17865* c 74 ..... NASA-CASE-MSC-12618-1
US-PATENT-APPL-SN-651007
US-PATENT-CLASS-350-159
US-PATENT-CLASS-358-225
US-PATENT-CLASS-358-41
US-PATENT-CLASS-358-55
US-PATENT-4,067,043
N78-17866* c 74 ..... NASA-CASE-LAR-11711-1
US-PATENT-APPL-SN-674195
US-PATENT-CLASS-250-201
US-PATENT-CLASS-350-204
US-PATENT-CLASS-356-28
US-PATENT-4,063,814
N78-17867* c 74 ..... NASA-CASE-NPO-13759-1
US-PATENT-APPL-SN-718266
US-PATENT-CLASS-250-344
US-PATENT-CLASS-356-204
US-PATENT-CLASS-356-246
US-PATENT-4,067,653
N78-18066* c 07 ..... NASA-CASE-LEW-12389-2
US-PATENT-APPL-SN-628221
US-PATENT-CLASS-244-53A
US-PATENT-CLASS-244-54
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-60-39.31
US-PATENT-4,055,041
N78-18067* c 07 ..... NASA-CASE-LEW-12917-1
US-PATENT-APPL-SN-583055
US-PATENT-CLASS-60-204
US-PATENT-CLASS-60-262
US-PATENT-4,069,661
N78-18083* c 09 ..... NASA-CASE-ARC-10903-1
US-PATENT-APPL-SN-623536
US-PATENT-CLASS-35-12N
US-PATENT-CLASS-358-104
US-PATENT-4,055,004
N78-18182* c 26 ..... NASA-CASE-LEW-12095-1
US-PATENT-APPL-SN-651009
US-PATENT-CLASS-75-124
US-PATENT-CLASS-75-126D
US-PATENT-CLASS-75-126F
US-PATENT-CLASS-75-128G
US-PATENT-CLASS-75-128T
US-PATENT-4,055,416
N78-18183* c 26 ..... NASA-CASE-LEW-12905-1
US-PATENT-APPL-SN-684171
US-PATENT-CLASS-148-32
US-PATENT-CLASS-148-32.5
US-PATENT-CLASS-75-170
US-PATENT-4,055,447
N78-18308* c 33 ..... NASA-CASE-FRC-10090-1
US-PATENT-APPL-SN-737974
US-PATENT-CLASS-307-265
US-PATENT-CLASS-307-350
US-PATENT-CLASS-307-360
US-PATENT-CLASS-328-150
US-PATENT-4,055,777
N78-18355* c 34 ..... NASA-CASE-LEW-12554-1
US-PATENT-APPL-SN-686449
US-PATENT-CLASS-427-34
US-PATENT-CLASS-427-405
US-PATENT-CLASS-427-419A
US-PATENT-CLASS-427-423
US-PATENT-CLASS-428-633
US-PATENT-CLASS-428-652
US-PATENT-CLASS-428-667
US-PATENT-4,055,705
N78-18390* c 35 ..... NASA-CASE-MFS-23008-1
US-PATENT-APPL-SN-665734
US-PATENT-CLASS-73-DIG.11
US-PATENT-CLASS-73-28
US-PATENT-CLASS-73-432PS
US-PATENT-CLASS-73-432R
US-PATENT-4,055,089
N78-18391* c 35 ..... NASA-CASE-NPO-13687-1
US-PATENT-APPL-SN-641803
US-PATENT-CLASS-356-106S
US-PATENT-CLASS-356-110
US-PATENT-4,053,231
N78-18395*# c 35 ..... NASA-CASE-NPO-13999-1
US-PATENT-APPL-SN-858596
N78-18410* c 36 ..... NASA-CASE-NPO-13801-1
US-PATENT-APPL-SN-708796
US-PATENT-CLASS-330-4
US-PATENT-CLASS-332-7.5
US-PATENT-4,055,810
N78-18761* c 54 ..... NASA-CASE-MSC-10954-1
US-PATENT-APPL-SN-529884
US-PATENT-CLASS-2-2.1
US-PATENT-3,514,785
N78-18905* c 74 ..... NASA-CASE-GSC-12010-1
US-PATENT-APPL-SN-680958
US-PATENT-CLASS-250-213VT
US-PATENT-CLASS-313-442
US-PATENT-CLASS-313-94
US-PATENT-4,070,574
N78-19302* c 27 ..... NASA-CASE-NPO-13690-1
US-PATENT-APPL-SN-633876
US-PATENT-CLASS-106-39.5
US-PATENT-CLASS-106-65
US-PATENT-CLASS-106-73.5
US-PATENT-4,072,532
N78-19465* c 35 ..... NASA-CASE-ARC-10896-1
US-PATENT-APPL-SN-615030
US-PATENT-CLASS-73-23
US-PATENT-4,055,072
N78-19466* c 35 ..... NASA-CASE-ARC-10820-1
US-PATENT-APPL-SN-620675
US-PATENT-CLASS-119-51.11
US-PATENT-CLASS-119-72.5
US-PATENT-CLASS-137-624.11
US-PATENT-4,055,147
N78-19599* c 44 ..... NASA-CASE-LEW-12159-1
US-PATENT-APPL-SN-643041
US-PATENT-CLASS-126-270
US-PATENT-CLASS-427-160
US-PATENT-CLASS-428-652
US-PATENT-CLASS-428-667
US-PATENT-CLASS-428-679
US-PATENT-4,055,707
N78-19920* c 73 ..... NASA-CASE-HQN-10841-1
US-PATENT-APPL-SN-560891
US-PATENT-CLASS-176-39
US-PATENT-CLASS-330-4.3
US-PATENT-4,075,057
N78-24275* c 20 ..... NASA-CASE-LAR-12018-1
US-PATENT-APPL-SN-678520
US-PATENT-CLASS-102-39
US-PATENT-CLASS-102-49.7
US-PATENT-CLASS-102-70R
US-PATENT-CLASS-285-192
US-PATENT-CLASS-60-39.82E
US-PATENT-4,080,901
N78-24290* c 24 ..... NASA-CASE-MFS-23506-1
US-PATENT-APPL-SN-760809
US-PATENT-CLASS-260-2.5AK
US-PATENT-CLASS-260-2.5AP
US-PATENT-CLASS-260-2.5B
US-PATENT-CLASS-260-2.5BE
US-PATENT-CLASS-260-2.5EP
US-PATENT-CLASS-260-2.5FP
US-PATENT-CLASS-260-29.1R
US-PATENT-CLASS-260-37EP
US-PATENT-CLASS-427-427
US-PATENT-4,077,921
N78-24333* c 26 ..... NASA-CASE-MSC-19693-1
US-PATENT-APPL-SN-708771
US-PATENT-CLASS-148-12.7A
US-PATENT-CLASS-148-125
US-PATENT-4,077,813
N78-24365* c 28 ..... NASA-CASE-LEW-12081-1
US-PATENT-APPL-SN-676432
US-PATENT-CLASS-250-492R
US-PATENT-CLASS-34-15
US-PATENT-CLASS-423-648R
US-PATENT-CLASS-62-100
US-PATENT-CLASS-62-48
US-PATENT-4,077,788
N78-24391* c 32 ..... NASA-CASE-NPO-13886-1
US-PATENT-APPL-SN-730045
US-PATENT-CLASS-307-151
US-PATENT-CLASS-343-700MS
US-PATENT-CLASS-361-395
US-PATENT-4,079,268
N78-24515* c 35 ..... NASA-CASE-LAR-11201-1
US-PATENT-APPL-SN-788705
US-PATENT-CLASS-416-144
US-PATENT-CLASS-416-61
US-PATENT-CLASS-73-456
US-PATENT-CLASS-73-756
US-PATENT-4,082,001
N78-24544* c 37 ..... NASA-CASE-MSC-16000-1
US-PATENT-APPL-SN-739915
US-PATENT-CLASS-29-156.8R
US-PATENT-CLASS-29-23.5
US-PATENT-CLASS-29-244
US-PATENT-CLASS-29-252
US-PATENT-4,078,290
N78-24545* c 37 ..... NASA-CASE-LEW-12785-1
US-PATENT-APPL-SN-739909
US-PATENT-CLASS-60-39.28R
US-PATENT-4,078,378
N78-24608* c 44 ..... NASA-CASE-GSC-12030-1
US-PATENT-APPL-SN-710035
US-PATENT-CLASS-308-10
US-PATENT-CLASS-310-153
US-PATENT-CLASS-310-154
US-PATENT-CLASS-310-178
US-PATENT-CLASS-310-269
US-PATENT-4,077,678
N78-24609* c 44 ..... NASA-CASE-GSC-12022-2
US-PATENT-APPL-SN-693074
US-PATENT-CLASS-136-89SG
US-PATENT-CLASS-148-174
US-PATENT-CLASS-29-572
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-59
US-PATENT-CLASS-427-113
US-PATENT-CLASS-427-248J
US-PATENT-CLASS-427-249
US-PATENT-CLASS-427-86
US-PATENT-4,077,818
N78-24950* c 76 ..... NASA-CASE-MFS-23315-1
US-PATENT-APPL-SN-724874
US-PATENT-CLASS-250-277CH
US-PATENT-CLASS-250-280
US-PATENT-4,078,175
N78-25089* c 07 ..... NASA-CASE-LEW-12452-1
US-PATENT-APPL-SN-695513
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-60-39.52
US-PATENT-4,083,181
N78-25090* c 07 ..... NASA-CASE-LEW-11855-1
US-PATENT-APPL-SN-672222
US-PATENT-CLASS-277-134
US-PATENT-CLASS-277-25
US-PATENT-4,084,825
N78-25119* c 15 ..... NASA-CASE-MFS-23564-1
US-PATENT-APPL-SN-739908
US-PATENT-CLASS-244-161
US-PATENT-CLASS-244-167

US-PATENT-4,083,520
N78-25148* c 25 ..... NASA-CASE-LEW-12465-1
US-PATENT-APPL-SN-692413
US-PATENT-CLASS-250-423P
US-PATENT-CLASS-250-528
US-PATENT-CLASS-250-531
US-PATENT-CLASS-55-100
US-PATENT-CLASS-55-101
US-PATENT-CLASS-55-2
US-PATENT-4,085,332
N78-25256* c 31 ..... NASA-CASE-NPO-13839-1
US-PATENT-APPL-SN-712981
US-PATENT-CLASS-250-332
US-PATENT-CLASS-313-22
US-PATENT-CLASS-62-514R
US-PATENT-4,077,231
N78-25319* c 33 ..... NASA-CASE-NPO-13909-1
US-PATENT-APPL-SN-744477
US-PATENT-CLASS-324-57DE
US-PATENT-CLASS-324-57SS
US-PATENT-CLASS-324-58A
US-PATENT-4,084,132
N78-25350* c 34 ..... NASA-CASE-MSC-19568-1
US-PATENT-APPL-SN-681000
US-PATENT-CLASS-428-913
US-PATENT-CLASS-428-93
US-PATENT-CLASS-428-94
US-PATENT-CLASS-428-95
US-PATENT-CLASS-428-96
US-PATENT-CLASS-428-97
US-PATENT-CLASS-49-DIG.1
US-PATENT-CLASS-49-479
US-PATENT-CLASS-49-485
US-PATENT-4,078,110
N78-25351* c 34 ..... NASA-CASE-LEW-12718-1
US-PATENT-APPL-SN-779428
US-PATENT-CLASS-137-484.2
US-PATENT-CLASS-137-505.16
US-PATENT-4,084,612
N78-25391* c 35 ..... NASA-CASE-NPO-13948-1
US-PATENT-APPL-SN-752748
US-PATENT-CLASS-204-195W
US-PATENT-CLASS-73-336.5
US-PATENT-4,083,765
N78-25426* c 37 ..... NASA-CASE-MSC-12731-1
US-PATENT-APPL-SN-690816
US-PATENT-CLASS-137-505.25
US-PATENT-CLASS-137-625.3
US-PATENT-CLASS-137-625.38
US-PATENT-4,083,380
N78-25527* c 44 ..... NASA-CASE-LEW-12552-1
US-PATENT-APPL-SN-770869
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-29-572
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-65
US-PATENT-CLASS-357-67
US-PATENT-CLASS-427-261
US-PATENT-CLASS-427-75
US-PATENT-4,082,569
N78-25528* c 44 ..... NASA-CASE-LEW-12185-1
US-PATENT-APPL-SN-746269
US-PATENT-CLASS-136-89H
US-PATENT-CLASS-136-89P
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-628
US-PATENT-4,083,097
N78-25529* c 44 ..... NASA-CASE-LEW-12541-1
US-PATENT-APPL-SN-790637
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-136-89H
US-PATENT-CLASS-136-89P
US-PATENT-CLASS-156-633
US-PATENT-CLASS-29-572
US-PATENT-4,084,985
N78-25530* c 44 ..... NASA-CASE-LEW-12649-1
US-PATENT-APPL-SN-720521
US-PATENT-CLASS-427-385B
US-PATENT-CLASS-427-385C
US-PATENT-CLASS-429-254
US-PATENT-4,085,241
N78-25531* c 44 ..... NASA-CASE-MFS-23270-1
US-PATENT-APPL-SN-744573
US-PATENT-CLASS-320-13
US-PATENT-CLASS-320-15
US-PATENT-CLASS-320-32
US-PATENT-CLASS-320-39
US-PATENT-CLASS-320-9
US-PATENT-4,084,124
N78-27121* c 07 ..... NASA-CASE-LAR-11919-1
US-PATENT-APPL-SN-672221
US-PATENT-CLASS-239-265.25
US-PATENT-CLASS-239-265.33
US-PATENT-CLASS-60-230
US-PATENT-4,088,270
N78-27176*# c 20 ..... NASA-CASE-MFS-23642-2
US-PATENT-APPL-SN-923758
N78-27180* c 24 ..... NASA-CASE-ARC-11043-1
US-PATENT-APPL-SN-753964
US-PATENT-CLASS-260-33.6EP
US-PATENT-CLASS-260-33.6PQ
US-PATENT-CLASS-260-33.8EP
US-PATENT-CLASS-260-33.8UA
US-PATENT-CLASS-260-37EP
US-PATENT-CLASS-260-42.43
US-PATENT-CLASS-260-45.7R
US-PATENT-CLASS-260-45.75W
US-PATENT-CLASS-260-45.85N
US-PATENT-CLASS-260-45.9R
US-PATENT-CLASS-427-386
US-PATENT-CLASS-427-388A
US-PATENT-CLASS-428-313
US-PATENT-CLASS-428-332
US-PATENT-CLASS-428-921
US-PATENT-4,088,806
N78-27184*# c 24 ..... NASA-CASE-ARC-11040-2
US-PATENT-APPL-SN-920878
N78-27226* c 25 ..... NASA-CASE-LEW-10518-3
US-PATENT-APPL-SN-394207
US-PATENT-CLASS-176-11
US-PATENT-CLASS-176-16
US-PATENT-CLASS-250-400
US-PATENT-CLASS-250-429
US-PATENT-CLASS-250-492B
US-PATENT-4,088,532
N78-27326* c 33 ..... NASA-CASE-MFS-23312-1
US-PATENT-APPL-SN-699012
US-PATENT-CLASS-29-571
US-PATENT-CLASS-29-578
US-PATENT-CLASS-357-91
US-PATENT-4,087,902
N78-27357* c 34 ..... NASA-CASE-LEW-11877-1
US-PATENT-APPL-SN-708660
US-PATENT-CLASS-431-10
US-PATENT-CLASS-431-328
US-PATENT-CLASS-431-7
US-PATENT-CLASS-60-39.65
US-PATENT-CLASS-60-39.69R
US-PATENT-4,087,962
N78-27384* c 35 ..... NASA-CASE-LAR-11973-1
US-PATENT-APPL-SN-821681
US-PATENT-CLASS-73-170A
US-PATENT-CLASS-73-425.4R
US-PATENT-CLASS-73-61R
US-PATENT-4,089,209
N78-27402* c 36 ..... NASA-CASE-NPO-13945-1
US-PATENT-APPL-SN-704180
US-PATENT-CLASS-331-94.5G
US-PATENT-CLASS-331-94.5P
US-PATENT-CLASS-331-94.5PE
US-PATENT-4,088,965
N78-27423* c 37 ..... NASA-CASE-MSC-16270-1
US-PATENT-APPL-SN-837260
US-PATENT-CLASS-269-21
US-PATENT-CLASS-269-266
US-PATENT-4,088,312
N78-27424* c 37 ..... NASA-CASE-LAR-11889-2
US-PATENT-APPL-SN-662182
US-PATENT-APPL-SN-807703
US-PATENT-CLASS-308-10
US-PATENT-CLASS-73-178R
US-PATENT-4,088,018
N78-27425* c 37 ..... NASA-CASE-ARC-10981-1
US-PATENT-APPL-SN-738218
US-PATENT-CLASS-248-178
US-PATENT-CLASS-248-186
US-PATENT-4,088,291
N78-27515* c 44 ..... NASA-CASE-NPO-12148-1
US-PATENT-APPL-SN-709415
US-PATENT-CLASS-136-89P
US-PATENT-4,089,705
N78-27733* c 51 ..... NASA-CASE-ARC-10917-1
US-PATENT-APPL-SN-672223
US-PATENT-CLASS-119-29
US-PATENT-4,088,094
N78-27904* c 74 ..... NASA-CASE-LAR-11869-1
US-PATENT-APPL-SN-740155
US-PATENT-CLASS-356-120
US-PATENT-CLASS-356-167
US-PATENT-4,088,408
N78-27913* c 75 ..... NASA-CASE-MFS-22906-1
US-PATENT-APPL-SN-684807
US-PATENT-CLASS-29-81C
US-PATENT-CLASS-313-231.3
US-PATENT-CLASS-315-111.2
US-PATENT-4,088,926
N78-28411* c 35 ..... NASA-CASE-KSC-11035-1
US-PATENT-APPL-SN-780874
US-PATENT-CLASS-324-130
US-PATENT-CLASS-324-32
US-PATENT-CLASS-324-74
US-PATENT-4,088,951
N78-28594* c 44 ..... NASA-CASE-NPO-13821-1
US-PATENT-APPL-SN-688852
US-PATENT-CLASS-343-113R
US-PATENT-CLASS-343-119
US-PATENT-CLASS-343-16M
US-PATENT-4,088,999
N78-28913* c 73 ..... NASA-CASE-NPO-13114-2
US-PATENT-APPL-SN-294738
US-PATENT-APPL-SN-634214
US-PATENT-CLASS-176-22
US-PATENT-CLASS-176-33
US-PATENT-CLASS-176-39
US-PATENT-4,085,004
N78-29421* c 35 ..... NASA-CASE-NPO-11954-1
US-PATENT-APPL-SN-229287
US-PATENT-CLASS-179-100.2CH
US-PATENT-CLASS-340-174.1M
US-PATENT-CLASS-340-174YC
US-PATENT-CLASS-350-151
US-PATENT-3,775,570
N78-31129* c 09 ..... NASA-CASE-MSC-19706-1
US-PATENT-APPL-SN-767911
US-PATENT-CLASS-239-265.25
US-PATENT-CLASS-73-147
US-PATENT-4,091,665
N78-31232* c 27 ..... NASA-CASE-ARC-11008-1
US-PATENT-APPL-SN-708951
US-PATENT-CLASS-260-2.5N
US-PATENT-CLASS-260-47CP
US-PATENT-CLASS-260-63N
US-PATENT-CLASS-260-78.41
US-PATENT-4,092,274
N78-31233* c 27 ..... NASA-CASE-ARC-11057-1
US-PATENT-APPL-SN-807762
US-PATENT-CLASS-350-165
US-PATENT-CLASS-350-175NG
US-PATENT-CLASS-427-164
US-PATENT-CLASS-427-40
US-PATENT-CLASS-427-41
US-PATENT-CLASS-428-411
US-PATENT-CLASS-428-412
US-PATENT-CLASS-428-422
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-515
US-PATENT-CLASS-428-523
US-PATENT-CLASS-428-538
US-PATENT-4,091,166
N78-31255* c 28 ..... NASA-CASE-NPO-14103-1
US-PATENT-APPL-SN-797210
US-PATENT-CLASS-149-105
US-PATENT-CLASS-149-111
US-PATENT-CLASS-149-19.4
US-PATENT-CLASS-149-19.8
US-PATENT-CLASS-149-88
US-PATENT-CLASS-149-92
US-PATENT-CLASS-149-93
US-PATENT-4,092,188
N78-31321* c 32 ..... NASA-CASE-NPO-14022-1
US-PATENT-APPL-SN-780728
US-PATENT-CLASS-343-781CA
US-PATENT-CLASS-343-782
US-PATENT-CLASS-343-837
US-PATENT-4,092,648
N78-31426* c 37 ..... NASA-CASE-GSC-11883-2
US-PATENT-APPL-SN-596787
US-PATENT-APPL-SN-747675
US-PATENT-CLASS-60-527
US-PATENT-CLASS-74-100R
US-PATENT-4,010,455
US-PATENT-4,092,874
N78-31525* c 44 ..... NASA-CASE-NPO-13581-2
US-PATENT-APPL-SN-590975
US-PATENT-APPL-SN-811815
US-PATENT-CLASS-126-271
US-PATENT-CLASS-237-1A
US-PATENT-4,091,800
N78-31526* c 44 ..... NASA-CASE-NPO-13813-1
NASA-CASE-NPO-13914-1
US-PATENT-APPL-SN-765139
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-CLASS-350-299
US-PATENT-4,091,798
N78-31527* c 44 ..... NASA-CASE-NPO-13937-1
US-PATENT-APPL-SN-718137
US-PATENT-CLASS-201-17
US-PATENT-CLASS-44-1R
US-PATENT-CLASS-44-2
US-PATENT-4,081,250
N78-31735* c 54 ..... NASA-CASE-ARC-11058-1
US-PATENT-APPL-SN-753965
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-285-235
US-PATENT-4,091,464
N78-31736* c 54 ..... NASA-CASE-ARC-11100-1

US-PATENT-APPL-SN-780569
US-PATENT-CLASS-2-2.1A
US-PATENT-4,091,465

N78-32086* c 05 ..... NASA-CASE-LAR-11932-1
US-PATENT-APPL-SN-718244
US-PATENT-CLASS-244-218
US-PATENT-CLASS-244-45A
US-PATENT-CLASS-244-46
US-PATENT-4,093,156

N78-32168*# c 15 ..... NASA-CASE-LAR-12264-1
US-PATENT-APPL-SN-943087

N78-32179* c 20 ..... NASA-CASE-NPO-11458A
US-PATENT-APPL-SN-48621
US-PATENT-CLASS-102-103
US-PATENT-CLASS-149-19.4
US-PATENT-CLASS-149-42
US-PATENT-CLASS-149-43
US-PATENT-CLASS-149-44
US-PATENT-CLASS-149-76
US-PATENT-CLASS-149-83
US-PATENT-CLASS-149-85
US-PATENT-4,116,131

N78-32229* c 26 ..... NASA-CASE-ARC-10992-1
US-PATENT-APPL-SN-760810
US-PATENT-CLASS-204-164
US-PATENT-CLASS-204-175
US-PATENT-CLASS-423-582
US-PATENT-CLASS-423-583
US-PATENT-4,094,758

N78-32256* c 27 ..... NASA-CASE-MSC-14903-1
US-PATENT-APPL-SN-706424
US-PATENT-CLASS-260-2P
US-PATENT-CLASS-260-551P
US-PATENT-CLASS-260-606-5P
US-PATENT-CLASS-260-959
US-PATENT-CLASS-526-13
US-PATENT-CLASS-526-23
US-PATENT-CLASS-526-27
US-PATENT-CLASS-526-275
US-PATENT-CLASS-526-276
US-PATENT-CLASS-526-278
US-PATENT-CLASS-526-49
US-PATENT-CLASS-526-50
US-PATENT-CLASS-544-195
US-PATENT-4,092,466

N78-32260* c 27 ..... NASA-CASE-ARC-11051-1
US-PATENT-APPL-SN-736910
US-PATENT-CLASS-106-48
US-PATENT-CLASS-106-54
US-PATENT-CLASS-427-215
US-PATENT-CLASS-427-376A
US-PATENT-CLASS-427-376B
US-PATENT-CLASS-427-379
US-PATENT-CLASS-427-380
US-PATENT-CLASS-428-312
US-PATENT-CLASS-428-325
US-PATENT-CLASS-428-331
US-PATENT-CLASS-428-341
US-PATENT-CLASS-428-406
US-PATENT-CLASS-428-427
US-PATENT-CLASS-428-428
US-PATENT-CLASS-428-446
US-PATENT-CLASS-428-920
US-PATENT-CLASS-65-30R
US-PATENT-CLASS-65-60D
US-PATENT-4,093,771

N78-32261* c 27 ..... NASA-CASE-LAR-11828-1
US-PATENT-APPL-SN-448321
US-PATENT-APPL-SN-562992
US-PATENT-CLASS-260-47CP
US-PATENT-CLASS-260-49
US-PATENT-CLASS-260-63N
US-PATENT-CLASS-260-63R
US-PATENT-CLASS-260-65
US-PATENT-CLASS-260-78TF
US-PATENT-4,094,862

N78-32262* c 27 ..... NASA-CASE-MSC-14331-3
US-PATENT-APPL-SN-657998
US-PATENT-CLASS-264-130
US-PATENT-CLASS-264-184
US-PATENT-CLASS-264-211
US-PATENT-CLASS-264-236
US-PATENT-4,094,943

N78-32338* c 33 ..... NASA-CASE-GSC-12137-1
US-PATENT-APPL-SN-808510
US-PATENT-CLASS-329-124
US-PATENT-CLASS-331-12
US-PATENT-CLASS-331-4
US-PATENT-CLASS-331-64
US-PATENT-4,092,606

N78-32339* c 33 ..... NASA-CASE-GSC-12145-1
US-PATENT-APPL-SN-769149
US-PATENT-CLASS-307-229
US-PATENT-CLASS-307-230
US-PATENT-CLASS-328-145
US-PATENT-4,091,329

N78-32340* c 33 ..... NASA-CASE-GSC-12146-1
US-PATENT-APPL-SN-782480
US-PATENT-CLASS-325-159
US-PATENT-CLASS-325-187
US-PATENT-CLASS-333-17R
US-PATENT-CLASS-333-81R
US-PATENT-4,092,617

N78-32341* c 33 ..... NASA-CASE-LEW-12791-1
US-PATENT-APPL-SN-801432
US-PATENT-CLASS-363-101
US-PATENT-CLASS-363-16
US-PATENT-CLASS-363-60
US-PATENT-4,092,712

N78-32395* c 35 ..... NASA-CASE-ARC-11036-1
US-PATENT-APPL-SN-740457
US-PATENT-CLASS-33-366
US-PATENT-4,094,073

N78-32396* c 35 ..... NASA-CASE-MFS-23363-1
US-PATENT-APPL-SN-730046
US-PATENT-CLASS-324-173
US-PATENT-CLASS-324-207
US-PATENT-4,093,917

N78-32397* c 35 ..... NASA-CASE-LAR-11617-2
US-PATENT-APPL-SN-547072
US-PATENT-APPL-SN-668771
US-PATENT-CLASS-324-249
US-PATENT-4,088,954

N78-32447* c 38 ..... NASA-CASE-MFS-23114-1
US-PATENT-APPL-SN-686331
US-PATENT-CLASS-350-3.5
US-PATENT-CLASS-356-72
US-PATENT-CLASS-356-73
US-PATENT-CLASS-73-603
US-PATENT-4,093,382

N78-32539* c 44 ..... NASA-CASE-LAR-11208-1
US-PATENT-APPL-SN-710036
US-PATENT-CLASS-417-88
US-PATENT-CLASS-60-39.07
US-PATENT-CLASS-60-39.14
US-PATENT-CLASS-60-39.33
US-PATENT-CLASS-98-1.5
US-PATENT-4,091,613

N78-32542* c 44 ..... NASA-CASE-KSC-11034-1
US-PATENT-APPL-SN-782481
US-PATENT-CLASS-60-641
US-PATENT-CLASS-60-671
US-PATENT-4,087,975

N78-32720* c 54 ..... NASA-CASE-MSC-14805-1
US-PATENT-APPL-SN-688856
US-PATENT-CLASS-340-213R
US-PATENT-CLASS-340-262
US-PATENT-CLASS-340-279
US-PATENT-CLASS-340-285
US-PATENT-CLASS-340-309.1
US-PATENT-4,092,633

N78-32721* c 54 ..... NASA-CASE-ARC-11059-1
US-PATENT-APPL-SN-753978
US-PATENT-CLASS-128-142.7
US-PATENT-CLASS-62-259
US-PATENT-4,095,593

N78-32848* c 73 ..... NASA-CASE-GSC-12083-1
US-PATENT-APPL-SN-643897
US-PATENT-CLASS-350-170
US-PATENT-CLASS-350-173
US-PATENT-CLASS-350-174
US-PATENT-CLASS-350-286
US-PATENT-CLASS-350-320
US-PATENT-4,093,354

N78-32854* c 74 ..... NASA-CASE-ARC-11039-1
US-PATENT-APPL-SN-750655
US-PATENT-CLASS-351-166
US-PATENT-CLASS-427-164
US-PATENT-CLASS-427-302
US-PATENT-CLASS-427-322
US-PATENT-CLASS-427-38
US-PATENT-CLASS-427-387
US-PATENT-CLASS-427-41
US-PATENT-CLASS-427-44
US-PATENT-CLASS-428-412
US-PATENT-CLASS-428-447
US-PATENT-4,096,315

N78-33101* c 07 ..... NASA-CASE-LEW-12496-1
US-PATENT-APPL-SN-668971
US-PATENT-CLASS-29-463
US-PATENT-CLASS-416-214A
US-PATENT-CLASS-416-244A
US-PATENT-CLASS-74-572
US-PATENT-4,097,194

N78-33228* c 27 ..... NASA-CASE-NPO-08835-1
US-PATENT-APPL-SN-588721
US-PATENT-CLASS-260-28.5
US-PATENT-3,527,724

N78-33526* c 44 ..... NASA-CASE-NPO-13763-1
US-PATENT-APPL-SN-718268
US-PATENT-CLASS-123-DIG.12
US-PATENT-CLASS-123-1A
US-PATENT-CLASS-123-3
US-PATENT-4,112,875

N78-33913* c 74 ..... NASA-CASE-NPO-10233-1
US-PATENT-APPL-SN-716885
US-PATENT-CLASS-250-218
US-PATENT-CLASS-250-227
US-PATENT-CLASS-250-239
US-PATENT-CLASS-356-208
US-PATENT-3,573,470

N79-10057* c 07 ..... NASA-CASE-LEW-12232-1
US-PATENT-APPL-SN-776029
US-PATENT-CLASS-415-115
US-PATENT-CLASS-415-116
US-PATENT-CLASS-60-39.14
US-PATENT-4,117,669

N79-10162* c 25 ..... NASA-CASE-ARC-11053-1
US-PATENT-APPL-SN-814378
US-PATENT-CLASS-23-252R
US-PATENT-CLASS-423-581
US-PATENT-4,101,644

N79-10163* c 25 ..... NASA-CASE-NPO-13274-1
US-PATENT-APPL-SN-406296
US-PATENT-CLASS-204-180S
US-PATENT-CLASS-204-299
US-PATENT-3,932,262

N79-10262* c 32 ..... NASA-CASE-NPO-13941-1
US-PATENT-APPL-SN-774384
US-PATENT-CLASS-307-233R
US-PATENT-CLASS-324-77B
US-PATENT-CLASS-324-77C
US-PATENT-4,118,666

N79-10263* c 32 ..... NASA-CASE-MSC-12743-1
US-PATENT-APPL-SN-765167
US-PATENT-CLASS-325-41
US-PATENT-CLASS-340-146.1AX
US-PATENT-CLASS-340-146.1E
US-PATENT-4,100,531

N79-10264* c 32 ..... NASA-CASE-MFS-22234-1
US-PATENT-APPL-SN-730778
US-PATENT-CLASS-343-6R
US-PATENT-CLASS-343-9
US-PATENT-4,118,701

N79-10337* c 33 ..... NASA-CASE-KSC-11018-1
US-PATENT-APPL-SN-782693
US-PATENT-CLASS-324-133
US-PATENT-CLASS-324-72
US-PATENT-CLASS-324-96
US-PATENT-4,100,487

N79-10338* c 33 ..... NASA-CASE-GSC-12228-1
US-PATENT-APPL-SN-858764
US-PATENT-CLASS-324-57R
US-PATENT-CLASS-324-83D
US-PATENT-CLASS-324-85
US-PATENT-CLASS-328-163
US-PATENT-4,118,665

N79-10339* c 33 ..... NASA-CASE-LEW-12013-1
US-PATENT-APPL-SN-768795
US-PATENT-CLASS-301-82
US-PATENT-CLASS-315-3.5
US-PATENT-CLASS-315-3.6
US-PATENT-CLASS-330-43
US-PATENT-4,118,671

N79-10389* c 35 ..... NASA-CASE-MFS-23461-1
US-PATENT-APPL-SN-694406
US-PATENT-CLASS-250-475
US-PATENT-CLASS-252-301.1R
US-PATENT-CLASS-252-301.16
US-PATENT-CLASS-96-27R
US-PATENT-CLASS-96-60R
US-PATENT-4,101,780

N79-10390* c 35 ..... NASA-CASE-LAR-12260-1
US-PATENT-CLASS-73-579
US-PATENT-CLASS-73-589
US-PATENT-4,117,731

N79-10391* c 35 ..... NASA-CASE-NPO-13862-1
US-PATENT-APPL-SN-744577
US-PATENT-CLASS-324-77K
US-PATENT-CLASS-343-17.2PC
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-5W
US-PATENT-4,101,891

N79-10418* c 37 ..... NASA-CASE-LEW-12569-1
US-PATENT-APPL-SN-792069
US-PATENT-CLASS-308-DIG.1
US-PATENT-CLASS-308-121
US-PATENT-CLASS-308-160
US-PATENT-CLASS-308-163
US-PATENT-CLASS-308-172
US-PATENT-CLASS-308-5R
US-PATENT-CLASS-308-9
US-PATENT-4,099,799

N79-10419* c 37 ..... NASA-CASE-FRC-10111-1
US-PATENT-APPL-SN-713027
US-PATENT-CLASS-30-90.6
US-PATENT-CLASS-81-9.5R
US-PATENT-4,117,749

N79-10420* c 37 ..... NASA-CASE-NPO-14014-1
US-PATENT-APPL-SN-826204
US-PATENT-CLASS-188-1C
US-PATENT-CLASS-256-1
US-PATENT-CLASS-256-13.1
US-PATENT-4,118,014
N79-10421* c 37 ..... NASA-CASE-MFS-23620-1
US-PATENT-APPL-SN-799023
US-PATENT-CLASS-219-124.2-2
US-PATENT-CLASS-219-124.32
US-PATENT-CLASS-219-125.1
US-PATENT-CLASS-228-8
US-PATENT-4,118,620
N79-10422* c 37 ..... NASA-CASE-MFS-23051-1
US-PATENT-APPL-SN-632111
US-PATENT-CLASS-15-230.16
US-PATENT-CLASS-15-230.17
US-PATENT-CLASS-29-125
US-PATENT-CLASS-428-133
US-PATENT-CLASS-74-572
US-PATENT-4,098,142
N79-10513* c 44 ..... NASA-CASE-NPO-13732-1
US-PATENT-APPL-SN-765138
US-PATENT-CLASS-429-13
US-PATENT-CLASS-429-41
US-PATENT-CLASS-429-42
US-PATENT-4,100,331
N79-10693* c 51 ..... NASA-CASE-MSC-16098-1
US-PATENT-APPL-SN-792068
US-PATENT-CLASS-210-23F
US-PATENT-CLASS-210-433M
US-PATENT-CLASS-210-96M
US-PATENT-4,118,315
N79-10694* c 51 ..... NASA-CASE-GSC-12173-1
US-PATENT-APPL-SN-806440
US-PATENT-CLASS-165-2
US-PATENT-CLASS-165-30
US-PATENT-CLASS-195-1.8
US-PATENT-CLASS-219-299
US-PATENT-CLASS-219-302
US-PATENT-CLASS-62-514R
US-PATENT-CLASS-62-78
US-PATENT-4,117,881
N79-10724* c 52 ..... NASA-CASE-ARC-10985-1
US-PATENT-APPL-SN-769148
US-PATENT-CLASS-128-2.05R
US-PATENT-CLASS-358-111
US-PATENT-CLASS-358-96
US-PATENT-CLASS-364-417
US-PATENT-4,101,961
N79-10969* c 89 ..... NASA-CASE-MFS-23675-1
US-PATENT-APPL-SN-820498
US-PATENT-CLASS-350-294
US-PATENT-CLASS-350-55
US-PATENT-4,101,195
N79-11108* c 18 ..... NASA-CASE-MFS-23579-1
US-PATENT-APPL-SN-829316
US-PATENT-CLASS-228-13
US-PATENT-CLASS-228-15.1
US-PATENT-CLASS-228-173
US-PATENT-CLASS-244-159
US-PATENT-4,122,991
N79-11151* c 25 ..... NASA-CASE-NPO-13958-1
US-PATENT-APPL-SN-745384
US-PATENT-CLASS-126-91A
US-PATENT-CLASS-431-10
US-PATENT-CLASS-431-208
US-PATENT-CLASS-432-223
US-PATENT-CLASS-432-29
US-PATENT-4,104,018
N79-11152* c 25 ..... NASA-CASE-NPO-13904-1
US-PATENT-APPL-SN-730468
US-PATENT-CLASS-208-10
US-PATENT-CLASS-208-8
US-PATENT-CLASS-302-66
US-PATENT-CLASS-44-51
US-PATENT-4,121,995
N79-11215*# c 27 ..... NASA-CASE-ARC-11170-1
US-PATENT-APPL-SN-956161
N79-11231* c 28 ..... NASA-CASE-NPO-13858-1
NASA-CASE-NPO-13859-1
US-PATENT-APPL-SN-740153
US-PATENT-CLASS-102-28R
US-PATENT-4,103,619
N79-11246* c 31 ..... NASA-CASE-LAR-12147-1
US-PATENT-APPL-SN-733825
US-PATENT-CLASS-73-159
US-PATENT-CLASS-73-95
US-PATENT-4,103,550
N79-11264* c 32 ..... NASA-CASE-MSC-14939-1
US-PATENT-APPL-SN-765165
US-PATENT-CLASS-343-844
US-PATENT-CLASS-343-854
US-PATENT-4,119,972
N79-11265* c 32 ..... NASA-CASE-GSC-12150-1
US-PATENT-APPL-SN-736286
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-67
US-PATENT-CLASS-343-17.7
US-PATENT-4,119,964
N79-11313* c 33 ..... NASA-CASE-MSC-16461-1
US-PATENT-APPL-SN-858765
US-PATENT-CLASS-307-232
US-PATENT-CLASS-328-133
US-PATENT-CLASS-331-1A
US-PATENT-CLASS-331-14
US-PATENT-CLASS-331-23
US-PATENT-CLASS-331-27
US-PATENT-4,119,926
N79-11314* c 33 ..... NASA-CASE-NPO-13064-1
US-PATENT-APPL-SN-297436
US-PATENT-CLASS-357-22
US-PATENT-3,860,946
N79-11315* c 33 ..... NASA-CASE-KSC-11031-1
US-PATENT-APPL-SN-782482
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-113
US-PATENT-CLASS-324-133
US-PATENT-4,105,966
N79-11402* c 37 ..... NASA-CASE-MSC-16043-1
US-PATENT-APPL-SN-750792
US-PATENT-CLASS-137-614.06
US-PATENT-CLASS-137-637.05
US-PATENT-CLASS-251-149.9
US-PATENT-CLASS-285-326
US-PATENT-CLASS-285-359
US-PATENT-4,103,712
N79-11403* c 37 ..... NASA-CASE-LEW-12793-1
US-PATENT-APPL-SN-745766
US-PATENT-CLASS-60.39.08
US-PATENT-CLASS-60-39.28R
US-PATENT-CLASS-60-39.66
US-PATENT-4,104,873
N79-11404* c 37 ..... NASA-CASE-MFS-23447-1
US-PATENT-APPL-SN-736909
US-PATENT-CLASS-308-194
US-PATENT-CLASS-308-72
US-PATENT-4,105,261
N79-11405* c 37 ..... NASA-CASE-NPO-13828-1
US-PATENT-APPL-SN-672636
US-PATENT-CLASS-123-148DC
US-PATENT-CLASS-123-148E
US-PATENT-CLASS-315-209CD
US-PATENT-CLASS-315-209SC
US-PATENT-CLASS-315-241R
US-PATENT-4,122,816
N79-11467* c 44 ..... NASA-CASE-LEW-12819-1
US-PATENT-APPL-SN-803823
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-136-89SJ
US-PATENT-CLASS-357-15
US-PATENT-CLASS-357-16
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-65
US-PATENT-CLASS-357-67
US-PATENT-4,104,084
N79-11468* c 44 ..... NASA-CASE-LEW-12775-1
US-PATENT-APPL-SN-799026
US-PATENT-CLASS-136-89
US-PATENT-CLASS-148-188
US-PATENT-CLASS-29-572
US-PATENT-CLASS-427-75
US-PATENT-4,104,091
N79-11469* c 44 ..... NASA-CASE-MFS-23518-1
US-PATENT-APPL-SN-829390
US-PATENT-CLASS-204-32
US-PATENT-CLASS-204-33
US-PATENT-CLASS-204-37R
US-PATENT-CLASS-204-38B
US-PATENT-4,104,134
N79-11470* c 44 ..... NASA-CASE-NPO-14126-1
US-PATENT-APPL-SN-838336
US-PATENT-CLASS-204-157.1R
US-PATENT-CLASS-250-527
US-PATENT-4,105,517
N79-11471* c 44 ..... NASA-CASE-NPO-13817-1
US-PATENT-APPL-SN-801452
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-299
US-PATENT-4,122,833
N79-11472* c 44 ..... NASA-CASE-LEW-12552-2
US-PATENT-APPL-SN-844346
US-PATENT-CLASS-29-572
US-PATENT-CLASS-427-123
US-PATENT-CLASS-427-126
US-PATENT-CLASS-427-261
US-PATENT-CLASS-427-343
US-PATENT-CLASS-427-398A
US-PATENT-CLASS-427-399
US-PATENT-CLASS-427-75
US-PATENT-CLASS-427-84
US-PATENT-4,122,214
N79-11865* c 74 ..... NASA-CASE-MFS-23513-1
US-PATENT-APPL-SN-755323
US-PATENT-CLASS-356-124
US-PATENT-CLASS-356-210
US-PATENT-4,102,580
N79-11920* c 76 ..... NASA-CASE-NPO-13918-1
US-PATENT-APPL-SN-706073
US-PATENT-CLASS-156-DIG.64
US-PATENT-CLASS-156-DIG.65
US-PATENT-CLASS-156-DIG.88
US-PATENT-CLASS-156-608
US-PATENT-CLASS-156-617SP
US-PATENT-4,121,965
N79-12061* c 05 ..... NASA-CASE-FRC-10092-1
US-PATENT-APPL-SN-831634
US-PATENT-CLASS-244-48
US-PATENT-CLASS-244-82
US-PATENT-CLASS-244-90R
US-PATENT-4,124,180
N79-12221* c 27 ..... NASA-CASE-MSC-12619-2
US-PATENT-APPL-SN-555750
US-PATENT-APPL-SN-786913
US-PATENT-CLASS-244-121
US-PATENT-CLASS-244-158
US-PATENT-CLASS-244-160
US-PATENT-CLASS-428-189
US-PATENT-CLASS-428-212
US-PATENT-CLASS-428-280
US-PATENT-CLASS-428-285
US-PATENT-CLASS-428-286
US-PATENT-CLASS-428-332
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-450
US-PATENT-CLASS-428-77
US-PATENT-CLASS-428-920
US-PATENT-4,124,732
N79-12321* c 33 ..... NASA-CASE-GSC-12190-1
US-PATENT-APPL-SN-817413
US-PATENT-CLASS-357-22
US-PATENT-CLASS-357-23
US-PATENT-CLASS-357-41
US-PATENT-CLASS-357-45
US-PATENT-CLASS-357-55
US-PATENT-4,119,996
N79-12331* c 33 ..... NASA-CASE-MSC-12662-1
US-PATENT-APPL-SN-540779
US-PATENT-CLASS-428-109
US-PATENT-CLASS-428-247
US-PATENT-CLASS-428-258
US-PATENT-CLASS-428-259
US-PATENT-4,107,363
N79-12359* c 34 ..... NASA-CASE-LAR-11729-1
US-PATENT-APPL-SN-856461
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-194VS
US-PATENT-4,122,712
N79-12541* c 44 ..... NASA-CASE-NPO-14100-1
US-PATENT-APPL-SN-861391
US-PATENT-CLASS-324-20R
US-PATENT-CLASS-324-22
US-PATENT-4,122,383
N79-12584* c 45 ..... NASA-CASE-MSC-16258-1
US-PATENT-APPL-SN-853705
US-PATENT-CLASS-210-50
US-PATENT-CLASS-210-60
US-PATENT-CLASS-210-63R
US-PATENT-CLASS-423-242
US-PATENT-CLASS-55-73
US-PATENT-4,123,355
N79-12694* c 52 ..... NASA-CASE-NPO-13913-1
US-PATENT-APPL-SN-687251
US-PATENT-CLASS-128-2R
US-PATENT-CLASS-364-120
US-PATENT-CLASS-364-300
US-PATENT-CLASS-364-415
US-PATENT-CLASS-364-900
US-PATENT-4,122,518
N79-12890* c 74 ..... NASA-CASE-KSC-11010-1
US-PATENT-APPL-SN-753977
US-PATENT-CLASS-200-46
US-PATENT-CLASS-200-61
US-PATENT-CLASS-250-214AL
US-PATENT-CLASS-250-214R
US-PATENT-CLASS-315-153
US-PATENT-4,122,334
N79-13214* c 32 ..... NASA-CASE-NPO-14009-1
US-PATENT-APPL-SN-818917
US-PATENT-CLASS-343-117R
US-PATENT-CLASS-343-118
US-PATENT-CLASS-343-7.4
US-PATENT-4,122,454
N79-13288* c 34 ..... NASA-CASE-LEW-12252-1
US-PATENT-APPL-SN-559847
US-PATENT-CLASS-165-169

US-PATENT-CLASS-239-127.1
US-PATENT-CLASS-60-267
US-PATENT-4,107,919

N79-13289* c 34 ..... NASA-CASE-LEW-12441-1
US-PATENT-APPL-SN-559846
US-PATENT-CLASS-165-146
US-PATENT-CLASS-165-169
US-PATENT-CLASS-239-127.1
US-PATENT-CLASS-60-267
US-PATENT-4,108,241

N79-13364* c 37 ..... NASA-CASE-LAR-10941-2
US-PATENT-APPL-SN-395493
US-PATENT-CLASS-228-107
US-PATENT-CLASS-228-2.5
US-PATENT-CLASS-29-421E
US-PATENT-4,106,687

N79-13826* c 72 ..... NASA-CASE-NPO-13993-1
US-PATENT-APPL-SN-782463
US-PATENT-CLASS-331-94.5L
US-PATENT-CLASS-331-94.5P
US-PATENT-CLASS-331-94.5PE
US-PATENT-4,107,627

N79-13855* c 74 ..... NASA-CASE-MFS-23052-2
US-PATENT-APPL-SN-590183
US-PATENT-APPL-SN-772165
US-PATENT-CLASS-35-12C
US-PATENT-CLASS-35-12N
US-PATENT-CLASS-358-104
US-PATENT-4,106,218

N79-14095* c 07 ..... NASA-CASE-LEW-13050-1
US-PATENT-APPL-SN-513346
US-PATENT-CLASS-416-157B
US-PATENT-CLASS-416-160
US-PATENT-CLASS-416-162
US-PATENT-CLASS-416-167
US-PATENT-4,124,330

N79-14096* c 07 ..... NASA-CASE-LEW-12389-3
US-PATENT-APPL-SN-552108
US-PATENT-APPL-SN-753452
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-244-54
US-PATENT-CLASS-415-200
US-PATENT-CLASS-415-201
US-PATENT-CLASS-60-226A
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-60-39.31
US-PATENT-4,132,069

N79-14097* c 07 ..... NASA-CASE-LEW-12378-1
US-PATENT-APPL-SN-573029
US-PATENT-CLASS-239-265.39
US-PATENT-CLASS-60-226A
US-PATENT-4,132,068

N79-14108* c 08 ..... NASA-CASE-LAR-11868-2
US-PATENT-APPL-SN-651002
US-PATENT-APPL-SN-779429
US-PATENT-CLASS-244-218
US-PATENT-CLASS-244-46
US-PATENT-CLASS-244-90R
US-PATENT-4,132,375

N79-14156* c 24 ..... NASA-CASE-GSC-12207-1
US-PATENT-APPL-SN-844344
US-PATENT-CLASS-106-296
US-PATENT-CLASS-106-84
US-PATENT-CLASS-252-518
US-PATENT-4,111,851

N79-14169* c 25 ..... NASA-CASE-ARC-11121-1
US-PATENT-APPL-SN-850507
US-PATENT-CLASS-204-180G
US-PATENT-CLASS-204-180S
US-PATENT-CLASS-204-299R
US-PATENT-CLASS-23-230B
US-PATENT-CLASS-424-12
US-PATENT-4,130,471

N79-14213* c 27 ..... NASA-CASE-NPO-13690-2
US-PATENT-APPL-SN-858766
US-PATENT-CLASS-264-60
US-PATENT-CLASS-75-203
US-PATENT-CLASS-75-205
US-PATENT-CLASS-75-206
US-PATENT-CLASS-75-212
US-PATENT-CLASS-75-226
US-PATENT-4,131,459

N79-14214* c 27 ..... NASA-CASE-ARC-10892-2
US-PATENT-APPL-SN-589172
US-PATENT-APPL-SN-767912
US-PATENT-CLASS-427-294
US-PATENT-CLASS-427-41
US-PATENT-CLASS-428-411
US-PATENT-4,132,829

N79-14228* c 28 ..... NASA-CASE-NPO-10866-1
US-PATENT-APPL-SN-849274
US-PATENT-CLASS-149-19.9
US-PATENT-CLASS-149-19.92
US-PATENT-CLASS-149-20
US-PATENT-4,111,729

N79-14267* c 32 ..... NASA-CASE-NPO-13982-1
US-PATENT-APPL-SN-782464
US-PATENT-CLASS-329-122
US-PATENT-CLASS-343-14
US-PATENT-CLASS-364-458
US-PATENT-CLASS-364-604
US-PATENT-CLASS-364-728
US-PATENT-4,112,497

N79-14268* c 32 ..... NASA-CASE-NPO-14019-1
US-PATENT-APPL-SN-843308
US-PATENT-CLASS-343-100CL
US-PATENT-CLASS-343-5CM
US-PATENT-4,132,989

N79-14305* c 33 ..... NASA-CASE-KSC-11057-1
US-PATENT-APPL-SN-835544
US-PATENT-CLASS-324-102
US-PATENT-CLASS-324-112
US-PATENT-CLASS-324-113
US-PATENT-CLASS-324-133
US-PATENT-CLASS-324-72
US-PATENT-4,112,357

N79-14345* c 35 ..... NASA-CASE-LEW-12661-1
US-PATENT-APPL-SN-837796
US-PATENT-CLASS-73-115
US-PATENT-4,111,041

N79-14346* c 35 ..... NASA-CASE-LEW-12174-2
US-PATENT-APPL-SN-667929
US-PATENT-APPL-SN-853679
US-PATENT-CLASS-136-202
US-PATENT-CLASS-136-236
US-PATENT-4,111,718

N79-14347* c 35 ..... NASA-CASE-LAR-12230-1
US-PATENT-APPL-SN-835628
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-4R
US-PATENT-CLASS-73-714
US-PATENT-CLASS-73-721
US-PATENT-CLASS-73-756
US-PATENT-4,111,058

N79-14348* c 35 ..... NASA-CASE-NPO-13569-2
US-PATENT-APPL-SN-565162
US-PATENT-APPL-SN-804035
US-PATENT-CLASS-318-573
US-PATENT-CLASS-318-594
US-PATENT-CLASS-318-640
US-PATENT-4,132,940

N79-14349* c 35 ..... NASA-CASE-LAR-11859-1
US-PATENT-APPL-SN-861396
US-PATENT-CLASS-324-57R
US-PATENT-4,130,795

N79-14362* c 36 ..... NASA-CASE-GSC-12334-1
US-PATENT-APPL-SN-856464
US-PATENT-CLASS-324-0.5
US-PATENT-CLASS-331-94
US-PATENT-4,128,814

N79-14382* c 37 ..... NASA-CASE-LAR-11900-1
US-PATENT-APPL-SN-775239
US-PATENT-CLASS-403-105
US-PATENT-CLASS-416-61
US-PATENT-CLASS-74-586
US-PATENT-4,111,068

N79-14383* c 37 ..... NASA-CASE-NPO-13541-1
US-PATENT-APPL-SN-828262
US-PATENT-CLASS-81-119
US-PATENT-CLASS-81-180B
US-PATENT-CLASS-81-90B
US-PATENT-4,130,032

N79-14398* c 38 ..... NASA-CASE-MSC-19672-1
US-PATENT-APPL-SN-696679
US-PATENT-CLASS-310-326
US-PATENT-CLASS-310-336
US-PATENT-CLASS-73-632
US-PATENT-CLASS-73-641
US-PATENT-CLASS-73-644
US-PATENT-4,122,725

N79-14526* c 44 ..... NASA-CASE-NPO-13921-1
US-PATENT-APPL-SN-785257
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-4,111,184

N79-14527* c 44 ..... NASA-CASE-HQN-10888-1
US-PATENT-APPL-SN-760057
US-PATENT-CLASS-188-151A
US-PATENT-CLASS-188-269
US-PATENT-CLASS-303-92
US-PATENT-CLASS-415-9
US-PATENT-CLASS-416-2
US-PATENT-CLASS-74-572
US-PATENT-4,132,130

N79-14528* c 44 ..... NASA-CASE-LEW-12236-2
US-PATENT-APPL-SN-760771
US-PATENT-APPL-SN-899123
US-PATENT-CLASS-136-89SJ
US-PATENT-CLASS-357-30
US-PATENT-4,131,486

N79-14529* c 44 ..... NASA-CASE-NPO-13579-4
US-PATENT-APPL-SN-906297
US-PATENT-CLASS-126-271
US-PATENT-CLASS-350-292
US-PATENT-CLASS-350-293
US-PATENT-CLASS-350-320
US-PATENT-4,131,336

N79-14749* c 52 ..... NASA-CASE-NPO-13930-1
US-PATENT-APPL-SN-700467
US-PATENT-CLASS-128-214D
US-PATENT-CLASS-128-272
US-PATENT-CLASS-150-1
US-PATENT-CLASS-195-1.8
US-PATENT-CLASS-206-439
US-PATENT-CLASS-210-DIG.23
US-PATENT-CLASS-422-41
US-PATENT-CLASS-422-48
US-PATENT-CLASS-55-15-8
US-PATENT-4,132,594

N79-14750* c 52 ..... NASA-CASE-GSC-12046-1
US-PATENT-APPL-SN-680015
US-PATENT-CLASS-195-103.5K
US-PATENT-CLASS-195-103.5L
US-PATENT-4,132,599

N79-14751* c 52 ..... NASA-CASE-NPO-13935-1
NASA-CASE-NPO-13944-1
US-PATENT-APPL-SN-741749
US-PATENT-CLASS-128-2V
US-PATENT-CLASS-73-633
US-PATENT-CLASS-73-644
US-PATENT-4,130,112

N79-14871* c 71 ..... NASA-CASE-LEW-12658-1
US-PATENT-APPL-SN-702115
US-PATENT-CLASS-181-190
US-PATENT-CLASS-181-213
US-PATENT-CLASS-181-222
US-PATENT-CLASS-181-293
US-PATENT-4,106,587

N79-14891* c 74 ..... NASA-CASE-GSC-12225-1
US-PATENT-APPL-SN-823566
US-PATENT-CLASS-350-157
US-PATENT-4,129,357

N79-14906* c 76 ..... NASA-CASE-MFS-23541-1
US-PATENT-APPL-SN-814005
US-PATENT-CLASS-204-192C
US-PATENT-4,111,775

N79-15245* c 33 ..... NASA-CASE-ARC-10975-1
US-PATENT-APPL-SN-799832
US-PATENT-CLASS-250-531
US-PATENT-CLASS-250-540
US-PATENT-CLASS-250-541
US-PATENT-4,130,490

N79-16246* c 35 ..... NASA-CASE-NPO-10872-1
US-PATENT-APPL-SN-805549
US-PATENT-CLASS-179-100.2CH
US-PATENT-CLASS-340-174.1M
US-PATENT-CLASS-346-74MT
US-PATENT-3,626,114

N79-16678* c 76 ..... NASA-CASE-NPO-11336-1
NASA-CASE-NPO-13247-1
US-PATENT-APPL-SN-302913
US-PATENT-CLASS-117-107
US-PATENT-CLASS-117-119
US-PATENT-CLASS-117-234
US-PATENT-CLASS-117-235
US-PATENT-CLASS-117-237
US-PATENT-CLASS-117-239
US-PATENT-CLASS-117-240
US-PATENT-CLASS-148-121
US-PATENT-CLASS-148-6
US-PATENT-CLASS-75-134D
US-PATENT-3,837,908

N79-16915* c 24 ..... NASA-CASE-ARC-11040-1
US-PATENT-APPL-SN-778195
US-PATENT-CLASS-156-331
US-PATENT-CLASS-428-117
US-PATENT-CLASS-428-119
US-PATENT-CLASS-428-375
US-PATENT-CLASS-428-458
US-PATENT-CLASS-428-73
US-PATENT-4,135,019

N79-17029* c 31 ..... NASA-CASE-GSC-12168-1
US-PATENT-APPL-SN-838337
US-PATENT-CLASS-165-30
US-PATENT-CLASS-174-15CA
US-PATENT-CLASS-250-352
US-PATENT-CLASS-62-514R
US-PATENT-4,134,447

N79-17133* c 33 ..... NASA-CASE-MFS-23659-1
US-PATENT-APPL-SN-782462
US-PATENT-CLASS-323-44F
US-PATENT-CLASS-336-DIG.1
US-PATENT-4,135,127

N79-17192* c 35 ..... NASA-CASE-LEW-11583-1
US-PATENT-APPL-SN-414042
US-PATENT-CLASS-55-118
US-PATENT-CLASS-55-122
US-PATENT-CLASS-55-127

US-PATENT-CLASS-55-155
US-PATENT-CLASS-55-241
US-PATENT-CLASS-55-242
US-PATENT-CLASS-55-360
US-PATENT-CLASS-55-407
US-PATENT-4,134,744

N79-17288* c 43 ..... NASA-CASE-NPO-13691-1
US-PATENT-APPL-SN-664091
US-PATENT-CLASS-250-226
US-PATENT-CLASS-356-300
US-PATENT-CLASS-356-407
US-PATENT-CLASS-356-416
US-PATENT-4,134,683

N79-17313* c 44 ..... NASA-CASE-LEW-12358-1
US-PATENT-APPL-SN-776146
US-PATENT-CLASS-429-101
US-PATENT-CLASS-429-33
US-PATENT-4,133,941

N79-17314* c 44 ..... NASA-CASE-NPO-13652-1
US-PATENT-APPL-SN-809890
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-136-89P
US-PATENT-CLASS-29-572
US-PATENT-4,133,697

N79-17747* c 85 ..... NASA-CASE-NPO-13847-2
NASA-CASE-NPO-13848-2
US-PATENT-APPL-SN-750798
US-PATENT-CLASS-162-14
US-PATENT-CLASS-162-29
US-PATENT-CLASS-210-28
US-PATENT-CLASS-210-40
US-PATENT-CLASS-210-45
US-PATENT-CLASS-210-54
US-PATENT-CLASS-210-66
US-PATENT-CLASS-210-67
US-PATENT-CLASS-210-70
US-PATENT-CLASS-210-73R
US-PATENT-4,134,786

N79-17847* c 05 ..... NASA-CASE-ARC-11045-1
US-PATENT-APPL-SN-818916
US-PATENT-CLASS-416-132R
US-PATENT-CLASS-416-138
US-PATENT-CLASS-416-51
US-PATENT-CLASS-416-88
US-PATENT-CLASS-416-89
US-PATENT-4,137,010

N79-17916* c 24 ..... NASA-CASE-LEW-11930-4
US-PATENT-APPL-SN-860406
US-PATENT-CLASS-252-12.2
US-PATENT-CLASS-308-DIG.8
US-PATENT-CLASS-308-DIG.9
US-PATENT-CLASS-308-168
US-PATENT-CLASS-308-171
US-PATENT-CLASS-308-78
US-PATENT-CLASS-308-87R
US-PATENT-CLASS-427-292
US-PATENT-CLASS-427-327
US-PATENT-CLASS-427-328
US-PATENT-CLASS-427-34
US-PATENT-CLASS-427-355
US-PATENT-CLASS-427-376B
US-PATENT-CLASS-427-376C
US-PATENT-4,136,211

N79-18052* c 27 ..... NASA-CASE-ARC-10915-2
US-PATENT-APPL-SN-634304
US-PATENT-APPL-SN-779883
US-PATENT-CLASS-427-40
US-PATENT-CLASS-427-41
US-PATENT-CLASS-428-412
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-451
US-PATENT-4,137,365

N79-18193* c 33 ..... NASA-CASE-KSC-10899-1
US-PATENT-APPL-SN-814004
US-PATENT-CLASS-324-127
US-PATENT-CLASS-324-133
US-PATENT-CLASS-324-52
US-PATENT-CLASS-340-650
US-PATENT-CLASS-340-664
US-PATENT-4,110,683

N79-18296* c 35 ..... NASA-CASE-LAR-12275-1
US-PATENT-APPL-SN-885065
US-PATENT-CLASS-356-28
US-PATENT-CLASS-358-107
US-PATENT-4,135,817

N79-18307* c 36 ..... NASA-CASE-LAR-12183-1
US-PATENT-CLASS-331-94.5G
US-PATENT-CLASS-331-94.5P
US-PATENT-CLASS-788-704
US-PATENT-4,110,703

N79-18318* c 37 ..... NASA-CASE-LEW-12131-1
US-PATENT-APPL-SN-801290
US-PATENT-CLASS-415-174
US-PATENT-CLASS-415-200
US-PATENT-4,135,851

N79-18443* c 44 ..... NASA-CASE-NPO-14058-1
US-PATENT-APPL-SN-824024
US-PATENT-CLASS-126-271
US-PATENT-CLASS-165-105
US-PATENT-CLASS-60-508
US-PATENT-CLASS-60-572
US-PATENT-CLASS-60-641
US-PATENT-4,135,367

N79-18444* c 44 ..... NASA-CASE-LEW-12819-2
US-PATENT-APPL-SN-863770
US-PATENT-CLASS-148-6.3
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-578
US-PATENT-CLASS-29-591
US-PATENT-4,135,290

N79-18580* c 52 ..... NASA-CASE-ARC-11035-1
US-PATENT-APPL-SN-758721
US-PATENT-CLASS-128-2.05Z
US-PATENT-CLASS-128-2.1A
US-PATENT-CLASS-128-2V
US-PATENT-4,109,644

N79-19186* c 32 ..... NASA-CASE-WOO-00428-1
US-PATENT-APPL-SN-112999
US-PATENT-CLASS-117-35
US-PATENT-3,173,801

N79-19195*# c 32 ..... NASA-CASE-NPO-14525-1
US-PATENT-APPL-SN-017885

N79-19447* c 44 ..... NASA-CASE-XGS-00829-1
US-PATENT-APPL-SN-286824
US-PATENT-CLASS-269-153
US-PATENT-3,262,694

N79-20179* c 20 ..... NASA-CASE-LEW-12780-1
US-PATENT-APPL-SN-891370
US-PATENT-CLASS-323-15
US-PATENT-CLASS-323-20
US-PATENT-4,143,314

N79-20296* c 32 ..... NASA-CASE-GSC-12148-1
US-PATENT-APPL-SN-786322
US-PATENT-CLASS-325-58
US-PATENT-CLASS-325-63
US-PATENT-CLASS-343-179
US-PATENT-4,140,972

N79-20297* c 32 ..... NASA-CASE-MSC-16253-1
US-PATENT-APPL-SN-831631
US-PATENT-CLASS-358-109
US-PATENT-CLASS-358-81
US-PATENT-CLASS-364-713
US-PATENT-4,139,862

N79-20314* c 33 ..... NASA-CASE-GSC-12138-1
US-PATENT-APPL-SN-779871
US-PATENT-CLASS-310-231
US-PATENT-CLASS-310-46
US-PATENT-CLASS-310-82
US-PATENT-4,142,119

N79-20335* c 34 ..... NASA-CASE-NPO-14130-1
US-PATENT-APPL-SN-847278
US-PATENT-CLASS-415-1
US-PATENT-CLASS-415-143
US-PATENT-CLASS-60-645
US-PATENT-CLASS-60-649
US-PATENT-4,141,219

N79-20336* c 34 ..... NASA-CASE-LEW-11981-2
US-PATENT-APPL-SN-829315
US-PATENT-CLASS-250-352
US-PATENT-CLASS-313-22
US-PATENT-CLASS-313-35
US-PATENT-CLASS-62-268
US-PATENT-CLASS-62-376
US-PATENT-CLASS-62-514R
US-PATENT-4,141,224

N79-20377* c 37 ..... NASA-CASE-MSC-19514-1
US-PATENT-APPL-SN-772168
US-PATENT-CLASS-74-674
US-PATENT-CLASS-74-705
US-PATENT-CLASS-74-764
US-PATENT-4,141,259

N79-20751* c 60 ..... NASA-CASE-NPO-13676-1
US-PATENT-APPL-SN-779415
US-PATENT-CLASS-340-347DD
US-PATENT-CLASS-364-900
US-PATENT-4,139,839

N79-20827* c 71 ..... NASA-CASE-NPO-14005-1
US-PATENT-APPL-SN-812447
US-PATENT-CLASS-310-20
US-PATENT-CLASS-310-26
US-PATENT-CLASS-310-322
US-PATENT-CLASS-310-334
US-PATENT-CLASS-318-116
US-PATENT-CLASS-60-721
US-PATENT-CLASS-73-505
US-PATENT-4,139,806

N79-20856* c 74 ..... NASA-CASE-NPO-14174-1
US-PATENT-APPL-SN-876441
US-PATENT-CLASS-250-237G
US-PATENT-CLASS-354-77
US-PATENT-CLASS-356-129
US-PATENT-4,139,291

N79-20857* c 74 ..... NASA-CASE-GSC-12263-1
US-PATENT-APPL-SN-817415
US-PATENT-CLASS-250-363R
US-PATENT-CLASS-250-483
US-PATENT-4,142,101

N79-21083* c 09 ..... NASA-CASE-LAR-10135-1
US-PATENT-APPL-SN-648034
US-PATENT-CLASS-73-147
US-PATENT-3,453,878

N79-21084* c 09 ..... NASA-CASE-XLE-03186-1
US-PATENT-APPL-SN-200770
US-PATENT-CLASS-89-8
US-PATENT-3,224,337

N79-21123* c 20 ..... NASA-CASE-XMF-06884-1
US-PATENT-APPL-SN-579300
US-PATENT-CLASS-164-105
US-PATENT-3,485,290

N79-21124* c 20 ..... NASA-CASE-XMF-05964-1
US-PATENT-APPL-SN-578397
US-PATENT-CLASS-60-243
US-PATENT-3,390,528

N79-21125* c 20 ..... NASA-CASE-XMF-04592-1
NASA-CASE-XMF-04593-1
US-PATENT-APPL-SN-579376
US-PATENT-CLASS-60-39.74
US-PATENT-3,397,537

N79-21190* c 27 ..... NASA-CASE-XMF-02526-1
NASA-CASE-XMF-02527-1
NASA-CASE-XMF-02783-1
US-PATENT-APPL-SN-483817
US-PATENT-CLASS-260-2
US-PATENT-3,311,571

N79-21191* c 27 ..... NASA-CASE-XMF-06900-1
US-PATENT-APPL-SN-554959
US-PATENT-CLASS-260-67
US-PATENT-3,419,531

N79-21225* c 31 ..... NASA-CASE-XLE-02367-1
US-PATENT-APPL-SN-400857
US-PATENT-CLASS-222-131
US-PATENT-3,215,313

N79-21226* c 31 ..... NASA-CASE-MFS-10946-1
US-PATENT-APPL-SN-581843
US-PATENT-CLASS-156-52
US-PATENT-3,481,802

N79-21227* c 31 ..... NASA-CASE-XMF-05757-1
US-PATENT-APPL-SN-562558
US-PATENT-CLASS-117-43
US-PATENT-3,511,680

N79-21264* c 33 ..... NASA-CASE-XMF-05373-1
US-PATENT-APPL-SN-474815
US-PATENT-CLASS-335-216
US-PATENT-3,310,765

N79-21265* c 33 ..... NASA-CASE-XNP-02899-1
US-PATENT-APPL-SN-472643
US-PATENT-CLASS-317-245
US-PATENT-3,356,917

N79-21345* c 37 ..... NASA-CASE-XMS-01295-1
US-PATENT-APPL-SN-77869
US-PATENT-CLASS-55-159
US-PATENT-3,131,040

N79-21750* c 52 ..... NASA-CASE-MSC-12239-1
US-PATENT-APPL-SN-292340
US-PATENT-CLASS-128.2.07
US-PATENT-3,396,719

N79-21910* c 76 ..... NASA-CASE-XLE-02545-1
US-PATENT-APPL-SN-430748
US-PATENT-CLASS-156-17
US-PATENT-3,429,756

N79-22235* c 25 ..... NASA-CASE-LEW-12513-1
US-PATENT-APPL-SN-772167
US-PATENT-CLASS-195-103.5R
US-PATENT-CLASS-195-127
US-PATENT-CLASS-204-1T
US-PATENT-CLASS-2041-195B
US-PATENT-4,145,255

N79-22271* c 26 ..... NASA-CASE-LEW-12542-2
US-PATENT-APPL-SN-803822
US-PATENT-APPL-SN-860405
US-PATENT-CLASS-148-12.4
US-PATENT-CLASS-148-12F
US-PATENT-CLASS-148-2
US-PATENT-4,146,409

N79-22300* c 27 ..... NASA-CASE-ARC-11060-1
US-PATENT-APPL-SN-843090
US-PATENT-CLASS-260-307G
US-PATENT-CLASS-528-401
US-PATENT-CLASS-528-422
US-PATENT-4,145,524

N79-22373* c 33 ..... NASA-CASE-KSC-11008-1
US-PATENT-APPL-SN-780729
US-PATENT-CLASS-324-123C
US-PATENT-CLASS-324-99D
US-PATENT-CLASS-330-2
US-PATENT-CLASS-330-51
US-PATENT-CLASS-330-86
US-PATENT-4,109,213

N79-22474* c 37 ..... NASA-CASE-MFS-23646-1
US-PATENT-APPL-SN-891372
US-PATENT-CLASS-138-96R
US-PATENT-CLASS-220-266
US-PATENT-CLASS-239-265.15
US-PATENT-CLASS-239-288
US-PATENT-CLASS-277-192
US-PATENT-4,146,180

N79-22475* c 37 ..... NASA-CASE-LEW-11873-1
US-PATENT-APPL-SN-814006
US-PATENT-CLASS-277-62
US-PATENT-CLASS-277-96.1
US-PATENT-4,145,058

N79-22537* c 39 ..... NASA-CASE-LAR-12027-1
US-PATENT-APPL-SN-889670
US-PATENT-CLASS-73-770
US-PATENT-CLASS-73-810
US-PATENT-4,145,933

N79-22679* c 46 ..... NASA-CASE-NPO-14112-1
US-PATENT-APPL-SN-826326
US-PATENT-CLASS-102-21.6
US-PATENT-CLASS-166-63
US-PATENT-CLASS-175-1
US-PATENT-CLASS-181-106
US-PATENT-CLASS-181-117
US-PATENT-4,148,375

N79-23097* c 08 ..... NASA-CASE-LAR-12215-1
US-PATENT-APPL-SN-858762
US-PATENT-CLASS-244-17.13
US-PATENT-CLASS-244-195
US-PATENT-CLASS-244-83G
US-PATENT-CLASS-318-585
US-PATENT-CLASS-318-616
US-PATENT-CLASS-364-434
US-PATENT-4,148,452

N79-23310* c 32 ..... NASA-CASE-KSC-11023-1
US-PATENT-APPL-SN-918533
US-PATENT-CLASS-179-1MN
US-PATENT-CLASS-179-27CA
US-PATENT-CLASS-179-84VF
US-PATENT-4,153,818

N79-23345* c 33 ..... NASA-CASE-FRC-10116-1
US-PATENT-APPL-SN-885049
US-PATENT-CLASS-323-22T
US-PATENT-4,151,456

N79-23481* c 44 ..... NASA-CASE-MFS-23349-1
US-PATENT-APPL-SN-823061
US-PATENT-CLASS-126-270
US-PATENT-CLASS-126-271
US-PATENT-4,148,295

N79-23555* c 46 ..... NASA-CASE-NPO-14255-1
US-PATENT-APPL-SN-830458
US-PATENT-CLASS-181-115
US-PATENT-CLASS-181-120
US-PATENT-CLASS-340-12R
US-PATENT-4,153,134

N79-23753* c 71 ..... NASA-CASE-NPO-14134-1
US-PATENT-APPL-SN-861392
US-PATENT-CLASS-179-1DM
US-PATENT-CLASS-179-1MF
US-PATENT-CLASS-181-148
US-PATENT-CLASS-340-8LF
US-PATENT-4,149,034

N79-23798* c 76 ..... NASA-CASE-NPO-13969-1
US-PATENT-APPL-SN-820499
US-PATENT-CLASS-156-DIG.6-8
US-PATENT-CLASS-156-617SP
US-PATENT-CLASS-423-345
US-PATENT-4,152,194

N79-24062* c 24 ..... NASA-CASE-ARC-11169-1
US-PATENT-APPL-SN-940688
US-PATENT-CLASS-428-366
US-PATENT-4,148,962

N79-24073* c 25 ..... NASA-CASE-LAR-11922-1
US-PATENT-APPL-SN-856460
US-PATENT-CLASS-195-127
US-PATENT-CLASS-204-195B
US-PATENT-4,149,938

N79-24203* c 32 ..... NASA-CASE-LAR-12375-1
US-PATENT-APPL-SN-900842
US-PATENT-CLASS-73-647
US-PATENT-CLASS-73-724
US-PATENT-4,149,423

N79-24210* c 32 ..... NASA-CASE-NPO-13641-1
US-PATENT-APPL-SN-777983
US-PATENT-CLASS-343-100TD
US-PATENT-4,148,031

N79-24254* c 33 ..... NASA-CASE-NPO-14000-1
US-PATENT-APPL-SN-876431
US-PATENT-CLASS-307-82
US-PATENT-CLASS-363-56
US-PATENT-CLASS-363-71
US-PATENT-CLASS-363-97
US-PATENT-4,150,425

N79-24257* c 33 ..... NASA-CASE-NPO-14056-1
US-PATENT-APPL-SN-833637
US-PATENT-CLASS-363-134
US-PATENT-CLASS-363-71
US-PATENT-CLASS-363-95
US-PATENT-4,149,233

N79-24285* c 34 ..... NASA-CASE-MSC-16841-1
US-PATENT-APPL-SN-893382
US-PATENT-CLASS-210-108
US-PATENT-CLASS-210-142
US-PATENT-CLASS-73-714
US-PATENT-4,151,086

N79-24431* c 44 ..... NASA-CASE-NPO-13652-2
US-PATENT-APPL-SN-848794
US-PATENT-CLASS-228-5.1
US-PATENT-CLASS-228-6
US-PATENT-CLASS-29-57-4
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-739
US-PATENT-CLASS-29-809
US-PATENT-4,149,665

N79-24432* c 44 ..... NASA-CASE-NPO-13579-3
US-PATENT-APPL-SN-762363
US-PATENT-CLASS-126-270
US-PATENT-CLASS-264-1
US-PATENT-CLASS-264-33
US-PATENT-CLASS-264-34
US-PATENT-CLASS-264-35
US-PATENT-CLASS-264-510
US-PATENT-CLASS-264-516
US-PATENT-CLASS-264-70
US-PATENT-CLASS-264-71
US-PATENT-CLASS-350-292
US-PATENT-CLASS-350-294
US-PATENT-CLASS-350-296
US-PATENT-CLASS-405-229
US-PATENT-CLASS-405-263
US-PATENT-4,149,817

N79-24433* c 44 ..... NASA-CASE-NPO-13579-2
US-PATENT-APPL-SN-762362
US-PATENT-CLASS-126-271
US-PATENT-CLASS-126-400
US-PATENT-CLASS-237-1A
US-PATENT-CLASS-350-288
US-PATENT-CLASS-350-299
US-PATENT-4,149,521

N79-24651* c 54 ..... NASA-CASE-ARC-11058-2
US-PATENT-APPL-SN-753965
US-PATENT-APPL-SN-883094
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-285-235
US-PATENT-4,091,464
US-PATENT-4,151,612

N79-24652* c 54 ..... NASA-CASE-NPO-13906-1
US-PATENT-APPL-SN-837259
US-PATENT-CLASS-3-1.1
US-PATENT-CLASS-3-12.5
US-PATENT-CLASS-414-6
US-PATENT-4,149,278

N79-24976* c 05 ..... NASA-CASE-LEW-11890-1
US-PATENT-APPL-SN-891244
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-244-53B
US-PATENT-4,154,256

N79-25142* c 24 ..... NASA-CASE-MSC-12737-1
US-PATENT-APPL-SN-788045
US-PATENT-CLASS-102-105
US-PATENT-CLASS-244-121
US-PATENT-CLASS-244-163
US-PATENT-CLASS-427-350
US-PATENT-CLASS-427-372A
US-PATENT-CLASS-428-137
US-PATENT-CLASS-428-282
US-PATENT-CLASS-428-290
US-PATENT-CLASS-428-332
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-920
US-PATENT-4,151,800

N79-25143* c 24 ..... NASA-CASE-GSC-11577-3
US-PATENT-APPL-SN-322997
US-PATENT-APPL-SN-506803
US-PATENT-APPL-SN-645502
US-PATENT-CLASS-156-89
US-PATENT-CLASS-220-2.2
US-PATENT-CLASS-65-43
US-PATENT-3,859,714
US-PATENT-4,155,475

N79-25443* c 43 ..... NASA-CASE-MFS-23720-3
US-PATENT-APPL-SN-848420
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-82
US-PATENT-4,154,084

N79-25481* c 44 ..... NASA-CASE-LEW-12972-1
US-PATENT-APPL-SN-897829
US-PATENT-CLASS-429-253
US-PATENT-CLASS-526-7
US-PATENT-CLASS-526-9
US-PATENT-4,154,912

N79-25482* c 44 ..... NASA-CASE-NPO-14199-1
NASA-CASE-NPO-14200-1
US-PATENT-APPL-SN-891243
US-PATENT-CLASS-136-89CA
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-136-89PC
US-PATENT-CLASS-136-89SJ
US-PATENT-4,153,476

N79-26075* c 12 ..... NASA-CASE-MFS-23460-1
US-PATENT-APPL-SN-746578
US-PATENT-CLASS-13-20
US-PATENT-CLASS-13-22
US-PATENT-CLASS-13-24
US-PATENT-CLASS-219-410
US-PATENT-4,158,742

N79-26100* c 15 ..... NASA-CASE-ARC-11104-1
US-PATENT-APPL-SN-854920
US-PATENT-CLASS-244-121
US-PATENT-CLASS-260-37EP
US-PATENT-CLASS-260-830S
US-PATENT-CLASS-264-102
US-PATENT-CLASS-264-145
US-PATENT-CLASS-264-151
US-PATENT-CLASS-264-175
US-PATENT-CLASS-264-236
US-PATENT-CLASS-428-220
US-PATENT-CLASS-428-413
US-PATENT-CLASS-428-414
US-PATENT-CLASS-428-418
US-PATENT-CLASS-428-421
US-PATENT-CLASS-428-920
US-PATENT-4,156,752

N79-26372* c 35 ..... NASA-CASE-LAR-11889-1
US-PATENT-APPL-SN-662182
US-PATENT-CLASS-308-10
US-PATENT-CLASS-73-178R
US-PATENT-4,156,548

N79-26439* c 43 ..... NASA-CASE-MFS-23726-1
US-PATENT-APPL-SN-848418
US-PATENT-CLASS-105-161
US-PATENT-CLASS-299-1
US-PATENT-CLASS-33-1N
US-PATENT-CLASS-33-1Q
US-PATENT-CLASS-33-174L
US-PATENT-CLASS-364-560
US-PATENT-4,156,971

N79-26474* c 44 ..... NASA-CASE-LEW-13150-1
US-PATENT-APPL-SN-914260
US-PATENT-CLASS-429-101
US-PATENT-CLASS-429-15
US-PATENT-4,159,366

N79-26475* c 44 ..... NASA-CASE-MFS-23540-1
US-PATENT-APPL-SN-863773
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-577
US-PATENT-CLASS-29-578
US-PATENT-CLASS-29-580
US-PATENT-CLASS-357-45
US-PATENT-4,156,309

N79-26771* c 52 ..... NASA-CASE-ARC-10994-2
US-PATENT-APPL-SN-759965
US-PATENT-CLASS-128-660
US-PATENT-CLASS-73-626
US-PATENT-4,154,230

N79-26772* c 52 ..... NASA-CASE-KSC-11069-1
US-PATENT-APPL-SN-876438
US-PATENT-CLASS-3-1.9
US-PATENT-CLASS-3-12
US-PATENT-CLASS-3-2
US-PATENT-4,158,895

N79-27836* c 52 ..... NASA-CASE-NPO-13910-1
US-PATENT-APPL-SN-712270
US-PATENT-CLASS-128-329R
US-PATENT-CLASS-128-639
US-PATENT-4,154,228

N79-28253* c 25 ..... NASA-CASE-NPO-13650-1
US-PATENT-APPL-SN-704468
US-PATENT-CLASS-118-49
US-PATENT-CLASS-23-252R
US-PATENT-CLASS-248
US-PATENT-CLASS-253
US-PATENT-CLASS-337
US-PATENT-CLASS-349
US-PATENT-CLASS-423-33-5
US-PATENT-CLASS-427-95
US-PATENT-4,033,286

N79-28307* c 27 ..... NASA-CASE-LEW-12053-2
US-PATENT-APPL-SN-796263
US-PATENT-CLASS-260-37N
US-PATENT-CLASS-260-42
US-PATENT-CLASS-260-53
US-PATENT-CLASS-528-126
US-PATENT-CLASS-528-127
US-PATENT-CLASS-528-128
US-PATENT-CLASS-528-221
US-PATENT-CLASS-528-223

US-PATENT-CLASS-528-225
US-PATENT-CLASS-528-227
US-PATENT-CLASS-528-229
US-PATENT-CLASS-528-331
US-PATENT-CLASS-528-336
US-PATENT-CLASS-528-337
US-PATENT-CLASS-528-338
US-PATENT-CLASS-528-342
US-PATENT-CLASS-544-193
US-PATENT-4,159,262

N79-28342* c 28 ..... NASA-CASE-NPO-14260-1
US-PATENT-APPL-SN-861390
US-PATENT-CLASS-149-19.4
US-PATENT-CLASS-149-19.9
US-PATENT-CLASS-149-20
US-PATENT-4,158,583

N79-28370* c 31 ..... NASA-CASE-MFS-23721-1
US-PATENT-APPL-SN-847277
US-PATENT-CLASS-343-14
US-PATENT-CLASS-343-5NA
US-PATENT-4,161,731

N79-28415* c 33 ..... NASA-CASE-MSC-16697-1
US-PATENT-APPL-SN-885067
US-PATENT-CLASS-307-119
US-PATENT-CLASS-307-98
US-PATENT-CLASS-361-170
US-PATENT-4,161,661

N79-28416* c 33 ..... NASA-CASE-GSC-12171-1
US-PATENT-APPL-SN-878542
US-PATENT-CLASS-343-909
US-PATENT-4,160,254

N79-28527* c 35 ..... NASA-CASE-NPO-13953-1
US-PATENT-APPL-SN-880727
US-PATENT-CLASS-356-237
US-PATENT-CLASS-356-404
US-PATENT-4,160,601

N79-28549* c 37 ..... NASA-CASE-GSC-12297-1
US-PATENT-APPL-SN-880838
US-PATENT-CLASS-165-105
US-PATENT-CLASS-357-74
US-PATENT-CLASS-357-79
US-PATENT-CLASS-357-81
US-PATENT-CLASS-357-82
US-PATENT-CLASS-357-83
US-PATENT-4,161,747

N79-28550* c 37 ..... NASA-CASE-GSC-12274-1
US-PATENT-APPL-SN-909100
US-PATENT-CLASS-251-7
US-PATENT-CLASS-72-436
US-PATENT-CLASS-72-451
US-PATENT-CLASS-72-470
US-PATENT-4,159,634

N79-28551* c 37 ..... NASA-CASE-ARC-11052-1
US-PATENT-APPL-SN-826202
US-PATENT-CLASS-414-4
US-PATENT-4,160,508

N79-31228* c 09 ..... NASA-CASE-LAR-12149-2
US-PATENT-APPL-SN-829314
US-PATENT-APPL-SN-928131
US-PATENT-CLASS-35-12E
US-PATENT-CLASS-35-12H
US-PATENT-4,164,079

N79-31347* c 24 ..... NASA-CASE-GSC-12303-1
US-PATENT-APPL-SN-862880
US-PATENT-CLASS-106-74
US-PATENT-CLASS-106-84
US-PATENT-4,162,169

N79-31523* c 34 ..... NASA-CASE-GSC-12253-1
US-PATENT-APPL-SN-853677
US-PATENT-CLASS-165-105
US-PATENT-CLASS-165-32
US-PATENT-CLASS-244-1R
US-PATENT-CLASS-244-163
US-PATENT-4,162,701

N79-31706* c 43 ..... NASA-CASE-MFS-23725-1
US-PATENT-APPL-SN-848793
US-PATENT-CLASS-250-253
US-PATENT-CLASS-250-272
US-PATENT-4,165,460

N79-31752* c 44 ..... NASA-CASE-NPO-14205-1
US-PATENT-APPL-SN-920879
US-PATENT-CLASS-106-1
US-PATENT-CLASS-106-1.2
US-PATENT-CLASS-136-89CC
US-PATENT-CLASS-252-514
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-589
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-65
US-PATENT-CLASS-357-67
US-PATENT-CLASS-427-88
US-PATENT-4,163,678

N79-31753* c 44 ..... NASA-CASE-NPO-14467-1
US-PATENT-APPL-SN-946994
US-PATENT-CLASS-136-89PC
US-PATENT-4,162,928

N79-33316* c 27 ..... NASA-CASE-LAR-12054-1
US-PATENT-APPL-SN-839963
US-PATENT-CLASS-264-137
US-PATENT-CLASS-428-474
US-PATENT-CLASS-528-229
US-PATENT-4,166,170

N79-33392* c 33 ..... NASA-CASE-XMF-04494-1
US-PATENT-APPL-SN-547643
US-PATENT-CLASS-200-83
US-PATENT-3,378,657

N79-33393* c 33 ..... NASA-CASE-XMS-01244-1
US-PATENT-APPL-SN-20370
US-PATENT-CLASS-200-114
US-PATENT-3,123,692

N79-33449* c 35 ..... NASA-CASE-XGS-01245-1
US-PATENT-APPL-SN-134619
US-PATENT-CLASS-338-18
US-PATENT-3,119,086

N79-33450* c 35 ..... NASA-CASE-XGS-01293-1
US-PATENT-APPL-SN-150690
US-PATENT-CLASS-73-400
US-PATENT-3,190,124

N79-33467* c 37 ..... NASA-CASE-XMS-01077-1
US-PATENT-APPL-SN-228049
US-PATENT-CLASS-312-319
US-PATENT-3,123,418

N79-33468* c 37 ..... NASA-CASE-HQN-00573-1
US-PATENT-APPL-SN-129379
US-PATENT-CLASS-137-14
US-PATENT-3,134,389

N79-33469* c 37 ..... NASA-CASE-XGS-01286-1
US-PATENT-APPL-SN-142583
US-PATENT-CLASS-251-172
US-PATENT-3,233,862

N79-34011* c 74 ..... NASA-CASE-NPO-14066-1
US-PATENT-APPL-SN-827464
US-PATENT-CLASS-250-216
US-PATENT-CLASS-250-551
US-PATENT-4,166,959

N80-10278* c 20 ..... NASA-CASE-MFS-23642-1
US-PATENT-APPL-SN-923758
US-PATENT-CLASS-137-177
US-PATENT-CLASS-137-209
US-PATENT-CLASS-137-574
US-PATENT-CLASS-137-576
US-PATENT-CLASS-137-590
US-PATENT-CLASS-244-135R
US-PATENT-4,168,718

N80-10358* c 27 ..... NASA-CASE-MSC-14903-2
US-PATENT-APPL-SN-706424
US-PATENT-APPL-SN-907435
US-PATENT-CLASS-260-926
US-PATENT-4,092,466
US-PATENT-4,168,287

N80-10374* c 28 ..... NASA-CASE-NPO-13849-1
NASA-CASE-NPO-13907-1
US-PATENT-APPL-SN-668783
US-PATENT-CLASS-123-DIG.12
US-PATENT-CLASS-123-179R
US-PATENT-CLASS-123-3
US-PATENT-CLASS-23-288R
US-PATENT-CLASS-423-650
US-PATENT-CLASS-48-DIG.8
US-PATENT-CLASS-48-10-3
US-PATENT-CLASS-48-102A
US-PATENT-CLASS-48-107
US-PATENT-CLASS-48-117
US-PATENT-CLASS-48-61
US-PATENT-CLASS-60-300
US-PATENT-CLASS-60-606
US-PATENT-4,033,133

N80-10494* c 37 ..... NASA-CASE-NPO-14384-1
US-PATENT-APPL-SN-860728
US-PATENT-CLASS-210-186
US-PATENT-CLASS-210-340
US-PATENT-CLASS-239-102
US-PATENT-CLASS-239-302
US-PATENT-CLASS-422-187
US-PATENT-CLASS-422-199
US-PATENT-CLASS-422-208
US-PATENT-CLASS-422-235
US-PATENT-CLASS-422-242
US-PATENT-CLASS-423-350
US-PATENT-4,169,129

N80-10507* c 39 ..... NASA-CASE-NPO-14192-1
US-PATENT-APPL-SN-830562
US-PATENT-CLASS-181-102
US-PATENT-CLASS-181-105
US-PATENT-CLASS-367-26
US-PATENT-CLASS-467-28
US-PATENT-4,168,483

N80-10709* c 46 ..... NASA-CASE-NPO-14231-1
US-PATENT-APPL-SN-903019
US-PATENT-CLASS-175-78
US-PATENT-CLASS-73-155
US-PATENT-4,167,111

N80-10799* c 54 ..... NASA-CASE-MSC-16182-1
US-PATENT-APPL-SN-780938
US-PATENT-CLASS-128-142R
US-PATENT-CLASS-128-191R
US-PATENT-CLASS-128-212
US-PATENT-4,168,706

N80-14107* c 05 ..... NASA-CASE-ARC-11106-1
US-PATENT-APPL-SN-831633
US-PATENT-CLASS-415-199
US-PATENT-CLASS-416-228
US-PATENT-CLASS-416-238
US-PATENT-4,168,939

N80-14183* c 18 ..... NASA-CASE-GSC-12331-1
US-PATENT-APPL-SN-943088
US-PATENT-CLASS-343-880
US-PATENT-CLASS-343-883
US-PATENT-4,176,360

N80-14188* c 20 ..... NASA-CASE-XLE-02062-1
US-PATENT-APPL-SN-545793
US-PATENT-CLASS-60-203
US-PATENT-CLASS-60-259
US-PATENT-4,171,615

N80-14229* c 26 ..... NASA-CASE-NPO-14474-1
US-PATENT-APPL-SN-918537
US-PATENT-CLASS-423-149
US-PATENT-CLASS-423-293
US-PATENT-CLASS-423-348
US-PATENT-CLASS-423-417
US-PATENT-CLASS-423-625
US-PATENT-4,172,883

N80-14281* c 32 ..... NASA-CASE-NPO-13830-1
US-PATENT-APPL-SN-703905
US-PATENT-APPL-SN-834257
US-PATENT-CLASS-333-81R
US-PATENT-CLASS-343-18A
US-PATENT-CLASS-343-909
US-PATENT-4,164,718

N80-14330* c 33 ..... NASA-CASE-NPO-10857-1
US-PATENT-APPL-SN-888362
US-PATENT-CLASS-315-145
US-PATENT-CLASS-315-260
US-PATENT-CLASS-315-334
US-PATENT-3,635,537

N80-14332* c 33 ..... NASA-CASE-NPO-14350-1
US-PATENT-APPL-SN-921627
US-PATENT-CLASS-250-310
US-PATENT-CLASS-250-492A
US-PATENT-CLASS-324-158T
US-PATENT-4,172,228

N80-14371* c 35 ..... NASA-CASE-LAR-11690-1
US-PATENT-APPL-SN-928129
US-PATENT-CLASS-73-655
US-PATENT-CLASS-73-661
US-PATENT-4,171,645

N80-14384* c 36 ..... NASA-CASE-GSC-12237-1
US-PATENT-APPL-SN-837795
US-PATENT-CLASS-331-94.5C
US-PATENT-CLASS-331-94.5P
US-PATENT-4,173,001

N80-14395* c 37 ..... NASA-CASE-XNP-08835-1
US-PATENT-APPL-SN-534931
US-PATENT-CLASS-204-224
US-PATENT-3,352,774

N80-14397* c 37 ..... NASA-CASE-MFS-23284-1
US-PATENT-APPL-SN-753103
US-PATENT-CLASS-204-180G
US-PATENT-CLASS-204-299R
US-PATENT-4,040,940

N80-14398* c 37 ..... NASA-CASE-GSC-12322-1
US-PATENT-APPL-SN-907436
US-PATENT-CLASS-244-161
US-PATENT-CLASS-269-156
US-PATENT-CLASS-294-113
US-PATENT-CLASS-294-86R
US-PATENT-CLASS-414-1
US-PATENT-4,173,324

N80-14423* c 43 ..... NASA-CASE-MFS-23720-2
US-PATENT-APPL-SN-848421
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-82
US-PATENT-4,157,655

N80-14472* c 44 ..... NASA-CASE-LEW-12586-1
US-PATENT-APPL-SN-916655
US-PATENT-CLASS-307-63
US-PATENT-CLASS-307-66
US-PATENT-CLASS-323-15
US-PATENT-CLASS-323-19
US-PATENT-4,175,249

N80-14473* c 44 ..... NASA-CASE-MFS-23727-1
US-PATENT-APPL-SN-856465
US-PATENT-CLASS-126-438
US-PATENT-CLASS-126-442
US-PATENT-CLASS-350-295
US-PATENT-CLASS-350-296
US-PATENT-4,173,397

N80-14474* c 44 ..... NASA-CASE-NPO-13652-3

US-PATENT-APPL-SN-809890
US-PATENT-APPL-SN-891358
US-PATENT-CLASS-136-89P
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-588
US-PATENT-CLASS-29-627
US-PATENT-4,133,697
US-PATENT-4,173,820

N80-14579* c 45 ..... NASA-CASE-NPO-14340-1
US-PATENT-APPL-SN-946992
US-PATENT-CLASS-210-57
US-PATENT-CLASS-210-63Z
US-PATENT-CLASS-422-9
US-PATENT-4,172,786

N80-14603* c 46 ..... NASA-CASE-NPO-14124-1
US-PATENT-APPL-SN-863024
US-PATENT-CLASS-343-100ME
US-PATENT-CLASS-343-112D
US-PATENT-4,170,776

N80-14684* c 52 ..... NASA-CASE-LEW-12955-1
US-PATENT-APPL-SN-829318
US-PATENT-CLASS-128-276
US-PATENT-4,157,718

N80-14687* c 52 ..... NASA-CASE-NPO-14101-1
US-PATENT-APPL-SN-772434
US-PATENT-CLASS-210-22
US-PATENT-CLASS-210-321B
US-PATENT-4,094,775

N80-14877* c 72 ..... NASA-CASE-NPO-14078-1
US-PATENT-APPL-SN-856466
US-PATENT-CLASS-250-281
US-PATENT-CLASS-250-282
US-PATENT-CLASS-250-423P
US-PATENT-4,158,775

N80-16116* c 25 ..... NASA-CASE-ARC-11107-1
US-PATENT-APPL-SN-883961
US-PATENT-CLASS-521-124
US-PATENT-CLASS-521-125
US-PATENT-CLASS-521-127
US-PATENT-CLASS-521-157
US-PATENT-CLASS-528-73
US-PATENT-4,177,333

N80-16158* c 27 ..... NASA-CASE-LAR-12099-1
US-PATENT-APPL-SN-906299
US-PATENT-CLASS-528-207
US-PATENT-CLASS-528-208
US-PATENT-4,180,648

N80-16163*# c 27 ..... NASA-CASE-NPO-14021-2
US-PATENT-APPL-SN-106188

N80-16261*# c 32 ..... NASA-CASE-NPO-14362-1
US-PATENT-APPL-SN-106118

N80-16321* c 36 ..... NASA-CASE-LAR-12176-1
US-PATENT-APPL-SN-929083
US-PATENT-CLASS-332-751
US-PATENT-CLASS-350-359
US-PATENT-CLASS-356-243
US-PATENT-CLASS-356-28
US-PATENT-4,176,950

N80-16452* c 44 ..... NASA-CASE-MFS-23518-3
US-PATENT-APPL-SN-829390
US-PATENT-APPL-SN-910793
US-PATENT-CLASS-126-417
US-PATENT-CLASS-126-901
US-PATENT-CLASS-428-629
US-PATENT-CLASS-428-650
US-PATENT-CLASS-428-658
US-PATENT-CLASS-428-675
US-PATENT-CLASS-428-680
US-PATENT-4,104,134
US-PATENT-4,177,325

N80-16714* c 51 ..... NASA-CASE-MSC-16260-1
US-PATENT-APPL-SN-876440
US-PATENT-CLASS-23-927
US-PATENT-CLASS-422-52
US-PATENT-CLASS-435-34
US-PATENT-4,176,007

N80-16715* c 51 ..... NASA-CASE-MFS-23883-1
US-PATENT-APPL-SN-017888
US-PATENT-CLASS-204-180R
US-PATENT-CLASS-204-299R
US-PATENT-CLASS-424-12
US-PATENT-4,181,589

N80-16725* c 52 ..... NASA-CASE-NPO-14092-1
US-PATENT-APPL-SN-807597
US-PATENT-CLASS-128-DIG.9
US-PATENT-CLASS-128-348
US-PATENT-CLASS-128-6
US-PATENT-CLASS-138-103
US-PATENT-CLASS-138-133
US-PATENT-CLASS-138-33
US-PATENT-CLASS-219-201
US-PATENT-CLASS-219-522
US-PATENT-4,176,662

N80-18036* c 06 ..... NASA-CASE-FRC-11009-1
US-PATENT-APPL-SN-910708
US-PATENT-CLASS-340-177VA
US-PATENT-CLASS-73-188
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-212
US-PATENT-4,184,149

N80-18039* c 07 ..... NASA-CASE-LEW-12971-1
US-PATENT-APPL-SN-858936
US-PATENT-CLASS-60-240
US-PATENT-CLASS-60-39.03
US-PATENT-CLASS-60-39.27
US-PATENT-4,184,327

N80-18097* c 20 ..... NASA-CASE-MSC-18179-1
US-PATENT-APPL-SN-931218
US-PATENT-CLASS-60-632
US-PATENT-4,183,217

N80-18231* c 31 ..... NASA-CASE-NPO-14382-1
US-PATENT-APPL-SN-891373
US-PATENT-CLASS-261-118
US-PATENT-CLASS-422-224
US-PATENT-CLASS-423-350
US-PATENT-4,188,368

N80-18252* c 32 ..... NASA-CASE-NPO-14152-1
US-PATENT-APPL-SN-899828
US-PATENT-CLASS-178-58R
US-PATENT-CLASS-179-15BA
US-PATENT-4,187,394

N80-18253* c 32 ..... NASA-CASE-NPO-14328-1
NASA-CASE-NPO-14579-1
NASA-CASE-NPO-14590-1
US-PATENT-APPL-SN-956160
US-PATENT-CLASS-325-305
US-PATENT-CLASS-325-307
US-PATENT-CLASS-325-419
US-PATENT-4,186,347

N80-18285* c 33 ..... NASA-CASE-NPO-14229-1
US-PATENT-APPL-SN-835419
US-PATENT-APPL-SN-949886
US-PATENT-CLASS-200-153S
US-PATENT-CLASS-200-304
US-PATENT-CLASS-333-262
US-PATENT-4,187,416

N80-18286* c 33 ..... NASA-CASE-GSC-12347-1
US-PATENT-APPL-SN-868249
US-PATENT-CLASS-174-142
US-PATENT-CLASS-174-73R
US-PATENT-4,185,164

N80-18287* c 33 ..... NASA-CASE-NPO-14224-1
US-PATENT-APPL-SN-951829
US-PATENT-CLASS-310-306
US-PATENT-CLASS-343-100R
US-PATENT-CLASS-343-100ST
US-PATENT-4,187,506

N80-18357* c 35 ..... NASA-CASE-NPO-14501-1
US-PATENT-APPL-SN-918535
US-PATENT-CLASS-264-40.4
US-PATENT-CLASS-73-343R
US-PATENT-CLASS-73-56
US-PATENT-4,185,493

N80-18358* c 35 ..... NASA-CASE-LAR-12269-1
US-PATENT-APPL-SN-934576
US-PATENT-CLASS-73-4R
US-PATENT-CLASS-73-40
US-PATENT-4,182,158

N80-18359* c 35 ..... NASA-CASE-GSC-12219-1
US-PATENT-APPL-SN-891356
US-PATENT-CLASS-325-363
US-PATENT-CLASS-343-100ME
US-PATENT-CLASS-356-216
US-PATENT-CLASS-73-355R
US-PATENT-4,178,100

N80-18364*# c 35 ..... NASA-CASE-NPO-13606-2
US-PATENT-APPL-SN-065676

N80-18372* c 36 ..... NASA-CASE-NPO-14254-1
US-PATENT-APPL-SN-876432
US-PATENT-CLASS-330-4
US-PATENT-CLASS-331-94
US-PATENT-CLASS-333-24R
US-PATENT-4,187,470

N80-18393* c 37 ..... NASA-CASE-ARC-11157-1
US-PATENT-APPL-SN-935827
US-PATENT-CLASS-220-423
US-PATENT-CLASS-220-445
US-PATENT-CLASS-220-901
US-PATENT-4,184,609

N80-18400*# c 37 ..... NASA-CASE-NPO-12131-3
US-PATENT-APPL-SN-096255

N80-18498* c 43 ..... NASA-CASE-LAR-12344-1
US-PATENT-APPL-SN-945041
US-PATENT-CLASS-343-18B
US-PATENT-CLASS-343-18D
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-5W
US-PATENT-4,184,155

N80-18550* c 44 ..... NASA-CASE-NPO-14303-1
NASA-CASE-NPO-14305-1
US-PATENT-APPL-SN-928133
US-PATENT-CLASS-156-104
US-PATENT-CLASS-156-278
US-PATENT-CLASS-156-285
US-PATENT-CLASS-156-303
US-PATENT-CLASS-156-312
US-PATENT-4,184,903

N80-18551* c 44 ..... NASA-CASE-NPO-14096-1
US-PATENT-APPL-SN-928128
US-PATENT-CLASS-324-158D
US-PATENT-CLASS-324-404
US-PATENT-4,184,111

N80-18552* c 44 ..... NASA-CASE-LAR-11999-1
US-PATENT-APPL-SN-876299
US-PATENT-CLASS-250-211K
US-PATENT-CLASS-250-231SE
US-PATENT-4,184,072

N80-18667* c 48 ..... NASA-CASE-MFS-23862-1
US-PATENT-APPL-SN-951423
US-PATENT-CLASS-73-170A
US-PATENT-4,184,368

N80-18690* c 52 ..... NASA-CASE-LEW-12723-1
US-PATENT-APPL-SN-829317
US-PATENT-CLASS-128-276
US-PATENT-CLASS-128-760
US-PATENT-4,184,491

N80-18691* c 52 ..... NASA-CASE-ARC-11120-1
US-PATENT-APPL-SN-796256
US-PATENT-CLASS-128-748
US-PATENT-CLASS-128-903
US-PATENT-CLASS-73-724
US-PATENT-4,186,749

N80-18951* c 76 ..... NASA-CASE-GSC-12291-1
US-PATENT-APPL-SN-906298
US-PATENT-CLASS-125-23R
US-PATENT-CLASS-269-21
US-PATENT-CLASS-51-235
US-PATENT-CLASS-83-152
US-PATENT-CLASS-83-870
US-PATENT-4,184,472

N80-20224* c 02 ..... NASA-CASE-LAR-12261-1
US-PATENT-APPL-SN-964009
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-205L
US-PATENT-4,188,823

N80-20334* c 25 ..... NASA-CASE-NPO-14079-1
US-PATENT-APPL-SN-958573
US-PATENT-CLASS-250-307
US-PATENT-CLASS-250-308
US-PATENT-4,194,115

N80-20402* c 28 ..... NASA-CASE-LEW-12081-2
US-PATENT-APPL-SN-676432
US-PATENT-APPL-SN-837794
US-PATENT-CLASS-149-1
US-PATENT-CLASS-423-648R
US-PATENT-4,193,827

N80-20448* c 32 ..... NASA-CASE-NPO-14480-1
US-PATENT-APPL-SN-910707
US-PATENT-CLASS-325-14
US-PATENT-CLASS-325-4
US-PATENT-CLASS-325-8
US-PATENT-CLASS-325-9
US-PATENT-4,189,675

N80-20487* c 33 ..... NASA-CASE-LEW-13148-1
US-PATENT-APPL-SN-964754
US-PATENT-CLASS-429-101
US-PATENT-CLASS-429-105
US-PATENT-CLASS-429-107
US-PATENT-CLASS-429-109
US-PATENT-4,192,910

N80-20559* c 35 ..... NASA-CASE-LAR-12304-1
US-PATENT-APPL-SN-928130
US-PATENT-CLASS-29-25.35
US-PATENT-CLASS-310-311
US-PATENT-CLASS-310-327
US-PATENT-CLASS-310-334
US-PATENT-CLASS-310-360
US-PATENT-4,195,244

N80-20560* c 35 ..... NASA-CASE-FRC-10093-1
US-PATENT-APPL-SN-878539
US-PATENT-CLASS-219-85CA
US-PATENT-CLASS-219-85CM
US-PATENT-CLASS-219-85R
US-PATENT-CLASS-338-2
US-PATENT-4,195,279

N80-20563* c 35 ..... NASA-CASE-NPO-14093-1
US-PATENT-APPL-SN-880729
US-PATENT-CLASS-356-346
US-PATENT-4,193,693

N80-20808* c 44 ..... NASA-CASE-NPO-14237-1
US-PATENT-APPL-SN-897831
US-PATENT-CLASS-126-263
US-PATENT-CLASS-149-15
US-PATENT-CLASS-149-37
US-PATENT-CLASS-220-429
US-PATENT-4,193,388

N80-20810* c 44 ..... NASA-CASE-LAR-12205-1
US-PATENT-APPL-SN-900843

US-PATENT-CLASS-126-419
US-PATENT-CLASS-126-434
US-PATENT-CLASS-126-437
US-PATENT-CLASS-165-32
US-PATENT-4,192,290
N80-21138* c 74 ..... NASA-CASE-LAR-12178-1
US-PATENT-APPL-SN-953390
US-PATENT-CLASS-350-25
US-PATENT-CLASS-350-285
US-PATENT-CLASS-356-150
US-PATENT-CLASS-356-152
US-PATENT-4,189,234
N80-21140* c 74 ..... NASA-CASE-GSC-12357-1
US-PATENT-APPL-SN-943089
US-PATENT-CLASS-250-277CH
US-PATENT-CLASS-250-280
US-PATENT-CLASS-350-162R
US-PATENT-CLASS-356-334
US-PATENT-4,192,994
N80-21719* c 35 ..... NASA-CASE-GSC-12273-1
US-PATENT-APPL-SN-897830
US-PATENT-CLASS-244-165
US-PATENT-CLASS-244-170
US-PATENT-4,193,570
N80-21828* c 44 ..... NASA-CASE-MFS-23515-1
US-PATENT-APPL-SN-880726
US-PATENT-CLASS-415-101
US-PATENT-CLASS-415-2
US-PATENT-4,191,505
N80-23383* c 25 ..... NASA-CASE-ARC-11154-1
US-PATENT-APPL-SN-921626
US-PATENT-CLASS-521-146
US-PATENT-CLASS-521-55
US-PATENT-CLASS-521-918
US-PATENT-CLASS-525-4
US-PATENT-CLASS-55-66
US-PATENT-CLASS-55-67
US-PATENT-CLASS-55-68
US-PATENT-CLASS-55-72
US-PATENT-4,198,792
N80-23419* c 26 ..... NASA-CASE-MFS-23816-1
US-PATENT-APPL-SN-974292
US-PATENT-CLASS-148-32
US-PATENT-CLASS-75-135
US-PATENT-CLASS-75-138
US-PATENT-CLASS-75-178R
US-PATENT-4,198,232
N80-23452* c 27 ..... NASA-CASE-ARC-10980-1
US-PATENT-APPL-SN-694407
US-PATENT-CLASS-204-171
US-PATENT-CLASS-210-23H
US-PATENT-CLASS-210-500M
US-PATENT-CLASS-427-245
US-PATENT-CLASS-427-41
US-PATENT-4,199,448
N80-23471* c 28 ..... NASA-CASE-NPO-14109-1
US-PATENT-APPL-SN-946990
US-PATENT-CLASS-149-108.4
US-PATENT-CLASS-23-300
US-PATENT-CLASS-23-302A
US-PATENT-CLASS-23-302R
US-PATENT-CLASS-23-302T
US-PATENT-4,198,209
N80-23524* c 32 ..... NASA-CASE-NPO-14519-1
US-PATENT-APPL-SN-008207
US-PATENT-CLASS-343-786
US-PATENT-CLASS-343-895
US-PATENT-4,199,764
N80-23559* c 33 ..... NASA-CASE-NPO-13804-1
US-PATENT-APPL-SN-766999
US-PATENT-CLASS-310-319
US-PATENT-CLASS-331-65
US-PATENT-CLASS-340-602
US-PATENT-CLASS-340-604
US-PATENT-4,197,530
N80-23653* c 37 ..... NASA-CASE-MSC-16938-1
US-PATENT-APPL-SN-938582
US-PATENT-CLASS-151-41.76
US-PATENT-4,193,435
N80-23654* c 37 ..... NASA-CASE-NPO-14473-1
US-PATENT-APPL-SN-938300
US-PATENT-CLASS-137-375
US-PATENT-CLASS-137-625.4
US-PATENT-CLASS-251-138
US-PATENT-CLASS-251-86
US-PATENT-4,195,666
N80-23655* c 37 ..... NASA-CASE-GSC-12318-1
US-PATENT-APPL-SN-894213
US-PATENT-CLASS-219-160
US-PATENT-CLASS-219-161
US-PATENT-CLASS-228-212
US-PATENT-CLASS-228-222
US-PATENT-CLASS-228-44.1R
US-PATENT-CLASS-269-287
US-PATENT-4,196,840
N80-23711* c 43 ..... NASA-CASE-MFS-23720-1
US-PATENT-APPL-SN-848419
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-82
US-PATENT-4,195,512
N80-23969* c 52 ..... NASA-CASE-FRC-11012-1
US-PATENT-APPL-SN-928137
US-PATENT-CLASS-128-666
US-PATENT-CLASS-128-690
US-PATENT-4,198,988
N80-24149* c 74 ..... NASA-CASE-GSC-12348-1
US-PATENT-APPL-SN-929088
US-PATENT-CLASS-51-277
US-PATENT-CLASS-51-283R
US-PATENT-CLASS-65-61
US-PATENT-4,198,788
N80-24437* c 27 ..... NASA-CASE-LEW-13027-1
US-PATENT-APPL-SN-958575
US-PATENT-CLASS-427-164
US-PATENT-CLASS-427-38
US-PATENT-CLASS-427-40
US-PATENT-CLASS-428-421
US-PATENT-CLASS-428-474
US-PATENT-4,199,650
N80-24438* c 27 ..... NASA-CASE-MSC-14903-3
US-PATENT-APPL-SN-706424
US-PATENT-APPL-SN-907479
US-PATENT-CLASS-260-DIG.29
US-PATENT-CLASS-525-326
US-PATENT-CLASS-525-336
US-PATENT-CLASS-525-340
US-PATENT-CLASS-525-374
US-PATENT-CLASS-525-375
US-PATENT-CLASS-526-261
US-PATENT-CLASS-526-275
US-PATENT-CLASS-526-276
US-PATENT-CLASS-526-278
US-PATENT-CLASS-528-481
US-PATENT-4,200,721
N80-24510* c 32 ..... NASA-CASE-NPO-14524-1
NASA-CASE-NPO-14527-1
US-PATENT-APPL-SN-957452
US-PATENT-CLASS-350-294
US-PATENT-CLASS-350-6.5
US-PATENT-CLASS-350-6.6
US-PATENT-CLASS-356-28.5
US-PATENT-4,201,468
N80-24573* c 34 ..... NASA-CASE-LEW-12441-2
US-PATENT-APPL-SN-559846
US-PATENT-APPL-SN-856462
US-PATENT-CLASS-239-127.1
US-PATENT-CLASS-60-267
US-PATENT-4,199,937
N80-24741* c 44 ..... NASA-CASE-NPO-14635-1
US-PATENT-APPL-SN-008212
US-PATENT-CLASS-136-89SG
US-PATENT-CLASS-156-DIG.64
US-PATENT-CLASS-156-605
US-PATENT-CLASS-156-617SP
US-PATENT-CLASS-252-62.3E
US-PATENT-4,210,622
N80-24906* c 46 ..... NASA-CASE-NPO-14558-1
US-PATENT-APPL-SN-945436
US-PATENT-CLASS-73-155
US-PATENT-4,196,619
N80-26298* c 07 ..... NASA-CASE-ARC-10814-2
US-PATENT-APPL-SN-684045
US-PATENT-APPL-SN-831632
US-PATENT-CLASS-60-39.06
US-PATENT-CLASS-60-733
US-PATENT-CLASS-60-746
US-PATENT-4,204,402
N80-26388* c 24 ..... NASA-CASE-MFS-23626-1
US-PATENT-APPL-SN-941711
US-PATENT-CLASS-156-212
US-PATENT-CLASS-156-213
US-PATENT-CLASS-156-285
US-PATENT-CLASS-260-17.2
US-PATENT-CLASS-264-118
US-PATENT-CLASS-264-119
US-PATENT-CLASS-264-124
US-PATENT-4,204,899
N80-26446* c 27 ..... NASA-CASE-MSC-16074-1
US-PATENT-APPL-SN-747674
US-PATENT-CLASS-204-159.15
US-PATENT-CLASS-204-159.19
US-PATENT-CLASS-525-426
US-PATENT-CLASS-8-DIG.12
US-PATENT-CLASS-8-DIG.18
US-PATENT-CLASS-8-115.5
US-PATENT-4,203,723
N80-26599* c 33 ..... NASA-CASE-FRC-10113-1
US-PATENT-APPL-SN-885066
US-PATENT-CLASS-324-51
US-PATENT-4,204,154
N80-26635* c 35 ..... NASA-CASE-NPO-14372-1
US-PATENT-APPL-SN-646333
US-PATENT-APPL-SN-956529
US-PATENT-CLASS-250-338
US-PATENT-CLASS-250-352
US-PATENT-CLASS-250-353
US-PATENT-CLASS-356-328
US-PATENT-4,205,229
N80-26658* c 37 ..... NASA-CASE-LEW-12131-2
US-PATENT-APPL-SN-801290
US-PATENT-APPL-SN-931090
US-PATENT-CLASS-415-174
US-PATENT-CLASS-415-196
US-PATENT-4,135,851
US-PATENT-4,207,024
N80-27067* c 51 ..... NASA-CASE-MSC-16777-1
US-PATENT-APPL-SN-893657
US-PATENT-CLASS-204-195B
US-PATENT-CLASS-23-230B
US-PATENT-CLASS-422-68
US-PATENT-CLASS-435-289
US-PATENT-CLASS-435-290
US-PATENT-CLASS-435-291
US-PATENT-CLASS-435-3
US-PATENT-CLASS-435-311
US-PATENT-CLASS-435-316
US-PATENT-CLASS-435-32
US-PATENT-CLASS-435-34
US-PATENT-CLASS-435-38
US-PATENT-CLASS-435-39
US-PATENT-4,204,037
N80-27072* c 52 ..... NASA-CASE-NPO-14212-1
US-PATENT-APPL-SN-838308
US-PATENT-CLASS-128-642
US-PATENT-CLASS-128-774
US-PATENT-CLASS-128-782
US-PATENT-CLASS-33-125R
US-PATENT-CLASS-338-2
US-PATENT-CLASS-73-781
US-PATENT-4,204,544
N80-27163* c 72 ..... NASA-CASE-NPO-14324-1
US-PATENT-APPL-SN-940970
US-PATENT-CLASS-250-427
US-PATENT-CLASS-313-156
US-PATENT-CLASS-313-362
US-PATENT-CLASS-313-363
US-PATENT-4,206,383
N80-27185* c 74 ..... NASA-CASE-LAR-12251-1
US-PATENT-APPL-SN-953389
US-PATENT-CLASS-350-175E
US-PATENT-CLASS-350-226
US-PATENT-4,206,970
N80-28300* c 02 ..... NASA-CASE-FRC-11024-1
US-PATENT-APPL-SN-015983
US-PATENT-CLASS-73-180
US-PATENT-CLASS-73-182
US-PATENT-CLASS-73-861.65
US-PATENT-CLASS-73-861.66
US-PATENT-4,212,199
N80-28492* c 26 ..... NASA-CASE-LAR-11821-1
US-PATENT-APPL-SN-023501
US-PATENT-CLASS-148-131
US-PATENT-CLASS-266-119
US-PATENT-CLASS-266-249
US-PATENT-CLASS-266-274
US-PATENT-4,212,690
N80-28536* c 28 ..... NASA-CASE-NPO-14477-1
US-PATENT-APPL-SN-951830
US-PATENT-CLASS-149-19.2
US-PATENT-CLASS-149-19.9
US-PATENT-CLASS-149-20
US-PATENT-4,210,474
N80-28578* c 32 ..... NASA-CASE-GSC-12365-1
US-PATENT-APPL-SN-039031
US-PATENT-CLASS-343-100SA
US-PATENT-CLASS-343-844
US-PATENT-CLASS-343-854
US-PATENT-4,213,131
N80-28686* c 35 ..... NASA-CASE-LAR-11370-1
US-PATENT-APPL-SN-940689
US-PATENT-CLASS-250-457
US-PATENT-CLASS-250-491
US-PATENT-CLASS-250-513
US-PATENT-4,213,051
N80-28687* c 35 ..... NASA-CASE-LAR-12285-1
US-PATENT-APPL-SN-929087
US-PATENT-CLASS-356-244
US-PATENT-CLASS-356-369
US-PATENT-4,210,401
N80-28711* c 37 ..... NASA-CASE-LEW-12119-1
US-PATENT-APPL-SN-672219
US-PATENT-CLASS-277-153
US-PATENT-CLASS-277-193
US-PATENT-CLASS-277-224
US-PATENT-4,212,477
N80-29539* c 32 ..... NASA-CASE-LAR-11745-1
US-PATENT-APPL-SN-799025
US-PATENT-CLASS-343-786

US-PATENT-4,089,004
N80-29583* # c 33 ..... NASA-CASE-FRC-11055-1
US-PATENT-APPL-SN-172098
N80-29703* c 37 ..... NASA-CASE-NPO-14406-1
US-PATENT-APPL-SN-951828
US-PATENT-CLASS-125-21
US-PATENT-CLASS-83-820
US-PATENT-4,191,159
N80-29834* c 44 ..... NASA-CASE-LAR-11551-1
US-PATENT-APPL-SN-883090
US-PATENT-CLASS-290-53
US-PATENT-CLASS-310-30
US-PATENT-4,191,893
N80-29835* c 44 ..... NASA-CASE-NPO-13786-1
US-PATENT-APPL-SN-696374
US-PATENT-CLASS-148-1.5
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-52
US-PATENT-CLASS-357-91
US-PATENT-4,090,213
N80-31790* c 37 ..... NASA-CASE-LEW-12274-1
US-PATENT-APPL-SN-950876
US-PATENT-CLASS-417-383
US-PATENT-CLASS-60-520
US-PATENT-4,215,548
N80-32244* c 76 ..... NASA-CASE-NPO-14298-1
US-PATENT-APPL-SN-938579
US-PATENT-CLASS-156-DIG.90
US-PATENT-CLASS-422-246
US-PATENT-4,216,186
N80-32245* c 76 ..... NASA-CASE-NPO-14295-1
US-PATENT-APPL-SN-901055
US-PATENT-CLASS-156-DIG.64
US-PATENT-CLASS-156-DIG.88
US-PATENT-CLASS-156-601
US-PATENT-CLASS-156-617SP
US-PATENT-4,217,165
N80-32359* c 04 ..... NASA-CASE-NPO-14173-1
US-PATENT-APPL-SN-938581
US-PATENT-CLASS-343-112R
US-PATENT-4,215,345
N80-32392* c 07 ..... NASA-CASE-ARC-10977-1
US-PATENT-APPL-SN-023436
US-PATENT-CLASS-239-127.3
US-PATENT-CLASS-239-265.33
US-PATENT-CLASS-60-264
US-PATENT-4,214,703
N80-32484* c 26 ..... NASA-CASE-LEW-12542-3
US-PATENT-APPL-SN-007083
US-PATENT-APPL-SN-803822
US-PATENT-CLASS-75-124
US-PATENT-4,214,902
N80-32514* c 27 ..... NASA-CASE-NPO-13137-1
US-PATENT-APPL-SN-332123
US-PATENT-APPL-SN-374810
US-PATENT-CLASS-568-852
US-PATENT-CLASS-568-861
US-PATENT-4,118,427
N80-32515* c 27 ..... NASA-CASE-NPO-13899-1
US-PATENT-APPL-SN-761252
US-PATENT-APPL-SN-933186
US-PATENT-CLASS-260-346.3
US-PATENT-4,196,129
N80-32516* c 27 ..... NASA-CASE-LEW-13103-1
US-PATENT-APPL-SN-971596
US-PATENT-CLASS-156-272
US-PATENT-CLASS-156-292
US-PATENT-CLASS-204-159.11
US-PATENT-CLASS-204-159.14
US-PATENT-CLASS-264-212
US-PATENT-CLASS-264-22
US-PATENT-CLASS-427-44
US-PATENT-CLASS-428-500
US-PATENT-CLASS-429-139
US-PATENT-4,218,280
N80-32583* c 31 ..... NASA-CASE-GSC-12191-1
US-PATENT-APPL-SN-009886
US-PATENT-CLASS-165-16
US-PATENT-CLASS-236-13
US-PATENT-CLASS-236-44C
US-PATENT-CLASS-236-49
US-PATENT-4,210,278
N80-32584* c 31 ..... NASA-CASE-NPO-14191-1
US-PATENT-APPL-SN-830846
US-PATENT-CLASS-181-102
US-PATENT-CLASS-367-27
US-PATENT-CLASS-367-36
US-PATENT-CLASS-367-57
US-PATENT-4,214,226
N80-32604* c 32 ..... NASA-CASE-MSC-18334-1
US-PATENT-APPL-SN-051270
US-PATENT-CLASS-343-700MS
US-PATENT-CLASS-343-830
US-PATENT-4,218,682
N80-32605* c 32 ..... NASA-CASE-NPO-14253-1
NASA-CASE-NPO-14640-1
US-PATENT-APPL-SN-938293
US-PATENT-CLASS-333-12
US-PATENT-CLASS-333-252
US-PATENT-CLASS-333-99S
US-PATENT-4,215,327
N80-32650* c 33 ..... NASA-CASE-NPO-14424-1
NASA-CASE-NPO-14430-1
US-PATENT-APPL-SN-918534
US-PATENT-CLASS-324-62
US-PATENT-CLASS-324-64
US-PATENT-4,218,650
N80-32716* c 37 ..... NASA-CASE-MFS-23777-1
US-PATENT-APPL-SN-931217
US-PATENT-CLASS-318-15
US-PATENT-CLASS-74-425
US-PATENT-CLASS-74-661
US-PATENT-CLASS-74-665C
US-PATENT-4,215,592
N80-32717* c 37 ..... NASA-CASE-GSC-12289-1
US-PATENT-APPL-SN-943086
US-PATENT-CLASS-198-847
US-PATENT-CLASS-198-848
US-PATENT-CLASS-474-205
US-PATENT-4,215,590
N80-33081* # c 52 ..... NASA-CASE-ARC-11258-1
US-PATENT-APPL-SN-185865
N80-33186* c 72 ..... NASA-CASE-LEW-12940-1
US-PATENT-APPL-SN-950091
US-PATENT-CLASS-313-231.4
US-PATENT-CLASS-313-362
US-PATENT-4,218,633
N80-33210* c 74 ..... NASA-CASE-MSC-18255-1
US-PATENT-APPL-SN-025163
US-PATENT-CLASS-250-347
US-PATENT-CLASS-250-352
US-PATENT-CLASS-250-353
US-PATENT-CLASS-350-55
US-PATENT-CLASS-356-72
US-PATENT-4,215,273
N80-33482* c 24 ..... NASA-CASE-LEW-11930-3
US-PATENT-APPL-SN-513611
US-PATENT-APPL-SN-616528
US-PATENT-APPL-SN-764245
US-PATENT-CLASS-75-200
US-PATENT-CLASS-75-222
US-PATENT-4,214,905
N81-12330* # c 33 ..... NASA-CASE-MFS-25535-1
US-PATENT-APPL-SN-199765
N81-12542* c 44 ..... NASA-CASE-LEW-12806-2
US-PATENT-APPL-SN-065676
US-PATENT-APPL-SN-915050
US-PATENT-CLASS-136-249
US-PATENT-CLASS-136-291
US-PATENT-CLASS-363-147
US-PATENT-CLASS-363-27
US-PATENT-CLASS-363-60
US-PATENT-4,217,633
N81-13999* c 24 ..... NASA-CASE-ARC-11174-1
US-PATENT-APPL-SN-929086
US-PATENT-CLASS-260-17.2
US-PATENT-CLASS-428-114
US-PATENT-CLASS-428-528
US-PATENT-CLASS-428-541
US-PATENT-CLASS-428-921
US-PATENT-4,209,561
N81-14000* c 24 ..... NASA-CASE-LAR-12065-1
US-PATENT-APPL-SN-889671
US-PATENT-CLASS-156-330
US-PATENT-CLASS-428-113
US-PATENT-CLASS-428-114
US-PATENT-CLASS-428-140
US-PATENT-CLASS-428-413
US-PATENT-CLASS-428-480
US-PATENT-CLASS-428-902
US-PATENT-4,229,473
N81-14015* c 25 ..... NASA-CASE-NPO-14143-1
US-PATENT-APPL-SN-938297
US-PATENT-CLASS-250-343
US-PATENT-CLASS-356-437
US-PATENT-4,234,258
N81-14016* c 25 ..... NASA-CASE-ARC-11241-1
US-PATENT-APPL-SN-037066
US-PATENT-CLASS-260-33.8F
US-PATENT-CLASS-528-362
US-PATENT-CLASS-528-401
US-PATENT-CLASS-528-422
US-PATENT-4,234,715
N81-14076* c 27 ..... NASA-CASE-NPO-14001-1
US-PATENT-APPL-SN-771245
US-PATENT-CLASS-210-24R
US-PATENT-CLASS-260-17A
US-PATENT-CLASS-260-2.1E
US-PATENT-CLASS-260-858
US-PATENT-CLASS-260-886
US-PATENT-CLASS-260-8900
US-PATENT-CLASS-260-895
US-PATENT-CLASS-260-898
US-PATENT-CLASS-260-901
US-PATENT-CLASS-521-27
US-PATENT-CLASS-521-32
US-PATENT-CLASS-521-62
US-PATENT-4,119,581
N81-14077* c 27 ..... NASA-CASE-MSC-12631-3
US-PATENT-APPL-SN-006952
US-PATENT-APPL-SN-568541
US-PATENT-APPL-SN-785279
US-PATENT-CLASS-156-154
US-PATENT-CLASS-156-160
US-PATENT-CLASS-156-163
US-PATENT-CLASS-156-212
US-PATENT-CLASS-156-267
US-PATENT-CLASS-156-295
US-PATENT-CLASS-156-323
US-PATENT-CLASS-156-331
US-PATENT-4,032,089
US-PATENT-4,225,372
N81-14078* c 27 ..... NASA-CASE-LAR-12054-2
US-PATENT-APPL-SN-011737
US-PATENT-APPL-SN-839963
US-PATENT-CLASS-264-137
US-PATENT-CLASS-427-385.5
US-PATENT-CLASS-427-429
US-PATENT-CLASS-428-473.5
US-PATENT-4,166,170
US-PATENT-4,233,258
N81-14103* c 28 ..... NASA-CASE-LEW-12081-3
US-PATENT-APPL-SN-009887
US-PATENT-APPL-SN-676432
US-PATENT-APPL-SN-837794
US-PATENT-CLASS-149-1
US-PATENT-CLASS-156-344
US-PATENT-CLASS-423-648R
US-PATENT-CLASS-44-7R
US-PATENT-CLASS-55-2
US-PATENT-CLASS-62-12
US-PATENT-CLASS-62-18
US-PATENT-CLASS-62-40
US-PATENT-CLASS-62-47
US-PATENT-4,077,788
US-PATENT-4,193,827
US-PATENT-4,229,196
N81-14137* c 31 ..... NASA-CASE-KSC-11064-1
US-PATENT-APPL-SN-897840
US-PATENT-CLASS-169-62
US-PATENT-CLASS-169-70
US-PATENT-4,219,084
N81-14185* c 32 ..... NASA-CASE-NPO-14536-1
US-PATENT-APPL-SN-974471
US-PATENT-CLASS-343-100TD
US-PATENT-4,233,606
N81-14186* c 32 ..... NASA-CASE-NPO-14749-1
US-PATENT-APPL-SN-078521
US-PATENT-CLASS-375-107
US-PATENT-CLASS-455-51
US-PATENT-CLASS-455-619
US-PATENT-CLASS-455-71
US-PATENT-4,234,971
N81-14187* c 32 ..... NASA-CASE-MSC-16800-1
US-PATENT-APPL-SN-953313
US-PATENT-CLASS-343-727
US-PATENT-CLASS-343-789
US-PATENT-CLASS-343-797
US-PATENT-4,218,685
N81-14220* c 33 ..... NASA-CASE-NPO-14163-1
US-PATENT-APPL-SN-878541
US-PATENT-CLASS-363-56
US-PATENT-CLASS-363-71
US-PATENT-CLASS-363-78
US-PATENT-4,222,098
N81-14221* c 33 ..... NASA-CASE-GSC-12411-1
US-PATENT-APPL-SN-965367
US-PATENT-CLASS-340-309.4
US-PATENT-CLASS-340-310A
US-PATENT-CLASS-340-310R
US-PATENT-CLASS-340-870.24
US-PATENT-CLASS-368-47
US-PATENT-CLASS-370-85
US-PATENT-4,228,422
N81-14287* c 35 ..... NASA-CASE-NPO-14513-1
US-PATENT-APPL-SN-025162
US-PATENT-CLASS-165-105
US-PATENT-CLASS-62-514R
US-PATENT-4,218,892
N81-14317* c 37 ..... NASA-CASE-MSC-16973-1
US-PATENT-APPL-SN-969756
US-PATENT-CLASS-150-11
US-PATENT-CLASS-156-294
US-PATENT-CLASS-52-232
US-PATENT-CLASS-52-743
US-PATENT-4,235,060
N81-14318* c 37 ..... NASA-CASE-NPO-14220-1
US-PATENT-APPL-SN-907421

US-PATENT-CLASS-60-518
US-PATENT-CLASS-74-417
US-PATENT-4,228,656
N81-14319* c 37 ..... NASA-CASE-LAR-11855-1
US-PATENT-APPL-SN-953314
US-PATENT-CLASS-407-117
US-PATENT-CLASS-407-85
US-PATENT-CLASS-408-1R
US-PATENT-CLASS-82-1.2
US-PATENT-CLASS-82-1C
US-PATENT-CLASS-82-36R
US-PATENT-4,218,941
N81-14320* c 37 ..... NASA-CASE-GSC-12429-1
US-PATENT-APPL-SN-009888
US-PATENT-CLASS-244-161
US-PATENT-CLASS-294-106
US-PATENT-CLASS-414-1
US-PATENT-4,219,171
N81-14389* c 44 ..... NASA-CASE-NPO-14416-1
US-PATENT-APPL-SN-014664
US-PATENT-CLASS-29-DIG.1
US-PATENT-CLASS-29-832
US-PATENT-4,219,926
N81-14605* c 51 ..... NASA-CASE-ARC-11114-1
US-PATENT-APPL-SN-951422
US-PATENT-CLASS-128-DIG.12
US-PATENT-CLASS-128-DIG.16
US-PATENT-CLASS-128-DIG.26
US-PATENT-CLASS-128-DIG.6
US-PATENT-CLASS-128-DIG.9
US-PATENT-CLASS-128-204.18
US-PATENT-CLASS-128-207.14
US-PATENT-CLASS-128-207.28
US-PATENT-CLASS-128-236
US-PATENT-4,212,297
N81-14612* c 52 ..... NASA-CASE-ARC-11117-1
US-PATENT-APPL-SN-003693
US-PATENT-CLASS-128-642
US-PATENT-4,219,027
N81-14613* c 52 ..... NASA-CASE-ARC-11118-2
US-PATENT-APPL-SN-850504
US-PATENT-APPL-SN-974476
US-PATENT-CLASS-424-274
US-PATENT-4,230,717
N81-14968* c 02 ..... NASA-CASE-LAR-12326-1
US-PATENT-APPL-SN-019541
US-PATENT-CLASS-102-56R
US-PATENT-CLASS-102-92.1
US-PATENT-CLASS-244-119
US-PATENT-CLASS-244-130
US-PATENT-4,225,102
N81-14999* c 07 ..... NASA-CASE-LEW-13201-1
US-PATENT-APPL-SN-038980
US-PATENT-CLASS-137-15.1
US-PATENT-CLASS-181-214
US-PATENT-4,220,171
N81-15104* c 27 ..... NASA-CASE-NPO-10830-1
US-PATENT-APPL-SN-825489
US-PATENT-CLASS-117-6
US-PATENT-CLASS-138.8R
US-PATENT-CLASS-260-33.6UB
US-PATENT-CLASS-33.8UB
US-PATENT-CLASS-37N
US-PATENT-CLASS-41R
US-PATENT-CLASS-77.5AQ
US-PATENT-CLASS-77.5CH
US-PATENT-CLASS-859R
US-PATENT-CLASS-94.9N
US-PATENT-3,655,814
N81-15119* c 28 ..... NASA-CASE-NPO-14110-1
US-PATENT-APPL-SN-947000
US-PATENT-CLASS-149-108.4
US-PATENT-CLASS-23-293R
US-PATENT-CLASS-252-364
US-PATENT-CLASS-260-96D
US-PATENT-CLASS-423-1
US-PATENT-CLASS-423-131
US-PATENT-CLASS-423-658.5
US-PATENT-CLASS-525-384
US-PATENT-CLASS-526-914
US-PATENT-CLASS-75-25
US-PATENT-4,229,182
N81-15154* c 31 ..... NASA-CASE-NPO-13758-2
US-PATENT-APPL-SN-623389
US-PATENT-APPL-SN-727444
US-PATENT-CLASS-110-218
US-PATENT-CLASS-110-229
US-PATENT-CLASS-110-232
US-PATENT-CLASS-110-343
US-PATENT-CLASS-110-347
US-PATENT-CLASS-202-118
US-PATENT-CLASS-264-23
US-PATENT-CLASS-425-378R
US-PATENT-4,206,713
N81-15179* c 32 ..... NASA-CASE-MSC-18035-1
US-PATENT-APPL-SN-041142
US-PATENT-CLASS-375-1
US-PATENT-CLASS-375-115
US-PATENT-CLASS-375-58
US-PATENT-4,221,005
N81-15192* c 33 ..... NASA-CASE-NPO-14444-1
US-PATENT-APPL-SN-017890
US-PATENT-CLASS-332-22
US-PATENT-CLASS-332-23R
US-PATENT-CLASS-375-54
US-PATENT-CLASS-375-67
US-PATENT-CLASS-455-102
US-PATENT-4,216,542
N81-15363* c 37 ..... NASA-CASE-MSC-18134-1
US-PATENT-APPL-SN-974472
US-PATENT-CLASS-277-181
US-PATENT-CLASS-277-229
US-PATENT-4,219,203
N81-15364* c 37 ..... NASA-CASE-NPO-14170-1
US-PATENT-APPL-SN-860404
US-PATENT-CLASS-188-134
US-PATENT-CLASS-188-180
US-PATENT-CLASS-188-184
US-PATENT-CLASS-244-173
US-PATENT-4,219,107
N81-15706* c 60 ..... NASA-CASE-NPO-14162-1
NASA-CASE-NPO-14167-1
NASA-CASE-NPO-14169-1
US-PATENT-APPL-SN-893903
US-PATENT-CLASS-307-219
US-PATENT-CLASS-307-225R
US-PATENT-CLASS-307-269
US-PATENT-CLASS-307-291
US-PATENT-CLASS-328-192
US-PATENT-CLASS-328-48
US-PATENT-CLASS-328-71
US-PATENT-4,213,064
N81-15767* c 71 ..... NASA-CASE-MFS-25050-1
US-PATENT-APPL-SN-057466
US-PATENT-CLASS-308-10
US-PATENT-CLASS-73-505
US-PATENT-4,218,921
N81-16209*# c 26 ..... NASA-CASE-LEW-23169-2
US-PATENT-APPL-SN-191746
N81-17057* c 06 ..... NASA-CASE-FRC-11029-1
US-PATENT-APPL-SN-164617
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-178R
US-PATENT-4,240,290
N81-17170* c 24 ..... NASA-CASE-LEW-12493-1
US-PATENT-APPL-SN-893857
US-PATENT-CLASS-156-292
US-PATENT-CLASS-228-118
US-PATENT-CLASS-228-170
US-PATENT-CLASS-228-174
US-PATENT-CLASS-228-190
US-PATENT-4,211,354
N81-17187* c 25 ..... NASA-CASE-NPO-13530-1
US-PATENT-CLASS-210-500M
US-PATENT-CLASS-260-2.1
US-PATENT-CLASS-260-2.2R
US-PATENT-4,014,798
N81-17259* c 27 ..... NASA-CASE-ARC-11248-1
US-PATENT-APPL-SN-028300
US-PATENT-CLASS-528-362
US-PATENT-CLASS-528-401
US-PATENT-CLASS-528-422
US-PATENT-CLASS-528-423
US-PATENT-4,242,498
N81-17260* c 27 ..... NASA-CASE-LEW-13226-1
US-PATENT-APPL-SN-070771
US-PATENT-CLASS-260-326N
US-PATENT-CLASS-260-326S
US-PATENT-CLASS-260-37EP
US-PATENT-CLASS-528-118
US-PATENT-CLASS-528-322
US-PATENT-CLASS-538-117
US-PATENT-4,244,857
N81-17261* c 27 ..... NASA-CASE-NPO-14315-1
US-PATENT-APPL-SN-900659
US-PATENT-CLASS-201-10
US-PATENT-CLASS-201-25
US-PATENT-CLASS-201-8
US-PATENT-CLASS-44-50
US-PATENT-CLASS-44-62
US-PATENT-4,246,001
N81-17262* c 27 ..... NASA-CASE-ARC-11253-1
US-PATENT-APPL-SN-028301
US-PATENT-CLASS-528-310
US-PATENT-CLASS-528-362
US-PATENT-CLASS-528-401
US-PATENT-CLASS-528-422
US-PATENT-4,245,085
N81-17348* c 33 ..... NASA-CASE-MFS-23845-1
US-PATENT-APPL-SN-938298
US-PATENT-CLASS-307-233R
US-PATENT-CLASS-307-306
US-PATENT-CLASS-333-204
US-PATENT-4,227,096
N81-17349* c 33 ..... NASA-CASE-MSC-16747-1
US-PATENT-APPL-SN-974475
US-PATENT-CLASS-328-134
US-PATENT-CLASS-328-37
US-PATENT-CLASS-328-55
US-PATENT-CLASS-331-48
US-PATENT-4,241,308
N81-17432* c 37 ..... NASA-CASE-NPO-14388-1
US-PATENT-APPL-SN-008208
US-PATENT-CLASS-60-518
US-PATENT-CLASS-74-417
US-PATENT-4,240,256
N81-17433* c 37 ..... NASA-CASE-ARC-11251-1
US-PATENT-APPL-SN-057465
US-PATENT-CLASS-128-DIG.20
US-PATENT-CLASS-137-549
US-PATENT-CLASS-137-886
US-PATENT-CLASS-137-887
US-PATENT-CLASS-251-216
US-PATENT-CLASS-251-339
US-PATENT-4,239,057
N81-17499* c 43 ..... NASA-CASE-FRC-11013-1
US-PATENT-APPL-SN-043912
US-PATENT-CLASS-244-160
US-PATENT-CLASS-244-49
US-PATENT-4,240,601
N81-17518* c 44 ..... NASA-CASE-NPO-14619-1
US-PATENT-APPL-SN-027559
US-PATENT-CLASS-126-419
US-PATENT-CLASS-60-524
US-PATENT-CLASS-60-641
US-PATENT-4,236,383
N81-17886* c 74 ..... NASA-CASE-NPO-14219-1
US-PATENT-APPL-SN-888432
US-PATENT-CLASS-350-301
US-PATENT-CLASS-354-118
US-PATENT-CLASS-362-11
US-PATENT-CLASS-362-241
US-PATENT-4,213,684
N81-17887* c 74 ..... NASA-CASE-NPO-14657-1
US-PATENT-APPL-SN-008211
US-PATENT-CLASS-356-432
US-PATENT-CLASS-73-15R
US-PATENT-4,243,327
N81-17888* c 74 ..... NASA-CASE-NPO-14502-1
US-PATENT-APPL-SN-965366
US-PATENT-CLASS-356-345
US-PATENT-CLASS-356-352
US-PATENT-CLASS-356-358
US-PATENT-4,243,323
N81-19087* c 05 ..... NASA-CASE-LAR-11797-1
US-PATENT-APPL-SN-969755
US-PATENT-CLASS-244-17.25
US-PATENT-CLASS-416-114
US-PATENT-CLASS-416-500
US-PATENT-CLASS-74-519
US-PATENT-4,245,956
N81-19115* c 07 ..... NASA-CASE-LEW-12907-2
US-PATENT-APPL-SN-752050
US-PATENT-APPL-SN-909235
US-PATENT-CLASS-364-106
US-PATENT-CLASS-364-431
US-PATENT-CLASS-60-39.24
US-PATENT-4,249,238
N81-19116* c 07 ..... NASA-CASE-LEW-12594-2
US-PATENT-APPL-SN-741056
US-PATENT-APPL-SN-909608
US-PATENT-CLASS-60-226R
US-PATENT-CLASS-60-236
US-PATENT-CLASS-60-238
US-PATENT-CLASS-60-239
US-PATENT-4,242,864
N81-19130* c 08 ..... NASA-CASE-LAR-11970-2
US-PATENT-APPL-SN-034104
US-PATENT-APPL-SN-727503
US-PATENT-CLASS-244-12.5
US-PATENT-CLASS-244-52
US-PATENT-CLASS-244-87
US-PATENT-4,236,684
N81-19242* c 25 ..... NASA-CASE-MFS-25000-1
US-PATENT-APPL-SN-974474
US-PATENT-CLASS-260-29.6RB
US-PATENT-CLASS-526-201
US-PATENT-CLASS-526-88
US-PATENT-4,247,434
N81-19244* c 25 ..... NASA-CASE-NPO-13309-1
US-PATENT-APPL-SN-363130
US-PATENT-CLASS-210-24
US-PATENT-CLASS-260-2.1E
US-PATENT-CLASS-260-2.2R
US-PATENT-CLASS-264-41
US-PATENT-3,944,485
N81-19296* c 27 ..... NASA-CASE-LEW-12933-1
US-PATENT-APPL-SN-027557

US-PATENT-CLASS-260-33.4R
US-PATENT-CLASS-427-221
US-PATENT-CLASS-427-379
US-PATENT-CLASS-528-353
US-PATENT-4,244,853

N81-19343* c 31 ..... NASA-CASE-GSC-12513-1
US-PATENT-APPL-SN-053571
US-PATENT-CLASS-109-49.5
US-PATENT-CLASS-109-58.5
US-PATENT-CLASS-220-82R
US-PATENT-CLASS-220-89A
US-PATENT-CLASS-49-171
US-PATENT-4,245,566

N81-19389* c 33 ..... NASA-CASE-NPO-14297-1
US-PATENT-APPL-SN-938299
US-PATENT-CLASS-156-DIG.96
US-PATENT-CLASS-156-608
US-PATENT-CLASS-219-10.49R
US-PATENT-CLASS-219-10.67
US-PATENT-CLASS-422-246
US-PATENT-CLASS-422-249
US-PATENT-CLASS-432-264
US-PATENT-4,242,553

N81-19392* c 33 ..... NASA-CASE-GSC-12360-1
US-PATENT-APPL-SN-041164
US-PATENT-CLASS-363-101
US-PATENT-CLASS-363-21
US-PATENT-4,245,286

N81-19393* c 33 ..... NASA-CASE-NPO-14505-1
US-PATENT-APPL-SN-956166
US-PATENT-CLASS-363-21
US-PATENT-CLASS-363-36
US-PATENT-CLASS-363-40
US-PATENT-CLASS-363-47
US-PATENT-4,245,288

N81-19426* c 35 ..... NASA-CASE-MFS-23923-1
US-PATENT-APPL-SN-053569
US-PATENT-CLASS-73-190R
US-PATENT-4,248,083

N81-19427* c 35 ..... NASA-CASE-MSC-16370-1
US-PATENT-APPL-SN-061556
US-PATENT-CLASS-329-107
US-PATENT-CLASS-329-50
US-PATENT-CLASS-375-1
US-PATENT-CLASS-375-104
US-PATENT-CLASS-375-34
US-PATENT-CLASS-375-99
US-PATENT-4,241,312

N81-19455* c 37 ..... NASA-CASE-LEW-12982-1
US-PATENT-APPL-SN-929084
US-PATENT-CLASS-204-192E
US-PATENT-CLASS-228-116
US-PATENT-CLASS-228-205
US-PATENT-4,245,768

N81-19558* c 44 ..... NASA-CASE-NPO-14670-1
US-PATENT-APPL-SN-043941
US-PATENT-CLASS-136-258
US-PATENT-CLASS-252-62.3E
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-59
US-PATENT-CLASS-357-63
US-PATENT-4,249,957

N81-19896* c 74 ..... NASA-CASE-NPO-11337-1
NASA-CASE-NPO-11575-1
US-PATENT-APPL-SN-090584
US-PATENT-APPL-SN-276599
US-PATENT-CLASS-340-146.3H
US-PATENT-CLASS-340-146.3S
US-PATENT-CLASS-340-146.3Y
US-PATENT-3,845,466

N81-19898* c 74 ..... NASA-CASE-NPO-12087-1
US-PATENT-APPL-SN-095217
US-PATENT-CLASS-250-83.6R
US-PATENT-3,704,284

N81-20352*# c 33 ..... NASA-CASE-NPO-13970-1
US-PATENT-APPL-SN-023484
US-PATENT-CLASS-318-138
US-PATENT-CLASS-318-254
US-PATENT-CLASS-318-439
US-PATENT-4,249,116

N81-20703* c 52 ..... NASA-CASE-NPO-14329-1
US-PATENT-APPL-SN-044432
US-PATENT-CLASS-128-642
US-PATENT-CLASS-128-774
US-PATENT-CLASS-73-141A
US-PATENT-4,249,417

N81-21047* c 04 ..... NASA-CASE-ARC-11257-1
US-PATENT-APPL-SN-078611
US-PATENT-CLASS-73-178R
US-PATENT-CLASS-73-490
US-PATENT-CLASS-73-504
US-PATENT-4,244,215

N81-22280*# c 33 ..... NASA-CASE-MFS-24368-3
US-PATENT-APPL-SN-243683

N81-22344*# c 36 ..... NASA-CASE-GSC-12609-1
US-PATENT-APPL-SN-218586

N81-22360*# c 37 ..... NASA-CASE-LEW-12445-1
US-PATENT-APPL-SN-238887

N81-24106* c 08 ..... NASA-CASE-LAR-12268-1
US-PATENT-APPL-SN-015996
US-PATENT-CLASS-244-181
US-PATENT-CLASS-244-195
US-PATENT-CLASS-318-584
US-PATENT-CLASS-364-434
US-PATENT-4,261,537

N81-24256* c 27 ..... NASA-CASE-ARC-11253-3
US-PATENT-APPL-SN-028301
US-PATENT-APPL-SN-145283
US-PATENT-CLASS-260-465.5R
US-PATENT-CLASS-528-310
US-PATENT-CLASS-564-229
US-PATENT-4,269,787

N81-24257* c 27 ..... NASA-CASE-LEW-13135-2
US-PATENT-APPL-SN-113014
US-PATENT-APPL-SN-971475
US-PATENT-CLASS-264-104
US-PATENT-CLASS-264-105
US-PATENT-CLASS-429-139
US-PATENT-CLASS-429-249
US-PATENT-CLASS-429-253
US-PATENT-CLASS-429-27
US-PATENT-CLASS-429-28
US-PATENT-CLASS-525-61
US-PATENT-4,262,087

N81-24258* c 27 ..... NASA-CASE-NPO-10424-1
US-PATENT-APPL-SN-692636
US-PATENT-CLASS-260-37
US-PATENT-3,651,008

N81-24280* c 28 ..... NASA-CASE-MSC-16394-1
US-PATENT-APPL-SN-161255
US-PATENT-CLASS-204-129
US-PATENT-CLASS-204-252
US-PATENT-CLASS-204-266
US-PATENT-CLASS-204-290F
US-PATENT-CLASS-204-290R
US-PATENT-CLASS-204-291
US-PATENT-4,263,112

N81-24338* c 33 ..... NASA-CASE-NPO-14617-1
US-PATENT-APPL-SN-051269
US-PATENT-CLASS-330-8
US-PATENT-4,262,259

N81-24422* c 36 ..... NASA-CASE-LAR-12177-1
US-PATENT-APPL-SN-027558
US-PATENT-CLASS-356-28.5
US-PATENT-CLASS-356-356
US-PATENT-CLASS-356-358
US-PATENT-4,255,048

N81-24442* c 37 ..... NASA-CASE-LEW-12991-1
US-PATENT-APPL-SN-961832
US-PATENT-CLASS-277-96
US-PATENT-4,260,166

N81-24443* c 37 ..... NASA-CASE-LAR-11695-2
US-PATENT-APPL-SN-103836
US-PATENT-APPL-SN-893865
US-PATENT-CLASS-152-330RF
US-PATENT-CLASS-152-353G
US-PATENT-CLASS-152-353R
US-PATENT-CLASS-152-379.4
US-PATENT-CLASS-244-103R
US-PATENT-CLASS-244-130
US-PATENT-4,267,992

N81-24519* c 44 ..... NASA-CASE-LEW-12441-3
US-PATENT-APPL-SN-032307
US-PATENT-APPL-SN-856462
US-PATENT-CLASS-239-127.1
US-PATENT-CLASS-60-204
US-PATENT-CLASS-60-267
US-PATENT-4,199,937
US-PATENT-4,245,469

N81-24520* c 44 ..... NASA-CASE-MFS-23999-1
US-PATENT-APPL-SN-060435
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-250-209
US-PATENT-4,262,195

N81-24521* c 44 ..... NASA-CASE-LEW-12918-1
US-PATENT-APPL-SN-134855
US-PATENT-CLASS-429-120
US-PATENT-CLASS-429-160
US-PATENT-CLASS-429-164
US-PATENT-CLASS-429-94
US-PATENT-4,262,064

N81-24711* c 52 ..... NASA-CASE-MSC-16433-1
US-PATENT-APPL-SN-910992
US-PATENT-CLASS-128-295
US-PATENT-CLASS-128-761
US-PATENT-CLASS-4-144.3
US-PATENT-4,246,901

N81-24724* c 54 ..... NASA-CASE-KSC-11085-1
US-PATENT-APPL-SN-046739
US-PATENT-CLASS-261-79A
US-PATENT-CLASS-422-109
US-PATENT-CLASS-422-27
US-PATENT-CLASS-422-3
US-PATENT-CLASS-422-30
US-PATENT-CLASS-422-34
US-PATENT-4,250,143

N81-24779* c 62 ..... NASA-CASE-KSC-11048-1
US-PATENT-APPL-SN-023437
US-PATENT-CLASS-364-200
US-PATENT-4,254,464

N81-24900* c 74 ..... NASA-CASE-GSC-12528-1
US-PATENT-APPL-SN-111439
US-PATENT-CLASS-250-368
US-PATENT-CLASS-250-483
US-PATENT-4,262,206

N81-25159* c 25 ..... NASA-CASE-NPO-15102-1
US-PATENT-APPL-SN-154726
US-PATENT-CLASS-250-350
US-PATENT-CLASS-356-432
US-PATENT-4,253,769

N81-25188* c 26 ..... NASA-CASE-LEW-13088-1
US-PATENT-APPL-SN-089779
US-PATENT-CLASS-428-471
US-PATENT-CLASS-428-632
US-PATENT-CLASS-428-678
US-PATENT-CLASS-428-679
US-PATENT-CLASS-428-680
US-PATENT-4,255,495

N81-25209* c 27 ..... NASA-CASE-MSC-18107-1
US-PATENT-APPL-SN-956168
US-PATENT-CLASS-430-271
US-PATENT-CLASS-430-325
US-PATENT-CLASS-430-329
US-PATENT-CLASS-430-330
US-PATENT-4,262,080

N81-25258* c 31 ..... NASA-CASE-LAR-12095-1
US-PATENT-APPL-SN-811401
US-PATENT-CLASS-244-158R
US-PATENT-CLASS-403-171
US-PATENT-CLASS-428-902
US-PATENT-CLASS-52-309.1
US-PATENT-CLASS-52-648
US-PATENT-CLASS-52-726
US-PATENT-4,259,821

N81-25259* c 31 ..... NASA-CASE-LAR-12077-1
US-PATENT-APPL-SN-014663
US-PATENT-CLASS-52-645
US-PATENT-4,259,825

N81-25278* c 32 ..... NASA-CASE-NPO-14588-1
US-PATENT-APPL-SN-008209
US-PATENT-CLASS-343-755
US-PATENT-CLASS-343-772
US-PATENT-CLASS-343-781R
US-PATENT-CLASS-343-786
US-PATENT-4,258,366

N81-25299* c 33 ..... NASA-CASE-GSC-12399-1
US-PATENT-APPL-SN-961831
US-PATENT-CLASS-70-58
US-PATENT-4,252,007

N81-25370* c 37 ..... NASA-CASE-NPO-14221-1
US-PATENT-APPL-SN-907431
US-PATENT-CLASS-60-517
US-PATENT-CLASS-60-525
US-PATENT-4,255,929

N81-25371* c 37 ..... NASA-CASE-NPO-13823-1
US-PATENT-APPL-SN-658487
US-PATENT-CLASS-106-43
US-PATENT-CLASS-264-332
US-PATENT-4,252,768

N81-25400* c 39 ..... NASA-CASE-NPO-14363-1
US-PATENT-APPL-SN-969760
US-PATENT-CLASS-356-213
US-PATENT-CLASS-356-216
US-PATENT-CLASS-356-234
US-PATENT-CLASS-356-32
US-PATENT-4,252,440

N81-25660* c 52 ..... NASA-CASE-MFS-23717-1
US-PATENT-APPL-SN-950877
US-PATENT-CLASS-128-DIG.25
US-PATENT-CLASS-128-1R
US-PATENT-CLASS-128-346
US-PATENT-CLASS-137-493
US-PATENT-4,256,093

N81-25661* c 52 ..... NASA-CASE-GSC-12082-2
US-PATENT-APPL-SN-676958
US-PATENT-APPL-SN-798976
US-PATENT-CLASS-128-80F
US-PATENT-4,252,111

N81-25662* c 52 ..... NASA-CASE-ARC-11167-1
US-PATENT-APPL-SN-057526
US-PATENT-CLASS-128-89R
US-PATENT-4,261,349

N81-26073*# c 02 ..... NASA-CASE-KSC-11042-2
US-PATENT-APPL-SN-154663

N81-26114* c 05 ..... NASA-CASE-LAR-12406-1
US-PATENT-APPL-SN-008210
US-PATENT-CLASS-165-104.14
US-PATENT-CLASS-244-117A

US-PATENT-CLASS-244-163
US-PATENT-CLASS-60-259
US-PATENT-CLASS-60-267
US-PATENT-CLASS-60-730
US-PATENT-CLASS-62-DIG.5
US-PATENT-4,273,304
N81-26152* c 08 ..... NASA-CASE-LAR-12562-1
US-PATENT-APPL-SN-015995
US-PATENT-CLASS-244-181
US-PATENT-CLASS-244-182
US-PATENT-4,266,743
N81-26161* c 14 ..... NASA-CASE-LAR-12250-1
US-PATENT-APPL-SN-910794
US-PATENT-CLASS-244-160
US-PATENT-CLASS-244-2
US-PATENT-CLASS-244-63
US-PATENT-4,265,416
N81-26179* c 24 ..... NASA-CASE-LEW-12493-2
US-PATENT-APPL-SN-122967
US-PATENT-APPL-SN-893857
US-PATENT-CLASS-228-118
US-PATENT-CLASS-228-190
US-PATENT-4,211,354
US-PATENT-4,267,953
N81-26358* c 33 ..... NASA-CASE-LAR-12196-1
US-PATENT-APPL-SN-017887
US-PATENT-CLASS-343-100PE
US-PATENT-4,264,908
N81-26359* c 33 ..... NASA-CASE-KSC-11065-1
US-PATENT-APPL-SN-051271
US-PATENT-CLASS-324-51
US-PATENT-CLASS-324-73AT
US-PATENT-CLASS-371-20
US-PATENT-CLASS-371-25
US-PATENT-4,267,594
N81-26360* c 33 ..... NASA-CASE-GSC-12515-1
US-PATENT-APPL-SN-172727
US-PATENT-CLASS-148-1.5
US-PATENT-CLASS-148-187
US-PATENT-CLASS-156-647
US-PATENT-CLASS-156-648
US-PATENT-CLASS-156-649
US-PATENT-CLASS-29-571
US-PATENT-CLASS-29-578
US-PATENT-CLASS-29-580
US-PATENT-CLASS-357-23
US-PATENT-CLASS-357-55
US-PATENT-CLASS-357-60
US-PATENT-CLASS-357-91
US-PATENT-4,272,302
N81-26402* c 34 ..... NASA-CASE-KSC-11076-1
US-PATENT-APPL-SN-051274
US-PATENT-CLASS-364-510
US-PATENT-CLASS-364-571
US-PATENT-CLASS-73-861
US-PATENT-4,253,156
N81-26431* c 35 ..... NASA-CASE-FRC-10112-1
US-PATENT-APPL-SN-122965
US-PATENT-CLASS-219-209
US-PATENT-CLASS-219-210
US-PATENT-CLASS-219-510
US-PATENT-CLASS-236-1F
US-PATENT-CLASS-361-334
US-PATENT-CLASS-73-361
US-PATENT-4,264,802
N81-26447* c 37 ..... NASA-CASE-LEW-12119-2
US-PATENT-APPL-SN-102004
US-PATENT-APPL-SN-672219
US-PATENT-CLASS-277-153
US-PATENT-CLASS-277-193
US-PATENT-4,212,477
US-PATENT-4,266,788
N81-26509* c 43 ..... NASA-CASE-NPO-14140-1
NASA-CASE-NPO-14387-1
US-PATENT-APPL-SN-897832
US-PATENT-CLASS-134-17
US-PATENT-CLASS-166-222
US-PATENT-CLASS-166-77
US-PATENT-CLASS-239-562
US-PATENT-CLASS-239-591
US-PATENT-CLASS-299-13
US-PATENT-CLASS-299-17
US-PATENT-CLASS-299-20
US-PATENT-4,226,475
N81-26718* c 54 ..... NASA-CASE-MFS-23696-1
US-PATENT-APPL-SN-945044
US-PATENT-CLASS-294-93
US-PATENT-CLASS-414-4
US-PATENT-CLASS-414-735
US-PATENT-CLASS-414-744A
US-PATENT-4,273,505
N81-27271* c 27 ..... NASA-CASE-ARC-11176-2
US-PATENT-APPL-SN-129798
US-PATENT-CLASS-528-168
US-PATENT-CLASS-528-399
US-PATENT-CLASS-528-4
US-PATENT-CLASS-528-6
US-PATENT-4,276,403
N81-27272* c 27 ..... NASA-CASE-ARC-11321-1
US-PATENT-APPL-SN-175452
US-PATENT-CLASS-428-260
US-PATENT-CLASS-428-367
US-PATENT-CLASS-428-408
US-PATENT-CLASS-428-902
US-PATENT-CLASS-428-920
US-PATENT-CLASS-526-262
US-PATENT-CLASS-528-228
US-PATENT-4,276,344
N81-27323* c 31 ..... NASA-CASE-MSC-16217-1
US-PATENT-APPL-SN-893383
US-PATENT-CLASS-52-108
US-PATENT-CLASS-52-745
US-PATENT-4,237,662
N81-27324* c 31 ..... NASA-CASE-LAR-12195-1
US-PATENT-APPL-SN-946991
US-PATENT-CLASS-182-62.5
US-PATENT-CLASS-212-267
US-PATENT-CLASS-52-111
US-PATENT-CLASS-52-632
US-PATENT-4,238,911
N81-27341* c 32 ..... NASA-CASE-GSC-12147-1
US-PATENT-APPL-SN-780873
US-PATENT-CLASS-343-112R
US-PATENT-4,276,553
N81-27395* c 33 ..... NASA-CASE-MFS-23988-1
US-PATENT-APPL-SN-044431
US-PATENT-CLASS-307-252UA
US-PATENT-CLASS-318-799
US-PATENT-CLASS-318-810
US-PATENT-4,266,177
N81-27396* c 33 ..... NASA-CASE-NPO-14426-1
US-PATENT-APPL-SN-009889
US-PATENT-CLASS-307-352
US-PATENT-CLASS-307-353
US-PATENT-CLASS-328-151
US-PATENT-4,262,258
N81-27397* c 33 ..... NASA-CASE-MSC-12745-1
US-PATENT-APPL-SN-746579
US-PATENT-CLASS-179-78
US-PATENT-CLASS-333-12
US-PATENT-CLASS-361-56
US-PATENT-CLASS-361-91
US-PATENT-4,264,940
N81-27519* c 37 ..... NASA-CASE-NPO-14521-1
US-PATENT-APPL-SN-023439
US-PATENT-CLASS-244-161
US-PATENT-CLASS-294-86R
US-PATENT-CLASS-318-640
US-PATENT-CLASS-356-152
US-PATENT-CLASS-414-730
US-PATENT-4,260,187
N81-27615*# c 44 ..... NASA-CASE-LEW-13556-1
US-PATENT-APPL-SN-272233
N81-27783* c 52 ..... NASA-CASE-NPO-14402-1
US-PATENT-APPL-SN-855364
US-PATENT-CLASS-128-665
US-PATENT-CLASS-356-406
US-PATENT-CLASS-356-407
US-PATENT-CLASS-356-416
US-PATENT-4,170,987
N81-27806* c 54 ..... NASA-CASE-LAR-12320-1
US-PATENT-APPL-SN-043913
US-PATENT-CLASS-434-59
US-PATENT-4,264,310
N81-27814* c 60 ..... NASA-CASE-NPO-14554-1
US-PATENT-APPL-SN-974473
US-PATENT-CLASS-364-200
US-PATENT-CLASS-364-900
US-PATENT-CLASS-370-58
US-PATENT-4,264,984
N81-28698* c 51 ..... NASA-CASE-LAR-12520-1
US-PATENT-APPL-SN-067596
US-PATENT-CLASS-204-1T
US-PATENT-CLASS-204-195B
US-PATENT-CLASS-435-291
US-PATENT-CLASS-435-34
US-PATENT-CLASS-435-5
US-PATENT-4,264,728
N81-28740* c 52 ..... NASA-CASE-MSC-18381-1
US-PATENT-APPL-SN-034531
US-PATENT-CLASS-128-295
US-PATENT-CLASS-4-144.3
US-PATENT-4,270,539
N81-29129* c 07 ..... NASA-CASE-LEW-12990-1
US-PATENT-APPL-SN-916654
US-PATENT-CLASS-261-28
US-PATENT-CLASS-431-2
US-PATENT-CLASS-60-39.06
US-PATENT-CLASS-60-726
US-PATENT-CLASS-60-737
US-PATENT-4,189,914
N81-29152* c 18 ..... NASA-CASE-LAR-12052-1
US-PATENT-APPL-SN-102002
US-PATENT-CLASS-364-453
US-PATENT-CLASS-364-566
US-PATENT-CLASS-73-178R
US-PATENT-CLASS-73-510
US-PATENT-4,281,384
N81-29160* c 23 ..... NASA-CASE-LEW-13101-2
US-PATENT-APPL-SN-145271
US-PATENT-APPL-SN-971473
US-PATENT-CLASS-260-17.4UC
US-PATENT-CLASS-264-104
US-PATENT-CLASS-428-139
US-PATENT-CLASS-429-249
US-PATENT-CLASS-429-253
US-PATENT-CLASS-429-27
US-PATENT-CLASS-429-28
US-PATENT-CLASS-525-56
US-PATENT-CLASS-525-61
US-PATENT-4,272,470
N81-29163* c 24 ..... NASA-CASE-MFS-23674-1
US-PATENT-APPL-SN-912276
US-PATENT-CLASS-156-161
US-PATENT-CLASS-156-165
US-PATENT-CLASS-156-285
US-PATENT-CLASS-156-294
US-PATENT-CLASS-156-74
US-PATENT-CLASS-264-229
US-PATENT-CLASS-264-231
US-PATENT-CLASS-264-258
US-PATENT-CLASS-264-259
US-PATENT-CLASS-264-311
US-PATENT-CLASS-74-572
US-PATENT-4,190,626
N81-29229* c 27 ..... NASA-CASE-LAR-12642-1
US-PATENT-APPL-SN-092141
US-PATENT-CLASS-264-137
US-PATENT-CLASS-428-473.5
US-PATENT-CLASS-528-222
US-PATENT-CLASS-528-229
US-PATENT-4,281,102
N81-29308* c 32 ..... NASA-CASE-NPO-14641-1
US-PATENT-APPL-SN-076643
US-PATENT-CLASS-343-100CL
US-PATENT-CLASS-455-278
US-PATENT-4,278,978
N81-29342* c 33 ..... NASA-CASE-GSC-12111-2
US-PATENT-APPL-SN-678813
US-PATENT-APPL-SN-830272
US-PATENT-CLASS-350-96.25
US-PATENT-CLASS-365-120
US-PATENT-4,154,501
N81-29407* c 35 ..... NASA-CASE-LAR-12308-1
US-PATENT-APPL-SN-111438
US-PATENT-CLASS-73-683.31
US-PATENT-CLASS-73-684.52
US-PATENT-4,274,285
N81-29524* c 44 ..... NASA-CASE-LEW-13148-2
US-PATENT-APPL-SN-061555
US-PATENT-APPL-SN-964754
US-PATENT-CLASS-204-2.1
US-PATENT-4,192,910
US-PATENT-4,270,984
N81-29525* c 44 ..... NASA-CASE-NPO-13689-2
US-PATENT-APPL-SN-093714
US-PATENT-APPL-SN-597430
US-PATENT-APPL-SN-683073
US-PATENT-APPL-SN-837513
US-PATENT-CLASS-136-255
US-PATENT-CLASS-136-258
US-PATENT-CLASS-136-262
US-PATENT-CLASS-357-15
US-PATENT-CLASS-357-30
US-PATENT-4,278,830
N81-29763* c 52 ..... NASA-CASE-ARC-11031-1
US-PATENT-APPL-SN-897828
US-PATENT-CLASS-128-275
US-PATENT-CLASS-128-760
US-PATENT-4,190,060
N81-29764* c 52 ..... NASA-CASE-ARC-11118-1
US-PATENT-APPL-SN-850504
US-PATENT-CLASS-424-247
US-PATENT-CLASS-424-267
US-PATENT-CLASS-424-274
US-PATENT-4,279,906
N81-29963* c 74 ..... NASA-CASE-NPO-14448-1
US-PATENT-APPL-SN-037560
US-PATENT-CLASS-356-345
US-PATENT-CLASS-356-346
US-PATENT-4,278,351
N81-32510* c 37 ..... NASA-CASE-MSC-16239-1
US-PATENT-APPL-SN-847276
US-PATENT-CLASS-91-325
US-PATENT-CLASS-91-341R
US-PATENT-CLASS-91-410
US-PATENT-4,283,995
N81-32829* c 51 ..... NASA-CASE-MFS-23825-1

US-PATENT-APPL-SN-145273
US-PATENT-CLASS-119-17
US-PATENT-CLASS-119-18
US-PATENT-4,284,034

N81-33235* c 24 ..... NASA-CASE-LAR-12065-2
US-PATENT-APPL-SN-119337
US-PATENT-APPL-SN-889671
US-PATENT-CLASS-156-242
US-PATENT-CLASS-156-245
US-PATENT-CLASS-156-252
US-PATENT-CLASS-156-264
US-PATENT-CLASS-156-285
US-PATENT-CLASS-156-290
US-PATENT-4,229,473
US-PATENT-4,274,901

N81-33246* c 25 ..... NASA-CASE-NPO-14272-1
US-PATENT-APPL-SN-878253
US-PATENT-CLASS-201-17
US-PATENT-CLASS-44-1R
US-PATENT-CLASS-44-2
US-PATENT-4,146,367

N81-33319* c 31 ..... NASA-CASE-NPO-14596-1
US-PATENT-APPL-SN-037072
US-PATENT-CLASS-264-24
US-PATENT-CLASS-264-5
US-PATENT-CLASS-264-9
US-PATENT-CLASS-425-6
US-PATENT-CLASS-65-142
US-PATENT-CLASS-65-21.4
US-PATENT-CLASS-65-22
US-PATENT-4,279,632

N81-33403* c 33 ..... NASA-CASE-GSC-12324-1
US-PATENT-APPL-SN-945043
US-PATENT-CLASS-358-109
US-PATENT-CLASS-358-213
US-PATENT-4,280,141

N81-33404* c 33 ..... NASA-CASE-NPO-14316-1
US-PATENT-APPL-SN-051276
US-PATENT-CLASS-363-24
US-PATENT-CLASS-363-56
US-PATENT-4,276,588

N81-33405* c 33 ..... NASA-CASE-NPO-14435-1
US-PATENT-APPL-SN-017886
US-PATENT-CLASS-329-122
US-PATENT-CLASS-331-DIG.2
US-PATENT-CLASS-364-514
US-PATENT-CLASS-375-1
US-PATENT-4,279-018

N81-33448* c 35 ..... NASA-CASE-NPO-14258-1
US-PATENT-APPL-SN-853349
US-PATENT-APPL-SN-972252
US-PATENT-CLASS-350-370
US-PATENT-CLASS-356-350
US-PATENT-CLASS-356-351
US-PATENT-4,280,766

N81-33482* c 37 ..... NASA-CASE-NPO-15227-1
US-PATENT-APPL-SN-163840
US-PATENT-CLASS-118-50
US-PATENT-CLASS-118-52
US-PATENT-CLASS-269-21
US-PATENT-CLASS-427-240
US-PATENT-4,280,689

N81-33483* c 37 ..... NASA-CASE-FRC-11044-1
US-PATENT-APPL-SN-135056
US-PATENT-CLASS-318-663
US-PATENT-CLASS-74-89
US-PATENT-CLASS-92-130R
US-PATENT-4,274,038

N82-11088* c 09 ..... NASA-CASE-LAR-12532-1
US-PATENT-APPL-SN-135040
US-PATENT-CLASS-73-147
US-PATENT-4,286,460

N82-11144* c 25 ..... NASA-CASE-NPO-14273-1
US-PATENT-APPL-SN-969759
US-PATENT-CLASS-110-234
US-PATENT-CLASS-110-245
US-PATENT-CLASS-110-255
US-PATENT-CLASS-110-266
US-PATENT-CLASS-122-4D
US-PATENT-4,287,838

N82-11206* c 27 ..... NASA-CASE-LAR-12640-1
US-PATENT-APPL-SN-092142
US-PATENT-CLASS-156.307.7
US-PATENT-CLASS-156-307.3
US-PATENT-CLASS-156-307.5
US-PATENT-CLASS-156-331.5
US-PATENT-CLASS-528-126
US-PATENT-CLASS-528-172
US-PATENT-CLASS-528-173
US-PATENT-CLASS-528-180
US-PATENT-CLASS-528-207
US-PATENT-CLASS-528-208
US-PATENT-CLASS-528-210
US-PATENT-CLASS-528-211
US-PATENT-CLASS-528-225
US-PATENT-CLASS-528-228
US-PATENT-CLASS-528-351
US-PATENT-CLASS-528-353
US-PATENT-4,284,461

N82-11336* c 32 ..... NASA-CASE-MSC-18606-1
US-PATENT-APPL-SN-145206
US-PATENT-CLASS-343-700MS
US-PATENT-CLASS-343-708
US-PATENT-CLASS-343-727
US-PATENT-CLASS-343-795
US-PATENT-CLASS-343-846
US-PATENT-4,287,518

N82-11357* c 33 ..... NASA-CASE-MSC-18106-1
US-PATENT-APPL-SN-098568
US-PATENT-CLASS-335-256
US-PATENT-CLASS-335-266
US-PATENT-CLASS-361-141
US-PATENT-4,295,111

N82-11360*# c 33 ..... NASA-CASE-MFS-25586-1
US-PATENT-APPL-SN-310714

N82-11399*# c 34 ..... NASA-CASE-LEW-12950-1
US-PATENT-APPL-SN-202228

N82-11431* c 35 ..... NASA-CASE-LAR-12552-1
US-PATENT-APPL-SN-070366
US-PATENT-CLASS-235-92PC
US-PATENT-CLASS-324-71CP
US-PATENT-4,286,209

N82-11432* c 35 ..... NASA-CASE-MFS-23250-1
US-PATENT-APPL-SN-118340
US-PATENT-CLASS-422-40
US-PATENT-CLASS-430-17
US-PATENT-CLASS-430-372
US-PATENT-4,287,152

N82-11469*# c 37 ..... NASA-CASE-NPO-15539-1
US-PATENT-APPL-SN-303670

N82-11634* c 45 ..... NASA-CASE-NPO-13877-1
US-PATENT-APPL-SN-652979
US-PATENT-CLASS-210-40
US-PATENT-CLASS-252-422
US-PATENT-4,209,393

N82-11770* c 52 ..... NASA-CASE-MSC-14836-1
US-PATENT-APPL-SN-691647
US-PATENT-CLASS-128-327
US-PATENT-CLASS-128-686
US-PATENT-CLASS-128-691
US-PATENT-4,294,261

N82-12166* c 25 ..... NASA-CASE-MSC-16497-1
US-PATENT-APPL-SN-041145
US-PATENT-CLASS-204-1T
US-PATENT-CLASS-204-195S
US-PATENT-CLASS-204-263
US-PATENT-CLASS-204-264
US-PATENT-CLASS-204-266
US-PATENT-CLASS-204-275
US-PATENT-CLASS-204-276
US-PATENT-CLASS-204-278
US-PATENT-CLASS-23-230PC
US-PATENT-CLASS-23-232E
US-PATENT-CLASS-422-80
US-PATENT-4,293,522

N82-12297* c 32 ..... NASA-CASE-NPO-14054-1
US-PATENT-APPL-SN-969761
US-PATENT-CLASS-343-5CM
US-PATENT-4,292,634

N82-12441* c 37 ..... NASA-CASE-MFS-25363-1
US-PATENT-APPL-SN-171933
US-PATENT-CLASS-118-423
US-PATENT-CLASS-118-500
US-PATENT-CLASS-134-137
US-PATENT-4,286,542

N82-12442* c 37 ..... NASA-CASE-LEW-12989-1
US-PATENT-APPL-SN-092145
US-PATENT-CLASS-277-27
US-PATENT-CLASS-277-40
US-PATENT-CLASS-277-93R
US-PATENT-4,291,887

N82-12685* c 46 ..... NASA-CASE-NPO-14544-1
US-PATENT-APPL-SN-078612
US-PATENT-CLASS-343-100ME
US-PATENT-CLASS-343-100PE
US-PATENT-CLASS-343-781P
US-PATENT-4,282,525

N82-13376* c 34 ..... NASA-CASE-MFS-25139-1
US-PATENT-APPL-SN-126138
US-PATENT-CLASS-239-499
US-PATENT-CLASS-239-589
US-PATENT-CLASS-239-601
US-PATENT-4,300,723

N82-13415* c 36 ..... NASA-CASE-LAR-12592-1
US-PATENT-APPL-SN-041141
US-PATENT-CLASS-331-94.5C
US-PATENT-CLASS-331-94.5D
US-PATENT-CLASS-331-94.5P
US-PATENT-4,300,106

N82-13465* c 43 ..... NASA-CASE-GSC-12032-2
US-PATENT-APPL-SN-578700
US-PATENT-APPL-SN-583219
US-PATENT-CLASS-250-235
US-PATENT-CLASS-250-236
US-PATENT-CLASS-358-109
US-PATENT-4,300,159

N82-15381* c 35 ..... NASA-CASE-NPO-14839-1
US-PATENT-APPL-SN-106119
US-PATENT-CLASS-343-100PE
US-PATENT-CLASS-455-137
US-PATENT-CLASS-455-139
US-PATENT-CLASS-455-60
US-PATENT-4,295,140

N82-16059* c 04 ..... NASA-CASE-ARC-10990-1
US-PATENT-APPL-SN-749420
US-PATENT-CLASS-244-114R
US-PATENT-CLASS-340-26
US-PATENT-4,291,294

N82-16075* c 06 ..... NASA-CASE-FRC-11005-1
US-PATENT-APPL-SN-043942
US-PATENT-CLASS-340-27NA
US-PATENT-CLASS-73-178R
US-PATENT-4,283,705

N82-16174* c 23 ..... NASA-CASE-ARC-11244-1
US-PATENT-APPL-SN-054501
US-PATENT-CLASS-260-340.9R
US-PATENT-CLASS-568-445
US-PATENT-CLASS-568-497
US-PATENT-4,277,402

N82-16238* c 27 ..... NASA-CASE-MSC-18382-1
US-PATENT-APPL-SN-145107
US-PATENT-CLASS-106-18.16
US-PATENT-CLASS-106-18.24
US-PATENT-CLASS-260-45.7R
US-PATENT-CLASS-427-393.3
US-PATENT-CLASS-428-263
US-PATENT-CLASS-428-264
US-PATENT-CLASS-428-265
US-PATENT-CLASS-428-267
US-PATENT-CLASS-428-272
US-PATENT-4,284,682

N82-16340* c 33 ..... NASA-CASE-GSC-12420-1
US-PATENT-APPL-SN-129793
US-PATENT-CLASS-333-104
US-PATENT-CLASS-333-246
US-PATENT-4,302,734

N82-16396* c 36 ..... NASA-CASE-GSC-12321-1
US-PATENT-APPL-SN-102001
US-PATENT-CLASS-356-349
US-PATENT-CLASS-356-386
US-PATENT-4,299,492

N82-16408* c 37 ..... NASA-CASE-MSC-18422-1
US-PATENT-APPL-SN-102593
US-PATENT-CLASS-244-113
US-PATENT-CLASS-244-163
US-PATENT-CLASS-244-217
US-PATENT-CLASS-277-189
US-PATENT-CLASS-277-81R
US-PATENT-CLASS-418-113
US-PATENT-CLASS-418-142
US-PATENT-4,290,612

N82-16474* c 44 ..... NASA-CASE-MFS-23775-1
US-PATENT-APPL-SN-098569
US-PATENT-CLASS-73-341
US-PATENT-4,282,752

N82-16475* c 44 ..... NASA-CASE-NPO-15071-1
US-PATENT-APPL-SN-150115
US-PATENT-CLASS-126-438
US-PATENT-CLASS-250-527
US-PATENT-CLASS-48-89
US-PATENT-CLASS-48-99
US-PATENT-4,290,779

N82-16747* c 60 ..... NASA-CASE-GSC-12430-1
US-PATENT-APPL-SN-129779
US-PATENT-CLASS-370-100
US-PATENT-CLASS-375-106
US-PATENT-CLASS-375-114
US-PATENT-CLASS-375-116
US-PATENT-4,298,987

N82-16800* c 71 ..... NASA-CASE-FRC-11062-1
US-PATENT-APPL-SN-185869
US-PATENT-CLASS-181-214
US-PATENT-4,300,656

N82-18314* c 20 ..... NASA-CASE-GSC-12194-2
US-PATENT-APPL-SN-819029
US-PATENT-APPL-SN-971474
US-PATENT-CLASS-60-200R
US-PATENT-CLASS-60-39.46M
US-PATENT-4,288,982

N82-18389* c 27 ..... NASA-CASE-ARC-11176-1
US-PATENT-APPL-SN-129799
US-PATENT-CLASS-528-168
US-PATENT-CLASS-528-399
US-PATENT-CLASS-528-4
US-PATENT-CLASS-528-6
US-PATENT-CLASS-528-7
US-PATENT-CLASS-568-2
US-PATENT-CLASS-568-4

US-PATENT-CLASS-568-5
US-PATENT-4,288,585
N82-18401* c 28 ..... NASA-CASE-ARC-11245-1
US-PATENT-APPL-SN-088663
US-PATENT-CLASS-239-690
US-PATENT-CLASS-361-226
US-PATENT-CLASS-361-230
US-PATENT-4,303,961
N82-18443* c 32 ..... NASA-CASE-NPO-14632-1
US-PATENT-APPL-SN-092143
US-PATENT-CLASS-367-100
US-PATENT-CLASS-367-102
US-PATENT-CLASS-367-88
US-PATENT-4,287,578
N82-18493* c 33 ..... NASA-CASE-FRC-11041-1
US-PATENT-APPL-SN-126064
US-PATENT-CLASS-318-561
US-PATENT-CLASS-318-620
US-PATENT-CLASS-318-621
US-PATENT-CLASS-318-622
US-PATENT-4,298,833
N82-18494* c 33 ..... NASA-CASE-FRC-11014-1
US-PATENT-APPL-SN-053652
US-PATENT-CLASS-331-113R
US-PATENT-CLASS-363-132
US-PATENT-CLASS-363-17
US-PATENT-CLASS-363-61
US-PATENT-4,298,926
N82-18601* c 37 ..... NASA-CASE-LAR-12372-1
US-PATENT-APPL-SN-108107
US-PATENT-CLASS-188-371
US-PATENT-CLASS-244-110C
US-PATENT-CLASS-280-805
US-PATENT-CLASS-57-906
US-PATENT-4,304,320
N82-18686* c 44 ..... NASA-CASE-MFS-25287-1
US-PATENT-APPL-SN-098570
US-PATENT-CLASS-126-422
US-PATENT-CLASS-126-429
US-PATENT-CLASS-126-430
US-PATENT-4,304,219
N82-19029* c 74 ..... NASA-CASE-NPO-15036-1
US-PATENT-APPL-SN-188160
US-PATENT-CLASS-455-610
US-PATENT-CLASS-455-612
US-PATENT-CLASS-455-615
US-PATENT-CLASS-455-617
US-PATENT-4,287,606
N82-19540* c 37 ..... NASA-CASE-LEW-12131-3
US-PATENT-APPL-SN-096255
US-PATENT-APPL-SN-801290
US-PATENT-APPL-SN-931090
US-PATENT-CLASS-415-174
US-PATENT-CLASS-415-196
US-PATENT-4,135,851
US-PATENT-4,207,024
US-PATENT-4,295,786
N82-21268* c 25 ..... NASA-CASE-LEW-12358-2
US-PATENT-APPL-SN-776146
US-PATENT-APPL-SN-848428
US-PATENT-CLASS-264-216
US-PATENT-CLASS-264-453
US-PATENT-CLASS-264-53
US-PATENT-CLASS-427-115
US-PATENT-CLASS-427-244
US-PATENT-CLASS-427-246
US-PATENT-4,133,941
US-PATENT-4,309,372
N82-21269* c 25 ..... NASA-CASE-XLA-08914-2
US-PATENT-APPL-SN-662181
US-PATENT-APPL-SN-810576
US-PATENT-CLASS-210-321.1
US-PATENT-CLASS-55-158
US-PATENT-4,302,223
N82-21587* c 37 ..... NASA-CASE-NPO-14395-1
US-PATENT-APPL-SN-961833
US-PATENT-CLASS-104-83
US-PATENT-CLASS-105-1A
US-PATENT-CLASS-105-171
US-PATENT-CLASS-105-180
US-PATENT-CLASS-105-218R
US-PATENT-CLASS-248-425
US-PATENT-4,301,740
N82-22496* # c 37 ..... NASA-CASE-ARC-11325-1
US-PATENT-APPL-SN-354126
N82-22875* c 52 ..... NASA-CASE-GSC-12081-2
US-PATENT-APPL-SN-672209
US-PATENT-APPL-SN-796258
US-PATENT-CLASS-128-1.2
US-PATENT-CLASS-128-778
US-PATENT-CLASS-33-143C
US-PATENT-4,294,264
N82-23231* c 04 ..... NASA-CASE-FRC-11052-1
US-PATENT-APPL-SN-129783
US-PATENT-CLASS-244-168
US-PATENT-CLASS-244-175
US-PATENT-CLASS-244-190
US-PATENT-CLASS-318-580
US-PATENT-4,326,685
N82-23254* c 09 ..... NASA-CASE-LAR-12441-1
US-PATENT-APPL-SN-145210
US-PATENT-CLASS-73-147
US-PATENT-4,327,581
N82-23282* c 25 ..... NASA-CASE-NPO-14542-1
US-PATENT-APPL-SN-030831
US-PATENT-CLASS-166-267
US-PATENT-CLASS-166-303
US-PATENT-CLASS-208-241
US-PATENT-4,310,049
N82-23376* c 32 ..... NASA-CASE-NPO-14361-1
US-PATENT-APPL-SN-053572
US-PATENT-CLASS-343-17.1PF
US-PATENT-CLASS-343-5DP
US-PATENT-CLASS-343-7.5
US-PATENT-CLASS-356-5
US-PATENT-CLASS-367-95
US-PATENT-4,320,397
N82-24072* c 74 ..... NASA-CASE-NPO-14813-1
US-PATENT-APPL-SN-145282
US-PATENT-CLASS-250-216
US-PATENT-CLASS-250-235
US-PATENT-4,320,290
N82-24205* c 08 ..... NASA-CASE-LAR-12412-1
US-PATENT-APPL-SN-067595
US-PATENT-CLASS-244-213
US-PATENT-CLASS-244-226
US-PATENT-CLASS-244-78
US-PATENT-CLASS-74-479
US-PATENT-CLASS-74-480R
US-PATENT-4,272,046
N82-24212* c 09 ..... NASA-CASE-ARC-11158-1
US-PATENT-APPL-SN-053566
US-PATENT-CLASS-434-42
US-PATENT-CLASS-434-43
US-PATENT-4,313,726
N82-24272* c 15 ..... NASA-CASE-ARC-11256-1
US-PATENT-APPL-SN-032305
US-PATENT-CLASS-102-504
US-PATENT-CLASS-242-128
US-PATENT-4,271,761
N82-24296* c 24 ..... NASA-CASE-FRC-11026-1
US-PATENT-APPL-SN-043944
US-PATENT-CLASS-228-157
US-PATENT-CLASS-244-119
US-PATENT-CLASS-244-123
US-PATENT-CLASS-428-593
US-PATENT-CLASS-428-594
US-PATENT-CLASS-428-604
US-PATENT-4,292,375
N82-24312* c 25 ..... NASA-CASE-ARC-11097-1
US-PATENT-APPL-SN-891872
US-PATENT-CLASS-260-386
US-PATENT-CLASS-260-389
US-PATENT-CLASS-528-402
US-PATENT-CLASS-570-123
US-PATENT-CLASS-570-129
US-PATENT-4,307,024
N82-24338* c 27 ..... NASA-CASE-ARC-11253-2
US-PATENT-APPL-SN-028301
US-PATENT-APPL-SN-145284
US-PATENT-CLASS-528-310
US-PATENT-CLASS-528-328
US-PATENT-CLASS-528-362
US-PATENT-CLASS-528-401
US-PATENT-CLASS-528-422
US-PATENT-4,273,918
N82-24339* c 27 ..... NASA-CASE-ARC-11310-1
US-PATENT-APPL-SN-147700
US-PATENT-CLASS-102-289
US-PATENT-CLASS-244-121
US-PATENT-CLASS-244-158A
US-PATENT-CLASS-244-160
US-PATENT-CLASS-428-192
US-PATENT-CLASS-428-193
US-PATENT-CLASS-428-241
US-PATENT-CLASS-428-242
US-PATENT-CLASS-428-245
US-PATENT-CLASS-428-251
US-PATENT-CLASS-428-257
US-PATENT-CLASS-428-260
US-PATENT-CLASS-428-266
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-448
US-PATENT-CLASS-428-49
US-PATENT-4,308,309
N82-24340* c 27 ..... NASA-CASE-MFS-25181-1
US-PATENT-APPL-SN-218585
US-PATENT-CLASS-156-315
US-PATENT-CLASS-156-338
US-PATENT-CLASS-428-332
US-PATENT-CLASS-428-339
US-PATENT-CLASS-428-462
US-PATENT-CLASS-428-466
US-PATENT-CLASS-428-493
US-PATENT-4,327,150
N82-24415* c 33 ..... NASA-CASE-LEW-13282-1
US-PATENT-APPL-SN-073579
US-PATENT-CLASS-315-3.6
US-PATENT-CLASS-315-5.38
US-PATENT-4,277,721
N82-24416* c 33 ..... NASA-CASE-LAR-12633-1
US-PATENT-APPL-SN-135039
US-PATENT-CLASS-358-213
US-PATENT-4,279,001
N82-24417* c 33 ..... NASA-CASE-FRC-11025-1
US-PATENT-APPL-SN-115536
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-109
US-PATENT-CLASS-330-290
US-PATENT-CLASS-330-294
US-PATENT-CLASS-330-306
US-PATENT-CLASS-364-825
US-PATENT-4,275,453
N82-24418* c 33 ..... NASA-CASE-NPO-14556-1
US-PATENT-APPL-SN-023485
US-PATENT-CLASS-307-415
US-PATENT-CLASS-328-67
US-PATENT-CLASS-331-94.5G
US-PATENT-CLASS-331-94.5PE
US-PATENT-CLASS-333-20
US-PATENT-4,275,317
N82-24419* c 33 ..... NASA-CASE-GSC-12415-1
US-PATENT-APPL-SN-043943
US-PATENT-CLASS-165-32
US-PATENT-CLASS-62-383
US-PATENT-4,281,708
N82-24420* c 33 ..... NASA-CASE-ARC-11116-1
US-PATENT-APPL-SN-069485
US-PATENT-CLASS-324-51
US-PATENT-CLASS-324-52
US-PATENT-4,282,479
N82-24421* c 33 ..... NASA-CASE-GSC-12518-1
US-PATENT-APPL-SN-119336
US-PATENT-CLASS-310-12
US-PATENT-CLASS-318-135
US-PATENT-CLASS-335-229
US-PATENT-CLASS-335-266
US-PATENT-4,315,197
N82-24422* c 33 ..... NASA-CASE-GSC-12595-1
US-PATENT-APPL-SN-206506
US-PATENT-CLASS-336-120
US-PATENT-CLASS-336-83
US-PATENT-4,321,572
N82-24427* # c 33 ..... NASA-CASE-MSC-18407-1
US-PATENT-APPL-SN-293419
N82-24470* c 35 ..... NASA-CASE-LAR-12321-1
US-PATENT-APPL-SN-178195
US-PATENT-CLASS-29-613
US-PATENT-CLASS-338-25
US-PATENT-CLASS-338-275
US-PATENT-CLASS-338-28
US-PATENT-4,317,102
N82-24471* c 35 ..... NASA-CASE-GSC-12354-1
US-PATENT-APPL-SN-128229
US-PATENT-CLASS-250-385
US-PATENT-CLASS-250-386
US-PATENT-CLASS-250-389
US-PATENT-CLASS-29-25.14
US-PATENT-CLASS-313-348
US-PATENT-CLASS-313-93
US-PATENT-4,325,001
N82-24490* c 37 ..... NASA-CASE-LAR-12315-1
US-PATENT-APPL-SN-096257
US-PATENT-CLASS-220-378
US-PATENT-CLASS-277-1
US-PATENT-CLASS-277-105
US-PATENT-CLASS-277-2
US-PATENT-CLASS-277-204
US-PATENT-CLASS-277-4
US-PATENT-CLASS-277-59
US-PATENT-CLASS-277-72R
US-PATENT-CLASS-285-37
US-PATENT-4,309,039
N82-24491* c 37 ..... NASA-CASE-MSC-18430-1
US-PATENT-APPL-SN-113015
US-PATENT-CLASS-156-84
US-PATENT-CLASS-156-85
US-PATENT-CLASS-156-86
US-PATENT-CLASS-264-230
US-PATENT-CLASS-264-342R
US-PATENT-4,269,640
N82-24492* c 37 ..... NASA-CASE-ARC-11110-1
US-PATENT-APPL-SN-945040
US-PATENT-CLASS-118-320
US-PATENT-CLASS-118-500
US-PATENT-CLASS-118-503
US-PATENT-CLASS-118-505
US-PATENT-CLASS-427-425

US-PATENT-4,312,292
N82-24493* c 37 ..... NASA-CASE-NPO-15115-1
US-PATENT-APPL-SN-154725
US-PATENT-CLASS-74-18.1
US-PATENT-CLASS-74-18.2
US-PATENT-CLASS-92-37
US-PATENT-4,311,057
N82-24494* c 37 ..... NASA-CASE-MSC-18526-1
US-PATENT-APPL-SN-119335
US-PATENT-CLASS-285-159
US-PATENT-CLASS-285-401
US-PATENT-CLASS-285-89
US-PATENT-CLASS-403-315
US-PATENT-4,320,911
N82-24639* c 44 ..... NASA-CASE-MFS-23830-1
US-PATENT-APPL-SN-129780
US-PATENT-CLASS-415-DIG.8
US-PATENT-CLASS-415-2R
US-PATENT-4,309,146
N82-24640* c 44 ..... NASA-CASE-LAR-12148-1
US-PATENT-APPL-SN-051275
US-PATENT-CLASS-60-516
US-PATENT-CLASS-60-641.14
US-PATENT-4,326,381
N82-24641* c 44 ..... NASA-CASE-GSC-10019-1
US-PATENT-APPL-SN-680048
US-PATENT-CLASS-136-6
US-PATENT-3,498,841
N82-24642* c 44 ..... NASA-CASE-GSC-10350-1
US-PATENT-APPL-SN-679980
US-PATENT-CLASS-136-6
US-PATENT-3,498,840
N82-24643* c 44 ..... NASA-CASE-GSC-10017-1
US-PATENT-APPL-SN-679996
US-PATENT-CLASS-136-6
US-PATENT-3,519,484
N82-24644* c 44 ..... NASA-CASE-GSC-10018-1
US-PATENT-APPL-SN-679987
US-PATENT-CLASS-136-6
US-PATENT-3,519,483
N82-24645* c 44 ..... NASA-CASE-GSC-10349-1
US-PATENT-APPL-SN-658999
US-PATENT-CLASS-136-148
US-PATENT-3,506,496
N82-24779* c 47 ..... NASA-CASE-KSC-11099-1
US-PATENT-APPL-SN-043945
US-PATENT-CLASS-324-72
US-PATENT-CLASS-324-77R
US-PATENT-4,272,720
N82-24839* c 60 ..... NASA-CASE-FRC-11042-1
US-PATENT-APPL-SN-129778
US-PATENT-CLASS-254-131
US-PATENT-CLASS-29-267
US-PATENT-CLASS-29-764
US-PATENT-4,307,510
N82-25484*# c 35 ..... NASA-CASE-NPO-15494-1
US-PATENT-APPL-SN-325885
N82-26277* c 05 ..... NASA-CASE-FRC-11007-2
US-PATENT-APPL-SN-043911
US-PATENT-CLASS-244.12.2
US-PATENT-CLASS-244-23C
US-PATENT-CLASS-244-34A
US-PATENT-CLASS-244-93
US-PATENT-4,307,856
N82-26293* c 07 ..... NASA-CASE-LEW-13199-1
US-PATENT-APPL-SN-025301
US-PATENT-CLASS-244-110B
US-PATENT-CLASS-60-226A
US-PATENT-4,278,220
N82-26384* c 24 ..... NASA-CASE-LAR-11688-1
US-PATENT-APPL-SN-878540
US-PATENT-CLASS-244-119
US-PATENT-CLASS-244-123
US-PATENT-CLASS-244-132
US-PATENT-4,310,132
N82-26387*# c 24 ..... NASA-CASE-MSC-18934-3
US-PATENT-APPL-SN-361711
N82-26396* c 25 ..... NASA-CASE-LAR-12705-1
US-PATENT-APPL-SN-135058
US-PATENT-CLASS-252-514
US-PATENT-4,311,615
N82-26568* c 33 ..... NASA-CASE-LEW-12296-1
US-PATENT-APPL-SN-122966
US-PATENT-CLASS-315-3.5
US-PATENT-CLASS-315-3.6
US-PATENT-CLASS-330-43
US-PATENT-4,315,194
N82-26569* c 33 ..... NASA-CASE-MFS-23828-1
US-PATENT-APPL-SN-111436
US-PATENT-CLASS-318-254
US-PATENT-CLASS-318-806
US-PATENT-CLASS-318-812
US-PATENT-CLASS-318-830
US-PATENT-4,313,077
N82-26570* c 33 ..... NASA-CASE-LAR-12659-1
US-PATENT-APPL-SN-171928
US-PATENT-CLASS-340-347DD
US-PATENT-4,313,103
N82-26571* c 33 ..... NASA-CASE-LAR-12595-1
US-PATENT-APPL-SN-070774
US-PATENT-CLASS-156-157
US-PATENT-CLASS-156-272
US-PATENT-CLASS-156-379.7
US-PATENT-CLASS-156-71
US-PATENT-CLASS-219-10.41
US-PATENT-CLASS-219-10.53
US-PATENT-CLASS-219-545
US-PATENT-CLASS-428-247
US-PATENT-4,313,777
N82-26572* c 33 ..... NASA-CASE-LAR-12465-1
US-PATENT-APPL-SN-106136
US-PATENT-CLASS-361-283
US-PATENT-CLASS-367-181
US-PATENT-CLASS-73-724
US-PATENT-4,310,906
N82-26628* c 35 ..... NASA-CASE-LAR-12474-1
US-PATENT-APPL-SN-171934
US-PATENT-CLASS-352-171
US-PATENT-CLASS-354-217
US-PATENT-CLASS-354-289
US-PATENT-4,311,378
N82-26631*# c 35 ..... NASA-CASE-MFS-25707-1
US-PATENT-APPL-SN-359627
N82-26672* c 37 ..... NASA-CASE-MSC-18538-1
US-PATENT-APPL-SN-138944
US-PATENT-CLASS-30-102
US-PATENT-4,305,205
N82-26673*# c 37 ..... NASA-CASE-MSC-18742-1
US-PATENT-APPL-SN-293417
N82-26674*# c 37 ..... NASA-CASE-LEW-13268-2
US-PATENT-APPL-SN-325931
N82-26776* c 44 ..... NASA-CASE-NPO-15183-1
US-PATENT-APPL-SN-173519
US-PATENT-CLASS-62-148
US-PATENT-CLASS-62-235.1
US-PATENT-CLASS-62-238.3
US-PATENT-CLASS-62-239
US-PATENT-CLASS-62-244
US-PATENT-CLASS-62-476
US-PATENT-4,307,575
N82-26777* c 44 ..... NASA-CASE-NPO-15179-1
US-PATENT-APPL-SN-185867
US-PATENT-CLASS-136-261
US-PATENT-CLASS-136-290
US-PATENT-CLASS-148-1.5
US-PATENT-CLASS-219-121LN
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-63
US-PATENT-4,311,870
N82-26987* c 54 ..... NASA-CASE-ARC-11314-1
US-PATENT-APPL-SN-168943
US-PATENT-CLASS-73-862.08
US-PATENT-4,311,055
N82-27086*# c 71 ..... NASA-CASE-NPO-15562-1
US-PATENT-APPL-SN-364097
N82-27558* c 32 ..... NASA-CASE-MSC-18532-1
US-PATENT-APPL-SN-172099
US-PATENT-CLASS-343-789
US-PATENT-CLASS-343-895
US-PATENT-4,315,266
N82-28279* c 05 ..... NASA-CASE-LAR-12175-1
US-PATENT-APPL-SN-079913
US-PATENT-CLASS-244-48
US-PATENT-4,330,100
N82-28353* c 23 ..... NASA-CASE-ARC-11267-2
US-PATENT-APPL-SN-163838
US-PATENT-CLASS-528-401
US-PATENT-CLASS-528-422
US-PATENT-CLASS-547-131
US-PATENT-CLASS-564-229
US-PATENT-4,316,035
N82-28368* c 25 ..... NASA-CASE-NPO-15015-1
US-PATENT-APPL-SN-145207
US-PATENT-CLASS-203-12
US-PATENT-CLASS-422-186
US-PATENT-CLASS-422-198
US-PATENT-CLASS-423-235
US-PATENT-CLASS-423-539
US-PATENT-CLASS-423-540
US-PATENT-CLASS-423-542
US-PATENT-CLASS-423-579
US-PATENT-CLASS-423-648R
US-PATENT-4,314,984
N82-28440* c 27 ..... NASA-CASE-LEW-13120-1
US-PATENT-APPL-SN-218587
US-PATENT-CLASS-204-192E
US-PATENT-CLASS-204-192EC
US-PATENT-CLASS-264-22
US-PATENT-CLASS-264-220
US-PATENT-CLASS-428-141
US-PATENT-4,329,385
N82-28441* c 27 ..... NASA-CASE-LEW-13343-1
US-PATENT-APPL-SN-161254
US-PATENT-CLASS-427-205
US-PATENT-CLASS-427-253
US-PATENT-CLASS-427-405
US-PATENT-CLASS-428-938
US-PATENT-CLASS-428-941
US-PATENT-4,310,574
N82-28442* c 27 ..... NASA-CASE-NPO-14845-1
US-PATENT-APPL-SN-219680
US-PATENT-CLASS-264-5
US-PATENT-CLASS-425-6
US-PATENT-CLASS-65-142
US-PATENT-CLASS-65-21.4
US-PATENT-CLASS-65-22
US-PATENT-4,313,745
N82-28545* c 33 ..... NASA-CASE-MFS-23776-1
US-PATENT-APPL-SN-145272
US-PATENT-CLASS-250-214
US-PATENT-CLASS-250-221
US-PATENT-4,319,133
N82-28604* c 35 ..... NASA-CASE-LAR-12709-1
US-PATENT-APPL-SN-235796
US-PATENT-CLASS-204-195B
US-PATENT-CLASS-435-291
US-PATENT-CLASS-435-34
US-PATENT-CLASS-435-39
US-PATENT-4,335,200
N82-28616* c 36 ..... NASA-CASE-NPO-14782-1
US-PATENT-APPL-SN-119339
US-PATENT-CLASS-330-4.3
US-PATENT-CLASS-372-56
US-PATENT-CLASS-372-58
US-PATENT-CLASS-372-82
US-PATENT-4,328,464
N82-28780* c 44 ..... NASA-CASE-NPO-13689-4
US-PATENT-APPL-SN-225501
US-PATENT-APPL-SN-597430
US-PATENT-APPL-SN-683073
US-PATENT-APPL-SN-837513
US-PATENT-APPL-SN-93714
US-PATENT-CLASS-148-175
US-PATENT-CLASS-29-572
US-PATENT-CLASS-427-531
US-PATENT-CLASS-427-74
US-PATENT-4,278,830
US-PATENT-4,321,099
N82-29002* c 54 ..... NASA-CASE-XMS-03694-1
US-PATENT-APPL-SN-394280
US-PATENT-CLASS-165-46
US-PATENT-3,295,594
N82-29013* c 60 ..... NASA-CASE-MSC-18498-1
US-PATENT-APPL-SN-173518
US-PATENT-CLASS-244-194
US-PATENT-CLASS-318-564
US-PATENT-CLASS-371-68
US-PATENT-4,327,437
N82-29330* c 09 ..... NASA-CASE-KSC-11042-1
US-PATENT-APPL-SN-154663
US-PATENT-APPL-SN-862878
US-PATENT-CLASS-53-429
US-PATENT-CLASS-8-150
US-PATENT-4,244,810
US-PATENT-4,313,291
N82-29358* c 23 ..... NASA-CASE-LAR-10423-1
US-PATENT-APPL-SN-877445
US-PATENT-CLASS-260-65
US-PATENT-3,657,190
N82-29362* c 24 ..... NASA-CASE-MSC-18223-1
US-PATENT-APPL-SN-219681
US-PATENT-CLASS-128-280
US-PATENT-CLASS-128-283
US-PATENT-CLASS-128-284
US-PATENT-CLASS-128-285
US-PATENT-CLASS-128-288
US-PATENT-CLASS-128-291
US-PATENT-CLASS-128-296
US-PATENT-CLASS-428-283
US-PATENT-CLASS-428-284
US-PATENT-CLASS-428-286
US-PATENT-CLASS-428-287
US-PATENT-CLASS-428-288
US-PATENT-4,338,371
N82-29370* c 25 ..... NASA-CASE-XGS-05584-1
NASA-CASE-XGS-07375-1
NASA-CASE-XGS-07397-1
US-PATENT-APPL-SN-446071
US-PATENT-CLASS-106-197
US-PATENT-3,442,674
N82-29371* c 25 ..... NASA-CASE-NPO-14902-1
US-PATENT-APPL-SN-156790
US-PATENT-CLASS-201-17
US-PATENT-CLASS-44-1SR
US-PATENT-4,325,707
N82-29415* c 26 ..... NASA-CASE-LEW-13169-1
US-PATENT-APPL-SN-102003
US-PATENT-CLASS-204-192C

US-PATENT-4,336,117
N82-29451* c 27 ..... NASA-CASE-HQN-10274-1
US-PATENT-APPL-SN-683465
US-PATENT-CLASS-106-52
US-PATENT-3,573,078
N82-29452* c 27 ..... NASA-CASE-HQN-10931-2
US-PATENT-APPL-SN-246295
US-PATENT-APPL-SN-874674
US-PATENT-CLASS-106-50
US-PATENT-CLASS-106-52
US-PATENT-CLASS-106-54
US-PATENT-3,785,836
N82-29453* c 27 ..... NASA-CASE-LEW-13268-1
US-PATENT-APPL-SN-145209
US-PATENT-CLASS-415-174
US-PATENT-CLASS-427-34
US-PATENT-CLASS-427-423
US-PATENT-4,336,276
N82-29454* c 27 ..... NASA-CASE-HQN-10328-2
US-PATENT-APPL-SN-246294
US-PATENT-APPL-SN-874673
US-PATENT-CLASS-106-50
US-PATENT-CLASS-106-52
US-PATENT-CLASS-106-54
US-PATENT-3,811,901
N82-29455* c 27 ..... NASA-CASE-HQN-10595-1
US-PATENT-APPL-SN-259056
US-PATENT-APPL-SN-874675
US-PATENT-CLASS-106-50
US-PATENT-CLASS-106-52
US-PATENT-3,947,281
N82-29456* c 27 ..... NASA-CASE-MSC-18741-1
US-PATENT-APPL-SN-217336
US-PATENT-CLASS-156-329
US-PATENT-CLASS-244-121
US-PATENT-CLASS-244-158A
US-PATENT-CLASS-244-160
US-PATENT-CLASS-244-163
US-PATENT-CLASS-428-212
US-PATENT-CLASS-428-218
US-PATENT-CLASS-428-283
US-PATENT-CLASS-428-289
US-PATENT-CLASS-428-307.7
US-PATENT-CLASS-428-311.5
US-PATENT-CLASS-428-312.6
US-PATENT-CLASS-428-317.9
US-PATENT-CLASS-428-325
US-PATENT-CLASS-428-446
US-PATENT-CLASS-428-49
US-PATENT-4,338,368
N82-29538* c 33 ..... NASA-CASE-NPO-15066-1
US-PATENT-APPL-SN-191744
US-PATENT-CLASS-179-18GF
US-PATENT-CLASS-340-825.89
US-PATENT-CLASS-370-67
US-PATENT-4,331,956
N82-29539* c 33 ..... NASA-CASE-NPO-14311-1
US-PATENT-APPL-SN-969762
US-PATENT-CLASS-328-166
US-PATENT-CLASS-455-202
US-PATENT-CLASS-455-208
US-PATENT-CLASS-455-234
US-PATENT-CLASS-455-306
US-PATENT-4,336,616
N82-29589* c 36 ..... NASA-CASE-NPO-15111-1
US-PATENT-APPL-SN-150040
US-PATENT-CLASS-350-358
US-PATENT-4,332,441
N82-29708* c 44 ..... NASA-CASE-LEW-13171-1
US-PATENT-APPL-SN-238790
US-PATENT-CLASS-429-144
US-PATENT-CLASS-429-251
US-PATENT-CLASS-429-254
US-PATENT-4,331,746
N82-29709* c 44 ..... NASA-CASE-LEW-13401-1
US-PATENT-APPL-SN-219678
US-PATENT-CLASS-136-249
US-PATENT-CLASS-148-1.5
US-PATENT-CLASS-29-572
US-PATENT-CLASS-357-30
US-PATENT-4,335,503
N82-29710* c 44 ..... NASA-CASE-NPO-15269-1
US-PATENT-APPL-SN-220214
US-PATENT-CLASS-204-290F
US-PATENT-CLASS-204-290R
US-PATENT-CLASS-429-193
US-PATENT-CLASS-429-33
US-PATENT-CLASS-429-40
US-PATENT-4,331,742
N82-29862* c 52 ..... NASA-CASE-LAR-12471-1
US-PATENT-APPL-SN-178193
US-PATENT-CLASS-128-62A
US-PATENT-CLASS-433-118
US-PATENT-CLASS-433-125
US-PATENT-CLASS-433-86
US-PATENT-4,331,422
N82-29863* c 52 ..... NASA-CASE-GSC-12560-1
US-PATENT-APPL-SN-153246
US-PATENT-CLASS-128-421
US-PATENT-4,308,868
N82-30071* c 74 ..... NASA-CASE-MSC-18627-1
US-PATENT-APPL-SN-186881
US-PATENT-CLASS-250-226
US-PATENT-CLASS-250-231R
US-PATENT-CLASS-374-162R
US-PATENT-4,338,516
N82-30105* c 76 ..... NASA-CASE-NPO-14831-1
US-PATENT-APPL-SN-233269
US-PATENT-CLASS-156-602
US-PATENT-CLASS-156-608
US-PATENT-CLASS-422-246
US-PATENT-4,330,359
N82-30371* c 26 ..... NASA-CASE-LEW-13169-2
US-PATENT-APPL-SN-102003
US-PATENT-APPL-SN-191746
US-PATENT-CLASS-204-192C
US-PATENT-CLASS-428-457
US-PATENT-CLASS-428-472
US-PATENT-4,341,843
N82-31505* c 26 ..... NASA-CASE-LEW-13339-1
US-PATENT-APPL-SN-199769
US-PATENT-CLASS-148-428
US-PATENT-CLASS-420-445
US-PATENT-CLASS-420-551
US-PATENT-CLASS-420-588
US-PATENT-4,340,425
N82-31583* c 32 ..... NASA-CASE-MSC-16462-1
US-PATENT-APPL-SN-900841
US-PATENT-CLASS-178-22.16
US-PATENT-CLASS-178-22.17
US-PATENT-CLASS-364-717
US-PATENT-CLASS-375-106
US-PATENT-4,341,925
N82-31659* c 35 ..... NASA-CASE-LAR-12363-1
US-PATENT-APPL-SN-191748
US-PATENT-CLASS-250-332
US-PATENT-CLASS-250-370
US-PATENT-CLASS-29-576J
US-PATENT-CLASS-29-576S
US-PATENT-CLASS-29-620
US-PATENT-4,341,012
N82-31690*# c 37 ..... NASA-CASE-MSC-20304-1
US-PATENT-APPL-SN-393585
N82-31764* c 44 ..... NASA-CASE-LEW-13400-1
US-PATENT-APPL-SN-219677
US-PATENT-CLASS-136-249
US-PATENT-CLASS-357-30
US-PATENT-4,341,918
N82-32366* c 07 ..... NASA-CASE-LEW-12938-1
US-PATENT-APPL-SN-060449
US-PATENT-CLASS-415-145
US-PATENT-CLASS-415-178
US-PATENT-CLASS-60-39.07
US-PATENT-CLASS-60-39.29
US-PATENT-CLASS-60-726
US-PATENT-4,329,114
N82-32373* c 08 ..... NASA-CASE-LAR-12468-1
US-PATENT-APPL-SN-135057
US-PATENT-CLASS-244-118.1
US-PATENT-CLASS-244-137R
US-PATENT-CLASS-89-1.5G
US-PATENT-4,343,447
N82-32417* c 24 ..... NASA-CASE-LAR-12620-1
US-PATENT-APPL-SN-072857
US-PATENT-CLASS-244-132
US-PATENT-CLASS-244-158A
US-PATENT-CLASS-428-594
US-PATENT-CLASS-428-604
US-PATENT-CLASS-428-607
US-PATENT-CLASS-428-608
US-PATENT-4,344,591
N82-32659* c 35 ..... NASA-CASE-GSC-12587-1
US-PATENT-APPL-SN-173524
US-PATENT-CLASS-250-369
US-PATENT-4,345,153
N82-32712* c 36 ..... NASA-CASE-LAR-12328-1
US-PATENT-APPL-SN-073477
US-PATENT-CLASS-350-453
US-PATENT-CLASS-356-28.5
US-PATENT-4,346,990
N82-32730* c 37 ..... NASA-CASE-GSC-12584-1
US-PATENT-APPL-SN-182879
US-PATENT-CLASS-125-23R
US-PATENT-CLASS-225-103
US-PATENT-4,343,287
N82-32731* c 37 ..... NASA-CASE-MFS-23846-1
US-PATENT-APPL-SN-168944
US-PATENT-CLASS-294-116
US-PATENT-CLASS-414-222
US-PATENT-CLASS-414-226
US-PATENT-CLASS-414-739
US-PATENT-4,343,584
N82-32732* c 37 ..... NASA-CASE-LAR-12482-1
US-PATENT-APPL-SN-100611
US-PATENT-CLASS-403-217
US-PATENT-CLASS-403-317
US-PATENT-CLASS-403-331
US-PATENT-CLASS-403-340
US-PATENT-CLASS-52-81
US-PATENT-4,340,318
N82-32841* c 44 ..... NASA-CASE-LAR-12513-1
US-PATENT-APPL-SN-161256
US-PATENT-CLASS-250-330
US-PATENT-CLASS-250-370
US-PATENT-4,331,873
N82-33288* c 85 ..... NASA-CASE-FRC-11058-1
US-PATENT-APPL-SN-175453
US-PATENT-CLASS-105-2R
US-PATENT-CLASS-244-53B
US-PATENT-CLASS-296-1S
US-PATENT-CLASS-296-24C
US-PATENT-CLASS-296-91
US-PATENT-4,343,506
N82-33520* c 27 ..... NASA-CASE-KSC-11097-1
US-PATENT-APPL-SN-172100
US-PATENT-CLASS-427-140
US-PATENT-CLASS-427-372.2
US-PATENT-CLASS-427-397.7
US-PATENT-4,330,572
N82-33521* c 27 ..... NASA-CASE-LEW-13028-1
US-PATENT-APPL-SN-218588
US-PATENT-CLASS-204-192E
US-PATENT-CLASS-204-192EC
US-PATENT-CLASS-204-38B
US-PATENT-CLASS-428-141
US-PATENT-4,344,996
N82-33523*# c 27 ..... NASA-CASE-ARC-14408-1
US-PATENT-APPL-SN-403371
N82-33634*# c 33 ..... NASA-CASE-MFS-15670-1
US-PATENT-APPL-SN-409679
N82-33996* c 52 ..... NASA-CASE-NPO-14549-2
US-PATENT-APPL-SN-149526
US-PATENT-APPL-SN-918705
US-PATENT-CLASS-128-422
US-PATENT-CLASS-128-784
US-PATENT-CLASS-128-804
US-PATENT-4,346,715
N83-10040* c 06 ..... NASA-CASE-NPO-15351-1
US-PATENT-APPL-SN-224231
US-PATENT-CLASS-343-100ME
US-PATENT-CLASS-374-122
US-PATENT-CLASS-374-123
US-PATENT-CLASS-73-170R
US-PATENT-CLASS-73-178R
US-PATENT-4,346,595
N83-10117* c 24 ..... NASA-CASE-LEW-12919-1
US-PATENT-APPL-SN-264378
US-PATENT-CLASS-204-192E
US-PATENT-CLASS-313-106
US-PATENT-CLASS-313-107
US-PATENT-CLASS-315-5.38
US-PATENT-4,349,424
N83-10126* c 25 ..... NASA-CASE-MFS-25426-1
US-PATENT-APPL-SN-254575
US-PATENT-CLASS-204-299R
US-PATENT-4,349,429
N83-10170* c 26 ..... NASA-CASE-LEW-12941-1
US-PATENT-APPL-SN-210632
US-PATENT-CLASS-29-458
US-PATENT-CLASS-29-521
US-PATENT-CLASS-403-282
US-PATENT-4,349,954
N83-10345* c 33 ..... NASA-CASE-MFS-25208-1
US-PATENT-APPL-SN-280154
US-PATENT-CLASS-318-803
US-PATENT-CLASS-363-87
US-PATENT-4,351,022
N83-10417* c 36 ..... NASA-CASE-NPO-15021-1
US-PATENT-APPL-SN-130496
US-PATENT-CLASS-372-56
US-PATENT-CLASS-372-59
US-PATENT-CLASS-372-60
US-PATENT-4,347,613
N83-10494* c 44 ..... NASA-CASE-LEW-13131-1
US-PATENT-APPL-SN-246772
US-PATENT-CLASS-204-56R
US-PATENT-4,350,574
N83-10501* c 44 ..... NASA-CASE-NPO-14369-1
US-PATENT-APPL-SN-126063
US-PATENT-CLASS-422-200
US-PATENT-CLASS-422-202
US-PATENT-CLASS-422-224
US-PATENT-CLASS-55-204
US-PATENT-4,343,772
N83-10900* c 74 ..... NASA-CASE-GSC-12608-1
US-PATENT-APPL-SN-195228
US-PATENT-CLASS-350-170
US-PATENT-CLASS-350-286

US-PATENT-4,350,410
N83-13171* c 24 ..... NASA-CASE-MSC-18737-1
US-PATENT-APPL-SN-266256
US-PATENT-CLASS-427-379
US-PATENT-CLASS-427-384
US-PATENT-CLASS-427-387
US-PATENT-CLASS-428-218
US-PATENT-4,358,486
N83-13172* c 24 ..... NASA-CASE-MSC-18736-1
US-PATENT-APPL-SN-266254
US-PATENT-CLASS-244-158A
US-PATENT-CLASS-427-140
US-PATENT-CLASS-427-292
US-PATENT-CLASS-427-302
US-PATENT-CLASS-427-379
US-PATENT-CLASS-427-384
US-PATENT-CLASS-427-387
US-PATENT-CLASS-428-63
US-PATENT-4,358,480
N83-13187* c 25 ..... NASA-CASE-MFS-25306-1
US-PATENT-APPL-SN-309293
US-PATENT-CLASS-204-280R
US-PATENT-CLASS-204-299R
US-PATENT-4,358,358
N83-13188* c 25 ..... NASA-CASE-LEW-13504-1
US-PATENT-APPL-SN-272234
US-PATENT-CLASS-264-104
US-PATENT-CLASS-429-206
US-PATENT-CLASS-429-253
US-PATENT-CLASS-525-61
US-PATENT-4,357,402
N83-13323* c 32 ..... NASA-CASE-KSC-11025-1
US-PATENT-APPL-SN-061327
US-PATENT-CLASS-371-6
US-PATENT-4,358,846
N83-13579* c 44 ..... NASA-CASE-LEW-13620-1
US-PATENT-APPL-SN-242796
US-PATENT-CLASS-136-256
US-PATENT-CLASS-136-259
US-PATENT-CLASS-29-572
US-PATENT-CLASS-357-30
US-PATENT-CLASS-427-88
US-PATENT-CLASS-427-89
US-PATENT-CLASS-427-90
US-PATENT-CLASS-427-91
US-PATENT-4,335,196
N83-13978* c 74 ..... NASA-CASE-ARC-11311-1
US-PATENT-APPL-SN-219640
US-PATENT-CLASS-350-287
US-PATENT-CLASS-350-486
US-PATENT-4,355,870
N83-14692* c 44 ..... NASA-CASE-LEW-12892-1
US-PATENT-APPL-SN-264380
US-PATENT-CLASS-136-255
US-PATENT-CLASS-136-256
US-PATENT-CLASS-136-259
US-PATENT-4,360,701
N83-14693* c 44 ..... NASA-CASE-MSC-18794-1
US-PATENT-APPL-SN-238785
US-PATENT-CLASS-417-399
US-PATENT-CLASS-74-110
US-PATENT-4,360,325
N83-16626* c 33 ..... NASA-CASE-LAR-12772-1
US-PATENT-APPL-SN-199767
US-PATENT-CLASS-73-579
US-PATENT-CLASS-73-597
US-PATENT-CLASS-73-629
US-PATENT-CLASS-73-761
US-PATENT-4,363,242
N83-16633* # c 33 ..... NASA-CASE-LAR-12847-1
US-PATENT-APPL-SN-393456
N83-17045* c 51 ..... NASA-CASE-NPO-15213-1
US-PATENT-APPL-SN-280153
US-PATENT-CLASS-47-58
US-PATENT-CLASS-71-98
US-PATENT-4,363,188
N83-17235* c 71 ..... NASA-CASE-LAR-12883-1
US-PATENT-APPL-SN-267935
US-PATENT-CLASS-73-147
US-PATENT-4,363,237
N83-17305* c 74 ..... NASA-CASE-MFS-25312-1
US-PATENT-APPL-SN-187106
US-PATENT-CLASS-350-171
US-PATENT-4,362,361
N83-17588* # c 20 ..... NASA-CASE-MFS-25843-1
US-PATENT-APPL-SN-444125
N83-17628* # c 25 ..... NASA-CASE-LEW-13609-1
US-PATENT-APPL-SN-452465
N83-18908* c 27 ..... NASA-CASE-MSC-18832-1
US-PATENT-APPL-SN-365950
US-PATENT-CLASS-428-241
US-PATENT-CLASS-428-244
US-PATENT-CLASS-428-245
US-PATENT-CLASS-428-260
US-PATENT-CLASS-428-331
US-PATENT-CLASS-428-368
US-PATENT-CLASS-428-902
US-PATENT-CLASS-428-913
US-PATENT-CLASS-428-920
US-PATENT-4,373,003
N83-18975* c 32 ..... NASA-CASE-NPO-14998-1
US-PATENT-APPL-SN-195547
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-343-100CL
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-364-822
US-PATENT-CLASS-364-861
US-PATENT-4,371,946
N83-18996* c 33 ..... NASA-CASE-NPO-14567-1
US-PATENT-APPL-SN-038550
US-PATENT-APPL-SN-180230
US-PATENT-CLASS-250-311
US-PATENT-CLASS-324-73R
US-PATENT-CLASS-356-394
US-PATENT-4,358,732
N83-19015* c 34 ..... NASA-CASE-MFS-25282-1
US-PATENT-APPL-SN-263828
US-PATENT-CLASS-378-2
US-PATENT-CLASS-378-43
US-PATENT-4,370,750
N83-19091* c 37 ..... NASA-CASE-LAR-12361-1
US-PATENT-APPL-SN-182880
US-PATENT-CLASS-411-353
US-PATENT-CLASS-411-517
US-PATENT-4,371,301
N83-19596* c 74 ..... NASA-CASE-LEW-12253-1
US-PATENT-APPL-SN-243682
US-PATENT-CLASS-165-104.26
US-PATENT-CLASS-165-134R
US-PATENT-CLASS-29-157.3H
US-PATENT-4,372,377
N83-19597* c 74 ..... NASA-CASE-NPO-14864-1
US-PATENT-APPL-SN-061822
US-PATENT-CLASS-250-227
US-PATENT-CLASS-250-332
US-PATENT-CLASS-250-340
US-PATENT-CLASS-250-350
US-PATENT-CLASS-250-351
US-PATENT-CLASS-350-353
US-PATENT-4,262,198
N83-19737* c 05 ..... NASA-CASE-FRC-11065-1
US-PATENT-APPL-SN-248744
US-PATENT-CASE-244-121
US-PATENT-CASE-244-129.4
US-PATENT-CASE-292-254
US-PATENT-4,375,281
N83-19900* c 27 ..... NASA-CASE-NPO-14857-1
US-PATENT-APPL-SN-158530
US-PATENT-CLASS-523-205
US-PATENT-CLASS-524-436
US-PATENT-CLASS-524-437
US-PATENT-CLASS-524-503
US-PATENT-CLASS-524-564
US-PATENT-CLASS-524-786
US-PATENT-4,373,039
N83-19947* c 31 ..... NASA-CASE-NPO-15789-1
US-PATENT-APPL-SN-322316
US-PATENT-CLASS-204-129.55
US-PATENT-CLASS-204-129.75
US-PATENT-4,375,396
N83-19968* c 32 ..... NASA-CASE-NPO-14035-1
US-PATENT-APPL-SN-858767
US-PATENT-CLASS-343-100CL
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-9PS
US-PATENT-4,371,873
N83-20154* # c 37 ..... NASA-CASE-MFS-25807
US-PATENT-APPL-SN-460733
N83-20280* c 39 ..... NASA-CASE-MSC-18929-1
US-PATENT-APPL-SN-198093
US-PATENT-CLASS-128-782
US-PATENT-CLASS-358-105
US-PATENT-CLASS-364-413
US-PATENT-CLASS-364-522
US-PATENT-CLASS-364-559
US-PATENT-CLASS-73-379
US-PATENT-4,375,674
N83-20789* c 76 ..... NASA-CASE-NPO-15625-1
US-PATENT-APPL-SN-325933
US-PATENT-CLASS-148-173
US-PATENT-CLASS-148-175
US-PATENT-CLASS-156-608
US-PATENT-CLASS-156-624
US-PATENT-CLASS-156-635
US-PATENT-CLASS-156-654
US-PATENT-CLASS-156-662
US-PATENT-4,373,989
N83-20944* c 07 ..... NASA-CASE-MFS-23981-1
US-PATENT-APPL-SN-231543
US-PATENT-CLASS-244-159
US-PATENT-CLASS-244-173
US-PATENT-CLASS-322-2R
US-PATENT-CLASS-339-3R
US-PATENT-CLASS-339-5R
US-PATENT-CLASS-343-DIG2
US-PATENT-4,377,266
N83-20996* c 18 ..... NASA-CASE-LEW-13269-1
US-PATENT-APPL-SN-242795
US-PATENT-CLASS-415-174
US-PATENT-CLASS-415-197
US-PATENT-4,377,371
N83-21311* c 35 ..... NASA-CASE-LAR-12469-1
US-PATENT-APPL-SN-195223
US-PATENT-CLASS-250-338
US-PATENT-CLASS-250-372
US-PATENT-CLASS-250-474.1
US-PATENT-CLASS-356-51
US-PATENT-4,372,680
N83-21312* c 35 ..... NASA-CASE-MSC-18723-1
US-PATENT-APPL-SN-234223
US-PATENT-CLASS-73-818
US-PATENT-4,377,089
N83-21503* c 44 ..... NASA-CASE-LAR-12458-1
US-PATENT-APPL-SN-274705
US-PATENT-CLASS-73-147
US-PATENT-4,372,158
N83-21504* c 44 ..... NASA-CASE-LAR-12720-1
US-PATENT-APPL-SN-274706
US-PATENT-CLASS-73-147
US-PATENT-4,372,159
N83-21785* c 52 ..... NASA-CASE-LEW-13107-1
US-PATENT-APPL-SN-272407
US-PATENT-CLASS-604-280
US-PATENT-CLASS-604-8
US-PATENT-4,377,169
N83-21949* c 74 ..... NASA-CASE-ARC-11354-1
US-PATENT-APPL-SN-282192
US-PATENT-CLASS-356-357
US-PATENT-CLASS-73-147
US-PATENT-4,377,343
N83-24572* # c 25 ..... NASA-CASE-NPO-16135-1
US-PATENT-APPL-SN-470114
N83-24763* c 33 ..... NASA-CASE-LAR-12363-2
US-PATENT-APPL-SN-377892
US-PATENT-CLASS-250-388
US-PATENT-4,379,970
N83-24828* c 35 ..... NASA-CASE-MFS-25509-1
US-PATENT-APPL-SN-297486
US-PATENT-CLASS-156-DIG.62
US-PATENT-CLASS-34-57A
US-PATENT-CLASS-432-227
US-PATENT-CLASS-432-58
US-PATENT-4,378,209
N83-25217* c 45 ..... NASA-CASE-NPO-15220-1
US-PATENT-APPL-SN-246777
US-PATENT-CLASS-220-335
US-PATENT-CLASS-73-863.31
US-PATENT-CLASS-73-863.83
US-PATENT-CLASS-73-864.63
US-PATENT-4,377,949
N83-25346* c 52 ..... NASA-CASE-NPO-15197-1
US-PATENT-APPL-SN-263957
US-PATENT-CLASS-128-303B
US-PATENT-CLASS-128-774
US-PATENT-CLASS-128-782
US-PATENT-4,378,813
N83-25378* c 60 ..... NASA-CASE-GSC-12223-1
US-PATENT-APPL-SN-041143
US-PATENT-CLASS-364-200
US-PATENT-4,380,046
N83-25789* c 24 ..... NASA-CASE-ARC-11261-1
US-PATENT-APPL-SN-282129
US-PATENT-CLASS-423-447.2
US-PATENT-CLASS-423-447.6
US-PATENT-CLASS-423-447.7
US-PATENT-4,385,043
N83-26078* c 37 ..... NASA-CASE-GSC-12643-1
US-PATENT-APPL-SN-238786
US-PATENT-CLASS-417-15
US-PATENT-CLASS-47-26
US-PATENT-4,381,174
N83-27058* c 31 ..... NASA-CASE-GSC-12636-1
US-PATENT-APPL-SN-173520
US-PATENT-CLASS-125-20
US-PATENT-CLASS-408-1R
US-PATENT-CLASS-408-61
US-PATENT-CLASS-409-131
US-PATENT-4,383,785
N83-27085* c 32 ..... NASA-CASE-NPO-15401-1
US-PATENT-APPL-SN-259210
US-PATENT-CLASS-333-22F
US-PATENT-CLASS-333-254
US-PATENT-4,382,239
N83-27126* c 33 ..... NASA-CASE-NPO-15358-1
US-PATENT-APPL-SN-219968
US-PATENT-CLASS-323-269
US-PATENT-CLASS-323-303
US-PATENT-CLASS-323-350

US-PATENT-4,382,224
N83-27144* c 34 ..... NASA-CASE-LEW-13174-1
US-PATENT-APPL-SN-200634
US-PATENT-CLASS-415-115
US-PATENT-CLASS-416-1
US-PATENT-CLASS-416-97R
US-PATENT-4,384,823
N83-27184* c 35 ..... NASA-CASE-NPO-15292-1
US-PATENT-APPL-SN-207135
US-PATENT-CLASS-250-282
US-PATENT-CLASS-250-288
US-PATENT-CLASS-250-423
US-PATENT-4,383,171
N83-27344* c 44 ..... NASA-CASE-LEW-13246-1
US-PATENT-APPL-SN-266255
US-PATENT-CLASS-429-105
US-PATENT-CLASS-429-107
US-PATENT-CLASS-429-109
US-PATENT-CLASS-429-34
US-PATENT-CLASS-429-40
US-PATENT-4,382,116
N83-27569* c 51 ..... NASA-CASE-GSC-12158-1
US-PATENT-APPL-SN-888434
US-PATENT-CLASS-422-52
US-PATENT-CLASS-435-289
US-PATENT-CLASS-435-291
US-PATENT-CLASS-435-3
US-PATENT-CLASS-435-34
US-PATENT-CLASS-435-38
US-PATENT-CLASS-435-39
US-PATENT-CLASS-435-8
US-PATENT-4,385,113
N83-27577* c 52 ..... NASA-CASE-MSC-18761-1
US-PATENT-APPL-SN-254688
US-PATENT-CLASS-128-DIG.13
US-PATENT-CLASS-604-114
US-PATENT-CLASS-604-151
US-PATENT-CLASS-73-204
US-PATENT-4,384,578
N83-27578* c 52 ..... NASA-CASE-MSC-18759-1
US-PATENT-APPL-SN-233270
US-PATENT-CLASS-128-660
US-PATENT-CLASS-128-663
US-PATENT-CLASS-73-597
US-PATENT-4,383,533
N83-27975* c 05 ..... NASA-CASE-FRC-11072-1
US-PATENT-APPL-SN-230613
US-PATENT-CASE-179-146-R
US-PATENT-CASE-179-179
US-PATENT-CASE-367-906
US-PATENT-4,388,502
N83-28064* c 18 ..... NASA-CASE-GSC-12551-1
US-PATENT-APPL-SN-182881
US-PATENT-CLASS-244-169
US-PATENT-CLASS-244-170
US-PATENT-4,386,750
N83-28240* c 27 ..... NASA-CASE-LAR-12775-1
US-PATENT-APPL-SN-308201
US-PATENT-CLASS-524-104
US-PATENT-CLASS-524-173
US-PATENT-CLASS-524-233
US-PATENT-CLASS-524-726
US-PATENT-CLASS-525-181
US-PATENT-CLASS-525-183
US-PATENT-CLASS-525-184
US-PATENT-CLASS-525-474
US-PATENT-4,389,504
N83-28319* c 33 ..... NASA-CASE-MFS-25302-1
US-PATENT-APPL-SN-243683
US-PATENT-CLASS-322-29
US-PATENT-CLASS-322-35
US-PATENT-CLASS-322-47
US-PATENT-CLASS-322-95
US-PATENT-4,388,585
N83-28356* c 34 ..... NASA-CASE-GSC-12553-1
US-PATENT-APPL-SN-106192
US-PATENT-CLASS-165-185
US-PATENT-CLASS-165-32
US-PATENT-CLASS-165-76
US-PATENT-4,388,965
N83-28573* c 44 ..... NASA-CASE-LAR-12495-1
US-PATENT-APPL-SN-263830
US-PATENT-CLASS-310-11
US-PATENT-4,388,542
N83-28574* c 44 ..... NASA-CASE-GSC-12697-1
US-PATENT-APPL-SN-308204
US-PATENT-CLASS-308-10
US-PATENT-CLASS-310-15
US-PATENT-CLASS-417-417
US-PATENT-CLASS-62-6
US-PATENT-4,389,849
N83-28849* c 51 ..... NASA-CASE-ARC-11322-1
US-PATENT-APPL-SN-315278
US-PATENT-CLASS-435-3
US-PATENT-CLASS-435-34
US-PATENT-CLASS-435-38
US-PATENT-CLASS-435-39
US-PATENT-CLASS-435-807
US-PATENT-4,386,157
N83-29032* c 74 ..... NASA-CASE-KSC-11104-1
US-PATENT-APPL-SN-153245
US-PATENT-CLASS-350-96.16
US-PATENT-CLASS-455-612
US-PATENT-4,381,881
N83-29303* c 18 ..... NASA-CASE-MFS-25403-1
US-PATENT-APPL-SN-248745
US-PATENT-CLASS-244-115
US-PATENT-CLASS-244-161
US-PATENT-CLASS-269-152
US-PATENT-CLASS-269-242
US-PATENT-CLASS-269-244
US-PATENT-CLASS-294-86R
US-PATENT-4,391,423
N83-29324* c 25 ..... NASA-CASE-GSC-12770-1
US-PATENT-APPL-SN-301075
US-PATENT-CLASS-423-648R
US-PATENT-CLASS-423-649
US-PATENT-4,393,039
N83-29388* c 27 ..... NASA-CASE-LEW-13132-1
US-PATENT-APPL-SN-272152
US-PATENT-CLASS-204-35N
US-PATENT-CLASS-204-37R
US-PATENT-CLASS-204-56R
US-PATENT-4,392,920
N83-29392*# c 27 ..... NASA-CASE-LEW-12876-2
US-PATENT-APPL-SN-393583
N83-29625* c 34 ..... NASA-CASE-LEW-12508-3
US-PATENT-APPL-SN-235868
US-PATENT-CLASS-62-3
US-PATENT-4,392,356
N83-29650* c 35 ..... NASA-CASE-MFS-25242-1
US-PATENT-APPL-SN-246773
US-PATENT-CLASS-374-17
US-PATENT-CLASS-73-863.11
US-PATENT-4,389,904
N83-29651* c 35 ..... NASA-CASE-LAR-12531-1
US-PATENT-APPL-SN-282191
US-PATENT-CASE-368-10
US-PATENT-CASE-368-118
US-PATENT-CASE-368-119
US-PATENT-CASE-368-120
US-PATENT-CASE-368-6
US-PATENT-CASE-368-9
US-PATENT-4,392,749
N83-29652* c 35 ..... NASA-CASE-MSC-18936-1
US-PATENT-APPL-SN-325082
US-PATENT-CLASS-55-194
US-PATENT-CLASS-55-202
US-PATENT-4,392,874
N83-29680* c 36 ..... NASA-CASE-MFS-25315-1
US-PATENT-APPL-SN-224232
US-PATENT-CASE-356-129
US-PATENT-4,391,518
N83-29681*# c 36 ..... NASA-CASE-GSC-12609-2
US-PATENT-APPL-SN-481020
N83-29783*# c 43 ..... NASA-CASE-LAR-13053-1
US-PATENT-APPL-SN-508372
N83-29991*# c 52 ..... NASA-CASE-ARC-11264-2
US-PATENT-APPL-SN-465370
N83-31603* c 07 ..... NASA-CASE-LEW-14586-1
US-PATENT-APPL-SN-163122
US-PATENT-CLASS-415-1
US-PATENT-CLASS-415-175
US-PATENT-CLASS-415-178
US-PATENT-CLASS-415-47
US-PATENT-4,338,061
N83-31743* c 25 ..... NASA-CASE-NPO-15304-1
US-PATENT-APPL-SN-315587
US-PATENT-CLASS-201-17
US-PATENT-CLASS-44-1SR
US-PATENT-4,391,609
N83-31795* c 26 ..... NASA-CASE-LEW-13343
US-PATENT-APPL-SN-293418
US-PATENT-CLASS-427-318
US-PATENT-CLASS-427-419.2
US-PATENT-CLASS-428-450
US-PATENT-CLASS-428-469
US-PATENT-CLASS-428-641
US-PATENT-CLASS-428-650
US-PATENT-CLASS-428-680
US-PATENT-4,374,183
N83-31854* c 27 ..... NASA-CASE-ARC-11368-1
US-PATENT-APPL-SN-288267
US-PATENT-CLASS-548-413
US-PATENT-CLASS-548-415
US-PATENT-4,395,557
N83-31855* c 27 ..... NASA-CASE-LEW-1335901
US-PATENT-APPL-SN-229233
US-PATENT-CLASS-427-219.2
US-PATENT-CLASS-427-34
US-PATENT-CLASS-427-405
US-PATENT-CLASS-427-423
US-PATENT-CLASS-428-623
US-PATENT-CLASS-428-633
US-PATENT-CLASS-428-678
US-PATENT-4,335,190
N83-31895* c 31 ..... NASA-CASE-MFS-25134-1
US-PATENT-APPL-SN-195226
US-PATENT-CLASS-24-214
US-PATENT-CLASS-244-159
US-PATENT-4,381,583
N83-31896* c 31 ..... NASA-CASE-NPO-14596-3
US-PATENT-APPL-SN-303671
US-PATENT-CLASS-264-5
US-PATENT-CLASS-264-9
US-PATENT-CLASS-425-6
US-PATENT-CLASS-65-142
US-PATENT-CLASS-65-214
US-PATENT-CLASS-65-22
US-PATENT-4,344,787
N83-31897* c 31 ..... NASA-CASE-NPO-15251-1
US-PATENT-APPL-SN-229239
US-PATENT-CLASS-337-14
US-PATENT-CLASS-62-48
US-PATENT-CLASS-62-514R
US-PATENT-4,366,680
N83-31918* c 32 ..... NASA-CASE-NPO-14525-2
US-PATENT-APPL-SN-165910
US-PATENT-CLASS-343-5CM
US-PATENT-CLASS-343-9PS
US-PATENT-CLASS-367-88
US-PATENT-4,355,311
N83-31952* c 33 ..... NASA-CASE-LEW-13429-1
US-PATENT-APPL-SN-220212
US-PATENT-CLASS-315-3
US-PATENT-CLASS-315-4
US-PATENT-CLASS-315-5
US-PATENT-CLASS-315-5.35
US-PATENT-CLASS-315-5.38
US-PATENT-4,395,656
N83-31953* c 33 ..... NASA-CASE-MFS-25215-1
US-PATENT-APPL-SN-291131
US-PATENT-CLASS-318-800
US-PATENT-CLASS-318-803
US-PATENT-CLASS-318-809
US-PATENT-4,394,610
N83-31954* c 33 ..... NASA-CASE-NPO-14940-1
US-PATENT-APPL-SN-135038
US-PATENT-CLASS-324-466
US-PATENT-CLASS-73-861.05
US-PATENT-4,338,568
N83-31993* c 34 ..... NASA-CASE-NPO-15400-1
US-PATENT-APPL-SN-246774
US-PATENT-CLASS-250-573
US-PATENT-CLASS-73-64.4
US-PATENT-4,391,129
N83-32026* c 35 ..... NASA-CASE-LAR-12728-1
US-PATENT-APPL-SN-408575
US-PATENT-CLASS-248-636
US-PATENT-CLASS-248-638
US-PATENT-CLASS-62-295
US-PATENT-CLASS-62-514 R
US-PATENT-4,394,819
N83-32067* c 37 ..... NASA-CASE-GSC-12517-1
US-PATENT-APPL-SN-214361
US-PATENT-CLASS-104-282
US-PATENT-CLASS-104-290
US-PATENT-CLASS-308-10
US-PATENT-CLASS-310-12
US-PATENT-4,387,935
N83-32081* c 39 ..... NASA-CASE-LAR-12602-1
US-PATENT-APPL-SN-210506
US-PATENT-CLASS-374-51
US-PATENT-CLASS-73-818
US-PATENT-CLASS-73-822
US-PATENT-CLASS-73-856
US-PATENT-CLASS-73-860
US-PATENT-4,393,716
N83-32175* c 44 ..... NASA-CASE-LEW-12443-1
US-PATENT-APPL-SN-235797
US-PATENT-CLASS-310-306
US-PATENT-4,373,142
N83-32176* c 44 ..... NASA-CASE-LEW-13171-2
US-PATENT-APPL-SN-333537
US-PATENT-CLASS-29-623.5
US-PATENT-CLASS-429-144
US-PATENT-CLASS-429-251
US-PATENT-CLASS-429-254
US-PATENT-4,371,596
N83-32177* c 44 ..... NASA-CASE-LEW-13401-2
US-PATENT-APPL-SN-359388
US-PATENT-CLASS-136-249
US-PATENT-CLASS-357-30
US-PATENT-4,376,872
N83-32232* c 47 ..... NASA-CASE-NPO-14936-1
US-PATENT-APPL-SN-163837
US-PATENT-CLASS-250-203R
US-PATENT-CLASS-356-222

US-PATENT-4,355,896
N83-32342* c 60 ..... NASA-CASE-NPO-15342-1
US-PATENT-APPL-SN-258623
US-PATENT-CLASS-364-200
US-PATENT-CLASS-364-900
US-PATENT-4,394,726
N83-32515* c 71 ..... NASA-CASE-NPO-15453-1
US-PATENT-APPL-SN-314929
US-PATENT-CLASS-60-721
US-PATENT-CLASS-73-505
US-PATENT-4,393,708
N83-32516* c 71 ..... NASA-CASE-NPO-15522-1
US-PATENT-APPL-SN-303672
US-PATENT-CLASS-60-721
US-PATENT-CLASS-73-505
US-PATENT-4,393,706
N83-32577* c 74 ..... NASA-CASE-GSC-12614-1
US-PATENT-APPL-SN-195227
US-PATENT-CLASS-356-353
US-PATENT-CLASS-356-363
US-PATENT-4,395,123
N83-33882* c 06 ..... NASA-CASE-FRC-11043-1
US-PATENT-APPL-SN-242790
US-PATENT-CLASS-33-322
US-PATENT-CLASS-74-5.34
US-PATENT-4,387,513
N83-33884* c 07 ..... NASA-CASE-ARC-10812-1
US-PATENT-APPL-SN-657903
US-PATENT-CLASS-181-213
US-PATENT-CLASS-239-265.17
US-PATENT-CLASS-60-262
US-PATENT-CLASS-60-269
US-PATENT-CLASS-60-271
US-PATENT-4,372,110
N83-33950* c 24 ..... NASA-CASE-NPO-14987-1
US-PATENT-APPL-SN-164-584
US-PATENT-CLASS-427-215
US-PATENT-CLASS-427-241
US-PATENT-CLASS-428-367
US-PATENT-CLASS-428-375
US-PATENT-CLASS-428-392
US-PATENT-CLASS-428-902
US-PATENT-CLASS-428-903
US-PATENT-4, 359,503
N83-33977* c 25 ..... NASA-CASE-ARC-11326-1
US-PATENT-APPL-SN-178192
US-PATENT-CLASS-252-5
US-PATENT-CLASS-423-419P
US-PATENT-CLASS-423-600
US-PATENT-CLASS-424-156
US-PATENT-4, 356,157
N83-34039* c 27 ..... NASA-CASE-GSC-12686-1
US-PATENT-APPL-SN-293412
US-PATENT-CLASS-427-322
US-PATENT-CLASS-427-340
US-PATENT-CLASS-427-352
US-PATENT-CLASS-427-400
US-PATENT-CLASS-427-407.1
US-PATENT-4,362,769
N83-34040* c 27 ..... NASA-CASE-LAR-12838-1
US-PATENT-APPL-SN-320621
US-PATENT-CLASS-526-259
US-PATENT-CLASS-526-285
US-PATENT-CLASS-528-12
US-PATENT-CLASS-528-125
US-PATENT-CLASS-528-126
US-PATENT-CLASS-528-128
US-PATENT-CLASS-528-220
US-PATENT-CLASS-528-222
US-PATENT-CLASS-528-228
US-PATENT-CLASS-528-229
US-PATENT-CLASS-528-38
US-PATENT-4,375,536
N83-34041* c 27 ..... NASA-CASE-LAR-12858-1
US-PATENT-APPL-SN-407240
US-PATENT-CLASS-164-331.12
US-PATENT-CLASS-264-137
US-PATENT-CLASS-264-258
US-PATENT-CLASS-264-331.46
US-PATENT-CLASS-528-222
US-PATENT-CLASS-528-226
US-PATENT-4,398,021
N83-34043* c 27 ..... NASA-CASE-NPO-15202-1
US-PATENT-APPL-SN-233271
US-PATENT-CLASS-384-124
US-PATENT-CLASS-523-440
US-PATENT-CLASS-523-443
US-PATENT-4,395,503
N83-34073* c 31 ..... NASA-CASE-ARC-11246-1
US-PATENT-APPL-SN-136660
US-PATENT-CLASS-156-264
US-PATENT-CLASS-156-344
US-PATENT-CLASS-156-59
US-PATENT-CLASS-273-240
US-PATENT-CLASS-434-403
US-PATENT-CLASS-434-88
US-PATENT-4,385,949
N83-34189* c 33 ..... NASA-CASE-GSC-12566-1
US-PATENT-APPL-SN-276748
US-PATENT-CLASS-315-208
US-PATENT-CLASS-315-224
US-PATENT-CLASS-315-225
US-PATENT-CLASS-315-237
US-PATENT-CLASS-315-241R
US-PATENT-CLASS-372-25
US-PATENT-4,398,129
N83-34190* c 33 ..... NASA-CASE-MFS-25607-1
US-PATENT-APPL-SN-325886
US-PATENT-CLAS-361-90
US-PATENT-CLASS-318-729
US-PATENT-CLASS-318-798
US-PATENT-CLASS-318-806
US-PATENT-CLASS-361-100
US-PATENT-CLASS-363-54
US-PATENT-4,400,657
N83-34191* c 33 ..... NASA-CASE-GSC-12646-1
US-PATENT-APPL-SN-284290
US-PATENT-CLASS-330-289
US-PATENT-CLASS-330-310
US-PATENT-4,401,953
N83-34221* c 34 ..... NASA-CASE-LAR-12393-1
US-PATENT-APPL-SN-145208
US-PATENT-CLAS-165-27
US-PATENT-CLASS-165-12
US-PATENT-CLASS-165-61
US-PATENT-CLASS-165-80E
US-PATENT-CLASS-374-46
US-PATENT-CLASS-62-514R
US-PATENT-CLASS-62-62
US-PATENT-4,346,754
N83-34272* c 35 ..... NASA-CASE-ARC-11317-1
US-PATENT-APPL-SN-229231
US-PATENT-CLASS-340-518
US-PATENT-CLASS-340-566
US-PATENT-4,374,378
N83-34304* c 36 ..... NASA-CASE-ARC-11312-1
US-PATENT-APPL-SN-234224
US-PATENT-CLASS-356-1
US-PATENT-CLASS-356-4
US-PATENT-CLASS-358-104
US-PATENT-CLASS-358-109
US-PATENT-CLASS-434-38
US-PATENT-CLASS-434-4
US-PATENT-4,391,514
N83-34323* c 37 ..... NASA-CASE-GSC-12726-1
US-PATENT-APPL-SN-364093
US-PATENT-CLASS-308-10
US-PATENT-4,381,375
N83-34448* c 44 ..... NASA-CASE-ARC-11164-1
US-PATENT-APPL-SN-308007
US-PATENT-CLASS-350-166
US-PATENT-CLASS-428-312.6
US-PATENT-CLASS-428-325
US-PATENT-CLASS-428-427
US-PATENT-CLASS-428-428
US-PATENT-4,381,333
N83-34449* c 44 ..... NASA-CASE-LAR-12719-1
US-PATENT-APPL-SN-367134
US-PATENT-CLASS-126-901
US-PATENT-CLASS-204-33
US-PATENT-CLASS-204-35N
US-PATENT-4,397,716
N83-34796* c 76 ..... NASA-CASE-LEW-12582-1
US-PATENT-APPL-SN-397281
US-PATENT-CLASS-310-332
US-PATENT-CLASS-310-800
US-PATENT-CLASS-428-294
US-PATENT-CLASS-428-421
US-PATENT-CLASS-428-422
US-PATENT-4,400,642
N83-35176* c 31 ..... NASA-CASE-NPO-15070-1
US-PATENT-APPL-SN-403847
US-PATENT-CLASS-264-12
US-PATENT-CLASS-264-24
US-PATENT-CLASS-264-5
US-PATENT-CLASS-425-10
US-PATENT-CLASS-425-6
US-PATENT-CLASS-425-7
US-PATENT-CLASS-65-142
US-PATENT-CLASS-65-21.3
US-PATENT-CLASS-65-21.4
US-PATENT-CLASS-65-22
US-PATENT-4,400,191
N83-35177* c 31 ..... NASA-CASE-LEW-13450-1
US-PATENT-APPL-SN-328760
US-PATENT-CLASS-427-243
US-PATENT-CLASS-427-247
US-PATENT-CLASS-427-34
US-PATENT-CLASS-427-423
US-PATENT-4,402,992
N83-35227* c 33 ..... NASA-CASE-MFS-25209-1
US-PATENT-APPL-SN-291132
US-PATENT-CLASS-318-685
US-PATENT-CLASS-318-798
US-PATENT-CLASS-318-806
US-PATENT-4,401,934
N83-35307* c 34 ..... NASA-CASE-GSC-12812-1
US-PATENT-APPL-SN-434674
US-PATENT-CLASS-165-104.26
US-PATENT-CLASS-165-32
US-PATENT-4,402,358
N83-35338* c 35 ..... NASA-CASE-LEW-13934-1
US-PATENT-APPL-SN-212949
US-PATENT-CLASS-228-103
US-PATENT-CLASS-228-193
US-PATENT-CLASS-228-263.18
US-PATENT-CLASS-415-118
US-PATENT-4,402,447
N83-35350* c 36 ..... NASA-CASE-NPO-15201-1
US-PATENT-APPL-SN-246778
US-PATENT-CLASS-330-4
US-PATENT-CLASS-332-7.5
US-PATENT-CLASS-333-24.2
US-PATENT-4,399,415
N83-35781* c 71 ..... NASA-CASE-NPO-15334-1
US-PATENT-APPL-SN-341406
US-PATENT-CLASS-210-748
US-PATENT-CLASS-252-361
US PATENT CLASS 366 114
US-PATENT-CLASS-55-15
US-PATENT-CLASS-55-277
US-PATENT-CLASS-55-38
US-PATENT-CLASS-55-52
US-PATENT-CLASS-65-134
US-PATENT-4,398,925
N83-35888* c 76 ..... NASA-CASE-NPO-15530-1
US-PATENT-APPL-SN-364092
US-PATENT-CLASS-156-DIG.6
US-PATENT-CLASS-156-DIG.73
US-PATENT-CLASS-156-608
US-PATENT-4,401,505
N83-35992* c 01 ..... NASA-CASE-LAR-12624-1
US-PATENT-APPL-SN-259209
US-PATENT-CLASS-102-378
US-PATENT-CLASS-244-137P
US-PATENT-CLASS-89-1B
US-PATENT-4,407,468
N83-36029* c 07 ..... NASA-CASE-LEW-13142-1
US-PATENT-APPL-SN-132364
US-PATENT-CLASS-60-39.07
US-PATENT-4,404,793
N83-36118* c 25 ..... NASA-CASE-ARC-11252-1
US-PATENT-APPL-SN-317977
US-PATENT-CLASS-169-47
US-PATENT-CLASS-252-2
US-PATENT-CLASS-252-5
US-PATENT-4,406,797
N83-36220* c 27 ..... NASA-CASE-MFS-25436-1
US-PATENT-APPL-SN-280151
US-PATENT-CLASS-156-DIG.73
US-PATENT-CLASS-156-DIG.89
US-PATENT-CLASS-156-600
US-PATENT-CLASS-156-610
US-PATENT-CLASS-165-2
US-PATENT-CLASS-165-58
US-PATENT-CLASS-219-343
US-PATENT-CLASS-219-354
US-PATENT-CLASS-219-390
US-PATENT-CLASS-219-411
US-PATENT-CLASS-350-316
US-PATENT-4,408,658
N83-36355* c 33 ..... NASA-CASE-GSC-12630-1
US-PATENT-APPL-SN-308009
US-PATENT-CLASS-343-100AP
US-PATENT-CLASS-343-840
US-PATENT-4,407,001
N83-36356* c 33 ..... NASA-CASE-KSC-11170-1
US-PATENT-APPL-SN-284288
US-PATENT-CLASS-330-110
US-PATENT-CLASS-330-282
US-PATENT-4,406,989
N83-36357* c 33 ..... NASA-CASE-LAR-12654-1
US-PATENT-APPL-SN-234225
US-PATENT-CLASS-368-184
US-PATENT-CLASS-368-200
US-PATENT-CLASS-368-201
US-PATENT-4,407,589
N83-36482* c 37 ..... NASA-CASE-MSC-18791-1
US-PATENT-APPL-SN-248746
US-PATENT-CLASS-29-446
US-PATENT-CLASS-73-862.54
US-PATENT-CLASS-81-55
US-PATENT-CLASS-81-57.38
US-PATENT-4,407,165
N83-36483* c 37 ..... NASA-CASE-MSC-18807-1
US-PATENT-APPL-SN-266688
US-PATENT-CLASS-123-197R
US-PATENT-CLASS-123-78E

US-PATENT-4,406,256
N83-36846* c 71 ..... NASA-CASE-NPO-15435-1
US-PATENT-APPL-SN-272837
US-PATENT-CLASS-308-10
US-PATENT-CLASS-73-505
US-PATENT-4,402,221
N83-36898* c 74 ..... NASA-CASE-GSC-12683-1
US-PATENT-APPL-SN-333535
US-PATENT-CLASS-350-173
US-PATENT-CLASS-350-445
US-PATENT-4,407,563
N84-11136* c 02 ..... NASA-CASE-LAR-12843-1
US-PATENT-APPL-SN-392096
US-PATENT-CLASS-244-35A
US-PATENT-CLASS-244-35R
US-PATENT-CLASS-416-223R
US-PATENT-CLASS-416-242
US-PATENT-4,412,664
N84-11213* c 24 ..... NASA-CASE-ARC-11418-1
US-PATENT-APPL-SN-452464
US-PATENT-CLASS-523-435
US-PATENT-CLASS-523-456
US-PATENT-CLASS-528-110
US-PATENT-CLASS-528-361
US-PATENT-4,410,682
N84-11214* c 24 ..... NASA-CASE-LAR-12807-1
US-PATENT-APPL-SN-280155
US-PATENT-CLASS-228-157
US-PATENT-CLASS-228-181
US-PATENT-CLASS-228-212
US-PATENT-CLASS-244-119
US-PATENT-CLASS-244-123
US-PATENT-CLASS-428-593
US-PATENT-CLASS-52-806
US-PATENT-CLASS-52-808
US-PATENT-4,411,380
N84-11497* c 37 ..... NASA-CASE-MFS-25678-1
US-PATENT-APPL-SN-378533
US-PATENT-CLASS-277-116.6
US-PATENT-CLASS-277-124
US-PATENT-CLASS-277-164
US-PATENT-CLASS-277-177
US-PATENT-CLASS-277-190
US-PATENT-4,410,189
N84-11744* c 52 ..... NASA-CASE-MFS-25740-1
US-PATENT-APPL-SN-371352
US-PATENT-CLASS-128-DIG.25
US-PATENT-CLASS-128-1R
US-PATENT-CLASS-128-346
US-PATENT-4,408,597
N84-11758* c 54 ..... NASA-CASE-MSC-18223-2
US-PATENT-APPL-SN-219681
US-PATENT-APPL-SN-368187
US-PATENT-CLASS-604-368
US-PATENT-CLASS-604-378
US-PATENT-CLASS-604-396
US-PATENT-4,338,371
US-PATENT-4,411,660
N84-11920* c 74 ..... NASA-CASE-GSC-12640-1
US-PATENT-APPL-SN-267178
US-PATENT-CLASS-250-363R
US-PATENT-CLASS-250-363S
US-PATENT-CLASS-250-368
US-PATENT-CLASS-378-2
US-PATENT-4,404,469
N84-11921* c 74 ..... NASA-CASE-NPO-15375-1
US-PATENT-APPL-SN-210405
US-PATENT-CLASS-250-227
US-PATENT-CLASS-3-1.1
US-PATENT-CLASS-350-96.10
US-PATENT-CLASS-350-96.15
US-PATENT-CLASS-73-432T
US-PATENT-4,405,197
N84-12154* c 05 ..... NASA-CASE-LAR-12615-1
US-PATENT-APPL-SN-263829
US-PATENT-CLASS-244-13
US-PATENT-CLASS-244-45R
US-PATENT-CLASS-244-53R
US-PATENT-CLASS-244-55
US-PATENT-CLASS-244-91
US-PATENT-4,415,133
N84-12193*# c 09 ..... NASA-CASE-ARC-11426-1
US-PATENT-APPL-SN-526741
N84-12262* c 25 ..... NASA-CASE-NPO-15458-1
US-PATENT-APPL-SN-376306
US-PATENT-CLASS-204-DIG.3
US-PATENT-CLASS-204-129
US-PATENT-CLASS-204-242
US-PATENT-CLASS-204-278
US-PATENT-CLASS-204-290R
US-PATENT-CLASS-427-443.2
US-PATENT-CLASS-429-111
US-PATENT-4,414,080
N84-12406* c 34 ..... NASA-CASE-MFS-25631-1
US-PATENT-APPL-SN-308203
US-PATENT-CLASS-239-426
US-PATENT-4,413,784
N84-12443* c 35 ..... NASA-CASE-FRC-11068-1
US-PATENT-APPL-SN-322314
US-PATENT-CLASS-156-215
US-PATENT-CLASS-156-230
US-PATENT-CLASS-156-235
US-PATENT-CLASS-156-294
US-PATENT-CLASS-156-391
US-PATENT-CLASS-156-423
US-PATENT-CLASS-156-540
US-PATENT-CLASS-156-71
US-PATENT-CLASS-338-2
US-PATENT-4,407,686
N84-12444* c 35 ..... NASA-CASE-LAR-12706-1
US-PATENT-APPL-SN-210498
US-PATENT-CLASS-324-250
US-PATENT-CLASS-328-230
US-PATENT-CLASS-372-74
US-PATENT-4,414,509
N84-12445* c 35 ..... NASA-CASE-LAR-12882-1
US-PATENT-APPL-SN-267179
US-PATENT-CLASS-364-415
US-PATENT-CLASS-73-646
US-PATENT-CLASS-73-658
US-PATENT-4,413,522
N84-12491* c 37 ..... NASA-CASE-GSC-12619-1
US-PATENT-APPL-SN-225499
US-PATENT-CLASS-101-407BP
US-PATENT-CLASS-269-3
US-PATENT-4,393,777
N84-12492* c 37 ..... NASA-CASE-GSC-12622-1
US-PATENT-APPL-SN-243684
US-PATENT-CLASS-308-2A
US-PATENT-4,405,184
N84-12493* c 37 ..... NASA-CASE-LAR-12923-1
US-PATENT-APPL-SN-383063
US-PATENT-CLASS-416-117
US-PATENT-CLASS-416-132B
US-PATENT-4,415,311
N84-12654* c 45 ..... NASA-CASE-NSTL-10
US-PATENT-APPL-SN-335036
US-PATENT-CLASS-210-151
US-PATENT-CLASS-210-602
US-PATENT-CLASS-210-605
US-PATENT-CLASS-210-617
US-PATENT-CLASS-47-58
US-PATENT-4,415,450
N84-12968*# c 76 ..... NASA-CASE-NPO-15811-1
US-PATENT-APPL-SN-547175
N84-14132* c 04 ..... NASA-CASE-LAR-12638-1
US-PATENT-APPL-SN-367187
US-PATENT-CLASS-33-DIG.3
US-PATENT-CLASS-33-348
US-PATENT-CLASS-33-356
US-PATENT-CLASS-33-361
US-PATENT-4,418,480
N84-14322* c 27 ..... NASA-CASE-ARC-11400-1
US-PATENT-APPL-SN-441899
US-PATENT-CLASS-428-246
US-PATENT-CLASS-428-260
US-PATENT-CLASS-428-367
US-PATENT-CLASS-428-408
US-PATENT-CLASS-428-473.5
US-PATENT-CLASS-428-902
US-PATENT-CLASS-428-920
US-PATENT-CLASS-524-494
US-PATENT-CLASS-524-496
US-PATENT-CLASS-524-500
US-PATENT-CLASS-524-530
US-PATENT-CLASS-525-282
US-PATENT-CLASS-525-287
US-PATENT-4,421,820
N84-14323* c 27 ..... NASA-CASE-LAR-12881-1
US-PATENT-APPL-SN-361215
US-PATENT-CLASS-206-447
US-PATENT-CLASS-206-582
US-PATENT-CLASS-428-202
US-PATENT-CLASS-428-347
US-PATENT-CLASS-428-40
US-PATENT-CLASS-428-78
US-PATENT-4,420,518
N84-14324* c 27 ..... NASA-CASE-MSC-18382-2
US-PATENT-APPL-SN-241155
US-PATENT-CLASS-524-371
US-PATENT-4,395,511
N84-14421* c 33 ..... NASA-CASE-GSC-12650-1
US-PATENT-APPL-SN-301077
US-PATENT-CLASS-330-107
US-PATENT-CLASS-330-109
US-PATENT-4,417,215
N84-14422* c 33 ..... NASA-CASE-LEW-13286-1
US-PATENT-APPL-SN-272406
US-PATENT-CLASS-252-182.1
US-PATENT-CLASS-429-206
US-PATENT-CLASS-429-229
US-PATENT-4,418,130
N84-14423* c 33 ..... NASA-CASE-MFS-25211-2
US-PATENT-APPL-SN-432057
US-PATENT-CLASS-339-258RR
US-PATENT-CLASS-339-262RR
US-PATENT-CLASS-339-64M
US-PATENT-4,421,371
N84-14424* c 33 ..... NASA-CASE-MFS-25477-1
US-PATENT-APPL-SN-243683
US-PATENT-APPL-SN-297524
US-PATENT-APPL-SN-350472
US-PATENT-CLASS-318-729
US-PATENT-CLASS-318-798
US-PATENT-CLASS-318-806
US-PATENT-4,417,190
N84-14461* c 34 ..... NASA-CASE-GSC-12771-1
US-PATENT-APPL-SN-434672
US-PATENT-CLASS-165-32
US-PATENT-CLASS-165-41
US-PATENT-CLASS-165-96
US-PATENT-4,420,035
N84-14491* c 35 ..... NASA-CASE-LAR-12686-1
US-PATENT-APPL-SN-249304
US-PATENT-CLASS-364-557
US-PATENT-CLASS-364-558
US-PATENT-CLASS-364-571
US-PATENT-CLASS-73-714
US-PATENT-4,399,515
N84-14509* c 36 ..... NASA-CASE-GSC-12565-1
US-PATENT-APPL-SN-270763
US-PATENT-CLASS-350-299
US-PATENT-CLASS-356-345
US-PATENT-CLASS-372-100
US-PATENT-CLASS-372-108
US-PATENT-CLASS-372-93
US-PATENT-CLASS-372-94
US-PATENT-CLASS-372-98
US-PATENT-4,420,836
N84-14583* c 44 ..... NASA-CASE-NPO-15100-1
US-PATENT-APPL-SN-259211
US-PATENT-CLASS-138-42
US-PATENT-CLASS-251-127
US-PATENT-4,418,722
N84-14873* c 71 ..... NASA-CASE-LAR-11903-2
US-PATENT-APPL-SN-238791
US-PATENT-APPL-SN-753971
US-PATENT-CLASS-239-265.17
US-PATENT-4,398,667
N84-16231* c 15 ..... NASA-CASE-LAR-12751-1
US-PATENT-APPL-SN-338386
US-PATENT-CLASS-73-167
US-PATENT-CLASS-73-432R
US-PATENT-CLASS-73-9
US-PATENT-4,425,785
N84-16255* c 23 ..... NASA-CASE-NPO-15767-1
US-PATENT-APPL-SN-315584
US-PATENT-CLASS-208-10
US-PATENT-CLASS-208-8LE
US-PATENT-4,388,171
N84-16262* c 24 ..... NASA-CASE-MSC-16934-3
US-PATENT-APPL-SN-185868
US-PATENT-APPL-SN-361711
US-PATENT-APPL-SN-969757
US-PATENT-CLASS-164-119
US-PATENT-CLASS-264-118
US-PATENT-CLASS-264-59
US-PATENT-CLASS-264-60
US-PATENT-4,421,700
N84-16276* c 25 ..... NASA-CASE-LEW-13426-1
US-PATENT-APPL-SN-393588
US-PATENT-CLASS-110-186
US-PATENT-CLASS-110-262
US-PATENT-CLASS-110-263
US-PATENT-CLASS-110-265
US-PATENT-CLASS-431-1
US-PATENT-4,425,854
N84-16452* c 33 ..... NASA-CASE-LEW-13570-1
US-PATENT-APPL-SN-251009
US-PATENT-CLASS-315-3.5
US-PATENT-CLASS-315-3.6
US-PATENT-CLASS-315-39.3
US-PATENT-CLASS-333-162
US-PATENT-4,422,012
N84-16453* c 33 ..... NASA-CASE-MFS-25430-1
US-PATENT-APPL-SN-383083
US-PATENT-CLASS-363-25
US-PATENT-CLASS-363-65
US-PATENT-CLASS-363-67
US-PATENT-CLASS-363-71
US-PATENT-4,426,678
N84-16454* c 33 ..... NASA-CASE-GSC-12645-1
US-PATENT-APPL-SN-284314
US-PATENT-CLASS-324-79R
US-PATENT-CLASS-324-83A
US-PATENT-CLASS-324-83R
US-PATENT-CLASS-328-133
US-PATENT-CLASS-330-289

US-PATENT-4,425,543

N84-16455* c 33 ..... NASA-CASE-MFS-25616-1
US-PATENT-APPL-SN-325932
US-PATENT-CLASS-318-799
US-PATENT-CLASS-323-243
US-PATENT-CLASS-323-246
US-PATENT-4,426,614

N84-16456* c 33 ..... NASA-CASE-NPO-15161-1
US-PATENT-APPL-SN-325083
US-PATENT-CLASS-427-216
US-PATENT-CLASS-427-217
US-PATENT-CLASS-427-226
US-PATENT-CLASS-427-376.6
US-PATENT-CLASS-427-376.7
US-PATENT-CLASS-427-436
US-PATENT-CLASS-427-437
US-PATENT-CLASS-427-58
US-PATENT-CLASS-427-75
US-PATENT-CLASS-427-88
US-PATENT-CLASS-427-96
US-PATENT-4,388,346

N84-16523* c 35 ..... NASA-CASE-LAR-12007-3
US-PATENT-APPL-SN-352831
US-PATENT-CLASS-33-293
US-PATENT-4,428,122

N84-16542* c 36 ..... NASA-CASE-LAR-12870-1
US-PATENT-APPL-SN-317658
US-PATENT-CLASS-372-55
US-PATENT-CLASS-372-79
US-PATENT-4,424,592

N84-16560* c 37 ..... NASA-CASE-MFS-25510-1
US-PATENT-APPL-SN-293414
US-PATENT-CLASS-248-228
US-PATENT-4,422,609

N84-16561* c 37 ..... NASA-CASE-LAR-12785-1
US-PATENT-APPL-SN-297488
US-PATENT-CLASS-239-568
US-PATENT-CLASS-241-95
US-PATENT-CLASS-406-155
US-PATENT-4,428,703

N84-16803* c 54 ..... NASA-CASE-MSC-20202-1
US-PATENT-APPL-SN-414106
US-PATENT-CLASS-128-1A
US-PATENT-CLASS-128-15R
US-PATENT-CLASS-128-38
US-PATENT-4,421,109

N84-16940* c 71 ..... NASA-CASE-NPO-15592-1
US-PATENT-APPL-SN-314702
US-PATENT-CLASS-118-300
US-PATENT-CLASS-118-50
US-PATENT-CLASS-118-50.1
US-PATENT-CLASS-118-500
US-PATENT-CLASS-118-57
US-PATENT-CLASS-118-62
US-PATENT-CLASS-427-346
US-PATENT-CLASS-427-421
US-PATENT-CLASS-427-426
US-PATENT-CLASS-427-57
US-PATENT-CLASS-427-6
US-PATENT-CLASS-65-213
US-PATENT-4,425,376

N84-16959* # c 72 ..... NASA-CASE-NPO-15547-1
US-PATENT-APPL-SN-276076

N84-17555* c 35 ..... NASA-CASE-NPO-15426-1
US-PATENT-APPL-SN-196877
US-PATENT-CLASS-210-748
US-PATENT-CLASS-422-121
US-PATENT-CLASS-422-169
US-PATENT-CLASS-422-178
US-PATENT-CLASS-422-186
US-PATENT-CLASS-55-DIG.25
US-PATENT-CLASS-55-DIG.30
US-PATENT-CLASS-55-105
US-PATENT-CLASS-55-12
US-PATENT-CLASS-55-126
US-PATENT-CLASS-55-131
US-PATENT-CLASS-55-138
US-PATENT-CLASS-55-139
US-PATENT-CLASS-55-145
US-PATENT-CLASS-55-2
US-PATENT-CLASS-55-270
US-PATENT-CLASS-55-283
US-PATENT-CLASS-55-291
US-PATENT-CLASS-55-466
US-PATENT-CLASS-55-6
US-PATENT-CLASS-55-96
US-PATENT-CLASS-60-275
US-PATENT-CLASS-60-303
US-PATENT-CLASS-60-311
US-PATENT-4,376,637

N84-22546* c 04 ..... NASA-CASE-GSC-12508-1
US-PATENT-APPL-SN-266253
US-PATENT-CLASS-343-356
US-PATENT-CLASS-343-357
US-PATENT-4,445,118

N84-22551* c 05 ..... NASA-CASE-LAR-12541-1
US-PATENT-APPL-SN-315588
US-PATENT-CLASS-244-212
US-PATENT-CLASS-244-215
US-PATENT-CLASS-244-216
US-PATENT-CLASS-244-219
US-PATENT-4,444,368

N84-22559* c 07 ..... NASA-CASE-LEW-13622-1
US-PATENT-APPL-SN-350473
US-PATENT-CLASS-364-558
US-PATENT-CLASS-73-115
US-PATENT-4,428,226

N84-22560* c 07 ..... NASA-CASE-LEW-13654-1
US-PATENT-APPL-SN-245571
US-PATENT-CLASS-416-224
US-PATENT-CLASS-416-233
US-PATENT-CLASS-416-92
US-PATENT-CLASS-416-97R
US-PATENT-4,411,597

N84-22601* c 16 ..... NASA-CASE-MSC-20254-1
US-PATENT-APPL-SN-418137
US-PATENT-CLASS-244-158A
US-PATENT-CLASS-52-404
US-PATENT-CLASS-52-506
US-PATENT-4,439,968

N84-22605* c 18 ..... NASA-CASE-MSC-18969-1
US-PATENT-APPL-SN-368189
US-PATENT-CLASS-244-161
US-PATENT-CLASS-403-322
US-PATENT-4,431,333

N84-22609* # c 18 ..... NASA-CASE-MFS-15429-1
US-PATENT-APPL-SN-596959

N84-22610* # c 18 ..... NASA-CASE-MSC-20543-1
US-PATENT-APPL-SN-580574

N84-22612* # c 18 ..... NASA-CASE-ARC-11505-1
US-PATENT-APPL-SN-588036

N84-22695* c 24 ..... NASA-CASE-LEW-13837-1
US-PATENT-APPL-SN-495381
US-PATENT-CLASS-204-192C
US-PATENT-CLASS-204-192R
US-PATENT-CLASS-204-192SP
US-PATENT-CLASS-423-DIG.10
US-PATENT-CLASS-423-414
US-PATENT-CLASS-423-445
US-PATENT-CLASS-423-446
US-PATENT-CLASS-423-449
US-PATENT-4,437,962

N84-22709* c 25 ..... NASA-CASE-NPO-15210-1
US-PATENT-APPL-SN-322312
US-PATENT-CLASS-208-10
US-PATENT-CLASS-208-8LE
US-PATENT-4,443,321

N84-22734* c 26 ..... NASA-CASE-LEW-13349-1
US-PATENT-APPL-SN-350476
US-PATENT-CLASS-29-623.5
US-PATENT-CLASS-427-115
US-PATENT-CLASS-427-125
US-PATENT-CLASS-427-126.6
US-PATENT-CLASS-427-296
US-PATENT-CLASS-427-306
US-PATENT-CLASS-429-223
US-PATENT-CLASS-429-234
US-PATENT-4,439,465

N84-22744* c 27 ..... NASA-CASE-ARC-11402-1
US-PATENT-APPL-SN-366025
US-PATENT-CLASS-260-465.5R
US-PATENT-CLASS-260-465.6
US-PATENT-CLASS-528-362
US-PATENT-CLASS-528-401
US-PATENT-CLASS-528-422
US-PATENT-CLASS-528-423
US-PATENT-CLASS-544-215
US-PATENT-CLASS-564-243
US-PATENT-4,434,106

N84-22745* c 27 ..... NASA-CASE-ARC-11368-3
US-PATENT-APPL-SN-288267
US-PATENT-APPL-SN-512795
US-PATENT-CLASS-428-370
US-PATENT-CLASS-428-408
US-PATENT-CLASS-428-902
US-PATENT-CLASS-428-920
US-PATENT-CLASS-525-417
US-PATENT-CLASS-526-262
US-PATENT-CLASS-528-228
US-PATENT-CLASS-528-322
US-PATENT-CLASS-548-415
US-PATENT-4,395,557
US-PATENT-4,433,115

N84-22746* c 27 ..... NASA-CASE-LAR-12723-2
US-PATENT-APPL-SN-199768
US-PATENT-APPL-SN-447371
US-PATENT-CLASS-525-426
US-PATENT-CLASS-528-183
US-PATENT-CLASS-528-220
US-PATENT-CLASS-528-345
US-PATENT-CLASS-528-348
US-PATENT-4,395,540
US-PATENT-4,431,792

N84-22747* c 27 ..... NASA-CASE-LAR-12931-1
US-PATENT-APPL-SN-433598
US-PATENT-CLASS-524-171
US-PATENT-CLASS-525-534
US-PATENT-CLASS-525-535
US-PATENT-CLASS-525-536
US-PATENT-CLASS-528-25
US-PATENT-CLASS-528-26
US-PATENT-4,431,761

N84-22748* c 27 ..... NASA-CASE-NPO-15640-1
US-PATENT-APPL-SN-465367
US-PATENT-CLASS-156-304.3
US-PATENT-CLASS-156-304.6
US-PATENT-CLASS-156-499
US-PATENT-CLASS-156-81
US-PATENT-CLASS-156-89
US-PATENT-4,420,352

N84-22749* c 27 ..... NASA-CASE-LAR-12980-1
US-PATENT-APPL-SN-469866
US-PATENT-CLASS-528-125
US-PATENT-CLASS-528-128
US-PATENT-CLASS-528-172
US-PATENT-CLASS-528-185
US-PATENT-4,444,979

N84-22750* c 27 ..... NASA-CASE-ARC-11370-1
US-PATENT-APPL-SN-491125
US-PATENT-CLASS-525-389
US-PATENT-CLASS-528-394
US-PATENT-CLASS-528-399
US-PATENT-CLASS-528-6
US-PATENT-CLASS-528-7
US-PATENT-CLASS-568-4
US-PATENT-CLASS-568-5
US-PATENT-4,444,972

N84-22820* c 32 ..... NASA-CASE-MSC-18675-1
US-PATENT-APPL-SN-266687
US-PATENT-CLASS-343-17.5
US-PATENT-CLASS-343-9R
US-PATENT-4,439,766

N84-22884* c 33 ..... NASA-CASE-MFS-256704-1
US-PATENT-APPL-SN-409679
US-PATENT-CLASS-204-192EC
US-PATENT-4,437,961

N84-22885* c 33 ..... NASA-CASE-MFS-25535-2
US-PATENT-APPL-SN-476244
US-PATENT-CLASS-318-438
US-PATENT-CLASS-318-729
US-PATENT-CLASS-318-798
US-PATENT-CLASS-318-805
US-PATENT-CLASS-318-810
US-PATENT-4,433,276

N84-22886* c 33 ..... NASA-CASE-MFS-25323-1
US-PATENT-APPL-SN-297524
US-PATENT-CLASS-318-729
US-PATENT-CLASS-318-812
US-PATENT-4,439,718

N84-22887* c 33 ..... NASA-CASE-GSC-12567-1
US-PATENT-APPL-SN-373839
US-PATENT-CLASS-330-109
US-PATENT-CLASS-330-277
US-PATENT-CLASS-330-294
US-PATENT-4,437,069

N84-22903* c 34 ..... NASA-CASE-NPO-15465-1
US-PATENT-APPL-SN-284289
US-PATENT-CLASS-126-417
US-PATENT-CLASS-165-DIG.6
US-PATENT-CLASS-165-135
US-PATENT-CLASS-62-DIG.1
US-PATENT-CLASS-62-264
US-PATENT-CLASS-62-467R
US-PATENT-4,423,605

N84-22928* c 35 ..... NASA-CASE-MFS-25687-1
US-PATENT-APPL-SN-350474
US-PATENT-CLASS-324-262
US-PATENT-CLASS-73-620
US-PATENT-CLASS-73-633
US-PATENT-CLASS-74-58
US-PATENT-4,434,659

N84-22929* c 35 ..... NASA-CASE-MFS-25405-1
US-PATENT-APPL-SN-274708
US-PATENT-CLASS-356-347
US-PATENT-4,428,675

N84-22930* c 35 ..... NASA-CASE-LEW-13598-1
US-PATENT-APPL-SN-425203
US-PATENT-CLASS-101-395
US-PATENT-CLASS-156-630
US-PATENT-CLASS-156-654
US-PATENT-CLASS-156-905
US-PATENT-CLASS-228-165
US-PATENT-4,437,923

N84-22931* c 35 ..... NASA-CASE-NPO-15398-1
US-PATENT-APPL-SN-259212
US-PATENT-CLASS-356-216
US-PATENT-CLASS-356-234
US-PATENT-4,431,306

N84-22932* c 35 ..... NASA-CASE-LAR-12967-1
US-PATENT-APPL-SN-414107
US-PATENT-CLASS-310-317
US-PATENT-CLASS-310-334
US-PATENT-CLASS-310-366
US-PATENT-4,446,396
N84-22933* c 35 ..... NASA-CASE-LAR-12995-1
US-PATENT-APPL-SN-444150
US-PATENT-CLASS-181-121
US-PATENT-CLASS-367-189
US-PATENT-CLASS-73-589
US-PATENT-CLASS-73-594
US-PATENT-4,445,378
N84-22934* c 35 ..... NASA-CASE-ARC-11361-1
US-PATENT-APPL-SN-373771
US-PATENT-CLASS-340-870.13
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-721
US-PATENT-CLASS-73-756
US-PATENT-4,442,716
N84-22943* c 36 ..... NASA-CASE-NPO-15516-1
US-PATENT-APPL-SN-364126
US-PATENT-CLASS-372-20
US-PATENT-CLASS-372-28
US-PATENT-CLASS-372-32
US-PATENT-4,434,490
N84-22944* c 36 ..... NASA-CASE-LEW-13526-1
US-PATENT-APPL-SN-358398
US-PATENT-CLASS-118-50.1
US-PATENT-CLASS-118-624
US-PATENT-CLASS-118-641
US-PATENT-CLASS-427-399
US-PATENT-CLASS-427-53.1
US-PATENT-4,434,189
N84-22957* c 37 ..... NASA-CASE-LEW-13269-2
US-PATENT-APPL-SN-242795
US-PATENT-APPL-SN-431448
US-PATENT-CLASS-415-174
US-PATENT-CLASS-427-34
US-PATENT-CLASS-427-423
US-PATENT-CLASS-427-53.1
US-PATENT-CLASS-428-155
US-PATENT-4,377,371
US-PATENT-4,430,360
N84-22958* c 37 ..... NASA-CASE-LEW-12590-1
US-PATENT-APPL-SN-229693
US-PATENT-CLASS-60-730
US-PATENT-CLASS-60-736
US-PATENT-4,429,537
N84-23012*# c 43 ..... NASA-CASE-NPO-15656-1
US-PATENT-APPL-SN-569370
N84-23018* c 44 ..... NASA-CASE-NPO-15496-1
US-PATENT-APPL-SN-379602
US-PATENT-CLASS-290-55
US-PATENT-CLASS-415-DIG.8
US-PATENT-CLASS-415-2R
US-PATENT-CLASS-60-641.12
US-PATENT-CLASS-60-698
US-PATENT-CLASS-60-716
US-PATENT-4,433,544
N84-23019* c 44 ..... NASA-CASE-LAR-12958-1
US-PATENT-APPL-SN-433196
US-PATENT-CLASS-104-DIG.4
US-PATENT-CLASS-204-DIG.3
US-PATENT-CLASS-204-129
US-PATENT-CLASS-204-278
US-PATENT-CLASS-204-280
US-PATENT-CLASS-423-303
US-PATENT-CLASS-429-111
US-PATENT-4,439,301
N84-23095* c 52 ..... NASA-CASE-LEW-13107-2
US-PATENT-APPL-SN-444124
US-PATENT-CLASS-156-643
US-PATENT-CLASS-156-644
US-PATENT-CLASS-156-668
US-PATENT-CLASS-204-192E
US-PATENT-4,432,853
N84-23113* c 54 ..... NASA-CASE-MSC-20261-2
US-PATENT-APPL-SN-393581
US-PATENT-CLASS-2-161R
US-PATENT-CLASS-2-167
US-PATENT-4,433,439
N84-23233* c 71 ..... NASA-CASE-NPO-15689-1
US-PATENT-APPL-SN-358089
US-PATENT-CLASS-310-300
US-PATENT-CLASS-318-116
US-PATENT-CLASS-60-721
US-PATENT-CLASS-73-505
US-PATENT-4,420,977
N84-23247* c 74 ..... NASA-CASE-NPO-15345-1
US-PATENT-APPL-SN-276749
US-PATENT-CLASS-358-125
US-PATENT-CLASS-358-213
US-PATENT-4,430,673
N84-23248* c 74 ..... NASA-CASE-GSC-12756-1
US-PATENT-APPL-SN-378535
US-PATENT-CLASS-350-172
US-PATENT-CLASS-350-173
US-PATENT-CLASS-350-443
US-PATENT-4,444,464
N84-24577* c 07 ..... NASA-CASE-LEW-14035-1
US-PATENT-APPL-SN-136652
US-PATENT-CLASS-60-757
US-PATENT-4,414,816
N84-25037*# c 36 ..... NASA-CASE-NPO-16030-1
US-PATENT-APPL-SN-582494
N84-27713* c 04 ..... NASA-CASE-NPO-15264-1
US-PATENT-APPL-SN-241154
US-PATENT-CLASS-343-105R
US-PATENT-CLASS-364-452
US-PATENT-4,396,918
N84-27733* c 06 ..... NASA-CASE-LAR-12630-1
US-PATENT-APPL-SN-383384
US-PATENT-CLASS-340-705
US-PATENT-CLASS-340-971
US-PATENT-CLASS-340-975
US-PATENT-CLASS-340-978
US-PATENT-CLASS-340-980
US-PATENT-CLASS-73-178R
US-PATENT-4,453,163
N84-27749* c 09 ..... NASA-CASE-MFS-25791-1
US-PATENT-APPL-SN-409678
US-PATENT-CLASS-417-159
US-PATENT-CLASS-73-117.1
US-PATENT-4,454,753
N84-27784* c 16 ..... NASA-CASE-MFS-25853-1
US-PATENT-APPL-SN-418138
US-PATENT-CLASS-244-158R
US-PATENT-CLASS-244-172
US-PATENT-CLASS-244-63
US-PATENT-4,452,412
N84-27787* c 18 ..... NASA-CASE-MFS-25878-1
US-PATENT-APPL-SN-431886
US-PATENT-CLASS-244-172
US-PATENT-CLASS-244-2
US-PATENT-CLASS-244-63
US-PATENT-4,451,017
N84-27829* c 24 ..... NASA-CASE-LEW-13758-1
US-PATENT-APPL-SN-418139
US-PATENT-CLASS-73-833
US-PATENT-CLASS-73-856
US-PATENT-4,452,088
N84-27855* c 26 ..... NASA-CASE-LEW-13039-2
US-PATENT-APPL-SN-456460
US-PATENT-CLASS-427-34
US-PATENT-CLASS-427-405
US-PATENT-CLASS-427-419.2
US-PATENT-CLASS-428-632
US-PATENT-4,451,496
N84-27884* c 27 ..... NASA-CASE-ARC-11405-1
US-PATENT-APPL-SN-415880
US-PATENT-CLASS-528-271
US-PATENT-CLASS-528-310
US-PATENT-CLASS-528-327
US-PATENT-CLASS-528-331
US-PATENT-CLASS-528-362
US-PATENT-4,450,268
N84-27885* c 27 ..... NASA-CASE-LEW-13770-1
US-PATENT-APPL-SN-404809
US-PATENT-CLASS-526-262
US-PATENT-CLASS-528-322
US-PATENT-CLASS-528-342
US-PATENT-4,455,418
N84-27886* c 27 ..... NASA-CASE-LAR-12862-1
US-PATENT-APPL-SN-435511
US-PATENT-CLASS-220-306
US-PATENT-CLASS-244-117A
US-PATENT-CLASS-244-158A
US-PATENT-4,456,208
N84-27951* c 32 ..... NASA-CASE-NPO-15024-1
US-PATENT-APPL-SN-284287
US-PATENT-CLASS-343-17.7
US-PATENT-CLASS-434-2
US-PATENT-4,450,447
N84-27952* c 32 ..... NASA-CASE-MSC-16170-2
US-PATENT-APPL-SN-147695
US-PATENT-APPL-SN-737975
US-PATENT-CLASS-329-124
US-PATENT-CLASS-375-120
US-PATENT-CLASS-375-77
US-PATENT-CLASS-375-81
US-PATENT-CLASS-455-202
US-PATENT-CLASS-455-208
US-PATENT-CLASS-455-260
US-PATENT-CLASS-455-265
US-PATENT-4,455,680
N84-27974* c 33 ..... NASA-CASE-LEW-13736-1
US-PATENT-APPL-SN-434084
US-PATENT-CLASS-315-3.6
US-PATENT-CLASS-315-39.3
US-PATENT-CLASS-331-82
US-PATENT-CLASS-333-162
US-PATENT-4,459,562
N84-27975* c 33 ..... NASA-CASE-MFS-25854-1
US-PATENT-APPL-SN-450166
US-PATENT-CLASS-318-729
US-PATENT-CLASS-318-809
US-PATENT-CLASS-323-300
US-PATENT-4,459,528
N84-28015* c 35 ..... NASA-CASE-WLP-10055-1
US-PATENT-APPL-SN-352827
US-PATENT-CLASS-73-862.65
US-PATENT-4,425,808
N84-28016* c 35 ..... NASA-CASE-NPO-15423-1
US-PATENT-APPL-SN-361216
US-PATENT-CLASS-250-296
US-PATENT-4,435,642
N84-28017* c 35 ..... NASA-CASE-NPO-15706-1
US-PATENT-APPL-SN-350475
US-PATENT-CLASS-310-154
US-PATENT-CLASS-310-171
US-PATENT-CLASS-310-68B
US-PATENT-CLASS-335-222
US-PATENT-4,443,724
N84-28018* c 35 ..... NASA-CASE-MFS-25754-1
US-PATENT-APPL-SN-359626
US-PATENT-CLASS-33-169F
US-PATENT-CLASS-62-128
US-PATENT-CLASS-73-150R
US-PATENT-CLASS-73-170R
US-PATENT-CLASS-73-32R
US-PATENT-CLASS-73-864.41
US-PATENT-4,398,412
N84-28019* c 35 ..... NASA-CASE-LAR-12743-1
US-PATENT-APPL-SN-372279
US-PATENT-CLASS-374-1
US-PATENT-CLASS-73-1B
US-PATENT-4,426,874
N84-28065* c 36 ..... NASA-CASE-GSC-12592-1
US-PATENT-APPL-SN-199766
US-PATENT-CLASS-372-103
US-PATENT-CLASS-372-4
US-PATENT-CLASS-372-71
US-PATENT-CLASS-372-93
US-PATENT-CLASS-372-95
US-PATENT-4,446,556
N84-28081* c 37 ..... NASA-CASE-NPO-14597-2
US-PATENT-APPL-SN-037194
US-PATENT-APPL-SN-401288
US-PATENT-CLASS-417-326
US-PATENT-CLASS-417-392
US-PATENT-CLASS-417-462
US-PATENT-4,449,894
N84-28082* c 37 ..... NASA-CASE-GSC-12550-1
US-PATENT-APPL-SN-238888
US-PATENT-CLASS-73-468
US-PATENT-CLASS-74-5.5
US-PATENT-CLASS-74-573R
US-PATENT-4,458,554
N84-28083* c 37 ..... NASA-CASE-GSC-12762-1
US-PATENT-APPL-SN-364094
US-PATENT-CLASS-269-224
US-PATENT-CLASS-269-242
US-PATENT-CLASS-269-244
US-PATENT-CLASS-269-252
US-PATENT-CLASS-269-285
US-PATENT-4,448,408
N84-28084* c 37 ..... NASA-CASE-LAR-12644-1
US-PATENT-APPL-SN-387728
US-PATENT-CLASS-74-753
US-PATENT-CLASS-74-758
US-PATENT-CLASS-74-812
US-PATENT-4,446,757
N84-28085* c 37 ..... NASA-CASE-LAR-12786-1
US-PATENT-APPL-SN-309292
US-PATENT-CLASS-30-180
US-PATENT-CLASS-30-188
US-PATENT-CLASS-30-228
US-PATENT-CLASS-30-249
US-PATENT-CLASS-30-272R
US-PATENT-4,458,418
N84-28203* c 44 ..... NASA-CASE-NPO-15388-1
US-PATENT-APPL-SN-284286
US-PATENT-CLASS-126-419
US-PATENT-CLASS-126-438
US-PATENT-CLASS-126-451
US-PATENT-4,433,672
N84-28204* c 44 ..... NASA-CASE-NPO-15662-1
US-PATENT-APPL-SN-392103
US-PATENT-CLASS-126-418
US-PATENT-CLASS-126-438
US-PATENT-CLASS-126-440
US-PATENT-4,449,514
N84-28205* c 44 ..... NASA-CASE-LEW-13653-1
US-PATENT-APPL-SN-352821
US-PATENT-CLASS-204-290
US-PATENT-CLASS-29-623.5
US-PATENT-CLASS-29-825

US-PATENT-CLASS-427-113
US-PATENT-CLASS-427-115
US-PATENT-CLASS-427-125
US-PATENT-CLASS-427-226
US-PATENT-CLASS-427-372.2
US-PATENT-CLASS-427-379
US-PATENT-CLASS-427-380
US-PATENT-CLASS-427-443
US-PATENT-CLASS-429-44
US-PATENT-4,454,649

N84-28292* c 47 ..... NASA-CASE-LAR-12971-1
US-PATENT-APPL-SN-444149
US-PATENT-CLASS-250-356.1
US-PATENT-CLASS-73-189
US-PATENT-CLASS-73-861.71
US-PATENT-4,449,400

N84-28361* c 51 ..... NASA-CASE-ARC-11359-1
US-PATENT-APPL-SN-392092
US-PATENT-CLASS-264-41
US-PATENT-CLASS-521-141
US-PATENT-CLASS-521-142
US-PATENT-CLASS-521-149
US-PATENT-4,456,708

N84-28388* c 52 ..... NASA-CASE-LAR-12650-1
US-PATENT-APPL-SN-264381
US-PATENT-CLASS-128-325
US-PATENT-CLASS-128-346
US-PATENT-CLASS-24-560
US-PATENT-4,416,266

N84-28389* c 52 ..... NASA-CASE-LAR-12650-2
US-PATENT-APPL-SN-264381
US-PATENT-APPL-SN-465363
US-PATENT-CLASS-156-191
US-PATENT-CLASS-156-285
US-PATENT-CLASS-156-289
US-PATENT-CLASS-156-382
US-PATENT-CLASS-29-423
US-PATENT-CLASS-29-451
US-PATENT-4,447,943

N84-28484* c 54 ..... NASA-CASE-MSC-20261-1
US-PATENT-APPL-SN-393586
US-PATENT-CLASS-2-161R
US-PATENT-CLASS-2-164
US-PATENT-CLASS-2-167
US-PATENT-4,454,611

N84-28491* c 60 ..... NASA-CASE-GSC-12447-2
US-PATENT-APPL-SN-128230
US-PATENT-APPL-SN-501060
US-PATENT-CLASS-364-900
US-PATENT-4,435,781

N84-28492* c 60 ..... NASA-CASE-MSC-20258-1
US-PATENT-APPL-SN-235472
US-PATENT-CLASS-340-825.21
US-PATENT-CLASS-340-825.5
US-PATENT-CLASS-364-900
US-PATENT-4,446,459

N84-28565* c 70 ..... NASA-CASE-LEW-12919-2
US-PATENT-APPL-SN-264378
US-PATENT-APPL-SN-364072
US-PATENT-CLASS-313-106
US-PATENT-CLASS-313-107
US-PATENT-CLASS-313-351
US-PATENT-CLASS-315-5.38
US-PATENT-4,349,424
US-PATENT-4,417,175

N84-28568* c 71 ..... NASA-CASE-MFS-25828-1
US-PATENT-APPL-SN-493866
US-PATENT-CLASS-137-838
US-PATENT-CLASS-366-106
US-PATENT-CLASS-425-6
US-PATENT-CLASS-65-142
US-PATENT-CLASS-65-160
US-PATENT-CLASS-65-21.3
US-PATENT-CLASS-65-21.4
US-PATENT-4,447,251

N84-28575* c 72 ..... NASA-CASE-MFS-25641-1
US-PATENT-APPL-SN-342857
US-PATENT-CLASS-250-305
US-PATENT-CLASS-324-457
US-PATENT-CLASS-324-71.3
US-PATENT-CLASS-324-72.5
US-PATENT-4,455,532

N84-28590* c 74 ..... NASA-CASE-NPO-15805-1
US-PATENT-APPL-SN-296137
US-PATENT-CLASS-250-332
US-PATENT-CLASS-250-338
US-PATENT-4,443,701

N84-28732* c 02 ..... NASA-CASE-LAR-12396-1
US-PATENT-APPL-SN-017889
US-PATENT-CLASS-244-35R
US-PATENT-CLASS-416-223R
US-PATENT-CLASS-416-242
US-PATENT-4,459,083

N84-32398*# c 09 ..... NAS 1.71:MFS-25962-1
NASA-CASE-MFS-25962-1
US-PATENT-APPL-SN-633180

N84-32447*# c 25 ..... NAS 1.71:LAR-13257-1
NASA-CASE-LAR-13257-1
US-PATENT-APPL-SN-633178

N84-33394* c 03 ..... NAS 1.71:ARC-11423-1
NASA-CASE-ARC-11423-1
US-PATENT-APPL-SN-452466
US-PATENT-CLASS-297-DIG.5
US-PATENT-CLASS-428-246
US-PATENT-CLASS-428-280
US-PATENT-CLASS-428-287
US-PATENT-CLASS-428-304.4
US-PATENT-CLASS-428-319.1
US-PATENT-CLASS-428-423.5
US-PATENT-CLASS-428-71
US-PATENT-CLASS-428-76
US-PATENT-CLASS-428-921
US-PATENT-CLASS-5-459
US-PATENT-4,463,465

N84-33400*# c 05 ..... NAS 1.71:LAR-13233-1
NASA-CASE-LAR-13233-1
US-PATENT-APPL-SN-649329

N84-33410* c 07 ..... NAS 1.71:LEW-13524-1
NASA-CASE-LEW-13524-1
US-PATENT-APPL-SN-238257
US-PATENT-CLASS-415-115
US-PATENT-CLASS-60-39.29
US-PATENT-CLASS-60-39.83
US-PATENT-4,416,111

N84-33450* c 18 ..... NAS 1.71:LAR-12884
NASA-CASE-LAR-12884-1
US-PATENT-APPL-SN-510136
US-PATENT-CLASS-428-182
US-PATENT-CLASS-428-184
US-PATENT-CLASS-428-595
US-PATENT-CLASS-52-814
US-PATENT-4,472,473

N84-33555* c 26 ..... NAS 1.71:LEW-13639-1
NASA-CASE-LEW-13639-1
US-PATENT-APPL-SN-403378
US-PATENT-CLASS-416-241R
US-PATENT-CLASS-428-564
US-PATENT-CLASS-428-639
US-PATENT-CLASS-428-678
US-PATENT-4,446,199

N84-33589* c 27 ..... NAS 1.71:NPO-15753-1
NASA-CASE-NPO-15753-1
US-PATENT-APPL-SN-342871
US-PATENT-CLASS-219-203
US-PATENT-CLASS-219-219
US-PATENT-CLASS-219-522
US-PATENT-CLASS-219-541
US-PATENT-CLASS-219-543
US-PATENT-CLASS-338-309
US-PATENT-CLASS-428-432
US-PATENT-4,459,470

N84-33660* c 33 ..... NAS 1.71:MFS-25302-2
NASA-CASE-MFS-25302-2
US-PATENT-APPL-SN-243683
US-PATENT-APPL-SN-481086
US-PATENT-CLASS-307-87
US-PATENT-CLASS-322-25
US-PATENT-CLASS-322-29
US-PATENT-CLASS-322-47
US-PATENT-CLASS-322-95
US-PATENT-4,388,585
US-PATENT-4,473,792

N84-33661* c 33 ..... NAS 1.71:MFS-25852-1
NASA-CASE-MFS-25852-1
US-PATENT-APPL-SN-450319
US-PATENT-CLASS-318-729
US-PATENT-CLASS-318-802
US-PATENT-4,469,998

N84-33663* c 33 ..... NAS 1.71:LEW-13495-1
NASA-CASE-LEW-13495-1
US-PATENT-APPL-SN-368188
US-PATENT-CLASS-323-901
US-PATENT-CLASS-363-22
US-PATENT-CLASS-363-49
US-PATENT-4,464,710

N84-33765* c 35 ..... NAS 1.71:GSC-12682-1
NASA-CASE-GSC-12682-1
US-PATENT-APPL-SN-350477
US-PATENT-CLASS-250-367
US-PATENT-CLASS-250-385
US-PATENT-CLASS-250-483.1
US-PATENT-CLASS-357-29
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-32
US-PATENT-4,472,728

N84-33766* c 35 ..... NAS 1.71:NPO-13556-1
NASA-CASE-NPO-13556-1
US-PATENT-APPL-SN-561369
US-PATENT-CLASS-250-339
US-PATENT-CLASS-356-188
US-PATENT-CLASS-356-189
US-PATENT-CLASS-356-73
US-PATENT-CLASS-356-74
US-PATENT-4,043,668

N84-33767* c 35 ..... NAS 1.71:NPO-15644-1
NASA-CASE-NPO-15644-1
US-PATENT-APPL-SN-358088
US-PATENT-CLASS-250-251
US-PATENT-CLASS-250-252.1
US-PATENT-CLASS-250-372
US-PATENT-4,469,942

N84-33768* c 35 ..... NAS 1.71:MFS-25717-1
NASA-CASE-MFS-25717-1
US-PATENT-APPL-SN-441897
US-PATENT-CLASS-175-45
US-PATENT-CLASS-299-1
US-PATENT-4,466,667

N84-33769* c 35 ..... NAS 1.71:NPO-15341-1
NASA-CASE-NPO-15341-1
US-PATENT-APPL-SN-315583
US-PATENT-CLASS-180-168
US-PATENT-CLASS-318-587
US-PATENT-CLASS-340-905
US-PATENT-CLASS-340-988
US-PATENT-4,472,716

N84-33807* c 37 ..... NAS 1.71:MFS-25862-2
NASA-CASE-MFS-25862-2
US-PATENT-APPL-SN-460509
US-PATENT-CLASS-73-12
US-PATENT-CLASS-73-588
US-PATENT-4,470,293

N84-33808* c 37 ..... NAS 1.71:LEW-12995-1
NASA-CASE-LEW-12995-1
US-PATENT-APPL-SN-157150
US-PATENT-CLASS-60-303
US-PATENT-CLASS-60-606
US-PATENT-4,449,370

N84-34443* c 06 ..... NASA-CASE-NPO-15351-2
US-PATENT-APPL-SN-224231
US-PATENT-APPL-SN-412039
US-PATENT-CLASS-73-178-R
US-PATENT-4,346,595
US-PATENT-4,474,062

N84-34448* c 09 ..... NASA-CASE-LAR-12950-1
US-PATENT-APPL-SN-481106
US-PATENT-CLASS-73-147
US-PATENT-4,475,385

N84-34571* c 24 ..... NAS 1.71:LAR-13230-1
NASA-CASE-LAR-13230-1
US-PATENT-APPL-SN-548584
US-PATENT-CLASS-523-454
US-PATENT-CLASS-523-458
US-PATENT-CLASS-525-484
US-PATENT-CLASS-528-407
US-PATENT-CLASS-528-92
US-PATENT-4,473,674

N84-34651* c 32 ..... NAS 1.71:NPO-15519-1
NASA-CASE-NPO-15519-1
US-PATENT-APPL-SN-314928
US-PATENT-CLASS-343-5-CM
US-PATENT-CLASS-343-5-DP
US-PATENT-CLASS-343-5-FT
US-PATENT-4,471,357

N84-34705* c 35 ..... NAS 1.71:NPO-15558-1
NASA-CASE-NPO-15558-1
US-PATENT-APPL-SN-373770
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-351
US-PATENT-CLASS-356-434
US-PATENT-CLASS-356-51
US-PATENT-4,474,471

N84-34792* c 44 ..... NAS 1.71:NPO-15808-1
NASA-CASE-NPO-15808-1
US-PATENT-APPL-SN-383068
US-PATENT-CLASS-126-415
US-PATENT-CLASS-4-498
US-PATENT-4,470,403

N84-34913* c 52 ..... NASA-CASE-GSC-12652-1
US-PATENT-APPL-SN-377891
US-PATENT-CLASS-128-24-A
US-PATENT-CLASS-128-328
US-PATENT-4,474,180

N84-35112*# c 76 ..... NASA-CASE-NPO-15786-1
US-PATENT-APPL-SN-366103
US-PATENT-CLASS-204-1T
US-PATENT-CLASS-204-37.6
US-PATENT-CLASS-204-56R
US-PATENT-CLASS-324-158D
US-PATENT-CLASS-324-158T
US-PATENT-4,462,871

N84-35113* c 76 ..... NASA-CASE-NPO-15629-1
US-PATENT-APPL-SN-371351
US-PATENT-CLASS-156-DIG.64
US-PATENT-CLASS-156-DIG.88
US-PATENT-CLASS-156-DIG.98
US-PATENT-CLASS-156-608
US-PATENT-CLASS-156-617-SP
US-PATENT-CLASS-156-617-V

US-PATENT-CLASS-422-246
US-PATENT-CLASS-422-249
US-PATENT-4,469,552
N85-19985* c 08 ..... NAS 1.71:LAR-12787-2
NASA-CASE-LAR-12787-2
US-PATENT-APPL-SN-301078
US-PATENT-APPL-SN-5226628
US-PATENT-CLASS-244-214
US-PATENT-CLASS-244-90R
US-PATENT-4,485,992
N85-19990* c 09 ..... NAS 1.71:KSC-11218-1
NASA-CASE-KSC-11218-1
US-PATENT-APPL-SN-387649
US-PATENT-CLASS-434-242
US-PATENT-CLASS-434-243
US-PATENT-CLASS-434-35
US-PATENT-CLASS-434-49
US-PATENT-4,490,117
N85-20123* c 27 ..... NAS 1.71:LAR-12723-1
NASA-CASE-LAR-12723-1
US-PATENT-APPL-SN-199768
US-PATENT-CLASS-525-420
US-PATENT-CLASS-528-183
US-PATENT-CLASS-528-192
US-PATENT-CLASS-528-220
US-PATENT-CLASS-528-336
US-PATENT-CLASS-528-345
US-PATENT-4,395,540
N85-20124* c 27 ..... NAS 1.71:LAR-12858-2
NASA-CASE-LAR-12858-2
US-PATENT-APPL-SN-407240
US-PATENT-APPL-SN-492282
US-PATENT-CLASS-264-DIG.65
US-PATENT-CLASS-264-112
US-PATENT-CLASS-264-120
US-PATENT-CLASS-264-137
US-PATENT-CLASS-264-152
US-PATENT-CLASS-264-258
US-PATENT-CLASS-264-331.12
US-PATENT-CLASS-264-331.19
US-PATENT-CLASS-528-226
US-PATENT-CLASS-528-239
US-PATENT-CLASS-528-241
US-PATENT-CLASS-528-258
US-PATENT-CLASS-528-279
US-PATENT-4,396,021
US-PATENT-4,489,027
N85-20125* c 27 ..... NAS 1.71:LAR-12894-1
NASA-CASE-LAR-12894-1
US-PATENT-APPL-SN-516087
US-PATENT-CLASS-156-273.7
US-PATENT-CLASS-24-304
US-PATENT-CLASS-24-447
US-PATENT-CLASS-24-450
US-PATENT-CLASS-24-693
US-PATENT-4,488,335
N85-20126* c 27 ..... NAS 1.71:MFS-25862-1
NASA-CASE-MFS-25862-1
US-PATENT-APPL-SN-465366
US-PATENT-CLASS-73-579
US-PATENT-CLASS-73-582
US-PATENT-CLASS-73-588
US-PATENT-4,479,386
N85-20153* c 31 ..... NAS 1.71:LEW-14080-1
NASA-CASE-LEW-14080-1
US-PATENT-APPL-SN-628866
US-PATENT-CLASS-204-192C
US-PATENT-CLASS-204-192R
US-PATENT-CLASS-204-192SP
US-PATENT-CLASS-423-DIG.10
US-PATENT-CLASS-423-414
US-PATENT-CLASS-423-445
US-PATENT-CLASS-423-446
US-PATENT-CLASS-423-449
US-PATENT-4,490,229
N85-20226*# c 32 ..... NAS 1.71:GSC-12892-1
NASA-CASE-GSC-12892-1
US-PATENT-APPL-SN-655606
N85-20294* c 35 ..... NAS 1.71:GSC-12789-1
NASA-CASE-GSC-12789-1
US-PATENT-APPL-SN-409680
US-PATENT-CLASS-177-147
US-PATENT-CLASS-177-260
US-PATENT-CLASS-73-862.54
US-PATENT-4,479,560
N85-20295* c 35 ..... NAS 1.71:LAR-13065-1
NASA-CASE-LAR-13065-1
US-PATENT-APPL-SN-484745
US-PATENT-CLASS-73-187
US-PATENT-4,485,671
N85-20300*# c 35 ..... NAS 1.71:MFS-28008-1
NASA-CASE-MFS-28008-1
US-PATENT-APPL-SN-684194
N85-20337* c 37 ..... NAS 1.71:GSC-12582-2
NASA-CASE-GSC-12582-2
US-PATENT-APPL-SN-220213
US-PATENT-APPL-SN-415960
US-PATENT-CLASS-104-281
US-PATENT-CLASS-104-284
US-PATENT-CLASS-308-10
US-PATENT-4,473,259
N85-20338* c 37 ..... NAS 1.71:MSC-20112-1
NASA-CASE-MSC-20112-1
US-PATENT-APPL-SN-392104
US-PATENT-CLASS-251-265
US-PATENT-CLASS-251-267
US-PATENT-CLASS-251-284
US-PATENT-CLASS-251-297
US-PATENT-CLASS-74-424.8B
US-PATENT-CLASS-74-424.8VA
US-PATENT-4,483,512
N85-20530* c 44 ..... NAS 1.71:LEW-13414-1
NASA-CASE-LEW-13414-1
US-PATENT-APPL-SN-465364
US-PATENT-CLASS-136-256
US-PATENT-CLASS-427-85
US-PATENT-4,478,879
N85-21147* c 05 ..... NAS 1.71:LAR-12979-1
NASA-CASE-LAR-12979-1
US-PATENT-APPL-SN-508371
US-PATENT-CLASS-244-139
US-PATENT-CLASS-244-147
US-PATENT-CLASS-244-75R
US-PATENT-4,496,122
N85-21178* c 09 ..... NAS 1.71:LAR-13014-1
NASA-CASE-LAR-13014-1
US-PATENT-APPL-SN-527918
US-PATENT-CLASS-73-147
US-PATENT-4,493,211
N85-21256* c 20 ..... NAS 1.71:LEW-13881-1
NASA-CASE-LEW-13881-1
US-PATENT-APPL-SN-473498
US-PATENT-CLASS-60-202
US-PATENT-4,466,242
N85-21266* c 24 ..... NAS 1.71:LEW-13324-2
NASA-CASE-LEW-13324-2
US-PATENT-APPL-SN-375784
US-PATENT-APPL-SN-523297
US-PATENT-CLASS-428-633
US-PATENT-CLASS-428-656
US-PATENT-CLASS-428-678
US-PATENT-CLASS-428-679
US-PATENT-CLASS-428-680
US-PATENT-CLASS-428-681
US-PATENT-CLASS-428-682
US-PATENT-CLASS-428-683
US-PATENT-CLASS-428-684
US-PATENT-4,485,151
N85-21267* c 24 ..... NAS 1.71:LEW-13837-2
NASA-CASE-LEW-13837-2
US-PATENT-APPL-SN-495381
US-PATENT-APPL-SN-591089
US-PATENT-CLASS-204-192C
US-PATENT-CLASS-204-192N
US-PATENT-CLASS-204-192R
US-PATENT-CLASS-423-445
US-PATENT-CLASS-423-446
US-PATENT-CLASS-423-449
US-PATENT-CLASS-427-39
US-PATENT-4,437,962
US-PATENT-4,495,044
N85-21279* c 25 ..... NAS 1.71:GSC-12808-1
NASA-CASE-GSC-12808-1
US-PATENT-APPL-SN-462497
US-PATENT-CLASS-376-159
US-PATENT-4,483,817
N85-21280* c 25 ..... NAS 1.71:MFS-25721-1
NASA-CASE-MFS-25721-1
US-PATENT-APPL-SN-492964
US-PATENT-CLASS-556-410
US-PATENT-4,474,975
N85-21347* c 27 ..... NAS 1.71:ARC-11368-2
NASA-CASE-ARC-11368-2
US-PATENT-APPL-SN-175452
US-PATENT-APPL-SN-288267
US-PATENT-APPL-SN-502820
US-PATENT-CLASS-526-262
US-PATENT-CLASS-526-274
US-PATENT-CLASS-528-167
US-PATENT-CLASS-528-168
US-PATENT-CLASS-528-170
US-PATENT-CLASS-528-321
US-PATENT-CLASS-528-322
US-PATENT-4,276,344
US-PATENT-4,395,557
US-PATENT-4,496,701
N85-21348* c 27 ..... NASA-CASE-ARC-11413-1
US-PATENT-APPL-SN-440656
US-PATENT-CLASS-528-125
US-PATENT-CLASS-528-126
US-PATENT-CLASS-528-128
US-PATENT-CLASS-528-166
US-PATENT-CLASS-528-185
US-PATENT-CLASS-528-186
US-PATENT-CLASS-528-187
US-PATENT-CLASS-528-226
US-PATENT-CLASS-528-229
US-PATENT-CLASS-528-352
US-PATENT-CLASS-528-353
US-PATENT-4,499,260
N85-21349* c 27 ..... NAS 1.71:LAR-12775-2
NASA-CASE-LAR-12775-2
US-PATENT-APPL-SN-308201
US-PATENT-APPL-SN-461788
US-PATENT-CLASS-525-181
US-PATENT-CLASS-525-182
US-PATENT-CLASS-525-183
US-PATENT-CLASS-525-184
US-PATENT-CLASS-525-474
US-PATENT-4,389,504
US-PATENT-4,497,935
N85-21350* c 27 ..... NAS 1.71:LEW-13770-3
NASA-CASE-LEW-13770-3
US-PATENT-APPL-SN-516217
US-PATENT-APPL-SN-561431
US-PATENT-CLASS-526-217
US-PATENT-CLASS-526-262
US-PATENT-CLASS-528-229
US-PATENT-CLASS-528-315
US-PATENT-CLASS-528-322
US-PATENT-CLASS-528-336
US-PATENT-CLASS-528-342
US-PATENT-4,497,948
N85-21351* c 27 ..... NAS 1.71:LEW-13770-4
NASA-CASE-LEW-13770-4
US-PATENT-APPL-SN-516217
US-PATENT-APPL-SN-561429
US-PATENT-CLASS-526-262
US-PATENT-CLASS-528-229
US-PATENT-CLASS-528-322
US-PATENT-CLASS-528-342
US-PATENT-4,497,939
N85-21352* c 27 ..... NAS 1.71:LEW-13770-5
NASA-CASE-LEW-13770-5
US-PATENT-APPL-SN-516217
US-PATENT-APPL-SN-561435
US-PATENT-CLASS-526-262
US-PATENT-CLASS-528-229
US-PATENT-CLASS-528-322
US-PATENT-CLASS-528-342
US-PATENT-4,497,940
N85-21404* c 31 ..... NAS 1.71:GSC-12799-1
NASA-CASE-GSC-12799-1
US-PATENT-APPL-SN-461724
US-PATENT-CLASS-31-35
US-PATENT-CLASS-310-22
US-PATENT-CLASS-417-417
US-PATENT-CLASS-417-488
US-PATENT-CLASS-62-6
US-PATENT-CLASS-92-98R
US-PATENT-4,500,265
N85-21427* c 32 ..... NAS 1.71:MSC-18578-1
NASA-CASE-MSC-18578-1
US-PATENT-APPL-SN-367132
US-PATENT-CLASS-358-161
US-PATENT-CLASS-358-174
US-PATENT-CLASS-358-217
US-PATENT-CLASS-358-219
US-PATENT-4,495,520
N85-21428* c 32 ..... NAS 1.71:NPO-15433-1
NASA-CASE-NPO-15433-1
US-PATENT-APPL-SN-250585
US-PATENT-CLASS-364-200
US-PATENT-4,493,021
N85-21491* c 33 ..... NAS 1.71:NPO-15560-1
NASA-CASE-NPO-15560-1
US-PATENT-APPL-SN-275909
US-PATENT-CLASS-250-426
US-PATENT-CLASS-313-131A
US-PATENT-CLASS-315-111.31
US-PATENT-CLASS-315-111.81
US-PATENT-4,475,063
N85-21492* c 33 ..... NAS 1.71:LEW-13833-1
NASA-CASE-LEW-13833-1
US-PATENT-APPL-SN-486471
US-PATENT-CLASS-136-255
US-PATENT-CLASS-357-12
US-PATENT-CLASS-357-30
US-PATENT-4,482,779
N85-21493* c 33 ..... NAS 1.71:NPO-15920-1
NASA-CASE-NPO-15920-1
US-PATENT-APPL-SN-403848
US-PATENT-CLASS-343-17.7
US-PATENT-CLASS-343-376
US-PATENT-4,488,155
N85-21568* c 34 ..... NAS 1.71:LAR-12588-1
NASA-CASE-LAR-12588-1
US-PATENT-APPL-SN-234222

US-PATENT-CLASS-165-104.26
US-PATENT-CLASS-73-179
US-PATENT-CLASS-73-708
US-PATENT-4,485,670
N85-21595* c 35 ..... NAS 1.71:MSC-20275-1
NASA-CASE-MSC-20275-1
US-PATENT-APPL-SN-425205
US-PATENT-CLASS-222-309
US-PATENT-CLASS-222-340
US-PATENT-CLASS-222-43
US-PATENT-CLASS-222-48
US-PATENT-4,488,663
N85-21596* c 35 ..... NAS 1.71:NPO-15759-1
NASA-CASE-NPO-15759-1
US-PATENT-APPL-SN-367136
US-PATENT-CLASS-324-427
US-PATENT-CLASS-429-58
US-PATENT-4,499,424
N85-21597* c 35 ..... NAS 1.71:NPO-16027-1
NASA-CASE-NPO-16027-1
US-PATENT-APPL-SN-500044
US-PATENT-CLASS-73-40.5A
US-PATENT-CLASS-73-753
US-PATENT-4,498,333
N85-21598* c 35 ..... NAS 1.71:WLP-10055-2
NASA-CASE-WLP-10055-2
US-PATENT-APPL-SN-352827
US-PATENT-APPL-SN-526770
US-PATENT-CLASS-29-610SG
US-PATENT-4,425,808
US-PATENT-4,498,231
N85-21631* c 36 ..... NAS 1.71:NPO-15790-1
NASA-CASE-NPO-15790-1
US-PATENT-APPL-SN-423016
US-PATENT-CLASS-250-339
US-PATENT-CLASS-250-343
US-PATENT-4,489,239
N85-21639* c 36 ..... NAS 1.71:GSC-12558-1
NASA-CASE-GSC-12558-1
US-PATENT-APPL-SN-383086
US-PATENT-CLASS-356-43
US-PATENT-CLASS-356-45
US-PATENT-CLASS-374-137
US-PATENT-CLASS-73-705
US-PATENT-4,493,553
N85-21649* c 37 ..... NAS 1.71:MSC-20319-1
NASA-CASE-MSC-20319-1
US-PATENT-APPL-SN-393582
US-PATENT-CLASS-292-252
US-PATENT-CLASS-403-317
US-PATENT-CLASS-81-177G
US-PATENT-4,483,639
N85-21650* c 37 ..... NAS 1.71:NPO-15483-1
NASA-CASE-NPO-15483-1
US-PATENT-APPL-SN-387648
US-PATENT-CLASS-125-13R
US-PATENT-CLASS-125-15
US-PATENT-CLASS-51-73R
US-PATENT-CLASS-82-90
US-PATENT-CLASS-83-664
US-PATENT-CLASS-83-676
US-PATENT-4,475,527
N85-21651* c 37 ..... NAS 1.71:LAR-12868-1
NASA-CASE-LAR-12868-1
US-PATENT-APPL-SN-322321
US-PATENT-CLASS-374-208
US-PATENT-CLASS-374-210
US-PATENT-4,491,427
N85-21652* c 37 ..... NAS 1.71:NPO-15851-1
NASA-CASE-NPO-15851-1
US-PATENT-APPL-SN-415879
US-PATENT-CLASS-134-37
US-PATENT-CLASS-15-406
US-PATENT-CLASS-422-129
US-PATENT-CLASS-422-199
US-PATENT-4,500,492
N85-21723* c 43 ..... NAS 1.71:NPO-15651-1
NASA-CASE-NPO-15651-1
US-PATENT-APPL-SN-375620
US-PATENT-CLASS-343-352
US-PATENT-CLASS-374-122
US-PATENT-4,499,470
N85-21768* c 44 ..... NAS 1.71:LEW-13827-1
NASA-CASE-LEW-13827-1
US-PATENT-APPL-SN-486470
US-PATENT-CLASS-136-225
US-PATENT-CLASS-136-246
US-PATENT-CLASS-357-30
US-PATENT-4,482,778
N85-21769* c 44 ..... NAS 1.71:MFS-25637-1
NASA-CASE-MFS-25637-1
US-PATENT-APPL-SN-375684
US-PATENT-CLASS-290-1R
US-PATENT-CLASS-290-4R
US-PATENT-CLASS-307-64
US-PATENT-CLASS-307-66
US-PATENT-CLASS-318-46
US-PATENT-CLASS-318-729
US-PATENT-4,489,243
N85-21846* c 46 ..... NAS 1.71:NPO-15430-1
NASA-CASE-NPO-15430-1
US-PATENT-APPL-SN-322317
US-PATENT-CLASS-343-352
US-PATENT-CLASS-343-460
US-PATENT-CLASS-343-5W
US-PATENT-4,463,357
N85-21992* c 60 ..... NAS 1.71:NPO-15295-1
NASA-CASE-NPO-15295-1
US-PATENT-APPL-SN-291645
US-PATENT-CLASS-364-200
US-PATENT-4,481,570
N85-22104* c 71 ..... NAS 1.71:NPO-15466-1
NASA-CASE-NPO-15466-1
US-PATENT-APPL-SN-361217
US-PATENT-CLASS-23-313R
US-PATENT-CLASS-55-15
US-PATENT-CLASS-55-277
US-PATENT-4,475,921
N85-22105* c 71 ..... NAS 1.71:NPO-16022-1
NASA-CASE-NPO-16022-1
US-PATENT-APPL-SN-526750
US-PATENT-CLASS-73-505
US-PATENT-4,463,606
N85-22139* c 74 ..... NAS 1.71:NPO-15155-1
NASA-CASE-NPO-15155-1
US-PATENT-APPL-SN-242797
US-PATENT-CLASS-250-221
US-PATENT-CLASS-340-555
US-PATENT-4,479,053
N85-22877* c 33 ..... NAS 1.71:MFS-25861-1
NASA-CASE-MFS-25861-1
US-PATENT-APPL-SN-504345
US-PATENT-CLASS-318-729
US-PATENT-CLASS-318-812
US-PATENT-4,489,264
N85-23396* c 74 ..... NAS 1.71:NPO-15801-1
NASA-CASE-NPO-15801-1
US-PATENT-APPL-SN-478130
US-PATENT-CLASS-350-168
US-PATENT-CLASS-350-505
US-PATENT-CLASS-350-619
US-PATENT-CLASS-356-323
US-PATENT-CLASS-356-330
US-PATENT-CLASS-356-331
US-PATENT-4,497,540
N85-25436*# c 24 ..... NAS 1.15:76884
NASA-TM-76884
N85-28973* c 23 ..... NASA-CASE-LAR-13262-1
US-PATENT-APPL-SN-608741
US-PATENT-CLASS-525-532
US-PATENT-CLASS-525-534
US-PATENT-CLASS-528-86
US-PATENT-4,510,296
N85-28982* c 25 ..... NASA-CASE-LEW-13770-2
US-PATENT-APPL-SN-404809
US-PATENT-APPL-SN-516217
US-PATENT-CLASS-526-262
US-PATENT-CLASS-528-322
US-PATENT-CLASS-528-342
US-PATENT-4,455,418
US-PATENT-4,514,557
N85-29005* c 26 ..... NASA-CASE-NPO-15928-1
US-PATENT-APPL-SN-537616
US-PATENT-CLASS-204-192N
US-PATENT-CLASS-427-38
US-PATENT-CLASS-427-47
US-PATENT-4,522,844
N85-29043* c 27 ..... NASA-CASE-NPO-16103-1
US-PATENT-APPL-SN-617871
US-PATENT-CLASS-525-26
US-PATENT-CLASS-525-47
US-PATENT-CLASS-526-328
US-PATENT-CLASS-526-329.2
US-PATENT-CLASS-528-288
US-PATENT-CLASS-528-289
US-PATENT-CLASS-528-303
US-PATENT-CLASS-528-304
US-PATENT-4,523,008
N85-29044* c 27 ..... NASA-CASE-GSC-12883-1
US-PATENT-APPL-SN-604337
US-PATENT-CLASS-523-135
US-PATENT-CLASS-524-388
US-PATENT-CLASS-524-567
US-PATENT-4,518,722
N85-29082* c 31 ..... NASA-CASE-NPO-16257-1
US-PATENT-APPL-SN-588164
US-PATENT-CLASS-62-3
US-PATENT-4,507,928
N85-29083* c 31 ..... NASA-CASE-LAR-13181-1
US-PATENT-APPL-SN-507623
US-PATENT-CLASS-156-272.4
US-PATENT-CLASS-156-273.9
US-PATENT-CLASS-156-380.2
US-PATENT-CLASS-219-10.43
US-PATENT-CLASS-219-10.49
US-PATENT-CLASS-219-10.53
US-PATENT-CLASS-219-10.77
US-PATENT-4,521,659
N85-29117* c 32 ..... NASA-CASE-NPO-15432-1
US-PATENT-APPL-SN-425204
US-PATENT-CLASS-358-109
US-PATENT-CLASS-358-133
US-PATENT-4,513,317
N85-29118* c 32 ..... NASA-CASE-NPO-15743-1
US-PATENT-APPL-SN-448881
US-PATENT-CLASS-343-876
US-PATENT-CLASS-455-73
US-PATENT-4,503,436
N85-29142* c 33 ..... NASA-CASE-NPO-15553-1
US-PATENT-APPL-SN-437912
US-PATENT-CLASS-156-DIG.62
US-PATENT-CLASS-364-400
US-PATENT-CLASS-364-453
US-PATENT-CLASS-74-5.6D
US-PATENT-4,521,854
N85-29143* c 33 ..... NASA-CASE-NPO-15890-1-CU
US-PATENT-APPL-SN-556513
US-PATENT-CLASS-331-3
US-PATENT-CLASS-331-31
US-PATENT-CLASS-331-36C
US-PATENT-CLASS-331-94.1
US-PATENT-CLASS-331-96
US-PATENT-CLASS-333-231
US-PATENT-4,517,530
N85-29144* c 33 ..... NASA-CASE-LEW-13102-1
US-PATENT-APPL-SN-282298
US-PATENT-CLASS-429-206
US-PATENT-CLASS-429-249
US-PATENT-4,505,998
N85-29145* c 33 ..... NASA-CASE-GSC-12788-1
US-PATENT-APPL-SN-434085
US-PATENT-CLASS-307-271
US-PATENT-CLASS-307-520
US-PATENT-CLASS-307-521
US-PATENT-CLASS-307-529
US-PATENT-CLASS-328-167
US-PATENT-CLASS-330-302
US-PATENT-CLASS-330-306
US-PATENT-4,521,702
N85-29146* c 33 ..... NASA-CASE-GSC-12817-1
US-PATENT-APPL-SN-506477
US-PATENT-CLASS-336-198
US-PATENT-CLASS-336-84C
US-PATENT-4,510,476
N85-29147* c 33 ..... NASA-CASE-GSC-12818-1
US-PATENT-APPL-SN-511362
US-PATENT-CLASS-307-82
US-PATENT-CLASS-363-100
US-PATENT-CLASS-363-19
US-PATENT-CLASS-363-23
US-PATENT-CLASS-363-61
US-PATENT-CLASS-363-71
US-PATENT-CLASS-378-104
US-PATENT-CLASS-378-112
US-PATENT-4,517,472
N85-29179* c 34 ..... NASA-CASE-LEW-12950-2
US-PATENT-APPL-SN-202228
US-PATENT-APPL-SN-507626
US-PATENT-CLASS-165-104.14
US-PATENT-CLASS-165-32
US-PATENT-CLASS-310-306
US-PATENT-4,506,183
N85-29180* c 34 ..... NASA-CASE-MSC-20497-1
US-PATENT-APPL-SN-615505
US-PATENT-CLASS-122-366
US-PATENT-CLASS-165-1
US-PATENT-CLASS-165-104.26
US-PATENT-4,515,207
N85-29182*# c 34 ..... NAS 1.71:NPO-16494-1-CU
NASA-CASE-NPO-16494-1-CU
US-PATENT-APPL-SN-739789
N85-29212* c 35 ..... NASA-CASE-NPO-15722-1
US-PATENT-APPL-SN-457992
US-PATENT-CLASS-204-1T
US-PATENT-CLASS-204-430
US-PATENT-CLASS-73-336.5
US-PATENT-4,514,178
N85-29213* c 35 ..... NASA-CASE-MSC-18866-1
US-PATENT-APPL-SN-350471
US-PATENT-CLASS-422-103
US-PATENT-CLASS-422-86
US-PATENT-CLASS-422-88
US-PATENT-CLASS-436-2
US-PATENT-CLASS-73-40.7
US-PATENT-CLASS-73-863.86
US-PATENT-CLASS-73-864.52
US-PATENT-4,515,751
N85-29214* c 35 ..... NASA-CASE-MSC-25707-1

US-PATENT-APPL-SN-359627
US-PATENT-CLASS-126-263
US-PATENT-CLASS-165-48R
US-PATENT-CLASS-165-61
US-PATENT-CLASS-165-64
US-PATENT-CLASS-244-163
US-PATENT-4,513,810

N85-29264* c 36 ..... NASA-CASE-NPO-16000-1
US-PATENT-APPL-SN-384547
US-PATENT-CLASS-250-339
US-PATENT-CLASS-364-556
US-PATENT-4,509,130

N85-29282* c 37 ..... NASA-CASE-NPO-15037-2
US-PATENT-APPL-SN-161257
US-PATENT-APPL-SN-431420
US-PATENT-CLASS-415-1
US-PATENT-CLASS-415-68
US-PATENT-4,514,137

N85-29283* c 37 ..... NASA-CASE-MSC-18852-1
US-PATENT-APPL-SN-392094
US-PATENT-CLASS-239-DIG.23
US-PATENT-CLASS-239-288
US-PATENT-CLASS-239-322
US-PATENT-CLASS-239-327
US-PATENT-CLASS-239-375
US-PATENT-CLASS-239-590
US-PATENT-CLASS-55-DIG.42
US-PATENT-4,519,545

N85-29284* c 37 ..... NASA-CASE-MSC-20148-1
US-PATENT-APPL-SN-636465
US-PATENT-CLASS-251-325
US-PATENT-CLASS-251-349
US-PATENT-CLASS-251-353
US-PATENT-CLASS-277-135
US-PATENT-CLASS-277-80
US-PATENT-4,523,741

N85-29285* c 37 ..... NASA-CASE-LAR-13009-1
US-PATENT-APPL-SN-495380
US-PATENT-CLASS-403-28
US-PATENT-CLASS-403-408
US-PATENT-CLASS-411-368
US-PATENT-CLASS-411-378
US-PATENT-CLASS-411-426
US-PATENT-CLASS-411-501
US-PATENT-CLASS-411-531
US-PATENT-4,512,699

N85-29286* c 37 ..... NASA-CASE-LAR-13040-1
US-PATENT-APPL-SN-547176
US-PATENT-CLASS-219-201
US-PATENT-CLASS-219-221
US-PATENT-CLASS-219-285
US-PATENT-CLASS-414-217
US-PATENT-CLASS-73-863.11
US-PATENT-CLASS-73-864.81
US-PATENT-4,516,435

N85-29693* c 71 ..... NASA-CASE-NPO-16147-1-CU
US-PATENT-APPL-SN-559988
US-PATENT-CLASS-73-505
US-PATENT-4,520,656

N85-29749* c 74 ..... NASA-CASE-NPO-15464-1
US-PATENT-APPL-SN-342828
US-PATENT-CLASS-156-166
US-PATENT-CLASS-350-320
US-PATENT-CLASS-350-96.15
US-PATENT-4,523,810

N85-29750* c 74 ..... NASA-CASE-MSC-18417-1
US-PATENT-APPL-SN-523559
US-PATENT-CLASS-350-312
US-PATENT-CLASS-350-319
US-PATENT-CLASS-350-321
US-PATENT-CLASS-52-171
US-PATENT-4,521,077

N85-29800* c 76 ..... NASA-CASE-NPO-15772-1
US-PATENT-APPL-SN-392944
US-PATENT-CLASS-156-623Q
US-PATENT-CLASS-23-295R
US-PATENT-4,512,846

N85-29947* c 05 ..... NASA-CASE-ARC-11444-1
US-PATENT-APPL-SN-489675
US-PATENT-CLASS-416-145
US-PATENT-CLASS-416-23
US-PATENT-CLASS-416-500
US-PATENT-4,514,143

N85-29991* c 18 ..... NASA-CASE-MFS-25837-1
US-PATENT-APPL-SN-401282
US-PATENT-CLASS-244-118.1
US-PATENT-CLASS-244-158R
US-PATENT-CLASS-248-503
US-PATENT-CLASS-248-555
US-PATENT-CLASS-403-143
US-PATENT-CLASS-403-56
US-PATENT-CLASS-403-76
US-PATENT-CLASS-403-90
US-PATENT-CLASS-410-79
US-PATENT-CLASS-410-90
US-PATENT-4,508,296

N85-30027* c 24 ..... NASA-CASE-LEW-13828-1
US-PATENT-APPL-SN-560035
US-PATENT-CLASS-219-76.14
US-PATENT-CLASS-427-178
US-PATENT-CLASS-427-37
US-PATENT-CLASS-427-422
US-PATENT-4,518,625

N85-30039* c 25 ..... NASA-CASE-LEW-13770-6
US-PATENT-APPL-SN-516217
US-PATENT-APPL-SN-561434
US-PATENT-CLASS-526-204
US-PATENT-CLASS-526-217
US-PATENT-CLASS-526-262
US-PATENT-CLASS-528-314
US-PATENT-CLASS-528-322
US-PATENT-4,495,339

N85-30187* c 33 ..... NASA-CASE-NPO-16021-1
US-PATENT-APPL-SN-402205
US-PATENT-CLASS-324-158R
US-PATENT-CLASS-324-65R
US-PATENT-4,516,071

N85-30202*# c 33 ..... NAS 1.71:ARC-11536-1
NASA-CASE-ARC-11536-1
US-PATENT-APPL-SN-725714

N85-30281* c 35 ..... NASA-CASE-GSC-12851-1
US-PATENT-APPL-SN-459842
US-PATENT-CLASS-250-363S
US-PATENT-CLASS-250-369
US-PATENT-4,521,688

N85-30282* c 35 ..... NASA-CASE-LAR-12966-1
US-PATENT-APPL-SN-414237
US-PATENT-CLASS-356-351
US-PATENT-CLASS-356-358
US-PATENT-CLASS-73-657
US-PATENT-4,512,661

N85-30305* c 36 ..... NASA-CASE-NPO-15980-1
US-PATENT-APPL-SN-385220
US-PATENT-CLASS-357-17
US-PATENT-CLASS-357-40
US-PATENT-CLASS-357-46
US-PATENT-CLASS-372-38
US-PATENT-CLASS-372-46
US-PATENT-CLASS-372-50
US-PATENT-4,513,423

N85-30333* c 37 ..... NASA-CASE-LEW-13717-1
US-PATENT-APPL-SN-463456
US-PATENT-CLASS-310-77
US-PATENT-CLASS-310-93
US-PATENT-CLASS-318-611
US-PATENT-CLASS-335-100
US-PATENT-4,517,505

N85-30334* c 37 ..... NASA-CASE-MSC-20080-1
US-PATENT-APPL-SN-393584
US-PATENT-CLASS-403-15
US-PATENT-CLASS-403-16
US-PATENT-CLASS-403-322
US-PATENT-CLASS-89-1.57
US-PATENT-4,512,678

N85-30335* c 37 ..... NASA-CASE-LAR-12738-2
US-PATENT-APPL-SN-539230
US-PATENT-CLASS-244-158-A
US-PATENT-CLASS-411-103
US-PATENT-CLASS-411-108
US-PATENT-CLASS-52-127.7
US-PATENT-CLASS-52-506
US-PATENT-CLASS-52-745
US-PATENT-4,520,601

N85-30336* c 37 ..... NASA-CASE-LAR-12864-1
US-PATENT-APPL-SN-387646
US-PATENT-CLASS-403-102
US-PATENT-CLASS-403-322
US-PATENT-CLASS-403-348
US-PATENT-4,518,277

N85-30474* c 44 ..... NASA-CASE-NPO-15419-2
US-PATENT-APPL-SN-259208
US-PATENT-APPL-SN-542557
US-PATENT-CLASS-126-DIG.1
US-PATENT-CLASS-126-400
US-PATENT-CLASS-126-415
US-PATENT-CLASS-126-419
US-PATENT-CLASS-126-900
US-PATENT-4,512,332

N85-30475* c 44 ..... NASA-CASE-NPO-16155-1
US-PATENT-APPL-SN-578390
US-PATENT-CLASS-136-255
US-PATENT-CLASS-136-256
US-PATENT-CLASS-136-261
US-PATENT-CLASS-357-30
US-PATENT-4,524,237

N85-30618* c 52 ..... NASA-CASE-LAR-13028-1
US-PATENT-APPL-SN-582492
US-PATENT-CLASS-128-660
US-PATENT-CLASS-128-736
US-PATENT-CLASS-374-117
US-PATENT-CLASS-374-160
US-PATENT-4,513,750

N85-30765* c 71 ..... NASA-CASE-NPO-15559-1
US-PATENT-APPL-SN-379601
US-PATENT-CLASS-181-0.5
US-PATENT-CLASS-209-422
US-PATENT-CLASS-209-638
US-PATENT-4,523,682

N85-30922* c 76 ..... NASA-CASE-NPO-15813-1
US-PATENT-APPL-SN-507624
US-PATENT-CLASS-148-DIG.26
US-PATENT-CLASS-148-174
US-PATENT-CLASS-148-175
US-PATENT-CLASS-148-33.2
US-PATENT-CLASS-156-DIG.65
US-PATENT-CLASS-156-DIG.88
US-PATENT-CLASS-156-612
US-PATENT-CLASS-29-576E
US-PATENT-CLASS-29-576J
US-PATENT-CLASS-29-576W
US-PATENT-CLASS-29-578
US-PATENT-CLASS-357-4
US-PATENT-CLASS-357-50
US-PATENT-4,522,661

N85-30923* c 76 ..... NASA-CASE-LAR-12893-1
US-PATENT-APPL-SN-364041
US-PATENT-CLASS-204-1T
US-PATENT-CLASS-324-158D
US-PATENT-CLASS-324-71.5
US-PATENT-4,511,838

N85-30934*# c 76 ..... NAS 1.71:NPO-16306-1-CU
NASA-CASE-NPO-16306-1-CU
US-PATENT-APPL-SN-719798

N85-33187* c 23 ..... NASA-CASE-ARC-11243-2
US-PATENT-APPL-SN-183707
US-PATENT-CLASS-549-335
US-PATENT-4,528,386

N85-33433* c 34 ..... NASA-CASE-LEW-14039-1
US-PATENT-APPL-SN-580419
US-PATENT-CLASS-415-115
US-PATENT-CLASS-416-97A
US-PATENT-4,529,358

N85-33489* c 37 ..... NASA-CASE-LEW-13914-1
US-PATENT-APPL-SN-537615
US-PATENT-CLASS-315-3.5
US-PATENT-CLASS-315-5.38
US-PATENT-CLASS-445-35
US-PATENT-4,527,092

N85-33490* c 37 ..... NASA-CASE-LEW-13506-1
US-PATENT-APPL-SN-596960
US-PATENT-CLASS-384-101
US-PATENT-CLASS-384-99
US-PATENT-4,527,910

N85-33701* c 60 ..... NASA-CASE-MFS-25319-1
US-PATENT-APPL-SN-437917
US-PATENT-CLASS-364-723
US-PATENT-CLASS-364-853
US-PATENT-4,528,639

N85-33826* c 76 ..... NASA-CASE-MSC-20036-1
US-PATENT-APPL-SN-569372
US-PATENT-CLASS-204-192C
US-PATENT-CLASS-204-192P
US-PATENT-CLASS-350-342
US-PATENT-CLASS-428-432
US-PATENT-CLASS-428-698
US-PATENT-CLASS-428-913
US-PATENT-4,522,469

N85-34280* c 27 ..... NASA-CASE-ARC-11522-2
US-PATENT-APPL-SN-641143
US-PATENT-CLASS-528-168
US-PATENT-CLASS-528-229
US-PATENT-CLASS-528-352
US-PATENT-CLASS-528-353
US-PATENT-4,536,565

N85-34281* c 27 ..... NASA-CASE-ARC-11424-1
US-PATENT-APPL-SN-598777
US-PATENT-CLASS-428-260
US-PATENT-CLASS-428-408
US-PATENT-CLASS-428-413
US-PATENT-CLASS-525-107
US-PATENT-CLASS-525-113
US-PATENT-CLASS-525-119
US-PATENT-CLASS-525-186
US-PATENT-CLASS-525-229
US-PATENT-CLASS-528-113
US-PATENT-CLASS-528-117
US-PATENT-CLASS-528-407
US-PATENT-CLASS-528-94
US-PATENT-4,537,834

N85-34282* c 27 ..... NASA-CASE-LAR-13226-1
US-PATENT-APPL-SN-548583
US-PATENT-CLASS-523-454
US-PATENT-CLASS-523-458
US-PATENT-CLASS-528-106
US-PATENT-CLASS-528-229
US-PATENT-CLASS-528-407
US-PATENT-CLASS-528-92
US-PATENT-4,510,277

N85-34327* c 32 ..... NASA-CASE-NPO-15704-1
US-PATENT-APPL-SN-359382
US-PATENT-CLASS-343-17.2-PC
US-PATENT-CLASS-343-5-CM
US-PATENT-CLASS-343-5-W
US-PATENT-4,509,048
N85-34333* c 33 ..... NASA-CASE-NPO-15696-1
US-PATENT-APPL-SN-387647
US-PATENT-CLASS-364-571
US-PATENT-CLASS-364-578
US-PATENT-CLASS-372-32
US-PATENT-4,509,132
N85-34373* c 35 ..... NAS 1.71:NPO-15493-2
NAS 1.71:NPO-15494-2
US-PATENT-APPL-SN-563890
US-PATENT-CLASS-324-65-P
US-PATENT-CLASS-73-75
US-PATENT-4,532,797
N85-34374* c 35 ..... NASA-CASE-ARC-11503-1
US-PATENT-APPL-SN-582643
US-PATENT-CLASS-250-374
US-PATENT-CLASS-250-379
US-PATENT-4,538,066
N85-34375* c 35 ..... NASA-CASE-LAR-13243-1
US-PATENT-APPL-SN-590923
US-PATENT-CLASS-73-831
US-PATENT-CLASS-73-856
US-PATENT-4,535,636
N85-34401* c 37 ..... NASA-CASE-MFS-25907-1
US-PATENT-APPL-SN-510137
US-PATENT-CLASS-244-118.1
US-PATENT-CLASS-244-158R
US-PATENT-CLASS-248-550
US-PATENT-CLASS-267-150
US-PATENT-CLASS-267-8R
US-PATENT-CLASS-410-156
US-PATENT-4,536,114
N85-34403* c 37 ..... NASA-CASE-MSC-20127-2
US-PATENT-APPL-SN-646044
US-PATENT-CLASS-137-116.3
US-PATENT-CLASS-137-99
US-PATENT-4,509,548
N85-34441* c 44 ..... NASA-CASE-LEW-14077-1
US-PATENT-APPL-SN-580573
US-PATENT-CLASS-136-253
US-PATENT-4,528,417
N85-34629* c 74 ..... NASA-CASE-NPO-15865-1
US-PATENT-APPL-SN-425202
US-PATENT-CLASS-343-13-R
US-PATENT-CLASS-356-5
US-PATENT-4,533,242
N85-34722* c 85 ..... NASA-CASE-NPO-15949-1
US-PATENT-APPL-SN-457990
US-PATENT-CLASS-414-288
US-PATENT-CLASS-414-328
US-PATENT-CLASS-414-373
US-PATENT-CLASS-414-786
US-PATENT-4,537,554
N85-35194* c 07 ..... NASA-CASE-LAR-13019-1
US-PATENT-APPL-SN-576308
US-PATENT-CLASS-244-199
US-PATENT-CLASS-244-55
US-PATENT-4,533,101
N85-35195* c 07 ..... NASA-CASE-LEW-13562-2
US-PATENT-APPL-SN-500651
US-PATENT-CLASS-239-402.5
US-PATENT-CLASS-60-39.23
US-PATENT-CLASS-60-748
US-PATENT-4,534,166
N85-35200* c 08 ..... NASA-CASE-LAR-13076-1
US-PATENT-APPL-SN-532342
US-PATENT-CLASS-244-113
US-PATENT-CLASS-244-139
US-PATENT-CLASS-244-75-R
US-PATENT-4,538,778
N85-35227* c 23 ..... NASA-CASE-NPO-16203-1
US-PATENT-APPL-SN-493179
US-PATENT-CLASS-435-160
US-PATENT-CLASS-435-842
US-PATENT-4,539,293
N85-35233* c 24 ..... NASA-CASE-LEW-14057-1
US-PATENT-APPL-SN-375784
US-PATENT-APPL-SN-523297
US-PATENT-APPL-SN-640712
US-PATENT-CLASS-428-633
US-PATENT-CLASS-428-656
US-PATENT-CLASS-428-678
US-PATENT-CLASS-428-679
US-PATENT-CLASS-428-680
US-PATENT-CLASS-428-681
US-PATENT-CLASS-428-682
US-PATENT-4,485,151
US-PATENT-4,535,033
N85-35253* c 25 ..... NASA-CASE-NPO-15924-1
US-PATENT-APPL-SN-526768
US-PATENT-CLASS-201-17
US-PATENT-CLASS-44-1-SR
US-PATENT-4,511,362
N85-35267* c 26 ..... NASA-CASE-LEW-13923-1
US-PATENT-APPL-SN-571617
US-PATENT-CLASS-427-191
US-PATENT-CLASS-427-228
US-PATENT-CLASS-427-294
US-PATENT-CLASS-427-376.2
US-PATENT-CLASS-427-380
US-PATENT-CLASS-427-397.7
US-PATENT-CLASS-428-698
US-PATENT-CLASS-428-704
US-PATENT-4,535,035
N86-12547* c 34 ..... NASA-CASE-LAR-13220-1
US-PATENT-APPL-SN-633179
US-PATENT-CLASS-73-3
US-PATENT-CLASS-73-861.07
US-PATENT-4,538,446
N86-19304* c 04 ..... NASA-CASE-KSC-11155-1
US-PATENT-APPL-SN-425201
US-PATENT-CLASS-343-6.8-R
US-PATENT-4,540,986
N86-19310* c 05 ..... NASA-CASE-LAR-13155-1
US-PATENT-APPL-SN-469371
US-PATENT-CLASS-244-158-A
US-PATENT-CLASS-244-158-R
US-PATENT-CLASS-244-172
US-PATENT-4,557,444
N86-19376* c 23 ..... NASA-CASE-ARC-11428-1
US-PATENT-APPL-SN-499126
US-PATENT-CLASS-260-927-N
US-PATENT-CLASS-428-410
US-PATENT-CLASS-528-310
US-PATENT-CLASS-548-413
US-PATENT-CLASS-564-113
US-PATENT-4,550,177
N86-19380* c 24 ..... NASA-CASE-ARC-11427-1
US-PATENT-APPL-SN-493865
US-PATENT-CLASS-523-433
US-PATENT-CLASS-523-445
US-PATENT-CLASS-523-66468
US-PATENT-CLASS-525-423
US-PATENT-CLASS-525-527
US-PATENT-CLASS-528-102
US-PATENT-CLASS-528-103
US-PATENT-4,550,129
N86-19413* c 25 ..... NASA-CASE-MSC-20622-1
US-PATENT-APPL-SN-571616
US-PATENT-CLASS-374-46
US-PATENT-CLASS-374-8
US-PATENT-CLASS-422-78
US-PATENT-CLASS-436-155
US-PATENT-CLASS-73-7
US-PATENT-4,561,784
N86-19455* c 27 ..... NASA-CASE-ARC-11405-2
US-PATENT-APPL-SN-514117
US-PATENT-CLASS-260-245.75
US-PATENT-CLASS-260-245.9
US-PATENT-CLASS-528-327
US-PATENT-4,522,755
N86-19456* c 27 ..... NASA-CASE-LAR-13135-1
US-PATENT-APPL-SN-649328
US-PATENT-CLASS-525-432
US-PATENT-CLASS-525-436
US-PATENT-CLASS-528-179
US-PATENT-CLASS-528-182
US-PATENT-CLASS-528-185
US-PATENT-CLASS-528-352
US-PATENT-CLASS-528-353
US-PATENT-4,552,931
N86-19457* c 27 ..... NASA-CASE-LEW-13864-1
US-PATENT-APPL-SN-434087
US-PATENT-CLASS-528-229
US-PATENT-CLASS-528-322
US-PATENT-CLASS-528-342
US-PATENT-CLASS-528345
US-PATENT-4,560,742
N86-19458* c 27 ..... NASA-CASE-LEW-14072-1
US-PATENT-APPL-SN-649330
US-PATENT-CLASS-204-192-C
US-PATENT-CLASS-204-192-D
US-PATENT-CLASS-204-192-R
US-PATENT-CLASS-204/298
US-PATENT-CLASS-427-248.1
US-PATENT-CLASS-427-38
US-PATENT-CLASS-428-446
US-PATENT-CLASS-428-473.5
US-PATENT-CLASS-428-702
US-PATENT-4,560,577
N86-19479* c 31 ..... NASA-CASE-LAR-13098-1
US-PATENT-APPL-SN-530339
US-PATENT-CLASS-16-242
US-PATENT-CLASS-16-390
US-PATENT-CLASS-403-171
US-PATENT-CLASS-403-64
US-PATENT-CLASS-52-632
US-PATENT-CLASS-52-637
US-PATENT-CLASS-52-646
US-PATENT-CLASS-52-648
US-PATENT-4,557,097
N86-19515* c 33 ..... NASA-CASE-GSC-12555-1
US-PATENT-APPL-SN-153240
US-PATENT-CLASS-331-116-FE
US-PATENT-CLASS-331-117-FE
US-PATENT-4,553,110
N86-19516* c 33 ..... NASA-CASE-NPO-16112-1
US-PATENT-APPL-SN-542232
US-PATENT-CLASS-357-23.6
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-58
US-PATENT-CLASS-357-59
US-PATENT-4,531,143
N86-19580* c 35 ..... NASA-CASE-GSC-12795-1
US-PATENT-APPL-SN-462508
US-PATENT-CLASS-374-115
US-PATENT-CLASS-374-120
US-PATENT-CLASS-374-163
US-PATENT-4,556,327
N86-19581* c 35 ..... NASA-CASE-MSC-20250-1
US-PATENT-APPL-SN-491113
US-PATENT-CLASS-73-862.01
US-PATENT-CLASS-73-862.54
US-PATENT-4,557,149
N86-19603* c 37 ..... NASA-CASE-MFS-25949-1
US-PATENT-APPL-SN-538063
US-PATENT-CLASS-414-730
US-PATENT-CLASS-901-31
US-PATENT-CLASS-901-50
US-PATENT-4,545,723
N86-19604* c 37 ..... NASA-CASE-NPO-15960-1
US-PATENT-APPL-SN-527613
US-PATENT-CLASS-337-140
US-PATENT-CLASS-60-527
US-PATENT-CLASS-60-528
US-PATENT-4,553,393
N86-19605* c 37 ..... NASA-CASE-NPO-16038-1
US-PATENT-APPL-SN-469864
US-PATENT-CLASS-16-294
US-PATENT-CLASS-403-113
US-PATENT-CLASS-403-120
US-PATENT-4,558,967
N86-19606* c 37 ..... NASA-CASE-LEW-13670-1
US-PATENT-APPL-SN-603374
US-PATENT-CLASS-384-103
US-PATENT-CLASS-384-106
US-PATENT-4,552,466
N86-19711* c 43 ..... NASA-CASE-NPO-15939-1
US-PATENT-APPL-SN-465365
US-PATENT-CLASS-343-5-CD
US-PATENT-CLASS-343-5-CM
US-PATENT-CLASS-343-5-VQ
US-PATENT-CLASS-367-88
US-PATENT-4,551,724
N86-19721* c 44 ..... NASA-CASE-LEW-14028-1
US-PATENT-APPL-SN-642310
US-PATENT-CLASS-429-109
US-PATENT-CLASS-429-15
US-PATENT-CLASS-429-19
US-PATENT-CLASS-429-51
US-PATENT-4,543,302
N86-19885*# c 52 ..... NAS 1.71:GSC-12944-1
NASA-CASE-GSC-12944-1
US-PATENT-APPL-SN-793006
N86-20124* c 74 ..... NASA-CASE-MFS-25942-1
US-PATENT-APPL-SN-571613
US-PATENT-CLASS-378-43
US-PATENT-CLASS-378-85
US-PATENT-4,562,583
N86-20125* c 74 ..... NASA-CASE-ARC-11502-1
US-PATENT-APPL-SN-594134
US-PATENT-CLASS-350-276-R
US-PATENT-CLASS-350-319
US-PATENT-CLASS-350-448
US-PATENT-CLASS-350-537
US-PATENT-CLASS-350-580
US-PATENT-4,542,963
N86-20126* c 74 ..... NASA-CASE-MSC-20418-1
US-PATENT-APPL-SN-438446
US-PATENT-CLASS-378-58
US-PATENT-CLASS-378-59
US-PATENT-4,542,520
N86-20150* c 76 ..... NASA-CASE-GSC-12816-1
US-PATENT-APPL-SN-507625
US-PATENT-CLASS-136-255
US-PATENT-CLASS-136-262
US-PATENT-CLASS-29-572
US-PATENT-CLASS-357-15
US-PATENT-CLASS-357-30
US-PATENT-4,543,442
N86-20389* c 07 ..... NASA-CASE-LEW-13142-2
US-PATENT-APPL-SN-413101
US-PATENT-CLASS-60-39.02

US-PATENT-CLASS-60-39.07
US-PATENT-CLASS-60-736
US-PATENT-4,550,561
N86-20469* c 18 ..... NASA-CASE-MFS-25429-1
US-PATENT-APPL-SN-596959
US-PATENT-CLASS-124-56
US-PATENT-CLASS-244-158-R
US-PATENT-CLASS-403-328
US-PATENT-4,554,905
N86-20560* c 27 ..... NASA-CASE-ARC-11429-1-CU
US-PATENT-APPL-SN-553339
US-PATENT-CLASS-524-548
US-PATENT-CLASS-525-186
US-PATENT-CLASS-526-262
US-PATENT-4,526,925
US-PATENT-526-265
N86-20561* c 27 ..... NASA-CASE-LAR-13384-1
US-PATENT-APPL-SN-663840
US-PATENT-CLASS-156-307
US-PATENT-CLASS-156-309.9
US-PATENT-CLASS-156-331.5
US-PATENT-CLASS-256-308.2
US-PATENT-CLASS-427-385.5
US-PATENT-CLASS-427-388.1
US-PATENT-CLASS-428-458
US-PATENT-CLASS-428-473.5
US-PATENT-4,543,295
N86-20647* c 32 ..... NASA-CASE-MFS-25750-1
US-PATENT-APPL-SN-530185
US-PATENT-CLASS-250-225
US-PATENT-CLASS-350-354
US-PATENT-CLASS-358-168
US-PATENT-4,546,248
N86-20668* c 33 ..... NASA-CASE-GSC-12804-1
US-PATENT-APPL-SN-529803
US-PATENT-CLASS-331-1-A
US-PATENT-CLASS-331-2
US-PATENT-4,550,292
N86-20669* c 33 ..... NASA-CASE-GSC-12899-1
US-PATENT-APPL-SN-613140
US-PATENT-CLASS-191-12.2-R
US-PATENT-CLASS-242-107
US-PATENT-CLASS-242-54-R
US-PATENT-4,542,858
N86-20670* c 33 ..... NASA-CASE-MFS-25868-1
US-PATENT-APPL-SN-638584
US-PATENT-CLASS-330-258
US-PATENT-CLASS-330-261
US-PATENT-CLASS-330-311
US-PATENT-4,551,687
N86-20671* c 33 ..... NASA-CASE-LEW-13773-2
US-PATENT-APPL-SN-638541
US-PATENT-CLASS-244-134-D
US-PATENT-CLASS-310-324
US-PATENT-CLASS-39-25.35
US-PATENT-4,545,553
N86-20672* c 33 ..... NASA-CASE-LEW-13922-1
US-PATENT-APPL-SN-537614
US-PATENT-CLASS-307-264
US-PATENT-CLASS-307-270
US-PATENT-CLASS-307-566
US-PATENT-CLASS-307-570
US-PATENT-CLASS-307-572
US-PATENT-4,547,686
N86-20680*# c 33 ..... NAS 1.71:LEW-14127-1
NASA-CASE-LEW-14127-1
US-PATENT-APPL-SN-748536
N86-20681*# c 33 ..... NAS 1.71:NPO-16420-1
NASA-CASE-NPO-16420-1
US-PATENT-APPL-SN-727838
N86-20750* c 35 ..... NASA-CASE-MFS-25963-1
US-PATENT-APPL-SN-571614
US-PATENT-CLASS-165-30
US-PATENT-CLASS-165-61
US-PATENT-CLASS-165-65
US-PATENT-CLASS-219-390
US-PATENT-CLASS-219-395
US-PATENT-CLASS-219-396
US-PATENT-CLASS-432-18
US-PATENT-4,544,025
N86-20751* c 35 ..... NASA-CASE-ARC-11422-1
US-PATENT-APPL-SN-523991
US-PATENT-CLASS-211-126
US-PATENT-CLASS-211-74
US-PATENT-4,544,068
N86-20752* c 35 ..... NASA-CASE-NPO-16142-1-CU
US-PATENT-APPL-SN-561433
US-PATENT-CLASS-73-505
US-PATENT-4,549,435
N86-20756*# c 35 ..... NAS 1.71:MSC-20783-1
NASA-CASE-MSC-20783-1
US-PATENT-APPL-SN-738931
N86-20788* c 37 ..... NASA-CASE-MFS-25842-2
US-PATENT-APPL-SN-692875
US-PATENT-CLASS-277-53
US-PATENT-CLASS-415-174
US-PATENT-4,545,586
N86-20789* c 37 ..... NASA-CASE-MFS-25906-1
US-PATENT-APPL-SN-537757
US-PATENT-CLASS-212-230
US-PATENT-CLASS-414-4
US-PATENT-CLASS-414-718
US-PATENT-CLASS-414-753
US-PATENT-CLASS-901-25
US-PATENT-CLASS-901-31
US-PATENT-4,547,121
N86-20797*# c 37 ..... NAS 1.71:ARC-11349-1
NASA-CASE-ARC-11349-1
US-PATENT-APPL-SN-746160
N86-20801*# c 37 ..... NAS 1.71:NPO-16233-1
NASA-CASE-NPO-16233-1
US-PATENT-APPL-SN-737018
N86-20841* c 39 ..... NASA-CASE-MFS-25910-1
US-PATENT-APPL-SN-548582
US-PATENT-CLASS-73-150-A
US-PATENT-CLASS-73-827
US-PATENT-4,548,083
N86-21154* c 60 ..... NASA-CASE-LAR-12968-1
US-PATENT-APPL-SN-523560
US-PATENT-CLASS-364-728
US-PATENT-4,545,025
N86-21276* c 71 ..... NASA-CASE-LAR-13153-1
US-PATENT-APPL-SN-590921
US-PATENT-CLASS-72-324
US-PATENT-CLASS-72-341
US-PATENT-CLASS-73-1-DV
US-PATENT-4,558,585
N86-21348* c 74 ..... NASA-CASE-MFS-25752-1
US-PATENT-APPL-SN-473499
US-PATENT-CLASS-350-335
US-PATENT-CLASS-356-345
US-PATENT-CLASS-356-4.5
US-PATENT-CLASS-358-105
US-PATENT-CLASS-358-125
US-PATENT-CLASS-358-88
US-PATENT-CLASS-364-822
US-PATENT-CLASS-382-42
US-PATENT-4,556,986
N86-21582* c 23 ..... NASA-CASE-ARC-11402-3
US-PATENT-APPL-SN-741405
US-PATENT-CLASS-564-243
US-PATENT-4,567,301
N86-21590* c 24 ..... NASA-CASE-ARC-11538-1SB
US-PATENT-APPL-SN-719796
US-PATENT-CLASS-526-262
US-PATENT-4,568,733
N86-21675* c 27 ..... NASA-CASE-LAR-12931-2
US-PATENT-APPL-SN-527914
US-PATENT-CLASS-260-544-D
US-PATENT-CLASS-556-436
US-PATENT-CLASS-585-24
US-PATENT-4,565,886
N86-21718* c 31 ..... NASA-CASE-MFS-25905-2
US-PATENT-APPL-SN-601130
US-PATENT-CLASS-65-1
US-PATENT-CLASS-65-11.1
US-PATENT-CLASS-65-12
US-PATENT-CLASS-65-2
US-PATENT-4,565,557
N86-21742* c 33 ..... NASA-CASE-LEW-13981-2
US-PATENT-APPL-SN-714051
US-PATENT-CLASS-315-3.5
US-PATENT-CLASS-315-3.6
US-PATENT-CLASS-315-39.3
US-PATENT-CLASS-330-43
US-PATENT-4,564,787
N86-21850* c 37 ..... NASA-CASE-MFS-25807-2
US-PATENT-APPL-SN-685607
US-PATENT-CLASS-219-124.34
US-PATENT-CLASS-318-577
US-PATENT-CLASS-358-101
US-PATENT-CLASS-901-42
US-PATENT-CLASS-901-47
US-PATENT-4,567,348
N86-22112* c 54 ..... NASA-CASE-LAR-12259-2
US-PATENT-APPL-SN-280152
US-PATENT-CLASS-128-80-E
US-PATENT-4,566,447
N86-22459*# c 89 ..... NAS 1.71:MFS-28013-1
NASA-CASE-MFS-28013-1
US-PATENT-APPL-SN-765979
N86-23283*# c 60 ..... NAS 1.71:NPO-16461-1CU
NASA-CASE-NPO-16461-1CU
US-PATENT-APPL-SN-815103
N86-23744*# c 28 ..... NAS 1.71:KSC-11304-2
NASA-CASE-KSC-11304-2
US-PATENT-APPL-SN-789713
N86-24224*# c 60 ..... NAS 1.71:NPO-16464-1CU
NASA-CASE-NPO-16464-1CU
US-PATENT-APPL-SN-815099
N86-24729* c 18 ..... NASA-CASE-MSC-20676-1
US-PATENT-APPL-SN-587764
US-PATENT-CLASS-244-159
US-PATENT-4,579,302
N86-24840*# c 27 ..... NAS 1.71:LAR-13448-1
NASA-CASE-LAR-13448-1
US-PATENT-APPL-SN-838654
N86-24841*# c 27 ..... NAS 1.71:LAR-13292-1
NASA-CASE-LAR-13292-1
US-PATENT-APPL-SN-834978
N86-25269*# c 76 ..... NAS 1.71:NPO-16584-1-CU
NASA-CASE-NPO-16584-1-CU
US-PATENT-APPL-SN-802769
N86-25416* c 24 ..... NASA-CASE-ARC-11421-3
US-PATENT-APPL-SN-771538
US-PATENT-CLASS-428-473.5
US-PATENT-CLASS-428-474.4
US-PATENT-CLASS-428-477.7
US-PATENT-CLASS-528-170
US-PATENT-CLASS-528-220
US-PATENT-CLASS-528-321
US-PATENT-CLASS-528-322
US-PATENT-4,579-782
N86-25428* c 25 ..... NASA-CASE-NPO-16392-1
US-PATENT-APPL-SN-633363
US-PATENT-CLASS-208-11
US-PATENT-CLASS-48-197-R
US-PATENT-CLASS-8-DIG.9
US-PATENT-4,582,590
N86-25752* c 35 ..... NASA-CASE-MFS-28030-1
US-PATENT-APPL-SN-719799
US-PATENT-CLASS-73-861.58
US-PATENT-4,572,004
N86-25753* c 35 ..... NASA-CASE-NPO-16271-1
US-PATENT-APPL-SN-556514
US-PATENT-CLASS-356-311
US-PATENT-CLASS-356-318
US-PATENT-4,585,344
N86-25789* c 37 ..... NASA-CASE-LAR-13117-1
US-PATENT-APPL-SN-556512
US-PATENT-CLASS-244-159
US-PATENT-CLASS-244-173
US-PATENT-CLASS-343-881
US-PATENT-CLASS-343-882
US-PATENT-CLASS-52-111
US-PATENT-CLASS-52-645
US-PATENT-CLASS-52-648
US-PATENT-4,578,920
N86-25790* c 37 ..... NASA-CASE-LEW-14170-1
US-PATENT-APPL-SN-672224
US-PATENT-CLASS-227-27
US-PATENT-CLASS-227-28
US-PATENT-4,580-791
N86-25791* c 37 ..... NASA-CASE-LAR-13169-1
US-PATENT-APPL-SN-606431
US-PATENT-CLASS-343-DIG.2
US-PATENT-CLASS-343-883
US-PATENT-CLASS-52-110
US-PATENT-4,587,526
N86-25874* c 44 ..... NASA-CASE-LEW-13822-1
US-PATENT-APPL-SN-625077
US-PATENT-CLASS-42-101
US-PATENT-CLASS-429-27
US-PATENT-CLASS-429-57
US-PATENT-4,584,249
N86-26190* c 74 ..... NASA-CASE-GSC-12849-1
US-PATENT-APPL-SN-556481
US-PATENT-CLASS-250-228
US-PATENT-CLASS-356-236
US-PATENT-CLASS-356-244
US-PATENT-CLASS-356-446
US-PATENT-CLASS-56-73
US-PATENT-4,583,860
N86-26352* c 16 ..... NASA-CASE-MFS-25966-1
US-PATENT-APPL-SN-643522
US-PATENT-CLASS-244-161
US-PATENT-4,582,277
N86-26368* c 20 ..... NASA-CASE-MFS-25946-1
US-PATENT-APPL-SN-561432
US-PATENT-CLASS-244-158.R
US-PATENT-CLASS-244-169
US-PATENT-CLASS-60-203.1
US-PATENT-CLASS-60-39.465
US-PATENT-4,585,191
N86-26575*# c 34 ..... NAS 1.71:LAR-13532-1
NASA-CASE-LAR-13532-1
US-PATENT-APPL-SN-838649
N86-26595* c 35 ..... NASA-CASE-MSC-20653-1
US-PATENT-APPL-SN-659474
US-PATENT-CLASS-73-863.21
US-PATENT-CLASS-73-863.31
US-PATENT-CLASS-73-863.72
US-PATENT-CLASS-73-864.34
US-PATENT-4,584,887
N86-26598*# c 35 ..... NAS 1.71:MFS-26002-1-CU
NASA-CASE-MFS-26002-1-CU
US-PATENT-APPL-SN-765991
N86-27270* c 04 ..... NASA-CASE-NPO-16171-1CU

US-PATENT-APPL-SN-551536
US-PATENT-CLASS-343-357
US-PATENT-CLASS-343-418
US-PATENT-4,578,678
N86-27280* c 06 ..... NASA-CASE-LAR-12518-1
US-PATENT-APPL-SN-578388
US-PATENT-CLASS-244-181
US-PATENT-CLASS-340-968
US-PATENT-CLASS-364-433
US-PATENT-CLASS-364-435
US-PATENT-CLASS-73-178T
US-PATENT-4,586,140
N86-27288* c 08 ..... NASA-CASE-ARC-11372-1
US-PATENT-APPL-SN-415878
US-PATENT-CLASS-200-157
US-PATENT-CLASS-244-234
US-PATENT-CLASS-250-211K
US-PATENT-CLASS-318-584
US-PATENT-CLASS-318-640
US-PATENT-4,584,510
N86-27431* c 25 ..... NASA-CASE-MSC-20206-1
US-PATENT-APPL-SN-478129
US-PATENT-CLASS-141-198
US-PATENT-CLASS-200-61.05
US-PATENT-CLASS-340-605
US-PATENT-4,591,838
N86-27450* c 27 ..... NASA-CASE-LAR-13316-1
US-PATENT-APPL-SN-613139
US-PATENT-CLASS-260-544P
US-PATENT-CLASS-525-534
US-PATENT-CLASS-525-535
US-PATENT-CLASS-526-285
US-PATENT-CLASS-528-171
US-PATENT-CLASS-528-174
US-PATENT-CLASS-528-176
US-PATENT-4,587,312
N86-27451* c 27 ..... NASA-CASE-ARC-11427-2
US-PATENT-APPL-SN-765980
US-PATENT-CLASS-523-434
US-PATENT-CLASS-523-445
US-PATENT-CLASS-523-461
US-PATENT-CLASS-525-108
US-PATENT-CLASS-525-115
US-PATENT-CLASS-525-119
US-PATENT-CLASS-525-122
US-PATENT-4,588,778
N86-27513* c 32 ..... NASA-CASE-KSC-11285-1
US-PATENT-APPL-SN-655601
US-PATENT-CLASS-179-18BC
US-PATENT-CLASS-340-347DD
US-PATENT-CLASS-365-768
US-PATENT-4,588,986
N86-27593* c 34 ..... NASA-CASE-MSC-20812-1
US-PATENT-APPL-SN-616002
US-PATENT-CLASS-122-366
US-PATENT-CLASS-165-104.14
US-PATENT-CLASS-165-104.26
US-PATENT-4,583,587
US-PATNET-CLASS-165-41
N86-27629* c 37 ..... NASA-CASE-ARC-11525-1
US-PATENT-APPL-SN-681041
US-PATENT-CLASS-318-48
US-PATENT-CLASS-318-632
US-PATENT-CLASS-318-663
US-PATENT-CLASS-318-8
US-PATENT-4,591,772
N86-27630* c 37 ..... NASA-CASE-LAR-13250-1
US-PATENT-APPL-SN-573162
US-PATENT-CLASS-403-312
US-PATENT-CLASS-403-388
US-PATENT-CLASS-403-408.1
US-PATENT-4,579,475
N86-27706* c 44 ..... NASA-CASE-NPO-16236-1
US-PATENT-APPL-SN-582495
US-PATENT-CLASS-126-418
US-PATENT-CLASS-126-419
US-PATENT-CLASS-126-438
US-PATENT-4,586,487
N86-28131* c 24 ..... NASA-CASE-ARC-11615-1SB
US-PATENT-APPL-SN-706682
US-PATENT-CLASS-428-116
US-PATENT-CLASS-428-408
US-PATENT-CLASS-428-921
US-PATENT-CLASS-526-265
US-PATENT-4,598,007
N86-28618* c 54 ..... NASA-CASE-ARC-11616-1
US-PATENT-APPL-SN-684193
US-PATENT-CLASS-128-202.11
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-2-2.1R
US-PATENT-CLASS-414-1
US-PATENT-CLASS-414-5
US-PATENT-CLASS-414-7
US-PATENT-CLASS-414-8
US-PATENT-4,593,415
N86-28619* c 54 ..... NASA-CASE-ARC-11610-1
US-PATENT-APPL-SN-684190
US-PATENT-CLASS-138-120
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-2-2.1R
US-PATENT-CLASS-285-168
US-PATENT-4,598,427
N86-28620* c 54 ..... NASA-CASE-ARC-11543-1
US-PATENT-APPL-SN-684192
US-PATENT-CLASS-138-120
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-285-168
US-PATENT-CLASS-414-7
US-PATENT-4,594,734
N86-28732* c 74 ..... NASA-CASE-GSC-12825-1
US-PATENT-APPL-SN-698641
US-PATENT-CLASS-350-276R
US-PATENT-CLASS-350-505
US-PATENT-CLASS-354-479
US-PATENT-CLASS-358-222
US-PATENT-4,598,981
N86-28760* c 76 ..... NASA-CASE-NPO-15904-1
US-PATENT-APPL-SN-465369
US-PATENT-CLASS-156-DIG.88
US-PATENT-CLASS-156-610
US-PATENT-CLASS-156-624
US-PATENT-4,596,626
N86-29039* c 27 ..... NASA-CASE-LAR-13353-1
US-PATENT-APPL-SN-643524
US-PATENT-CLASS-264-204
US-PATENT-CLASS-264-216
US-PATENT-CLASS-264-236
US-PATENT-CLASS-264-347
US-PATENT-CLASS-528-183
US-PATENT-CLASS-528-222
US-PATENT-CLASS-528-341
US-PATENT-4,595,548
N86-29055* c 31 ..... NASA-CASE-MFS-25825-1
US-PATENT-APPL-SN-657309
US-PATENT-CLASS-318-605
US-PATENT-CLASS-318-636
US-PATENT-CLASS-318-661
US-PATENT-CLASS-340-347CC
US-PATENT-CLASS-340-347SY
US-PATENT-4,594,540
N86-29174* c 35 ..... NASA-CASE-LAR-13254-1CU
US-PATENT-APPL-SN-668432
US-PATENT-CLASS-261-78A
US-PATENT-CLASS-55-255
US-PATENT-CLASS-55-259
US-PATENT-CLASS-55-521
US-PATENT-CLASS-55-528
US-PATENT-4,595,399
N86-29204* c 36 ..... NAS 1.71:LAR-13256-1
NASA-CASE-LAR-13256-1
US-PATENT-APPL-SN-745973
US-PATENT-CLASS-372-79
US-PATENT-4,594,720
N86-29507*# c 54 ..... NASA-CASE-ARC-11534-1
US-PATENT-APPL-SN-642602
US-PATENT-CLASS-138-120
US-PATENT-CLASS-2-2.1A
US-PATENT-CLASS-285-168
US-PATENT-CLASS-285-184
US-PATENT-CLASS-285-227
US-PATENT-4,598,428
US-PATENT-403-164
N86-29650*# c 74 ..... NASA-CASE-GSC-12911-1
US-PATENT-APPL-SN-606426
US-PATENT-CLASS-350-315
US-PATENT-CLASS-350-318
US-PATENT-CLASS-356-402
US-PATENT-CLASS-356-419
US-PATENT-4,599,001
N86-31726*# c 27 ..... NASA-CASE-ARC-11421-2
US-PATENT-APPL-SN-739760
US-PATENT-CLASS-428-473.5
US-PATENT-CLASS-528-170
US-PATENT-CLASS-528-220
US-PATENT-CLASS-528-321
US-PATENT-CLASS-528-322
US-PATENT-4,600,769
N86-31727* c 27 ..... NASA-CASE-LAR-13351-1
US-PATENT-APPL-SN-643589
US-PATENT-CLASS-264-212
US-PATENT-CLASS-264-236
US-PATENT-CLASS-427-162
US-PATENT-CLASS-427-164
US-PATENT-CLASS-427-165
US-PATENT-CLASS-428-336
US-PATENT-CLASS-428-473.5
US-PATENT-4,603,061
N86-32266* c 74 ..... NASA-CASE-GSC-12761-1
US-PATENT-APPL-SN-406820
US-PATENT-CLASS-356-4.5
US-PATENT-CLASS-356-5
US-PATENT-4,600,299
N86-32447* c 09 ..... NASA-CASE-ARC-11504-1
US-PATENT-APPL-SN-565481
US-PATENT-CLASS-356-73
US-PATENT-4,605,303
N86-32525* c 23 ..... NASA-CASE-ARC-11506-2
US-PATENT-APPL-SN-641142
US-PATENT-CLASS-528-108
US-PATENT-CLASS-528-124
US-PATENT-CLASS-528-337
US-PATENT-CLASS-528-352
US-PATENT-CLASS-528-399
US-PATENT-CLASS-528-406
US-PATENT-CLASS-528-407
US-PATENT-4,587,324
N86-32526*# c 23 ..... NAS 1.71:LAR-13555-1
NASA-CASE-LAR-13555-1
US-PATENT-APPL-SN-871207
N86-32540*# c 25 ..... NAS 1.71:LAR-13542
NASA-CASE-LAR-13542-1SB
US-PATENT-APPL-SN-874304
N86-32550* c 26 ..... NASA-CASE-GSC-12880-1
US-PATENT-APPL-SN-590925
US-PATENT-CLASS-427-191
US-PATENT-CLASS-427-192
US-PATENT-CLASS-427-421
US-PATENT-CLASS-427-427
US-PATENT-4,552,784
N86-32551* c 26 ..... NASA-CASE-NPO-15658-1
US-PATENT-APPL-SN-451896
US-PATENT-CLASS-219-121LE
US-PATENT-CLASS-219-121LY
US-PATENT-CLASS-264-5
US-PATENT-CLASS-425-6
US-PATENT-CLASS-65-142
US-PATENT-CLASS-65-21.2
US-PATENT-CLASS-73-505
US-PATENT-4,553,917
N86-32568*# c 27 ..... NASA-CASE-ARC-11512-2
US-PATENT-APPL-SN-641153
US-PATENT-CLASS-528-336
US-PATENT-CLASS-528-337
US-PATENT-CLASS-528-340
US-PATENT-CLASS-528-347
US-PATENT-CLASS-564-15
US-PATENT-CLASS-568-14
US-PATENT-4,602,081
N86-32569* c 27 ..... NASA-CASE-LEW-14072-2
US-PATENT-APPL-SN-761235
US-PATENT-CLASS-204-192C
US-PATENT-CLASS-204-192D
US-PATENT-CLASS-204-298
US-PATENT-4,604,181
N86-32587* c 31 ..... NASA-CASE-LEW-14130-1
US-PATENT-APPL-SN-659475
US-PATENT-CLASS-204-192C
US-PATENT-CLASS-204-192D
US-PATENT-CLASS-204-298
US-PATENT-CLASS-313-106
US-PATENT-CLASS-313-107
US-PATENT-CLASS-315-5.38
US-PATENT-CLASS-427-39
US-PATENT-4,607,193
N86-32589*# c 31 ..... NAS 1.71:MFS-28153-1
NASA-CASE-MFS-28153-1
US-PATENT-APPL-SN-875891
N86-32624* c 33 ..... NASA-CASE-GSC-12958-1
US-PATENT-APPL-SN-727035
US-PATENT-CLASS-331-108D
US-PATENT-CLASS-331-116R
US-PATENT-CLASS-331-66
US-PATENT-CLASS-374-183
US-PATENT-4,603,306
N86-32695*# c 35 ..... NASA-CASE-NPO-16479-1CU
US-PATENT-APPL-SN-719794
US-PATENT-CLASS-73-502
US-PATENT-CLASS-73-521
US-PATENT-4,602,509
N86-32696* c 35 ..... NASA-CASE-LAR-13294-1
US-PATENT-APPL-SN-706681
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-862.04
US-PATENT-CLASS-73-862.61
US-PATENT-4,604,903
N86-32697* c 35 ..... NAS 1.71:ARC-11510-1
NASA-CASE-ARC-11510-1
US-PATENT-APPL-SN-602049
US-PATENT-CLASS-356-28.5
US-PATENT-CLASS-356-72
US-PATENT-CLASS-356-73
US-PATENT-CLASS-434-4
US-PATENT-4,600,301
N86-32698* c 35 ..... NASA-CASE-MFS-25833-1
US-PATENT-APPL-SN-473827
US-PATENT-CLASS-324-226
US-PATENT-CLASS-324-238
US-PATENT-CLASS-324-240

US-PATENT-CLASS-324-262
US-PATENT-CLASS-73-37.5
US-PATENT-4,551,677
N86-32736* # c 37 ..... NASA-CASE-MFS-19796-1
US-PATENT-APPL-SN-770920
US-PATENT-CLASS-138-97
US-PATENT-CLASS-165-76
US-PATENT-CLASS-228-119
US-PATENT-CLASS-29-402.16
US-PATENT-4,605,155
N86-32737* c 37 ..... NASA-CASE-LAR-13081-1
US-PATENT-APPL-SN-760378
US-PATENT-CLASS-52-111
US-PATENT-CLASS-52-632
US-PATENT-CLASS-52-645
US-PATENT-CLASS-52-646
US-PATENT-4,604,844
N86-32738* c 37 ..... NASA-CASE-MFS-28059-1
US-PATENT-APPL-SN-709255
US-PATENT-CLASS-417-475
US-PATENT-4,604,038
N86-32875* c 44 ..... NASA-CASE-LEW-14177-1
US-PATENT-APPL-SN-669140
US-PATENT-CLASS-136-261
US-PATENT-CLASS-148-1.5
US-PATENT-CLASS-29-572
US-PATENT-CLASS-29-576B
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-91
US-PATENT-4,608,452
N86-33127* c 72 ..... NASA-CASE-NPO-16372-1
US-PATENT-APPL-SN-703847
US-PATENT-CLASS-250-336.1
US-PATENT-CLASS-250-338
US-PATENT-CLASS-250-340
US-PATENT-4,600,840
N86-33138* # c 74 ..... NAS 1.71:NPO-16869
NASA-CASE-NPO-16869-1CU
US-PATENT-APPL-SN-867986
N87-10174* # c 20 ..... NAS 1.71:LEW-14338-1
NASA-CASE-LEW-14338-1
US-PATENT-APPL-SN-897239
N87-10231* # c 33 ..... NAS 1.71:NPO-16784-1
NASA-CASE-NPO-16784-1
US-PATENT-APPL-SN-879757
N87-13313* c 76 ..... NASA-CASE-NPO-16045-1
US-PATENT-APPL-SN-641146
US-PATENT-CLASS-250-338
US-PATENT-CLASS-250-370
US-PATENT-CLASS-357-23.1
US-PATENT-CLASS-357-23.12
US-PATENT-CLASS-357-29
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-52
US-PATENT-4,605,946
N87-14282* # c 02 ..... NAS 1.71:LAR-13215-1
NASA-CASE-LAR-13215-1
US-PATENT-APPL-SN-904132
N87-14314* c 05 ..... NASA-CASE-LAR-13173-1
US-PATENT-APPL-SN-690274
US-PATENT-CLASS-244-118.1
US-PATENT-CLASS-244-137-A
US-PATENT-CLASS-244-17.27
US-PATENT-CLASS-248-638
US-PATENT-CLASS-89-1.54
US-PATENT-4,616,793
N87-14355* c 09 ..... NASA-CASE-MFS-28057-1
US-PATENT-APPL-SN-729766
US-PATENT-CLASS-350-319
US-PATENT-4,618,215
N87-14373* c 18 ..... NASA-CASE-MSC-20635-1
US-PATENT-APPL-SN-588039
US-PATENT-CLASS-16-294
US-PATENT-CLASS-16-370
US-PATENT-CLASS-403-102
US-PATENT-CLASS-403-119
US-PATENT-CLASS-403-146
US-PATENT-CLASS-403-163
US-PATENT-CLASS-403-85
US-PATENT-4,615,637
N87-14413* # c 18 ..... NAS 1.71:LAR-13490-1
NASA-CASE-LAR-13490-1
US-PATENT-APPL-SN-899683
N87-14420* c 20 ..... NASA-CASE-MFS-25989-1
US-PATENT-APPL-SN-690273
US-PATENT-CLASS-239-132.5
US-PATENT-CLASS-239-403
US-PATENT-CLASS-239-425
US-PATENT-CLASS-60-258
US-PATENT-CLASS-60-746
US-PATENT-4,621,492
N87-14433* c 23 ..... NAS 1.71:LEW-14346-1
NASA-CASE-LEW-14346-1
US-PATENT-APPL-SN-934470
N87-14482* c 26 ..... NASA-CASE-LEW-13834-1
US-PATENT-APPL-SN-478131
US-PATENT-CLASS-148-429
US-PATENT-CLASS-420-460
US-PATENT-4,610,736
N87-14515* c 27 ..... NASA-CASE-LAR-13316-2
US-PATENT-APPL-SN-760791
US-PATENT-CLASS-260-544-P
US-PATENT-4,622,182
N87-14516* c 27 ..... NASA-CASE-LAR-13318-1
US-PATENT-APPL-SN-781813
US-PATENT-CLASS-428-262
US-PATENT-CLASS-428-447
US-PATENT-CLASS-528-26
US-PATENT-4,624,888
N87-14559* c 32 ..... NASA-CASE-LAR-13310-1
US-PATENT-APPL-SN-709257
US-PATENT-CLASS-356-5
US-PATENT-CLASS-367-99
US-PATENT-CLASS-73-597
US-PATENT-CLASS-73-615
US-PATENT-4,624,142
N87-14594* c 33 ..... NASA-CASE-NPO-16299-1
US-PATENT-APPL-SN-541526
US-PATENT-CLASS-356-389
US-PATENT-4,623,255
N87-14669* c 35 ..... NASA-CASE-LAR-13268-1
US-PATENT-APPL-SN-727034
US-PATENT-CLASS-356-28.5
US-PATENT-CLASS-356-301
US-PATENT-4,624,561
N87-14670* c 35 ..... NASA-CASE-MFS-25981-1
US-PATENT-APPL-SN-657310
US-PATENT-CLASS-73-462
US-PATENT-CLASS-73-473
US-PATENT-CLASS-73-477
US-PATENT-4,619,142
N87-14671* c 35 ..... NASA-CASE-GSC-12956-1
US-PATENT-APPL-SN-745977
US-PATENT-CLASS-148-187
US-PATENT-CLASS-148-188
US-PATENT-CLASS-148-189
US-PATENT-CLASS-148-190
US-PATENT-CLASS-29-580
US-PATENT-CLASS-29-591
US-PATENT-4,618,380
N87-14704* # c 37 ..... NAS 1.71:NPO-16892-1-CU
NASA-CASE-NPO-16892-1-CU
US-PATENT-APPL-SN-921573
N87-14863* # c 60 ..... NAS 1.71:MSC-20964-1
NASA-CASE-MSC-20964-1
US-PATENT-APPL-SN-878916
N87-14971* c 74 ..... NASA-CASE-MFS-26000-1
US-PATENT-APPL-SN-571615
US-PATENT-CLASS-356-246
US-PATENT-CLASS-372-61
US-PATENT-4,614,428
N87-15304* c 27 ..... NASA-CASE-ARC-11429-4CU
US-PATENT-APPL-SN-725686
US-PATENT-CLASS-525-282
US-PATENT-4,618,652
N87-15327* # c 31 ..... NAS 1.71:NPO-16901-1-CU
NASA-CASE-NPO-16901-1-CU
US-PATENT-APPL-SN-921574
N87-15390* # c 32 ..... NAS 1.71:NPO-16632-1-CU
NASA-CASE-NPO-16632-1-CU
US-PATENT-APPL-SN-890586
N87-15413* # c 33 ..... NAS 1.71:NPO-16932-1
NASA-CASE-NPO-16932-1CU
US-PATENT-APPL-SN-913433
N87-15465* # c 37 ..... NAS 1.71:MSC-20761-1
NASA-CASE-MSC-20761-1
US-PATENT-APPL-SN-913446
N87-15882* c 76 ..... NASA-CASE-NPO-15813-2
US-PATENT-APPL-SN-706564
US-PATENT-CLASS-148-174
US-PATENT-CLASS-148-175
US-PATENT-CLASS-29-575
US-PATENT-CLASS-29-576-E
US-PATENT-CLASS-29-576-J
US-PATENT-CLASS-29-576-W
US-PATENT-CLASS-29-578
US-PATENT-4,612,072
N87-16793* c 02 ..... NASA-CASE-LAR-13255-1
US-PATENT-APPL-SN-550681
US-PATENT-CLASS-244-130
US-PATENT-CLASS-244-200
US-PATENT-CLASS-244-204
US-PATENT-CLASS-244-35R
US-PATENT-4,619,423
N87-16828* c 07 ..... NASA-CASE-LAR-13134-2
US-PATENT-APPL-SN-846462
US-PATENT-CLASS-244-130
US-PATENT-CLASS-244-55
US-PATENT-4,629,147
N87-16863* c 17 ..... NASA-CASE-LAR-13006-1
US-PATENT-APPL-SN-470113
US-PATENT-CLASS-340-825.5
US-PATENT-CLASS-340-870.18
US-PATENT-CLASS-371-63
US-PATENT-CLASS-375-88
US-PATENT-4,631,538
N87-16875* c 20 ..... NASA-CASE-LEW-14037-1
US-PATENT-APPL-SN-636463
US-PATENT-CLASS-219-275
US-PATENT-CLASS-60-203.1
US-PATENT-4,608,821
N87-16907* c 27 ..... NASA-CASE-LAR-13118-2
US-PATENT-APPL-SN-760797
US-PATENT-CLASS-560-104
US-PATENT-4,638,083
N87-16908* c 27 ..... NASA-CASE-ARC-11429-3CU
US-PATENT-APPL-SN-725725
US-PATENT-CLASS-546-339
US-PATENT-CLASS-546-346
US-PATENT-CLASS-546-350
US-PATENT-4,626,593
N87-16909* c 27 ..... NASA-CASE-ARC-11428-2
US-PATENT-APPL-SN-760374
US-PATENT-CLASS-428-421
US-PATENT-CLASS-428-473.5
US-PATENT-CLASS-428-500
US-PATENT-CLASS-428-704
US-PATENT-CLASS-528-168
US-PATENT-CLASS-528-321
US-PATENT-CLASS-528-322
US-PATENT-4,634,759
N87-16918* c 31 ..... NASA-CASE-ARC-11363-1
US-PATENT-APPL-SN-500046
US-PATENT-CLASS-52-126.5
US-PATENT-CLASS-52-309.15
US-PATENT-CLASS-52-391
US-PATENT-CLASS-52-511
US-PATENT-CLASS-52-814
US-PATENT-4,637,181
N87-17026* c 36 ..... NASA-CASE-ARC-11547-1
US-PATENT-APPL-SN-692745
US-PATENT-CLASS-356-28
US-PATENT-CLASS-356-28.5
US-PATENT-4,632,548
N87-17034* c 37 ..... NASA-CASE-NPO-16321-1CU
US-PATENT-APPL-SN-692802
US-PATENT-CLASS-305-36
US-PATENT-CLASS-305-51
US-PATENT-CLASS-305-58PC
US-PATENT-CLASS-305-58R
US-PATENT-CLASS-474-220
US-PATENT-4,626,046
N87-17035* c 37 ..... NASA-CASE-MSC-20857-1
US-PATENT-APPL-SN-783886
US-PATENT-CLASS-134-166C
US-PATENT-CLASS-134-93
US-PATENT-CLASS-210-282
US-PATENT-4,635,663
N87-17036* c 37 ..... NASA-CASE-MSC-20162-1
US-PATENT-APPL-SN-764805
US-PATENT-CLASS-135-903
US-PATENT-CLASS-160-23R
US-PATENT-CLASS-160-265
US-PATENT-CLASS-244-121
US-PATENT-CLASS-244-158R
US-PATENT-CLASS-296-100
US-PATENT-4,637,447
N87-17037* c 37 ..... NASA-CASE-MSC-20475-1
US-PATENT-APPL-SN-725689
US-PATENT-CLASS-192-46
US-PATENT-CLASS-192-67R
US-PATENT-4,635,773
N87-17038* c 37 ..... NASA-CASE-GSC-12957-1
US-PATENT-APPL-SN-800193
US-PATENT-CLASS-310-90.5
US-PATENT-4,634,191
N87-17399* c 44 ..... NASA-CASE-NPO-16526-1CU
US-PATENT-APPL-SN-809975
US-PATENT-CLASS-136-249
US-PATENT-4,631,352
N87-17493* c 74 ..... NASA-CASE-MFS-29134-1
US-PATENT-APPL-SN-783890
US-PATENT-CLASS-219-124.34
US-PATENT-CLASS-219-130.01
US-PATENT-4,633,060
N87-18613* # c 24 ..... NAS 1.71:LAR-13562-1
NASA-CASE-LAR-13562-1
US-PATENT-APPL-SN-921572
N87-18679* # c 29 ..... NAS 1.71:MFS-28139-1
NASA-CASE-MFS-28139-1
US-PATENT-APPL-SN-911851
N87-18692* # c 32 ..... NAS 1.71:MSC-20865-1
NASA-CASE-MSC-20865-1
US-PATENT-APPL-SN-924472
N87-18761* # c 33 ..... NAS 1.71:LAR-13552-1-CU
NASA-CASE-LAR-13552-1-CU
US-PATENT-APPL-SN-933941
N87-18817* # c 37 ..... NAS 1.71:MFS-28161-1

NASA-CASE-MFS-28161-1
US-PATENT-APPL-SN-942159
N87-18818* # c 37 ..... NAS 1.71:MSC-20907-1
NASA-CASE-MSC-20907-1
US-PATENT-APPL-SN-927992
N87-19021* # c 62 ..... NAS 1.71:NPO-16949-1-CU
NASA-CASE-NPO-16949-1-CU
US-PATENT-APPL-SN-927987
N87-20999* c 08 ..... NASA-CASE-LAR-13280-1
US-PATENT-APPL-SN-790556
US-PATENT-CLASS-244-76-R
US-PATENT-CLASS-340-967
US-PATENT-4,648,569
N87-21111* c 27 ..... NASA-CASE-MFS-28090-1
US-PATENT-APPL-SN-805012
US-PATENT-CLASS-65-13
US-PATENT-CLASS-65-134
US-PATENT-CLASS-65-136
US-PATENT-CLASS-65-2
US-PATENT-4,654,065
N87-21112* c 27 ..... NASA-CASE-ARC-11511-2
US-PATENT-APPL-SN-754362
US-PATENT-CLASS-528-220
US-PATENT-CLASS-528-229
US-PATENT-CLASS-528-322
US-PATENT-CLASS-528-327
US-PATENT-CLASS-528-331
US-PATENT-CLASS-528-362
US-PATENT-4,649,189
N87-21159* c 31 ..... NASA-CASE-NPO-16393-1-CU
US-PATENT-APPL-SN-701486
US-PATENT-CLASS-62-384
US-PATENT-CLASS-62-48
US-PATENT-CLASS-62-514-R
US-PATENT-4,641,499
N87-21160* c 31 ..... NASA-CASE-LEW-13899-1
US-PATENT-APPL-SN-775968
US-PATENT-CLASS-156-345
US-PATENT-CLASS-156-643
US-PATENT-CLASS-156-646
US-PATENT-CLASS-156-659.1
US-PATENT-CLASS-156-661.1
US-PATENT-CLASS-156-904
US-PATENT-CLASS-204-298
US-PATENT-4,620,898
N87-21206* c 32 ..... NASA-CASE-LAR-13455-1
US-PATENT-APPL-SN-804040
US-PATENT-CLASS-250-341
US-PATENT-CLASS-374-122
US-PATENT-CLASS-374-9
US-PATENT-4,645,358
N87-21207* c 32 ..... NASA-CASE-NPO-16256-1
US-PATENT-APPL-SN-638586
US-PATENT-CLASS-329-107
US-PATENT-CLASS-375-110
US-PATENT-CLASS-375-120
US-PATENT-CLASS-375-23
US-PATENT-CLASS-455-608
US-PATENT-4,648,133
N87-21232* c 33 ..... NASA-CASE-GSC-13018-1
US-PATENT-APPL-SN-862959
US-PATENT-CLASS-331-116-R
US-PATENT-CLASS-331-117-R
US-PATENT-CLASS-331-56
US-PATENT-4,660,000
N87-21233* c 33 ..... NASA-CASE-MFS-28080-1
US-PATENT-APPL-SN-775548
US-PATENT-CLASS-318-138
US-PATENT-CLASS-318-254
US-PATENT-CLASS-318-439
US-PATENT-4,644,234
N87-21234* c 33 ..... NASA-CASE-LEW-13935-1
US-PATENT-APPL-SN-700255
US-PATENT-CLASS-250-423-R
US-PATENT-CLASS-315-111.81
US-PATENT-4,642,523
N87-21235* c 33 ..... NASA-CASE-LAR-13151-1
US-PATENT-APPL-SN-683101
US-PATENT-CLASS-307-261
US-PATENT-CLASS-307-354
US-PATENT-CLASS-328-147
US-PATENT-CLASS-328-164
US-PATENT-CLASS-328-28
US-PATENT-4,652,833
N87-21255* c 34 ..... NASA-CASE-ARC-11631-1
US-PATENT-APPL-SN-846428
US-PATENT-CLASS-239-426
US-PATENT-CLASS-239-434
US-PATENT-CLASS-239-545
US-PATENT-CLASS-73-147
US-PATENT-4,648,267
N87-21304* c 35 ..... NASA-CASE-NPO-15617-1
US-PATENT-APPL-SN-403849
US-PATENT-CLASS-74-424.8-R
US-PATENT-CLASS-74-441
US-PATENT-CLASS-74-458
US-PATENT-CLASS-74-468
US-PATENT-CLASS-74-89.15
US-PATENT-4,586,394
N87-21332* c 37 ..... NASA-CASE-MFS-28058-1
US-PATENT-APPL-SN-751691
US-PATENT-CLASS-137-606
US-PATENT-CLASS-251-165
US-PATENT-4,657,044
N87-21333* c 37 ..... NASA-CASE-MFS-25956-1
US-PATENT-APPL-SN-580397
US-PATENT-CLASS-248-316.4
US-PATENT-CLASS-248-550
US-PATENT-4,582,289
N87-21334* c 37 ..... NASA-CASE-NPO-16423-1-CU
US-PATENT-APPL-SN-765978
US-PATENT-CLASS-228-124
US-PATENT-CLASS-228-208
US-PATENT-CLASS-228-209
US-PATENT-CLASS-427-229
US-PATENT-4,650,108
N87-21410* c 44 ..... NASA-CASE-MFS-25978-1
US-PATENT-APPL-SN-636459
US-PATENT-CLASS-307-131
US-PATENT-CLASS-307-31
US-PATENT-CLASS-307-64
US-PATENT-CLASS-307-66
US-PATENT-CLASS-307-80
US-PATENT-CLASS-318-107
US-PATENT-CLASS-318-161
US-PATENT-4,649,287
N87-21591* c 60 ..... NASA-CASE-NPO-15982-1
US-PATENT-APPL-SN-673685
US-PATENT-CLASS-371-37
US-PATENT-CLASS-371-40
US-PATENT-4,649,541
N87-21652* c 71 ..... NASA-CASE-LAR-13111-1-CU
US-PATENT-APPL-SN-751695
US-PATENT-CLASS-73-583
US-PATENT-CLASS-73-589
US-PATENT-CLASS-73-599
US-PATENT-4,644,794
N87-21653* c 71 ..... NASA-CASE-LAR-13440-1
US-PATENT-APPL-SN-775989
US-PATENT-CLASS-73-1-DV
US-PATENT-CLASS-73-599
US-PATENT-4,649,750
N87-21660* c 72 ..... NASA-CASE-NPO-16061-1-CU
US-PATENT-APPL-SN-729768
US-PATENT-CLASS-250-288
US-PATENT-CLASS-250-423-R
US-PATENT-CLASS-250-424
US-PATENT-CLASS-250-427
US-PATENT-CLASS-313-359.1
US-PATENT-CLASS-313-361.1
US-PATENT-CLASS-313-362.1
US-PATENT-4,649,278
N87-21661* c 72 ..... NASA-CASE-NPO-16640-1-CU
US-PATENT-APPL-SN-852468
US-PATENT-CLASS-250-251
US-PATENT-CLASS-250-396-R
US-PATENT-CLASS-250-423-P
US-PATENT-CLASS-376-127
US-PATENT-4,649,273
N87-21679* c 74 ..... NASA-CASE-GSC-12897-1
US-PATENT-APPL-SN-606432
US-PATENT-CLASS-350-6.5
US-PATENT-4,647,144
N87-21755* c 85 ..... NASA-CASE-KSC-11282-1
US-PATENT-APPL-SN-751644
US-PATENT-CLASS-180-19.2
US-PATENT-CLASS-180-305
US-PATENT-CLASS-280-47.11
US-PATENT-CLASS-296-20
US-PATENT-CLASS-5-81-R
US-PATENT-CLASS-60-415
US-PATENT-4,646,860
N87-22678* c 06 ..... NASA-CASE-LAR-12984-1
US-PATENT-APPL-SN-578387
US-PATENT-CLASS-244-1-R
US-PATENT-CLASS-340-945
US-PATENT-CLASS-340-971
US-PATENT-CLASS-340-975
US-PATENT-CLASS-73-178-R
US-PATENT-4,663-627
N87-22845* c 27 ..... NASA-CASE-ARC-11429-2-CU
US-PATENT-APPL-SN-553339
US-PATENT-APPL-SN-725727
US-PATENT-CLASS-524-404
US-PATENT-CLASS-524-548
US-PATENT-CLASS-525-182
US-PATENT-CLASS-526-262
US-PATENT-4,526,925
US-PATENT-4,647,615
N87-22847* c 27 ..... NASA-CASE-LAR-13444-1-CU
US-PATENT-APPL-SN-734366
US-PATENT-CLASS-528-229
US-PATENT-CLASS-546-262
US-PATENT-CLASS-546-264
US-PATENT-CLASS-564-330
US-PATENT-CLASS-564-396
US-PATENT-CLASS-564-430
US-PATENT-4,663,483
N87-22848* c 27 ..... NASA-CASE-LAR-13452-1
US-PATENT-APPL-SN-838655
US-PATENT-CLASS-525-36
US-PATENT-CLASS-528-176
US-PATENT-CLASS-528-184
US-PATENT-CLASS-528-192
US-PATENT-CLASS-528-193
US-PATENT-4,661,558
N87-22894* c 33 ..... NASA-CASE-NPO-16337-1-CU
US-PATENT-APPL-SN-683111
US-PATENT-CLASS-324-158-D
US-PATENT-CLASS-324-158-R
US-PATENT-4,661,770
N87-22895* c 33 ..... NASA-CASE-GSC-12961-1
US-PATENT-APPL-SN-754707
US-PATENT-CLASS-307-490
US-PATENT-CLASS-330-107
US-PATENT-CLASS-330-294
US-PATENT-CLASS-331-177-R
US-PATENT-CLASS-333-214
US-PATENT-CLASS-333-217
US-PATENT-4,644,306
N87-22950* c 34 ..... NASA-CASE-MSC-20841-1
US-PATENT-APPL-SN-755288
US-PATENT-CLASS-165-1
US-PATENT-CLASS-165-104.14
US-PATENT-CLASS-165-104.25
US-PATENT-CLASS-165-104.26
US-PATENT-CLASS-165-34
US-PATENT-4,664,177
N87-22953* c 35 ..... NASA-CASE-NPO-16544-1-CU
US-PATENT-APPL-SN-746809
US-PATENT-CLASS-324-61-R
US-PATENT-CLASS-73-336.5
US-PATENT-4,662,220
N87-22976* c 37 ..... NASA-CASE-LAR-13009-2
US-PATENT-APPL-SN-495380
US-PATENT-APPL-SN-698279
US-PATENT-CLASS-411-166
US-PATENT-CLASS-411-368
US-PATENT-CLASS-411-424
US-PATENT-CLASS-411-427
US-PATENT-CLASS-411-531
US-PATENT-4,572,699
US-PATENT-4,650,385
N87-22977* c 37 ..... NASA-CASE-MFS-25964-2
US-PATENT-APPL-SN-692801
US-PATENT-APPL-SN-853361
US-PATENT-CLASS-285-305
US-PATENT-CLASS-285-81
US-PATENT-CLASS-285-85
US-PATENT-CLASS-285-91
US-PATENT-4,655,482
N87-22985* c 37 ..... NASA-CASE-MSC-20979-1
US-PATENT-APPL-SN-796053
US-PATENT-CLASS-244/161
US-PATENT-4,664,344
N87-23259* c 74 ..... NASA-CASE-NPO-16558-1-CU
US-PATENT-APPL-SN-779744
US-PATENT-CLASS-250-231-GY
US-PATENT-CLASS-356-350
US-PATENT-4,662,751
N87-23286* c 76 ..... NASA-CASE-NPO-15800-2
US-PATENT-APPL-SN-442815
US-PATENT-APPL-SN-674395
US-PATENT-CLASS-156-607
US-PATENT-CLASS-156-617-H
US-PATENT-CLASS-156-617-SP
US-PATENT-4,654,110
N87-23631* c 08 ..... NASA-CASE-ARC-11633-1
US-PATENT-APPL-SN-846439
US-PATENT-CLASS-416-114
US-PATENT-CLASS-416-158
US-PATENT-4,669,958
N87-23698* c 23 ..... NASA-CASE-ARC-11643-1-SB
US-PATENT-APPL-SN-901496
US-PATENT-CLASS-423-276
US-PATENT-CLASS-423-284
US-PATENT-4,676,962
N87-23713* # c 25 ..... NASA-CASE-LAR-13597-1-CU
US-PATENT-APPL-SN-008199
N87-23736* c 27 ..... NASA-CASE-LEW-14072-3
US-PATENT-APPL-SN-834977
US-PATENT-CLASS-428-421
US-PATENT-CLASS-428-422
US-PATENT-CLASS-428-447
US-PATENT-CLASS-428-473.5
US-PATENT-CLASS-428-702
US-PATENT-4,664,980
N87-23737* # c 27 ..... NAS 1.71:ARC-11652-1

NASA-CASE-ARC-11652-1
US-PATENT-APPL-SN-008242
N87-23751* c 27 ..... NASA-CASE-ARC-11533-1
US-PATENT-APPL-SN-641147
US-PATENT-CLASS-548-413
US-PATENT-4,670,565
N87-23879* c 33 ..... NASA-CASE-NPO-16467-1-CU
US-PATENT-APPL-SN-838648
US-PATENT-CLASS-136-249
US-PATENT-CLASS-136-255
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-35
US-PATENT-4,665,277
N87-23904* c 33 ..... NASA-CASE-GSC-12773-2
US-PATENT-APPL-SN-809851
US-PATENT-CLASS-290-1-R
US-PATENT-CLASS-310-15
US-PATENT-CLASS-310-30
US-PATENT-4,675,563
N87-23941*# c 35 ..... NAS 1.71:LAR-13689-1
NASA-CASE-LAR-13689-1-NP
US-PATENT-APPL-SN-929869
N87-23944* c 35 ..... NASA-CASE-MFS-28087-1
US-PATENT-APPL-SN-805010
US-PATENT-CLASS-373-10
US-PATENT-CLASS-373-15
US-PATENT-4,677,642
N87-23960* c 36 ..... NASA-CASE-NPO-16542-1-CU
US-PATENT-APPL-SN-781812
US-PATENT-CLASS-350-3.73
US-PATENT-CLASS-350-3.81
US-PATENT-CLASS-372-103
US-PATENT-CLASS-372-18
US-PATENT-CLASS-372-43
US-PATENT-4,677,629
N87-23961* c 36 ..... NASA-CASE-NPO-16433-1
US-PATENT-APPL-SN-790594
US-PATENT-CLASS-372-68
US-PATENT-CLASS-372-81
US-PATENT-4,677,636
N87-23970* c 37 ..... NASA-CASE-NPO-15482-1
US-PATENT-APPL-SN-526739
US-PATENT-CLASS-310-306
US-PATENT-CLASS-337-393
US-PATENT-4,665,334
N87-23981* c 37 ..... NASA-CASE-MSC-20797-1
US-PATENT-APPL-SN-771537
US-PATENT-CLASS-156-286
US-PATENT-CLASS-156-289
US-PATENT-CLASS-156-298
US-PATENT-CLASS-156-307.1
US-PATENT-CLASS-156-307.3
US-PATENT-CLASS-156-307.7
US-PATENT-CLASS-156-87
US-PATENT-4,676,853
N87-23982* c 37 ..... NASA-CASE-LAR-13100-1
US-PATENT-APPL-SN-831377
US-PATENT-CLASS-250-238
US-PATENT-CLASS-250-352
US-PATENT-CLASS-62-514-R
US-PATENT-4,672,202
N87-23983* c 37 ..... NASA-CASE-LAR-13198-1
US-PATENT-APPL-SN-729704
US-PATENT-CLASS-60-634
US-PATENT-CLASS-60-638
US-PATENT-CLASS-89-1.14
US-PATENT-4,669,354
N87-24564* c 27 ..... NASA-CASE-ARC-11533-3
US-PATENT-APPL-SN-852467
US-PATENT-CLASS-528-413
US-PATENT-4,675,379
N87-24575*# c 27 ..... NAS 1.71:LAR-13633-1
NASA-CASE-LAR-13633-1
US-PATENT-APPL-SN-011693
N87-24689* c 37 ..... NASA-CASE-MFS-28110-1
US-PATENT-APPL-SN-852466
US-PATENT-CLASS-239-433
US-PATENT-CLASS-239-596
US-PATENT-CLASS-239-600
US-PATENT-4,666,086
N87-24874* c 52 ..... NASA-CASE-MFS-26011-1-SB
US-PATENT-APPL-SN-655605
US-PATENT-CLASS-351-206
US-PATENT-CLASS-351-208
US-PATENT-CLASS-354-62
US-PATENT-4,669,836
N87-24984*# c 74 ..... NAS 1.71:LAR-13613-1-SB
NASA-CASE-LAR-13613-1-SB
US-PATENT-APPL-SN-041388
N87-25334* c 09 ..... NASA-CASE-LAR-13522-1-SB
US-PATENT-APPL-SN-890575
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-856
US-PATENT-4,682,494
N87-25344* c 14 ..... NASA-CASE-ARC-11646-1
US-PATENT-APPL-SN-924398
US-PATENT-CLASS-434-34
US-PATENT-4,678,438
N87-25348* c 17 ..... NASA-CASE-MSC-20821-1
US-PATENT-APPL-SN-775990
US-PATENT-CLASS-358-105
US-PATENT-CLASS-358-133
US-PATENT-CLASS-358-138
US-PATENT-4,682,225
N87-25455* c 26 ..... NASA-CASE-LAR-13474-1-SB
US-PATENT-APPL-SN-840900
US-PATENT-CLASS-148-6.3
US-PATENT-CLASS-204-192.15
US-PATENT-CLASS-204-192.23
US-PATENT-CLASS-428-607
US-PATENT-CLASS-428-632
US-PATENT-CLASS-428-651
US-PATENT-CLASS-428-660
US-PATENT-4,681-818
N87-25469* c 27 ..... NASA-CASE-ARC-11548-1
US-PATENT-APPL-SN-806572
US-PATENT-CLASS-428-413
US-PATENT-CLASS-428-417
US-PATENT-CLASS-528-108
US-PATENT-CLASS-528-168
US-PATENT-4,668,589
N87-25473*# c 27 ..... NASA-CASE-MSC-21169-1
US-PATENT-APPL-SN-044183
N87-25474*# c 27 ..... NASA-CASE-LAR-13732-1
US-PATENT-APPL-SN-035430
N87-25475*# c 27 ..... NASA-CASE-LAR-13601-1-CU
US-PATENT-APPL-SN-028831
N87-25489*# c 29 ..... NASA-CASE-NPO-17022-1-CU
US-PATENT-APPL-SN-066450
N87-25491* c 31 ..... NASA-CASE-MFS-28044-1
US-PATENT-APPL-SN-804039
US-PATENT-CLASS-408-1-R
US-PATENT-CLASS-51-281-R
US-PATENT-4,680,897
N87-25492* c 31 ..... NASA-CASE-LAR-13113-1
US-PATENT-APPL-SN-831371
US-PATENT-CLASS-182-152
US-PATENT-CLASS-52-108
US-PATENT-CLASS-52-632
US-PATENT-CLASS-52-646
US-PATENT-4,677,803
N87-25495*# c 31 ..... NASA-CASE-MSC-21025-1
US-PATENT-APPL-SN-035401
N87-25511* c 32 ..... NASA-CASE-NPO-16414-1-CU
US-PATENT-APPL-SN-729719
US-PATENT-CLASS-332-23-A
US-PATENT-CLASS-375-101
US-PATENT-CLASS-375-102
US-PATENT-CLASS-375-39
US-PATENT-CLASS-375-54
US-PATENT-CLASS-455-65
US-PATENT-4,675,880
N87-25531* c 33 ..... NASA-CASE-MSC-20187-1
US-PATENT-APPL-SN-649327
US-PATENT-CLASS-371-43
US-PATENT-CLASS-375-120
US-PATENT-CLASS-375-54
US-PATENT-CLASS-375-59
US-PATENT-CLASS-375-76
US-PATENT-4,682,343
N87-25555*# c 35 ..... NASA-CASE-MSC-21166-1
US-PATENT-APPL-SN-032685
N87-25558*# c 35 ..... NASA-CASE-LAR-13564-1
US-PATENT-APPL-SN-044180
N87-25561*# c 35 ..... NASA-CASE-LAR-13680-1
US-PATENT-APPL-SN-052941
N87-25567* c 36 ..... NASA-CASE-NPO-16497-1-CU
US-PATENT-APPL-SN-783887
US-PATENT-CLASS-307-425
US-PATENT-CLASS-372-20
US-PATENT-CLASS-372-4
US-PATENT-CLASS-372-69
US-PATENT-CLASS-372-99
US-PATENT-4,682,053
N87-25573* c 37 ..... NASA-CASE-ARC-11620-1
US-PATENT-APPL-SN-795945
US-PATENT-CLASS-137-614.11
US-PATENT-CLASS-137-614.18
US-PATENT-CLASS-251-129.15
US-PATENT-CLASS-251-175
US-PATENT-4,681,142
N87-25582* c 37 ..... NASA-CASE-MSC-20910-1
US-PATENT-APPL-SN-783888
US-PATENT-CLASS-244-161
US-PATENT-CLASS-292-DIG.49
US-PATENT-CLASS-292-201
US-PATENT-CLASS-292-64
US-PATENT-4,682,745
N87-25584*# c 37 ..... NASA-CASE-LAR-13626-1
US-PATENT-APPL-SN-063557
N87-25585*# c 37 ..... NASA-CASE-LEW-14196-2
US-PATENT-APPL-SN-054983
N87-25601* c 39 ..... NASA-CASE-MFS-28118-1
US-PATENT-APPL-SN-886121
US-PATENT-CLASS-73-809
US-PATENT-CLASS-73-810
US-PATENT-4,676,110
N87-25765*# c 54 ..... NASA-CASE-KSC-11322-1
US-PATENT-APPL-SN-894541
N87-25803*# c 62 ..... NASA-CASE-NPO-17058-1-CU
US-PATENT-APPL-SN-060201
N87-25822*# c 70 ..... NASA-CASE-LAR-13621-1
US-PATENT-APPL-SN-063354
N87-25843* c 74 ..... NASA-CASE-MFS-29207-1
US-PATENT-APPL-SN-713449
US-PATENT-APPL-SN-783890
US-PATENT-CLASS-219-124.34
US-PATENT-CLASS-219-130.01
US-PATENT-CLASS-219-74
US-PATENT-4,633,060
US-PATENT-4,682,006
N87-25862* c 76 ..... NASA-CASE-MFS-28060-1
US-PATENT-APPL-SN-706565
US-PATENT-CLASS-356-128
US-PATENT-CLASS-356-129
US-PATENT-4,681,437
N87-25868*# c 76 ..... NASA-CASE-NPO-16808-1-CU
US-PATENT-APPL-SN-027981
N87-27713* c 18 ..... NASA-CASE-LAR-13489-1
US-PATENT-APPL-SN-890445
US-PATENT-CLASS-285-27
US-PATENT-CLASS-285-31
US-PATENT-CLASS-285-373
US-PATENT-CLASS-285-421
US-PATENT-CLASS-285-86
US-PATENT-CLASS-403-341
US-PATENT-4,684,156
N87-27742*# c 24 ..... NASA-CASE-LAR-13150-1
US-PATENT-APPL-SN-729767
US-PATENT-CLASS-29-156.5-R
US-PATENT-4,683,809
US-PATEWNT-CLASS-92-208
N87-27810*# c 27 ..... NAS 1.71:LEW-14392-2
NASA-CASE-LEW-14392-2
US-PATENT-APPL-SN-038560
N87-27926*# c 33 ..... NAS 1.71:NPO-17108-1-CU
NASA-CASE-NPO-17108-1-CU
US-PATENT-APPL-SN-032819
N87-28006* c 36 ..... NASA-CASE-NPO-16567-1-CU
US-PATENT-APPL-SN-760790
US-PATENT-CLASS-250-339
US-PATENT-CLASS-250-343
US-PATENT-CLASS-250-373
US-PATENT-CLASS-356-256
US-PATENT-CLASS-356-409
US-PATENT-CLASS-356-51
US-PATENT-4,684,258
N87-28416* c 74 ..... NASA-CASE-ARC-11611-1
US-PATENT-APPL-SN-765981
US-PATENT-CLASS-156-163
US-PATENT-CLASS-156-229
US-PATENT-CLASS-156-286
US-PATENT-CLASS-156-382
US-PATENT-CLASS-156-494
US-PATENT-CLASS-264-291
US-PATENT-4,684,424
N87-28605* c 23 ..... NASA-CASE-ARC-11425-2
US-PATENT-APPL-SN-641152
US-PATENT-CLASS-558-145
US-PATENT-CLASS-558-190
US-PATENT-CLASS-558-193
US-PATENT-4,689,421
N87-28647* c 26 ..... NASA-CASE-LEW-14262-1
US-PATENT-APPL-SN-832296
US-PATENT-CLASS-148-162
US-PATENT-CLASS-148-410
US-PATENT-4,676,846
N87-28656* c 27 ..... NASA-CASE-LEW-14392-1
US-PATENT-APPL-SN-886149
US-PATENT-CLASS-264-332
US-PATENT-CLASS-264-60
US-PATENT-CLASS-264-63
US-PATENT-CLASS-428-367
US-PATENT-4,689,188
N87-28657* c 27 ..... NASA-CASE-LAR-13450-1
US-PATENT-APPL-SN-840816
US-PATENT-CLASS-428-290
US-PATENT-CLASS-525-426
US-PATENT-CLASS-525-432
US-PATENT-CLASS-525-436
US-PATENT-CLASS-525-903
US-PATENT-4,695,610
N87-28831* c 33 ..... NASA-CASE-LAR-13407-1
US-PATENT-APPL-SN-804196
US-PATENT-CLASS-313-505
US-PATENT-CLASS-313-506
US-PATENT-CLASS-313-509
US-PATENT-4,689,522

N87-28832* c 33 ..... NASA-CASE-LEW-14108-1
US-PATENT-APPL-SN-732321
US-PATENT-CLASS-313-237
US-PATENT-CLASS-313-278
US-PATENT-4,687,964
N87-28833* c 33 ..... NASA-CASE-ARC-11613-1
US-PATENT-APPL-SN-739792
US-PATENT-CLASS-244-134-D
US-PATENT-CLASS-318-116
US-PATENT-4,690,353
N87-28867* c 34 ..... NASA-CASE-MSC-20946-1
US-PATENT-APPL-SN-875799
US-PATENT-CASE-165-1
US-PATENT-CASE-165-104.25
US-PATENT-CASE-165-104.26
US-PATENT-CASE-165-13
US-PATENT-CASE-165-32
US-PATENT-CASE-165-41
US-PATENT-4,687,048
N87-28884* c 35 ..... NASA-CASE-LAR-13512-1
US-PATENT-APPL-SN-901113
US-PATENT-CLASS-285-137.1
US-PATENT-CLASS-285-901
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-756
US-PATENT-4,688,422
N87-29118* c 54 ..... NASA-CASE-LAR-13393-1
US-PATENT-APPL-SN-760799
US-PATENT-CLASS-182-223
US-PATENT-CLASS-182-63
US-PATENT-CLASS-182-82
US-PATENT-4,685,535
N87-29360* c 76 ..... NASA-CASE-LAR-13476-1-CU
US-PATENT-APPL-SN-933961
US-PATENT-CLASS-423-338
US-PATENT-CLASS-423-339
US-PATENT-4,696,808
N87-29372* c 82 ..... NASA-CASE-LAR-13306-1
US-PATENT-APPL-SN-846430
US-PATENT-CLASS-340-407
US-PATENT-CLASS-434-114
US-PATENT-4,687,444
N87-29582*# c 16 ..... NAS 1.71:LAR-13486-1
NASA-CASE-LAR-13486-1
US-PATENT-APPL-SN-076955
N87-29586*# c 18 ..... NAS 1.71:LAR-13738-1
NASA-CASE-LAR-13738-1
US-PATENT-APPL-SN-073539
N87-29650*# c 26 ..... NAS 1.71:LAR-13632-1
NASA-CASE-LAR-13632-1
US-PATENT-APPL-SN-079316
N87-29672*# c 27 ..... NAS 1.71:MSC-21082-1
NASA-CASE-MSC-21082-1
US-PATENT-APPL-SN-079320
N87-29737*# c 33 ..... NAS 1.71:MFS-29149-1
NASA-CASE-MFS-29149-1
US-PATENT-APPL-SN-073541
N88-14071* c 02 ..... NASA-CASE-LAR-13286-1
US-PATENT-APPL-SN-686959
US-PATENT-CLASS-114-67R
US-PATENT-CLASS-138-38
US-PATENT-CLASS-244-130
US-PATENT-CLASS-244-199
US-PATENT-CLASS-244-200
US-PATENT-CLASS-296-1S
US-PATENT-4,706,910
N88-14083* c 03 ..... NASA-CASE-LAR-13470-1
US-PATENT-APPL-SN-855983
US-PATENT-CLASS-361-218
US-PATENT-CLASS-361-222
US-PATENT-4,698,723
N88-14179* c 26 ..... NASA-CASE-LEW-14104-2
US-PATENT-APPL-SN-661481
US-PATENT-APPL-SN-823713
US-PATENT-CLASS-148-16.6
US-PATENT-CLASS-204-192.31
US-PATENT-CLASS-427-38
US-PATENT-4,704,168
N88-14223* c 31 ..... NASA-CASE-NPO-16734-1-CU
US-PATENT-APPL-SN-855982
US-PATENT-CLASS-62-467
US-PATENT-CLASS-62-48
US-PATENT-CLASS-62-514R
US-PATENT-4,697,425
N88-14270* c 33 ..... NASA-CASE-NPO-16764-1-CU
US-PATENT-APPL-SN-904513
US-PATENT-CLASS-439-271
US-PATENT-CLASS-439-578
US-PATENT-4,698,028
N88-14271* c 33 ..... NASA-CASE-GSC-12782-1
US-PATENT-APPL-SN-399074
US-PATENT-CLASS-357-231
US-PATENT-CLASS-357-24
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-30
US-PATENT-CLASS-357-56
US-PATENT-CLASS-357-61
US-PATENT-CLASS-357-65
US-PATENT-4,709,252
N88-14350* c 36 ..... NASA-CASE-ARC-11634-1
US-PATENT-APPL-SN-846427
US-PATENT-CLASS-350-163
US-PATENT-CLASS-350-174
US-PATENT-CLASS-350-572
US-PATENT-CLASS-350-573
US-PATENT-CLASS-356-28.5
US-PATENT-4,697,922
N88-14359* c 37 ..... NASA-CASE-LAR-13662-1
US-PATENT-APPL-SN-790597
US-PATENT-APPL-SN-904812
US-PATENT-CLASS-228-107
US-PATENT-CLASS-228-109
US-PATENT-CLASS-228-2.5
US-PATENT-4,708,280
N88-14360* c 37 ..... NASA-CASE-MFS-28001-2
US-PATENT-APPL-SN-025039
US-PATENT-APPL-SN-739788
US-PATENT-CLASS-269-43
US-PATENT-CLASS-269-71
US-PATENT-CLASS-269-73
US-PATENT-4,708,330
N88-14361* c 37 ..... NASA-CASE-LAR-13453-1
US-PATENT-APPL-SN-010950
US-PATENT-CLASS-33-147D
US-PATENT-CLASS-73-834
US-PATENT-4,706,387
N88-14362* c 37 ..... NASA-CASE-MFS-29177-1
US-PATENT-APPL-SN-010942
US-PATENT-CLASS-219-124.34
US-PATENT-CLASS-219-130.01
US-PATENT-CLASS-219-136
US-PATENT-4,698,484
N88-14492* c 44 ..... NASA-CASE-ARC-11622-1
US-PATENT-APPL-SN-823712
US-PATENT-CLASS-126-425
US-PATENT-CLASS-250-203R
US-PATENT-4,710,618
N88-14835* c 76 ..... NASA-CASE-MFS-26008-1-CU
US-PATENT-APPL-SN-800194
US-PATENT-CLASS-156-621
US-PATENT-CLASS-156-622
US-PATENT-CLASS-156-624
US-PATENT-CLASS-422-251
US-PATENT-CLASS-422-260
US-PATENT-4,711,697
N88-14836* c 76 ..... NASA-CASE-NPO-16607-1-CU
US-PATENT-APPL-SN-901114
US-PATENT-CLASS-357-30
US-PATENT-CLASS-437-128
US-PATENT-CLASS-437-131
US-PATENT-CLASS-437-3
US-PATENT-CLASS-437-7
US-PATENT-CLASS-437-8
US-PATENT-CLASS-437-969
US-PATENT-4,711,857
N88-18628* c 24 ..... NAS 1.71:ARC-11641-1
NASA-CASE-ARC-11641-1
US-PATENT-APPL-SN-862925
US-PATENT-CLASS-244-117-A
US-PATENT-CLASS-244-158-A
US-PATENT-CLASS-428-44
US-PATENT-CLASS-428-74
US-PATENT-CLASS-428-76
US-PATENT-CLASS-428-920
US-PATENT-4,713,275
N88-18725* c 27 ..... NAS 1.71:LAR-13447-1
NASA-CASE-LAR-13447-1
US-PATENT-APPL-SN-855879
US-PATENT-CLASS-525-397
US-PATENT-CLASS-525-905
US-PATENT-4,711,932
N88-23759* c 02 ..... NASA-CASE-LAR-13436-1-CU
US-PATENT-APPL-SN-003676
US-PATENT-CLASS-73-147
US-PATENT-CLASS-73-178-R
US-PATENT-4,727,751
N88-23765* c 05 ..... NASA-CASE-LAR-13511-1
US-PATENT-APPL-SN-013801
US-PATENT-CLASS-244-119
US-PATENT-CLASS-244-120
US-PATENT-CLASS-244-130
US-PATENT-CLASS-244-15
US-PATENT-4,735,381
N88-23808* c 08 ..... NASA-CASE-GSC-12970-1
US-PATENT-APPL-SN-795805
US-PATENT-CLASS-244-165
US-PATENT-4,732,353
N88-23809* c 08 ..... NASA-CASE-LAR-13630-1
US-PATENT-APPL-SN-008895
US-PATENT-CLASS-244-17.19
US-PATENT-CLASS-244-91
US-PATENT-4,708,305
N88-23827* c 18 ..... NASA-CASE-MSC-21056-1
US-PATENT-APPL-SN-934397
US-PATENT-CLASS-16-292
US-PATENT-CLASS-16-297
US-PATENT-CLASS-16-326
US-PATENT-CLASS-16-332
US-PATENT-CLASS-16-345
US-PATENT-CLASS-16-347
US-PATENT-CLASS-16-349
US-PATENT-4,736,490
N88-23828* c 18 ..... NASA-CASE-LAR-13411-1-SB
US-PATENT-APPL-SN-913432
US-PATENT-CLASS-180-8.6
US-PATENT-CLASS-414-735
US-PATENT-CLASS-414-750
US-PATENT-CLASS-901-1
US-PATENT-CLASS-901-33
US-PATENT-4,738,583
N88-23845* c 25 ..... NASA-CASE-MFS-28142-1
US-PATENT-APPL-SN-904128
US-PATENT-CLASS-204-180.1
US-PATENT-CLASS-204-299-R
US-PATENT-4,752,372
N88-23846* c 25 ..... NASA-CASE-NPO-15609-2
US-PATENT-APPL-SN-511363
US-PATENT-APPL-SN-761310
US-PATENT-CLASS-159-3
US-PATENT-CLASS-159-48.2
US-PATENT-CLASS-159-900
US-PATENT-CLASS-203-90
US-PATENT-CLASS-203-91
US-PATENT-CLASS-203-98
US-PATENT-4,666,561
N88-23894* c 27 ..... NASA-CASE-GSC-13008-1
US-PATENT-APPL-SN-867987
US-PATENT-CLASS-264-DIG.64
US-PATENT-CLASS-264-50
US-PATENT-CLASS-425-4-R
US-PATENT-4,731,211
N88-23917*# c 31 ..... NAS 1.71:NPO-17334-1-CU
NASA-CASE-NPO-17334-1-CU
US-PATENT-APPL-SN-149821
N88-23923*# c 32 ..... NAS 1.71:MSC-18808-1
NASA-CASE-MSC-18808-1
N88-23924*# c 32 ..... NAS 1.71:NPO-17249-1-CU
NASA-CASE-NPO-17249-1-CU
US-PATENT-APPL-SN-125666
N88-23936*# c 33 ..... NAS 1.71:LEW-14520-1
NASA-CASE-LEW-14520-1
US-PATENT-APPL-SN-130058
N88-23937*# c 33 ..... NAS 1.71:NPO-16888-1-CU
NASA-CASE-NPO-16888-1-CU
US-PATENT-APPL-SN-133412
N88-23941* c 33 ..... NASA-CASE-MSC-20181-1
US-PATENT-APPL-SN-392093
US-PATENT-CLASS-174-52-PE
US-PATENT-CLASS-174-52-R
US-PATENT-CLASS-174-52-S
US-PATENT-CLASS-357-72
US-PATENT-CLASS-357-74
US-PATENT-CLASS-357-81
US-PATENT-CLASS-525-425
US-PATENT-4,750,031
N88-23942* c 33 ..... NASA-CASE-LAR-13202-1
US-PATENT-APPL-SN-879758
US-PATENT-CLASS-315-200-R
US-PATENT-CLASS-315-227-R
US-PATENT-CLASS-315-241-R
US-PATENT-CLASS-315-254
US-PATENT-CLASS-315-255
US-PATENT-CLASS-315-276
US-PATENT-CLASS-315-277
US-PATENT-4,723,096
N88-23946*# c 34 ..... NAS 1.71:NPO-17291-1-CU
NASA-CASE-NPO-17291-1-CU
N88-23958* c 34 ..... NASA-CASE-MSC-20841-2
US-PATENT-APPL-SN-032679
US-PATENT-APPL-SN-755288
US-PATENT-CLASS-126-423
US-PATENT-CLASS-165-1
US-PATENT-CLASS-165-104.14
US-PATENT-CLASS-165-13
US-PATENT-CLASS-165-41
US-PATENT-4,664,177
US-PATENT-4,750,543
N88-23959*# c 35 ..... NAS 1.71:MFS-28287-1
NASA-CASE-MFS-28287-1
US-PATENT-APPL-SN-122740
N88-23960*# c 35 ..... NAS 1.71:MFS-28242-1
NASA-CASE-MFS-28242-1
US-PATENT-APPL-SN-149822
N88-23961*# c 35 ..... NAS 1.71:LAR-13853-1
NASA-CASE-LAR-13853-1
US-PATENT-APPL-SN-143436
N88-23962*# c 35 ..... NAS 1.71:LAR-13508-1
NASA-CASE-LAR-13508-1

US-PATENT-APPL-SN-146939
N88-23963* # c 35 ..... NAS 1.71:LAR-13519-1
NASA-CASE-LAR-13519-1
US-PATENT-APPL-SN-146938
N88-23966* c 35 ..... NASA-CASE-MSC-20467-1
US-PATENT-APPL-SN-874319
US-PATENT-CLASS-73-587
US-PATENT-CLASS-73-801
US-PATENT-4,738,137
N88-23967* c 35 ..... NASA-CASE-LAR-13458-1
US-PATENT-APPL-SN-013802
US-PATENT-CLASS-73-794
US-PATENT-CLASS-73-810
US-PATENT-4,718,281
N88-23973* # c 37 ..... NAS 1.71:MSC-21171-1
NASA-CASE-MSC-21171-1
US-PATENT-APPL-SN-135120
N88-23974* # c 37 ..... NAS 1.71:MFS-28273-1
NASA-CASE-MFS-28273-1
US-PATENT-APPL-SN-149830
N88-23978* c 37 ..... NASA-CASE-LEW-14212-1
US-PATENT-APPL-SN-875798
US-PATENT-CLASS-415-136
US-PATENT-CLASS-415-170-R
US-PATENT-4,728,257
N88-23979* c 37 ..... NASA-CASE-MFS-28185-1
US-PATENT-APPL-SN-056930
US-PATENT-CLASS-294-106
US-PATENT-CLASS-294-113
US-PATENT-CLASS-294-119.2
US-PATENT-CLASS-294-16
US-PATENT-4,723,800
N88-23980* c 37 ..... NASA-CASE-MFS-29252-1
US-PATENT-APPL-SN-044181
US-PATENT-CLASS-219-137.42
US-PATENT-CLASS-219-75
US-PATENT-4,749,839
N88-23981* c 37 ..... NASA-CASE-LAR-13435-1
US-PATENT-APPL-SN-890683
US-PATENT-CLASS-123-193-P
US-PATENT-CLASS-92-176
US-PATENT-CLASS-92-212
US-PATENT-CLASS-92-214
US-PATENT-CLASS-92-222
US-PATENT-CLASS-92-224
US-PATENT-4,736,676
N88-23982* c 37 ..... NASA-CASE-LAR-12801-1
US-PATENT-APPL-SN-309291
US-PATENT-CLASS-188-373
US-PATENT-CLASS-248-548
US-PATENT-CLASS-248-608
US-PATENT-CLASS-297-216
US-PATENT-4,720,139
N88-23983* # c 38 ..... NAS 1.71:LAR-13724-1
NASA-CASE-LAR-13724-1
US-PATENT-APPL-SN-125678
N88-24163* c 54 ..... NASA-CASE-MFS-26009-1-SB
US-PATENT-APPL-SN-805011
US-PATENT-CLASS-108-3
US-PATENT-CLASS-108-7
US-PATENT-CLASS-312-196
US-PATENT-CLASS-312-208
US-PATENT-CLASS-312-300
US-PATENT-CLASS-312-7.2
US-PATENT-4,725,106
N88-24169* c 60 ..... NASA-CASE-NPO-16462-1-CU
US-PATENT-APPL-SN-815106
US-PATENT-CLASS-364-728
US-PATENT-CLASS-364-757
US-PATENT-CLASS-382-42
US-PATENT-4,750,144
N88-24241* c 71 ..... NASA-CASE-NPO-16675-1-CU
US-PATENT-APPL-SN-627537
US-PATENT-APPL-SN-789266
US-PATENT-CLASS-181-0.5
US-PATENT-CLASS-367-191
US-PATENT-CLASS-73-505
US-PATENT-4,573,356
US-PATENT-4,736,815
N88-24253* c 72 ..... NASA-CASE-MFS-28122-1
US-PATENT-APPL-SN-021100
US-PATENT-CLASS-250-251
US-PATENT-CLASS-250-423-R
US-PATENT-CLASS-250-427
US-PATENT-CLASS-315-111.41
US-PATENT-CLASS-315-111.71
US-PATENT-CLASS-315-111.81
US-PATENT-4,742,232
N88-24508* # c 74 ..... JPL-17140
NAS 1.71:NPO-17140-1-CU
NASA-CASE-NPO-17140-1-CU
US-PATENT-APPL-SN-125021
N88-24543* c 76 ..... NASA-CASE-NPO-16681-1-CU
US-PATENT-APPL-SN-764812
US-PATENT-CLASS-204-192.15
US-PATENT-CLASS-204-192.24
US-PATENT-4,726,890
N88-24544* c 76 ..... NASA-CASE-MFS-28137-1
US-PATENT-APPL-SN-925189
US-PATENT-CLASS-156-DIG.70
US-PATENT-CLASS-156-DIG.72
US-PATENT-CLASS-156-DIG.82
US-PATENT-CLASS-156-607
US-PATENT-CLASS-156-621
US-PATENT-CLASS-156-624
US-PATENT-CLASS-422-246
US-PATENT-4,738,831
N88-24545* c 76 ..... NASA-CASE-MFS-28144-1
US-PATENT-APPL-SN-924399
US-PATENT-CLASS-156-DIG.70
US-PATENT-CLASS-156-DIG.72
US-PATENT-CLASS-156-DIG.82
US-PATENT-CLASS-156-DIG.84
US-PATENT-CLASS-156-DIG.89
US-PATENT-CLASS-156-DIG.92
US-PATENT-CLASS-156-620.76
US-PATENT-4,740,264
N88-24620* # c 04 ..... NAS 1.71:LAR-13322-1
NASA-CASE-LAR-13322-1
US-PATENT-APPL-SN-195221
N88-24621* # c 04 ..... NAS 1.71:LAR-13854-1-CU
NASA-CASE-LAR-13854-1-CU
US-PATENT-APPL-SN-192562
N88-24628* # c 05 ..... NAS 1.71:LAR-13983-1
NASA-CASE-LAR-13983-1
US-PATENT-APPL-SN-192563
N88-24660* # c 16 ..... NAS 1.71:MSC-21330-1
NASA-CASE-MSC-21330-1
US-PATENT-APPL-SN-182000
N88-24662* # c 17 ..... NAS 1.71:MSC-21170-1
NASA-CASE-MSC-21170-1
US-PATENT-APPL-SN-182266
N88-24671* # c 18 ..... NAS 1.71:MSC-21356-1
NASA-CASE-MSC-21356-1
US-PATENT-APPL-SN-165956
N88-24684* # c 20 ..... NAS 1.71:MSC-21299-1
NASA-CASE-MSC-21299-1
US-PATENT-APPL-SN-176587
N88-24685* # c 20 ..... NAS 1.71:LAR-13773-1
NASA-CASE-LAR-13773-1
US-PATENT-APPL-SN-165946
N88-24692* c 23 ..... NASA-CASE-ARC-11428-3
US-PATENT-APPL-SN-599126
US-PATENT-APPL-SN-760374
US-PATENT-APPL-SN-924467
US-PATENT-CLASS-558-80
US-PATENT-CLASS-564-13
US-PATENT-4,550,177
US-PATENT-4,634,759
US-PATENT-4,748,263
N88-24732* c 25 ..... NASA-CASE-NPO-16907-1-CU
US-PATENT-APPL-SN-930217
US-PATENT-CLASS-204-157.22
US-PATENT-CLASS-250-423-P
US-PATENT-CLASS-250-427
US-PATENT-4,704,197
N88-24753* # c 26 ..... NAS 1.71:LAR-13924-1-CU
NASA-CASE-LAR-13924-1-CU
US-PATENT-APPL-SN-172102
N88-24814* # c 31 ..... NAS 1.71:NPO-16985-1-CU
NASA-CASE-NPO-16985-1-CU
US-PATENT-APPL-SN-195222
N88-24815* # c 31 ..... NAS 1.71:NPO-15609-2
NASA-CASE-NPO-15609-2
US-PATENT-APPL-SN-761310
N88-24816* # c 31 ..... NAS 1.71:LAR-13814-1
NASA-CASE-LAR-13814-1
US-PATENT-APPL-SN-151678
N88-24817* # c 31 ..... NAS 1.71:MFS-28248-1
NASA-CASE-MFS-28248-1
US-PATENT-APPL-SN-176545
N88-24818* # c 31 ..... NAS 1.71:NPO-17278-1-CU
NASA-CASE-NPO-17278-1-CU
US-PATENT-APPL-SN-172100
N88-24845* # c 32 ..... NAS 1.71:LAR-13747-1
NASA-CASE-LAR-13747-1
US-PATENT-APPL-SN-197191
N88-24846* # c 32 ..... NAS 1.71:NPO-17325-1-CU
NASA-CASE-NPO-17325-1-CU
US-PATENT-APPL-SN-184235
N88-24862* c 33 ..... NASA-CASE-NPO-16402-2
US-PATENT-APPL-SN-013803
US-PATENT-APPL-SN-727931
US-PATENT-CLASS-307-106
US-PATENT-CLASS-315-172
US-PATENT-CLASS-315-173
US-PATENT-CLASS-328-67
US-PATENT-4,698,518
N88-24863* # c 33 ..... NAS 1.71:NPO-16882-1-CU
NASA-CASE-NPO-16882-1-CU
US-PATENT-APPL-SN-154711
N88-24864* # c 33 ..... NAS 1.71:NPO-17134-1-CU
NASA-CASE-NPO-17134-1-CU
US-PATENT-APPL-SN-172105
N88-24910* # c 34 ..... NAS 1.71:LAR-13952-1-SB
NASA-CASE-LAR-13952-1-SB
US-PATENT-APPL-SN-203178
N88-24927* c 35 ..... NASA-CASE-MSC-20549-2
US-PATENT-APPL-SN-045743
US-PATENT-APPL-SN-790596
US-PATENT-CLASS-254-93-H
US-PATENT-CLASS-254-93-R
US-PATENT-CLASS-269-147
US-PATENT-CLASS-269-246
US-PATENT-CLASS-72-750
US-PATENT-4,736,927
N88-24941* # c 35 ..... NAS 1.71:MSC-21094-1
NASA-CASE-MSC-21094-1
US-PATENT-APPL-SN-156393
N88-24942* # c 35 ..... NAS 1.71:LAR-13794-1
NASA-CASE-LAR-13794-1
US-PATENT-APPL-SN-168065
N88-24943* # c 35 ..... NAS 1.71:NPO-17024-1-CU
NASA-CASE-NPO-17024-1-CU
US-PATENT-APPL-SN-159613
N88-24944* # c 35 ..... NAS 1.71:NPO-17390-1-CU
NASA-CASE-NPO-17390-1-CU
US-PATENT-APPL-SN-205899
N88-24958* c 36 ..... NASA-CASE-MSC-20867-1
US-PATENT-APPL-SN-045984
US-PATENT-CLASS-356-1
US-PATENT-CLASS-356-376
US-PATENT-CLASS-356-4
US-PATENT-CLASS-358-107
US-PATENT-CLASS-364-561
US-PATENT-4,736,247
N88-24969* # c 37 ..... NAS 1.71:MSC-21354-1
NASA-CASE-MSC-21354-1
US-PATENT-APPL-SN-154712
N88-24970* # c 37 ..... NAS 1.71:LAR-13729-1
NASA-CASE-LAR-13729-1
US-PATENT-APPL-SN-176544
N88-24971* # c 37 ..... NAS 1.71:MFS-28253-1
NASA-CASE-MFS-28253-1
US-PATENT-APPL-SN-165943
N88-24972* # c 37 ..... NAS 1.71:MFS-29260-1
NASA-CASE-MFS-29260-1
US-PATENT-APPL-SN-156059
N88-24973* # c 37 ..... NAS 1.71:NPO-17354-1-CU
NASA-CASE-NPO-17354-1-CU
US-PATENT-APPL-SN-184236
N88-25011* # c 39 ..... NAS 1.71:LAR-13705-1
NASA-CASE-LAR-13705-1
US-PATENT-APPL-SN-203177
N88-25281* # c 72 ..... NAS 1.71:NPO-16789-1-CU
NASA-CASE-NPO-16789-1-CU
US-PATENT-APPL-SN-154713
N88-25301* # c 74 ..... NAS 1.71:NPO-17139-1-CU
NASA-CASE-NPO-17139-1-CU
US-PATENT-APPL-SN-154718
N88-25302* # c 74 ..... NAS 1.71:LAR-13387-1
NASA-CASE-LAR-13387-1
US-PATENT-APPL-SN-154716
N88-25303* # c 74 ..... NAS 1.71:MFS-29348-1
NASA-CASE-MFS-29348-1
US-PATENT-APPL-SN-156518
N88-25304* # c 74 ..... NAS 1.71:NPO-17207-1-CU
NASA-CASE-NPO-17207-1-CU
US-PATENT-APPL-SN-190185
N88-25305* # c 74 ..... NAS 1.71:NPO-17144-1-CU
NASA-CASE-NPO-17144-1-CU
US-PATENT-APPL-SN-187716
N88-25355* # c 76 ..... NAS 1.71:LAR-13678-1
NASA-CASE-LAR-13678-1
US-PATENT-APPL-SN-176547
N88-25356* # c 76 ..... NAS 1.71:MFS-28206-1-SB
NASA-CASE-MFS-28206-1-SB
US-PATENT-APPL-SN-172101
N88-25357* # c 76 ..... NAS 1.71:MFS-28182-1
NASA-CASE-MFS-28182-1
US-PATENT-APPL-SN-161681
N88-25358* # c 76 ..... NAS 1.71:NPO-17259-1-CU
NASA-CASE-NPO-17259-1-CU
US-PATENT-APPL-SN-184234
N88-26398* c 18 ..... NASA-CASE-MSC-20985-1
US-PATENT-APPL-SN-904134
US-PATENT-CLASS-104-172.1
US-PATENT-CLASS-104-35
US-PATENT-CLASS-104-49
US-PATENT-CLASS-244-159
US-PATENT-4,757,767
N88-26404* c 23 ..... NASA-CASE-LEW-14345-1
US-PATENT-APPL-SN-924474
US-PATENT-CLASS-260-386
US-PATENT-CLASS-260-389
US-PATENT-CLASS-260-395
US-PATENT-CLASS-549-241
US-PATENT-4,758,380

N88-26541* # c 32 ..... NAS 1.71:NPO-17184-1-CU
NASA-CASE-NPO-17184-1-CU
US-PATENT-APPL-SN-195225
N88-26568* c 32 ..... NASA-CASE-MSC-20912-1
US-PATENT-APPL-SN-831193
US-PATENT-CLASS-342-125
US-PATENT-CLASS-342-127
US-PATENT-CLASS-342-43
US-PATENT-CLASS-342-51
US-PATENT-4,757,315
N88-26596* c 33 ..... NASA-CASE-NPO-17157-1-CU
US-PATENT-APPL-SN-116810
US-PATENT-CLASS-331-162
US-PATENT-CLASS-331-3
US-PATENT-CLASS-331-94.1
US-PATENT-4,757,278
N88-27220* # c 17 ..... NAS 1.71:NPO-17280-1-CU
NASA-CASE-NPO-17280-1-CU
US-PATENT-APPL-SN-195226
N88-28914* c 05 ..... NASA-CASE-ARC-11636-1
US-PATENT-APPL-SN-933963
US-PATENT-CLASS-244-12.3
US-PATENT-CLASS-244-12.4
US-PATENT-CLASS-244-207
US-PATENT-CLASS-244-45-A
US-PATENT-CLASS-244-55
US-PATENT-4,767,083
N88-28938* # c 09 ..... NAS 1.71:MFS-28281-1
NASA-CASE-MFS-28281-1
US-PATENT-APPL-SN-205898
N88-28939* c 09 ..... NASA-CASE-LEW-14374-1
US-PATENT-APPL-SN-060200
US-PATENT-CLASS-219-383
US-PATENT-CLASS-363-97
US-PATENT-CLASS-60-203.1
US-PATENT-4,766,724
N88-28946* # c 17 ..... NAS 1.71:NPO-17310-1-CU
NASA-CASE-NPO-17310-1-CU
US-PATENT-APPL-SN-200874
N88-28958* c 18 ..... NASA-CASE-MSC-21117-1
US-PATENT-APPL-SN-929875
US-PATENT-CLASS-52-646
US-PATENT-CLASS-52-648
US-PATENT-4,765,114
N88-29002* c 25 ..... NASA-CASE-LAR-13528-1
US-PATENT-APPL-SN-933962
US-PATENT-CLASS-236-15-E
US-PATENT-CLASS-364-500
US-PATENT-CLASS-364-557
US-PATENT-CLASS-364-571
US-PATENT-CLASS-374-36
US-PATENT-CLASS-431-13
US-PATENT-CLASS-431-76
US-PATENT-4,761,744
N88-29012* # c 26 ..... NAS 1.71:LAR-13817-1
NASA-CASE-LAR-13817-1
US-PATENT-APPL-SN-210486
N88-29040* c 27 ..... NASA-CASE-ARC-11649-1-SB
US-PATENT-APPL-SN-890577
US-PATENT-CLASS-501-88
US-PATENT-CLASS-501-91
US-PATENT-CLASS-501-92
US-PATENT-CLASS-501-93
US-PATENT-CLASS-528-10
US-PATENT-CLASS-528-30
US-PATENT-CLASS-528-4
US-PATENT-4,767,728
N88-29048* # c 29 ..... NAS 1.71:LAR-13607-1-CU
NASA-CASE-LAR-13607-1-CU
US-PATENT-APPL-SN-210445
N88-29050* # c 31 ..... NAS 1.71:GSC-13112-1
NASA-CASE-GSC-13112-1
US-PATENT-APPL-SN-205771
N88-29051* # c 31 ..... NAS 1.71:LAR-13638-1
NASA-CASE-LAR-13638-1
US-PATENT-APPL-SN-223124
N88-29052* c 31 ..... NASA-CASE-MSC-18172-3
US-PATENT-APPL-SN-119334
US-PATENT-APPL-SN-755960
US-PATENT-APPL-SN-898449
US-PATENT-CLASS-210-500.25
US-PATENT-CLASS-210-500.35
US-PATENT-CLASS-210-639
US-PATENT-CLASS-210-653
US-PATENT-CLASS-427-245
US-PATENT-4,762,619
N88-29076* c 32 ..... NASA-CASE-NPO-17196-1-CU
US-PATENT-APPL-SN-084770
US-PATENT-CLASS-328-155
US-PATENT-CLASS-331-17
US-PATENT-CLASS-331-25
US-PATENT-4,771,250
N88-29095* # c 33 ..... NAS 1.71:NPO-17233-1-CU
NASA-CASE-NPO-17233-1-CU
US-PATENT-APPL-SN-231025
N88-29132* c 34 ..... NASA-CASE-MSC-20840-1
US-PATENT-APPL-SN-943346
US-PATENT-CLASS-165-170
US-PATENT-CLASS-165-81
US-PATENT-4,762,173
N88-29133* c 34 ..... NASA-CASE-GSC-13019-1
US-PATENT-APPL-SN-942158
US-PATENT-CLASS-122-366
US-PATENT-CLASS-138-38
US-PATENT-CLASS-165-104.26
US-PATENT-CLASS-165-905
US-PATENT-4,765,396
N88-29145* # c 35 ..... NAS 1.71:LAR-13710-1
NASA-CASE-LAR-13710-1
US-PATENT-APPL-SN-210487
N88-29149* c 35 ..... NASA-CASE-LAR-13776-1
US-PATENT-APPL-SN-054980
US-PATENT-APPL-SN-846429
US-PATENT-CLASS-244-134-F
US-PATENT-CLASS-324-61-R
US-PATENT-CLASS-340-580
US-PATENT-4,766,369
N88-29150* c 35 ..... NASA-CASE-LAR-13826-1
US-PATENT-APPL-SN-102705
US-PATENT-APPL-SN-684186
US-PATENT-APPL-SN-890982
US-PATENT-CLASS-73-290-R
US-PATENT-CLASS-73-304-R
US-PATENT-4,765,187
N88-29151* c 35 ..... NASA-CASE-NPO-17068-1-CU
US-PATENT-APPL-SN-076956
US-PATENT-CLASS-60-527
US-PATENT-4,765,139
N88-29180* c 37 ..... NASA-CASE-MSC-21207-1
US-PATENT-APPL-SN-032818
US-PATENT-CLASS-403-171
US-PATENT-CLASS-403-217
US-PATENT-CLASS-52-646
US-PATENT-CLASS-52-648
US-PATENT-4,763,459
N88-29181* c 37 ..... NASA-CASE-MSC-21132-1
US-PATENT-APPL-SN-118992
US-PATENT-CLASS-188-218-XL
US-PATENT-CLASS-188-251-A
US-PATENT-4,763,762
N88-29310* c 60 ..... NASA-CASE-NPO-16116-2
US-PATENT-APPL-SN-004282
US-PATENT-APPL-SN-587749
US-PATENT-CLASS-364-200
US-PATENT-4,766,533
N88-29602* # c 76 ..... NAS 1.71:MFS-28282-1
NASA-CASE-MFS-28282-1
US-PATENT-APPL-SN-217533
N88-29789* # c 05 ..... NAS 1.71:LAR-13777-1
NASA-CASE-LAR-13777-1
US-PATENT-APPL-SN-210480
N88-29888* # c 24 ..... NAS 1.71:LEW-14698-1
NASA-CASE-LEW-14698-1
US-PATENT-APPL-SN-219016
N88-29984* # c 27 ..... NAS 1.71:LEW-14203-1
NASA-CASE-LEW-14203-1
US-PATENT-APPL-SN-231026
N88-30001* # c 32 ..... NAS 1.71:NPO-16987-1-CU
NASA-CASE-NPO-16987-1-CU
US-PATENT-APPL-SN-203376
N88-30105* # c 35 ..... NAS 1.71:LAR-13740-1
NASA-CASE-LAR-13740-1
US-PATENT-APPL-SN-205900
N88-30108* c 35 ..... NASA-CASE-LAR-13797-1
US-PATENT-APPL-SN-074792
US-PATENT-APPL-SN-831372
US-PATENT-CLASS-156-233
US-PATENT-CLASS-156-247
US-PATENT-CLASS-156-272.4
US-PATENT-CLASS-156-274.8
US-PATENT-CLASS-156-275.5
US-PATENT-CLASS-156-307.7
US-PATENT-4,767,484
N88-30130* # c 37 ..... NAS 1.71:LAR-13898-1
NASA-CASE-LAR-13898-1
US-PATENT-APPL-SN-225427
N88-30131* c 37 ..... NASA-CASE-MSC-20900-1
US-PATENT-APPL-SN-079317
US-PATENT-CLASS-219-121.54
US-PATENT-CLASS-219-121.56
US-PATENT-CLASS-219-121.57
US-PATENT-CLASS-219-124.02
US-PATENT-CLASS-219-130.4
US-PATENT-4,766,286
N88-30160* # c 39 ..... NAS 1.71:LAR-13889-1
NASA-CASE-LAR-13889-1
US-PATENT-APPL-SN-210277

PUBLIC AVAILABILITY OF COPIES OF PATENTS AND PATENT APPLICATIONS

Copies of U.S. patents may be purchased directly from the U.S. Patent and Trademark Office, Washington, D.C. 20231 at $1.50 per copy. When ordering patents, the U.S. Patent Number should be used, and payment must be remitted in advance, preferably by money order or check payable to the Commissioner of Patents and Trademarks. Prepaid purchase coupons for ordering are also available from the Patent and Trademark Office.

NASA *patent application specifications* are sold in paper copy by the National Technical Information Service at price code A02. Microfiche are sold at price code A01. The US-Patent-Appl-SN-number should be used in ordering either paper copy or microfiche from NTIS.

LICENSES FOR COMMERCIAL USE: INQUIRIES AND APPLICATIONS FOR LICENSE

NASA inventions, abstracted in *NASA PAB,* are available for nonexclusive or exclusive licensing in accordance with the NASA Patent Licensing Regulations. It is significant that all licenses for NASA inventions shall be by express written instruments and that no license will be granted or implied in a NASA invention except as provided in the NASA Patent Licensing Regulations.

Inquiries concerning the NASA Patent Licensing Program or the availability of licenses for the commercial use of NASA-owned inventions covered by U.S. patents or pending applications for patent should be forwarded to the NASA Patent Counsel of the NASA installation having cognizance of the specific invention, or the Associate General Counsel for Intellectual Property, code GP, National Aeronautics and Space Administration, Washington, D.C. 20546. Inquiries should refer to the NASA Case Number, the Title of the Invention, and the U.S. Patent Number or the U.S. Application Serial Number assigned to the invention as shown in *NASA PAB.*

The NASA Patent Counsel having cognizance of the invention is determined by the first three letters or prefix of the NASA Case Number assigned to the invention. The addresses of NASA Patent Counsels are listed alongside the NASA Case Number prefix letters in the following table.

STANDING ORDER SUBSCRIPTIONS

NASA SP-7039, Section 2 is available from the National Technical Information Service (NTIS) on standing order subscription as PB 89-911100 at the price of $29.00 domestic and $58.00 foreign. Standing order subscriptions do not terminate at the end of a year, as do regular subscriptions, but continue indefinitely unless specifically terminated by the subscriber.

NASA Case Number Prefix Letters	Address of Cognizant NASA Patent Counsel
ARC-xxxxx XAR-xxxxx	Ames Research Center Mail Code: 200-11A Moffett Field, California 94035 Telephone: (415) 694-5104
ERC-xxxxx XER-xxxxx HQN-xxxxx XHQ-xxxxx	NASA Headquarters Mail Code: GP Washington, D.C. 20546 Telephone: (202) 453-2417
GSC-xxxxx XGS-xxxxx	Goddard Space Flight Center Mail Code: 204 Greenbelt, Maryland 20771 Telephone: (301) 286-7351
KSC-xxxxx XKS-xxxxx	John F. Kennedy Space Center Mail Code: PT-PAT Kennedy Space Center, Florida 32899 Telephone: (305) 867-2544
LAR-xxxxx XLA-xxxxx	Langley Research Center Mail Code: 279 Hampton, Virginia 23365 Telephone: (804) 865-3725
LEW-xxxxx XLE-xxxxx	Lewis Research Center Mail Code: 500-318 21000 Brookpark Road Cleveland, Ohio 44135 Telephone: (216) 433-5753
MSC-xxxxx XMS-xxxxx	Lyndon B. Johnson Space Center Mail Code: AL3 Houston, Texas 77058 Telephone: (713) 483-4871
MFS-xxxxx XMF-xxxxx	George C. Marshall Space Flight Center Mail Code: CC01 Huntsville, Alabama 35812 Telephone: (205) 544-0024
NPO-xxxxx XNP-xxxxx FRC-xxxxx XFR-xxxxx WOO-xxxxx	NASA Resident Legal Office Mail Code: 180-801 4800 Oak Grove Drive Pasadena, California 91103 Telephone: (818)354-2700

PATENT LICENSING REGULATIONS

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

14 CFR Part 1245

Licensing of NASA Inventions

AGENCY: National Aeronautics and Space Administration.

ACTION: Interim regulation with comments requested.

SUMMARY: The National Aeronautics and Space Administration (NASA) is revising its patent licensing regulations to conform with Pub. L. 96-517. This interim regulation provides policies and procedures applicable to the licensing of federally owned inventions in the custody of the National Aeronautics and Space Administration, and implements Pub. L. 96-517. The object of this subpart is to use the patent system to promote the utilization of inventions arising from NASA supported research and development.

EFFECTIVE DATE: July 1, 1981. Comments must be received in writing by December 2, 1981. Unless a notice is published in the **Federal Register** after the comment period indicating changes to be made, this interim regulation shall become a final regulation.

ADDRESS: Mr. John G. Mannix, Director of Patent Licensing, GP-4, NASA, Washington, D.C. 20546.

FOR FURTHER INFORMATION CONTACT: Mr. John G. Mannix, (202) 755-3954.

SUPPLEMENTARY INFORMATION:

PART 1245—PATENTS AND OTHER INTELLECTUAL PROPERTY RIGHTS

Subpart 2 of Part 1245 is revised to read as follows

• • • • •

Subpart 2—Licensing of NASA Inventions

Sec.

1245.200 Scope of subpart.
1245.201 Policy and objective.
1245.202 Definitions.
1245.203 Authority to grant licenses.

Restrictions and Conditions

1245.204 All licenses granted under this subpart.

Types of Licenses

1245.205 Nonexclusive licenses.
1245.206 Exclusive and partially exclusive licenses.

Procedures

1245.207 Application for a license.
1245.208 Processing applications.
1245.209 Notice to Attorney General.
1245.210 Modification and termination of licenses
1245.211 Appeals.
1245.212 Protection and administration of inventions.
1245.213 Transfer of custody.
1245.214 Confidentiality of information.

Authority: 35 U.S.C. Section 207 and 208, 94 Stat. 3023 and 3024.

• • • • •

Subpart 2—Licensing of NASA Inventions

§ 1245.200 Scope of subpart.

This subpart prescribes the terms, conditions, and procedures upon which a NASA invention may be licensed. It does not affect licenses which (a) were in effect prior to July 1, 1981; (b) may exist at the time of the Government's acquisition of title to the invention, including those resulting from the allocation of rights to inventions made under Government research and development contracts, (c) are the result of an authorized exchange of rights in the settlement of patent disputes; or (d) are otherwise authorized by law or treaty.

§ 1245.201 Policy and objective.

It is the policy and objective of this subpart to use the patent system to promote the utilization of inventions arising from NASA supported research and development.

§ 1245.202 Definitions.

(a) "Federally owned invention" means an invention, plant, or design which is covered by a patent, or patent application in the United States, or a patent, patent application, plant variety protection, or other form of protection, in a foreign country, title to which has been assigned to or otherwise vested in the United States Government.

(b) "Federal agency" means an executive department, military department, Government corporation, or independent establishment, except the Tennessee Valley Authority, which has custody of a Federally owned invention.

(c) "NASA Invention" means a Federally owned invention with respect to which NASA maintains custody and administration, in whole or in part, of the right, title or interest in such invention on behalf of the United States Government.

(d) "Small business firm" means a small business concern as defined at section 2 of Pub. L. 85-536 (15 U.S.C. 632) and implementing regulations of the Administrator of the Small Business Administration. For the purpose of these regulations, the size standard for small business concerns involved in Government procurement, contained in 13 C.F.R. 121.3-8, and in subcontracting, contained in 13 CFR 121.3-12, will be used.

(e) Practical application" means to manufacture in the case of a composition or product, to practice in the case of a process or method, or to operate in the case of a machine or system; and, in each case, under such conditions as to establish that the invention is being utilized and that its benefits are to the extent permitted by law or Government regulations available to the public on reasonable terms.

(f) "United States" means the United States of America, its territories and possessions, the District of Columbia, and the Commonwealth of Puerto Rico.

§ 1245.203 Authority to grant licenses.

NASA inventions shall be made available for licensing as deemed appropriate in the public interest. NASA may grant nonexclusive, partially exclusive, or exclusive licenses thereto under this subpart on inventions in its custody.

Restrictions and Conditions

§ 1245.204 All licenses granted under this subpart.

(a) *Restrictions.* (1) A license may be granted only if the applicant has supplied NASA with a satisfactory plan for development or marketing of the invention, or both, and with information about the applicant's capability to fulfill the plan.

(2) A license granting rights to use or sell under a NASA invention in the United States shall normally be granted only to a licensee who agrees that any products embodying the invention or produced through the use of the invention will be manufactured substantially in the United States.

(b) *Conditions.* Licenses shall contain such terms and conditions as NASA determines are appropriate for the protection of the interests of the Federal Government and the public and are not in conflict with law or this subpart. The following terms and conditions apply to any license:

(1) The duration of the license shall be for a period specified in the license agreement, unless sooner terminated in accordance with this subpart.

(2) The license may be granted for all or less than all fields of use of the invention or in specified geographical areas, or both.

(3) The license may extend to subsidiaries of the licensee or other parties if provided for in the license but shall be nonassignable without approval of NASA, except to the successor of that part of the licensee's business to which the invention pertains.

(4) The license may provide the licensee the right to grant sublicenses under the license, subject to the approval of NASA. Each sublicense shall make reference to the license, including the rights retained by the Government, and a copy of such sublicense shall be furnished to NASA.

(5) The license shall require the licensee to carry out the plan for development or marketing of the invention, or both, to bring the invention to practical application within a period specified in the license, and to continue to make the benefits of the invention reasonably accessible to the public.

(6) The license shall require the licensee to report periodically on the utilization or efforts at obtaining utilization that are being made by the licensee, with particular reference to the plan submitted.

(7) All licenses shall normally require royalties or other consideration.

(8) Where an agreement is obtained pursuant to § 1245.204(a)(2) that any products embodying the invention or produced through use of the invention will be manufactured substantially in the United States, the license shall recite such agreement.

(9) The license shall provide for the right of NASA to terminate the license, in whole or in part, if:

(i) NASA determines that the licensee is not executing the plan submitted with its request for a license and the licensee cannot otherwise demonstrate to the satisfaction of NASA that it has taken or can be expected to take within a reasonable time effective steps to achieve practical application of the invention;

(ii) NASA determines that such action is necessary to meet requirements for public use specified by Federal regulations issued after the date of the license and such requirements are not reasonably satisfied by the licensee;

(iii) The licensee has willfully made a false statement of or willfully omitted a material fact in the license application or in any report required by the license agreement; or

(iv) The licensee commits a substantial breach of a covenant or agreement contained in the license.

(10) The license may be modified or terminated, consistent with this subpart, upon mutual agreement of NASA and the licensee.

(11) Nothing relating to the grant of a license, nor the grant itself, shall be construed to confer upon any person any immunity from or defenses under the antitrust laws or from a charge of patent misuse, and the acquisition and use of rights pursuant to this subpart shall not be immunized from the operation of state or Federal law by reason of the source of the grant.

Types of Licenses

§ 1245.205 Nonexclusive licenses.

(a) *Availability of licenses.* Nonexclusive licenses may be granted under NASA inventions without publication of availability or notice of a prospective license.

(b) *Conditions.* In addition to the provisions of § 1245.204, the nonexclusive license may also provide that, after termination of a period specified in the license agreement, NASA may restrict the license to the fields of use or geographic areas, or both, in which the licensee has brought the invention to practical application and continues to make the benefits of the invention reasonably accessible to the public. However, such restriction shall be made only in order to grant an exclusive or partially exclusive license in accordance with this subpart.

§ 1245.206 Exclusive and partially exclusive licenses.

(a) Domestic licenses.

(1) *Availability of licenses.* Exclusive or partially exclusive licenses may be granted on NASA inventions: (i) 3 months after notice of the invention's availability has been announced in the **Federal Register**; or (ii) without such notice where NASA determines that expeditious granting of such a license will best serve the interests of the Federal Government and the public; and (iii) in either situation, specified in (a)(1)(i) or (ii) of this section only if:

(A) Notice of a prospective license, identifying the invention and the prospective licensee, has been published in the **Federal Register**, providing opportunity for filing written objections within a 60-day period;

(B) After expiration of the period in § 1245.206(a) (1)(iii)(A) and consideration of nay written objections received during the period, NASA has determined that:

(*1*) The interests of the Federal Government and the public will best be served by the proposed license, in view of the applicant's intentions, plans, and ability to bring the invention to practical application or otherwise promote the invention's utilization by the public;

(*2*) The desired practial application has not been achieved, or is not likely expeditiously to be achieved, under any nonexclusive license which has been granted, or which may be granted, on the invention;

(*3*) Exclusive or partially exclusive licensing is a reasonable and necessary incentive to call forth the investment of risk capital and expenditures to bring the invention to practical application or otherwise promote the invention's utilization by the public; and

(*4*) The proposed terms and scope of exclusivity are not greater than reasonably necessary to provide the incentive for bringing the invention to practical application or otherwise promote the invention's utilization by the public;

(C) NASA has not determined that the grant of such license will tend substantially to lessen competition or result in undue concentration in any section of the country in any line of commerce to which the technology to be licensed relates, or to create or maintain other situations inconsistent with the antitrust laws; and

(D) NASA has given first preference to any small business firms submitting plans that are determined by the agency to be within the capabilities of the firms and as equally likely, if executed, to bring the invention to practical application as any plans submitted by applicants that are not small business firms.

(2) *Conditions.* In addition to the provisions of § 1245.204, the following terms and conditions apply to domestic exclusive and partially exclusive licenses:

(i) The license shall be subject to the irrevocable, royalty-free right of the Government of the United States to practice and have practiced the invention on behalf of the United States and on behalf of any foreign government or international organization pursuant to any existing or future treaty or agreement with the United States.

(ii) The license shall reserve to NASA the right to require the licensee to grant sublicenses to responsible applicants, on reasonable terms, when necessary to fulfill health or safety needs.

(iii) The license shall be subject to any licenses in force at the time of the grant of the exclusive or partially exclusive license.

(iv) The license may grant the licensee the right of enforcement of the licensed patent pursuant to the provisions of Chapter 29 of Title 35, United States Code, or other statutes, as determined appropriate in the public interest.

(b) Foreign licenses.

(1) *Availability of licenses.* Exclusive or partially exclusive licenses may be granted on a NASA invention covered by a foreign patent, patent application, or other form of protection, provided that:

(i) Notice of a prospective license,

identifying the invention and prospective licensee, has been published in the Federal Register, providing opportunity for filing written objections within a 60-day period and following consideration of such objections;

(ii) NASA has considered whether the interests of the Federal Government or United States industry in foreign commerce will be enhanced; and

(iii) NASA has not determined that the grant of such license will tend substantially to lessen competition or result in undue concentration in any section of the United States in any line of commerce to which the technology to be licensed relates, or to create or maintain other situations inconsistent with antitrust laws.

(2) *Conditions.* In addition to the provisions of § 1245.204, the following terms and conditions apply to foreign exclusive and partially exclusive licenses:

(i) The license shall be subject to the irrevocable, royalty-free right of the Government of the United States to practice and have practiced the invention on behalf of the United States and on behalf of any foreign government or international organization pursuant to any existing or future treaty or agreement with the United States.

(ii) The license shall be subject to any licenses in force at the time of the grant of the exclusive or partially exclusive license.

(iii) The license may grant the licensee the right to take any suitable and necessary actions to protect the licensed property, on behalf of the Federal Government.

(c) *Record of determinations.* NASA shall maintain a record of determinations to grant exclusive or partially exclusive licenses.

Procedures

§ 1245.207 Application for a license.

An application for a license should be addressed to the Patent Counsel at the NASA installation having responsibility for the invention and shall normally include:

(a) Identification of the invention for which the license is desired, including the patent application serial number or patent number, title, and date, if known;

(b) Identification of the type of license for which the application is submitted;

(c) Name and address of the person, company, or organization applying for the license and the citizenship or place of incorporation of the applicant;

(d) Name, address, and telephone number of representative of applicant to whom correspondence should be sent;

(e) Nature and type of applicant's business, identifying products or services which the applicant has successfully commercialized, and approximate number of applicant's employees;

(f) Source of information concerning the availability of a license on the invention;

(g) A statement indicating whether applicant is a small business firm as defined in § 1245.202(c);

(h) A detailed description of applicant's plan for development or marketing of the invention, or both, which should include:

(1) A statement of the time, nature and amount of anticipated investment of capital and other resources which applicant believes will be required to bring the invention to practical application;

(2) A statement as to applicant's capability and intention to fulfill the plan, including information regarding manufacturing, marketing, financial, and technical resources;

(3) A statement of the fields of use for which applicant intends to practice the invention; and

(4) A statement of the geographic areas in which applicant intends to manufacture any products embodying the invention and geographic areas where applicant intends to use or sell the invention, or both;

(i) Identification of licenses previously granted to applicant under Federally owned inventions;

(j) A statement containing applicant's best knowledge of the extent to which the invention is being practiced by private industry or Government, or both, or is otherwise available commercially; and

(k) Any other information which applicant believes will support a determination to grant the license to applicant.

§ 1245.208 Processing applications.

(a) Applications for licenses will be initially reviewed by the Patent Counsel of the NASA installation having responsibility for the invention. The Patent Counsel shall make a preliminary recommendation to the Director of Licensing, NASA Headquarters, whether to: (1) grant the license as requested, (2) grant the license with modification after negotiation with the licensee, or (3) deny the license. The Director of Licensing shall review the preliminary recommendation of the Patent Counsel and make a final recommendation to the NASA Assistant General Counsel for Patent Matters. Such review and final recommendation may include, and be based on, any additional information obtained from applicant and other sources that the Patent Counsel and the Director of Licensing deem relevant to the license requested. The determination to grant or deny the license shall be made by the Assistant General Counsel for Patent Matters based on the final recommendation of the Director of Licensing.

(b) When notice of a prospective exclusive or partially exclusive license is published in the Federal Register in accordance with § 1245.206(a)(1)(iii)(A) or § 1245.206(b)(1)(i), any written objections received in response thereto will be considered by the Director of Licensing in making the final recommendation to the Assistant General Counsel for Patent Matters.

(c) If the requested license, including any negotiated modifications, is denied by the Assistant General Counsel for Patent Matters, the applicant may request reconsideration by filing a written request for reconsideration within 30 days after receiving notice of denial. This 30-day period may be extended for good cause.

(d) In addition to, or in lieu of requesting reconsideration, the applicant may also appeal the denial of the license in accordance with § 1245.211.

§ 1245.209 Notice to Attorney General.

A copy of the notice provided for in §§ 1245.206(a)(1)(iii)(A), and 1245.206(b)(1)(i) will be sent to the Attorney General.

§ 1245.210 Modification and termination of licenses.

Before modifying or terminating a license, other than by mutual agreement, NASA shall furnish the licensee and any sublicensee of record a written notice of intention to modify or terminate the license, and the licensee and any sublicensee shall be allowed 30 days after such notice to remedy any breach of the license or show cause why the license should not be modified or terminated.

§ 1245.211 Appeals.

(a) The following parties may appeal to the NASA Administrator or designee any decision or determination concerning the grant, denial, interpretation, modification, or termination of a license:

(1) A person whose application for a license has been denied;

(2) A licensee whose license has been modified or terminated, in whole or in part; or

(3) A person who timely filed a written objection in response to the notice required by §§ 1245.206(a)(1)(iii)(A) or

1245.206(b)(1)(i) and who can demonstrate to the satisfaction of NASA that such person may be damaged by the Agency action.

(b) Written notice of appeal must be filed within 30 days (or such other time as may be authorized for good cause shown) after receiving notice of the adverse decision or determination; including, an adverse decision following the request for reconsideration under § 1245.208(c). The notice of appeal, along with all supporting documentation should be addressed to the Administrator, National Aeronautics and Space Administration, Washington, DC 20546. Should the appeal raise a genuine dispute over material facts, fact-finding will be conducted by the NASA Inventions and Contributions Board. The person filing the appeal shall be afforded an opportunity to be heard and to offer evidence in support of the appeal. The Chairperson of the Inventions and Contributions Board shall prepare written findings of fact and transmit them to the Administrator or designee. The decision on the appeal shall be made by the NASA Administrator or designee. There is no further right of administrative appeal from the decision of the Administrator or designee.

§ 1245.212 Protection and administration of inventions.

NASA may take any suitable and necessary steps to protect and administer rights to NASA inventions, either directly or through contract.

§ 1245.213 Transfer of custody.

NASA having custody of certain Federally owned inventions may transfer custody and administration in whole or in part, to another Federal agency, of the right, title, or interest in any such invention.

§ 1245.214 Confidentiality of information.

Title 35, United States Code, section 209, provides that any plan submitted pursuant to § 1245.207(h) and any report required by § 1245.204(b)(6) may be treated by NASA as commercial and financial information obtained from a person and privileged and confidential and not subject to disclosure under section 552 of Title 5 of the United States Code.

James M. Beggs,

Administrator.

October 15, 1981.

[FR Doc. 81-31609 Filed 10-30-81; 8:45 am]

BILLING CODE 7510-01-M

1. Report No.	2. Government Accession No.	3. Recipient's Catalog No.
NASA SP-7039 (34)		

4. Title and Subtitle	5. Report Date
NASA Patent Abstracts Bibliography A Continuing Bibliography Section 2: Indexes (Supplement 34)	January, 1989
	6. Performing Organization Code
7. Author(s)	8. Performing Organization Report No.
	10. Work Unit No.
9. Performing Organization Name and Address National Aeronautics and Space Administration Washington, DC 20546	11. Contract or Grant No.
	13. Type of Report and Period Covered
12. Sponsoring Agency Name and Address	14. Sponsoring Agency Code

15. Supplementary Notes

Section 2: Indexes

16. Abstract

A subject index is provided for over 4600 patents and patent applications for the period May 1969 through December 1988. Additional indexes list personal authors, corporate authors, contract numbers, NASA case numbers, U.S. patent class numbers, U.S. patent numbers, and NASA accession numbers.

17. Key Words (Suggested by Authors(s))	18. Distribution Statement
Bibliographies Patent Policy NASA Programs	Unclassified - Unlimited

19. Security Classif. (of this report)	20. Security Classif. (of this page)	21. No. of Pages	22. Price *
Unclassified	Unclassified	510	A22/HC

* For sale by the National Technical Information Service, Springfield, Virginia 22161

NASA-Langley, 1989